

# Genetically Different Highly Pathogenic Avian Influenza A(H5N1) Viruses in West Africa, 2015

**Luca Tassoni, Alice Fusaro, Adelaide Milani, Philippe Lemey, Joseph Adongo Awuni, Victoria Bernice Sedor, Otilia Dogbey, Abraham Nii Okai Commey, Clement Meseke, Tony Joannis, Germaine L. Minoungou, Lassina Ouattara, Abdoul Malick Haido, Diarra Cisse-Aman, Emmanuel Couacy-Hymann, Gwenaëlle Dauphin, Giovanni Cattoli, Isabella Monne**

To trace the evolution of highly pathogenic influenza A(H5N1) virus in West Africa, we sequenced genomes of 43 viruses collected during 2015 from poultry and wild birds in 5 countries. We found 2 co-circulating genetic groups within clade 2.3.2.1c. Mutations that may increase adaptation to mammals raise concern over possible risk for humans.

In December 2014, a strain of highly pathogenic avian influenza (HPAI) A(H5N1) virus responsible for deaths among poultry was detected in southwestern Nigeria, specifically in a live bird market in Lagos State (1). Since then, other outbreaks have occurred in Nigeria, and the HPAI A(H5N1) virus has also been officially reported in Burkina Faso (February 2015) and Niger, Ghana, and Côte d'Ivoire (April 2015), to date causing the death of ≈1.6 million birds (2).

Author affiliations: Istituto Zooprofilattico Sperimentale delle Venezie, Legnaro, Italy (L. Tassoni, A. Fusaro, A. Milani, I. Monne); University of Leuven, Leuven, Belgium (P. Lemey); Veterinary Services Directorate of Ministry of Food and Agriculture, Accra, Ghana (J. Adongo Awuni, V.B. Sedor, O. Dogbey, A.N.O. Commey); National Veterinary Research Institute, Vom, Nigeria (C. Meseke, T. Joannis); Laboratoire National d'Élevage, Ouagadougou, Burkina Faso (G. Minoungou); Ministère des Ressources Animales, Ouagadougou (L. Ouattara); Direction de la Santé Animale, Niamey, Niger (A.M. Haido); Ministère des Ressources Animales et Halieutiques, Abidjan, Côte d'Ivoire (D. Cisse-Aman); Laboratoire Central de Pathologie Animale, Bingerville, Côte d'Ivoire (E. Couacy-Hymann); Food and Agriculture Organization of the United Nations, Rome, Italy (G. Dauphin); International Atomic Energy Agency, Seibersdorf, Austria (G. Cattoli)

DOI: <http://dx.doi.org/10.3201/eid2212.160578>

Previous HPAI A(H5N1) epidemics in West Africa occurred in 2006–2008 and involved exclusively viruses of clade 2.2 (3). So far, a full-genome characterization is publicly available for only 1 HPAI A(H5N1) virus, collected in Nigeria in early 2015 (4) and classified as clade 2.3.2.1c. To our knowledge, this clade has not been previously detected in Africa. Since 2009, this clade has been widely circulating in domestic and wild birds in several countries in Asia (5); in 2010, it was reported in Europe (6) and in 2014, in the Middle East (7). In 2015, clade 2.3.2.1c was detected in rooks, chickens, and dalmatian pelicans in Russia, Bulgaria, and Romania, respectively (8). To trace the evolution of HPAI A(H5N1) virus in West Africa, we examined the genetic characteristics of 43 such viruses collected during January–August 2015 in all affected countries in West Africa.

## The Study

From January through October 2015, a total of 248 samples (organ tissue and swab samples) from poultry and wild birds suspected of being infected with HPAI A(H5N1) virus in 6 countries in West Africa were sent for diagnostic confirmation to the World Organisation for Animal Health Reference Laboratory and the Food and Agriculture Organization of the United Nations Reference Center for Animal Influenza at the Istituto Zooprofilattico Sperimentale delle Venezie. Consistent with the laboratory test results provided by the submitting national veterinary laboratories, the presence of HPAI A(H5N1) virus was confirmed for 5 countries: Nigeria, Burkina Faso, Niger, Côte d'Ivoire, and Ghana. All samples positive for influenza A(H5N1) virus were sequenced by using Illumina MiSeq (San Diego, CA, USA) technology; complete coding sequences were obtained for 39 viruses, and the partial genome was obtained for 4 others (Table). To obtain consensus sequences later submitted to public databases (accession numbers in Table), we processed reads as described in Monne et al. (9).

We performed phylogenetic analyses for each genome segment by using PhyML 3.0 (10), incorporating a general time reversible model of nucleotide substitution with a gamma distribution of among-site rate variation (with 4 rate categories) and a subtree pruning and regrafting branch-swapping search procedure. The topology of the 8 phylogenetic trees shows that viruses collected from West


**Table.** Epidemiologic information for sequenced samples from poultry and wild birds positive for influenza A(H5N1) virus, West Africa\*

Name	Sequenced genome	Collection date	Country, location	DB	Accession nos.
A/chicken/Ghana/15VIR5480-3/2015	Complete	2015 Jul 28	Ghana, Greater Accra	GB	KU971453–60
A/partridge/Ghana/15VIR5480-5/2015	Complete	2015 Jul 27	Ghana; Greater Accra	GB	KU971461–68
A/chicken/Ghana/15VIR5480-7/2015	Complete	2015 Jul 28	Ghana, Greater Accra	GB	KU971469–76
A/chicken/Ghana/15VIR5480-10/2015	Complete	2015 Aug 7	Ghana	GB	KU971397–04
A/chicken/Ghana/15VIR5480-12/2015	Complete	2015 Jul 27	Ghana, Greater Accra	GB	KU971405–12
A/chicken/Ghana/15VIR5480-14/2015	Complete	2015 Aug 7	Ghana, Greater Accra	GB	KU971413–20
A/duck/Ghana/15VIR5480-16/2015	Complete	2015 Jul 27	Ghana, Greater Accra	GS	EPI687323; EPI719449–55
A/chicken/Ghana/15VIR5480-18/2015	Complete	2015 Aug 7	Ghana, Greater Accra	GB	KU971421–28
A/chicken/Ghana/15VIR5480-22/2015	Complete	2015 Aug 7	Ghana, Greater Accra	GS	EPI687324; EPI719911–17
A/duck/Ghana/15VIR5480-24/2015	Complete	2015 Jul 27	Ghana, Greater Accra	GB	KU971429–36
A/chicken/Ghana/15VIR5480-26/2015	Complete	2015 Aug 7	Ghana, Greater Accra	GB	KU971437–44
A/chicken/Ghana/15VIR5480-27/2015	Complete	2015 Aug 7	Ghana, Greater Accra	GB	KU971445–52
A/chicken/Niger/15VIR2060-1/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971301–08
A/chicken/Niger/15VIR2060-12/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971309–16
A/chicken/Niger/15VIR2060-14/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971317–24
A/chicken/Niger/15VIR2060-15/2015	HA	2015 Apr 2	Niger, Maradi	GB	KU971325
A/chicken/Niger/15VIR2060-5/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971326–33
A/chicken/Niger/15VIR2060-6/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971334–40
A/chicken/Niger/15VIR2060-7/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971341–48
A/chicken/Niger/15VIR2060-8/2015	Complete	2015 Apr 2	Niger, Maradi	GB	KU971349–56
A/chicken/Ivory_Coast/15VIR2742-5/2015	Partial	2015 Apr 30	Côte d'Ivoire, Bouaké- Quartier Broukro	GB	KU971578–84
A/turtledove/Ivory_Coast/15VIR2742-7/2015	Complete	2015 Apr 30	Côte d'Ivoire, Bouaké- Quartier Broukro	GB	KU971585–92
A/duck/Ivory_Coast/15VIR2742-2/2015	Complete	2015 Apr 13	Côte d'Ivoire, Bouaké- Quartier Koko	GB	KU971562–69
A/chicken/Ivory_Coast/15VIR2742-3/2015	Complete	2015 Apr 13	Côte d'Ivoire, Bouaké- Quartier Koko	GB	KU971570–77
A/chicken/Burkina_Faso/15VIR1774-1/2015	Partial	2015 Mar 12	Burkina Faso, CPAVI in Ouagadougou	GB	KU971477–83
A/chicken/Burkina_Faso/15VIR1774-2/2015	Complete	2015 Mar 12	Burkina Faso, CPAVI in Ouagadougou	GB	KU971484–91
A/domestic_bird/Burkina_Faso/15VIR1774-22/2015	Complete	2015 Mar 10	Burkina Faso, Sanguiè Province	GB	KU971492–99
A/domestic_bird/Burkina_Faso/15VIR1774-23/2015	Complete	2015 Mar 10	Burkina Faso, Sanguiè Province	GB	KU971500–07
A/domestic_bird/Burkina_Faso/15VIR1774-24/2015	Complete	2015 Mar 10	Burkina Faso, Sanguiè Province	GB	KU971508–15
A/domestic_bird/Burkina_Faso/15VIR1774-25/2015	Complete	2015 Mar 10	Burkina Faso, Sanguiè Province	GB	KU971516–23
A/chicken/Burkina_Faso/15VIR1774-33/2015	Complete	2015 Mar 23	Burkina Faso, Koubri	GB	KU971524–31
A/chicken/Burkina_Faso/15VIR1774-35/2015	Complete	2015 Mar 23	Burkina Faso, Koubri	GS	EPI584232; EPI719904–10
A/chicken/Burkina_Faso/15VIR1774-36/2015	Complete	2015 Mar 23	Burkina Faso, Koubri	GB	KU971532–39
A/chicken/Burkina_Faso/15VIR1774-37/2015	Complete	2015 Mar 12	Burkina Faso, CPAVI in Ouagadougou	GB	KU971540–47
A/chicken/Burkina_Faso/15VIR1774-38/2015	Partial	2015 Mar 12	Burkina Faso, CPAVI in Ouagadougou	GB	KU971548–53
A/chicken/Burkina_Faso/15VIR1774-4/2015	Complete	2015 Mar 12	Burkina Faso, CPAVI in Ouagadougou	GB	KU971554–61
A/chicken/Nigeria/15VIR339-1/2015	Complete	2015 Jan 2	Nigeria, Lagos State	GB	KU971593–00
A/chicken/Ghana/15VIR2588-10/2015	Complete	2015 May 8	Ghana, Greater Accra	GB	KU971357–64
A/chicken/Ghana/15VIR2588-11/2015	Complete	2015 May 4	Ghana, Greater Accra	GB	KU971365–72
A/chicken/Ghana/15VIR2588-4/2015	Complete	2015 May	Ghana, Greater Accra	GB	KU971373–80
A/chicken/Ghana/15VIR2588-5/2015	Complete	2015 May	Ghana, Greater Accra	GB	KU971381–88
A/chicken/Ghana/15VIR2588-8/2015	Complete	2015 May 8	Ghana, Greater Accra	GB	KU971389–96
A/chicken/Ghana/15VIR2588-9/2015	Complete	2015 May 4	Ghana, Greater Accra	GS	EPI632942; EPI719456–62

\*CPAVI, Centre de Promotion de l'Aviculture Villageoise; DB, database; GB, GenBank; GS, The Global Initiative on Sharing All Influenza Data; HA, hemagglutinin.

Africa in 2015 belong to clade 2.3.2.1c and cluster separately from HPAI A(H5N1) viruses collected from West Africa during the 2006–2008 epidemic (Figure). Specifically, the analyzed viruses grouped with those that have been circulating in Eurasia since 2013 and showed the highest similarity with H5N1 subtype viruses collected in Europe and the Middle East from late 2014 through early 2015. As previously described for influenza A(H5N1) virus (4), the viruses from West Africa that we analyzed displayed the same genetic constellation of the A/Alberta/01/2014

virus; the polymerase basic protein 2 segment originated from a reassortment event with subtype H9N2. The hemagglutinin (HA) phylogenetic tree (Figure) shows that the viruses from West Africa constitute 2 main groups, here named WA1 and WA2, supported by high bootstrap values (>73%) and a genetic similarity of 98%–99.1%. WA1 is the most heterogeneous group (identity 98.7%–100%) and contains sequences from all affected countries in West Africa (Nigeria, Niger, Côte d'Ivoire, Burkina Faso, and Ghana). WA2 comprises sequences collected in April 2015



**Figure.** Maximum-likelihood phylogenetic tree of the hemagglutinin gene segment of highly pathogenic avian influenza (H5N1) viruses from West Africa. Strain colors indicate country of collection (inset). The 2 identified groups (WA1 and WA2) are indicated by boxes (black and gray, respectively). Clades are indicated at right; sequences from the 2006–2008 epidemic (clade 2.2) in West Africa were used as an outgroup. Numbers at the nodes represent bootstrap values >60%, obtained through a nonparametric bootstrap analysis that used 100 replicates. Scale bar indicates nucleotide substitutions per site.

from Niger and Côte d'Ivoire only (identity 99.4%–100%) and clusters together with subtype H5N1 collected during January–March 2015 from wild birds in Europe (Bulgaria and Romania). Of note, viruses in the WA2 group are more closely related to those from Europe (similarity 99.30%–99.65%) than to those in the WA1 group (similarity 97.95%–99.12%), suggesting the occurrence of at least 2 independent introductions of subtype H5N1 in West Africa. Viruses in the WA1 and WA2 groups were isolated in 1 city in Niger and 1 city in Côte d'Ivoire, which suggests their possible co-circulation in the same geographic area.

As with the HA gene, we identified the 2 West Africa groups in all the other phylogenies (supporting bootstrap values >74%), except for the tree of the nonstructural gene segment, in which WA2 does not form a monophyletic group. Unfortunately, only the HA gene segment of the viruses from Europe that clusters with the WA2 group is available in the public database, making the source of the internal genes of the WA2 viruses impossible to trace.

The analysis of molecular markers indicates that all viruses showed mutations D94N (except for A/chicken/Ghana/5480-14/2015), S133A, and S155N (H5 numbering) in the HA protein; these mutations have been shown to increase virus binding to  $\alpha$ 2,6 sialic acid (11). In addition, the analysis of internal proteins identified a mutation associated with enhanced replication efficiency (NP N319K) (11) in all WA2 viruses from Niger. Moreover, the alternative reading frame of the polymerase basic protein 1 of the WA2 viruses is truncated (57 aa long), as it is in the Asian and European progenitors. This truncation is common among influenza A viruses of mammals and in HPAI A(H5N1) viruses, and it has been associated with increased virulence in mammals (12).

## Conclusions

We demonstrated that a reassortant HPAI A(H5N1) clade 2.3.2.1c virus was responsible for infections in 5 West Africa countries. The influenza (H5N1) viruses from West Africa show a close phylogenetic relationship with the HPAI A(H5N1) viruses identified in Europe and the Middle East during late 2014–2015, indicating a Eurasian origin of their progenitors. The route of introduction of this virus is difficult to establish because West Africa offers wintering sites for wild birds coming from the southern Russian regions, Europe, and western Asia (13), and it imports live birds from countries in Europe and Asia (14).

As with previous epidemics (2006–2008), when distinct introductions and multiple reassortment events were identified (3,15), we were able to detect the co-circulation of 2 distinct genetic clusters in Côte d'Ivoire and Niger, which suggests that there might have been at least 2 separate introductions into West Africa. However, the limited amount of genetic data available makes it impossible to pinpoint how these viruses entered the continent and spread

so widely, and it is not easy to determine the exact number of introductions and where they have occurred in West Africa. Additional virus data from affected countries would help elucidate the epidemiology and the evolution of this virus in this part of the continent.

Of note, all the viruses from West Africa display the same genetic constellation of a strain (A/Alberta/01/2014) isolated from a human, a Canada resident who had returned from China. These viruses contain mutations that have been described as being associated with an enhanced binding affinity for  $\alpha$ 2,6 sialic acid or with increased virulence in mammals.

As during the 2006–2008 HPAI A(H5N1) epidemics, West Africa countries are again facing devastating economic and social consequences from these infections. It is imperative for regional and international organizations to join forces in generating and making available detailed genetic and epidemiologic information that can be used to better trace the spread and evolution in West Africa of influenza A(H5N1) virus and to provide input for informed decisions on control measures and resource allocation.

## Acknowledgments

We thank The World Bank, through the West Africa Agriculture Productivity Project, for financial assistance in the fight to contain HPAI outbreaks in Ghana. We also thank Annalisa Salviato, Alessia Schivo, and Francesca Ellero for their excellent technical assistance. We acknowledge the authors and the originating and submitting laboratories of the sequences from the Global Initiative on Sharing All Influenza Data EpiFlu Database on which this research is based in part (online Technical Appendix, <http://wwwnc.cdc.gov/EID/article/22/12/16-0578-Techapp1.pdf>).

This study was made possible through technical support provided by the United Nations Food and Agriculture Organization (letter of agreement no. 315535) and partial funding provided by the US Agency for International Development under the OSRO/GLO/407/USA project “Global Health Security in Africa and Asia.” The European Union Seventh Framework Programme (FP7/2007-2013) under grant agreement no. 278433-PREDEMICS, also supported part of the sequencing analyses, which generated the study results.

Dr. Tassoni is a biotechnologist at the Istituto Zooprofilattico Sperimentale delle Venezie. His primary research interests include studying the molecular phylogeny and the evolutionary dynamics of viruses.

## References

- 1 World Organization for Animal Health. Highly pathogenic avian influenza in Nigeria—follow-up report no. 27. 15 December 2015 [cited 2016 Jan 11]. [http://www.oie.int/wahis\\_2/temp/reports/en\\_fup\\_0000019347\\_20151215\\_181155.pdf](http://www.oie.int/wahis_2/temp/reports/en_fup_0000019347_20151215_181155.pdf)

2. Food and Agriculture Organization of the United Nations. Worries rise over outbreaks of avian flu in West Africa [cited 2016 Jan 11]. <http://www.fao.org/news/story/it/item/297715/icode/>
3. Cattoli G, Fusaro A, Monne I, Capua I. H5N1 virus evolution in Europe—an updated overview. *Viruses*. 2009;1:1351–63. <http://dx.doi.org/10.3390/v1031351>
4. Monne I, Meseko C, Joannis T, Shittu I, Ahmed M, Tassoni L, et al. Highly pathogenic avian influenza A(H5N1) virus in poultry, Nigeria, 2015. *Emerg Infect Dis*. 2015;21:1275–7. <http://dx.doi.org/10.3201/eid2107.150421>
5. World Health Organization/World Organisation for Animal Health/Food and Agriculture Organization (WHO/OIE/FAO) H5N1 Evolution Working Group. Revised and updated nomenclature for highly pathogenic avian influenza A (H5N1) viruses. *Influenza Other Respir Viruses*. 2014;8:384–8. <http://dx.doi.org/10.1111/irv.12230>
6. Reid SM, Shell WM, Barboi G, Onita I, Turcitu M, Cioranu R, et al. First reported incursion of highly pathogenic notifiable avian influenza A H5N1 viruses from clade 2.3.2 into European poultry. *Transbound Emerg Dis*. 2011;58:76–8. <http://dx.doi.org/10.1111/j.1865-1682.2010.01175.x>
7. Naguib MM, Kinne J, Chen H, Chan KH, Joseph S, Wong PC, et al. Outbreaks of highly pathogenic avian influenza H5N1 clade 2.3.2.1c in hunting falcons and kept wild birds in Dubai implicate intercontinental virus spread. *J Gen Virol*. 2015;96:3212–22. <http://dx.doi.org/10.1099/jgv.0.000274>
8. World Organisation for Animal Health. Update on highly pathogenic avian influenza in animals (type H5 and H7) [cited 2016 Jan 11]. <http://www.oie.int/en/animal-health-in-the-world/update-on-avian-influenza/2015/>
9. Monne I, Fusaro A, Nelson MI, Bonfanti L, Mulatti P, Hughes J, et al. Emergence of a highly pathogenic avian influenza virus from a low-pathogenic progenitor. *J Virol*. 2014;88:4375–88. <http://dx.doi.org/10.1128/JVI.03181-13>
10. Guindon S, Dufayard J-F, Lefort V, Anisimova M, Hordijk W, Gascuel O. New algorithms and methods to estimate maximum-likelihood phylogenies: assessing the performance of PhyML 3.0. *Syst Biol*. 2010;59:307–21. <http://dx.doi.org/10.1093/sysbio/syq010>
11. Centers for Disease Control and Prevention. H5N1 Genetic Changes Inventory: a tool for international surveillance [cited 2016 Jan 11]. <http://www.cdc.gov/flu/avianflu/h5n1-genetic-changes.htm>
12. Kamal RP, Kumar A, Davis CT, Tzeng W-P, Nguyen T, Donis RO, et al. Emergence of highly pathogenic avian influenza A(H5N1) virus PBI–F2 variants and their virulence in BALB/c mice. *J Virol*. 2015;89:5835–46.
13. Olsen B, Munster VJ, Wallensten A, Waldenstrom J, Osterhaus ADME, Fouchier RAM. Global patterns of influenza A virus in wild birds. *Science*. 2006;312:384–8.
14. Food and Agriculture Organization of the United Nations. H5N1 HPAI spread in Nigeria and increased risk for neighbouring countries in West Africa. *Empres Watch*. 2015 [cited 2016 Jan 11]. <http://www.fao.org/documents/card/en/c/332c88fd-b229-4db7-9a0d-0bd92dfd3374/>
15. Fusaro A, Nelson MI, Joannis T, Bertolotti L, Monne I, Salvati A, et al. Evolutionary dynamics of multiple sublineages of H5N1 influenza viruses in Nigeria from 2006 to 2008. *J Virol*. 2010;84:3239–47. <http://dx.doi.org/10.1128/JVI.02385-09>

Address for correspondence: Isabella Monne, Istituto Zooprofilattico Sperimentale delle Venezie, Research & Innovation Department, Viale dell'Università 10, 35020, Legnaro, Padova, Italy; email: [imonne@izsvenezie.it](mailto:imonne@izsvenezie.it)

## EID Podcast: Novel Eurasian Highly Pathogenic Avian Influenza A H5 Viruses in Wild Birds, Washington, USA, 2014



Novel Eurasian lineage avian influenza A(H5N8) virus has spread rapidly and globally since January 2014. In December 2014, H5N8 and reassortant H5N2 viruses were detected in wild birds in Washington, USA, and subsequently in backyard birds. When they infect commercial poultry, these highly pathogenic viruses pose substantial trade issues.

Visit our website to listen:

<http://www2c.cdc.gov/podcasts/player.asp?f=8636076>

**EMERGING  
INFECTIOUS DISEASES**

# Genetically Different Highly Pathogenic Avian Influenza A(H5N1) Viruses in West Africa, 2015

## Technical Appendix

**Technical Appendix Table.** Global Initiative on Sharing All Influenza Data (GISAID) accession numbers, submitting laboratories, and authors of the sequences used in study of genetically different highly pathogenic avian influenza A(H5N1) viruses in West Africa, 2015\*

Segment ID	Segment	Country	Collection date	Isolate name	Originating Lab	Submitting Lab	Authors
EPI592605	HA	Bulgaria	2015 Jan 23	A/dalmatian pelican/Bulgaria/4/2015	NDRVMI (National Diagnostic and Research Veterinary Medical Institute)	Animal and Plant Health Agency (APHA)	Thomas, S; Seekings, A; Essen, S; Manvell, R; Goujgoulova, G; Oreshkova, L; Banks, J; Brown, I
EPI592416	HA	Bulgaria	2015 Jan 23	A/dalmatian pelican/Bulgaria/3/2015	NDRVMI (National Diagnostic and Research Veterinary Medical Institute)	Animal and Plant Health Agency (APHA)	Thomas, S; Seekings, A; Essen, S; Manvell, R; Goujgoulova, G; Oreshkova, L; Banks, J; Brown, I
EPI594492	HA	Bulgaria	2015 Jan 30	A/chicken/Bulgaria/5409/15	NDRVMI (National Diagnostic and Research Veterinary Medical Institute)	Animal and Plant Health Agency (APHA)	Thomas, S; Seekings, A; Essen, S; Manvell, R; Goujgoulova, G; Oreshkova, L; Banks, J; Brown, I
EPI594491	HA	Bulgaria	2015 Jan 30	A/chicken/Bulgaria/5408/15	NDRVMI (National Diagnostic and Research Veterinary Medical Institute)	Animal and Plant Health Agency (APHA)	Thomas, S; Seekings, A; Essen, S; Manvell, R; Goujgoulova, G; Oreshkova, L; Banks, J; Brown, I
EPI594490	HA	Bulgaria	2015 Jan 30	A/chicken/Bulgaria/5407/15	NDRVMI (National Diagnostic and Research Veterinary Medical Institute)	Animal and Plant Health Agency (APHA)	Thomas, S; Seekings, A; Essen, S; Manvell, R; Goujgoulova, G; Oreshkova, L; Banks, J; Brown, I
EPI559770	HA	China	2015 Jan 04	A/whooper swan/Henan/SMX3/2015(H5N1)	CAS Key Laboratory of Pathogenic Microbiology and Immunology, Institute of Microbiology, Chinese Academy of Sciences	Institute of Microbiology, Chinese Academy of Sciences	Not applicable
EPI559727	HA	China	2015 Jan 04	A/whooper swan/Henan/SMX1/2015(H5N1)	CAS Key Laboratory of Pathogenic Microbiology and Immunology, Institute of Microbiology, Chinese Academy of Sciences	Institute of Microbiology, Chinese Academy of Sciences	Not applicable
EPI559910	HA	China	2015 Jan 05	A/whooper swan/Henan/SMX9/2015(H5N1)	CAS Key Laboratory of Pathogenic Microbiology and Immunology,	Institute of Microbiology, Chinese Academy of Sciences	Not applicable

Segment ID	Segment	Country	Collection date	Isolate name	Originating Lab	Submitting Lab	Authors
EPI559789	HA	China	2015 Jan 05	A/whooper swan/Henan/SMX4/2015(H5N1)	Institute of Microbiology, Chinese Academy of Sciences CAS Key Laboratory of Pathogenic Microbiology and Immunology, Institute of Microbiology, Chinese Academy of Sciences	Institute of Microbiology, Chinese Academy of Sciences	Not applicable
EPI560202	HA	China	2015 Jan 05	A/enviroment/Henan/SMX1/2015(H5N1)	Institute of Pathogen Biology, Taishan Medical College	Institute of Microbiology, Chinese Academy of Sciences	Shi, Weifeng; Bi, Yuhai
EPI594560	HA	Romania	2015 Mar 26	A/pelican/Romania/12449/2015	Institute for Diagnosis & Animal Health (IDAH)	Animal and Plant Health Agency (APHA)	Thomas, S; Puranik, A; Londt, B; Essen, S; Manvell, R; Onita, I; Neicut, A; Cioranu, R; Motiu, R; Banks, J; Brown, I
EPI631928	HA	Russian Federation	2015 May 07	A/rook/Sartlan/42/2015	State Research Center of Virology and Biotechnology Vector	State Research Center of Virology and Biotechnology y Vector	Ivan, Susloparov; Vasily, Marchenko; Natalya, Goncharova; Andrey, Shipovalov; Alexander, Durymanov; Tatyana, Ilyicheva; Alexander, Ryzhikov
EPI631920	HA	Russian Federation	2015 May 07	A/rook/Dovolnoe/50/2015	State Research Center of Virology and Biotechnology Vector	State Research Center of Virology and Biotechnology y Vector	Ivan, Susloparov; Vasily, Marchenko; Natalya, Goncharova; Andrey, Shipovalov; Alexander, Durymanov; Tatyana, Ilyicheva; Alexander, Ryzhikov
EPI631912	HA	Russian Federation	2015 May 07	A/rook/Chany/32/2015	State Research Center of Virology and Biotechnology Vector	State Research Center of Virology and Biotechnology y Vector	Ivan, Susloparov; Vasily, Marchenko; Natalya, Goncharova; Andrey, Shipovalov; Alexander, Durymanov; Tatyana, Ilyicheva; Alexander, Ryzhikov
EPI623563	HA	United Arab Emirates	2014 Dec 01	A/Duck/Dubai/2459/2014		Friedrich-Loeffler-Institut	Chen, H.; Chan, KH.; Wong, PC.; Woo, C.Y.P.
EPI623571	HA	United Arab Emirates	2014 Dec 07	A/Falcon/Dubai/2506/2014		Friedrich-Loeffler-Institut	Chen, H.; Chan, KH.; Wong, PC.; Woo, C.Y.P.
EPI603561	HA	United Arab Emirates	2014 Dec 07	A/Sea Gull/Dubai/AR3443-25041/2014		Friedrich-Loeffler-Institut	Naguib, M.M.; Wernery, U.; Harder, T.
EPI603577	HA	United Arab Emirates	2014 Dec 07	A/Quail/Dubai/AR3445-25043/2014		Friedrich-Loeffler-Institut	Naguib, M.M.; Wernery, U.; Harder, T.
EPI603569	HA	United Arab Emirates	2014 Dec 07	A/Stone curlew/Dubai/AR3444-25042/2014		Friedrich-Loeffler-Institut	Naguib, M.M.; Wernery, U.; Harder, T.
EPI603553	HA	United Arab Emirates	2014 Nov 17	A/Falcon/Dubai/AR3430-2293/2014		Friedrich-Loeffler-Institut	Naguib, M.M.; Wernery, U.; Harder, T.

Segment ID	Segment	Country	Collection date	Isolate name	Originating Lab	Submitting Lab	Authors
EPI623555	HA	United Arab Emirates	2014 Nov 30	A/Hoabara/Dubai/2455.5/2014		Friedrich-Loeffler-Institut	Chen, H.; Chan, KH. ; Wong, PC. ; Woo, C.Y.P.
EPI643194	HA	Ghana	2015 Jan 01	A/chicken/Ghana/FJ152511/2015	University of Ghana	Crick Worldwide Influenza Centre	Not applicable
EPI556504	HA	Nigeria	2015 Jan 01	A/chicken/Nigeria/15VIR339-2/2015	National Veterinary Research Institute	Istituto Zooprofilattico Sperimentale Delle Venezie	Joannis, T.; Ahmed, M.; Meseko, C.; Shittu, I.; Solomon, P.; Luka, P.; Olorunshola, B.; Tassoni, L.; Schivo, A.; Ormelli, S.; Monne, I.
EPI425248	HA	Vietnam	2012 Jan 30	A/chicken/Vietnam/NCVD-1177/2012	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI425376	HA	Vietnam	2012 Feb 17	A/duck/Vietnam/NCVD-1234/2012	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI425472	HA	Vietnam	2012 Feb 16	A/chicken/Vietnam/NCVD-1247/2012	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI425616	HA	Vietnam	2012 Mar 02	A/chicken/Vietnam/NCVD-1488/2012	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI425787	HA	Vietnam	2011 Sep 07	A/chicken/Vietnam/NCVD-1040/2011	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI425827	HA	Vietnam	2011 Sep 08	A/chicken/Vietnam/NCVD-1059/2011	National Centre of Veterinary Diagnostics	Centers for Disease Control and Prevention	Not applicable
EPI500771	HA	Canada	2014 Jan 03	A/Alberta/01/2014	Provincial Laboratory of Public Health for Southern Alberta	Public Health Agency of Canada (PHAC)	Li, Yan; Bastien, Nathalie; Fonseca, Kevin; Tipples, Graham; Pabbaraju, Kanti; Tellier, Raymond; Wong, Sallene; Tang, Julian W.; Drews, Steven J.

\*We acknowledge the authors and the originating and submitting laboratories of the sequences from GISAID's EpiFlu Database on which this research is based. All submitters of data can be contacted directly through [www.gisaid.org](http://www.gisaid.org).