Table HA. Weighted (base weight) Frequency Listings for Questions on Symptoms of a Heart Attack: NHIS, 2001 and 2008

(Q1-Q3)

(Q1-Q3)			2008, Q1-Q3	2008, Q1-Q3
			(minus cases that took	(minus cases that took
	2001	2000 01 02	less than 13 seconds to	less than 20 seconds to
T	2001	2008, Q1-Q3	complete the 5 items) 1	complete the 5 items) ¹
Item Which of the following would you say are the	(n=33,326)	(n=19,407)	(n=15,753)	(n=13,994)
symptoms that someone may be having a				
heart attack? I am going to read a list. Please			:	
say yes or no to each one.				
Pain or discomfort in the jaw, neck or back.				
Yes	55.3%	49.5%	51.6%	52.6%
No	35.7	45.0	42.7	41.7
Refused	0.7	0.3	0.1	0.1
Don't know	8.3	5.2	5.6	5.6
Feeling weak, lightheaded or faint.				
Yes	68.7%	63.6%	67.4%	69.1%
No	22.7	31.6	27.8	26.0
Refused	0.7	0.3	0.1	0.1
Don't know	7.9	4.5	4.7	4.9
Chest pain or discomfort.				
Yes	89.6%	81.3%	87.5%	90.2%
No	5.8	16.7	11.0	8.4
Refused	0.7	0.3	0.1	0.1
Don't know	3.9	1.8	1.5	1.4
Pain or discomfort in the arms or shoulders.				
Yes	83.6%	76.0%	81.6%	84.1%
No	10.4	21.0	15.7	13.3
Refused	0.7	0.3	0.1	0.1
Don't know	5.3	1.8	2.7	2.6

Table HA, continued

				2008, Q1-Q3	2008, Q1-Q3
				(minus cases that took	(minus cases that took
				less than 13 seconds to	less than 20 seconds to
		2001	2008, Q1-Q3	complete the 5 items) ¹	complete the 5 items) ¹
Item		(n=33,326)	(n=19,407)	(n=15,753)	(n=13,994)
Shortness of breath.				1 1 1	
	Yes	81.8%	76.0%	80.9%	83.2%
	No	11.5	20.9	15.8	13.6
Ref	fused	0.7	0.3	0.1	0.1
Don't k	cnow	6.1	3.3	3.2	3.2

Reading the five questions quickly without pausing, but in their entirety, with immediate response to each requires roughly 20 seconds: 27.9% (n=5,413) of sample adult cases required less than 20 seconds to complete the five heart attack symptom items. Shortcutting the questions (i.e., not reading them in their entirety) with immediate response to each takes about 13 seconds: 18.8% (n=3,654) of sample adult cases required less than 13 seconds to complete the five heart attack symptom items. Finally, 14.0% (n=2,715) of sample adult cases required less than 10 seconds to complete the five heart attack symptom items.

Additional Notes:

--Mean time to complete the 5 items: 31.8 seconds --Median time to complete the 5 items: 28.0 seconds