

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	34,369	13,834	20,535	2,181	10,571	8,753	12,863	7,361	7,706	12,689	6,612
001-139	1,215	570	645	131	225	295	565	257	266	447	245
003	*7	*	*	*	*	*	*	*	*	*	*
003.0	*6	*	*	*	*	*	*	*	*	*	*
008	191	72	118	35	26	40	90	47	40	73	30
008.4	94	35	60	*	11	19	61	27	22	33	13
008.45	87	30	57	*	10	18	57	25	20	30	12
008.6	20	10	11	18	*	*	*	*	*	*8	*
008.61	18	*9	10	17	*	*	*	*	*	*8	*
008.8	74	28	47	13	14	20	27	18	14	31	12
009	19	*6	13	*	*8	*	*6	*	*5	*5	*
009.0	14	*	*9	*	*6	*	*	*	*	*	*
011	11	*9	*	*	*	*6	*	*	*	*6	*
011.9	10	*8	*	*	*	*6	*	*	*	*6	*
011.90	*7	*7	*	-	*	*5	*	*	-	*5	*
034	10	*	*5	*7	*	*	*	*	*	*	*
034.0	*9	*	*	*6	*	*	*	*	*	*	*
038	592	271	321	12	52	136	392	105	151	216	120
038.0	33	18	14	*	*	*9	19	*6	*9	10	*8
038.1	65	33	32	*	*7	17	39	11	15	25	14
038.10	*8	*	*5	*	*	*	*	*	*	*5	*
038.11	43	25	18	*	*	12	25	*9	10	14	11
038.19	14	*	*9	*	*	*	10	*	*	*6	*
038.2	*6	*	*	*	*	*	*	*	*	*	*
038.4	100	46	54	*	*7	23	68	18	29	34	19
038.40	*7	*	*	*	*	*	*	*	*	*	*
038.42	57	23	34	*	*	13	40	11	17	18	11
038.43	*7	*	*	*	*	*	*5	*	*	*	*
038.49	26	14	13	*	*	*6	18	*	*6	*9	*6
038.8	11	*	*6	*	*	*	*7	*	*	*	*
038.9	374	165	210	*7	33	81	253	65	95	140	75
041	35	20	15	13	*7	*6	10	*6	*8	*7	14
041.1	15	*9	*6	*7	*	*	*	*	*	*	*9
041.11	13	*7	*6	*7	*	*	*	*	*	*	*8
041.4	*8	*	*	*	*	*	*	*	*	*	*
041.8	*5	*	*	*	*	*	*	*	*	*	*
042	76	55	21	*	41	32	*	29	*	34	*8
047	30	15	15	*7	16	*6	*	*	*6	11	*9
047.9	28	14	15	*6	16	*5	*	*	*5	10	*8
053	18	*	14	*	*	*	10	*	*7	*	*
053.1	*6	*	*	*	*	*	*	*	*	*	*
053.9	*8	*	*	*	*	*	*	*	*	*	*
054	*7	*	*5	*	*	*	*	*	*	*	*
070	35	22	13	*	12	19	*	*8	*5	13	10
070.5	11	*8	*	*	*	*7	*	*	*	*	*
070.54	10	*7	*	*	*	*6	*	*	*	*	*
070.7	15	*9	*6	-	*6	*8	*	*	*	*6	*
070.70	15	*9	*6	-	*6	*8	*	*	*	*6	*
075	*9	*5	*	*	*7	*	*	*	*	*	*
078	*5	*	*	*	*	*	*	*	*	*	*
079	57	23	35	31	11	*6	*9	12	13	21	11
079.9	53	21	32	28	10	*5	*9	12	12	19	10
079.99	53	21	31	28	10	*5	*9	12	12	19	10

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
112	28	12	16	*	*	*6	14	*6	*6	11	*
112.0	*9	*	*	*	*	*	*	*	*	*	*
112.2	*6	*	*5	-	*	*	*5	*	*	*	*
112.8	*8	*	*	*	*	*	*5	*	*	*	*
112.84	*8	*	*	*	*	*	*	*	*	*	*
117	*8	*	*	*	*	*	*	*	*	*	*
135	10	*	*6	*	*	*6	*	*	*	*	*
136	*8	*5	*	*	*	*	*	*	*	*	*
140-239	1,598	648	950	38	242	649	670	358	320	602	318
150	*8	*7	*	-	*	*	*	*	*	*	*
151	17	12	*6	-	*	*5	11	*	*	*6	*6
151.0	*5	*	*	-	*	*	*	*	*	*	*
152	*5	*	*	-	*	*	*	*	*	*	*
153	108	48	60	*	*5	34	68	22	30	38	18
153.0	*5	*	*	-	*	*	*	*	*	*	*
153.1	11	*	*6	-	*	*	*8	*	*	*6	*
153.2	*9	*	*7	-	*	*6	*	*	*	*	*
153.3	22	13	*9	-	*	*8	12	*5	*5	*8	*
153.4	19	*6	13	-	*	*	14	*	*6	*6	*
153.6	20	10	10	-	*	*5	15	*	*8	*6	*
153.9	13	*6	*7	-	*	*	*9	*	*	*	*
154	36	21	15	-	*	10	21	*7	10	14	*6
154.0	13	*8	*6	-	*	*	*8	*	*	*5	*
154.1	20	11	*9	-	*	*5	12	*	*6	*6	*
155	17	12	*	*	*	*8	*7	*	*	*8	*
155.0	13	*9	*	*	*	*7	*	*	*	*6	*
156	*9	*	*	-	*	*	*6	*	*	*	*
157	36	17	19	-	*	15	18	*8	*6	14	*8
157.0	13	*	*8	-	*	*6	*7	*	*	*	*
157.9	13	*6	*6	-	*	*	*7	*	*	*6	*
158	*7	*	*6	*	*	*	*	*	*	*	*
161	*6	*	*	-	-	*	*	*	*	*	*
162	153	74	79	*	*	52	96	45	28	55	25
162.2	10	*	*6	*	*	*	*9	*	*	*	*
162.3	48	24	24	-	*	16	30	15	*8	20	*
162.4	*6	*	*	-	*	*	*	*	*	*	*
162.5	21	10	11	-	*	*6	15	*8	*	*6	*
162.8	12	*6	*6	-	*	*6	*6	*6	*	*	*
162.9	55	26	29	-	*	20	33	12	10	20	13
171	*9	*	*6	*	*	*	*	*	*	*	*
174	72	-	72	-	10	34	29	13	15	31	14
174.4	*9	-	*9	-	*	*	*	*	*	*	*
174.8	24	-	24	-	*	10	11	*7	*	10	*
174.9	26	-	26	-	*	14	*8	*	*6	12	*5
180	13	-	13	-	*	*7	*	*	*	*6	*
180.9	10	-	10	-	*	*6	*	*	*	*	*
182	29	-	29	-	*	16	12	*8	*7	11	*
182.0	28	-	28	-	*	15	12	*7	*7	11	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
183	25	-	25	*	*	11	10	*	*	11	*5
183.0	25	-	25	*	*	11	10	*	*	11	*5
184	*5	-	*5	*	*	*	*	*	*	*	*
185	95	95	-	-	*	52	42	20	23	25	26
188	33	26	*7	-	*	10	23	*8	*5	12	*7
188.8	13	11	*	-	-	*	10	*6	*	*	*
188.9	*9	*8	*	-	*	*	*7	*	*	*	*
189	44	24	20	*	*	18	22	*8	11	13	12
189.0	39	22	18	*	*	18	19	*7	10	12	11
191	29	18	11	*	*8	10	*8	*8	*	12	*6
191.1	*7	*	*	*	*	*	*	*	*	*	*
191.9	*6	*	*	*	*	*	*	*	*	*	*
193	25	*	22	*	11	*9	*5	*	*	*8	*8
196	17	*7	10	-	*	*7	*7	*	*	*	*
197	125	46	79	*	13	53	59	28	24	50	22
197.0	26	12	14	*	*	11	11	*5	*	12	*5
197.2	29	*7	22	-	*	10	17	*6	*7	12	*
197.6	24	*7	17	*	*	*8	13	*	*	11	*5
197.7	35	15	20	*	*	18	15	*9	*9	12	*
198	92	44	48	*	*7	38	45	23	21	31	16
198.3	36	21	15	*	*	17	17	*9	*7	15	*6
198.5	33	13	19	*	*	12	18	*9	*8	11	*5
198.8	11	*	*6	*	*	*	*5	*	*	*	*
198.89	10	*	*	*	*	*	*5	*	*	*	*
199	*8	*	*	-	*	*	*5	*	*	*	*
201	*7	*	*	*	*	*	*	*	*	*	*
202	38	24	14	*	*	15	18	10	*8	14	*6
202.8	32	20	12	*	*	14	15	*9	*8	11	*6
202.80	20	13	*7	-	*	*9	*8	*5	*	*7	*
203	21	*8	13	-	*	*7	14	*	*	12	*
203.0	21	*8	13	-	*	*6	14	*	*	12	*
203.00	21	*8	13	-	*	*6	14	*	*	11	*
204	29	18	11	14	*	*6	*8	*	*	14	*8
204.0	20	13	*7	14	*	*	*	*	*	*9	*7
204.00	14	*9	*	*7	*	*	*	*	*	*7	*
204.01	*7	*	*	*7	*	*	*	*	*	*	*
204.1	*9	*	*	-	*	*	*6	*	*	*	*
204.10	*8	*	*	-	*	*	*6	*	*	*	*
205	22	16	*7	*	*	*7	12	*9	*5	*6	*
205.0	20	14	*6	*	*	*7	10	*8	*	*	*
205.00	19	13	*5	*	*	*6	10	*8	*	*	*
211	45	22	24	*	*	18	24	*8	10	19	*9
211.3	35	18	17	*	*	13	20	*6	*8	14	*7
218	174	-	174	-	85	87	*	33	34	76	31
218.0	18	-	18	-	*9	10	*	*6	*	*6	*
218.1	51	-	51	-	25	27	*	14	*7	23	*8
218.2	18	-	18	-	10	*8	*	*	*	*9	*
218.9	86	-	86	-	42	43	*	10	22	39	16
220	34	-	34	*	13	14	*6	*6	10	12	*6
223	*6	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over	east			
Number of first-listed diagnoses in thousands											
225	25	*7	19	*	*	11	12	*7	*	10	*6
225.2	19	*	15	*	*	*8	10	*5	*	*8	*
226	*8	*	*6	*	*	*	*	*	*	*	*
227	15	*6	*9	*	*	*7	*	*	*	*	*
227.3	*8	*	*	*	*	*	*	*	*	*	*
228	*5	*	*	*	*	*	*	*	*	*	*
233	20	*	19	-	*8	*9	*	*	*	*9	*
233.0	10	-	10	-	*	*7	*	*	*	*	*
233.1	*7	-	*7	-	*6	*	*	*	*	*	*
235	*8	*	*	*	*	*	*	*	*	*	*
237	*7	*	*	*	*	*	*	*	*	*	*
238	13	*7	*6	*	*	*	*8	*	*	*	*
238.7	10	*5	*	*	*	*	*7	*	*	*	*
238.75	*7	*	*	*	*	*	*5	*	*	*	*
239	10	*	*5	*	*	*	*	*	*	*	*
240-279	1,816	771	1,045	154	364	545	753	416	395	672	333
241	20	*	17	*	*	12	*	*6	*	*8	*
241.0	*8	*	*7	*	*	*	*	*	*	*	*
241.1	12	*	10	*	*	*7	*	*	*	*	*
242	11	*	*8	*	*	*	*	*	*	*	*
242.0	*5	*	*	*	*	*	*	*	*	*	*
244	34	*7	27	*	*7	*9	18	*8	*9	*9	*8
244.9	32	*7	25	*	*7	*8	17	*8	*9	*8	*7
250	626	322	304	22	156	220	228	156	115	246	110
250.0	188	92	96	*7	32	74	75	52	37	66	33
250.00	116	56	61	*	15	45	55	34	23	39	20
250.01	10	*5	*	*5	*	*	*	*	*	*	*
250.02	58	30	28	*	13	27	19	14	10	24	10
250.1	123	64	59	11	73	27	11	26	24	49	24
250.10	*5	*	*	*	*	*	*	*	*	*	*
250.11	*7	*	*	*	*	*	-	*	*	*	*
250.12	33	16	17	*	12	12	*9	*8	*7	*9	*9
250.13	78	41	37	*9	53	13	*	13	17	36	12
250.2	14	*9	*5	*	*	*7	*	*	*	*6	*
250.22	*8	*5	*	-	*	*	*	*	*	*	*
250.3	*6	*	*	*	*	*	*	*	*	*	*
250.4	26	15	11	-	*	13	*9	*	*	13	*5
250.40	18	11	*6	-	*	*8	*8	*	*	10	*
250.42	*5	*	*	-	*	*	*	*	*	*	*
250.6	80	38	43	-	25	32	23	23	13	32	14
250.60	47	22	25	-	10	19	18	16	*6	19	*7
250.61	*9	*	*5	-	*5	*	*	*	*	*	*
250.62	20	10	10	-	*7	*8	*5	*5	*5	*7	*
250.7	43	25	19	-	*	16	25	12	*7	17	*8
250.70	31	16	15	-	*	10	20	*8	*5	12	*6
250.72	*9	*7	*	-	*	*	*	*	*	*	*
250.8	135	72	63	*	15	44	75	32	26	58	19
250.80	99	52	47	*	*8	29	60	22	16	46	14
250.82	26	14	12	-	*	11	12	*7	*7	*9	*
250.9	*8	*	*	*	*	*	*	*	*	*	*
250.92	*6	*	*	-	*	*	*	*	*	*	*
251	15	*9	*6	*	*	*	*6	*	*	*	*
251.2	*8	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over	east			
Number of first-listed diagnoses in thousands											
252	*9	*	*8	-	*	*5	*	*	*	*	*
252.0	*8	*	*7	-	*	*	*	*	*	*	*
253	24	10	14	*	*	*5	16	*5	*8	*7	*
253.6	19	*7	11	*	*	*	14	*	*7	*	*
255	11	*	*8	*	*	*	*	*	*	*	*
255.4	*7	*	*5	*	*	*	*	*	*	*	*
263	23	*8	15	*	*	*6	13	*	*5	12	*
263.9	20	*7	12	*	*	*	12	*	*	10	*
272	66	33	33	-	15	34	17	16	16	18	16
272.0	21	10	11	-	*	13	*6	*7	*	*	*5
272.4	40	22	18	-	*9	20	11	*8	*9	13	10
274	20	14	*7	-	*	*7	13	*5	*	*9	*
274.0	12	*9	*	-	*	*	*7	*	*	*6	*
274.9	*7	*	*	-	*	*	*6	*	*	*	*
275	20	*8	12	*	*	*7	*9	*	*6	*7	*
275.4	14	*5	*9	*	*	*	*6	*	*	*	*
275.42	*9	*	*6	*	*	*	*	*	*	*	*
276	754	297	457	117	78	156	403	146	191	275	141
276.0	17	*8	*9	*	*	*	12	*	*	*8	*
276.1	134	42	92	*6	*7	33	87	23	34	42	34
276.2	12	*7	*5	*	*	*	*5	*	*	*	*
276.5	469	188	281	102	44	79	244	91	127	168	83
276.50	18	*6	12	*	*	*	11	*	*	10	*
276.51	445	180	265	102	42	74	228	87	124	156	78
276.52	*6	*	*	-	*	*	*	*	*	*	*
276.6	13	*6	*7	*	*	*7	*	*	*	*9	*
276.7	44	25	19	*	*6	12	25	10	*7	17	11
276.8	56	16	40	*	14	19	21	12	11	25	*7
276.9	*5	*	*	*	*	*	*	*	*	*	*
277	20	13	*7	*	14	*	*	*	*	13	*
277.0	*8	*	*	*	*	*	*	*	*	*	*
277.02	*5	*	*	*	*	*	*	*	*	*	*
277.1	*9	*8	*	-	*8	*	*	*	*	*8	-
278	136	32	104	*	63	66	*7	43	24	40	28
278.0	128	30	99	*	60	63	*6	41	23	36	27
278.00	13	*6	*7	*	*7	*	*	*	*	*5	*
278.01	115	24	91	*	52	58	*	39	20	31	24
278.1	*5	*	*	-	*	*	*	*	*	*	*
280-289	527	216	311	57	127	116	226	156	105	178	89
280	92	25	67	*	16	22	52	21	22	33	16
280.0	52	14	38	*	*7	14	30	*9	14	20	*8
280.9	39	11	28	*	*8	*8	21	12	*8	12	*7
281	*9	*	*	-	*	*	*6	*	*	*	*
281.9	*6	*	*	-	*	*	*	*	*	*	*
282	78	39	39	17	53	*7	*	26	*6	40	*5
282.4	*9	*7	*	*	*	*	*	*	*	*	*
282.6	68	31	36	12	49	*6	*	22	*6	35	*
282.62	58	26	32	*9	44	*	*	19	*5	31	*
283	*6	*	*	*	*	*	*	*	*	*	*
284	26	12	14	*	*	10	11	*	*5	10	*5
284.1	16	*8	*8	*	*	*	*7	*	*	*8	*
284.8	*7	*	*	*	*	*	*	*	*	*	*
285	172	64	108	*	24	38	108	62	42	42	26

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over	east			
Number of first-listed diagnoses in thousands											
285.1	65	28	37	*	11	16	39	41	14	*	*5
285.2	21	*8	13	*	*	*7	12	*5	*6	*7	*
285.21	*5	*	*	-	*	*	*	*	*	*	*
285.22	*7	*	*	*	*	*	*	*	*	*	*
285.29	*9	*	*6	*	*	*	*	*	*	*	*
285.9	81	25	56	*	10	15	54	16	21	28	17
286	13	*6	*7	*	*	*	*6	*6	*	*	*
287	49	25	24	*9	11	14	15	13	*7	17	13
287.3	16	*5	10	*	*	*	*	*	*	*6	*
287.31	15	*5	10	*	*	*	*	*	*	*6	*
287.4	*6	*	*	-	*	*	*	*	*	*	*
287.5	24	15	*9	*	*	*8	*8	*6	*	*8	*6
288	63	28	35	16	10	16	20	16	14	19	13
288.0	45	20	25	11	*	13	15	14	*9	13	*9
288.00	29	14	15	*7	*	10	10	*9	*6	*9	*
288.03	10	*	*6	*	*	*	*	*	*	*	*
288.6	13	*5	*7	*	*	*	*	*	*	*5	*
288.60	12	*5	*7	*	*	*	*	*	*	*	*
289	20	11	*9	*7	*6	*	*	*	*	*5	*6
289.5	*5	*	*	*	*	*	*	*	*	*	*
290-319	2,386	1,261	1,125	148	1,251	743	244	705	480	971	229
290	20	*9	11	-	*	*	19	*5	*	*8	*
290.4	13	*6	*7	-	*	*	12	*	*	*7	*
290.40	*5	*	*	-	*	*	*	*	*	*	*
291	170	124	46	*	72	86	11	54	42	50	25
291.0	25	20	*	-	11	13	*	*9	*6	*7	*
291.8	139	100	39	*	61	70	*8	44	34	40	20
291.81	135	97	38	*	58	69	*8	44	33	40	19
292	101	62	40	*	62	26	12	35	26	27	13
292.0	69	42	28	*	48	19	*	26	19	17	*8
292.8	27	17	10	*	10	*7	*9	*7	*7	*8	*
292.81	13	*8	*	*	*	*	*9	*	*	*	*
292.84	12	*7	*	*	*8	*	*	*	*	*	*
293	10	*6	*	*	*	*	*6	*	*	*	*
293.0	*8	*5	*	*	*	*	*5	*	*	*	*
294	42	18	24	*	*	*	39	11	11	12	*7
294.8	36	15	20	-	*	*	33	10	*9	11	*5
295	324	180	144	*	167	131	23	97	58	146	24
295.3	102	64	37	*	55	38	*8	31	15	51	*6
295.30	40	24	16	*	22	13	*	*9	*8	20	*
295.32	27	19	*8	-	16	10	*	*9	*	15	*
295.34	32	20	11	-	15	14	*	13	*	15	*
295.6	*8	*5	*	-	*	*	*	*	*	*	*
295.7	164	79	84	*	85	66	*9	48	32	73	11
295.70	132	65	67	*	74	49	*6	31	27	65	*9
295.74	28	12	16	*	10	16	*	17	*	*7	*
295.9	37	23	13	*	17	16	*	12	*5	14	*6
295.90	29	19	10	-	13	13	*	*7	*	12	*
296	923	398	525	75	530	255	63	208	199	449	67
296.2	174	73	101	15	96	45	18	27	42	96	*9
296.20	92	37	56	*9	54	22	*8	12	22	52	*7
296.22	*6	*	*	*	*	*	*	*	*	*	*
296.23	44	18	26	*	26	11	*	*6	14	23	*
296.24	28	13	16	*	11	10	*5	*	*	18	*
296.3	255	106	149	*7	132	90	27	52	61	115	27
296.30	66	28	38	*	33	25	*6	13	19	23	10
296.32	18	*7	11	*	11	*6	*	*	*9	*5	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
296.33	116	46	70	*	59	43	12	21	23	62	10
296.34	52	24	27	*	27	16	*7	16	*9	23	*
296.4	77	34	43	*	40	26	*6	19	11	38	*8
296.40	29	14	14	*	13	*9	*	*	*	17	*
296.43	*6	*	*	*	*	*	*	*	*	*	*
296.44	39	17	22	*	22	14	*	14	*	17	*
296.5	110	48	62	*	69	35	*	20	29	52	*9
296.50	60	26	34	*	37	20	*	*8	19	29	*
296.53	26	11	15	*	17	*8	*	*7	*7	*9	*
296.54	22	11	11	*	13	*7	*	*	*	13	*
296.6	79	31	49	11	47	19	*	13	14	49	*
296.60	35	14	22	*6	21	*7	*	*5	*7	22	*
296.63	16	*7	*9	*	*9	*	*	*	*	*8	*
296.64	25	*8	16	*	15	*6	*	*	*	18	*
296.7	17	*7	10	*	11	*	*	*	*	10	*
296.8	132	58	74	18	85	25	*	29	28	66	*9
296.80	100	45	55	17	63	18	*	21	22	52	*6
296.89	31	12	19	*	22	*7	*	*8	*6	14	*
296.9	75	40	35	16	49	10	*	42	10	22	*
296.90	73	39	34	16	48	*9	*	41	10	21	*
298	91	49	42	*	46	22	18	32	13	34	12
298.9	88	48	40	*	44	22	18	31	13	33	12
300	85	32	53	*	39	30	14	26	20	28	11
300.0	50	17	33	*	20	19	11	16	12	15	*7
300.00	36	11	25	*	15	11	*9	13	10	*9	*
300.01	10	*	*6	*	*	*5	*	*	*	*	*
300.1	*5	*	*	*	*	*	*	*	*	*	*
300.4	22	*9	13	*	11	*8	*	*7	*	*8	*
301	*8	*	*	*	*6	*	*	*	*	*	*
303	127	95	32	*	58	61	*8	30	27	54	16
303.0	35	25	10	*	15	18	*	11	12	*6	*6
303.00	16	10	*5	*	*6	*8	*	*	*7	*	*
303.01	17	14	*	-	*7	*9	*	*7	*	*	*
303.9	92	70	22	*	43	43	*6	19	16	48	*9
303.90	39	31	*9	*	19	18	*	*	*6	26	*
303.91	49	38	11	*	23	22	*	16	*9	22	*
304	76	44	33	*	53	21	*	25	*7	39	*6
304.0	40	21	19	*	28	10	*	12	*	21	*
304.00	20	*9	11	-	13	*6	*	*	*	12	*
304.01	21	12	*8	*	15	*	*	*9	*	*9	*
304.2	16	*9	*6	*	10	*6	-	*8	*	*7	*
304.20	*5	*	*	*	*	*	-	*	*	*	-
304.21	11	*7	*	-	*7	*	-	*7	*	*	*
304.7	*6	*	*	-	*	*	*	*	*	*	*
304.8	*5	*	*	-	*	*	-	*	*	*	-
305	114	70	44	*	57	50	*6	20	30	42	22
305.0	42	30	12	*	19	20	*	10	12	12	*8
305.00	32	23	*9	*	15	15	*	*6	10	*9	*7
305.01	*7	*6	*	-	*	*	*	*	*	*	*
305.1	33	17	16	-	14	16	*	*	12	11	*6
305.6	18	11	*6	-	*9	*9	*	*	*9	*9	*
305.60	13	*9	*	-	*7	*7	*	*	*	*7	*
305.9	10	*	*6	-	*7	*	*	*	*	*6	*
305.90	*9	*	*5	-	*6	*	*	*	*	*	*
307	*9	*	*7	*	*	*	*	*	*	*	*
309	43	21	22	*	31	*8	*	16	*9	12	*5
309.0	14	*8	*6	*	12	*	*	*6	*	*	*
309.2	*6	*	*	*	*	*	*	*	*	*	*
309.28	*5	*	*	*	*	*	-	*	*	*	*
309.4	*7	*	*	*	*	*	*	*	*	*	*
309.8	12	*	*7	*	*8	*	*	*5	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
309.81	12	*	*7	*	*8	*	*	*	*	*	*
310	16	14	*	*	*	*	*9	13	*	*	*
310.1	12	11	*	-	-	*	*8	12	-	-	-
311	125	65	60	*9	74	34	*8	59	17	42	*6
312	61	44	17	26	33	*	*	51	*	*6	*
312.3	48	34	13	19	27	*	*	44	*	*	-
312.30	29	20	10	11	17	*	*	28	*	*	-
312.34	18	14	*	*8	10	-	*	16	*	*	-
312.9	*9	*6	*	*5	*	*	*	*	*	*	*
313	*7	*	*	*	*	-	-	*	*	*	-
313.8	*7	*	*	*	*	-	-	*	*	*	-
313.81	*7	*	*	*	*	-	-	*	*	*	-
314	*9	*6	*	*6	*	*	*	*	*	*	*
314.0	*9	*6	*	*6	*	*	*	*	*	*	*
314.01	*8	*5	*	*6	*	*	*	*	*	*	*
320-389	794	353	441	101	174	224	295	236	160	234	164
320	*6	*	*	*	*	*	*	*	*	*	*
323	*6	*	*	*	*	*	*	*	*	*	*
324	*6	*	*	*	*	*	*	*	*	*	*
327	13	*8	*5	*	*	*	*	*	*	*	*
327.2	13	*7	*5	*	*	*	*	*	*	*	*
327.23	12	*7	*	*	*	*	*	*	*	*	*
331	89	41	48	*	*6	*9	72	24	17	31	17
331.0	58	24	34	-	*	*	53	15	11	21	11
331.3	10	*	*	*	*	*	*8	*	*	*	*
331.4	11	*7	*	*	*	*	*	*	*	*	*
331.8	*7	*	*	*	*	*	*6	*	*	*	*
331.82	*7	*	*	-	*	*	*6	*	*	*	*
332	24	15	*9	-	*	*	19	*8	*	*7	*6
332.0	23	14	*9	-	*	*	19	*8	*	*7	*6
333	17	*	13	*	*	*6	*8	*	*	*7	*
333.9	*5	*	*	-	*	*	*	*	*	*	*
336	*6	*	*	*	*	*	*	*	*	*	*
338	44	18	26	*	17	16	11	10	14	11	*9
338.1	19	*6	13	*	*8	*6	*5	*	*8	*	*
338.18	13	*	*9	*	*5	*	*	*	*6	*	*
338.2	15	*8	*8	*	*6	*6	*	*	*	*	*
338.29	14	*7	*7	*	*6	*	*	*	*	*	*
338.3	*7	*	*	-	*	*	*	*	*	*	*
340	24	*8	16	*	12	10	*	*7	*6	*8	*
342	53	29	24	*	*	18	30	42	*	*	*6
342.9	52	28	24	*	*	17	29	42	*	*	*6
342.90	51	28	23	*	*	17	29	42	*	*	*
343	*7	*	*	*5	*	*	*	*	*	*	*
344	17	10	*6	*	*	10	*	*6	*	*5	*
344.0	*7	*6	*	-	*	*6	*	*	*	*	*
344.00	*6	*6	*	-	*	*6	*	*	*	*	*
344.1	*6	*	*	-	*	*	*	*	*	*	*
345	145	78	67	35	40	41	30	45	26	47	27

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-			
				15 years	years	years	and over	east	Midwest	South	West
Number of first-listed diagnoses in thousands											
345.1	18	11	*8	*	*7	*7	*	*	*	*	*5
345.10	17	10	*7	*	*6	*7	*	*	*	*	*
345.3	18	11	*7	*7	*5	*	*	*	*	*5	*5
345.4	10	*	*6	*	*	*	*	*	*	*	*
345.40	*6	*	*	*	*	*	*	*	*	*	*
345.5	*7	*	*	*	*	*	*	*	*	*	*
345.50	*6	*	*	*	*	*	*	*	*	*	*
345.8	10	*6	*	*	*	*	*	*	*	*	*
345.80	*7	*	*	*	*	*	*	*	*	*	*
345.9	75	40	35	14	18	24	20	23	15	28	10
345.90	69	38	31	12	15	23	20	21	14	25	*9
345.91	*5	*	*	*	*	*	*	*	*	*	*
346	62	13	49	*	31	25	*	13	17	23	10
346.1	*6	*	*	*	*	*	-	*	*	*	*
346.10	*5	*	*	-	*	*	-	*	*	*	*
346.8	11	*	*7	*	*	*	*	*	*	*	*
346.80	*7	*	*	*	*	*	*	*	*	*	*
346.9	40	*6	34	*	21	15	*	*7	10	17	*6
346.90	29	*5	23	*	14	12	*	*7	*6	11	*
346.91	11	*	11	*	*7	*	*	*	*	*5	*
348	60	24	35	*9	13	14	24	*9	14	20	17
348.0	*8	*	*6	*5	*	*	*	*	*	*	*
348.2	*6	*	*5	*	*5	*	-	*	*	*	*
348.3	30	14	16	*	*	*9	20	*6	*8	10	*7
348.30	11	*6	*5	*	*	*	*6	*	*	*	*
348.31	10	*	*	-	*	*	*7	*	*	*	*
348.39	*9	*	*6	*	*	*	*6	*	*	*	*
349	15	*5	10	*	*6	*	*7	*	*5	*	*
349.0	*5	*	*	*	*	*	-	*	*	*	*
349.8	*8	*	*	*	*	*	*6	*	*	*	*
349.82	*7	*	*	*	*	*	*6	*	*	*	*
351	*8	*	*6	*	*	*	*	*	*	*	*
351.0	*8	*	*6	*	*	*	*	*	*	*	*
354	*8	*	*	-	*	*	*	*	*	*	*
355	*8	*	*5	*	*	*	*	*	*	*	*
356	*5	*	*	*	*	*	*	*	*	*	*
357	*8	*	*	*	*	*	*	*	*	*	*
357.0	*6	*	*	*	*	*	*	*	*	*	*
358	*7	*	*	*	*	*	*	*	*	*	*
358.0	*7	*	*	*	*	*	*	*	*	*	*
362	*5	*	*	*	*	*	*	*	*	*	*
366	*8	*	*	-	*	*	*6	*	-	*	*8
366.9	*7	*	*	-	*	*	*5	*	-	-	*7
368	*8	*	*	*	*	*	*	*	*	*	*
376	*9	*	*	*	*	*	*	*	*	*	*
376.0	*8	*	*	*	*	*	*	*	*	*	*
376.01	*8	*	*	*	*	*	*	*	*	*	*
380	*6	*	*	*	*	*	*	*	*	*	*
382	16	*8	*8	11	*	*	*	*	*	*5	*
382.9	14	*8	*6	10	*	*	*	*	*	*	*
383	*6	*	*	*	*	*	*	*	*	*	*
386	35	*9	25	*	*	11	20	10	10	*8	*6

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
386.1	19	*6	13	*	*	*6	11	*6	*	*6	*
386.11	12	*	*9	*	*	*	*6	*	*	*	*
386.3	11	*	10	-	*	*	*6	*	*	*	*
386.30	*9	*	*8	-	*	*	*5	*	*	*	*
390-459	5,890	3,016	2,873	33	435	1,808	3,615	1,326	1,401	2,114	1,049
396	17	*8	*9	*	*	*	14	*	*	*5	*
396.2	*8	*	*	*	-	*	*7	*	*	*	*
396.3	*5	*	*	*	*	*	*	*	*	*	*
398	35	10	24	-	*	*	31	*9	*8	13	*
398.9	35	10	24	-	*	*	31	*9	*8	13	*
398.91	34	10	23	-	*	*	30	*9	*8	12	*
401	349	138	211	*	51	148	148	86	84	109	71
401.0	27	10	17	-	*8	*9	*9	*	*6	12	*6
401.9	322	127	194	*	43	138	138	83	78	97	65
402	38	14	24	*	*	12	23	*8	*9	16	*
402.9	34	12	22	*	*	10	22	*8	*8	14	*
402.90	*7	*	*6	*	*	*	*	*	*	*	*
402.91	27	10	16	-	*	*8	17	*5	*7	11	*
403	139	67	72	*	32	51	54	33	18	60	29
403.0	18	*9	*9	-	*6	*6	*6	*	*	*8	*
403.00	10	*	*6	-	*	*	*	*	*	*	*
403.01	*8	*	*	-	*	*	*	*	*	*	*
403.9	121	59	62	*	26	45	47	29	15	52	25
403.90	22	*9	13	-	*	*7	12	*7	*	*8	*
403.91	99	50	49	*	24	38	35	22	12	44	21
404	42	23	19	-	*5	13	24	*6	10	18	*9
404.0	*6	*	*	-	*	*	*	*	*	*	*
404.9	35	18	17	-	*	10	22	*5	*8	14	*8
404.91	23	13	10	-	*	*6	16	*	*6	*7	*6
404.93	*6	*	*	-	*	*	*	*	*	*	*
410	577	341	236	*	33	198	346	132	137	204	105
410.0	13	*8	*	-	*	*7	*6	*	*	*	*
410.01	13	*8	*	-	*	*6	*6	*	*	*	*
410.1	54	35	19	-	*6	27	20	*9	12	24	*9
410.11	54	35	19	-	*6	27	20	*9	12	24	*9
410.2	12	*6	*6	-	*	*	*8	*	*	*	*
410.21	12	*6	*6	-	*	*	*7	*	*	*	*
410.3	*6	*	*	-	*	*	*	*	*	*	*
410.31	*6	*	*	-	*	*	*	*	*	*	*
410.4	63	43	21	-	*	30	30	13	17	19	15
410.41	63	42	21	-	*	29	30	13	16	19	15
410.5	*6	*	*	-	*	*	*	*	*	*	*
410.51	*6	*	*	-	*	*	*	*	*	*	*
410.7	356	203	153	*	17	109	230	92	77	127	60
410.71	352	202	150	*	17	107	227	90	77	125	59
410.8	*9	*6	*	-	*	*	*7	*	*	*	*
410.81	*8	*	*	-	*	*	*7	*	*	*	*
410.9	55	32	24	-	*	14	38	*9	18	19	*9
410.90	*5	*	*	-	*	*	*	*	*	*	*
410.91	48	26	21	-	*	11	34	*6	16	17	*9
411	94	43	52	-	*8	42	44	21	20	32	21
411.1	88	40	48	-	*7	41	39	18	18	31	20
411.8	*6	*	*	-	*	*	*	*	*	*	*
412	13	*7	*6	-	*	*7	*6	*	*	*7	*
413	47	28	19	-	*	23	20	*9	13	15	*9
413.9	44	27	17	-	*	21	19	*9	12	14	*9
414	841	547	294	*	34	337	469	184	204	300	153

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
414.0	812	527	285	-	32	329	451	176	198	291	148
414.00	111	72	39	-	*	40	68	28	24	45	14
414.01	673	437	236	-	28	278	367	143	167	236	126
414.02	21	15	*6	-	*	*7	13	*	*5	*6	*7
414.8	23	17	*6	-	*	*6	15	*6	*	*8	*
415	146	57	89	*	29	45	71	27	41	51	28
415.1	146	57	88	*	29	45	71	27	41	50	28
415.11	*8	*	*	-	*	*	*	*	*	*	*
415.19	137	53	84	*	28	41	68	26	39	46	26
416	20	*9	11	*	*	*	10	*	*5	*6	*
416.8	15	*6	*9	*	*	*	*7	*	*	*	*
420	10	*5	*	*	*	*	*	*	*	*	*
420.9	10	*5	*	*	*	*	*	*	*	*	*
420.90	*7	*	*	*	*	*	*	*	*	*	*
421	14	*8	*6	*	*	*5	*5	*5	*	*	*
421.0	14	*8	*6	*	*	*5	*5	*5	*	*	*
423	24	13	11	*	*	*9	10	*5	*7	*9	*
423.9	17	*9	*8	*	*	*6	*6	*	*6	*6	*
424	98	48	49	*	*8	25	63	23	24	28	22
424.0	42	18	25	*	*5	13	24	*9	10	12	11
424.1	48	27	21	*	*	11	35	12	13	13	10
425	55	31	24	*	*7	22	25	14	14	15	12
425.4	50	27	23	*	*6	19	24	13	14	13	10
426	53	28	25	*	*	14	36	11	11	17	15
426.0	21	10	12	*	*	*	16	*	*	*8	*6
426.1	18	10	*8	*	*	*	14	*	*	*6	*
426.13	10	*6	*	-	*	*	*7	*	*	*	*
427	827	421	407	*8	51	207	562	193	201	263	171
427.0	27	15	12	*	*	*9	14	*6	*6	11	*
427.1	48	34	14	*	*	14	30	11	12	17	*8
427.3	529	266	263	*	21	136	370	128	126	163	111
427.31	480	234	245	*	19	122	338	119	118	145	98
427.32	50	32	18	*	*	14	32	10	*8	19	13
427.4	*7	*6	*	-	*	*	*	*	*	*	*
427.41	*7	*6	*	-	*	*	*	*	*	*	*
427.5	14	*7	*7	*	*	*	*8	*	*5	*	*
427.6	10	*	*6	*	*	*	*7	*	*	*	*
427.69	*8	*	*	*	*	*	*	*	*	*	*
427.8	187	88	99	*	18	40	125	39	47	64	37
427.81	69	35	34	*	*	10	58	14	14	27	13
427.89	118	53	65	*	17	31	67	24	32	37	24
428	990	469	520	*	40	227	719	220	247	372	150
428.0	834	404	430	*	33	197	602	177	204	321	132
428.2	61	30	31	-	*6	13	42	17	19	19	*6
428.20	16	*7	*8	-	*	*	10	*	*	*5	*
428.21	12	*7	*	-	*	*	*9	*	*	*	*
428.22	11	*	*6	-	*	*	*7	*	*	*	*
428.23	23	12	11	-	*	*	16	*	*8	*8	*
428.3	75	25	50	*	*	13	61	24	16	25	10
428.30	38	11	27	-	*	10	27	15	*9	11	*
428.31	13	*	*8	-	*	*	12	*	*	*5	*
428.32	*5	*	*	-	*	*	*5	*	*	*	*
428.33	19	*8	11	*	*	*	17	*	*	*7	*
428.4	12	*	*7	-	*	*	*8	*	*	*	*
428.43	*5	*	*	-	*	*	*	*	*	*	*
429	14	*6	*7	*	*	*	*8	*	*	*6	*
430	20	*7	13	*	*	*8	*8	*	*	*8	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
431	59	28	31	*	*5	19	34	13	12	24	10
432	31	18	13	*	*	*8	20	*5	*7	11	*8
432.1	24	16	*8	*	*	*6	16	*	*6	*8	*7
432.9	*7	*	*	-	*	*	*	*	*	*	*
433	135	75	60	-	*	37	95	25	35	52	22
433.1	122	69	54	-	*	32	89	23	32	47	20
433.10	100	57	43	-	*	26	73	19	26	40	15
433.11	22	12	11	-	*	*6	16	*	*6	*7	*
434	345	148	197	*	15	92	237	72	86	139	48
434.0	*7	*	*	-	*	*	*	*	*	*	*
434.01	*7	*	*	-	*	*	*	*	*	*	*
434.1	45	18	27	-	*	*9	34	12	*9	15	*9
434.11	43	17	26	-	*	*9	32	10	*9	15	*9
434.9	293	128	165	*	12	81	199	59	75	121	38
434.90	*6	*	*	-	*	*	*	*	*	*	*
434.91	287	124	163	*	12	80	195	57	75	118	37
435	163	62	101	*	11	36	115	39	34	62	28
435.8	*6	*	*	-	*	*	*	*	*	*	*
435.9	152	58	94	*	11	34	107	37	32	58	26
437	37	12	25	*	*	13	19	10	*	16	*7
437.2	10	*	*7	-	*	*	*5	*	*	*	*
437.3	12	*	*7	-	*	*6	*	*	*	*	*
437.7	*6	*	*	-	*	*	*	*	*	*	*
438	36	19	17	*	*	*8	27	17	*5	*7	*8
438.2	17	*9	*8	-	*	*	12	*8	*	*	*
438.20	14	*8	*6	-	*	*	10	*7	*	*	*
438.8	17	*9	*8	*	*	*	13	*9	*	*	*
438.89	14	*7	*7	*	*	*	10	*8	*	*	*
440	123	65	58	-	*	37	82	24	25	53	21
440.1	12	*7	*5	-	*	*	*9	*	*	*6	*
440.2	105	54	50	-	*	32	70	20	22	46	17
440.20	*9	*	*	-	-	*	*8	*	*	*	*
440.21	35	18	17	-	*	13	20	*6	*9	15	*5
440.22	18	10	*8	-	*	*6	12	*	*	*8	*
440.23	13	*7	*6	-	*	*	*8	*	*	*6	*
440.24	27	12	14	-	*	*5	21	*8	*5	10	*
440.3	*6	*	*	-	*	*	*	*	*	*	*
441	55	40	15	*	*	12	41	11	12	23	*9
441.0	*9	*6	*	*	*	*	*	*	*	*	*
441.01	*5	*	*	*	*	*	*	*	*	*	*
441.2	*6	*	*	-	*	*	*	*	*	*	*
441.4	33	25	*7	-	-	*6	27	*7	*6	15	*
442	*9	*7	*	-	*	*	*	*	*	*	*
442.3	*5	*	*	-	*	*	*	*	*	*	*
443	23	13	10	*	*	*7	14	*7	*6	*8	*
443.9	17	10	*7	-	*	*	12	*5	*	*6	*
444	29	13	16	*	*	*9	17	*6	*6	13	*
444.2	19	*8	11	-	*	*6	12	*	*	*8	*
444.22	16	*7	*8	-	*	*6	*9	*	*	*7	*
444.8	*6	*	*	*	*	*	*	*	*	*	*
446	14	*6	*7	*	*	*	*	*6	*	*	*
447	12	*6	*6	-	*	*	*7	*	*	*	*
447.1	*7	*	*	-	*	*	*5	*	*	*	*
451	11	*	*7	-	*	*	*5	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
451.0	*5	*	*	-	*	*	*	*	*	*	-
453	153	76	78	*	24	53	77	33	38	61	21
453.4	130	65	65	*	18	41	71	27	33	52	17
453.40	19	*7	12	-	*	*5	11	*	*5	*7	*
453.41	80	44	36	-	11	28	41	17	19	33	10
453.42	31	14	17	*	*	*8	18	*6	*9	12	*
453.8	21	10	11	*	*5	10	*5	*	*	*8	*
455	29	15	14	-	*7	*8	15	10	*6	*8	*
455.2	17	*9	*8	-	*	*	10	*6	*	*6	*
456	*6	*	*	-	*	*	*	*	*	*	*
458	106	52	54	*	*7	25	74	22	28	43	13
458.0	45	19	26	*	*	*8	34	*9	11	20	*
458.2	16	*8	*8	-	*	*6	11	*	*	*5	*
458.29	15	*8	*7	-	*	*	10	*	*	*5	*
458.9	40	22	18	*	*	*9	27	*8	12	15	*
459	24	11	12	*	*	*8	14	*5	*7	*9	*
459.0	*7	*	*	-	*	*	*	*	*	*	*
459.8	13	*6	*7	-	*	*	*7	*	*	*	*
459.81	11	*6	*5	-	*	*	*7	*	*	*	*
460-519	3,300	1,536	1,765	547	332	781	1,641	695	840	1,181	585
461	10	*	*6	*	*	*	*	*	*	*	*
462	10	*	*6	*	*	*	*	*	*	*	*
463	*7	*	*	*	*5	*	*	*	*	*	*
464	24	14	10	18	*	*	*	*	*7	*6	*6
464.4	16	11	*6	16	*	-	-	*	*	*	*6
465	36	19	17	22	*	*6	*	*6	*6	*8	15
465.9	34	17	17	22	*	*6	*	*6	*5	*8	15
466	196	101	95	138	12	16	31	36	33	75	53
466.0	63	25	38	*8	11	15	29	14	15	25	*9
466.1	134	76	58	130	*	*	*	22	18	49	44
466.11	79	45	34	77	*	*	*	12	11	29	27
466.19	55	31	24	53	*	*	*	10	*7	20	18
473	13	*6	*7	*	*	*	*	*	*	*8	*
473.9	*6	*	*	*	*	*	*	*	*	*	*
474	11	*5	*6	*9	*	*	-	*	*	*	*
474.1	*8	*	*	*7	*	-	-	*	*	*	*
474.10	*7	*	*	*6	*	-	-	*	*	*	*
475	16	10	*6	*	*9	*	*	*	*	*	*
478	17	12	*5	*6	*	*	*	*	*	*8	*
478.1	*5	*	*	*	*	*	*	*	*	*	*
478.19	*5	*	*	*	*	*	*	*	*	*	*
480	21	10	11	16	*	*	*	*	*6	*6	*7
480.1	*5	*	*	*	*	-	-	*	*	*	*
480.9	14	*6	*8	*9	*	*	*	*	*	*	*
481	23	14	10	*	*	*6	15	*	*9	*8	*
482	77	37	41	*	*7	18	49	16	23	27	12
482.1	14	*6	*8	*	*	*	10	*	*	*5	*
482.4	26	11	15	*	*	*	19	*	*7	12	*
482.41	24	11	13	*	*	*	16	*	*7	10	*
482.8	12	*7	*	*	*	*	*7	*	*5	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
482.83	*8	*	*	*	*	*	*5	*	*	*	*
482.9	14	*7	*7	*	*	*	*6	*5	*	*	*
483	*7	*	*	*	*	*	*	*	*	*	*
483.0	*6	*	*	*	*	*	*	*	*	*	*
485	15	*7	*8	*	*	*	*7	*	*	*6	*
486	912	431	482	112	77	187	536	178	273	318	144
487	23	11	12	*7	*	*	*9	*	*7	*9	*
487.0	10	*	*	*	*	*	*5	*	*5	*	*
487.1	12	*6	*6	*5	*	*	*	*	*	*6	*
490	23	*5	18	*	*	*8	11	*	*7	10	*
491	476	217	259	*	18	141	316	102	134	172	67
491.2	470	214	257	*	17	140	313	102	133	170	65
491.20	17	*6	11	-	*	*	13	*	*	10	*
491.21	379	176	203	*	13	114	250	83	113	128	55
491.22	74	31	43	-	*	22	50	16	18	33	*7
492	21	12	*9	*	*	*7	13	*6	*6	*	*
492.8	20	11	*9	-	*	*6	13	*5	*6	*	*
493	456	182	274	151	86	123	96	136	78	158	83
493.0	44	24	20	37	*	*	*	*8	*	*	29
493.00	*6	*	*	*	*	*	*	*	*	*	*
493.01	*7	*	*	*6	*	*	*	*	*	*	*
493.02	31	18	13	27	*	*	*	*	*	*	24
493.2	141	40	101	*	17	62	62	39	31	52	19
493.20	25	*9	17	-	*	*9	14	*8	*	*7	*6
493.22	112	30	82	*	13	51	48	30	26	43	13
493.9	269	117	152	113	64	58	33	89	44	101	34
493.90	62	27	35	21	13	15	13	18	11	23	10
493.91	48	25	23	33	*6	*6	*	19	*	20	*
493.92	159	65	94	59	45	37	18	52	28	59	20
494	*8	*	*6	*	*	*	*	*	*	*	*
494.1	*6	*	*	*	*	*	*	*	*	*	*
496	121	61	60	*	*	44	72	22	38	37	24
507	158	80	78	*6	12	25	116	32	42	61	23
507.0	158	80	78	*6	12	25	115	32	42	60	23
510	16	12	*	*	*	*7	*	*	*	*6	*
510.9	13	10	*	*	*	*6	*	*	*	*	*
511	77	35	42	*	*5	18	53	14	21	30	11
511.0	*6	*	*	-	*	*	*	*	*	*	*
511.8	*8	*	*	*	*	*	*	*	*	*	*
511.9	64	27	37	*	*	14	46	12	18	24	*8
512	32	18	13	*	11	*9	11	*7	10	*9	*6
512.1	*9	*	*6	*	*	*	*	*	*	*	*
512.8	19	12	*7	*	*9	*	*	*	*5	*6	*
513	*5	*	*	*	*	*	*	*	*	*	*
513.0	*5	*	*	*	*	*	*	*	*	*	*
514	*9	*	*6	*	*	*	*	*	*	*6	*
515	38	12	25	*	*	*	28	*8	12	10	*8
516	*7	*	*5	*	*	*	*	*	*	*	*
516.8	*5	*	*	*	*	*	*	*	*	*	*
518	400	183	217	22	34	120	224	73	87	158	83

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
518.0	17	11	*6	*	*	*	*9	*	*	*	*
518.5	13	*8	*	*	*	*	*5	*	*	*	*
518.8	359	157	202	18	27	110	204	65	75	147	72
518.81	275	120	154	15	21	80	158	50	57	110	58
518.82	*7	*	*	*	*	*	*	*	*	*	*
518.83	10	*	*7	*	*	*7	*	*	*	*6	*
518.84	53	22	31	*	*	18	30	*9	13	22	*9
518.89	14	*7	*7	*	*	*	*7	*	*	*6	*
519	18	*7	11	*5	*	*5	*6	*	*6	*6	*
519.0	*5	*	*	*	*	*	*	*	*	*	*
519.1	*7	*	*	*	*	*	*	*	*	*	*
520-579	3,290	1,510	1,781	203	819	1,040	1,229	690	776	1,148	676
522	*8	*	*	*	*	*	*	*	*	*	*
522.5	*6	*	*	*	*	*	*	*	*	*	*
524	*9	*	*6	*	*7	*	*	*	*	*	*
524.0	*6	*	*	*	*	*	-	*	*	*	*
527	*9	*	*6	*	*	*	*	*	*	*	*
527.2	*6	*	*	*	*	*	*	*	*	*	*
528	14	*9	*5	*	*7	*	*	*	*	*6	*
528.3	*7	*6	*	*	*	*	*	*	*	*	*
530	199	94	105	24	33	71	70	45	40	69	45
530.0	*5	*	*	-	*	*	*	*	*	*	*
530.1	25	10	15	*	*	10	11	*	*9	*7	*
530.10	*7	*	*	-	*	*	*	*	*	*	*
530.11	*8	*	*6	*	*	*	*	*	*	*	*
530.19	10	*6	*	*	*	*	*	*	*	*	*
530.2	16	12	*	-	*	*	*9	*	*	*	*6
530.20	*6	*	*	-	*	*	*	*	*	*	*
530.21	10	*8	*	-	*	*	*7	*	*	*	*
530.3	*8	*	*	*	*	*	*	*	*	*	*
530.5	*6	*	*	-	*	*	*	*	*	*	*
530.7	18	10	*7	*	*	*8	*6	*	*	*5	*5
530.8	116	50	66	24	20	41	31	29	20	44	23
530.81	109	47	62	24	19	38	28	28	18	41	21
531	67	29	39	*	10	18	40	11	18	24	14
531.0	*9	*	*	-	*	*	*6	*	*	*	*
531.00	*9	*	*	-	*	*	*6	*	*	*	*
531.4	42	18	24	*	*5	11	26	*7	11	15	*8
531.40	42	18	24	*	*5	11	26	*7	11	15	*8
531.9	10	*	*6	-	*	*	*	*	*	*	*
531.90	10	*	*6	-	*	*	*	*	*	*	*
532	51	32	19	*	*9	15	26	11	12	16	11
532.0	*6	*	*	-	*	*	*	*	*	*	*
532.00	*6	*	*	-	*	*	*	*	*	*	*
532.4	31	20	10	-	*	10	17	*6	*8	10	*7
532.40	30	20	10	-	*	10	16	*6	*7	10	*7
532.9	*7	*	*	*	*	*	*	*	*	*	*
532.90	*6	*	*	*	*	*	*	*	*	*	*
533	*9	*	*6	-	*	*	*5	*	*	*	*
534	*7	*	*5	-	*	*	*	*	*	*	*
535	116	44	71	*	29	37	46	26	30	40	19
535.0	19	*7	12	*	*	*6	*7	*6	*	*6	*
535.00	16	*6	10	*	*	*	*5	*6	*	*5	*
535.1	10	*	*8	*	*	*	*	*	*	*	*
535.10	*8	*	*6	*	*	*	*	*	*	*	*
535.3	*7	*5	*	-	*	*	*	*	*	*	*
535.4	36	13	24	*	*9	11	17	*6	*9	13	*8

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
535.40	22	*5	16	*	*7	*7	*8	*	*6	*8	*
535.41	15	*7	*8	*	*	*	*9	*	*	*5	*
535.5	39	15	25	*	*9	14	15	*8	13	14	*
535.50	29	10	19	*	*9	10	10	*6	10	10	*
535.51	10	*	*5	*	*	*	*5	*	*	*	*
536	52	16	35	*7	14	12	19	10	10	22	11
536.2	19	*8	10	*	*6	*	*	*	*	*9	*
536.3	12	*	10	*	*	*	*	*	*	*5	*
536.4	14	*	10	*	*	*	*8	*	*	*	*
536.42	*6	*	*	*	*	*	*	*	*	*	*
536.8	*7	*	*5	*	*	*	*	*	*	*	*
537	26	13	12	*	*	*8	15	*7	*	*9	*6
537.0	*6	*	*	*	*	*	*	*	*	*	*
537.8	19	10	*9	*	*	*5	13	*5	*	*6	*
537.83	15	*8	*7	-	*	*	10	*	*	*	*
540	285	171	114	68	141	49	27	52	64	89	81
540.0	52	34	18	15	17	10	*9	*8	12	17	15
540.1	40	24	16	12	13	*9	*6	*6	*9	14	10
540.9	194	114	80	41	110	31	12	38	42	58	56
541	*9	*	*	*	*6	*	*	*	*	*	*
550	44	40	*	*6	*7	10	21	10	11	16	*7
550.1	20	19	*	*	*	*6	*9	*	*	10	*
550.10	17	16	*	*	*	*5	*7	*	*	*9	*
550.9	23	21	*	*	*	*	11	*5	*7	*6	*
550.90	15	13	*	*	*	*	*7	*	*	*	*
552	56	22	34	*	11	21	23	15	12	24	*6
552.1	*8	*	*	*	*	*	*	*	*	*	*
552.2	38	15	23	*	*7	15	15	*9	*9	16	*
552.20	*8	*	*5	-	*	*	*	*	*	*	*
552.21	22	10	12	*	*	11	*8	*5	*	10	*
552.29	*7	*	*5	*	*	*	*	*	*	*	*
553	94	38	56	*	21	40	30	19	22	30	23
553.1	*8	*	*	*	*	*	*	*	*	*	*
553.2	66	29	37	*	15	30	19	14	16	21	15
553.20	13	*6	*7	*	*	*	*	*	*	*5	*
553.21	48	19	28	*	*9	25	14	*8	13	15	11
553.29	*5	*	*	*	*	*	*	*	*	*	*
553.3	16	*	12	*	*	*	*8	*	*	*	*6
555	54	23	31	*	32	12	*8	11	13	21	*8
555.0	14	*	10	*	*9	*	*	*	*	*	*
555.1	*7	*	*	*	*	*	*	*	*	*	*
555.2	*7	*	*	*	*5	*	*	*	*	*	*
555.9	26	12	14	*	13	*7	*	*5	*6	12	*
556	31	16	15	*	13	10	*6	10	*	*9	*9
556.6	*7	*	*	*	*	*	*	*	*	*	*
556.9	14	*6	*7	*	*6	*	*	*	*	*	*6
557	52	14	37	*	*6	15	31	14	15	15	*7
557.0	21	*8	13	*	*	*	11	*	*8	*6	*
557.9	26	*5	21	-	*	*9	17	*9	*6	*7	*
558	168	68	100	35	35	38	59	38	32	73	25
558.9	162	65	97	35	35	36	56	36	31	72	24
560	315	147	168	12	44	100	159	59	99	97	60
560.0	*7	*	*	*	*	*	*	*	*	*	*
560.1	53	28	25	*	*7	14	28	10	16	19	*8
560.2	*6	*	*	*	*	*	*	*	*	*	*
560.3	28	11	17	*	*	*6	17	*5	*7	12	*
560.39	27	10	17	*	*	*6	17	*5	*7	11	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over	east			
Number of first-listed diagnoses in thousands											
560.8	110	52	57	*	16	39	53	20	34	33	23
560.81	83	38	45	*	12	30	40	14	25	26	17
560.89	27	14	13	*	*	*9	14	*6	*8	*7	*6
560.9	111	50	61	*	17	38	55	20	40	29	22
562	276	116	160	*	39	97	139	61	80	90	46
562.1	273	114	159	*	39	97	136	61	80	89	44
562.10	20	11	*9	*	*	*9	*9	*	*	*7	*
562.11	193	75	118	*	36	78	78	43	59	60	30
562.12	50	24	26	-	*	*7	43	11	13	18	*8
562.13	10	*5	*5	*	*	*	*6	*	*	*	*
564	65	21	44	*8	19	14	24	16	17	17	14
564.0	45	16	28	*7	*9	*9	19	12	11	11	11
564.00	30	*9	21	*5	*6	*6	13	*7	*7	*8	*8
564.09	14	*8	*7	*	*	*	*6	*	*	*	*
564.1	15	*	12	*	*8	*	*	*	*	*5	*
566	25	17	*8	*	10	11	*	*	*6	10	*
567	33	17	16	*	*9	13	10	*	*9	11	10
567.2	24	12	12	*	*7	*9	*7	*	*5	*9	*8
567.22	13	*6	*7	*	*	*	*	*	*	*	*
567.23	*5	*	*	-	*	*	*	*	*	*	*
568	19	*	16	*	*	10	*	*	*	*6	*5
568.0	12	*	11	*	*	*8	*	*	*	*5	*
568.8	*6	*	*	*	*	*	*	*	*	*	*
569	106	50	56	*	16	27	61	25	26	35	20
569.1	*6	*	*5	-	*	*	*	*	*	*	*
569.3	27	14	14	*	*	*7	16	*8	*5	*8	*5
569.4	*8	*	*	*	*	*	*	*	*	*	*
569.5	*5	*	*	-	*	*	*	*	*	*	*
569.6	16	*6	10	*	*	*	*9	*	*	*5	*
569.69	10	*	*7	*	*	*	*6	*	*	*	*
569.8	40	22	18	*	*5	10	23	*9	11	13	*6
569.81	*6	*	*	*	*	*	*	*	*	*	*
569.83	*9	*	*	-	*	*	*6	*	*	*	*
569.85	17	10	*7	-	*	*	12	*5	*	*	*
570	*6	*	*	*	*	*	*	*	*	*	*
571	115	70	45	*	19	72	24	26	16	38	35
571.1	12	*7	*	-	*	*7	*	*	*	*	*
571.2	52	40	12	-	*7	40	*6	*9	*8	19	17
571.5	39	19	19	*	*	21	14	*9	*	13	12
572	45	29	17	*	*	26	13	10	*9	15	10
572.2	36	21	15	*	*	22	10	*8	*8	13	*7
573	12	*6	*6	*	*	*	*6	*	*	*	*
573.3	*7	*	*	*	*	*	*	*	*	*	*
574	310	104	206	*	110	88	109	59	67	111	73
574.0	122	47	75	*	43	39	39	23	26	43	30
574.00	114	43	71	*	41	37	35	22	25	40	28
574.01	*8	*	*	-	*	*	*	*	*	*	*
574.1	91	23	67	*	38	25	27	19	19	33	20
574.10	89	23	66	*	38	24	26	19	19	32	19
574.2	34	12	22	*	*9	*8	16	*7	*9	13	*
574.20	33	12	21	*	*9	*8	16	*7	*9	13	*
574.5	21	*6	15	*	*	*5	11	*	*	*8	*
574.50	14	*	10	*	*	*	*7	*	*	*	*
574.51	*8	*	*5	-	*	*	*	*	*	*	*
574.6	10	*	*7	-	*	*	*	*	*	*	*
574.60	*7	*	*5	-	*	*	*	*	*	*	*
574.7	12	*	*8	*	*	*	*	*	*	*	*
574.70	*9	*	*5	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
574.8	*7	*	*	-	*	*	*	*	*	*	*
574.9	*6	*	*	-	*	*	*	*	*	*	*
575	78	27	51	*	27	23	26	12	22	28	15
575.0	34	15	19	-	11	10	13	*6	12	10	*6
575.1	29	*8	21	*	11	*7	11	*	*8	11	*6
575.10	*6	*	*	*	*	*	*	*	*	*	*
575.11	16	*	12	*	*	*	*6	*	*	*7	*
575.12	*7	*	*	-	*	*	*	*	*	*	*
575.8	13	*	11	*	*5	*	*	*	*	*7	*
576	32	13	19	*	*	10	18	*7	*7	12	*6
576.1	10	*	*6	*	*	*	*8	*	*	*	*
576.2	11	*6	*6	*	*	*	*6	*	*	*	*
576.8	10	*	*7	*	*	*	*	*	*	*	*
577	266	137	129	*	87	115	60	45	61	107	53
577.0	235	122	114	*	77	101	55	39	57	91	48
577.1	21	12	10	*	*9	*	*	*	*	12	*
577.2	*5	*	*	*	*	*	*	*	*	*	*
578	193	84	109	*	16	45	131	52	46	66	30
578.0	20	11	*9	*	*5	*	10	*6	*	*6	*
578.1	38	16	22	*	*	10	25	10	*9	15	*
578.9	135	57	77	*	*8	30	96	36	32	45	22
579	12	*	*9	*	*	*	*	*	*	*6	*
579.3	*8	*	*6	*	*	*	*	*	*	*	*
580-629	2,092	673	1,419	71	523	550	947	399	492	794	407
581	*6	*	*	*	*	*	*	*	*	*	*
584	363	174	190	*	29	90	243	81	75	152	56
584.5	20	10	10	*	*	*8	10	*	*	*6	*5
584.9	342	163	179	*	26	82	232	77	70	145	50
585	112	57	55	*	13	39	59	28	24	31	29
585.6	47	24	23	*	*8	21	17	11	*	13	18
585.9	55	26	29	*	*	15	36	15	18	14	*8
586	*7	*	*	-	*	*	*	*	*	*	*
590	129	22	107	20	55	23	31	23	29	48	29
590.1	52	10	42	*5	25	*7	14	10	17	16	10
590.10	52	10	42	*5	25	*7	14	10	17	16	10
590.8	71	11	60	15	27	13	16	11	11	31	18
590.80	71	11	60	15	27	13	16	11	11	31	18
591	17	*8	*9	*	*7	*	*	*6	*	*	*
592	135	71	64	*	50	54	31	31	35	50	18
592.0	47	21	26	*	16	20	11	11	12	17	*7
592.1	87	49	37	*	34	33	20	19	23	34	11
593	41	20	21	*7	*	13	17	*7	*9	16	*9
593.4	*9	*	*5	*	*	*	*	*	*	*	*
593.8	*5	*	*	*	*	*	*	*	*	*	*
593.9	18	10	*8	*	*	*5	12	*	*6	*7	*
595	23	*8	14	*	*	*	14	*6	*	*9	*
595.0	*6	*	*	*	*	*	*	*	*	*	*
595.9	*9	*	*7	*	*	*	*	*	*	*	*
596	20	17	*	*	*	*	15	*6	*	*6	*
596.0	*6	*6	*	*	-	*	*	*	*	*	*
599	562	177	385	25	48	95	394	105	155	198	103
599.0	517	149	368	23	40	85	370	97	143	185	92

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
599.7	34	23	11	*	*7	*6	19	*7	*8	11	*8
600	61	61	-	-	*	17	44	14	10	21	16
600.0	55	55	-	-	*	14	40	13	*9	20	13
600.00	10	10	-	-	-	*	*7	*	*	*	*
600.01	45	45	-	-	*	12	33	*9	*9	17	10
601	*7	*7	-	-	*	*	*	*	*	*	*
604	*8	*8	-	*	*	*	*	*	*	*	*
604.9	*6	*6	-	*	*	*	*	*	*	*	*
607	*7	*7	-	*	*	*	*	*	*	*	*
608	14	14	-	*	*	*6	*	*	*	*7	*
608.4	*8	*8	-	*	*	*	*	*	*	*	*
611	21	*	20	*	10	*6	*	*	*	*9	*
611.0	*9	*	*8	*	*	*	*	*	*	*	*
611.1	*6	-	*6	-	*	*	*	*	*	*	*
614	37	-	37	*	27	*8	*	*6	*6	18	*7
614.2	*7	-	*7	-	*5	*	-	*	*	*	*
614.6	11	-	11	-	*8	*	*	*	*	*7	*
614.9	*7	-	*7	*	*6	*	*	*	*	*	*
616	19	-	19	*	*9	*6	*	*	*	*9	*
616.0	*5	-	*5	-	*	*	*	*	*	*	*
616.1	*5	-	*5	*	*	*	*	*	*	*	*
616.10	*5	-	*5	*	*	*	*	*	*	*	*
616.4	*7	-	*7	*	*	*	*	*	*	*	*
617	56	-	56	-	44	10	*	*7	11	26	12
617.0	33	-	33	-	25	*7	*	*	*	19	*6
617.1	*8	-	*8	-	*7	*	*	*	*	*	*
617.3	*9	-	*9	-	*8	*	-	*	*	*	*
618	138	-	138	-	22	66	50	18	37	53	30
618.0	45	-	45	-	*8	20	17	*	10	20	11
618.01	27	-	27	-	*	14	10	*	*5	12	*8
618.04	13	-	13	-	*	*5	*	*	*	*7	*
618.1	*9	-	*9	-	*	*	*	*	*	*	*
618.2	19	-	19	-	*	11	*	*	*7	*	*
618.3	12	-	12	-	*	*	*8	*	*	*	*
618.4	16	-	16	-	*	*9	*	*	*	*6	*
618.5	27	-	27	-	*	13	13	*	*7	12	*
618.8	*8	-	*8	-	*	*	*	*	*	*	*
618.89	*7	-	*7	-	*	*	*	*	*	*	*
619	*5	-	*5	*	*	*	*	*	*	*	*
620	68	-	68	*	51	13	*	11	11	28	19
620.1	10	-	10	*	*9	*	*	*	*	*	*
620.2	42	-	42	*	33	*7	*	*6	*7	16	14
621	18	-	18	*	*6	*8	*	*	*	*7	*
621.3	10	-	10	*	*	*5	*	*	*	*	*
621.33	*6	-	*6	*	*	*	*	*	*	*	*
622	10	-	10	-	*5	*	*	*	*	*5	*
622.1	*8	-	*8	-	*	*	*	*	*	*	*
625	66	-	66	*	43	18	*5	*8	15	25	17
625.3	17	-	17	-	15	*	-	*	*	*6	*6
625.6	21	-	21	-	*6	11	*	*	*7	*	*5
625.9	21	-	21	-	18	*	*	*	*	10	*
626	104	-	104	*	71	32	*	11	33	40	20
626.2	78	-	78	*	54	24	-	*8	26	28	16

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
626.8	22	-	22	*	15	*7	*	*	*5	10	*
627	*8	-	*8	-	*	*5	*	*	*	*	*
627.1	*7	-	*7	-	*	*	*	*	*	*	*
630-677	498	-	498	*6	490	*	-	81	81	234	101
632	16	-	16	*	15	*	-	*	*	*8	*
633	29	-	29	-	29	-	-	*6	*	14	*
633.1	26	-	26	-	26	-	-	*5	*	13	*
633.10	25	-	25	-	25	-	-	*	*	13	*
634	22	-	22	*	22	*	-	*5	*	*8	*7
634.9	12	-	12	*	11	*	-	*	*	*	*
634.91	*9	-	*9	-	*9	*	-	*	*	*	*
641	10	-	10	-	10	*	-	*	*	*	*
642	33	-	33	-	33	-	-	*	*	18	*7
642.3	12	-	12	-	12	-	-	*	*	*6	*
642.33	11	-	11	-	11	-	-	*	*	*6	*
642.4	10	-	10	-	10	-	-	*	*	*6	*
642.43	*8	-	*8	-	*8	-	-	*	*	*	*
643	29	-	29	-	29	-	-	*	*	19	*
643.0	13	-	13	-	13	-	-	*	*	*8	*
643.03	13	-	13	-	13	-	-	*	*	*8	*
643.1	10	-	10	-	10	-	-	*	*	*7	*
643.13	10	-	10	-	10	-	-	*	*	*7	*
643.2	*5	-	*5	-	*5	-	-	*	*	*	*
643.23	*5	-	*5	-	*5	-	-	*	*	*	*
644	91	-	91	*	90	*	-	11	19	42	19
644.0	81	-	81	*	80	*	-	*9	18	36	17
644.03	81	-	81	*	80	*	-	*9	18	36	17
644.1	10	-	10	*	10	-	-	*	*	*5	*
644.13	10	-	10	*	10	-	-	*	*	*5	*
646	59	-	59	*	57	-	-	*8	10	29	12
646.6	38	-	38	*	37	-	-	*6	*7	16	*9
646.63	35	-	35	*	35	-	-	*5	*6	16	*9
646.8	17	-	17	*	17	-	-	*	*	12	*
646.83	16	-	16	*	15	-	-	*	*	11	*
647	*6	-	*6	-	*6	-	-	*	*	*	*
648	95	-	95	*	94	*	-	18	15	43	20
648.0	*8	-	*8	-	*8	-	-	*	*	*	*
648.03	*8	-	*8	-	*8	-	-	*	*	*	*
648.2	*5	-	*5	*	*	-	-	*	*	*	*
648.4	14	-	14	*	13	-	-	*	*	*	*
648.43	10	-	10	*	*9	-	-	*	*	*	*
648.9	57	-	57	-	57	*	-	11	*9	26	12
648.93	55	-	55	-	55	*	-	11	*8	25	12
654	15	-	15	-	15	-	-	*	*	*	*
654.5	*8	-	*8	-	*8	-	-	*	*	*	*
654.53	*8	-	*8	-	*8	-	-	*	*	*	*
658	11	-	11	-	11	*	-	*	*	*6	*
659	11	-	11	*	10	*	-	*	*	*	*
659.7	*6	-	*6	-	*6	-	-	*	*	*	*
659.73	*6	-	*6	-	*6	-	-	*	*	*	*
666	*5	-	*5	-	*5	-	-	*	*	*	*
670	*8	-	*8	-	*8	-	-	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
670.0	*8	-	*8	-	*8	-	-	*	*	*	*
670.04	*8	-	*8	-	*8	-	-	*	*	*	*
674	18	-	18	*	17	*	-	*	*	*8	*
674.3	*7	-	*7	-	*7	-	-	*	*	*	*
674.34	*7	-	*7	-	*7	-	-	*	*	*	*
680-709	752	396	355	83	192	240	236	160	168	302	123
681	29	20	*9	*	*8	12	*8	*	*8	10	*7
681.0	17	12	*6	*	*7	*7	*	*	*5	*6	*
681.00	15	11	*	*	*6	*6	*	*	*	*6	*
681.1	12	*9	*	*	*	*	*5	*	*	*	*
681.10	12	*8	*	*	*	*	*5	*	*	*	*
682	524	274	250	50	144	177	153	122	118	204	80
682.0	44	21	23	10	16	12	*7	*8	*	22	*9
682.1	12	*9	*	*	*	*	*	*	*	*	*
682.2	54	26	28	*8	16	21	*8	12	*9	24	10
682.3	52	26	26	*	25	13	12	16	12	17	*7
682.4	28	15	14	*	*9	12	*6	*7	*7	*9	*5
682.5	30	*8	21	11	*8	*8	*	*6	*	14	*5
682.6	257	141	115	13	53	92	99	57	71	93	36
682.7	38	24	15	*	*9	14	14	11	*7	15	*
682.8	*6	*	*	*	*	*	*	*	*	*	*
686	*6	*	*	*	*	*	*	*	*	*	*
691	*6	*	*	*6	*	*	-	*	*	*	*5
692	*7	*	*	*	*	*	*	*	*	*	*
693	*7	*	*	*	*	*	*	*	*	*	*
693.0	*7	*	*	*	*	*	*	*	*	*	*
695	*9	*5	*	*	*	*	*	*	*	*	*
695.1	*7	*	*	*	*	*	*	*	*	*	*
701	*8	*	*	*	*	*	*	*	*	*6	*
701.4	*6	*	*	*	*	*	*	*	-	*5	*
707	93	47	46	*	15	26	52	21	23	36	13
707.0	53	26	27	*	10	*9	33	10	11	23	*9
707.03	26	13	13	*	*	*	19	*6	*	11	*
707.04	*9	*	*5	-	*	*	*	*	*	*6	*
707.05	*5	*	*	*	*	*	*	*	*	*	*
707.07	*7	*	*	-	*	*	*6	*	*	*	*
707.1	39	20	19	*	*5	16	18	11	12	11	*
707.15	17	*9	*7	*	*	*8	*5	*6	*5	*	*
707.19	*7	*	*	*	*	*	*	*	*	*	*
708	*5	*	*	*	*	*	*	*	*	*	*
709	27	15	11	*	*	*9	12	*	*	24	*
709.2	25	15	10	*	*	*9	12	*	*	24	*
710-739	1,881	804	1,077	28	270	702	880	360	447	676	398
710	27	*	22	*	14	*9	*	*	*8	10	*
710.0	20	*	18	*	12	*7	*	*	*7	*8	*
711	28	15	13	*	*8	*5	13	*6	*8	*9	*
711.0	26	14	12	*	*7	*	12	*6	*8	*8	*
711.06	12	*7	*5	*	*	*	*7	*	*	*	*
711.07	*5	*	*	*	*	*	*	*	*	*	*
714	19	*	15	*	*	*6	*9	*7	*	*6	*
714.0	15	*	12	-	*	*6	*8	*6	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over	east			
Number of first-listed diagnoses in thousands											
715	718	283	435	*	18	271	429	126	201	252	140
715.1	47	17	30	-	*	18	29	*9	*7	18	14
715.15	14	*6	*8	-	*	*	*9	*	*	*	*
715.16	32	11	22	-	*	13	20	*5	*	13	10
715.2	*6	*	*	-	*	*	*	*	*	*	*
715.3	460	186	274	*	*8	180	272	78	131	165	86
715.31	16	10	*6	-	*	*5	11	*	*	*	*
715.35	126	61	65	*	*	53	69	24	38	36	28
715.36	313	112	201	-	*	120	189	51	86	122	53
715.9	201	76	125	-	*9	68	123	36	61	68	36
715.90	*8	*	*7	-	*	*	*6	*	*	*	*
715.91	*6	*	*	-	*	*	*5	*	*	*	*
715.95	52	22	30	-	*	16	33	11	18	14	*9
715.96	130	49	81	-	*6	47	76	21	38	47	24
716	19	*9	10	*	*	*6	10	*5	*	*8	*
716.1	*5	*	*	-	*	*	*	*	*	*	*
716.9	12	*	*7	-	*	*	*7	*	*	*	*
717	*6	*	*	-	*	*	*	*	*	*	*
718	*9	*	*5	*	*	*	*	*	*	*	*
719	52	21	31	*	*7	13	29	15	11	16	10
719.0	*5	*	*	*	*	*	*	*	*	*	*
719.4	28	*7	21	*	*	*5	17	*	*9	12	*
719.41	*7	*	*	-	*	*	*	*	*	*	*
719.45	11	*	10	*	*	*	*8	*	*	*	*
719.46	*5	*	*	*	*	*	*	*	*	*	*
719.7	13	*8	*	*	*	*	10	11	*	*	*
721	98	47	51	*	14	46	38	17	21	35	26
721.0	32	14	18	-	*	20	*7	*	*	16	*7
721.1	19	11	*8	-	*	11	*7	*	*	*8	*
721.3	39	18	21	*	*7	14	19	*7	10	*8	14
722	320	161	159	*	99	145	76	48	64	135	73
722.0	49	27	22	-	18	27	*	*8	*7	25	*9
722.1	136	76	60	*	49	54	33	24	28	56	28
722.10	135	75	60	*	48	54	33	23	28	56	28
722.4	13	*6	*7	-	*	10	*	*	*	*	*5
722.5	72	33	40	-	18	31	23	*8	17	27	20
722.52	71	32	39	-	18	31	22	*8	17	26	20
722.7	24	11	13	-	*	12	*8	*	*6	11	*
722.71	17	*7	10	-	*	*9	*6	*	*	*7	*
722.73	*5	*	*	-	*	*	*	*	*	*	*
722.8	10	*	*8	-	*	*	*	*	*	*7	*
722.83	*9	*	*7	-	*	*	*	*	*	*6	*
722.9	13	*	*8	*	*	*6	*	*	*	*5	*
722.93	*9	*	*6	*	*	*	*	*	*	*	*
723	29	10	19	*	*	14	10	*6	*6	11	*6
723.0	10	*5	*	-	*	*6	*	*	*	*	*
723.1	10	*	*7	*	*	*	*	*	*	*	*
723.4	*8	*	*6	-	*	*	*	*	*	*	*
724	159	68	91	*	19	47	92	35	35	54	36
724.0	85	38	47	-	*	25	55	20	16	29	20
724.02	79	37	42	-	*	23	50	18	15	28	18
724.2	33	10	22	*	*7	10	15	*	11	11	*6
724.4	12	*6	*6	-	*	*	*6	*	*	*7	*
724.5	20	*8	11	*	*	*	11	*	*	*	*7
726	30	15	14	*	*5	12	12	*	*7	*8	10
726.1	*9	*	*5	-	*	*	*6	*	*	*	*
726.10	*8	*	*	-	*	*	*5	*	*	*	*
727	16	*8	*8	*	*	*7	*	*	*	*	*
727.0	*6	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
728	52	29	24	*	11	16	24	14	*9	19	10
728.8	49	26	22	*	11	15	22	12	*9	17	10
728.86	*7	*	*	*	*	*5	*	*	*	*	*
728.87	*6	*	*	*	*	*	*	*	*	*	*
728.88	30	17	12	*	*8	*6	16	*7	*	12	*7
729	48	18	29	*	*9	19	16	10	*9	19	*9
729.1	*9	*	*8	*	*	*	*	*	*	*	*
729.5	19	*7	12	*	*	*7	*8	*	*	*9	*
729.8	11	*6	*	*	*	*	*	*	*	*	*
729.89	*7	*	*	*	*	*	*	*	*	*	*
730	50	32	19	*	14	20	14	11	10	19	11
730.0	*8	*5	*	*	*	*	*	*	*	*	*
730.07	*5	*	*	*	*	*	*	*	*	*	*
730.1	12	*7	*	*	*5	*	*	*	*	*	*
730.2	30	19	11	*	*7	12	*9	*	*6	13	*6
730.27	19	13	*6	*	*	*8	*6	*	*	*9	*
733	140	47	92	*	19	41	77	27	35	48	29
733.0	*7	*	*6	*	*	*	*5	*	*	*	*
733.00	*7	*	*6	-	*	*	*5	*	*	*	*
733.1	66	17	49	*	*	12	52	13	20	19	14
733.13	49	10	39	-	*	*7	41	10	14	15	*9
733.14	*9	*	*6	*	*	*	*6	*	*	*	*
733.4	19	*8	11	*	*	*8	*6	*	*	*9	*
733.42	13	*6	*7	*	*	*6	*	*	*	*5	*
733.6	12	*	*8	*	*	*	*	*	*	*	*
733.8	29	15	15	*	*7	14	*8	*	*7	13	*5
733.82	26	13	13	*	*6	13	*7	*	*6	12	*
736	*8	*	*	*	*	*	*	*	*	*	*
737	14	*	10	*	*	*	*	*5	*	*	*
737.3	13	*	*9	*	*	*	*	*5	*	*	*
737.30	*9	*	*7	*	*	*	*	*	*	*	*
738	27	11	16	*	*5	10	12	*	*6	11	*5
738.4	22	*7	15	-	*	*8	11	*	*5	*9	*
740-759	185	96	90	113	29	29	14	49	23	53	60
742	10	*	*5	*7	*	*	*	*	*	*	*
745	31	15	15	20	*	*	*	10	*	*8	10
745.4	*9	*	*	*8	*	*	*	*	*	*	*5
745.5	16	*8	*8	*6	*	*	*	*7	*	*	*5
746	13	*8	*	*6	*	*	*	*	*	*	*5
747	23	*7	16	*8	*	10	*	*	10	*	*
747.8	12	*	10	*	*	*9	*	*	*8	*	*
747.81	11	*	*9	*	*	*9	*	*	*8	*	*
748	*7	*	*	*6	*	*	*	*	*	*	*
749	12	*7	*	10	*	-	-	*	-	*	*
749.2	*8	*	*	*6	*	-	-	*	-	*	*
750	18	14	*	16	*	*	*	*	*	*6	*8
750.5	15	12	*	15	-	-	-	*	*	*5	*7
751	10	*	*6	*7	*	*	*	*	*	*	*
753	*9	*	*	*	*	*	*	*	*	*	*
754	*7	*	*	*6	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
756	26	11	15	*9	*	*7	*6	*6	*5	*7	*7
756.1	14	*	*9	*	*	*7	*	*	*	*	*
756.12	*9	*	*5	*	*	*	*	*	*	*	*
760-779	171	94	77	169	*	*	-	28	22	64	57
765	15	*7	*8	15	-	-	-	*	*	*9	*
765.1	13	*6	*7	13	-	-	-	*	*	*8	*
769	11	*6	*5	11	*	-	-	*	*	*	*
770	27	14	13	27	-	-	-	*	*	10	*9
770.7	*6	*	*	*6	-	-	-	*	*	*	*
770.8	13	*8	*	13	-	-	-	*	*	*6	*
770.89	*6	*	*	*6	-	-	-	*	*	*	*
771	15	*9	*6	15	-	-	-	*	*	*5	*5
771.8	13	*8	*5	13	-	-	-	*	*	*	*
771.89	*6	*	*	*6	-	-	-	*	*	*	*
774	45	26	19	44	*	-	-	*8	*6	13	18
774.2	*6	*	*	*6	-	-	-	*	*	*	*
774.3	*6	*	*	*6	-	-	-	*	*	*	*
774.39	*6	*	*	*6	-	-	-	*	*	*	*
774.6	34	20	14	33	*	-	-	*7	*	12	11
775	*6	*	*	*6	*	-	-	*	*	*	*
778	*9	*5	*	*9	-	-	-	*	*	*	*
778.4	*7	*	*	*7	-	-	-	*	*	*	*
779	31	17	14	30	*	-	-	*	*	10	13
779.3	*6	*	*	*6	-	-	-	*	*	*	*
779.8	21	11	10	21	*	-	-	*	*	*8	*9
779.89	21	11	10	21	*	-	-	*	*	*8	*9
780-799	188	82	106	44	52	46	46	31	42	64	51
780	48	21	28	21	10	*8	*9	*8	*6	19	16
780.2	11	*5	*6	*	*	*	*	*	*	*	*
780.3	16	*8	*8	*8	*	*	*	*	*	*6	*5
780.39	12	*	*7	*	*	*	*	*	*	*	*
780.6	14	*6	*8	12	*	*	*	*	*	*5	*
784	*6	*	*	*	*	*	*	*	*	*	*
786	39	15	24	*	10	18	*9	10	*	18	*6
786.0	*7	*	*	*	*	*	*	*	*	*	*
786.5	31	12	19	*	*8	18	*5	*9	*	15	*
786.50	14	*5	*9	*	*	*9	*	*	*	*6	*
786.59	17	*7	10	*	*6	*9	*	*	*	*9	*
787	*8	*	*6	*	*	*	*	*	*	*	*
787.0	*7	*	*6	*	*	*	*	*	*	*	*
789	20	*9	11	*	10	*	*	*	*	*9	*
789.0	18	*9	10	*	*9	*	*	*	*	*8	*
789.00	*9	*	*5	*	*	*	*	*	*	*	*
799	53	26	27	*6	14	13	20	*6	23	*8	16
799.9	46	23	23	*5	12	12	17	*	21	*8	13
800-999	2,855	1,441	1,415	190	796	768	1,102	585	664	1,070	537
800	16	11	*5	*5	*7	*	*	*	*	*5	*
800.2	*7	*	*	*	*	*	*	*	*	*	*
801	35	24	11	*5	14	11	*5	*6	*7	13	*9

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
801.0	11	*8	*	*	*	*	*	*	*	*5	*
801.01	*7	*	*	*	*	*	*	*	*	*	*
801.2	15	10	*	*	*5	*	*	*	*	*	*
802	42	34	*8	*	25	*7	*9	10	*8	16	*9
802.0	*6	*	*	*	*	*	*	*	*	*	*
802.2	14	12	*	*	10	*	*	*	*	*	*
802.3	*5	*5	*	*	*	*	*	*	*	*	*
802.4	*7	*5	*	-	*	*	*	*	*	*	*
802.6	*6	*	*	*	*	*	*	*	*	*	*
805	105	44	61	*	29	20	55	22	29	32	22
805.0	24	13	11	*	10	*	*9	*	*5	*8	*6
805.02	*9	*5	*	*	*	*	*	*	*	*	*
805.2	31	13	18	*	*9	*5	17	*8	10	*8	*
805.4	38	16	22	*	*8	*8	22	*7	11	14	*6
805.6	11	*	*9	-	*	*	*7	*	*	*	*
806	*5	*	*	-	*	*	*	*	*	*	*
807	43	25	18	*	*7	11	24	10	12	14	*7
807.0	37	21	16	*	*5	*9	22	*9	10	11	*7
807.01	*7	*	*	*	*	*	*	*	*	*	*
807.02	*5	*	*	-	*	*	*	*	*	*	*
807.03	*7	*	*	*	*	*	*	*	*	*	*
807.09	*7	*	*	*	*	*	*	*	*	*	*
808	67	23	44	*	10	10	47	13	24	19	11
808.0	17	11	*7	*	*5	*	*8	*	*	*7	*
808.2	43	10	33	*	*	*	35	*9	19	10	*5
810	*9	*	*	*	*	*	*	*	*	*	*
810.0	*8	*	*	*	*	*	*	*	*	*	*
812	72	24	48	15	*8	15	34	14	15	28	15
812.0	35	*6	28	*	*	*8	24	*7	*8	15	*
812.00	*9	*	*9	*	*	*	*7	*	*	*	*
812.01	12	*	*8	*	*	*	*9	*	*	*5	*
812.09	*8	*	*8	-	*	*	*5	*	*	*	*
812.2	12	*	*7	*	*	*	*5	*	*	*5	*
812.21	*9	*	*6	*	*	*	*	*	*	*	*
812.4	22	10	12	14	*	*	*	*	*	*7	*7
812.41	14	*	10	11	*	*	*	*	*	*5	*5
813	60	34	27	*9	18	17	16	15	14	23	*9
813.0	13	*8	*	*	*	*	*	*	*	*	*
813.2	*6	*	*	*	*	*	*	*	*	*	*
813.4	29	14	15	*	*7	*9	*8	*8	*7	10	*
813.41	*9	*	*	*	*	*	*	*	*	*	*
813.42	11	*6	*6	*	*	*5	*	*	*	*	*
813.44	*9	*	*	*	*	*	*	*	*	*	*
816	*5	*	*	*	*	*	*	*	*	*	*
820	297	89	208	*	*9	25	264	58	86	103	50
820.0	74	20	54	*	*	*5	66	16	23	21	13
820.02	*5	*	*	-	*	*	*	*	*	*	*
820.03	*7	*	*5	-	*	*	*6	*	*	*	*
820.09	59	15	44	*	*	*	55	14	21	15	10
820.2	154	43	111	*	*	12	137	31	47	51	25
820.20	*7	*	*	-	*	*	*6	*	*	*	*
820.21	132	38	95	-	*	10	120	27	42	44	19
820.22	15	*	12	*	*	*	12	*	*	*	*
820.8	69	26	42	*	*	*7	59	11	15	31	12
821	59	27	32	11	12	12	24	13	11	25	*9
821.0	36	19	17	10	*7	*6	13	*8	*	17	*6
821.00	*9	*	*6	*	*	*	*6	*	*	*	*
821.01	27	15	11	*9	*6	*5	*6	*6	*	12	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
821.2	19	*	14	*	*	*5	11	*	*6	*6	*
821.23	*9	*	*8	*	*	*	*6	*	*	*	*
822	14	*	*9	*	*	*	*5	*	*	*6	*
822.0	13	*	*9	*	*	*	*5	*	*	*6	*
823	73	44	29	*	36	22	11	14	14	30	16
823.0	33	18	15	*	12	13	*7	*6	*6	15	*6
823.00	24	14	10	*	10	10	*	*	*	12	*
823.02	*7	*	*	*	*	*	*	*	*	*	*
823.2	17	11	*5	*	*8	*6	*	*	*	*	*
823.22	11	*7	*	*	*7	*	*	*	*	*	*
823.3	*7	*5	*	*	*	*	*	*	*	*	*
823.32	*6	*	*	*	*	*	*	*	*	*	*
823.8	10	*	*5	*	*6	*	*	*	*	*	*
823.82	*5	*	*	*	*	*	*	*	*	*	*
824	104	48	56	*	37	37	26	22	29	32	20
824.0	*6	*	*	*	*	*	*	*	*	*	*
824.2	*7	*	*	*	*	*	*	*	*	*	*
824.4	31	13	18	*	*8	14	*9	*7	*7	10	*6
824.6	26	*7	19	*	*9	*8	*8	*5	*8	10	*
824.8	23	14	*9	*	*9	*8	*	*5	*8	*	*5
824.9	*5	*	*	*	*	*	*	*	*	*	*
825	20	15	*5	*	12	*7	*	*	*	*9	*
825.0	*7	*6	*	-	*	*	*	*	*	*	*
825.2	*8	*	*	*	*	*	*	*	*	*	*
825.25	*5	*	*	*	*	*	*	*	*	*	*
840	*6	*	*	-	*	*	*	*	*	*	*
844	*9	*6	*	*	*	*	*	*	*	*	*
847	*9	*	*	*	*	*	*	*	*	*	*
850	36	24	12	*7	15	*7	*7	*7	*6	13	10
850.0	*7	*	*	*	*	*	*	*	*	*	*
850.1	13	*8	*	*	*6	*	*	*	*	*	*
850.11	13	*8	*	*	*6	*	*	*	*	*	*
850.5	13	11	*	*	*8	*	*	*	*	*	*
851	24	14	10	*	*9	*	*9	*	*	*9	*7
851.8	15	*8	*7	*	*	*	*6	*	*	*7	*
852	65	35	30	*	15	14	35	13	15	20	17
852.0	21	11	10	*	*6	*6	*7	*	*	*9	*
852.01	*6	*	*	*	*	*	*	*	*	*	*
852.02	*6	*	*	-	*	*	*	*	*	*	*
852.2	42	22	20	*	*6	*7	27	*9	11	11	12
852.20	11	*6	*	*	*	*	*8	*	*	*	*
852.21	18	*8	10	*	*	*	13	*	*	*	*6
852.22	*5	*	*	*	*	*	*	*	*	*	*
853	14	*9	*5	*	*6	*	*6	*	*	*	*
853.0	14	*9	*5	*	*6	*	*6	*	*	*	*
860	28	20	*8	*	12	*7	*8	*6	*6	*8	*7
860.0	15	*9	*6	*	*6	*	*	*	*	*	*
860.4	*6	*6	*	-	*	*	*	*	*	*	*
861	*7	*	*	*	*	*	*	*	*	*	*
861.2	*6	*	*	*	*	*	*	*	*	*	*
861.21	*6	*	*	*	*	*	*	*	*	*	*
863	13	10	*	*	*9	*	*	*	*	*6	*
864	11	*6	*6	*	*5	*	*	*	*	*6	*
864.0	*9	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
865	13	10	*	*	*7	*	*	*	*	*6	*
865.0	11	*9	*	*	*7	*	*	*	*	*	*
868	*5	*	*	*	*	*	*	*	*	*	*
873	21	11	10	*	*	*	*7	*	*	*7	*6
873.0	*6	*	*	*	*	*	*	*	*	*	*
873.4	*9	*	*	*	*	*	*	*	*	*	*
873.42	*7	*	*	*	*	*	*	*	*	*	*
879	*9	*7	*	*	*6	*	*	*	*	*5	*
881	*6	*	*	*	*	*	*	*	*	*	*
886	*5	*	*	*	*	*	*	*	*	*	*
891	15	11	*	*	*7	*	*	*	*	*9	*
891.1	*9	*7	*	*	*	*	*	*	*	*6	*
920	15	*	10	*	*	*	*9	*	*	*7	*
922	18	*9	*9	*	*	*	11	*	*6	*	*
922.1	*9	*	*	*	*	*	*6	*	*	*	*
924	19	*8	10	*	*	*	13	*	*7	*6	*
924.0	10	*	*6	*	*	*	*8	*	*	*	*
924.01	*9	*	*5	*	*	*	*7	*	*	*	*
933	*5	*	*	*	*	*	*	*	*	*	*
935	11	*6	*	*	*	*	*	*	*	*	*
935.1	*9	*5	*	*	*	*	*	*	*	*	*
941	19	11	*8	*8	*	*	*	*	*	13	*
941.2	13	*7	*6	*6	*	*	*	*	*	*8	*
941.29	*7	*	*	*	*	*	*	*	*	*6	-
942	15	*8	*7	*8	*	*	*	*	*	12	*
942.2	*9	*6	*	*	*	*	*	*	*	*7	*
943	14	11	*	*	*8	*	*	*	*	12	-
943.2	*5	*5	*	*	*	*	*	*	*	*	-
943.3	*8	*6	*	*	*	*	*	*	*	*7	-
944	*7	*7	*	*	*	*	-	*	*	*6	-
945	18	11	*7	*	*5	*5	*	*	*	13	*
945.2	*8	*6	*	*	*	*	*	*	*	*6	-
945.3	*9	*	*	*	*	*	*	*	*	*7	*
958	*9	*6	*	*	*	*	*	*	*	*	*
959	31	16	15	*	*9	*7	10	*	*8	13	*6
959.0	16	*9	*7	*	*	*	*	*	*	*7	*
959.01	14	*8	*6	*	*	*	*	*	*	*6	*
962	*6	*	*	*	*	*	*	*	*	*	*
962.3	*5	*	*	*	*	*	*	*	*	*	*
963	*6	*	*	*	*5	*	*	*	*	*	*
963.0	*6	*	*	*	*5	*	*	*	*	*	*
965	64	25	39	*	37	16	*7	*9	17	26	12
965.0	28	13	14	*	13	*9	*5	*	*8	11	*
965.00	*5	*	*	*	*	*	*	*	*	*	*
965.09	15	*7	*8	*	*8	*	*	*	*6	*6	*
965.1	*6	*	*	*	*	*	*	*	*	*	*
965.4	24	*8	16	*	17	*	*	*	*6	11	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
966	11	*6	*	*	*6	*	*	*	*	*	*
966.3	*7	*	*	*	*	*	*	*	*	*	*
967	*9	*	*6	*	*	*	*	*	*	*	*
967.8	*6	*	*	-	*	*	*	*	*	*	*
969	76	32	45	*	45	25	*	13	23	25	15
969.0	21	10	11	*	13	*6	*	*	*7	*7	*
969.3	10	*	*7	*	*8	*	*	*	*	*	*
969.4	35	14	21	*	18	13	*	*7	10	11	*7
970	17	12	*	*	*8	*8	*	*7	*	*6	*
970.8	16	12	*	*	*8	*7	*	*7	*	*6	*
972	*7	*	*	*	*	*	*	*	*	*	*
977	10	*	*5	*	*	*	*	*	*	*	*
977.8	*5	*	*	*	*	*	*	*	*	*	*
989	*9	*	*	*	*	*	*	*	*	*	*
989.5	*6	*	*	*	*	*	*	*	*	*	*
995	38	17	21	*	10	12	12	*8	*9	12	10
995.1	14	*7	*7	*	*	*	*7	*	*	*	*
995.9	*8	*	*	*	*	*	*	*	*	*	*
996	501	260	242	21	84	186	210	110	106	192	93
996.0	22	12	11	*	*	*	16	*6	*	*8	*
996.01	10	*	*7	*	*	*	*8	*	*	*	*
996.04	10	*7	*	*	*	*	*6	*	*	*	*
996.1	12	*9	*	*	*	*	*	*	*	*6	*
996.2	26	16	11	*9	*8	16	*6	*6	*	*8	*8
996.4	89	38	52	*	11	30	47	19	24	34	13
996.41	*9	*	*5	-	*	*	*6	*	*	*	*
996.42	24	10	14	-	*	*7	17	*6	*6	10	*
996.43	*9	*	*7	-	*	*	*	*	*	*	*
996.44	*7	*	*	-	*	*	*	*	*	*	*
996.47	*7	*	*	-	*	*	*	*	*	*	*
996.49	24	11	13	*	*	11	*8	*	*	11	*
996.5	16	*6	10	*	*	*9	*	*	*	*7	*
996.59	10	*	*7	*	*	*	*	*	*	*	*
996.6	171	90	82	*8	30	67	66	32	40	67	32
996.61	*9	*7	*	*	*	*	*5	*	*	*	*
996.62	78	41	36	*7	14	33	23	15	14	34	14
996.64	19	11	*8	-	*	*	14	*5	*	*	*
996.66	25	10	15	*	*	*9	14	*	11	*9	*
996.67	15	10	*	*	*5	*6	*	*	*	*	*6
996.68	*6	*	*	*	*	*	*	*	*	*	*
996.69	10	*	*7	*	*	*6	*	*	*	*5	*
996.7	133	71	62	*	16	57	59	30	24	48	32
996.72	27	19	*8	*	*	10	15	*7	*6	*7	*6
996.73	41	22	19	-	*	17	20	10	*6	14	10
996.74	21	12	*9	*	*	*8	11	*5	*	*8	*
996.76	*5	*	*	*	*	*	*	*	*	*	*
996.77	14	*5	*9	-	*	10	*	*	*	*8	*
996.78	17	*8	*9	*	*5	*7	*	*	*	*6	*7
996.8	27	17	10	*	10	11	*	*8	*	13	*
996.81	14	*7	*7	*	*7	*	*	*	*	*8	*
997	137	62	75	*	35	55	44	32	32	47	26
997.0	10	*	*5	*	*	*	*	*	*	*	*
997.09	*6	*	*	*	*	*	*	*	*	*	*
997.1	12	*6	*6	*	*	*5	*6	*	*	*	*
997.2	10	*	*6	-	*	*	*	*	*	*	*
997.3	14	*7	*8	*	*	*	*6	*	*	*	*
997.4	55	20	35	*	18	21	16	11	15	17	12
997.5	12	*8	*	*	*	*6	*	*	*	*5	*
997.6	21	11	10	-	*	10	*6	*6	*	11	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
997.62	14	*8	*6	-	*	*7	*	*	*	*8	*
997.69	*7	*	*	-	*	*	*	*	*	*	*
998	260	116	145	*8	62	92	98	65	60	95	41
998.1	68	29	38	*	15	21	30	21	15	24	*8
998.11	35	20	15	*	*7	*9	17	10	*9	10	*6
998.12	28	*8	19	*	*5	10	12	10	*	11	*
998.2	12	*6	*7	-	*	*	*5	*	*	*	*
998.3	18	*8	*9	*	*	*9	*6	*	*	*7	*
998.32	15	*6	*8	*	*	*8	*5	*	*	*6	*
998.5	131	58	73	*5	35	46	44	30	29	50	22
998.51	*6	*	*	*	*	*	*	*	*	*	*
998.59	125	56	69	*5	34	45	41	29	28	47	21
998.6	*6	*	*	*	*	*	*	*	*	*	*
998.8	24	11	13	*	*7	*7	*9	*5	*6	*9	*
998.83	*8	*	*	-	*	*	*	*	*	*	*
998.89	15	*7	*8	*	*	*	*5	*	*	*5	*
999	*9	*	*	*	*	*	*	*	*	*5	*
V01-V86	4,930	367	4,564	65	4,249	217	400	829	1,027	1,885	1,190
V10	*7	*	*	-	*	*	*	*	*	*	*
V12	10	*5	*	*	*	*	*	*	*	*	*
V12.5	*7	*	*	*	*	*	*	*	*	*	*
V12.59	*5	*	*	*	*	*	*	*	*	*	*
V15	*7	*5	*	*	*	*	*	*	*	*	*
V15.8	*6	*	*	*	*	*	*	*	*	*	*
V27	4,136	-	4,136	*7	4,121	*8	-	632	870	1,612	1,023
V27.0	3,671	-	3,671	*	3,660	*7	-	551	779	1,441	900
V27.1	19	-	19	*	18	*	-	*	*	*9	*
V27.2	68	-	68	-	68	*	-	12	14	32	11
V27.9	375	-	375	*	372	*	-	66	72	130	106
V42	*7	*	*	*	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*[§] (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V45	31	15	16	*	*8	*7	14	14	*	*7	*7
V45.7	*6	*	*6	*	*	*	*	*	*	*	*
V45.71	*5	-	*5	-	*	*	*	*	*	*	*
V45.8	20	13	*7	*	*	*	11	11	*	*	*
V45.89	16	10	*5	*	*	*	*9	*9	*	*	*
V50	*5	-	*5	-	*	*	*	*	*	*	*
V53	13	*7	*6	*	*	*	*8	*	*	*	*
V53.3	11	*6	*	*	*	*	*8	*	*	*	*
V53.31	*6	*	*	*	*	*	*	*	*	*	*
V54	44	19	25	*	10	*9	24	20	*7	*	13
V54.0	*6	*	*	*	*	*	*	*	*	*	*
V54.1	21	*9	12	*	*8	*	*8	12	*	*	*
V54.19	*8	*	*	*	*	*	*	*5	-	*	*
V54.8	14	*6	*8	*	*	*	10	*	*	*	*7
V54.81	10	*	*8	-	-	*	*8	*	*	*	*5
V55	43	25	19	*	*9	13	17	*9	*8	16	10
V55.2	12	*6	*6	*	*	*	*	*	*	*	*
V55.3	24	15	*9	*	*5	*8	10	*	*	10	*
V56	*8	*	*	*	*	*	*	*	*	*	*
V56.0	*7	*	*	*	*	*	*	*	*	*	*
V57	395	169	225	*	32	91	269	75	94	137	88
V57.1	56	26	30	*	*	14	38	16	*	25	14
V57.8	336	141	194	*	28	76	229	57	94	111	73
V57.89	333	139	194	*	28	74	228	55	94	111	73
V58	150	78	71	31	26	52	41	49	20	60	21
V58.0	*7	*	*	*	*	*	*	*	*	*	*
V58.1	116	62	54	30	20	41	25	40	*9	50	17
V58.11	112	59	53	30	20	39	24	40	*8	49	15
V58.4	*9	*	*	*	*	*	*	*	*	*	*
V58.6	*5	*	*	*	*	*	*	*	*	*	*
V58.8	*8	*	*5	*	*	*	*6	*	*6	*	*
V58.89	*7	*	*	*	*	*	*6	-	*6	*	-
V66	*8	*	*	*	*	*	*7	*	*	*	*
V66.7	*7	*	*	-	*	*	*6	*	*	*	*
V70	10	*5	*5	*	*6	*	*	*	*	*	*
V70.7	*9	*	*	*	*	*	*	*	*	*	*
V71	*6	*	*	*	*	*	*	*	*	*	*

* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition.

DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr13/sr13_165.pdf