

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
All codes	47,339	18,790	28,549	1,603	14,912	13,372	17,452	10,049	10,680	17,210	9,400
00	1,765	1,047	718	*	88	697	977	407	468	612	279
00.1	83	48	34	*	*7	28	45	27	19	14	23
00.14	12	*6	*6	-	*	*	*5	*5	*	*	*
00.17	60	37	24	*	*	21	36	20	12	11	18
00.2	*8	*	*	-	*	*	*	*	*	*	*
00.24	*7	*	*	-	*	*	*	*	*	*	*
00.3	46	19	27	*	*	22	19	*	*8	24	*8
00.34	11	*	*8	-	-	*	*6	-	*	*9	*
00.39	29	13	16	*	*	14	12	*	*5	15	*
00.4	667	409	258	*	24	252	390	163	175	238	91
00.40	320	186	134	-	10	115	196	80	79	113	49
00.41	66	45	21	*	*	28	34	16	21	21	*7
00.42	14	*8	*6	-	-	*5	*9	*	*	*6	*
00.44	14	*9	*	-	*	*	*9	*	*	*6	*
00.45	163	101	63	-	*8	58	97	41	46	57	19
00.46	62	39	22	-	*	28	31	14	16	23	*9
00.47	15	11	*	-	*	*9	*6	*	*	*6	*
00.48	*8	*6	*	-	*	*	*5	*	*	*	*
00.5	48	35	14	-	*	12	33	*9	10	21	*9
00.51	42	29	13	-	*2	11	28	*7	*9	19	*6
00.6	659	428	231	-	33	284	342	150	189	225	95
00.61	19	12	*8	-	*	*	14	*	*	*8	*
00.63	15	*8	*6	-	*	*	12	*	*	*6	*
00.66	620	405	215	-	30	276	314	141	182	208	89
00.7	171	70	101	-	*5	59	107	37	44	52	38
00.70	13	*7	*6	-	*	*	*9	*	*	*	*
00.71	*7	*	*	-	-	*	*6	*	*	*	*
00.72	*9	*	*	-	*	*	*7	*	*	*5	*
00.73	*8	*	*6	-	-	*	*6	*	*	*	*
00.74	68	28	40	-	*	18	49	18	23	16	11
00.75	45	18	27	-	*	21	22	*8	*9	17	10
00.76	*8	*	*	-	*8	*6	*	*	*	*	*
00.77	13	*	10	-	*	*6	*6	*	*	*	*6
00.8	53	22	32	-	*	20	29	*7	15	24	*8
00.80	19	*8	11	-	*	*	14	*	*6	*9	*
00.81	11	*	*7	-	*	*	*6	*	*	*	*
00.82	*6	*	*	-	*	*	*	*	*	*	*
00.84	*8	*	*6	-	*	*	*	*	*	*	*
00.85	*6	*	*	-	*	*	-	*	*	*	*
00.9	30	14	16	*	*8	15	*6	*8	*6	*8	*7
00.93	16	*9	*6	-	*	10	*	*	*	*	*
00.94	*8	*	*7	*	*	*	*	*	*	*	*
01-05	1,259	598	660	190	347	391	330	216	346	375	321
01	162	87	75	10	42	61	50	24	37	48	54
01.0	*9	*	*	*	*	*	*	*	*	*	*
01.02	*6	*	*	*	*	*	*	*	*	*	*
01.1	22	12	10	*	*6	*8	*7	*	*	*7	*9
01.10	*6	*5	*	*	*	*	*	*	*	*	*
01.13	*8	*	*	*	*	*	*	*	*	*	*
01.2	23	15	*8	*	*9	*8	*	*	*	*7	*9
01.24	14	*8	*5	*	*	*5	*	*	*	*	*
01.3	38	24	14	*	*	11	21	*	*9	12	14
01.31	28	19	*9	*	*	*8	18	*	*6	*8	11
01.39	11	*6	*5	*	*	*	*	*	*	*	*
01.5	68	31	38	*	20	32	15	13	16	21	18
01.51	18	*7	11	-	*	11	*	*5	*	*	*5
01.59	50	24	26	*	17	21	10	*8	12	18	13
02	156	85	71	28	43	59	26	28	38	50	39
02.0	37	19	18	12	10	10	*	*6	*8	11	12
02.02	*8	*	*	*	*	*	*	*	*	*	*
02.04	*5	*	*	*	*	*	*	*	*	*	*
02.06	10	*	*6	*	*	*	*	*	*	*	-
02.1	20	*9	11	*	*6	10	*	*7	*	*7	*
02.12	17	*6	11	*	*7	*9	*	*6	*	*6	*
02.2	28	13	15	*	*8	12	*5	*	*7	10	*8
02.3	27	16	11	*	*	13	*6	*	*8	10	*6
02.34	19	10	*9	*	*	*9	*	*	*6	*7	*5
02.4	28	18	10	*8	*9	10	*	*	*7	*9	*9
02.42	18	12	*6	*7	*7	*	*	*	*	*7	*6

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of procedures in thousands												
02.43	*8	*	*	*	*	*5	*	*	*	*	*	*
02.9	16	*9	*6	*	*7	*	*	*6	*5	*	*	*
02.94	11	*7	*	*	*	*	*	*	*	*	*	*
03	830	376	455	150	238	231	211	144	226	255	206	
03.0	204	109	95	*	23	74	105	36	58	61	49	
03.09	201	108	94	*	23	72	104	36	57	59	49	
03.3	347	183	164	139	77	82	49	55	63	129	101	
03.31	344	182	162	138	77	81	49	55	62	127	100	
03.4	11	*5	*6	*	*	*7	*	*	*	*	*	
03.5	48	27	21	*	17	14	12	*6	15	15	12	
03.53	13	*8	*5	*	*8	*	*	*	*5	*	*	
03.59	31	18	13	*	*8	11	*9	*	*9	*8	*9	
03.9	214	49	165	*	117	50	43	41	86	44	42	
03.90	71	19	53	*	38	18	14	*9	32	11	19	
03.91	69	*8	61	*	43	13	13	14	40	*9	*7	
03.92	38	14	24	*	*9	12	15	10	10	13	*	
03.93	*6	*	*	-	*	*	*	*	*	*	*	
03.95	21	*	19	-	19	*	*	*	*	*8	*8	
04	98	45	53	*	22	38	37	20	38	19	21	
04.3	*6	*5	*	*	*5	*	*	*	*	*	*	
04.4	20	12	*8	*	*6	*9	*	*	*	*5	*7	
04.43	*7	*	*	-	*	*	*	*	*	*	*	
04.49	*8	*6	*	*	*8	*	*	*	*	*	*	
04.8	62	25	38	*	*8	26	28	12	31	10	*9	
04.81	61	24	37	*	*8	26	28	12	31	10	*9	
05	12	*5	*7	*	*	*	*7	-	*7	*	*	
05.3	11	*	*6	*	*	*	*7	-	*7	*	*	
05.31	10	*	*	*	*	*	*6	-	*7	*	*	
06-07	125	36	89	*	34	43	45	25	28	42	30	
06	101	25	76	*	30	31	36	19	22	31	29	
06.2	23	*	19	-	10	*7	*6	*	*	*7	*9	
06.3	*5	*	*	-	*	*	*	*	*	*	*	
06.39	*5	*	*	-	*	*	*	*	*	*	*	
06.4	36	*7	28	*	12	10	14	10	*	13	*9	
06.8	17	*6	11	-	*	*7	*7	*	*6	*5	*	
06.89	14	*	*9	-	*	*6	*6	*	*	*	*	
06.9	*5	*	*	*	*	*	*	*	*	*	*	
07	24	11	13	*	*	11	*8	*6	*6	11	*	
07.2	10	*6	*	-	*	*7	*	*	*	*	*	
07.22	10	*6	*	-	*	*7	*	*	*	*	*	
07.6	*5	*	*	-	*	*	*	*	*	*	*	
08-16	83	49	35	*7	18	30	28	13	10	43	17	
08	27	11	16	*	*7	10	*8	*7	*6	10	*	
08.8	22	10	12	*	*6	*7	*7	*7	*	*9	*	
08.81	17	10	*7	*	*6	*	*6	*6	*	*5	*	
13	*6	*6	*	-	-	*	*	*	*	*	*	
14	29	17	12	*	*	14	11	*	*	21	*	
14.6	19	10	*9	-	*	*8	10	-	-	19	-	
16	12	*8	*	*	*	*	*	*	*	*7	*	
16.8	*5	*	*	*	*	-	*	*	-	*	*	
18-20	36	17	18	16	*	*6	*9	*5	*	*8	18	
18	13	*7	*6	*	*	*	*	*	*	*	*6	
18.4	*6	*	*	*	*	*	*	*	-	*	*	
20	23	11	12	13	*	*	*6	*	*	*	11	
20.0	14	*6	*8	11	*	*	*	*	*	*	*5	
20.01	14	*6	*8	11	*	*	*	*	*	*	*5	
20.4	*6	*	*	*	*	*	*	*	*	*	*	
21-29	289	158	131	69	78	81	61	50	52	111	76	

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
21	80	47	33	11	22	27	19	17	18	19	26
21.0	34	17	17	*	*	14	14	*9	*9	*7	*9
21.01	10	*	*5	*	*	*	*	*	*	*	*
21.02	*5	*	*	-	*	*	*	*	*	*	*
21.03	12	*7	*	*	*	*6	*	*	*	*	*5
21.09	*6	*	*	-	-	*	*	*	*	*	*
21.2	*5	*	*	*	-	*	*	*	*	*	*
21.6	*9	*7	*	*	*	*	*	*	*	*	*
21.69	*6	*	*	*	*	*	*	*	*	*	*
21.7	*7	*6	*	*	*	*	*	*	*	*	*
21.8	22	14	*8	*7	*8	*	*	*	*	*	10
21.88	*9	*6	*	*	*	*	*	*	*	*	*
22	26	18	*8	*5	*	*9	*8	*	*	14	*
22.6	14	10	*	*	*	*	*	*	*	*9	*
22.63	*8	*5	*	*	*	*	*	*	*	*	*
23	25	15	10	*	10	*8	*	*	*	13	*5
23.0	10	*7	*	*	*	*	*	*	*	*7	*
23.09	10	*7	*	*	*	*	*	*	*	*7	*
23.1	12	*7	*	*	*	*	*	*	*	*6	*
23.19	12	*7	*	*	*	*	*	*	*	*6	*
24	*6	*	*	*	*	*	*	*	*	*	*
25	10	*	*6	*	*	*5	*	*	*	*5	*
26	14	*7	*7	*	*	*	*8	*	*	*6	*
26.3	*6	*	*	-	*	*	*	*	*	*	*
27	62	30	32	24	18	12	*8	*9	*9	20	24
27.0	12	*6	*6	*	*6	*	*	*	*	*6	*
27.4	*5	*	*	*	*	*	*	*	*	*	*
27.5	26	14	12	11	10	*	*	*	*	*6	12
27.51	14	*9	*5	*	*8	*	*	*	*	*5	*
27.54	*9	*	*5	*9	-	-	-	*	-	*	*7
27.6	16	*	11	10	*	*	-	*	*	*5	*7
27.62	*8	*	*6	*8	*	-	-	*	*	*	*
27.69	*6	*	*	*	*	*	-	*	*	*	*
28	42	21	22	21	14	*7	*	*8	*5	20	*9
28.0	13	*5	*8	*	*8	*	*	*	*	*5	*
28.2	*9	*	*	*	*	*	-	*	*	*	*
28.3	14	*8	*6	13	14	-	-	*	*	*7	*
29	24	13	10	*	*5	*6	10	*	*	11	*6
29.1	14	*8	*6	*	*	*	*7	*	*	*7	*
29.11	*9	*	*5	*	*	*	*	*	*	*	*
29.12	*6	*	*	*	*	*	*	*	*	*	*
29.4	*5	*	*	*	*	*	-	*	*	*	*
30-34	1,189	666	522	52	165	384	587	241	279	425	244
30	*8	*5	*	*	*	*	*	*	*	*	*
31	191	110	81	17	38	55	82	42	46	65	38
31.1	111	65	46	*	25	38	45	21	29	42	19
31.2	11	*7	*	*	*	*	*6	*	*	*	*
31.29	11	*7	*	*	*	*	*6	*	*	*	*
31.4	57	32	25	*6	11	13	27	16	16	15	11
31.42	49	29	20	*6	10	*9	23	16	14	12	*7
31.43	*6	*	*	*	*	*	*	*	*	*	*
31.7	*5	*	*	*	*	*	*	*	*	*	*
32	91	48	44	*	*9	41	41	24	19	31	18
32.2	46	26	20	*	*7	22	17	13	10	17	*7
32.20	27	14	13	*	*	14	*8	*7	*6	12	*
32.29	16	10	*6	*	*	*5	*9	*	*	*	*
32.3	12	*6	*5	-	*	*	*6	*5	*	*	*
32.30	*6	*	*	-	*	*	*	*	*	*	-
32.39	*6	*	*	-	*	*	*	*	*	*	*
32.4	31	15	16	*	*	13	17	*	*5	11	10
32.49	26	12	14	*	*	11	15	*	*5	10	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
33	351	181	170	16	42	121	172	59	80	139	72
33.2	334	174	160	14	39	116	165	56	76	132	71
33.20	*6	*	*	*	*	*	*	*	*	*	*
33.21	*5	*	*	*	*	*	*	*	*	*	*
33.22	41	22	19	*	*	13	22	*8	11	14	*8
33.23	46	20	26	*7	*5	13	21	*6	*8	19	14
33.24	144	84	61	*5	18	49	72	25	32	56	31
33.26	38	15	23	-	*	14	22	*	*9	20	*6
33.27	48	26	22	-	*	22	22	10	11	18	10
33.28	*5	*	*	-	*	*	*	*	*	*	*
34	548	322	226	19	75	164	290	115	132	186	115
34.0	199	125	74	12	34	71	81	40	45	73	41
34.01	10	*7	*	*	*	*	*	*	*	*	*
34.03	12	*7	*	*	*	*	*8	*	*	*	*
34.04	124	76	48	*9	22	44	48	29	30	45	20
34.06	12	*8	*	*	*	*	*7	*	*	*	*
34.09	38	26	12	*	*8	15	13	*6	*5	16	11
34.2	42	28	14	*	*6	17	19	12	10	11	10
34.20	10	*6	*	-	*	*	*7	*	*	*	*
34.21	*8	*7	*	*	*	*	*	*	*	*	*
34.22	11	*8	*	-	*	*6	*	*	*	*	*
34.5	29	21	*8	*	*5	10	12	*8	*7	*9	*
34.51	12	10	*	*	*	*	*	*	*	*	*
34.52	12	*8	*	*	*	*	*7	*	*	*	*
34.6	*8	*	*	*	*	*	*	*	*	*	*
34.7	10	*8	*	*	*	*	*	*	*	*	*
34.79	*6	*	*	*	*	*	*	*	*	*	*
34.8	*8	*5	*	*	*	*	-	*	*	*	*
34.82	*5	*	*	*	*	*	-	*	*	*	*
34.9	244	124	120	*	19	54	169	48	62	80	56
34.91	224	113	111	*	16	49	158	43	54	73	53
34.92	18	*9	*9	*	*	*	10	*	*7	*6	*
35-39	6,627	3,733	2,894	148	675	2,362	3,442	1,379	1,607	2,505	1,136
35	133	72	60	17	10	38	68	30	28	43	32
35.1	19	12	*7	*	*	*8	*7	*	*6	*	*
35.12	16	10	*5	*	*	*7	*6	*	*6	*	*
35.2	79	41	38	*	*5	24	49	19	17	23	20
35.21	40	21	19	-	*	10	30	12	*9	*6	13
35.22	24	16	*8	-	*	10	11	*	*	12	*
35.23	*5	*	*	-	*	*	*	*	*	*	*
35.24	*7	*	*6	*	*	*	*	*	*	*	*
35.3	*8	*	*5	*	*	*	*5	*	*	*	*
35.33	*7	*	*	-	*	*	*5	*	*	*	*
35.5	*7	*	*	*	*	*	*	*	*	*	*
35.52	*6	*	*	*	*	*	*	*	*	*	*
35.7	*6	*	*	*	-	*	*	*	*	*	*
35.9	*5	*	*	*	-	*	*	*	*	*	*
36	970	682	288	-	39	427	505	218	291	301	161
36.0	534	349	185	-	30	239	265	126	163	161	84
36.06	177	113	65	-	10	77	91	35	61	54	28
36.07	354	234	119	-	20	161	173	91	101	106	55
36.1	431	329	102	-	*9	185	237	91	124	138	77
36.11	35	25	11	-	*	14	21	*7	11	*8	10
36.12	91	64	27	-	*	35	55	23	24	29	14
36.13	74	57	17	-	*	35	38	16	23	24	11
36.14	28	25	*	-	*	11	15	*	*8	13	*
36.15	194	150	44	-	*	84	105	41	56	60	36
36.16	*5	*	*	-	*	*	*	*	*	*	*
37	1,860	1,094	766	10	150	667	1,032	415	458	692	295
37.0	12	*7	*5	*	*	*	*8	*	*	*	*6
37.1	18	*8	10	-	*	*7	10	*	*	*7	*
37.12	18	*7	10	-	*	*6	10	*	*	*6	*
37.2	1,237	736	502	*	105	532	596	267	317	465	189
37.20	*7	*	*	-	*	*	*	*	*	*	*
37.21	18	11	*7	*	*	*7	*8	*	*	10	*
37.22	962	568	394	*	67	432	463	202	262	354	144
37.23	128	69	59	*	10	44	70	25	31	58	14
37.26	63	43	20	*	11	26	26	19	10	23	11
37.27	43	30	13	-	10	17	16	12	*7	12	12

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
37.28	*6	*5	*	-	*	*	*	*	*	*	*
37.3	84	58	26	*	12	37	35	21	17	24	22
37.33	22	16	*6	*	*	12	*8	*	*5	*	*9
37.34	59	40	19	*	*9	23	26	17	10	19	13
37.6	47	31	16	-	*	18	26	*9	18	18	*
37.61	44	29	14	-	*	16	25	*8	17	17	*
37.7	211	110	101	*	*9	28	172	52	47	78	34
37.71	21	*9	12	-	-	*	20	*8	*	*6	*
37.72	126	63	63	*	*5	16	105	32	27	45	22
37.75	10	*5	*	-	*	*	*7	*	*	*	*
37.76	13	*7	*6	*	*	*	12	*	*	*6	*
37.77	*6	*	*	-	*	*	*	*	*	*	*
37.78	17	*9	*8	*	*	*	14	*	*	*7	*
37.79	12	*8	*	*	*	*	*8	*	*5	*	*
37.8	171	84	87	*	*6	20	145	44	33	65	30
37.81	*9	*	*	-	-	*	*8	*	*	*	*
37.82	16	*6	*9	-	-	*	13	*5	*	*6	*
37.83	122	61	61	*	*5	15	101	31	26	43	22
37.87	16	*8	*9	*	*	*	16	*	*	*8	*
37.89	*5	*	*	-	*	*	*	*	*	*	*
37.9	76	58	18	*	12	24	40	15	21	31	*9
37.94	64	48	16	*	*9	20	35	12	18	26	*8
38	2,159	1,055	1,103	102	297	691	1,068	432	463	877	387
38.0	28	14	14	*	*	*6	19	*5	*	12	*6
38.03	*6	*	*	-	*	*	*	*	*	*	*
38.08	14	*7	*8	-	*	*	*9	*	*	*8	*
38.1	152	83	69	-	*	44	107	28	33	61	29
38.12	120	68	52	-	-	35	85	22	27	50	21
38.18	25	11	14	-	*	*6	19	*5	*	*8	*7
38.2	*8	*	*6	*	*	*	*6	*	*	*	*
38.21	*8	*	*5	-	*	*	*6	*	*	*	*
38.3	*5	*	*	*	*	*	*	*	*	*	*
38.4	31	20	11	*	*1	*8	20	*9	*7	10	*5
38.44	15	*7	*8	-	-	*	11	*	*	*	*
38.45	11	*7	*	*	*1	*	*6	*	*	*	*
38.7	100	51	49	*	*9	29	61	29	22	28	21
38.8	24	13	12	*8	*6	*	*5	*	*	13	*6
38.85	*9	*	*	*8	*	*	-	*	*	*	*
38.86	*7	*	*	-	*	*	*	*	*	*	*
38.9	1,805	866	939	90	275	594	846	353	391	747	315
38.91	112	69	43	18	19	33	42	21	28	34	30
38.92	*8	*	*	*8	-	*	-	*	*	*	*
38.93	1,466	669	797	63	221	486	696	298	316	603	249
38.95	178	100	78	*	27	64	87	31	43	80	23
38.98	35	20	15	*	*7	*9	19	*	*	25	*8
39	1,505	829	677	20	178	539	768	285	368	592	261
39.0	23	*	22	*	22	-	*	-	-	23	-
39.2	122	65	57	*	*8	45	68	25	16	58	24
39.25	12	*	*8	-	*	*7	*	*	*	*	*6
39.27	38	20	18	-	*6	15	17	*8	*	20	*8
39.29	65	37	28	-	*5	21	42	14	11	30	10
39.3	18	*9	10	*	*6	*	*7	*	*	*6	*
39.31	10	*	*6	*	*	*	*	*	*	*	*
39.32	*7	*	*	-	*	*	*	*	*	*	*
39.4	63	34	29	*	*	24	34	*9	16	29	*8
39.42	12	*7	*5	-	*	*6	*	*	*	*	*
39.43	*8	*	*5	-	*8	*	*	*	*	*	*
39.49	43	25	18	*	*	15	25	*6	10	22	*6
39.5	210	115	95	*	16	61	130	31	61	94	24
39.50	160	86	75	*	*8	48	103	28	48	71	14
39.51	*9	*	*6	-	*	*	*	*	*	*	*
39.52	12	10	*	*	*	*	*8	*	*	*7	*
39.56	10	*	*5	*	*	*	*6	*	*	*	*6
39.59	*8	*5	*	*	*	*	*	*	*	*	*
39.6	218	154	64	12	*9	88	108	41	52	68	57
39.61	188	130	58	11	*7	73	97	38	49	59	42
39.63	16	13	*	*	*	*7	*7	*	*	*	*9
39.64	*9	*7	*	-	-	*6	*	*	*	*	*
39.7	66	48	19	*	*	18	43	14	19	25	*8
39.71	34	29	*5	*	*	*6	28	*9	10	13	*
39.72	11	*	*6	-	*	*	*	*	*	*	*
39.79	17	11	*6	*	*	*7	*8	*	*	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
45.1	1,075	493	582	12	175	326	563	233	261	406	175
45.13	430	198	232	*6	65	130	229	96	118	143	73
45.16	629	290	339	*	108	193	324	132	139	257	101
45.19	*7	*	*	*	*	*	*	*	*	*	-
45.2	528	214	315	*	68	151	305	109	121	205	94
45.23	270	118	152	*	30	75	162	58	57	105	50
45.24	38	19	20	-	*	*7	28	*6	*7	17	*8
45.25	213	74	139	*	35	67	111	43	54	80	36
45.3	11	*6	*5	*	*	*	*	*	*	*	*
45.33	*6	*	*	*	*	*	*	*	*	*	*
45.4	158	86	73	-	10	46	103	28	37	70	23
45.41	*5	*	*	-	*	*	*	*	*	*	-
45.42	136	73	63	-	*9	38	89	24	30	63	19
45.43	17	10	*6	-	*	*6	10	*	*5	*5	*
45.6	112	48	64	10	17	40	45	23	20	39	30
45.61	*5	*	*	-	*	*	*	*	*	*	*
45.62	104	45	60	*9	17	39	39	22	19	34	29
45.7	294	139	155	*	38	106	146	60	65	103	67
45.72	14	*	10	*	*	*5	*	*	*	*	*
45.73	103	43	59	*	*7	31	65	23	23	36	20
45.74	22	11	11	*	*	*	13	*5	*	*8	*
45.75	23	11	12	*	*	*6	13	*7	*	*7	*
45.76	105	56	49	*	16	49	39	17	25	37	26
45.79	26	12	13	*	*6	*9	10	*	*6	*8	*8
45.8	15	*5	10	*	*	*	*7	*	*	*	*5
45.9	81	35	46	*	11	34	36	15	20	30	17
45.90	*5	*	*	-	*	*	*	*	*	*	-
45.91	22	*8	15	*	*	12	*8	*	*	*9	*5
45.93	26	15	10	-	*	*7	15	*	*6	10	*5
45.94	26	10	16	-	*	10	11	*5	*8	*8	*
46	241	115	126	17	43	67	114	49	60	82	50
46.0	19	10	*9	*	*	*8	*8	*5	*	*7	*
46.01	*9	*6	*	*	*9	*	*	*	*	*	*
46.03	11	*	*6	*	*	*	*	*	*	*6	*
46.1	58	29	29	*	*8	17	31	13	12	20	13
46.10	38	16	22	*	*	13	21	*8	*9	14	*7
46.11	13	*9	*	*	*	*	*6	*	*	*5	*
46.13	*7	*	*	*	*	*	*	*	*	*	*
46.2	29	11	18	*	*6	*7	12	*	*8	*6	10
46.20	15	*6	*9	*	*	*	*8	*	*5	*	*
46.21	*5	*	*	*	*	*	*	*	*	*	*
46.23	*8	*	*6	-	*	*	*	*	*	*	*
46.3	20	10	10	*	*	*7	*8	*	*	*7	*6
46.39	15	*8	*7	*	*	*5	*7	*	*	*6	*
46.4	12	*6	*6	*	*	*	*7	*	*	*	*
46.42	*5	*	*	-	*	*	*	-	*	*	*
46.5	39	20	18	*	*7	12	17	*7	*9	16	*7
46.51	15	*8	*8	*	*	*7	*	*	*	*5	*
46.52	23	13	11	*	*5	*5	13	*	*6	10	*
46.7	43	18	25	*	13	*9	20	10	11	16	*6
46.73	18	*6	12	*	*	*	11	*5	*	*6	*
46.75	10	*	*7	-	*7	*	*7	*	*	*6	*
46.8	18	*9	*9	*	*	*	*9	*	*	*6	*
46.85	11	*7	*	*	*	*	*8	*	*	*	*
47	332	177	155	80	149	71	32	58	54	122	98
47.0	295	161	134	74	137	59	26	49	47	110	90
47.01	213	119	93	51	105	38	18	27	30	77	77
47.09	83	42	41	23	32	21	*8	21	16	32	13
47.1	31	12	19	*	10	11	*6	*9	*6	10	*
47.19	26	11	15	*	*8	10	*5	*8	*5	*8	*
47.2	*6	*	*	*	*	*	*	*	*	*	*
48	145	73	73	*8	28	45	64	29	36	52	28
48.2	61	27	34	*	14	16	28	16	13	19	13
48.23	22	11	11	-	*7	*9	*7	*8	*	*9	*
48.24	36	14	23	*	*7	*7	21	*7	10	10	10
48.3	24	12	12	*	*	*8	14	*	10	10	*
48.36	20	*9	11	*	*	*7	12	*	*9	*9	*
48.5	*7	*6	*	*	*	*	*	*	*	*	*
48.6	22	*9	13	-	*	*9	11	*	*6	*8	*
48.63	16	*7	*9	-	*	*8	*8	*	*	*6	*
48.8	19	12	*7	-	*9	*7	*	*	*	10	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
48.81	19	12	*7	-	*9	*7	*	*	*	*9	*
49	38	23	15	*6	11	13	*8	*8	*5	15	*9
49.0	*9	*7	*	*	*	*	*	*	*	*	*
49.01	*8	*7	*	*	*	*	*	*	*	*	*
49.4	*9	*	*	*	*	*	*	*	*	*	*
49.46	*5	*	*	-	*	*	*	*	*	*	*
50	167	74	93	*	28	73	63	54	27	52	34
50.1	113	51	62	*	19	51	42	38	17	35	23
50.11	69	34	35	*	12	33	23	18	10	22	18
50.12	21	*8	13	*	*	11	*8	11	*	*	*
50.13	*6	*	*	-	*	*	*	*	*	*	*
50.14	17	*7	10	-	*	*6	*7	*	*	*8	*
50.2	27	*8	19	*	*	*9	14	*7	*	*8	*8
50.22	12	*	*9	*	*	*	*5	*	*	*	*
50.3	*7	*5	*	-	*	*	*	*	*	*	*
50.5	*9	*	*	*	*	*6	*	*	*	*	-
50.59	*9	*	*	*	*	*6	*	*	*	*	-
50.9	*7	*	*	-	*	*	*	*	*	*	*
51	720	266	454	*6	211	211	292	139	144	292	145
51.0	13	*	*8	*	*	*	*7	*	*	*	*
51.01	*7	*	*	-	*	*	*5	*	*	*	*
51.1	42	14	28	*	*8	14	21	*9	11	18	*
51.10	28	*9	19	*	*7	*8	13	*6	*7	13	*
51.14	10	*	*7	-	*	*	*6	*	*	*	*
51.2	435	158	278	*	145	137	150	73	82	194	86
51.22	83	38	44	-	11	36	36	16	18	33	16
51.23	352	119	233	*	135	100	114	57	65	161	70
51.3	*6	*	*	-	*	*	*	*	*	*	*
51.4	*7	*	*	-	*	*	*	-	*	*	*
51.5	*5	*	*	-	*	*	*	*	*	*	*
51.8	200	77	124	-	56	47	97	47	42	63	48
51.84	*7	*	*	-	*	*	*	*	*	*	*
51.85	96	34	62	-	26	24	45	22	19	30	25
51.87	39	13	25	-	*8	10	21	*9	11	16	*
51.88	58	27	31	-	19	12	28	15	10	15	18
51.9	11	*	*8	-	*	*	*9	*	*	*	*
51.98	*9	*	*8	-	*	*	*8	*	*	*	*
52	46	26	21	*	*9	18	19	14	*8	14	10
52.1	*8	*	*	-	*	*	*7	*	*	*	*
52.11	*6	*	*	-	*	*	*	*	*	*	*
52.2	*7	*6	*	-	*	*6	*	*	*	*	*
52.22	*6	*6	*	-	*	*5	*	*	*	*	*
52.5	*8	*6	*	*	*	*	*	*	*	*	*
52.52	*6	*	*	*	*	*	*	*	*	*	*
52.7	*7	*	*	-	*	*	*	*	*	*	*
52.9	*9	*	*6	*	*	*	*	*	*	*	*
52.93	*8	*	*5	*	*	*	*	*	*	*	*
53	279	124	155	12	50	115	102	66	54	106	53
53.0	36	32	*	*	*6	*7	20	*8	*7	11	12
53.00	*6	*	*	*	*	*	*	*	*	*	*
53.03	10	*9	*	-	*	*	*8	*	*	*	*
53.04	*9	*8	*	-	*	*	*	*	*	*	*
53.05	*6	*	*	-	*	*	*	*	*	*	*
53.4	51	30	21	*	*8	26	15	12	13	18	*8
53.41	11	*7	*	-	*	*	*	*	*	*	*
53.49	40	23	17	*	*6	22	10	*9	*9	14	*8
53.5	52	16	36	*	*	21	22	*9	*9	19	15
53.51	26	*9	17	*	*	11	11	*	*	11	*6
53.59	26	*7	19	*	*	10	11	*	*	*8	*9
53.6	85	32	53	*	17	36	31	16	21	36	14
53.61	65	24	41	*	14	28	22	11	16	26	11
53.69	20	*8	12	-	*	*8	*9	*	*	*9	*
53.7	36	*7	29	*	*8	18	*9	17	*	16	*
53.9	10	*	*7	-	*5	*	*	*	*	*	*
54	936	354	582	27	244	383	282	224	218	328	166
54.0	21	*8	13	*	*7	*7	*5	*	*	*8	*
54.1	58	25	33	*	17	21	19	15	17	17	*8
54.11	29	15	13	*	*6	11	10	*8	*8	*9	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
54.12	14	*	11	*	*5	*	*6	*	*5	*	*
54.19	16	*6	*9	*	*5	*7	*	*	*	*5	*
54.2	131	51	79	*5	30	50	45	23	37	48	23
54.21	83	35	49	*	23	28	28	11	26	28	18
54.23	19	*7	12	*	*	*8	*9	*	*	10	*
54.24	11	*6	*6	*	*	*	*6	*	*	*5	*
54.25	16	*	13	*	*5	*9	*	*7	*	*	*
54.3	19	*8	10	-	*7	*7	*	*6	*	*5	*6
54.4	58	11	47	*	11	26	18	20	13	17	*7
54.5	353	97	256	*	113	128	107	86	79	128	61
54.51	100	32	68	*	28	40	30	23	23	34	20
54.59	252	65	187	*	85	88	76	63	56	93	40
54.6	10	*6	*	*	*	*	*	*	*	*	*
54.7	*9	*	*	*	*	*	*	*	*	*	*
54.72	*5	*	*	-	*	*	*	*	*	*	*
54.9	278	142	136	*9	51	139	79	67	63	99	49
54.91	229	114	115	*	40	115	71	57	53	80	40
54.93	*6	*	*	*	*	*	*	*	*	*	*
54.95	15	*9	*6	*	*	*7	*	*	*	*	*6
54.98	22	14	*8	*	*5	12	*	*	*6	*9	*
55-59	1,089	505	585	27	209	358	495	214	261	381	233
55	203	105	99	*7	50	83	64	44	48	77	34
55.0	54	22	32	*	15	18	21	*8	12	24	*9
55.02	*6	*	*	*	*	*	*	*	*	*	*
55.03	39	16	24	*	*9	14	17	*6	*8	17	*8
55.2	40	19	20	*	12	17	*8	10	12	11	*7
55.23	37	17	20	*	11	16	*8	*9	10	11	*7
55.4	13	*8	*6	*	*	*5	*5	*	*	*	*
55.5	56	29	27	*	11	26	18	14	10	25	*6
55.51	53	27	26	*	10	25	18	13	10	23	*6
55.6	17	11	*6	*	*	10	*	*6	*	*	*
55.69	17	11	*6	*	*	10	*	*6	*	*	*
55.8	*6	*	*	*	*	*	*	-	*	*	*
55.87	*5	*	*	*	*	*	*	-	*	*	*
55.9	12	*8	*	*	*	*	*6	*	*	*	*
55.93	10	*8	*	-	*	*	*6	*	*	*	*
56	108	56	52	11	22	38	37	23	27	38	21
56.0	52	29	24	*	16	20	16	*9	13	23	*9
56.3	18	*7	11	-	*	*7	*8	*	*6	*7	*
56.31	15	*	10	-	*	*6	*6	*	*	*7	-
56.4	*5	*	*	*	*	*	*	*	*	*	*
56.41	*5	*	*	*	*	*	*	*	*	*	*
56.5	12	*9	*	-	*	*	*9	*	*	*	*
56.51	11	*8	*	-	*	*	*8	*	*	*	*
56.7	13	*5	*8	*7	*	*	*	*	*	*	*
56.74	12	*	*7	*7	*	*	*	*	*	*	*
57	433	222	211	*	59	101	268	79	108	127	119
57.0	28	24	*	-	*	*	25	*8	*8	10	*
57.1	19	*9	10	-	*	*	11	*	*9	*	*
57.17	*7	*6	*	-	-	*	*6	*	*	*	*
57.18	*8	*	*5	-	*	*	*	*	*	*	*
57.3	136	63	73	*	30	36	69	36	42	44	14
57.32	126	59	67	*	29	34	61	32	39	41	14
57.33	10	*	*6	-	*	*	*8	*	*	*	*
57.4	43	29	14	*	43	*6	35	*8	*9	18	*8
57.49	43	29	14	*	*	*6	35	*8	*9	18	*8
57.7	15	12	*	-	*	*6	*8	*5	*	*	*
57.71	12	12	*	-	*	*	*8	*	*	*	*
57.8	31	*9	23	*	12	11	*6	*9	*5	11	*6
57.81	14	*	12	-	*8	*	*	*	*	*7	*
57.89	*7	*	*	-	*	*	*	*	*	*	*
57.9	152	72	80	*	11	32	109	*9	29	35	79
57.94	141	65	76	*	11	30	100	*8	28	32	74
58	53	39	14	*	*	14	34	10	*9	25	*9
58.5	11	10	*	*	*	*	*9	*	*	*	*
58.6	29	21	*9	-	*	*9	20	*	*6	16	*
59	292	83	209	*	75	121	92	58	69	114	51
59.0	11	*	10	-	*	*6	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
59.02	*7	*	*6	-	*	*	*	*	*	*	*
59.4	*7	*	*7	-	*	*	*	*	*	*	*
59.5	10	-	10	-	*	*	*	*	*	*6	*
59.7	86	*	84	-	19	43	23	15	21	30	21
59.79	86	*	84	-	19	43	23	15	21	30	21
59.8	165	70	95	*	46	62	54	36	38	67	24
59.9	11	10	*	-	*	*	*7	*	*	*	*
59.94	*8	*8	*	-	*	*	*6	*	*	*	*
60-64	225	225	-	28	15	72	110	51	52	76	46
60	156	156	-	-	*	62	93	34	38	53	31
60.2	65	65	-	-	-	10	56	16	17	24	*9
60.21	10	10	-	-	-	*	*9	*	*	*	*
60.29	56	56	-	-	-	*9	47	13	15	20	*8
60.5	70	70	-	-	*	49	20	14	17	22	17
60.6	*8	*8	-	-	-	*	*6	*	*	*	*
60.69	*7	*7	-	-	-	*	*	*	*	*	*
60.9	*6	*6	-	-	-	*	*6	*	*	*	*
60.94	*6	*6	-	-	-	*	*5	*	*	*	*
61	13	13	-	*	*6	*	*	*5	*	*	*
61.0	*9	*9	-	*	*	*	*	*	*	*	*
62	13	13	-	*	*	*	*5	*	*	*	*
62.3	*9	*9	-	*	*	*	*	*	*	*	*
64	39	39	-	24	*	*	*8	*7	*7	16	10
64.0	25	25	-	24	*	*	*	*	*	12	*
64.9	*8	*8	-	-	*	*	*	*	*	*	*
65-71	1,827	-	1,827	*8	980	634	205	330	431	706	360
65	458	-	458	*	193	211	49	83	111	184	80
65.2	31	-	31	*	26	*	*	*	*6	13	*7
65.29	24	-	24	-	22	*	*	*	*6	11	*
65.3	15	-	15	*	*7	*8	*	*	*	*5	*5
65.39	13	-	13	*	*6	*6	*	*	*	*	*5
65.4	76	-	76	*	49	18	*5	10	20	34	11
65.41	15	-	15	*	*8	*	*	*	*	*7	*
65.49	61	-	61	*	42	16	*	*9	17	27	*7
65.5	*6	-	*6	-	*	*	*	*	*	*	*
65.6	291	-	291	-	84	167	40	59	75	117	41
65.61	219	-	219	-	60	129	31	43	58	87	31
65.62	*7	-	*7	-	*	*	*	*	*	*	*
65.63	64	-	64	-	20	36	*9	14	15	27	*8
65.8	24	-	24	*	11	10	*	*	*	*6	12
65.81	*9	-	*9	*	*	*6	-	*	*	*	*6
65.89	14	-	14	-	10	*	*	*	*	*	*6
65.9	*8	-	*8	*	*6	*	*	*	*	*	*
66	353	-	353	*	338	13	*	47	72	153	81
66.3	293	-	293	-	292	*	-	37	63	128	65
66.32	180	-	180	-	180	*	-	23	33	71	52
66.39	113	-	113	-	112	*	-	14	29	57	13
66.4	*9	-	*9	-	*	*6	-	*	*	*	*
66.5	*8	-	*8	-	*	*	*	*	*	*	*
66.51	*7	-	*7	-	*	*	*	*	*	*	*
66.6	29	-	29	*	26	*	-	*6	*	10	*9
66.61	11	-	11	*	*9	*	-	*	*	*5	*
66.62	15	-	15	-	15	-	-	*	*	*	*6
67	11	-	11	-	*9	*	*	*	*	*	*
68	641	-	641	*	297	291	53	110	160	251	121
68.1	17	-	17	*	*9	*	*	*	*	*	*
68.12	*9	-	*9	*	*6	*	*	*	*	*	*
68.16	*8	-	*8	-	*	*	*	*	*	*	*
68.2	39	-	39	*	33	*6	-	10	*9	14	*5
68.29	35	-	35	*	30	*5	-	10	*9	13	*
68.3	76	-	76	-	38	36	*	16	28	19	13
68.31	38	-	38	-	20	18	-	*7	17	*7	*6
68.39	38	-	38	-	18	19	*	*9	11	11	*7
68.4	327	-	327	-	141	157	29	60	82	134	50

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
68.41	24	-	24	-	*8	13	*	*6	*6	12	*
68.49	303	-	303	-	133	144	25	55	76	123	49
68.5	173	-	173	-	72	84	17	17	33	77	46
68.51	66	-	66	-	27	32	*7	*6	13	39	*8
68.59	107	-	107	-	46	51	10	11	21	37	39
68.6	*6	-	*6	-	*	*	*	*	*	*	*
69	86	-	86	-	68	13	*5	23	18	24	21
69.0	43	-	43	-	34	*7	*	16	*9	12	*7
69.02	20	-	20	-	20	-	-	*	*	*6	*
69.09	22	-	22	-	13	*7	*	11	*	*5	*
69.1	*6	-	*6	-	*	*	*	*	*	*	*
69.19	*6	-	*6	-	*	*	*	*	*	*	*
69.2	*8	-	*8	-	*	*	*	*	*	*	*6
69.5	19	-	19	-	19	*	-	*5	*	*6	*
69.52	14	-	14	-	14	*	-	*	*	*	*
69.9	*9	-	*9	-	*9	*	-	*	*	*	*
69.96	*7	-	*7	-	*7	-	-	*	*	*	*
70	237	-	237	*	56	95	87	61	61	67	47
70.1	*8	-	*8	*	*6	*	*	*	*	*	*
70.14	*5	-	*5	*	*	*	-	*	*	*	*
70.2	*7	-	*7	*	*	*	*	*	*	*	*
70.3	*8	-	*8	-	*6	*	*	*	*5	*	*
70.32	*5	-	*5	-	*	*	*	*	*	*	*
70.5	100	-	100	-	19	43	38	27	27	29	18
70.50	48	-	48	-	13	20	15	10	14	13	10
70.51	15	-	15	-	*	*6	*6	*	*	*5	*
70.52	12	-	12	-	*	*6	*	*	*	*	*
70.53	16	-	16	-	*	*8	*7	*5	*	*	*
70.54	*5	-	*5	-	*	*	*	*	*	*	*
70.7	53	-	53	-	10	24	18	14	14	*9	16
70.77	22	-	22	-	*	11	*9	*8	*6	*	*
70.78	20	-	20	-	*	10	*7	*	*7	*	*6
70.79	*8	-	*8	-	*	*	*	*	*	*	*
70.9	55	-	55	-	12	22	20	12	12	20	10
70.92	31	-	31	-	10	11	10	*6	*7	14	*
70.93	*9	-	*9	-	*	*5	*	*	*	*	*
70.95	14	-	14	-	*	*5	*8	*	*	*	*
71	40	-	40	*	19	10	10	*	*7	22	*8
71.0	11	-	11	*	*	*	*	*	*	*6	*
71.09	11	-	11	*	*	*	*	*	*	*6	*
71.1	*6	-	*6	-	*	-	*	*	*	*	*
71.11	*6	-	*6	-	*	-	*	*	*	*	*
71.3	*9	-	*9	-	*7	*	*	*	*	*6	*
71.7	10	-	10	*	*	*6	*	*	*	*6	*
71.79	*6	-	*6	*	*	*	*	*	*	*	*
72-75	7,483	-	7,483	11	7,457	15	-	1,256	1,959	2,814	1,455
72	268	-	268	-	267	*	-	34	65	96	72
72.0	23	-	23	-	22	*	-	*	*6	12	*
72.1	25	-	25	-	25	-	-	*	*6	13	*
72.7	208	-	208	-	208	-	-	31	50	65	61
72.71	64	-	64	-	64	-	-	14	14	21	14
72.79	144	-	144	-	144	-	-	17	36	44	47
73	3,346	-	3,346	*6	3,335	*	-	497	899	1,275	675
73.0	953	-	953	*	950	*	-	139	286	335	193
73.01	160	-	160	-	160	-	-	12	43	37	68
73.09	793	-	793	*	790	*	-	127	243	298	125
73.1	34	-	34	-	34	-	-	*6	*6	11	11
73.4	738	-	738	*	735	*	-	100	215	260	162
73.5	1,308	-	1,308	*	1,303	*	-	185	315	538	269
73.51	10	-	10	-	10	-	-	*	*	*	*
73.59	1,298	-	1,298	*	1,293	*	-	184	312	533	268
73.6	310	-	310	*	308	-	-	67	74	131	38
74	1,355	-	1,355	*	1,350	*	-	219	306	581	250
74.0	13	-	13	*	13	-	-	*	*5	*6	*
74.1	1,332	-	1,332	*	1,327	*	-	215	299	571	247
74.9	*6	-	*6	-	*6	-	-	*	*	*	-
74.99	*6	-	*6	-	*6	-	-	*	*	*	-

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
75	2,515	-	2,515	*	2,506	*5	-	506	689	862	458
75.1	14	-	14	-	14	-	-	*	*	*	*6
75.3	1,122	-	1,122	*	1,117	*	-	292	340	348	142
75.32	185	-	185	*	184	*	-	46	44	56	39
75.34	840	-	840	*	836	*	-	232	271	260	76
75.35	76	-	76	-	75	*	-	13	20	25	18
75.37	20	-	20	-	20	-	-	*	*	*7	*8
75.4	26	-	26	-	26	-	-	*	*8	*	*9
75.5	*7	-	*7	-	*7	-	-	*	*	*	*
75.51	*5	-	*5	-	*5	-	-	*	*	*	*
75.6	1,317	-	1,317	*	1,313	*	-	203	326	491	297
75.61	12	-	12	-	12	-	-	*	*	*7	*
75.62	91	-	91	-	91	-	-	15	18	37	21
75.69	1,214	-	1,214	*	1,209	*	-	186	306	447	274
75.7	22	-	22	*	21	-	-	*	*7	12	*
75.9	*6	-	*6	-	*6	-	-	*	*	*	*
76-84	4,819	2,236	2,583	134	1,010	1,788	1,888	813	1,130	1,762	1,115
76	80	66	13	*	49	17	12	12	11	25	31
76.6	14	*7	*6	*	10	*	*	*	*	*6	*
76.65	*5	*	*	*	*	*	-	*	*	*	*
76.7	48	45	*	*	31	*8	*8	*6	*6	14	22
76.72	10	10	*	*	*6	*	*	*	*	*	*6
76.74	*6	*6	-	-	*	*	*	*	*	*	*
76.75	*6	*5	*	*	*	*	*	*	*	*	*
76.76	17	16	*	*	14	*	*	*	*	*6	*8
76.79	*6	*5	*	*	*	*	*	*	*	*	*
76.9	10	*8	*	*	*6	*	*	*	*	*	*6
76.92	*6	*6	*	*	*	*	*	*	*	*	*
77	376	164	212	12	81	153	130	64	90	127	96
77.3	15	*	10	*	*7	*	*	*	*5	*	*6
77.37	*5	*	*	*	*	*	*	*	*	*	*
77.4	58	24	35	*	*5	18	34	*9	12	27	10
77.45	10	*	*6	*	*	*	*	*	*	*	*
77.49	39	12	27	*	*	*8	29	*6	*8	19	*6
77.6	67	39	28	*	10	30	24	21	11	20	15
77.65	*8	*	*7	*	*	*	*	*	*	*	*
77.67	*6	*	*	*	*	*	*	*	*	*	*
77.68	19	15	*	-	*	*9	*7	10	*	*	*
77.69	25	13	12	*	*	11	11	*6	*	*9	*8
77.7	176	67	109	*	44	79	50	22	49	57	48
77.70	10	*	*8	*	*	*5	*	*	*	*	*
77.79	159	64	95	*	41	70	45	18	45	51	44
77.8	44	21	22	*	*9	16	18	*8	*8	15	13
77.81	14	*6	*8	-	*	*7	*	*	*	*	*
77.88	10	*5	*5	*	*	*	*6	*	*	*	*
77.89	10	*	*6	-	*	*	*	*	*	*	*
78	268	123	146	23	62	106	78	53	52	107	56
78.0	21	*7	13	*	*	13	*	*	*	*7	*6
78.05	*5	*	*	-	*	*	*	*	*	*	*
78.1	38	25	13	*	12	16	*7	*8	*8	14	*8
78.15	*5	*	*	*	*	*	*	*	*	*	*
78.17	23	14	*8	*	*8	10	*	*	*6	*8	*
78.4	16	*8	*7	10	*	*	*	*	*	11	*
78.41	10	*5	*	*9	-	*	*	-	*	10	-
78.5	76	33	43	*	16	25	32	19	11	24	22
78.55	39	13	27	*	*5	*6	26	*8	*9	14	*9
78.57	13	*8	*	-	*6	*6	*	*	*	*	*7
78.58	*6	*	*	-	*	*	*	*	*	*	*
78.59	12	*7	*6	*	*	*	*	*	*	*	*
78.6	112	46	66	*	26	49	33	19	25	49	20
78.65	29	12	17	*	*7	*8	13	*7	*6	10	*7
78.67	21	10	11	-	*	*9	*8	*	*6	*9	*
78.69	47	18	29	*	13	24	*9	*	10	23	10
79	790	394	396	51	242	196	301	139	186	282	183
79.0	58	28	30	11	18	14	15	18	16	16	*9
79.02	15	*9	*7	*5	*	*	*5	*	*	*6	*
79.05	*7	*	*	*	*	*	*	*	*	*	*
79.06	27	11	16	*	11	*9	*	*8	*7	*6	*6

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
79.1	126	60	66	12	40	17	57	19	29	46	32
79.11	*9	*	*	*8	*	*	*	*	*	*	*5
79.12	*9	*	*5	*	*5	*	*	*	*	*	*
79.15	85	37	48	*	20	12	52	14	21	29	21
79.16	16	*9	*7	*	*9	*	*	*	*	*9	*
79.2	11	*8	*	*	*	*	*	*	*	*	*
79.3	473	222	252	20	129	124	200	82	117	169	106
79.31	43	21	22	*	11	16	12	*5	10	19	*9
79.32	59	27	32	*6	15	20	18	12	11	20	16
79.35	159	54	105	*	12	21	123	29	46	58	26
79.36	154	77	78	*8	51	53	42	22	37	56	39
79.37	22	16	*5	*	16	*5	*	*	*6	*5	*8
79.39	29	20	*8	*	17	*8	*	10	*5	*6	*7
79.6	77	57	20	*	37	27	*9	*8	13	32	24
79.62	13	*9	*	*	*	*	*	*	*	*5	*
79.65	*7	*6	*	-	*	*	*	*	*	*	*
79.66	35	24	12	*	13	14	*6	*	*8	13	12
79.67	*8	*	*	*	*6	*	-	*	*	*	*
79.7	31	12	19	*	*8	*7	16	*8	*5	12	*6
79.75	22	*8	14	*	*	*5	13	*6	*	*8	*
79.8	*7	*	*	*	*	*	*	*	*	*	*
80	521	265	256	*9	146	232	134	93	115	171	142
80.0	16	10	*6	-	*	*7	*8	*	*	*7	*
80.06	10	*8	*	-	*	*5	*	*	*	*6	*
80.1	32	19	13	*	10	12	*7	*	*6	17	*7
80.15	*8	*	*	*	*	*	*	*	*	*	*
80.16	15	*9	*7	*	*	*6	*	*	*	*9	*
80.2	*9	*6	*	*	*	*	*	*	*	*	*
80.26	*6	*	*	*	*	*	*	-	*	*	*
80.3	*7	*	*	*	*	*	*	*	*	*	*
80.4	15	*	10	*	*	*7	*	*	*	*	*7
80.46	10	*	*8	-	*	*	*	*	*	*	*
80.5	341	175	165	*	111	157	73	60	81	108	92
80.51	339	174	165	*	110	156	72	60	81	108	91
80.6	11	*5	*6	*	*	*7	*	*	*	*	*5
80.7	20	*8	13	-	*	*5	14	*7	*	*8	*
80.76	18	*7	11	-	*	*	13	*7	*	*6	*
80.8	44	25	19	*	*9	20	13	10	*7	13	14
80.81	10	*	*6	-	*	*6	*	*	*	*	*
80.85	*6	*	*	*	*	*	*	*	*	*	*
80.86	15	*7	*8	-	*	*8	*5	*	*	*	*
80.9	25	*9	15	*	*6	11	*7	*	*8	*6	*9
80.99	22	*8	14	*	*5	*9	*7	*	*8	*6	*8
81	2,120	875	1,246	13	303	811	993	354	531	769	467
81.0	444	193	251	*	123	194	123	50	115	171	108
81.02	138	58	79	-	42	72	24	24	29	54	32
81.03	28	16	12	*	*6	11	10	*	*9	10	*6
81.04	*5	*	*	*	*	*	*	*	*	*	*
81.05	29	12	17	*	15	*7	*6	*	*7	10	*9
81.06	44	20	24	-	12	23	*8	*	16	22	*
81.07	14	*7	*7	*	*	*6	*	*	*5	*7	*
81.08	182	74	108	*	44	71	65	15	45	66	55
81.1	24	12	12	*	*9	*6	*9	*6	*	*5	*8
81.11	*7	*	*	-	*	*	*	*	*	*	*
81.13	*9	*6	*	-	*6	*	*	*	*	*	*
81.2	*9	*	*6	*	*	*	*	*	*	*	*
81.3	37	16	21	*	*7	22	*7	*8	*6	17	*6
81.36	*6	*	*	-	*	*	*	*	*	*	*
81.38	20	*7	13	-	*	14	*	*	*	12	*
81.4	30	16	14	*	19	*7	*	11	*	*6	*9
81.45	*8	*6	*	*	*7	*	-	*	*	*	*
81.47	11	*	*6	*	*5	*	*	*	*	*	*
81.5	1,209	477	732	*	77	463	666	211	324	442	232
81.51	264	116	148	-	11	110	144	62	68	88	46
81.52	295	114	180	*	57	100	135	46	87	104	58
81.54	645	243	401	-	*8	252	385	103	166	248	127
81.6	185	68	117	*	37	62	86	21	27	79	57
81.62	102	40	62	-	31	45	26	*9	10	47	37
81.63	19	11	*7	*	*	*8	*9	*	*	*6	*7
81.65	14	*	11	-	*	*	11	*	*	*6	*
81.66	47	11	37	-	*	*6	40	*8	10	20	*9
81.7	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
81.8	60	28	32	*	*7	24	29	10	16	16	19
81.80	23	12	10	-	*	10	12	*5	*	*5	*9
81.81	21	*9	12	-	*	*7	12	*	*6	*8	*
81.83	*9	*	*6	-	*	*5	*	*	*	*	*
81.9	117	60	57	*	18	30	65	33	30	29	25
81.91	71	42	29	*	15	19	33	24	16	19	12
81.92	40	14	26	-	*	10	29	*8	13	*9	10
82	21	14	*7	*	12	*6	*	*	*	*8	*7
82.0	*6	*	*	-	*	*	*	*	*	*	*
82.4	*6	*	*	-	*	*	*	*	*	*	*
83	269	142	127	22	58	110	79	45	60	97	67
83.0	29	17	12	*	*9	12	*7	*	*5	14	*5
83.03	*6	*	*	*	*	*	*	*	*	*	*
83.09	18	*8	10	*	*6	*8	*	*	*	*9	*
83.1	16	*9	*7	*	*6	*	*5	*	*	*8	*
83.14	*9	*6	*	*	*	*	*	*	*	*	*
83.2	20	*9	11	*	*	10	*	*	*	*8	*
83.21	18	*9	*9	*	*	10	*	*	*	*7	*
83.3	49	21	29	*	*9	23	16	10	11	15	13
83.39	44	19	26	*	*8	20	14	*9	11	13	12
83.4	27	12	15	*	*6	12	*9	*	*8	12	*
83.45	21	10	11	*	*	*9	*6	*	*7	10	*
83.5	*7	*	*	-	*7	*	*	*	*	*	*
83.6	49	25	24	*	15	19	11	10	12	11	16
83.63	19	*7	12	-	*	11	*8	*	*	*	*9
83.64	16	11	*5	*	*7	*	*	*	*	*	*
83.65	11	*5	*6	*	*6	*	*	*	*	*	*
83.7	13	*7	*6	*	*	*	*5	*	*	*	*6
83.75	*8	*	*	*	*	*	*	*	*	*	*
83.8	44	28	16	*	*7	18	13	*7	*8	20	*9
83.82	13	10	*	*	*	*6	*	*	*	10	*
83.85	*8	*	*	*	*8	*	*	*	*	*6	*
83.88	12	*9	*	-	*	*6	*5	*	*	*	*
83.9	14	*9	*5	*	*	*6	*	*	*	*6	*
83.94	*5	*5	-	-	*	*	*	*	*	-	*
83.95	*5	*	*	*	*	*	*	*	*	*	*
84	374	193	180	*	56	157	158	50	80	176	67
84.0	*9	*7	*	-	*	*	*	*	*	*5	*
84.01	*6	*	*	-	*	*	*	*	*	*	*
84.1	148	94	55	*	11	57	80	30	28	67	24
84.11	71	45	25	*	*5	33	32	21	12	23	15
84.12	18	14	*	-	*	*6	11	*	*	*9	*
84.15	29	17	12	-	*	11	17	*5	*7	15	*
84.17	28	16	12	-	*	*7	19	*	*5	19	*
84.3	14	*7	*7	*	*	*	*7	*	*	*7	*
84.5	181	78	103	*	31	90	58	16	43	89	33
84.51	97	37	60	*	25	45	26	*7	23	45	21
84.52	43	19	24	*	*5	27	10	*	13	18	*9
84.55	20	11	*8	*	-	*7	13	-	*	19	-
84.56	10	*7	*	-	*7	*5	*	*	*	*	*
84.57	11	*	*7	-	*	*5	*	*	*	*	*
84.6	*8	*	*6	-	*6	*	*	*	*	*	*
84.8	11	*5	*6	-	*1	*	10	*	*	*	*6
84.80	11	*	*6	-	-	*	10	*	*	*	*6
85-86	1,402	605	797	73	389	490	449	312	277	535	277
85	222	*6	216	*	58	104	59	53	48	87	35
85.0	12	*	10	*	*	*7	*	*	*	*	*
85.1	13	*	12	-	*	*5	*7	*	*	*	*
85.11	*6	*	*6	-	*	*	*	*	*	*	*
85.12	*5	*	*	-	*	*	*	*	*	*	-
85.2	15	*	14	-	*6	*5	*	*	*	*	*
85.21	12	*	12	-	*5	*	*	*	*	*	*
85.3	14	*	14	-	*	*9	*	*	*	*	*
85.32	*6	-	*6	-	*	*	*	*	*	*	*
85.4	78	*	77	-	14	31	33	19	15	33	10
85.41	29	-	29	-	*	12	14	*7	*6	13	*
85.42	11	-	11	-	*	*6	*	*	*	*	*
85.43	32	*	32	-	*	13	15	*7	*6	14	*5
85.5	*7	-	*7	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
85.7	*7	-	*7	-	*	*5	*	*	*	*	*
85.8	26	-	26	-	10	13	*	*5	*5	13	*
85.85	*7	-	*7	-	*	*	*	*	*	*	*
85.89	16	-	16	-	*7	*7	*	*	*	*8	*
85.9	46	*	46	*	14	24	*8	*9	*9	18	10
85.91	*5	-	*5	*	*	*	*	*	*	*	*
85.94	*6	-	*6	-	*	*	*	*	*	*	*
85.95	32	-	32	-	11	16	*	*6	*5	12	*9
86	1,180	599	581	72	331	386	390	259	229	449	242
86.0	417	210	206	45	118	144	110	77	78	186	76
86.01	14	*7	*7	*	*	*7	*	*	*	*	*
86.04	244	132	112	34	83	84	43	42	43	105	54
86.05	57	26	31	*	13	21	19	14	11	28	*
86.06	10	*7	*	*	*	*	*6	*	*	*	*
86.07	72	32	40	*	*9	23	35	13	14	37	*8
86.09	16	*6	*9	*	*6	*6	*	*	*	*6	*
86.1	30	13	17	*	*	13	11	10	*6	*9	*5
86.11	30	13	17	*	*	13	11	10	*6	*9	*5
86.2	351	188	163	*7	75	124	145	85	74	121	71
86.22	202	114	88	*	44	79	76	48	37	77	40
86.23	*5	*	*	*	*	*	*	*	*	*	*
86.27	39	17	22	-	*	10	28	10	15	*8	*5
86.28	100	52	48	*	28	34	36	24	21	32	24
86.3	68	18	51	*	28	17	22	16	11	26	15
86.4	*9	*6	*	*	*	*	*	*	*	*	*
86.5	169	102	68	*8	63	39	59	37	37	46	50
86.59	169	102	68	*8	63	39	59	37	37	46	50
86.6	60	33	27	*	17	23	17	13	11	28	*8
86.66	*5	*	*	-	*	*	*	*	*	*	-
86.67	*8	*	*6	*	*	*	*	*	*	*	-
86.69	36	22	15	*	10	14	11	*7	*6	17	*5
86.7	34	15	18	*	*7	10	14	*6	*5	13	10
86.74	28	12	16	*	*5	*9	12	*5	*	10	*8
86.8	34	11	23	*	15	14	*	10	*	14	*
86.83	18	*	17	-	*9	*8	*	*	*	*8	*
86.89	10	*6	*	*	*	*5	*	*	*	*	*
86.9	*7	*	*	*	*	*	*	*	*	*	-
87-99	12,794	6,141	6,652	584	2,156	3,895	6,159	3,355	2,405	4,475	2,558
87	721	328	394	35	133	212	341	156	125	213	228
87.0	227	110	117	12	36	48	131	64	20	33	110
87.03	219	108	112	11	34	46	128	59	19	31	110
87.2	17	*7	10	-	*	*6	*8	*	*	*8	*
87.21	13	*5	*8	-	*	*5	*6	*	*	*	*
87.4	165	73	92	*	15	60	86	38	38	33	56
87.41	125	61	63	*	12	52	59	38	16	15	56
87.44	36	*9	27	*	*	*7	25	-	19	17	-
87.5	154	49	105	*	50	48	55	18	29	78	29
87.51	*9	*	*8	-	*	*	*8	*	*	*	*
87.53	137	46	91	*	48	46	42	10	26	74	28
87.54	*7	*	*6	-	*	*	*5	*	*	*	*
87.6	19	10	*9	*	*	*	*7	*	*	*6	*8
87.62	*7	*	*	*	*	*	*	*	*	*	*
87.7	136	79	58	13	24	47	52	28	33	55	20
87.74	88	45	43	*	14	36	36	17	26	35	10
87.75	12	*7	*	*	*	*	*	*	*	*	*
87.76	10	*8	*	*8	*	-	*	*	*	*7	*
87.77	14	11	*	*	*	*5	*6	*	*	*	*
88	3,438	1,758	1,680	68	420	1,248	1,701	874	767	1,076	721
88.0	159	73	86	*	41	54	61	48	28	22	61
88.01	155	72	84	*	40	54	58	47	25	22	61
88.1	*6	*	*	*	*	*	*	-	*	*	*
88.3	84	36	47	*5	14	26	38	14	23	*9	38
88.38	82	36	46	*	14	26	38	14	22	*9	37
88.4	546	283	263	*	67	170	306	119	147	196	85
88.41	171	83	88	*	32	50	88	56	32	48	35
88.42	122	69	53	*	*6	40	76	15	45	50	12
88.43	18	*8	10	*	*	*	10	*	*5	*8	*
88.44	25	10	15	*	*	11	*9	*7	*	*8	*6
88.45	21	10	11	-	*	*7	12	*	*9	*8	*
88.47	42	28	15	*	*5	16	21	14	*9	14	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
88.48	117	61	56	-	11	36	69	14	34	51	18
88.49	29	15	14	*	*	*5	20	*6	*9	*8	*5
88.5	1,450	811	639	*	117	626	705	313	376	560	200
88.51	36	21	15	*	*5	*8	23	*7	10	10	*9
88.52	*9	*	*5	-	*	*	*6	*	*	*	-
88.53	512	270	242	*	43	228	241	107	136	211	58
88.54	17	11	*7	*	*	*9	*6	*	*6	*	*
88.55	*7	*	*	-	*	*	*	*	*	*	*
88.56	843	486	357	-	64	365	414	182	217	317	128
88.57	22	12	10	-	*	10	10	*7	*5	*9	*
88.6	40	19	21	-	*8	14	18	*6	12	17	*
88.63	*6	*	*	-	-	*	*6	*	*	*	*
88.67	21	11	11	-	*5	*7	*9	*	*7	10	*
88.7	887	415	472	32	131	280	444	248	153	210	275
88.71	53	19	34	*	*	14	34	14	*9	*8	22
88.72	579	297	282	*6	72	191	309	171	98	157	153
88.73	13	*8	*5	*	*	*	*7	*	*5	*	*5
88.74	15	*7	*8	-	*5	*	*	*5	*5	*	*
88.75	19	*8	11	*	*	*	*7	*	*	*	*9
88.76	84	32	52	18	18	31	17	20	*9	14	42
88.77	99	40	59	*	14	29	57	27	20	17	35
88.78	11	-	11	-	11	*	-	*	*	*5	*
88.79	14	*	*9	*	*	*	*8	*	*	*	*
88.9	263	116	146	23	41	77	121	125	23	57	57
88.91	163	74	88	16	24	49	73	79	13	33	38
88.93	40	14	26	*	*7	12	17	15	*	*9	14
88.94	14	*8	*6	*	*	*	*8	11	-	*	*
88.97	39	17	22	*	*5	12	20	17	*6	11	*
89	587	284	303	32	90	183	282	229	76	117	165
89.1	120	52	68	20	29	32	39	52	*9	20	39
89.14	76	33	43	*9	14	24	29	26	*	12	35
89.15	*6	*	*	-	*	*	*	-	*	*	*
89.19	36	15	21	11	13	*	*8	24	*	*	*
89.2	*9	*	*5	*	*	*	*7	*	*	*	*
89.3	15	*7	*8	*7	*	*	*	*	*	*	*6
89.39	*6	*	*	*	*	*	*	*	*	*	*
89.4	193	101	93	-	18	69	106	84	28	40	41
89.41	21	14	*7	-	*	13	*6	*9	*	*	*9
89.44	113	52	61	-	12	44	57	53	17	15	29
89.45	34	17	17	-	*	*	29	13	*6	13	*
89.49	25	18	*7	-	*	*8	14	10	*	*9	*
89.5	94	39	55	*	11	30	53	45	20	25	*
89.52	33	11	22	*	*	11	19	*	15	13	*
89.54	47	21	27	-	*7	15	25	39	*	*7	-
89.59	11	*6	*	*	*	*	*6	*	*	*	*
89.6	138	73	64	*	18	42	73	25	14	25	73
89.61	*8	*	*	*	*	*	*	*	*	*	*
89.62	*6	*	*	*	*	*	*	*	*	*	*
89.64	22	13	10	-	22	*8	13	*	*7	10	*
89.65	77	43	34	*	14	23	39	10	*	*	65
89.68	19	*7	11	*	*	*5	12	*6	*	10	*
89.7	14	*8	*6	-	*8	*5	*	14	-	-	-
92	219	106	114	*	29	71	116	71	30	53	65
92.0	82	43	39	*	15	28	37	33	*	*6	39
92.02	11	*5	*6	*	*	*	*	*	*	*	*7
92.04	10	*	*5	*	*	*	*	*	*	*	*6
92.05	61	33	27	-	*6	24	31	28	*	*	27
92.1	25	*9	16	*	*	*	17	*8	*	*8	*8
92.14	*7	*	*	*	*	*	*6	*	*	*	*
92.15	12	*	*9	-	*	*	*9	*	*	*	*
92.2	110	53	57	*	12	38	60	30	23	39	18
92.24	*9	*	*	-	*	*7	*	*	*	*	*
92.27	*9	*	*	-	*	*	*	*	*	*	*
92.29	90	43	47	*	*8	28	54	24	20	33	13
93	1,235	545	690	56	146	319	714	301	156	516	262
93.0	13	*	*8	*	*	*	*6	*	*	*	*
93.01	*5	*	*	-	*	*	*	*	*	-	-
93.2	15	*	10	-	*	*8	*7	*6	*	*7	*
93.22	11	*	*8	-	*	*5	*6	*5	-	*6	-
93.3	305	126	179	*6	32	66	201	79	39	151	36
93.38	29	12	17	-	*	*9	17	*7	*	-	21

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
93.39	269	109	160	*5	27	56	181	69	39	146	15
93.4	*6	*	*	*	*	*	*	*	*	*	*
93.5	119	59	60	*8	35	34	42	27	22	27	44
93.53	10	*	*7	*	*	*	*	*	*	*	*
93.54	44	21	23	*	12	14	18	*7	10	*9	18
93.56	*9	*9	*	*	*6	*	*	*	*	*	*
93.57	14	*7	*7	*	*	*5	*	*6	*	*	*
93.59	38	15	23	*	10	*9	18	*5	*6	*8	18
93.6	*5	*	*	*	*	*	*	*	-	*	-
93.67	*5	*	*	*	*	*	*	*	-	*	-
93.7	61	28	33	*	*7	17	36	*6	*5	31	19
93.75	59	26	33	*	*7	16	36	*6	*5	29	19
93.8	363	157	205	*9	37	90	227	46	31	192	94
93.81	47	23	24	*	13	14	19	*	*6	23	17
93.83	203	87	116	*6	19	51	128	40	23	112	28
93.89	107	45	62	*	*	23	79	*	*	51	49
93.9	344	158	186	29	30	96	189	130	51	98	65
93.90	224	108	116	12	15	64	133	64	40	76	45
93.94	65	27	38	14	*7	16	29	47	*5	*7	*5
93.96	48	18	30	*	*7	14	24	17	*6	12	13
94	467	277	190	13	238	188	27	158	106	157	46
94.1	17	10	*7	*	*9	*7	*	17	-	*	-
94.11	14	*8	*6	*	*8	*5	*	14	-	-	-
94.2	65	29	36	*	32	23	*7	35	*6	24	*
94.25	41	19	21	*	22	14	*	25	-	15	-
94.27	20	*7	13	-	*7	*8	*5	*6	*6	*8	*
94.3	20	*8	12	*	12	*	*	*6	-	14	-
94.39	15	*5	10	*	10	*	*	*	-	13	-
94.4	62	29	32	*6	31	21	*	12	-	40	10
94.44	57	27	30	*	28	20	*	11	-	36	10
94.6	303	200	103	*	154	134	13	88	101	79	35
94.62	193	134	58	*	82	97	13	58	72	37	25
94.63	12	*8	*	-	*6	*5	*	-	*	10	*
94.65	51	26	25	*	40	10	*	20	17	*7	*7
94.66	*9	*7	*	-	*	*5	*	-	*	*8	-
94.68	19	13	*7	-	11	*8	*	*8	*5	*	*
94.69	10	*6	*	*	*7	*	*	*	*	*5	*
95	*7	*	*	*	*	*	*	*	*	*	*
95.4	*6	*	*	*	*	-	*	*	*	*	*
96	1,843	955	887	146	331	506	860	425	371	653	393
96.0	716	398	318	48	109	202	356	155	134	267	161
96.04	608	336	272	43	90	174	301	131	120	240	117
96.05	10	*6	*	-	*	*	*7	*	*	*	*
96.07	91	53	38	*5	15	26	44	19	12	23	37
96.2	11	*7	*	*	*	*	*	*	*	*	*
96.3	18	10	*9	*	*	*	*8	*5	*	*5	*
96.33	*6	*	*	*	*	*	*	*	*	*	*
96.38	*7	*	*	*	*	*	*	*	*	*	*
96.4	86	12	74	*	73	*	11	18	28	25	15
96.48	*7	*7	*	-	-	*	*7	*	*	*5	-
96.49	78	*5	73	*	73	*	*	16	28	20	15
96.5	26	15	10	*	*5	*9	*9	*5	*7	*8	*6
96.56	14	*9	*	*	*	*	*6	*	*	*	*
96.59	*9	*	*	*	*	*5	*	*	*	*	*
96.6	145	61	84	11	11	31	93	72	17	31	25
96.7	838	452	386	80	125	255	377	167	179	313	180
96.71	541	287	254	54	91	154	243	104	107	208	123
96.72	294	164	130	27	34	100	134	63	72	103	56
97	137	71	65	11	19	39	67	31	29	57	20
97.0	45	20	25	*	*	10	31	*8	*8	23	*6
97.02	28	14	15	*	*	*	20	*5	*	16	*
97.05	13	*6	*7	-	*	*	*8	*	*	*6	*
97.2	14	*9	*5	*	*	*7	*7	*	*	*	*
97.23	12	*8	*	*	*	*6	*	*	*	*	*
97.3	*9	*	*5	*	*	*	*	*	*	*	*
97.4	15	10	*6	*	*	*5	*6	*	*	*6	*
97.49	10	*6	*	*	*	*	*	*	*	*	*
97.5	13	*7	*5	*	*	*	*7	*	*	*5	*
97.51	*6	*	*	*	*	*	*	*	*	*	*
97.6	19	11	*8	*	*7	*	*9	*7	*	*8	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*[§] (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
97.62	14	*8	*6	-	*5	*	*6	*	*	*6	*
97.8	14	*8	*6	*	*	*6	*	*	*	*6	*
97.82	*6	*	*	*	*	*	*	*	*	*	*
98	29	13	16	*8	*7	*	12	*6	*8	*8	*8
98.0	14	*	10	*	*	*	*6	*	*	*	*
98.02	12	*	*9	*	*	*	*5	*	*	*	*
98.1	*6	*	*	*	*	*	*	*	*	*	*
99	4,103	1,799	2,304	207	739	1,124	2,034	1,101	736	1,618	648
99.0	2,277	990	1,287	44	278	613	1,342	404	442	1,060	372
99.00	35	17	17	-	*5	12	17	10	*9	11	*5
99.02	22	*9	13	-	*2	12	*9	*	*8	*7	*5
99.03	*6	*	*	*	*	*	*	*	*	*	*
99.04	1,869	774	1,095	38	232	471	1,129	334	358	902	274
99.05	122	73	49	*	13	53	53	12	22	54	34
99.07	215	109	105	*	23	62	127	43	41	80	51
99.1	444	171	273	40	153	104	148	171	84	124	66
99.10	43	23	20	*	*7	12	23	*9	15	13	*6
99.11	93	*	92	*	92	-	*	20	26	32	15
99.14	14	*8	*6	*5	*7	*	*	*	*	*5	*
99.15	177	82	96	27	26	53	71	46	37	63	32
99.17	22	12	10	*	*5	*8	*8	19	*	*	*
99.18	42	18	24	*	11	10	17	40	-	-	*
99.19	53	28	24	*	*9	17	27	35	*	11	*7
99.2	800	356	444	51	180	275	295	391	120	192	98
99.20	22	15	*7	-	*	*9	11	*6	*	*7	*
99.21	209	91	118	19	55	56	79	135	13	35	26
99.23	82	27	56	*	11	24	43	34	20	17	11
99.25	242	127	116	14	39	114	75	53	51	95	43
99.29	236	90	145	13	72	66	85	158	31	34	13
99.3	31	*8	23	*	25	*	*	17	*	11	*
99.38	*5	*	*	*	*	*	*	*	*	*	-
99.39	21	*	20	*	19	*	*	14	*	*5	*
99.4	*7	*	*7	-	*7	-	-	*	*	*	*
99.5	231	105	125	20	53	54	104	39	31	115	46
99.52	95	41	55	*	30	20	42	15	15	45	21
99.55	131	65	67	15	21	33	62	24	15	70	22
99.6	190	115	75	*	15	58	114	58	36	63	33
99.60	78	48	30	*	*8	17	49	18	13	31	16
99.61	38	23	15	-	*	17	19	16	*8	*7	*6
99.62	67	40	27	-	*	22	41	21	13	24	10
99.69	*7	*	*	-	*	*	*	*	*	*	*
99.7	59	15	43	*	25	16	17	15	13	25	*
99.71	11	*	*7	-	*6	*	*	*	*	*	*
99.77	31	*	27	-	15	*9	*7	*9	*9	12	*
99.79	11	*5	*6	-	*	*	*	*	*	*7	*
99.8	54	31	23	47	*	*	*6	*5	*6	17	26
99.83	45	25	20	45	-	-	-	*	*6	13	24
99.84	*6	*	*	-	*	*	*	*	-	*	-
99.9	10	*6	*	-	*	*	*5	*	*	*7	*
99.99	*9	*6	*	-	*	*	*	-	*	*6	*

* Figure does not meet standards of reliability or precision.
- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services.

Official version International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition.

DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf