

National Health Interview Survey/
National Provider Record Check Study

1997 Public-Use Data File

Documentation, Code Book, and Frequencies

Centers for Disease Control and Prevention

National Immunization Program
and
National Center for Health Statistics

Prepared by Abt Associates Inc.
September, 2002

1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE

TABLE OF CONTENTS

INDEX OF VARIABLES		3
1. ID VARIABLES, WEIGHTS, PSU AND STRATUM IDENTIFIERS,		15
IMMUNIZATION SUPPLEMENT DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES		
2. IMMUNIZATION SUPPLEMENT VACCINATION VARIABLES		25
3. PROVIDER SURVEY STATUS VARIABLES		28
4. PROVIDER-REPORTED NUMBER OF VACCINATIONS AND		31
UP-TO-DATE VARIABLES		
5. BEST VALUE NUMBER OF VACCINATIONS AND UP-TO-DATE		41
VARIABLES		
6. PROVIDER-REPORTED AGE IN DAYS AND MONTHS AT		48
VACCINATION AND TYPE OF VACCINATION VARIABLES		
7. BEST VALUE AGE IN DAYS AND MONTHS AT		102
VACCINATION AND TYPE OF VACCINATION VARIABLES		
8. IMPUTED BEST VALUE VARIABLES		156
9. PROVIDER CHARACTERISTICS		160
ALPHABETICAL INDEX OF VARIABLES		175

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
HHX	1	6	1		HOUSEHOLD SERIAL NUMBER
FMX	7	8	1		FAMILY SERIAL NUMBER
PX	9	10	1		PERSON NUMBER
IMRESPNO	11	12	1		PERSON NUMBER OF RESPONDENT
CTRLNUM	13	36	1		CONTROL NUMBER
BESTVAL	37	37	1		FLAG. BEST VALUE SHOT DATES DETERMINED
STRATUM	38	40	1		STRATUM FOR VARIANCE ESTIMATION
PSU	41	42	1		PSU FOR VARIANCE ESTIMATION
WTFA_IM	43	47	1		WEIGHT - FINAL ANNUAL
WT_BV2	48	52	1		FINAL BEST VALUE WEIGHT
ICAGEMR	53	54	1		AGE IN MONTHS
SEX	55	55	1		CHILD MALE OR FEMALE
HISPAN_P	56	57	1		CHILD'S NATIONAL ORIGIN GROUP
RACE	58	58	1		CHILD'S RECODE OF FULL RACE GROUPS
RACEREC	59	59	1		RACE RECODE
AB_BL20K	60	61	1		FAM INC AT/ABOVE VS. BELOW \$20,000
RAT_CAT	62	63	1		RATIO OF FAM INC TO POVERTY THRESHOLD
NUM_DTP	64	65	2		TOTAL DTP SHOTS REPORTED BY HOUSEHOLD
NUM_POLI	66	67	2		TOTAL POLIO SHOTS REPORTED BY HH
NUM_MMR	68	69	2		TOTAL MCV SHOTS REPORTED BY HOUSEHOLD
NUM_HIB	70	71	2		TOTAL HIB SHOTS REPORTED BY HOUSEHOLD
NUM_HEPB	72	73	2		TOTAL HEP B SHOTS REPORTED BY HH
NUM_CPOX	74	75	2		TOTAL VARICELLA SHOTS REPORTED BY HH
ADJ_GRP	76	77	3		NIPRCS ADJUDICATION GROUP
DISPCODE	78	79	3		REVISED NIS DISPOSITION CODE
PRO_FLAG	80	80	3		4:3:1:3 UP-TO-DATE FROM SHOT CARD
PROVID	81	81	3		PROV FACILITY TYPE COMPOSITE VARIABLE

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
N_PRV	82	82	3	#	OF PROVS INCLUDED IN IMMUNIZATION HIST
VISITS	83	84	3	#	OF VISITS FROM ALL SHOT DATES
PUTD4313	85	86	4	4:3:1:3	UP-TO-DATE STATUS-PROVIDER INFO
PUT43133	87	88	4	4:3:1:3:3	UP-TO-DATE STATUS-PROV INFO
P_NUMDTP	89	90	4	#	OF DTP(ALL TYPES)SHOTS FROM PROV INFO
P_NUMTPM	91	92	4	#	OF DTP SHOTS FROM PROVIDER INFORMATION
P_NUMDTA	93	94	4	#	OF DTAP SHOTS FROM PROVIDER INFO
P_NUMDTM	95	96	4	#	OF DT SHOTS FROM PROVIDER INFORMATION
P_NUMTPN	97	98	4	#	OF DTP(NO TYPE) SHOTS FROM PROV INFO
P_NUMPOL	99	100	4	#	OF POLIO(ALL TYPES)SHOTS FROM PROV INF
P_NUMOPV	101	102	4	#	OF OPV SHOTS FROM PROVIDER INFORMATION
P_NUMIPV	103	104	4	#	OF IPV SHOTS FROM PROVIDER INFORMATION
P_NUMOLN	105	106	4	#	OF POLIO(NO TYPE) SHOTS FROM PROV INFO
P_NUMMMR	107	108	4	#	OF MCV SHOTS FROM PROVIDER INFORMATION
P_NUMMS	109	110	4	#	OF MEASLES-ONLY SHOTS FROM PROV INFO
P_NUMHIB	111	112	4	#	OF HIB SHOTS FROM PROVIDER INFO
P_NUMDHB	113	114	4	#	OF DTP/HIB COMBO SHOTS FROM PROV INFO
P_NUMHEP	115	116	4	#	OF HEP B SHOTS, PROVIDER INFORMATION
P_NUMVRC	117	118	4	#	OF VARICELLA SHOTS FROM PROVIDER INFO
P_12_MMR	119	120	4	#	OF MCV SHOTS, PROV INFO, W/0 <12 MTHS
P_12_MS	121	122	4	#	OF MEASLES, PROV INFO, W/0 <12 MONTHS
P_12_VRC	123	124	4	#	OF VARICELLA, PROV INFO, W/0 <12 MNTHS
B_UTD431	125	125	5	4:3:1	BEST VALUE UP-TO-DATE STATUS
BUTD4313	126	126	5	4:3:1:3	BEST VALUE UP-TO-DATE STATUS
BUT43133	127	127	5	4:3:1:3:3	BEST VALUE UP-TO-DATE STATUS
B_NUMDTP	128	129	5	#	BEST VALUE DTP SHOTS
B_NUMPOL	130	131	5	#	BEST VALUE POLIO SHOTS
B_NUMMMR	132	133	5	#	BEST VALUE MCV SHOTS
B_NUMHIB	134	135	5	#	BEST VALUE HIB SHOTS

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
B_NUMHEP	136	137	5	#	BEST VALUE HEP B SHOTS
B_NUMVRC	138	139	5	#	BEST VALUE VARICELLA SHOTS
B_UTDDT3	140	140	5	3+	DTP BEST VALUE UP-TO-DATE STATUS
B_UTDDTP	141	141	5	4+	DTP BEST VALUE UP-TO-DATE STATUS
B_UTDPOL	142	142	5	3+	POLIO BEST VALUE UP-TO-DATE STATUS
B_UTDMMR	143	143	5	1+	MCV BEST VALUE UP-TO-DATE STATUS
B_UTDHIB	144	144	5	3+	HIB BEST VALUE UP-TO-DATE STATUS
B_UTDHEP	145	145	5	3+	HEP BEST VALUE UP-TO-DATE STATUS
B_12_MMR	146	146	5	#	BEST VALUE MCV SHOTS
B_12_MS	147	147	5	#	OF MEASLES-ONLY SHOTS - PROV INFO
B_12_VRC	148	148	5	#	BEST VALUE VARICELLA SHOTS CHILD >12MOS
DDTPAG1	149	152	6		AGE IN DAYS-1ST DTP-CONTAINING SHOT
DTPAG1	153	154	6		AGE IN MONTHS-1ST DTP-CONTAINING SHOT
DTPTY1	155	156	6		SHOT TYPE OF 1ST DTP-CONTAINING SHOT
DDTPAG2	157	160	6		AGE IN DAYS-2ND DTP-CONTAINING SHOT
DTPAG2	161	162	6		AGE IN MONTHS-2ND DTP-CONTAINING SHOT
DTPTY2	163	164	6		SHOT TYPE OF 2ND DTP-CONTAINING SHOT
DDTPAG3	165	168	6		AGE IN DAYS-3RD DTP-CONTAINING SHOT
DTPAG3	169	170	6		AGE IN MONTHS-3RD DTP-CONTAINING SHOT
DTPTY3	171	172	6		SHOT TYPE OF 3RD DTP-CONTAINING SHOT
DDTPAG4	173	176	6		AGE IN DAYS-4TH DTP-CONTAINING SHOT
DTPAG4	177	178	6		AGE IN MONTHS-4TH DTP-CONTAINING SHOT
DTPTY4	179	180	6		SHOT TYPE OF 4TH DTP-CONTAINING SHOT
DDTPAG5	181	184	6		AGE IN DAYS-5TH DTP-CONTAINING SHOT
DTPAG5	185	186	6		AGE IN MONTHS-5TH DTP-CONTAINING SHOT
DTPTY5	187	188	6		SHOT TYPE OF 5TH DTP-CONTAINING SHOT
DDTPAG6	189	192	6		AGE IN DAYS-6TH DTP-CONTAINING SHOT
DTPAG6	193	194	6		AGE IN MONTHS-6TH DTP-CONTAINING SHOT
DTPTY6	195	196	6		SHOT TYPE OF 6TH DTP-CONTAINING SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DDTPAG7	197	200	6	AGE IN DAYS-7TH DTP-CONTAINING SHOT	
DTPAG7	201	202	6	AGE IN MONTHS-7TH DTP-CONTAINING SHOT	
DTPTY7	203	204	6	SHOT TYPE OF 7TH DTP-CONTAINING SHOT	
DDTPAG8	205	208	6	AGE IN DAYS-8TH DTP-CONTAINING SHOT	
DTPAG8	209	210	6	AGE IN MONTHS-8TH DTP-CONTAINING SHOT	
DTPTY8	211	212	6	SHOT TYPE OF 8TH DTP-CONTAINING SHOT	
DPOLAG1	213	216	6	AGE IN DAYS-1ST POLIO-CONTAINING SHOT	
POLAG1	217	218	6	AGE IN MONTHS-1ST POLIO-CONTAINING SHOT	
POLTY1	219	220	6	SHOT TYPE OF 1ST POLIO-CONTAINING SHOT	
DPOLAG2	221	224	6	AGE IN DAYS-2ND POLIO-CONTAINING SHOT	
POLAG2	225	226	6	AGE IN MONTHS-2ND POLIO-CONTAINING SHOT	
POLTY2	227	228	6	SHOT TYPE OF 2ND POLIO-CONTAINING SHOT	
DPOLAG3	229	232	6	AGE IN DAYS-3RD POLIO-CONTAINING SHOT	
POLAG3	233	234	6	AGE IN MONTHS-3RD POLIO-CONTAINING SHOT	
POLTY3	235	236	6	SHOT TYPE OF 3RD POLIO-CONTAINING SHOT	
DPOLAG4	237	240	6	AGE IN DAYS-4TH POLIO-CONTAINING SHOT	
POLAG4	241	242	6	AGE IN MONTHS-4TH POLIO-CONTAINING SHOT	
POLTY4	243	244	6	SHOT TYPE OF 4TH POLIO-CONTAINING SHOT	
DPOLAG5	245	248	6	AGE IN DAYS-5TH POLIO-CONTAINING SHOT	
POLAG5	249	250	6	AGE IN MONTHS-5TH POLIO-CONTAINING SHOT	
POLTY5	251	252	6	SHOT TYPE OF 5TH POLIO-CONTAINING SHOT	
DPOLAG6	253	256	6	AGE IN DAYS-6TH POLIO-CONTAINING SHOT	
POLAG8	257	258	6	AGE IN MONTHS-8TH POLIO-CONTAINING SHOT	
POLTY6	259	260	6	SHOT TYPE OF 6TH POLIO-CONTAINING SHOT	
DPOLAG7	261	264	6	AGE IN DAYS-7TH POLIO-CONTAINING SHOT	
POLAG6	265	266	6	AGE IN MONTHS-6TH POLIO-CONTAINING SHOT	
POLTY7	267	268	6	SHOT TYPE OF 7TH POLIO-CONTAINING SHOT	
DPOLAG8	269	272	6	AGE IN DAYS-8TH POLIO-CONTAINING SHOT	
POLAG7	273	274	6	AGE IN MONTHS-7TH POLIO-CONTAINING SHOT	

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
POLTY8	275	276	6	SHOT TYPE OF 8TH POLIO-CONTAINING SHOT	
DMMRAG1	277	280	6	AGE IN DAYS-1ST MCV-CONTAINING SHOT	
MMRAG1	281	282	6	AGE IN MONTHS-1ST MCV SHOT	
MMRTY1	283	284	6	SHOT TYPE OF 1ST MCV-CONTAINING SHOT	
DMMRAG2	285	288	6	AGE IN DAYS-2ND MCV-CONTAINING SHOT	
MMRAG2	289	290	6	AGE IN MONTHS-2ND MCV SHOT	
MMRTY2	291	292	6	SHOT TYPE OF 2ND MCV-CONTAINING SHOT	
DMMRAG3	293	296	6	AGE IN DAYS-3RD MCV-CONTAINING SHOT	
MMRAG3	297	298	6	AGE IN MONTHS-3RD MCV SHOT	
MMRTY3	299	300	6	SHOT TYPE OF 3RD MCV-CONTAINING SHOT	
DMMRAG4	301	304	6	AGE IN DAYS-4TH MCV-CONTAINING SHOT	
MMRAG4	305	306	6	AGE IN MONTHS-4TH MCV SHOT	
MMRTY4	307	308	6	SHOT TYPE OF 4TH MCV-CONTAINING SHOT	
DHIBAG1	309	312	6	AGE IN DAYS-1ST HIB-CONTAINING SHOT	
HIBAG1	313	314	6	AGE IN MONTHS-1ST HIB-CONTAINING SHOT	
HIBTY1	315	316	6	SHOT TYPE OF 1ST HIB-CONTAINING SHOT	
DHIBAG2	317	320	6	AGE IN DAYS-2ND HIB-CONTAINING SHOT	
HIBAG2	321	322	6	AGE IN MONTHS-2ND HIB-CONTAINING SHOT	
HIBTY2	323	324	6	SHOT TYPE OF 2ND HIB-CONTAINING SHOT	
DHIBAG3	325	328	6	AGE IN DAYS-3RD HIB-CONTAINING SHOT	
HIBAG3	329	330	6	AGE IN MONTHS-3RD HIB-CONTAINING SHOT	
HIBTY3	331	332	6	SHOT TYPE OF 3RD HIB-CONTAINING SHOT	
DHIBAG4	333	336	6	AGE IN DAYS-4TH HIB-CONTAINING SHOT	
HIBAG4	337	338	6	AGE IN MONTHS-4TH HIB-CONTAINING SHOT	
HIBTY4	339	340	6	SHOT TYPE OF 4TH HIB-CONTAINING SHOT	
DHIBAG5	341	344	6	AGE IN DAYS-5TH HIB-CONTAINING SHOT	
HIBAG5	345	346	6	AGE IN MONTHS-5TH HIB-CONTAINING SHOT	
HIBTY5	347	348	6	SHOT TYPE OF 5TH HIB-CONTAINING SHOT	
DHIBAG6	349	352	6	AGE IN DAYS-6TH HIB-CONTAINING SHOT	

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
HIBAG6	353	354	6	AGE IN MONTHS-6TH HIB-CONTAINING SHOT	
HIBTY6	355	356	6	SHOT TYPE OF 6TH HIB-CONTAINING SHOT	
DHIBAG7	357	360	6	AGE IN DAYS-7TH HIB-CONTAINING SHOT	
HIBAG7	361	362	6	AGE IN MONTHS-7TH HIB-CONTAINING SHOT	
HIBTY7	363	364	6	SHOT TYPE OF 7TH HIB-CONTAINING SHOT	
DHIBAG8	365	368	6	AGE IN DAYS-8TH HIB-CONTAINING SHOT	
HIBAG8	369	370	6	AGE IN MONTHS-8TH HIB-CONTAINING SHOT	
HIBTY8	371	372	6	SHOT TYPE OF 8TH HIB-CONTAINING SHOT	
DHEPAG1	373	376	6	AGE IN DAYS-1ST HEP-B CONTAINING SHOT	
HEPAG1	377	378	6	AGE IN MONTHS-1ST HEP B-CONTAINING SHOT	
DHEPAG2	379	382	6	AGE IN DAYS-2ND HEP-B CONTAINING SHOT	
HEPAG2	383	384	6	AGE IN MONTHS-2ND HEP B-CONTAINING SHOT	
DHEPAG3	385	388	6	AGE IN DAYS-3RD HEP-B CONTAINING SHOT	
HEPAG3	389	390	6	AGE IN MONTHS-3RD HEP B-CONTAINING SHOT	
DHEPAG4	391	394	6	AGE IN DAYS-4TH HEP-B CONTAINING SHOT	
HEPAG4	395	396	6	AGE IN MONTHS-4TH HEP B-CONTAINING SHOT	
DHEPAG5	397	400	6	AGE IN DAYS-5TH HEP-B CONTAINING SHOT	
HEPAG5	401	402	6	AGE IN MONTHS-5TH HEP B-CONTAINING SHOT	
DHEPAG6	403	406	6	AGE IN DAYS-6TH HEP-B CONTAINING SHOT	
HEPAG6	407	408	6	AGE IN MONTHS-6TH HEP B-CONTAINING SHOT	
DHEPAG7	409	412	6	AGE IN DAYS-7TH HEP-B CONTAINING SHOT	
HEPAG7	413	414	6	AGE IN MONTHS-7TH HEP B-CONTAINING SHOT	
DHEPAG8	415	418	6	AGE IN DAYS-8TH HEP-B CONTAINING SHOT	
HEPAG8	419	420	6	AGE IN MONTHS-8TH HEP B-CONTAINING SHOT	
DVRCAG1	421	424	6	AGE IN DAYS-1ST VARICELLA SHOT	
VRCAG1	425	426	6	AGE IN MONTHS-1ST VARICELLA SHOT	
DVRCAG2	427	430	6	AGE IN DAYS-2ND VARICELLA SHOT	
VRCAG2	431	432	6	AGE IN MONTHS-2ND VARICELLA SHOT	
DVRCAG3	433	436	6	AGE IN DAYS-3RD VARICELLA SHOT	

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
VRCAG3	437	438	6	AGE IN MONTHS-3RD	VARICELLA SHOT
DVRCAG4	439	442	6	AGE IN DAYS-4TH	VARICELLA SHOT
VRCAG4	443	444	6	AGE IN MONTHS-4TH	VARICELLA SHOT
DBDTPAG1	445	448	7	BEST VALUE AGE IN DAYS-1ST	DTP SHOT
BDTPAG1	449	450	7	BEST VALUE AGE IN MONTHS AT 1ST	DTP SHOT
BDTPTY1	451	452	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #1
DBDTPAG2	453	456	7	BEST VALUE AGE IN DAYS-2ND	DTP SHOT
BDTPAG2	457	458	7	BEST VALUE AGE IN MONTHS AT 2ND	DTP SHOT
BDTPTY2	459	460	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #2
DBDTPAG3	461	464	7	BEST VALUE AGE IN DAYS-3RD	DTP SHOT
BDTPAG3	465	466	7	BEST VALUE AGE IN MONTHS AT 3RD	DTP SHOT
BDTPTY3	467	468	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #3
DBDTPAG4	469	472	7	BEST VALUE AGE IN DAYS-4TH	DTP SHOT
BDTPAG4	473	474	7	BEST VALUE AGE IN MONTHS AT 4TH	DTP SHOT
BDTPTY4	475	476	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #4
DBDTPAG5	477	480	7	BEST VALUE AGE IN DAYS-5TH	DTP SHOT
BDTPAG5	481	482	7	BEST VALUE AGE IN MONTHS AT 5TH	DTP SHOT
BDTPTY5	483	484	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #5
DBDTPAG6	485	488	7	BEST VALUE AGE IN DAYS-6TH	DTP SHOT
BDTPAG6	489	490	7	BEST VALUE AGE IN MONTHS AT 6TH	DTP SHOT
BDTPTY6	491	492	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #6
DBDTPAG7	493	496	7	BEST VALUE AGE IN DAYS-7TH	DTP SHOT
BDTPAG7	497	498	7	BEST VALUE AGE IN MONTHS AT 7TH	DTP SHOT
BDTPTY7	499	500	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #7
DBDTPAG8	501	504	7	BEST VALUE AGE IN DAYS-8TH	DTP SHOT
BDTPAG8	505	506	7	BEST VALUE AGE IN MONTHS AT 8TH	DTP SHOT
BDTPTY8	507	508	7	SHOT TYPE OF BEST DTP-CONTAINING	SHOT #8
DBPOLAG1	509	512	7	BEST VALUE AGE IN DAYS-1ST	POLIO SHOT
BPOLAG1	513	514	7	BEST VALUE AGE IN MONTHS-1ST	POLIO SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
BPOLTY1	515	516	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #1
DBPOLAG2	517	520	7	BEST VALUE AGE IN DAYS-	2ND POLIO SHOT
BPOLAG2	521	522	7	BEST VALUE AGE IN MONTHS-	2ND POLIOSHOT
BPOLTY2	523	524	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #2
DBPOLAG3	525	528	7	BEST VALUE AGE IN DAYS-	3RD POLIO SHOT
BPOLAG3	529	530	7	BEST VALUE AGE IN MONTHS-	3RD POLIO SHOT
BPOLTY3	531	532	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #3
DBPOLAG4	533	536	7	BEST VALUE AGE IN DAYS-	4TH POLIO SHOT
BPOLAG4	537	538	7	BEST VALUE AGE IN MONTHS-	4TH POLIO SHOT
BPOLTY4	539	540	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #4
DBPOLAG5	541	544	7	BEST VALUE AGE IN DAYS-	5TH POLIO SHOT
BPOLAG5	545	546	7	BEST VALUE AGE IN MONTHS-	5TH POLIO SHOT
BPOLTY5	547	548	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #5
DBPOLAG6	549	552	7	BEST VALUE AGE IN DAYS-	6TH POLIO SHOT
BPOLAG6	553	554	7	BEST VALUE AGE IN MONTHS-	6TH POLIO SHOT
BPOLTY6	555	556	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #6
DBPOLAG7	557	560	7	BEST VALUE AGE IN DAYS-	7TH POLIO SHOT
BPOLAG7	561	562	7	BEST VALUE AGE IN MONTHS-	7TH POLIO SHOT
BPOLTY7	563	564	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #7
DBPOLAG8	565	568	7	BEST VALUE AGE IN DAYS-	8TH POLIO SHOT
BPOLAG8	569	570	7	BEST VALUE AGE IN MONTHS-	8TH POLIO SHOT
BPOLTY8	571	572	7	SHOT TYPE BEST	POLIO-CONTAINING SHOT #8
DBMMRAG1	573	576	7	BEST VALUE AGE IN DAYS-	1ST MCV SHOT
BMMRAG1	577	578	7	BEST VALUE AGE IN MONTHS-	1ST MCV SHOT
BMMRTY1	579	580	7	SHOT TYPE OF BEST	MCV-CONTAINING SHOT #1
DBMMRAG2	581	584	7	BEST VALUE AGE IN DAYS-	2ND MCV SHOT
BMMRAG2	585	586	7	BEST VALUE AGE IN MONTHS-	2ND MCV SHOT
BMMRTY2	587	588	7	SHOT TYPE OF BEST	MCV-CONTAINING SHOT #2
DBMMRAG3	589	592	7	BEST VALUE AGE IN DAYS-	3RD MCV SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
BMMRAG3	593	594	7	BEST VALUE AGE IN MONTHS-3RD MCV SHOT	
BMMRTY3	595	596	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #3	
DBMMRAG4	597	600	7	BEST VALUE AGE IN DAYS-4TH MCV SHOT	
BMMRAG4	601	602	7	BEST VALUE AGE IN MONTHS-4TH MCV SHOT	
BMMRTY4	603	604	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #4	
DBHIBAG1	605	608	7	BEST VALUE AGE IN DAYS-1ST HIB SHOT	
BHIBAG1	609	610	7	BEST VALUE AGE IN MONTHS-1ST HIB SHOT	
BHIBTY1	611	612	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #1	
DBHIBAG2	613	616	7	BEST VALUE AGE IN DAYS-2ND HIB SHOT	
BHIBAG2	617	618	7	BEST VALUE AGE IN MONTHS-2ND HIB SHOT	
BHIBTY2	619	620	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #2	
DBHIBAG3	621	624	7	BEST VALUE AGE IN DAYS-3RD HIB SHOT	
BHIBAG3	625	626	7	BEST VALUE AGE IN MONTHS-3RD HIB SHOT	
BHIBTY3	627	628	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #3	
DBHIBAG4	629	632	7	BEST VALUE AGE IN DAYS-4TH HIB SHOT	
BHIBAG4	633	634	7	BEST VALUE AGE IN MONTHS-4TH HIB SHOT	
BHIBTY4	635	636	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #4	
DBHIBAG5	637	640	7	BEST VALUE AGE IN DAYS-5TH HIB SHOT	
BHIBAG5	641	642	7	BEST VALUE AGE IN MONTHS-5TH HIB SHOT	
BHIBTY5	643	644	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #5	
DBHIBAG6	645	648	7	BEST VALUE AGE IN DAYS-6TH HIB SHOT	
BHIBAG6	649	650	7	BEST VALUE AGE IN MONTHS-6TH HIB SHOT	
BHIBTY6	651	652	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #6	
DBHIBAG7	653	656	7	BEST VALUE AGE IN DAYS-7TH HIB SHOT	
BHIBAG7	657	658	7	BEST VALUE AGE IN MONTHS-7TH HIB SHOT	
BHIBTY7	659	660	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #7	
DBHIBAG8	661	664	7	BEST VALUE AGE IN DAYS-8TH HIB SHOT	
BHIBAG8	665	666	7	BEST VALUE AGE IN MONTHS-8TH HIB SHOT	
BHIBTY8	667	668	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #8	

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DBHEPAG1	669	672	7	BEST VALUE	AGE IN DAYS-1ST HEP B SHOT
BHEPAG1	673	674	7	BEST VALUE	AGE IN MONTHS-1ST HEP B SHOT
DBHEPAG2	675	678	7	BEST VALUE	AGE IN DAYS-2ND HEP B SHOT
BHEPAG2	679	680	7	BEST VALUE	AGE IN MONTHS-2ND HEP B SHOT
DBHEPAG3	681	684	7	BEST VALUE	AGE IN DAYS-3RD HEP B SHOT
BHEPAG3	685	686	7	BEST VALUE	AGE IN MONTHS-3RD HEP B SHOT
DBHEPAG4	687	690	7	BEST VALUE	AGE IN DAYS-4TH HEP B SHOT
BHEPAG4	691	692	7	BEST VALUE	AGE IN MONTHS-4TH HEP B SHOT
DBHEPAG5	693	696	7	BEST VALUE	AGE IN DAYS-5TH HEP B SHOT
BHEPAG5	697	698	7	BEST VALUE	AGE IN MONTHS-5TH HEP B SHOT
DBHEPAG6	699	702	7	BEST VALUE	AGE IN DAYS-6TH HEP B SHOT
BHEPAG6	703	704	7	BEST VALUE	AGE IN MONTHS-6TH HEP B SHOT
DBHEPAG7	705	708	7	BEST VALUE	AGE IN DAYS-7TH HEP B SHOT
BHEPAG7	709	710	7	BEST VALUE	AGE IN MONTHS-7TH HEP B SHOT
DBHEPAG8	711	714	7	BEST VALUE	AGE IN DAYS-8TH HEP B SHOT
BHEPAG8	715	716	7	BEST VALUE	AGE IN MONTHS-8TH HEP B SHOT
DBVRCAG1	717	720	7	BEST VALUE	AGE IN DAYS-1ST VARICELLA SHT
BVRCAG1	721	722	7	BEST VALUE	AGE MONTHS-1ST VARICELLA SHOT
DBVRCAG2	723	726	7	BEST VALUE	AGE IN DAYS-2ND VARICELLA SHT
BVRCAG2	727	728	7	BEST VALUE	AGE MONTHS-2ND VARICELLA SHOT
DBVRCAG3	729	732	7	BEST VALUE	AGE IN DAYS-3RD VARICELLA SHT
BVRCAG3	733	734	7	BEST VALUE	AGE MONTHS-3RD VARICELLA SHOT
DBVRCAG4	735	738	7	BEST VALUE	AGE IN DAYS-4TH VARICELLA SHT
BVRCAG4	739	740	7	BEST VALUE	AGE MONTHS-4TH VARICELLA SHOT
I_BN_DTP	741	742	8	POST-IMPUTATION	VALUE OF B_NUMDTP
I_BN_POL	743	744	8	POST-IMPUTATION	VALUE OF B_NUMPOL
I_BN_MMR	745	746	8	POST-IMPUTATION	VALUE OF B_NUMMMR
I_BN_HIB	747	748	8	POST-IMPUTATION	VALUE OF B_NUMHIB
I_BN_HEP	749	750	8	POST-IMPUTATION	VALUE OF B_NUMHEP

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
I_BN_VRC	751	752	8		POST-IMPUTATION VALUE OF B_NUMVRC
I_UTD431	753	753	8		IMPUTED BEST VALUE 4:3:1 UP-TO-DATE
IUTD4313	754	754	8		IMPUTED BEST VALUE 4:3:1:3 UP-TO-DATE
IUT43133	755	755	8		IMPUTED BEST VALUE 4:3:1:3:3 UP-TO-DATE
IMP_FLAG	756	756	8		FLAG: I_VARIABLES ARE IMPUTED VALUES
NCARE_11	757	757	9		'COMPREHENSIVE CHILD CARE'-1ST PROVIDER
NCARE_12	758	758	9		'COMPREHENSIVE CHILD CARE'-2ND PROVIDER
NCARE_13	759	759	9		'COMPREHENSIVE CHILD CARE'-3RD PROVIDER
NCARE_14	760	760	9		'COMPREHENSIVE CHILD CARE'-4TH PROVIDER
NCARE_21	761	761	9		'ACUTE ILLNESS CARE'-1ST PROVIDER
NCARE_22	762	762	9		'ACUTE ILLNESS CARE'-2ND PROVIDER
NCARE_23	763	763	9		'ACUTE ILLNESS CARE'-3RD PROVIDER
NCARE_24	764	764	9		'ACUTE ILLNESS CARE'-4TH PROVIDER
NCARE_31	765	765	9		'FOLLOW-UP VISITS'-1ST PROVIDER
NCARE_32	766	766	9		'FOLLOW-UP VISITS'-2ND PROVIDER
NCARE_33	767	767	9		'FOLLOW-UP VISITS'-3RD PROVIDER
NCARE_34	768	768	9		'FOLLOW-UP VISITS'-4TH PROVIDER
NCARE_41	769	769	9		'AFTER HOURS PHONE COVERAGE'-1ST PROV
NCARE_42	770	770	9		'AFTER HOURS PHONE COVERAGE'-2ND PROV
NCARE_43	771	771	9		'AFTER HOURS PHONE COVERAGE'-3RD PROV
NCARE_44	772	772	9		'AFTER HOURS PHONE COVERAGE'-4TH PROV
NCARE_51	773	773	9		'WIC PROGRAM/SERVICES'-1ST PROVIDER
NCARE_52	774	774	9		'WIC PROGRAM/SERVICES'-2ND PROVIDER
NCARE_53	775	775	9		'WIC PROGRAM/SERVICES'-3RD PROVIDER
NCARE_54	776	776	9		'WIC PROGRAM/SERVICES'-4TH PROVIDER
NCARE_61	777	777	9		'OTHER/DESCRIBE'-1ST PROVIDER
NCARE_62	778	778	9		'OTHER/DESCRIBE'-2ND PROVIDER
NCARE_63	779	779	9		'OTHER/DESCRIBE'-3RD PROVIDER
NCARE_64	780	780	9		'OTHER/DESCRIBE'-4TH PROVIDER
NEWFAC1	781	781	9		FACILITY TYPE-1ST PROVIDER
NEWFAC2	782	782	9		FACILITY TYPE-2ND PROVIDER
NEWFAC3	783	783	9		FACILITY TYPE-3RD PROVIDER
NEWFAC4	784	784	9		FACILITY TYPE-4TH PROVIDER
VFC_PRO1	785	785	9		VACCINES FOR CHILDREN FACILITY-1ST PROV
VFC_PRO2	786	786	9		VACCINES FOR CHILDREN FACILITY-2ND PROV
VFC_PRO3	787	787	9		VACCINES FOR CHILDREN FACILITY-3RD PROV
VFC_PRO4	788	788	9		VACCINES FOR CHILDREN FACILITY-4TH PROV
PRO_SPE1	789	789	9		SPECIALTY CARE RESPONSE-1ST PROVIDER
SPEC_VB1	790	809	9		'OTHER' SPECIALITIES-1ST PROVIDER

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
PRO_SPE2	810	810	9	SPECIALTY CARE RESPONSE-2ND PROVIDER	
SPEC_VB2	811	830	9	'OTHER' SPECIALITIES-2ND PROVIDER	
PRO_SPE3	831	831	9	SPECIALTY CARE RESPONSE-3RD PROVIDER	
SPEC_VB3	832	851	9	'OTHER' SPECIALITIES-3RD PROVIDER	
PRO_SPE4	852	852	9	SPECIALTY CARE PROVIDER-4TH PROVIDER	
SPEC_VB4	853	872	9	'OTHER' SPECIALITIES-4TH PROVIDER	
MEDHOME1	873	873	9	MEDICAL-HOME RESPONSE-1ST PROVIDER	
MEDHOME2	874	874	9	MEDICAL-HOME RESPONSE-2ND PROVIDER	
MEDHOME3	875	875	9	MEDICAL-HOME RESPONSE-3RD PROVIDER	
MEDHOME4	876	876	9	MEDICAL-HOME RESPONSE-4TH PROVIDER	
MMEDHME	877	877	9	FLAG. 1+ PROVIDER CHILD'S MEDICAL-HOME	
RECORD1	878	878	9	HAS IMMUNIZATION RECORDS-1ST PROVIDER	
RECORD2	879	879	9	HAS IMMUNIZATION RECORDS-2ND PROVIDER	
RECORD3	880	880	9	HAS IMMUNIZATION RECORDS-3RD PROVIDER	
RECORD4	881	881	9	HAS IMMUNIZATION RECORDS-4TH PROVIDER	

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

Section 1
 Variable Name HHX
 Label HOUSEHOLD SERIAL NUMBER
 Response
 Categories Freq Value Label

2622 NON MISSING ID/VALUE

Type CHAR
 Location 1-6
 Width 6
 Sequence Order 1
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
 AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
 WITH GOOD IMMUNIZATION RECORD. USE THIS VARIABLE TO IDENTIFY
 INDIVIDUAL HOUSEHOLDS.

Section 1
 Variable Name FMX
 Label FAMILY SERIAL NUMBER
 Response
 Categories Freq Value Label

2622 NON MISSING ID/VALUE

Type CHAR
 Location 7-8
 Width 2
 Sequence Order 2
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
 AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
 WITH GOOD IMMUNIZATION RECORD. USE THIS VARIABLE IN COMBINATION
 WITH HHX TO IDENTIFY INDIVIDUAL FAMILIES.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
Demographic and Socioeconomic Variables**

```
-----
Section          1
Variable Name    PX
Label           PERSON NUMBER
Response
Categories      Freq      Value      Label

                2622      NON MISSING ID/VALUE

Type            CHAR
Location        9-10
Width           2
Sequence Order  3
Source          1997 NHIS IMMUNIZATION SUPPLEMENT
Notes          IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
                AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
                WITH GOOD IMMUNIZATION RECORD. USE THIS VARIABLE IN COMBINATION
                WITH HHX AND FMX TO IDENTIFY INDIVIDUAL PERSONS.
-----
```

```
-----
Section          1
Variable Name    IMRESPNO
Label           PERSON NUMBER OF RESPONDENT
Response
Categories      Freq      Value      Label

                2536      01-30      RESPONDENT'S PERSON NUMBER 1 THRU 30
                86        98        NOT ASCERTAINED

Type            CHAR
Location        11-12
Width           2
Sequence Order  4
Source          1997 NHIS IMMUNIZATION SUPPLEMENT
Notes          IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
                AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
                WITH GOOD IMMUNIZATION RECORD. THIS IS THE PERSON NUMBER
                OF THE PERSON ANSWERING THE QUESTION.
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
Demographic and Socioeconomic Variables**

Section	1			
Variable Name	CTRLNUM			
Label	CONTROL NUMBER			
Response				
Categories	Freq	Value	Label	
	2622		NON MISSING ID/VALUE	
Type	CHAR			
Location	13-36			
Width	24			
Sequence Order	5			
Source	1997 NHIS IMMUNIZATION SUPPLEMENT			
Notes	UNIQUE CHILD IDENTIFIER			

Section	1			
Variable Name	BESTVAL			
Label	FLAG. BEST VALUE SHOT DATES DETERMINED			
Response				
Categories	Freq	Value	Label	
	1197	1	HAS BEST VALUES	
	1425	2	NO BEST VALUES	
Type	NUM			
Location	37-37			
Width	1			
Sequence Order	6			
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ			
Notes	A VALUE OF 1 IDENTIFIES CHILDREN WITH BEST VALUE VACCINATION DATES			

Section	1			
Variable Name	STRATUM			
Label	STRATUM FOR VARIANCE ESTIMATION			
Response				
Categories	Freq	Value	Label	
	2622		NON MISSING ID/VALUE	
Type	NUM			
Location	38-40			
Width	3			
Sequence Order	7			
Source	1997 NHIS IMMUNIZATION SUPPLEMENT			
Notes	ALL RECORDS. VARIABLE USED IN VARIANCE ESTIMATION; CONSULT DOCUMENTATION ON VARIANCE ESTIMATION USING NHIS DATA FOR SPECIFIC INFORMATION.			

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
Demographic and Socioeconomic Variables**

```
-----
Section          1
Variable Name    PSU
Label           PSU FOR VARIANCE ESTIMATION
Response
Categories       Freq      Value      Label
                  1271       1
                  1351       2

Type            NUM
Location        41-42
Width           2
Sequence Order  8
Source          1997 NHIS IMMUNIZATION SUPPLEMENT
Notes           ALL RECORDS. VARIABLE USED IN VARIANCE ESTIMATION; CONSULT
                DOCUMENTATION ON VARIANCE ESTIMATION USING NHIS DATA FOR
                SPECIFIC INFORMATION.
-----
```

```
-----
Section          1
Variable Name    WTFA_IM
Label           WEIGHT - FINAL ANNUAL
Response
Categories       Statistic Description
                  2622  NUMBER OF NON-MISSING
                  0    NUMBER OF MISSING
                  2573.53  AVERAGE/MEAN
                  2594.00  MEDIAN VALUE
                  744.00  MINIMUM VALUE
                  10795.00  MAXIMUM VALUE

Type            NUM
Location        43-47
Width           5
Sequence Order  9
Source          1997 NHIS IMMUNIZATION SUPPLEMENT
Notes           ALL RECORDS. THIS WEIGHT SHOULD BE USED FOR ANALYSIS WHEN
                USING A FULL YEAR OF DATA. THIS WEIGHT INCLUDES POST-
                STRATIFICATION ADJUSTMENTS (AGE, RACE/ETHNICITY, SEX) USING
                CENSUS POPULATION CONTROLS.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

Section	1
Variable Name	WT_BV2
Label	FINAL BEST VALUE WEIGHT
Response	
Categories	Statistic Description
	1197 NUMBER OF NON-MISSING
	1425 NUMBER OF MISSING
	6587.15 AVERAGE/MEAN
	5237.00 MEDIAN VALUE
	817.00 MINIMUM VALUE
	57592.00 MAXIMUM VALUE
Type	NUM
Location	48-52
Width	5
Sequence Order	10
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes	THIS WEIGHT SHOULD BE USED FOR ANALYSIS OF CHILDREN WITH BEST VALUES. ESTIMATES CALCULATED USING THIS WEIGHT CAN BE MULTIPLIED BY THE NRFUS ADJUSTMENT RATIOS IN THE DATA USERS GUIDE TO PRODUCE FINAL BEST VALUE ESTIMATES.

Section	1
Variable Name	ICAGEMR
Label	AGE IN MONTHS
Response	
Categories	Statistic Description
	2622 NUMBER OF NON-MISSING
	0 NUMBER OF MISSING
	24.93 AVERAGE/MEAN
	25.00 MEDIAN VALUE
	12.00 MINIMUM VALUE
	35.00 MAXIMUM VALUE
Type	NUM
Location	53-54
Width	2
Sequence Order	11
Source	1997 NHIS IMMUNIZATION SUPPLEMENT
Notes	IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4) WITH GOOD IMMUNIZATION RECORD. ICAGEMR IS BASED ON ICAGEM, AND AGE.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

```
-----
Section              1
Variable Name       SEX
Label              CHILD MALE OR FEMALE
Response
Categories          Freq      Value      Label
                   1378         1        MALE
                   1244         2        FEMALE

Type                NUM
Location            55-55
Width               1
Sequence Order      12
Source              1997 NHIS IMMUNIZATION SUPPLEMENT
Notes              IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
                   AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
                   WITH GOOD IMMUNIZATION RECORD. ADDITIONAL DATA ON SEX CAME
                   FROM HHC.140 WHEN THE HOUSEHOLD CONTAINED MORE THAN ONE
                   PERSON.
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

Section	1		
Variable Name	HISPAN_P		
Label	CHILD'S NATIONAL ORIGIN GROUP		
Response			
Categories	Freq	Value	Label
	21	0	MULTIPLE HISPANIC
	68	1	PUERTO RICAN
	153	3	MEXICAN-MEXICANO
	338	4	MEXICAN-AMERICAN (INCLUDES CHICANO)
	20	5	CUBAN/CUBAN-AMERICAN
	64	6	OTHER LATIN AMERICAN
	6	7	OTHER SPANISH
	120	8	HISPANIC/SPANISH, NON-SPECIFIC TYPE
	1	9	HISPANIC/SPANISH, TYPE REFUSED
	2	10	HISPANIC/SPANISH, TYPE NOT ASCERTAINED
	2	11	HISPANIC/SPANISH, TYPE DON'T KNOW
	1827	12	NOT HISPANIC/SPANISH ORIGIN
Type	NUM		
Location	56-57		
Width	2		
Sequence Order	13		
Source	1997 NHIS IMMUNIZATION SUPPLEMENT		
Notes	IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4) WITH GOOD IMMUNIZATION RECORD. "OTHER-SPECIFY" RESPONSES WERE ASSIGNED TO SPECIFIC GROUPS WHERE POSSIBLE. RESPONDENTS WHO SELECTED THE GENERIC "HISPANIC/SPANISH" RESPONSE CATEGORY WERE ASSIGNED "08", AND IN CASES WHERE THE RESPONDENT REFUSED TO ANSWER HISPANIC ORIGIN OR DIDN'T KNOW IT, THIS VARIABLE WAS ASSIGNED "09" AND "11", RESPECTIVELY. WHEN HISPANIC ORIGIN WAS NOT ASCERTAINED, THIS VARIABLE WAS ASSIGNED "10".		

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
Demographic and Socioeconomic Variables**

Section 1
Variable Name RACE
Label CHILD'S RECODE OF FULL RACE GROUPS
Response
Categories

Categories	Freq	Value	Label
	1897	1	WHITE
	400	2	BLACK
	24	3	AIAN*
	84	4	API*
	115	5	OTHER
	79	6	MULTIPLE RACE
	4	7	REFUSED
	1	8	NOT ASCERTAINED
	18	9	DON'T KNOW

Type NUM
Location 58-58
Width 1
Sequence Order 14
Source 1997 NHIS IMMUNIZATION SUPPLEMENT
Notes IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4) WITH GOOD IMMUNIZATION RECORD. * AIAN IS AMERICAN INDIAN/ALASKAN NATIVE; API IS ASIAN PACIFIC ISLANDER. THIS RECODE CONTAINS DETAIL FOR THE 4 OMB RACE GROUPS , "OTHER" RACE, AND A SINGLE MULTIPLE RACE CATEGORY. THIS RECODE DOES NOT INCLUDE THE INFORMATION PROVIDED IN MULTRAC (HCC.380) FOR MULTIPLE RACE MENTIONS (THE "MAIN" RACE). SUBGROUPS INCLUDED IN THE HE CATEGORIES "AIAN" AND "API" CAN BE FOUND BY CROSSING THIS VARIABLE WITH MRACE_P.

Section 1
Variable Name RACEREC
Label RACE RECODE
Response
Categories

Categories	Freq	Value	Label
	1955	1	WHITE
	430	2	BLACK
	237	3	OTHER

Type NUM
Location 59-59
Width 1
Sequence Order 15
Source 1997 NHIS IMMUNIZATION SUPPLEMENT
Notes IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4) WITH GOOD IMMUNIZATION RECORD.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

```
-----
Section          1
Variable Name    AB_BL20K
Label            FAM INC AT/ABOVE VS. BELOW $20,000
Response
Categories       Freq      Value      Label
                  1644       1        $20,000 OR MORE
                  855       2        LESS THAN $20,000
                   56       97       REFUSED
                   1       98       NOT ASCERTAINED
                   66       99       DON'T KNOW

Type             NUM
Location         60-61
Width           2
Sequence Order   16
Source           1997 NHIS IMMUNIZATION SUPPLEMENT
Notes           IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
                AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
                WITH GOOD IMMUNIZATION RECORD. THE FAMILY'S VALUE FOR THIS
                VARIABLE IS ASSIGNED TO EACH MEMBER OF THE FAMILY, THUS
                MAKING IT A PERSON-LEVEL VARIABLE
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 1 ID Variables, Weights, PSU and Stratum Identifiers, Immunization Supplement
 Demographic and Socioeconomic Variables**

```

-----
Section              1
Variable Name       RAT_CAT
Label              RATIO OF FAM INC TO POVERTY THRESHOLD
Response
Categories          Freq      Value      Label
                   274        1      UNDER .50
                   159        2      .50 TO .74
                   159        3      .75 TO .99
                   162        4      1.00 TO 1.24
                   130        5      1.25 TO 1.49
                   122        6      1.50 TO 1.74
                   144        7      1.75 TO 1.99
                   217        8      2.00 TO 2.49
                   168        9      2.50 TO 2.99
                   159       10      3.00 TO 3.49
                   130       11      3.50 TO 3.99
                    87       12      4.00 TO 4.49
                    64       13      4.50 TO 4.99
                   227       14      5.00 AND OVER
                    1       96      UNDEFINABLE
                   419       99      UNKNOWN

Type               NUM
Location           62-63
Width              2
Sequence Order     17
Source             1997 NHIS IMMUNIZATION SUPPLEMENT
Notes             IMMUNFLG = 1. SAMPLE CHILDREN <18 OR NON-SAMPLE CHILDREN
                   AGE 19-35 MONTHS (Q1 AND Q2) OR 12-35 MONTHS (Q3 AND Q4)
                   WITH GOOD IMMUNIZATION RECORD. THE FAMILY'S VALUE FOR THIS
                   VARIABLE IS ASSIGNED TO EACH MEMBER OF THE FAMILY, THUS
                   MAKING IT A PERSON-LEVEL VARIABLE.
  
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 2 Immunization Supplement Vaccination Variables

Section 2
 Variable Name NUM_DTP
 Label TOTAL DTP SHOTS REPORTED BY HOUSEHOLD
 Response
 Categories

Categories	Freq	Value	Label
	332	.	<BLANK: NOT IN UNIVERSE>
	57	0	
	48	1	
	94	2	
	344	3	
	660	4	
	17	5	
	6	6	
	1	7	
	1063	88	ALL

Type NUM
 Location 64-65
 Width 2
 Sequence Order 18
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes CONSTRUCTED VARIABLE.

Section 2
 Variable Name NUM_POLI
 Label TOTAL POLIO SHOTS REPORTED BY HH
 Response
 Categories

Categories	Freq	Value	Label
	331	.	<BLANK: NOT IN UNIVERSE>
	56	0	
	62	1	
	163	2	
	830	3	
	114	4	
	4	5	
	5	6	
	1057	88	ALL

Type NUM
 Location 66-67
 Width 2
 Sequence Order 19
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes CONSTRUCTED VARIABLE.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 2 Immunization Supplement Vaccination Variables

Section 2
 Variable Name NUM_MMR
 Label TOTAL MCV SHOTS REPORTED BY HOUSEHOLD
 Response
 Categories

Categories	Freq	Value	Label
	373	.	<BLANK: NOT IN UNIVERSE>
	287	0	
	908	1	
	64	2	
	38	3	
	4	4	
	948	88	ALL

Type NUM
 Location 68-69
 Width 2
 Sequence Order 20
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes CONSTRUCTED VARIABLE.

Section 2
 Variable Name NUM_HIB
 Label TOTAL HIB SHOTS REPORTED BY HOUSEHOLD
 Response
 Categories

Categories	Freq	Value	Label
	421	.	<BLANK: NOT IN UNIVERSE>
	246	0	
	120	1	
	124	2	
	305	3	
	466	4	
	3	5	
	6	6	
	931	88	ALL

Type NUM
 Location 70-71
 Width 2
 Sequence Order 21
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT
 Notes CONSTRUCTED VARIABLE.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 2 Immunization Supplement Vaccination Variables

```
-----
Section                2
Variable Name          NUM_HEPB
Label                  TOTAL HEP B SHOTS REPORTED BY HH
Response
Categories             Freq    Value    Label
                      416      .      <BLANK: NOT IN UNIVERSE>
                      225      0
                      89       1
                      169      2
                      844      3
                      30       4
                      3        6
                      846      88     ALL

Type                   NUM
Location               72-73
Width                  2
Sequence Order         22
Source                 1997 NHIS IMMUNIZATION SUPPLEMENT
Notes                  CONSTRUCTED VARIABLE.
```

```
-----
Section                2
Variable Name          NUM_CPOX
Label                  TOTAL VARICELLA SHOTS REPORTED BY HH
Response
Categories             Freq    Value    Label
                      373      .      <BLANK: NOT IN UNIVERSE>
                      1511     0
                      370      1
                      7        2
                      5        3
                      1        4
                      355      88     ALL

Type                   NUM
Location               74-75
Width                  2
Sequence Order         23
Source                 1997 NHIS IMMUNIZATION SUPPLEMENT
Notes                  CONSTRUCTED VARIABLE.
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 3 Provider Survey Status Variables

```
-----
Section          3
Variable Name    ADJ_GRP
Label           NIPRCS ADJUDICATION GROUP
Response
Categories      Freq      Value      Label

                1548
                103      H1
                123      H2
                203      H3
                 85      H4
                 93      M
                 97      R1
                 80      R2
                 74      R3
                174      R4
                 42      R5

Type            CHAR
Location        76-77
Width          2
Sequence Order 24
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          SEE DATA USERS GUIDE FOR DEFINITION OF VALUES.
-----
```

```
-----
Section          3
Variable Name    DISPCODE
Label           REVISED NIS DISPOSITION CODE
Response
Categories      Freq      Value      Label

                1548      .
                357      1
                455      2
                 22      3
                 37      4
                125      5
                 11      6
                 29      7
                 20      8
                  3      9
                 11      10
                  4      11

Type            NUM
Location        78-79
Width          2
Sequence Order 25
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          SEE DATA USERS GUIDE FOR DEFINITION OF VALUES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 3 Provider Survey Status Variables

Section	3		
Variable Name	PRO_FLAG		
Label	4:3:1:3 UP-TO-DATE FROM SHOT CARD		
Response			
Categories	Freq	Value	Label
	1682	.	<BLANK: NOT IN UNIVERSE>
	450	1	UP-TO-DATE PER HOUSEHOLD
	490	2	NOT UP-TO-DATE PER HOUSEHOLD
Type	NUM		
Location	80-80		
Width	1		
Sequence Order	26		
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ		

Section	3		
Variable Name	PROVID		
Label	PROV FACILITY TYPE COMPOSITE VARIABLE		
Response			
Categories	Freq	Value	Label
	1548	.	<BLANK: NOT IN UNIVERSE>
	183	1	PUBLIC ONLY
	56	2	HOSPITAL ONLY
	451	3	PRIVATE ONLY
	70	4	OTHER/MILITARY ONLY
	37	5	MIXED
	277	6	UNKNOWN
Type	NUM		
Location	81-81		
Width	1		
Sequence Order	27		
Source	1997 NHIS/NIPRCS IHQ		
Notes	CONSTRUCTED VARIABLE.		

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 3 Provider Survey Status Variables

Section 3
 Variable Name N_PRV
 Label # OF PROVS INCLUDED IN IMMUNIZATION HIST
 Response
 Categories Freq Value Label

	1548	.	
	959	1	
	101	2	
	13	3	
	1	4	

Type NUM
 Location 82-82
 Width 1
 Sequence Order 28
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes TOTAL NUMBER OF VACCINATION PROVIDERS RESPONDING WITH
 VACCINATION INFORMATION FOR THIS CHILD.

Section 3
 Variable Name VISITS
 Label # OF VISITS FROM ALL SHOT DATES
 Response
 Categories Statistic Description

	1074	NUMBER OF NON-MISSING
	1548	NUMBER OF MISSING
	5.53	AVERAGE/MEAN
	6.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	17.00	MAXIMUM VALUE

Type NUM
 Location 83-84
 Width 2
 Sequence Order 29
 Source 1997 NHIS/NIPRCS IHQ
 Notes ONLY COUNTS VISITS UP TO AND INCLUDING THE DATE OF THE NHIS
 INTERVIEW. A VALUE OF 0 MEANS ALL REPORTED VACCINATION DATES
 WERE AFTER THE DATE OF THE HOUSEHOLD INTERVIEW. ONLY DATES
 ON OR BEFORE THE DATE OF HOUSEHOLD INTERVIEW ARE COUNTED
 IN THIS VARIABLE.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

Section 4
 Variable Name PUTD4313
 Label 4:3:1:3 UP-TO-DATE STATUS-PROVIDER INFO
 Response
 Categories

Freq	Value	Label
1548	.	<BLANK: NOT IN UNIVERSE>
729	1	YES
345	2	NO

Type NUM
 Location 85-86
 Width 2
 Sequence Order 30
 Source 1997 NHIS/NIPRCS IHQ
 Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB.

Section 4
 Variable Name PUT43133
 Label 4:3:1:3:3 UP-TO-DATE STATUS-PROV INFO
 Response
 Categories

Freq	Value	Label
1548	.	<BLANK: NOT IN UNIVERSE>
682	1	YES
392	2	NO

Type NUM
 Location 87-88
 Width 2
 Sequence Order 31
 Source 1997 NHIS/NIPRCS IHQ
 Notes 4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP B.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

Section 4
 Variable Name P_NUMDTP
 Label # OF DTP (ALLTYPES) FROM PROVIDER INFO
 Response
 Categories Freq Value Label

1548	.
74	0
16	1
31	2
197	3
726	4
23	5
6	6
1	7

Type NUM
 Location 89-90
 Width 2
 Sequence Order 32
 Source 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 4
 Variable Name P_NUMTPM
 Label # OF DTP SHOTS FROM PROVIDER INFORMATION
 Response
 Categories Freq Value Label

1548	.
752	0
61	1
50	2
112	3
97	4
2	6

Type NUM
 Location 91-92
 Width 2
 Sequence Order 33
 Source 1997 NHIS/NIPRCS IHQ
 Notes ONLY INCLUDES DTP VACCINES.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

Section 4
 Variable Name P_NUMMDTA
 Label # OF DTAP SHOTS FROM PROVIDER INFO

Response

Categories	Freq	Value	Label
	1548	.	
	826	0	
	197	1	
	12	2	
	17	3	
	22	4	

Type NUM
 Location 93-94
 Width 2
 Sequence Order 34
 Source 1997 NHIS/NIPRCS IHQ
 Notes ONLY INCLUDES DTAP VACCINES.

Section 4
 Variable Name P_NUMDTM
 Label # OF DT SHOTS FROM PROVIDER INFORMATION

Response

Categories	Freq	Value	Label
	1548	.	
	1067	0	
	1	1	
	2	2	
	4	3	

Type NUM
 Location 95-96
 Width 2
 Sequence Order 35
 Source 1997 NHIS/NIPRCS IHQ
 Notes ONLY INCLUDES DT VACCINES.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMTPN
Label              # OF DTP(NO TYPE) SHOTS FROM PROV INFO
Response
Categories          Freq      Value      Label

                  1548         .
                  839          0
                  121          1
                   33          2
                   30          3
                   50          4
                   1           6

Type                NUM
Location            97-98
Width               2
Sequence Order     36
Source              1997 NHIS/NIPRCS IHQ
Notes              ONLY INCLUDES DTP VACCINES WHERE THE PROVIDER DID NOT IDENTIFY
                  THE SPECIFIC TYPE OF DTP VACCINE.
-----
```

```
-----
Section              4
Variable Name       P_NUMPOL
Label              # OF POLIO(ALL TYPES) SHOTS FROM PROV INF
Response
Categories          Freq      Value      Label

                  1548         .
                   80          0
                   15          1
                   94          2
                   748         3
                   128         4
                   6           5
                   3           6

Type                NUM
Location            99-100
Width               2
Sequence Order     37
Source              1997 NHIS/NIPRCS IHQ
Notes              INCLUDES ALL POLIO-CONTAINING VACCINES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMOPV
Label              # OF OPV SHOTS FROM PROVIDER INFORMATION
Response
Categories          Freq      Value      Label

                  1548         .
                   268         0
                    60         1
                   104         2
                   550         3
                    88         4
                     2         5
                     2         6

Type                NUM
Location            101-102
Width               2
Sequence Order     38
Source              1997 NHIS/NIPRCS IHQ
Notes              ONLY INCLUDES OPV VACCINES.
-----
```

```
-----
Section              4
Variable Name       P_NUMIPV
Label              # OF IPV SHOTS FROM PROVIDER INFORMATION
Response
Categories          Freq      Value      Label

                  1548         .
                  1039         0
                    12         1
                    16         2
                     6         3
                     1         4

Type                NUM
Location            103-104
Width               2
Sequence Order     39
Source              1997 NHIS/NIPRCS IHQ
Notes              ONLY INCLUDES IPV VACCINES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMOLN
Label              # OF POLIO(NO TYPE) SHOTS FROM PROV INFO
Response
Categories          Freq      Value      Label

                  1548         .
                  810         0
                   55         1
                   53         2
                  137         3
                   18         4
                   1          5

Type               NUM
Location           105-106
Width              2
Sequence Order     40
Source             1997 NHIS/NIPRCS IHQ
Notes             ONLY INCLUDES POLIO VACCINES WHERE THE PROVIDER DID NOT
                  IDENTIFY THE SPECIFIC TYPE OF POLIO VACCINE.
-----
```

```
-----
Section              4
Variable Name       P_NUMMMR
Label              # OF MCV SHOTS FROM PROVIDER INFORMATION
Response
Categories          Freq      Value      Label

                  1548         .
                  189         0
                  858         1
                   26         2
                   1          3

Type               NUM
Location           107-108
Width              2
Sequence Order     41
Source             1997 NHIS/NIPRCS IHQ
Notes             INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMMS
Label              # OF MEASLES-ONLY SHOTS FROM PROV INFO
Response
Categories          Freq      Value      Label

                  1548         .
                  1072         0
                   2          1

Type               NUM
Location           109-110
Width              2
Sequence Order     42
Source             1997 NHIS/NIPRCS IHQ
Notes             ONLY INCLUDES MEASLES-ONLY VACCINES.
-----
```

```
-----
Section              4
Variable Name       P_NUMHIB
Label              # OF HIB SHOTS FROM PROVIDER INFO
Response
Categories          Freq      Value      Label

                  1548         .
                   78         0
                   26         1
                   39         2
                  209         3
                  692         4
                   24         5
                   5          6
                   1          7

Type               NUM
Location           111-112
Width              2
Sequence Order     43
Source             1997 NHIS/NIPRCS IHQ
Notes             INCLUDES ALL HIB-CONTAINING VACCINES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMDHB
Label              # OF DTP/HIB COMBO SHOTS FROM PROV INFO
Response
Categories          Freq      Value      Label

                  1548         .
                  466          0
                   40          1
                   41          2
                  265          3
                  256          4
                   4           5
                   1           6
                   1           7

Type                NUM
Location            113-114
Width              2
Sequence Order     44
Source             1997 NHIS/NIPRCS IHQ
Notes             INCLUDES ALL TYPES OF DTP/HIB VACCINES.
-----
```

```
-----
Section              4
Variable Name       P_NUMHEP
Label              # OF HEP B SHOTS, PROVIDER INFORMATION
Response
Categories          Freq      Value      Label

                  1548         .
                   92          0
                   25          1
                   87          2
                  824          3
                   39          4
                   7           5

Type                NUM
Location            115-116
Width              2
Sequence Order     45
Source             1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_NUMVRC
Label              # OF VARICELLA SHOTS FROM PROVIDER INFO
Response
Categories          Freq      Value      Label

                  1548         .
                  806          0
                  267          1
                   1           2

Type                NUM
Location            117-118
Width               2
Sequence Order     46
Source              1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              4
Variable Name       P_12_MMR
Label              # OF MCV SHOTS, PROV INFO, W/0 <12 MTHS
Response
Categories          Freq      Value      Label

                  1548         .
                   211          0
                   843          1
                    20           2

Type                NUM
Location            119-120
Width               2
Sequence Order     47
Source              1997 NHIS/NIPRCS IHQ
Notes              INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 4 Provider-Reported Number of Vaccinations and Up-To-Date Variables

```
-----
Section              4
Variable Name       P_12_MS
Label              # OF MEASLES, PROV INFO, W/0 <12 MONTHS
Response
Categories          Freq      Value      Label

                   1548        .
                   1073        0
                   1          1

Type                NUM
Location            121-122
Width               2
Sequence Order     48
Source              1997 NHIS/NIPRCS IHQ
Notes              ONLY INCLUDES MEASLES-ONLY VACCINES.
-----
```

```
-----
Section              4
Variable Name       P_12_VRC
Label              # OF VARICELLA, PROV INFO, W/0 <12 MNTHS
Response
Categories          Freq      Value      Label

                   1548        .
                   824        0
                   249        1
                   1          2

Type                NUM
Location            123-124
Width               2
Sequence Order     49
Source              1997 NHIS/NIPRCS IHQ
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

Section 5
Variable Name B_UTD431
Label 4:3:1 BEST VALUE UP-TO-DATE STATUS
Response
Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
945	1	YES
252	2	NO

Type NUM
Location 125-125
Width 1
Sequence Order 50
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes 4+ DTP, 3+ POLIO AND 1+ MCV

Section 5
Variable Name BUTD4313
Label 4:3:1:3 BEST VALUE UP-TO-DATE STATUS
Response
Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
935	1	YES
262	2	NO

Type NUM
Location 126-126
Width 1
Sequence Order 51
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB.

Section 5
Variable Name BUT43133
Label 4:3:1:3:3 BEST VALUE UP-TO-DATE STATUS
Response
Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
867	1	YES
330	2	NO

Type NUM
Location 127-127
Width 1
Sequence Order 52
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes 4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

```
-----
Section          5
Variable Name    B_NUMDTP
Label           # BEST VALUE DTP SHOTS
Response
Categories      Freq      Value      Label

                1425      .
                  5        0
                  10       1
                  28       2
                  190      3
                  938      4
                   22       5
                   4        6

Type            NUM
Location        128-129
Width           2
Sequence Order  53
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          INCLUDES ALL DTP-CONTAINING VACCINES.
-----
```

```
-----
Section          5
Variable Name    B_NUMPOL
Label           # BEST VALUE POLIO SHOTS
Response
Categories      Freq      Value      Label

                1425      .
                  6        0
                  9        1
                  90       2
                  917      3
                  169      4
                   5        5
                   1        6

Type            NUM
Location        130-131
Width           2
Sequence Order  54
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          INCLUDES ALL POLIO-CONTAINING VACCINES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

```
-----
Section          5
Variable Name    B_NUMMMR
Label           # BEST VALUE MCV SHOTS
Response
Categories      Freq      Value      Label

                1425      .
                113      0
                1052     1
                 30      2
                  2      3

Type            NUM
Location        132-133
Width           2
Sequence Order  55
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----
```

```
-----
Section          5
Variable Name    B_NUMHIB
Label           # BEST VALUE HIB SHOTS
Response
Categories      Freq      Value      Label

                1425      .
                 13      0
                 16      1
                 36      2
                241      3
                864      4
                 22      5
                  5      6

Type            NUM
Location        134-135
Width           2
Sequence Order  56
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          INCLUDES ALL HIB-CONTAINING VACCINES.
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

```
-----
Section          5
Variable Name    B_NUMHEP
Label           # BEST VALUE HEP B SHOTS
Response
Categories       Freq      Value      Label

                1425       .
                 33        0
                 23        1
                 85        2
                1000       3
                 50        4
                  6        5

Type            NUM
Location        136-137
Width           2
Sequence Order  57
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          5
Variable Name    B_NUMVRC
Label           # BEST VALUE VARICELLA SHOTS
Response
Categories       Freq      Value      Label

                1425       .
                 878       0
                 317       1
                  2        2

Type            NUM
Location        138-139
Width           2
Sequence Order  58
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

Section 5
 Variable Name B_UTDDT3
 Label 3+ DTP BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
1129	1	YES
68	2	NO

Type NUM
 Location 140-140
 Width 1
 Sequence Order 59
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 5
 Variable Name B_UTDDTP
 Label 4+ DTP BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
944	1	YES
253	2	NO

Type NUM
 Location 141-141
 Width 1
 Sequence Order 60
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL DTP-CONTAINING VACCINES.

Section 5
 Variable Name B_UTDPOL
 Label 3+ POLIO BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
1064	1	YES
133	2	NO

Type NUM
 Location 142-142
 Width 1
 Sequence Order 61
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL POLIO-CONTAINING VACCINES.

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

Section 5
 Variable Name B_UTDMMR
 Label 1+ MCV BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
1066	1	YES
131	2	NO

Type NUM
 Location 143-143
 Width 1
 Sequence Order 62
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

Section 5
 Variable Name B_UTDHIB
 Label 3+ HIB BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
1109	1	YES
88	2	NO

Type NUM
 Location 144-144
 Width 1
 Sequence Order 63
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
 Notes INCLUDES ALL HIB-CONTAINING VACCINES.

Section 5
 Variable Name B_UTDHEP
 Label 3+ HEP BEST VALUE UP-TO-DATE STATUS
 Response
 Categories

Freq	Value	Label
1425	.	<BLANK: NOT IN UNIVERSE>
1032	1	YES
165	2	NO

Type NUM
 Location 145-145
 Width 1
 Sequence Order 64
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 5 Best Value Number of Vaccinations and Up-To-Date Variables

```
-----
Section          5
Variable Name    B_12_MMR
Label           # BEST VALUE MCV SHOTS
Response
Categories       Freq      Value      Label

                1579      .
                1022      1
                 21       2

Type            NUM
Location        146-146
Width           1
Sequence Order  65
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----
```

```
-----
Section          5
Variable Name    B_12_MS
Label           # OF MEASLES-ONLY SHOTS - PROV INFO
Response
Categories       Freq      Value      Label

                2621      .
                 1       1

Type            NUM
Location        147-147
Width           1
Sequence Order  66
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
Notes          ONLY INCLUDES MEASLES-ONLY VACCINES.
-----
```

```
-----
Section          5
Variable Name    B_12_VRC
Label           # BEST VALUE VARICELLA SHTS CHILD >12MOS
Response
Categories       Freq      Value      Label

                2326      .
                 294      1
                 2       2

Type            NUM
Location        148-148
Width           1
Sequence Order  67
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DDTPAG1
 Label AGE IN **DAYS**-1ST DTP-CONTAINING SHOT
 Response
 Categories Statistic Description

1004 NUMBER OF NON-MISSING
 1618 NUMBER OF MISSING
 84.19 AVERAGE/MEAN
 64.00 MEDIAN VALUE
 8.00 MINIMUM VALUE
 1585.00 MAXIMUM VALUE

Type NUM
 Location 149-152
 Width 4
 Sequence Order 68
 Source 1997 NHIS/NIPRCS IHQ

Section 6
 Variable Name DTPAG1
 Label AGE IN **MONTHS**-1ST DTP-CONTAINING SHOT
 Response
 Categories Statistic Description

1004 NUMBER OF NON-MISSING
 1618 NUMBER OF MISSING
 2.37 AVERAGE/MEAN
 2.00 MEDIAN VALUE
 0.00 MINIMUM VALUE
 52.00 MAXIMUM VALUE

Type NUM
 Location 153-154
 Width 2
 Sequence Order 69
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DTPTY1
Label           SHOT TYPE OF 1ST DTP-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                 1618      <BLANK: NOT IN UNIVERSE>
                 4         01      DT - MARKED
                 281      02      DTP - MARKED
                 83       03      DTP - UNKNOWN TYPE
                 47       04      DTAP
                 589      06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        155-156
Width           2
Sequence Order  70
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DDTPAG2
Label           AGE IN DAYS-2ND DTP-CONTAINING SHOT
Response
Categories       Statistic Description
                 990      NUMBER OF NON-MISSING
                 1632     NUMBER OF MISSING
                 154.46   AVERAGE/MEAN
                 129.00   MEDIAN VALUE
                 57.00    MINIMUM VALUE
                 1561.00  MAXIMUM VALUE

Type            NUM
Location        157-160
Width           4
Sequence Order  71
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DTPAG2
 Label AGE IN MONTHS-2ND DTP-CONTAINING SHOT
 Response
 Categories Statistic Description

990 NUMBER OF NON-MISSING
 1632 NUMBER OF MISSING
 4.68 AVERAGE/MEAN
 4.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 51.00 MAXIMUM VALUE

Type NUM
 Location 161-162
 Width 2
 Sequence Order 72
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name DTPTY2
 Label SHOT TYPE OF 2ND DTP-CONTAINING SHOT
 Response
 Categories Freq Value Label

1632 <BLANK: NOT IN UNIVERSE>
 4 01 DT - MARKED
 257 02 DTP - MARKED
 104 03 DTP - UNKNOWN TYPE
 55 04 DTAP
 570 06 DTP/HIB - UNKNOWN TYPE

Type CHAR
 Location 163-164
 Width 2
 Sequence Order 73
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DDTPAG3
Label	AGE IN DAYS -3RD DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	969 NUMBER OF NON-MISSING
	1653 NUMBER OF MISSING
	235.91 AVERAGE/MEAN
	196.00 MEDIAN VALUE
	110.00 MINIMUM VALUE
	1840.00 MAXIMUM VALUE
Type	NUM
Location	165-168
Width	4
Sequence Order	74
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	DTPAG3
Label	AGE IN MONTHS -3RD DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	969 NUMBER OF NON-MISSING
	1653 NUMBER OF MISSING
	7.34 AVERAGE/MEAN
	6.00 MEDIAN VALUE
	3.00 MINIMUM VALUE
	60.00 MAXIMUM VALUE
Type	NUM
Location	169-170
Width	2
Sequence Order	75
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DTPTY3
Label           SHOT TYPE OF 3RD DTP-CONTAINING SHOT
Response
Categories      Freq      Value      Label
                1653      <BLANK: NOT IN UNIVERSE>
                5        01      DT - MARKED
                229     02      DTP - MARKED
                136     03      DTP - UNKNOWN TYPE
                63      04      DTAP
                536     06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        171-172
Width           2
Sequence Order  76
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DDTPAG4
Label           AGE IN DAYS-4TH DTP-CONTAINING SHOT
Response
Categories      Statistic Description
                882    NUMBER OF NON-MISSING
                1740   NUMBER OF MISSING
                540.25  AVERAGE/MEAN
                506.00  MEDIAN VALUE
                144.00  MINIMUM VALUE
                2197.00  MAXIMUM VALUE

Type            NUM
Location        173-176
Width           4
Sequence Order  77
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DTPAG4
 Label AGE IN MONTHS-4TH DTP-CONTAINING SHOT
 Response
 Categories Statistic Description

882 NUMBER OF NON-MISSING
 1740 NUMBER OF MISSING
 17.33 AVERAGE/MEAN
 16.00 MEDIAN VALUE
 4.00 MINIMUM VALUE
 72.00 MAXIMUM VALUE

Type NUM
 Location 177-178
 Width 2
 Sequence Order 78
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name DTPTY4
 Label SHOT TYPE OF 4TH DTP-CONTAINING SHOT
 Response
 Categories Freq Value Label

1740 <BLANK: NOT IN UNIVERSE>
 4 01 DT - MARKED
 139 02 DTP - MARKED
 200 03 DTP - UNKNOWN TYPE
 247 04 DTAP
 292 06 DTP/HIB - UNKNOWN TYPE

Type CHAR
 Location 179-180
 Width 2
 Sequence Order 79
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DDTPAG5
Label	AGE IN DAYS -5TH DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	87 NUMBER OF NON-MISSING
	2535 NUMBER OF MISSING
	1217.17 AVERAGE/MEAN
	1478.00 MEDIAN VALUE
	196.00 MINIMUM VALUE
	2000.00 MAXIMUM VALUE
Type	NUM
Location	181-184
Width	4
Sequence Order	80
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	DTPAG5
Label	AGE IN MONTHS -5TH DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	87 NUMBER OF NON-MISSING
	2535 NUMBER OF MISSING
	39.54 AVERAGE/MEAN
	48.00 MEDIAN VALUE
	6.00 MINIMUM VALUE
	65.00 MAXIMUM VALUE
Type	NUM
Location	185-186
Width	2
Sequence Order	81
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DTPTY5
Label           SHOT TYPE OF 5TH DTP-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2535          <BLANK: NOT IN UNIVERSE>
                   1           01      DT - MARKED
                   8           02      DTP - MARKED
                  43           03      DTP - UNKNOWN TYPE
                   24           04      DTAP
                   11           06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        187-188
Width           2
Sequence Order  82
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DDTPAG6
Label           AGE IN DAYS-6TH DTP-CONTAINING SHOT
Response
Categories       Statistic Description
                  9      NUMBER OF NON-MISSING
                 2613     NUMBER OF MISSING
                 755.78   AVERAGE/MEAN
                 714.00   MEDIAN VALUE
                 205.00   MINIMUM VALUE
                 1785.00  MAXIMUM VALUE

Type            NUM
Location        189-192
Width           4
Sequence Order  83
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DTPAG6
Label           AGE IN MONTHS-6TH DTP-CONTAINING SHOT
Response
Categories      Statistic Description

                9 NUMBER OF NON-MISSING
                2613 NUMBER OF MISSING
                24.33 AVERAGE/MEAN
                23.00 MEDIAN VALUE
                6.00 MINIMUM VALUE
                58.00 MAXIMUM VALUE

Type            NUM
Location        193-194
Width           2
Sequence Order  84
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DTPTY6
Label           SHOT TYPE OF 6TH DTP-CONTAINING SHOT
Response
Categories      Freq      Value      Label

                2613      <BLANK: NOT IN UNIVERSE>
                 2         02      DTP - MARKED
                 4         03      DTP - UNKNOWN TYPE
                 1         04      DTAP
                 2         06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        195-196
Width           2
Sequence Order  85
Source          1997 NHIS/NIPRCS IHQ
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DDTPAG7
Label	AGE IN DAYS -7TH DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	2 NUMBER OF NON-MISSING
	2620 NUMBER OF MISSING
	1193.00 AVERAGE/MEAN
	1193.00 MEDIAN VALUE
	615.00 MINIMUM VALUE
	1771.00 MAXIMUM VALUE
Type	NUM
Location	197-200
Width	4
Sequence Order	86
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	DTPAG7
Label	AGE IN MONTHS -7TH DTP-CONTAINING SHOT
Response	
Categories	Statistic Description
	2 NUMBER OF NON-MISSING
	2620 NUMBER OF MISSING
	39.00 AVERAGE/MEAN
	39.00 MEDIAN VALUE
	20.00 MINIMUM VALUE
	58.00 MAXIMUM VALUE
Type	NUM
Location	201-202
Width	2
Sequence Order	87
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DTPTY7
Label           SHOT TYPE OF 7TH DTP-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2620          <BLANK: NOT IN UNIVERSE>
                  1           03      DTP - UNKNOWN TYPE
                  1           06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        203-204
Width           2
Sequence Order  88
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DDTPAG8
Label           AGE IN DAYS-8TH DTP-CONTAINING SHOT
Response
Categories       Statistic Description
                  0      NUMBER OF NON-MISSING
                  2622     NUMBER OF MISSING
                  .      AVERAGE/MEAN
                  .      MEDIAN VALUE
                  .      MINIMUM VALUE
                  .      MAXIMUM VALUE

Type            NUM
Location        205-208
Width           4
Sequence Order  89
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DTPAG8
 Label AGE IN **MONTHS**-8TH DTP-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 209-210
 Width 2
 Sequence Order 90
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name DTPTY8
 Label SHOT TYPE OF 8TH DTP-CONTAINING SHOT
 Response
 Categories Freq Value Label

2622 <BLANK: NOT IN UNIVERSE>

Type CHAR
 Location 211-212
 Width 2
 Sequence Order 91
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DPOLAG1
Label	AGE IN DAYS -1ST POLIO-CONTAINING SHOT
Response	
Categories	Statistic Description

999	NUMBER OF NON-MISSING
1623	NUMBER OF MISSING
83.84	AVERAGE/MEAN
64.00	MEDIAN VALUE
0.00	MINIMUM VALUE
1840.00	MAXIMUM VALUE

Type	NUM
Location	213-216
Width	4
Sequence Order	92
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	POLAG1
Label	AGE IN MONTHS -1ST POLIO-CONTAINING SHOT
Response	
Categories	Statistic Description

999	NUMBER OF NON-MISSING
1623	NUMBER OF MISSING
2.36	AVERAGE/MEAN
2.00	MEDIAN VALUE
0.00	MINIMUM VALUE
60.00	MAXIMUM VALUE

Type	NUM
Location	217-218
Width	2
Sequence Order	93
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    POLTY1
Label           SHOT TYPE OF 1ST POLIO-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  1623          <BLANK: NOT IN UNIVERSE>
                  773           20      OPV
                   28           21      IPV
                   198           22      POLIO UNKNOWN TYPE

Type            CHAR
Location        219-220
Width           2
Sequence Order  94
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DPOLAG2
Label           AGE IN DAYS-2ND POLIO-CONTAINING SHOT
Response
Categories       Statistic Description
                  984  NUMBER OF NON-MISSING
                  1638 NUMBER OF MISSING
                  154.27 AVERAGE/MEAN
                  130.00 MEDIAN VALUE
                   34.00 MINIMUM VALUE
                  1561.00 MAXIMUM VALUE

Type            NUM
Location        221-224
Width           4
Sequence Order  95
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name POLAG2
 Label AGE IN MONTHS-2ND POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

984 NUMBER OF NON-MISSING
 1638 NUMBER OF MISSING
 4.66 AVERAGE/MEAN
 4.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 51.00 MAXIMUM VALUE

Type NUM
 Location 225-226
 Width 2
 Sequence Order 96
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name POLTY2
 Label SHOT TYPE OF 2ND POLIO-CONTAINING SHOT
 Response
 Categories

Freq	Value	Label
1638		<BLANK: NOT IN UNIVERSE>
749	20	OPV
26	21	IPV
209	22	POLIO UNKNOWN TYPE

Type CHAR
 Location 227-228
 Width 2
 Sequence Order 97
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DPOLAG3
 Label AGE IN **DAYS**-3RD POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

937 NUMBER OF NON-MISSING
 1685 NUMBER OF MISSING
 309.74 AVERAGE/MEAN
 210.00 MEDIAN VALUE
 92.00 MINIMUM VALUE
 1956.00 MAXIMUM VALUE

Type NUM
 Location 229-232
 Width 4
 Sequence Order 98
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name POLAG3
 Label AGE IN **MONTHS**-3RD POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

937 NUMBER OF NON-MISSING
 1685 NUMBER OF MISSING
 9.76 AVERAGE/MEAN
 6.00 MEDIAN VALUE
 3.00 MINIMUM VALUE
 64.00 MAXIMUM VALUE

Type NUM
 Location 233-234
 Width 2
 Sequence Order 99
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    POLTY3
Label           SHOT TYPE OF 3RD POLIO-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  1685          <BLANK: NOT IN UNIVERSE>
                  710           20      OPV
                  11           21      IPV
                  216           22      POLIO UNKNOWN TYPE

Type            CHAR
Location        235-236
Width           2
Sequence Order  100
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DPOLAG4
Label           AGE IN DAYS-4TH POLIO-CONTAINING SHOT
Response
Categories       Statistic Description
                  210  NUMBER OF NON-MISSING
                  2412 NUMBER OF MISSING
                  790.44 AVERAGE/MEAN
                  559.00 MEDIAN VALUE
                  144.00 MINIMUM VALUE
                  2197.00 MAXIMUM VALUE

Type            NUM
Location        237-240
Width           4
Sequence Order  101
Source          1997 NHIS/NIPRCS IHQ
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name POLAG4
 Label AGE IN MONTHS-4TH POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

210 NUMBER OF NON-MISSING
 2412 NUMBER OF MISSING
 25.54 AVERAGE/MEAN
 18.00 MEDIAN VALUE
 4.00 MINIMUM VALUE
 72.00 MAXIMUM VALUE

Type NUM
 Location 241-242
 Width 2
 Sequence Order 102
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name POLTY4
 Label SHOT TYPE OF 4TH POLIO-CONTAINING SHOT
 Response
 Categories Freq Value Label

2412 <BLANK: NOT IN UNIVERSE>
 146 20 OPV
 13 21 IPV
 51 22 POLIO UNKNOWN TYPE

Type CHAR
 Location 243-244
 Width 2
 Sequence Order 103
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DPOLAG5
Label	AGE IN DAYS -5TH POLIO-CONTAINING SHOT
Response	
Categories	Statistic Description

16	NUMBER OF NON-MISSING
2606	NUMBER OF MISSING
922.13	AVERAGE/MEAN
560.00	MEDIAN VALUE
196.00	MINIMUM VALUE
1907.00	MAXIMUM VALUE

Type	NUM
Location	245-248
Width	4
Sequence Order	104
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	POLAG5
Label	AGE IN MONTHS -5TH POLIO-CONTAINING SHOT
Response	
Categories	Statistic Description

16	NUMBER OF NON-MISSING
2606	NUMBER OF MISSING
29.75	AVERAGE/MEAN
18.00	MEDIAN VALUE
6.00	MINIMUM VALUE
62.00	MAXIMUM VALUE

Type	NUM
Location	249-250
Width	2
Sequence Order	105
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    POLTY5
Label           SHOT TYPE OF 5TH POLIO-CONTAINING SHOT
Response
Categories      Freq      Value      Label
                2606          <BLANK: NOT IN UNIVERSE>
                12           20      OPV
                 1           21      IPV
                 3           22      POLIO UNKNOWN TYPE

Type            CHAR
Location        251-252
Width           2
Sequence Order  106
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DPOLAG6
Label           AGE IN DAYS-6TH POLIO-CONTAINING SHOT
Response
Categories      Statistic Description
                4      NUMBER OF NON-MISSING
                2618     NUMBER OF MISSING
                892.25   AVERAGE/MEAN
                613.50   MEDIAN VALUE
                571.00   MINIMUM VALUE
                1771.00  MAXIMUM VALUE

Type            NUM
Location        253-256
Width           4
Sequence Order  107
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section 6
 Variable Name POLAG6
 Label AGE IN **MONTHS**-6TH POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

4	NUMBER OF NON-MISSING
2618	NUMBER OF MISSING
29.00	AVERAGE/MEAN
20.00	MEDIAN VALUE
18.00	MINIMUM VALUE
58.00	MAXIMUM VALUE

Type NUM
 Location 265-266
 Width 2
 Sequence Order 108
 Source 1997 NHIS/NIPRCS IHQ

Section 6
 Variable Name POLTY6
 Label SHOT TYPE OF 6TH POLIO-CONTAINING SHOT
 Response
 Categories

Freq	Value	Label
2618		<BLANK: NOT IN UNIVERSE>
2	20	OPV
2	22	POLIO UNKNOWN TYPE

Type CHAR
 Location 259-260
 Width 2
 Sequence Order 109
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DPOLAG7
 Label AGE IN **DAYS**-7TH POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 261-264
 Width 4
 Sequence Order 110
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name POLAG7
 Label AGE IN **MONTHS**-7TH POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 273-274
 Width 2
 Sequence Order 111
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    POLTY7
Label           SHOT TYPE OF 7TH POLIO-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2622          <BLANK: NOT IN UNIVERSE>

Type            CHAR
Location        267-268
Width           2
Sequence Order  112
Source          1997 NHIS/NIPRCS IHQ
Notes
```

```
-----
Section          6
Variable Name    DPOLAG8
Label           AGE IN DAYS-8TH POLIO-CONTAINING SHOT
Response
Categories       Statistic Description
                  0 NUMBER OF NON-MISSING
                  2622 NUMBER OF MISSING
                  .  AVERAGE/MEAN
                  .  MEDIAN VALUE
                  .  MINIMUM VALUE
                  .  MAXIMUM VALUE

Type            NUM
Location        269-272
Width           4
Sequence Order  113
Source          1997 NHIS/NIPRCS IHQ
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name POLAG8
 Label AGE IN MONTHS-8TH POLIO-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 257-258
 Width 2
 Sequence Order 114
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name POLTY8
 Label SHOT TYPE OF 8TH POLIO-CONTAINING SHOT
 Response
 Categories Freq Value Label
 2622 <BLANK: NOT IN UNIVERSE>

Type CHAR
 Location 275-276
 Width 2
 Sequence Order 115
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DMMRAG1
Label	AGE IN DAYS -1ST MCV-CONTAINING SHOT
Response	
Categories	Statistic Description
	950 NUMBER OF NON-MISSING
	1672 NUMBER OF MISSING
	461.15 AVERAGE/MEAN
	448.00 MEDIAN VALUE
	2.00 MINIMUM VALUE
	2000.00 MAXIMUM VALUE
Type	NUM
Location	277-280
Width	4
Sequence Order	116
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	MMRAG1
Label	AGE IN MONTHS -1ST MCV SHOT
Response	
Categories	Statistic Description
	950 NUMBER OF NON-MISSING
	1672 NUMBER OF MISSING
	14.73 AVERAGE/MEAN
	14.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	65.00 MAXIMUM VALUE
Type	NUM
Location	281-282
Width	2
Sequence Order	117
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    MMRTY1
Label           SHOT TYPE OF 1ST MCV-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  1672          <BLANK: NOT IN UNIVERSE>
                  948           30      TRUE MMR
                   2           31      MEASLES ONLY

Type            CHAR
Location        283-284
Width           2
Sequence Order  118
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DMMRAG2
Label           AGE IN DAYS-2ND MCV-CONTAINING SHOT
Response
Categories       Statistic Description
                  99      NUMBER OF NON-MISSING
                  2523     NUMBER OF MISSING
                  1286.72   AVERAGE/MEAN
                  1478.00   MEDIAN VALUE
                  188.00    MINIMUM VALUE
                  1956.00   MAXIMUM VALUE

Type            NUM
Location        285-288
Width           4
Sequence Order  119
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	MMRAG2
Label	AGE IN MONTHS -2ND MCV SHOT
Response	
Categories	Statistic Description
	99 NUMBER OF NON-MISSING
	2523 NUMBER OF MISSING
	41.86 AVERAGE/MEAN
	48.00 MEDIAN VALUE
	6.00 MINIMUM VALUE
	64.00 MAXIMUM VALUE

Type	NUM
Location	289-290
Width	2
Sequence Order	120
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	MMRTY2
Label	SHOT TYPE OF 2ND MCV-CONTAINING SHOT
Response	
Categories	Freq Value Label
	2523 <BLANK: NOT IN UNIVERSE>
	99 30 TRUE MMR

Type	CHAR
Location	291-292
Width	2
Sequence Order	121
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DMMRAG3
 Label AGE IN **DAYS**-3RD MCV-CONTAINING SHOT
 Response
 Categories Statistic Description

1 NUMBER OF NON-MISSING
 2621 NUMBER OF MISSING
 365.00 AVERAGE/MEAN
 365.00 MEDIAN VALUE
 365.00 MINIMUM VALUE
 365.00 MAXIMUM VALUE

Type NUM
 Location 293-296
 Width 4
 Sequence Order 122
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name MMRAG3
 Label AGE IN **MONTHS**-3RD MCV SHOT
 Response
 Categories Statistic Description

1 NUMBER OF NON-MISSING
 2621 NUMBER OF MISSING
 12.00 AVERAGE/MEAN
 12.00 MEDIAN VALUE
 12.00 MINIMUM VALUE
 12.00 MAXIMUM VALUE

Type NUM
 Location 297-298
 Width 2
 Sequence Order 123
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    MMRTY3
Label           SHOT TYPE OF 3RD MCV-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2621          <BLANK: NOT IN UNIVERSE>
                  1           30      TRUE MMR

Type            CHAR
Location        299-300
Width           2
Sequence Order  124
Source          1997 NHIS/NIPRCS IHQ
Notes
-----
```

```
-----
Section          6
Variable Name    DMMRAG4
Label           AGE IN DAYS-4TH MCV-CONTAINING SHOT
Response
Categories       Statistic Description
                  0      NUMBER OF NON-MISSING
                  2622  NUMBER OF MISSING
                  .      AVERAGE/MEAN
                  .      MEDIAN VALUE
                  .      MINIMUM VALUE
                  .      MAXIMUM VALUE

Type            NUM
Location        301-304
Width           4
Sequence Order  125
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	MMRAG4
Label	AGE IN MONTHS -4TH MCV SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	305-306
Width	2
Sequence Order	126
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	MMRTY4
Label	SHOT TYPE OF 4TH MCV-CONTAINING SHOT
Response	
Categories	Freq Value Label
	2622 <BLANK: NOT IN UNIVERSE>
Type	CHAR
Location	307-308
Width	2
Sequence Order	127
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DHIBAG1
Label	AGE IN DAYS -1ST HIB-CONTAINING SHOT
Response	
Categories	Statistic Description

998	NUMBER OF NON-MISSING
1624	NUMBER OF MISSING
83.75	AVERAGE/MEAN
64.00	MEDIAN VALUE
2.00	MINIMUM VALUE
1493.00	MAXIMUM VALUE

Type	NUM
Location	309-312
Width	4
Sequence Order	128
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	HIBAG1
Label	AGE IN MONTHS -1ST HIB-CONTAINING SHOT
Response	
Categories	Statistic Description

998	NUMBER OF NON-MISSING
1624	NUMBER OF MISSING
2.35	AVERAGE/MEAN
2.00	MEDIAN VALUE
0.00	MINIMUM VALUE
49.00	MAXIMUM VALUE

Type	NUM
Location	313-314
Width	2
Sequence Order	129
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    HIBTY1
Label            SHOT TYPE OF 1ST HIB-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  1624      <BLANK: NOT IN UNIVERSE>
                  595       06      DTP/HIB - UNKNOWN TYPE
                  403       42      HIB UNKNOWN TYPE

Type             CHAR
Location         315-316
Width            2
Sequence Order   130
Source           1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DHIBAG2
Label            AGE IN DAYS-2ND HIB-CONTAINING SHOT
Response
Categories       Statistic Description
                  975  NUMBER OF NON-MISSING
                  1647 NUMBER OF MISSING
                  153.60 AVERAGE/MEAN
                  129.00 MEDIAN VALUE
                  57.00  MINIMUM VALUE
                  1561.00 MAXIMUM VALUE

Type             NUM
Location         317-320
Width            4
Sequence Order   131
Source           1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name HIBAG2
 Label AGE IN MONTHS-2ND HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

975 NUMBER OF NON-MISSING
 1647 NUMBER OF MISSING
 4.65 AVERAGE/MEAN
 4.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 51.00 MAXIMUM VALUE

Type NUM
 Location 321-322
 Width 2
 Sequence Order 132
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HIBTY2
 Label SHOT TYPE OF 2ND HIB-CONTAINING SHOT
 Response
 Categories Freq Value Label

1647 <BLANK: NOT IN UNIVERSE>
 570 06 DTP/HIB - UNKNOWN TYPE
 405 42 HIB UNKNOWN TYPE

Type CHAR
 Location 323-324
 Width 2
 Sequence Order 133
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHIBAG3
 Label AGE IN **DAYS**-3RD HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

947 NUMBER OF NON-MISSING
 1675 NUMBER OF MISSING
 236.58 AVERAGE/MEAN
 197.00 MEDIAN VALUE
 110.00 MINIMUM VALUE
 1692.00 MAXIMUM VALUE

Type NUM
 Location 325-328
 Width 4
 Sequence Order 134
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HIBAG3
 Label AGE IN **MONTHS**-3RD HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

947 NUMBER OF NON-MISSING
 1675 NUMBER OF MISSING
 7.36 AVERAGE/MEAN
 6.00 MEDIAN VALUE
 3.00 MINIMUM VALUE
 55.00 MAXIMUM VALUE

Type NUM
 Location 329-330
 Width 2
 Sequence Order 135
 Source 1997 NHIS/NIPRCS IHQ
 Notes

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    HIBTY3
Label           SHOT TYPE OF 3RD HIB-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  1675         <BLANK: NOT IN UNIVERSE>
                  532          06      DTP/HIB - UNKNOWN TYPE
                  415          42      HIB UNKNOWN TYPE

Type            CHAR
Location        331-332
Width           2
Sequence Order  136
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DHIBAG4
Label           AGE IN DAYS-4TH HIB-CONTAINING SHOT
Response
Categories       Statistic Description
                  803  NUMBER OF NON-MISSING
                  1819 NUMBER OF MISSING
                  493.21 AVERAGE/MEAN
                  469.00 MEDIAN VALUE
                  144.00 MINIMUM VALUE
                  1585.00 MAXIMUM VALUE

Type            NUM
Location        333-336
Width           4
Sequence Order  137
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name HIBAG4
 Label AGE IN MONTHS-4TH HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

803 NUMBER OF NON-MISSING
 1819 NUMBER OF MISSING
 15.78 AVERAGE/MEAN
 15.00 MEDIAN VALUE
 4.00 MINIMUM VALUE
 52.00 MAXIMUM VALUE

Type NUM
 Location 337-338
 Width 2
 Sequence Order 138
 Source 1997 NHIS/NIPRCS IHQ
 Notes

 Section 6
 Variable Name HIBTY4
 Label SHOT TYPE OF 4TH HIB-CONTAINING SHOT
 Response
 Categories Freq Value Label

1819 <BLANK: NOT IN UNIVERSE>
 286 06 DTP/HIB - UNKNOWN TYPE
 517 42 HIB UNKNOWN TYPE

Type CHAR
 Location 339-340
 Width 2
 Sequence Order 139
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHIBAG5
 Label AGE IN **DAYS**-5TH HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

33 NUMBER OF NON-MISSING
 2589 NUMBER OF MISSING
 617.39 AVERAGE/MEAN
 553.00 MEDIAN VALUE
 196.00 MINIMUM VALUE
 1626.00 MAXIMUM VALUE

Type NUM
 Location 341-344
 Width 4
 Sequence Order 140
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HIBAG5
 Label AGE IN **MONTHS**-5TH HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

33 NUMBER OF NON-MISSING
 2589 NUMBER OF MISSING
 19.88 AVERAGE/MEAN
 18.00 MEDIAN VALUE
 6.00 MINIMUM VALUE
 53.00 MAXIMUM VALUE

Type NUM
 Location 345-346
 Width 2
 Sequence Order 141
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    HIBTY5
Label           SHOT TYPE OF 5TH HIB-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2589          <BLANK: NOT IN UNIVERSE>
                  15           06      DTP/HIB - UNKNOWN TYPE
                  18           42      HIB UNKNOWN TYPE

Type            CHAR
Location        347-348
Width           2
Sequence Order  142
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DHIBAG6
Label           AGE IN DAYS-6TH HIB-CONTAINING SHOT
Response
Categories       Statistic Description
                  6      NUMBER OF NON-MISSING
                  2616   NUMBER OF MISSING
                  544.67  AVERAGE/MEAN
                  570.00  MEDIAN VALUE
                  205.00  MINIMUM VALUE
                  825.00  MAXIMUM VALUE

Type            NUM
Location        349-352
Width           4
Sequence Order  143
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name HIBAG6
 Label AGE IN MONTHS-6TH HIB-CONTAINING SHOT
 Response
 Categories Statistic Description

6 NUMBER OF NON-MISSING
 2616 NUMBER OF MISSING
 17.50 AVERAGE/MEAN
 18.50 MEDIAN VALUE
 6.00 MINIMUM VALUE
 27.00 MAXIMUM VALUE

Type NUM
 Location 353-354
 Width 2
 Sequence Order 144
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HIBTY6
 Label SHOT TYPE OF 6TH HIB-CONTAINING SHOT
 Response
 Categories Freq Value Label

2616 <BLANK: NOT IN UNIVERSE>
 2 06 DTP/HIB - UNKNOWN TYPE
 4 42 HIB UNKNOWN TYPE

Type CHAR
 Location 355-356
 Width 2
 Sequence Order 145
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DHIBAG7
Label	AGE IN DAYS -7TH HIB-CONTAINING SHOT
Response	
Categories	Statistic Description

1	NUMBER OF NON-MISSING
2621	NUMBER OF MISSING
615.00	AVERAGE/MEAN
615.00	MEDIAN VALUE
615.00	MINIMUM VALUE
615.00	MAXIMUM VALUE

Type	NUM
Location	357-360
Width	4
Sequence Order	146
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	HIBAG7
Label	AGE IN MONTHS -7TH HIB-CONTAINING SHOT
Response	
Categories	Statistic Description

1	NUMBER OF NON-MISSING
2621	NUMBER OF MISSING
20.00	AVERAGE/MEAN
20.00	MEDIAN VALUE
20.00	MINIMUM VALUE
20.00	MAXIMUM VALUE

Type	NUM
Location	361-362
Width	2
Sequence Order	147
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    HIBTY7
Label           SHOT TYPE OF 7TH HIB-CONTAINING SHOT
Response
Categories       Freq      Value      Label
                  2621      <BLANK: NOT IN UNIVERSE>
                  1         06      DTP/HIB - UNKNOWN TYPE

Type            CHAR
Location        363-364
Width           2
Sequence Order  148
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    DHIBAG8
Label           AGE IN DAYS-8TH HIB-CONTAINING SHOT
Response
Categories       Statistic Description
                  0      NUMBER OF NON-MISSING
                  2622     NUMBER OF MISSING
                  .      AVERAGE/MEAN
                  .      MEDIAN VALUE
                  .      MINIMUM VALUE
                  .      MAXIMUM VALUE
-----
```

```
Type            NUM
Location        365-368
Width           4
Sequence Order  149
Source          1997 NHIS/NIPRCS IHQ
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	HIBAG8
Label	AGE IN MONTHS -8TH HIB-CONTAINING SHOT
Response	
Categories	Statistic Description

0	NUMBER OF NON-MISSING
2622	NUMBER OF MISSING
.	AVERAGE/MEAN
.	MEDIAN VALUE
.	MINIMUM VALUE
.	MAXIMUM VALUE

Type	NUM
Location	369-370
Width	2
Sequence Order	150
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	HIBTY8
Label	SHOT TYPE OF 8TH HIB-CONTAINING SHOT
Response	
Categories	Freq Value Label

2622	<BLANK: NOT IN UNIVERSE>
------	--------------------------

Type	CHAR
Location	371-372
Width	2
Sequence Order	151
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG1
 Label AGE IN **DAYS**-1ST HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

990 NUMBER OF NON-MISSING
 1632 NUMBER OF MISSING
 47.69 AVERAGE/MEAN
 6.50 MEDIAN VALUE
 0.00 MINIMUM VALUE
 1771.00 MAXIMUM VALUE

Type NUM
 Location 373-376
 Width 4
 Sequence Order 152
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG1
 Label AGE IN **MONTHS**-1ST HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

990 NUMBER OF NON-MISSING
 1632 NUMBER OF MISSING
 1.34 AVERAGE/MEAN
 0.00 MEDIAN VALUE
 0.00 MINIMUM VALUE
 58.00 MAXIMUM VALUE

Type NUM
 Location 377-378
 Width 2
 Sequence Order 153
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DHEPAG2
Label	AGE IN DAYS -2ND HEP-B CONTAINING SHOT
Response	
Categories	Statistic Description

970	NUMBER OF NON-MISSING
1652	NUMBER OF MISSING
115.86	AVERAGE/MEAN
66.00	MEDIAN VALUE
1.00	MINIMUM VALUE
1893.00	MAXIMUM VALUE

Type	NUM
Location	379-382
Width	4
Sequence Order	154
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	HEPAG2
Label	AGE IN MONTHS -2ND HEP B-CONTAINING SHOT
Response	
Categories	Statistic Description

970	NUMBER OF NON-MISSING
1652	NUMBER OF MISSING
3.43	AVERAGE/MEAN
2.00	MEDIAN VALUE
0.00	MINIMUM VALUE
62.00	MAXIMUM VALUE

Type	NUM
Location	383-384
Width	2
Sequence Order	155
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG3
 Label AGE IN **DAYS**-3RD HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

895 NUMBER OF NON-MISSING
 1727 NUMBER OF MISSING
 286.57 AVERAGE/MEAN
 256.00 MEDIAN VALUE
 31.00 MINIMUM VALUE
 1919.00 MAXIMUM VALUE

Type NUM
 Location 385-388
 Width 4
 Sequence Order 156
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG3
 Label AGE IN **MONTHS**-3RD HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

895 NUMBER OF NON-MISSING
 1727 NUMBER OF MISSING
 9.00 AVERAGE/MEAN
 8.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 63.00 MAXIMUM VALUE

Type NUM
 Location 389-390
 Width 2
 Sequence Order 157
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG4
 Label AGE IN **DAYS**-4TH HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

49 NUMBER OF NON-MISSING
 2573 NUMBER OF MISSING
 339.94 AVERAGE/MEAN
 274.00 MEDIAN VALUE
 37.00 MINIMUM VALUE
 1490.00 MAXIMUM VALUE

Type NUM
 Location 391-394
 Width 4
 Sequence Order 158
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG4
 Label AGE IN **MONTHS**-4TH HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

49 NUMBER OF NON-MISSING
 2573 NUMBER OF MISSING
 10.76 AVERAGE/MEAN
 9.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 48.00 MAXIMUM VALUE

Type NUM
 Location 395-396
 Width 2
 Sequence Order 159
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG5
 Label AGE IN **DAYS**-5TH HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

8 NUMBER OF NON-MISSING
 2614 NUMBER OF MISSING
 623.75 AVERAGE/MEAN
 535.50 MEDIAN VALUE
 161.00 MINIMUM VALUE
 1546.00 MAXIMUM VALUE

Type NUM
 Location 397-400
 Width 4
 Sequence Order 160
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG5
 Label AGE IN **MONTHS**-5TH HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

8 NUMBER OF NON-MISSING
 2614 NUMBER OF MISSING
 20.00 AVERAGE/MEAN
 17.00 MEDIAN VALUE
 5.00 MINIMUM VALUE
 50.00 MAXIMUM VALUE

Type NUM
 Location 401-402
 Width 2
 Sequence Order 161
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DHEPAG6
Label	AGE IN DAYS -6TH HEP-B CONTAINING SHOT
Response	
Categories	Statistic Description

0	NUMBER OF NON-MISSING
2622	NUMBER OF MISSING
.	AVERAGE/MEAN
.	MEDIAN VALUE
.	MINIMUM VALUE
.	MAXIMUM VALUE

Type	NUM
Location	403-406
Width	4
Sequence Order	162
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	HEPAG6
Label	AGE IN MONTHS -6TH HEP B-CONTAINING SHOT
Response	
Categories	Statistic Description

0	NUMBER OF NON-MISSING
2622	NUMBER OF MISSING
.	AVERAGE/MEAN
.	MEDIAN VALUE
.	MINIMUM VALUE
.	MAXIMUM VALUE

Type	NUM
Location	407-408
Width	2
Sequence Order	163
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG7
 Label AGE IN **DAYS**-7TH HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 409-412
 Width 4
 Sequence Order 164
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG7
 Label AGE IN **MONTHS**-7TH HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 413-414
 Width 2
 Sequence Order 165
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

 Section 6
 Variable Name DHEPAG8
 Label AGE IN **DAYS**-8TH HEP-B CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 415-418
 Width 4
 Sequence Order 166
 Source 1997 NHIS/NIPRCS IHQ

 Section 6
 Variable Name HEPAG8
 Label AGE IN **MONTHS**-8TH HEP B-CONTAINING SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 419-420
 Width 2
 Sequence Order 167
 Source 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DVRCAG1
Label	AGE IN DAYS -1ST VARICELLA SHOT
Response	
Categories	Statistic Description
	359 NUMBER OF NON-MISSING
	2263 NUMBER OF MISSING
	609.79 AVERAGE/MEAN
	477.00 MEDIAN VALUE
	18.00 MINIMUM VALUE
	1956.00 MAXIMUM VALUE
Type	NUM
Location	421-424
Width	4
Sequence Order	168
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	VRCAG1
Label	AGE IN MONTHS -1ST VARICELLA SHOT
Response	
Categories	Statistic Description
	359 NUMBER OF NON-MISSING
	2263 NUMBER OF MISSING
	19.59 AVERAGE/MEAN
	15.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	64.00 MAXIMUM VALUE
Type	NUM
Location	425-426
Width	2
Sequence Order	169
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DVRCAG2
Label	AGE IN DAYS -2ND VARICELLA SHOT
Response	
Categories	Statistic Description
	3 NUMBER OF NON-MISSING
	2619 NUMBER OF MISSING
	895.33 AVERAGE/MEAN
	747.00 MEDIAN VALUE
	471.00 MINIMUM VALUE
	1468.00 MAXIMUM VALUE
Type	NUM
Location	427-430
Width	4
Sequence Order	170
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	VRCAG2
Label	AGE IN MONTHS -2ND VARICELLA SHOT
Response	
Categories	Statistic Description
	3 NUMBER OF NON-MISSING
	2619 NUMBER OF MISSING
	29.00 AVERAGE/MEAN
	24.00 MEDIAN VALUE
	15.00 MINIMUM VALUE
	48.00 MAXIMUM VALUE
Type	NUM
Location	431-432
Width	2
Sequence Order	171
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

Section	6
Variable Name	DVRCAG3
Label	AGE IN DAYS -3RD VARICELLA SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	433-436
Width	4
Sequence Order	172
Source	1997 NHIS/NIPRCS IHQ

Section	6
Variable Name	VRCAG3
Label	AGE IN MONTHS -3RD VARICELLA SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	437-438
Width	2
Sequence Order	173
Source	1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

**Section 6 Provider-Reported Age in Days and Months at Vaccination and Type of Vaccination
 Variables**

```
-----
Section          6
Variable Name    DVRCAG4
Label           AGE IN DAYS-4TH VARICELLA SHOT
Response
Categories      Statistic Description

                0  NUMBER OF NON-MISSING
                2622 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        439-442
Width           4
Sequence Order  174
Source          1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section          6
Variable Name    VRCAG4
Label           AGE IN MONTHS-4TH VARICELLA SHOT
Response
Categories      Statistic Description

                0  NUMBER OF NON-MISSING
                2622 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        443-444
Width           2
Sequence Order  175
Source          1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBDTPAG1
Label	BEST VALUE AGE IN DAYS -1ST DTP SHOT
Response	
Categories	Statistic Description
	1190 NUMBER OF NON-MISSING
	1432 NUMBER OF MISSING
	79.41 AVERAGE/MEAN
	64.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	1493.00 MAXIMUM VALUE
Type	NUM
Location	445-448
Width	4
Sequence Order	176
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BDTPAG1
Label	BEST VALUE AGE IN MONTHS AT 1ST DTP SHOT
Response	
Categories	Statistic Description
	1190 NUMBER OF NON-MISSING
	1432 NUMBER OF MISSING
	2.21 AVERAGE/MEAN
	2.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	49.00 MAXIMUM VALUE
Type	NUM
Location	449-450
Width	2
Sequence Order	177
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name        BDTPTY1
Label                SHOT TYPE OF BEST DTP-CONTAINING SHOT #1
Response
Categories           Freq      Value      Label

                   1427      <BLANK: NOT IN UNIVERSE>
                   4         01      DT - MARKED
                   271      02      DTP - MARKED
                   301      03      DTP - UNKNOWN TYPE
                   44       04      DTAP
                   575      06      DTP/HIB - UNKNOWN TYPE

Type                CHAR
Location            451-452
Width               2
Sequence Order      178
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name        DBDTPAG2
Label                BEST VALUE AGE IN DAYS-2ND DTP SHOT
Response
Categories           Statistic Description

                   1182  NUMBER OF NON-MISSING
                   1440  NUMBER OF MISSING
                   151.11 AVERAGE/MEAN
                   129.00 MEDIAN VALUE
                   62.00  MINIMUM VALUE
                   1561.00 MAXIMUM VALUE

Type                NUM
Location            453-456
Width               4
Sequence Order      179
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
Variable Name BDTPAG2
Label BEST VALUE AGE IN **MONTHS** AT 2ND DTP SHOT
Response
Categories Statistic Description

1182	NUMBER OF NON-MISSING
1440	NUMBER OF MISSING
4.56	AVERAGE/MEAN
4.00	MEDIAN VALUE
2.00	MINIMUM VALUE
51.00	MAXIMUM VALUE

Type NUM
Location 457-458
Width 2
Sequence Order 180
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
Variable Name BDTPTY2
Label SHOT TYPE OF BEST DTP-CONTAINING SHOT #2
Response
Categories Freq Value Label

1435		<BLANK: NOT IN UNIVERSE>
4	01	DT - MARKED
251	02	DTP - MARKED
320	03	DTP - UNKNOWN TYPE
53	04	DTAP
559	06	DTP/HIB - UNKNOWN TYPE

Type CHAR
Location 459-460
Width 2
Sequence Order 181
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBDTPAG3
 Label BEST VALUE AGE IN **DAYS**-3RD DTP SHOT
 Response
 Categories Statistic Description

1162 NUMBER OF NON-MISSING
 1460 NUMBER OF MISSING
 231.68 AVERAGE/MEAN
 196.00 MEDIAN VALUE
 66.00 MINIMUM VALUE
 1620.00 MAXIMUM VALUE

Type NUM
 Location 461-464
 Width 4
 Sequence Order 182
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BDTPAG3
 Label BEST VALUE AGE IN **MONTHS** AT 3RD DTP SHOT
 Response
 Categories Statistic Description

1162 NUMBER OF NON-MISSING
 1460 NUMBER OF MISSING
 7.20 AVERAGE/MEAN
 6.00 MEDIAN VALUE
 2.00 MINIMUM VALUE
 53.00 MAXIMUM VALUE

Type NUM
 Location 465-466
 Width 2
 Sequence Order 183
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BDTPTY3
Label              SHOT TYPE OF BEST DTP-CONTAINING SHOT #3
Response
Categories          Freq      Value      Label

                  1455          <BLANK: NOT IN UNIVERSE>
                   5           01      DT - MARKED
                  223          02      DTP - MARKED
                  351          03      DTP - UNKNOWN TYPE
                   62          04      DTAP
                  526          06      DTP/HIB - UNKNOWN TYPE

Type                CHAR
Location            467-468
Width               2
Sequence Order      184
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBDTPAG4
Label              BEST VALUE AGE IN DAYS-4TH DTP SHOT
Response
Categories          Statistic Description

                  1078  NUMBER OF NON-MISSING
                  1544  NUMBER OF MISSING
                  535.24 AVERAGE/MEAN
                  504.00 MEDIAN VALUE
                  132.00 MINIMUM VALUE
                  2197.00 MAXIMUM VALUE

Type                NUM
Location            469-472
Width               4
Sequence Order      185
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name BDTPAG4
 Label BEST VALUE AGE IN **MONTHS** AT 4TH DTP SHOT
 Response
 Categories Statistic Description

1078	NUMBER OF NON-MISSING
1544	NUMBER OF MISSING
17.16	AVERAGE/MEAN
16.00	MEDIAN VALUE
4.00	MINIMUM VALUE
72.00	MAXIMUM VALUE

Type NUM
 Location 473-474
 Width 2
 Sequence Order 186
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BDTPTY4
 Label SHOT TYPE OF BEST DTP-CONTAINING SHOT #4
 Response
 Categories Freq Value Label

1539		<BLANK: NOT IN UNIVERSE>
4	01	DT - MARKED
134	02	DTP - MARKED
406	03	DTP - UNKNOWN TYPE
244	04	DTAP
295	06	DTP/HIB - UNKNOWN TYPE

Type CHAR
 Location 475-476
 Width 2
 Sequence Order 187
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBDTPAG5
 Label BEST VALUE AGE IN **DAYS**-5TH DTP SHOT
 Response
 Categories Statistic Description

86 NUMBER OF NON-MISSING
 2536 NUMBER OF MISSING
 1254.79 AVERAGE/MEAN
 1479.00 MEDIAN VALUE
 238.00 MINIMUM VALUE
 2000.00 MAXIMUM VALUE

Type NUM
 Location 477-480
 Width 4
 Sequence Order 188
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BDTPAG5
 Label BEST VALUE AGE IN **MONTHS** AT 5TH DTP SHOT
 Response
 Categories Statistic Description

86 NUMBER OF NON-MISSING
 2536 NUMBER OF MISSING
 40.80 AVERAGE/MEAN
 48.00 MEDIAN VALUE
 7.00 MINIMUM VALUE
 65.00 MAXIMUM VALUE

Type NUM
 Location 481-482
 Width 2
 Sequence Order 189
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BDTPTY5
Label              SHOT TYPE OF BEST DTP-CONTAINING SHOT #5
Response
Categories          Freq      Value      Label

                   2535          <BLANK: NOT IN UNIVERSE>
                   1           01      DT - MARKED
                   7           02      DTP - MARKED
                   45          03      DTP - UNKNOWN TYPE
                   27          04      DTAP
                   7           06      DTP/HIB - UNKNOWN TYPE

Type                CHAR
Location            483-484
Width               2
Sequence Order     190
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBDTPAG6
Label              BEST VALUE AGE IN DAYS-6TH DTP SHOT
Response
Categories          Statistic Description

                   8      NUMBER OF NON-MISSING
                   2614   NUMBER OF MISSING
                   973.25  AVERAGE/MEAN
                   817.00  MEDIAN VALUE
                   619.00  MINIMUM VALUE
                   1785.00  MAXIMUM VALUE

Type                NUM
Location            485-488
Width               4
Sequence Order     191
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	BDTPAG6
Label	BEST VALUE AGE IN MONTHS AT 6TH DTP SHOT
Response	
Categories	Statistic Description
	8 NUMBER OF NON-MISSING
	2614 NUMBER OF MISSING
	31.63 AVERAGE/MEAN
	26.50 MEDIAN VALUE
	20.00 MINIMUM VALUE
	58.00 MAXIMUM VALUE
Type	NUM
Location	489-490
Width	2
Sequence Order	192
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BDTPTY6
Label	SHOT TYPE OF BEST DTP-CONTAINING SHOT #6
Response	
Categories	Freq Value Label
	2614 <BLANK: NOT IN UNIVERSE>
	2 02 DTP - MARKED
	6 03 DTP - UNKNOWN TYPE
Type	CHAR
Location	491-492
Width	2
Sequence Order	193
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBDTPAG7
 Label BEST VALUE AGE IN **DAYS**-7TH DTP SHOT
 Response
 Categories Statistic Description

1 NUMBER OF NON-MISSING
 2621 NUMBER OF MISSING
 1771.00 AVERAGE/MEAN
 1771.00 MEDIAN VALUE
 1771.00 MINIMUM VALUE
 1771.00 MAXIMUM VALUE

Type NUM
 Location 493-496
 Width 4
 Sequence Order 194
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BDTPAG7
 Label BEST VALUE AGE IN **MONTHS** AT 7TH DTP SHOT
 Response
 Categories Statistic Description

1 NUMBER OF NON-MISSING
 2621 NUMBER OF MISSING
 58.00 AVERAGE/MEAN
 58.00 MEDIAN VALUE
 58.00 MINIMUM VALUE
 58.00 MAXIMUM VALUE

Type NUM
 Location 497-498
 Width 2
 Sequence Order 195
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BDTPTY7
Label              SHOT TYPE OF BEST DTP-CONTAINING SHOT #7
Response
Categories          Freq      Value      Label
                   2621      <BLANK: NOT IN UNIVERSE>
                   1         03      DTP - UNKNOWN TYPE

Type               CHAR
Location           499-500
Width              2
Sequence Order     196
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBDTPAG8
Label              BEST VALUE AGE IN DAYS-8TH DTP SHOT
Response
Categories          Statistic Description
                   0      NUMBER OF NON-MISSING
                   2622   NUMBER OF MISSING
                   .      AVERAGE/MEAN
                   .      MEDIAN VALUE
                   .      MINIMUM VALUE
                   .      MAXIMUM VALUE

Type               NUM
Location           501-504
Width              4
Sequence Order     197
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BDTPAG8
Label              BEST VALUE AGE IN MONTHS AT 8TH DTP SHOT
Response
Categories         Statistic Description

                   0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type                NUM
Location            505-506
Width               2
Sequence Order      198
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BDTPTY8
Label              SHOT TYPE OF BEST DTP-CONTAINING SHOT #8
Response
Categories         Freq      Value      Label

                   2622          <BLANK: NOT IN UNIVERSE>

Type                CHAR
Location            507-508
Width               2
Sequence Order      199
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBPOLAG1
Label	BEST VALUE AGE IN DAYS -1ST POLIO SHOT
Response	
Categories	Statistic Description
	1189 NUMBER OF NON-MISSING
	1433 NUMBER OF MISSING
	78.28 AVERAGE/MEAN
	64.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	1493.00 MAXIMUM VALUE
Type	NUM
Location	509-512
Width	4
Sequence Order	200
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BPOLAG1
Label	BEST VALUE AGE IN MONTHS -1ST POLIO SHOT
Response	
Categories	Statistic Description
	1189 NUMBER OF NON-MISSING
	1433 NUMBER OF MISSING
	2.18 AVERAGE/MEAN
	2.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	49.00 MAXIMUM VALUE
Type	NUM
Location	513-514
Width	2
Sequence Order	201
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BPOLTY1
Label              SHOT TYPE BEST POLIO-CONTAINING SHOT #1
Response
Categories          Freq      Value      Label

                  1428          <BLANK: NOT IN UNIVERSE>
                  752           20      OPV
                   28           21      IPV
                  414           22      POLIO UNKNOWN TYPE

Type                CHAR
Location            515-516
Width               2
Sequence Order      202
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBPOLAG2
Label              BEST VALUE AGE IN DAYS-2ND POLIO SHOT
Response
Categories          Statistic Description

                  1182  NUMBER OF NON-MISSING
                  1440  NUMBER OF MISSING
                  152.57 AVERAGE/MEAN
                  130.00 MEDIAN VALUE
                   34.00 MINIMUM VALUE
                  1561.00 MAXIMUM VALUE

Type                NUM
Location            517-520
Width               4
Sequence Order      203
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name BPOLAG2
 Label BEST VALUE AGE IN **MONTHS**-2ND POLIOSHOT
 Response
 Categories Statistic Description

1182	NUMBER OF NON-MISSING
1440	NUMBER OF MISSING
4.61	AVERAGE/MEAN
4.00	MEDIAN VALUE
1.00	MINIMUM VALUE
51.00	MAXIMUM VALUE

Type NUM
 Location 521-522
 Width 2
 Sequence Order 204
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLTY2
 Label SHOT TYPE BEST POLIO-CONTAINING SHOT #2
 Response
 Categories Freq Value Label

1435		<BLANK: NOT IN UNIVERSE>	
737	20	OPV	
26	21	IPV	
424	22	POLIO UNKNOWN TYPE	

Type CHAR
 Location 523-524
 Width 2
 Sequence Order 205
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBPOLAG3
 Label BEST VALUE AGE IN **DAYS**-3RD POLIO SHOT
 Response
 Categories Statistic Description

1137 NUMBER OF NON-MISSING
 1485 NUMBER OF MISSING
 303.51 AVERAGE/MEAN
 210.00 MEDIAN VALUE
 92.00 MINIMUM VALUE
 2000.00 MAXIMUM VALUE

Type NUM
 Location 525-528
 Width 4
 Sequence Order 206
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLAG3
 Label BEST VALUE AGE IN **MONTHS**-3RD POLIO SHOT
 Response
 Categories Statistic Description

1137 NUMBER OF NON-MISSING
 1485 NUMBER OF MISSING
 9.56 AVERAGE/MEAN
 6.00 MEDIAN VALUE
 3.00 MINIMUM VALUE
 65.00 MAXIMUM VALUE

Type NUM
 Location 529-530
 Width 2
 Sequence Order 207
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BPOLTY3
Label              SHOT TYPE BEST POLIO-CONTAINING SHOT #3
Response
Categories          Freq      Value      Label

                  1480          <BLANK: NOT IN UNIVERSE>
                  687           20      OPV
                   11           21      IPV
                  444           22      POLIO UNKNOWN TYPE

Type                CHAR
Location            531-532
Width               2
Sequence Order      208
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBPOLAG4
Label              BEST VALUE AGE IN DAYS-4TH POLIO SHOT
Response
Categories          Statistic Description

                  245  NUMBER OF NON-MISSING
                  2377 NUMBER OF MISSING
                  750.41 AVERAGE/MEAN
                  552.00 MEDIAN VALUE
                  162.00 MINIMUM VALUE
                  2197.00 MAXIMUM VALUE

Type                NUM
Location            533-536
Width               4
Sequence Order      209
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name BPOLAG4
 Label BEST VALUE AGE IN **MONTHS**-4TH POLIO SHOT
 Response
 Categories Statistic Description

245	NUMBER OF NON-MISSING
2377	NUMBER OF MISSING
24.22	AVERAGE/MEAN
18.00	MEDIAN VALUE
5.00	MINIMUM VALUE
72.00	MAXIMUM VALUE

Type NUM
 Location 537-538
 Width 2
 Sequence Order 210
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLTY4
 Label SHOT TYPE BEST POLIO-CONTAINING SHOT #4
 Response
 Categories Freq Value Label

2377		<BLANK: NOT IN UNIVERSE>	
142	20	OPV	
13	21	IPV	
90	22	POLIO UNKNOWN TYPE	

Type CHAR
 Location 539-540
 Width 2
 Sequence Order 211
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBPOLAG5
 Label BEST VALUE AGE IN **DAYS**-5TH POLIO SHOT
 Response
 Categories Statistic Description

17 NUMBER OF NON-MISSING
 2605 NUMBER OF MISSING
 1182.53 AVERAGE/MEAN
 1466.00 MEDIAN VALUE
 235.00 MINIMUM VALUE
 1907.00 MAXIMUM VALUE

Type NUM
 Location 541-544
 Width 4
 Sequence Order 212
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLAG5
 Label BEST VALUE AGE IN **MONTHS**-5TH POLIO SHOT
 Response
 Categories Statistic Description

17 NUMBER OF NON-MISSING
 2605 NUMBER OF MISSING
 38.35 AVERAGE/MEAN
 48.00 MEDIAN VALUE
 7.00 MINIMUM VALUE
 62.00 MAXIMUM VALUE

Type NUM
 Location 545-546
 Width 2
 Sequence Order 213
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BPOLTY5
Label              SHOT TYPE BEST POLIO-CONTAINING SHOT #5
Response
Categories          Freq      Value      Label

                  2605          <BLANK: NOT IN UNIVERSE>
                   13           20      OPV
                    1           21      IPV
                    3           22      POLIO UNKNOWN TYPE

Type                CHAR
Location            547-548
Width               2
Sequence Order      214
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBPOLAG6
Label              BEST VALUE AGE IN DAYS-6TH POLIO SHOT
Response
Categories          Statistic Description

                  2  NUMBER OF NON-MISSING
                 2620 NUMBER OF MISSING
                1191.50 AVERAGE/MEAN
                1191.50 MEDIAN VALUE
                 612.00 MINIMUM VALUE
                1771.00 MAXIMUM VALUE

Type                NUM
Location            549-552
Width               4
Sequence Order      215
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name BPOLAG6
 Label BEST VALUE AGE IN **MONTHS**-6TH POLIO SHOT
 Response
 Categories Statistic Description

2	NUMBER OF NON-MISSING
2620	NUMBER OF MISSING
39.00	AVERAGE/MEAN
39.00	MEDIAN VALUE
20.00	MINIMUM VALUE
58.00	MAXIMUM VALUE

Type NUM
 Location 553-554
 Width 2
 Sequence Order 216
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLTY6
 Label SHOT TYPE BEST POLIO-CONTAINING SHOT #6
 Response
 Categories Freq Value Label

2620		<BLANK: NOT IN UNIVERSE>
1	20	OPV
1	22	POLIO UNKNOWN TYPE

Type CHAR
 Location 555-556
 Width 2
 Sequence Order 217
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBPOLAG7
 Label BEST VALUE AGE IN **DAYS**-7TH POLIO SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 557-560
 Width 4
 Sequence Order 218
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BPOLAG7
 Label BEST VALUE AGE IN **MONTHS**-7TH POLIO SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 561-562
 Width 2
 Sequence Order 219
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	BPOLTY7
Label	SHOT TYPE BEST POLIO-CONTAINING SHOT #7
Response	
Categories	Freq Value Label
	2622 <BLANK: NOT IN UNIVERSE>
Type	CHAR
Location	563-564
Width	2
Sequence Order	220
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	DBPOLAG8
Label	BEST VALUE AGE IN DAYS -8TH POLIO SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE

Type	NUM
Location	565-568
Width	4
Sequence Order	221
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BPOLAG8
Label              BEST VALUE AGE IN MONTHS-8TH POLIO SHOT
Response
Categories          Statistic Description

                    0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                    .  AVERAGE/MEAN
                    .  MEDIAN VALUE
                    .  MINIMUM VALUE
                    .  MAXIMUM VALUE

Type                NUM
Location            569-570
Width               2
Sequence Order      222
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BPOLTY8
Label              SHOT TYPE BEST POLIO-CONTAINING SHOT #8
Response
Categories          Freq      Value      Label

                   2622          <BLANK: NOT IN UNIVERSE>

Type                CHAR
Location            571-572
Width               2
Sequence Order      223
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBMMRAG1
Label	BEST VALUE AGE IN DAYS -1ST MCV SHOT
Response	
Categories	Statistic Description
	1141 NUMBER OF NON-MISSING
	1481 NUMBER OF MISSING
	451.66 AVERAGE/MEAN
	442.00 MEDIAN VALUE
	1.00 MINIMUM VALUE
	2000.00 MAXIMUM VALUE
Type	NUM
Location	573-576
Width	4
Sequence Order	224
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BMMRAG1
Label	BEST VALUE AGE IN MONTHS -1ST MCV SHOT
Response	
Categories	Statistic Description
	1141 NUMBER OF NON-MISSING
	1481 NUMBER OF MISSING
	14.42 AVERAGE/MEAN
	14.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	65.00 MAXIMUM VALUE
Type	NUM
Location	577-578
Width	2
Sequence Order	225
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BMMRTY1
Label              SHOT TYPE OF BEST MCV-CONTAINING SHOT #1
Response
Categories          Freq      Value      Label

                  1476      <BLANK: NOT IN UNIVERSE>
                  1144      30      TRUE MMR
                   2       31      MEASLES ONLY

Type               CHAR
Location           579-580
Width              2
Sequence Order     226
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBMMRAG2
Label              BEST VALUE AGE IN DAYS-2ND MCV SHOT
Response
Categories          Statistic Description

                  106      NUMBER OF NON-MISSING
                  2516     NUMBER OF MISSING
                  1266.13   AVERAGE/MEAN
                  1477.50   MEDIAN VALUE
                   30.00   MINIMUM VALUE
                  1956.00   MAXIMUM VALUE

Type               NUM
Location           581-584
Width              4
Sequence Order     227
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	BMMRAG2
Label	BEST VALUE AGE IN MONTHS -2ND MCV SHOT
Response	
Categories	Statistic Description
	106 NUMBER OF NON-MISSING
	2516 NUMBER OF MISSING
	41.18 AVERAGE/MEAN
	48.00 MEDIAN VALUE
	1.00 MINIMUM VALUE
	64.00 MAXIMUM VALUE
Type	NUM
Location	585-586
Width	2
Sequence Order	228
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BMMR2Y2
Label	SHOT TYPE OF BEST MCV-CONTAINING SHOT #2
Response	
Categories	Freq Value Label
	2515 <BLANK: NOT IN UNIVERSE>
	107 30 TRUE MMR
Type	CHAR
Location	587-588
Width	2
Sequence Order	229
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBMMRAG3
 Label BEST VALUE AGE IN **DAYS**-3RD MCV SHOT
 Response
 Categories Statistic Description

2 NUMBER OF NON-MISSING
 2620 NUMBER OF MISSING
 320.00 AVERAGE/MEAN
 320.00 MEDIAN VALUE
 275.00 MINIMUM VALUE
 365.00 MAXIMUM VALUE

Type NUM
 Location 589-592
 Width 4
 Sequence Order 230
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BMMRAG3
 Label BEST VALUE AGE IN **MONTHS**-3RD MCV SHOT
 Response
 Categories Statistic Description

2 NUMBER OF NON-MISSING
 2620 NUMBER OF MISSING
 10.50 AVERAGE/MEAN
 10.50 MEDIAN VALUE
 9.00 MINIMUM VALUE
 12.00 MAXIMUM VALUE

Type NUM
 Location 593-594
 Width 2
 Sequence Order 231
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BMMRTY3
Label              SHOT TYPE OF BEST MCV-CONTAINING SHOT #3
Response
Categories          Freq      Value      Label

                   2620      <BLANK: NOT IN UNIVERSE>
                   2         30      TRUE MMR

Type                CHAR
Location            595-596
Sequence Order      232
Width               2
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBMMRAG4
Label              BEST VALUE AGE IN DAYS-4TH MCV SHOT
Response
Categories          Statistic Description

                   0      NUMBER OF NON-MISSING
                   2622   NUMBER OF MISSING
                   .      AVERAGE/MEAN
                   .      MEDIAN VALUE
                   .      MINIMUM VALUE
                   .      MAXIMUM VALUE

Type                NUM
Location            597-600
Width               4
Sequence Order      233
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BMMRAG4
Label              BEST VALUE AGE IN MONTHS-4TH MCV SHOT
Response
Categories         Statistic Description

                   0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type               NUM
Location          601-602
Width             2
Sequence Order    234
Source            1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BMMRTY4
Label              SHOT TYPE OF BEST MCV-CONTAINING SHOT #4
Response
Categories         Freq      Value      Label

                   2622          <BLANK: NOT IN UNIVERSE>

Type               CHAR
Location          603-604
Width             2
Sequence Order    235
Source            1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBHIBAG1
 Label BEST VALUE AGE IN **DAYS**-1ST HIB SHOT
 Response
 Categories Statistic Description

1181 NUMBER OF NON-MISSING
 1441 NUMBER OF MISSING
 79.86 AVERAGE/MEAN
 64.00 MEDIAN VALUE
 0.00 MINIMUM VALUE
 1493.00 MAXIMUM VALUE

Type NUM
 Location 605-608
 Width 4
 Sequence Order 236
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BHIBAG1
 Label BEST VALUE AGE IN **MONTHS**-1ST HIB SHOT
 Response
 Categories Statistic Description

1181 NUMBER OF NON-MISSING
 1441 NUMBER OF MISSING
 2.23 AVERAGE/MEAN
 2.00 MEDIAN VALUE
 0.00 MINIMUM VALUE
 49.00 MAXIMUM VALUE

Type NUM
 Location 609-610
 Width 2
 Sequence Order 237
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBTY1
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #1
Response
Categories          Freq      Value      Label

                  1436      <BLANK: NOT IN UNIVERSE>
                  580       06      DTP/HIB - UNKNOWN TYPE
                  606       42      HIB UNKNOWN TYPE

Type               CHAR
Location           611-612
Width              2
Sequence Order     238
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBHIBAG2
Label              BEST VALUE AGE IN DAYS-2ND HIB SHOT
Response
Categories          Statistic Description

                  1167  NUMBER OF NON-MISSING
                  1455  NUMBER OF MISSING
                  151.20 AVERAGE/MEAN
                  129.00 MEDIAN VALUE
                   48.00 MINIMUM VALUE
                  1561.00 MAXIMUM VALUE

Type               NUM
Location           613-616
Width              4
Sequence Order     239
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	BHIBAG2
Label	BEST VALUE AGE IN MONTHS -2ND HIB SHOT
Response	
Categories	Statistic Description
	1167 NUMBER OF NON-MISSING
	1455 NUMBER OF MISSING
	4.57 AVERAGE/MEAN
	4.00 MEDIAN VALUE
	1.00 MINIMUM VALUE
	51.00 MAXIMUM VALUE
Type	NUM
Location	617-618
Width	2
Sequence Order	240
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHIBTY2
Label	SHOT TYPE OF BEST HIB-CONTAINING SHOT #2
Response	
Categories	Freq Value Label
	1450 <BLANK: NOT IN UNIVERSE>
	559 06 DTP/HIB - UNKNOWN TYPE
	613 42 HIB UNKNOWN TYPE
Type	CHAR
Location	619-620
Width	2
Sequence Order	241
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBHIBAG3
 Label BEST VALUE AGE IN **DAYS**-3RD HIB SHOT
 Response
 Categories Statistic Description

1142 NUMBER OF NON-MISSING
 1480 NUMBER OF MISSING
 237.28 AVERAGE/MEAN
 197.00 MEDIAN VALUE
 119.00 MINIMUM VALUE
 1692.00 MAXIMUM VALUE

Type NUM
 Location 621-624
 Width 4
 Sequence Order 242
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BHIBAG3
 Label BEST VALUE AGE IN **MONTHS**-3RD HIB SHOT
 Response
 Categories Statistic Description

1142 NUMBER OF NON-MISSING
 1480 NUMBER OF MISSING
 7.38 AVERAGE/MEAN
 6.00 MEDIAN VALUE
 3.00 MINIMUM VALUE
 55.00 MAXIMUM VALUE

Type NUM
 Location 625-626
 Width 2
 Sequence Order 243
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBTY3
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #3
Response
Categories          Freq      Value      Label

                  1475      <BLANK: NOT IN UNIVERSE>
                  523       06      DTP/HIB - UNKNOWN TYPE
                  624       42      HIB UNKNOWN TYPE

Type               CHAR
Location           627-628
Width              2
Sequence Order     244
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBHIBAG4
Label              BEST VALUE AGE IN DAYS-4TH HIB SHOT
Response
Categories          Statistic Description

                  966      NUMBER OF NON-MISSING
                  1656     NUMBER OF MISSING
                  494.90    AVERAGE/MEAN
                  469.00    MEDIAN VALUE
                  181.00    MINIMUM VALUE
                  1585.00   MAXIMUM VALUE

Type               NUM
Location           629-632
Width              4
Sequence Order     245
Source             1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
Variable Name BHIBAG4
Label BEST VALUE AGE IN **MONTHS**-4TH HIB SHOT
Response
Categories Statistic Description

966	NUMBER OF NON-MISSING
1656	NUMBER OF MISSING
15.84	AVERAGE/MEAN
15.00	MEDIAN VALUE
5.00	MINIMUM VALUE
52.00	MAXIMUM VALUE

Type NUM
Location 633-634
Width 2
Sequence Order 246
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
Variable Name BHIBTY4
Label SHOT TYPE OF BEST HIB-CONTAINING SHOT #4
Response
Categories Freq Value Label

1651		<BLANK: NOT IN UNIVERSE>
285	06	DTP/HIB - UNKNOWN TYPE
686	42	HIB UNKNOWN TYPE

Type CHAR
Location 635-636
Width 2
Sequence Order 247
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBHIBAG5
Label	BEST VALUE AGE IN DAYS -5TH HIB SHOT
Response	
Categories	Statistic Description
	30 NUMBER OF NON-MISSING
	2592 NUMBER OF MISSING
	612.73 AVERAGE/MEAN
	555.50 MEDIAN VALUE
	372.00 MINIMUM VALUE
	1626.00 MAXIMUM VALUE
Type	NUM
Location	637-640
Width	4
Sequence Order	248
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHIBAG5
Label	BEST VALUE AGE IN MONTHS -5TH HIB SHOT
Response	
Categories	Statistic Description
	30 NUMBER OF NON-MISSING
	2592 NUMBER OF MISSING
	19.73 AVERAGE/MEAN
	18.00 MEDIAN VALUE
	12.00 MINIMUM VALUE
	53.00 MAXIMUM VALUE
Type	NUM
Location	641-642
Width	2
Sequence Order	249
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBTY5
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #5
Response
Categories          Freq      Value      Label

                   2591      <BLANK: NOT IN UNIVERSE>
                   12       06      DTP/HIB - UNKNOWN TYPE
                   19       42      HIB UNKNOWN TYPE

Type               CHAR
Location          643-644
Width             2
Sequence Order    250
Source            1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBHIBAG6
Label              BEST VALUE AGE IN DAYS-6TH HIB SHOT
Response
Categories          Statistic Description

                   6      NUMBER OF NON-MISSING
                   2616   NUMBER OF MISSING
                   659.67  AVERAGE/MEAN
                   708.00  MEDIAN VALUE
                   384.00  MINIMUM VALUE
                   825.00  MAXIMUM VALUE

Type               NUM
Location          645-648
Width             4
Sequence Order    251
Source            1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBAG6
Label              BEST VALUE AGE IN MONTHS-6TH HIB SHOT
Response
Categories          Statistic Description

                    6  NUMBER OF NON-MISSING
                   2616 NUMBER OF MISSING
                   21.33 AVERAGE/MEAN
                   23.00 MEDIAN VALUE
                   12.00 MINIMUM VALUE
                   27.00 MAXIMUM VALUE

Type                NUM
Location            649-650
Width               2
Sequence Order      252
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BHIBTY6
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #6
Response
Categories          Freq      Value      Label

                   2616      <BLANK: NOT IN UNIVERSE>
                      1         06      DTP/HIB - UNKNOWN TYPE
                      5         42      HIB UNKNOWN TYPE

Type                CHAR
Location            651-652
Width               2
Sequence Order      253
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBHIBAG7
Label	BEST VALUE AGE IN DAYS -7TH HIB SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	653-656
Width	4
Sequence Order	254
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHIBAG7
Label	BEST VALUE AGE IN MONTHS -7TH HIB SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	657-658
Width	2
Sequence Order	255
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBTY7
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #7
Response
Categories          Freq      Value      Label

                   2622          <BLANK: NOT IN UNIVERSE>

Type                CHAR
Location            659-660
Width               2
Sequence Order     256
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       DBHIBAG8
Label              BEST VALUE AGE IN DAYS-8TH HIB SHOT
Response
Categories          Statistic Description

                   0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type                NUM
Location            661-664
Width               4
Sequence Order     257
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       BHIBAG8
Label              BEST VALUE AGE IN MONTHS-8TH HIB SHOT
Response
Categories          Statistic Description

                    0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                    .  AVERAGE/MEAN
                    .  MEDIAN VALUE
                    .  MINIMUM VALUE
                    .  MAXIMUM VALUE

Type                NUM
Location            665-666
Width               2
Sequence Order      258
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BHIBTY8
Label              SHOT TYPE OF BEST HIB-CONTAINING SHOT #8
Response
Categories          Freq      Value      Label

                   2622          <BLANK: NOT IN UNIVERSE>

Type                CHAR
Location            667-668
Width               2
Sequence Order      259
Source              1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBHEPAG1
Label	BEST VALUE AGE IN DAYS -1ST HEP B SHOT
Response	
Categories	Statistic Description
	1167 NUMBER OF NON-MISSING
	1455 NUMBER OF MISSING
	44.04 AVERAGE/MEAN
	5.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	1771.00 MAXIMUM VALUE
Type	NUM
Location	669-672
Width	4
Sequence Order	260
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHEPAG1
Label	BEST VALUE AGE IN MONTHS -1ST HEP B SHOT
Response	
Categories	Statistic Description
	1167 NUMBER OF NON-MISSING
	1455 NUMBER OF MISSING
	1.22 AVERAGE/MEAN
	0.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	58.00 MAXIMUM VALUE
Type	NUM
Location	673-674
Width	2
Sequence Order	261
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBHEPAG2
 Label BEST VALUE AGE IN **DAYS**-2ND HEP B SHOT
 Response
 Categories Statistic Description

1146 NUMBER OF NON-MISSING
 1476 NUMBER OF MISSING
 111.97 AVERAGE/MEAN
 66.00 MEDIAN VALUE
 1.00 MINIMUM VALUE
 1893.00 MAXIMUM VALUE

Type NUM
 Location 675-678
 Width 4
 Sequence Order 262
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BHEPAG2
 Label BEST VALUE AGE IN **MONTHS**-2ND HEP B SHOT
 Response
 Categories Statistic Description

1146 NUMBER OF NON-MISSING
 1476 NUMBER OF MISSING
 3.30 AVERAGE/MEAN
 2.00 MEDIAN VALUE
 0.00 MINIMUM VALUE
 62.00 MAXIMUM VALUE

Type NUM
 Location 679-680
 Width 2
 Sequence Order 263
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
Variable Name DBHEPAG3
Label BEST VALUE AGE IN **DAYS**-3RD HEP B SHOT
Response
Categories Statistic Description

1076 NUMBER OF NON-MISSING
1546 NUMBER OF MISSING
286.17 AVERAGE/MEAN
255.00 MEDIAN VALUE
46.00 MINIMUM VALUE
1919.00 MAXIMUM VALUE

Type NUM
Location 681-684
Width 4
Sequence Order 264
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
Variable Name BHEPAG3
Label BEST VALUE AGE IN **MONTHS**-3RD HEP B SHOT
Response
Categories Statistic Description

1076 NUMBER OF NON-MISSING
1546 NUMBER OF MISSING
8.99 AVERAGE/MEAN
8.00 MEDIAN VALUE
1.00 MINIMUM VALUE
63.00 MAXIMUM VALUE

Type NUM
Location 685-686
Width 2
Sequence Order 265
Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBHEPAG4
Label	BEST VALUE AGE IN DAYS -4TH HEP B SHOT
Response	
Categories	Statistic Description
	59 NUMBER OF NON-MISSING
	2563 NUMBER OF MISSING
	411.15 AVERAGE/MEAN
	365.00 MEDIAN VALUE
	148.00 MINIMUM VALUE
	1490.00 MAXIMUM VALUE
Type	NUM
Location	687-690
Width	4
Sequence Order	266
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHEPAG4
Label	BEST VALUE AGE IN MONTHS -4TH HEP B SHOT
Response	
Categories	Statistic Description
	59 NUMBER OF NON-MISSING
	2563 NUMBER OF MISSING
	13.08 AVERAGE/MEAN
	12.00 MEDIAN VALUE
	4.00 MINIMUM VALUE
	48.00 MAXIMUM VALUE
Type	NUM
Location	691-692
Width	2
Sequence Order	267
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBHEPAG5
 Label BEST VALUE AGE IN **DAYS**-5TH HEP B SHOT
 Response
 Categories Statistic Description

7 NUMBER OF NON-MISSING
 2615 NUMBER OF MISSING
 657.57 AVERAGE/MEAN
 525.00 MEDIAN VALUE
 243.00 MINIMUM VALUE
 1546.00 MAXIMUM VALUE

Type NUM
 Location 693-696
 Width 4
 Sequence Order 268
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BHEPAG5
 Label BEST VALUE AGE IN **MONTHS**-5TH HEP B SHOT
 Response
 Categories Statistic Description

7 NUMBER OF NON-MISSING
 2615 NUMBER OF MISSING
 21.29 AVERAGE/MEAN
 17.00 MEDIAN VALUE
 8.00 MINIMUM VALUE
 50.00 MAXIMUM VALUE

Type NUM
 Location 697-698
 Width 2
 Sequence Order 269
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBHEPAG6
Label	BEST VALUE AGE IN DAYS -6TH HEP B SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	699-702
Width	4
Sequence Order	270
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BHEPAG6
Label	BEST VALUE AGE IN MONTHS -6TH HEP B SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	703-704
Width	2
Sequence Order	271
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name        DBHEPAG7
Label                BEST VALUE AGE IN DAYS-7TH HEP B SHOT
Response
Categories           Statistic Description

                    0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                    .  AVERAGE/MEAN
                    .  MEDIAN VALUE
                    .  MINIMUM VALUE
                    .  MAXIMUM VALUE

Type                 NUM
Location             705-708
Width                4
Sequence Order       272
Source               1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name        BHEPAG7
Label                BEST VALUE AGE IN MONTHS-7TH HEP B SHOT
Response
Categories           Statistic Description

                    0  NUMBER OF NON-MISSING
                   2622 NUMBER OF MISSING
                    .  AVERAGE/MEAN
                    .  MEDIAN VALUE
                    .  MINIMUM VALUE
                    .  MAXIMUM VALUE

Type                 NUM
Location             709-710
Width                2
Sequence Order       273
Source               1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section 7
 Variable Name DBHEPAG8
 Label BEST VALUE AGE IN **DAYS**-8TH HEP B SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 711-714
 Width 4
 Sequence Order 274
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section 7
 Variable Name BHEPAG8
 Label BEST VALUE AGE IN **MONTHS**-8TH HEP B SHOT
 Response
 Categories Statistic Description

0 NUMBER OF NON-MISSING
 2622 NUMBER OF MISSING
 . AVERAGE/MEAN
 . MEDIAN VALUE
 . MINIMUM VALUE
 . MAXIMUM VALUE

Type NUM
 Location 715-716
 Width 2
 Sequence Order 275
 Source 1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBVRCAG1
Label	BEST VALUE AGE IN DAYS -1ST VARICELLA SHT
Response	
Categories	Statistic Description
	404 NUMBER OF NON-MISSING
	2218 NUMBER OF MISSING
	592.89 AVERAGE/MEAN
	470.00 MEDIAN VALUE
	18.00 MINIMUM VALUE
	1956.00 MAXIMUM VALUE
Type	NUM
Location	717-720
Width	4
Sequence Order	276
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BVRCAG1
Label	BEST VALUE AGE MONTHS -1ST VARICELLA SHOT
Response	
Categories	Statistic Description
	404 NUMBER OF NON-MISSING
	2218 NUMBER OF MISSING
	19.03 AVERAGE/MEAN
	15.00 MEDIAN VALUE
	0.00 MINIMUM VALUE
	64.00 MAXIMUM VALUE
Type	NUM
Location	721-722
Width	2
Sequence Order	277
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

```
-----
Section              7
Variable Name       DBVRCAG2
Label              BEST VALUE AGE IN DAYS-2ND VARICELLA SHT
Response
Categories         Statistic Description

                   4 NUMBER OF NON-MISSING
                   2618 NUMBER OF MISSING
                   1023.25 AVERAGE/MEAN
                   964.50 MEDIAN VALUE
                   696.00 MINIMUM VALUE
                   1468.00 MAXIMUM VALUE

Type               NUM
Location          723-726
Width            4
Sequence Order   278
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

```
-----
Section              7
Variable Name       BVRCAG2
Label              BEST VALUE AGE MONTHS-2ND VARICELLA SHOT
Response
Categories         Statistic Description

                   4 NUMBER OF NON-MISSING
                   2618 NUMBER OF MISSING
                   33.00 AVERAGE/MEAN
                   31.00 MEDIAN VALUE
                   22.00 MINIMUM VALUE
                   48.00 MAXIMUM VALUE

Type               NUM
Location          727-728
Width            2
Sequence Order   279
Source          1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBVRCAG3
Label	BEST VALUE AGE IN DAYS -3RD VARICELLA SHT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	729-732
Width	4
Sequence Order	280
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BVRCAG3
Label	BEST VALUE AGE MONTHS -3RD VARICELLA SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	733-734
Width	2
Sequence Order	281
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 7 Best Value Age in Days and Months at Vaccination and Type of Vaccination Variables

Section	7
Variable Name	DBVRCAG4
Label	BEST VALUE AGE IN DAYS -4TH VARICELLA SHT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	735-738
Width	4
Sequence Order	282
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

Section	7
Variable Name	BVRCAG4
Label	BEST VALUE AGE MONTHS -4TH VARICELLA SHOT
Response	
Categories	Statistic Description
	0 NUMBER OF NON-MISSING
	2622 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	739-740
Width	2
Sequence Order	283
Source	1997 NHIS IMMUNIZATION SUPPLEMENT AND 1997 NHIS/NIPRCS IHQ

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 8 Imputed Best Value Variables

Section 8
 Variable Name I_BN_DTP
 Label POST-IMPUTATION VALUE OF B_NUMDTP
 Response
 Categories Freq Value Label

	25	0	
	34	1	
	104	2	
	524	3	
	1874	4	
	49	5	
	12	6	

Type NUM
 Location 741-742
 Width 2
 Sequence Order 284

Section 8
 Variable Name I_BN_POL
 Label POST-IMPUTATION VALUE OF B_NUMPOL
 Response
 Categories Freq Value Label

	29	0	
	30	1	
	285	2	
	1932	3	
	328	4	
	15	5	
	3	6	

Type NUM
 Location 743-744
 Width 2
 Sequence Order 285

Section 8
 Variable Name I_BN_MMR
 Label POST-IMPUTATION VALUE OF B_NUMMMR
 Response
 Categories Freq Value Label

	335	0	
	2222	1	
	61	2	
	4	3	

Type NUM
 Location 745-746
 Width 2
 Sequence Order 286

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 8 Imputed Best Value Variables

Section	8		
Variable Name	I_BN_HIB		
Label	POST-IMPUTATION VALUE OF B_NUMHIB		
Response			
Categories	Freq	Value	Label
	40	0	
	57	1	
	125	2	
	583	3	
	1761	4	
	42	5	
	14	6	
Type	NUM		
Location	747-748		
Width	2		
Sequence Order	287		

Section	8		
Variable Name	I_BN_HEP		
Label	POST-IMPUTATION VALUE OF B_NUMHEP		
Response			
Categories	Freq	Value	Label
	83	0	
	65	1	
	213	2	
	2160	3	
	84	4	
	17	5	
Type	NUM		
Location	749-750		
Width	2		
Sequence Order	288		

Section	8		
Variable Name	I_BN_VRC		
Label	POST-IMPUTATION VALUE OF B_NUMVRC		
Response			
Categories	Freq	Value	Label
	1947	0	
	671	1	
	4	2	
Type	NUM		
Location	751-752		
Width	2		
Sequence Order	289		

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 8 Imputed Best Value Variables

Section	8			
Variable Name	I_UTD431			
Label	IMPUTED BEST VALUE	4:3:1	UP-TO-DATE	
Response				
Categories	Freq	Value	Label	
	1902	1	YES	
	720	2	NO	
Type	NUM			
Location	753-753			
Width	1			
Sequence Order	290			

Section	8			
Variable Name	IUTD4313			
Label	IMPUTED BEST VALUE	4:3:1:3	UP-TO-DATE	
Response				
Categories	Freq	Value	Label	
	1876	1	YES	
	746	2	NO	
Type	NUM			
Location	754-754			
Width	1			
Sequence Order	291			

Section	8			
Variable Name	IUT43133			
Label	IMPUTED BEST VALUE	4:3:1:3:3	UP-TO-DATE	
Response				
Categories	Freq	Value	Label	
	1744	1	YES	
	878	2	NO	
Type	NUM			
Location	755-755			
Width	1			
Sequence Order	292			

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 8 Imputed Best Value Variables

Section 8
 Variable Name IMP_FLAG
 Label FLAG: I_VARIABLES ARE IMPUTED VALUES
 Response
 Categories

Freq	Value	Label
1197	.	
1425	1	

Type NUM
 Location 756-756
 Width 1
 Sequence Order 293

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
Variable Name NCARE_11
Label 'COMPREHENSIVE CHILD CARE'-1ST PROVIDER
Categories

Freq	Value	Label
1835		<BLANK: NOT IN UNIVERSE>
787	1	YES

Type CHAR
Location 757-757
Width 1
Sequence Order 294

Section 9
Variable Name NCARE_12
Label 'COMPREHENSIVE CHILD CARE'-2ND PROVIDER
Categories

Freq	Value	Label
2518		<BLANK: NOT IN UNIVERSE>
104	1	YES

Type CHAR
Location 758-758
Width 1
Sequence Order 295

Section 9
Variable Name NCARE_13
Label 'COMPREHENSIVE CHILD CARE'-3RD PROVIDER
Categories

Freq	Value	Label
2614		<BLANK: NOT IN UNIVERSE>
8	1	YES

Type CHAR
Location 759-759
Width 1
Sequence Order 296

Section 9
Variable Name NCARE_14
Label 'COMPREHENSIVE CHILD CARE'-4TH PROVIDER
Categories

Freq	Value	Label
2621		<BLANK: NOT IN UNIVERSE>
1	1	YES

Type CHAR
Location 760-760
Width 1
Sequence Order 297

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section	9									
Variable Name	NCARE_21									
Label	'ACUTE ILLNESS CARE'-1ST PROVIDER									
Categories	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr> <td>1975</td> <td></td> <td><BLANK: NOT IN UNIVERSE></td> </tr> <tr> <td>647</td> <td>1</td> <td>YES</td> </tr> </tbody> </table>	Freq	Value	Label	1975		<BLANK: NOT IN UNIVERSE>	647	1	YES
Freq	Value	Label								
1975		<BLANK: NOT IN UNIVERSE>								
647	1	YES								
Type	CHAR									
Location	761-761									
Width	1									
Sequence Order	298									

Section	9									
Variable Name	NCARE_22									
Label	'ACUTE ILLNESS CARE'-2ND PROVIDER									
Categories	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr> <td>2531</td> <td></td> <td><BLANK: NOT IN UNIVERSE></td> </tr> <tr> <td>91</td> <td>1</td> <td>YES</td> </tr> </tbody> </table>	Freq	Value	Label	2531		<BLANK: NOT IN UNIVERSE>	91	1	YES
Freq	Value	Label								
2531		<BLANK: NOT IN UNIVERSE>								
91	1	YES								
Type	CHAR									
Location	762-762									
Width	1									
Sequence Order	299									

Section	9									
Variable Name	NCARE_23									
Label	'ACUTE ILLNESS CARE'-3RD PROVIDER									
Categories	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr> <td>2614</td> <td></td> <td><BLANK: NOT IN UNIVERSE></td> </tr> <tr> <td>8</td> <td>1</td> <td>YES</td> </tr> </tbody> </table>	Freq	Value	Label	2614		<BLANK: NOT IN UNIVERSE>	8	1	YES
Freq	Value	Label								
2614		<BLANK: NOT IN UNIVERSE>								
8	1	YES								
Type	CHAR									
Location	763-763									
Width	1									
Sequence Order	300									

Section	9						
Variable Name	NCARE_24						
Label	'ACUTE ILLNESS CARE'-4TH PROVIDER						
Categories	<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Freq</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Label</th> </tr> </thead> <tbody> <tr> <td>2622</td> <td></td> <td><BLANK: NOT IN UNIVERSE></td> </tr> </tbody> </table>	Freq	Value	Label	2622		<BLANK: NOT IN UNIVERSE>
Freq	Value	Label					
2622		<BLANK: NOT IN UNIVERSE>					
Type	CHAR						
Location	764-764						
Width	1						
Sequence Order	301						

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
 Variable Name NCARE_31
 Label 'FOLLOW-UP VISITS'-1ST PROVIDER
 Categories Freq Value Label

1925		<BLANK: NOT IN UNIVERSE>
697	1	YES

Type CHAR
 Location 765-765
 Width 1
 Sequence Order 302

Section 9
 Variable Name NCARE_32
 Label 'FOLLOW-UP VISITS'-2ND PROVIDER
 Categories Freq Value Label

2527		<BLANK: NOT IN UNIVERSE>
95	1	YES

Type CHAR
 Location 766-766
 Width 1
 Sequence Order 303

Section 9
 Variable Name NCARE_33
 Label 'FOLLOW-UP VISITS'-3RD PROVIDER
 Categories Freq Value Label

2614		<BLANK: NOT IN UNIVERSE>
8	1	YES

Type CHAR
 Location 767-767
 Width 1
 Sequence Order 304

Section 9
 Variable Name NCARE_34
 Label 'FOLLOW-UP VISITS'-4TH PROVIDER
 Categories Freq Value Label

2622		<BLANK: NOT IN UNIVERSE>
------	--	--------------------------

Type CHAR
 Location 768-768
 Width 1
 Sequence Order 305

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
Variable Name NCARE_41
Label 'AFTER HOURS PHONE COVERAGE'-1ST PROV
Response
Categories Freq Value Label

	2063		<BLANK: NOT IN UNIVERSE>
	559	1	YES

Type CHAR
Location 769-769
Width 1
Sequence Order 306

Section 9
Variable Name NCARE_42
Label 'AFTER HOURS PHONE COVERAGE'-2ND PROV
Response
Categories Freq Value Label

	2551		<BLANK: NOT IN UNIVERSE>
	71	1	YES

Type CHAR
Location 770-770
Width 1
Sequence Order 307

Section 9
Variable Name NCARE_43
Label 'AFTER HOURS PHONE COVERAGE'-3RD PROV
Response
Categories Freq Value Label

	2616		<BLANK: NOT IN UNIVERSE>
	6	1	YES

Type CHAR
Location 771-771
Width 1
Sequence Order 308

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```
-----
Section          9
Variable Name    NCARE_44
Label           'AFTER HOURS PHONE COVERAGE' -4TH PROV
Response
Categories       Freq      Value      Label
                  2622                <BLANK:  NOT IN UNIVERSE>

Type            CHAR
Location        772-772
Width           1
Sequence Order  309
-----
```

```
-----
Section          9
Variable Name    NCARE_51
Label           'WIC PROGRAM/SERVICES' -1ST PROVIDER
Response
Categories       Freq      Value      Label
                  2291                <BLANK:  NOT IN UNIVERSE>
                  331                1          YES

Type            CHAR
Location        773-773
Width           1
Sequence Order  310
-----
```

```
-----
Section          9
Variable Name    NCARE_52
Label           'WIC PROGRAM/SERVICES' -2ND PROVIDER
Response
Categories       Freq      Value      Label
                  2578                <BLANK:  NOT IN UNIVERSE>
                  44                1          YES

Type            CHAR
Location        774-774
Width           1
Sequence Order  311
-----
```

```
-----
Section          9
Variable Name    NCARE_53
Label           'WIC PROGRAM/SERVICES' -3RD PROVIDER
Response
Categories       Freq      Value      Label
                  2619                <BLANK:  NOT IN UNIVERSE>
                  3                1          YES

Type            CHAR
Location        775-775
Width           1
Sequence Order  312
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
 Variable Name NCARE_54
 Label 'WIC PROGRAM/SERVICES'-4TH PROVIDER
 Categories Freq Value Label
 2622 <BLANK: NOT IN UNIVERSE>

Type CHAR
 Location 776-776
 Width 1
 Sequence Order 313

Section 9
 Variable Name NCARE_61
 Label 'OTHER/DESCRIBE'-1ST PROVIDER
 Categories Freq Value Label
 2496 <BLANK: NOT IN UNIVERSE>
 126 1 YES

Type CHAR
 Location 777-777
 Width 1
 Sequence Order 314

Section 9
 Variable Name NCARE_62
 Label 'OTHER/DESCRIBE'-2ND PROVIDER
 Categories Freq Value Label
 2599 <BLANK: NOT IN UNIVERSE>
 23 1 YES

Type CHAR
 Location 778-778
 Width 1
 Sequence Order 315

Section 9
 Variable Name NCARE_63
 Label 'OTHER/DESCRIBE'-3RD PROVIDER
 Categories Freq Value Label
 2620 <BLANK: NOT IN UNIVERSE>
 2 1 YES

Type CHAR
 Location 779-779
 Width 1
 Sequence Order 316

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```

-----
Section          9
Variable Name    NCARE_64
Label           'OTHER/DESCRIBE'-4TH PROVIDER
Categories      Freq      Value      Label
                2622                <BLANK:  NOT IN UNIVERSE>

Type            CHAR
Location        780-780
Width           1
Sequence Order  317
-----
Section          9
Variable Name    NEWFAC1
Label           FACILITY TYPE-1ST PROVIDER
Response
Categories      Freq      Value      Label
                1761                <BLANK:  NOT IN UNIVERSE>
                 490                1      PRIVATE PRACTICE
                 182                2      PUBLIC HEALTH DEPARTMENT
                 68                 3      HOSPITAL OUTPATIENT CLINIC
                 36                 4      COMMUNITY/MIGRANT HEALTH CARE CENTER
                 6                  5      MILITARY HEALTH CARE FACILITY
                 79                 6      OTHER FACILITY

Type            CHAR
Location        781-781
Width           1
Sequence Order  318
-----
Section          9
Variable Name    NEWFAC2
Label           FACILITY TYPE-2ND PROVIDER
Response
Categories      Freq      Value      Label
                2500                <BLANK:  NOT IN UNIVERSE>
                 62                1      PRIVATE PRACTICE
                 25                2      PUBLIC HEALTH DEPARTMENT
                 9                 3      HOSPITAL OUTPATIENT CLINIC
                 10                4      COMMUNITY/MIGRANT HEALTH CARE CENTER
                 2                  5      MILITARY HEALTH CARE FACILITY
                 14                6      OTHER FACILITY

Type            CHAR
Location        782-782
Width           1
Sequence Order  319
-----

```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```
-----
Section          9
Variable Name    NEWFAC3
Label           FACILITY TYPE-3RD PROVIDER
Response
Categories       Freq      Value      Label
                2611
                6          1      PRIVATE PRACTICE
                3          2      PUBLIC HEALTH DEPARTMENT
                2          6          OTHER FACILITY

Type            CHAR
Location       783-783
Width          1
Sequence Order 320
-----
```

```
-----
Section          9
Variable Name    NEWFAC4
Label           FACILITY TYPE-4TH PROVIDER
Response
Categories       Freq      Value      Label
                2621
                1          6          OTHER FACILITY

Type            CHAR
Location       784-784
Width          1
Sequence Order 321
-----
```

```
-----
Section          9
Variable Name    VFC_PRO1
Label           VACCINES FOR CHILDREN FACILITY-1ST PROV
Response
Categories       Freq      Value      Label
                1772
                681         1      YES
                84          2      NO
                85          3      UNKNOWN

Type            CHAR
Location       785-785
Width          1
Sequence Order 322
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```
-----
Section          9
Variable Name    VFC_PRO2
Label           VACCINES FOR CHILDREN FACILITY-2ND PROV
Response
Categories       Freq      Value      Label
                  2501
                  93         1         YES
                  15         2         NO
                  13         3         UNKNOWN

Type            CHAR
Location        786-786
Width           1
Sequence Order  323
-----
```

```
-----
Section          9
Variable Name    VFC_PRO3
Label           VACCINES FOR CHILDREN FACILITY-3RD PROV
Response
Categories       Freq      Value      Label
                  2611
                  11         1         YES
                  11         1         YES

Type            CHAR
Location        787-787
Width           1
Sequence Order  324
-----
```

```
-----
Section          9
Variable Name    VFC_PRO4
Label           VACCINES FOR CHILDREN FACILITY-4TH PROV
Response
Categories       Freq      Value      Label
                  2621
                  1         2         NO
                  1         2         NO

Type            CHAR
Location        788-788
Width           1
Sequence Order  325
-----
```


**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```
-----
Section          9
Variable Name    PRO_SPE1
Label           SPECIALTY CARE RESPONSE-1ST PROVIDER
Response
Categories       Freq      Value      Label

                2002          <BLANK:  NOT IN UNIVERSE>
                499           1          PEDIATRICIAN
                 96           2          FAMILY PHYSICIAN
                 10           3          GENERAL PRACTITIONER
                 15           4          OTHER

Type            CHAR
Location        789-789
Width           1
Sequence Order  326
-----
```

```
-----
Section          9
Variable Name    SPEC_VB1
Label           'OTHER' SPECIALITIES-1ST PROVIDER
Response
Categories       Freq      Value      Label

                2596          MISSING
                 26          NON MISSING VALUE

Type            CHAR
Location        790-809
Width           1
Sequence Order  327
-----
```

```
-----
Section          9
Variable Name    PRO_SPE2
Label           SPECIALTY CARE RESPONSE-2ND PROVIDER
Response
Categories       Freq      Value      Label

                2542          <BLANK:  NOT IN UNIVERSE>
                 64           1          PEDIATRICIAN
                 10           2          FAMILY PHYSICIAN
                   2           3          GENERAL PRACTITIONER
                   4           4          OTHER

Type            CHAR
Location        810-810
Width           1
Sequence Order  328
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
 Variable Name SPEC_VB2
 Label 'OTHER' SPECIALITIES-2ND PROVIDER
 Response
 Categories

Freq	Value	Label
2617		MISSING
5		NON MISSING VALUE

Type CHAR
 Location 811-830
 Width 1
 Sequence Order 329

Section 9
 Variable Name PRO_SPE3
 Label SPECIALTY CARE RESPONSE-3RD PROVIDER
 Response
 Categories

Freq	Value	Label
2613		<BLANK: NOT IN UNIVERSE>
6	1	PEDIATRICIAN
1	2	FAMILY PHYSICIAN
1	3	GENERAL PRACTITIONER
1	4	OTHER

Type CHAR
 Location 831-831
 Width 1
 Sequence Order 330

Section 9
 Variable Name SPEC_VB3
 Label 'OTHER' SPECIALITIES-3RD PROVIDER
 Response
 Categories

Freq	Value	Label
2621		MISSING
1		NON MISSING VALUE

Type CHAR
 Location 832-851
 Width 1
 Sequence Order 331

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
 Variable Name PRO_SPE4
 Label SPECIALTY CARE PROVIDER-4TH PROVIDER
 Response
 Categories

Freq	Value	Label
2621		<BLANK: NOT IN UNIVERSE>
1	1	PEDIATRICIAN

Type CHAR
 Location 852-852
 Width 1
 Sequence Order 332

Section 9
 Variable Name SPEC_VB4
 Label 'OTHER' SPECIALITIES-4TH PROVIDER
 Response
 Categories

Freq	Value	Label
2622		MISSING

Type CHAR
 Location 853-872
 Width 1
 Sequence Order 333

Section 9
 Variable Name MEDHOME1
 Label MEDICAL-HOME RESPONSE-1ST PROVIDER
 Response
 Categories

Freq	Value	Label
1776		<BLANK: NOT IN UNIVERSE>
584	1	YES
218	2	NO
44	3	UNKNOWN

Type CHAR
 Location 873-873
 Width 1
 Sequence Order 334

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

```
-----
Section          9
Variable Name    MEDHOME2
Label           MEDICAL-HOME RESPONSE-2ND PROVIDER
Response
Categories       Freq      Value      Label

                2504          <BLANK:  NOT IN UNIVERSE>
                  75           1         YES
                  30           2         NO
                  13           3         UNKNOWN

Type            CHAR
Location        874-874
Width           1
Sequence Order  335
-----
```

```
-----
Section          9
Variable Name    MEDHOME3
Label           MEDICAL-HOME RESPONSE-3RD PROVIDER
Response
Categories       Freq      Value      Label

                2611          <BLANK:  NOT IN UNIVERSE>
                   8           1         YES
                   1           2         NO
                   2           3         UNKNOWN

Type            CHAR
Location        875-875
Width           1
Sequence Order  336
-----
```

```
-----
Section          9
Variable Name    MEDHOME4
Label           MEDICAL-HOME RESPONSE-4TH PROVIDER
Response
Categories       Freq      Value      Label

                2621          <BLANK:  NOT IN UNIVERSE>
                   1           1         YES

Type            CHAR
Location        876-876
Width           1
Sequence Order  337
-----
```

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

 Section 9
 Variable Name MMEDHME
 Label FLAG. 1+ PROVIDER CHILD'S MEDICAL-HOME
 Response
 Categories Freq Value Label

80 1 YES
 2542 2 NO

Type NUM
 Location 877-877
 Width 1
 Sequence Order 338

Section 9
 Variable Name RECORD1
 Label HAS IMMUNIZATION RECORDS-1ST PROVIDER
 Response
 Categories Freq Value Label

1571 . <BLANK: NOT IN UNIVERSE>
 952 1 HAS IMMUNIZATION RECORD
 14 2 PROVIDED CARE, NO IMMUNIZATION RECORD
 78 3 HAS NO RECORD
 7 4 OTHER

Type NUM
 Location 878-878
 Width 1
 Sequence Order 339

Section 9
 Variable Name RECORD2
 Label HAS IMMUNIZATION RECORDS-2ND PROVIDER
 Response
 Categories Freq Value Label

2423 . <BLANK: NOT IN UNIVERSE>
 143 1 HAS IMMUNIZATION RECORD
 15 2 PROVIDED CARE, NO IMMUNIZATION RECORD
 36 3 HAS NO RECORD
 5 4 OTHER

Type NUM
 Location 879-879
 Width 1
 Sequence Order 340

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Section 9 Provider Characteristics

Section 9
 Variable Name RECORD3
 Label HAS IMMUNIZATION RECORDS-3RD PROVIDER
 Response
 Categories

Freq	Value	Label
2597	.	<BLANK: NOT IN UNIVERSE>
16	1	HAS IMMUNIZATION RECORD
9	3	HAS NO RECORD

Type NUM
 Location 880-880
 Width 1
 Sequence Order 341

Section 9
 Variable Name RECORD4
 Label HAS IMMUNIZATION RECORDS-4TH PROVIDER
 Response
 Categories

Freq	Value	Label
2619	.	<BLANK: NOT IN UNIVERSE>
1	1	HAS IMMUNIZATION RECORD
1	2	PROVIDED CARE, NO IMMUNIZATION RECORD
1	3	HAS NO RECORD

Type NUM
 Location 881-881
 Width 1
 Sequence Order 342

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
AB_BL20K	60	61	1	FAM INC AT/ABOVE VS. BELOW \$20,000
ADJ_GRP	76	77	3	NIPRCS ADJUDICATION GROUP
B_12_MMR	146	146	5	# BEST VALUE MCV SHOTS
B_12_MS	147	147	5	# OF MEASLES-ONLY SHOTS - PROV INFO
B_12_VRC	148	148	5	# BEST VALUE VARICELLA SHTS CHILD >12MOS
B_NUMDTP	128	129	5	# BEST VALUE DTP SHOTS
B_NUMHEP	136	137	5	# BEST VALUE HEP B SHOTS
B_NUMHIB	134	135	5	# BEST VALUE HIB SHOTS
B_NUMMMR	132	133	5	# BEST VALUE MCV SHOTS
B_NUMPOL	130	131	5	# BEST VALUE POLIO SHOTS
B_NUMVRC	138	139	5	# BEST VALUE VARICELLA SHOTS
B_UTD431	125	125	5	4:3:1 BEST VALUE UP-TO-DATE STATUS
B_UTDDT3	140	140	5	3+ DTP BEST VALUE UP-TO-DATE STATUS
B_UTDDTP	141	141	5	4+ DTP BEST VALUE UP-TO-DATE STATUS
B_UTDHEP	145	145	5	3+ HEP BEST VALUE UP-TO-DATE STATUS
B_UTDHIB	144	144	5	3+ HIB BEST VALUE UP-TO-DATE STATUS
B_UTDMMR	143	143	5	1+ MCV BEST VALUE UP-TO-DATE STATUS
B_UTDPOL	142	142	5	3+ POLIO BEST VALUE UP-TO-DATE STATUS
BDTPAG1	449	450	7	BEST VALUE AGE IN MONTHS AT 1ST DTP SHOT
BDTPAG2	457	458	7	BEST VALUE AGE IN MONTHS AT 2ND DTP SHOT
BDTPAG3	465	466	7	BEST VALUE AGE IN MONTHS AT 3RD DTP SHOT
BDTPAG4	473	474	7	BEST VALUE AGE IN MONTHS AT 4TH DTP SHOT
BDTPAG5	481	482	7	BEST VALUE AGE IN MONTHS AT 5TH DTP SHOT
BDTPAG6	489	490	7	BEST VALUE AGE IN MONTHS AT 6TH DTP SHOT
BDTPAG7	497	498	7	BEST VALUE AGE IN MONTHS AT 7TH DTP SHOT
BDTPAG8	505	506	7	BEST VALUE AGE IN MONTHS AT 8TH DTP SHOT
BDTPTY1	451	452	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #1

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
BDTPTY2	459	460	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #2
BDTPTY3	467	468	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #3
BDTPTY4	475	476	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #4
BDTPTY5	483	484	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #5
BDTPTY6	491	492	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #6
BDTPTY7	499	500	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #7
BDTPTY8	507	508	7	SHOT TYPE OF BEST DTP-CONTAINING SHOT #8
BESTVAL	37	37	1	FLAG. BEST VALUE SHOT DATES DETERMINED
BHEPAG1	673	674	7	BEST VALUE AGE IN MONTHS-1ST HEP B SHOT
BHEPAG2	679	680	7	BEST VALUE AGE IN MONTHS-2ND HEP B SHOT
BHEPAG3	685	686	7	BEST VALUE AGE IN MONTHS-3RD HEP B SHOT
BHEPAG4	691	692	7	BEST VALUE AGE IN MONTHS-4TH HEP B SHOT
BHEPAG5	697	698	7	BEST VALUE AGE IN MONTHS-5TH HEP B SHOT
BHEPAG6	703	704	7	BEST VALUE AGE IN MONTHS-6TH HEP B SHOT
BHEPAG7	709	710	7	BEST VALUE AGE IN MONTHS-7TH HEP B SHOT
BHEPAG8	715	716	7	BEST VALUE AGE IN MONTHS-8TH HEP B SHOT
BHIBAG1	609	610	7	BEST VALUE AGE IN MONTHS-1ST HIB SHOT
BHIBAG2	617	618	7	BEST VALUE AGE IN MONTHS-2ND HIB SHOT
BHIBAG3	625	626	7	BEST VALUE AGE IN MONTHS-3RD HIB SHOT
BHIBAG4	633	634	7	BEST VALUE AGE IN MONTHS-4TH HIB SHOT
BHIBAG5	641	642	7	BEST VALUE AGE IN MONTHS-5TH HIB SHOT
BHIBAG6	649	650	7	BEST VALUE AGE IN MONTHS-6TH HIB SHOT
BHIBAG7	657	658	7	BEST VALUE AGE IN MONTHS-7TH HIB SHOT
BHIBAG8	665	666	7	BEST VALUE AGE IN MONTHS-8TH HIB SHOT
BHIBTY1	611	612	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #1
BHIBTY2	619	620	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #2
BHIBTY3	627	628	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #3
BHIBTY4	635	636	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #4
BHIBTY5	643	644	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #5

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
BHIBTY6	651	652	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #6
BHIBTY7	659	660	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #7
BHIBTY8	667	668	7	SHOT TYPE OF BEST HIB-CONTAINING SHOT #8
BMMRAG1	577	578	7	BEST VALUE AGE IN MONTHS-1ST MCV SHOT
BMMRAG2	585	586	7	BEST VALUE AGE IN MONTHS-2ND MCV SHOT
BMMRAG3	593	594	7	BEST VALUE AGE IN MONTHS-3RD MCV SHOT
BMMRAG4	601	602	7	BEST VALUE AGE IN MONTHS-4TH MCV SHOT
BMMRTY1	579	580	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #1
BMMRTY2	587	588	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #2
BMMRTY3	595	596	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #3
BMMRTY4	603	604	7	SHOT TYPE OF BEST MCV-CONTAINING SHOT #4
BPOLAG1	513	514	7	BEST VALUE AGE IN MONTHS-1ST POLIO SHOT
BPOLAG2	521	522	7	BEST VALUE AGE IN MONTHS-2ND POLIOSHOT
BPOLAG3	529	530	7	BEST VALUE AGE IN MONTHS-3RD POLIO SHOT
BPOLAG4	537	538	7	BEST VALUE AGE IN MONTHS-4TH POLIO SHOT
BPOLAG5	545	546	7	BEST VALUE AGE IN MONTHS-5TH POLIO SHOT
BPOLAG6	553	554	7	BEST VALUE AGE IN MONTHS-6TH POLIO SHOT
BPOLAG7	561	562	7	BEST VALUE AGE IN MONTHS-7TH POLIO SHOT
BPOLAG8	569	570	7	BEST VALUE AGE IN MONTHS-8TH POLIO SHOT
BPOLTY1	515	516	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #1
BPOLTY2	523	524	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #2
BPOLTY3	531	532	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #3
BPOLTY4	539	540	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #4
BPOLTY5	547	548	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #5
BPOLTY6	555	556	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #6
BPOLTY7	563	564	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #7
BPOLTY8	571	572	7	SHOT TYPE BEST POLIO-CONTAINING SHOT #8
BUT43133	127	127	5	4:3:1:3:3 BEST VALUE UP-TO-DATE STATUS
BUTD4313	126	126	5	4:3:1:3 BEST VALUE UP-TO-DATE STATUS

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
BVRCAG1	721	722	7	BEST VALUE AGE MONTHS-1ST VARICELLA SHOT
BVRCAG2	727	728	7	BEST VALUE AGE MONTHS-2ND VARICELLA SHOT
BVRCAG3	733	734	7	BEST VALUE AGE MONTHS-3RD VARICELLA SHOT
BVRCAG4	739	740	7	BEST VALUE AGE MONTHS-4TH VARICELLA SHOT
CTRLNUM	13	36	1	CONTROL NUMBER
DBDTPAG1	445	448	7	BEST VALUE AGE IN DAYS-1ST DTP SHOT
DBDTPAG2	453	456	7	BEST VALUE AGE IN DAYS-2ND DTP SHOT
DBDTPAG3	461	464	7	BEST VALUE AGE IN DAYS-3RD DTP SHOT
DBDTPAG4	469	472	7	BEST VALUE AGE IN DAYS-4TH DTP SHOT
DBDTPAG5	477	480	7	BEST VALUE AGE IN DAYS-5TH DTP SHOT
DBDTPAG6	485	488	7	BEST VALUE AGE IN DAYS-6TH DTP SHOT
DBDTPAG7	493	496	7	BEST VALUE AGE IN DAYS-7TH DTP SHOT
DBDTPAG8	501	504	7	BEST VALUE AGE IN DAYS-8TH DTP SHOT
DBHEPAG1	669	672	7	BEST VALUE AGE IN DAYS-1ST HEP B SHOT
DBHEPAG2	675	678	7	BEST VALUE AGE IN DAYS-2ND HEP B SHOT
DBHEPAG3	681	684	7	BEST VALUE AGE IN DAYS-3RD HEP B SHOT
DBHEPAG4	687	690	7	BEST VALUE AGE IN DAYS-4TH HEP B SHOT
DBHEPAG5	693	696	7	BEST VALUE AGE IN DAYS-5TH HEP B SHOT
DBHEPAG6	699	702	7	BEST VALUE AGE IN DAYS-6TH HEP B SHOT
DBHEPAG7	705	708	7	BEST VALUE AGE IN DAYS-7TH HEP B SHOT
DBHEPAG8	711	714	7	BEST VALUE AGE IN DAYS-8TH HEP B SHOT
DBHIBAG1	605	608	7	BEST VALUE AGE IN DAYS-1ST HIB SHOT
DBHIBAG2	613	616	7	BEST VALUE AGE IN DAYS-2ND HIB SHOT
DBHIBAG3	621	624	7	BEST VALUE AGE IN DAYS-3RD HIB SHOT
DBHIBAG4	629	632	7	BEST VALUE AGE IN DAYS-4TH HIB SHOT
DBHIBAG5	637	640	7	BEST VALUE AGE IN DAYS-5TH HIB SHOT
DBHIBAG6	645	648	7	BEST VALUE AGE IN DAYS-6TH HIB SHOT
DBHIBAG7	653	656	7	BEST VALUE AGE IN DAYS-7TH HIB SHOT
DBHIBAG8	661	664	7	BEST VALUE AGE IN DAYS-8TH HIB SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DBMMRAG1	573	576	7	BEST VALUE AGE IN DAYS-1ST MCV SHOT
DBMMRAG2	581	584	7	BEST VALUE AGE IN DAYS-2ND MCV SHOT
DBMMRAG3	589	592	7	BEST VALUE AGE IN DAYS-3RD MCV SHOT
DBMMRAG4	597	600	7	BEST VALUE AGE IN DAYS-4TH MCV SHOT
DBPOLAG1	509	512	7	BEST VALUE AGE IN DAYS-1ST POLIO SHOT
DBPOLAG2	517	520	7	BEST VALUE AGE IN DAYS-2ND POLIO SHOT
DBPOLAG3	525	528	7	BEST VALUE AGE IN DAYS-3RD POLIO SHOT
DBPOLAG4	533	536	7	BEST VALUE AGE IN DAYS-4TH POLIO SHOT
DBPOLAG5	541	544	7	BEST VALUE AGE IN DAYS-5TH POLIO SHOT
DBPOLAG6	549	552	7	BEST VALUE AGE IN DAYS-6TH POLIO SHOT
DBPOLAG7	557	560	7	BEST VALUE AGE IN DAYS-7TH POLIO SHOT
DBPOLAG8	565	568	7	BEST VALUE AGE IN DAYS-8TH POLIO SHOT
DBVRCAG1	717	720	7	BEST VALUE AGE IN DAYS-1ST VARICELLA SHT
DBVRCAG2	723	726	7	BEST VALUE AGE IN DAYS-2ND VARICELLA SHT
DBVRCAG3	729	732	7	BEST VALUE AGE IN DAYS-3RD VARICELLA SHT
DBVRCAG4	735	738	7	BEST VALUE AGE IN DAYS-4TH VARICELLA SHT
DDTPAG1	149	152	6	AGE IN DAYS-1ST DTP-CONTAINING SHOT
DDTPAG2	157	160	6	AGE IN DAYS-2ND DTP-CONTAINING SHOT
DDTPAG3	165	168	6	AGE IN DAYS-3RD DTP-CONTAINING SHOT
DDTPAG4	173	176	6	AGE IN DAYS-4TH DTP-CONTAINING SHOT
DDTPAG5	181	184	6	AGE IN DAYS-5TH DTP-CONTAINING SHOT
DDTPAG6	189	192	6	AGE IN DAYS-6TH DTP-CONTAINING SHOT
DDTPAG7	197	200	6	AGE IN DAYS-7TH DTP-CONTAINING SHOT
DDTPAG8	205	208	6	AGE IN DAYS-8TH DTP-CONTAINING SHOT
DHEPAG1	373	376	6	AGE IN DAYS-1ST HEP-B CONTAINING SHOT
DHEPAG2	379	382	6	AGE IN DAYS-2ND HEP-B CONTAINING SHOT
DHEPAG3	385	388	6	AGE IN DAYS-3RD HEP-B CONTAINING SHOT
DHEPAG4	391	394	6	AGE IN DAYS-4TH HEP-B CONTAINING SHOT
DHEPAG5	397	400	6	AGE IN DAYS-5TH HEP-B CONTAINING SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHEPAG6	403	406	6	AGE IN DAYS-6TH HEP-B CONTAINING SHOT
DHEPAG7	409	412	6	AGE IN DAYS-7TH HEP-B CONTAINING SHOT
DHEPAG8	415	418	6	AGE IN DAYS-8TH HEP-B CONTAINING SHOT
DHIBAG1	309	312	6	AGE IN DAYS-1ST HIB-CONTAINING SHOT
DHIBAG2	317	320	6	AGE IN DAYS-2ND HIB-CONTAINING SHOT
DHIBAG3	325	328	6	AGE IN DAYS-3RD HIB-CONTAINING SHOT
DHIBAG4	333	336	6	AGE IN DAYS-4TH HIB-CONTAINING SHOT
DHIBAG5	341	344	6	AGE IN DAYS-5TH HIB-CONTAINING SHOT
DHIBAG6	349	352	6	AGE IN DAYS-6TH HIB-CONTAINING SHOT
DHIBAG7	357	360	6	AGE IN DAYS-7TH HIB-CONTAINING SHOT
DHIBAG8	365	368	6	AGE IN DAYS-8TH HIB-CONTAINING SHOT
DISPCODE	78	79	3	REVISED NIS DISPOSITION CODE
DMMRAG1	277	280	6	AGE IN DAYS-1ST MCV-CONTAINING SHOT
DMMRAG2	285	288	6	AGE IN DAYS-2ND MCV-CONTAINING SHOT
DMMRAG3	293	296	6	AGE IN DAYS-3RD MCV-CONTAINING SHOT
DMMRAG4	301	304	6	AGE IN DAYS-4TH MCV-CONTAINING SHOT
DPOLAG1	213	216	6	AGE IN DAYS-1ST POLIO-CONTAINING SHOT
DPOLAG2	221	224	6	AGE IN DAYS-2ND POLIO-CONTAINING SHOT
DPOLAG3	229	232	6	AGE IN DAYS-3RD POLIO-CONTAINING SHOT
DPOLAG4	237	240	6	AGE IN DAYS-4TH POLIO-CONTAINING SHOT
DPOLAG5	245	248	6	AGE IN DAYS-5TH POLIO-CONTAINING SHOT
DPOLAG6	253	256	6	AGE IN DAYS-6TH POLIO-CONTAINING SHOT
DPOLAG7	261	264	6	AGE IN DAYS-7TH POLIO-CONTAINING SHOT
DPOLAG8	269	272	6	AGE IN DAYS-8TH POLIO-CONTAINING SHOT
DTPAG1	153	154	6	AGE IN MONTHS-1ST DTP-CONTAINING SHOT
DTPAG2	161	162	6	AGE IN MONTHS-2ND DTP-CONTAINING SHOT
DTPAG3	169	170	6	AGE IN MONTHS-3RD DTP-CONTAINING SHOT
DTPAG4	177	178	6	AGE IN MONTHS-4TH DTP-CONTAINING SHOT
DTPAG5	185	186	6	AGE IN MONTHS-5TH DTP-CONTAINING SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DTPAG6	193	194	6	AGE IN MONTHS-6TH DTP-CONTAINING SHOT
DTPAG7	201	202	6	AGE IN MONTHS-7TH DTP-CONTAINING SHOT
DTPAG8	209	210	6	AGE IN MONTHS-8TH DTP-CONTAINING SHOT
DTPTY1	155	156	6	SHOT TYPE OF 1ST DTP-CONTAINING SHOT
DTPTY2	163	164	6	SHOT TYPE OF 2ND DTP-CONTAINING SHOT
DTPTY3	171	172	6	SHOT TYPE OF 3RD DTP-CONTAINING SHOT
DTPTY4	179	180	6	SHOT TYPE OF 4TH DTP-CONTAINING SHOT
DTPTY5	187	188	6	SHOT TYPE OF 5TH DTP-CONTAINING SHOT
DTPTY6	195	196	6	SHOT TYPE OF 6TH DTP-CONTAINING SHOT
DTPTY7	203	204	6	SHOT TYPE OF 7TH DTP-CONTAINING SHOT
DTPTY8	211	212	6	SHOT TYPE OF 8TH DTP-CONTAINING SHOT
DVRCAG1	421	424	6	AGE IN DAYS-1ST VARICELLA SHOT
DVRCAG2	427	430	6	AGE IN DAYS-2ND VARICELLA SHOT
DVRCAG3	433	436	6	AGE IN DAYS-3RD VARICELLA SHOT
DVRCAG4	439	442	6	AGE IN DAYS-4TH VARICELLA SHOT
FMX	7	8	1	FAMILY SERIAL NUMBER
HEPAG1	377	378	6	AGE IN MONTHS-1ST HEP B-CONTAINING SHOT
HEPAG2	383	384	6	AGE IN MONTHS-2ND HEP B-CONTAINING SHOT
HEPAG3	389	390	6	AGE IN MONTHS-3RD HEP B-CONTAINING SHOT
HEPAG4	395	396	6	AGE IN MONTHS-4TH HEP B-CONTAINING SHOT
HEPAG5	401	402	6	AGE IN MONTHS-5TH HEP B-CONTAINING SHOT
HEPAG6	407	408	6	AGE IN MONTHS-6TH HEP B-CONTAINING SHOT
HEPAG7	413	414	6	AGE IN MONTHS-7TH HEP B-CONTAINING SHOT
HEPAG8	419	420	6	AGE IN MONTHS-8TH HEP B-CONTAINING SHOT
HHX	1	6	1	HOUSEHOLD SERIAL NUMBER
HIBAG1	313	314	6	AGE IN MONTHS-1ST HIB-CONTAINING SHOT
HIBAG2	321	322	6	AGE IN MONTHS-2ND HIB-CONTAINING SHOT
HIBAG3	329	330	6	AGE IN MONTHS-3RD HIB-CONTAINING SHOT
HIBAG4	337	338	6	AGE IN MONTHS-4TH HIB-CONTAINING SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIBAG5	345	346	6	AGE IN MONTHS-5TH HIB-CONTAINING SHOT
HIBAG6	353	354	6	AGE IN MONTHS-6TH HIB-CONTAINING SHOT
HIBAG7	361	362	6	AGE IN MONTHS-7TH HIB-CONTAINING SHOT
HIBAG8	369	370	6	AGE IN MONTHS-8TH HIB-CONTAINING SHOT
HIBTY1	315	316	6	SHOT TYPE OF 1ST HIB-CONTAINING SHOT
HIBTY2	323	324	6	SHOT TYPE OF 2ND HIB-CONTAINING SHOT
HIBTY3	331	332	6	SHOT TYPE OF 3RD HIB-CONTAINING SHOT
HIBTY4	339	340	6	SHOT TYPE OF 4TH HIB-CONTAINING SHOT
HIBTY5	347	348	6	SHOT TYPE OF 5TH HIB-CONTAINING SHOT
HIBTY6	355	356	6	SHOT TYPE OF 6TH HIB-CONTAINING SHOT
HIBTY7	363	364	6	SHOT TYPE OF 7TH HIB-CONTAINING SHOT
HIBTY8	371	372	6	SHOT TYPE OF 8TH HIB-CONTAINING SHOT
HISPAN_P	56	57	1	CHILD'S NATIONAL ORIGIN GROUP
I_BN_DTP	741	742	8	POST-IMPUTATION VALUE OF B_NUMDTP
I_BN_HEP	749	750	8	POST-IMPUTATION VALUE OF B_NUMHEP
I_BN_HIB	747	748	8	POST-IMPUTATION VALUE OF B_NUMHIB
I_BN_MMR	745	746	8	POST-IMPUTATION VALUE OF B_NUMMMR
I_BN_POL	743	744	8	POST-IMPUTATION VALUE OF B_NUMPOL
I_BN_VRC	751	752	8	POST-IMPUTATION VALUE OF B_NUMVRC
I_UTD431	753	753	8	IMPUTED BEST VALUE 4:3:1 UP-TO-DATE
ICAGEMR	53	54	1	AGE IN MONTHS
IMP_FLAG	756	756	8	FLAG: I_VARIABLES ARE IMPUTED VALUES
IMRESPNO	11	12	1	PERSON NUMBER OF RESPONDENT
IUT43133	755	755	8	IMPUTED BEST VALUE 4:3:1:3:3 UP-TO-DATE
IUTD4313	754	754	8	IMPUTED BEST VALUE 4:3:1:3 UP-TO-DATE
MEDHOME1	873	873	9	MEDICAL-HOME RESPONSE-1ST PROVIDER
MEDHOME2	874	874	9	MEDICAL-HOME RESPONSE-2ND PROVIDER
MEDHOME3	875	875	9	MEDICAL-HOME RESPONSE-3RD PROVIDER
MEDHOME4	876	876	9	MEDICAL-HOME RESPONSE-4TH PROVIDER

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MMEDHME	877	877	9	FLAG. 1+ PROVIDER CHILD'S MEDICAL-HOME
MMRAG1	281	282	6	AGE IN MONTHS-1ST MCV SHOT
MMRAG2	289	290	6	AGE IN MONTHS-2ND MCV SHOT
MMRAG3	297	298	6	AGE IN MONTHS-3RD MCV SHOT
MMRAG4	305	306	6	AGE IN MONTHS-4TH MCV SHOT
MMRTY1	283	284	6	SHOT TYPE OF 1ST MCV-CONTAINING SHOT
MMRTY2	291	292	6	SHOT TYPE OF 2ND MCV-CONTAINING SHOT
MMRTY3	299	300	6	SHOT TYPE OF 3RD MCV-CONTAINING SHOT
MMRTY4	307	308	6	SHOT TYPE OF 4TH MCV-CONTAINING SHOT
N_PRV	82	82	3	# OF PROVS INCLUDED IN IMMUNIZATION HIST
NCARE_11	757	757	9	'COMPREHENSIVE CHILD CARE'-1ST PROVIDER
NCARE_12	758	758	9	'COMPREHENSIVE CHILD CARE'-2ND PROVIDER
NCARE_13	759	759	9	'COMPREHENSIVE CHILD CARE'-3RD PROVIDER
NCARE_14	760	760	9	'COMPREHENSIVE CHILD CARE'-4TH PROVIDER
NCARE_21	761	761	9	'ACUTE ILLNESS CARE'-1ST PROVIDER
NCARE_22	762	762	9	'ACUTE ILLNESS CARE'-2ND PROVIDER
NCARE_23	763	763	9	'ACUTE ILLNESS CARE'-3RD PROVIDER
NCARE_24	764	764	9	'ACUTE ILLNESS CARE'-4TH PROVIDER
NCARE_31	765	765	9	'FOLLOW-UP VISITS'-1ST PROVIDER
NCARE_32	766	766	9	'FOLLOW-UP VISITS'-2ND PROVIDER
NCARE_33	767	767	9	'FOLLOW-UP VISITS'-3RD PROVIDER
NCARE_34	768	768	9	'FOLLOW-UP VISITS'-4TH PROVIDER
NCARE_41	769	769	9	'AFTER HOURS PHONE COVERAGE'-1ST PROV
NCARE_42	770	770	9	'AFTER HOURS PHONE COVERAGE'-2ND PROV
NCARE_43	771	771	9	'AFTER HOURS PHONE COVERAGE'-3RD PROV
NCARE_44	772	772	9	'AFTER HOURS PHONE COVERAGE'-4TH PROV
NCARE_51	773	773	9	'WIC PROGRAM/SERVICES'-1ST PROVIDER
NCARE_52	774	774	9	'WIC PROGRAM/SERVICES'-2ND PROVIDER
NCARE_53	775	775	9	'WIC PROGRAM/SERVICES'-3RD PROVIDER
NCARE_54	776	776	9	'WIC PROGRAM/SERVICES'-4TH PROVIDER
NCARE_61	777	777	9	'OTHER/DESCRIBE'-1ST PROVIDER
NCARE_62	778	778	9	'OTHER/DESCRIBE'-2ND PROVIDER
NCARE_63	779	779	9	'OTHER/DESCRIBE'-3RD PROVIDER
NCARE_64	780	780	9	'OTHER/DESCRIBE'-4TH PROVIDER
NEWFAC1	781	781	9	FACILITY TYPE-1ST PROVIDER
NEWFAC2	782	782	9	FACILITY TYPE-2ND PROVIDER
NEWFAC3	783	783	9	FACILITY TYPE-3RD PROVIDER

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
NEWFAC4	784	784	9	FACILITY TYPE-4TH PROVIDER
NUM_CPOX	74	75	2	TOTAL VARICELLA SHOTS REPORTED BY HH
NUM_DTP	64	65	2	TOTAL DTP SHOTS REPORTED BY HOUSEHOLD
NUM_HEPB	72	73	2	TOTAL HEP B SHOTS REPORTED BY HH
NUM_HIB	70	71	2	TOTAL HIB SHOTS REPORTED BY HOUSEHOLD
NUM_MMR	68	69	2	TOTAL MCV SHOTS REPORTED BY HOUSEHOLD
NUM_POLI	66	67	2	TOTAL POLIO SHOTS REPORTED BY HH
P_12_MMR	119	120	4	# OF MCV SHOTS, PROV INFO, W/0 <12 MTHS
P_12_MS	121	122	4	# OF MEASLES, PROV INFO, W/0 <12 MONTHS
P_12_VRC	123	124	4	# OF VARICELLA, PROV INFO, W/0 <12 MNTHS
P_NUMDHB	113	114	4	# OF DTP/HIB COMBO SHOTS FROM PROV INFO
P_NUMDTA	93	94	4	# OF DTAP SHOTS FROM PROVIDER INFO
P_NUMDTM	95	96	4	# OF DT SHOTS FROM PROVIDER INFORMATION
P_NUMDTP	89	90	4	# OF DTP(ALL TYPES)SHOTS FROM PROV INFO
P_NUMHEP	115	116	4	# OF HEP B SHOTS, PROVIDER INFORMATION
P_NUMHIB	111	112	4	# OF HIB SHOTS FROM PROVIDER INFO
P_NUMIPV	103	104	4	# OF IPV SHOTS FROM PROVIDER INFORMATION
P_NUMMMR	107	108	4	# OF MCV SHOTS FROM PROVIDER INFORMATION
P_NUMMS	109	110	4	# OF MEASLES-ONLY SHOTS FROM PROV INFO
P_NUMOLN	105	106	4	# OF POLIO(NO TYPE) SHOTS FROM PROV INFO
P_NUMOPV	101	102	4	# OF OPV SHOTS FROM PROVIDER INFORMATION
P_NUMPOL	99	100	4	# OF POLIO(ALL TYPES)SHOTS FROM PROV INF
P_NUMTPM	91	92	4	# OF DTP SHOTS FROM PROVIDER INFORMATION
P_NUMTPN	97	98	4	# OF DTP(NO TYPE) SHOTS FROM PROV INFO
P_NUMVRC	117	118	4	# OF VARICELLA SHOTS FROM PROVIDER INFO
POLAG1	217	218	6	AGE IN MONTHS-1ST POLIO-CONTAINING SHOT
POLAG2	225	226	6	AGE IN MONTHS-2ND POLIO-CONTAINING SHOT
POLAG3	233	234	6	AGE IN MONTHS-3RD POLIO-CONTAINING SHOT
POLAG4	241	242	6	AGE IN MONTHS-4TH POLIO-CONTAINING SHOT

**1997 NATIONAL HEALTH INTERVIEW SURVEY
NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
POLAG5	249	250	6	AGE IN MONTHS-5TH POLIO-CONTAINING SHOT
POLAG6	265	266	6	AGE IN MONTHS-6TH POLIO-CONTAINING SHOT
POLAG7	273	274	6	AGE IN MONTHS-7TH POLIO-CONTAINING SHOT
POLAG8	257	258	6	AGE IN MONTHS-8TH POLIO-CONTAINING SHOT
POLTY1	219	220	6	SHOT TYPE OF 1ST POLIO-CONTAINING SHOT
POLTY2	227	228	6	SHOT TYPE OF 2ND POLIO-CONTAINING SHOT
POLTY3	235	236	6	SHOT TYPE OF 3RD POLIO-CONTAINING SHOT
POLTY4	243	244	6	SHOT TYPE OF 4TH POLIO-CONTAINING SHOT
POLTY5	251	252	6	SHOT TYPE OF 5TH POLIO-CONTAINING SHOT
POLTY6	259	260	6	SHOT TYPE OF 6TH POLIO-CONTAINING SHOT
POLTY7	267	268	6	SHOT TYPE OF 7TH POLIO-CONTAINING SHOT
POLTY8	275	276	6	SHOT TYPE OF 8TH POLIO-CONTAINING SHOT
PRO_FLAG	80	80	3	4:3:1:3 UP-TO-DATE FROM SHOT CARD
PRO_SPE1	789	789	9	SPECIALTY CARE RESPONSE-1ST PROVIDER
PRO_SPE2	810	810	9	SPECIALTY CARE RESPONSE-2ND PROVIDER
PRO_SPE3	831	831	9	SPECIALTY CARE RESPONSE-3RD PROVIDER
PRO_SPE4	852	852	9	SPECIALTY CARE PROVIDER-4TH PROVIDER
PROVID	81	81	3	PROV FACILITY TYPE COMPOSITE VARIABLE
PSU	41	42	1	PSU FOR VARIANCE ESTIMATION
PUT43133	87	88	4	4:3:1:3:3 UP-TO-DATE STATUS-PROV INFO
PUTD4313	85	86	4	4:3:1:3 UP-TO-DATE STATUS-PROVIDER INFO
PX	9	10	1	PERSON NUMBER
RACE	58	58	1	CHILD'S RECODE OF FULL RACE GROUPS
RACEREC	59	59	1	RACE RECODE
RAT_CAT	62	63	1	RATIO OF FAM INC TO POVERTY THRESHOLD
RECORD1	878	878	9	HAS IMMUNIZATION RECORDS-1ST PROVIDER
RECORD2	879	879	9	HAS IMMUNIZATION RECORDS-2ND PROVIDER
RECORD3	880	880	9	HAS IMMUNIZATION RECORDS-3RD PROVIDER
RECORD4	881	881	9	HAS IMMUNIZATION RECORDS-4TH PROVIDER
SEX	55	55	1	CHILD MALE OR FEMALE
SPEC_VB1	790	809	9	'OTHER' SPECIALITIES-1ST PROVIDER

**1997 NATIONAL HEALTH INTERVIEW SURVEY
 NATIONAL IMMUNIZATION PROVIDER RECORD CHECK STUDY
 PUBLIC-USE DATA FILE**

Alphabetical Index of Variables

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
SPEC_VB2	811	830	9	'OTHER' SPECIALITIES-2ND PROVIDER
SPEC_VB3	832	851	9	'OTHER' SPECIALITIES-3RD PROVIDER
SPEC_VB4	853	872	9	'OTHER' SPECIALITIES-4TH PROVIDER
STRATUM	38	40	1	STRATUM FOR VARIANCE ESTIMATION
VFC_PRO1	785	785	9	VACCINES FOR CHILDREN FACILITY-1ST PROV
VFC_PRO2	786	786	9	VACCINES FOR CHILDREN FACILITY-2ND PROV
VFC_PRO3	787	787	9	VACCINES FOR CHILDREN FACILITY-3RD PROV
VFC_PRO4	788	788	9	VACCINES FOR CHILDREN FACILITY-4TH PROV
VISITS	83	84	3	# OF VISITS FROM ALL SHOT DATES
VRCAG1	425	426	6	AGE IN MONTHS-1ST VARICELLA SHOT
VRCAG2	431	432	6	AGE IN MONTHS-2ND VARICELLA SHOT
VRCAG3	437	438	6	AGE IN MONTHS-3RD VARICELLA SHOT
VRCAG4	443	444	6	AGE IN MONTHS-4TH VARICELLA SHOT
WT_BV2	48	52	1	FINAL BEST VALUE WEIGHT
WTFA_IM	43	47	1	WEIGHT - FINAL ANNUAL