

Table XLV. Standard errors for certified nursing assistants currently working in nursing homes who were injured at work in the past year, by type of injury received: United States, 2004–2005

Work-related injuries	Nursing assistants working in nursing homes ¹	
	Number	Percent
Total ²	14,271	...
Injured at work ^{3,4}	12,537	2.7
Type of injury		
Scratches, open wounds, or cuts	11,366	1.3
Back injury	7,057	0.9
Black eyes or other bruising	6,570	0.9
Other strains or pulled muscles	6,663	1.0
Human bite	6,282	0.9
Other injury	4,699	0.7

... Category not applicable.

¹Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.

²Includes unknowns.

³Includes nursing assistants who were hurt or injured one or more times in the past year while at work. Injuries included reporting any of the following: back injuries, including pulled back muscles; other strains or pulled muscles; human bites; scratches, open wounds, or cuts; black eyes or other types of bruising; and other injuries from job.

⁴If nursing assistant employed for less than 1 year, includes work-related injuries since nursing assistant began working at the facility.

Table XLVI. Standard errors for certified nursing assistants currently working in nursing homes who were injured at work in the past year, by selected facility characteristics: United States, 2004–2005

Facility characteristic	Nursing assistants working in nursing homes ^{1,2}		Injured at work ^{3,4}
	Number		Percent
All facilities	14,271	12,537	1.3
Beds			
Fewer than 50	2,509	1,885	3.9
50–99	8,511	6,233	1.9
100–149	15,209	10,272	2.4
150 or more	15,115	10,469	2.6
Geographic region			
Northeast	18,348	11,989	3.0
Midwest	14,908	10,438	2.2
South	14,772	8,330	2.2
West	11,345	6,938	3.6
Location			
Metropolitan statistical area ⁵	13,444	11,827	1.6
Micropolitan statistical area ⁶	4,061	3,259	2.5
Other location ⁷	3,363	2,871	2.7
Affiliation			
Chain	17,611	12,328	1.8
Independent	18,461	12,032	1.9
Ownership			
Proprietary	17,812	12,227	1.7
Voluntary nonprofit	17,420	11,372	2.7
Government and other	10,508	6,390	3.5

¹Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.

²Includes unknowns.

³Includes nursing assistants who were hurt or injured one or more times in the past year while at work. Injuries included reporting any of the following: back injuries, including pulled back muscles; other strains or pulled muscles; human bites; scratches, open wounds, or cuts; black eyes or other types of bruising; and other injuries from job.

⁴If nursing assistant employed for less than 1 year, includes work-related injuries since nursing assistant began working at the facility.

⁵A metropolitan statistical area is a county or group of contiguous counties that contains at least one urbanized area of 50,000 or more population. May also contain other counties that are economically and socially integrated with the central county as measured by commuting.

⁶A micropolitan statistical area is a nonmetropolitan county or group of contiguous nonmetropolitan counties that contains an urban cluster of 10,000 to 49,999 persons. May include surrounding counties if strong economic ties exist between the counties, based on commuting patterns.

⁷Other locations are nonmetropolitan counties that are not classified as part of a micropolitan statistical area.

Table XLVII. Standard errors for certified nursing assistants currently working in nursing homes, by number of times injured at work in the past year, according to selected facility characteristics: United States, 2004–2005

Facility characteristic	Nursing assistants working in nursing homes ^{3,4}	Times injured at work ^{1,2}							
		Number				Percent			
		None	One	Two to four times	Five times or more	None	One	Two to four times	Five times or more
All facilities	14,271	10,275	7,291	8,311	5,538	1.3	1.0	1.0	0.8
Beds									
Fewer than 50	2,509	1,719	1,002	1,120	796	4.0	2.5	2.8	2.3
50–99	8,511	4,889	3,050	3,775	2,880	1.9	1.3	1.6	1.4
100–149	15,209	8,514	5,184	5,878	3,617	2.5	1.8	1.9	1.4
150 or more	15,115	8,147	5,395	6,214	*3,540	2.5	2.0	2.0	*1.4
Geographic region									
Northeast	18,348	8,363	5,413	6,368	*3,743	2.9	2.4	2.6	*1.8
Midwest	14,908	6,627	4,556	5,631	3,688	2.1	1.6	1.7	1.5
South	14,772	9,039	4,446	4,633	2,724	2.3	1.6	1.6	1.2
West	11,345	5,843	3,452	3,773	*2,131	3.4	2.8	2.7	*1.9
Location									
Metropolitan statistical area ⁵	13,444	9,657	6,907	7,835	5,108	1.6	1.2	1.3	1.0
Micropolitan statistical area ⁶	4,061	2,714	1,562	1,996	1,736	2.4	1.5	2.0	1.8
Other location ⁷	3,363	2,403	1,794	2,000	1,272	2.7	2.2	2.3	1.7
Affiliation									
Chain	17,611	9,418	6,337	6,913	4,378	1.8	1.4	1.4	1.1
Independent	18,461	9,697	5,665	6,856	4,160	1.9	1.4	1.6	1.2
Ownership									
Proprietary	17,812	9,388	6,464	6,595	4,603	1.6	1.3	1.3	1.0
Voluntary nonprofit	17,420	9,296	5,096	6,487	3,478	2.7	1.9	1.9	1.4
Government and other	10,508	5,077	2,717	3,919	*1,851	3.5	2.6	3.9	*2.4

* Standard errors accompanied by an asterisk (*) indicate that the sample size is between 30 and 59, or the ratio of the standard error to the reported estimate is 30 percent or more.

¹Includes nursing assistants who were hurt or injured one or more times in the past year while at work. Injuries included reporting any of the following: back injuries, including pulled back muscles; other strains or pulled muscles; human bites; scratches, open wounds, or cuts; black eyes or other types of bruising; and other injuries from job.

²If employed for less than 1 year, includes work-related injuries since nursing assistant began working at the facility.

³Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.

⁴Includes unknowns.

⁵A metropolitan statistical area is a county or group of contiguous counties that contains at least one urbanized area of 50,000 or more population. May also contain other counties that are economically and socially integrated with the central county as measured by commuting.

⁶A micropolitan statistical area is a nonmetropolitan county or group of contiguous nonmetropolitan counties that contains an urban cluster of 10,000 to 49,999 persons. May include surrounding counties if strong economic ties exist between the counties, based on commuting patterns.

⁷Other locations are nonmetropolitan counties that are not classified as part of a micropolitan statistical area.

Table XLVIII. Standard errors for certified nursing assistants currently working in nursing homes who were injured at work in the past year, by number of work-loss days from those injuries, according to selected facility characteristics: United States, 2004–2005

Facility characteristic	Nursing assistants working in nursing homes who were injured at work ^{1,2,3}	Number of work-loss days from work-related injuries			
		Less than one	One or more	Less than one	One or more
		Number		Percent	
All facilities	12,537	11,005	5,917	1.4	1.4
Beds					
Fewer than 100	6,256	5,563	*2,771	1.9	*1.9
100 or more	11,720	10,020	5,357	1.8	1.8
Geographic region					
Northeast	11,989	9,889	*4,116	3.4	*3.4
Midwest	10,438	8,058	3,942	2.1	2.1
West	8,330	6,625	3,456	2.4	2.4
South	6,938	5,873	*1,834	2.6	*2.6
Location					
Metropolitan statistical area ⁴	11,827	10,411	*5,405	1.7	*1.7
Micropolitan statistical area ⁵	3,259	2,753	1,541	2.5	2.5
Other location ⁶	2,871	2,424	*1,886	3.4	*3.4
Affiliation					
Chain	12,328	10,355	4,585	1.8	1.8
Independent	12,032	9,371	4,818	2.0	2.0
Ownership					
Proprietary	12,227	10,211	4,771	1.7	1.7
Voluntary nonprofit and other ⁷	12,382	9,852	4,603	2.1	2.1

* Standard errors accompanied by an asterisk (*) indicate that the sample size is between 30 and 59, or the ratio of the standard error to the reported estimate is 30 percent or more.

¹Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.

²Includes nursing assistants who were hurt or injured one or more times in the past year while at work. Injuries included reporting any of the following: back injuries, including pulled back muscles; other strains or pulled muscles; human bites; scratches, open wounds, or cuts; black eyes or other types of bruising; and other injuries from job.

³If employed for less than 1 year, includes work-related injuries since nursing assistant began working at the facility.

⁴A metropolitan statistical area is a county or group of contiguous counties that contains at least one urbanized area of 50,000 or more population. May also contain other counties that are economically and socially integrated with the central county as measured by commuting.

⁵A micropolitan statistical area is a nonmetropolitan county or group of contiguous nonmetropolitan counties that contains an urban cluster of 10,000 to 49,999 persons. May include surrounding counties if strong economic ties exist between the counties, based on commuting patterns.

⁶Other locations are nonmetropolitan counties that are not classified as part of a micropolitan statistical area.

⁷Includes state and local government owned facilities.

Table XLIX. Standard errors for certified nursing assistants currently working in nursing homes, by whether they received an influenza vaccination the past year, according to selected facility characteristics: United States, 2004–2005

Facility characteristic	Nursing assistants working in nursing homes ^{1,2}	Influenza vaccination			
		Yes	No	Yes	No
		Number		Percent	
All facilities	14,271	10,798	12,093	1.3	1.3
Beds					
Fewer than 100	8,342	*5,281	6,298	*1.9	1.8
100 or more	13,645	*9,842	11,170	*1.8	1.8
Geographic region					
Northeast	18,348	*9,137	11,657	*3.1	3.1
Midwest	14,908	6,971	10,847	2.3	2.4
South	14,772	6,401	10,851	2.0	2.0
West	11,345	5,860	7,360	3.7	3.7
Location					
Metropolitan statistical area ³	13,444	*10,121	11,291	*1.6	1.6
Micropolitan statistical area ⁴	4,061	2,737	3,605	2.7	2.7
Other location ⁵	3,363	2,665	2,816	2.9	3.0
Affiliation					
Chain	17,611	8,401	13,468	1.7	1.7
Independent	18,461	10,122	11,950	1.9	2.0
Ownership					
Proprietary	17,812	8,389	13,724	1.6	1.6
Voluntary nonprofit	17,420	*8,829	11,155	*2.3	2.4
Government and other	10,508	6,152	5,876	4.4	4.3

* Standard errors accompanied by an asterisk (*) indicate that the sample size is between 30 and 59, or the ratio of the standard error to the reported estimate is 30 percent or more.

¹Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.

²Includes unknowns.

³A metropolitan statistical area is a county or group of contiguous counties that contains at least one urbanized area of 50,000 or more population. May also contain other counties that are economically and socially integrated with the central county as measured by commuting.

⁴A micropolitan statistical area is a nonmetropolitan county or group of contiguous nonmetropolitan counties that contains an urban cluster of 10,000 to 49,999 persons. May include surrounding counties if strong economic ties exist between the counties, based on commuting patterns.

⁵Other locations are nonmetropolitan counties that are not classified as part of a micropolitan statistical area.

Table L. Standard errors for certified nursing assistants currently working in nursing homes, by whether they received an influenza vaccination in the past year, according to selected nursing assistant characteristics: United States, 2004–2005

Nursing assistant characteristic	Nursing assistants working in nursing homes ^{1,2}	Influenza vaccination			
		Yes	No	Yes	No
		Number		Percent	
Total	14,271	10,798	12,093	1.3	1.3
Age					
Under 25 years	6,770	3,782	5,450	2.7	2.6
25–34 years	7,402	4,219	5,935	2.1	2.1
35–44 years	7,891	5,068	6,684	2.6	2.6
45–54 years	7,950	*5,055	6,271	*2.6	2.7
55 years and over	6,343	4,758	4,267	3.8	3.8
Sex					
Female	13,874	10,539	11,671	1.4	1.4
Male	4,791	2,965	3,643	4.3	4.3
Race					
White	15,510	9,059	10,519	1.7	1.7
Black	13,721	*7,347	10,864	*2.2	2.2
Other ³	6,471	3,474	4,365	4.2	4.1
Hispanic or Latino origin					
Hispanic or Latino	6,211	3,618	4,204	3.7	3.7
Not Hispanic or Latino	14,903	10,306	12,577	1.4	1.4
Education					
No high school diploma or GED certificate ⁴	5,833	3,587	4,499	3.3	3.3
GED certificate ⁴	7,163	*4,437	5,481	*2.8	2.8
High school diploma	11,282	7,548	8,334	1.9	1.9
1 year or more of college or trade school ⁵	9,154	5,681	6,680	2.6	2.6
Marital status					
Married ⁶	12,145	7,577	9,328	1.7	1.7
Widowed, divorced, or separated	7,884	*5,504	6,032	*2.8	2.8
Never married	8,147	4,958	7,051	2.4	2.4
Family income					
Less than \$20,000	9,918	5,819	8,163	2.0	2.0
\$20,000 to less than \$30,000	8,580	5,620	6,607	2.4	2.4
\$30,000 to less than \$40,000	6,598	3,922	5,028	3.2	3.2
\$40,000 to less than \$50,000	5,763	*3,583	4,310	*4.1	4.1
\$50,000 or more	6,012	*3,368	4,775	*4.0	4.0

* Standard errors accompanied by an asterisk (*) indicate that the sample size is between 30 and 59, or the ratio of the standard error to the reported estimate is 30 percent or more.
¹Standard errors exclude nursing assistants who terminated employment between the time of the 2004 National Nursing Home Survey and the 2004–2005 National Nursing Assistant Survey (NNAS). Standard errors are for only those certified nursing assistants still employed by the same nursing home at the time of the 2004–2005 NNAS.
²Includes unknowns.
³Other race includes Asian, Native Hawaiian or other Pacific Islander, American Indian or Alaska Native, and multiple races. Only a small number of records had multiple races.
⁴A Certificate of General Educational Development (GED) or similarly titled credential given to persons who passed tests deemed equivalent to high school-level academic skills.
⁵Excludes nursing assistants who were awarded a GED.
⁶Includes nursing assistants who were living with a partner.