VITAL STATISTICS OF THE UNITED STATES

1991

VOLUME II – MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland 1995

NATIONAL CENTER FOR HEALTH STATISTICS

JACK R. ANDERSON, *Acting Director*

JENNIFER H. MADANS, Ph.D., *Acting Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis, Epidemiology, and Health Promotion*
GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*
PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*
ROBERT A. ISRAEL, *Associate Director for International Statistics*
STEPHEN E. NIEBERDING, *Associate Director for Management*
CHARLES J. ROTHWELL, *Associate Director for Data Processing and Services*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*

DIVISION OF VITAL STATISTICS

MARY ANN FREEDMAN, *Acting Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality, Marriage, and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM D. MOSHER, Ph.D., *Chief, Family Growth Survey Branch*
JAMES A. WEED, Ph.D., *Acting Chief, Followback Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
ROBERT J. ARMSTRONG, *Acting Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested citation

National Center for Health Statistics. Vital statistics of the United States, 1991, vol II, mortality, part B. Washington: Public Health Service. 1995.

DHHS Publication No. (PHS) 95–1102

For sale by the U.S. Government Printing Office
Superintendent of Documents, Mail Stop: SSOP, Washington, DC 20402-9328
ISBN 0-16-048014-0

ACKNOWLEDGMENTS

This publication and the vital statistics computer file on which it is based were prepared by staff from the Division of Vital Statistics, Division of Data Processing, Division of Data Services, and the Office of Research and Methodology.

The Division of Vital Statistics, John E. Patterson, Director (retired), Mary Ann Freedman, Acting Director, and James A. Weed, Deputy Director, managed the Vital Statistics Cooperative Program, through which the vital registration offices of all States, the District of Columbia, New York City, Puerto Rico, Virgin Islands, and Guam provided the data to the National Center for Health Statistics. This Division also processed computer edits, designed and programmed the tabulations, reviewed the data, and prepared documentation for this publication. The following branch chiefs provided overall direction: Ronald F. Chamblee, Joseph D. Farrell, George A. Gay, Harry M. Rosenberg, and Mabel G. Smith. Important contributors were Evangeline D. Adams, Joyce A. Arbertha, Judy M. Barnes, Heidi A. Brotherton, Leola Drake, Thomas D. Dunn, Linda L. Elias, Paula Gardner, Brenda S. Gillum, Donna E. Glenn, Donna L. Hoyert, Bettie L. Hudson, Millie B. Johnson, Virginia J. Justice, Kenneth D. Kochanek, Julia L. Kowaleski, Hsiang-Ching Kung, Wilma C. Latta, Marian F. MacDorman, Jeffrey D. Maurer, Mary J. Oakley, Charles E. Royer, Jordan S. Sacks, Ann F. Scarlett, Manju Sharma, Gopal K. Singh, Elsie A. Stanton, George C. Tolson, Irene H. Towns, and Lacola Washington.

The Division of Data Processing, Gerald C. Sanders, Director, and Howard Paris, Deputy Director, was responsible for receipt and processing of the basic data file. The following management staff provided overall direction: Brenda L. Brown, Mary V. Burt, Carl G. Hicks, June S. Pearce, Portia D. Prevo, Linda B. Torian, and Shirley C. Turbiville. Important contributors were Tyringa L. Ambrose, Rosalyn R. Anderson, Susan T. Autry, Joyce L. Bius, Trina L. Bryant, Frances E. Carter, Shirley Carter, Shirley Croy, Linda P. Currin, Jacqueline Davis, Patricia W. Dunham, Connie M. Gentry, Lillian M. Guettler, Lila W. Hales, Linda O. Harper, Audrey S. Johnson, Katheryn G. Lyndon, Carolyn H. Lyons, Janet L. McBride, Susan L. McBroom, Mary Susan McKelvey, Roy H. Peedin, Mae G. Penny, Rodney Pierson, Tanya W. Pitts, Lois L. Poole, Julia E. Raynor, Gwendolyn E. Robbins, Helen H. Rogerson, Claire Searl, Eldora Smith, Elizabeth A. Smith, Pamela A. Stephenson, Betty J. Stewart, Leslie J. Stewart, Betsy B. Thompson, Elizabeth A. Walston, Carolyn R. Watkins, Teresa M. Watkins, Faye L. Webster, James G. Williams, and Karen M. Wooten.

The Division of Data Services, Phillip R. Beattie, Director, and Margot A. Palmer, Deputy Director, was responsible for publications management, production, editorial review, and printing. The following branch and section chiefs provided overall direction: Richard L. Welch, Naomi M. Forester, and Rolfe W. Larson. Important contributors were Arlett R. Brown, Joan Burton, Jarmila G. Frazier, Patricia Keaton-Williams, Zung Le, Demarius V. Miller, and Patricia Wilson.

The Office of Research and Methodology was responsible for the application of mathematical statistics methods to the development and implementation of quality assurance procedures. Important contributions in this area were made by Kenneth W. Harris, Special Assistant for Program Coordination and Statistical Standards.

The National Center for Health Statistics acknowledges the essential role of the vital registration offices of all States and territories in maintaining the system through which vital statistics data are obtained and for their cooperation in providing the information on which this publication is based.

VITAL STATISTICS OF THE UNITED STATES, 1991

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1991*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and metropolitan areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1991. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	–1	–2	–3	–4	–5	–6	–7	–8	–9
PAGE:	1	87	100	126	176	202	491	496	539
Geographic area:									
Counties	1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Metropolitan areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death rates (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	–1	–2	–3	–4	–5	–6	–7	–8	–9	–10	–11	–12	–13	–14
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29	31
Geographic area:														
Guam	1	2	3			6	7	8		[1]10	11	12	13	
Puerto Rico	1	2		4			7	8	[1]9		11	12	13	14
Municipios									[1]9					
Virgin Islands	1	2	3		5		7	8		[1]10	11	12	13	14
Islands										[1]10				
Specified urban place										[1]10				
Years:														
1940–91	1													
1991 only		2	3	4	5	6	7	8	9	10	11	12	13	14
Type of entry:														
Death rates	1													
Number of deaths	1	2	3	4	5	6	7	8	9	10				
Number of fetal deaths									9	10				
Number of infant deaths			3	4	5	6			9	10	11	12	13	14
Number of neonatal deaths									9	10	11	12	13	
Number of postneonatal deaths													13	
Characteristics:														
Age:														
10-year age groups			3	4	5	6								14
Detailed age groups (under 1 day–11 months)												12		
Cause of death:														
61 selected causes of infant mortality													13	
72 selected causes				4	5	6								
HIV infection														14
Motor vehicle accidents							7							
Nontransport accidents								8						
Person injured							7							
Month		2									11			
Place of accident								8						
Race[2]		2	3		5	6	7	8		10	11	12	13	
Sex		2	3	4	5	6	7	8				12		14

[1]Deaths by place of occurrence and place of residence.
[2]Puerto Rico does not report race.

Symbols Used in Tables

Data not available	- - -
Category not applicable	. . .
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1991	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and rates, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1991	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1991	100
8–4.	Deaths by 10-year age groups, race, and sex, for metropolitan areas of the United States: 1991	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1991	176
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: each State, 1991	202
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1991	491
8–8.	Deaths from 72 selected causes for metropolitan areas of the United States: 1991	496
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1991	539

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991

(Page 1 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
United States	2,173,060	2,169,518	36,766	22,978	30,160
White	1,871,885	1,868,904	23,657	14,698	20,257
All other	301,175	300,614	13,109	8,280	9,903
Black	269,710	269,525	11,994	7,677	8,879
Alabama	39,753	40,063	705	461	571
White	29,146	29,375	330	204	277
All other	10,607	10,688	375	257	294
Black	10,555	10,641	374	256	292
Autauga	200	283	7	5	7
White	146	208	4	3	4
All other	54	75	3	2	3
Black	54	75	3	2	3
Prattville, part	---	161	4	3	3
White	---	127	1	1	2
All other	---	34	3	2	1
Black	---	34	3	2	1
Prattville, total	---	162	4	3	3
White	---	128	1	1	2
All other	---	34	3	2	1
Black	---	34	3	2	1
Balance of county	---	122	3	2	4
White	---	81	3	2	2
All other	---	41	-	-	2
Black	---	41	-	-	2
Baldwin	915	986	11	5	10
White	819	874	9	4	4
All other	96	112	2	1	6
Black	94	111	2	1	6
Barbour	222	299	5	2	3
White	119	173	3	1	-
All other	103	126	2	1	3
Black	103	126	2	1	3
Eufaula	---	143	3	2	1
White	---	89	2	1	-
All other	---	54	1	1	1
Black	---	54	1	1	1
Balance of county	---	156	2	-	2
White	---	84	1	-	-
All other	---	72	1	-	2
Black	---	72	1	-	2
Bibb	107	180	5	2	4
White	78	134	1	1	4
All other	29	46	4	1	-
Black	29	46	4	1	-
Blount	233	387	2	2	7
Bullock	77	119	6	2	3
White	22	34	-	-	-
All other	55	85	6	2	3
Black	55	85	6	2	3
Butler	255	297	5	2	12
White	172	189	3	1	4
All other	83	108	2	1	8
Black	83	108	2	1	8
Calhoun	1,104	1,148	31	17	10
White	898	927	14	5	4
All other	206	221	17	12	6
Black	206	221	17	12	6
Anniston	---	464	17	10	4
White	---	300	3	1	1
All other	---	164	14	9	3
Black	---	164	14	9	3
Balance of county	---	684	14	7	6
White	---	627	11	4	3
All other	---	57	3	3	3
Black	---	57	3	3	3
Chambers	336	454	10	9	8
White	238	321	5	4	5
All other	98	133	5	5	3
Black	98	133	5	5	3
Cherokee	137	212	2	2	3
Chilton	199	352	5	3	5
White	171	301	3	1	3
All other	28	51	2	2	2
Black	28	51	2	2	2
Choctaw	62	131	5	1	1
White	29	65	2	-	-
All other	33	66	3	1	1
Black	33	66	3	1	1
Clarke	249	302	8	5	5
White	140	176	2	2	-
All other	109	126	6	3	5
Black	109	126	6	3	5
Clay	121	134	-	-	2
White	110	115	-	-	1
All other	11	19	-	-	1
Black	10	19	-	-	1
Cleburne	38	130	2	2	2
Coffee	251	340	2	1	7
White	210	285	-	-	3
All other	41	55	2	1	4
Black	41	54	2	1	4
Enterprise, part	---	139	2	1	3
White	---	107	-	-	1
All other	---	32	2	1	2
Black	---	31	2	1	2
Enterprise, total	---	140	2	1	3
White	---	108	-	-	1
All other	---	32	2	1	2
Black	---	31	2	1	2
Balance of county	---	201	-	-	4
White	---	178	-	-	2
All other	---	23	-	-	2
Black	---	23	-	-	2
Colbert	572	555	9	6	5
White	491	472	8	6	4
All other	81	83	1	-	1
Black	81	83	1	-	1
Sheffield	---	137	1	1	1
White	---	113	1	1	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	418	8	5	4
White	---	359	7	5	4
All other	---	59	1	-	-
Black	---	59	1	-	-
Conecuh	101	164	4	2	1
White	64	102	1	-	-
All other	37	62	3	2	1
Black	37	62	3	2	1
Coosa	42	121	2	1	3
White	28	78	2	1	1
All other	14	43	-	-	2
Black	14	43	-	-	2
Covington	402	506	7	3	4
White	358	453	5	2	2
All other	44	53	2	1	2
Black	44	53	2	1	2
Andalusia	---	157	1	1	1
White	---	135	-	-	-
All other	---	22	1	1	1
Black	---	22	1	1	1
Balance of county	---	349	6	2	3
White	---	318	5	2	2
All other	---	31	1	-	1
Black	---	31	1	-	1
Crenshaw	127	168	2	2	-
White	82	123	2	2	-
All other	45	45	-	-	-
Black	45	45	-	-	-
Cullman	573	657	7	4	4
Cullman	---	199	-	-	2
Balance of county	---	458	7	4	2
Dale	274	371	6	2	8
White	231	317	4	1	3
All other	43	54	2	1	5
Black	43	54	2	1	5
Dothan, part	---	-	-	-	-
Enterprise, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	147	-	-	3
White	---	120	-	-	-
All other	---	27	-	-	3
Black	---	27	-	-	3
Balance of county	---	223	6	2	5
White	---	196	4	1	3
All other	---	27	2	1	2
Black	---	27	2	1	2
Dallas	559	542	6	3	16
White	229	219	2	1	-
All other	330	323	4	2	16
Black	330	323	4	2	16
Selma	---	355	5	3	7
White	---	149	2	1	-
All other	---	206	3	2	7
Black	---	206	3	2	7
Balance of county	---	187	1	-	9
White	---	70	-	-	-
All other	---	117	1	-	9
Black	---	117	1	-	9
De Kalb	413	551	4	3	5
Fort Payne	---	123	1	-	2
Balance of county	---	428	3	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 2 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Alabama-Con.					
Elmore	386	505	12	7	5
White	278	383	4	2	4
All other	108	122	8	5	1
Black	108	121	8	5	1
Prattville, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	504	12	7	5
White	---	382	4	2	4
All other	---	122	8	5	1
Black	---	121	8	5	1
Escambia	336	423	7	5	3
White	233	304	3	2	3
All other	103	119	4	3	-
Black	100	115	4	3	-
Etowah	1,224	1,190	11	7	10
White	1,058	1,019	8	6	7
All other	166	171	3	1	3
Black	165	171	3	1	3
Gadsden	---	723	7	4	5
White	---	577	5	3	3
All other	---	146	2	1	2
Black	---	146	2	1	2
Balance of county	---	467	4	3	5
Fayette	139	226	4	2	1
White	123	197	3	1	-
All other	16	29	1	1	1
Black	16	29	1	1	1
Franklin	254	348	4	4	6
Geneva	151	290	6	1	1
White	137	260	4	-	1
All other	14	30	2	1	-
Black	14	29	2	1	-
Greene	69	137	3	3	1
White	18	32	-	-	-
All other	51	105	3	3	1
Black	51	105	3	3	1
Hale	109	185	1	1	6
White	53	87	-	-	1
All other	56	98	1	1	5
Black	56	98	1	1	5
Henry	65	171	2	2	-
White	47	111	-	-	-
All other	18	60	2	2	-
Black	18	60	2	2	-
Houston	1,234	714	12	8	10
White	963	537	9	6	6
All other	271	177	3	2	4
Black	269	177	3	2	4
Dothan, part	---	479	10	7	6
White	---	346	8	5	2
All other	---	133	2	2	4
Black	---	133	2	2	4
Dothan, total	---	479	10	7	6
White	---	346	8	5	2
All other	---	133	2	2	4
Black	---	133	2	2	4
Balance of county	---	235	2	1	4
White	---	191	1	1	4
All other	---	44	1	-	-
Black	---	44	1	-	-
Jackson	337	515	13	9	3
Scottsboro	---	176	4	2	1
Balance of county	---	339	9	7	2
Jefferson	9,007	6,976	124	83	79
White	6,020	4,318	32	20	30
All other	2,987	2,658	92	63	49
Black	2,976	2,652	92	63	48
Bessemer	---	524	12	6	7
White	---	262	4	2	3
All other	---	262	8	4	4
Black	---	261	8	4	4
Birmingham	---	3,365	79	56	52
White	---	1,402	4	2	15
All other	---	1,963	75	54	37
Black	---	1,961	75	54	36
Fairfield	---	162	1	-	3
White	---	57	-	-	-
All other	---	105	1	-	3
Black	---	105	1	-	3
Homewood	---	173	2	1	-
Hoover, part	---	221	2	2	-
Hoover, total	---	228	2	2	-
Hueytown	---	168	1	1	1
Mountain Brook	---	156	1	1	-
Vestavia Hills	---	175	3	3	-
Balance of county	---	2,032	23	13	16
White	---	1,744	16	8	12
All other	---	288	7	5	4
Black	---	288	7	5	4
Lamar	104	170	1	1	4
White	93	145	-	-	3
All other	11	25	1	1	1
Black	11	25	1	1	1
Lauderdale	791	776	5	3	12
White	721	700	4	3	11
All other	70	76	1	-	1
Black	70	76	1	-	1
Florence	---	402	3	1	4
White	---	343	2	1	3
All other	---	59	1	-	1
Black	---	59	1	-	1
Balance of county	---	374	2	2	8
Lawrence	187	264	2	2	3
White	158	218	1	1	3
All other	29	46	1	1	-
Black	29	46	1	1	-
Lee	753	639	20	15	14
White	463	422	12	8	5
All other	290	217	8	7	9
Black	287	217	8	7	9
Auburn	---	163	2	1	4
White	---	109	-	-	1
All other	---	54	2	1	3
Black	---	54	2	1	3
Opelika	---	246	10	8	6
White	---	144	7	5	2
All other	---	102	3	3	4
Black	---	102	3	3	4
Phenix City, part	---	6	-	-	-
Balance of county	---	224	8	6	4
White	---	164	5	3	2
All other	---	60	3	3	2
Black	---	60	3	3	2
Limestone	333	421	2	2	9
White	288	352	2	2	8
All other	45	69	-	-	1
Black	44	68	-	-	1
Athens	---	159	-	-	3
White	---	130	-	-	2
All other	---	29	-	-	1
Black	---	29	-	-	1
Balance of county	---	262	2	2	6
White	---	222	2	2	6
All other	---	40	-	-	-
Black	---	39	-	-	-
Lowndes	52	122	5	3	4
White	17	32	1	-	1
All other	35	90	4	3	3
Black	35	90	4	3	3
Macon	352	277	6	4	9
White	134	47	-	-	-
All other	218	230	6	4	9
Black	218	230	6	4	9
Tuskegee	---	134	3	3	5
White	---	8	-	-	-
All other	---	126	3	3	5
Black	---	126	3	3	5
Balance of county	---	143	3	1	4
White	---	39	-	-	-
All other	---	104	3	1	4
Black	---	104	3	1	4
Madison	2,048	1,689	32	22	29
White	1,695	1,353	21	15	21
All other	353	336	11	7	8
Black	347	330	11	7	8
Huntsville	---	1,254	21	13	14
White	---	990	12	7	11
All other	---	264	9	6	3
Black	---	258	9	6	3
Balance of county	---	435	11	9	15
White	---	363	9	8	10
All other	---	72	2	1	5
Black	---	72	2	1	5
Marengo	195	252	4	2	4
White	77	116	-	-	1
All other	118	136	4	2	3
Black	118	136	4	2	3
Marion	259	313	4	2	5
Marshall	701	769	14	9	8
Albertville	---	168	3	2	1
Balance of county	---	601	11	7	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 3 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Infant	Neonatal	Fetal deaths by place of residence
Alabama-Con.					
Mobile	3,876	3,592	72	47	68
White	2,535	2,354	27	15	29
All other	1,341	1,238	45	32	39
Black	1,328	1,228	44	31	39
Mobile	---	2,129	38	24	44
White	---	1,322	9	4	16
All other	---	807	29	20	28
Black	---	803	28	19	28
Prichard	---	424	13	9	8
White	---	128	1	1	-
All other	---	296	12	8	8
Black	---	296	12	8	8
Balance of county	---	1,039	21	14	16
White	---	904	17	10	13
All other	---	135	4	4	3
Black	---	129	4	4	3
Monroe	201	257	3	2	2
White	130	160	1	1	1
All other	71	97	2	1	1
Black	71	96	2	1	1
Montgomery	2,563	1,976	53	40	39
White	1,568	1,185	13	5	10
All other	995	791	40	35	29
Black	991	788	40	35	29
Montgomery	---	1,827	51	39	35
White	---	1,086	12	5	9
All other	---	741	39	34	26
Black	---	738	39	34	26
Balance of county	---	149	2	1	4
White	---	99	1	-	1
All other	---	50	1	1	3
Black	---	50	1	1	3
Morgan	804	877	10	9	19
White	703	790	4	4	12
All other	101	87	6	5	7
Black	100	86	6	5	7
Decatur	---	463	8	7	7
White	---	395	4	4	4
All other	---	68	4	3	3
Black	---	67	4	3	3
Balance of county	---	414	2	2	12
Perry	92	153	-	-	4
White	34	56	-	-	-
All other	58	97	-	-	4
Black	58	97	-	-	4
Pickens	159	221	4	2	3
White	87	134	2	1	1
All other	72	87	2	1	2
Black	72	87	2	1	2
Pike	250	309	4	2	3
White	151	191	2	1	-
All other	99	118	2	1	3
Black	99	118	2	1	3
Troy	---	159	2	1	2
White	---	97	1	-	-
All other	---	62	1	1	2
Black	---	62	1	1	2
Balance of county	---	150	2	1	1
White	---	94	1	1	-
All other	---	56	1	-	1
Black	---	56	1	-	1
Randolph	217	266	8	8	3
White	147	197	4	4	-
All other	70	69	4	4	3
Black	70	69	4	4	3
Russell	466	522	7	4	6
White	299	327	3	2	3
All other	167	195	4	2	3
Black	166	194	4	2	3
Phenix City, part	---	354	4	2	3
White	---	233	1	1	2
All other	---	121	3	1	1
Black	---	121	3	1	1
Phenix City, total	---	360	4	2	3
White	---	238	1	1	2
All other	---	122	3	1	1
Black	---	122	3	1	1
Balance of county	---	168	3	2	3
White	---	94	2	1	1
All other	---	74	1	1	2
Black	---	73	1	1	2
St. Clair	275	445	8	6	7
White	248	418	8	6	6
All other	27	27	-	-	1
Black	27	27	-	-	1
Shelby	437	607	9	7	6
White	385	529	6	5	3
All other	52	78	3	2	3
Black	52	77	3	2	3
Hoover, part	---	7	-	-	-
Balance of county	---	600	9	7	6
White	---	523	6	5	3
All other	---	77	3	2	3
Black	---	77	3	2	3
Sumter	102	172	5	3	3
White	34	53	1	1	-
All other	68	119	4	2	3
Black	68	119	4	2	3
Talladega	600	764	20	11	9
White	442	563	8	4	1
All other	158	201	12	7	8
Black	158	200	12	7	8
Sylacauga	---	161	4	1	3
White	---	130	1	1	-
All other	---	31	3	-	3
Black	---	30	3	-	3
Talladega	---	220	6	5	3
White	---	151	2	1	-
All other	---	69	4	4	3
Black	---	69	4	4	3
Balance of county	---	383	10	5	3
White	---	282	5	2	1
All other	---	101	5	3	2
Black	---	101	5	3	2
Tallapoosa	373	471	6	4	7
White	279	347	3	3	4
All other	94	124	3	1	3
Black	94	124	3	1	3
Alexander City	---	189	1	1	1
White	---	139	-	-	1
All other	---	50	1	1	-
Black	---	50	1	1	-
Balance of county	---	282	5	3	6
White	---	208	3	3	3
All other	---	74	2	-	3
Black	---	74	2	-	3
Tuscaloosa	1,652	1,260	26	19	16
White	1,154	916	9	7	7
All other	498	344	17	12	9
Black	497	342	17	12	8
Northport	---	196	4	3	4
White	---	156	1	1	3
All other	---	40	3	2	1
Black	---	40	3	2	-
Tuscaloosa	---	708	19	13	9
White	---	454	5	3	1
All other	---	254	14	10	8
Black	---	252	14	10	8
Balance of county	---	356	3	3	3
White	---	306	3	3	3
All other	---	50	-	-	-
Black	---	50	-	-	-
Walker	653	817	12	6	9
Jasper	---	193	1	1	-
White	---	169	-	-	-
All other	---	24	1	1	-
Black	---	24	1	1	-
Balance of county	---	624	11	5	9
Washington	79	158	2	2	2
White	66	121	2	2	2
All other	13	37	-	-	-
Black	13	34	-	-	-
Wilcox	112	174	6	5	1
White	38	55	1	1	1
All other	74	119	5	4	-
Black	74	119	5	4	-
Winston	187	261	3	1	3
Alaska [1]	2,201	2,200	104	41	72
White	1,527	1,527	60	30	48
All other	674	673	44	11	24
Black	49	49	6	2	4
Aleutian Islands	41	32	2	1	1
White	24	9	1	1	1
All other	17	23	1	-	-
Black	-	-	-	-	-
Anchorage, coext. with Anchorage city	934	781	39	16	23
White	694	624	26	11	16
All other	240	157	13	5	7
Black	36	36	6	2	2
Bethel	72	78	3	1	5
White	4	8	-	-	-
All other	68	70	3	1	5
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 4 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Alaska-Con.					
Bristol Bay borough	4	2	–	–	–
White	3	–	–	–	–
All other	1	2	–	–	–
Black	–	–	–	–	–
Dillingham	27	31	1	–	–
White	6	6	–	–	–
All other	21	25	1	–	–
Black	–	–	–	–	–
Fairbanks North Star borough	265	275	17	9	11
White	208	227	14	9	7
All other	57	48	3	–	4
Black	7	8	–	–	2
Fairbanks	– – –	221	13	7	9
White	– – –	179	11	7	5
All other	– – –	42	2	–	4
Black	– – –	7	–	–	2
Balance of area	– – –	54	4	2	2
White	– – –	48	3	2	2
All other	– – –	6	1	–	–
Black	– – –	1	–	–	–
Haines borough	13	12	1	–	–
White	11	9	1	–	–
All other	2	3	–	–	–
Black	–	–	–	–	–
Juneau, coext. with Juneau city	100	109	7	2	2
White	76	84	4	2	1
All other	24	25	3	–	1
Black	1	1	–	–	–
Kenai Peninsula borough	136	154	5	1	8
Ketchikan Gateway borough	100	90	3	2	5
White	75	69	2	1	5
All other	25	21	1	1	–
Black	–	–	–	–	–
Kobuk	32	41	1	–	1
White	2	2	–	–	–
All other	30	39	1	–	1
Black	–	–	–	–	–
Kodiak Island borough	50	48	3	3	3
White	32	30	2	2	1
All other	18	18	1	1	2
Black	3	3	–	–	–
Matanuska-Susitna borough	127	172	5	2	5
Nome	53	63	4	–	–
White	3	4	–	–	–
All other	50	59	4	–	–
Black	–	–	–	–	–
North Slope borough	27	36	–	–	2
White	2	1	–	–	–
All other	25	35	–	–	2
Black	–	–	–	–	–
Prince of Wales-Outer Ketchikan	11	24	1	–	–
White	7	11	–	–	–
All other	4	13	1	–	–
Black	–	–	–	–	–
Sitka borough	38	37	–	–	1
White	25	29	–	–	1
All other	13	8	–	–	–
Black	–	–	–	–	–
Skagway-Yakutat-Angoon	20	21	–	–	1
White	14	11	–	–	1
All other	6	10	–	–	–
Black	–	–	–	–	–
Southeast Fairbanks	12	15	–	–	1
White	7	8	–	–	1
All other	5	7	–	–	–
Black	–	–	–	–	–
Valdez-Cordova	47	51	1	1	–
White	38	37	1	1	–
All other	9	14	–	–	–
Black	–	–	–	–	–
Wade Hampton	18	33	9	3	–
White	3	–	–	–	–
All other	15	33	9	3	–
Black	–	–	–	–	–
Wrangell-Petersburg	33	48	–	–	1
White	31	40	–	–	1
All other	2	8	–	–	–
Black	–	–	–	–	–
Yukon-Koyukuk	41	47	2	–	2
White	18	12	–	–	–
All other	23	35	2	–	2
Black	–	–	–	–	–
Arizona	30,269	29,548	584	338	399
White	28,277	27,468	457	264	335
All other	1,992	2,080	127	74	64
Black	788	764	51	37	17
Apache	259	392	14	4	8
White	72	79	–	–	–
All other	187	313	14	4	8
Black	–	–	–	–	–
Cochise	617	804	17	10	7
Douglas	– – –	118	5	2	–
White	– – –	115	5	2	–
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Sierra Vista	– – –	183	2	2	1
White	– – –	176	1	1	1
All other	– – –	7	1	1	–
Black	– – –	4	1	1	–
Balance of county	– – –	503	10	6	6
White	– – –	489	8	4	4
All other	– – –	14	2	2	2
Black	– – –	12	2	2	–
Coconino	459	419	19	8	8
White	311	271	7	5	3
All other	148	148	12	3	5
Black	14	11	–	–	–
Flagstaff	– – –	168	8	5	2
White	– – –	151	5	4	1
All other	– – –	17	3	1	1
Black	– – –	10	–	–	–
Balance of county	– – –	251	11	3	6
White	– – –	120	2	1	2
All other	– – –	131	9	2	4
Black	– – –	1	–	–	–
Gila	396	497	14	7	6
White	365	440	4	–	4
All other	31	57	10	7	2
Black	–	4	3	3	–
Graham	190	233	4	3	4
White	180	212	3	2	3
All other	10	21	1	1	1
Black	–	1	–	–	–
Greenlee	19	64	–	–	1
Maricopa	17,532	16,182	333	203	227
White	16,554	15,398	280	167	205
All other	978	784	53	36	22
Black	533	512	32	22	13
Chandler	– – –	379	16	12	14
White	– – –	357	14	12	14
All other	– – –	22	2	–	–
Black	– – –	14	1	–	–
Glendale	– – –	991	38	21	18
White	– – –	963	36	20	18
All other	– – –	28	2	1	–
Black	– – –	17	1	–	–
Mesa	– – –	2,185	42	30	36
White	– – –	2,134	41	29	35
All other	– – –	51	1	1	1
Black	– – –	29	1	1	1
Paradise Valley	– – –	33	–	–	–
Peoria	– – –	505	9	5	8
White	– – –	496	7	5	8
All other	– – –	9	2	–	–
Black	– – –	5	2	–	–
Phoenix	– – –	6,958	169	99	108
White	– – –	6,459	133	73	93
All other	– – –	499	36	26	15
Black	– – –	400	24	18	11
Scottsdale	– – –	1,219	10	6	11
Tempe	– – –	679	16	11	14
Balance of county	– – –	3,233	33	19	18
White	– – –	3,103	25	13	15
All other	– – –	130	8	6	3
Black	– – –	27	3	3	1
Mohave	1,130	1,252	9	6	8
Lake Havasu City	– – –	301	2	1	–
Balance of county	– – –	951	7	5	8
Navajo	366	468	14	9	12
White	256	278	5	3	3
All other	110	190	9	6	9
Black	3	7	–	–	–
Pima	6,419	5,768	98	57	68
White	6,089	5,456	83	48	61
All other	330	312	15	9	7
Black	159	152	8	7	4
Tucson	– – –	3,767	73	49	58
White	– – –	3,578	63	41	52
All other	– – –	189	10	8	6
Black	– – –	135	8	7	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 5 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Arizona-Con.					
Balance of county	- - -	2,001	25	8	10
White	- - -	1,878	20	7	9
All other	- - -	123	5	1	1
Black	- - -	17	-	-	-
Pinal	590	1,055	21	10	16
White	516	929	12	6	9
All other	74	126	9	4	7
Black	19	27	5	2	-
Casa Grande	- - -	164	6	4	-
White	- - -	148	3	3	-
All other	- - -	16	3	1	-
Black	- - -	11	3	1	-
Balance of county	- - -	891	15	6	16
White	- - -	781	9	3	9
All other	- - -	110	6	3	7
Black	- - -	16	2	1	-
Santa Cruz	104	181	5	4	4
Nogales	- - -	111	4	3	4
White	- - -	110	4	3	4
All other	- - -	1	-	-	-
Black	- - -	1	-	-	-
Balance of county	- - -	70	1	1	-
White	- - -	69	1	1	-
All other	- - -	1	-	-	-
Black	- - -	1	-	-	-
Yavapai	1,206	1,299	18	9	13
Prescott	- - -	410	3	1	6
Balance of county	- - -	889	15	8	7
Yuma [1]	982	934	18	8	17
Yuma	- - -	466	8	3	9
White	- - -	442	8	3	9
All other	- - -	24	-	-	-
Black	- - -	16	-	-	-
Balance of county	- - -	468	10	5	8
White	- - -	424	10	5	8
All other	- - -	44	-	-	-
Black	- - -	10	-	-	-
Arkansas	24,814	25,048	363	176	266
White	20,770	20,873	226	106	155
All other	4,044	4,175	137	70	111
Black	3,948	4,119	136	70	110
Arkansas	266	265	4	2	7
White	199	205	2	1	2
All other	67	60	2	1	5
Black	67	59	2	1	5
Stuttgart	- - -	117	1	-	1
White	- - -	80	-	-	-
All other	- - -	37	1	-	1
Black	- - -	37	1	-	1
Balance of county	- - -	148	3	2	6
White	- - -	125	2	1	2
All other	- - -	23	1	1	4
Black	- - -	22	1	1	4
Ashley	152	253	6	4	1
White	113	182	1	1	-
All other	39	71	5	3	1
Black	39	70	5	3	1
Baxter	562	518	2	2	4
Benton	918	1,000	17	13	10
Rogers	- - -	283	5	3	2
Springdale, part	- - -	2	-	-	-
Balance of county	- - -	715	12	10	8
Boone	349	308	3	2	2
Bradley	155	182	5	3	1
White	111	126	2	1	-
All other	44	56	3	2	1
Black	44	56	3	2	1
Calhoun	37	77	-	-	1
White	23	61	-	-	-
All other	14	16	-	-	1
Black	14	16	-	-	1
Carroll	200	240	-	-	3
Chicot	155	188	4	2	1
White	57	71	2	1	-
All other	98	117	2	1	1
Black	97	116	2	1	1
Clark	197	230	3	1	1
White	155	178	2	1	-
All other	42	52	1	-	1
Black	41	52	1	-	1
Arkadelphia	- - -	100	1	-	1
White	- - -	87	-	-	-
All other	- - -	13	1	-	1
Black	- - -	13	1	-	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Arkansas-Con.					
Balance of county	- - -	130	2	1	-
White	- - -	91	2	1	-
All other	- - -	39	-	-	-
Black	- - -	39	-	-	-
Clay	143	257	2	-	1
Cleburne	182	247	1	1	-
Cleveland	38	70	-	-	-
White	32	60	-	-	-
All other	6	10	-	-	-
Black	6	10	-	-	-
Columbia	255	299	5	3	4
White	164	198	2	-	3
All other	91	101	3	3	1
Black	91	101	3	3	1
Magnolia	- - -	144	2	1	1
White	- - -	99	1	-	-
All other	- - -	45	1	1	1
Black	- - -	45	1	1	1
Balance of county	- - -	155	3	2	3
White	- - -	99	1	-	3
All other	- - -	56	2	2	-
Black	- - -	56	2	2	-
Conway	196	214	-	-	4
White	175	175	-	-	4
All other	21	39	-	-	-
Black	21	39	-	-	-
Craighead	1,027	656	11	7	11
Jonesboro	- - -	419	9	7	7
Balance of county	- - -	237	2	-	4
Crawford	345	393	10	4	5
Van Buren	- - -	195	4	2	1
Balance of county	- - -	198	6	2	4
Crittenden	438	478	18	6	6
White	232	227	4	-	-
All other	206	251	14	6	6
Black	206	250	14	6	6
West Memphis	- - -	275	11	5	2
White	- - -	136	1	-	-
All other	- - -	139	10	5	2
Black	- - -	139	10	5	2
Balance of county	- - -	203	7	1	4
White	- - -	91	3	-	-
All other	- - -	112	4	1	4
Black	- - -	111	4	1	4
Cross	184	235	3	-	2
White	133	185	2	-	2
All other	51	50	1	-	-
Black	51	50	1	-	-
Dallas	93	128	1	1	-
White	59	80	1	1	-
All other	34	48	-	-	-
Black	34	48	-	-	-
Desha	192	208	5	2	7
White	100	112	1	-	2
All other	92	96	4	2	5
Black	92	96	4	2	5
Drew	135	173	6	5	4
White	101	123	4	3	-
All other	34	50	2	2	4
Black	34	50	2	2	4
Faulkner	391	480	7	2	8
Conway	- - -	242	3	1	1
Balance of county	- - -	238	4	1	7
Franklin	111	177	2	-	1
Fulton	101	131	2	2	-
Garland	1,154	1,086	10	5	4
Hot Springs	- - -	693	7	3	3
White	- - -	623	5	3	3
All other	- - -	70	2	-	-
Black	- - -	69	2	-	-
Balance of county	- - -	393	3	2	1
Grant	56	120	-	-	1
Greene	340	377	3	-	3
Paragould	- - -	250	2	-	1
Balance of county	- - -	127	1	-	2
Hempstead	183	238	4	3	2
White	130	161	-	-	2
All other	53	77	4	3	-
Black	53	76	4	3	-
Hope	- - -	135	3	2	1
White	- - -	85	-	-	1
All other	- - -	50	3	2	-
Black	- - -	50	3	2	-
Balance of county	- - -	103	1	1	1
White	- - -	76	-	-	1
All other	- - -	27	1	1	-
Black	- - -	26	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 6 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Arkansas-Con.					
Hot Spring	196	271	4	3	2
White	170	226	1	1	1
All other	26	45	3	2	1
Black	26	44	3	2	1
Malvern	---	151	3	2	1
White	---	110	-	-	-
All other	---	41	3	2	1
Black	---	41	3	2	1
Balance of county	---	120	1	1	1
Howard	143	186	-	-	1
White	112	158	-	-	1
All other	31	28	-	-	-
Black	31	28	-	-	-
Independence	366	330	4	2	1
Izard	100	171	-	-	-
Jackson	192	246	4	2	1
White	158	201	3	1	-
All other	34	45	1	1	1
Black	34	45	1	1	1
Jefferson	922	868	11	3	17
White	529	502	3	-	5
All other	393	366	8	3	12
Black	391	364	8	3	12
Pine Bluff	---	692	9	2	16
White	---	381	2	-	4
All other	---	311	7	2	12
Black	---	310	7	2	12
Balance of county	---	176	2	1	1
White	---	121	1	-	1
All other	---	55	1	1	-
Black	---	54	1	1	-
Johnson	184	221	-	-	1
Lafayette	41	127	1	1	-
White	26	84	-	-	-
All other	15	43	1	1	-
Black	15	43	1	1	-
Lawrence	139	209	1	-	2
Lee	70	194	2	1	2
White	26	73	-	-	1
All other	44	121	2	1	1
Black	44	121	2	1	1
Lincoln	71	130	-	-	1
White	46	87	-	-	-
All other	25	43	-	-	1
Black	25	43	-	-	1
Little River	80	123	4	3	3
White	64	98	4	3	1
All other	16	25	-	-	2
Black	16	25	-	-	2
Logan	186	269	-	-	1
Lonoke	145	378	6	3	8
White	127	336	5	3	5
All other	18	42	1	-	3
Black	17	39	1	-	2
Madison	79	126	3	3	1
Marion	83	159	-	-	-
Miller	685	418	4	-	4
White	526	319	3	-	1
All other	159	99	1	-	3
Black	155	98	1	-	3
Texarkana [3]	---	307	2	-	4
White	---	225	1	-	1
All other	---	82	1	-	3
Black	---	81	1	-	3
Balance of county	---	111	2	-	-
White	---	94	2	-	-
All other	---	17	-	-	-
Black	---	17	-	-	-
Mississippi	407	545	13	5	16
White	302	401	6	-	7
All other	105	144	7	5	9
Black	104	143	7	5	9
Blytheville	---	226	7	3	8
White	---	149	4	-	2
All other	---	77	3	3	6
Black	---	77	3	3	6
Balance of county	---	319	6	2	8
White	---	252	2	-	5
All other	---	67	4	2	3
Black	---	66	4	2	3
Monroe	67	174	-	-	4
White	38	102	-	-	2
All other	29	72	-	-	2
Black	29	72	-	-	2
Montgomery	42	87	-	-	-
Nevada	70	128	-	-	1
White	50	99	-	-	-
All other	20	29	-	-	1
Black	20	29	-	-	1
Newton	33	73	-	-	-
Ouachita	343	406	8	3	2
White	209	241	-	-	-
All other	134	165	8	3	2
Black	134	165	8	3	2
Camden	---	228	5	2	2
White	---	138	-	-	-
All other	---	90	5	2	2
Black	---	90	5	2	2
Balance of county	---	178	3	1	-
White	---	103	-	-	-
All other	---	75	3	1	-
Black	---	75	3	1	-
Perry	30	90	2	1	1
Phillips	330	402	7	2	3
White	130	170	1	1	1
All other	200	232	6	1	2
Black	197	229	6	1	2
West Helena	---	133	2	1	-
White	---	60	-	-	-
All other	---	73	2	1	-
Black	---	71	2	1	-
Balance of county	---	269	5	1	3
White	---	110	1	1	1
All other	---	159	4	-	2
Black	---	158	4	-	2
Pike	69	117	1	1	1
Poinsett	128	304	5	3	2
Polk	143	223	2	-	-
Pope	372	387	4	1	5
Russellville	---	197	3	-	4
Balance of county	---	190	1	1	1
Prairie	41	98	-	-	-
White	33	83	-	-	-
All other	8	15	-	-	-
Black	7	14	-	-	-
Pulaski	4,878	3,089	65	38	50
White	3,765	2,257	31	15	19
All other	1,113	832	34	23	31
Black	1,104	825	34	23	31
Jacksonville	---	202	6	2	4
White	---	172	5	1	3
All other	---	30	1	1	1
Black	---	29	1	1	1
Little Rock	---	1,802	38	24	30
White	---	1,238	11	6	5
All other	---	564	27	18	25
Black	---	562	27	18	25
North Little Rock	---	704	14	8	10
White	---	549	9	4	5
All other	---	155	5	4	5
Black	---	153	5	4	5
Sherwood	---	79	1	1	1
Balance of county	---	302	6	3	5
White	---	223	5	3	5
All other	---	79	1	-	-
Black	---	79	1	-	-
Randolph	127	177	2	2	4
St. Francis	335	345	6	2	2
White	156	182	2	2	-
All other	179	163	4	-	2
Black	178	163	4	-	2
Forrest City	---	191	4	-	2
White	---	94	-	-	-
All other	---	97	4	-	2
Black	---	97	4	-	2
Balance of county	---	154	2	2	-
White	---	88	2	2	-
All other	---	66	-	-	-
Black	---	66	-	-	-
Saline	340	459	3	1	6
Benton	---	184	3	1	3
Balance of county	---	275	-	-	3
Scott	92	121	1	-	-
Searcy	40	98	1	1	-
Sebastian	1,568	995	15	6	10
Fort Smith	---	754	14	5	9
Balance of county	---	241	1	1	1
Sevier	170	169	2	1	-
Sharp	127	203	5	2	3
Stone	74	103	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Arkansas-Con.					
Union	598	594	11	6	7
White	415	417	9	5	4
All other	183	177	2	1	3
Black	182	176	2	1	3
El Dorado	---	338	7	4	6
White	---	222	5	3	4
All other	---	116	2	1	2
Black	---	115	2	1	2
Balance of county	---	256	4	2	1
White	---	195	4	2	-
All other	---	61	-	-	1
Black	---	61	-	-	1
Van Buren	136	190	2	1	-
Washington	1,192	934	25	8	4
Fayetteville	---	315	9	5	2
Springdale, part	---	258	5	3	2
Springdale, total	---	260	5	3	2
Balance of county	---	361	11	-	-
White	595	524	3	1	5
Searcy	---	146	-	-	1
Balance of county	---	378	3	1	4
Woodruff	57	139	1	-	-
White	39	96	-	-	-
All other	18	43	1	-	-
Black	18	43	1	-	-
Yell	173	220	1	-	1
California	216,005	215,284	4,623	2,795	3,880
White	187,651	186,964	3,517	2,173	2,979
All other	28,354	28,320	1,106	622	901
Black	17,713	17,725	793	453	571
Alameda	9,880	9,867	180	104	140
White	7,172	7,142	100	60	65
All other	2,708	2,725	80	44	75
Black	2,009	2,037	59	34	53
Alameda	---	591	7	3	7
White	---	530	3	1	3
All other	---	61	4	2	4
Black	---	17	2	1	4
Albany	---	124	-	-	1
White	---	113	-	-	1
All other	---	11	-	-	-
Black	---	5	-	-	-
Berkeley	---	788	8	5	10
White	---	478	5	3	7
All other	---	310	3	2	3
Black	---	265	3	2	3
Fremont	---	878	17	11	16
White	---	774	12	9	8
All other	---	104	5	2	8
Black	---	23	2	-	3
Hayward	---	1,199	17	8	15
White	---	1,049	13	7	11
All other	---	150	4	1	4
Black	---	75	3	1	-
Livermore	---	337	12	6	7
Newark	---	164	4	2	1
White	---	140	4	2	1
All other	---	24	-	-	-
Black	---	5	-	-	-
Oakland	---	3,564	78	46	63
White	---	1,682	24	14	20
All other	---	1,882	54	32	43
Black	---	1,586	46	30	35
Piedmont	---	85	-	-	-
Pleasanton	---	201	6	4	4
San Leandro	---	918	8	5	7
White	---	867	7	5	3
All other	---	51	1	-	4
Black	---	18	1	-	3
Union City	---	309	10	7	5
White	---	240	7	5	1
All other	---	69	3	2	4
Black	---	19	1	-	3
Balance of county	---	709	13	7	4
White	---	673	8	5	2
All other	---	36	5	2	2
Black	---	15	1	-	-
Alpine	12	7	1	1	1
White	10	5	-	-	-
All other	2	2	1	1	1
Black	-	-	-	-	-
Amador	227	296	1	-	2
Butte	1,961	1,825	18	6	16
Chico	---	527	4	3	8
Paradise	---	438	2	1	5
Balance of county	---	860	12	2	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
California-Con.					
Calaveras	228	318	1	1	4
Colusa	95	113	-	-	3
Contra Costa	5,838	5,891	84	43	84
White	4,997	5,026	61	33	56
All other	841	865	23	10	28
Black	624	630	19	9	20
Antioch	---	393	6	-	7
White	---	374	6	-	3
All other	---	19	-	-	4
Black	---	8	-	-	1
Concord	---	748	15	13	12
El Cerrito	---	233	1	1	2
White	---	193	1	1	2
All other	---	40	-	-	-
Black	---	12	-	-	-
Lafayette	---	172	3	1	1
Martinez	---	286	2	-	3
Moraga Town	---	102	-	-	1
Pinole	---	117	-	-	3
White	---	101	-	-	1
All other	---	16	-	-	2
Black	---	9	-	-	1
Pittsburg	---	465	8	2	9
White	---	344	6	2	6
All other	---	121	2	-	3
Black	---	97	2	-	2
Pleasant Hill	---	200	1	-	4
Richmond	---	821	22	13	18
White	---	372	6	5	4
All other	---	449	16	8	14
Black	---	414	15	8	12
San Pablo	---	334	1	1	3
White	---	276	1	1	1
All other	---	58	-	-	2
Black	---	37	-	-	2
Walnut Creek	---	861	2	2	1
Balance of county	---	1,159	23	10	20
White	---	1,086	18	8	18
All other	---	73	5	2	2
Black	---	30	2	1	2
Del Norte	200	205	3	1	4
El Dorado	774	932	9	5	16
South Lake Tahoe	---	137	4	3	9
Balance of county	---	795	5	2	7
Fresno	5,384	4,988	157	91	111
White	4,812	4,463	119	69	90
All other	572	525	38	22	21
Black	320	307	21	13	10
Clovis	---	381	7	4	7
White	---	366	6	3	6
All other	---	15	1	1	1
Black	---	6	1	1	1
Fresno	---	3,311	113	67	74
White	---	2,880	76	46	54
All other	---	431	37	21	20
Black	---	282	20	12	9
Reedley	---	149	5	5	3
White	---	138	5	5	3
All other	---	11	-	-	-
Black	---	-	-	-	-
Sanger	---	186	6	3	3
White	---	179	6	3	3
All other	---	7	-	-	-
Black	---	-	-	-	-
Selma	---	182	2	2	3
White	---	170	2	2	3
All other	---	12	-	-	-
Black	---	3	-	-	-
Balance of county	---	779	24	10	21
White	---	730	24	10	21
All other	---	49	-	-	-
Black	---	16	-	-	-
Glenn	109	221	3	-	5
Humboldt	1,092	1,092	14	6	11
Arcata	---	112	3	2	-
Eureka	---	445	3	1	5
Balance of county	---	535	8	3	6
Imperial	696	802	11	8	15
Brawley	---	129	-	-	5
White	---	121	-	-	5
All other	---	8	-	-	-
Black	---	6	-	-	-
Calexico	---	101	1	1	2
White	---	99	1	1	2
All other	---	2	-	-	-
Black	---	2	-	-	-
El Centro	---	242	6	4	5
White	---	219	5	3	5
All other	---	23	1	1	-
Black	---	20	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
California-Con.					
Balance of county	---	330	4	3	3
White	---	297	4	3	2
All other	---	33	-	-	1
Black	---	11	-	-	1
Inyo	208	205	2	2	3
Kern	3,912	4,140	134	85	94
White	3,546	3,774	114	73	80
All other	366	366	20	12	14
Black	254	261	14	9	10
Bakersfield	---	2,434	80	52	53
White	---	2,172	63	40	41
All other	---	262	17	12	12
Black	---	220	14	9	9
Delano	---	181	9	5	11
White	---	121	7	5	11
All other	---	60	2	-	-
Black	---	11	-	-	-
Ridgecrest	---	221	4	2	2
Balance of county	---	1,304	41	26	28
White	---	1,266	40	26	26
All other	---	38	1	-	2
Black	---	26	-	-	1
Kings	565	638	18	10	8
Hanford	---	355	6	5	2
White	---	333	4	3	2
All other	---	22	2	2	-
Black	---	18	2	2	-
Balance of county	---	283	12	5	6
White	---	254	8	5	5
All other	---	29	4	-	1
Black	---	20	2	-	-
Lake	628	768	8	2	5
Lassen	154	207	1	-	2
Los Angeles	62,703	61,786	1,592	970	1,367
White	50,343	49,368	1,146	707	995
All other	12,360	12,418	446	263	372
Black	8,884	8,951	356	207	272
Alhambra	---	679	11	6	7
White	---	568	6	2	6
All other	---	111	5	4	1
Black	---	11	2	2	-
Arcadia	---	483	2	-	7
Artesia	---	122	1	-	2
White	---	110	1	-	2
All other	---	12	-	-	-
Black	---	2	-	-	-
Azusa	---	299	12	5	9
White	---	277	11	5	8
All other	---	22	1	-	1
Black	---	9	1	-	1
Baldwin Park	---	319	13	9	15
White	---	281	12	9	13
All other	---	38	1	-	2
Black	---	12	1	-	-
Bell	---	182	8	5	9
White	---	181	8	5	9
All other	---	1	-	-	-
Black	---	-	-	-	-
Bellflower	---	543	9	5	13
White	---	502	6	4	10
All other	---	41	3	1	3
Black	---	20	1	-	1
Bell Gardens	---	165	10	6	9
White	---	162	10	6	9
All other	---	3	-	-	-
Black	---	2	-	-	-
Beverly Hills	---	388	2	2	1
Burbank	---	830	9	8	10
White	---	813	6	6	10
All other	---	17	3	2	-
Black	---	9	3	2	-
Carson	---	562	14	6	8
White	---	323	5	1	1
All other	---	239	9	5	7
Black	---	153	6	3	3
Cerritos	---	175	1	1	4
White	---	98	-	-	1
All other	---	77	1	1	3
Black	---	14	-	-	1
Claremont	---	231	2	1	2
White	---	219	2	1	2
All other	---	12	-	-	-
Black	---	9	-	-	-
Commerce	---	88	3	2	2
White	---	88	3	2	2
All other	---	-	-	-	-
Black	---	-	-	-	-
California-Con.					
Compton	---	836	54	34	34
White	---	209	30	19	15
All other	---	627	24	15	19
Black	---	600	24	15	19
Covina	---	479	14	9	7
Cudahy	---	79	6	2	5
White	---	77	6	2	5
All other	---	2	-	-	-
Black	---	-	-	-	-
Culver City	---	367	6	3	5
White	---	314	4	3	3
All other	---	53	2	-	2
Black	---	27	2	-	2
Downey	---	732	13	8	9
White	---	692	11	7	9
All other	---	40	2	1	-
Black	---	10	2	1	-
Duarte	---	200	3	1	6
White	---	168	2	1	4
All other	---	32	1	-	2
Black	---	25	1	-	1
El Monte	---	556	27	18	17
White	---	519	27	18	16
All other	---	37	-	-	1
Black	---	1	-	-	-
El Segundo	---	109	1	-	2
Gardena	---	554	7	4	8
White	---	351	5	2	8
All other	---	203	2	2	-
Black	---	83	2	2	-
Glendale	---	1,341	18	16	23
White	---	1,274	15	13	19
All other	---	67	3	3	4
Black	---	7	1	1	-
Glendora	---	404	6	2	5
Hawaiian Gardens	---	63	2	-	1
White	---	57	2	-	1
All other	---	6	-	-	-
Black	---	2	-	-	-
Hawthorne	---	506	18	11	12
White	---	385	5	3	8
All other	---	121	13	8	4
Black	---	100	13	8	3
Hermosa Beach	---	66	-	-	1
Huntington Park	---	332	12	8	14
White	---	326	12	8	12
All other	---	6	-	-	2
Black	---	2	-	-	1
Inglewood	---	771	31	19	34
White	---	366	19	10	24
All other	---	405	12	9	10
Black	---	390	12	9	10
La Canada Flintridge	---	128	-	-	-
Lakewood	---	550	13	9	9
White	---	527	13	9	6
All other	---	23	-	-	3
Black	---	5	-	-	-
La Mirada	---	289	4	3	3
White	---	277	3	3	2
All other	---	12	1	-	1
Black	---	1	1	-	-
Lancaster	---	710	25	14	14
La Puente	---	453	19	13	13
White	---	409	18	13	12
All other	---	44	1	-	1
Black	---	18	-	-	-
La Verne	---	254	3	1	2
White	---	240	3	1	1
All other	---	14	-	-	1
Black	---	4	-	-	-
Lawndale	---	141	5	2	5
White	---	120	4	1	1
All other	---	21	1	1	4
Black	---	8	-	-	2
Lomita	---	148	4	2	-
White	---	140	3	2	-
All other	---	8	1	-	-
Black	---	3	1	-	-
Long Beach	---	3,712	96	57	77
White	---	3,144	52	29	49
All other	---	568	44	28	28
Black	---	357	29	17	20
Los Angeles	---	27,101	740	466	645
White	---	19,609	517	335	445
All other	---	7,492	223	131	200
Black	---	6,052	189	109	167
Lynwood	---	310	18	9	15
White	---	195	12	5	10
All other	---	115	6	4	5
Black	---	109	6	4	4
Manhattan Beach	---	187	6	4	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 9 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
California-Con.					
Maywood	---	117	11	6	5
White	---	114	11	6	5
All other	---	3	-	-	-
Black	---	2	-	-	-
Monrovia	---	277	6	4	7
White	---	233	4	3	6
All other	---	44	2	1	1
Black	---	36	2	1	1
Montebello	---	426	12	8	7
White	---	382	12	8	7
All other	---	44	-	-	-
Black	---	2	-	-	-
Monterey Park	---	398	8	5	6
White	---	247	3	2	3
All other	---	151	5	3	3
Black	---	2	-	-	-
Norwalk	---	583	19	10	11
White	---	529	16	8	9
All other	---	54	3	2	2
Black	---	9	-	-	-
Palmdale	---	414	22	14	8
White	---	373	18	10	6
All other	---	41	4	4	2
Black	---	30	4	4	1
Palos Verdes Estates	---	79	-	-	-
Paramount	---	250	12	7	16
White	---	227	8	5	13
All other	---	23	4	2	3
Black	---	12	1	1	1
Pasadena	---	1,285	29	15	18
White	---	993	12	5	4
All other	---	292	17	10	14
Black	---	240	16	9	13
Pico Rivera	---	377	3	2	12
White	---	366	3	2	12
All other	---	11	-	-	-
Black	---	1	-	-	-
Pomona	---	822	32	20	30
White	---	675	19	13	24
All other	---	147	13	7	6
Black	---	133	13	7	5
Rancho Palos Verdes	---	253	1	1	1
White	---	224	1	1	1
All other	---	29	-	-	-
Black	---	2	-	-	-
Redondo Beach	---	341	7	6	4
White	---	328	6	5	4
All other	---	13	1	1	-
Black	---	3	1	1	-
Rosemead	---	371	7	3	4
White	---	300	3	1	1
All other	---	71	4	2	3
Black	---	3	1	1	-
San Dimas	---	222	8	4	2
White	---	214	6	2	2
All other	---	8	2	2	-
Black	---	2	2	2	-
San Fernando	---	176	11	8	12
White	---	161	10	7	12
All other	---	15	1	1	-
Black	---	13	1	1	-
San Gabriel	---	449	1	1	10
White	---	382	1	1	9
All other	---	67	-	-	1
Black	---	2	-	-	-
San Marino	---	95	-	-	3
Santa Fe Springs	---	132	5	3	2
White	---	131	5	3	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Santa Monica	---	927	4	3	7
White	---	868	4	3	6
All other	---	59	-	-	1
Black	---	35	-	-	1
Sierra Madre	---	110	2	1	-
South El Monte	---	89	7	3	-
White	---	84	7	3	-
All other	---	5	-	-	-
Black	---	-	-	-	-
South Gate	---	507	19	15	26
White	---	498	18	14	24
All other	---	9	1	1	2
Black	---	5	1	1	1
South Pasadena	---	169	2	-	2
White	---	151	1	-	2
All other	---	18	1	-	-
Black	---	5	1	-	-
Temple City	---	274	5	2	-
White	---	260	4	1	-
All other	---	14	1	1	-
Black	---	-	-	-	-
Torrance	---	1,126	12	7	11
White	---	1,001	11	7	9
All other	---	125	1	-	2
Black	---	26	1	-	1
West Covina	---	578	14	8	13
White	---	484	11	6	10
All other	---	94	3	2	3
Black	---	40	-	-	-
Whittier	---	1,219	16	8	24
White	---	1,190	16	8	24
All other	---	29	-	-	-
Black	---	2	-	-	-
Balance of county	---	3,276	69	35	60
White	---	2,828	53	30	46
All other	---	448	16	5	14
Black	---	242	8	3	8
Madera	538	737	8	5	5
Madera	---	439	7	4	4
White	---	405	7	4	4
All other	---	34	-	-	-
Black	---	29	-	-	-
Balance of county	---	298	1	1	1
White	---	281	1	1	1
All other	---	17	-	-	-
Black	---	9	-	-	-
Marin	1,746	1,813	16	8	13
White	1,675	1,754	15	7	12
All other	71	59	1	1	1
Black	37	30	1	1	-
Larkspur	---	56	1	1	-
Mill Valley	---	221	2	1	1
Novato	---	361	4	2	5
San Anselmo	---	101	-	-	-
San Rafael	---	559	7	4	5
Balance of county	---	515	2	-	2
Mariposa	89	144	1	-	3
Mendocino	767	790	8	2	4
Ukiah	---	298	4	1	3
Balance of county	---	492	4	1	1
Merced	990	1,129	42	25	31
White	909	1,034	32	20	24
All other	81	95	10	5	7
Black	43	54	1	-	3
Atwater	---	144	4	3	3
White	---	134	3	3	1
All other	---	10	1	-	2
Black	---	8	1	-	1
Los Banos	---	125	3	1	4
White	---	121	3	1	4
All other	---	4	-	-	-
Black	---	4	-	-	-
Merced	---	460	21	12	14
White	---	404	14	8	10
All other	---	56	7	4	4
Black	---	29	-	-	2
Balance of county	---	400	14	9	10
White	---	375	12	8	9
All other	---	25	2	1	1
Black	---	13	-	-	-
Modoc	81	99	2	1	1
Mono	43	48	-	-	1
Monterey	2,181	2,227	55	40	46
White	1,975	2,001	43	31	38
All other	206	226	12	9	8
Black	92	102	10	8	6
Marina	---	74	1	-	3
White	---	55	-	-	2
All other	---	19	1	-	1
Black	---	5	-	-	-
Monterey	---	251	2	1	3
White	---	239	2	1	3
All other	---	12	-	-	-
Black	---	2	-	-	-
Pacific Grove	---	172	2	2	2
Salinas	---	812	25	20	14
White	---	736	24	19	11
All other	---	76	1	1	3
Black	---	22	1	1	2
Seaside	---	178	13	10	7
White	---	89	3	2	3
All other	---	89	10	8	4
Black	---	67	9	7	4
Balance of county	---	740	12	7	17
White	---	716	12	7	17
All other	---	24	-	-	-
Black	---	6	-	-	-
Napa	1,149	1,119	8	5	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 10 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
California-Con.					
Napa	---	703	6	4	7
Balance of county	---	416	2	1	1
White	---	402	2	1	1
All other	---	14	-	-	-
Black	---	6	-	-	-
Nevada	676	729	6	2	11
Orange	14,391	14,449	317	216	281
White	13,527	13,649	282	196	250
All other	864	800	35	20	31
Black	193	163	17	14	9
Anaheim	---	1,729	55	30	47
White	---	1,640	51	28	40
All other	---	89	4	2	7
Black	---	19	2	1	1
Brea	---	195	2	2	4
Buena Park	---	412	7	4	10
White	---	386	5	4	9
All other	---	26	2	-	1
Black	---	4	-	-	1
Costa Mesa	---	529	10	8	4
White	---	510	10	8	4
All other	---	19	-	-	-
Black	---	4	-	-	-
Cypress	---	230	5	4	4
White	---	211	3	3	3
All other	---	19	2	1	1
Black	---	1	1	1	-
Fountain Valley	---	282	1	-	4
White	---	249	1	-	4
All other	---	33	-	-	-
Black	---	4	-	-	-
Fullerton	---	743	14	11	13
White	---	706	13	11	11
All other	---	37	1	-	2
Black	---	7	1	-	1
Garden Grove	---	996	17	9	14
White	---	881	16	9	11
All other	---	115	1	-	3
Black	---	12	-	-	-
Huntington Beach	---	1,024	17	11	21
White	---	976	16	10	19
All other	---	48	1	1	2
Black	---	4	-	-	-
Irvine	---	304	10	7	3
White	---	265	7	5	2
All other	---	39	3	2	1
Black	---	7	2	2	-
Laguna Beach	---	237	4	2	-
La Habra	---	374	7	5	9
White	---	367	7	5	9
All other	---	7	-	-	-
Black	---	3	-	-	-
La Palma	---	61	1	-	3
White	---	46	-	-	1
All other	---	15	1	-	2
Black	---	-	-	-	2
Los Alamitos	---	172	2	1	-
White	---	168	2	1	-
All other	---	4	-	-	-
Black	---	1	-	-	-
Newport Beach	---	516	2	2	2
Orange	---	692	14	11	17
White	---	669	12	11	17
All other	---	23	2	-	-
Black	---	7	-	-	-
Placentia	---	227	6	4	4
White	---	218	6	4	4
All other	---	9	-	-	-
Black	---	4	-	-	-
San Clemente	---	266	5	5	3
San Juan Capistrano	---	216	5	4	3
Santa Ana	---	1,458	61	43	66
White	---	1,317	56	38	63
All other	---	141	5	5	3
Black	---	57	5	5	-
Seal Beach	---	471	1	1	1
Stanton	---	163	2	2	-
White	---	153	1	1	-
All other	---	10	1	1	-
Black	---	2	-	-	-
Tustin	---	285	13	11	8
White	---	269	12	10	7
All other	---	16	1	1	1
Black	---	6	1	1	1
Westminster	---	526	12	6	11
White	---	474	8	3	8
All other	---	52	4	3	3
Black	---	4	2	2	-
Yorba Linda	---	219	5	5	3
California-Con.					
Balance of county	---	2,122	39	28	27
White	---	2,057	34	26	22
All other	---	65	5	2	5
Black	---	9	†	-	3
Placer	1,407	1,367	17	10	10
Roseville	---	426	4	2	5
Balance of county	---	941	13	8	5
Plumas	164	201	1	-	4
Riverside	9,077	9,731	226	142	150
White	8,539	9,122	196	125	134
All other	538	609	30	17	16
Black	401	452	25	15	12
Banning	---	293	4	2	2
White	---	254	3	2	2
All other	---	39	1	-	-
Black	---	26	1	-	-
Corona	---	474	25	15	15
White	---	453	21	13	12
All other	---	21	4	2	3
Black	---	12	2	2	1
Hemet	---	1,466	10	8	9
Indio	---	269	10	7	6
White	---	257	10	7	6
All other	---	12	-	-	-
Black	---	8	-	-	-
Norco	---	130	4	2	1
White	---	128	4	2	1
All other	---	2	-	-	-
Black	---	1	-	-	-
Palm Desert	---	347	-	-	4
Palm Springs	---	603	9	5	4
White	---	577	8	5	3
All other	---	26	1	-	1
Black	---	20	1	-	-
Riverside	---	1,904	56	39	47
White	---	1,722	49	33	44
All other	---	182	7	6	3
Black	---	140	6	5	3
Balance of county	---	4,245	108	64	62
White	---	3,926	91	55	54
All other	---	319	17	9	8
Black	---	241	15	8	8
Sacramento	8,419	7,805	160	90	112
White	7,285	6,691	104	62	73
All other	1,134	1,114	56	28	39
Black	655	656	40	19	26
Folsom	---	178	1	1	3
White	---	174	1	1	3
All other	---	4	-	-	-
Black	---	2	-	-	-
Sacramento	---	5,088	125	65	78
White	---	4,112	75	41	44
All other	---	976	50	24	34
Black	---	591	37	18	24
Balance of county	---	2,539	34	24	31
White	---	2,405	28	20	26
All other	---	134	6	4	5
Black	---	63	3	1	2
San Benito	181	222	6	4	6
Hollister	---	178	5	3	5
White	---	170	5	3	5
All other	---	8	-	-	-
Black	---	2	-	-	-
Balance of county	---	44	1	1	1
White	---	42	1	1	1
All other	---	2	-	-	-
Black	---	-	-	-	-
San Bernardino	10,307	9,826	307	191	197
White	9,368	8,955	234	148	150
All other	939	871	73	43	47
Black	767	708	64	36	42
Barstow	---	242	8	5	6
White	---	226	8	5	6
All other	---	16	-	-	-
Black	---	11	-	-	-
Chino	---	392	15	10	13
White	---	350	13	9	10
All other	---	42	2	1	3
Black	---	22	1	-	1
Colton	---	267	15	11	11
White	---	248	12	8	6
All other	---	19	3	3	5
Black	---	12	3	3	5
Fontana	---	674	28	20	13
White	---	600	24	17	10
All other	---	74	4	3	3
Black	---	65	4	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 11 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
California-Con.					
Loma Linda	---	144	4	3	1
White	---	125	1	1	1
All other	---	19	3	2	-
Black	---	8	1	-	-
Montclair	---	190	6	3	2
White	---	172	5	3	2
All other	---	18	1	-	-
Black	---	13	1	-	-
Ontario	---	726	44	28	22
White	---	658	38	26	19
All other	---	68	6	2	3
Black	---	56	6	2	3
Rancho Cucamonga	---	227	16	7	11
White	---	206	7	5	9
All other	---	21	9	2	2
Black	---	13	7	1	2
Redlands	---	507	10	4	3
White	---	481	10	4	3
All other	---	26	-	-	-
Black	---	17	-	-	-
Rialto	---	504	14	10	15
White	---	410	9	6	7
All other	---	94	5	4	8
Black	---	86	4	3	8
San Bernardino	---	1,567	66	38	33
White	---	1,295	41	23	22
All other	---	272	25	15	11
Black	---	253	23	14	10
Upland	---	424	9	8	5
White	---	398	8	7	5
All other	---	26	1	1	-
Black	---	17	-	-	-
Victorville	---	439	8	6	11
White	---	399	7	5	7
All other	---	40	1	1	4
Black	---	36	1	1	4
Balance of county	---	3,523	64	38	51
White	---	3,387	51	29	43
All other	---	136	13	9	8
Black	---	99	13	9	6
San Diego	17,779	17,248	353	217	352
White	16,380	15,878	288	178	278
All other	1,399	1,370	65	39	74
Black	788	768	51	30	48
Carlsbad	---	374	8	6	11
White	---	366	8	6	11
All other	---	8	-	-	-
Black	---	2	-	-	-
Chula Vista	---	985	18	12	22
White	---	931	16	10	20
All other	---	54	2	2	2
Black	---	14	1	1	1
Coronado	---	198	-	-	-
El Cajon	---	1,104	19	10	18
Escondido	---	1,049	22	12	21
White	---	1,034	21	11	21
All other	---	15	1	1	-
Black	---	4	-	-	-
Imperial Beach	---	154	8	4	6
White	---	147	8	4	5
All other	---	7	-	-	1
Black	---	3	-	-	-
La Mesa	---	643	8	4	5
Lemon Grove	---	228	3	2	1
White	---	211	2	1	-
All other	---	17	1	1	1
Black	---	10	1	1	1
National City	---	356	7	6	11
White	---	302	4	3	10
All other	---	54	3	3	1
Black	---	23	3	3	-
Oceanside	---	966	27	19	36
White	---	897	20	15	29
All other	---	69	7	4	7
Black	---	36	5	2	6
San Diego	---	7,419	148	91	148
White	---	6,439	105	66	99
All other	---	980	43	25	49
Black	---	607	36	21	33
San Marcos	---	424	4	3	5
Vista	---	639	25	17	18
White	---	630	24	17	15
All other	---	9	1	-	3
Black	---	2	1	-	3
Balance of county	---	2,709	56	31	50
White	---	2,608	50	29	43
All other	---	101	6	2	7
Black	---	38	3	1	3
California-Con.					
San Francisco, coext. with San Francisco city	8,614	8,370	67	36	76
White	6,218	6,038	24	16	41
All other	2,396	2,332	43	20	35
Black	1,062	1,021	23	11	12
San Joaquin	3,909	3,895	79	40	66
White	3,364	3,343	59	33	44
All other	545	552	20	7	22
Black	251	250	11	3	10
Lodi	---	570	8	7	5
Manteca	---	322	9	4	4
White	---	313	9	4	4
All other	---	9	-	-	-
Black	---	2	-	-	-
Stockton	---	2,315	54	28	48
White	---	1,836	37	22	26
All other	---	479	17	6	22
Black	---	234	10	3	10
Tracy	---	279	7	1	2
White	---	267	6	1	2
All other	---	12	1	-	-
Black	---	8	1	-	-
Balance of county	---	409	1	-	7
White	---	387	1	-	7
All other	---	22	-	-	-
Black	---	4	-	-	-
San Luis Obispo	1,598	1,700	13	10	16
Arroyo Grande	---	191	2	2	1
Atascadero	---	160	4	3	5
San Luis Obispo	---	323	-	-	4
Balance of county	---	1,026	7	5	6
White	---	1,004	7	5	5
All other	---	22	-	-	1
Black	---	10	-	-	-
San Mateo	4,785	4,812	68	50	48
White	4,253	4,181	45	34	35
All other	532	631	23	16	13
Black	186	271	12	7	5
Belmont	---	148	-	-	2
Burlingame	---	285	1	-	2
Daly City	---	581	10	6	9
White	---	408	3	2	3
All other	---	173	7	4	6
Black	---	38	3	1	1
Foster City	---	159	2	2	-
White	---	130	2	2	-
All other	---	29	-	-	-
Black	---	6	-	-	-
Hillsborough	---	91	1	1	1
White	---	87	-	-	-
All other	---	4	1	1	1
Black	---	-	-	-	-
Menlo Park	---	325	4	4	2
White	---	281	4	4	1
All other	---	44	-	-	1
Black	---	38	-	-	1
Millbrae	---	203	1	1	-
White	---	196	1	1	-
All other	---	7	-	-	-
Black	---	-	-	-	-
Pacifica	---	209	2	2	2
White	---	179	1	1	2
All other	---	30	1	1	-
Black	---	13	-	-	-
Redwood City	---	605	14	11	11
White	---	568	11	8	9
All other	---	37	3	3	2
Black	---	18	1	1	1
San Bruno	---	268	1	1	2
White	---	246	1	1	2
All other	---	22	-	-	-
Black	---	7	-	-	-
San Carlos	---	253	3	2	1
San Mateo	---	811	9	6	6
White	---	721	5	3	6
All other	---	90	4	3	-
Black	---	36	2	2	-
South San Francisco	---	381	8	7	2
White	---	328	4	4	2
All other	---	53	4	3	-
Black	---	12	3	2	-
Balance of county	---	493	12	7	8
White	---	372	9	6	6
All other	---	121	3	1	2
Black	---	100	3	1	2
Santa Barbara	2,710	2,658	49	26	34
White	2,585	2,539	42	25	31
All other	125	119	7	1	3
Black	53	50	4	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 12 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
California-Con.					
Carpinteria	---	107	-	-	4
White	---	105	-	-	4
All other	---	2	-	-	-
Black	---	-	-	-	-
Lompoc	---	264	9	3	7
White	---	241	6	3	5
All other	---	23	3	-	2
Black	---	16	1	-	1
Santa Barbara	---	1,272	11	7	10
White	---	1,235	9	7	9
All other	---	37	2	-	1
Black	---	23	2	-	1
Santa Maria	---	658	24	15	9
White	---	614	22	14	9
All other	---	44	2	1	-
Black	---	8	1	1	-
Balance of county	---	357	5	1	4
White	---	344	5	1	4
All other	---	13	-	-	-
Black	---	3	-	-	-
Santa Clara	8,912	8,253	192	121	148
White	7,804	7,283	145	100	110
All other	1,108	970	47	21	38
Black	345	242	20	9	11
Campbell	---	261	6	4	4
White	---	247	5	3	4
All other	---	14	1	1	-
Black	---	3	1	1	-
Cupertino	---	264	3	1	3
White	---	233	3	1	2
All other	---	31	-	-	1
Black	---	3	-	-	-
Gilroy	---	188	14	10	2
White	---	183	13	9	2
All other	---	5	1	1	-
Black	---	2	1	1	-
Los Altos	---	254	2	2	1
Los Gatos	---	283	2	2	1
Milpitas	---	161	5	3	2
White	---	106	3	2	1
All other	---	55	2	1	1
Black	---	15	1	-	-
Morgan Hill	---	164	2	2	3
White	---	155	2	2	2
All other	---	9	-	-	1
Black	---	1	-	-	1
Mountain View	---	382	12	7	8
White	---	345	8	5	6
All other	---	37	4	2	2
Black	---	9	2	1	1
Palo Alto	---	468	4	1	7
White	---	423	3	1	5
All other	---	45	1	-	2
Black	---	19	1	-	-
San Jose	---	4,174	120	74	101
White	---	3,560	89	63	75
All other	---	614	31	11	26
Black	---	165	13	5	8
Santa Clara	---	579	10	6	7
White	---	536	7	5	7
All other	---	43	3	1	-
Black	---	10	-	-	-
Saratoga	---	217	1	1	2
Sunnyvale	---	750	11	8	4
White	---	670	8	5	2
All other	---	80	3	3	2
Black	---	10	1	1	1
Balance of county	---	108	-	-	3
White	---	106	-	-	1
All other	---	2	-	-	2
Black	---	-	-	-	-
Santa Cruz	1,599	1,673	24	17	17
Santa Cruz	---	695	7	5	2
Watsonville	---	407	8	5	7
White	---	379	7	4	7
All other	---	28	1	1	-
Black	---	2	-	-	-
Balance of county	---	571	9	7	8
White	---	561	7	5	8
All other	---	10	2	2	-
Black	---	2	1	1	-
Shasta	1,429	1,382	22	10	15
Redding	---	799	15	5	7
Balance of county	---	583	7	5	8
Sierra	26	32	1	-	-
Siskiyou	374	433	7	5	5
Solano	2,165	2,192	45	26	33
White	1,716	1,702	23	13	18
All other	449	490	22	13	15
Black	284	300	18	10	12
Benicia	---	162	1	1	-
White	---	150	1	1	-
All other	---	12	-	-	-
Black	---	3	-	-	-
Fairfield	---	416	10	3	7
White	---	341	7	2	5
All other	---	75	3	1	2
Black	---	41	2	1	1
Suisun City	---	113	3	2	5
White	---	80	2	2	1
All other	---	33	1	-	4
Black	---	17	1	-	3
Vacaville	---	426	8	5	9
White	---	382	6	4	8
All other	---	44	2	1	1
Black	---	30	2	1	1
Vallejo	---	939	21	14	11
White	---	619	5	3	3
All other	---	320	16	11	8
Black	---	207	13	8	7
Balance of county	---	136	2	1	1
White	---	130	2	1	1
All other	---	6	-	-	-
Black	---	2	-	-	-
Sonoma	3,462	3,399	35	16	47
White	3,368	3,317	34	15	46
All other	94	82	1	1	1
Black	34	30	1	1	1
Petaluma	---	391	2	-	9
Rohnert Park	---	204	1	-	4
Santa Rosa	---	1,489	18	9	19
Balance of county	---	1,315	14	7	15
White	---	1,293	14	7	15
All other	---	22	-	-	-
Black	---	7	-	-	-
Stanislaus	3,068	2,846	59	38	57
White	2,947	2,732	52	34	51
All other	121	114	7	4	6
Black	49	47	4	2	-
Ceres	---	203	2	2	3
White	---	196	2	2	3
All other	---	7	-	-	-
Black	---	2	-	-	-
Modesto	---	1,587	38	26	30
White	---	1,505	32	23	24
All other	---	82	6	3	6
Black	---	37	4	2	-
Turlock	---	444	9	6	5
White	---	430	8	5	5
All other	---	14	1	1	-
Black	---	2	-	-	-
Balance of county	---	612	10	4	19
White	---	601	10	4	19
All other	---	11	-	-	-
Black	---	6	-	-	-
Sutter	363	547	5	1	11
Yuba City	---	433	3	-	8
White	---	412	3	-	8
All other	---	21	-	-	-
Black	---	10	-	-	-
Balance of county	---	114	2	1	3
White	---	113	2	1	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Tehama	456	569	5	1	4
Trinity	77	109	1	-	1
Tulare	2,367	2,524	51	23	54
White	2,261	2,405	45	21	51
All other	106	119	6	2	3
Black	36	43	-	-	1
Porterville	---	503	9	6	12
White	---	483	8	6	10
All other	---	20	1	-	2
Black	---	3	-	-	-
Tulare	---	385	10	3	3
White	---	356	9	3	2
All other	---	29	1	-	1
Black	---	23	-	-	1
Visalia	---	701	14	4	10
White	---	682	12	3	10
All other	---	19	2	1	-
Black	---	6	-	-	-
Balance of county	---	935	18	10	29
White	---	884	16	9	29
All other	---	51	2	1	-
Black	---	11	-	-	-
Tuolumne	364	432	5	4	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
California-Con.					
Ventura	3,658	3,954	88	61	91
White	3,514	3,788	78	53	86
All other	144	166	10	8	5
Black	64	72	8	6	-
Camarillo	- - -	504	4	3	4
White	- - -	491	3	2	4
All other	- - -	13	1	1	-
Black	- - -	5	-	-	-
Oxnard	- - -	834	30	20	39
White	- - -	745	27	18	37
All other	- - -	89	3	2	2
Black	- - -	46	3	2	-
Port Hueneme	- - -	117	2	2	2
White	- - -	109	1	1	2
All other	- - -	8	1	1	-
Black	- - -	3	1	1	-
San Buenaventura (Ventura)	- - -	728	9	4	11
White	- - -	712	6	2	11
All other	- - -	16	3	2	-
Black	- - -	9	3	2	-
Santa Paula	- - -	243	6	5	5
White	- - -	242	6	5	5
All other	- - -	1	-	-	-
Black	- - -	-	-	-	-
Simi Valley	- - -	441	18	12	12
Thousand Oaks	- - -	587	6	4	4
Balance of county	- - -	500	13	11	14
White	- - -	495	13	11	13
All other	- - -	5	-	-	1
Black	- - -	1	-	-	-
Yolo	815	1,008	24	11	20
Davis	- - -	211	6	3	5
White	- - -	198	6	3	5
All other	- - -	13	-	-	-
Black	- - -	7	-	-	-
Woodland	- - -	372	8	3	8
White	- - -	364	8	3	7
All other	- - -	8	-	-	1
Black	- - -	4	-	-	-
Balance of county	- - -	425	10	5	7
White	- - -	402	9	5	7
All other	- - -	23	1	-	-
Black	- - -	8	1	-	-
Yuba	603	511	13	6	7
Colorado	23,059	22,588	451	248	384
White	21,976	21,552	384	207	338
All other	1,083	1,036	67	41	46
Black	816	803	53	34	41
Adams	1,347	1,543	41	20	39
White	1,285	1,465	35	17	38
All other	62	78	6	3	1
Black	37	43	4	2	-
Arvada, part	- - -	13	-	-	-
White	- - -	11	-	-	-
All other	- - -	2	-	-	-
Black	- - -	-	-	-	-
Aurora, part	- - -	165	9	3	3
White	- - -	130	4	-	3
All other	- - -	35	5	3	-
Black	- - -	32	4	2	-
Brighton, part	- - -	150	1	-	2
White	- - -	145	1	-	2
All other	- - -	5	-	-	-
Black	- - -	1	-	-	-
Brighton, total	- - -	153	1	-	2
White	- - -	148	1	-	2
All other	- - -	5	-	-	-
Black	- - -	1	-	-	-
Broomfield, part	- - -	15	-	-	-
Commerce City	- - -	181	1	-	4
White	- - -	174	1	-	4
All other	- - -	7	-	-	-
Black	- - -	3	-	-	-
Northglenn	- - -	174	5	3	4
Thornton	- - -	267	10	5	13
Westminster, part	- - -	202	6	4	4
Westminster, total	- - -	243	9	7	7
Balance of county	- - -	376	9	5	9
White	- - -	370	9	5	9
All other	- - -	6	-	-	-
Black	- - -	1	-	-	-
Alamosa	130	89	1	1	1
Arapahoe	1,962	1,953	52	31	37
White	1,860	1,848	41	25	26
All other	102	105	11	6	11
Black	76	75	10	5	9

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant*	Neo-natal	
Colorado-Con.					
Aurora, part	- - -	916	35	22	25
White	- - -	836	27	18	16
All other	- - -	80	8	4	9
Black	- - -	62	7	3	7
Aurora, total	- - -	1,081	44	25	28
White	- - -	966	31	18	19
All other	- - -	115	13	7	9
Black	- - -	94	11	5	7
Englewood	- - -	394	7	4	4
Littleton, part	- - -	358	2	1	2
Littleton, total	- - -	364	3	2	2
Balance of county	- - -	285	8	4	6
Archuleta	18	30	1	-	1
Baca	25	49	-	-	1
Bent	63	63	-	-	1
Boulder	1,003	1,053	18	12	24
Boulder	- - -	423	6	4	10
Broomfield, part	- - -	79	3	2	1
Broomfield, total	- - -	103	3	2	1
Longmont	- - -	333	1	1	3
Balance of county	- - -	218	8	5	10
Chaffee	135	140	-	-	1
Cheyenne	21	21	-	-	-
Clear Creek	31	32	2	1	1
Conejos	58	68	1	-	2
Costilla	11	22	-	-	-
Crowley	19	38	-	-	-
Custer	12	21	-	-	-
Delta	234	275	4	3	2
Denver, coext. with Denver city	5,887	4,728	95	54	77
White	5,262	4,154	62	32	54
All other	625	574	33	22	23
Black	516	506	27	18	22
Dolores	6	14	-	-	1
Douglas	95	173	7	4	4
Littleton, part	- - -	6	1	1	-
Balance of county	- - -	167	6	3	4
Eagle	41	43	1	-	4
Elbert	27	62	2	1	1
El Paso	2,404	2,315	70	38	50
White	2,253	2,158	58	32	41
All other	151	157	12	6	9
Black	126	133	8	6	9
Colorado Springs	- - -	1,971	52	29	44
White	- - -	1,835	44	24	36
All other	- - -	136	8	5	8
Black	- - -	114	5	5	8
Balance of county	- - -	344	18	9	6
White	- - -	323	14	8	5
All other	- - -	21	4	1	1
Black	- - -	19	3	1	1
Fremont	365	384	3	-	3
Canon City	- - -	239	1	-	1
Balance of county	- - -	145	2	-	2
Garfield	212	202	3	3	4
Gilpin	12	20	-	-	-
Grand	34	37	1	1	1
Gunnison	57	45	-	-	1
Hinsdale	4	3	-	-	-
Huerfano	57	74	-	-	1
Jackson	5	8	1	-	-
Jefferson	2,213	2,400	48	26	38
Arvada, part	- - -	467	15	9	9
Arvada, total	- - -	480	15	9	9
Broomfield, part	- - -	9	-	-	-
Golden	- - -	132	3	1	3
Lakewood	- - -	977	10	6	10
Westminster, part	- - -	41	3	3	3
Wheat Ridge	- - -	311	7	2	-
Balance of county	- - -	463	10	5	13
Kiowa	22	24	1	-	-
Kit Carson	45	64	2	-	-
Lake	23	29	1	-	3
La Plata	226	217	3	2	2
Durango	- - -	119	-	-	-
White	- - -	117	-	-	-
All other	- - -	2	-	-	-
Black	- - -	1	-	-	-
Balance of county	- - -	98	3	2	2
White	- - -	92	3	2	2
All other	- - -	6	-	-	-
Black	- - -	-	-	-	-
Larimer	1,181	1,184	23	13	21
Fort Collins	- - -	552	14	8	12
Loveland	- - -	314	6	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 14 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Colorado-Con.					
Balance of county	---	318	3	2	5
Las Animas	151	179	3	1	3
Lincoln	61	62	2	2	1
Logan	182	183	4	2	6
Sterling	---	140	3	1	4
Balance of county	---	43	1	1	2
Mesa	985	861	12	6	7
Grand Junction	---	442	4	1	2
Balance of county	---	419	8	5	5
Mineral	3	7	-	-	-
Moffat	79	82	2	-	1
Montezuma	161	148	1	-	4
White	143	137	1	-	4
All other	18	11	-	-	-
Black	-	-	-	-	-
Montrose	215	251	4	2	2
Morgan	227	234	3	2	3
Otero	243	245	-	-	2
Ouray	16	17	-	-	-
Park	17	29	-	-	-
Phillips	53	59	-	-	-
Pitkin	45	30	2	1	-
Prowers	88	113	1	-	3
Pueblo	1,303	1,257	14	6	14
Pueblo	---	1,108	12	5	13
White	---	1,085	12	5	13
All other	---	23	-	-	-
Black	---	17	-	-	-
Balance of county	---	149	2	1	1
White	---	148	2	1	1
All other	---	1	-	-	-
Black	---	-	-	-	-
Rio Blanco	30	30	-	-	-
Rio Grande	101	123	3	2	1
Routt	60	54	3	3	3
Saguache	14	34	-	-	-
San Juan	3	4	-	-	-
San Miguel	9	11	-	-	-
Sedgwick	28	35	-	-	-
Summit	25	21	-	-	1
Teller	42	64	-	-	1
Washington	30	67	1	1	-
Weld	811	864	15	10	11
Brighton, part	---	3	-	-	-
Greeley	---	457	7	7	4
White	---	453	7	7	4
All other	---	4	-	-	-
Black	---	1	-	-	-
Balance of county	---	404	8	3	7
White	---	398	7	2	7
All other	---	6	1	1	-
Black	---	2	1	1	-
Yuma	92	101	-	-	-
Connecticut	28,087	28,029	359	264	347
White	26,085	26,046	259	190	251
All other	2,002	1,983	100	74	96
Black	1,877	1,863	93	68	89
Fairfield	6,531	6,818	87	60	93
White	5,957	6,221	54	34	59
All other	574	597	33	26	34
Black	534	553	32	25	33
Bridgeport	---	1,379	32	24	33
White	---	1,091	14	10	14
All other	---	288	18	14	19
Black	---	278	18	14	19
Danbury	---	493	8	6	6
Darien town#	---	124	1	-	1
Fairfield town#	---	523	1	-	3
Greenwich town#	---	460	3	1	3
Norwalk	---	666	11	8	15
White	---	581	5	4	10
All other	---	85	6	4	5
Black	---	81	5	3	5
Shelton	---	297	-	-	5
Stamford	---	861	6	5	13
White	---	731	3	3	4
All other	---	130	3	2	9
Black	---	118	3	2	9
Stratford town#	---	544	9	7	1
Trumbull town#	---	293	2	2	3
Westport town#	---	177	-	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Connecticut-Con.					
Balance of county	---	1,001	14	7	8
White	---	984	12	5	8
All other	---	17	2	2	-
Black	---	13	2	2	-
Hartford	7,808	7,557	104	75	93
White	7,207	6,956	73	53	66
All other	601	601	31	22	27
Black	554	559	28	20	23
Bristol	---	509	7	6	5
East Hartford town#	---	452	8	3	6
Enfield town#	---	307	5	3	4
Hartford	---	1,228	41	30	28
White	---	829	17	12	14
All other	---	399	24	18	14
Black	---	388	22	17	13
Manchester town#	---	521	7	5	4
New Britain	---	844	11	8	8
White	---	796	9	7	6
All other	---	48	2	1	2
Black	---	43	1	-	2
Newington town#	---	249	2	-	4
Plainville town#	---	140	2	2	1
Rocky Hill town#	---	151	4	4	3
Southington town#	---	285	1	1	-
West Hartford town#	---	755	1	1	6
Wethersfield town#	---	321	3	3	1
Windsor town#	---	254	1	1	4
White	---	229	1	1	2
All other	---	25	-	-	2
Black	---	22	-	-	2
Windsor Locks town#	---	115	1	-	-
Balance of county	---	1,426	10	8	19
White	---	1,374	9	7	15
All other	---	52	1	1	4
Black	---	48	1	1	3
Litchfield	1,249	1,454	19	13	20
Torrington	---	339	4	3	9
Balance of county	---	1,115	15	10	11
Middlesex	1,169	1,197	8	8	9
Middletown	---	338	1	1	5
White	---	315	1	1	1
All other	---	23	-	-	4
Black	---	23	-	-	4
Balance of county	---	859	7	7	4
New Haven	8,136	7,411	88	68	79
White	7,444	6,761	58	46	54
All other	692	650	30	22	25
Black	666	633	29	21	23
Ansonia	---	212	1	1	1
Branford town#	---	211	7	7	2
Derby	---	154	2	-	1
East Haven town#	---	224	3	3	2
Hamden town#	---	519	2	2	2
Meriden	---	568	5	4	4
Milford	---	456	3	1	1
Naugatuck	---	222	4	1	3
New Haven	---	1,295	22	14	29
White	---	894	3	1	13
All other	---	401	19	13	16
Black	---	396	19	13	16
North Haven town#	---	188	2	2	1
Orange town#	---	123	-	-	-
Wallingford town#	---	315	1	1	1
Waterbury	---	1,171	18	16	14
White	---	1,042	10	9	11
All other	---	129	8	7	3
Black	---	125	7	6	3
West Haven	---	542	4	3	5
White	---	512	3	3	4
All other	---	30	1	-	1
Black	---	29	1	-	1
Balance of county	---	1,211	14	13	13
New London	1,833	1,961	28	22	35
White	1,754	1,888	24	19	31
All other	79	73	4	3	4
Black	68	63	3	2	4
Groton	---	257	5	4	6
New London	---	256	5	3	7
White	---	218	3	1	3
All other	---	38	2	2	4
Black	---	36	1	1	4
Norwich	---	411	7	5	8
Balance of county	---	1,037	11	10	14
Tolland	572	756	13	11	10
Vernon town#	---	223	2	1	1
Balance of county	---	533	11	10	9
White	---	530	9	9	9
All other	---	3	2	1	-
Black	---	2	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 15 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Connecticut-Con.					
Windham	789	875	12	7	8
Willimantic [4]	---	-	-	-	-
Balance of county	---	875	12	7	8
Delaware	5,979	5,928	132	88	76
White	4,925	4,910	79	55	41
All other	1,054	1,018	53	33	35
Black	1,020	984	52	32	31
Kent	789	898	18	12	12
White	650	740	9	5	11
All other	139	158	9	7	1
Black	134	151	8	6	1
Dover	---	215	6	4	4
White	---	161	3	3	4
All other	---	54	3	1	-
Black	---	52	3	1	-
Balance of county	---	683	12	8	8
White	---	579	6	2	7
All other	---	104	6	6	1
Black	---	99	5	5	1
New Castle	3,856	3,671	94	64	49
White	3,168	3,030	59	43	23
All other	688	641	35	21	26
Black	670	624	35	21	22
Newark	---	142	-	-	2
Wilmington	---	980	38	25	22
White	---	537	13	11	4
All other	---	443	25	14	18
Black	---	441	25	14	15
Balance of county	---	2,549	56	39	25
White	---	2,365	46	32	17
All other	---	184	10	7	8
Black	---	171	10	7	7
Sussex	1,334	1,359	20	12	15
White	1,107	1,140	11	7	7
All other	227	219	9	5	8
Black	216	209	9	5	8
District of Columbia	9,031	7,075	247	176	168
White	2,876	1,593	13	7	11
All other	6,155	5,482	234	169	157
Black	6,063	5,446	234	169	157
Florida	137,342	136,293	1,740	1,130	1,579
White	122,281	121,353	975	641	913
All other	15,061	14,940	765	489	666
Black	14,729	14,623	751	478	646
Alachua	2,327	1,262	26	13	30
White	1,861	956	13	6	18
All other	466	306	13	7	12
Black	456	303	13	7	12
Gainesville	---	613	18	9	16
White	---	442	8	3	8
All other	---	171	10	6	8
Black	---	168	10	6	8
Balance of county	---	649	8	4	14
White	---	514	5	3	10
All other	---	135	3	1	4
Black	---	135	3	1	4
Baker	120	159	4	1	4
White	97	133	3	1	3
All other	23	26	1	-	1
Black	22	24	1	-	1
Bay	1,255	1,084	25	17	13
White	1,090	948	17	11	6
All other	165	136	8	6	7
Black	160	134	8	6	7
Panama City	---	479	10	8	7
White	---	376	3	3	2
All other	---	103	7	5	5
Black	---	102	7	5	5
Balance of county	---	605	15	9	6
Bradford	224	242	4	2	2
White	182	198	3	1	1
All other	42	44	1	1	1
Black	42	44	1	1	1
Brevard	3,512	3,635	44	36	37
White	3,301	3,413	31	27	20
All other	211	222	13	9	17
Black	200	210	13	9	16
Cocoa	---	203	4	3	5
White	---	151	1	1	1
All other	---	52	3	2	4
Black	---	51	3	2	4
Cocoa Beach	---	164	1	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Florida-Con.					
Melbourne	---	628	8	7	9
White	---	578	4	3	5
All other	---	50	4	4	4
Black	---	48	4	4	4
Palm Bay	---	427	5	4	2
Rockledge	---	169	4	3	3
White	---	159	3	3	2
All other	---	10	1	-	1
Black	---	9	1	-	1
Titusville	---	409	9	7	6
White	---	379	6	6	4
All other	---	30	3	1	2
Black	---	30	3	1	2
Balance of county	---	1,635	13	12	12
White	---	1,578	12	11	6
All other	---	57	1	1	6
Black	---	52	1	1	5
Broward	14,141	14,792	196	131	144
White	12,788	13,416	79	53	82
All other	1,353	1,376	117	78	62
Black	1,304	1,332	113	74	58
Cooper City	---	96	3	-	1
Coral Springs	---	391	7	5	5
Dania	---	182	4	3	3
White	---	138	1	1	2
All other	---	44	3	2	1
Black	---	44	3	2	1
Davie	---	279	9	6	10
Deerfield Beach	---	774	2	2	6
White	---	714	1	1	3
All other	---	60	1	1	3
Black	---	60	1	1	3
Fort Lauderdale	---	2,485	53	40	23
White	---	2,095	15	13	11
All other	---	390	38	27	12
Black	---	384	38	27	11
Hallandale, part	---	752	3	2	3
White	---	681	1	1	3
All other	---	71	2	1	-
Black	---	71	2	1	-
Hallandale, total	---	752	3	2	3
White	---	681	1	1	3
All other	---	71	2	1	-
Black	---	71	2	1	-
Hollywood	---	1,773	18	10	28
Lauderdale Lakes	---	429	3	3	4
White	---	386	2	2	-
All other	---	43	1	1	4
Black	---	41	1	1	4
Lauderhill	---	541	7	6	3
White	---	492	1	1	-
All other	---	49	6	5	3
Black	---	46	6	5	3
Lighthouse Point	---	166	-	-	1
Margate	---	614	5	4	2
Miramar	---	303	10	8	6
North Lauderdale	---	130	4	3	2
Oakland Park	---	161	4	3	1
Pembroke Pines	---	614	5	4	5
Plantation	---	578	5	3	3
Pompano Beach	---	1,307	17	12	13
White	---	1,097	2	1	3
All other	---	210	15	11	10
Black	---	207	15	11	10
Sunrise	---	713	2	-	5
Tamarac	---	820	2	1	3
Wilton Manors	---	138	4	2	1
Balance of county	---	1,546	29	14	16
White	---	1,257	6	2	8
All other	---	289	23	12	8
Black	---	286	22	11	7
Calhoun	132	147	1	1	-
White	115	132	1	1	-
All other	17	15	-	-	-
Black	17	15	-	-	-
Charlotte	1,556	1,614	8	4	7
Citrus	1,362	1,378	9	6	3
Clay	746	734	13	8	6
Collier	1,545	1,537	25	16	28
Naples	---	412	-	-	-
Balance of county	---	1,125	25	16	28
White	---	1,066	16	10	25
All other	---	59	9	6	3
Black	---	58	9	6	3
Columbia	580	393	1	1	13
White	457	320	1	1	9
All other	123	73	-	-	4
Black	122	72	-	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 16 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Florida-Con.					
Dade	18,996	17,897	255	165	339
White	15,909	14,918	117	78	174
All other	3,087	2,979	138	87	165
Black	3,040	2,937	133	83	164
Coral Gables	---	366	3	2	2
Hallandale, part	---	-	-	-	-
Hialeah	---	1,571	16	13	24
White	---	1,542	13	10	23
All other	---	29	3	3	1
Black	---	26	2	2	1
Homestead	---	259	4	2	8
White	---	218	3	1	6
All other	---	41	1	1	2
Black	---	41	1	1	1
Miami	---	4,895	94	63	136
White	---	3,772	33	23	50
All other	---	1,123	61	40	86
Black	---	1,116	61	40	86
Miami Beach	---	1,711	6	5	15
Miami Springs	---	130	1	1	-
North Miami	---	651	8	6	8
North Miami Beach	---	1,044	-	-	9
Opa-locka	---	142	6	6	5
White	---	61	1	1	-
All other	---	81	5	5	5
Black	---	81	5	5	5
South Miami	---	60	1	1	2
White	---	37	-	-	1
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	7,068	116	66	130
White	---	5,505	53	32	68
All other	---	1,563	63	34	62
Black	---	1,535	59	31	62
De Soto	204	299	5	2	4
White	173	260	3	1	2
All other	31	39	2	1	2
Black	31	39	2	1	2
Dixie	42	100	1	-	1
White	36	88	1	-	1
All other	6	12	-	-	-
Black	6	12	-	-	-
Duval	6,177	5,833	134	90	102
White	4,560	4,249	63	43	53
All other	1,617	1,584	71	47	49
Black	1,595	1,566	71	47	48
Jacksonville	---	5,470	132	88	96
White	---	3,917	61	41	49
All other	---	1,553	71	47	47
Black	---	1,536	71	47	46
Jacksonville Beach	---	177	2	2	1
Balance of county	---	186	-	-	5
White	---	166	-	-	3
All other	---	20	-	-	2
Black	---	19	-	-	2
Escambia	2,741	2,328	53	34	35
White	2,222	1,843	27	16	12
All other	519	485	26	18	23
Black	510	478	26	18	22
Pensacola	---	774	18	11	14
White	---	529	9	7	4
All other	---	245	9	4	10
Black	---	243	9	4	10
Balance of county	---	1,554	35	23	21
White	---	1,314	18	9	8
All other	---	240	17	14	13
Black	---	235	17	14	12
Flagler	252	323	1	1	-
White	226	293	-	-	-
All other	26	30	1	1	-
Black	25	30	1	1	-
Franklin	76	115	2	1	1
White	65	101	1	-	1
All other	11	14	1	1	-
Black	11	14	1	1	-
Gadsden	225	383	8	5	7
White	118	179	2	2	-
All other	107	204	6	3	7
Black	106	203	6	3	7
Gilchrist	51	92	2	2	-
Glades	34	70	1	-	3
White	29	60	1	-	1
All other	5	10	-	-	2
Black	2	7	-	-	1
Gulf	114	151	2	1	3
White	90	120	2	1	2
All other	24	31	-	-	1
Black	24	31	-	-	1
Hamilton	79	100	1	1	2
White	53	62	-	-	1
All other	26	38	1	1	1
Black	25	38	1	1	1
Hardee	141	185	5	3	7
Hendry	152	238	10	8	7
White	116	182	8	6	6
All other	36	56	2	2	1
Black	31	48	2	2	-
Hernando	1,236	1,402	4	2	7
Highlands	989	1,041	5	2	4
White	922	965	5	2	2
All other	67	76	-	-	2
Black	64	75	-	-	2
Hillsborough	7,987	7,169	136	101	101
White	6,991	6,212	69	54	52
All other	996	957	67	47	49
Black	969	934	67	47	48
Plant City	---	230	3	-	2
White	---	179	-	-	1
All other	---	51	3	-	1
Black	---	51	3	-	1
Tampa	---	3,244	78	61	49
White	---	2,524	32	27	16
All other	---	720	46	34	33
Black	---	709	46	34	32
Temple Terrace	---	98	-	-	1
Balance of county	---	3,597	55	40	49
White	---	3,411	37	27	35
All other	---	186	18	13	14
Black	---	174	18	13	14
Holmes	125	179	2	1	4
Indian River	1,143	1,086	9	7	8
White	1,081	1,022	4	3	3
All other	62	64	5	4	5
Black	62	64	5	4	5
Vero Beach	---	309	4	4	1
Balance of county	---	777	5	3	7
White	---	716	2	1	2
All other	---	61	3	2	5
Black	---	61	3	2	5
Jackson	341	451	7	5	3
White	257	327	5	3	2
All other	84	124	2	2	1
Black	84	124	2	2	1
Jefferson	50	118	2	1	1
White	31	66	-	-	-
All other	19	52	2	1	1
Black	19	52	2	1	1
Lafayette	13	39	-	-	1
Lake	2,141	2,211	7	3	17
White	1,979	2,053	7	3	8
All other	162	158	-	-	9
Black	160	156	-	-	9
Leesburg	---	301	2	2	6
White	---	261	2	2	-
All other	---	40	-	-	6
Black	---	40	-	-	6
Balance of county	---	1,910	5	1	11
White	---	1,792	5	1	8
All other	---	118	-	-	3
Black	---	116	-	-	3
Lee	3,771	3,742	35	20	22
White	3,585	3,557	27	15	18
All other	186	185	8	5	4
Black	184	184	8	5	3
Cape Coral	---	753	5	4	3
Fort Myers	---	601	14	7	5
White	---	464	8	3	3
All other	---	137	6	4	2
Black	---	136	6	4	2
Balance of county	---	2,388	16	9	14
Leon	1,624	1,156	23	12	30
White	1,164	854	7	2	8
All other	460	302	16	10	22
Black	458	302	16	10	22
Tallahassee	---	818	16	9	22
White	---	574	4	1	5
All other	---	244	12	8	17
Black	---	244	12	8	17
Balance of county	---	338	7	3	8
White	---	280	3	1	3
All other	---	58	4	2	5
Black	---	58	4	2	5
Levy	204	292	2	1	3
White	186	267	1	1	1
All other	18	25	1	-	2
Black	17	24	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Florida-Con.					
Liberty	18	52	–	–	2
White	18	46	–	–	2
All other	–	6	–	–	–
Black	–	6	–	–	–
Madison	98	165	3	2	–
White	61	102	–	–	–
All other	37	63	3	2	–
Black	37	63	3	2	–
Manatee	2,797	2,850	18	7	23
White	2,666	2,713	13	6	18
All other	131	137	5	1	5
Black	128	135	5	1	4
Bradenton	– – –	822	5	2	5
White	– – –	759	2	1	2
All other	– – –	63	3	1	3
Black	– – –	61	3	1	2
Balance of county	– – –	2,028	13	5	18
Marion	2,115	2,284	26	16	23
White	1,892	2,026	15	12	15
All other	223	258	11	4	8
Black	219	253	11	4	8
Ocala	– – –	629	5	4	12
White	– – –	503	1	1	8
All other	– – –	126	4	3	4
Black	– – –	124	4	3	4
Balance of county	– – –	1,655	21	12	11
White	– – –	1,523	14	11	7
All other	– – –	132	7	1	4
Black	– – –	129	7	1	4
Martin	1,216	1,289	14	9	6
Monroe	689	737	8	8	7
Key West	– – –	266	3	3	1
White	– – –	233	3	3	1
All other	– – –	33	–	–	–
Black	– – –	32	–	–	–
Balance of county	– – –	471	5	5	6
Nassau	217	354	4	4	2
White	174	289	4	4	1
All other	43	65	–	–	1
Black	42	63	–	–	1
Okaloosa	1,017	980	14	8	21
White	931	908	8	4	13
All other	86	72	6	4	8
Black	81	68	6	4	8
Fort Walton Beach	– – –	230	4	3	8
White	– – –	200	1	1	3
All other	– – –	30	3	2	5
Black	– – –	28	3	2	5
Balance of county	– – –	750	10	5	13
White	– – –	708	7	3	10
All other	– – –	42	3	2	3
Black	– – –	40	3	2	3
Okeechobee	263	293	3	2	2
Orange	5,691	4,987	96	56	77
White	4,870	4,224	58	36	44
All other	821	763	38	20	33
Black	793	739	38	20	33
Orlando	– – –	1,812	39	25	40
White	– – –	1,368	15	12	18
All other	– – –	444	24	13	22
Black	– – –	436	24	13	22
Winter Park	– – –	415	4	1	4
White	– – –	366	2	1	–
All other	– – –	49	2	–	4
Black	– – –	49	2	–	4
Balance of county	– – –	2,760	53	30	33
White	– – –	2,490	41	23	26
All other	– – –	270	12	7	7
Black	– – –	254	12	7	7
Osceola	965	883	14	9	15
Kissimmee	– – –	215	8	5	4
White	– – –	196	7	4	3
All other	– – –	19	1	1	1
Black	– – –	18	1	1	1
Balance of county	– – –	668	6	4	11
Palm Beach	10,197	10,351	131	89	113
White	9,227	9,383	68	50	56
All other	970	968	63	39	57
Black	950	953	62	39	54
Belle Glade	– – –	158	5	2	8
White	– – –	52	–	–	3
All other	– – –	106	5	2	5
Black	– – –	106	5	2	5
Boca Raton	– – –	953	5	5	6
Boynton Beach	– – –	768	5	5	11
White	– – –	707	–	–	7
All other	– – –	61	5	5	4
Black	– – –	60	5	5	4
Delray Beach	– – –	896	8	3	9
White	– – –	790	1	–	1
All other	– – –	106	7	3	8
Black	– – –	106	7	3	8
Lake Worth	– – –	601	10	6	7
North Palm Beach	– – –	147	–	–	1
Palm Beach Gardens	– – –	261	3	3	3
Riviera Beach	– – –	332	16	12	10
White	– – –	125	4	4	–
All other	– – –	207	12	8	10
Black	– – –	207	12	8	10
West Palm Beach	– – –	1,207	27	17	22
White	– – –	939	12	7	7
All other	– – –	268	15	10	15
Black	– – –	267	15	10	14
Balance of county	– – –	5,028	52	36	36
White	– – –	4,848	38	28	25
All other	– – –	180	14	8	11
Black	– – –	170	13	8	10
Pasco	3,729	4,361	27	15	16
New Port Richey	– – –	523	2	2	3
Balance of county	– – –	3,838	25	13	13
Pinellas	12,780	12,285	81	55	68
White	12,159	11,691	55	38	48
All other	621	594	26	17	20
Black	607	576	26	17	19
Clearwater	– – –	1,715	11	8	13
Dunedin	– – –	579	–	–	2
Gulfport	– – –	230	2	1	–
Largo	– – –	1,076	6	4	4
Pinellas Park	– – –	555	5	3	2
St. Petersburg	– – –	3,916	37	24	22
White	– – –	3,493	19	13	8
All other	– – –	423	18	11	14
Black	– – –	416	18	11	14
Tarpon Springs	– – –	267	3	2	1
White	– – –	252	1	–	1
All other	– – –	15	2	2	–
Black	– – –	15	2	2	–
Balance of county	– – –	3,947	17	13	24
Polk	4,078	4,201	68	50	53
White	3,627	3,712	41	28	37
All other	451	489	27	22	16
Black	447	484	27	22	16
Bartow	– – –	175	2	2	–
White	– – –	123	1	1	–
All other	– – –	52	1	1	–
Black	– – –	51	1	1	–
Haines City	– – –	156	5	4	4
White	– – –	119	3	2	3
All other	– – –	37	2	2	1
Black	– – –	37	2	2	1
Lakeland	– – –	962	21	20	12
White	– – –	815	8	8	6
All other	– – –	147	13	12	6
Black	– – –	146	13	12	6
Winter Haven	– – –	427	8	5	5
White	– – –	363	3	2	2
All other	– – –	64	5	3	3
Black	– – –	63	5	3	3
Balance of county	– – –	2,481	32	19	32
White	– – –	2,292	26	15	26
All other	– – –	189	6	4	6
Black	– – –	187	6	4	6
Putnam	584	738	15	5	6
White	505	627	10	2	4
All other	79	111	5	3	2
Black	79	110	5	3	2
Palatka	– – –	155	4	3	2
White	– – –	106	–	–	–
All other	– – –	49	4	3	2
Black	– – –	48	4	3	2
Balance of county	– – –	583	11	2	4
White	– – –	521	10	2	4
All other	– – –	62	1	–	–
Black	– – –	62	1	–	–
St. Johns	759	866	9	6	7
White	649	746	5	3	4
All other	110	120	4	3	3
Black	110	120	4	3	3
St. Augustine	– – –	214	4	4	2
White	– – –	165	1	1	1
All other	– – –	49	3	3	1
Black	– – –	49	3	3	1
Balance of county	– – –	652	5	2	5
White	– – –	581	4	2	3
All other	– – –	71	1	–	2
Black	– – –	71	1	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 18 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Florida-Con.					
St. Lucie	1,468	1,601	21	13	14
White	1,272	1,397	9	7	6
All other	196	204	12	6	8
Black	193	202	12	6	8
Fort Pierce	---	514	13	7	8
White	---	356	4	3	1
All other	---	158	9	4	7
Black	---	158	9	4	7
Port St. Lucie	---	491	3	3	3
Balance of county	---	596	5	3	3
White	---	559	2	1	2
All other	---	37	3	2	1
Black	---	35	3	2	1
Santa Rosa	463	618	15	10	6
Sarasota	4,243	4,132	24	19	16
White	4,115	4,000	17	16	11
All other	128	132	7	3	5
Black	124	129	7	3	5
Sarasota	---	902	8	5	5
White	---	807	3	3	2
All other	---	95	5	2	3
Black	---	93	5	2	3
Venice	---	458	-	-	1
Balance of county	---	2,772	16	14	10
Seminole	1,808	1,895	28	15	39
White	1,603	1,651	21	12	27
All other	205	244	7	3	12
Black	193	234	7	3	11
Altamonte Springs	---	257	3	2	7
Casselberry	---	173	5	2	1
Longwood	---	146	1	1	3
Sanford	---	341	7	3	7
White	---	216	3	1	3
All other	---	125	4	2	4
Black	---	123	4	2	4
Winter Springs	---	121	2	1	-
Balance of county	---	857	10	6	21
Sumter	237	446	4	1	2
White	214	386	2	1	2
All other	23	60	2	-	-
Black	23	59	2	-	-
Suwannee	228	346	1	-	3
White	192	294	1	-	2
All other	36	52	-	-	1
Black	36	52	-	-	1
Taylor	120	181	1	1	2
White	96	150	1	1	1
All other	24	31	-	-	1
Black	24	30	-	-	1
Union	80	96	4	4	1
White	50	74	3	3	-
All other	30	22	1	1	1
Black	30	22	1	1	1
Volusia	4,660	4,717	33	16	49
White	4,311	4,382	22	10	32
All other	349	335	11	6	17
Black	346	330	11	6	17
Daytona Beach	---	936	9	5	10
White	---	732	2	1	2
All other	---	204	7	4	8
Black	---	203	7	4	8
De Land	---	329	3	1	6
White	---	281	1	-	2
All other	---	48	2	1	4
Black	---	48	2	1	4
New Smyrna Beach	---	301	-	-	3
White	---	285	-	-	2
All other	---	16	-	-	1
Black	---	16	-	-	1
Ormond Beach	---	519	2	1	7
Port Orange	---	392	2	1	2
South Daytona	---	155	1	-	1
Balance of county	---	2,085	16	8	20
Wakulla	64	119	2	1	1
White	56	106	2	1	1
All other	8	13	-	-	-
Black	8	13	-	-	-
Walton	188	294	7	5	2
White	170	270	7	5	-
All other	18	24	-	-	2
Black	18	24	-	-	2
Washington	162	195	1	-	4
White	142	172	-	-	3
All other	20	23	1	-	1
Black	18	21	1	-	1
Georgia	53,321	52,802	1,255	828	1,367
White	37,977	37,596	508	329	583
All other	15,344	15,206	747	499	784
Black	15,183	15,048	739	496	772
Appling	79	129	2	1	2
White	60	102	1	1	1
All other	19	27	1	-	1
Black	19	27	1	-	1
Atkinson	17	70	4	4	-
White	16	52	2	2	-
All other	1	18	2	2	-
Black	1	18	2	2	-
Bacon	79	92	2	2	5
White	73	84	-	-	3
All other	6	8	2	2	2
Black	6	8	2	2	2
Baker	11	34	1	-	-
White	3	18	-	-	-
All other	8	16	1	-	-
Black	8	16	1	-	-
Baldwin	385	319	7	5	4
White	245	204	2	2	1
All other	140	115	5	3	3
Black	140	114	5	3	3
Milledgeville	---	140	5	3	3
White	---	73	1	1	-
All other	---	67	4	2	3
Black	---	66	4	2	3
Balance of county	---	179	2	2	1
White	---	131	1	1	1
All other	---	48	1	1	-
Black	---	48	1	1	-
Banks	11	86	3	3	-
Barrow	164	248	5	4	5
White	143	216	3	3	4
All other	21	32	2	1	1
Black	19	30	2	1	1
Bartow	378	456	2	2	11
White	329	395	2	2	10
All other	49	61	-	-	1
Black	48	60	-	-	1
Ben Hill	164	182	3	-	1
White	120	134	2	-	1
All other	44	48	1	-	-
Black	44	48	1	-	-
Fitzgerald, part	---	121	2	-	1
White	---	78	1	-	1
All other	---	43	1	-	-
Black	---	43	1	-	-
Fitzgerald, total	---	121	2	-	1
White	---	78	1	-	1
All other	---	43	1	-	-
Black	---	43	1	-	-
Balance of county	---	61	1	-	-
White	---	56	1	-	-
All other	---	5	-	-	-
Black	---	5	-	-	-
Berrien	98	158	1	1	5
White	90	144	-	-	5
All other	8	14	1	1	-
Black	8	14	1	1	-
Bibb	2,159	1,680	50	39	36
White	1,264	969	16	11	12
All other	895	711	34	28	24
Black	889	707	34	28	24
Macon, part	---	1,427	47	36	28
White	---	754	13	8	5
All other	---	673	34	28	23
Black	---	669	34	28	23
Macon, total	---	1,428	47	36	28
White	---	755	13	8	5
All other	---	673	34	28	23
Black	---	669	34	28	23
Balance of county	---	253	3	3	8
White	---	215	3	3	7
All other	---	38	-	-	1
Black	---	38	-	-	1
Bleckley	64	112	-	-	2
White	53	89	-	-	2
All other	11	23	-	-	-
Black	11	23	-	-	-
Brantley	26	86	2	1	1
Brooks	155	230	7	5	4
White	117	161	2	1	1
All other	38	69	5	4	3
Black	38	69	5	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 19 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Georgia-Con.					
Bryan	29	105	6	5	2
White	27	83	4	3	-
All other	2	22	2	2	2
Black	2	22	2	2	2
Bulloch	320	321	4	2	10
White	228	240	3	2	4
All other	92	81	1	-	6
Black	92	81	1	-	6
Statesboro	---	153	1	-	6
White	---	102	-	-	1
All other	---	51	1	-	5
Black	---	51	1	-	5
Balance of county	---	168	3	2	4
White	---	138	3	2	3
All other	---	30	-	-	1
Black	---	30	-	-	1
Burke	111	192	6	5	5
White	44	83	2	1	1
All other	67	109	4	4	4
Black	67	109	4	4	4
Butts	104	131	2	1	3
White	76	100	2	1	1
All other	28	31	-	-	2
Black	28	31	-	-	2
Calhoun	62	72	-	-	1
White	29	30	-	-	-
All other	33	42	-	-	1
Black	33	42	-	-	1
Camden	89	128	9	6	8
White	59	89	4	2	4
All other	30	39	5	4	4
Black	30	38	5	4	4
Candler	180	106	1	-	2
White	115	77	-	-	1
All other	65	29	1	-	1
Black	65	29	1	-	1
Carroll	557	581	17	9	15
White	480	495	13	5	12
All other	77	86	4	4	3
Black	77	86	4	4	3
Carrollton	---	151	5	3	4
White	---	115	3	1	1
All other	---	36	2	2	3
Black	---	36	2	2	3
Balance of county	---	430	12	6	11
White	---	380	10	4	11
All other	---	50	2	2	-
Black	---	50	2	2	-
Catoosa	662	360	7	2	4
Charlton	67	76	1	1	-
White	46	52	1	1	-
All other	21	24	-	-	-
Black	21	24	-	-	-
Chatham	2,586	2,082	56	41	46
White	1,538	1,174	12	12	14
All other	1,048	908	44	29	32
Black	1,043	903	43	29	31
Savannah	---	1,692	51	36	36
White	---	822	9	9	9
All other	---	870	42	27	27
Black	---	867	41	27	26
Balance of county	---	390	5	5	10
White	---	352	3	3	5
All other	---	38	2	2	5
Black	---	36	2	2	5
Chattahoochee	96	40	4	1	2
White	72	19	2	-	1
All other	24	21	2	1	1
Black	22	20	2	1	1
Chattooga	130	233	1	-	5
Cherokee	319	509	15	9	11
Clarke	1,008	523	12	10	17
White	772	353	4	3	7
All other	236	170	8	7	10
Black	236	170	8	7	9
Athens	---	329	8	7	13
White	---	191	2	2	5
All other	---	138	6	5	8
Black	---	138	6	5	8
Balance of county	---	194	4	3	4
White	---	162	2	1	2
All other	---	32	2	2	2
Black	---	32	2	2	1
Clay	25	47	1	-	3
White	10	19	-	-	1
All other	15	28	1	-	2
Black	15	28	1	-	2
Clayton	866	968	37	24	41
White	717	791	11	8	16
All other	149	177	26	16	25
Black	140	161	25	15	25
College Park, part	---	33	2	1	5
White	---	8	-	-	-
All other	---	25	2	1	5
Black	---	24	2	1	5
Forest Park	---	171	9	7	6
Balance of county	---	764	26	16	30
Clinch	58	67	3	2	-
White	38	46	-	-	-
All other	20	21	3	2	-
Black	20	21	3	2	-
Cobb	2,094	2,221	43	32	71
White	1,940	2,065	31	21	42
All other	154	156	12	11	29
Black	140	140	12	11	28
Marietta	---	409	14	12	24
White	---	330	6	4	12
All other	---	79	8	8	12
Black	---	76	8	8	12
Smyrna	---	212	5	4	4
Balance of county	---	1,600	24	16	43
Coffee	230	255	5	4	5
White	172	187	2	1	3
All other	58	68	3	3	2
Black	58	68	3	3	2
Douglas	---	115	3	3	1
White	---	68	-	-	-
All other	---	47	3	3	1
Black	---	47	3	3	1
Balance of county	---	140	2	1	4
White	---	119	2	1	3
All other	---	21	-	-	1
Black	---	21	-	-	1
Colquitt	336	406	8	5	6
White	254	312	3	2	2
All other	82	94	5	3	4
Black	81	93	4	2	4
Moultrie	---	211	5	4	3
White	---	134	1	1	-
All other	---	77	4	3	3
Black	---	76	3	2	3
Balance of county	---	195	3	1	3
White	---	178	2	1	2
All other	---	17	1	-	1
Black	---	17	1	-	1
Columbia	105	332	6	5	8
White	86	275	6	5	7
All other	19	57	-	-	1
Black	18	52	-	-	1
Cook	96	129	1	1	4
White	71	95	1	1	1
All other	25	34	-	-	3
Black	25	34	-	-	3
Coweta	459	443	7	5	6
White	354	324	4	3	3
All other	105	119	3	2	3
Black	104	118	3	2	3
Newnan	---	152	3	2	3
White	---	91	1	1	-
All other	---	61	2	1	3
Black	---	60	2	1	3
Balance of county	---	291	4	3	3
White	---	233	3	2	3
All other	---	58	1	1	-
Black	---	58	1	1	-
Crawford	39	74	2	1	2
White	19	38	-	-	-
All other	20	36	2	1	2
Black	20	36	2	1	2
Crisp	263	252	6	4	5
White	150	146	-	-	2
All other	113	106	6	4	3
Black	113	106	6	4	3
Cordele	---	190	4	2	3
White	---	95	-	-	-
All other	---	95	4	2	3
Black	---	95	4	2	3
Balance of county	---	62	2	2	2
White	---	51	-	-	2
All other	---	11	2	2	-
Black	---	11	2	2	-
Dade	42	104	1	1	1
Dawson	16	63	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Georgia-Con.					
Decatur	246	306	5	4	8
White	148	175	1	–	5
All other	98	131	4	4	3
Black	97	130	4	4	3
Bainbridge	– – –	169	2	1	5
White	– – –	89	1	–	2
All other	– – –	80	1	1	3
Black	– – –	80	1	1	3
Balance of county	– – –	137	3	3	3
White	– – –	86	–	–	3
All other	– – –	51	3	3	–
Black	– – –	50	3	3	–
De Kalb	3,402	3,753	111	74	132
White	2,638	2,454	17	11	23
All other	764	1,299	94	63	109
Black	724	1,272	93	63	105
Atlanta, part	– – –	634	17	9	29
White	– – –	195	1	1	3
All other	– – –	439	16	8	26
Black	– – –	437	16	8	25
Decatur	– – –	606	34	22	33
White	– – –	206	3	2	2
All other	– – –	400	31	20	31
Black	– – –	400	31	20	31
Balance of county	– – –	2,513	60	43	70
White	– – –	2,053	13	8	18
All other	– – –	460	47	35	52
Black	– – –	435	46	35	49
Dodge	161	180	1	1	3
White	112	129	–	–	3
All other	49	51	1	1	–
Black	49	51	1	1	–
Dooly	96	116	1	1	1
White	50	60	–	–	–
All other	46	56	1	1	1
Black	46	56	1	1	1
Dougherty	1,167	790	23	15	32
White	687	459	1	1	9
All other	480	331	22	14	23
Black	480	331	22	14	22
Albany	– – –	702	22	14	31
White	– – –	390	1	1	8
All other	– – –	312	21	13	23
Black	– – –	312	21	13	22
Balance of county	– – –	88	1	1	1
White	– – –	69	–	–	1
All other	– – –	19	1	1	–
Black	– – –	19	1	1	–
Douglas	387	461	13	5	11
Early	115	152	5	4	3
White	58	80	1	1	2
All other	57	72	4	3	1
Black	57	72	4	3	1
Echols	12	22	–	–	–
White	12	22	–	–	–
All other	–	–	–	–	–
Black	–	–	–	–	–
Effingham	63	156	4	2	5
White	50	124	2	1	2
All other	13	32	2	1	3
Black	13	32	2	1	3
Elbert	170	220	10	7	8
White	109	141	3	3	6
All other	61	79	7	4	2
Black	61	79	7	4	2
Emanuel	179	269	9	8	5
White	116	182	3	3	1
All other	63	87	6	5	4
Black	63	86	6	5	4
Evans	80	85	3	3	1
White	58	52	1	1	–
All other	22	33	2	2	1
Black	22	33	2	2	1
Fannin	122	168	2	–	3
Fayette	83	283	6	3	7
Floyd	1,184	836	14	12	12
White	1,053	745	11	9	7
All other	131	91	3	3	5
Black	131	91	3	3	4
Rome	– – –	453	9	8	5
White	– – –	371	6	5	3
All other	– – –	82	3	3	2
Black	– – –	82	3	3	2
Balance of county	– – –	383	5	4	7
Forsyth	184	296	3	2	8
Franklin	183	185	4	3	1
White	167	173	2	1	–
All other	16	12	2	2	1
Black	16	12	2	2	1
Fulton	8,691	5,964	158	93	218
White	4,740	2,854	27	17	42
All other	3,951	3,110	131	76	176
Black	3,928	3,100	131	76	175
Atlanta, part	– – –	4,187	109	64	143
White	– – –	1,441	8	5	13
All other	– – –	2,746	101	59	130
Black	– – –	2,739	101	59	130
Atlanta, total	– – –	4,821	126	73	172
White	– – –	1,636	9	6	16
All other	– – –	3,185	117	67	156
Black	– – –	3,176	117	67	155
College Park, part	– – –	184	12	7	14
White	– – –	70	1	–	2
All other	– – –	114	11	7	12
Black	– – –	114	11	7	12
College Park, total	– – –	217	14	8	19
White	– – –	78	1	–	2
All other	– – –	139	13	8	17
Black	– – –	138	13	8	17
East Point	– – –	284	6	2	15
White	– – –	175	–	–	4
All other	– – –	109	6	2	11
Black	– – –	109	6	2	11
Roswell	– – –	228	1	–	5
Balance of county	– – –	1,081	30	20	41
White	– – –	944	17	12	19
All other	– – –	137	13	8	22
Black	– – –	134	13	8	21
Gilmer	92	145	1	–	3
Glascock	21	53	2	2	–
White	18	45	2	2	–
All other	3	8	–	–	–
Black	3	8	–	–	–
Glynn	703	607	17	5	9
White	518	445	9	3	3
All other	185	162	8	2	6
Black	184	162	8	2	6
Brunswick	– – –	235	8	3	2
White	– – –	122	4	2	1
All other	– – –	113	4	1	1
Black	– – –	113	4	1	1
Balance of county	– – –	372	9	2	7
White	– – –	323	5	1	2
All other	– – –	49	4	1	5
Black	– – –	49	4	1	5
Gordon	242	311	4	2	7
Grady	167	214	5	3	1
White	111	149	2	1	1
All other	56	65	3	2	–
Black	56	65	3	2	–
Greene	129	152	3	–	3
White	77	88	–	–	2
All other	52	64	3	–	1
Black	52	64	3	–	1
Gwinnett	1,099	1,440	49	37	60
Habersham	197	215	4	4	1
Hall	847	756	12	5	15
Gainesville	– – –	207	2	1	9
White	– – –	167	–	–	7
All other	– – –	40	2	1	2
Black	– – –	39	2	1	2
Balance of county	– – –	549	10	4	6
Hancock	65	100	4	4	2
White	18	24	–	–	–
All other	47	76	4	4	2
Black	47	76	4	4	2
Haralson	202	233	4	2	6
Harris	58	155	1	–	2
White	45	108	1	–	1
All other	13	47	–	–	1
Black	13	46	–	–	1
Hart	155	199	2	1	4
White	114	157	–	–	4
All other	41	42	2	1	–
Black	41	42	2	1	–
Heard	26	83	1	1	2
White	20	76	1	1	1
All other	6	7	–	–	1
Black	6	7	–	–	1
Henry	352	419	8	5	17
White	308	368	6	3	14
All other	44	51	2	2	3
Black	43	51	2	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 21 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Georgia-Con.					
Houston	486	558	19	13	13
White	379	436	7	3	5
All other	107	122	12	10	8
Black	107	120	12	10	8
Warner Robins	---	321	13	10	7
White	---	270	5	3	4
All other	---	51	8	7	3
Black	---	50	8	7	3
Balance of county	---	237	6	3	6
White	---	166	2	-	1
All other	---	71	4	3	5
Black	---	70	4	3	5
Irwin	82	105	-	-	1
White	64	72	-	-	-
All other	18	33	-	-	1
Black	18	33	-	-	1
Fitzgerald, part	---	-	-	-	-
Balance of county	---	105	-	-	1
White	---	72	-	-	-
All other	---	33	-	-	1
Black	---	33	-	-	1
Jackson	216	294	10	7	1
White	202	279	8	5	1
All other	14	15	2	2	-
Black	14	15	2	2	-
Jasper	54	92	-	-	2
White	37	59	-	-	-
All other	17	33	-	-	2
Black	17	32	-	-	2
Jeff Davis	109	133	3	2	6
White	83	111	3	2	3
All other	26	22	-	-	3
Black	26	22	-	-	3
Jefferson	129	202	6	3	10
White	52	98	2	1	4
All other	77	104	4	2	6
Black	77	104	4	2	6
Jenkins	50	102	2	2	-
White	31	64	-	-	-
All other	19	38	2	2	-
Black	19	38	2	2	-
Johnson	31	100	-	-	2
White	13	61	-	-	1
All other	18	39	-	-	1
Black	18	39	-	-	1
Jones	79	131	5	3	2
White	58	97	-	-	2
All other	21	34	5	3	-
Black	21	34	5	3	-
Macon, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	130	5	3	2
White	---	96	-	-	2
All other	---	34	5	3	-
Black	---	34	5	3	-
Lamar	69	146	2	-	1
White	49	102	1	-	1
All other	20	44	1	-	-
Black	20	44	1	-	-
Lanier	51	55	1	1	-
White	39	44	-	-	-
All other	12	11	1	1	-
Black	12	11	1	1	-
Laurens	646	414	16	14	10
White	428	261	5	5	4
All other	218	153	11	9	6
Black	217	152	11	9	6
Dublin	---	197	9	7	5
White	---	106	1	1	1
All other	---	91	8	6	4
Black	---	91	8	6	4
Balance of county	---	217	7	7	5
White	---	155	4	4	3
All other	---	62	3	3	2
Black	---	61	3	3	2
Lee	7	66	3	3	1
White	7	45	1	1	1
All other	-	21	2	2	-
Black	-	21	2	2	-
Liberty	148	184	15	9	11
White	84	99	7	6	3
All other	64	85	8	3	8
Black	64	85	8	3	8
Hinesville	---	57	9	7	5
White	---	41	5	5	1
All other	---	16	4	2	4
Black	---	16	4	2	4
Balance of county	---	127	6	2	6
White	---	58	2	1	2
All other	---	69	4	1	4
Black	---	69	4	1	4
Lincoln	22	84	-	-	1
White	14	60	-	-	-
All other	8	24	-	-	1
Black	8	24	-	-	1
Long	16	34	-	-	1
White	8	26	-	-	1
All other	8	8	-	-	-
Black	8	8	-	-	-
Lowndes	726	612	9	7	19
White	474	400	2	2	5
All other	252	212	7	5	14
Black	251	212	7	5	14
Valdosta	---	378	4	3	16
White	---	215	-	-	3
All other	---	163	4	3	13
Black	---	163	4	3	13
Balance of county	---	234	5	4	3
White	---	185	2	2	2
All other	---	49	3	2	1
Black	---	49	3	2	1
Lumpkin	111	107	-	-	1
McDuffie	211	196	4	3	1
White	147	134	2	1	-
All other	64	62	2	2	1
Black	64	62	2	2	1
McIntosh	27	86	4	3	2
White	18	46	2	2	1
All other	9	40	2	1	1
Black	9	40	2	1	1
Macon	175	158	3	1	1
White	83	72	-	-	-
All other	92	86	3	1	1
Black	92	86	3	1	1
Madison	35	170	2	-	5
White	32	153	2	-	3
All other	3	17	-	-	2
Black	3	15	-	-	2
Marion	24	58	1	1	-
White	11	26	-	-	-
All other	13	32	1	1	-
Black	12	32	1	1	-
Meriwether	157	250	3	3	4
White	94	140	2	2	-
All other	63	110	1	1	4
Black	63	110	1	1	4
Miller	67	80	1	-	1
White	56	68	-	-	1
All other	11	12	1	-	-
Black	11	12	1	-	-
Mitchell	116	235	5	4	7
White	64	140	2	1	3
All other	52	95	3	3	4
Black	52	94	3	3	4
Monroe	176	161	2	1	3
White	128	108	1	-	-
All other	48	53	1	1	3
Black	48	53	1	1	3
Montgomery	5	70	1	1	1
White	3	52	-	-	-
All other	2	18	1	1	1
Black	2	18	1	1	1
Vidalia, part	---	-	-	-	-
Balance of county	---	70	1	1	1
White	---	52	-	-	-
All other	---	18	1	1	1
Black	---	18	1	1	1
Morgan	75	139	4	3	1
White	52	91	3	3	-
All other	23	48	1	-	1
Black	23	48	1	-	1
Murray	129	180	3	1	5
Muscogee	1,873	1,646	36	25	48
White	1,167	1,048	15	11	16
All other	706	598	21	14	32
Black	702	595	21	14	32
Columbus	---	1,608	34	24	43
White	---	1,019	14	10	14
All other	---	589	20	14	29
Black	---	586	20	14	29
Balance of county	---	38	2	1	5
Newton	289	369	13	8	9
White	232	295	7	5	6
All other	57	74	6	3	3
Black	57	74	6	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 22 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Georgia-Con.					
Covington	---	141	6	3	4
White	---	97	1	-	4
All other	---	44	5	3	-
Black	---	44	5	3	-
Balance of county	---	228	7	5	5
White	---	198	6	5	2
All other	---	30	1	-	3
Black	---	30	1	-	3
Oconee	12	97	1	1	1
White	12	85	1	1	1
All other	-	12	-	-	-
Black	-	12	-	-	-
Oglethorpe	13	82	1	-	1
White	9	59	1	-	1
All other	4	23	-	-	-
Black	4	23	-	-	-
Paulding	139	243	4	3	7
Peach	134	194	7	5	3
White	57	89	-	-	1
All other	77	105	7	5	2
Black	77	105	7	5	2
Pickens	146	184	5	5	1
Pierce	66	124	3	1	4
White	57	105	2	1	1
All other	9	19	1	-	3
Black	9	18	1	-	3
Pike	31	101	3	2	-
White	23	74	2	1	-
All other	8	27	1	1	-
Black	8	27	1	1	-
Polk	221	361	3	3	2
White	190	313	-	-	1
All other	31	48	3	3	1
Black	30	47	3	3	1
Pulaski	133	109	2	1	3
White	92	66	1	-	2
All other	41	43	1	1	1
Black	41	43	1	1	1
Putnam	93	107	4	4	4
White	63	76	2	2	1
All other	30	31	2	2	3
Black	30	31	2	2	3
Quitman	10	32	1	-	-
White	5	19	-	-	-
All other	5	13	1	-	-
Black	5	13	1	-	-
Rabun	108	131	1	1	2
Randolph	85	116	1	1	2
White	39	53	-	-	1
All other	46	63	1	1	1
Black	46	63	1	1	1
Richmond	3,293	1,799	52	34	47
White	2,124	1,049	19	10	16
All other	1,169	750	33	24	31
Black	1,153	740	33	24	31
Augusta	---	828	30	23	21
White	---	406	9	7	6
All other	---	422	21	16	15
Black	---	419	21	16	15
Balance of county	---	971	22	11	26
White	---	643	10	3	10
All other	---	328	12	8	16
Black	---	321	12	8	16
Rockdale	367	353	6	5	8
Schley	10	35	1	1	-
White	6	22	-	-	-
All other	4	13	1	1	-
Black	4	12	1	1	-
Screven	77	132	2	2	6
White	49	80	-	-	1
All other	28	52	2	2	5
Black	28	52	2	2	5
Seminole	62	111	1	-	-
White	42	82	-	-	-
All other	20	29	1	-	-
Black	20	29	1	-	-
Spalding	538	537	12	6	14
White	422	416	2	2	7
All other	116	121	10	4	7
Black	116	121	10	4	7
Griffin	---	291	8	3	9
White	---	193	1	1	3
All other	---	98	7	2	6
Black	---	98	7	2	6
Balance of county	---	246	4	3	5
White	---	223	1	1	4
All other	---	23	3	2	1
Black	---	23	3	2	1
Stephens	220	221	6	5	5
White	192	186	3	3	4
All other	28	35	3	2	1
Black	27	35	3	2	1
Stewart	95	87	5	3	3
White	42	39	-	-	-
All other	53	48	5	3	3
Black	53	48	5	3	3
Sumter	321	330	9	7	7
White	196	189	1	1	1
All other	125	141	8	6	6
Black	125	141	8	6	6
Americus	---	221	3	3	4
White	---	128	-	-	-
All other	---	93	3	3	4
Black	---	93	3	3	4
Balance of county	---	109	6	4	3
White	---	61	1	1	1
All other	---	48	5	3	2
Black	---	48	5	3	2
Talbot	15	68	-	-	1
White	6	24	-	-	-
All other	9	44	-	-	1
Black	9	44	-	-	1
Taliaferro	-	26	-	-	2
White	-	15	-	-	1
All other	-	11	-	-	1
Black	-	11	-	-	1
Tattnall	120	214	7	4	7
White	93	164	6	4	2
All other	27	50	1	-	5
Black	27	50	1	-	5
Taylor	43	84	2	2	1
White	20	47	1	1	-
All other	23	37	1	1	1
Black	23	37	1	1	1
Telfair	107	155	3	1	3
White	71	109	2	-	1
All other	36	46	1	1	2
Black	36	46	1	1	2
Terrell	51	121	2	2	3
White	21	54	-	-	-
All other	30	67	2	2	3
Black	30	67	2	2	3
Thomas	578	428	5	2	12
White	347	251	3	1	5
All other	231	177	2	1	7
Black	228	176	2	1	7
Thomasville	---	233	3	2	5
White	---	117	1	1	1
All other	---	116	2	1	4
Black	---	116	2	1	4
Balance of county	---	195	2	-	7
White	---	134	2	-	4
All other	---	61	-	-	3
Black	---	60	-	-	3
Tift	388	318	9	4	9
White	290	233	3	2	2
All other	98	85	6	2	7
Black	98	85	6	2	7
Tifton	---	181	6	2	5
White	---	153	2	1	-
All other	---	28	4	1	5
Black	---	28	4	1	5
Balance of county	---	137	3	2	4
White	---	80	1	1	2
All other	---	57	2	1	2
Black	---	57	2	1	2
Toombs	278	243	9	6	6
White	215	188	2	2	1
All other	63	55	7	4	5
Black	63	55	7	4	5
Vidalia, part	---	104	5	4	6
White	---	67	-	-	1
All other	---	37	5	4	5
Black	---	37	5	4	5
Vidalia, total	---	104	5	4	6
White	---	67	-	-	1
All other	---	37	5	4	5
Black	---	37	5	4	5
Balance of county	---	139	4	2	-
White	---	121	2	2	-
All other	---	18	2	-	-
Black	---	18	2	-	-
Towns	77	84	-	-	-
Treutlen	21	53	1	-	3
White	16	35	1	-	1
All other	5	18	-	-	2
Black	5	18	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 23 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Georgia-Con.					
Troup	706	615	12	8	9
White	502	422	3	1	3
All other	204	193	9	7	6
Black	204	193	9	7	6
La Grange	---	320	11	7	4
White	---	203	2	-	1
All other	---	117	9	7	3
Black	---	117	9	7	3
Balance of county	---	295	1	1	5
White	---	219	1	1	2
All other	---	76	-	-	3
Black	---	76	-	-	3
Turner	64	108	1	1	3
White	45	73	-	-	1
All other	19	35	1	1	2
Black	19	35	1	1	2
Twiggs	44	96	1	1	-
White	23	47	-	-	-
All other	21	49	1	1	-
Black	21	49	1	1	-
Union	127	150	-	-	1
Upson	372	325	3	2	4
White	277	252	1	1	-
All other	95	73	2	1	4
Black	95	73	2	1	4
Walker	144	596	12	7	7
Walton	207	303	7	6	10
White	170	248	6	5	7
All other	37	55	1	1	3
Black	37	55	1	1	3
Ware	412	400	5	3	11
White	318	298	3	2	2
All other	94	102	2	1	9
Black	94	101	2	1	9
Waycross	---	255	3	1	9
White	---	156	1	-	-
All other	---	99	2	1	9
Black	---	99	2	1	9
Balance of county	---	145	2	2	2
Warren	5	59	1	1	-
White	4	34	-	-	-
All other	1	25	1	1	-
Black	1	25	1	1	-
Washington	158	183	6	2	3
White	78	82	1	-	-
All other	80	101	5	2	3
Black	80	101	5	2	3
Wayne	235	199	1	1	6
White	189	165	-	-	4
All other	46	34	1	1	2
Black	46	34	1	1	2
Webster	6	25	2	2	1
White	2	16	-	-	-
All other	4	9	2	2	1
Black	4	9	2	2	1
Wheeler	37	61	2	1	1
White	29	43	-	-	1
All other	8	18	2	1	-
Black	8	18	2	1	-
White	38	111	2	2	2
Whitfield	616	564	12	8	7
Dalton	---	248	3	1	2
White	---	220	3	1	2
All other	---	28	-	-	-
Black	---	28	-	-	-
Balance of county	---	316	9	7	5
Wilcox	26	76	-	-	1
White	17	58	-	-	-
All other	9	18	-	-	1
Black	9	18	-	-	1
Wilkes	130	131	2	1	2
White	68	76	2	1	-
All other	62	55	-	-	2
Black	62	55	-	-	2
Wilkinson	60	104	2	2	3
White	35	66	-	-	-
All other	25	38	2	2	3
Black	24	38	2	2	3
Worth	72	173	3	-	10
White	49	112	-	-	3
All other	23	61	3	-	7
Black	23	61	3	-	7
Hawaii	7,035	6,810	147	93	153
White	2,233	2,072	36	26	66
All other	4,802	4,738	111	67	87
Black	83	77	20	9	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Hawaii-Con.					
Hawaii	833	898	22	15	24
White	318	316	7	5	11
All other	515	582	15	10	13
Black	6	6	1	1	-
Hilo#	---	339	7	4	6
White	---	84	-	-	3
All other	---	255	7	4	3
Black	---	4	1	1	-
Balance of county	---	559	15	11	18
White	---	232	7	5	8
All other	---	327	8	6	10
Black	---	2	-	-	-
Honolulu	5,222	4,874	106	64	98
White	1,536	1,396	25	17	42
All other	3,686	3,478	81	47	56
Black	67	62	18	8	5
Aiea#	---	204	4	2	1
White	---	47	1	1	1
All other	---	157	3	1	-
Black	---	6	1	-	-
Ewa Beach#	---	115	7	4	7
White	---	24	3	2	5
All other	---	91	4	2	2
Black	---	1	-	-	-
Honolulu#	---	2,784	38	24	42
White	---	800	8	6	19
All other	---	1,984	30	18	23
Black	---	28	8	3	2
Kailua#	---	287	7	3	1
White	---	157	2	1	1
All other	---	130	5	2	-
Black	---	1	-	-	-
Kaneohe#	---	311	5	3	6
White	---	118	1	-	3
All other	---	193	4	3	3
Black	---	2	1	1	-
Mililani Town#	---	78	4	3	1
White	---	21	-	-	-
All other	---	57	4	3	1
Black	---	2	1	-	-
Mokapu#	---	7	3	3	1
White	---	6	3	3	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Pearl City#	---	161	4	2	4
White	---	31	-	-	1
All other	---	130	4	2	3
Black	---	2	2	2	-
Schofield Barracks#	---	11	4	3	5
White	---	6	2	1	2
All other	---	5	2	2	3
Black	---	4	1	1	2
Wahiawa#	---	159	8	3	9
White	---	28	2	1	2
All other	---	131	6	2	7
Black	---	6	4	1	1
Waipahu#	---	227	6	5	4
White	---	28	1	-	2
All other	---	199	5	5	2
Black	---	2	-	-	-
Balance of county	---	530	16	9	17
White	---	130	2	2	5
All other	---	400	14	7	12
Black	---	7	-	-	-
Kalawao	3	3	-	-	-
White	-	-	-	-	-
All other	3	3	-	-	-
Black	-	-	-	-	-
Kauai	348	365	8	7	8
White	122	118	-	-	-
All other	226	247	8	7	8
Black	6	5	1	-	-
Maui	629	670	11	7	23
White	257	242	4	4	13
All other	372	428	7	3	10
Black	4	4	-	-	-
Kahului#	---	136	2	2	1
White	---	33	1	1	1
All other	---	103	1	1	-
Black	---	-	-	-	-
Wailuku#	---	116	1	1	2
White	---	33	-	-	1
All other	---	83	1	1	1
Black	---	-	-	-	-
Balance of county	---	418	8	4	20
White	---	176	3	3	11
All other	---	242	5	1	9
Black	---	4	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 24 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Idaho	7,458	7,719	146	89	111
White	7,341	7,602	140	84	105
All other	117	117	6	5	6
Black	16	14	1	1	–
Ada	1,638	1,346	29	18	19
Boise City	---	1,066	22	15	14
Balance of county	---	280	7	3	5
Adams	23	34	–	–	–
Bannock	449	407	8	3	3
Pocatello	---	319	5	3	2
Balance of county	---	88	3	–	1
Bear Lake	47	59	1	–	1
Benewah	69	87	1	1	1
Bingham	190	267	5	4	7
Blackfoot	---	110	2	2	3
Balance of county	---	157	3	2	4
White	---	135	1	1	3
All other	---	22	2	1	1
Black	---	–	–	–	–
Blaine	59	59	1	–	–
Boise	32	25	–	–	1
Bonner	172	235	3	2	2
Bonneville	532	407	7	6	10
Idaho Falls	---	317	6	5	7
Balance of county	---	90	1	1	3
Boundary	50	62	–	–	2
Butte	23	28	–	–	–
Camas	5	9	–	–	–
Canyon	675	751	19	9	9
Caldwell	---	174	4	2	1
White	---	172	4	2	1
All other	---	2	–	–	–
Black	---	–	–	–	–
Nampa	---	334	7	4	3
Balance of county	---	243	8	3	5
Caribou	44	51	1	1	1
Cassia	135	147	6	4	4
Clark	2	4	–	–	–
Clearwater	78	89	–	–	–
Custer	13	39	1	1	1
Elmore	102	135	3	2	2
Franklin	62	85	1	1	2
Fremont	40	80	2	2	1
Gem	98	133	2	2	1
Gooding	86	119	–	–	2
Idaho	125	134	1	1	3
Jefferson	41	84	–	–	–
Jerome	84	133	2	1	2
Kootenai	637	626	13	8	7
Coeur d'Alene	---	316	7	3	6
Balance of county	---	310	6	5	1
Latah	178	202	4	3	1
Moscow	---	112	4	3	1
Balance of county	---	90	–	–	–
Lemhi	57	62	–	–	–
Lewis	11	33	–	–	–
Lincoln	22	34	–	–	1
Madison	129	102	6	3	2
Rexburg	---	55	6	3	2
Balance of county	---	47	–	–	–
Minidoka	102	139	2	1	5
Nez Perce	376	342	9	5	3
Lewiston	---	292	6	4	2
Balance of county	---	50	3	1	1
White	---	41	2	–	1
All other	---	9	1	1	–
Black	---	–	–	–	–
Oneida	29	28	–	–	–
Owyhee	52	68	1	–	–
Payette	88	160	2	1	1
Power	46	57	2	2	1
Shoshone	112	149	2	–	2
Teton	22	22	1	–	–
Twin Falls	570	520	9	7	10
Twin Falls	---	306	7	5	7
Balance of county	---	214	2	2	3
Valley	73	62	1	–	–
Washington	80	104	1	1	4
Illinois	101,464	104,123	2,083	1,376	1,403
White	84,705	87,121	1,149	776	855
All other	16,759	17,002	934	600	548
Black	16,168	16,406	920	592	520

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Illinois-Con.					
Adams	870	788	6	2	6
Quincy	---	581	6	2	2
Balance of county	---	207	–	–	4
Alexander	39	144	1	1	2
White	28	102	–	–	1
All other	11	42	1	1	1
Black	11	42	1	1	1
Bond	124	157	3	3	–
Boone	234	281	2	2	1
Belvidere	---	179	2	2	1
Balance of county	---	102	–	–	–
Brown	31	65	–	–	–
Bureau	432	419	7	7	4
Calhoun	27	71	2	1	1
Carroll	132	204	–	–	1
Cass	76	175	1	1	1
Champaign	1,317	988	27	17	17
White	1,219	887	17	11	9
All other	98	101	10	6	8
Black	86	92	8	5	7
Champaign	---	354	9	5	4
White	---	287	3	1	1
All other	---	67	6	4	3
Black	---	65	6	4	3
Rantoul	---	70	6	5	3
White	---	64	5	4	3
All other	---	6	1	1	–
Black	---	5	1	1	–
Urbana	---	246	6	5	6
White	---	222	4	4	2
All other	---	24	2	1	4
Black	---	20	1	–	3
Balance of county	---	318	6	2	4
Christian	312	394	6	6	4
Taylorville	---	162	2	2	–
Balance of county	---	232	4	4	4
Clark	91	186	2	1	1
Clay	126	183	2	1	1
Clinton	220	302	3	3	3
Centralia, part	---	37	1	1	–
Balance of county	---	265	2	2	3
Coles	574	536	4	3	7
Charleston	---	172	1	1	3
Mattoon	---	255	2	1	2
Balance of county	---	109	1	1	2
Cook	48,379	48,616	1,252	831	804
White	34,389	34,576	500	347	369
All other	13,990	14,040	752	484	435
Black	13,542	13,600	742	479	415
Alsip	---	109	5	4	–
Arlington Heights, part	---	631	13	9	4
Arlington Heights, total	---	631	13	9	4
Bartlett, part	---	36	1	1	1
Bellwood	---	131	4	3	1
White	---	82	1	1	–
All other	---	49	3	2	1
Black	---	49	3	2	1
Bensenville, part	---	7	2	2	1
Berwyn	---	534	2	1	2
Blue Island	---	217	7	6	2
White	---	199	5	5	2
All other	---	18	2	1	–
Black	---	18	2	1	–
Bridgeview	---	165	3	3	2
Brookfield	---	202	1	–	2
Buffalo Grove, part	---	97	1	–	2
Buffalo Grove, total	---	137	6	5	5
Burbank	---	245	6	4	4
Calumet City	---	365	9	7	5
Chicago, part	---	28,219	916	590	564
White	---	15,846	262	178	185
All other	---	12,373	654	412	379
Black	---	12,047	647	408	364
Chicago, total	---	28,219	916	590	564
White	---	15,846	262	178	185
All other	---	12,373	654	412	379
Black	---	12,047	647	408	364
Chicago Heights	---	362	10	8	11
White	---	263	5	4	5
All other	---	99	5	4	6
Black	---	98	5	4	6
Chicago Ridge	---	121	1	–	2
Cicero	---	728	16	10	4
Country Club Hills	---	64	3	3	2
White	---	38	–	–	–
All other	---	26	3	3	2
Black	---	26	3	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 25 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Illinois-Con.					
Crestwood	---	114	1	1	1
Deerfield, part	---	4	-	-	1
Des Plaines	---	753	8	5	6
Dolton	---	176	1	1	5
Elgin, part	---	67	5	2	4
White	---	64	4	2	3
All other	---	3	1	-	1
Black	---	2	1	-	-
Elk Grove Village, part	---	163	3	2	4
Elk Grove Village, total	---	163	3	2	4
Elmwood Park	---	286	4	3	-
Evanston	---	637	15	11	13
White	---	500	7	5	5
All other	---	137	8	6	8
Black	---	133	8	6	8
Evergreen Park	---	307	1	1	3
Forest Park	---	163	5	4	2
White	---	154	3	3	-
All other	---	9	2	1	2
Black	---	7	2	1	2
Franklin Park	---	189	3	2	-
Glenview	---	326	3	3	6
Glenwood	---	105	1	-	-
White	---	88	1	-	-
All other	---	17	-	-	-
Black	---	17	-	-	-
Hanover Park, part	---	61	3	3	2
Hanover Park, total	---	88	3	3	4
Harvey	---	290	11	7	11
White	---	95	1	1	1
All other	---	195	10	6	10
Black	---	195	10	6	10
Hazel Crest	---	110	3	3	2
White	---	88	1	1	2
All other	---	22	2	2	-
Black	---	22	2	2	-
Hickory Hills	---	102	1	-	1
Hinsdale, part	---	18	1	1	-
Hoffman Estates	---	207	6	6	4
Homewood	---	223	2	2	1
Justice	---	103	3	2	3
White	---	100	3	2	3
All other	---	3	-	-	-
Black	---	3	-	-	-
La Grange	---	167	3	3	2
La Grange Park	---	193	3	3	-
Lansing	---	255	3	1	1
Lincolnwood	---	98	-	-	-
Markham	---	113	5	4	-
White	---	27	-	-	-
All other	---	86	5	4	-
Black	---	86	5	4	-
Matteson	---	98	2	1	-
White	---	82	1	-	-
All other	---	16	1	1	-
Black	---	15	1	1	-
Maywood	---	224	12	6	4
White	---	57	2	-	1
All other	---	167	10	6	3
Black	---	167	10	6	3
Melrose Park	---	203	-	-	1
Midlothian	---	101	4	2	-
Morton Grove	---	225	2	2	3
Mount Prospect	---	370	4	4	2
Niles	---	400	2	2	-
Norridge	---	226	-	-	-
Northbrook	---	364	2	2	5
Northlake	---	167	1	-	1
Oak Forest	---	164	3	2	4
Oak Lawn	---	676	3	2	3
Oak Park	---	427	8	5	7
White	---	381	4	2	5
All other	---	46	4	3	2
Black	---	42	4	3	2
Orland Park	---	258	4	2	1
Palatine	---	325	10	5	8
Palos Heights	---	156	1	1	1
Palos Hills	---	173	1	1	1
Park Forest, part	---	159	3	3	-
White	---	140	3	3	-
All other	---	19	-	-	-
Black	---	19	-	-	-
Park Forest, total	---	165	3	3	-
White	---	146	3	3	-
All other	---	19	-	-	-
Black	---	19	-	-	-
Park Ridge	---	408	3	2	4
Prospect Heights	---	71	2	2	-
Riverdale	---	117	2	-	1
River Forest	---	89	-	-	2
River Grove	---	110	1	-	1
Rolling Meadows	---	119	5	4	4
Roselle, part	---	28	1	1	-
Sauk Village	---	21	-	-	1
Schaumburg, part	---	391	5	3	5
Schaumburg, total	---	396	5	3	5
Schiller Park	---	63	-	-	2
Skokie	---	628	3	3	6
South Holland	---	239	-	-	1
Streamwood	---	109	2	2	5
Summit	---	7	-	-	-
White	---	6	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Tinley Park, part	---	260	2	1	6
Tinley Park, total	---	261	2	1	6
Westchester	---	214	-	-	-
Western Springs	---	94	-	-	-
Wheeling, part	---	172	3	1	5
Wheeling, total	---	172	3	1	6
Wilmette	---	230	2	1	1
Winnetka	---	79	1	-	2
Worth	---	107	1	1	2
Balance of county	---	2,881	63	49	34
White	---	2,495	40	30	25
All other	---	386	23	19	9
Black	---	377	23	19	8
Crawford	198	254	4	3	3
Cumberland	41	80	-	-	1
De Kalb	537	575	7	6	9
De Kalb	---	167	3	2	4
Balance of county	---	408	4	4	5
De Witt	127	197	2	-	-
Douglas	93	199	3	1	1
Du Page	4,601	4,678	96	75	62
White	4,468	4,550	91	72	57
All other	133	128	5	3	5
Black	75	56	4	2	1
Addison	---	170	6	5	3
Aurora, part	---	16	4	3	2
Bartlett, part	---	27	-	-	2
Bartlett, total	---	63	1	1	3
Batavia, part	---	-	-	-	-
Bensenville, part	---	146	6	5	2
Bensenville, total	---	153	8	7	3
Bloomingdale	---	150	2	1	2
Bolingbrook, part	---	9	-	-	-
White	---	6	-	-	-
All other	---	3	-	-	-
Black	---	3	-	-	-
Carol Stream	---	120	7	7	1
Chicago, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Darien	---	101	-	-	1
Downers Grove	---	365	6	2	4
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	376	5	5	2
Glendale Heights	---	84	4	3	2
White	---	77	4	3	1
All other	---	7	-	-	1
Black	---	1	-	-	1
Glen Ellyn	---	140	-	-	-
Hanover Park, part	---	27	-	-	2
Hinsdale, part	---	117	1	1	-
Hinsdale, total	---	135	2	2	-
Lisle	---	100	2	2	2
Lombard	---	383	10	7	1
Naperville, part	---	365	8	7	9
Naperville, total	---	379	8	7	10
Roselle, part	---	82	2	2	-
Roselle, total	---	110	3	3	-
St. Charles, part	---	1	-	-	-
Schaumburg, part	---	5	-	-	-
Villa Park	---	182	3	2	4
West Chicago	---	89	4	4	3
White	---	88	4	4	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Westmont	---	174	5	4	-
Wheaton	---	357	5	4	4
Wood Dale	---	84	1	1	-
Woodridge	---	6	-	-	4
Balance of county	---	1,002	15	10	12
Edgar	201	270	3	1	4
Edwards	25	100	-	-	-
Effingham	381	283	2	2	4
Effingham	---	146	-	-	2
Balance of county	---	137	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 26 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Illinois-Con.					
Fayette	166	231	2	1	2
Ford	155	194	2	2	2
Franklin	446	605	8	4	2
Fulton	387	474	–	–	4
Canton	– – –	221	–	–	3
Balance of county	– – –	253	–	–	1
Gallatin	37	103	1	1	1
Greene	118	199	1	–	3
Grundy	237	286	4	3	4
Hamilton	89	121	–	–	–
Hancock	177	241	3	1	4
Hardin	60	66	–	–	–
Henderson	44	89	–	–	–
Henry	414	554	5	1	4
Kewanee	– – –	191	3	–	–
Balance of county	– – –	363	2	1	4
Iroquois	240	334	4	1	1
Jackson	515	483	10	10	4
White	451	417	3	3	2
All other	64	66	7	7	2
Black	63	65	7	7	2
Carbondale	– – –	140	5	5	2
White	– – –	97	–	–	–
All other	– – –	43	5	5	2
Black	– – –	42	5	5	2
Balance of county	– – –	343	5	5	2
Jasper	65	138	4	2	1
Jefferson	450	420	4	1	1
Mount Vernon	– – –	247	3	1	1
Balance of county	– – –	173	1	–	–
Jersey	208	213	2	–	2
Jo Daviess	97	196	2	2	2
Johnson	48	118	1	–	3
Kane	2,382	2,177	53	28	35
White	2,267	2,051	38	17	31
All other	115	126	15	11	4
Black	106	117	14	10	4
Aurora, part	– – –	719	14	8	15
White	– – –	639	9	5	12
All other	– – –	80	5	3	3
Black	– – –	80	5	3	3
Aurora, total	– – –	735	18	11	17
White	– – –	654	13	8	14
All other	– – –	81	5	3	3
Black	– – –	80	5	3	3
Batavia, part	– – –	115	1	1	–
Batavia, total	– – –	115	1	1	–
Carpentersville	– – –	106	6	3	5
Elgin, part	– – –	487	15	5	7
White	– – –	459	10	2	6
All other	– – –	28	5	3	1
Black	– – –	22	5	3	1
Elgin, total	– – –	554	20	7	11
White	– – –	523	14	4	9
All other	– – –	31	6	3	2
Black	– – –	24	6	3	1
St. Charles, part	– – –	167	1	1	–
St. Charles, total	– – –	168	1	1	–
Balance of county	– – –	583	16	10	8
Kankakee	1,070	1,019	21	11	13
White	899	836	6	3	8
All other	171	183	15	8	5
Black	168	180	15	8	4
Bourbonnais	– – –	104	2	2	–
Bradley	– – –	95	2	1	1
Kankakee	– – –	411	13	6	5
White	– – –	317	3	1	3
All other	– – –	94	10	5	2
Black	– – –	94	10	5	2
Balance of county	– – –	409	4	2	7
White	– – –	327	1	1	5
All other	– – –	82	3	1	2
Black	– – –	82	3	1	2
Kendall	122	239	2	1	2
Knox	662	607	3	–	5
Galesburg	– – –	392	3	–	4
Balance of county	– – –	215	–	–	1
Lake	3,340	3,098	66	45	55
White	3,103	2,862	55	41	39
All other	237	236	11	4	16
Black	214	214	11	4	15
Arlington Heights, part	– – –	–	–	–	–
Buffalo Grove, part	– – –	40	5	5	3
Deerfield, part	– – –	119	1	1	1
Deerfield, total	– – –	123	1	1	2
Highland Park	– – –	197	1	1	1
Lake Forest	– – –	108	1	–	3
Libertyville	– – –	197	1	1	–
Mundelein	– – –	97	4	3	5
North Chicago	– – –	151	4	4	5
White	– – –	77	2	2	1
All other	– – –	74	2	2	4
Black	– – –	73	2	2	4
Round Lake Beach	– – –	86	3	3	1
Waukegan	– – –	540	10	5	11
White	– – –	439	6	4	5
All other	– – –	101	4	1	6
Black	– – –	99	4	1	5
Wheeling, part	– – –	–	–	–	1
Zion	– – –	150	4	1	3
White	– – –	130	2	1	1
All other	– – –	20	2	–	2
Black	– – –	19	2	–	2
Balance of county	– – –	1,413	32	21	21
La Salle	1,033	1,147	13	8	3
La Salle	– – –	129	1	–	–
Ottawa	– – –	203	3	1	–
Peru	– – –	105	–	–	–
Streator, part	– – –	225	2	2	2
Streator, total	– – –	226	2	2	2
Balance of county	– – –	485	7	5	1
Lawrence	204	249	2	2	2
Lee	284	343	5	3	4
Dixon	– – –	177	3	1	1
Balance of county	– – –	166	2	2	3
Livingston	340	433	5	4	2
Pontiac	– – –	149	1	1	1
White	– – –	148	1	1	1
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Streator, part	– – –	1	–	–	–
Balance of county	– – –	283	4	3	1
Logan	287	341	1	1	–
Lincoln	– – –	214	–	–	–
Balance of county	– – –	127	1	1	–
McDonough	295	300	4	1	2
Macomb	– – –	161	2	1	–
Balance of county	– – –	139	2	–	2
McHenry	1,087	1,309	20	9	18
Crystal Lake	– – –	167	2	1	6
McHenry	– – –	228	5	3	1
Woodstock	– – –	161	7	3	2
Balance of county	– – –	753	6	2	9
McLean	923	915	11	6	11
Bloomington	– – –	462	7	5	6
Normal	– – –	160	1	1	1
Balance of county	– – –	293	3	–	4
Macon	1,309	1,200	20	13	16
White	1,214	1,094	14	9	9
All other	95	106	6	4	7
Black	94	105	6	4	7
Decatur	– – –	1,003	18	12	15
White	– – –	898	12	8	8
All other	– – –	105	6	4	7
Black	– – –	104	6	4	7
Balance of county	– – –	197	2	1	1
Macoupin	368	612	2	1	–
Madison	2,138	2,396	39	28	19
White	1,999	2,259	29	20	15
All other	139	137	10	8	4
Black	135	134	10	8	4
Alton	– – –	421	10	8	2
White	– – –	363	4	3	–
All other	– – –	58	6	5	2
Black	– – –	57	6	5	2
Collinsville, part	– – –	220	2	1	1
Collinsville, total	– – –	240	2	1	1
Edwardsville	– – –	194	3	3	1
Granite City	– – –	374	7	3	1
Wood River	– – –	136	1	1	2
Balance of county	– – –	1,051	16	12	12
Marion	521	517	6	3	5
Centralia, part	– – –	200	4	1	4
White	– – –	176	3	1	2
All other	– – –	24	1	–	2
Black	– – –	24	1	–	2
Centralia, total	– – –	237	5	2	4
White	– – –	212	3	1	2
All other	– – –	25	2	1	2
Black	– – –	25	2	1	2
Balance of county	– – –	317	2	2	1
Marshall	108	147	–	–	–
Mason	115	181	4	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 27 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Illinois-Con.					
Massac	196	189	1	–	1
Menard	57	103	2	2	–
Mercer	98	159	–	–	–
Monroe	107	207	2	1	2
Montgomery	400	355	2	2	4
Morgan	443	406	6	4	3
Jacksonville	---	301	6	4	2
Balance of county	---	105	–	–	1
Moultrie	129	204	4	2	–
Ogle	280	403	2	1	1
Peoria	2,533	1,731	25	18	14
White	2,395	1,605	15	11	8
All other	138	126	10	7	6
Black	134	125	10	7	6
Pekin, part	---	–	–	–	–
Peoria	---	1,091	16	13	11
White	---	968	7	6	5
All other	---	123	9	7	6
Black	---	122	9	7	6
Balance of county	---	640	9	5	3
Perry	205	261	4	3	2
Piatt	99	174	1	1	1
Pike	181	233	7	5	2
Pope	15	57	–	–	–
Pulaski	24	92	1	–	–
White	13	63	–	–	–
All other	11	29	1	–	–
Black	11	29	1	–	–
Putnam	10	49	2	2	–
Randolph	367	363	3	3	3
Richland	219	179	2	–	2
Rock Island	1,561	1,534	18	13	12
White	1,480	1,437	13	11	8
All other	81	97	5	2	4
Black	79	93	5	2	4
East Moline	---	210	3	3	1
White	---	189	3	3	–
All other	---	21	–	–	1
Black	---	19	–	–	1
Moline	---	425	3	2	1
Rock Island	---	520	9	5	5
White	---	464	4	3	3
All other	---	56	5	2	2
Black	---	55	5	2	2
Balance of county	---	379	3	3	5
St. Clair	2,513	2,589	53	35	33
White	1,898	1,860	18	12	18
All other	615	729	35	23	15
Black	613	726	35	23	15
Belleville	---	540	4	4	6
Cahokia	---	159	4	3	3
Collinsville, part	---	20	–	–	–
East St. Louis	---	543	18	13	11
White	---	24	–	–	1
All other	---	519	18	13	10
Black	---	519	18	13	10
Fairview Heights	---	146	–	–	–
O'Fallon	---	119	1	1	–
Balance of county	---	1,062	26	14	13
White	---	892	11	6	9
All other	---	170	15	8	4
Black	---	168	15	8	4
Saline	443	416	3	2	7
Harrisburg	---	160	2	1	4
Balance of county	---	256	1	1	3
Sangamon	2,307	1,660	22	13	16
White	2,172	1,540	13	8	9
All other	135	120	9	5	7
Black	130	118	9	5	7
Springfield	---	1,148	16	10	15
White	---	1,029	7	5	8
All other	---	119	9	5	7
Black	---	117	9	5	7
Balance of county	---	512	6	3	1
Schuyler	167	112	3	2	1
Scott	22	54	–	–	–
Shelby	145	229	6	6	3
Stark	51	86	1	–	1
Stephenson	447	468	6	4	3
Freeport	---	294	3	2	1
White	---	278	1	1	1
All other	---	16	2	1	–
Black	---	16	2	1	–
Balance of county	---	174	3	2	2
Tazewell	715	1,119	10	6	8
East Peoria	---	207	5	3	3
Morton	---	151	–	–	–
Pekin, part	---	335	1	1	3
Pekin, total	---	335	1	1	3
Washington	---	101	–	–	–
Balance of county	---	325	4	2	2
Union	185	257	–	–	–
Vermilion	1,128	977	11	7	8
Danville	---	489	4	3	6
White	---	425	2	1	2
All other	---	64	2	2	4
Black	---	64	2	2	4
Balance of county	---	488	7	4	2
Wabash	133	131	2	1	1
Warren	179	223	–	–	2
Monmouth	---	122	–	–	1
Balance of county	---	101	–	–	1
Washington	114	169	2	1	–
Wayne	160	223	3	3	3
White	203	248	1	1	–
Whiteside	542	602	8	5	9
Rock Falls	---	112	–	–	4
Sterling	---	186	2	–	3
Balance of county	---	304	6	5	2
Will	1,889	2,300	56	45	52
White	1,723	2,099	43	35	42
All other	166	201	13	10	10
Black	164	198	13	10	10
Bolingbrook, part	---	109	6	5	4
White	---	94	5	4	4
All other	---	15	1	1	–
Black	---	15	1	1	–
Bolingbrook, total	---	118	6	5	4
White	---	100	5	4	4
All other	---	18	1	1	–
Black	---	18	1	1	–
Joliet	---	931	17	14	16
White	---	804	8	6	7
All other	---	127	9	8	9
Black	---	126	9	8	9
Naperville, part	---	14	–	–	1
Park Forest, part	---	6	–	–	–
White	---	6	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Romeoville	---	66	3	2	3
Tinley Park, part	---	1	–	–	–
Balance of county	---	1,173	30	24	28
White	---	1,115	27	23	27
All other	---	58	3	1	1
Black	---	56	3	1	1
Williamson	790	671	6	4	5
Herrin	---	166	2	2	–
Marion	---	187	2	–	2
Balance of county	---	318	2	2	3
Winnebago	2,495	2,167	40	21	31
White	2,321	1,995	28	14	24
All other	174	172	12	7	7
Black	168	168	12	7	6
Loves Park	---	115	1	1	–
Rockford	---	1,542	33	17	17
White	---	1,385	21	10	10
All other	---	157	12	7	7
Black	---	154	12	7	6
Balance of county	---	510	6	3	14
Woodford	183	283	3	2	3
Indiana	50,829	50,148	781	486	598
White	46,589	45,994	597	364	470
All other	4,240	4,154	184	122	128
Black	4,169	4,087	184	122	121
Adams	169	238	5	3	2
Allen	3,058	2,394	55	31	26
White	2,824	2,161	42	21	21
All other	234	233	13	10	5
Black	230	230	13	10	5
Fort Wayne	---	1,846	48	28	19
White	---	1,619	35	18	14
All other	---	227	13	10	5
Black	---	224	13	10	5
Balance of county	---	548	7	3	7
Bartholomew	496	485	10	3	4
Columbus	---	322	7	2	4
Balance of county	---	163	3	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 28 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Indiana-Con.					
Benton	39	107	-	-	1
Blackford	115	167	-	-	-
Boone	245	336	3	3	2
Lebanon	---	141	2	2	1
Balance of county	---	195	1	1	1
Brown	45	94	2	2	2
Carroll	68	146	2	2	2
Cass	332	417	3	2	1
Logansport	---	247	1	1	1
Balance of county	---	170	2	1	-
Clark	787	857	13	7	6
Clarksville	---	227	4	3	-
Jeffersonville	---	309	3	3	3
White	---	271	2	2	3
All other	---	38	1	1	-
Black	---	37	1	1	-
Balance of county	---	321	6	1	3
Clay	225	277	2	1	3
Clinton	250	350	1	1	3
Frankfort	---	178	1	1	1
Balance of county	---	172	-	-	2
Crawford	39	111	1	1	-
Daviess	284	288	4	2	2
Washington	---	140	1	-	1
Balance of county	---	148	3	2	1
Dearborn	343	370	2	2	3
Decatur	206	249	1	-	3
De Kalb	268	302	5	1	3
Delaware	1,222	1,065	12	8	11
Muncie	---	756	9	6	9
White	---	698	5	4	6
All other	---	58	4	2	3
Black	---	58	4	2	2
Balance of county	---	309	3	2	2
Dubois	405	319	6	5	1
Elkhart	1,197	1,174	26	17	17
Elkhart	---	477	17	12	5
White	---	436	12	7	3
All other	---	41	5	5	2
Black	---	40	5	5	2
Goshen	---	203	3	2	3
Balance of county	---	494	6	3	9
Fayette	232	256	6	5	1
Connersville	---	187	4	4	1
Balance of county	---	69	2	1	-
Floyd	665	612	9	6	3
New Albany	---	487	7	4	1
Balance of county	---	125	2	2	2
Fountain	73	202	-	-	4
Franklin	54	149	3	3	3
Fulton	142	178	3	1	2
Gibson	278	365	4	3	2
Grant	691	733	9	3	13
Marion	---	483	3	2	9
White	---	436	3	2	8
All other	---	47	-	-	1
Black	---	46	-	-	1
Balance of county	---	250	6	1	4
Greene	264	334	4	4	2
Hamilton	623	683	12	12	12
Carmel	---	221	6	6	1
Noblesville	---	155	1	1	1
Balance of county	---	307	5	5	10
Hancock	283	322	2	2	5
Greenfield	---	157	2	2	2
Balance of county	---	165	-	-	3
Harrison	215	260	1	-	4
Hendricks	493	554	10	8	8
Henry	399	496	3	2	9
New Castle	---	250	2	1	5
Balance of county	---	246	1	1	4
Howard	732	736	20	14	9
Kokomo	---	561	17	11	7
Balance of county	---	175	3	3	2
Huntington	264	331	8	5	4
Huntington	---	180	4	2	4
Balance of county	---	151	4	3	-
Jackson	287	338	8	5	4
Seymour	---	147	2	1	3
Balance of county	---	191	6	4	1
Jasper	162	219	1	-	4
Jay	151	227	1	1	1
Jefferson	410	319	1	-	2
Indiana-Con.					
Madison	---	167	1	-	-
Balance of county	---	152	-	-	2
Jennings	143	225	6	5	4
Johnson	585	712	10	8	6
Franklin	---	222	4	4	1
Greenwood	---	273	2	2	2
Balance of county	---	217	4	2	3
Knox	578	481	3	1	1
Vincennes	---	249	1	1	1
Balance of county	---	232	2	-	-
Kosciusko	351	486	7	4	7
Warsaw	---	127	-	-	3
Balance of county	---	359	7	4	4
Lagrange	203	191	3	-	6
Lake	5,112	4,640	90	48	78
White	3,863	3,386	46	23	40
All other	1,249	1,254	44	25	38
Black	1,244	1,250	44	25	37
Crown Point	---	273	3	2	2
East Chicago	---	362	14	6	6
White	---	237	6	3	1
All other	---	125	8	3	5
Black	---	125	8	3	5
Gary	---	1,345	38	21	36
White	---	311	3	-	5
All other	---	1,034	35	21	31
Black	---	1,032	35	21	31
Griffith	---	106	3	2	3
Hammond	---	838	6	2	11
White	---	781	5	1	10
All other	---	57	1	1	1
Black	---	57	1	1	1
Highland	---	178	3	2	2
Hobart	---	256	2	1	5
Lake Station	---	107	3	1	4
Merrillville	---	314	3	3	3
Munster	---	186	-	-	1
Schererville	---	81	1	1	-
Balance of county	---	594	14	7	5
La Porte	1,002	1,027	11	9	14
La Porte	---	277	2	2	4
Michigan City	---	419	4	2	8
White	---	361	2	1	2
All other	---	58	2	1	6
Black	---	58	2	1	6
Balance of county	---	331	5	5	2
Lawrence	468	473	-	-	4
Bedford	---	203	-	-	3
Balance of county	---	270	-	-	1
Madison	1,203	1,280	11	7	12
White	1,136	1,204	7	3	10
All other	67	76	4	4	2
Black	67	75	4	4	2
Anderson	---	766	7	6	7
White	---	691	3	2	5
All other	---	75	4	4	2
Black	---	74	4	4	2
Elwood, part	---	112	-	-	-
Elwood, total	---	112	-	-	-
Balance of county	---	402	4	1	5
Marion	9,157	7,159	159	102	102
White	7,458	5,518	78	47	51
All other	1,699	1,641	81	55	51
Black	1,676	1,625	81	55	50
Beech Grove	---	139	-	-	1
Indianapolis	---	6,782	156	100	99
White	---	5,166	75	45	48
All other	---	1,616	81	55	51
Black	---	1,603	81	55	50
Lawrence	---	18	-	-	-
White	---	18	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Speedway	---	105	-	-	-
Balance of county	---	115	3	2	2
Marshall	325	369	4	2	8
Martin	29	109	-	-	2
Miami	211	298	6	2	2
Peru	---	164	3	-	1
Balance of county	---	134	3	2	1
Monroe	690	597	7	5	15
Bloomington	---	360	4	2	6
Balance of county	---	237	3	3	9
Montgomery	323	360	6	3	5
Crawfordsville	---	188	1	-	1
Balance of county	---	172	5	3	4
Morgan	311	435	8	5	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 29 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Indiana-Con.					
Martinsville	---	162	3	3	-
Balance of county	---	273	5	2	5
Newton	64	140	-	-	3
Noble	215	298	2	2	5
Ohio	18	37	-	-	-
Orange	183	226	3	2	1
Owen	63	172	1	1	3
Parke	72	192	2	1	-
Perry	132	183	2	-	1
Pike	56	121	2	-	1
Porter	955	902	13	10	17
Portage	---	211	1	1	4
Valparaiso	---	288	4	3	5
Balance of county	---	403	8	6	8
Posey	109	238	2	2	3
Pulaski	108	142	3	1	3
Putnam	215	274	5	4	2
Randolph	195	299	3	1	2
Ripley	181	240	6	4	1
Rush	146	190	3	1	2
St. Joseph	2,477	2,249	39	26	19
White	2,260	2,041	29	22	14
All other	217	208	10	4	5
Black	212	205	10	4	5
Mishawaka	---	408	3	3	1
South Bend	---	1,207	26	16	15
White	---	1,008	16	12	10
All other	---	199	10	4	5
Black	---	198	10	4	5
Balance of county	---	634	10	7	3
Scott	146	211	4	3	2
Shelby	299	406	4	3	-
Shelbyville	---	191	-	-	-
Balance of county	---	215	4	3	-
Spencer	71	178	5	4	1
Starke	208	258	3	1	-
Steuben	145	231	5	2	3
Sullivan	208	263	3	-	1
Switzerland	27	72	2	2	-
Tippecanoe	1,258	955	11	7	15
Lafayette	---	514	11	7	10
West Lafayette	---	137	-	-	2
Balance of county	---	304	-	-	3
Tipton	129	157	2	1	3
Elwood, part	---	-	-	-	-
Balance of county	---	157	2	1	3
Union	37	63	2	-	-
Vanderburgh	2,399	1,758	25	18	14
White	2,242	1,610	18	13	11
All other	157	148	7	5	3
Black	156	146	7	5	3
Evansville	---	1,605	22	16	12
White	---	1,461	15	11	9
All other	---	144	7	5	3
Black	---	142	7	5	3
Balance of county	---	153	3	2	2
Vermillion	225	207	2	-	1
Vigo	1,320	1,118	13	11	8
Terre Haute	---	796	11	10	7
Balance of county	---	322	2	1	1
Wabash	319	381	5	3	3
Wabash	---	183	3	1	1
Balance of county	---	198	2	2	2
Warren	84	85	-	-	2
Warrick	240	305	2	1	2
Washington	204	251	1	-	1
Wayne	810	753	11	8	10
Richmond	---	527	7	5	7
Balance of county	---	226	4	3	3
Wells	242	205	1	-	2
White	171	247	5	1	7
Whitley	196	239	-	-	5
Iowa	27,108	27,353	313	172	233
White	26,673	26,949	294	164	216
All other	435	404	19	8	17
Black	354	342	16	7	11
Adair	81	111	1	-	-
Adams	72	63	-	-	-
Allamakee	146	164	1	-	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Iowa-Con.					
Appanoose	147	197	3	3	3
Audubon	66	98	2	1	1
Benton	154	222	1	-	2
Black Hawk	1,363	1,124	13	8	4
Cedar Falls	---	245	1	-	1
Waterloo	---	732	8	5	3
White	---	664	6	4	1
All other	---	68	2	1	2
Black	---	66	2	1	1
Balance of county	---	147	4	3	-
Boone	203	280	2	1	2
Boone	---	155	2	1	2
Balance of county	---	125	-	-	-
Bremer	168	214	-	-	-
Buchanan	105	179	-	-	4
Buena Vista	178	200	-	-	1
Butler	73	176	1	1	1
Calhoun	166	171	1	1	-
Carroll	202	218	-	-	2
Cass	193	214	1	1	-
Cedar	71	149	3	3	-
Cerro Gordo	650	458	2	1	5
Mason City	---	287	1	-	2
Balance of county	---	171	1	1	3
Cherokee	148	166	-	-	1
Chickasaw	124	159	1	-	-
Clarke	76	113	1	-	-
Clay	164	184	2	1	4
Spencer	---	127	1	-	3
Balance of county	---	57	1	1	1
Clayton	160	238	3	3	1
Clinton	510	540	3	2	7
Clinton	---	345	2	1	5
Balance of county	---	195	1	1	2
Crawford	112	156	-	-	2
Dallas	164	280	4	3	3
Davis	103	102	1	-	-
Decatur	126	135	-	-	2
Delaware	138	144	1	-	4
Des Moines	508	474	2	1	6
Burlington	---	339	1	1	6
Balance of county	---	135	1	-	-
Dickinson	141	163	-	-	-
Dubuque	986	843	8	6	3
Dubuque	---	656	5	4	2
Balance of county	---	187	3	2	1
Emmet	124	130	-	-	1
Fayette	212	265	3	3	-
Floyd	171	214	-	-	3
Franklin	122	129	2	-	-
Fremont	83	104	-	-	1
Greene	137	143	1	1	1
Grundy	84	134	1	-	-
Guthrie	96	133	2	2	-
Hamilton	136	186	1	1	-
Hancock	76	115	-	-	-
Hardin	185	240	2	2	2
Harrison	132	203	1	1	3
Henry	178	215	2	1	4
Howard	107	118	-	-	-
Humboldt	93	129	1	1	2
Ida	103	117	1	-	-
Iowa	105	155	1	-	2
Jackson	195	243	2	1	-
Jasper	254	375	4	2	2
Newton	---	208	2	1	-
Balance of county	---	167	2	1	2
Jefferson	169	173	2	-	2
Johnson	1,421	452	12	3	10
Iowa City	---	258	5	1	7
Balance of county	---	194	7	2	3
Jones	127	202	-	-	1
Keokuk	71	138	2	2	1
Kossuth	151	207	1	1	-
Lee	435	455	8	4	-
Fort Madison	---	161	2	1	-
Keokuk	---	163	4	1	-
Balance of county	---	131	2	2	-
Linn	1,398	1,276	14	7	12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 30 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Iowa-Con.					
Cedar Rapids	---	904	8	4	10
Marion	---	161	2	-	2
Balance of county	---	211	4	3	-
Louisa	54	100	1	1	3
Lucas	82	122	1	-	2
Lyon	90	141	1	-	-
Madison	89	150	2	-	-
Mahaska	171	225	3	1	4
Oskaloosa	---	150	1	-	2
Balance of county	---	75	2	1	2
Marion	303	302	4	2	2
Marshall	483	506	5	2	5
Marshalltown	---	373	2	-	3
Balance of county	---	133	3	2	2
Mills	44	129	-	-	1
Mitchell	121	136	1	1	2
Monona	116	147	1	1	-
Monroe	92	110	-	-	-
Montgomery	153	178	3	2	1
Muscatine	336	391	11	6	6
Muscatine	---	255	8	5	2
Balance of county	---	136	3	1	4
O'Brien	171	205	3	3	3
Osceola	76	90	-	-	-
Page	213	236	1	1	2
Palo Alto	122	144	1	1	-
Plymouth	173	225	3	1	4
Pocahontas	88	132	-	-	2
Polk	3,682	2,626	66	39	30
White	3,530	2,474	61	37	24
All other	152	152	5	2	6
Black	136	138	5	2	3
Ankeny	---	88	6	5	1
Des Moines	---	1,850	44	22	22
White	---	1,712	39	20	17
All other	---	138	5	2	5
Black	---	126	5	2	3
Urbandale	---	104	2	-	1
West Des Moines	---	220	3	2	3
Balance of county	---	364	11	10	3
Pottawattamie	754	755	14	4	8
Council Bluffs	---	551	12	4	6
Balance of county	---	204	2	-	2
Poweshiek	158	171	-	-	2
Ringgold	61	74	2	2	-
Sac	108	145	-	-	1
Scott	1,289	1,175	15	10	14
Bettendorf	---	196	3	-	-
Davenport	---	847	10	8	13
Balance of county	---	132	2	2	1
Shelby	131	153	2	1	-
Sioux	184	218	5	2	5
Story	509	454	11	8	6
Ames	---	200	6	4	4
Balance of county	---	254	5	4	2
Tama	82	215	-	-	-
Taylor	41	115	1	-	-
Union	159	165	2	2	-
Van Buren	60	108	2	2	-
Wapello	466	489	3	-	1
Ottumwa	---	385	2	-	1
Balance of county	---	104	1	-	-
Warren	149	282	6	4	1
Indianola	---	107	4	2	-
Balance of county	---	175	2	2	1
Washington	183	243	1	-	1
Wayne	77	103	1	-	-
Webster	480	489	5	2	5
Fort Dodge	---	368	4	2	2
Balance of county	---	121	1	-	3
Winnebago	111	152	1	-	2
Winneshiek	140	176	-	-	2
Woodbury	1,253	919	14	6	10
Sioux City	---	779	13	6	10
Balance of county	---	140	1	-	-
Worth	56	96	-	-	1
Wright	135	175	1	-	1
Kansas	21,820	22,505	335	192	206
White	20,514	21,186	268	153	173
All other	1,306	1,319	67	39	33
Black	1,162	1,161	63	37	31

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Kansas-Con.					
Allen	149	180	1	1	3
Anderson	62	89	2	2	1
Atchison	145	179	4	1	2
Atchison	---	137	4	1	2
White	---	121	3	1	2
All other	---	16	1	-	-
Black	---	15	1	-	-
Balance of county	---	42	-	-	-
Barber	71	88	-	-	2
Barton	256	266	2	1	3
Great Bend	---	128	1	1	-
Balance of county	---	138	1	-	3
Bourbon	222	207	-	-	-
Brown	132	142	2	2	3
Butler	360	433	10	8	2
El Dorado	---	152	1	1	-
Balance of county	---	281	9	7	2
Chase	24	40	-	-	-
Chautauqua	54	60	1	1	-
Cherokee	148	330	4	2	1
Cheyenne	64	74	-	-	-
Clark	44	40	-	-	-
Clay	113	120	1	1	-
Cloud	172	189	-	-	-
Coffey	62	101	-	-	-
Comanche	25	34	-	-	-
Cowley	366	429	2	2	2
Arkansas City	---	191	-	-	1
Winfield	---	150	2	2	1
Balance of county	---	88	-	-	-
Crawford	436	481	5	4	3
Pittsburg	---	237	3	2	2
Balance of county	---	244	2	2	1
Decatur	62	58	-	-	-
Dickinson	190	231	-	-	1
Doniphan	35	89	-	-	2
Douglas	414	438	5	2	4
Lawrence	---	322	4	2	2
White	---	296	3	1	1
All other	---	26	1	1	1
Black	---	21	1	1	1
Balance of county	---	116	1	-	2
Edwards	32	47	2	1	-
Elk	22	56	-	-	-
Ellis	254	194	2	1	2
Hays	---	119	1	1	2
Balance of county	---	75	1	-	-
Ellsworth	73	96	2	-	1
Finney	227	213	7	6	5
Garden City	---	171	6	5	3
White	---	168	6	5	3
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	42	1	1	2
Ford	260	242	12	5	4
Dodge City	---	162	11	5	4
Balance of county	---	80	1	-	-
Franklin	166	227	1	-	-
Ottawa	---	130	-	-	-
Balance of county	---	97	1	-	-
Geary	171	190	5	2	5
White	147	160	4	1	2
All other	24	30	1	1	3
Black	21	28	1	1	3
Junction City	---	149	4	2	2
White	---	124	3	1	1
All other	---	25	1	1	1
Black	---	23	1	1	1
Balance of county	---	41	1	-	3
White	---	36	1	-	1
All other	---	5	-	-	2
Black	---	5	-	-	2
Gove	21	30	-	-	-
Graham	30	33	1	-	-
Grant	44	46	2	1	2
Gray	19	39	-	-	-
Greeley	19	19	-	-	-
Greenwood	93	114	2	1	1
Hamilton	22	27	2	-	-
Harper	95	91	1	1	-
Harvey	352	297	4	2	-
Newton	---	178	3	2	-
Balance of county	---	119	1	-	-
Haskell	17	25	4	3	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Kansas-Con.					
Hodgeman	21	26	–	–	–
Jackson	78	125	1	1	–
Jefferson	112	166	–	–	1
Jewell	30	62	1	–	–
Johnson	1,849	1,987	27	17	28
Leawood	– – –	113	2	1	1
Lenexa	– – –	150	1	1	6
Merriam	– – –	87	1	1	–
Olathe	– – –	310	5	2	5
Overland Park	– – –	636	5	2	9
Prairie Village	– – –	163	3	2	–
Shawnee	– – –	210	7	6	4
Balance of county	– – –	318	3	2	3
Kearny	22	28	–	–	–
Kingman	85	99	2	2	1
Kiowa	44	48	–	–	–
Labette	259	272	–	–	4
Parsons	– – –	169	–	–	2
White	– – –	162	–	–	2
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	103	–	–	2
Lane	23	32	–	–	1
Leavenworth	475	504	5	3	8
White	432	465	4	2	8
All other	43	39	1	1	–
Black	42	38	1	1	–
Leavenworth	– – –	323	2	2	3
White	– – –	289	1	1	3
All other	– – –	34	1	1	–
Black	– – –	33	1	1	–
Balance of county	– – –	181	3	1	5
Lincoln	37	54	–	–	–
Linn	66	124	2	1	–
Logan	38	42	–	–	–
Lyon	305	284	4	3	2
Emporia	– – –	216	3	3	1
Balance of county	– – –	68	1	–	1
McPherson	240	269	5	4	–
McPherson	– – –	103	2	1	–
Balance of county	– – –	166	3	3	–
Marion	156	186	–	–	1
Marshall	131	171	1	1	1
Meade	38	54	–	–	1
Miami	160	229	3	–	4
Mitchell	96	87	1	1	1
Montgomery	422	470	4	2	3
Coffeyville	– – –	196	3	1	–
White	– – –	168	3	1	–
All other	– – –	28	–	–	–
Black	– – –	19	–	–	–
Independence	– – –	130	1	1	1
White	– – –	120	1	1	1
All other	– – –	10	–	–	–
Black	– – –	10	–	–	–
Balance of county	– – –	144	–	–	2
Morris	67	79	–	–	–
Morton	35	28	–	–	–
Nemaha	127	139	1	1	3
Neosho	183	204	2	1	–
Chanute	– – –	123	1	–	–
Balance of county	– – –	81	1	1	–
Ness	34	45	1	–	1
Norton	66	77	1	1	–
Osage	113	192	2	–	1
Osborne	44	75	1	1	–
Ottawa	65	82	1	1	1
Pawnee	60	73	3	2	–
Phillips	78	98	–	–	–
Pottawatomie	113	142	–	–	1
Manhattan, part	– – –	2	–	–	–
Balance of county	– – –	140	–	–	1
Pratt	109	124	2	2	–
Rawlins	22	45	1	1	1
Reno	618	643	5	2	4
Hutchinson	– – –	436	4	1	3
Balance of county	– – –	207	1	1	1
Republic	100	108	–	–	–
Rice	113	145	3	2	2
Riley	252	271	8	2	3
White	241	257	6	2	2
All other	11	14	2	–	1
Black	10	12	2	–	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Kansas-Con.					
Manhattan, part	– – –	209	7	1	3
Manhattan, total	– – –	211	7	1	3
Balance of county	– – –	62	1	1	–
White	– – –	60	1	1	–
All other	– – –	2	–	–	–
Black	– – –	1	–	–	–
Rooks	49	72	–	–	–
Rush	38	50	–	–	–
Russell	73	113	–	–	–
Saline	547	458	2	–	4
Salina	– – –	417	2	–	2
Balance of county	– – –	41	–	–	2
Scott	55	56	–	–	1
Sedgwick	3,889	3,169	87	52	43
White	3,556	2,837	52	31	33
All other	333	332	35	21	10
Black	301	298	33	20	10
Wichita	– – –	2,760	76	45	38
White	– – –	2,432	41	24	28
All other	– – –	328	35	21	10
Black	– – –	298	33	20	10
Balance of county	– – –	409	11	7	5
Seward	164	133	5	2	3
Liberal	– – –	122	4	2	3
White	– – –	110	3	1	2
All other	– – –	12	1	1	1
Black	– – –	10	1	1	1
Balance of county	– – –	11	1	–	–
Shawnee	1,908	1,490	28	18	10
White	1,742	1,347	25	16	7
All other	166	143	3	2	3
Black	148	132	3	2	2
Topeka	– – –	1,310	23	16	9
White	– – –	1,169	20	14	6
All other	– – –	141	3	2	3
Black	– – –	130	3	2	2
Balance of county	– – –	180	5	2	1
Sheridan	38	37	1	1	1
Sherman	63	72	–	–	1
Smith	69	73	1	1	–
Stafford	63	76	–	–	–
Stanton	28	28	–	–	–
Stevens	17	28	–	–	–
Sumner	204	283	3	2	1
Thomas	74	82	1	–	1
Trego	69	67	–	–	–
Wabaunsee	29	62	1	1	1
Wallace	9	16	–	–	–
Washington	76	111	–	–	1
Wichita	15	28	–	–	1
Wilson	119	137	1	–	1
Woodson	36	60	–	–	–
Wyandotte	1,779	1,631	32	14	15
White	1,314	1,182	16	7	8
All other	465	449	16	7	7
Black	449	442	16	7	7
Kansas City	– – –	1,531	31	13	13
White	– – –	1,090	15	6	6
All other	– – –	441	16	7	7
Black	– – –	434	16	7	7
Balance of county	– – –	100	1	1	2
Kentucky	34,793	35,346	486	289	366
White	32,206	32,680	401	244	303
All other	2,587	2,666	85	45	63
Black	2,530	2,612	82	44	61
Adair	122	168	2	1	1
Allen	109	177	3	2	1
Anderson	44	118	2	1	1
Ballard	19	105	–	–	–
Barren	526	378	1	1	4
Glasgow	– – –	214	1	1	–
Balance of county	– – –	164	–	–	4
Bath	44	117	2	1	2
Bell	369	374	6	2	7
Middlesborough	– – –	161	2	1	1
Balance of county	– – –	213	4	1	6
Boone	410	374	8	6	4
Florence	– – –	204	4	3	3
Balance of county	– – –	170	4	3	1
Bourbon	116	175	2	–	–
White	103	147	1	–	–
All other	13	28	1	–	–
Black	13	28	1	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 32 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Kentucky-Con.					
Boyd	633	550	6	5	7
Ashland	---	355	4	4	4
Balance of county	---	195	2	1	3
Boyle	298	252	-	-	5
Danville	---	166	-	-	3
White	---	139	-	-	2
All other	---	27	-	-	1
Black	---	27	-	-	1
Balance of county	---	86	-	-	2
Bracken	38	90	1	1	2
Breathitt	174	163	5	3	2
Breckinridge	151	202	1	-	3
Bullitt	94	276	12	10	4
Butler	40	121	-	-	1
Caldwell	120	181	1	-	-
Calloway	327	326	4	1	3
Murray	---	165	1	-	-
Balance of county	---	161	3	1	3
Campbell	673	765	11	4	9
Fort Thomas	---	158	3	1	-
Newport	---	216	3	1	4
Balance of county	---	391	5	2	5
Carlisle	19	64	-	-	-
Carroll	107	118	1	-	2
Carter	96	252	1	1	2
Casey	59	175	5	1	-
Christian	549	550	15	8	8
White	432	427	11	7	3
All other	117	123	4	1	5
Black	117	122	4	1	5
Hopkinsville	---	379	7	2	6
White	---	277	4	1	3
All other	---	102	3	1	3
Black	---	101	3	1	3
Balance of county	---	171	8	6	2
White	---	150	7	6	-
All other	---	21	1	-	2
Black	---	21	1	-	2
Clark	242	272	4	2	4
Winchester	---	180	3	1	3
White	---	162	3	1	3
All other	---	18	-	-	-
Black	---	18	-	-	-
Balance of county	---	92	1	1	1
Clay	136	198	4	3	5
Clinton	65	91	-	-	1
Crittenden	106	107	-	-	2
Cumberland	84	105	-	-	-
Daviess	936	766	12	7	9
Owensboro	---	574	7	3	9
Balance of county	---	192	5	4	-
Edmonson	28	112	-	-	-
Elliott	22	58	1	1	-
Estill	83	159	-	-	3
Fayette, coext. with Lexington-Fayette	3,468	1,682	24	19	12
White	3,101	1,404	19	16	9
All other	367	278	5	3	3
Black	360	273	5	3	3
Fleming	119	145	2	2	1
Floyd	457	451	3	2	1
Franklin	379	411	3	3	6
Frankfort	---	308	2	2	6
White	---	270	2	2	5
All other	---	38	-	-	1
Black	---	38	-	-	1
Balance of county	---	103	1	1	-
Fulton	138	132	-	-	2
White	128	111	-	-	1
All other	10	21	-	-	1
Black	10	21	-	-	1
Gallatin	24	50	4	2	-
Garrard	79	132	1	1	-
Grant	84	152	4	2	-
Graves	276	407	3	3	4
Mayfield	---	167	-	-	-
White	---	157	-	-	-
All other	---	10	-	-	-
Black	---	9	-	-	-
Balance of county	---	240	3	3	4
Grayson	184	208	3	2	4
Green	66	107	1	1	-
Greenup	387	352	1	1	2
Hancock	8	67	2	1	1
Hardin	622	512	20	17	14
White	596	485	17	16	10
All other	26	27	3	1	4
Black	24	24	3	1	3
Elizabethtown	---	172	1	1	3
Radcliff	---	75	4	2	5
White	---	66	1	1	3
All other	---	9	3	1	2
Black	---	7	3	1	1
Balance of county	---	265	15	14	6
White	---	259	15	14	6
All other	---	6	-	-	-
Black	---	6	-	-	-
Harlan	261	350	6	3	5
Harrison	207	194	2	-	1
Hart	95	184	3	1	2
Henderson	409	412	6	4	1
Henderson	---	324	3	2	1
White	---	295	3	2	1
All other	---	29	-	-	-
Black	---	29	-	-	-
Balance of county	---	88	3	2	-
Henry	37	138	3	1	1
Hickman	39	87	1	-	-
White	37	81	1	-	-
All other	2	6	-	-	-
Black	2	6	-	-	-
Hopkins	717	532	9	6	4
Madisonville	---	243	4	4	-
White	---	213	3	3	-
All other	---	30	1	1	-
Black	---	30	1	1	-
Balance of county	---	289	5	2	4
Jackson	42	120	1	-	3
Jefferson	7,787	6,738	110	67	69
White	6,645	5,582	55	37	38
All other	1,142	1,156	55	30	31
Black	1,120	1,139	52	29	31
Jeffersontown	---	41	-	-	-
Louisville	---	4,501	84	54	50
White	---	3,433	35	25	23
All other	---	1,068	49	29	27
Black	---	1,056	47	28	27
St. Matthews	---	19	-	-	-
Shively	---	14	-	-	-
Balance of county	---	2,163	26	13	19
White	---	2,077	20	12	15
All other	---	86	6	1	4
Black	---	81	5	1	4
Jessamine	112	221	2	1	5
Nicholasville	---	128	1	1	5
Balance of county	---	93	1	-	-
Johnson	163	232	1	1	2
Kenton	1,210	1,214	31	17	17
Covington	---	539	9	3	6
Erlanger	---	95	5	4	3
Balance of county	---	580	17	10	8
Knott	64	153	3	1	-
Knox	160	269	5	3	2
Larue	40	120	1	-	1
Laurel	307	367	4	1	5
Lawrence	173	129	-	-	2
Lee	30	77	1	-	1
Leslie	70	109	-	-	-
Letcher	240	276	6	3	3
Lewis	75	153	-	-	8
Lincoln	152	224	-	-	1
Livingston	66	113	1	-	3
Logan	194	284	3	3	2
Lyon	31	59	-	-	-
McCracken	1,207	689	6	1	1
White	1,124	623	4	-	1
All other	83	66	2	1	-
Black	82	65	2	1	-
Paducah	---	430	2	1	-
White	---	370	-	-	-
All other	---	60	2	1	-
Black	---	60	2	1	-
Balance of county	---	259	4	-	1
McCreary	67	175	2	1	-
McLean	56	108	4	2	6
Madison	421	455	5	5	5
Richmond	---	177	1	1	2
White	---	148	-	-	1
All other	---	29	1	1	1
Black	---	29	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 33 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Kentucky-Con.					
Balance of county	- - -	278	4	4	3
Magoffin	43	121	1	1	2
Marion	178	151	-	-	2
Marshall	206	315	5	3	2
Martin	48	118	1	1	2
Mason	248	200	2	-	1
Meade	54	137	3	2	1
Menifee	18	48	1	1	-
Mercer	167	229	5	3	-
Metcalfe	28	120	1	-	1
Monroe	118	147	1	1	-
Montgomery	165	170	3	2	1
Morgan	80	108	1	1	1
Muhlenberg	326	396	5	4	3
Nelson	166	239	2	1	6
Nicholas	65	79	-	-	-
Ohio	184	252	-	-	-
Oldham	197	181	1	1	2
Owen	63	100	-	-	-
Owsley	21	62	1	1	-
Pendleton	31	113	2	2	2
Perry	399	292	3	-	2
Pike	629	640	5	3	6
Powell	40	83	4	1	1
Pulaski	556	509	4	3	3
Somerset	- - -	146	2	1	1
Balance of county	- - -	363	2	2	2
Robertson	4	29	-	-	-
Rockcastle	113	161	4	2	-
Rowan	288	145	-	-	2
Russell	132	170	4	2	5
Scott	164	209	3	1	-
Georgetown	- - -	131	1	-	-
White	- - -	113	1	-	-
All other	- - -	18	-	-	-
Black	- - -	18	-	-	-
Balance of county	- - -	78	2	1	-
Shelby	287	276	5	3	4
White	255	241	3	1	2
All other	32	35	2	2	2
Black	32	35	2	2	2
Simpson	101	162	2	1	4
White	91	149	1	1	2
All other	10	13	1	-	2
Black	10	13	1	-	2
Spencer	23	65	-	-	-
Taylor	175	208	-	-	1
Todd	30	124	1	1	1
White	25	109	1	1	-
All other	5	15	-	-	1
Black	5	15	-	-	1
Trigg	67	128	1	-	1
White	63	114	1	-	1
All other	4	14	-	-	-
Black	4	14	-	-	-
Trimble	15	64	-	-	1
Union	75	153	-	-	-
White	66	137	-	-	-
All other	9	16	-	-	-
Black	9	16	-	-	-
Warren	992	706	9	3	9
Bowling Green	- - -	459	6	2	4
White	- - -	406	5	1	4
All other	- - -	53	1	1	-
Black	- - -	52	1	1	-
Balance of county	- - -	247	3	1	5
Washington	41	103	-	-	1
White	39	98	-	-	1
All other	2	5	-	-	-
Black	2	5	-	-	-
Wayne	110	186	2	2	-
Webster	43	164	-	-	2
Whitley	358	327	3	2	4
Wolfe	45	60	2	1	4
Woodford	138	167	2	2	-
Louisiana [8]	38,643	38,283	761	475	572
White	26,347	26,022	327	213	204
All other	12,296	12,261	434	262	368
Black	12,157	12,127	431	259	366

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Louisiana-Con.					
Acadia	397	555	14	12	8
White	325	450	9	8	3
All other	72	105	5	4	5
Black	72	105	5	4	5
Crowley	- - -	174	5	3	2
White	- - -	128	3	2	1
All other	- - -	46	2	1	1
Black	- - -	46	2	1	1
Eunice, part	- - -	1	-	-	-
Balance of parish	- - -	380	9	9	6
White	- - -	321	6	6	2
All other	- - -	59	3	3	4
Black	- - -	59	3	3	4
Allen	185	222	3	2	4
White	152	179	1	1	3
All other	33	43	2	1	1
Black	31	38	2	1	1
Ascension	321	396	8	4	5
White	222	277	5	3	1
All other	99	119	3	1	4
Black	99	119	3	1	4
Assumption	92	183	3	2	4
White	54	112	1	-	1
All other	38	71	2	2	3
Black	38	71	2	2	3
Avoyelles	288	435	8	6	4
White	214	331	6	4	-
All other	74	104	2	2	4
Black	74	104	2	2	4
Beauregard	224	271	3	2	5
White	199	237	3	2	3
All other	25	34	-	-	2
Black	25	34	-	-	2
De Ridder, part	- - -	94	1	1	3
White	- - -	66	1	1	1
All other	- - -	28	-	-	2
Black	- - -	28	-	-	2
De Ridder, total	- - -	94	1	1	3
White	- - -	66	1	1	1
All other	- - -	28	-	-	2
Black	- - -	28	-	-	2
Balance of parish	- - -	177	2	1	2
Bienville	129	206	3	1	1
White	79	124	2	1	-
All other	50	82	1	-	1
Black	50	82	1	-	1
Bossier	491	636	10	6	8
White	399	507	3	2	4
All other	92	129	7	4	4
Black	91	126	7	4	4
Bossier City	- - -	405	8	5	4
White	- - -	348	2	2	2
All other	- - -	57	6	3	2
Black	- - -	54	6	3	2
Shreveport, part	- - -	1	-	-	1
Balance of parish	- - -	230	2	1	3
White	- - -	159	1	-	2
All other	- - -	71	1	1	1
Black	- - -	71	1	1	1
Caddo	3,576	2,524	38	25	33
White	2,272	1,542	11	8	4
All other	1,304	982	27	17	29
Black	1,302	980	27	17	29
Shreveport, part	- - -	2,192	34	21	31
White	- - -	1,311	9	6	4
All other	- - -	881	25	15	27
Black	- - -	879	25	15	27
Shreveport, total	- - -	2,193	34	21	32
White	- - -	1,311	9	6	4
All other	- - -	882	25	15	28
Black	- - -	880	25	15	28
Balance of parish	- - -	332	4	4	2
White	- - -	231	2	2	-
All other	- - -	101	2	2	2
Black	- - -	101	2	2	2
Calcasieu	1,590	1,495	30	20	18
White	1,224	1,128	20	16	8
All other	366	367	10	4	10
Black	362	365	10	4	10
Lake Charles	- - -	780	15	11	9
White	- - -	487	8	7	1
All other	- - -	293	7	4	8
Black	- - -	292	7	4	8
Sulphur	- - -	179	2	1	3
Balance of parish	- - -	536	13	8	6
White	- - -	473	10	8	4
All other	- - -	63	3	-	2
Black	- - -	62	3	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 34 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Louisiana-Con.					
Caldwell	99	115	1	–	1
White	78	101	1	–	–
All other	21	14	–	–	1
Black	21	14	–	–	1
Cameron	41	61	1	–	–
Catahoula	41	136	1	1	–
White	25	92	–	–	–
All other	16	44	1	1	–
Black	16	44	1	1	–
Claiborne	183	236	3	2	2
White	107	131	–	–	–
All other	76	105	3	2	2
Black	76	105	3	2	2
Concordia	202	209	5	3	3
White	114	120	2	2	1
All other	88	89	3	1	2
Black	88	89	3	1	2
De Soto	164	264	6	5	2
White	101	138	5	5	1
All other	63	126	1	–	1
Black	62	125	1	–	1
East Baton Rouge	3,640	2,772	69	40	54
White	2,317	1,704	22	11	14
All other	1,323	1,068	47	29	40
Black	1,308	1,057	46	28	40
Baker	---	99	3	2	1
White	---	80	1	–	–
All other	---	19	2	2	1
Black	---	19	2	2	1
Baton Rouge	---	2,264	58	32	48
White	---	1,288	14	6	11
All other	---	976	44	26	37
Black	---	967	43	25	37
Balance of parish	---	409	8	6	5
White	---	336	7	5	3
All other	---	73	1	1	2
Black	---	71	1	1	2
East Carroll	81	128	2	2	1
White	31	39	1	1	–
All other	50	89	1	1	1
Black	50	89	1	1	1
East Feliciana	91	196	9	5	1
White	48	105	3	1	1
All other	43	91	6	4	–
Black	43	91	6	4	–
Evangeline	347	364	6	2	7
White	296	316	3	2	3
All other	51	48	3	–	4
Black	51	48	3	–	4
Franklin	205	268	8	3	5
White	149	197	3	2	4
All other	56	71	5	1	1
Black	56	71	5	1	1
Grant	62	176	4	2	1
White	49	150	3	2	–
All other	13	26	1	–	1
Black	13	26	1	–	1
Iberia	526	565	12	6	13
White	343	380	5	1	7
All other	183	185	7	5	6
Black	176	179	7	5	6
New Iberia	---	324	8	3	9
White	---	215	3	–	6
All other	---	109	5	3	3
Black	---	103	5	3	3
Balance of parish	---	241	4	3	4
White	---	165	2	1	1
All other	---	76	2	2	3
Black	---	76	2	2	3
Iberville	215	284	4	1	1
White	126	169	–	–	–
All other	89	115	4	1	1
Black	87	115	4	1	1
Jackson	109	194	2	2	–
White	77	143	2	2	–
All other	32	51	–	–	–
Black	32	51	–	–	–
Jefferson	3,882	3,619	70	48	66
White	3,199	3,041	40	25	31
All other	683	578	30	23	35
Black	661	558	28	21	34
Gretna	---	365	4	2	8
White	---	290	–	–	4
All other	---	75	4	2	4
Black	---	74	4	2	4
Harahan	---	55	–	–	–
Kenner	---	427	12	7	10
White	---	342	8	5	5
All other	---	85	4	2	5
Black	---	84	4	2	5
Westwego	---	129	2	2	2
White	---	108	1	1	1
All other	---	21	1	1	1
Black	---	21	1	1	1
Balance of parish	---	2,643	52	37	46
White	---	2,246	31	19	21
All other	---	397	21	18	25
Black	---	379	19	16	24
Jefferson Davis	242	302	8	5	3
White	190	233	3	2	3
All other	52	69	5	3	–
Black	52	69	5	3	–
Jennings	---	147	5	4	1
White	---	107	2	2	1
All other	---	40	3	2	–
Black	---	40	3	2	–
Balance of parish	---	155	3	1	2
White	---	126	1	–	2
All other	---	29	2	1	–
Black	---	29	2	1	–
Lafayette	1,617	1,097	23	17	20
White	1,201	857	13	10	13
All other	416	240	10	7	7
Black	413	238	10	7	7
Lafayette	---	777	16	10	12
White	---	578	9	6	7
All other	---	199	7	4	5
Black	---	198	7	4	5
Balance of parish	---	320	7	7	8
White	---	279	4	4	6
All other	---	41	3	3	2
Black	---	40	3	3	2
Lafourche	551	652	11	8	9
White	463	566	9	6	6
All other	88	86	2	2	3
Black	84	81	2	2	2
Thibodaux	---	199	5	4	3
White	---	151	4	3	1
All other	---	48	1	1	2
Black	---	47	1	1	2
Balance of parish	---	453	6	4	6
La Salle	120	156	3	3	–
White	114	147	3	3	–
All other	6	9	–	–	–
Black	6	8	–	–	–
Lincoln	352	334	4	–	8
White	244	215	1	–	2
All other	108	119	3	–	6
Black	108	119	3	–	6
Ruston	---	157	1	–	4
White	---	110	1	–	–
All other	---	47	–	–	4
Black	---	47	–	–	4
Balance of parish	---	177	3	–	4
White	---	105	–	–	2
All other	---	72	3	–	2
Black	---	72	3	–	2
Livingston	179	502	8	2	6
Madison	140	171	3	2	3
White	49	80	–	–	1
All other	91	91	3	2	2
Black	91	91	3	2	2
Tallulah	---	132	2	1	2
White	---	47	–	–	–
All other	---	85	2	1	2
Black	---	85	2	1	2
Balance of parish	---	39	1	1	1
White	---	33	–	–	1
All other	---	6	1	1	–
Black	---	6	1	1	–
Morehouse	314	343	7	4	6
White	199	206	4	3	1
All other	115	137	3	1	5
Black	114	137	3	1	5
Bastrop	---	201	3	2	2
White	---	113	1	1	–
All other	---	88	2	1	2
Black	---	88	2	1	2
Balance of parish	---	142	4	2	4
White	---	93	3	2	1
All other	---	49	1	–	3
Black	---	49	1	–	3
Natchitoches	250	367	4	2	2
White	161	238	1	1	1
All other	89	129	3	1	1
Black	89	129	3	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 35 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Louisiana-Con.					
Natchitoches	---	153	2	1	1
White	---	79	1	1	-
All other	---	74	1	-	1
Black	---	74	1	-	1
Balance of parish	---	214	2	1	1
White	---	159	-	-	1
All other	---	55	2	1	-
Black	---	55	2	1	-
Orleans, coext. with New Orleans city	6,472	5,806	135	90	91
White	3,105	2,545	14	8	4
All other	3,367	3,261	121	82	87
Black	3,342	3,237	121	82	87
Ouachita	1,546	1,223	27	18	15
White	1,053	835	9	4	4
All other	493	388	18	14	11
Black	493	387	18	14	11
Monroe	---	643	17	14	9
White	---	339	1	1	1
All other	---	304	16	13	8
Black	---	304	16	13	8
West Monroe	---	242	2	2	5
White	---	210	1	1	2
All other	---	32	1	1	3
Black	---	32	1	1	3
Balance of parish	---	338	8	2	1
White	---	286	7	2	1
All other	---	52	1	-	-
Black	---	51	1	-	-
Plaquemines	108	228	4	3	2
White	77	166	2	1	-
All other	31	62	2	2	2
Black	26	53	2	2	2
Pointe Coupee	181	250	3	3	-
White	108	152	-	-	-
All other	73	98	3	3	-
Black	73	98	3	3	-
Rapides	1,796	1,245	23	16	21
White	1,319	901	12	10	8
All other	477	344	11	6	13
Black	471	340	11	6	13
Alexandria	---	607	15	10	15
White	---	361	4	4	3
All other	---	246	11	6	12
Black	---	245	11	6	12
Pineville	---	158	4	3	2
White	---	134	4	3	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of parish	---	480	4	3	4
White	---	406	4	3	4
All other	---	74	-	-	-
Black	---	71	-	-	-
Red River	86	104	2	1	1
White	61	73	2	1	-
All other	25	31	-	-	1
Black	24	30	-	-	1
Richland	231	238	1	-	4
White	163	156	-	-	2
All other	68	82	1	-	2
Black	68	82	1	-	2
Sabine	195	269	3	2	6
White	159	222	2	1	2
All other	36	47	1	1	4
Black	35	46	1	1	4
St. Bernard	536	651	7	4	7
St. Charles	210	277	7	4	3
White	152	194	5	3	1
All other	58	83	2	1	2
Black	58	83	2	1	2
St. Helena	66	92	3	3	-
White	45	51	1	1	-
All other	21	41	2	2	-
Black	21	41	2	2	-
St. James	90	168	3	2	5
White	52	70	2	1	1
All other	38	98	1	1	4
Black	38	97	1	1	4
St. John the Baptist	234	271	10	5	6
White	128	145	3	1	2
All other	106	126	7	4	4
Black	106	126	7	4	4
St. Landry	619	766	21	12	18
White	395	468	6	5	4
All other	224	298	15	7	14
Black	224	298	15	7	14
Louisiana-Con.					
Eunice, part	---	127	4	3	1
White	---	98	4	3	1
All other	---	29	-	-	-
Black	---	29	-	-	-
Eunice, total	---	128	4	3	1
White	---	99	4	3	1
All other	---	29	-	-	-
Black	---	29	-	-	-
Opelousas	---	244	8	5	11
White	---	124	-	-	2
All other	---	120	8	5	9
Black	---	120	8	5	9
Balance of parish	---	395	9	4	6
White	---	246	2	2	1
All other	---	149	7	2	5
Black	---	149	7	2	5
St. Martin	170	335	8	1	7
White	116	204	1	-	1
All other	54	131	7	1	6
Black	54	131	7	1	6
St. Mary	396	481	5	3	12
White	280	337	3	2	5
All other	116	144	2	1	7
Black	115	142	2	1	7
Morgan City	---	145	3	1	5
White	---	118	2	1	2
All other	---	27	1	-	3
Black	---	27	1	-	3
Balance of parish	---	336	2	2	7
White	---	219	1	1	3
All other	---	117	1	1	4
Black	---	115	1	1	4
St. Tammany	1,078	1,045	18	7	13
White	943	916	11	5	8
All other	135	129	7	2	5
Black	135	129	7	2	5
Slidell	---	314	4	2	6
Balance of parish	---	731	14	5	7
White	---	629	8	4	3
All other	---	102	6	1	4
Black	---	102	6	1	4
Tangipahoa	855	910	23	14	12
White	604	634	16	10	6
All other	251	276	7	4	6
Black	251	276	7	4	6
Hammond	---	243	5	4	1
White	---	164	2	2	1
All other	---	79	3	2	-
Black	---	79	3	2	-
Balance of parish	---	667	18	10	11
White	---	470	14	8	5
All other	---	197	4	2	6
Black	---	197	4	2	6
Tensas	28	95	-	-	-
White	10	45	-	-	-
All other	18	50	-	-	-
Black	18	50	-	-	-
Terrebonne	889	735	16	11	12
White	709	586	9	8	9
All other	180	149	7	3	3
Black	155	125	7	3	3
Houma	---	357	6	2	4
White	---	277	2	1	3
All other	---	80	4	1	1
Black	---	71	4	1	1
Balance of parish	---	378	10	9	8
White	---	309	7	7	6
All other	---	69	3	2	2
Black	---	54	3	2	2
Union	195	276	1	1	2
White	126	197	1	1	2
All other	69	79	-	-	-
Black	69	79	-	-	-
Vermilion	377	484	9	5	8
White	337	427	6	3	4
All other	40	57	3	2	4
Black	39	56	3	2	4
Abbeville	---	136	6	4	4
White	---	99	3	2	1
All other	---	37	3	2	3
Black	---	37	3	2	3
Balance of parish	---	348	3	1	4
Vernon	229	336	17	10	9
White	184	280	11	8	6
All other	45	56	6	2	3
Black	42	52	6	2	3
De Ridder, part	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 36 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Louisiana-Con.					
Balance of parish	---	336	17	10	9
White	---	280	11	8	6
All other	---	56	6	2	3
Black	---	52	6	2	3
Washington	430	513	6	3	5
White	275	336	3	2	2
All other	155	177	3	1	3
Black	155	177	3	1	3
Bogalusa	---	255	2	-	2
White	---	163	1	-	1
All other	---	92	1	-	1
Black	---	92	1	-	1
Balance of parish	---	258	4	3	3
White	---	173	2	2	1
All other	---	85	2	1	2
Black	---	85	2	1	2
Webster	352	478	6	4	5
White	239	323	1	1	3
All other	113	155	5	3	2
Black	112	154	5	3	2
Minden	---	194	1	1	3
White	---	109	-	-	2
All other	---	85	1	1	1
Black	---	84	1	1	1
Balance of parish	---	284	5	3	2
White	---	214	1	1	1
All other	---	70	4	2	1
Black	---	70	4	2	1
West Baton Rouge	62	173	1	1	1
White	35	83	1	1	-
All other	27	90	-	-	1
Black	27	90	-	-	1
West Carroll	73	146	4	3	-
White	61	127	4	3	-
All other	12	19	-	-	-
Black	12	19	-	-	-
West Feliciana	55	78	1	1	3
White	26	31	-	-	3
All other	29	47	1	1	-
Black	29	47	1	1	-
Winn	138	176	3	3	-
White	95	124	3	3	-
All other	43	52	-	-	-
Black	43	52	-	-	-
Maine	11,181	11,226	113	74	82
White	11,120	11,167	110	72	82
All other	61	59	3	2	-
Black	22	21	1	1	-
Androscoggin	1,060	1,001	10	4	10
Auburn	---	264	2	1	3
Lewiston	---	470	5	1	2
Balance of county	---	267	3	2	5
Aroostook	722	756	14	10	5
Presque Isle	---	91	1	1	1
Balance of county	---	665	13	9	4
Cumberland	2,636	2,116	17	14	16
Portland	---	730	10	7	5
South Portland	---	210	2	2	1
Westbrook	---	133	-	-	2
Balance of county	---	1,043	5	5	8
Franklin	220	243	-	-	1
Hancock	411	495	6	2	2
Kennebec	1,309	1,046	8	4	5
Augusta	---	253	3	1	2
Waterville	---	196	2	1	-
Balance of county	---	597	3	2	3
Knox	406	411	-	-	2
Lincoln	242	337	3	1	1
Oxford	421	544	3	3	5
Penobscot	1,417	1,243	19	16	12
Bangor	---	340	4	4	1
Balance of county	---	903	15	12	11
Piscataquis	211	208	1	1	2
Sagadahoc	179	267	5	4	5
Bath	---	103	1	1	5
Balance of county	---	164	4	3	-
Somerset	414	506	10	8	3
Waldo	213	326	4	3	-
Washington	275	372	2	1	1
York	1,045	1,355	11	3	12
Biddeford	---	222	3	-	3
Saco	---	121	1	1	1
Maine-Con.					
Balance of county	---	1,012	7	2	8
Maryland	37,566	38,427	726	478	679
White	28,238	28,565	347	218	327
All other	9,328	9,862	379	260	352
Black	9,011	9,512	366	249	342
Allegany	1,156	1,002	13	6	10
Cumberland	---	424	6	4	2
Balance of county	---	578	7	2	8
Anne Arundel	2,202	2,735	43	24	31
White	1,919	2,372	32	17	21
All other	283	363	11	7	10
Black	268	339	10	6	10
Annapolis	---	352	5	1	9
White	---	236	4	1	7
All other	---	116	1	-	2
Black	---	116	1	-	2
Balance of county	---	2,383	38	23	22
White	---	2,136	28	16	14
All other	---	247	10	7	8
Black	---	223	9	6	8
Baltimore	5,337	6,306	60	33	81
White	4,807	5,719	39	22	62
All other	530	587	21	11	19
Black	507	553	18	8	19
Baltimore city	11,443	9,301	183	120	200
White	6,122	4,239	31	18	33
All other	5,321	5,062	152	102	167
Black	5,262	5,036	150	101	167
Calvert	306	332	5	3	5
White	248	265	3	1	3
All other	58	67	2	2	2
Black	57	66	2	2	2
Caroline	158	301	8	5	1
White	134	245	7	4	1
All other	24	56	1	1	-
Black	24	56	1	1	-
Carroll	721	850	13	8	12
Cecil	556	533	12	8	9
Charles	388	536	12	8	17
White	297	411	8	6	7
All other	91	125	4	2	10
Black	86	121	4	2	10
Dorchester	279	365	5	4	6
White	202	263	2	1	3
All other	77	102	3	3	3
Black	76	101	3	3	3
Cambridge	---	159	1	1	3
White	---	101	-	-	2
All other	---	58	1	1	1
Black	---	57	1	1	1
Balance of county	---	206	4	3	3
White	---	162	2	1	1
All other	---	44	2	2	2
Black	---	44	2	2	2
Frederick	896	979	21	9	13
Frederick	---	372	11	5	6
White	---	331	7	3	5
All other	---	41	4	2	1
Black	---	40	4	2	1
Balance of county	---	607	10	4	7
White	---	584	10	4	7
All other	---	23	-	-	-
Black	---	23	-	-	-
Garrett	253	231	4	1	3
Harford	994	1,074	20	10	21
White	914	973	16	8	20
All other	80	101	4	2	1
Black	75	94	3	1	-
Aberdeen	---	96	1	-	1
White	---	78	1	-	1
All other	---	18	-	-	-
Black	---	17	-	-	-
Balance of county	---	978	19	10	20
White	---	895	15	8	19
All other	---	83	4	2	1
Black	---	77	3	1	-
Howard	652	886	18	13	13
White	563	763	12	9	12
All other	89	123	6	4	1
Black	84	106	6	4	-
Kent	222	235	4	2	-
White	176	181	2	1	-
All other	46	54	2	1	-
Black	46	54	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 37 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Maryland-Con.					
Montgomery	4,739	4,602	93	73	96
White	4,027	3,980	63	49	62
All other	712	622	30	24	34
Black	575	465	24	19	29
Gaithersburg	---	243	13	11	12
White	---	204	9	9	5
All other	---	39	4	2	7
Black	---	32	2	-	6
Rockville	---	599	10	7	3
White	---	536	8	5	2
All other	---	63	2	2	1
Black	---	45	1	1	1
Takoma Park, part	---	88	3	3	3
White	---	58	-	-	1
All other	---	30	3	3	2
Black	---	28	3	3	2
Takoma Park, total	---	112	3	3	5
White	---	76	-	-	1
All other	---	36	3	3	4
Black	---	34	3	3	4
Balance of county	---	3,672	67	52	78
White	---	3,182	46	35	54
All other	---	490	21	17	24
Black	---	360	18	15	20
Prince George's	3,335	4,342	156	111	123
White	2,103	2,482	39	28	34
All other	1,232	1,860	117	83	89
Black	1,177	1,791	117	83	86
Bowie	---	213	4	2	4
College Park	---	124	2	2	2
White	---	110	2	2	-
All other	---	14	-	-	2
Black	---	10	-	-	1
Greenbelt	---	108	3	3	1
White	---	86	2	2	-
All other	---	22	1	1	1
Black	---	20	1	1	1
Hyattsville	---	400	9	5	11
White	---	261	5	3	4
All other	---	139	4	2	7
Black	---	132	4	2	7
Laurel	---	138	8	5	4
White	---	100	4	2	2
All other	---	38	4	3	2
Black	---	34	4	3	2
New Carrollton	---	46	2	1	-
White	---	37	-	-	-
All other	---	9	2	1	-
Black	---	7	2	1	-
Takoma Park, part	---	24	-	-	2
White	---	18	-	-	-
All other	---	6	-	-	2
Black	---	6	-	-	2
Balance of county	---	3,289	128	93	99
White	---	1,676	24	17	26
All other	---	1,613	104	76	73
Black	---	1,568	104	76	72
Queen Anne's	126	278	5	5	5
White	105	228	4	4	4
All other	21	50	1	1	1
Black	21	50	1	1	1
St. Mary's	371	468	10	7	7
White	306	382	6	3	3
All other	65	86	4	4	4
Black	62	84	4	4	4
Somerset	176	305	2	2	1
White	119	212	1	1	1
All other	57	93	1	1	-
Black	57	93	1	1	-
Talbot	580	393	7	5	1
White	448	311	1	1	1
All other	132	82	6	4	-
Black	132	82	6	4	-
Washington	1,134	1,125	15	9	9
Hagerstown	---	526	8	4	5
Balance of county	---	599	7	5	4
White	---	592	7	5	4
All other	---	7	-	-	-
Black	---	6	-	-	-
Wicomico	1,315	787	10	7	9
White	1,029	616	5	4	3
All other	286	171	5	3	6
Black	284	169	5	3	6
Salisbury	---	327	5	4	4
White	---	259	1	1	-
All other	---	68	4	3	4
Black	---	67	4	3	4
Balance of county	---	460	5	3	5
White	---	357	4	3	3
All other	---	103	1	-	2
Black	---	102	1	-	2
Worcester	227	461	7	5	6
White	194	363	5	4	4
All other	33	98	2	1	2
Black	32	96	2	1	2
Massachusetts	53,690	53,075	579	401	520
White	51,388	50,811	460	317	410
All other	2,302	2,264	119	84	110
Black	1,978	1,957	107	75	93
Barnstable	2,197	2,289	11	8	13
Barnstable town#	---	454	2	1	3
Balance of county	---	1,835	9	7	10
White	---	1,796	8	6	9
All other	---	39	1	1	1
Black	---	32	1	1	1
Berkshire	1,606	1,476	8	6	5
North Adams	---	182	1	1	-
Pittsfield	---	513	2	1	1
Balance of county	---	781	5	4	4
Bristol	4,109	4,467	43	32	39
White	3,999	4,338	40	30	34
All other	110	129	3	2	5
Black	99	116	2	1	4
Attleboro	---	298	3	2	7
Fairhaven town#	---	209	-	-	-
Fall River	---	1,021	9	7	3
New Bedford	---	1,122	8	5	9
White	---	1,034	8	5	7
All other	---	88	-	-	2
Black	---	83	-	-	2
North Attleborough town#	---	158	3	3	1
Somerset town#	---	169	-	-	-
Taunton	---	456	7	5	5
Balance of county	---	1,034	13	10	14
Dukes	107	122	1	-	1
Essex	5,639	6,034	53	38	59
White	5,558	5,940	46	34	54
All other	81	94	7	4	5
Black	62	74	7	4	5
Amesbury town#	---	144	-	-	1
Andover town#	---	202	1	-	-
Beverly	---	406	5	2	4
Danvers town#	---	256	1	1	1
Gloucester	---	271	2	2	2
Haverhill	---	477	3	3	3
Lawrence	---	579	10	5	9
White	---	555	6	3	9
All other	---	24	4	2	-
Black	---	21	4	2	-
Lynn	---	850	10	9	16
Lynnfield town#	---	76	-	-	-
Marblehead town#	---	159	1	1	3
Methuen town#	---	389	3	3	2
Newburyport	---	160	1	1	3
Peabody	---	385	5	3	2
Salem	---	362	6	4	-
Saugus town#	---	229	-	-	1
Swampscott town#	---	159	-	-	1
Balance of county	---	930	5	4	11
Franklin	593	654	8	4	7
Hampden	4,659	4,472	64	41	41
White	4,418	4,222	47	32	29
All other	241	250	17	9	12
Black	226	238	17	9	10
Agawam town#	---	227	2	1	1
Chicopee	---	600	7	3	8
Holyoke	---	573	7	4	4
White	---	562	6	4	4
All other	---	11	1	-	-
Black	---	10	1	-	-
Longmeadow town#	---	148	1	1	-
Springfield	---	1,568	30	21	22
White	---	1,342	15	12	14
All other	---	226	15	9	8
Black	---	218	15	9	8
Westfield	---	311	3	2	2
West Springfield town#	---	309	4	2	2
Balance of county	---	736	10	7	2
Hampshire	924	1,087	11	7	5
Amherst town#	---	108	2	1	2
Easthampton town#	---	125	1	1	1
Northampton	---	303	-	-	-
Balance of county	---	551	8	5	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 38 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Massachusetts-Con.					
Middlesex	10,464	11,198	114	91	111
White	10,240	10,935	100	79	94
All other	224	263	14	12	17
Black	166	189	10	9	10
Arlington town#	---	415	3	1	-
Belmont town#	---	253	3	3	-
Billerica town#	---	207	3	2	2
Burlington town#	---	114	2	2	2
Cambridge	---	709	3	3	10
White	---	620	1	1	5
All other	---	89	2	2	5
Black	---	83	2	2	4
Chelmsford town#	---	199	4	4	6
Dracut town#	---	164	-	-	3
Everett	---	391	5	4	3
Framingham town#	---	540	8	5	5
Hudson town#	---	128	2	2	1
Lexington town#	---	247	-	-	-
Lowell	---	964	19	13	7
Malden	---	537	5	5	5
Marlborough	---	240	3	3	2
Medford	---	607	3	3	3
Melrose	---	265	1	1	-
Natick town#	---	257	1	1	1
Newton	---	654	1	1	6
Reading town#	---	185	2	1	2
Somerville	---	634	5	5	10
Stoneham town#	---	210	1	1	4
Tewksbury town#	---	185	7	7	3
Wakefield town#	---	219	-	-	1
Waltham	---	517	7	5	6
Watertown town#	---	345	1	1	-
Wilmington town#	---	128	2	-	3
Winchester town#	---	148	4	2	2
Woburn	---	291	1	-	2
Balance of county	---	1,445	18	16	22
White	---	1,426	17	15	21
All other	---	19	1	1	1
Black	---	14	-	-	-
Nantucket	57	57	1	-	1
Norfolk	4,583	5,311	30	18	44
White	4,501	5,211	24	13	43
All other	82	100	6	5	1
Black	66	74	5	4	-
Braintree town#	---	342	-	-	1
Brookline town#	---	476	1	1	-
Dedham town#	---	235	1	-	1
Holbrook town#	---	92	1	1	-
Milton town#	---	282	2	1	1
Needham town#	---	251	-	-	5
Norwood town#	---	267	1	1	1
Quincy	---	948	6	4	4
Randolph town#	---	297	1	-	4
Stoughton town#	---	218	2	2	3
Wellesley town#	---	178	1	-	-
Westwood town#	---	119	1	-	-
Weymouth town#	---	485	2	1	4
Balance of county	---	1,121	11	7	20
White	---	1,105	8	5	20
All other	---	16	3	2	-
Black	---	13	3	2	-
Plymouth	2,896	3,462	50	28	33
White	2,804	3,346	40	21	29
All other	92	116	10	7	4
Black	88	108	10	7	3
Abington town#	---	122	-	-	-
Brockton	---	875	23	16	8
Plymouth town#	---	356	4	1	5
Rockland town#	---	138	2	1	3
Scituate town#	---	157	2	2	2
Whitman town#	---	105	2	-	-
Balance of county	---	1,709	17	8	15
Suffolk	9,375	6,105	94	65	98
White	8,128	5,003	43	27	39
All other	1,247	1,102	51	38	59
Black	1,084	984	46	34	54
Boston	---	5,091	82	57	85
White	---	4,009	36	22	28
All other	---	1,082	46	35	57
Black	---	973	43	32	54
Chelsea	---	313	6	4	7
Revere	---	502	6	4	6
Winthrop town#	---	199	-	-	-
Worcester	6,481	6,341	91	63	63
White	6,381	6,246	82	57	59
All other	100	95	9	6	4
Black	79	75	8	6	4
Clinton town#	---	126	2	-	2
Fitchburg	---	416	5	2	4
Gardner	---	209	3	2	3
Leominster	---	350	6	3	1
Milford town#	---	186	1	1	1
Shrewsbury town#	---	206	2	1	1
Webster town#	---	190	4	3	1
Worcester	---	1,933	27	20	23
Balance of county	---	2,725	41	31	27
Michigan	78,779	79,980	1,555	1,003	761
White	66,290	67,442	858	547	534
All other	12,489	12,538	697	456	227
Black	11,959	12,002	684	450	213
Alcona	61	159	-	-	1
Alger	138	114	-	-	1
Allegan	529	711	6	3	7
Holland, part	---	66	-	-	-
Balance of county	---	645	6	3	7
Alpena	342	302	2	2	1
Alpena	---	145	1	1	1
Balance of county	---	157	1	1	-
Antrim	95	202	1	1	1
Arenac	155	185	3	3	2
Baraga	95	110	-	-	-
Barry	277	366	3	2	2
Bay	965	1,011	19	14	11
Bangor twp#	---	123	-	-	-
Bay City	---	424	10	7	4
Midland, part	---	-	-	-	-
Balance of county	---	464	9	7	7
Benzie	117	150	2	-	-
Berrien	1,477	1,617	33	19	13
White	1,262	1,403	16	10	10
All other	215	214	17	9	3
Black	206	206	17	9	3
Benton Harbor	---	145	10	3	1
White	---	35	-	-	-
All other	---	110	10	3	1
Black	---	110	10	3	1
Niles	---	206	2	2	-
White	---	191	1	1	-
All other	---	15	1	1	-
Black	---	13	1	1	-
Balance of county	---	1,266	21	14	12
White	---	1,177	15	9	10
All other	---	89	6	5	2
Black	---	83	6	5	2
Branch	354	395	6	3	3
Calhoun	1,431	1,372	19	10	7
White	1,305	1,240	15	9	4
All other	126	132	4	1	3
Black	117	122	3	-	3
Albion	---	100	1	-	2
White	---	75	-	-	1
All other	---	25	1	-	1
Black	---	25	1	-	1
Battle Creek	---	632	10	3	2
White	---	538	7	2	1
All other	---	94	3	1	1
Black	---	88	2	-	1
Balance of county	---	640	8	7	3
Cass	265	427	4	2	5
Charlevoix	115	183	2	1	-
Cheboygan	201	238	3	1	6
Chippewa	225	255	1	1	2
Sault Ste. Marie	---	126	1	1	-
Balance of county	---	129	-	-	2
White	---	121	-	-	2
All other	---	8	-	-	-
Black	---	1	-	-	-
Clare	241	316	2	1	3
Clinton	227	374	4	3	7
Lansing, part	---	-	-	-	-
Balance of county	---	374	4	3	7
White	---	370	4	3	7
All other	---	4	-	-	-
Black	---	-	-	-	-
Crawford	232	125	2	1	-
Delta	305	382	5	3	3
Escanaba	---	187	2	2	-
Balance of county	---	195	3	1	3
Dickinson	413	310	4	2	-
Eaton	414	628	7	3	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 39 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Michigan-Con.					
Lansing, part	- - -	6	-	-	-
White	- - -	5	-	-	-
All other	- - -	1	-	-	-
Black	- - -	1	-	-	-
Balance of county	- - -	622	7	3	7
Emmet	481	313	6	6	-
Genesee	3,726	3,526	88	57	26
White	3,101	2,906	45	31	17
All other	625	620	43	26	9
Black	605	603	43	26	8
Burton	- - -	248	5	4	1
Flint	- - -	1,367	60	36	12
White	- - -	829	19	10	5
All other	- - -	538	41	26	7
Black	- - -	533	41	26	7
Flint twp#	- - -	284	2	2	-
Genesee twp#	- - -	142	3	2	1
Mount Morris twp#	- - -	190	3	1	2
White	- - -	157	1	1	2
All other	- - -	33	2	-	-
Black	- - -	33	2	-	-
Balance of county	- - -	1,295	15	12	10
White	- - -	1,256	15	12	9
All other	- - -	39	-	-	1
Black	- - -	27	-	-	-
Gladwin	143	246	2	2	-
Gogebic	240	288	1	1	1
Grand Traverse	887	516	9	7	1
Traverse City	- - -	171	2	2	-
Balance of county	- - -	345	7	5	1
Gratiot	415	368	5	5	7
Hillsdale	222	362	6	5	1
Houghton	340	394	2	1	3
Huron	297	413	5	3	3
Ingham	2,163	1,730	32	20	31
White	2,002	1,570	22	13	21
All other	161	160	10	7	10
Black	144	143	10	7	10
East Lansing	- - -	115	2	1	-
Lansing, part	- - -	979	23	14	21
White	- - -	837	13	7	13
All other	- - -	142	10	7	8
Black	- - -	132	10	7	8
Lansing, total	- - -	985	23	14	21
White	- - -	842	13	7	13
All other	- - -	143	10	7	8
Black	- - -	133	10	7	8
Meridian twp#	- - -	212	3	2	2
Balance of county	- - -	424	4	3	8
Ionia	246	417	14	9	2
Iosco	308	322	2	1	-
Iron	162	207	2	1	2
Isabella	329	327	5	2	4
Mount Pleasant	- - -	137	1	1	2
Balance of county	- - -	190	4	1	2
Jackson	1,298	1,387	16	11	8
White	1,208	1,295	14	10	6
All other	90	92	2	1	2
Black	85	86	2	1	1
Jackson	- - -	451	4	3	5
White	- - -	381	2	2	3
All other	- - -	70	2	1	2
Black	- - -	65	2	1	1
Balance of county	- - -	936	12	8	3
Kalamazoo	2,076	1,610	39	22	26
White	1,902	1,470	22	12	17
All other	174	140	17	10	9
Black	164	131	17	10	8
Kalamazoo	- - -	710	22	12	14
White	- - -	585	7	3	7
All other	- - -	125	15	9	7
Black	- - -	119	15	9	7
Kalamazoo twp#	- - -	151	2	2	1
Portage	- - -	197	3	1	2
Balance of county	- - -	552	12	7	9
Kalkaska	88	121	1	-	-
Kent	4,360	3,772	98	56	60
White	4,041	3,474	68	37	47
All other	319	298	30	19	13
Black	283	270	29	19	11
East Grand Rapids	- - -	50	1	1	-
Grand Rapids	- - -	1,933	50	25	32
White	- - -	1,665	24	10	24
All other	- - -	268	26	15	8
Black	- - -	253	25	15	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Michigan-Con.					
Grandville	- - -	115	3	2	2
Kentwood	- - -	164	7	3	3
Walker	- - -	110	1	1	-
Wyoming	- - -	388	14	8	6
Balance of county	- - -	1,012	22	16	17
Keweenaw	2	32	-	-	-
Lake	43	136	3	1	1
White	33	107	3	1	1
All other	10	29	-	-	-
Black	9	27	-	-	-
Lapeer	444	531	16	15	4
Leelanau	93	163	4	3	1
Lenawee	609	739	8	5	5
Adrian	- - -	217	1	-	1
Balance of county	- - -	522	7	5	4
Livingston	469	679	8	7	5
Luce	79	64	-	-	-
Mackinac	73	127	-	-	1
Macomb	4,688	5,973	69	46	30
White	4,574	5,870	68	45	30
All other	114	103	1	1	-
Black	94	71	1	1	-
Clinton twp#	- - -	509	4	3	2
East Detroit	- - -	370	7	4	1
Fraser	- - -	145	1	1	-
Harrison twp#	- - -	134	2	2	-
Mount Clemens	- - -	378	6	5	7
White	- - -	339	6	5	7
All other	- - -	39	-	-	-
Black	- - -	37	-	-	-
Roseville	- - -	470	5	5	5
St. Clair Shores	- - -	767	8	5	-
Shelby twp#	- - -	237	4	2	-
Sterling Heights	- - -	733	6	4	4
Warren	- - -	1,482	17	7	4
Balance of county	- - -	748	9	8	7
Manistee	234	271	-	-	1
Marquette	670	545	6	5	5
Marquette	- - -	188	2	1	1
Balance of county	- - -	357	4	4	4
Mason	275	290	1	-	1
Mecosta	303	338	10	3	3
Big Rapids	- - -	97	2	1	-
Balance of county	- - -	241	8	2	3
Menominee	152	291	4	2	2
Menominee	- - -	76	-	-	-
Balance of county	- - -	215	4	2	2
Midland	647	488	6	2	9
Midland, part	- - -	273	1	-	5
Midland, total	- - -	273	1	-	5
Balance of county	- - -	215	5	2	4
Missaukee	47	108	4	1	3
Monroe	699	1,035	10	6	8
Monroe	- - -	262	1	1	1
Balance of county	- - -	773	9	5	7
Montcalm	411	482	5	2	1
Montmorency	86	131	1	1	-
Muskegon	1,383	1,376	38	21	14
White	1,226	1,205	17	11	7
All other	157	171	21	10	7
Black	148	162	20	10	7
Muskegon	- - -	452	12	8	7
White	- - -	379	4	4	5
All other	- - -	73	8	4	2
Black	- - -	71	8	4	2
Muskegon Heights	- - -	133	13	7	2
White	- - -	50	2	1	-
All other	- - -	83	11	6	2
Black	- - -	82	11	6	2
Norton Shores	- - -	147	-	-	-
Balance of county	- - -	644	13	6	5
Newaygo	278	358	4	3	6
Oakland	8,711	7,956	128	97	91
White	7,888	7,372	85	68	73
All other	823	584	43	29	18
Black	761	514	40	28	14
Avon twp#	- - -	-	-	-	-
Berkley	- - -	144	1	1	1
Beverly Hills	- - -	82	1	1	-
Birmingham	- - -	201	-	-	4
Bloomfield twp#	- - -	231	3	3	-
Clawson	- - -	142	4	3	-
Farmington	- - -	134	-	-	-
Farmington Hills	- - -	520	7	6	2
Ferndale	- - -	297	3	3	1
Hazel Park	- - -	172	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 40 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Michigan-Con.					
Madison Heights	---	270	3	3	4
Novi	---	183	-	-	1
Oak Park	---	240	3	2	3
White	---	185	2	1	2
All other	---	55	1	1	1
Black	---	52	1	1	1
Pontiac	---	677	42	29	15
White	---	432	15	11	7
All other	---	245	27	18	8
Black	---	240	27	18	8
Royal Oak	---	567	5	5	6
Southfield	---	801	9	8	5
White	---	687	4	4	3
All other	---	114	5	4	2
Black	---	107	5	4	1
Troy	---	386	3	2	4
West Bloomfield twp#	---	307	5	4	1
Balance of county	---	2,602	38	27	43
White	---	2,557	34	26	40
All other	---	45	4	1	3
Black	---	31	3	1	2
Oceana	140	215	4	2	1
Ogemaw	312	269	-	-	4
Ontonagon	87	132	1	-	1
Osceola	181	215	1	1	1
Oscoda	50	108	2	-	-
Otsego	201	179	1	-	-
Ottawa	1,049	1,171	21	14	14
Georgetown twp#	---	165	1	1	-
Grand Haven	---	147	3	2	1
Holland, part	---	200	6	5	3
Holland, total	---	266	6	5	3
Balance of county	---	659	11	6	10
Presque Isle	79	133	-	-	1
Roscommon	81	293	4	1	2
Saginaw	2,124	1,385	42	33	24
White	1,798	1,546	17	12	15
All other	326	339	25	21	9
Black	312	330	25	21	9
Saginaw	---	687	32	26	13
White	---	412	8	6	5
All other	---	275	24	20	8
Black	---	268	24	20	8
Saginaw twp#	---	340	4	4	1
Balance of county	---	858	6	3	10
White	---	801	6	3	9
All other	---	57	-	-	1
Black	---	55	-	-	1
St. Clair	1,214	1,251	17	5	2
Port Huron	---	409	8	2	-
Balance of county	---	842	9	3	2
St. Joseph	459	558	8	5	5
Sanilac	268	388	4	2	3
Schoolcraft	92	103	2	1	-
Shiawassee	460	560	9	3	6
Owosso	---	144	2	1	2
Balance of county	---	416	7	2	4
Tuscola	307	503	8	5	1
Van Buren	451	657	11	6	9
Washtenaw	2,967	1,487	36	24	24
White	2,619	1,282	25	15	19
All other	348	205	11	9	5
Black	325	192	11	9	5
Ann Arbor	---	495	19	14	7
White	---	437	14	9	6
All other	---	58	5	5	1
Black	---	52	5	5	1
Ypsilanti	---	192	6	3	14
White	---	106	2	1	10
All other	---	86	4	2	4
Black	---	85	4	2	4
Ypsilanti twp#	---	207	4	1	-
White	---	183	4	1	-
All other	---	24	-	-	-
Black	---	22	-	-	-
Balance of county	---	593	7	6	3
White	---	556	5	4	3
All other	---	37	2	2	-
Black	---	33	2	2	-
Wayne	21,070	21,244	596	396	214
White	12,513	12,310	142	91	83
All other	8,557	8,934	454	305	131
Black	8,439	8,827	452	303	127
Allen Park	---	346	-	-	3
Canton twp#	---	203	5	4	2
Dearborn	---	907	11	7	6
Dearborn Heights	---	588	2	1	3
Detroit	---	11,610	457	301	136
White	---	3,492	39	19	25
All other	---	8,118	418	282	111
Black	---	8,073	418	282	109
Ecorse	---	151	9	9	2
White	---	87	4	4	2
All other	---	64	5	5	-
Black	---	63	5	5	-
Garden City	---	253	2	2	2
Grosse Pointe Farms	---	92	-	-	-
Grosse Pointe Park	---	75	1	1	-
Grosse Pointe Woods	---	182	1	-	-
Hamtramck	---	292	6	5	4
White	---	266	6	5	2
All other	---	26	-	-	2
Black	---	26	-	-	2
Harper Woods	---	195	-	-	-
Highland Park	---	322	16	8	3
White	---	52	-	-	-
All other	---	270	16	8	3
Black	---	269	16	8	3
Inkster	---	313	8	4	-
White	---	115	1	1	-
All other	---	198	7	3	-
Black	---	196	7	3	-
Lincoln Park	---	428	5	2	3
Livonia	---	865	9	6	7
Melvindale	---	123	1	1	1
Plymouth twp#	---	114	-	-	-
Redford twp#	---	543	6	4	2
River Rouge	---	114	-	-	2
White	---	58	-	-	1
All other	---	56	-	-	1
Black	---	56	-	-	1
Riverview	---	156	-	-	-
Romulus	---	195	7	5	3
White	---	156	6	4	2
All other	---	39	1	1	1
Black	---	38	1	1	1
Southgate	---	255	6	5	-
Taylor	---	542	15	7	4
Trenton	---	206	1	1	1
Wayne	---	217	4	4	3
Westland	---	742	8	6	4
Woodhaven	---	50	-	-	1
Wyandotte	---	353	5	4	2
Balance of county	---	812	11	9	20
Wexford	336	265	2	1	1
Cadillac	---	120	1	-	-
Balance of county	---	145	1	1	1
Minnesota	35,571	35,309	503	298	418
White	34,614	34,383	405	250	372
All other	957	926	98	48	46
Black	534	517	62	32	25
Aitkin	122	163	-	-	-
Anoka	1,007	1,023	35	20	20
Anoka	---	158	6	5	1
Blaine, part	---	120	6	2	4
Blaine, total	---	120	6	2	4
Columbia Heights	---	171	2	1	-
Coon Rapids	---	197	6	4	6
Fridley	---	162	6	4	2
Ramsey	---	19	-	-	-
Balance of county	---	196	9	4	7
Becker	261	305	3	1	4
Beltrami	312	297	6	4	5
White	274	257	4	4	4
All other	38	40	2	-	1
Black	-	-	-	-	-
Bemidji	---	119	2	1	1
Balance of county	---	178	4	3	4
White	---	147	3	3	3
All other	---	31	1	-	1
Black	---	-	-	-	-
Benton	191	288	3	2	2
St. Cloud, part	---	38	-	-	-
Balance of county	---	250	3	2	2
Big Stone	100	97	-	-	-
Blue Earth	466	422	4	2	4
Mankato, part	---	226	2	1	2
Mankato, total	---	226	2	1	2
Balance of county	---	196	2	1	2
Brown	264	285	5	4	1
New Ulm	---	121	3	2	-
Balance of county	---	164	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 41 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Minnesota-Con.					
Carlton	271	305	3	1	-
Cloquet	---	130	1	1	-
Balance of county	---	175	2	-	-
Carver	258	265	5	4	5
Cass	173	281	-	-	3
Chippewa	145	165	2	-	-
Chisago	207	234	4	4	3
Clay	161	353	8	2	7
Moorhead	---	229	6	2	2
Balance of county	---	124	2	-	5
Clearwater	89	106	2	1	-
Cook	43	41	-	-	-
Cottonwood	141	152	2	1	2
Crow Wing	497	525	5	3	4
Brainerd	---	239	4	3	2
Balance of county	---	286	1	-	2
Dakota	853	1,192	28	13	33
Apple Valley	---	105	2	1	2
Burnsville	---	152	7	3	4
Eagan	---	74	7	3	6
Hastings, part	---	115	1	1	1
Hastings, total	---	116	1	1	1
Inver Grove Heights	---	134	4	2	3
Lakeville	---	44	2	-	6
Northfield, part	---	-	-	-	-
South St. Paul	---	179	1	1	4
West St. Paul	---	229	3	1	2
Balance of county	---	160	1	1	5
Dodge	94	155	-	-	-
Douglas	332	308	2	2	-
Faribault	184	218	2	1	-
Fillmore	210	281	2	1	1
Freeborn	361	384	7	4	4
Albert Lea	---	277	4	3	1
Balance of county	---	107	3	1	3
Goodhue	463	480	10	3	5
Red Wing	---	206	7	2	1
Balance of county	---	274	3	1	4
Grant	62	92	1	1	-
Hennepin	9,193	7,881	145	92	109
White	8,672	7,409	87	60	87
All other	521	472	58	32	22
Black	352	335	42	24	15
Bloomington	---	590	8	8	5
Brooklyn Center	---	179	2	2	1
Brooklyn Park	---	149	4	2	3
Crystal	---	154	1	1	-
Eden Prairie	---	95	7	5	3
Edina	---	420	1	-	2
Golden Valley	---	189	1	1	1
Hopkins	---	188	3	2	1
Maple Grove	---	64	7	6	6
Minneapolis	---	3,716	85	49	53
White	---	3,317	30	20	33
All other	---	399	55	29	20
Black	---	295	40	22	14
Minnetonka	---	229	3	1	3
New Hope	---	289	2	1	3
Plymouth	---	155	2	1	5
Richfield	---	289	4	3	8
Robbinsdale	---	191	1	-	1
St. Louis Park	---	479	7	7	3
Balance of county	---	505	7	3	11
Houston	134	183	-	-	-
Hubbard	157	150	1	-	1
Isanti	169	195	-	-	1
Itasca	400	437	5	1	3
Jackson	94	133	4	3	1
Kanabec	97	115	1	1	1
Kandiyohi	392	355	4	1	2
Willmar	---	175	4	1	2
Balance of county	---	180	-	-	-
Kittson	81	83	1	-	1
Koochiching	142	167	2	2	4
Lac qui Parle	99	116	-	-	-
Lake	88	109	-	-	-
Lake of the Woods	37	44	1	-	-
Le Sueur	121	194	2	2	2
Lincoln	92	95	-	-	-
Lyon	195	221	-	-	1
Marshall	---	74	-	-	-
Balance of county	---	147	-	-	1
McLeod	272	275	3	-	5
Mahnomen	40	50	1	-	-
White	28	36	-	-	-
All other	12	14	1	-	-
Black	-	-	-	-	-
Marshall	69	125	1	-	-
Martin	202	244	-	-	4
Fairmont	---	130	-	-	2
Balance of county	---	114	-	-	2
Meeker	188	227	-	-	1
Mille Lacs	209	214	2	2	3
Morrison	241	290	3	1	4
Mower	313	380	5	5	3
Austin	---	269	3	3	3
Balance of county	---	111	2	2	-
Murray	67	100	1	1	1
Nicollet	137	196	2	1	-
Mankato, part	---	-	-	-	-
Balance of county	---	196	2	1	-
Nobles	188	203	-	-	6
Worthington	---	105	-	-	-
Balance of county	---	98	-	-	6
Norman	96	114	-	-	2
Olmsted	1,436	634	10	6	6
Rochester	---	505	6	3	6
Balance of county	---	129	4	3	-
Otter Tail	474	557	6	5	8
Fergus Falls	---	160	3	3	4
Balance of county	---	397	3	2	4
Pennington	168	152	-	-	-
Pine	109	214	4	2	-
Pipestone	107	132	-	-	2
Polk	372	412	4	2	4
Pope	120	123	1	-	-
Ramsey	4,219	3,806	68	42	59
White	4,039	3,618	49	31	40
All other	180	188	19	11	19
Black	135	142	12	6	10
Blaine, part	---	-	-	-	-
Maplewood	---	256	3	2	4
Mounds View	---	51	-	-	1
New Brighton	---	149	3	2	2
North St. Paul	---	80	-	-	2
Roseville	---	354	3	1	3
St. Paul	---	2,376	44	26	40
White	---	2,204	26	16	24
All other	---	172	18	10	16
Black	---	130	11	5	8
Shoreview	---	75	4	3	4
White Bear Lake, part	---	190	8	7	-
White Bear Lake, total	---	192	8	7	-
Balance of county	---	275	3	1	3
Red Lake	31	49	1	1	-
Redwood	197	242	1	1	5
Renville	140	191	1	1	1
Rice	391	396	5	3	5
Faribault	---	197	2	1	1
Northfield, part	---	104	2	1	-
Northfield, total	---	104	2	1	-
Balance of county	---	95	1	1	4
Rock	92	94	2	2	2
Roseau	104	122	1	1	2
St. Louis	2,548	2,241	14	8	16
Duluth	---	1,065	10	5	7
Hibbing	---	188	1	-	1
Virginia	---	167	-	-	1
Balance of county	---	821	3	3	7
Scott	288	269	7	2	6
Sherburne	194	264	4	3	4
St. Cloud, part	---	90	-	-	-
Balance of county	---	174	4	3	4
Sibley	111	166	1	1	-
Stearns	915	664	8	5	6
St. Cloud, part	---	205	5	3	1
St. Cloud, total	---	333	5	3	1
Balance of county	---	459	3	2	5
Steele	209	246	1	-	2
Owatonna	---	152	-	-	2
Balance of county	---	94	1	-	-
Stevens	90	95	2	1	-
Swift	122	154	1	1	1
Todd	132	228	2	1	-
Traverse	47	57	1	1	-
Wabasha	152	185	5	4	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 42 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Minnesota-Con.					
Wadena	248	196	–	–	–
Waseca	150	184	–	–	–
Washington	494	654	14	10	16
Cottage Grove	– – –	59	2	2	4
Hastings, part	– – –	1	–	–	–
Oakdale	– – –	44	3	2	2
Stillwater	– – –	173	3	2	4
White Bear Lake, part	– – –	2	–	–	–
Woodbury	– – –	84	2	1	2
Balance of county	– – –	291	4	3	4
Watonwan	119	138	3	2	2
Wilkin	127	74	–	–	1
Winona	383	416	2	1	1
Winona	– – –	290	2	1	–
Balance of county	– – –	126	–	–	1
Wright	368	484	8	4	9
Yellow Medicine	134	157	3	2	–
Mississippi	24,764	25,664	494	303	464
White	15,851	16,503	163	95	131
All other	8,913	9,161	331	208	333
Black	8,834	9,084	323	204	331
Adams	525	458	17	13	10
White	269	237	5	5	1
All other	256	221	12	8	9
Black	256	221	12	8	9
Natchez	– – –	335	13	11	7
White	– – –	178	5	5	1
All other	– – –	157	8	6	6
Black	– – –	157	8	6	6
Balance of county	– – –	123	4	2	3
White	– – –	59	–	–	–
All other	– – –	64	4	2	3
Black	– – –	64	4	2	3
Alcorn	313	343	4	2	4
White	275	298	2	2	2
All other	38	45	2	–	2
Black	38	44	2	–	2
Corinth	– – –	173	3	1	4
White	– – –	138	1	1	2
All other	– – –	35	2	–	2
Black	– – –	34	2	–	2
Balance of county	– – –	170	1	1	–
Amite	41	128	3	2	–
White	25	77	1	–	–
All other	16	51	2	2	–
Black	16	51	2	2	–
Attala	169	196	2	1	6
White	111	126	–	–	1
All other	58	70	2	1	5
Black	58	70	2	1	5
Benton	35	82	2	1	1
White	24	59	–	–	1
All other	11	23	2	1	–
Black	11	23	2	1	–
Bolivar	405	452	11	7	17
White	151	168	2	2	2
All other	254	284	9	5	15
Black	253	282	9	5	15
Cleveland	– – –	155	2	2	7
White	– – –	79	1	1	2
All other	– – –	76	1	1	5
Black	– – –	76	1	1	5
Balance of county	– – –	297	9	5	10
White	– – –	89	1	1	–
All other	– – –	208	8	4	10
Black	– – –	206	8	4	10
Calhoun	89	148	4	4	6
White	75	119	–	–	3
All other	14	29	4	4	3
Black	14	29	4	4	3
Carroll	48	100	1	–	1
White	26	58	–	–	–
All other	22	42	1	–	1
Black	21	42	1	–	1
Chickasaw	122	187	2	2	1
White	87	126	1	1	–
All other	35	61	1	1	1
Black	35	61	1	1	1
Choctaw	65	98	1	–	–
White	48	72	–	–	–
All other	17	26	1	–	–
Black	17	26	1	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Mississippi-Con.					
Claiborne	76	121	2	–	3
White	11	20	–	–	–
All other	65	101	2	–	3
Black	65	101	2	–	3
Clarke	140	206	2	1	3
White	90	136	2	1	–
All other	50	70	–	–	3
Black	50	70	–	–	3
Clay	183	230	3	3	2
White	100	112	1	1	–
All other	83	118	2	2	2
Black	83	118	2	2	2
Coahoma	373	376	13	9	4
White	112	126	–	–	–
All other	261	250	13	9	4
Black	260	249	13	9	4
Clarksdale	– – –	273	8	7	3
White	– – –	91	–	–	–
All other	– – –	182	8	7	3
Black	– – –	181	8	7	3
Balance of county	– – –	103	5	2	1
White	– – –	35	–	–	–
All other	– – –	68	5	2	1
Black	– – –	68	5	2	1
Copiah	227	339	6	3	7
White	121	178	–	–	1
All other	106	161	6	3	6
Black	106	161	6	3	6
Covington	98	158	1	–	2
White	66	110	1	–	1
All other	32	48	–	–	1
Black	32	48	–	–	1
De Soto	270	467	11	7	7
White	195	379	7	5	7
All other	75	88	4	2	–
Black	75	88	4	2	–
Forrest	870	658	14	7	12
White	606	468	4	2	2
All other	264	190	10	5	10
Black	263	189	10	5	10
Hattiesburg, part	– – –	470	12	6	6
White	– – –	298	3	2	–
All other	– – –	172	9	4	6
Black	– – –	171	9	4	6
Hattiesburg, total	– – –	484	12	6	6
White	– – –	312	3	2	–
All other	– – –	172	9	4	6
Black	– – –	171	9	4	6
Balance of county	– – –	188	2	1	6
White	– – –	170	1	–	2
All other	– – –	18	1	1	4
Black	– – –	18	1	1	4
Franklin	70	103	–	–	2
White	39	54	–	–	–
All other	31	49	–	–	2
Black	31	49	–	–	2
George	110	141	–	–	1
Greene	32	93	1	–	1
White	28	79	1	–	1
All other	4	14	–	–	–
Black	4	14	–	–	–
Grenada	234	242	5	4	4
White	145	156	2	2	1
All other	89	86	3	2	3
Black	89	86	3	2	3
Grenada	– – –	164	3	3	2
White	– – –	101	1	1	–
All other	– – –	63	2	2	2
Black	– – –	63	2	2	2
Balance of county	– – –	78	2	1	2
White	– – –	55	1	1	1
All other	– – –	23	1	–	1
Black	– – –	23	1	–	1
Hancock	208	300	6	3	9
White	194	278	6	3	5
All other	14	22	–	–	4
Black	14	22	–	–	4
Harrison	1,825	1,522	29	16	22
White	1,494	1,245	16	8	9
All other	331	277	13	8	13
Black	319	266	11	7	13
Biloxi	– – –	443	11	6	5
White	– – –	370	5	1	3
All other	– – –	73	6	5	2
Black	– – –	67	5	4	2
Gulfport	– – –	484	6	5	13
White	– – –	375	4	4	3
All other	– – –	109	2	1	10
Black	– – –	106	2	1	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 43 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Mississippi-Con.					
Balance of county	---	595	12	5	4
White	---	500	7	3	3
All other	---	95	5	2	1
Black	---	93	4	2	1
Hinds	3,850	2,234	53	32	52
White	2,163	1,200	14	10	5
All other	1,687	1,034	39	22	47
Black	1,679	1,032	39	22	47
Clinton	---	173	-	-	-
Jackson, part	---	1,794	45	26	50
White	---	939	13	9	5
All other	---	855	32	17	45
Black	---	853	32	17	45
Jackson, total	---	1,796	45	26	50
White	---	941	13	9	5
All other	---	855	32	17	45
Black	---	853	32	17	45
Balance of county	---	267	8	6	2
White	---	120	1	1	-
All other	---	147	7	5	2
Black	---	147	7	5	2
Holmes	218	294	7	2	4
White	69	88	-	-	-
All other	149	206	7	2	4
Black	149	206	7	2	4
Humphreys	85	127	4	4	5
White	25	47	2	2	-
All other	60	80	2	2	5
Black	60	80	2	2	5
Issaquena	4	15	-	-	-
White	-	4	-	-	-
All other	4	11	-	-	-
Black	4	11	-	-	-
Itawamba	97	190	1	-	4
Jackson	797	918	15	7	11
White	667	773	6	4	9
All other	130	145	9	3	2
Black	128	143	8	3	2
Moss Point	---	137	3	1	-
White	---	66	-	-	-
All other	---	71	3	1	-
Black	---	71	3	1	-
Ocean Springs	---	160	-	-	2
Pascagoula	---	266	3	1	3
White	---	228	1	1	2
All other	---	38	2	-	1
Black	---	37	2	-	1
Balance of county	---	355	9	5	6
Jasper	102	203	2	2	2
White	60	109	1	1	-
All other	42	94	1	1	2
Black	42	94	1	1	2
Jefferson	56	96	-	-	2
White	7	16	-	-	-
All other	49	80	-	-	2
Black	49	80	-	-	2
Jefferson Davis	85	136	3	2	6
White	44	65	-	-	-
All other	41	71	3	2	6
Black	41	71	3	2	6
Jones	661	710	3	1	9
White	495	549	2	-	7
All other	166	161	1	1	2
Black	164	159	1	1	2
Laurel	---	317	1	1	4
White	---	207	-	-	2
All other	---	110	1	1	2
Black	---	110	1	1	2
Balance of county	---	393	2	-	5
White	---	342	2	-	5
All other	---	51	-	-	-
Black	---	49	-	-	-
Kemper	67	121	4	3	1
White	29	55	1	1	-
All other	38	66	3	2	1
Black	37	62	3	2	1
Lafayette	315	240	3	2	3
White	230	166	1	-	1
All other	85	74	2	2	2
Black	84	73	2	2	2
Lamar	328	198	1	-	6
White	278	170	1	-	3
All other	50	28	-	-	3
Black	49	27	-	-	3
Hattiesburg, part	---	14	-	-	-
Mississippi-Con.					
Balance of county	---	184	1	-	6
White	---	156	1	-	3
All other	---	28	-	-	3
Black	---	27	-	-	3
Lauderdale	1,101	769	18	12	11
White	734	523	4	1	-
All other	367	246	14	11	11
Black	352	245	14	11	11
Meridian	---	488	14	12	11
White	---	313	2	1	-
All other	---	175	12	11	11
Black	---	174	12	11	11
Balance of county	---	281	4	-	-
White	---	210	2	-	-
All other	---	71	2	-	-
Black	---	71	2	-	-
Lawrence	83	129	4	3	2
White	51	81	1	1	1
All other	32	48	3	2	1
Black	32	48	3	2	1
Leake	176	242	2	-	5
White	129	162	1	-	2
All other	47	80	1	-	3
Black	45	75	1	-	3
Lee	1,195	583	14	10	9
White	948	471	9	6	3
All other	247	112	5	4	6
Black	246	112	5	4	6
Tupelo	---	306	6	4	4
White	---	252	5	3	-
All other	---	54	1	1	4
Black	---	54	1	1	4
Balance of county	---	277	8	6	5
White	---	219	4	3	3
All other	---	58	4	3	2
Black	---	58	4	3	2
Leflore	491	482	19	15	12
White	202	204	3	3	2
All other	289	278	16	12	10
Black	288	277	16	12	10
Greenwood	---	290	10	7	6
White	---	127	3	3	-
All other	---	163	7	4	6
Black	---	162	7	4	6
Balance of county	---	192	9	8	6
White	---	77	-	-	2
All other	---	115	9	8	4
Black	---	115	9	8	4
Lincoln	304	339	3	2	3
White	234	255	2	2	1
All other	70	84	1	-	2
Black	70	84	1	-	2
Brookhaven	---	169	-	-	1
White	---	115	-	-	-
All other	---	54	-	-	1
Black	---	54	-	-	1
Balance of county	---	170	3	2	2
White	---	140	2	2	1
All other	---	30	1	-	1
Black	---	30	1	-	1
Lowndes	492	457	14	7	12
White	281	263	2	2	3
All other	211	194	12	5	9
Black	211	194	12	5	9
Columbus	---	304	12	5	8
White	---	159	2	2	-
All other	---	145	10	3	8
Black	---	145	10	3	8
Balance of county	---	153	2	2	4
White	---	104	-	-	3
All other	---	49	2	2	1
Black	---	49	2	2	1
Madison	237	426	9	6	11
White	89	219	2	1	-
All other	148	207	7	5	11
Black	148	207	7	5	11
Canton	---	152	3	2	4
White	---	59	-	-	-
All other	---	93	3	2	4
Black	---	93	3	2	4
Balance of county	---	274	6	4	7
White	---	160	2	1	-
All other	---	114	4	3	7
Black	---	114	4	3	7
Marion	192	251	5	3	6
White	136	171	1	1	2
All other	56	80	4	2	4
Black	56	80	4	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 44 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Mississippi-Con.					
Marshall	133	282	8	3	5
White	53	134	4	2	1
All other	80	148	4	1	4
Black	80	148	4	1	4
Monroe	288	402	8	2	4
White	201	282	5	1	3
All other	87	120	3	1	1
Black	87	120	3	1	1
Montgomery	140	156	3	2	7
White	73	79	–	–	3
All other	67	77	3	2	4
Black	67	77	3	2	4
Neshoba	141	269	4	1	7
White	97	202	1	–	4
All other	44	67	3	1	3
Black	30	48	1	–	1
Newton	206	239	1	–	2
White	141	159	1	–	1
All other	65	80	–	–	1
Black	62	72	–	–	1
Noxubee	79	120	4	3	6
White	30	50	1	–	1
All other	49	70	3	3	5
Black	49	70	3	3	5
Oktibbeha	258	280	6	5	6
White	150	177	3	2	1
All other	108	103	3	3	5
Black	106	102	2	2	5
Starkville	---	152	4	3	1
White	---	109	1	–	1
All other	---	43	3	3	–
Black	---	42	2	2	–
Balance of county	---	128	2	2	5
White	---	68	2	2	–
All other	---	60	–	–	5
Black	---	60	–	–	5
Panola	207	325	8	8	8
White	123	190	–	–	3
All other	84	135	8	8	5
Black	84	135	8	8	5
Pearl River	300	417	5	2	2
White	260	358	3	2	1
All other	40	59	2	–	1
Black	40	59	2	–	1
Picayune	---	145	4	1	1
White	---	100	2	1	–
All other	---	45	2	–	1
Black	---	45	2	–	1
Balance of county	---	272	1	1	1
Perry	65	90	4	4	2
White	57	74	2	2	1
All other	8	16	2	2	1
Black	8	16	2	2	1
Pike	428	444	4	4	13
White	230	236	–	–	3
All other	198	208	4	4	10
Black	198	208	4	4	10
McComb	---	192	3	3	5
White	---	114	–	–	1
All other	---	78	3	3	4
Black	---	78	3	3	4
Balance of county	---	252	1	1	8
White	---	122	–	–	2
All other	---	130	1	1	6
Black	---	130	1	1	6
Pontotoc	106	205	2	1	3
White	92	172	1	–	2
All other	14	33	1	1	1
Black	14	33	1	1	1
Prentiss	161	220	4	–	–
White	149	199	4	–	–
All other	12	21	–	–	–
Black	12	21	–	–	–
Quitman	72	128	3	3	1
White	30	53	–	–	–
All other	42	75	3	3	1
Black	42	75	3	3	1
Rankin	525	663	10	5	13
White	386	506	8	4	9
All other	139	157	2	1	4
Black	138	156	2	1	4
Jackson, part	---	2	–	–	–
Pearl	---	124	2	1	2
White	---	113	2	1	2
All other	---	11	–	–	–
Black	---	11	–	–	–
Balance of county	---	537	8	4	11
White	---	391	6	3	7
All other	---	146	2	1	4
Black	---	145	2	1	4
Scott	181	266	4	3	7
White	121	169	2	2	1
All other	60	97	2	1	6
Black	59	96	2	1	6
Sharkey	54	66	2	1	2
White	10	20	1	–	1
All other	44	46	1	1	1
Black	44	46	1	1	1
Simpson	224	272	4	2	4
White	167	202	2	1	1
All other	57	70	2	1	3
Black	57	69	1	1	3
Smith	77	140	4	4	1
White	66	109	1	1	–
All other	11	31	3	3	1
Black	11	31	3	3	1
Stone	88	119	1	1	–
White	75	100	1	1	–
All other	13	19	–	–	–
Black	13	19	–	–	–
Sunflower	317	396	12	7	10
White	107	139	–	–	1
All other	210	257	12	7	9
Black	210	257	12	7	9
Tallahatchie	94	150	4	3	2
White	45	67	–	–	–
All other	49	83	4	3	2
Black	47	81	4	3	2
Tate	136	204	4	2	3
White	81	135	1	1	3
All other	55	69	3	1	–
Black	55	69	3	1	–
Tippah	193	260	4	3	3
White	167	221	3	2	1
All other	26	39	1	1	2
Black	26	38	1	1	2
Tishomingo	171	266	4	3	2
Tunica	36	89	1	1	6
White	10	23	–	–	–
All other	26	66	1	1	6
Black	26	66	1	1	6
Union	217	226	2	–	3
White	177	187	1	–	1
All other	40	39	1	–	2
Black	39	39	1	–	2
Walthall	113	171	3	–	2
White	73	109	1	–	–
All other	40	62	2	–	2
Black	40	62	2	–	2
Warren	550	531	10	7	2
White	301	298	3	1	–
All other	249	233	7	6	2
Black	249	233	7	6	2
Vicksburg	---	369	8	6	1
White	---	186	1	–	–
All other	---	183	7	6	1
Black	---	183	7	6	1
Balance of county	---	162	2	1	1
White	---	112	2	1	–
All other	---	50	–	–	1
Black	---	50	–	–	1
Washington	814	770	16	10	20
White	316	305	1	–	4
All other	498	465	15	10	16
Black	495	461	15	10	16
Greenville	---	553	12	8	13
White	---	219	1	–	3
All other	---	334	11	8	10
Black	---	332	11	8	10
Balance of county	---	217	4	2	7
White	---	86	–	–	1
All other	---	131	4	2	6
Black	---	129	4	2	6
Wayne	159	187	5	4	6
White	100	115	–	–	2
All other	59	72	5	4	4
Black	59	72	5	4	4
Webster	108	137	3	3	2
White	93	122	1	1	1
All other	15	15	2	2	1
Black	15	15	2	2	1
Wilkinson	119	113	1	1	2
White	46	39	–	–	–
All other	73	74	1	1	2
Black	73	74	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 45 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Mississippi-Con.					
Winston	165	224	5	5	1
White	106	139	2	2	-
All other	59	85	3	3	1
Black	58	82	2	2	1
Yalobusha	102	177	3	2	1
White	73	126	-	-	-
All other	29	51	3	2	1
Black	28	50	3	2	1
Yazoo	273	352	4	-	5
White	125	168	1	-	-
All other	148	184	3	-	5
Black	148	184	3	-	5
Yazoo City	---	212	-	-	3
White	---	83	-	-	-
All other	---	129	-	-	3
Black	---	129	-	-	3
Balance of county	---	140	4	-	2
White	---	85	1	-	-
All other	---	55	3	-	2
Black	---	55	3	-	2
Missouri	52,362	50,885	806	496	515
White	46,516	45,214	505	311	364
All other	5,846	5,671	301	185	151
Black	5,673	5,523	294	180	149
Adair	388	249	2	-	2
Kirksville	---	161	1	-	1
Balance of county	---	88	1	-	1
Andrew	97	166	7	6	-
Atchison	101	101	2	1	-
Audrain	313	290	3	2	3
Mexico	---	167	3	2	1
Balance of county	---	123	-	-	2
Barry	202	301	4	4	-
Barton	116	137	2	-	2
Bates	128	180	3	2	1
Benton	113	221	1	-	1
Bollinger	66	122	-	-	1
Boone	1,687	680	20	12	16
Columbia	---	446	16	10	13
White	---	388	12	8	8
All other	---	58	4	2	5
Black	---	53	3	1	5
Balance of county	---	234	4	2	3
Buchanan	1,112	961	11	8	11
St. Joseph	---	874	11	8	10
Balance of county	---	87	-	-	1
Butler	838	490	4	1	5
Poplar Bluff	---	287	2	-	4
Balance of county	---	203	2	1	1
Caldwell	43	121	1	-	-
Callaway	162	281	4	3	2
Fulton	---	137	2	1	-
White	---	128	1	-	-
All other	---	9	1	1	-
Black	---	9	1	1	-
Jefferson City, part	---	3	-	-	-
Balance of county	---	141	2	2	2
Camden	265	281	4	2	1
Cape Girardeau	1,150	576	4	4	3
Cape Girardeau	---	354	2	2	3
Balance of county	---	222	2	2	-
Carroll	89	135	1	-	2
Carter	35	79	2	1	1
Cass	381	498	8	4	3
Belton	---	120	4	1	1
Lee's Summit, part	---	-	-	-	-
Balance of county	---	378	4	3	2
Cedar	136	198	3	3	-
Chariton	76	134	1	1	1
Christian	118	240	2	1	4
Clark	48	94	-	-	-
Clay	1,238	1,100	10	9	10
Excelsior Springs, part	---	110	-	-	1
Excelsior Springs, total	---	115	-	-	1
Gladstone	---	181	1	1	2
Independence, part	---	-	-	-	-
Kansas City, part	---	430	6	5	4
Liberty	---	166	2	2	1
Balance of county	---	213	1	1	2
Clinton	206	187	-	-	-
Cole	787	521	8	8	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Missouri-Con.					
Jefferson City, part	---	407	5	5	3
White	---	380	3	3	3
All other	---	27	2	2	-
Black	---	27	2	2	-
Jefferson City, total	---	410	5	5	3
White	---	383	3	3	3
All other	---	27	2	2	-
Black	---	27	2	2	-
Balance of county	---	114	3	3	1
Cooper	146	185	3	1	1
Crawford	156	243	1	1	1
Dade	61	102	-	-	1
Dallas	73	171	2	2	3
Daviess	51	139	6	5	-
De Kalb	45	119	-	-	-
Dent	134	183	2	-	3
Douglas	60	152	1	-	-
Dunklin	302	438	5	1	4
Kennett	---	134	-	-	2
Balance of county	---	304	5	1	2
Franklin	612	728	13	9	6
Gasconade	119	182	3	3	1
Gentry	110	121	-	-	-
Greene	3,027	1,889	22	10	27
Springfield	---	1,515	16	8	16
Balance of county	---	374	6	2	11
Grundy	154	173	-	-	-
Harrison	114	146	2	1	-
Henry	284	279	1	1	1
Hickory	51	108	1	1	1
Holt	28	68	1	1	2
Howard	78	110	-	-	-
Howell	512	406	6	5	3
Iron	156	185	3	2	-
Jackson	7,317	6,219	119	74	77
White	5,923	4,843	60	36	53
All other	1,394	1,376	59	38	24
Black	1,346	1,343	58	38	23
Blue Springs	---	216	5	1	4
Grandview	---	177	2	2	1
Independence, part	---	1,069	15	7	16
Independence, total	---	1,069	15	7	16
Kansas City, part	---	3,869	92	62	47
White	---	2,532	35	24	24
All other	---	1,337	57	38	23
Black	---	1,315	57	38	23
Kansas City, total	---	4,452	99	68	53
White	---	3,113	42	30	30
All other	---	1,339	57	38	23
Black	---	1,316	57	38	23
Lee's Summit, part	---	363	3	-	1
Lee's Summit, total	---	363	3	-	1
Raytown	---	308	1	1	3
Balance of county	---	217	1	1	5
Jasper	1,107	1,006	9	6	10
Carthage	---	146	3	2	1
Joplin, part	---	511	2	1	6
Joplin, total	---	570	4	1	6
Balance of county	---	349	4	3	3
Jefferson	735	1,177	20	13	9
Arnold	---	119	-	-	1
Balance of county	---	1,058	20	13	8
Johnson	244	280	6	4	4
Warrensburg	---	104	1	1	-
Balance of county	---	176	5	3	4
Knox	24	62	-	-	1
Laclede	197	268	2	1	3
Lafayette	250	373	1	1	3
Lawrence	274	315	5	4	3
Lewis	63	109	-	-	1
Lincoln	234	248	6	4	4
Linn	163	220	-	-	1
Livingston	208	201	-	-	-
McDonald	74	189	2	-	2
Macon	176	241	2	2	5
Madison	105	144	1	-	-
Maries	36	90	1	-	-
Marion	377	350	7	3	-
Hannibal, part	---	224	3	1	-
Hannibal, total	---	224	3	1	-
Balance of county	---	126	4	2	-
Mercer	32	62	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 46 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Missouri-Con.					
Miller	76	212	3	2	1
Mississippi	96	188	4	2	3
White	81	157	2	1	2
All other	15	31	2	1	1
Black	15	31	2	1	1
Moniteau	67	146	–	–	–
Monroe	42	101	1	–	1
Montgomery	86	168	1	1	–
Morgan	145	237	3	3	3
New Madrid	99	241	8	7	4
White	88	215	3	3	3
All other	11	26	5	4	1
Black	11	26	5	4	1
Sikeston, part	– – –	4	–	–	–
Balance of county	– – –	237	8	7	4
White	– – –	211	3	3	3
All other	– – –	26	5	4	1
Black	– – –	26	5	4	1
Newton	658	410	6	2	6
Joplin, part	– – –	59	2	–	–
Balance of county	– – –	351	4	2	6
Nodaway	191	210	1	1	2
Oregon	52	139	1	1	1
Osage	56	129	3	3	1
Ozark	41	97	1	1	1
Pemiscot	224	307	9	4	4
White	169	235	3	1	–
All other	55	72	6	3	4
Black	54	71	6	3	4
Perry	136	180	1	1	–
Pettis	426	390	7	5	1
Sedalia	– – –	254	5	3	1
Balance of county	– – –	136	2	2	–
Phelps	477	339	6	1	2
Rolla	– – –	121	3	1	1
Balance of county	– – –	218	3	–	1
Pike	163	194	4	2	–
Platte	272	350	7	3	3
Kansas City, part	– – –	153	1	1	2
Balance of county	– – –	197	6	2	1
Polk	257	284	5	3	1
Pulaski	138	248	11	8	5
White	128	233	9	6	3
All other	10	15	2	2	2
Black	9	13	2	2	2
Putnam	60	81	1	1	1
Ralls	43	90	–	–	2
Hannibal, part	– – –	–	–	–	–
Balance of county	– – –	90	–	–	2
Randolph	261	290	2	2	2
Moberly	– – –	186	1	1	2
Balance of county	– – –	104	1	1	–
Ray	139	217	2	2	1
Excelsior Springs, part	– – –	5	–	–	–
Balance of county	– – –	212	2	2	1
Reynolds	32	70	–	–	2
Ripley	56	138	2	–	4
St. Charles	1,008	1,064	22	12	14
St. Charles	– – –	394	7	3	4
St. Peters	– – –	147	3	–	3
Balance of county	– – –	523	12	9	7
St. Clair	148	142	–	–	1
Ste. Genevieve	100	137	–	–	3
St. Francois	549	549	3	3	8
St. Louis	9,384	8,524	139	87	73
White	8,445	7,535	69	42	33
All other	939	989	70	45	40
Black	912	960	69	44	40
Ballwin	– – –	74	3	2	–
Bellefontaine Neighbors	– – –	154	1	–	–
Berkeley	– – –	111	4	2	1
White	– – –	56	–	–	1
All other	– – –	55	4	2	–
Black	– – –	55	4	2	–
Bridgeton	– – –	153	1	–	1
Clayton	– – –	94	–	–	–
Crestwood	– – –	91	–	–	–
Creve Coeur	– – –	122	2	2	–
Ferguson	– – –	226	5	4	1
White	– – –	196	2	2	–
All other	– – –	30	3	2	1
Black	– – –	30	3	2	1
Florissant	– – –	481	5	4	2
Hazelwood	– – –	117	3	3	–
Jennings	– – –	169	5	2	3
White	– – –	129	2	–	–
All other	– – –	40	3	2	3
Black	– – –	40	3	2	3
Kirkwood	– – –	290	2	–	1
Maplewood	– – –	76	–	–	3
Overland	– – –	163	3	2	–
Richmond Heights	– – –	102	2	1	3
White	– – –	83	1	1	3
All other	– – –	19	1	–	–
Black	– – –	18	1	–	–
St. Ann	– – –	128	4	2	–
University City	– – –	379	13	9	1
White	– – –	211	3	1	–
All other	– – –	168	10	8	1
Black	– – –	168	10	8	1
Webster Groves	– – –	257	3	3	–
Balance of county	– – –	5,337	83	51	57
White	– – –	4,759	43	26	27
All other	– – –	578	40	25	30
Black	– – –	557	39	24	30
St. Louis city	6,682	5,508	143	84	81
White	4,036	3,040	19	11	18
All other	2,646	2,468	124	73	63
Black	2,633	2,461	124	73	63
Saline	250	299	3	1	2
Marshall	– – –	125	1	1	1
Balance of county	– – –	174	2	–	1
White	– – –	163	2	–	1
All other	– – –	11	–	–	–
Black	– – –	11	–	–	–
Schuyler	13	54	1	1	–
Scotland	48	65	–	–	2
Scott	450	420	8	4	5
Sikeston, part	– – –	203	3	1	2
White	– – –	175	1	–	1
All other	– – –	28	2	1	1
Black	– – –	27	2	1	1
Sikeston, total	– – –	207	3	1	2
White	– – –	179	1	–	1
All other	– – –	28	2	1	1
Black	– – –	27	2	1	1
Balance of county	– – –	217	5	3	3
White	– – –	212	5	3	3
All other	– – –	5	–	–	–
Black	– – –	5	–	–	–
Shannon	41	67	–	–	1
Shelby	78	124	–	–	2
Stoddard	229	361	3	2	5
Stone	99	199	2	1	–
Sullivan	54	93	1	1	1
Taney	296	338	4	4	2
Texas	165	239	2	1	4
Vernon	183	235	3	2	1
Warren	80	189	8	3	1
Washington	132	207	4	3	3
Wayne	67	165	2	–	2
Webster	97	222	5	2	2
Worth	17	22	1	1	–
Wright	115	182	3	2	1
Montana	6,984	7,014	81	38	87
White	6,626	6,652	60	31	75
All other	358	362	21	7	12
Black	9	8	1	–	–
Beaverhead	76	70	–	–	–
Big Horn	72	98	–	–	2
White	47	52	–	–	1
All other	25	46	–	–	1
Black	–	–	–	–	–
Blaine	40	70	1	–	1
White	25	43	–	–	1
All other	15	27	1	–	–
Black	–	–	–	–	–
Broadwater	22	28	–	–	1
Carbon	91	110	1	1	1
Carter	10	14	–	–	–
Cascade	792	692	10	4	10
Great Falls	– – –	601	8	4	6
Balance of county	– – –	91	2	–	4
Chouteau	27	63	–	–	–
Custer	185	142	1	–	4
Daniels	27	28	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 47 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Montana-Con.					
Dawson	77	97	–	–	–
Deer Lodge, coext. with Anaconda-Deer Lodge	92	124	2	1	–
Fallon	21	25	–	–	–
Fergus	152	168	–	–	4
Flathead	516	520	3	1	7
Kalispell	– – –	194	1	–	1
Balance of county	– – –	326	2	1	6
Gallatin	281	289	5	2	5
Bozeman	– – –	154	2	1	3
Balance of county	– – –	135	3	1	2
Garfield	6	10	–	–	1
Glacier	73	86	3	2	–
White	36	42	–	–	–
All other	37	44	3	2	–
Black	–	–	–	–	–
Golden Valley	1	14	–	–	–
Granite	18	28	–	–	–
Hill	140	136	3	2	1
White	121	119	–	–	1
All other	19	17	3	2	–
Black	–	–	–	–	–
Havre	– – –	97	3	2	1
Balance of county	– – –	39	–	–	–
White	– – –	28	–	–	–
All other	– – –	11	–	–	–
Black	– – –	–	–	–	–
Jefferson	49	68	2	1	1
Judith Basin	12	25	–	–	1
Lake	184	208	–	–	3
White	161	173	–	–	1
All other	23	35	–	–	2
Black	–	–	–	–	–
Lewis and Clark	388	368	10	4	6
Helena	– – –	251	7	2	1
Balance of county	– – –	117	3	2	5
Liberty	22	18	–	–	–
Lincoln	100	134	4	3	2
McCone	15	26	–	–	–
Madison	57	67	1	–	–
Meagher	14	19	1	1	–
Mineral	26	27	–	–	–
Missoula	641	506	4	3	10
Missoula	– – –	382	2	2	6
Balance of county	– – –	124	2	1	4
Musselshell	34	49	–	–	1
Park	121	129	–	–	1
Petroleum	2	2	–	–	–
Phillips	43	54	3	3	2
Pondera	58	67	–	–	–
Powder River	10	20	–	–	1
Powell	66	71	–	–	–
Prairie	5	17	–	–	1
Ravalli	218	255	4	1	–
Richland	89	89	1	–	1
Roosevelt	85	105	2	1	1
White	50	58	–	–	1
All other	35	47	2	1	–
Black	–	–	–	–	–
Rosebud	36	58	5	1	2
White	28	42	1	1	–
All other	8	16	4	–	2
Black	–	–	–	–	–
Sanders	80	92	–	–	–
Sheridan	51	55	–	–	–
Silver Bow	419	397	1	–	4
Butte-Silver Bow	– – –	377	1	–	4
Balance of county	– – –	20	–	–	–
Stillwater	55	58	–	–	–
Sweet Grass	24	30	–	–	–
Teton	57	68	–	–	–
Toole	30	36	–	–	–
Treasure	3	10	–	–	–
Valley	78	96	2	2	3
Wheatland	24	26	–	–	–
Wibaux	14	21	–	–	–
Yellowstone	1,155	931	12	5	10
Billings	– – –	732	6	2	9
Balance of county	– – –	199	6	3	1
Yellowstone National Park	–	–	–	–	–
Nebraska	14,971	14,725	182	96	171
White	14,438	14,196	151	84	153
All other	533	529	31	12	18
Black	426	425	24	12	12
Adams	322	290	3	1	4
Hastings	– – –	237	2	1	3
Balance of county	– – –	53	1	–	1
Antelope	62	77	–	–	1
Arthur	1	4	–	–	–
Banner	3	4	–	–	–
Blaine	–	4	–	–	–
Boone	75	81	–	–	1
Box Butte	95	109	4	2	1
Boyd	17	40	–	–	1
Brown	47	51	–	–	–
Buffalo	407	325	5	2	3
Kearney	– – –	201	4	1	3
Balance of county	– – –	124	1	1	–
Burt	82	111	2	–	1
Butler	100	118	2	–	1
Cass	102	214	2	2	1
Cedar	89	121	–	–	1
Chase	59	56	–	–	1
Cherry	54	65	–	–	1
Cheyenne	85	86	1	1	1
Clay	35	74	–	–	–
Colfax	86	118	2	–	–
Cuming	98	118	1	1	–
Custer	157	178	1	1	1
Dakota	82	150	4	2	2
Dawes	113	107	–	–	3
Dawson	197	220	6	5	2
Deuel	8	28	1	–	–
Dixon	41	86	3	2	3
Dodge	365	368	4	–	2
Fremont	– – –	243	4	–	1
Balance of county	– – –	125	–	–	1
Douglas	4,402	3,369	67	40	60
White	3,987	2,966	44	28	47
All other	415	403	23	12	13
Black	386	384	22	12	11
Omaha	– – –	3,083	60	36	56
White	– – –	2,682	37	24	43
All other	– – –	401	23	12	13
Black	– – –	382	22	12	11
Balance of county	– – –	286	7	4	4
Dundy	30	35	–	–	1
Fillmore	97	98	–	–	1
Franklin	43	67	1	–	–
Frontier	18	42	–	–	–
Furnas	92	110	–	–	1
Gage	277	318	–	–	2
Beatrice	– – –	197	–	–	1
Balance of county	– – –	121	–	–	1
Garden	34	44	–	–	1
Garfield	24	31	1	–	–
Gosper	12	25	–	–	–
Grant	2	7	–	–	–
Greeley	17	43	–	–	–
Hall	576	486	4	3	6
Grand Island	– – –	402	3	2	5
Balance of county	– – –	84	1	1	1
Hamilton	84	82	1	–	1
Harlan	49	57	–	–	–
Hayes	3	9	–	–	–
Hitchcock	12	39	1	–	–
Holt	115	147	–	–	1
Hooker	7	12	–	–	–
Howard	69	73	1	1	–
Jefferson	97	130	–	–	2
Johnson	54	64	1	1	–
Kearney	44	70	1	1	1
Keith	81	99	–	–	1
Keya Paha	1	8	–	–	–
Kimball	48	57	–	–	1
Knox	99	149	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 48 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Nebraska-Con.					
Lancaster	1,889	1,501	26	14	19
Lincoln	---	1,376	24	12	18
Balance of county	---	125	2	2	1
Lincoln	327	330	6	2	2
North Platte	---	262	3	1	1
Balance of county	---	68	3	1	1
Logan	2	5	-	-	-
Loup	1	5	-	-	-
McPherson	2	2	-	-	-
Madison	335	318	3	2	6
Norfolk	---	194	2	1	6
Balance of county	---	124	1	1	-
Merrick	71	88	1	-	2
Morrill	56	73	-	-	1
Nance	38	50	-	-	1
Nemaha	66	83	1	-	1
Nuckolls	61	75	-	-	-
Otoe	169	212	-	-	2
Pawnee	40	52	-	-	-
Perkins	53	53	-	-	-
Phelps	131	119	1	1	2
Pierce	83	76	-	-	1
Platte	223	238	3	-	1
Columbus	---	181	3	-	1
Balance of county	---	57	-	-	-
Polk	63	82	-	-	-
Red Willow	103	123	1	1	2
Richardson	139	171	1	1	-
Rock	20	22	-	-	-
Saline	161	167	3	1	2
Sarpy	333	399	7	5	7
Bellevue	---	155	2	-	1
Balance of county	---	244	5	5	6
Saunders	105	160	1	-	2
Scotts Bluff	436	366	1	1	4
Scottsbluff	---	161	-	-	3
Balance of county	---	205	1	1	1
Seward	129	153	-	-	-
Sheridan	87	91	-	-	-
Sherman	24	45	-	-	-
Sioux	6	10	-	-	-
Stanton	19	42	1	-	1
Thayer	91	110	-	-	2
Thomas	1	6	-	-	-
Thurston	60	86	2	-	1
White	40	51	-	-	-
All other	20	35	2	-	1
Black	-	-	-	-	-
Valley	56	55	-	-	-
Washington	138	156	-	-	-
Wayne	79	68	-	-	1
Webster	62	89	-	-	-
Wheeler	-	8	-	-	-
York	143	162	3	1	-
Nevada	10,632	9,963	202	95	150
White	9,795	9,194	153	70	116
All other	837	769	49	25	34
Black	591	563	44	22	25
Carson City city	460	453	9	5	5
Churchill	158	187	2	1	1
Clark	6,642	6,201	122	59	98
White	5,997	5,597	77	37	73
All other	645	604	45	22	25
Black	518	506	43	21	23
Henderson	---	405	5	2	17
Las Vegas	---	2,601	58	30	37
White	---	2,277	30	15	24
All other	---	324	28	15	13
Black	---	280	27	14	11
North Las Vegas	---	388	20	9	10
White	---	245	9	5	3
All other	---	143	11	4	7
Black	---	139	11	4	7
Balance of county	---	2,807	39	18	34
White	---	2,682	33	15	30
All other	---	125	6	3	4
Black	---	79	5	3	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Nevada-Con.					
Douglas	133	212	6	3	1
Elko	151	169	4	1	4
Esmeralda	7	9	-	-	1
Eureka	7	10	-	-	-
Humboldt	71	87	2	1	2
Lander	18	24	-	-	-
Lincoln	37	40	-	-	1
Lyon	108	217	6	3	1
Mineral	49	73	4	2	-
White	41	62	4	2	-
All other	8	11	-	-	-
Black	8	8	-	-	-
Nye	82	129	1	-	-
Pershing	41	33	1	1	-
Storey	10	14	-	-	-
Washoe	2,576	2,020	43	17	31
White	2,448	1,932	41	16	26
All other	128	88	2	1	5
Black	55	46	1	1	2
Reno	---	1,372	27	8	20
Sparks	---	433	10	5	9
Balance of county	---	215	6	4	2
White	---	206	4	3	1
All other	---	9	2	1	1
Black	---	1	1	1	-
White Pine	82	85	2	2	5
New Hampshire	8,372	8,413	99	64	94
White	8,330	8,372	96	63	92
All other	42	41	3	1	2
Black	26	27	1	1	1
Belknap	397	464	1	1	3
Laconia	---	174	-	-	1
Balance of county	---	290	1	1	2
Carroll	338	371	5	3	2
Cheshire	479	603	8	5	8
Keene	---	211	1	-	1
Balance of county	---	392	7	5	7
Coos	377	410	3	2	2
Berlin	---	157	1	1	-
Balance of county	---	253	2	1	2
Grafton	1,000	603	4	2	8
Lebanon	---	81	1	-	-
Balance of county	---	522	3	2	8
Hillsborough	2,531	2,344	32	20	28
Manchester	---	966	7	4	9
Nashua	---	521	15	9	8
Balance of county	---	857	10	7	11
Merrimack	1,007	984	12	8	13
Concord	---	343	4	2	2
Balance of county	---	641	8	6	11
Rockingham	1,238	1,520	18	11	22
Portsmouth	---	213	1	1	2
Balance of county	---	1,307	17	10	20
Strafford	756	741	14	10	7
Dover	---	214	4	3	2
Rochester	---	245	5	5	1
Somersworth	---	92	1	-	2
Balance of county	---	190	4	2	2
Sullivan	249	373	2	2	1
Claremont	---	171	-	-	1
Balance of county	---	202	2	2	-
New Jersey	68,795	70,492	1,054	698	966
White	59,063	60,583	592	402	593
All other	9,732	9,909	462	296	373
Black	9,250	9,422	434	277	347
Atlantic	2,630	2,389	36	26	32
White	2,125	1,871	16	12	18
All other	505	518	20	14	14
Black	492	506	20	14	13
Atlantic City	---	747	15	11	9
White	---	406	2	2	1
All other	---	341	13	9	8
Black	---	336	13	9	8
Hammonton	---	146	2	2	1
Pleasantville	---	199	5	4	3
White	---	111	2	2	2
All other	---	88	3	2	1
Black	---	87	3	2	1
Somers Point	---	121	1	1	3
Ventnor City	---	129	3	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 49 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
New Jersey-Con.					
Balance of county	- - -	1,047	10	7	14
Bergen	6,712	7,741	69	51	61
White	6,340	7,325	52	38	52
All other	372	416	17	13	9
Black	297	333	14	11	6
Bergenfield	- - -	202	-	-	5
Cliffside Park	- - -	240	-	-	-
Dumont	- - -	157	-	-	1
Elmwood Park	- - -	190	-	-	-
Englewood	- - -	255	-	-	2
White	- - -	139	-	-	1
All other	- - -	116	-	-	1
Black	- - -	114	-	-	1
Fair Lawn	- - -	334	3	2	1
Fairview	- - -	107	-	-	-
Fort Lee	- - -	310	1	-	1
White	- - -	304	-	-	1
All other	- - -	6	1	-	-
Black	- - -	1	-	-	-
Garfield	- - -	328	5	4	3
Glen Rock	- - -	104	1	-	1
Hackensack	- - -	354	8	7	3
White	- - -	275	4	4	-
All other	- - -	79	4	3	3
Black	- - -	78	4	3	2
Hasbrouck Heights	- - -	96	-	-	-
Hillsdale	- - -	78	1	1	1
Lodi	- - -	232	4	2	2
Lyndhurst twp#	- - -	221	1	1	1
New Milford	- - -	150	-	-	1
North Arlington	- - -	178	1	1	-
Oakland	- - -	79	1	1	3
Palisades Park	- - -	123	2	1	1
Paramus	- - -	241	-	-	1
Ramsey	- - -	77	-	-	2
Ridgefield	- - -	138	-	-	1
Ridgefield Park	- - -	57	2	1	2
Ridgewood	- - -	184	-	-	3
River Edge	- - -	106	7	6	1
Rutherford	- - -	182	1	-	-
Saddle Brook twp#	- - -	126	-	-	-
Teaneck twp#	- - -	328	7	6	2
White	- - -	260	3	2	-
All other	- - -	68	4	4	2
Black	- - -	64	4	4	2
Tenafly	- - -	110	-	-	2
Waldwick	- - -	74	-	-	-
Wallington	- - -	103	-	-	1
Westwood	- - -	95	-	-	1
Wyckoff twp#	- - -	131	6	5	-
Balance of county	- - -	2,051	18	13	19
White	- - -	2,003	15	11	18
All other	- - -	48	3	2	1
Black	- - -	26	2	1	-
Burlington	2,743	2,941	47	32	32
White	2,459	2,594	30	17	16
All other	284	347	17	15	16
Black	268	325	16	14	15
Burlington	- - -	100	1	1	3
White	- - -	75	1	1	2
All other	- - -	25	-	-	1
Black	- - -	23	-	-	1
Cinnaminson twp#	- - -	131	-	-	-
Delran twp#	- - -	97	-	-	-
Maple Shade twp#	- - -	188	2	-	-
Moorestown twp#	- - -	178	1	1	2
Mount Holly twp#	- - -	159	5	3	2
White	- - -	130	3	1	1
All other	- - -	29	2	2	1
Black	- - -	27	2	2	1
Pemberton twp#	- - -	237	7	5	1
White	- - -	195	4	2	-
All other	- - -	42	3	3	1
Black	- - -	37	2	2	1
Willingboro twp#	- - -	215	3	2	1
White	- - -	131	-	-	-
All other	- - -	84	3	2	1
Black	- - -	84	3	2	1
Balance of county	- - -	1,636	28	20	23
White	- - -	1,510	19	12	11
All other	- - -	126	9	8	12
Black	- - -	117	9	8	11
Camden	4,508	4,475	101	69	72
White	3,769	3,796	62	41	42
All other	739	679	39	28	30
Black	713	650	38	27	28
Bellmawr	- - -	125	2	-	-
Camden	- - -	793	47	33	28
White	- - -	357	17	11	7
All other	- - -	436	30	22	21
Black	- - -	435	30	22	20
Cherry Hill twp#	- - -	642	8	3	4
Collingswood	- - -	164	2	2	-
Gloucester twp#	- - -	294	7	6	2
Gloucester City	- - -	127	1	1	1
Haddon twp#	- - -	207	1	-	1
Haddonfield	- - -	80	-	-	-
Lindenwold	- - -	122	3	3	2
White	- - -	112	1	1	2
All other	- - -	10	2	2	-
Black	- - -	8	2	2	-
Pennsauken twp#	- - -	384	10	8	1
Voorhees twp#	- - -	168	4	3	2
White	- - -	155	3	2	2
All other	- - -	13	1	1	-
Black	- - -	9	-	-	-
Balance of county	- - -	1,369	16	10	31
White	- - -	1,248	14	9	24
All other	- - -	121	2	1	7
Black	- - -	111	2	1	6
Cape May	1,024	1,225	12	10	10
Ocean City	- - -	225	1	-	1
Balance of county	- - -	1,000	11	10	9
Cumberland	1,278	1,314	20	13	25
White	1,089	1,129	10	5	14
All other	189	185	10	8	11
Black	176	173	10	8	11
Bridgeton	- - -	267	8	5	3
White	- - -	197	4	2	1
All other	- - -	70	4	3	2
Black	- - -	67	4	3	2
Millville	- - -	287	4	2	8
Vineland	- - -	496	7	5	10
White	- - -	464	3	2	6
All other	- - -	32	4	3	4
Black	- - -	32	4	3	4
Balance of county	- - -	264	1	1	4
White	- - -	202	-	-	2
All other	- - -	62	1	1	2
Black	- - -	56	1	1	2
Essex	9,049	8,163	179	106	191
White	5,502	4,677	34	20	62
All other	3,547	3,486	145	86	129
Black	3,484	3,445	143	85	127
Belleville	- - -	328	5	3	3
Bloomfield	- - -	488	3	2	4
Cedar Grove twp#	- - -	138	1	1	-
East Orange	- - -	856	25	14	24
White	- - -	183	1	-	1
All other	- - -	673	24	14	23
Black	- - -	672	24	14	23
Irvington	- - -	543	28	19	14
White	- - -	269	-	-	1
All other	- - -	274	28	19	13
Black	- - -	272	28	19	13
Livingston twp#	- - -	215	2	1	1
Maplewood twp#	- - -	185	-	-	1
Millburn twp#	- - -	167	-	-	-
Montclair	- - -	356	4	3	6
White	- - -	226	1	1	1
All other	- - -	130	3	2	5
Black	- - -	129	3	2	5
Newark	- - -	3,093	92	51	104
White	- - -	990	15	8	32
All other	- - -	2,103	77	43	72
Black	- - -	2,094	76	42	71
Nutley	- - -	276	3	2	-
Orange	- - -	335	8	5	9
White	- - -	135	-	-	-
All other	- - -	200	8	5	9
Black	- - -	198	8	5	9
South Orange Village twp#	- - -	140	3	2	-
White	- - -	124	2	2	-
All other	- - -	16	1	-	-
Black	- - -	15	1	-	-
Verona	- - -	162	-	-	-
West Caldwell	- - -	98	1	-	1
West Orange	- - -	479	2	2	2
Balance of county	- - -	304	2	1	22
Gloucester	1,575	1,741	24	17	23
White	1,421	1,567	15	12	18
All other	154	174	9	5	5
Black	147	168	9	5	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 50 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New Jersey-Con.					
Deptford twp#	---	183	1	1	1
White	---	171	1	1	1
All other	---	12	-	-	-
Black	---	11	-	-	-
Glassboro	---	113	4	2	3
White	---	84	1	1	2
All other	---	29	3	1	1
Black	---	29	3	1	1
Washington twp#	---	114	-	-	-
West Deptford twp#	---	116	1	1	-
Woodbury	---	144	3	2	2
White	---	122	2	1	1
All other	---	22	1	1	1
Black	---	21	1	1	1
Balance of county	---	1,071	15	11	17
White	---	962	10	8	14
All other	---	109	5	3	3
Black	---	105	5	3	3
Hudson	4,717	5,372	93	63	82
White	4,040	4,616	56	39	52
All other	677	756	37	24	30
Black	625	696	36	23	25
Bayonne	---	778	8	8	8
Harrison	---	127	3	2	-
Hoboken	---	319	4	3	4
White	---	301	3	2	3
All other	---	18	1	1	1
Black	---	16	1	1	1
Jersey City	---	2,310	54	34	49
White	---	1,639	22	15	23
All other	---	671	32	19	26
Black	---	627	32	19	22
Kearny	---	312	1	1	6
North Bergen twp#	---	506	4	2	2
Secaucus	---	131	2	1	2
Union City	---	384	4	1	3
White	---	371	4	1	3
All other	---	13	-	-	-
Black	---	9	-	-	-
Weehawken twp#	---	90	3	3	-
West New York	---	308	7	5	3
White	---	304	7	5	2
All other	---	4	-	-	1
Black	---	3	-	-	-
Balance of county	---	107	3	3	5
Hunterdon	511	660	8	5	8
Mercer	3,252	2,953	51	30	47
White	2,702	2,425	17	12	17
All other	550	528	34	18	30
Black	534	512	33	17	29
East Windsor twp#	---	106	1	1	-
Ewing twp#	---	296	2	2	2
White	---	264	1	1	2
All other	---	32	1	1	-
Black	---	31	1	1	-
Hamilton twp#	---	804	10	7	3
Princeton	---	106	-	-	-
White	---	91	-	-	-
All other	---	15	-	-	-
Black	---	14	-	-	-
Trenton	---	1,072	33	16	32
White	---	699	7	4	6
All other	---	373	26	12	26
Black	---	371	25	11	26
Balance of county	---	569	5	4	10
White	---	500	3	3	8
All other	---	69	2	1	2
Black	---	59	2	1	1
Middlesex	4,600	5,090	77	57	65
White	4,193	4,715	48	35	52
All other	407	375	29	22	13
Black	344	318	24	19	11
Carteret	---	208	2	1	2
East Brunswick twp#	---	245	2	2	1
Edison twp#	---	606	8	6	6
Highland Park	---	98	2	2	1
White	---	86	2	2	1
All other	---	12	-	-	-
Black	---	11	-	-	-
Metuchen	---	124	2	-	-
Middlesex	---	100	1	-	2
New Brunswick	---	312	12	10	4
White	---	205	2	2	1
All other	---	107	10	8	3
Black	---	104	10	8	3
North Brunswick twp#	---	178	4	2	-
Old Bridge twp#	---	328	2	2	1
Perth Amboy	---	397	8	6	6
White	---	367	6	4	5
All other	---	30	2	2	1
Black	---	28	1	1	1
Piscataway twp#	---	251	4	3	1
White	---	202	1	1	-
All other	---	49	3	2	1
Black	---	44	2	2	1
Sayreville	---	285	3	3	4
South Plainfield	---	155	6	5	1
South River	---	145	1	1	4
Woodbridge twp#	---	771	8	7	7
Balance of county	---	887	12	7	25
White	---	852	10	6	22
All other	---	35	2	1	3
Black	---	30	2	1	2
Monmouth	4,788	4,915	56	36	56
White	4,287	4,381	36	19	38
All other	501	534	20	17	18
Black	476	507	19	16	17
Aberdeen twp#	---	79	2	2	1
White	---	69	1	1	1
All other	---	10	1	1	-
Black	---	9	-	-	-
Asbury Park	---	275	5	4	5
White	---	145	1	-	1
All other	---	130	4	4	4
Black	---	128	4	4	4
Eatontown	---	106	3	3	1
White	---	94	1	1	-
All other	---	12	2	2	1
Black	---	8	2	2	1
Freehold	---	86	3	2	2
White	---	69	2	1	1
All other	---	17	1	1	1
Black	---	16	1	1	1
Hazlet twp#	---	199	1	1	1
Howell twp#	---	206	-	-	5
Keansburg	---	131	2	-	1
Long Branch	---	318	5	5	4
White	---	258	1	1	3
All other	---	60	4	4	1
Black	---	59	4	4	1
Middletown twp#	---	454	-	-	-
Neptune twp#	---	397	5	4	5
White	---	293	2	1	2
All other	---	104	3	3	3
Black	---	102	3	3	3
Ocean twp#	---	161	4	3	1
Red Bank	---	187	6	1	1
White	---	143	3	-	-
All other	---	44	3	1	1
Black	---	43	3	1	1
Balance of county	---	2,316	20	11	29
White	---	2,184	18	10	23
All other	---	132	2	1	6
Black	---	120	2	1	6
Morris	3,321	2,958	42	32	36
White	3,174	2,833	34	26	31
All other	147	125	8	6	5
Black	110	88	4	3	1
Denville twp#	---	104	1	1	-
Dover	---	148	3	3	2
Hanover twp#	---	72	1	1	-
Madison	---	124	-	-	2
Morris twp#	---	100	1	-	-
Morristown	---	244	4	3	1
White	---	195	1	1	1
All other	---	49	3	2	-
Black	---	44	3	2	-
Parsippany-Troy Hills twp#	---	263	2	2	2
Pequannock twp#	---	121	-	-	-
Balance of county	---	1,782	30	22	29
White	---	1,743	27	20	25
All other	---	39	3	2	4
Black	---	21	-	-	1
Ocean	5,297	5,712	49	36	45
White	5,187	5,604	45	34	39
All other	110	108	4	2	6
Black	99	97	3	2	5
Brick twp#	---	677	9	8	4
Dover twp#	---	1,026	5	5	3
Jackson twp#	---	242	1	1	2
Lakewood twp#	---	707	10	6	2
White	---	658	7	4	2
All other	---	49	3	2	-
Black	---	49	3	2	-
Manchester twp#	---	779	-	-	-
Point Pleasant	---	264	4	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 51 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New Jersey-Con.					
Balance of county	- - -	2,017	20	13	33
White	- - -	1,989	19	13	28
All other	- - -	28	1	-	5
Black	- - -	23	-	-	4
Passaic	4,342	4,207	77	40	66
White	3,753	3,627	45	24	40
All other	589	580	32	16	26
Black	567	557	28	13	24
Clifton	- - -	960	2	1	3
Hawthorne	- - -	195	2	1	2
Little Falls twp#	- - -	116	2	1	-
Passaic	- - -	464	11	2	16
White	- - -	366	8	1	7
All other	- - -	98	3	1	9
Black	- - -	91	2	-	7
Paterson	- - -	1,205	50	29	28
White	- - -	759	22	14	13
All other	- - -	446	28	15	15
Black	- - -	438	26	13	15
Pompton Lakes	- - -	69	-	-	1
Ringwood	- - -	72	1	-	1
Totowa	- - -	117	1	1	-
Wanaque	- - -	108	1	-	1
Wayne twp#	- - -	410	3	3	3
West Paterson	- - -	87	-	-	2
Balance of county	- - -	404	4	2	9
Salem	626	634	4	3	8
White	531	524	2	2	3
All other	95	110	2	1	5
Black	93	108	2	1	5
Somerset	1,442	1,677	27	20	21
White	1,376	1,579	18	15	18
All other	66	98	9	5	3
Black	56	82	8	5	3
Bridgewater twp#	- - -	218	3	2	2
Franklin twp#	- - -	181	12	9	-
White	- - -	154	5	5	-
All other	- - -	27	7	4	-
Black	- - -	27	7	4	-
Manville	- - -	106	1	1	-
North Plainfield	- - -	157	2	2	-
Somerville	- - -	270	3	2	1
White	- - -	229	3	2	1
All other	- - -	41	-	-	-
Black	- - -	38	-	-	-
Balance of county	- - -	745	6	4	18
White	- - -	723	4	3	15
All other	- - -	22	2	1	3
Black	- - -	13	1	1	3
Sussex	794	853	16	12	17
Hopatcong	- - -	64	3	2	1
Balance of county	- - -	789	13	10	16
Union	4,877	4,731	54	33	56
White	4,159	3,935	30	21	37
All other	718	796	24	12	19
Black	695	773	23	11	19
Berkeley Heights twp#	- - -	94	1	-	-
Clark twp#	- - -	130	1	1	-
Cranford twp#	- - -	192	2	2	1
Elizabeth	- - -	988	15	5	16
White	- - -	779	7	3	10
All other	- - -	209	8	2	6
Black	- - -	203	7	1	6
Hillside twp#	- - -	167	1	1	-
White	- - -	110	-	-	-
All other	- - -	57	1	1	-
Black	- - -	56	1	1	-
Linden	- - -	440	3	2	4
White	- - -	381	1	-	4
All other	- - -	59	2	2	-
Black	- - -	57	2	2	-
New Providence	- - -	94	-	-	2
Plainfield	- - -	385	10	7	10
White	- - -	151	3	3	2
All other	- - -	234	7	4	8
Black	- - -	233	7	4	8
Rahway	- - -	257	2	1	6
White	- - -	209	1	1	3
All other	- - -	48	1	-	3
Black	- - -	46	1	-	3
Roselle	- - -	206	4	3	3
White	- - -	153	2	2	2
All other	- - -	53	2	1	1
Black	- - -	53	2	1	1
Roselle Park	- - -	128	-	-	1
Scotch Plains twp#	- - -	179	4	2	1
White	- - -	155	3	1	1
All other	- - -	24	1	1	-
Black	- - -	20	1	1	-
Springfield twp#	- - -	169	-	-	-
Summit	- - -	174	3	3	3
Union twp#	- - -	641	2	1	-
Westfield	- - -	221	5	4	1
Balance of county	- - -	266	1	1	8
White	- - -	263	1	1	7
All other	- - -	3	-	-	1
Black	- - -	3	-	-	1
Warren	709	741	12	7	13
Phillipsburg	- - -	213	2	1	3
Balance of county	- - -	528	10	6	10
New Mexico [6]	11,165	11,270	225	138	105
White	10,053	10,252	174	111	89
All other	1,112	1,018	51	27	16
Black	198	202	13	10	4
Bernalillo	4,374	3,375	72	42	33
White	4,079	3,253	64	38	31
All other	295	122	8	4	2
Black	73	58	6	4	1
Albuquerque	- - -	3,176	71	42	33
White	- - -	3,072	63	38	31
All other	- - -	104	8	4	2
Black	- - -	57	6	4	1
Balance of county	- - -	199	1	-	-
White	- - -	181	1	-	-
All other	- - -	18	-	-	-
Black	- - -	1	-	-	-
Catron	13	26	-	-	-
Chaves	570	559	9	7	7
Roswell	- - -	491	8	6	6
White	- - -	466	6	4	5
All other	- - -	25	2	2	1
Black	- - -	21	2	2	1
Balance of county	- - -	68	1	1	1
Cibola	120	176	7	4	4
White	77	105	3	1	3
All other	43	71	4	3	1
Black	2	2	-	-	-
Colfax	129	131	-	-	-
Curry	311	329	6	4	6
Clovis	- - -	284	5	3	6
White	- - -	265	3	2	4
All other	- - -	19	2	1	2
Black	- - -	19	2	1	1
Balance of county	- - -	45	1	1	-
White	- - -	45	1	1	-
All other	- - -	-	-	-	-
Black	- - -	-	-	-	-
De Baca	28	30	2	1	-
Dona Ana	721	804	20	18	13
Las Cruces	- - -	526	12	11	4
White	- - -	512	12	11	3
All other	- - -	14	-	-	1
Black	- - -	9	-	-	-
Balance of county	- - -	278	8	7	9
White	- - -	271	8	7	8
All other	- - -	7	-	-	1
Black	- - -	3	-	-	1
Eddy	424	489	8	4	2
Artesia	- - -	140	2	1	-
White	- - -	135	2	1	-
All other	- - -	5	-	-	-
Black	- - -	4	-	-	-
Carlsbad	- - -	286	4	2	2
White	- - -	278	4	2	2
All other	- - -	8	-	-	-
Black	- - -	6	-	-	-
Balance of county	- - -	63	2	1	-
White	- - -	62	2	1	-
All other	- - -	1	-	-	-
Black	- - -	1	-	-	-
Grant	250	242	3	3	-
Guadalupe	26	38	-	-	-
Harding	2	10	-	-	-
Hidalgo	15	40	-	-	3
Lea	357	450	8	3	1
Hobbs	- - -	290	4	1	-
White	- - -	258	4	1	-
All other	- - -	32	-	-	-
Black	- - -	30	-	-	-
Balance of county	- - -	160	4	2	1
White	- - -	159	4	2	1
All other	- - -	1	-	-	-
Black	- - -	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 52 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New Mexico-Con.					
Lincoln	106	115	3	2	3
Los Alamos	101	103	1	1	–
Luna	159	212	1	1	–
McKinley	406	430	14	9	9
White	109	123	1	1	3
All other	297	307	13	8	6
Black	6	5	–	–	–
Gallup	– – –	159	5	4	3
White	– – –	102	1	1	2
All other	– – –	57	4	3	1
Black	– – –	4	–	–	–
Balance of county	– – –	271	9	5	6
White	– – –	21	–	–	1
All other	– – –	250	9	5	5
Black	– – –	1	–	–	–
Mora	9	32	1	1	–
Otero	310	352	9	7	2
White	278	311	5	4	1
All other	32	41	4	3	1
Black	11	14	3	3	–
Alamogordo	– – –	213	6	6	–
White	– – –	198	3	3	–
All other	– – –	15	3	3	–
Black	– – –	11	3	3	–
Balance of county	– – –	139	3	1	2
White	– – –	113	2	1	1
All other	– – –	26	1	–	1
Black	– – –	3	–	–	–
Quay	106	134	1	1	1
Rio Arriba	222	262	5	–	3
White	207	230	2	–	3
All other	15	32	3	–	–
Black	–	–	–	–	–
Roosevelt	97	127	1	–	–
Sandoval	195	423	9	5	1
White	167	345	6	2	1
All other	28	78	3	3	–
Black	2	6	–	–	–
San Juan	542	534	16	8	5
White	340	359	7	6	4
All other	202	175	9	2	1
Black	1	1	–	–	–
Farmington	– – –	196	3	2	1
White	– – –	177	2	2	1
All other	– – –	19	1	–	–
Black	– – –	1	–	–	–
Balance of county	– – –	338	13	6	4
White	– – –	182	5	4	3
All other	– – –	156	8	2	1
Black	– – –	–	–	–	–
San Miguel	221	229	2	1	2
Las Vegas	– – –	161	2	1	1
White	– – –	159	2	1	1
All other	– – –	2	–	–	–
Black	– – –	2	–	–	–
Balance of county	– – –	68	–	–	1
White	– – –	68	–	–	1
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Santa Fe	697	644	11	6	5
Santa Fe	– – –	504	11	6	3
White	– – –	493	10	6	3
All other	– – –	11	1	–	–
Black	– – –	3	–	–	–
Balance of county	– – –	140	–	–	2
White	– – –	125	–	–	2
All other	– – –	15	–	–	–
Black	– – –	2	–	–	–
Sierra	197	203	–	–	1
Socorro	104	128	3	2	–
White	96	117	1	1	–
All other	8	11	2	1	–
Black	2	1	–	–	–
Taos	123	162	3	3	1
Torrance	40	80	3	1	–
Union	44	50	1	1	–
Valencia	146	351	6	3	3
White	143	341	6	3	3
All other	3	10	–	–	–
Black	1	4	–	–	–
New York	166,236	167,549	2,753	1,886	2,841
White	139,567	140,789	1,605	1,118	1,770
All other	26,669	26,760	1,148	768	1,071
Black	24,860	24,969	1,089	736	981

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New York-Con.					
Albany	3,522	2,876	36	28	32
White	3,279	2,666	20	14	22
All other	243	210	16	14	10
Black	234	201	16	14	9
Albany	– – –	1,240	20	16	15
White	– – –	1,068	7	5	8
All other	– – –	172	13	11	7
Black	– – –	171	13	11	7
Cohoes	– – –	175	5	4	1
Watervliet	– – –	143	1	–	1
Balance of county	– – –	1,318	10	8	15
Allegany	354	462	7	2	8
Broome	2,309	2,160	18	11	20
Binghamton	– – –	760	5	2	6
Endicott	– – –	205	2	1	1
Johnson City	– – –	211	4	3	3
Vestal town#	– – –	227	–	–	3
Balance of county	– – –	757	7	5	7
Cattaraugus	715	811	6	3	12
Olean	– – –	180	2	1	3
Balance of county	– – –	631	4	2	9
Cayuga	726	761	9	5	4
Auburn	– – –	400	3	1	1
Balance of county	– – –	361	6	4	3
Chautauqua	1,459	1,533	10	5	16
Dunkirk	– – –	153	–	–	3
Fredonia	– – –	83	1	1	1
Jamestown	– – –	416	4	1	4
Balance of county	– – –	881	5	3	8
Chemung	1,057	951	11	4	9
Elmira	– – –	375	5	1	5
White	– – –	361	4	1	5
All other	– – –	14	1	–	–
Black	– – –	13	1	–	–
Balance of county	– – –	576	6	3	4
Chenango	356	466	4	2	3
Clinton	638	559	13	11	10
Plattsburgh	– – –	189	5	4	4
Balance of county	– – –	370	8	7	6
Columbia	547	688	7	5	8
Cortland	458	436	9	5	5
Cortland	– – –	216	5	2	1
Balance of county	– – –	220	4	3	4
Delaware	468	530	10	7	3
Dutchess	2,001	2,020	19	10	27
White	1,873	1,874	15	8	19
All other	128	146	4	2	8
Black	122	135	4	2	7
Beacon	– – –	114	2	–	4
White	– – –	94	2	–	3
All other	– – –	20	–	–	1
Black	– – –	19	–	–	1
Poughkeepsie	– – –	379	4	2	6
White	– – –	310	2	1	3
All other	– – –	69	2	1	3
Black	– – –	68	2	1	3
Balance of county	– – –	1,527	13	8	17
White	– – –	1,470	11	7	13
All other	– – –	57	2	1	4
Black	– – –	48	2	1	3
Erie	10,683	10,383	144	110	101
White	9,529	9,247	84	66	72
All other	1,154	1,136	60	44	29
Black	1,114	1,093	56	40	28
Buffalo	– – –	4,085	99	76	50
White	– – –	3,038	40	33	22
All other	– – –	1,047	59	43	28
Black	– – –	1,030	56	40	27
Depew	– – –	201	3	2	2
Hamburg	– – –	87	1	1	–
Kenmore	– – –	193	–	–	2
Lackawanna	– – –	263	3	3	4
White	– – –	238	3	3	3
All other	– – –	25	–	–	1
Black	– – –	24	–	–	1
Lancaster	– – –	125	–	–	2
Tonawanda	– – –	172	2	1	5
West Seneca town#	– – –	421	3	1	1
Balance of county	– – –	4,836	33	26	35
White	– – –	4,773	32	25	35
All other	– – –	63	1	1	–
Black	– – –	38	–	–	–
Essex	263	369	5	3	5
Franklin	425	429	4	3	6
Fulton	446	583	10	8	5
Gloversville	– – –	218	6	5	1
Balance of county	– – –	365	4	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 53 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New York-Con.					
Genesee	552	555	8	5	11
Batavia	---	211	2	1	4
Balance of county	---	344	6	4	7
Greene	381	498	3	2	6
Hamilton	24	66	-	-	-
Herkimer	595	699	3	2	5
Jefferson	929	894	13	9	25
Watertown	---	344	3	3	5
Balance of county	---	550	10	6	20
Lewis	172	212	3	1	3
Livingston	375	516	5	4	6
Madison	438	524	7	5	6
Oneida	---	109	2	2	1
Balance of county	---	415	5	3	5
Monroe	6,437	5,963	116	84	93
White	5,812	5,353	60	45	62
All other	625	610	56	39	31
Black	592	580	54	38	29
Brighton town#	---	390	2	1	-
Gates town#	---	224	2	2	-
Greece town#	---	666	8	6	10
Henrietta town#	---	164	4	3	-
Irondequoit town#	---	562	1	1	3
Penfield town#	---	237	2	-	3
Rochester	---	2,551	80	58	60
White	---	1,994	28	21	29
All other	---	557	52	37	31
Black	---	547	52	37	29
Balance of county	---	1,169	17	13	17
White	---	1,153	16	12	17
All other	---	16	1	1	-
Black	---	9	1	1	-
Montgomery	595	658	5	3	8
Amsterdam	---	321	4	3	7
Balance of county	---	337	1	-	1
Nassau	11,081	11,243	132	98	146
White	10,142	10,367	89	69	102
All other	939	876	43	29	44
Black	858	803	39	28	40
East Rockaway	---	92	-	-	3
Floral Park	---	147	1	1	1
Freeport	---	315	11	8	7
White	---	222	8	6	3
All other	---	93	3	2	4
Black	---	92	3	2	4
Garden City	---	185	1	-	1
Glen Cove	---	282	4	4	4
White	---	260	2	2	-
All other	---	22	2	2	4
Black	---	21	2	2	4
Hempstead	---	395	12	9	11
White	---	190	1	1	5
All other	---	205	11	8	6
Black	---	203	11	8	6
Long Beach	---	480	4	2	7
White	---	460	4	2	4
All other	---	20	-	-	3
Black	---	20	-	-	3
Lynbrook	---	192	4	4	1
Massapequa Park	---	169	1	1	3
Mineola	---	168	-	-	3
Rockville Centre	---	292	2	2	3
Valley Stream	---	351	1	1	2
Westbury	---	161	3	2	3
White	---	124	2	1	3
All other	---	37	1	1	-
Black	---	36	1	1	-
Balance of county	---	8,014	88	64	97
White	---	7,545	63	49	70
All other	---	469	25	15	27
Black	---	406	21	14	23
New York city	72,414	72,413	1,526	1,061	1,643
White	51,613	51,512	718	523	832
All other	20,801	20,901	808	538	811
Black	19,404	19,496	766	514	743
Bronx borough, Bronx county	---	12,768	359	236	315
White	---	8,726	167	114	146
All other	---	4,042	192	122	169
Black	---	3,954	185	116	164
Brooklyn borough, Kings county	---	22,044	609	424	663
White	---	14,594	253	186	290
All other	---	7,450	356	238	373
Black	---	7,217	352	237	356
Manhattan borough, New York county	---	15,655	224	158	237
White	---	10,428	117	86	150
All other	---	5,227	107	72	87
Black	---	4,750	100	70	76
Queens borough, Queens county	---	18,594	295	221	368
White	---	14,692	154	118	204
All other	---	3,902	141	103	164
Black	---	3,343	119	88	132
Staten Island borough, Richmond county	---	3,352	39	22	60
White	---	3,072	27	19	42
All other	---	280	12	3	18
Black	---	232	10	3	15
Niagara	2,096	2,255	18	12	14
White	2,010	2,147	12	7	12
All other	86	108	6	5	2
Black	75	98	6	5	2
Lockport	---	311	1	1	2
Niagara Falls	---	799	9	5	6
White	---	715	5	2	4
All other	---	84	4	3	2
Black	---	81	4	3	2
North Tonawanda	---	314	4	3	2
Balance of county	---	831	4	3	4
White	---	821	4	3	4
All other	---	10	-	-	-
Black	---	3	-	-	-
Oneida	2,524	2,559	27	17	33
Rome	---	424	8	5	10
Utica	---	966	10	6	14
Balance of county	---	1,169	9	6	9
White	---	1,163	9	6	9
All other	---	6	-	-	-
Black	---	4	-	-	-
Onondaga	4,459	3,899	55	38	58
White	4,209	3,671	39	26	42
All other	250	228	16	12	16
Black	225	208	16	12	16
Syracuse	---	1,720	33	19	36
White	---	1,517	20	10	21
All other	---	203	13	9	15
Black	---	195	13	9	15
Balance of county	---	2,179	22	19	22
White	---	2,154	19	16	21
All other	---	25	3	3	1
Black	---	13	3	3	1
Ontario	963	862	11	5	13
Canandaigua	---	154	1	-	3
Geneva, part	---	170	2	2	2
Geneva, total	---	170	2	2	2
Balance of county	---	538	8	3	8
White	---	533	8	3	8
All other	---	5	-	-	-
Black	---	4	-	-	-
Orange	2,484	2,434	40	30	49
White	2,320	2,269	35	27	40
All other	164	165	5	3	9
Black	155	161	5	3	9
Middletown	---	252	4	3	7
White	---	238	4	3	6
All other	---	14	-	-	1
Black	---	14	-	-	1
Newburgh	---	272	7	4	13
White	---	181	4	2	8
All other	---	91	3	2	5
Black	---	91	3	2	5
Balance of county	---	1,910	29	23	29
White	---	1,850	27	22	26
All other	---	60	2	1	3
Black	---	56	2	1	3
Orleans	288	391	5	3	3
Oswego	762	994	14	7	9
Fulton	---	158	2	-	2
Oswego	---	248	4	3	-
Balance of county	---	588	8	4	7
White	---	585	8	4	7
All other	---	3	-	-	-
Black	---	1	-	-	-
Otsego	698	564	2	1	6
Oneonta	---	121	-	-	1
Balance of county	---	443	2	1	5
White	---	443	2	1	5
All other	---	-	-	-	-
Black	---	-	-	-	-
Putnam	413	516	12	6	13
Carmel town#	---	182	4	1	5
Balance of county	---	334	8	5	8
White	---	332	8	5	8
All other	---	2	-	-	-
Black	---	2	-	-	-
Rensselaer	1,396	1,456	18	9	12
Troy	---	583	11	5	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 54 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
New York-Con.					
Balance of county	---	873	7	4	8
White	---	860	7	4	8
All other	---	13	-	-	-
Black	---	13	-	-	-
Rockland	1,919	1,942	31	22	32
White	1,761	1,772	19	15	21
All other	158	170	12	7	11
Black	137	152	12	7	10
Spring Valley	---	166	10	6	8
White	---	100	1	1	1
All other	---	66	9	5	7
Black	---	65	9	5	7
Suffern	---	104	2	1	1
Balance of county	---	1,672	19	15	23
White	---	1,574	17	13	19
All other	---	98	2	2	4
Black	---	81	2	2	3
St. Lawrence	895	989	14	10	14
Massena	---	140	2	1	2
Ogdensburg	---	155	6	5	2
Potsdam	---	62	2	2	-
Balance of county	---	632	4	2	10
Saratoga	774	1,282	17	11	20
Saratoga Springs	---	243	7	4	4
Balance of county	---	1,039	10	7	16
Schenectady	1,672	1,557	25	15	19
Niskayuna town#	---	138	1	1	-
Rotterdam town#	---	245	1	-	-
Schenectady	---	822	17	10	16
Balance of county	---	352	6	4	3
Schoharie	223	308	5	3	4
Schuyler	150	173	2	1	1
Seneca	203	305	2	1	2
Geneva, part	---	-	-	-	-
Balance of county	---	305	2	1	2
White	---	303	2	1	1
All other	---	2	-	-	1
Black	---	1	-	-	1
Steuben	926	1,019	6	6	11
Corning	---	151	-	-	-
Hornell	---	114	-	-	1
Balance of county	---	754	6	6	10
Suffolk	10,131	10,346	153	95	125
White	9,556	9,705	111	74	100
All other	575	641	42	21	25
Black	526	592	41	21	25
Babylon	---	92	2	1	1
Lindenhurst	---	203	4	3	2
Patchogue	---	91	-	-	-
Balance of county	---	9,960	147	91	122
White	---	9,332	106	70	98
All other	---	628	41	21	24
Black	---	579	40	21	24
Sullivan	546	757	12	7	11
Tioga	186	423	9	7	7
Tompkins	537	557	9	4	12
Ithaca	---	189	3	-	5
White	---	179	3	-	3
All other	---	10	-	-	2
Black	---	10	-	-	-
Balance of county	---	368	6	4	7
Ulster	1,198	1,548	22	14	18
Kingston	---	360	6	5	4
Balance of county	---	1,188	16	9	14
Warren	914	596	5	3	6
Glens Falls	---	182	-	-	2
Balance of county	---	414	5	3	4
Washington	272	547	1	1	3
Wayne	531	712	6	5	8
Newark	---	92	1	1	1
Balance of county	---	620	5	4	7
Westchester	8,202	7,727	88	56	108
White	7,218	6,766	46	28	71
All other	984	961	42	28	37
Black	939	925	40	27	34
Dobbs Ferry	---	97	-	-	-
Harrison	---	150	2	1	5
Mamaroneck	---	160	2	1	-
Mount Vernon	---	693	13	10	10
White	---	407	2	1	4
All other	---	286	11	9	6
Black	---	283	11	9	6
New Rochelle	---	760	5	3	7
White	---	615	3	2	3
All other	---	145	2	1	4
Black	---	138	2	1	4
Ossining	---	168	3	3	3
White	---	144	1	1	2
All other	---	24	2	2	1
Black	---	24	2	2	1
Peekskill	---	196	2	2	8
White	---	161	1	1	6
All other	---	35	1	1	2
Black	---	32	1	1	2
Port Chester	---	239	1	-	4
White	---	216	1	-	4
All other	---	23	-	-	-
Black	---	22	-	-	-
Rye	---	106	-	-	-
Scarsdale	---	143	-	-	3
Tarrytown	---	114	-	-	2
White	---	101	-	-	-
All other	---	13	-	-	2
Black	---	12	-	-	2
White Plains	---	457	10	6	10
White	---	373	3	2	7
All other	---	84	7	4	3
Black	---	82	7	4	3
Yonkers	---	1,845	28	16	37
White	---	1,684	17	9	24
All other	---	161	11	7	13
Black	---	158	11	7	11
Yorktown town#	---	254	-	-	1
Balance of county	---	2,345	22	14	18
White	---	2,183	14	10	13
All other	---	162	8	4	5
Black	---	152	6	3	4
Wyoming	286	343	1	1	3
Yates	168	230	-	-	1
North Carolina	59,369	58,880	1,106	724	862
White	44,944	44,491	553	345	456
All other	14,425	14,389	553	379	406
Black	13,896	13,854	523	360	386
Alamance	831	1,007	17	11	19
White	695	816	7	6	11
All other	136	191	10	5	8
Black	135	189	10	5	8
Burlington	---	455	7	5	14
White	---	362	1	1	7
All other	---	93	6	4	7
Black	---	93	6	4	7
Balance of county	---	552	10	6	5
White	---	454	6	5	4
All other	---	98	4	1	1
Black	---	96	4	1	1
Alexander	147	228	6	4	-
Alleghany	115	123	1	1	2
Anson	163	258	5	3	2
White	101	156	-	-	-
All other	62	102	5	3	2
Black	61	102	5	3	2
Ashe	200	212	3	3	3
Avery	166	154	1	1	3
Beaufort	446	447	8	6	5
White	295	293	2	1	1
All other	151	154	6	5	4
Black	151	153	6	5	4
Bertie	170	252	9	5	3
White	69	107	1	-	-
All other	101	145	8	5	3
Black	101	145	8	5	3
Bladen	216	317	7	4	4
White	124	191	4	2	1
All other	92	126	3	2	3
Black	89	123	3	2	3
Brunswick	359	479	7	6	5
White	299	385	2	1	5
All other	60	94	5	5	-
Black	57	93	5	5	-
Buncombe	2,473	1,914	20	13	21
White	2,286	1,748	17	11	18
All other	187	166	3	2	3
Black	181	163	3	2	2
Asheville	---	947	7	5	12
White	---	800	4	3	9
All other	---	147	3	2	3
Black	---	146	3	2	2
Balance of county	---	967	13	8	9
Burke	643	696	10	7	2
Hickory, part	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 55 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
North Carolina-Con.					
Morganton	---	188	2	1	-
White	---	164	1	1	-
All other	---	24	1	-	-
Black	---	23	1	-	-
Balance of county	---	507	8	6	2
Cabarrus	869	886	6	5	5
White	759	755	6	5	5
All other	110	131	-	-	-
Black	110	131	-	-	-
Concord	---	334	3	3	2
White	---	280	3	3	2
All other	---	54	-	-	-
Black	---	54	-	-	-
Balance of county	---	552	3	2	3
White	---	475	3	2	3
All other	---	77	-	-	-
Black	---	77	-	-	-
Caldwell	545	674	14	6	10
Lenoir	---	230	1	1	3
White	---	198	1	1	2
All other	---	32	-	-	1
Black	---	32	-	-	1
Balance of county	---	444	13	5	7
Camden	16	48	1	1	-
White	11	34	-	-	-
All other	5	14	1	1	-
Black	5	13	1	1	-
Elizabeth City, part	---	-	-	-	-
Balance of county	---	48	1	1	-
White	---	34	-	-	-
All other	---	14	1	1	-
Black	---	13	1	1	-
Carteret	468	502	6	2	6
White	428	457	5	1	5
All other	40	45	1	1	1
Black	40	44	1	1	1
Caswell	80	203	3	1	-
White	49	103	1	-	-
All other	31	100	2	1	-
Black	31	100	2	1	-
Catawba	1,122	1,008	16	11	15
White	1,026	912	16	11	13
All other	96	96	-	-	2
Black	95	95	-	-	2
Hickory, part	---	371	6	4	3
White	---	328	6	4	2
All other	---	43	-	-	1
Black	---	43	-	-	1
Hickory, total	---	372	6	4	3
White	---	329	6	4	2
All other	---	43	-	-	1
Black	---	43	-	-	1
Balance of county	---	637	10	7	12
Chatham	254	387	6	4	5
White	198	295	3	2	3
All other	56	92	3	2	2
Black	56	92	3	2	2
Cherokee	205	218	2	-	2
Chowan	222	159	1	1	-
White	154	111	1	1	-
All other	68	48	-	-	-
Black	68	48	-	-	-
Clay	21	68	-	-	-
Cleveland	880	870	9	5	12
White	694	667	6	2	6
All other	186	203	3	3	6
Black	185	202	3	3	4
Shelby	---	270	3	3	4
White	---	186	-	-	-
All other	---	84	3	3	4
Black	---	84	3	3	4
Balance of county	---	600	6	2	8
White	---	481	6	2	6
All other	---	119	-	-	2
Black	---	118	-	-	-
Columbus	434	571	8	5	4
White	288	365	5	3	1
All other	146	206	3	2	3
Black	140	196	3	2	3
Craven	781	671	15	11	15
White	548	474	10	6	10
All other	233	197	5	5	5
Black	230	195	5	5	5
Havelock	---	53	3	2	7
White	---	49	3	2	6
All other	---	4	-	-	1
Black	---	3	-	-	1
New Bern	---	275	5	4	3
White	---	175	1	-	1
All other	---	100	4	4	2
Black	---	99	4	4	2
Balance of county	---	343	7	5	5
White	---	250	6	4	3
All other	---	93	1	1	2
Black	---	93	1	1	2
Cumberland	1,870	1,558	57	35	43
White	1,166	1,019	27	15	17
All other	704	539	30	20	26
Black	643	505	29	19	25
Fayetteville	---	738	24	15	22
White	---	426	8	5	4
All other	---	312	16	10	18
Black	---	295	16	10	17
Balance of county	---	820	33	20	21
White	---	593	19	10	13
All other	---	227	14	10	8
Black	---	210	13	9	8
Currituck	50	135	3	2	-
White	43	110	2	1	-
All other	7	25	1	1	-
Black	7	25	1	1	-
Dare	77	143	6	4	2
Davidson	759	1,093	16	13	17
White	673	970	12	10	13
All other	86	123	4	3	4
Black	83	120	3	3	4
High Point, part	---	2	-	-	-
Lexington	---	215	5	4	2
White	---	155	4	3	2
All other	---	60	1	1	-
Black	---	59	1	1	-
Thomasville	---	220	3	2	2
White	---	177	1	1	-
All other	---	43	2	1	2
Black	---	41	1	1	2
Balance of county	---	656	8	7	13
Davie	156	240	2	1	2
White	131	209	2	1	2
All other	25	31	-	-	-
Black	25	31	-	-	-
Duplin	297	468	6	4	5
White	180	298	2	2	2
All other	117	170	4	2	3
Black	116	169	4	2	3
Durham	2,756	1,455	29	17	28
White	1,812	854	9	4	9
All other	944	601	20	13	19
Black	913	597	20	13	19
Chapel Hill, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	1,224	25	14	23
White	---	662	5	1	8
All other	---	562	20	13	15
Black	---	559	20	13	15
Balance of county	---	230	4	3	5
White	---	191	4	3	1
All other	---	39	-	-	4
Black	---	38	-	-	4
Edgecombe	372	604	12	6	12
White	186	289	2	1	3
All other	186	315	10	5	9
Black	186	315	10	5	9
Rocky Mount, part	---	211	7	4	4
White	---	52	-	-	2
All other	---	159	7	4	2
Black	---	159	7	4	2
Balance of county	---	393	5	2	8
White	---	237	2	1	1
All other	---	156	3	1	7
Black	---	156	3	1	7
Forsyth	3,822	2,461	61	48	44
White	3,001	1,794	22	19	20
All other	821	667	39	29	24
Black	816	665	39	29	24
Winston-Salem	---	1,680	45	35	33
White	---	1,055	11	10	10
All other	---	625	34	25	23
Black	---	624	34	25	23
Balance of county	---	781	16	13	11
Franklin	286	380	8	3	5
White	158	217	4	1	4
All other	128	163	4	2	1
Black	128	163	4	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 56 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
North Carolina-Con.					
Gaston	1,268	1,618	40	33	18
White	1,070	1,386	24	20	11
All other	198	232	16	13	7
Black	195	229	16	13	7
Gastonia	---	672	24	19	9
White	---	522	10	7	5
All other	---	150	14	12	4
Black	---	150	14	12	4
Balance of county	---	946	16	14	9
White	---	864	14	13	6
All other	---	82	2	1	3
Black	---	79	2	1	3
Gates	37	107	1	1	2
White	16	63	-	-	1
All other	21	44	1	1	1
Black	21	44	1	1	1
Graham	36	67	2	2	-
Granville	322	400	5	2	5
White	163	214	3	2	4
All other	159	186	2	-	1
Black	158	185	2	-	1
Greene	48	153	6	6	-
White	32	99	2	2	-
All other	16	54	4	4	-
Black	16	54	4	4	-
Guilford	3,357	3,091	56	37	49
White	2,593	2,320	23	16	22
All other	764	771	33	21	27
Black	757	763	31	20	27
Greensboro	---	1,629	34	22	25
White	---	1,097	13	9	10
All other	---	532	21	13	15
Black	---	526	20	13	15
High Point, part	---	816	18	13	18
White	---	634	6	5	7
All other	---	182	12	8	11
Black	---	181	11	7	11
High Point, total	---	821	18	13	18
White	---	637	6	5	7
All other	---	184	12	8	11
Black	---	183	11	7	11
Balance of county	---	646	4	2	6
White	---	589	4	2	5
All other	---	57	-	-	1
Black	---	56	-	-	1
Halifax	683	681	17	9	7
White	335	344	3	3	2
All other	348	337	14	6	5
Black	339	320	14	6	5
Roanoke Rapids	---	191	3	3	-
White	---	150	1	1	-
All other	---	41	2	2	-
Black	---	41	2	2	-
Balance of county	---	490	14	6	7
White	---	194	2	2	2
All other	---	296	12	4	5
Black	---	279	12	4	5
Harnett	471	597	14	12	9
White	340	433	9	8	6
All other	131	164	5	4	3
Black	126	157	5	4	3
Haywood	508	553	9	7	6
Henderson	861	863	5	3	4
Hertford	296	254	5	1	7
White	154	127	1	-	4
All other	142	127	4	1	3
Black	141	125	4	1	3
Hoke	91	186	5	4	4
White	48	98	2	2	-
All other	43	88	3	2	4
Black	32	67	-	-	3
Hyde	30	78	1	1	-
White	21	51	-	-	-
All other	9	27	1	1	-
Black	9	27	1	1	-
Iredell	801	860	16	7	7
White	702	738	12	4	4
All other	99	122	4	3	3
Black	99	122	4	3	3
Statesville	---	285	3	2	2
White	---	215	-	-	-
All other	---	70	3	2	2
Black	---	70	3	2	2
Balance of county	---	575	13	5	5
White	---	523	12	4	4
All other	---	52	1	1	1
Black	---	52	1	1	1
Jackson	218	224	2	1	3
White	208	200	-	-	2
All other	10	24	2	1	1
Black	4	5	-	-	-
Johnston	477	786	11	9	7
White	395	651	8	6	4
All other	82	135	3	3	3
Black	81	134	3	3	3
Jones	27	89	5	2	1
White	17	49	4	2	-
All other	10	40	1	-	1
Black	10	40	1	-	1
Lee	430	412	9	7	3
White	323	308	2	2	1
All other	107	104	7	5	2
Black	106	104	7	5	2
Sanford	---	209	7	6	2
White	---	139	2	2	-
All other	---	70	5	4	2
Black	---	70	5	4	2
Balance of county	---	203	2	1	1
White	---	169	-	-	1
All other	---	34	2	1	-
Black	---	34	2	1	-
Lenoir	638	636	15	8	11
White	367	358	7	5	8
All other	271	278	8	3	3
Black	271	278	8	3	3
Kinston	---	354	9	5	5
White	---	158	2	2	3
All other	---	196	7	3	2
Black	---	196	7	3	2
Balance of county	---	282	6	3	6
White	---	200	5	3	5
All other	---	82	1	-	1
Black	---	82	1	-	1
Lincoln	344	429	5	4	9
McDowell	295	375	2	1	2
Macon	251	267	1	1	1
Madison	97	193	3	-	2
Martin	193	281	6	5	4
White	103	159	3	2	1
All other	90	122	3	3	3
Black	88	121	3	3	3
Mecklenburg	4,815	3,820	88	57	69
White	3,511	2,668	36	19	30
All other	1,304	1,152	52	38	39
Black	1,287	1,132	51	37	36
Charlotte	---	3,187	74	47	64
White	---	2,091	26	13	26
All other	---	1,096	48	34	38
Black	---	1,078	48	34	35
Balance of county	---	633	14	10	5
White	---	577	10	6	4
All other	---	56	4	4	1
Black	---	54	3	3	1
Mitchell	171	170	1	1	3
Montgomery	160	237	3	2	1
White	117	159	1	-	1
All other	43	78	2	2	-
Black	43	78	2	2	-
Moore	721	631	15	8	10
White	553	498	4	2	5
All other	168	133	11	6	5
Black	162	133	11	6	5
Nash	937	768	6	6	11
White	545	511	-	-	4
All other	392	257	6	6	7
Black	384	256	6	6	7
Rocky Mount, part	---	346	4	4	7
White	---	235	-	-	1
All other	---	111	4	4	6
Black	---	111	4	4	6
Rocky Mount, total	---	557	11	8	11
White	---	287	-	-	3
All other	---	270	11	8	8
Black	---	270	11	8	8
Balance of county	---	422	2	2	4
White	---	276	-	-	3
All other	---	146	2	2	1
Black	---	145	2	2	1
New Hanover	1,332	1,014	17	6	12
White	990	772	9	2	6
All other	342	242	8	4	6
Black	338	241	8	4	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 57 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
North Carolina-Con.					
Wilmington	---	630	10	4	10
White	---	419	2	-	4
All other	---	211	8	4	6
Black	---	210	8	4	6
Balance of county	---	384	7	2	2
Northampton	74	269	5	3	2
White	36	112	2	2	1
All other	38	157	3	1	1
Black	38	157	3	1	1
Onslow	484	602	35	20	20
White	372	475	22	11	15
All other	112	127	13	9	5
Black	108	123	13	9	5
Jacksonville	---	242	12	5	9
White	---	174	5	2	5
All other	---	68	7	3	4
Black	---	67	7	3	4
Balance of county	---	360	23	15	11
White	---	301	17	9	10
All other	---	59	6	6	1
Black	---	56	6	6	1
Orange	1,053	535	5	2	12
White	639	402	2	1	6
All other	414	133	3	1	6
Black	402	131	3	1	5
Chapel Hill, part	---	207	2	1	5
White	---	169	1	1	2
All other	---	38	1	-	3
Black	---	37	1	-	2
Chapel Hill, total	---	208	2	1	5
White	---	170	1	1	2
All other	---	38	1	-	3
Black	---	37	1	-	2
Balance of county	---	328	3	1	7
White	---	233	1	-	4
All other	---	95	2	1	3
Black	---	94	2	1	3
Pamlico	71	135	2	2	1
White	53	100	-	-	-
All other	18	35	2	2	1
Black	18	35	2	2	1
Pasquotank	439	350	8	7	5
White	296	221	4	4	2
All other	143	129	4	3	3
Black	142	129	4	3	3
Elizabeth City, part	---	216	3	3	1
White	---	131	2	2	-
All other	---	85	1	1	1
Black	---	85	1	1	1
Elizabeth City, total	---	216	3	3	1
White	---	131	2	2	-
All other	---	85	1	1	1
Black	---	85	1	1	1
Balance of county	---	134	5	4	4
White	---	90	2	2	2
All other	---	44	3	2	2
Black	---	44	3	2	2
Pender	230	288	4	3	5
White	148	176	1	1	2
All other	82	112	3	2	3
Black	81	111	3	2	3
Perquimans	41	119	-	-	-
White	35	89	-	-	-
All other	6	30	-	-	-
Black	6	30	-	-	-
Person	194	277	6	5	6
White	138	196	2	1	3
All other	56	81	4	4	3
Black	54	79	4	4	3
Pitt	1,405	913	33	23	19
White	809	539	12	7	3
All other	596	374	21	16	16
Black	595	373	21	16	15
Greenville	---	341	16	10	14
White	---	183	7	4	2
All other	---	158	9	6	12
Black	---	157	9	6	11
Balance of county	---	572	17	13	5
White	---	356	5	3	1
All other	---	216	12	10	4
Black	---	216	12	10	4
Polk	192	213	2	2	2
Randolph	663	886	13	10	14
Asheboro	---	256	3	2	2
White	---	232	2	2	1
All other	---	24	1	-	1
Black	---	24	1	-	1
High Point, part	---	3	-	-	-
Balance of county	---	627	10	8	12
Richmond	389	493	12	5	10
White	264	348	6	3	6
All other	125	145	6	2	4
Black	124	145	6	2	4
Robeson	822	961	23	14	17
White	410	440	3	1	5
All other	412	521	20	13	12
Black	219	260	8	6	7
Lumberton	---	253	2	2	1
White	---	161	-	-	1
All other	---	92	2	2	-
Black	---	70	2	2	-
Balance of county	---	708	21	12	16
White	---	279	3	1	4
All other	---	429	18	11	12
Black	---	190	6	4	7
Rockingham	660	862	9	3	12
White	499	679	7	2	6
All other	161	183	2	1	6
Black	161	182	2	1	6
Eden	---	216	2	1	4
White	---	185	1	-	2
All other	---	31	1	1	2
Black	---	31	1	1	2
Reidsville	---	210	1	-	1
White	---	148	-	-	-
All other	---	62	1	-	1
Black	---	62	1	-	1
Balance of county	---	436	6	2	7
White	---	346	6	2	4
All other	---	90	-	-	3
Black	---	89	-	-	3
Rowan	1,189	1,201	16	12	11
White	988	1,016	11	7	8
All other	201	185	5	5	3
Black	201	185	5	5	3
Salisbury	---	472	5	4	3
White	---	363	2	1	1
All other	---	109	3	3	2
Black	---	109	3	3	2
Balance of county	---	729	11	8	8
White	---	653	9	6	7
All other	---	76	2	2	1
Black	---	76	2	2	1
Rutherford	517	619	10	7	10
White	442	539	7	4	9
All other	75	80	3	3	1
Black	75	80	3	3	1
Sampson	359	533	13	12	4
White	239	349	8	7	3
All other	120	184	5	5	1
Black	111	171	5	5	1
Scotland	335	330	12	9	11
White	187	187	3	2	1
All other	148	143	9	7	10
Black	115	122	5	4	8
Laurinburg	---	165	7	6	4
White	---	89	-	-	-
All other	---	76	7	6	4
Black	---	69	4	3	4
Balance of county	---	165	5	3	7
White	---	98	3	2	1
All other	---	67	2	1	6
Black	---	53	1	1	4
Stanly	407	532	7	2	4
White	354	466	2	1	1
All other	53	66	5	1	3
Black	53	66	5	1	3
Albemarle	---	196	3	-	3
White	---	166	-	-	1
All other	---	30	3	-	2
Black	---	30	3	-	2
Balance of county	---	336	4	2	1
White	---	300	2	1	-
All other	---	36	2	1	1
Black	---	36	2	1	1
Stokes	193	312	2	-	3
Surry	509	615	5	3	3
Swain	141	129	4	3	1
White	106	103	4	3	-
All other	35	26	-	-	1
Black	2	2	-	-	-
Transylvania	206	246	1	-	-
Tyrrell	12	40	1	-	-
White	4	22	1	-	-
All other	8	18	-	-	-
Black	8	18	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 58 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
North Carolina-Con.					
Union	542	628	7	7	15
White	433	505	3	3	7
All other	109	123	4	4	8
Black	109	123	4	4	8
Monroe	---	208	5	5	6
White	---	133	1	1	3
All other	---	75	4	4	3
Black	---	75	4	4	3
Balance of county	---	420	2	2	9
White	---	372	2	2	4
All other	---	48	-	-	5
Black	---	48	-	-	5
Vance	420	420	6	4	11
White	227	225	1	1	2
All other	193	195	5	3	9
Black	192	193	5	3	9
Henderson	---	196	3	1	4
White	---	97	-	-	1
All other	---	99	3	1	3
Black	---	98	3	1	3
Balance of county	---	224	3	3	7
White	---	128	1	1	1
All other	---	96	2	2	6
Black	---	95	2	2	6
Wake	2,827	2,467	67	47	57
White	2,081	1,783	22	12	25
All other	746	684	45	35	32
Black	730	668	42	33	31
Cary	---	135	6	3	3
Garner	---	87	3	3	2
Raleigh	---	1,442	42	31	36
White	---	985	6	5	15
All other	---	457	36	26	21
Black	---	445	34	25	21
Balance of county	---	803	16	10	16
White	---	605	9	3	9
All other	---	198	7	7	7
Black	---	198	7	7	7
Warren	77	205	3	-	1
White	35	88	-	-	-
All other	42	117	3	-	1
Black	39	114	3	-	1
Washington	103	146	4	3	-
White	63	82	-	-	-
All other	40	64	4	3	-
Black	40	64	4	3	-
Watauga	289	224	2	1	1
Boone	---	69	1	1	-
Balance of county	---	155	1	-	1
Wayne	903	889	17	10	15
White	574	552	7	4	4
All other	329	337	10	6	11
Black	325	333	10	6	11
Goldsboro	---	366	11	6	8
White	---	171	4	2	-
All other	---	195	7	4	8
Black	---	193	7	4	8
Balance of county	---	523	6	4	7
White	---	381	3	2	4
All other	---	142	3	2	3
Black	---	140	3	2	3
Wilkes	402	534	8	4	8
Wilson	790	706	9	8	7
White	536	446	5	4	1
All other	254	260	4	4	6
Black	254	260	4	4	6
Wilson	---	448	5	5	5
White	---	257	2	2	1
All other	---	191	3	3	4
Black	---	191	3	3	4
Balance of county	---	258	4	3	2
White	---	189	3	2	-
All other	---	69	1	1	2
Black	---	69	1	1	2
Yadkin	192	332	2	1	6
Yancey	53	140	1	-	1
North Dakota	6,026	5,576	72	41	54
White	5,814	5,394	57	33	46
All other	212	182	15	8	8
Black	8	5	2	2	1
Adams	84	36	-	-	1
Barnes	135	148	1	1	2
Benson	19	69	3	1	2
White	14	55	-	-	-
All other	5	14	3	1	2
Black	-	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
North Dakota-Con.					
Billings	3	8	-	-	-
Bottineau	81	104	-	-	-
Bowman	24	34	-	-	-
Burke	7	38	-	-	-
Burleigh	670	403	12	7	7
Bismarck	---	370	11	6	7
Balance of county	---	33	1	1	-
Cass	1,338	632	6	4	5
Fargo	---	468	4	3	4
West Fargo	---	48	2	1	1
Balance of county	---	116	-	-	-
Cavalier	60	75	-	-	-
Dickey	83	87	-	-	1
Divide	31	32	-	-	-
Dunn	9	27	-	-	-
Eddy	20	51	-	-	-
Emmons	51	54	-	-	-
Foster	72	51	1	-	-
Golden Valley	7	24	-	-	-
Grand Forks	589	417	2	1	8
Grand Forks	---	300	2	1	5
Balance of county	---	117	-	-	3
Grant	22	33	-	-	-
Griggs	26	42	-	-	-
Hettinger	21	43	-	-	-
Kidder	10	23	-	-	-
La Moure	18	51	-	-	-
Logan	7	32	-	-	1
McHenry	18	81	1	-	1
McIntosh	78	74	-	-	-
McKenzie	41	53	-	-	-
White	32	45	-	-	-
All other	9	8	-	-	-
Black	-	-	-	-	-
McLean	83	110	-	-	2
Mercer	62	83	3	1	-
Morton	148	219	2	1	-
Mandan	---	129	2	1	-
Balance of county	---	90	-	-	-
Mountrail	70	89	-	-	1
White	60	74	-	-	1
All other	10	15	-	-	-
Black	-	-	-	-	-
Nelson	65	87	-	-	-
Oliver	1	10	-	-	-
Pembina	77	109	1	-	-
Pierce	118	88	1	-	1
Ramsey	136	132	3	2	2
Ransom	66	99	-	-	-
Renville	35	39	-	-	-
Richland	81	172	1	1	-
Rolette	87	114	5	3	1
White	33	45	-	-	-
All other	54	69	5	3	1
Black	-	-	-	-	-
Sargent	24	53	-	-	-
Sheridan	4	21	2	2	-
Sioux	17	30	1	-	-
White	3	4	-	-	-
All other	14	26	1	-	-
Black	-	-	-	-	-
Slope	6	4	-	-	-
Stark	177	160	4	3	3
Dickinson	---	113	2	2	2
Balance of county	---	47	2	1	1
Steele	7	27	-	-	-
Stutsman	211	230	2	-	-
Jamestown	---	176	1	-	-
Balance of county	---	54	1	-	-
Towner	31	38	-	-	-
Traill	103	111	1	1	-
Walsh	131	167	2	1	2
Ward	514	404	13	9	11
Minot	---	315	8	6	8
Balance of county	---	89	5	3	3
Wells	61	77	-	-	-
Williams	187	181	5	3	3
Williston	---	117	3	1	1
Balance of county	---	64	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 59 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Ohio	100,039	100,190	1,559	962	1,193
White	89,220	89,354	1,076	660	870
All other	10,819	10,836	483	302	323
Black	10,594	10,616	469	294	309
Adams	209	285	6	4	2
Allen	1,167	959	17	11	13
White	1,096	886	10	7	8
All other	71	73	7	4	5
Black	69	72	7	4	5
Lima	---	531	13	8	10
White	---	461	6	4	5
All other	---	70	7	4	5
Black	---	69	7	4	5
Balance of county	---	428	4	3	3
Ashland	360	436	8	5	1
Ashland	---	217	3	2	-
Balance of county	---	219	5	3	1
Ashtabula	981	1,041	10	5	13
Ashtabula	---	281	4	1	3
Conneaut	---	154	2	1	4
Balance of county	---	606	4	3	6
Athens	359	462	3	2	5
Athens	---	88	-	-	1
White	---	84	-	-	-
All other	---	4	-	-	1
Black	---	4	-	-	-
Balance of county	---	374	3	2	4
Auglaize	317	368	8	6	3
Belmont	761	891	14	8	9
Brown	266	318	6	2	6
Butler	2,248	2,165	33	23	39
White	2,112	2,050	31	22	32
All other	136	115	2	1	7
Black	128	104	1	1	6
Fairfield	---	248	3	3	4
Hamilton	---	632	13	7	14
Middletown	---	461	7	6	10
White	---	416	6	6	7
All other	---	45	1	-	3
Black	---	43	-	-	3
Oxford	---	68	-	-	-
Balance of county	---	756	10	7	11
Carroll	110	220	2	1	4
Champaign	254	322	4	-	5
Urbana	---	135	2	-	3
Balance of county	---	187	2	-	2
Clark	1,397	1,474	25	15	16
White	1,253	1,327	21	12	15
All other	144	147	4	3	1
Black	141	142	2	1	1
Springfield	---	910	15	9	11
White	---	777	12	7	10
All other	---	133	3	2	1
Black	---	130	2	1	1
Balance of county	---	564	10	6	5
Clermont	593	1,034	14	8	8
Clinton	243	310	6	2	2
Wilmington	---	105	3	-	1
Balance of county	---	205	3	2	1
Columbiana	1,017	1,141	8	6	10
East Liverpool	---	233	1	1	1
Salem	---	170	-	-	-
Balance of county	---	738	7	5	9
Coshocton	305	369	2	1	4
Coshocton	---	185	1	1	3
Balance of county	---	184	1	-	1
Crawford	423	514	3	2	4
Bucyrus	---	152	1	1	-
Galion	---	155	2	1	1
Balance of county	---	207	-	-	3
Cuyahoga	16,576	15,284	286	184	185
White	12,954	11,720	116	79	81
All other	3,622	3,564	170	105	104
Black	3,593	3,537	169	105	102
Bay Village	---	130	1	1	2
Bedford	---	138	2	1	-
Bedford Heights	---	111	4	3	1
White	---	82	-	-	-
All other	---	29	4	3	1
Black	---	29	4	3	1
Berea	---	172	1	1	-
Brecksville	---	100	1	-	-
Broadview Heights	---	99	-	-	-
Brooklyn	---	145	1	1	-
Brook Park	---	199	-	-	-
Cleveland	---	6,161	191	113	128
White	---	3,496	60	37	40
All other	---	2,665	131	76	88
Black	---	2,655	130	76	87

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Ohio-Con.					
Cleveland Heights	---	503	10	8	2
White	---	360	4	3	1
All other	---	143	6	5	1
Black	---	141	6	5	1
East Cleveland	---	327	10	8	6
White	---	70	-	-	-
All other	---	257	10	8	6
Black	---	256	10	8	6
Euclid	---	769	6	5	3
Fairview Park	---	208	1	-	-
Garfield Heights	---	377	6	5	2
White	---	341	3	3	2
All other	---	36	3	2	-
Black	---	34	3	2	-
Lakewood	---	581	9	6	11
Lyndhurst	---	170	1	-	1
Maple Heights	---	309	3	3	3
Mayfield Heights	---	292	1	-	2
Middleburg Heights	---	135	1	1	1
North Olmsted	---	309	3	3	1
North Royalton	---	147	-	-	1
Parma	---	912	9	8	6
Parma Heights	---	294	4	3	-
Richmond Heights	---	110	1	1	-
Rocky River	---	251	2	2	1
Seven Hills	---	138	2	2	-
Shaker Heights	---	275	3	1	2
White	---	177	1	1	1
All other	---	98	2	-	1
Black	---	98	2	-	1
Solon	---	106	1	1	-
South Euclid	---	228	2	-	1
Strongsville	---	194	1	-	1
University Heights	---	99	1	1	-
White	---	88	-	-	-
All other	---	11	1	1	-
Black	---	11	1	1	-
Warrensville Heights	---	152	3	3	3
White	---	43	-	-	-
All other	---	109	3	3	3
Black	---	109	3	3	3
Westlake	---	265	3	2	-
Balance of county	---	878	2	1	7
Darke	414	512	3	-	7
Greenville	---	207	1	-	2
Balance of county	---	305	2	-	5
Defiance	289	309	3	2	10
Defiance	---	151	-	-	3
Balance of county	---	158	3	2	7
Delaware	411	463	5	2	6
Delaware	---	189	1	-	2
Westerville, part	---	25	-	-	-
Balance of county	---	249	4	2	4
Erie	791	779	10	8	3
Sandusky	---	388	8	6	1
White	---	335	4	2	1
All other	---	53	4	4	-
Black	---	53	4	4	-
Vermilion, part	---	56	-	-	-
Vermilion, total	---	99	3	2	-
Balance of county	---	335	2	2	2
Fairfield	727	838	14	8	10
Columbus, part	---	1	-	-	-
Lancaster	---	399	7	5	4
Reynoldsburg, part	---	-	-	-	-
Balance of county	---	438	7	3	6
Fayette	299	328	7	5	4
Washington	---	198	2	1	2
Balance of county	---	130	5	4	2
Franklin	8,796	7,354	153	100	121
White	7,545	6,090	93	53	71
All other	1,251	1,264	60	47	50
Black	1,206	1,223	57	45	47
Bexley	---	60	3	2	1
Columbus, part	---	4,918	121	80	95
White	---	3,724	64	34	46
All other	---	1,194	57	46	49
Black	---	1,162	55	45	46
Columbus, total	---	4,919	121	80	95
White	---	3,724	64	34	46
All other	---	1,195	57	46	49
Black	---	1,163	55	45	46
Gahanna	---	114	2	2	5
Grove City	---	134	2	2	-
Reynoldsburg, part	---	150	2	1	6
Reynoldsburg, total	---	155	2	1	6
Upper Arlington	---	334	-	-	-
Westerville, part	---	230	4	4	3
Westerville, total	---	255	4	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 60 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Ohio-Con.					
Whitehall	---	161	1	1	-
Worthington	---	134	2	1	1
Balance of county	---	1,119	16	7	10
Fulton	242	295	5	5	2
Gallia	386	287	3	2	4
Geauga	421	546	10	6	2
Greene	849	978	12	7	12
White	793	920	12	7	6
All other	56	58	-	-	6
Black	51	56	-	-	6
Beavercreek	---	198	-	-	-
Dayton, part	---	1	-	-	-
Fairborn	---	231	4	1	4
Xenia	---	262	4	3	6
White	---	228	4	3	4
All other	---	34	-	-	2
Black	---	34	-	-	2
Balance of county	---	286	4	3	2
White	---	271	4	3	1
All other	---	15	-	-	1
Black	---	14	-	-	1
Guernsey	473	460	4	3	2
Cambridge	---	163	-	-	-
Balance of county	---	297	4	3	2
Hamilton	9,374	8,176	140	86	91
White	7,712	6,504	79	50	48
All other	1,662	1,672	61	36	43
Black	1,630	1,646	57	34	42
Cincinnati	---	4,062	83	46	64
White	---	2,680	38	23	26
All other	---	1,382	45	23	38
Black	---	1,364	42	21	37
Forest Park	---	90	1	1	2
White	---	56	-	-	-
All other	---	34	1	1	2
Black	---	34	1	1	2
Montgomery	---	68	-	-	1
North College Hill	---	119	-	-	1
Norwood	---	258	6	3	-
Reading	---	122	-	-	-
Sharonville	---	139	2	1	1
Springdale	---	97	1	1	1
Balance of county	---	3,221	47	34	21
White	---	2,978	32	22	18
All other	---	243	15	12	3
Black	---	235	14	12	3
Hancock	599	539	7	5	5
Findlay	---	355	4	2	4
Fostoria, part	---	25	1	1	-
Balance of county	---	159	2	2	1
Hardin	246	322	3	3	-
Harrison	177	222	1	1	2
Henry	190	248	2	1	4
Highland	263	343	7	4	2
Hocking	195	231	2	1	1
Holmes	318	266	10	7	6
Huron	456	510	6	5	5
Norwalk	---	165	2	1	1
Balance of county	---	345	4	4	4
Jackson	206	326	2	-	2
Jefferson	843	939	9	8	12
Steubenville	---	363	4	3	5
White	---	312	3	3	3
All other	---	51	1	-	2
Black	---	50	1	-	2
Balance of county	---	576	5	5	7
Knox	446	475	3	2	1
Mount Vernon	---	218	1	-	-
Balance of county	---	257	2	2	1
Lake	1,530	1,761	21	12	24
Eastlake	---	190	1	1	1
Mentor	---	304	5	2	4
Painesville	---	187	2	2	2
White	---	173	1	1	2
All other	---	14	1	1	-
Black	---	14	1	1	-
Wickliffe	---	155	-	-	-
Willoughby	---	198	2	-	3
Willowick	---	150	2	2	1
Balance of county	---	577	9	5	13
Lawrence	369	693	11	7	7
Ironton	---	227	5	4	1
Balance of county	---	466	6	3	6
Licking	1,022	1,153	14	8	13
Newark	---	531	7	3	5
Reynoldsburg, part	---	5	-	-	-
Balance of county	---	617	7	5	8
Logan	328	425	1	1	2
Bellefontaine	---	121	-	-	2
Balance of county	---	304	1	1	-
Lorain	2,138	2,278	50	39	36
White	1,970	2,092	37	27	33
All other	168	186	13	12	3
Black	164	182	11	10	3
Amherst	---	111	4	3	1
Avon Lake	---	108	1	1	2
Elyria	---	533	7	6	11
White	---	465	3	2	11
All other	---	68	4	4	-
Black	---	68	4	4	-
Lorain	---	682	18	15	13
White	---	595	10	8	10
All other	---	87	8	7	3
Black	---	83	6	5	3
North Ridgeville	---	130	3	2	2
Sheffield Lake	---	66	3	3	-
Vermilion, part	---	43	3	2	-
Balance of county	---	605	11	7	7
Lucas	5,338	4,401	93	55	47
White	4,705	3,771	48	33	33
All other	633	630	45	22	14
Black	611	612	45	22	13
Maumee	---	128	2	2	-
Oregon	---	209	3	1	-
Sylvania	---	100	-	-	1
Toledo	---	3,320	78	46	41
White	---	2,720	34	24	27
All other	---	600	44	22	14
Black	---	587	44	22	13
Balance of county	---	644	10	6	5
Madison	231	311	2	1	3
Mahoning	2,998	3,032	44	30	29
White	2,588	2,582	27	19	19
All other	410	450	17	11	10
Black	407	446	17	11	10
Alliance, part	---	-	-	-	-
Campbell	---	103	3	2	3
White	---	90	2	1	3
All other	---	13	1	1	-
Black	---	13	1	1	-
Struthers	---	144	-	-	1
Youngstown, part	---	1,361	20	12	11
White	---	947	6	4	2
All other	---	414	14	8	9
Black	---	411	14	8	9
Youngstown, total	---	1,413	21	12	11
White	---	992	7	4	2
All other	---	421	14	8	9
Black	---	418	14	8	9
Balance of county	---	1,424	21	16	14
Marion	645	620	13	4	5
Marion	---	375	9	3	4
Balance of county	---	245	4	1	1
Medina	783	843	11	6	6
Brunswick	---	146	1	1	2
Medina	---	154	4	1	1
Wadsworth	---	152	2	1	1
Balance of county	---	391	4	3	2
Meigs	187	265	1	1	1
Mercer	252	335	7	4	3
Miami	777	845	5	2	8
Piqua	---	195	2	1	3
Troy	---	200	2	1	3
Balance of county	---	450	1	-	2
Monroe	68	163	4	4	-
Montgomery	6,041	5,134	69	35	76
White	5,047	4,171	34	17	41
All other	994	963	35	18	35
Black	980	949	35	18	35
Centerville	---	179	1	1	2
Dayton, part	---	2,006	38	16	50
White	---	1,261	10	3	17
All other	---	745	28	13	33
Black	---	741	28	13	33
Dayton, total	---	2,007	38	16	50
White	---	1,262	10	3	17
All other	---	745	28	13	33
Black	---	741	28	13	33
Englewood	---	94	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Ohio-Con.					
Huber Heights	---	174	2	1	6
Kettering	---	588	5	3	2
Miamisburg	---	165	2	2	1
Vandalia	---	82	-	-	1
West Carrollton	---	104	1	1	1
Balance of county	---	1,742	20	11	12
White	---	1,548	13	6	11
All other	---	194	7	5	1
Black	---	187	7	5	1
Morgan	120	170	1	-	-
Morrow	189	235	4	3	5
Muskingum	1,052	836	5	3	10
Zanesville	---	369	3	1	5
White	---	338	3	1	4
All other	---	31	-	-	1
Black	---	31	-	-	1
Balance of county	---	467	2	2	5
Noble	46	117	1	-	3
Ottawa	289	432	6	3	6
Paulding	82	150	3	1	2
Perry	131	309	7	6	5
Pickaway	322	405	8	5	5
Circleville	---	167	4	3	2
Balance of county	---	238	4	2	3
Pike	178	239	6	4	1
Portage	737	909	16	12	8
Kent	---	146	1	-	2
Ravenna	---	141	6	5	2
Balance of county	---	622	9	7	4
Preble	146	339	8	4	4
Putnam	151	273	5	-	3
Richland	1,105	1,140	15	9	12
Mansfield	---	702	10	6	5
White	---	640	7	4	5
All other	---	62	3	2	-
Black	---	61	3	2	-
Balance of county	---	438	5	3	7
Ross	692	663	5	3	6
Chillicothe	---	297	4	3	3
Balance of county	---	366	1	-	3
Sandusky	514	544	6	3	10
Fremont	---	199	3	2	5
White	---	182	2	1	4
All other	---	17	1	1	1
Black	---	17	1	1	1
Balance of county	---	345	3	1	5
Scioto	967	971	8	5	13
Portsmouth	---	409	5	2	2
Balance of county	---	562	3	3	11
Seneca	388	543	7	4	2
Fostoria, part	---	128	3	1	-
White	---	120	3	1	-
All other	---	8	-	-	-
Black	---	7	-	-	-
Fostoria, total	---	164	4	2	-
White	---	155	4	2	-
All other	---	9	-	-	-
Black	---	8	-	-	-
Tiffin	---	199	2	2	2
Balance of county	---	216	2	1	-
Shelby	282	338	2	2	5
Sidney	---	149	-	-	5
Balance of county	---	189	2	2	-
Stark	3,949	3,682	57	32	34
White	3,705	3,438	45	23	30
All other	244	244	12	9	4
Black	239	241	12	9	4
Alliance, part	---	314	4	-	4
White	---	280	4	-	3
All other	---	34	-	-	1
Black	---	33	-	-	1
Alliance, total	---	314	4	-	4
White	---	280	4	-	3
All other	---	34	-	-	1
Black	---	33	-	-	1
Canton	---	1,126	17	10	11
White	---	970	7	3	8
All other	---	156	10	7	3
Black	---	156	10	7	3
Massillon	---	326	3	2	3
White	---	298	3	2	3
All other	---	28	-	-	-
Black	---	28	-	-	-
North Canton	---	138	1	-	-
Balance of county	---	1,778	32	20	16
Summit	4,970	4,931	75	44	71
White	4,421	4,368	47	30	52
All other	549	563	28	14	19
Black	536	546	28	14	14
Akron	---	2,437	48	25	45
White	---	1,925	23	13	29
All other	---	512	25	12	16
Black	---	505	25	12	13
Barberton	---	332	3	2	5
Cuyahoga Falls	---	381	5	4	5
Norton	---	89	-	-	-
Stow	---	161	2	2	3
Tallmadge	---	134	-	-	4
Balance of county	---	1,397	17	11	9
Trumbull	2,169	2,218	18	10	24
White	1,997	2,085	16	8	17
All other	172	133	2	2	7
Black	170	132	2	2	7
Girard	---	127	-	-	2
Niles	---	223	2	1	3
Warren	---	685	9	5	7
White	---	591	7	3	2
All other	---	94	2	2	5
Black	---	93	2	2	5
Youngstown, part	---	52	1	-	-
White	---	45	1	-	-
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	1,131	6	4	12
Tuscarawas	717	882	13	8	7
Dover	---	143	3	1	1
New Philadelphia	---	187	5	4	-
Balance of county	---	552	5	3	6
Union	222	277	9	6	5
Van Wert	247	263	1	-	5
Van Wert	---	112	-	-	3
Balance of county	---	151	1	-	2
Vinton	36	109	-	-	1
Warren	379	772	15	9	16
Franklin	---	113	3	2	4
Balance of county	---	659	12	7	12
Washington	521	579	6	3	9
Marietta	---	177	3	1	3
Balance of county	---	402	3	2	6
Wayne	684	803	8	5	7
Wooster	---	219	-	-	2
Balance of county	---	584	8	5	5
Williams	298	333	2	2	1
Wood	535	873	19	10	5
Bowling Green	---	149	2	-	-
Fostoria, part	---	11	-	-	-
Perrysburg	---	107	3	3	-
Balance of county	---	606	14	7	5
Wyandot	217	257	1	1	5
Oklahoma	29,330	30,275	460	249	372
White	26,129	26,993	340	186	287
All other	3,201	3,282	120	63	85
Black	1,989	2,002	90	43	67
Adair	139	217	4	2	2
White	101	159	1	1	1
All other	38	58	3	1	1
Black	-	-	-	-	1
Alfalfa	55	97	1	-	2
Atoka	104	130	1	1	2
White	95	113	-	-	2
All other	9	17	1	1	-
Black	6	8	1	1	-
Beaver	44	65	2	1	-
Beckham	218	230	2	1	1
Blaine	139	165	2	1	1
White	124	148	-	-	1
All other	15	17	2	1	-
Black	8	7	-	-	-
Bryan	282	365	2	2	7
Durant	---	179	1	1	4
White	---	170	1	1	2
All other	---	9	-	-	2
Black	---	-	-	-	-
Balance of county	---	186	1	1	3
Caddo	238	389	3	1	7
White	202	323	2	1	5
All other	36	66	1	-	2
Black	11	12	-	-	1
Canadian	249	462	5	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 62 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Oklahoma-Con.					
El Reno	---	158	1	1	1
White	---	145	1	1	1
All other	---	13	-	-	-
Black	---	9	-	-	-
Oklahoma City, part	---	7	1	1	-
Yukon	---	178	1	-	3
Balance of county	---	119	2	1	1
Carter	532	542	2	2	2
White	481	485	1	1	1
All other	51	57	1	1	1
Black	31	38	1	1	1
Ardmore	---	355	2	2	1
White	---	317	1	1	-
All other	---	38	1	1	1
Black	---	26	1	1	1
Balance of county	---	187	-	-	1
White	---	168	-	-	1
All other	---	19	-	-	-
Black	---	12	-	-	-
Cherokee	298	318	3	-	2
White	219	243	3	-	1
All other	79	75	-	-	1
Black	3	4	-	-	-
Choctaw	109	181	-	-	1
White	92	153	-	-	1
All other	17	28	-	-	-
Black	14	21	-	-	-
Cimarron	41	52	-	-	3
Cleveland	822	909	24	15	16
Moore	---	202	8	5	5
Norman	---	520	8	7	7
Oklahoma City, part	---	36	3	1	-
Balance of county	---	151	5	2	4
Coal	61	82	2	-	-
White	55	74	2	-	-
All other	6	8	-	-	-
Black	1	1	-	-	-
Comanche	893	772	23	9	21
White	737	635	15	6	12
All other	156	137	8	3	9
Black	101	99	7	3	6
Lawton	---	615	19	8	17
White	---	498	12	6	10
All other	---	117	7	2	7
Black	---	92	6	2	4
Balance of county	---	157	4	1	4
White	---	137	3	-	2
All other	---	20	1	1	2
Black	---	7	1	1	2
Cotton	38	97	-	-	-
Craig	144	163	3	3	1
White	130	143	3	3	1
All other	14	20	-	-	-
Black	4	5	-	-	-
Creek	429	608	6	2	4
Sapulpa	---	229	3	2	-
White	---	197	1	1	-
All other	---	32	2	1	-
Black	---	24	2	1	-
Balance of county	---	379	3	-	4
Custer	239	241	5	2	4
Delaware	307	368	3	2	5
White	267	315	2	1	4
All other	40	53	1	1	1
Black	-	-	-	-	-
Dewey	68	105	-	-	-
Ellis	64	68	1	1	-
Garfield	627	523	5	3	5
Enid	---	455	5	3	5
Balance of county	---	68	-	-	-
Garvin	263	364	5	1	4
Grady	321	375	5	2	2
Chickasha	---	209	4	2	-
White	---	192	4	2	-
All other	---	17	-	-	-
Black	---	15	-	-	-
Balance of county	---	166	1	-	2
Grant	33	70	-	-	-
Greer	83	116	1	1	-
Harmon	38	56	1	1	-
Harper	39	48	-	-	-
Haskell	100	149	-	-	-
Hughes	169	213	1	1	-
White	140	176	-	-	-
All other	29	37	1	1	-
Black	12	11	-	-	-
Jackson	260	252	8	4	5
White	232	223	5	2	2
All other	28	29	3	2	3
Black	27	28	3	2	3
Altus	---	192	7	4	5
White	---	163	4	2	2
All other	---	29	3	2	3
Black	---	28	3	2	3
Balance of county	---	60	1	-	-
Jefferson	98	116	1	1	1
Johnston	91	131	-	-	1
White	84	117	-	-	1
All other	7	14	-	-	-
Black	2	3	-	-	-
Kay	534	603	9	8	5
Ponca City	---	317	4	4	3
Balance of county	---	286	5	4	2
Kingfisher	108	145	1	1	-
Kiowa	132	178	2	-	3
Latimer	117	108	2	1	1
White	98	98	2	1	1
All other	19	10	-	-	-
Black	1	1	-	-	-
Le Flore	274	481	6	3	1
White	264	453	6	3	1
All other	10	28	-	-	-
Black	3	8	-	-	-
Lincoln	173	277	8	6	1
Logan	223	283	-	-	4
White	196	251	-	-	2
All other	27	32	-	-	2
Black	27	32	-	-	2
Guthrie	---	174	-	-	3
White	---	156	-	-	1
All other	---	18	-	-	2
Black	---	18	-	-	2
Balance of county	---	109	-	-	1
White	---	95	-	-	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Love	61	82	-	-	-
McClain	139	198	4	2	1
Oklahoma City, part	---	-	-	-	-
Balance of county	---	198	4	2	1
McCurtain	301	424	5	1	7
White	227	324	4	1	2
All other	74	100	1	-	5
Black	47	56	1	-	4
McIntosh	149	223	4	1	1
White	132	195	3	1	1
All other	17	28	1	-	-
Black	8	10	-	-	-
Major	73	78	-	-	2
Marshall	136	176	5	3	-
Mayes	232	362	3	3	3
White	213	326	3	3	3
All other	19	36	-	-	-
Black	1	1	-	-	-
Murray	138	170	2	-	1
Muskogee	966	787	10	4	9
White	800	625	6	1	7
All other	166	162	4	3	2
Black	136	132	4	3	2
Muskogee	---	497	4	2	8
White	---	379	1	-	6
All other	---	118	3	2	2
Black	---	104	3	2	2
Balance of county	---	290	6	2	1
White	---	246	5	1	1
All other	---	44	1	1	-
Black	---	28	1	1	-
Noble	84	117	2	1	1
Nowata	71	130	1	-	1
White	61	115	1	-	-
All other	10	15	-	-	1
Black	5	6	-	-	1
Okfuskee	85	161	2	-	2
White	50	110	1	-	1
All other	35	51	1	-	1
Black	16	28	1	-	-
Oklahoma	7,047	5,374	120	71	98
White	6,109	4,587	80	50	70
All other	938	787	40	21	28
Black	746	671	35	17	26
Bethany	---	205	4	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 63 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Oklahoma-Con.					
Del City	---	169	6	4	1
White	---	160	4	3	-
All other	---	9	2	1	1
Black	---	3	1	1	1
Edmond	---	304	7	4	10
Midwest City	---	406	10	9	6
White	---	373	8	7	5
All other	---	33	2	2	1
Black	---	21	2	2	1
Oklahoma City, part	---	3,923	87	48	69
White	---	3,262	52	31	46
All other	---	661	35	17	23
Black	---	579	31	13	22
Oklahoma City, total	---	3,966	91	50	69
White	---	3,304	56	33	46
All other	---	662	35	17	23
Black	---	579	31	13	22
The Village	---	20	-	-	-
Balance of county	---	347	6	3	9
White	---	278	5	2	6
All other	---	69	1	1	3
Black	---	62	1	1	2
Okmulgee	368	481	2	1	6
White	299	387	2	1	6
All other	69	94	-	-	-
Black	46	68	-	-	-
Okmulgee	---	229	2	1	4
White	---	168	2	1	4
All other	---	61	-	-	-
Black	---	50	-	-	-
Balance of county	---	252	-	-	2
White	---	219	-	-	2
All other	---	33	-	-	-
Black	---	18	-	-	-
Osage	189	341	1	1	4
White	170	301	1	1	3
All other	19	40	-	-	1
Black	8	8	-	-	-
Bartlesville, part	---	1	-	-	-
Sand Springs, part	---	5	-	-	1
Tulsa, part	---	10	-	-	-
White	---	6	-	-	-
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	325	1	1	3
White	---	289	1	1	2
All other	---	36	-	-	1
Black	---	4	-	-	-
Ottawa	334	423	8	2	1
White	305	384	7	2	1
All other	29	39	1	-	-
Black	1	-	-	-	-
Miami	---	204	4	1	1
White	---	187	3	1	1
All other	---	17	1	-	-
Black	---	-	-	-	-
Balance of county	---	219	4	1	-
White	---	197	4	1	-
All other	---	22	-	-	-
Black	---	-	-	-	-
Pawnee	118	160	-	-	2
Payne	428	444	4	2	4
Stillwater	---	206	3	2	2
Balance of county	---	238	1	-	2
Pittsburg	479	521	2	1	3
White	439	475	1	1	3
All other	40	46	1	-	-
Black	20	20	1	-	-
McAlester	---	258	1	-	1
White	---	231	-	-	1
All other	---	27	1	-	-
Black	---	19	1	-	-
Balance of county	---	263	1	1	2
White	---	244	1	1	2
All other	---	19	-	-	-
Black	---	1	-	-	-
Pontotoc	435	389	3	2	4
White	379	359	3	2	3
All other	56	30	-	-	1
Black	9	9	-	-	-
Ada	---	225	2	1	1
White	---	208	2	1	1
All other	---	17	-	-	-
Black	---	6	-	-	-
Balance of county	---	164	1	1	3
Pottawatomie	531	597	7	2	8
Oklahoma City, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	339	3	-	6
White	---	307	1	-	6
All other	---	32	2	-	-
Black	---	8	2	-	-
Balance of county	---	258	4	2	2
Pushmataha	101	127	-	-	2
White	94	120	-	-	2
All other	7	7	-	-	-
Black	2	2	-	-	-
Roger Mills	20	37	2	2	1
Rogers	448	437	9	6	3
White	394	411	8	5	3
All other	54	26	1	1	-
Black	6	2	-	-	-
Claremore	---	188	5	3	1
White	---	172	5	3	1
All other	---	16	-	-	-
Black	---	1	-	-	-
Balance of county	---	249	4	3	2
Seminole	220	369	4	2	3
White	182	297	2	1	-
All other	38	72	2	1	3
Black	13	28	1	-	3
Sequoyah	183	317	4	3	4
White	167	288	3	2	4
All other	16	29	1	1	-
Black	4	7	-	-	-
Stephens	349	432	4	2	8
Duncan	---	237	3	2	4
Balance of county	---	195	1	-	4
Texas	83	147	1	1	-
Tillman	86	130	-	-	-
White	74	111	-	-	-
All other	12	19	-	-	-
Black	12	19	-	-	-
Tulsa	5,252	4,337	85	49	59
White	4,618	3,812	53	30	45
All other	634	525	32	19	14
Black	479	439	28	15	12
Broken Arrow, part	---	296	8	5	6
Broken Arrow, total	---	311	9	5	7
Sand Springs, part	---	149	3	1	3
Sand Springs, total	---	154	3	1	4
Tulsa, part	---	3,390	65	39	46
White	---	2,903	33	20	34
All other	---	487	32	19	12
Black	---	425	28	15	12
Tulsa, total	---	3,400	65	39	46
White	---	2,909	33	20	34
All other	---	491	32	19	12
Black	---	429	28	15	12
Balance of county	---	502	9	4	4
White	---	482	9	4	4
All other	---	20	-	-	-
Black	---	5	-	-	-
Wagoner	163	269	2	1	3
White	149	242	2	1	3
All other	14	27	-	-	-
Black	5	13	-	-	-
Broken Arrow, part	---	15	1	-	1
Balance of county	---	254	1	1	2
White	---	228	1	1	2
All other	---	26	-	-	-
Black	---	13	-	-	-
Washington	518	466	9	3	10
Bartlesville, part	---	335	7	2	5
Bartlesville, total	---	336	7	2	5
Balance of county	---	131	2	1	5
White	---	123	2	1	5
All other	---	8	-	-	-
Black	---	5	-	-	-
Washita	94	144	1	-	1
Woods	101	150	2	1	-
Woodward	152	161	3	1	1
Woodward	---	116	3	1	1
Balance of county	---	45	-	-	-
Oregon	25,206	25,015	309	172	262
White	24,526	24,345	275	152	242
All other	680	670	34	20	20
Black	316	317	20	13	12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 64 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Oregon-Con.					
Baker	179	195	2	–	4
Benton	403	379	6	3	3
Albany, part	---	7	–	–	–
White	---	6	–	–	–
All other	---	1	–	–	–
Black	---	–	–	–	–
Corvallis	---	250	3	3	1
Balance of county	---	122	3	–	2
Clackamas	1,943	1,985	27	17	16
Lake Oswego, part	---	172	–	–	1
Lake Oswego, total	---	177	–	–	1
Milwaukie, part	---	405	6	4	4
Milwaukie, total	---	405	6	4	4
Oregon City	---	153	3	3	1
Portland, part	---	7	–	–	–
West Linn	---	91	–	–	1
Balance of county	---	1,157	18	10	9
Clatsop	311	360	4	4	7
Columbia	175	319	1	1	4
Coos	675	680	4	1	4
Coos Bay	---	193	2	–	1
Balance of county	---	487	2	1	3
Crook	110	126	1	1	2
Curry	177	238	1	–	3
Deschutes	701	663	8	4	6
Bend	---	202	3	1	1
Balance of county	---	461	5	3	5
Douglas	982	983	10	6	9
Roseburg	---	266	–	–	1
Balance of county	---	717	10	6	8
Gilliam	7	15	–	–	–
Grant	72	83	–	–	–
Harney	78	86	–	–	3
Hood River	151	148	1	1	1
Jackson	1,463	1,402	11	7	7
Ashland	---	126	–	–	–
Medford	---	550	5	5	5
Balance of county	---	726	6	2	2
Jefferson	85	106	2	–	1
White	74	89	2	–	–
All other	11	17	–	–	1
Black	–	–	–	–	–
Josephine	690	731	2	1	4
Grants Pass	---	280	–	–	1
Balance of county	---	451	2	1	3
Klamath	504	506	8	3	2
Klamath Falls	---	182	3	1	–
Balance of county	---	324	5	2	2
Lake	64	75	–	–	1
Lane	2,308	2,268	26	14	28
Eugene	---	972	14	6	8
Springfield	---	401	8	6	8
Balance of county	---	895	4	2	12
Lincoln	421	443	3	2	5
Linn	680	785	7	2	3
Albany, part	---	243	2	1	1
Albany, total	---	250	2	1	1
Lebanon	---	136	2	–	–
Balance of county	---	406	3	1	2
Malheur	298	252	3	3	4
Marion	2,011	2,056	24	16	26
Salem, part	---	962	15	10	16
Salem, total	---	1,084	16	10	16
Woodburn	---	222	–	–	–
White	---	221	–	–	–
All other	---	1	–	–	–
Black	---	–	–	–	–
Balance of county	---	872	9	6	10
Morrow	35	53	–	–	–
Multnomah	6,699	5,697	103	57	66
White	6,286	5,296	79	43	53
All other	413	401	24	14	13
Black	272	278	18	11	11
Gresham	---	475	11	7	5
Lake Oswego, part	---	3	–	–	–
Milwaukie, part	---	–	–	–	–
Portland, part	---	4,695	76	41	48
White	---	4,316	53	27	35
All other	---	379	23	14	13
Black	---	275	18	11	11
Portland, total	---	4,708	76	41	49
White	---	4,329	53	27	36
All other	---	379	23	14	13
Black	---	275	18	11	11
Balance of county	---	524	16	9	13
Polk	299	420	3	2	3
Salem, part	---	122	1	–	–
Balance of county	---	298	2	2	3
Sherman	9	23	–	–	–
Tillamook	231	284	2	–	1
Umatilla	465	549	11	6	10
Pendleton	---	130	1	1	2
Balance of county	---	419	10	5	8
Union	200	205	1	–	–
La Grande	---	147	1	–	–
Balance of county	---	58	–	–	–
Wallowa	43	68	1	1	–
Wasco	257	227	1	–	1
City of the Dalles	---	132	–	–	1
Balance of county	---	95	1	–	–
Washington	2,015	2,071	33	19	30
Beaverton	---	423	8	5	8
Forest Grove	---	171	4	3	1
Hillsboro	---	268	5	1	5
Lake Oswego, part	---	2	–	–	–
Portland, part	---	6	–	–	1
Tigard	---	268	5	3	6
Balance of county	---	933	11	7	9
Wheeler	8	11	–	–	2
Yamhill	457	523	3	1	6
McMinnville	---	163	–	–	–
Newberg	---	121	1	–	2
Balance of county	---	239	2	1	4
Pennsylvania	123,618	122,657	1,543	1,009	1,487
White	111,633	110,813	1,034	679	1,116
All other	11,985	11,844	509	330	371
Black	11,621	11,507	499	324	355
Adams	556	713	11	10	6
Allegheny	17,484	14,983	172	114	171
White	15,765	13,334	92	56	111
All other	1,719	1,649	80	58	60
Black	1,697	1,633	79	57	58
Baldwin	---	215	3	–	–
Bellevue	---	149	–	–	1
Bethel Park	---	284	3	2	2
Brentwood	---	113	–	–	–
Carnegie	---	157	4	3	4
Castle Shannon	---	100	–	–	–
Clairton	---	166	5	4	1
White	---	127	1	1	–
All other	---	39	4	3	1
Black	---	39	4	3	1
Dormont	---	87	–	–	–
Duquesne	---	126	4	3	3
White	---	104	–	–	1
All other	---	22	4	3	2
Black	---	21	4	3	2
Elizabeth twp#	---	113	1	1	3
Harrison twp#	---	169	–	–	–
McCandless twp#	---	255	2	2	3
McKeesport	---	457	3	3	5
White	---	397	1	1	2
All other	---	60	2	2	3
Black	---	60	2	2	3
Monroeville	---	252	2	2	3
Mount Lebanon twp#	---	310	–	–	1
Munhall	---	206	3	1	1
North Versailles twp#	---	145	1	1	1
Penn Hills twp#	---	498	3	1	5
White	---	450	1	–	5
All other	---	48	2	1	–
Black	---	48	2	1	–
Pittsburgh	---	4,787	77	56	70
White	---	3,655	22	14	27
All other	---	1,132	55	42	43
Black	---	1,126	54	41	41
Plum	---	147	5	3	–
Ross twp#	---	374	2	1	4
Scott twp#	---	186	–	–	2
Shaler twp#	---	285	3	3	5
South Park twp#	---	57	1	–	1
Swissvale	---	151	1	–	1
Upper St. Clair twp#	---	116	–	–	–
West Mifflin	---	272	–	–	1
Whitehall	---	143	1	1	–
Wilkinsburg	---	254	5	3	1
White	---	154	–	–	–
All other	---	100	5	3	1
Black	---	100	5	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 65 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Pennsylvania-Con.					
Balance of county	- - -	4,409	43	24	53
White	- - -	4,244	36	21	46
All other	- - -	165	7	3	7
Black	- - -	161	7	3	7
Armstrong	638	857	9	8	9
Beaver	1,623	1,978	32	19	24
White	1,520	1,868	26	14	20
All other	103	110	6	5	4
Black	102	109	6	5	4
Aliquippa	- - -	217	5	3	5
White	- - -	170	2	-	3
All other	- - -	47	3	3	2
Black	- - -	47	3	3	2
Beaver Falls	- - -	157	4	2	2
White	- - -	129	3	2	2
All other	- - -	28	1	-	-
Black	- - -	27	1	-	-
Balance of county	- - -	1,604	23	14	17
Bedford	296	431	6	4	6
Berks	3,186	3,425	42	26	41
Muhlenberg twp#	- - -	142	-	-	-
Reading	- - -	891	15	10	17
White	- - -	833	11	6	14
All other	- - -	58	4	4	3
Black	- - -	56	4	4	3
Balance of county	- - -	2,392	27	16	24
Blair	1,790	1,537	11	5	14
Altoona	- - -	667	6	3	6
Balance of county	- - -	870	5	2	8
Bradford	976	592	6	5	6
Bucks	4,150	4,093	55	32	60
White	4,039	3,989	50	31	52
All other	111	104	5	1	8
Black	97	84	5	1	7
Bensalem twp#	- - -	378	10	6	9
Bristol	- - -	107	3	2	2
Bristol twp#	- - -	396	4	3	7
Falls twp#	- - -	268	6	4	5
Lower Southampton twp#	- - -	143	1	-	4
Middletown twp#	- - -	283	3	-	1
Northampton twp#	- - -	198	1	-	2
Upper Southampton twp#	- - -	130	2	1	2
Warminster twp#	- - -	247	2	1	5
Balance of county	- - -	1,943	23	15	23
White	- - -	1,910	22	15	21
All other	- - -	33	1	-	2
Black	- - -	26	1	-	2
Butler	1,139	1,392	16	11	20
Butler	- - -	191	3	1	5
Balance of county	- - -	1,201	13	10	15
Cambria	1,938	1,938	15	12	11
Johnstown	- - -	435	11	9	1
Balance of county	- - -	1,503	4	3	10
Cameron	18	54	2	1	-
Carbon	532	702	6	3	5
Centre	654	723	8	4	14
State College	- - -	96	1	1	2
Balance of county	- - -	627	7	3	12
Chester	2,559	2,737	34	23	48
White	2,360	2,513	25	17	42
All other	199	224	9	6	6
Black	192	215	9	6	6
Coatesville	- - -	184	3	2	3
White	- - -	130	-	-	1
All other	- - -	54	3	2	2
Black	- - -	54	3	2	2
Phoenixville	- - -	152	2	2	2
Tredyffrin twp#	- - -	179	2	1	1
West Chester	- - -	185	3	2	5
White	- - -	155	1	1	5
All other	- - -	30	2	1	-
Black	- - -	29	2	1	-
West Goshen twp#	- - -	117	3	2	-
Balance of county	- - -	1,920	21	14	37
White	- - -	1,803	18	12	33
All other	- - -	117	3	2	4
Black	- - -	112	3	2	4
Clarion	338	406	4	2	6
Clearfield	897	837	7	4	4
Clinton	350	414	3	3	3
Columbia	544	583	4	4	9
Berwick	- - -	144	2	2	3
Bloomsburg	- - -	110	-	-	2
Balance of county	- - -	329	2	2	4
Crawford	831	932	16	8	10
Meadville	- - -	228	6	3	-
Balance of county	- - -	704	10	5	10
Cumberland	1,684	1,660	19	12	13
Carlisle	- - -	268	6	4	3
East Pennsboro twp#	- - -	165	-	-	-
Lower Allen twp#	- - -	103	1	1	1
Balance of county	- - -	1,124	12	7	9
Dauphin	2,982	2,326	36	25	36
White	2,645	1,980	25	18	23
All other	337	346	11	7	13
Black	325	338	11	7	12
Harrisburg	- - -	707	16	12	14
White	- - -	416	6	6	4
All other	- - -	291	10	6	10
Black	- - -	289	10	6	10
Lower Paxton twp#	- - -	325	4	2	2
Middletown	- - -	137	3	2	2
Susquehanna twp#	- - -	121	1	1	2
White	- - -	116	1	1	1
All other	- - -	5	-	-	1
Black	- - -	5	-	-	1
Swatara twp#	- - -	211	1	-	2
Balance of county	- - -	825	11	8	14
Delaware	5,211	5,500	71	44	64
White	4,601	4,905	42	27	40
All other	610	595	29	17	24
Black	587	569	29	17	23
Aston twp#	- - -	139	4	3	-
Chester	- - -	542	19	12	14
White	- - -	214	2	2	3
All other	- - -	328	17	10	11
Black	- - -	328	17	10	11
Darby	- - -	144	2	1	3
White	- - -	114	1	1	1
All other	- - -	30	1	-	2
Black	- - -	30	1	-	2
Darby twp#	- - -	86	1	1	2
White	- - -	51	-	-	-
All other	- - -	35	1	1	2
Black	- - -	35	1	1	2
Haverford twp#	- - -	471	2	2	4
Lansdowne	- - -	120	1	1	2
Marple twp#	- - -	290	-	-	1
Middletown twp#	- - -	221	1	-	1
Nether Providence twp#	- - -	127	-	-	2
Newtown twp#	- - -	147	-	-	2
Radnor twp#	- - -	217	4	2	-
Ridley twp#	- - -	284	2	1	2
Springfield twp#	- - -	239	-	-	-
Upper Chichester twp#	- - -	114	2	-	1
Upper Darby twp#	- - -	788	10	8	7
Yeadon	- - -	111	2	1	-
White	- - -	72	-	-	-
All other	- - -	39	2	1	-
Black	- - -	38	2	1	-
Balance of county	- - -	1,460	21	12	23
White	- - -	1,388	16	10	18
All other	- - -	72	5	2	5
Black	- - -	66	5	2	4
Elk	311	366	3	3	5
Erie	2,933	2,559	37	26	32
White	2,833	2,458	26	19	27
All other	100	101	11	7	5
Black	96	97	11	7	5
Erie	- - -	1,225	25	16	19
White	- - -	1,139	14	9	14
All other	- - -	86	11	7	5
Black	- - -	84	11	7	5
Millcreek twp#	- - -	350	1	1	2
Balance of county	- - -	984	11	9	11
Fayette	1,397	1,800	18	15	14
Connellsville	- - -	122	1	1	2
Uniontown	- - -	251	3	2	2
Balance of county	- - -	1,427	14	12	10
Forest	36	68	2	2	-
Franklin	1,137	1,170	13	7	10
Chambersburg	- - -	266	3	1	3
Balance of county	- - -	904	10	6	7
Fulton	93	109	2	1	1
Greene	331	442	7	4	1
Huntingdon	333	419	4	2	7
Indiana	658	832	5	2	16
Indiana	- - -	95	1	1	-
Balance of county	- - -	737	4	1	16
Jefferson	396	532	4	2	3
Juniata	99	201	1	1	5
Lackawanna	3,011	2,838	14	9	27
Carbondale	- - -	178	2	1	1
Dunmore	- - -	195	-	-	-
Scranton	- - -	1,257	10	7	13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 66 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Pennsylvania-Con.					
Balance of county	---	1,208	2	1	13
Lancaster	3,662	3,642	66	44	55
Columbia	---	159	3	2	3
Ephrata	---	103	3	-	-
Lancaster	---	588	10	4	10
White	---	545	8	3	8
All other	---	43	2	1	2
Black	---	41	2	1	2
Lancaster twp#	---	204	-	-	1
Manheim twp#	---	420	1	1	2
Balance of county	---	2,168	49	37	39
Lawrence	1,056	1,157	22	15	12
New Castle	---	454	12	8	4
Balance of county	---	703	10	7	8
Lebanon	1,100	1,060	6	5	11
Lebanon	---	271	1	1	3
Balance of county	---	789	5	4	8
Lehigh	3,889	2,775	21	16	18
Allentown	---	1,147	12	11	11
Bethlehem, part	---	269	4	3	-
Emmaus	---	110	-	-	-
Salisbury twp#	---	108	1	1	-
Whitehall twp#	---	207	1	-	1
Balance of county	---	934	3	1	6
Luzerne	4,276	4,234	17	10	33
Hazleton	---	371	3	2	3
Kingston	---	256	-	-	1
Nanticoke	---	202	2	-	1
Wilkes-Barre	---	718	3	2	4
Balance of county	---	2,687	9	6	24
Lycoming	1,180	1,090	11	6	11
Williamsport	---	309	6	4	6
Balance of county	---	781	5	2	5
McKean	492	580	11	10	4
Bradford	---	159	-	-	1
Balance of county	---	421	11	10	3
Mercer	1,424	1,354	15	12	13
Sharon	---	238	2	2	2
Balance of county	---	1,116	13	10	11
Mifflin	541	483	4	2	11
Monroe	833	856	11	8	18
Montgomery	6,889	6,154	64	48	76
White	6,303	5,828	51	37	61
All other	586	326	13	11	15
Black	552	289	11	9	12
Abington twp#	---	569	3	1	4
Cheltenham twp#	---	348	2	2	2
East Norriton twp#	---	113	-	-	1
Hatfield twp#	---	80	3	2	5
Lansdale	---	218	6	4	6
Lower Merion twp#	---	597	3	3	6
Lower Moreland twp#	---	79	-	-	-
Lower Providence twp#	---	84	-	-	1
Norristown	---	368	10	8	6
White	---	290	3	2	3
All other	---	78	7	6	3
Black	---	75	7	6	2
Plymouth twp#	---	160	1	1	-
Pottstown	---	307	6	5	2
White	---	282	4	4	1
All other	---	25	2	1	1
Black	---	24	2	1	1
Springfield twp#	---	302	3	3	1
Towamencin twp#	---	81	1	1	-
Upper Dublin twp#	---	149	1	1	2
Upper Merion twp#	---	189	-	-	2
Upper Moreland twp#	---	228	6	2	1
West Norriton twp#	---	93	2	2	-
Whitemarsh twp#	---	138	-	-	1
Balance of county	---	2,051	17	13	36
White	---	1,984	16	12	31
All other	---	67	1	1	5
Black	---	61	1	1	4
Montour	896	202	2	2	2
Northampton	1,362	2,170	28	19	25
Bethlehem, part	---	468	8	5	9
Bethlehem, total	---	737	12	8	9
Easton	---	264	3	-	4
White	---	252	1	-	3
All other	---	12	2	-	1
Black	---	11	2	-	1
Palmer twp#	---	128	2	2	1
Balance of county	---	1,310	15	12	11
Northumberland	862	1,213	7	3	9
Shamokin	---	144	-	-	-
Sunbury	---	143	1	-	5
Balance of county	---	926	6	3	4
Perry	168	355	3	2	6
Philadelphia, coext. with Philadelphia city	19,803	19,297	422	267	299
White	12,514	11,835	120	79	96
All other	7,289	7,462	302	188	203
Black	7,116	7,323	298	186	200
Pike	110	297	2	-	5
Potter	195	183	-	-	-
Schuylkill	1,813	2,005	12	6	17
Pottsville	---	240	-	-	1
Balance of county	---	1,765	12	6	16
Snyder	134	307	4	3	8
Somerset	665	798	3	1	9
Sullivan	63	87	2	2	1
Susquehanna	311	463	4	2	4
Tioga	330	400	2	1	7
Union	402	320	2	2	5
Venango	628	633	5	2	7
Oil City	---	190	2	-	1
Balance of county	---	443	3	2	6
Warren	422	495	6	5	4
Warren	---	157	1	1	1
Balance of county	---	338	5	4	3
Washington	2,211	2,380	17	13	22
Canonsburg	---	135	1	1	1
Washington	---	295	2	1	5
White	---	264	1	1	5
All other	---	31	1	-	-
Black	---	30	1	-	-
Balance of county	---	1,950	14	11	16
Wayne	398	440	7	5	7
Westmoreland	3,375	3,951	41	29	50
Greensburg	---	251	4	2	2
Hempfield twp#	---	394	3	3	4
Jeannette	---	161	1	1	4
Latrobe	---	132	1	-	2
Lower Burrell	---	140	-	-	1
Monessen	---	137	-	-	3
White	---	127	-	-	3
All other	---	10	-	-	-
Black	---	10	-	-	-
Municipality of Murrysville	---	122	1	1	-
New Kensington	---	229	6	4	5
North Huntingdon twp#	---	230	2	2	3
Balance of county	---	2,155	23	16	26
Wyoming	186	232	4	1	5
York	2,831	2,895	27	15	32
White	2,757	2,817	24	13	28
All other	74	78	3	2	4
Black	71	76	3	2	4
Hanover	---	185	-	-	2
Springettsbury twp#	---	310	1	1	3
Spring Garden twp#	---	167	-	-	1
York	---	476	9	3	8
White	---	416	6	1	4
All other	---	60	3	2	4
Black	---	60	3	2	4
Balance of county	---	1,757	17	11	18
Rhode Island	9,519	9,398	118	82	80
White	9,150	9,023	91	62	71
All other	369	375	27	20	9
Black	312	315	24	18	6
Bristol	232	447	3	2	1
Barrington town#	---	124	1	-	1
Bristol town#	---	214	1	1	-
Warren town#	---	108	1	1	-
Balance of county	---	1	-	-	-
Kent	1,275	1,400	13	10	14
Coventry town#	---	258	2	2	3
Warwick	---	838	7	5	7
West Warwick town#	---	202	1	1	2
Balance of county	---	102	3	2	2
Newport	569	702	10	6	9
Middletown town#	---	159	2	2	1
Newport	---	281	7	3	8
White	---	262	5	1	8
All other	---	19	2	2	-
Black	---	18	2	2	-
Balance of county	---	262	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 67 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Rhode Island-Con.					
Providence	6,645	6,008	80	55	50
White	6,319	5,684	57	39	42
All other	326	324	23	16	8
Black	286	283	20	14	6
Central Falls	---	199	1	-	2
Cranston	---	771	2	2	1
Cumberland town#	---	232	2	1	2
East Providence	---	601	10	7	2
Johnston town#	---	253	2	2	2
North Providence town#	---	352	4	4	-
Pawtucket	---	784	10	7	5
Providence	---	1,599	36	22	29
White	---	1,355	21	12	22
All other	---	244	15	10	7
Black	---	213	12	8	6
Woonsocket	---	507	6	4	3
Balance of county	---	710	7	6	4
Washington	798	841	12	9	6
South Carolina	29,170	29,966	649	404	587
White	19,900	20,447	280	169	267
All other	9,270	9,519	369	235	320
Black	9,213	9,468	369	235	316
Abbeville	128	209	4	3	4
White	87	146	2	1	-
All other	41	63	2	2	4
Black	41	63	2	2	4
Aiken	762	1,110	33	17	30
White	524	820	16	9	17
All other	238	290	17	8	13
Black	237	289	17	8	13
Aiken	---	308	8	4	5
White	---	222	4	2	3
All other	---	86	4	2	2
Black	---	86	4	2	2
North Augusta	---	207	3	2	9
White	---	150	2	1	4
All other	---	57	1	1	5
Black	---	57	1	1	5
Balance of county	---	595	22	11	16
White	---	448	10	6	10
All other	---	147	12	5	6
Black	---	146	12	5	6
Allendale	105	112	1	-	3
White	43	46	-	-	-
All other	62	66	1	-	3
Black	62	66	1	-	3
Anderson	1,243	1,309	17	8	24
White	1,005	1,077	9	4	12
All other	238	232	8	4	12
Black	235	231	8	4	12
Anderson	---	412	5	4	9
White	---	294	-	-	2
All other	---	118	5	4	7
Black	---	118	5	4	7
Balance of county	---	897	12	4	15
White	---	783	9	4	10
All other	---	114	3	-	5
Black	---	113	3	-	5
Bamberg	107	161	6	4	7
White	51	85	-	-	2
All other	56	76	6	4	5
Black	56	76	6	4	5
Barnwell	133	193	3	1	5
White	65	100	1	-	2
All other	68	93	2	1	3
Black	68	93	2	1	3
Beaufort	589	664	14	9	8
White	384	428	7	5	2
All other	205	236	7	4	6
Black	204	235	7	4	6
Berkeley	218	662	22	10	16
White	152	444	15	6	10
All other	66	218	7	4	6
Black	64	215	7	4	6
Goose Creek	---	95	4	-	4
White	---	82	4	-	4
All other	---	13	-	-	-
Black	---	10	-	-	-
Hanahan	---	79	2	-	2
North Charleston, part	---	-	-	-	-
Balance of county	---	488	16	10	10
White	---	288	9	6	4
All other	---	200	7	4	6
Black	---	200	7	4	6
South Carolina-Con.					
Calhoun	59	115	3	2	4
White	24	54	1	-	1
All other	35	61	2	2	3
Black	35	61	2	2	2
Charleston	3,605	2,349	64	42	67
White	2,250	1,382	18	11	21
All other	1,355	967	46	31	46
Black	1,351	965	46	31	46
Charleston	---	950	13	6	26
White	---	514	1	-	6
All other	---	436	12	6	20
Black	---	435	12	6	20
Mount Pleasant	---	230	2	1	5
North Charleston, part	---	337	33	24	18
White	---	241	14	10	6
All other	---	96	19	14	12
Black	---	96	19	14	12
North Charleston, total	---	337	33	24	18
White	---	241	14	10	6
All other	---	96	19	14	12
Black	---	96	19	14	12
Balance of county	---	832	16	11	18
White	---	431	2	1	6
All other	---	401	14	10	12
Black	---	401	14	10	12
Cherokee	285	401	4	3	8
White	218	312	2	1	5
All other	67	89	2	2	3
Black	67	89	2	2	3
Gaffney	---	203	1	1	4
White	---	141	-	-	1
All other	---	62	1	1	3
Black	---	62	1	1	3
Balance of county	---	198	3	2	4
White	---	171	2	1	4
All other	---	27	1	1	-
Black	---	27	1	1	-
Chester	260	333	11	7	6
White	159	205	3	3	2
All other	101	128	8	4	4
Black	100	128	8	4	4
Chesterfield	245	386	12	9	6
White	154	247	5	5	3
All other	91	139	7	4	3
Black	91	138	7	4	3
Clarendon	207	305	8	4	8
White	68	119	-	-	1
All other	139	186	8	4	7
Black	139	186	8	4	7
Colleton	274	354	10	5	6
White	157	210	6	3	3
All other	117	144	4	2	3
Black	117	144	4	2	3
Darlington	484	654	20	12	15
White	298	395	10	5	2
All other	186	259	10	7	13
Black	186	259	10	7	13
Dillon	233	315	9	4	11
White	140	194	4	2	6
All other	93	121	5	2	5
Black	89	119	5	2	5
Dorchester	222	536	6	2	16
White	167	389	2	-	12
All other	55	147	4	2	4
Black	54	146	4	2	4
Edgefield	127	197	3	2	4
White	73	110	-	-	1
All other	54	87	3	2	3
Black	53	87	3	2	3
Fairfield	170	264	4	2	3
White	81	121	-	-	1
All other	89	143	4	2	2
Black	89	143	4	2	2
Florence	1,592	1,114	34	24	26
White	931	665	9	7	12
All other	661	449	25	17	14
Black	658	447	25	17	14
Florence	---	364	14	9	10
White	---	179	-	-	3
All other	---	185	14	9	7
Black	---	183	14	9	7
Balance of county	---	750	20	15	16
White	---	486	9	7	9
All other	---	264	11	8	7
Black	---	264	11	8	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 68 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
South Carolina-Con.					
Georgetown	335	385	7	4	8
White	201	243	3	1	2
All other	134	142	4	3	6
Black	133	141	4	3	6
Georgetown	---	129	3	1	3
White	---	91	1	–	–
All other	---	38	2	1	3
Black	---	37	2	1	3
Balance of county	---	256	4	3	5
White	---	152	2	1	2
All other	---	104	2	2	3
Black	---	104	2	2	3
Greenville	3,029	2,653	46	30	36
White	2,514	2,185	31	20	21
All other	515	468	15	10	15
Black	511	464	15	10	15
Greenville	---	742	15	11	14
White	---	423	4	3	7
All other	---	319	11	8	7
Black	---	316	11	8	7
Greer, part	---	135	1	–	–
White	---	126	1	–	–
All other	---	9	–	–	–
Black	---	9	–	–	–
Greer, total	---	170	1	–	–
White	---	150	1	–	–
All other	---	20	–	–	–
Black	---	20	–	–	–
Balance of county	---	1,776	30	19	22
White	---	1,636	26	17	14
All other	---	140	4	2	8
Black	---	139	4	2	8
Greenwood	694	547	11	10	6
White	482	383	4	4	5
All other	212	164	7	6	1
Black	212	164	7	6	1
Greenwood	---	307	8	7	5
White	---	204	2	2	4
All other	---	103	6	5	1
Black	---	103	6	5	1
Balance of county	---	240	3	3	1
White	---	179	2	2	1
All other	---	61	1	1	–
Black	---	61	1	1	–
Hampton	105	186	5	4	1
White	33	76	–	–	1
All other	72	110	5	4	–
Black	72	110	5	4	–
Horry	1,211	1,214	19	10	23
White	1,010	1,004	9	6	11
All other	201	210	10	4	12
Black	201	209	10	4	11
Conway	---	154	2	2	3
White	---	108	1	1	–
All other	---	46	1	1	3
Black	---	46	1	1	3
Myrtle Beach	---	163	1	1	2
White	---	144	–	–	1
All other	---	19	1	1	1
Black	---	19	1	1	1
Balance of county	---	897	16	7	18
White	---	752	8	5	10
All other	---	145	8	2	8
Black	---	144	8	2	7
Jasper	116	155	6	1	3
White	45	46	1	–	1
All other	71	109	5	1	2
Black	71	109	5	1	2
Kershaw	275	392	8	5	12
White	177	256	3	3	7
All other	98	136	5	2	5
Black	97	136	5	2	5
Lancaster	423	510	16	10	9
White	321	394	10	6	3
All other	102	116	6	4	6
Black	102	116	6	4	6
Laurens	442	615	11	8	11
White	320	440	4	3	6
All other	122	175	7	5	5
Black	122	175	7	5	5
Laurens	---	187	4	3	2
White	---	123	1	1	–
All other	---	64	3	2	2
Black	---	64	3	2	2
Balance of county	---	428	7	5	9
White	---	317	3	2	6
All other	---	111	4	3	3
Black	---	111	4	3	3
Lee	96	163	10	6	2
White	38	69	3	2	–
All other	58	94	7	4	2
Black	58	94	7	4	2
Lexington	973	1,128	27	17	24
White	831	986	22	12	18
All other	142	142	5	5	6
Black	137	135	5	5	6
Cayce	---	87	2	–	2
White	---	76	2	–	1
All other	---	11	–	–	1
Black	---	10	–	–	1
West Columbia	---	123	2	2	4
White	---	101	–	–	2
All other	---	22	2	2	2
Black	---	20	2	2	2
Balance of county	---	918	23	15	18
White	---	809	20	12	15
All other	---	109	3	3	3
Black	---	105	3	3	3
McCormick	52	80	–	–	1
White	33	55	–	–	1
All other	19	25	–	–	–
Black	19	25	–	–	–
Marion	322	344	8	4	7
White	141	144	1	1	1
All other	181	200	7	3	6
Black	181	200	7	3	6
Marlboro	230	314	8	4	7
White	118	173	1	1	4
All other	112	141	7	3	3
Black	111	140	7	3	3
Newberry	236	345	8	5	8
White	173	245	2	2	2
All other	63	100	6	3	6
Black	63	100	6	3	6
Oconee	391	490	7	5	3
White	343	426	6	4	2
All other	48	64	1	1	1
Black	47	62	1	1	1
Orangeburg	811	858	14	11	18
White	387	412	3	1	1
All other	424	446	11	10	17
Black	423	446	11	10	17
Orangeburg	---	200	1	1	8
White	---	119	–	–	–
All other	---	81	1	1	8
Black	---	81	1	1	8
Balance of county	---	658	13	10	10
White	---	293	3	1	1
All other	---	365	10	9	9
Black	---	365	10	9	9
Pickens	544	715	7	5	11
Easley	---	193	–	–	2
White	---	169	–	–	1
All other	---	24	–	–	1
Black	---	24	–	–	–
Balance of county	---	522	7	5	9
Richland	3,417	2,242	44	20	39
White	2,050	1,269	9	2	15
All other	1,367	973	35	18	24
Black	1,351	960	35	18	24
Columbia	---	1,122	24	11	21
White	---	604	2	1	4
All other	---	518	22	10	17
Black	---	513	22	10	17
Balance of county	---	1,120	20	9	18
White	---	665	7	1	11
All other	---	455	13	8	7
Black	---	447	13	8	7
Saluda	83	173	–	–	4
White	67	133	–	–	2
All other	16	40	–	–	2
Black	16	40	–	–	2
Spartanburg	2,196	2,164	31	17	29
White	1,735	1,709	22	12	21
All other	461	455	9	5	8
Black	461	455	9	5	8
Greer, part	---	35	–	–	–
White	---	24	–	–	–
All other	---	11	–	–	–
Black	---	11	–	–	–
Spartanburg	---	565	9	4	4
White	---	347	4	2	–
All other	---	218	5	2	4
Black	---	218	5	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 69 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
South Carolina-Con.					
Balance of county	- - -	1,564	22	13	25
White	- - -	1,338	18	10	21
All other	- - -	226	4	3	4
Black	- - -	226	4	3	4
Sumter	715	784	23	22	16
White	344	374	7	7	6
All other	371	410	16	15	10
Black	370	408	16	15	10
Sumter	- - -	399	8	8	5
White	- - -	187	2	2	2
All other	- - -	212	6	6	3
Black	- - -	212	6	6	3
Balance of county	- - -	385	15	14	11
White	- - -	187	5	5	4
All other	- - -	198	10	9	7
Black	- - -	196	10	9	7
Union	274	347	4	2	4
White	208	263	2	-	1
All other	66	84	2	2	3
Black	66	84	2	2	2
Union	- - -	139	2	1	2
White	- - -	101	1	-	-
All other	- - -	38	1	1	2
Black	- - -	38	1	1	1
Balance of county	- - -	208	2	1	2
White	- - -	162	1	-	1
All other	- - -	46	1	1	1
Black	- - -	46	1	1	1
Williamsburg	188	339	15	15	11
White	66	126	2	2	-
All other	122	213	13	13	11
Black	122	213	13	13	11
York	964	1,080	26	19	17
White	733	832	18	13	12
All other	231	248	8	6	5
Black	226	243	8	6	5
Rock Hill	- - -	457	10	9	8
White	- - -	320	5	5	5
All other	- - -	137	5	4	3
Black	- - -	136	5	4	3
Balance of county	- - -	623	16	10	9
White	- - -	512	13	8	7
All other	- - -	111	3	2	2
Black	- - -	107	3	2	2
South Dakota [6]	6,693	6,644	103	59	74
White	6,301	6,208	73	44	56
All other	392	436	30	15	18
Black	7	7	2	1	1
Aurora	32	49	-	-	-
Beadle	217	234	1	-	1
Huron	- - -	189	1	-	1
Balance of county	- - -	45	-	-	-
Bennett	26	29	-	-	1
White	10	16	-	-	-
All other	16	13	-	-	1
Black	-	-	-	-	-
Bon Homme	63	78	1	-	1
Brookings	170	173	1	1	1
Brookings	- - -	110	-	-	-
Balance of county	- - -	63	1	1	1
Brown	362	323	1	-	1
Aberdeen	- - -	251	1	-	-
Balance of county	- - -	72	-	-	1
Brule	47	52	1	1	1
Buffalo	1	17	1	1	-
White	-	3	-	-	-
All other	1	14	1	1	-
Black	-	-	-	-	-
Butte	69	88	-	-	1
Campbell	3	15	1	1	-
Charles Mix	93	103	2	1	1
White	82	83	1	1	-
All other	11	20	1	-	1
Black	-	-	-	-	-
Clark	31	49	-	-	-
Clay	80	101	2	1	-
Vermillion	- - -	51	1	-	-
Balance of county	- - -	50	1	1	-
Codington	269	236	3	1	-
Watertown	- - -	203	2	-	-
Balance of county	- - -	33	1	1	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
South Dakota-Con.					
Corson	10	42	-	-	-
White	3	22	-	-	-
All other	7	20	-	-	-
Black	-	-	-	-	-
Custer	51	71	-	-	1
Davison	242	199	-	-	3
Mitchell	- - -	182	-	-	1
Balance of county	- - -	17	-	-	2
Day	64	93	4	3	-
Deuel	29	54	1	-	-
Dewey	14	35	2	1	2
White	2	9	-	-	-
All other	12	26	2	1	2
Black	-	-	-	-	-
Douglas	42	63	1	-	-
Edmunds	53	62	-	-	1
Fall River	154	127	1	1	1
Faulk	29	44	-	-	-
Grant	70	84	-	-	2
Gregory	77	77	-	-	-
Haakon	22	18	-	-	1
Hamlin	51	72	-	-	-
Hand	59	60	-	-	1
Hanson	7	31	-	-	-
Harding	3	14	-	-	-
Hughes	138	111	5	1	3
Pierre	- - -	100	4	-	3
Balance of county	- - -	11	1	1	-
Hutchinson	108	120	-	-	1
Hyde	11	21	-	-	-
Jackson	11	30	-	-	1
White	7	21	-	-	1
All other	4	9	-	-	-
Black	-	-	-	-	-
Jerauld	30	28	1	1	1
Jones	2	16	1	1	-
Kingsbury	62	85	1	-	1
Lake	102	120	-	-	-
Lawrence	131	162	5	3	5
Lincoln	104	139	1	-	-
Sioux Falls, part	- - -	1	-	-	-
Balance of county	- - -	138	1	-	-
Lyman	4	25	-	-	-
White	3	21	-	-	-
All other	1	4	-	-	-
Black	-	-	-	-	-
McCook	66	82	1	1	1
McPherson	19	30	-	-	1
Marshall	41	51	-	-	-
Meade	211	146	4	4	4
Mellette	14	31	1	-	1
White	12	16	-	-	-
All other	2	15	1	-	1
Black	-	-	-	-	-
Miner	23	54	-	-	-
Minnehaha	1,606	943	19	10	12
Sioux Falls, part	- - -	788	17	9	12
Sioux Falls, total	- - -	789	17	9	12
Balance of county	- - -	155	2	1	-
Moody	33	59	-	-	1
Pennington	662	551	17	11	9
Rapid City	- - -	425	9	7	7
Balance of county	- - -	126	8	4	2
Perkins	26	51	1	1	-
Potter	29	37	-	-	-
Roberts	114	144	2	2	1
White	97	123	1	1	-
All other	17	21	1	1	1
Black	-	-	-	-	-
Sanborn	15	31	-	-	-
Shannon	48	106	7	4	5
White	2	4	-	-	-
All other	46	102	7	4	5
Black	-	-	-	-	-
Spink	54	95	3	-	1
Stanley	8	21	1	-	-
Sully	5	14	-	-	-
Todd	38	74	6	4	2
White	3	11	-	-	1
All other	35	63	6	4	1
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 70 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
South Dakota-Con.					
Tripp	59	67	1	1	-
Turner	86	113	-	-	-
Union	53	124	1	1	2
Walworth	98	95	-	-	-
Yankton	236	161	2	2	1
Yankton	---	135	2	2	1
Balance of county	---	26	-	-	-
Ziebach	6	14	-	-	1
White	2	7	-	-	1
All other	4	7	-	-	-
Black	-	-	-	-	-
Tennessee [6]	49,403	46,309	744	463	414
White	41,124	38,581	410	254	244
All other	8,279	7,728	334	209	170
Black	8,213	7,663	332	207	168
Anderson	745	644	12	9	5
Oak Ridge, part	---	235	4	3	1
Oak Ridge, total	---	239	4	3	1
Balance of county	---	409	8	6	4
Bedford	245	314	2	2	5
White	226	286	1	1	4
All other	19	28	1	1	1
Black	19	28	1	1	1
Shelbyville	---	197	2	2	5
White	---	177	1	1	4
All other	---	20	1	1	1
Black	---	20	1	1	1
Balance of county	---	117	-	-	-
Benton	137	175	-	-	-
Bledsoe	63	89	-	-	3
Blount	713	769	2	2	4
Maryville	---	223	1	1	1
Balance of county	---	546	1	1	3
Bradley	690	650	8	2	5
Cleveland	---	428	6	2	1
Balance of county	---	222	2	-	4
Campbell	316	362	6	5	1
Cannon	90	129	1	1	-
Carroll	278	357	9	6	3
White	247	317	6	5	2
All other	31	40	3	1	1
Black	31	40	3	1	1
Carter	403	566	5	2	3
Elizabethton	---	206	-	-	1
Johnson City, part	---	8	-	-	-
Balance of county	---	352	5	2	2
Cheatham	117	198	2	2	3
Chester	48	130	1	-	1
White	41	110	1	-	-
All other	7	20	-	-	1
Black	7	20	-	-	1
Claiborne	266	262	2	2	2
Clay	52	99	-	-	1
Cocke	225	303	4	3	4
Coffee	378	421	6	3	1
Tullahoma, part	---	177	1	1	1
Tullahoma, total	---	183	1	1	1
Balance of county	---	244	5	2	-
Crockett	64	158	2	1	4
White	55	129	2	1	2
All other	9	29	-	-	2
Black	9	29	-	-	2
Cumberland	356	365	1	1	1
Davidson	6,652	4,681	75	40	38
White	5,396	3,569	36	17	17
All other	1,256	1,112	39	23	21
Black	1,243	1,102	38	22	21
Nashville-Davidson	---	4,573	73	40	27
White	---	3,464	34	17	7
All other	---	1,109	39	23	20
Black	---	1,099	38	22	20
Balance of county	---	108	2	-	11
Decatur	108	162	1	-	-
De Kalb	173	174	2	1	3
Dickson	342	323	7	3	2
Dyer	348	364	12	7	3
White	304	314	10	5	1
All other	44	50	2	2	2
Black	43	49	2	2	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Tennessee-Con.					
Dyersburg	---	214	9	7	1
White	---	178	7	5	-
All other	---	36	2	2	1
Black	---	35	2	2	1
Balance of county	---	150	3	-	2
Fayette	179	233	8	7	2
White	99	128	-	-	-
All other	80	105	8	7	2
Black	79	105	8	7	2
Fentress	147	167	2	2	1
Franklin	330	301	4	2	1
Tullahoma, part	---	6	-	-	-
Balance of county	---	295	4	2	1
Gibson	501	633	6	4	3
White	404	509	1	1	2
All other	97	124	5	3	1
Black	97	124	5	3	1
Humboldt	---	151	-	-	1
White	---	111	-	-	-
All other	---	40	-	-	1
Black	---	40	-	-	1
Balance of county	---	482	6	4	2
White	---	398	1	1	2
All other	---	84	5	3	-
Black	---	84	5	3	-
Giles	231	304	-	-	3
White	203	260	-	-	2
All other	28	44	-	-	1
Black	28	44	-	-	1
Grainger	49	181	1	1	3
Greene	582	610	7	3	5
Greeneville	---	218	-	-	2
Balance of county	---	392	7	3	3
Grundy	34	141	1	1	-
Hamblen	468	541	8	5	-
Morristown	---	328	3	2	-
Balance of county	---	213	5	3	-
Hamilton	3,307	2,825	47	31	22
White	2,682	2,210	31	23	19
All other	625	615	16	8	3
Black	623	613	16	8	3
Chattanooga	---	1,917	33	19	13
White	---	1,319	17	11	10
All other	---	598	16	8	3
Black	---	597	16	8	3
East Ridge	---	195	1	1	-
Red Bank	---	87	2	2	-
Balance of county	---	626	11	9	9
Hancock	59	84	1	-	-
Hardeman	161	244	6	2	2
White	106	155	2	1	-
All other	55	89	4	1	2
Black	55	89	4	1	2
Hardin	189	257	3	1	5
Hawkins	200	454	8	6	3
Kingsport, part	---	19	-	-	-
White	---	19	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	435	8	6	3
Haywood	139	215	6	3	2
White	82	116	1	-	-
All other	57	99	5	3	2
Black	57	99	5	3	2
Henderson	194	279	4	4	3
Henry	310	387	6	2	1
White	280	345	6	2	-
All other	30	42	-	-	1
Black	30	42	-	-	1
Paris	---	159	2	-	1
White	---	134	2	-	-
All other	---	25	-	-	1
Black	---	25	-	-	1
Balance of county	---	228	4	2	-
Hickman	94	169	1	-	-
Houston	119	102	2	2	-
Humphreys	102	176	2	1	-
Jackson	81	121	1	1	-
Jefferson	279	301	3	3	1
Johnson	51	166	2	-	-
Knox	4,320	3,091	53	33	9
White	3,953	2,750	36	24	6
All other	367	341	17	9	3
Black	359	334	17	9	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 71 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Tennessee-Con.					
Knoxville	- - -	1,976	35	20	4
White	- - -	1,654	22	13	2
All other	- - -	322	13	7	2
Black	- - -	317	13	7	2
Balance of county	- - -	1,115	18	13	5
Lake	11	86	-	-	1
White	8	70	-	-	1
All other	3	16	-	-	-
Black	3	16	-	-	-
Lauderdale	180	284	8	5	4
White	120	200	1	1	2
All other	60	84	7	4	2
Black	60	84	7	4	2
Lawrence	274	325	1	-	2
Lawrenceburg	- - -	126	1	-	-
Balance of county	- - -	199	-	-	2
Lewis	78	116	2	1	-
Lincoln	237	313	7	2	5
White	215	284	6	2	4
All other	22	29	1	-	1
Black	22	29	1	-	1
Loudon	227	344	3	2	2
McMinn	356	418	5	4	2
Athens	- - -	143	3	2	-
Balance of county	- - -	275	2	2	2
McNairy	162	253	-	-	1
Macon	130	194	-	-	-
Madison	1,566	824	11	5	13
White	1,190	570	4	3	3
All other	376	254	7	2	10
Black	375	254	7	2	10
Jackson	- - -	632	8	3	10
White	- - -	422	2	1	2
All other	- - -	210	6	2	8
Black	- - -	210	6	2	8
Balance of county	- - -	192	3	2	3
White	- - -	148	2	2	1
All other	- - -	44	1	-	2
Black	- - -	44	1	-	2
Marion	215	252	2	1	2
Marshall	181	251	1	1	2
White	164	226	1	1	1
All other	17	25	-	-	1
Black	17	24	-	-	1
Maury	573	530	6	4	10
White	482	429	3	2	5
All other	91	101	3	2	5
Black	91	101	3	2	5
Columbia	- - -	298	6	4	4
White	- - -	232	3	2	1
All other	- - -	66	3	2	3
Black	- - -	66	3	2	3
Balance of county	- - -	232	-	-	6
White	- - -	197	-	-	4
All other	- - -	35	-	-	2
Black	- - -	35	-	-	2
Meigs	46	78	1	-	1
Monroe	213	282	1	-	6
Montgomery	605	628	16	11	6
White	478	495	8	6	4
All other	127	133	8	5	2
Black	125	130	8	5	2
Clarksville	- - -	461	14	11	6
White	- - -	345	7	6	4
All other	- - -	116	7	5	2
Black	- - -	114	7	5	2
Balance of county	- - -	167	2	-	-
White	- - -	150	1	-	-
All other	- - -	17	1	-	-
Black	- - -	16	1	-	-
Moore	5	24	-	-	-
Morgan	27	167	1	-	-
Obion	318	346	1	1	-
Union City	- - -	135	1	1	-
White	- - -	108	1	1	-
All other	- - -	27	-	-	-
Black	- - -	27	-	-	-
Balance of county	- - -	211	-	-	-
Overton	225	207	1	-	1
Perry	45	56	-	-	-
Pickett	5	57	-	-	-
Polk	94	168	4	3	1
Putnam	439	479	3	3	3
Cookeville	- - -	208	3	3	2
Balance of county	- - -	271	-	-	1
Rhea	172	239	5	5	3
Roane	411	487	9	8	1
Oak Ridge, part	- - -	4	-	-	-
Balance of county	- - -	483	9	8	1
Robertson	314	412	8	5	-
White	270	351	4	3	-
All other	44	61	4	2	-
Black	44	61	4	2	-
Springfield	- - -	180	7	5	-
White	- - -	126	3	3	-
All other	- - -	54	4	2	-
Black	- - -	54	4	2	-
Balance of county	- - -	232	1	-	-
Rutherford	887	775	17	10	12
White	785	695	15	8	9
All other	102	80	2	2	3
Black	102	80	2	2	3
Murfreesboro	- - -	365	7	3	5
White	- - -	324	6	2	4
All other	- - -	41	1	1	1
Black	- - -	41	1	1	1
Balance of county	- - -	410	10	7	7
Scott	130	158	3	3	4
Sequatchie	58	71	-	-	-
Sevier	323	417	3	1	3
Shelby	9,469	7,284	215	142	122
White	5,493	3,901	35	24	32
All other	3,976	3,383	180	118	90
Black	3,956	3,364	179	117	89
Bartlett	- - -	110	-	-	3
Germantown	- - -	120	3	1	1
Memphis	- - -	6,581	205	136	102
White	- - -	3,314	29	22	20
All other	- - -	3,267	176	114	82
Black	- - -	3,250	175	113	82
Millington	- - -	86	4	2	5
White	- - -	72	2	-	2
All other	- - -	14	2	2	3
Black	- - -	13	2	2	3
Balance of county	- - -	387	3	3	11
White	- - -	289	1	1	7
All other	- - -	98	2	2	4
Black	- - -	97	2	2	3
Smith	127	158	1	1	2
Stewart	36	106	3	3	-
Sullivan	2,209	1,420	10	8	14
Bristol [7]	- - -	307	3	3	2
Kingsport, part	- - -	497	3	2	-
Kingsport, total	- - -	516	3	2	-
Balance of county	- - -	616	4	3	12
Sumner	606	739	17	10	1
Gallatin	- - -	222	7	3	-
White	- - -	179	5	1	-
All other	- - -	43	2	2	-
Black	- - -	43	2	2	-
Hendersonville	- - -	186	2	1	1
Balance of county	- - -	331	8	6	-
Tipton	213	325	12	8	5
White	137	224	7	4	2
All other	76	101	5	4	3
Black	76	100	5	4	3
Trousdale	81	76	1	-	1
White	68	62	1	-	-
All other	13	14	-	-	1
Black	13	14	-	-	1
Unicoi	134	186	-	-	-
Union	38	115	1	1	1
Van Buren	5	39	-	-	-
Warren	331	362	1	-	5
McMinnville	- - -	165	-	-	3
Balance of county	- - -	197	1	-	2
Washington	1,378	883	4	2	9
Johnson City, part	- - -	489	1	-	4
Johnson City, total	- - -	497	1	-	4
Balance of county	- - -	394	3	2	5
Wayne	96	134	-	-	-
Weakley	296	337	2	1	1
White	145	222	3	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 72 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Tennessee-Con.					
Williamson	405	482	6	3	7
Franklin	---	196	1	–	2
White	---	156	–	–	1
All other	---	40	1	–	1
Black	---	40	1	–	1
Balance of county	---	286	5	3	5
Wilson	392	523	7	2	2
Lebanon	---	217	3	2	1
White	---	184	–	–	–
All other	---	33	3	2	1
Black	---	32	3	2	1
Balance of county	---	306	4	–	1
Texas	128,239	126,795	2,448	1,439	2,058
White	110,654	109,313	1,786	1,049	1,567
All other	17,585	17,482	662	390	491
Black	16,901	16,855	628	368	443
Anderson	428	459	4	3	7
White	334	370	4	3	5
All other	94	89	–	–	2
Black	94	88	–	–	2
Palestine	---	238	2	2	4
White	---	192	2	2	2
All other	---	46	–	–	2
Black	---	46	–	–	2
Balance of county	---	221	2	1	3
White	---	178	2	1	3
All other	---	43	–	–	–
Black	---	42	–	–	–
Andrews	90	103	1	–	1
Andrews	---	91	1	–	1
White	---	91	1	–	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	12	–	–	–
Angelina	786	664	10	7	9
White	677	574	8	6	9
All other	109	90	2	1	–
Black	107	90	2	1	–
Lufkin	---	364	5	2	2
White	---	285	3	1	2
All other	---	79	2	1	–
Black	---	79	2	1	–
Balance of county	---	300	5	5	7
White	---	289	5	5	7
All other	---	11	–	–	–
Black	---	11	–	–	–
Aransas	84	196	5	3	1
Archer	31	66	–	–	–
Wichita Falls, part	---	–	–	–	–
Balance of county	---	66	–	–	–
White	---	66	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Armstrong	35	27	–	–	–
Atascosa	160	226	2	1	2
Austin	181	227	4	4	3
White	154	193	3	3	2
All other	27	34	1	1	1
Black	27	34	1	1	1
Bailey	54	73	–	–	–
Bandera	39	121	3	2	1
Bastrop	210	332	3	2	2
White	174	274	2	1	2
All other	36	58	1	1	–
Black	36	58	1	1	–
Baylor	78	78	2	1	–
Bee	168	212	3	2	2
Beeville	---	125	1	–	2
White	---	120	–	–	2
All other	---	5	1	–	–
Black	---	4	1	–	–
Balance of county	---	87	2	2	–
White	---	85	2	2	–
All other	---	2	–	–	–
Black	---	1	–	–	–
Bell	1,930	1,292	35	14	19
White	1,683	1,121	26	8	13
All other	247	171	9	6	6
Black	235	160	9	6	6
Belton	---	123	1	–	3
White	---	110	1	–	2
All other	---	13	–	–	1
Black	---	12	–	–	1
Texas-Con.					
Killeen	---	265	13	4	5
White	---	216	9	2	2
All other	---	49	4	2	3
Black	---	42	4	2	3
Temple	---	560	8	5	5
White	---	479	5	2	4
All other	---	81	3	3	1
Black	---	80	3	3	1
Balance of county	---	344	13	5	6
White	---	316	11	4	5
All other	---	28	2	1	1
Black	---	26	2	1	1
Bexar	9,721	8,391	162	92	139
White	8,934	7,670	135	81	122
All other	787	721	27	11	17
Black	752	694	26	11	16
San Antonio	---	7,143	139	76	119
White	---	6,487	116	66	103
All other	---	656	23	10	16
Black	---	635	22	10	15
Universal City	---	69	1	1	1
White	---	68	1	1	1
All other	---	1	–	–	–
Black	---	–	–	–	–
Balance of county	---	1,179	22	15	19
White	---	1,115	18	14	18
All other	---	64	4	1	1
Black	---	59	4	1	1
Blanco	58	79	–	–	1
Borden	2	5	–	–	–
Bosque	234	252	1	1	–
Bowie	843	807	10	9	6
White	676	647	4	4	5
All other	167	160	6	5	1
Black	165	159	6	5	1
Texarkana [8]	---	403	7	6	2
White	---	313	2	2	1
All other	---	90	5	4	1
Black	---	90	5	4	1
Balance of county	---	404	3	3	4
White	---	334	2	2	4
All other	---	70	1	1	–
Black	---	69	1	1	–
Brazoria	875	1,223	19	11	12
White	801	1,127	18	11	10
All other	74	96	1	–	2
Black	73	94	1	–	2
Alvin	---	177	2	2	3
Angleton	---	129	3	–	2
White	---	115	2	–	2
All other	---	14	1	–	–
Black	---	14	1	–	–
Freeport	---	108	–	–	1
White	---	92	–	–	–
All other	---	16	–	–	1
Black	---	16	–	–	1
Lake Jackson	---	118	–	–	–
Pearland, part	---	153	3	1	2
Pearland, total	---	164	3	1	2
Balance of county	---	538	11	8	4
White	---	479	11	8	3
All other	---	59	–	–	1
Black	---	58	–	–	1
Brazos	715	568	11	5	8
White	573	453	7	3	6
All other	142	115	4	2	–
Black	139	111	4	2	–
Bryan	---	394	7	3	5
White	---	302	4	2	5
All other	---	92	3	1	–
Black	---	91	3	1	–
College Station	---	103	3	1	2
Balance of county	---	71	1	1	1
White	---	65	1	1	1
All other	---	6	–	–	–
Black	---	6	–	–	–
Brewster	89	74	1	–	1
Briscoe	10	30	–	–	–
Brooks	76	72	3	1	2
Brown	463	445	3	2	2
Brownwood	---	259	3	2	2
White	---	251	3	2	2
All other	---	8	–	–	–
Black	---	8	–	–	–
Balance of county	---	186	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 73 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Texas-Con.					
Burleson	90	176	4	3	1
White	77	146	1	1	1
All other	13	30	3	2	-
Black	13	30	3	2	-
Burnet	184	297	4	2	3
Caldwell	146	220	1	1	-
White	120	189	1	1	-
All other	26	31	-	-	-
Black	26	31	-	-	-
Calhoun	121	150	-	-	-
Port Lavaca	---	94	-	-	-
White	---	88	-	-	-
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	56	-	-	-
Callahan	57	141	1	-	1
Cameron	1,764	1,679	39	24	40
Brownsville	---	593	15	11	20
White	---	590	15	11	20
All other	---	3	-	-	-
Black	---	2	-	-	-
Harlingen	---	463	8	3	5
White	---	459	8	3	5
All other	---	4	-	-	-
Black	---	4	-	-	-
San Benito	---	155	1	-	4
White	---	154	1	-	4
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	468	15	10	11
White	---	466	15	10	11
All other	---	2	-	-	-
Black	---	1	-	-	-
Camp	120	127	-	-	2
White	79	84	-	-	2
All other	41	43	-	-	-
Black	41	43	-	-	-
Carson	20	66	3	3	-
Cass	234	329	2	1	3
White	179	263	2	1	2
All other	55	66	-	-	1
Black	55	66	-	-	1
Castro	34	57	1	-	-
Chambers	128	172	2	1	-
White	108	149	-	-	-
All other	20	23	2	1	-
Black	20	21	2	1	-
Baytown, part	---	15	1	-	-
Balance of county	---	157	1	1	-
White	---	137	-	-	-
All other	---	20	1	1	-
Black	---	18	1	1	-
Cherokee	406	484	2	-	5
White	348	418	-	-	4
All other	58	66	2	-	1
Black	57	66	2	-	1
Jacksonville	---	167	1	-	5
White	---	131	-	-	4
All other	---	36	1	-	1
Black	---	36	1	-	1
Balance of county	---	317	1	-	-
White	---	287	-	-	-
All other	---	30	1	-	-
Black	---	30	1	-	-
Childress	99	94	1	1	-
Clay	88	123	-	-	-
Cochran	19	46	-	-	-
Coke	27	58	-	-	-
Coleman	93	161	2	1	1
Collin	1,013	1,064	25	15	27
Carrollton, part	---	-	-	-	-
Dallas, part	---	16	-	-	1
Garland, part	---	-	-	-	-
McKinney	---	179	7	5	3
White	---	162	6	4	3
All other	---	17	1	1	-
Black	---	17	1	1	-
Plano, part	---	410	13	6	15
Plano, total	---	412	13	6	15
Richardson, part	---	21	-	-	-
Balance of county	---	438	5	4	8
Collingsworth	39	64	1	-	-
Colorado	274	275	1	-	2
White	221	220	-	-	2
All other	53	55	1	-	-
Black	51	54	1	-	-
Comal	390	441	1	-	4
New Braunfels, part	---	267	1	-	2
White	---	264	1	-	2
All other	---	3	-	-	-
Black	---	3	-	-	-
New Braunfels, total	---	270	1	-	2
White	---	267	1	-	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	174	-	-	2
Comanche	201	217	2	-	1
Concho	39	45	1	1	-
Cooke	301	351	2	2	1
Gainesville	---	217	1	1	1
White	---	205	1	1	1
All other	---	12	-	-	-
Black	---	11	-	-	-
Balance of county	---	134	1	1	-
Coryell	167	282	6	2	2
White	158	265	6	2	1
All other	9	17	-	-	1
Black	9	17	-	-	1
Copperas Cove	---	92	3	-	1
White	---	84	3	-	-
All other	---	8	-	-	1
Black	---	8	-	-	1
Balance of county	---	190	3	2	1
White	---	181	3	2	1
All other	---	9	-	-	-
Black	---	9	-	-	-
Cottle	24	38	1	-	1
Crane	36	43	-	-	-
Crockett	15	29	-	-	-
Crosby	65	85	-	-	1
Culberson	29	30	-	-	-
Dallam	13	78	2	2	1
Dallas	13,797	12,774	310	194	254
White	10,819	9,935	185	115	162
All other	2,978	2,839	125	79	92
Black	2,850	2,720	116	71	81
Balch Springs	---	105	2	1	2
Carrollton, part	---	191	7	6	6
Carrollton, total	---	268	12	8	9
Dallas, part	---	8,260	192	124	156
White	---	5,759	100	70	88
All other	---	2,501	92	54	68
Black	---	2,448	88	51	62
Dallas, total	---	8,279	192	124	158
White	---	5,778	100	70	90
All other	---	2,501	92	54	68
Black	---	2,448	88	51	62
De Soto	---	179	-	-	1
Duncanville	---	197	4	1	3
Farmers Branch	---	122	2	-	5
Garland, part	---	846	20	11	18
White	---	771	15	6	13
All other	---	75	5	5	5
Black	---	49	2	2	5
Garland, total	---	846	20	11	18
White	---	771	15	6	13
All other	---	75	5	5	5
Black	---	49	2	2	5
Grand Prairie, part	---	468	19	8	9
White	---	431	13	5	7
All other	---	37	6	3	2
Black	---	34	6	3	2
Grand Prairie, total	---	524	23	10	13
White	---	470	15	6	8
All other	---	54	8	4	5
Black	---	49	7	4	4
Grapevine, part	---	5	-	-	-
Irving	---	725	25	14	22
Lancaster	---	191	5	5	3
White	---	149	1	1	2
All other	---	42	4	4	1
Black	---	42	4	4	1
Mesquite	---	549	15	10	7
Richardson, part	---	377	4	3	8
Richardson, total	---	398	4	3	8
University Park	---	84	1	1	1
Balance of county	---	475	14	10	13
White	---	423	10	7	9
All other	---	52	4	3	4
Black	---	46	3	2	4
Dawson	90	140	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 74 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Texas-Con.					
Lamesa	---	124	–	–	1
White	---	118	–	–	1
All other	---	6	–	–	–
Black	---	6	–	–	–
Balance of county	---	16	–	–	–
White	---	16	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Deaf Smith	90	130	3	3	4
Hereford	---	114	2	2	4
White	---	114	2	2	4
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	16	1	1	–
White	---	16	1	1	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Delta	27	75	–	–	–
Denton	1,031	1,114	27	14	29
Carrollton, part	---	77	5	2	3
Dallas, part	---	3	–	–	1
Denton	---	421	5	5	9
White	---	380	5	5	6
All other	---	41	–	–	3
Black	---	37	–	–	3
Lewisville	---	198	7	3	6
Plano, part	---	2	–	–	–
The Colony	---	44	2	1	2
Balance of county	---	369	8	3	8
De Witt	201	234	2	1	1
White	178	210	1	–	1
All other	23	24	1	1	–
Black	23	24	1	1	–
Dickens	8	43	–	–	–
Dimmit	75	81	–	–	1
Donley	23	60	–	–	–
Duval	28	125	1	1	1
Eastland	223	305	–	–	–
Ector	926	878	18	8	12
Odessa	---	711	15	8	9
White	---	660	14	7	8
All other	---	51	1	1	1
Black	---	50	1	1	1
Balance of county	---	167	3	–	3
Edwards	7	18	–	–	–
Ellis	546	647	5	5	12
White	480	565	5	5	12
All other	66	82	–	–	–
Black	66	82	–	–	–
Ennis	---	173	2	2	5
White	---	148	2	2	5
All other	---	25	–	–	–
Black	---	25	–	–	–
Grand Prairie, part	---	–	–	–	–
Waxahachie	---	185	1	1	2
White	---	155	1	1	2
All other	---	30	–	–	–
Black	---	30	–	–	–
Balance of county	---	289	2	2	5
White	---	262	2	2	5
All other	---	27	–	–	–
Black	---	27	–	–	–
El Paso	3,641	3,360	97	63	80
White	3,529	3,256	87	58	74
All other	112	104	10	5	6
Black	95	93	10	5	6
El Paso	---	3,180	85	57	73
White	---	3,087	79	55	68
All other	---	93	6	2	5
Black	---	83	6	2	5
Balance of county	---	180	12	6	7
White	---	169	8	3	6
All other	---	11	4	3	1
Black	---	10	4	3	1
Erath	295	321	6	3	1
Stephenville	---	159	1	1	–
Balance of county	---	162	5	2	1
Falls	177	246	5	4	3
White	132	185	3	2	2
All other	45	61	2	2	1
Black	45	61	2	2	1
Fannin	301	380	4	3	2
Fayette	190	261	1	–	–
Fisher	54	72	–	–	–
Floyd	57	80	3	2	–
Foard	10	31	–	–	–
Fort Bend	695	933	25	17	36
White	568	736	16	9	24
All other	127	197	9	8	12
Black	117	174	9	8	11
Houston, part	---	11	–	–	2
White	---	6	–	–	1
All other	---	5	–	–	1
Black	---	5	–	–	1
Missouri City, part	---	157	9	8	10
White	---	92	2	2	4
All other	---	65	7	6	6
Black	---	61	7	6	5
Missouri City, total	---	178	10	8	11
White	---	97	2	2	4
All other	---	81	8	6	7
Black	---	77	8	6	6
Rosenberg	---	138	4	3	3
White	---	130	3	2	2
All other	---	8	1	1	1
Black	---	8	1	1	1
Balance of county	---	627	12	6	21
White	---	508	11	5	17
All other	---	119	1	1	4
Black	---	100	1	1	4
Franklin	70	86	1	1	–
Freestone	137	202	3	1	1
White	103	147	2	1	–
All other	34	55	1	–	1
Black	34	55	1	–	1
Frio	97	109	–	–	2
Gaines	27	73	–	–	–
Galveston	1,874	1,877	52	35	24
White	1,434	1,498	30	20	15
All other	440	379	22	15	9
Black	429	374	22	15	8
Friendswood, part	---	84	4	3	–
Friendswood, total	---	123	4	3	2
Galveston	---	675	16	11	9
White	---	476	4	3	3
All other	---	199	12	8	6
Black	---	197	12	8	6
La Marque	---	143	3	2	1
White	---	104	1	1	1
All other	---	39	2	1	–
Black	---	38	2	1	–
League City	---	118	6	3	2
Texas City	---	354	11	7	7
White	---	269	5	3	5
All other	---	85	6	4	2
Black	---	85	6	4	2
Balance of county	---	503	12	9	5
White	---	450	10	7	4
All other	---	53	2	2	1
Black	---	52	2	2	–
Garza	31	49	–	–	–
Gillespie	243	246	4	2	2
Glasscock	4	6	1	–	–
Goliad	26	62	–	–	–
Gonzales	143	208	3	1	3
White	129	180	3	1	3
All other	14	28	–	–	–
Black	14	28	–	–	–
Gray	214	257	3	2	3
Pampa	---	227	3	2	3
Balance of county	---	30	–	–	–
Grayson	1,170	1,039	13	4	7
Denison	---	276	2	–	3
White	---	243	2	–	3
All other	---	33	–	–	–
Black	---	33	–	–	–
Sherman	---	340	7	2	1
White	---	303	7	2	1
All other	---	37	–	–	–
Black	---	34	–	–	–
Balance of county	---	423	4	2	3
Gregg	1,216	1,036	12	9	9
White	994	850	8	7	8
All other	222	186	4	2	1
Black	222	186	4	2	1
Kilgore, part	---	137	1	1	–
White	---	118	1	1	–
All other	---	19	–	–	–
Black	---	19	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 75 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Texas-Con.					
Kilgore, total	---	155	1	1	-
White	---	136	1	1	-
All other	---	19	-	-	-
Black	---	19	-	-	-
Longview, part	---	649	9	6	4
White	---	527	5	4	3
All other	---	122	4	2	1
Black	---	122	4	2	1
Longview, total	---	655	9	6	4
White	---	532	5	4	3
All other	---	123	4	2	1
Black	---	123	4	2	1
Balance of county	---	250	2	2	5
White	---	205	2	2	5
All other	---	45	-	-	-
Black	---	45	-	-	-
Grimes	123	175	-	-	1
White	90	118	-	-	-
All other	33	57	-	-	1
Black	33	57	-	-	1
Guadalupe	387	519	4	2	8
New Braunfels, part	---	3	-	-	-
Seguin	---	195	3	2	4
White	---	166	3	2	3
All other	---	29	-	-	1
Black	---	29	-	-	1
Balance of county	---	321	1	-	4
Hale	217	273	6	4	7
Plainview	---	183	5	3	7
White	---	171	4	3	7
All other	---	12	1	-	-
Black	---	12	1	-	-
Balance of county	---	90	1	1	-
White	---	85	-	-	-
All other	---	5	1	1	-
Black	---	5	1	1	-
Hall	65	87	-	-	-
Hamilton	96	119	-	-	-
Hansford	41	43	-	-	3
Hardeman	62	80	-	-	-
Hardin	197	372	5	3	2
White	183	344	5	3	1
All other	14	28	-	-	1
Black	14	28	-	-	1
Harris	20,721	17,941	483	286	431
White	15,685	13,313	280	170	272
All other	5,036	4,628	203	116	159
Black	4,765	4,391	191	109	141
Baytown, part	---	492	13	9	8
White	---	444	13	9	7
All other	---	48	-	-	1
Black	---	45	-	-	1
Baytown, total	---	507	14	9	8
White	---	456	13	9	7
All other	---	51	1	-	1
Black	---	48	1	-	1
Bellaire	---	114	1	1	3
Deer Park	---	103	3	3	3
Friendswood, part	---	39	-	-	2
Houston, part	---	13,384	386	225	332
White	---	9,020	193	115	185
All other	---	4,364	193	110	147
Black	---	4,160	182	104	130
Houston, total	---	13,395	386	225	334
White	---	9,026	193	115	186
All other	---	4,369	193	110	148
Black	---	4,165	182	104	131
La Porte	---	143	4	-	4
White	---	131	3	-	4
All other	---	12	1	-	-
Black	---	12	1	-	-
Missouri City, part	---	21	1	-	1
White	---	5	-	-	-
All other	---	16	1	-	1
Black	---	16	1	-	1
Pasadena	---	809	17	9	12
White	---	803	16	8	12
All other	---	6	1	1	-
Black	---	2	-	-	-
Pearland, part	---	11	-	-	-
South Houston	---	69	1	-	3
White	---	68	1	-	3
All other	---	1	-	-	-
Black	---	-	-	-	-
West University Place	---	7	-	-	-
Balance of county	---	2,749	57	39	63
White	---	2,573	50	34	54
All other	---	176	7	5	9
Black	---	154	7	5	8
Harrison	414	546	5	1	6
White	258	354	4	1	4
All other	156	192	1	-	2
Black	156	192	1	-	2
Longview, part	---	6	-	-	-
Marshall	---	308	3	-	2
White	---	186	2	-	2
All other	---	122	1	-	-
Black	---	122	1	-	-
Balance of county	---	232	2	1	4
White	---	163	2	1	2
All other	---	69	-	-	2
Black	---	69	-	-	2
Hartley	62	32	-	-	1
Haskell	78	99	-	-	1
Hays	351	367	6	4	5
San Marcos	---	152	3	2	1
White	---	143	2	1	-
All other	---	9	1	1	1
Black	---	9	1	1	1
Balance of county	---	215	3	2	4
White	---	211	3	2	4
All other	---	4	-	-	-
Black	---	4	-	-	-
Hemphill	25	34	1	-	-
Henderson	511	659	3	2	5
White	473	603	2	1	4
All other	38	56	1	1	1
Black	37	55	1	1	1
Athens	---	164	2	2	2
White	---	141	1	1	1
All other	---	23	1	1	1
Black	---	22	1	1	1
Balance of county	---	495	1	-	3
Hidalgo	2,075	1,995	51	24	52
Edinburg	---	207	9	4	3
White	---	206	9	4	3
All other	---	1	-	-	-
Black	---	1	-	-	-
McAllen	---	442	8	4	13
White	---	441	8	4	13
All other	---	1	-	-	-
Black	---	1	-	-	-
Mercedes	---	100	3	-	2
White	---	100	3	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Mission	---	194	5	3	1
Pharr	---	179	6	2	6
White	---	179	6	2	6
All other	---	-	-	-	-
Black	---	-	-	-	-
Weslaco	---	184	1	-	-
White	---	183	1	-	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	689	19	11	27
White	---	689	19	11	27
All other	---	-	-	-	-
Black	---	-	-	-	-
Hill	276	393	3	2	5
White	251	359	1	1	3
All other	25	34	2	1	2
Black	25	34	2	1	2
Hockley	141	204	5	3	4
Levelland	---	137	2	1	1
White	---	127	2	1	1
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	67	3	2	3
White	---	65	3	2	3
All other	---	2	-	-	-
Black	---	2	-	-	-
Hood	212	265	2	1	5
Hopkins	286	319	2	1	2
White	263	291	2	1	2
All other	23	28	-	-	-
Black	22	27	-	-	-
Sulphur Springs	---	185	1	1	-
White	---	165	1	1	-
All other	---	20	-	-	-
Black	---	19	-	-	-
Balance of county	---	134	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 76 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Texas-Con.					
Houston	209	272	1	1	1
White	156	199	1	1	1
All other	53	73	–	–	–
Black	53	73	–	–	–
Howard	388	340	2	–	1
Big Spring	---	277	1	–	1
White	---	265	1	–	1
All other	---	12	–	–	–
Black	---	12	–	–	–
Balance of county	---	63	1	–	–
White	---	63	1	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Hudspeth	9	14	–	–	–
Hunt	526	651	12	6	9
White	469	581	10	5	9
All other	57	70	2	1	–
Black	57	70	2	1	–
Greenville	---	275	5	3	5
White	---	224	3	2	5
All other	---	51	2	1	–
Black	---	51	2	1	–
Balance of county	---	376	7	3	4
Hutchinson	158	260	1	–	4
Borger	---	184	–	–	1
Balance of county	---	76	1	–	3
Irion	–	15	–	–	–
Jack	47	94	1	1	–
Jackson	74	123	1	–	5
White	64	103	1	–	4
All other	10	20	–	–	1
Black	10	20	–	–	1
Jasper	290	384	4	2	2
White	240	328	1	–	1
All other	50	56	3	2	1
Black	50	56	3	2	1
Jeff Davis	8	17	–	–	–
Jefferson	3,060	2,526	62	38	33
White	2,289	1,737	18	11	15
All other	771	789	44	27	18
Black	754	772	42	26	17
Beaumont	---	1,248	37	22	12
White	---	771	8	5	3
All other	---	477	29	17	9
Black	---	472	28	17	8
Groves	---	153	2	2	2
Nederland	---	139	1	1	1
Port Arthur	---	750	21	13	13
White	---	465	7	4	5
All other	---	285	14	9	8
Black	---	274	13	8	8
Port Neches	---	87	1	–	2
Balance of county	---	149	–	–	3
White	---	127	–	–	3
All other	---	22	–	–	–
Black	---	21	–	–	–
Jim Hogg	18	48	1	1	–
Jim Wells	245	282	4	2	2
Alice	---	174	4	2	1
White	---	171	4	2	1
All other	---	3	–	–	–
Black	---	3	–	–	–
Balance of county	---	108	–	–	1
White	---	107	–	–	1
All other	---	1	–	–	–
Black	---	1	–	–	–
Johnson	519	746	12	5	10
Burleson, part	---	115	2	1	2
Burleson, total	---	137	2	1	2
Cleburne	---	275	3	2	2
Balance of county	---	356	7	2	6
Jones	153	212	6	4	1
Abilene, part	---	6	–	–	–
Balance of county	---	206	6	4	1
White	---	194	4	2	1
All other	---	12	2	2	–
Black	---	12	2	2	–
Karnes	107	143	3	1	1
Kaufman	516	540	12	9	2
White	447	456	11	8	2
All other	69	84	1	1	–
Black	68	83	1	1	–
Dallas, part	---	–	–	–	–
Terrell	---	160	5	5	1
White	---	106	4	4	1
All other	---	54	1	1	–
Black	---	53	1	1	–
Balance of county	---	380	7	4	1
White	---	350	7	4	1
All other	---	30	–	–	–
Black	---	30	–	–	–
Kendall	87	142	2	–	2
Kenedy	4	3	–	–	–
Kent	4	6	–	–	–
Kerr	587	473	2	2	1
Kerrville	---	292	–	–	–
White	---	278	–	–	–
All other	---	14	–	–	–
Black	---	14	–	–	–
Balance of county	---	181	2	2	1
Kimble	58	58	1	1	–
King	4	–	–	–	–
Kinney	19	41	–	–	–
Kleberg	179	220	4	2	3
Corpus Christi, part	---	–	–	–	–
Kingsville	---	190	2	–	3
White	---	179	1	–	3
All other	---	11	1	–	–
Black	---	11	1	–	–
Balance of county	---	30	2	2	–
White	---	30	2	2	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Knox	47	90	–	–	–
Lamar	668	537	4	2	6
White	581	464	3	2	5
All other	87	73	1	–	1
Black	81	73	1	–	1
Paris	---	375	3	2	2
White	---	312	2	2	1
All other	---	63	1	–	1
Black	---	63	1	–	1
Balance of county	---	162	1	–	4
Lamb	88	179	1	–	1
Lampasas	78	152	1	–	1
La Salle	15	50	–	–	–
Lavaca	221	268	1	1	1
Lee	62	117	–	–	1
White	48	92	–	–	1
All other	14	25	–	–	–
Black	14	25	–	–	–
Leon	64	158	1	1	–
White	51	129	1	1	–
All other	13	29	–	–	–
Black	13	29	–	–	–
Liberty	374	477	3	2	5
White	336	422	3	2	3
All other	38	55	–	–	2
Black	38	55	–	–	2
Limestone	243	282	4	3	1
White	197	220	3	2	–
All other	46	62	1	1	1
Black	46	62	1	1	1
Lipscomb	14	43	1	1	–
Live Oak	45	69	–	–	1
Llano	188	238	–	–	–
Loving	2	4	–	–	–
Lubbock	2,318	1,586	33	15	36
White	2,154	1,461	32	15	31
All other	164	125	1	–	5
Black	157	121	1	–	5
Lubbock	---	1,349	31	15	34
White	---	1,233	30	15	29
All other	---	116	1	–	5
Black	---	112	1	–	5
Balance of county	---	237	2	–	2
White	---	228	2	–	2
All other	---	9	–	–	–
Black	---	9	–	–	–
Lynn	48	83	2	2	–
McCulloch	102	148	2	1	–
McLennan	1,843	1,806	19	14	18
White	1,515	1,493	16	12	17
All other	328	313	3	2	1
Black	326	311	3	2	1
Waco	---	1,260	11	8	11
White	---	979	9	7	10
All other	---	281	2	1	1
Black	---	279	2	1	1
Balance of county	---	546	8	6	7
White	---	514	7	5	7
All other	---	32	1	1	–
Black	---	32	1	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 77 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Texas-Con.					
McMullen	2	5	–	–	–
Madison	119	108	1	–	1
White	99	86	1	–	1
All other	20	22	–	–	–
Black	20	22	–	–	–
Marion	61	120	2	1	1
White	34	74	–	–	1
All other	27	46	2	1	–
Black	27	46	2	1	–
Martin	28	36	–	–	–
Mason	27	68	–	–	–
Matagorda	233	302	7	4	4
White	189	242	6	4	4
All other	44	60	1	–	–
Black	42	58	1	–	–
Bay City	– – –	145	2	1	2
White	– – –	108	1	1	2
All other	– – –	37	1	–	–
Black	– – –	37	1	–	–
Balance of county	– – –	157	5	3	2
White	– – –	134	5	3	2
All other	– – –	23	–	–	–
Black	– – –	21	–	–	–
Maverick	136	186	4	2	5
Eagle Pass	– – –	145	4	2	3
White	– – –	145	4	2	3
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	41	–	–	2
White	– – –	41	–	–	2
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Medina	146	232	5	2	1
Menard	9	27	–	–	–
Midland	716	646	13	9	10
Midland	– – –	579	13	9	10
White	– – –	514	10	7	8
All other	– – –	65	3	2	2
Black	– – –	63	3	2	2
Balance of county	– – –	67	–	–	–
Milam	240	278	2	–	5
White	213	243	2	–	4
All other	27	35	–	–	1
Black	27	35	–	–	1
Mills	46	63	1	1	2
Mitchell	93	99	–	–	–
Montague	219	249	2	–	1
Montgomery	924	1,229	21	14	29
Conroe	– – –	250	5	4	8
White	– – –	204	2	2	6
All other	– – –	46	3	2	2
Black	– – –	45	3	2	2
Houston, part	– – –	–	–	–	–
Balance of county	– – –	979	16	10	21
Moore	112	125	5	2	1
Dumas	– – –	99	5	2	1
Balance of county	– – –	26	–	–	–
Morris	53	140	1	1	2
White	44	113	–	–	2
All other	9	27	1	1	–
Black	9	27	1	1	–
Motley	6	22	–	–	–
Nacogdoches	546	452	3	3	3
White	420	350	1	1	1
All other	126	102	2	2	2
Black	126	102	2	2	2
Nacogdoches	– – –	231	2	2	3
White	– – –	161	–	–	1
All other	– – –	70	2	2	2
Black	– – –	70	2	2	2
Balance of county	– – –	221	1	1	–
White	– – –	189	1	1	–
All other	– – –	32	–	–	–
Black	– – –	32	–	–	–
Navarro	469	493	6	4	2
White	386	407	5	4	1
All other	83	86	1	–	1
Black	83	86	1	–	1
Corsicana	– – –	315	3	2	1
White	– – –	257	3	2	–
All other	– – –	58	–	–	1
Black	– – –	58	–	–	1
Balance of county	– – –	178	3	2	1
White	– – –	150	2	2	1
All other	– – –	28	1	–	–
Black	– – –	28	1	–	–
Newton	62	147	5	2	1
White	48	114	4	2	1
All other	14	33	1	–	–
Black	14	33	1	–	–
Nolan	138	187	2	1	1
Sweetwater	– – –	142	2	1	1
White	– – –	139	2	1	1
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Balance of county	– – –	45	–	–	–
White	– – –	45	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Nueces	2,484	2,070	40	27	36
White	2,318	1,918	37	25	32
All other	166	152	3	2	4
Black	160	149	3	2	3
Corpus Christi, part	– – –	1,802	38	26	34
White	– – –	1,662	35	24	30
All other	– – –	140	3	2	4
Black	– – –	137	3	2	3
Corpus Christi, total	– – –	1,802	38	26	34
White	– – –	1,662	35	24	30
All other	– – –	140	3	2	4
Black	– – –	137	3	2	3
Portland, part	– – –	2	–	–	–
Robstown	– – –	141	2	1	1
White	– – –	130	2	1	1
All other	– – –	11	–	–	–
Black	– – –	11	–	–	–
Balance of county	– – –	125	–	–	1
White	– – –	124	–	–	1
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Ochiltree	64	61	–	–	1
Oldham	8	20	–	–	–
Orange	368	656	9	3	7
Orange	– – –	225	2	–	2
White	– – –	158	1	–	1
All other	– – –	67	1	–	1
Black	– – –	66	1	–	1
Vidor	– – –	136	–	–	3
Balance of county	– – –	295	7	3	2
Palo Pinto	222	268	2	–	3
Mineral Wells, part	– – –	167	2	–	1
White	– – –	160	2	–	1
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Mineral Wells, total	– – –	167	2	–	1
White	– – –	160	2	–	1
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	101	–	–	2
Panola	141	219	1	1	2
White	109	165	–	–	1
All other	32	54	1	1	1
Black	32	54	1	1	1
Parker	310	475	6	4	5
Mineral Wells, part	– – –	–	–	–	–
White	– – –	–	–	–	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Weatherford	– – –	200	4	2	2
Balance of county	– – –	275	2	2	3
Parmer	57	75	1	–	1
Pecos	91	99	3	2	2
Polk	232	388	7	3	6
White	204	333	6	2	3
All other	28	55	1	1	3
Black	22	46	1	1	3
Potter	1,948	1,065	23	17	24
White	1,837	966	14	10	16
All other	111	99	9	7	8
Black	99	88	9	7	7
Amarillo, part	– – –	1,031	22	17	24
White	– – –	933	14	10	16
All other	– – –	98	8	7	8
Black	– – –	87	8	7	7
Amarillo, total	– – –	1,416	30	22	32
White	– – –	1,316	22	15	24
All other	– – –	100	8	7	8
Black	– – –	88	8	7	7
Balance of county	– – –	34	1	–	–
Presidio	13	54	–	–	–
Rains	34	76	–	–	1
Randall	157	514	9	6	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 78 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Texas-Con.					
Amarillo, part	---	385	8	5	8
Canyon	---	65	-	-	1
Balance of county	---	64	1	1	-
Reagan	22	34	2	-	-
Real	26	37	-	-	-
Red River	152	230	3	2	-
White	121	187	3	2	-
All other	31	43	-	-	-
Black	31	43	-	-	-
Reeves	70	100	4	3	3
Pecos	---	82	3	2	2
White	---	76	2	2	2
All other	---	6	1	-	-
Black	---	6	1	-	-
Balance of county	---	18	1	1	1
White	---	18	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	52	84	-	-	-
Roberts	1	6	-	-	-
Robertson	122	224	2	2	3
White	92	160	2	2	2
All other	30	64	-	-	1
Black	30	64	-	-	1
Rockwall	153	149	1	-	2
Dallas, part	---	-	-	-	-
Garland, part	---	-	-	-	-
Balance of county	---	149	1	-	2
White	---	142	-	-	2
All other	---	7	1	-	-
Black	---	6	1	-	-
Runnels	119	167	2	-	3
Rusk	298	465	3	3	6
White	226	351	1	1	4
All other	72	114	2	2	2
Black	71	113	2	2	2
Henderson	---	165	-	-	1
White	---	121	-	-	1
All other	---	44	-	-	-
Black	---	43	-	-	-
Kilgore, part	---	18	-	-	-
Balance of county	---	282	3	3	5
White	---	212	1	1	3
All other	---	70	2	2	2
Black	---	70	2	2	2
Sabine	66	143	-	-	1
White	60	128	-	-	-
All other	6	15	-	-	1
Black	6	15	-	-	1
San Augustine	101	138	1	1	-
White	78	95	-	-	-
All other	23	43	1	1	-
Black	23	43	1	1	-
San Jacinto	72	180	1	1	1
White	62	148	1	1	1
All other	10	32	-	-	-
Black	10	32	-	-	-
San Patricio	306	453	9	5	8
Corpus Christi, part	---	-	-	-	-
Portland, part	---	56	1	-	3
Portland, total	---	58	1	-	3
Balance of county	---	397	8	5	5
White	---	386	8	5	5
All other	---	11	-	-	-
Black	---	11	-	-	-
San Saba	28	72	-	-	-
Schleicher	27	34	1	-	-
Scurry	122	171	1	1	-
Snyder	---	137	1	1	-
White	---	132	1	1	-
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	34	-	-	-
White	---	33	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Shackelford	26	39	-	-	2
Shelby	213	312	6	6	4
White	172	257	6	6	2
All other	41	55	-	-	2
Black	41	55	-	-	2
Sherman	18	24	-	-	-
Smith	2,063	1,435	19	13	15
White	1,707	1,146	14	9	9
All other	356	289	5	4	6
Black	354	288	5	4	6
Tyler	---	804	11	8	8
White	---	624	6	4	4
All other	---	180	5	4	4
Black	---	179	5	4	4
Balance of county	---	631	8	5	7
White	---	522	8	5	5
All other	---	109	-	-	2
Black	---	109	-	-	2
Somervell	38	50	-	-	-
Starr	121	183	2	2	-
Stephens	106	128	1	1	-
Sterling	8	8	-	-	1
Stonewall	17	34	-	-	-
Sutton	28	35	1	-	-
Swisher	46	79	1	-	2
Tarrant	8,568	7,743	192	112	155
White	7,347	6,567	129	77	104
All other	1,221	1,176	63	35	51
Black	1,169	1,127	61	34	43
Arlington	---	1,159	40	23	28
White	---	1,091	32	18	22
All other	---	68	8	5	6
Black	---	50	7	4	3
Bedford	---	192	1	1	4
Benbrook	---	112	1	1	1
Burleson, part	---	22	-	-	-
Euless	---	129	5	1	6
Forest Hill	---	81	3	2	4
White	---	49	-	-	2
All other	---	32	3	2	2
Black	---	32	3	2	2
Fort Worth	---	4,056	94	57	78
White	---	3,046	49	32	42
All other	---	1,010	45	25	36
Black	---	990	45	25	35
Grand Prairie, part	---	56	4	2	4
White	---	39	2	1	1
All other	---	17	2	1	3
Black	---	15	1	1	2
Grapevine, part	---	108	2	2	7
Grapevine, total	---	113	2	2	7
Haltom City	---	255	4	2	4
Hurst	---	223	2	2	3
North Richland Hills	---	215	5	3	3
Watauga	---	59	4	-	2
White Settlement	---	133	1	-	-
Balance of county	---	943	26	16	11
Taylor	1,338	1,055	15	4	13
Abilene, part	---	906	12	4	12
White	---	848	10	3	10
All other	---	58	2	1	2
Black	---	56	2	1	2
Abilene, total	---	912	12	4	12
White	---	854	10	3	10
All other	---	58	2	1	2
Black	---	56	2	1	2
Balance of county	---	149	3	-	1
Terrell	10	14	-	-	-
Terry	83	119	2	1	2
Brownfield	---	99	1	1	1
White	---	92	1	1	1
All other	---	7	-	-	-
Black	---	6	-	-	-
Balance of county	---	20	1	-	1
White	---	19	1	-	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Throckmorton	16	26	-	-	-
Titus	275	256	4	3	2
White	240	226	4	3	1
All other	35	30	-	-	1
Black	35	30	-	-	1
Mount Pleasant	---	178	3	2	1
White	---	154	3	2	1
All other	---	24	-	-	-
Black	---	24	-	-	-
Balance of county	---	78	1	1	1
Tom Green	997	823	17	8	6
San Angelo	---	758	16	8	5
White	---	720	15	7	5
All other	---	38	1	1	-
Black	---	38	1	1	-
Balance of county	---	65	1	-	1
Travis	3,538	3,101	55	31	67
White	3,054	2,645	36	22	51
All other	484	456	19	9	16
Black	467	441	16	8	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 79 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Texas-Con.					
Austin, part	---	2,639	52	29	58
White	---	2,203	33	20	44
All other	---	436	19	9	14
Black	---	423	16	8	13
Austin, total	---	2,653	52	29	58
White	---	2,216	33	20	44
All other	---	437	19	9	14
Black	---	423	16	8	13
Round Rock, part	---	6	-	-	-
Balance of county	---	456	3	2	9
White	---	436	3	2	7
All other	---	20	-	-	2
Black	---	18	-	-	2
Trinity	52	120	2	-	1
White	49	107	2	-	-
All other	3	13	-	-	1
Black	3	13	-	-	1
Tyler	159	225	2	-	1
White	135	195	2	-	-
All other	24	30	-	-	1
Black	24	30	-	-	1
Upshur	191	305	6	1	4
White	161	257	5	1	4
All other	30	48	1	-	-
Black	30	48	1	-	-
Upton	23	34	-	-	1
Uvalde	177	193	4	1	5
Uvalde	---	130	4	1	4
White	---	129	4	1	4
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	63	-	-	1
White	---	63	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Val Verde	241	244	6	4	3
Del Rio	---	210	5	4	3
White	---	207	5	4	3
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	34	1	-	-
White	---	33	1	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Van Zandt	245	452	3	2	4
Victoria	734	552	12	7	9
Victoria	---	427	10	5	6
White	---	373	10	5	5
All other	---	54	-	-	1
Black	---	54	-	-	1
Balance of county	---	125	2	2	3
White	---	120	2	2	3
All other	---	5	-	-	-
Black	---	5	-	-	-
Walker	284	281	2	-	1
White	213	208	1	-	-
All other	71	73	1	-	1
Black	71	73	1	-	1
Huntsville	---	140	2	-	1
White	---	99	1	-	-
All other	---	41	1	-	1
Black	---	41	1	-	1
Balance of county	---	141	-	-	-
White	---	109	-	-	-
All other	---	32	-	-	-
Black	---	32	-	-	-
Waller	81	221	1	-	8
White	66	162	-	-	3
All other	15	59	1	-	5
Black	15	59	1	-	5
Ward	74	101	-	-	4
Washington	324	286	3	1	2
White	264	232	1	-	1
All other	60	54	2	1	1
Black	60	54	2	1	1
Brenham	---	161	-	-	1
White	---	137	-	-	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	125	3	1	1
White	---	95	1	-	1
All other	---	30	2	1	-
Black	---	30	2	1	-
Webb	740	696	34	23	13
Laredo	---	665	34	23	11
Balance of county	---	31	-	-	2
Wharton	386	408	5	3	4
White	309	331	5	3	3
All other	77	77	-	-	1
Black	77	77	-	-	1
El Campo	---	123	-	-	2
White	---	104	-	-	2
All other	---	19	-	-	-
Black	---	19	-	-	-
Balance of county	---	285	5	3	2
White	---	227	5	3	1
All other	---	58	-	-	1
Black	---	58	-	-	1
Wheeler	59	75	1	1	-
Wichita	1,423	1,242	34	23	19
White	1,318	1,134	23	13	13
All other	105	108	11	10	6
Black	103	107	10	9	6
Burkburnett	---	113	1	1	3
Wichita Falls, part	---	958	30	21	12
White	---	858	20	12	6
All other	---	100	10	9	6
Black	---	99	9	8	6
Wichita Falls, total	---	958	30	21	12
White	---	858	20	12	6
All other	---	100	10	9	6
Black	---	99	9	8	6
Balance of county	---	171	3	1	4
Wilbarger	162	185	-	-	-
Vernon	---	158	-	-	-
White	---	151	-	-	-
All other	---	7	-	-	-
Black	---	6	-	-	-
Balance of county	---	27	-	-	-
Willacy	54	134	1	1	2
Williamson	704	776	18	7	16
Austin, part	---	14	-	-	-
Round Rock, part	---	131	7	2	4
White	---	127	7	2	2
All other	---	4	-	-	2
Black	---	3	-	-	1
Round Rock, total	---	137	7	2	4
White	---	133	7	2	2
All other	---	4	-	-	2
Black	---	3	-	-	1
Taylor	---	151	2	1	1
White	---	122	1	-	-
All other	---	29	1	1	1
Black	---	29	1	1	1
Balance of county	---	480	9	4	11
White	---	455	8	3	9
All other	---	25	1	1	2
Black	---	23	-	-	1
Wilson	116	190	3	2	1
Winkler	29	58	2	1	-
Wise	227	307	5	2	2
Wood	302	396	5	3	3
White	278	364	4	3	3
All other	24	32	1	-	-
Black	24	32	1	-	-
Yoakum	39	55	1	1	3
Young	226	253	5	5	-
Zapata	28	69	1	1	1
Zavala	30	111	2	-	1
Utah	9,985	9,651	220	109	194
White	9,703	9,413	204	102	191
All other	282	238	16	7	3
Black	75	66	3	3	-
Beaver	57	49	-	-	1
Box Elder	180	214	6	3	3
Brigham City	---	114	4	2	2
White	---	110	4	2	2
All other	---	4	-	-	-
Black	---	-	-	-	-
Balance of county	---	100	2	1	1
Cache	355	361	6	4	8
Logan	---	185	5	4	3
Balance of county	---	176	1	-	5
Carbon	169	152	4	3	3
Daggett	2	7	-	-	-
Davis	628	733	15	12	18
Bountiful	---	248	2	-	5
Clearfield	---	80	3	3	-
White	---	75	3	3	-
All other	---	5	-	-	-
Black	---	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 80 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Utah-Con.					
Layton	---	130	3	2	5
Balance of county	---	275	7	7	8
Duchesne	80	80	1	1	4
Emery	19	60	2	1	-
Garfield	44	53	-	-	1
Grand	46	61	2	1	2
Iron	108	121	2	2	8
Cedar City	---	76	2	2	6
Balance of county	---	45	-	-	2
Juab	62	58	-	-	-
Kane	30	42	-	-	-
Millard	66	80	-	-	2
Morgan	21	36	-	-	-
Piute	6	17	-	-	-
Rich	7	7	-	-	-
Salt Lake	4,651	4,116	105	46	71
White	4,523	4,003	98	44	70
All other	128	113	7	2	1
Black	40	36	1	1	-
Midvale	---	102	6	4	1
Murray	---	185	6	5	1
Salt Lake City	---	1,520	21	8	31
White	---	1,466	19	6	30
All other	---	54	2	2	1
Black	---	24	1	1	-
Sandy City	---	213	5	2	4
South Salt Lake	---	97	4	1	-
West Jordan	---	142	5	2	8
Balance of county	---	1,857	58	24	26
White	---	1,816	55	24	26
All other	---	41	3	-	-
Black	---	12	-	-	-
San Juan	77	70	3	1	-
White	40	39	1	-	-
All other	37	31	2	1	-
Black	-	-	-	-	-
Sanpete	102	148	4	3	1
Sevier	105	115	-	-	3
Summit	37	61	-	-	1
Tooele	124	140	1	-	3
Tooele	---	99	-	-	2
Balance of county	---	41	1	-	1
Uintah	93	121	1	-	3
Utah	1,228	1,174	39	17	37
American Fork	---	87	3	1	4
Orem	---	248	12	7	2
Pleasant Grove	---	63	3	-	1
Provo	---	366	11	5	16
Springville	---	87	2	-	3
Balance of county	---	323	8	4	11
Wasatch	60	59	3	2	-
Washington	466	418	3	1	6
St. George	---	258	2	1	4
Balance of county	---	160	1	-	2
Wayne	5	22	-	-	-
Weber	1,157	1,076	23	12	19
Ogden	---	569	11	6	11
White	---	543	9	4	11
All other	---	26	2	2	-
Black	---	17	1	1	-
Roy	---	115	3	2	4
South Ogden	---	88	-	-	-
Balance of county	---	304	9	4	4
Vermont	4,658	4,563	46	31	50
White	4,644	4,550	46	31	50
All other	14	13	-	-	-
Black	9	5	-	-	-
Addison	170	226	2	1	-
Bennington	459	396	2	1	4
Caledonia	192	241	2	1	-
Chittenden	1,101	770	16	11	12
Burlington	---	314	4	1	2
South Burlington	---	69	3	3	1
Balance of county	---	387	9	7	9
Essex	23	63	1	1	-
Franklin	255	320	2	1	7
Grand Isle	17	48	-	-	1
Lamoille	142	137	3	3	2
Orange	128	209	1	1	3
Orleans	257	259	1	1	-
Rutland	616	583	4	2	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Vermont-Con.					
Rutland	---	232	2	1	4
Balance of county	---	351	2	1	4
Washington	448	455	6	5	4
Windham	314	357	3	2	4
Windsor	536	499	3	1	5
Virginia	48,445	49,129	965	642	781
White	37,338	38,061	517	324	463
All other	11,107	11,068	448	318	318
Black	10,823	10,774	435	309	306
Accomack	140	434	6	3	2
White	111	303	2	1	1
All other	29	131	4	2	1
Black	28	131	4	2	1
Albemarle	275	410	5	3	2
White	244	358	3	2	-
All other	31	52	2	1	2
Black	31	51	1	-	1
Alexandria city	827	862	24	17	16
White	642	654	12	8	8
All other	185	208	12	9	8
Black	172	194	12	9	8
Alleghany	299	144	2	2	2
Amelia	48	92	-	-	2
White	35	51	-	-	1
All other	13	41	-	-	1
Black	13	41	-	-	1
Amherst	111	261	1	1	2
White	83	202	1	1	2
All other	28	59	-	-	-
Black	28	59	-	-	-
Appomattox	56	115	1	-	-
White	44	91	-	-	-
All other	12	24	1	-	-
Black	12	24	1	-	-
Arlington#	1,508	1,120	26	15	21
White	1,286	947	15	9	18
All other	222	173	11	6	3
Black	190	151	11	6	2
Augusta	104	423	3	1	6
Bath	50	58	1	1	1
Bedford	124	346	6	2	11
White	115	311	6	2	10
All other	9	35	-	-	1
Black	9	35	-	-	1
Bedford city [9]	182	121	-	-	1
White	154	102	-	-	-
All other	28	19	-	-	1
Black	28	19	-	-	1
Bland	23	66	-	-	1
Botetourt	79	195	3	2	1
Bristol city [10]	95	253	1	1	-
Brunswick	71	202	4	3	4
White	29	87	-	-	1
All other	42	115	4	3	3
Black	42	115	4	3	3
Buchanan	193	274	2	2	2
Buckingham	67	146	2	2	3
White	40	84	-	-	-
All other	27	62	2	2	3
Black	27	62	2	2	3
Buena Vista city [9]	27	88	1	1	-
Campbell	128	373	3	2	5
White	108	302	-	-	2
All other	20	71	3	2	3
Black	20	71	3	2	3
Caroline	65	189	2	1	5
White	40	112	1	-	2
All other	25	77	1	1	3
Black	24	77	1	1	3
Carroll	93	304	1	1	1
Charles City	18	55	1	1	-
White	3	12	1	1	-
All other	15	43	-	-	-
Black	15	43	-	-	-
Charlotte	73	155	1	1	7
White	49	107	1	1	3
All other	24	48	-	-	4
Black	24	48	-	-	4
Charlottesville city	1,370	379	4	2	4
White	1,078	283	2	1	1
All other	292	96	2	2	3
Black	290	94	2	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 81 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Virginia-Con.					
Chesapeake city	841	1,093	31	20	19
White	580	747	18	14	13
All other	261	346	13	6	6
Black	257	340	13	6	6
Chesterfield	673	999	15	5	23
White	570	876	12	4	18
All other	103	123	3	1	5
Black	101	116	3	1	5
Clarke	59	116	1	–	–
White	56	106	1	–	–
All other	3	10	–	–	–
Black	3	10	–	–	–
Clifton Forge city *	54	102	2	1	–
White	51	91	2	1	–
All other	3	11	–	–	–
Black	3	11	–	–	–
Colonial Heights city	80	173	5	2	2
Covington city *	25	96	1	1	–
White	22	83	1	1	–
All other	3	13	–	–	–
Black	3	13	–	–	–
Craig	22	40	–	–	–
Culpeper	239	232	2	2	2
White	213	196	1	1	2
All other	26	36	1	1	–
Black	25	36	1	1	–
Cumberland	28	87	1	1	1
White	13	39	–	–	–
All other	15	48	1	1	1
Black	15	48	1	1	1
Danville city	1,019	706	10	5	14
White	717	526	2	1	5
All other	302	180	8	4	9
Black	301	179	8	4	9
Dickenson	100	165	–	–	–
Dinwiddie	69	174	1	1	3
White	41	97	1	1	–
All other	28	77	–	–	3
Black	28	77	–	–	3
Emporia city *	234	95	2	2	1
White	106	56	–	–	1
All other	128	39	2	2	–
Black	128	39	2	2	–
Essex	176	101	1	1	3
White	116	69	–	–	1
All other	60	32	1	1	2
Black	60	32	1	1	2
Fairfax	2,925	3,262	87	58	67
White	2,632	2,958	60	41	51
All other	293	304	27	17	16
Black	199	191	22	13	12
Herndon	– – –	42	3	3	6
White	– – –	35	1	1	4
All other	– – –	7	2	2	2
Black	– – –	5	2	2	1
Vienna	– – –	86	4	2	1
Balance of county	– – –	3,134	80	53	60
White	– – –	2,843	56	38	46
All other	– – –	291	24	15	14
Black	– – –	180	19	11	11
Fairfax city	166	169	3	–	3
Falls Church city *	19	124	4	3	4
Fauquier	338	355	5	3	7
White	288	295	2	–	4
All other	50	60	3	3	3
Black	50	59	3	3	3
Floyd	45	129	2	2	1
Fluvanna	51	120	1	1	1
White	33	90	–	–	1
All other	18	30	1	1	–
Black	18	30	1	1	–
Franklin	222	327	4	4	10
White	188	281	3	3	10
All other	34	46	1	1	–
Black	34	46	1	1	–
Franklin city *	155	122	3	2	2
White	96	58	–	–	–
All other	59	64	3	2	2
Black	59	64	3	2	2
Frederick	89	328	4	1	7
Fredericksburg city	602	170	6	5	6
White	495	124	3	2	6
All other	107	46	3	3	–
Black	105	46	3	3	–
Galax city *	322	89	–	–	1
Giles	136	190	–	–	5
Gloucester	278	251	4	4	2
White	217	202	4	4	1
All other	61	49	–	–	1
Black	61	49	–	–	1
Goochland	61	144	3	1	1
White	45	95	–	–	–
All other	16	49	3	1	1
Black	16	49	3	1	1
Grayson	56	205	–	–	2
Greene	31	81	2	1	–
Greensville	26	116	1	–	1
White	10	52	–	–	–
All other	16	64	1	–	1
Black	16	64	1	–	1
Halifax	118	346	4	3	4
White	72	215	2	2	1
All other	46	131	2	1	3
Black	46	131	2	1	3
Hampton city	1,051	974	37	26	27
White	515	580	13	9	16
All other	536	394	24	17	11
Black	532	391	24	17	11
Hanover	169	508	11	8	3
White	145	428	6	5	2
All other	24	80	5	3	1
Black	24	80	5	3	1
Harrisonburg city	705	238	4	3	1
Henrico	2,190	1,921	43	37	15
White	1,808	1,628	18	15	12
All other	382	293	25	22	3
Black	376	283	23	20	3
Henry	145	446	10	6	4
White	120	368	6	4	1
All other	25	78	4	2	3
Black	24	78	4	2	3
Highland	7	34	–	–	–
Hopewell city	341	234	6	4	4
White	246	171	3	2	2
All other	95	63	3	2	2
Black	93	61	3	2	2
Isle of Wight	77	222	4	2	3
White	52	133	3	1	–
All other	25	89	1	1	3
Black	25	89	1	1	3
James City	84	192	2	1	2
White	71	150	2	1	1
All other	13	42	–	–	1
Black	13	42	–	–	1
King and Queen	23	76	1	1	–
White	11	40	–	–	–
All other	12	36	1	1	–
Black	11	35	1	1	–
King George	44	94	2	1	3
White	34	75	2	1	2
All other	10	19	–	–	1
Black	10	19	–	–	1
King William	38	99	2	1	2
White	28	69	1	–	1
All other	10	30	1	1	1
Black	9	29	1	1	1
Lancaster	238	173	3	2	3
White	189	127	1	–	–
All other	49	46	2	2	3
Black	49	46	2	2	3
Lee	200	291	–	–	–
Lexington city *	168	71	–	–	1
White	158	63	–	–	–
All other	10	8	–	–	1
Black	10	8	–	–	1
Loudoun	375	450	15	10	5
Louisa	91	220	3	3	2
White	65	164	3	3	1
All other	26	56	–	–	1
Black	26	56	–	–	1
Lunenburg	42	130	4	3	4
White	23	83	3	2	3
All other	19	47	1	1	1
Black	19	47	1	1	1
Lynchburg city	1,351	803	11	7	7
White	1,016	572	3	2	5
All other	335	231	8	5	2
Black	334	230	8	5	2
Madison	69	109	–	–	–
White	64	96	–	–	–
All other	5	13	–	–	–
Black	5	13	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 82 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Virginia-Con.					
Manassas city	307	146	7	3	8
White	279	126	6	3	7
All other	28	20	1	–	1
Black	25	18	1	–	1
Manassas Park city [9]	6	28	3	2	–
Martinsville city	462	281	3	2	1
White	361	196	1	–	1
All other	101	85	2	2	–
Black	101	85	2	2	–
Mathews	38	125	1	–	1
White	33	100	1	–	1
All other	5	25	–	–	–
Black	5	25	–	–	–
Mecklenburg	352	381	2	1	6
White	216	238	2	1	1
All other	136	143	–	–	5
Black	136	143	–	–	5
Middlesex	66	127	–	–	–
White	47	94	–	–	–
All other	19	33	–	–	–
Black	19	33	–	–	–
Montgomery	330	426	7	4	7
Blacksburg	– – –	100	2	1	2
Christiansburg	– – –	129	3	2	2
Balance of county	– – –	197	2	1	3
White	– – –	192	2	1	3
All other	– – –	5	–	–	–
Black	– – –	5	–	–	–
Nelson	70	135	–	–	2
White	60	110	–	–	2
All other	10	25	–	–	–
Black	10	25	–	–	–
New Kent	33	81	1	1	2
White	25	55	1	1	1
All other	8	26	–	–	1
Black	8	26	–	–	1
Newport News city	1,626	1,237	39	30	35
White	1,144	763	13	9	16
All other	482	474	26	21	19
Black	470	464	25	20	18
Norfolk city	3,069	2,259	69	44	43
White	1,812	1,238	21	7	14
All other	1,257	1,021	48	37	29
Black	1,233	1,005	47	37	27
Northampton	381	187	1	–	–
White	230	114	1	–	–
All other	151	73	–	–	–
Black	150	73	–	–	–
Northumberland	37	154	–	–	1
White	24	121	–	–	1
All other	13	33	–	–	–
Black	13	33	–	–	–
Norton city [9]	205	36	–	–	1
Nottoway	129	220	3	2	2
White	75	129	1	–	1
All other	54	91	2	2	1
Black	54	91	2	2	1
Orange	104	235	1	1	5
White	87	199	1	1	5
All other	17	36	–	–	–
Black	17	36	–	–	–
Page	120	181	2	–	–
Patrick	136	189	2	1	2
Petersburg city	651	497	10	8	12
White	311	192	1	1	1
All other	340	305	9	7	11
Black	337	304	9	7	11
Pittsylvania	164	527	6	4	8
White	111	365	4	3	2
All other	53	162	2	1	6
Black	53	162	2	1	6
Poquoson city [9]	31	82	–	–	–
Portsmouth city	1,408	1,132	41	31	24
White	804	619	13	9	3
All other	604	513	28	22	21
Black	591	511	28	22	21
Powhatan	36	108	2	2	3
White	24	74	1	1	3
All other	12	34	1	1	–
Black	10	32	1	1	–
Prince Edward	339	205	2	2	2
White	211	125	–	–	1
All other	128	80	2	2	1
Black	128	80	2	2	1
Prince George	52	125	4	1	2
White	38	91	3	1	–
All other	14	34	1	–	2
Black	12	31	–	–	2
Prince William	385	712	33	18	33
White	310	599	17	11	25
All other	75	113	16	7	8
Black	70	105	16	7	8
Pulaski	236	380	4	1	6
Pulaski	– – –	75	2	–	3
Balance of county	– – –	305	2	1	3
White	– – –	280	2	1	3
All other	– – –	25	–	–	–
Black	– – –	25	–	–	–
Radford city	251	105	1	–	–
Rappahannock	17	56	–	–	–
White	13	49	–	–	–
All other	4	7	–	–	–
Black	4	7	–	–	–
Richmond	84	107	1	1	2
White	57	75	1	1	–
All other	27	32	–	–	2
Black	27	32	–	–	2
Richmond city	4,283	2,657	47	35	38
White	2,426	1,253	6	5	6
All other	1,857	1,404	41	30	32
Black	1,846	1,402	41	30	32
Roanoke	422	653	3	3	–
Roanoke city	1,720	1,249	18	14	22
White	1,476	995	15	11	13
All other	244	254	3	3	9
Black	243	254	3	3	9
Rockbridge	43	165	–	–	–
Rockingham	168	510	7	6	6
Russell	193	275	4	3	5
Salem city	954	305	2	1	2
Scott	102	291	3	–	1
Shenandoah	285	371	3	2	3
Smyth	327	365	3	2	3
Southampton	49	153	1	1	3
White	27	74	–	–	2
All other	22	79	1	1	1
Black	22	79	1	1	1
South Boston city [9]	363	110	1	–	5
White	248	74	1	–	3
All other	115	36	–	–	2
Black	115	35	–	–	2
Spotsylvania	133	361	6	3	3
White	115	313	3	–	1
All other	18	48	3	3	2
Black	18	48	3	3	2
Stafford	105	261	7	6	3
Staunton city	347	278	–	–	2
White	322	237	–	–	1
All other	25	41	–	–	1
Black	23	40	–	–	1
Suffolk city	543	552	15	10	11
White	281	274	4	4	2
All other	262	278	11	6	9
Black	262	276	11	6	9
Surry	21	68	–	–	–
White	14	30	–	–	–
All other	7	38	–	–	–
Black	7	38	–	–	–
Sussex	66	141	7	3	4
White	37	62	–	–	2
All other	29	79	7	3	2
Black	29	79	7	3	2
Tazewell	463	531	6	2	6
Virginia Beach city	1,465	1,861	94	65	41
White	1,247	1,569	61	40	24
All other	218	292	33	25	17
Black	200	261	32	24	17
Warren	218	261	4	2	1
Front Royal	– – –	148	2	1	–
Balance of county	– – –	113	2	1	1
White	– – –	107	2	1	1
All other	– – –	6	–	–	–
Black	– – –	6	–	–	–
Washington	377	450	3	1	7
Waynesboro city	307	197	1	–	4
Westmoreland	55	208	5	5	2
White	44	146	1	1	1
All other	11	62	4	4	1
Black	11	62	4	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 83 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Virginia-Con.					
Williamsburg city •	291	133	–	–	1
White	225	106	–	–	–
All other	66	27	–	–	1
Black	66	25	–	–	1
Winchester city	760	263	5	3	9
Wise	235	425	6	5	7
Wythe	240	276	5	3	2
York	92	238	1	1	5
White	76	192	1	1	4
All other	16	46	–	–	1
Black	16	46	–	–	1
Washington	37,136	37,073	600	313	440
White	35,188	35,139	514	263	367
All other	1,948	1,934	86	50	73
Black	846	844	44	28	40
Adams	93	101	1	1	1
Asotin	156	208	1	–	1
Benton	698	756	13	8	13
Kennewick	– – –	283	8	4	6
Richland	– – –	261	1	–	4
Balance of county	– – –	212	4	4	3
Chelan	637	533	3	2	2
Wenatchee	– – –	264	2	1	1
Balance of county	– – –	269	1	1	1
Clallam	584	631	4	2	7
Port Angeles	– – –	210	–	–	4
Balance of county	– – –	421	4	2	3
Clark	1,442	1,671	24	11	25
Vancouver	– – –	601	7	1	12
Balance of county	– – –	1,070	17	10	13
Columbia	28	47	–	–	–
Cowlitz	824	784	14	7	2
Kelso	– – –	123	4	2	–
Longview	– – –	347	6	3	1
Balance of county	– – –	314	4	2	1
Douglas	71	163	5	2	3
Ferry	36	56	3	2	–
White	28	42	2	1	–
All other	8	14	1	1	–
Black	–	–	–	–	–
Franklin	262	282	13	10	6
Pasco	– – –	194	11	9	4
White	– – –	175	11	9	4
All other	– – –	19	–	–	–
Black	– – –	16	–	–	–
Balance of county	– – –	88	2	1	2
Garfield	26	26	–	–	–
Grant	331	415	7	2	5
Moses Lake	– – –	93	2	1	1
White	– – –	87	2	1	1
All other	– – –	6	–	–	–
Black	– – –	4	–	–	–
Balance of county	– – –	322	5	1	4
Grays Harbor	616	754	4	2	8
Aberdeen	– – –	236	–	–	2
Balance of county	– – –	518	4	2	6
Island	320	424	15	8	3
Oak Harbor	– – –	103	10	4	1
White	– – –	101	10	4	1
All other	– – –	2	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	321	5	4	2
Jefferson	161	195	2	1	1
King	11,610	10,609	166	95	139
White	10,507	9,565	125	71	105
All other	1,103	1,044	41	24	34
Black	533	522	24	18	23
Auburn	– – –	283	4	2	5
Bellevue	– – –	571	3	1	2
Kent	– – –	178	8	6	5
Kirkland	– – –	242	3	1	6
Mercer Island	– – –	138	–	–	2
Redmond	– – –	144	3	1	7
Renton	– – –	328	7	4	6
Seattle	– – –	5,132	66	42	59
White	– – –	4,334	40	24	36
All other	– – –	798	26	18	23
Black	– – –	425	17	14	16
Balance of county	– – –	3,593	72	38	47
White	– – –	3,435	61	34	42
All other	– – –	158	11	4	5
Black	– – –	62	4	3	3
Kitsap	1,268	1,351	31	17	11

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Washington-Con.					
Bremerton	– – –	372	10	4	4
White	– – –	354	9	3	3
All other	– – –	18	1	1	1
Black	– – –	11	–	–	–
Balance of county	– – –	979	21	13	7
Kittitas	216	215	3	1	–
Ellensburg	– – –	81	1	1	–
Balance of county	– – –	134	2	–	–
Klickitat	120	147	4	2	3
Lewis	559	605	10	6	1
Centralia	– – –	170	3	2	–
Balance of county	– – –	435	7	4	1
Lincoln	74	101	–	–	1
Mason	265	389	5	2	3
Okanogan	269	306	2	1	2
White	243	274	1	1	2
All other	26	32	1	–	–
Black	1	2	–	–	–
Pacific	219	279	–	–	–
Pend Oreille	69	78	1	1	–
Pierce	4,335	4,275	90	38	50
White	4,044	3,985	70	30	35
All other	291	290	20	8	15
Black	173	170	13	5	9
Puyallup	– – –	240	2	1	2
Tacoma	– – –	1,800	42	15	21
White	– – –	1,642	29	10	13
All other	– – –	158	13	5	8
Black	– – –	105	6	2	5
Balance of county	– – –	2,235	46	22	27
White	– – –	2,111	40	19	20
All other	– – –	124	6	3	7
Black	– – –	63	6	3	4
San Juan	66	87	1	1	–
Skagit	741	721	6	1	7
Mount Vernon	– – –	165	2	1	1
Balance of county	– – –	556	4	–	6
Skamania	28	56	–	–	–
Snohomish	2,571	2,874	41	20	40
White	2,522	2,798	37	17	36
All other	49	76	4	3	4
Black	10	18	1	–	2
Edmonds	– – –	313	3	2	–
Everett	– – –	677	8	4	15
Lynnwood	– – –	224	8	4	6
Mountlake Terrace	– – –	96	1	1	–
Balance of county	– – –	1,564	21	9	19
Spokane	3,635	3,180	48	26	44
White	3,532	3,096	44	23	37
All other	103	84	4	3	7
Black	35	32	3	2	2
Spokane	– – –	2,011	28	12	25
Balance of county	– – –	1,169	20	14	19
Stevens	195	252	3	3	7
Thurston	1,216	1,167	19	12	10
Lacey	– – –	195	3	2	1
Olympia	– – –	404	4	3	3
Balance of county	– – –	568	12	7	6
Wahkiakum	28	41	–	–	–
Walla Walla	587	467	8	3	5
Walla Walla	– – –	301	6	2	3
Balance of county	– – –	166	2	1	2
Whatcom	1,033	1,029	9	7	10
Bellingham	– – –	536	3	3	3
Balance of county	– – –	493	6	4	7
Whitman	155	187	2	1	4
Pullman	– – –	41	2	1	2
Balance of county	– – –	146	–	–	2
Yakima	1,592	1,611	42	18	26
Yakima	– – –	701	10	3	7
White	– – –	680	10	3	6
All other	– – –	21	–	–	1
Black	– – –	13	–	–	1
Balance of county	– – –	910	32	15	19
White	– – –	831	27	13	18
All other	– – –	79	5	2	1
Black	– – –	5	–	–	–
West Virginia	20,066	19,964	185	112	171
White	19,277	19,199	175	107	157
All other	789	765	10	5	14
Black	770	748	9	5	14
Barbour	105	184	2	2	1
Berkeley	704	536	3	3	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 84 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
West Virginia-Con.					
Martinsburg	---	237	2	2	1
Balance of county	---	299	1	1	9
Boone	113	231	3	2	2
Braxton	125	162	3	2	2
Brooke	412	326	2	1	3
Weirton, part	---	57	-	-	-
Balance of county	---	269	2	1	3
Cabell	1,796	1,191	12	11	13
Huntington, part	---	764	11	11	10
Huntington, total	---	825	12	12	10
Balance of county	---	427	1	-	3
Calhoun	44	96	1	-	-
Clay	38	119	-	-	-
Doddridge	22	73	2	2	-
Fayette	461	617	5	2	5
Gilmer	33	83	-	-	-
Grant	142	109	1	1	2
Greenbrier	447	475	4	4	4
Hampshire	74	144	1	1	1
Hancock	117	406	4	2	2
Weirton, part	---	227	2	1	1
Weirton, total	---	284	2	1	1
Balance of county	---	179	2	1	1
Hardy	40	122	1	-	2
Harrison	1,101	891	11	7	5
Clarksburg	---	349	5	2	2
Balance of county	---	542	6	5	3
Jackson	231	247	3	2	3
Jefferson	232	281	1	1	8
Kanawha	2,915	2,406	16	5	26
White	2,744	2,253	14	5	22
All other	171	153	2	-	4
Black	167	152	2	-	4
Charleston	---	823	5	1	14
White	---	725	3	1	10
All other	---	98	2	-	4
Black	---	97	2	-	4
St. Albans	---	185	-	-	2
South Charleston	---	176	1	-	-
Balance of county	---	1,222	10	4	10
Lewis	176	231	2	2	2
Lincoln	60	226	3	3	3
Logan	455	461	4	-	8
McDowell	229	430	2	1	3
White	188	348	2	1	2
All other	41	82	-	-	1
Black	41	82	-	-	1
Marion	599	756	4	2	3
Fairmont	---	361	1	-	1
Balance of county	---	395	3	2	2
Marshall	323	375	4	2	-
Moundsville	---	156	2	1	-
Wheeling, part	---	2	-	-	-
Balance of county	---	217	2	1	-
Mason	257	301	1	1	1
Mercer	1,089	832	6	4	5
Bluefield [11]	---	220	1	1	2
White	---	174	1	1	2
All other	---	46	-	-	-
Black	---	46	-	-	-
Balance of county	---	612	5	3	3
Mineral	131	268	2	1	2
Mingo	198	383	5	2	6
Monongalia	1,171	560	10	8	4
Morgantown	---	268	4	4	2
Balance of county	---	292	6	4	2
Monroe	42	135	2	2	-
Morgan	72	114	1	-	-
Nicholas	200	263	2	-	2
Ohio	1,081	670	4	3	2
Wheeling, part	---	560	2	2	1
Wheeling, total	---	562	2	2	1
Balance of county	---	110	2	1	1
Pendleton	35	95	2	-	-
Pleasants	32	94	3	2	-
Pocahontas	82	125	-	-	3
Preston	177	295	4	2	2
Putnam	321	339	2	1	3
Raleigh	1,271	920	11	7	7
Beckley	---	370	2	2	4
White	---	286	1	1	2
All other	---	84	1	1	2
Black	---	81	1	1	2
Balance of county	---	550	9	5	3
Randolph	346	306	2	1	5
Ritchie	50	135	1	1	-
Roane	140	169	4	1	1
Summers	143	175	2	2	1
Taylor	128	161	2	1	1
Tucker	54	91	1	1	-
Tyler	57	83	-	-	2
Upshur	197	254	4	2	2
Wayne	277	423	6	5	4
Huntington, part	---	61	1	1	-
Balance of county	---	362	5	4	4
Webster	88	123	2	1	1
Wetzel	203	253	4	3	-
Wirt	16	45	2	-	1
Wood	1,156	915	6	3	6
Parkersburg	---	557	3	2	4
Vienna	---	112	-	-	1
Balance of county	---	246	3	1	1
Wyoming	58	259	-	-	2
Wisconsin	43,086	43,137	599	360	422
White	41,439	41,494	480	300	322
All other	1,647	1,643	119	60	100
Black	1,348	1,338	102	52	86
Adams	138	194	4	3	-
Ashland	239	188	3	1	1
Barron	450	463	2	1	2
Bayfield	63	156	-	-	-
Brown	1,636	1,360	29	17	24
Allouez town#	---	86	1	-	-
Ashwaubenon	---	112	2	-	1
De Pere	---	106	4	4	1
Green Bay	---	848	20	11	19
Balance of county	---	208	2	2	3
Buffalo	88	169	1	-	1
Burnett	106	154	-	-	1
Calumet	188	244	7	6	4
Appleton, part	---	15	-	-	2
Balance of county	---	229	7	6	2
Chippewa	464	502	6	4	2
Chippewa Falls	---	131	-	-	1
Eau Claire, part	---	2	-	-	-
Balance of county	---	369	6	4	1
Clark	213	328	3	1	6
Columbia	419	463	8	7	4
Crawford	177	185	1	1	-
Dane	2,933	2,239	46	37	34
White	2,879	2,195	37	29	30
All other	54	44	9	8	4
Black	39	33	8	7	2
Madison	---	1,210	24	20	20
Middleton	---	75	-	-	1
Sun Prairie	---	105	2	1	1
Balance of county	---	849	20	16	12
Dodge	797	820	6	4	6
Beaver Dam	---	195	2	2	2
Watertown, part	---	103	-	-	-
Balance of county	---	522	4	2	4
Door	261	292	2	-	1
Douglas	363	490	5	3	-
Superior	---	344	3	2	-
Balance of county	---	146	2	1	-
Dunn	190	236	2	1	1
Menomonie	---	108	1	-	1
Balance of county	---	128	1	1	-
Eau Claire	803	675	9	6	8
Eau Claire, part	---	465	8	5	5
Eau Claire, total	---	467	8	5	5
Balance of county	---	210	1	1	3
Florence	36	54	-	-	-
Fond du Lac	793	790	5	4	5
Fond du Lac	---	426	3	2	3
Balance of county	---	364	2	2	2
Forest	76	116	-	-	-
Grant	412	475	5	4	2
Green	289	269	4	2	3
Monroe	---	116	1	1	1
Balance of county	---	153	3	1	2
Green Lake	213	230	2	1	1
Iowa	166	206	-	-	4
Iron	70	95	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 85 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal	
Wisconsin-Con.					
Jackson	161	194	2	–	1
Jefferson	420	557	5	3	9
Watertown, part	---	98	–	–	1
Watertown, total	---	201	–	–	1
Whitewater, part	---	2	–	–	–
Balance of county	---	457	5	3	8
Juneau	159	218	4	2	1
Kenosha	941	1,065	10	7	13
Kenosha	---	752	7	4	11
Balance of county	---	313	3	3	2
Kewaunee	109	174	1	1	3
La Crosse	1,191	832	9	6	6
La Crosse	---	547	3	3	4
Balance of county	---	285	6	3	2
Lafayette	107	152	1	1	1
Langlade	204	239	5	3	1
Lincoln	246	289	4	4	2
Manitowoc	715	790	8	3	7
Manitowoc	---	482	1	–	4
Two Rivers	---	127	3	1	2
Balance of county	---	181	4	2	1
Marathon	782	849	11	7	6
Marshfield, part	---	2	–	–	–
Wausau	---	402	2	2	3
Balance of county	---	445	9	5	3
Marinette	510	475	7	6	2
Marinette	---	163	1	1	–
Balance of county	---	312	6	5	2
Marquette	68	150	1	1	1
Menominee	16	38	2	–	1
White	2	3	–	–	–
All other	14	35	2	–	1
Black	1	–	–	–	–
Milwaukee	10,240	9,327	171	88	121
White	9,000	8,106	80	44	42
All other	1,240	1,221	91	44	79
Black	1,166	1,160	84	41	75
Brown Deer	---	86	–	–	1
Cudahy	---	160	3	2	2
Franklin	---	119	–	–	1
Glendale	---	310	–	–	–
Greendale	---	105	–	–	1
Greenfield	---	433	2	1	–
Milwaukee, part	---	5,895	141	68	104
White	---	4,713	50	24	25
All other	---	1,182	91	44	79
Black	---	1,130	84	41	75
Milwaukee, total	---	5,895	141	68	104
White	---	4,713	50	24	25
All other	---	1,182	91	44	79
Black	---	1,130	84	41	75
Oak Creek	---	125	5	4	–
St. Francis	---	67	1	1	–
Shorewood	---	131	2	1	1
South Milwaukee	---	217	2	1	2
Wauwatosa	---	585	5	2	4
West Allis	---	749	8	6	3
Whitefish Bay	---	97	2	2	–
Balance of county	---	248	–	–	2
Monroe	344	348	3	1	4
Oconto	259	318	6	4	4
Oneida	565	389	2	1	2
Outagamie	1,150	1,006	17	10	8
Appleton, part	---	448	4	2	4
Appleton, total	---	469	4	2	6
Kaukauna	---	107	1	–	1
Balance of county	---	451	12	8	3
Ozaukee	376	497	9	5	2
Mequon	---	159	4	1	1
Balance of county	---	338	5	4	1
Pepin	69	70	–	–	–
Pierce	135	236	5	5	3
Polk	303	352	7	3	3
Portage	368	404	4	2	8
Stevens Point	---	202	1	–	3
Balance of county	---	202	3	2	5
Price	151	178	1	1	–
Racine	1,338	1,407	24	13	17
White	1,265	1,325	19	12	12
All other	73	82	5	1	5
Black	70	79	5	1	5
Racine	---	763	19	11	12
White	---	687	14	10	8
All other	---	76	5	1	4
Black	---	74	5	1	4
Balance of county	---	644	5	2	5
Richland	168	209	–	–	–
Rock	1,185	1,223	19	15	9
Beloit	---	360	6	4	3
White	---	333	4	3	2
All other	---	27	2	1	1
Black	---	27	2	1	1
Janesville	---	420	6	5	5
Balance of county	---	443	7	6	1
Rusk	141	150	2	2	2
St. Croix	371	388	8	5	3
Sauk	470	478	6	3	2
Sawyer	145	183	–	–	–
White	135	170	–	–	–
All other	10	13	–	–	–
Black	–	–	–	–	–
Shawano	394	445	6	4	3
Sheboygan	879	928	10	6	4
Sheboygan	---	546	8	5	–
Balance of county	---	382	2	1	4
Taylor	130	156	3	2	4
Trempealeau	240	304	2	1	7
Vernon	277	301	3	1	2
Vilas	166	260	3	2	1
Walworth	631	735	5	3	10
Whitewater, part	---	81	1	1	2
Whitewater, total	---	83	1	1	2
Balance of county	---	654	4	2	8
Washburn	158	185	–	–	1
Washington	563	675	10	7	5
Germantown	---	70	1	1	2
Milwaukee, part	---	–	–	–	–
West Bend	---	212	2	1	1
Balance of county	---	393	7	5	2
Waukesha	1,792	1,966	25	15	11
Brookfield	---	263	3	2	1
Menomonee Falls	---	232	3	2	2
Muskego	---	108	–	–	–
New Berlin	---	179	–	–	2
Waukesha	---	364	5	2	3
Balance of county	---	820	14	9	3
Waupaca	489	605	9	5	3
Waushara	134	205	2	1	–
Winnebago	1,156	1,167	14	5	13
Appleton, part	---	6	–	–	–
Menasha	---	121	1	–	–
Neenah	---	185	5	2	3
Oshkosh	---	479	4	2	7
Balance of county	---	376	4	1	3
Wood	1,087	627	3	3	6
Marshfield, part	---	183	–	–	–
Marshfield, total	---	185	–	–	–
Wisconsin Rapids	---	214	1	1	4
Balance of county	---	230	2	2	2
Wyoming	2,993	3,159	53	22	55
White	2,913	3,080	47	19	54
All other	80	79	6	3	1
Black	18	18	1	–	1
Albany	142	136	1	1	5
Laramie	---	119	1	1	5
Balance of county	---	17	–	–	–
Big Horn	75	113	1	1	1
Campbell	115	131	6	1	4
Gillette	---	99	6	1	3
Balance of county	---	32	–	–	1
Carbon	109	116	1	1	1
Rawlins	---	70	–	–	–
White	---	68	–	–	–
All other	---	2	–	–	–
Black	---	2	–	–	–
Balance of county	---	46	1	1	1
Converse	56	76	2	–	–
Crook	28	38	–	–	–
Fremont	234	258	5	2	4
White	196	213	1	–	4
All other	38	45	4	2	–
Black	–	–	–	–	–
Goshen	81	115	–	–	1
Hot Springs	58	57	1	1	–
Johnson	65	69	–	–	–
Laramie	516	498	12	3	10
Cheyenne	---	411	9	2	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1991—Con.

(Page 86 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Wyoming-Con.					
Balance of county	---	87	3	1	1
Lincoln	54	73	2	1	2
Natrona	472	445	8	6	13
Casper	---	374	6	4	11
Balance of county	---	71	2	2	2
Niobrara	23	35	-	-	-
Park	173	183	3	3	4
Platte	70	80	-	-	-
Sheridan	256	238	1	1	-
Sheridan	---	197	1	1	-
Balance of county	---	41	-	-	-
Sublette	46	45	-	-	-
Sweetwater	189	212	6	1	5
Green River	---	52	2	-	-
Rock Springs	---	133	3	1	5
Balance of county	---	27	1	-	-
Teton	51	41	-	-	1
Uinta	80	85	4	-	2
Washakie	60	69	-	-	2
Weston	40	46	-	-	-

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for La Paz which became a new county on January 1, 1983.
[3] Includes data for Texarkana, Ark., only.
[4] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[5] Areas shown are parishes, the equivalent of counties.
[6] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] Independent city having population of less than 10,000 according to the 1980 census.
[10] Includes data for Bristol, Va., only.
[11] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991

(Page 1 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
United States	2,169,518	36,766	8.9	22,978	5.6	30,160	7.3
White	1,868,904	23,657	7.3	14,698	4.5	20,257	6.2
All other	300,614	13,109	15.1	8,280	9.5	9,903	11.3
Black	269,525	11,994	17.6	7,677	11.2	8,879	12.8
Urban places	1,218,186	23,539	9.5	14,842	6.0	18,675	7.5
White	994,088	13,361	7.4	8,361	4.6	11,229	6.2
All other	224,098	10,178	15.3	6,481	9.7	7,446	11.1
Black	203,207	9,477	17.8	6,076	11.4	6,741	12.5
Balance of area	951,332	13,227	8.1	8,136	5.0	11,485	7.0
White	874,816	10,296	7.2	6,337	4.4	9,028	6.3
All other	76,516	2,931	14.4	1,799	8.8	2,457	11.9
Black	66,318	2,517	16.7	1,601	10.6	2,138	14.0
Metropolitan counties	1,607,648	29,430	8.9	18,620	5.6	24,013	7.2
White	1,364,396	18,275	7.1	11,543	4.5	15,721	6.1
All other	243,252	11,155	15.1	7,077	9.6	8,292	11.1
Black	219,618	10,349	17.7	6,616	11.3	7,476	12.7
Urban places	1,103,859	21,918	9.5	13,894	6.0	17,347	7.5
White	893,595	12,267	7.3	7,753	4.6	10,339	6.2
All other	210,264	9,651	15.3	6,141	9.7	7,008	11.0
Black	190,526	9,001	17.9	5,759	11.4	6,331	12.4
Balance of area	503,789	7,512	7.5	4,726	4.7	6,666	6.7
White	470,801	6,008	6.8	3,790	4.3	5,382	6.0
All other	32,988	1,504	14.0	936	8.7	1,284	11.8
Black	29,092	1,348	16.9	857	10.7	1,145	14.1
Nonmetropolitan counties	561,870	7,336	9.0	4,358	5.4	6,147	7.5
White	504,508	5,382	7.9	3,155	4.6	4,536	6.6
All other	57,362	1,954	14.9	1,203	9.2	1,611	12.1
Black	49,907	1,645	16.6	1,061	10.7	1,403	13.9
Urban places	114,327	1,621	9.3	948	5.4	1,328	7.5
White	100,493	1,094	7.8	608	4.3	890	6.3
All other	13,834	527	15.2	340	9.8	438	12.5
Black	12,681	476	16.7	317	11.1	410	14.2
Balance of area	447,543	5,715	8.9	3,410	5.3	4,819	7.5
White	404,015	4,288	7.9	2,547	4.7	3,646	6.7
All other	43,528	1,427	14.8	863	9.0	1,173	12.0
Black	37,226	1,169	16.5	744	10.5	993	13.9
Alabama	40,063	705	11.2	461	7.3	571	9.0
White	29,375	330	8.1	204	5.0	277	6.8
All other	10,688	375	16.9	257	11.6	294	13.1
Black	10,641	374	17.3	256	11.8	292	13.3
Urban places	17,911	349	12.5	238	8.5	258	9.1
White	11,476	104	7.4	63	4.5	88	6.2
All other	6,435	245	17.6	175	12.6	170	12.0
Black	6,409	244	17.9	174	12.8	168	12.2
Balance of area	22,152	356	10.2	223	6.4	313	8.9
White	17,899	226	8.5	141	5.3	189	7.1
All other	4,253	130	15.8	82	10.0	124	14.9
Black	4,232	130	16.2	82	10.2	124	15.2
Metropolitan counties	25,940	461	10.7	307	7.2	365	8.4
White	18,984	200	7.2	123	4.4	185	6.6
All other	6,956	261	17.4	184	12.3	180	11.9
Black	6,924	260	17.8	183	12.5	178	12.0
Urban places	15,014	302	12.7	207	8.7	213	8.9
White	9,441	81	7.0	50	4.3	75	6.4
All other	5,573	221	18.2	157	13.0	138	11.3
Black	5,550	220	18.5	156	13.1	136	11.3
Balance of area	10,926	159	8.3	100	5.2	152	7.9
White	9,543	119	7.3	73	4.5	110	6.7
All other	1,383	40	13.9	27	9.4	42	14.3
Black	1,374	40	14.6	27	9.8	42	15.1
Nonmetropolitan counties	14,123	244	12.3	154	7.7	206	10.2
White	10,391	130	10.2	81	6.4	92	7.2
All other	3,732	114	15.9	73	10.2	114	15.7
Black	3,717	114	16.2	73	10.4	114	16.0
Urban places	2,897	47	10.9	31	7.2	45	10.3
White	2,035	23	9.2	13	*	13	*
All other	862	24	13.2	18	*	32	17.3
Black	859	24	13.8	18	*	32	18.0
Balance of area	11,226	197	12.6	123	7.9	161	10.2
White	8,356	107	10.4	68	6.6	79	7.6
All other	2,870	90	16.9	55	10.3	82	15.1
Black	2,858	90	17.1	55	10.4	82	15.3
Alaska	2,200	104	8.9	41	3.5	72	6.1
White	1,527	60	7.6	30	3.8	48	6.1
All other	673	44	11.6	11	*	24	6.3
Black	49	6	*	2	*	4	*
Urban places	1,111	59	9.2	25	3.9	34	5.2
White	887	41	8.5	20	4.1	22	4.5
All other	224	18	*	5	*	12	*
Black	44	6	*	2	*	4	*
Balance of area	1,089	45	8.6	16	*	38	7.2
White	640	19	*	10	*	26	8.4
All other	449	26	11.9	6	*	12	*
Black	5	–	*	–	*	–	*
Metropolitan census areas [1]	781	39	8.0	16	*	23	4.7
White	624	26	7.1	11	*	16	*
All other	157	13	*	5	*	7	*
Black	36	6	*	2	*	2	*
Urban places	781	39	8.0	16	*	23	4.7
White	624	26	7.1	11	*	16	*
All other	157	13	*	5	*	7	*
Black	36	6	*	2	*	2	*
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1,419	65	9.5	25	3.7	49	7.1
White	903	34	8.1	19	*	32	7.5
All other	516	31	11.9	6	*	17	*
Black	13	–	*	–	*	2	*
Urban places	330	20	12.7	9	*	11	*
White	263	15	*	9	*	6	*
All other	67	5	*	–	*	5	*
Black	8	–	*	–	*	2	*
Balance of area	1,089	45	8.6	16	*	38	7.2
White	640	19	*	10	*	26	8.4
All other	449	26	11.9	6	*	12	*
Black	5	–	*	–	*	–	*
Arizona	29,548	584	8.6	338	5.0	399	5.8
White	27,468	457	7.8	264	4.5	335	5.7
All other	2,080	127	13.2	74	7.7	64	6.6
Black	764	51	20.2	37	14.7	17	*
Urban places	18,637	411	8.3	254	5.1	289	5.8
White	17,724	349	7.7	213	4.7	263	5.8
All other	913	62	14.0	41	9.3	26	5.8
Black	666	41	17.9	28	12.2	16	*
Balance of area	10,911	173	9.4	84	4.6	110	5.9
White	9,744	108	8.1	51	3.8	72	5.4
All other	1,167	65	12.6	33	6.4	38	7.3
Black	98	10	*	9	*	1	*
Metropolitan counties	22,884	449	8.3	268	5.0	312	5.7
White	21,720	381	7.8	223	4.5	283	5.7
All other	1,164	68	13.8	45	9.2	29	5.9
Black	690	40	17.5	29	12.7	17	*
Urban places	17,182	381	8.2	236	5.1	276	5.9
White	16,315	326	7.7	198	4.7	251	5.9
All other	867	55	13.5	38	9.3	25	6.1
Black	636	37	16.9	26	11.9	16	*
Balance of area	5,702	68	8.9	32	4.2	36	4.7
White	5,405	55	8.1	25	3.7	32	4.7
All other	297	13	*	7	*	4	*
Black	54	3	*	3	*	1	*
Nonmetropolitan counties	6,664	135	9.5	70	5.0	87	6.1
White	5,748	76	8.0	41	4.3	52	5.5
All other	916	59	12.6	29	6.2	35	7.4
Black	74	11	*	8	*	–	*
Urban places	1,455	30	8.9	18	*	13	*
White	1,409	23	7.6	15	*	12	*
All other	46	7	*	3	*	1	*
Black	30	4	*	2	*	–	*
Balance of area	5,209	105	9.8	52	4.8	74	6.8
White	4,339	53	8.2	26	4.0	40	6.2
All other	870	52	12.0	26	6.0	34	7.8
Black	44	7	*	6	*	–	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 2 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Arkansas	25,048	363	10.2	176	5.0	266	7.4
White	20,873	226	8.4	106	4.0	155	5.8
All other	4,175	137	15.8	70	8.1	111	12.6
Black	4,119	136	16.4	70	8.4	110	13.1
Urban places	9,762	180	11.4	87	5.5	126	7.9
White	7,623	92	8.7	41	3.9	57	5.4
All other	2,139	88	17.0	46	8.9	69	13.1
Black	2,112	88	17.7	46	9.3	69	13.7
Balance of area	15,286	183	9.3	89	4.5	140	7.0
White	13,250	134	8.3	65	4.0	98	6.0
All other	2,036	49	14.0	24	6.8	42	11.8
Black	2,007	48	14.4	24	7.2	41	12.2
Metropolitan counties	8,492	164	10.7	71	4.6	118	7.7
White	6,769	97	8.8	37	3.4	57	5.2
All other	1,723	67	15.6	34	7.9	61	14.0
Black	1,698	66	16.3	34	8.4	60	14.6
Urban places	6,009	119	11.1	59	5.5	85	7.9
White	4,617	62	8.7	28	4.0	33	4.6
All other	1,392	57	15.6	31	8.5	52	14.1
Black	1,373	57	16.5	31	8.9	52	14.8
Balance of area	2,483	45	9.9	12	*	33	7.2
White	2,152	35	8.9	9	*	24	6.1
All other	331	10	*	3	*	9	*
Black	325	9	*	3	*	8	*
Nonmetropolitan counties	16,556	199	9.9	105	5.2	148	7.3
White	14,104	129	8.2	69	4.4	98	6.2
All other	2,452	70	15.9	36	8.2	50	11.2
Black	2,421	70	16.5	36	8.5	50	11.6
Urban places	3,753	61	12.2	28	5.6	41	8.1
White	3,006	30	8.6	13	*	24	6.9
All other	747	31	20.1	15	*	17	*
Black	739	31	20.6	15	*	17	*
Balance of area	12,803	138	9.1	77	5.1	107	7.0
White	11,098	99	8.0	56	4.6	74	6.0
All other	1,705	39	13.6	21	7.3	33	11.4
Black	1,682	39	14.2	21	7.7	33	11.9
California	215,284	4,623	7.6	2,795	4.6	3,880	6.3
White	186,964	3,517	7.0	2,173	4.3	2,979	5.9
All other	28,320	1,106	10.1	622	5.7	901	8.2
Black	17,725	793	16.6	453	9.5	571	11.8
Urban places	173,039	3,890	7.6	2,389	4.7	3,261	6.4
White	146,840	2,885	7.0	1,814	4.4	2,439	5.9
All other	26,199	1,005	10.1	575	5.8	822	8.2
Black	16,633	736	16.6	425	9.6	533	11.9
Balance of area	42,245	733	7.3	406	4.1	619	6.2
White	40,124	632	7.0	359	4.0	540	5.9
All other	2,121	101	10.5	47	4.9	79	8.1
Black	1,092	57	17.2	28	8.5	38	11.3
Metropolitan counties	204,167	4,496	7.6	2,730	4.6	3,752	6.3
White	176,279	3,405	7.1	2,114	4.4	2,869	5.9
All other	27,888	1,091	10.1	616	5.7	883	8.1
Black	17,538	788	16.6	450	9.5	567	11.8
Urban places	170,066	3,849	7.7	2,363	4.7	3,220	6.4
White	144,020	2,848	7.1	1,791	4.4	2,402	5.9
All other	26,046	1,001	10.1	572	5.8	818	8.2
Black	16,544	733	16.6	422	9.5	531	11.9
Balance of area	34,101	647	7.4	367	4.2	532	6.1
White	32,259	557	7.1	323	4.1	467	5.9
All other	1,842	90	10.3	44	5.0	65	7.3
Black	994	55	17.4	28	8.9	36	11.3
Nonmetropolitan counties	11,117	127	6.1	65	3.1	128	6.1
White	10,685	112	5.7	59	3.0	110	5.6
All other	432	15	*	6	*	18	*
Black	187	5	*	3	*	4	*
Urban places	2,973	41	5.2	26	3.3	41	5.2
White	2,820	37	5.0	23	3.1	37	5.0
All other	153	4	*	3	*	4	*
Black	89	3	*	3	*	2	*
Balance of area	8,144	86	6.6	39	3.0	87	6.6
White	7,665	75	6.2	36	3.0	73	6.0
All other	279	11	*	3	*	14	*
Black	98	2	*	–	*	2	*

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Colorado	22,588	451	8.4	248	4.6	384	7.1
White	21,552	384	7.8	207	4.2	338	6.8
All other	1,036	67	14.4	41	8.8	46	9.8
Black	803	53	18.2	34	11.7	41	13.9
Urban places	15,686	319	9.0	179	5.0	261	7.3
White	14,734	259	8.2	141	4.5	219	6.9
All other	952	60	15.1	38	9.6	42	10.5
Black	766	47	17.5	31	11.6	37	13.8
Balance of area	6,902	132	7.2	69	3.8	123	6.7
White	6,818	125	7.1	66	3.8	119	6.7
All other	84	7	*	3	*	4	*
Black	37	6	*	3	*	4	*
Metropolitan counties	17,470	383	8.4	214	4.7	315	6.9
White	16,470	316	7.7	173	4.2	269	6.5
All other	1,000	67	15.1	41	9.3	46	10.3
Black	798	53	18.3	34	11.7	41	13.9
Urban places	14,746	311	9.0	177	5.1	254	7.3
White	13,799	251	8.2	139	4.5	212	6.9
All other	947	60	15.2	38	9.6	42	10.5
Black	764	47	17.6	31	11.6	37	13.8
Balance of area	2,724	72	6.7	37	3.4	61	5.6
White	2,671	65	6.3	34	3.3	57	5.5
All other	53	7	*	3	*	4	*
Black	34	6	*	3	*	4	*
Nonmetropolitan counties	5,118	68	8.1	34	4.0	69	8.1
White	5,082	68	8.3	34	4.2	69	8.4
All other	36	–	*	–	*	–	*
Black	5	–	*	–	*	–	*
Urban places	940	8	*	2	*	7	*
White	935	8	*	2	*	7	*
All other	5	–	*	–	*	–	*
Black	2	–	*	–	*	–	*
Balance of area	4,178	60	8.0	32	4.3	62	8.2
White	4,147	60	8.2	32	4.4	62	8.5
All other	31	–	*	–	*	–	*
Black	3	–	*	–	*	–	*
Connecticut	28,029	359	7.4	264	5.4	347	7.1
White	26,046	259	6.3	190	4.6	251	6.1
All other	1,983	100	13.4	74	9.9	96	12.7
Black	1,863	93	14.7	68	10.7	89	13.8
Urban places	19,972	265	7.7	192	5.6	261	7.5
White	18,113	171	6.2	122	4.4	173	6.3
All other	1,859	94	13.4	70	10.0	88	12.4
Black	1,758	88	14.4	65	10.6	83	13.4
Balance of area	8,057	94	6.7	72	5.1	86	6.1
White	7,933	88	6.5	68	5.0	78	5.7
All other	124	6	*	4	*	8	*
Black	105	5	*	3	*	6	*
Metropolitan counties	25,700	328	7.3	244	5.4	319	7.1
White	23,741	228	6.1	170	4.5	224	6.0
All other	1,959	100	13.6	74	10.0	95	12.7
Black	1,842	93	14.8	68	10.8	88	13.8
Urban places	19,633	261	7.7	189	5.6	252	7.4
White	17,781	167	6.2	119	4.4	164	6.0
All other	1,852	94	13.4	70	10.0	88	12.4
Black	1,751	88	14.4	65	10.7	83	13.4
Balance of area	6,067	67	6.2	55	5.1	67	6.2
White	5,960	61	5.9	51	4.9	60	5.7
All other	107	6	*	4	*	7	*
Black	91	5	*	3	*	5	*
Nonmetropolitan counties	2,329	31	8.2	20	5.3	28	7.3
White	2,305	31	8.4	20	5.4	27	7.3
All other	24	–	*	–	*	1	*
Black	21	–	*	–	*	1	*
Urban places	339	4	*	3	*	9	*
White	332	4	*	3	*	9	*
All other	7	–	*	–	*	–	*
Black	7	–	*	–	*	–	*
Balance of area	1,990	27	8.2	17	*	19	*
White	1,973	27	8.4	17	*	18	*
All other	17	–	*	–	*	1	*
Black	14	–	*	–	*	1	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 3 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Delaware	5,928	132	11.8	88	7.9	76	6.7
White	4,910	79	9.7	55	6.8	41	5.0
All other	1,018	53	17.2	33	10.7	35	11.2
Black	984	52	18.2	32	11.2	31	10.7
Urban places	1,337	44	15.4	29	10.1	28	9.7
White	826	16	*	14	*	10	*
All other	511	28	20.7	15	*	18	*
Black	505	28	21.6	15	*	15	*
Balance of area	4,591	88	10.6	59	7.1	48	5.7
White	4,084	63	9.5	41	6.2	31	4.7
All other	507	25	14.5	18	*	17	*
Black	479	24	15.4	17	*	16	*
Metropolitan counties	3,671	94	12.7	64	8.6	49	6.6
White	3,030	59	10.9	43	8.0	23	4.2
All other	641	35	17.4	21	10.5	26	12.8
Black	624	35	18.8	21	11.3	22	11.7
Urban places	1,122	38	16.8	25	11.1	24	10.5
White	665	13	*	11	*	6	*
All other	457	25	22.3	14	*	18	*
Black	453	25	22.9	14	*	15	*
Balance of area	2,549	56	10.9	39	7.6	25	4.8
White	2,365	46	10.8	32	7.5	17	*
All other	184	10	*	7	*	8	*
Black	171	10	*	7	*	7	*
Nonmetropolitan counties	2,257	38	10.0	24	6.3	27	7.1
White	1,880	20	7.4	12	*	18	*
All other	377	18	*	12	*	9	*
Black	360	17	*	11	*	9	*
Urban places	215	6	*	4	*	4	*
White	161	3	*	3	*	4	*
All other	54	3	*	1	*	–	*
Black	52	3	*	1	*	–	*
Balance of area	2,042	32	10.1	20	6.3	23	7.2
White	1,719	17	*	9	*	14	*
All other	323	15	*	11	*	9	*
Black	308	14	*	10	*	9	*
District of Columbia	7,075	247	21.0	176	14.9	168	14.1
White	1,593	13	*	7	*	11	*
All other	5,482	234	23.0	169	16.6	157	15.2
Black	5,446	234	25.3	169	18.3	157	16.7
Urban places	7,075	247	21.0	176	14.9	168	14.1
White	1,593	13	*	7	*	11	*
All other	5,482	234	23.0	169	16.6	157	15.2
Black	5,446	234	25.3	169	18.3	157	16.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	7,075	247	21.0	176	14.9	168	14.1
White	1,593	13	*	7	*	11	*
All other	5,482	234	23.0	169	16.6	157	15.2
Black	5,446	234	25.3	169	18.3	157	16.7
Urban places	7,075	247	21.0	176	14.9	168	14.1
White	1,593	13	*	7	*	11	*
All other	5,482	234	23.0	169	16.6	157	15.2
Black	5,446	234	25.3	169	18.3	157	16.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Florida	136,293	1,740	9.0	1,130	5.8	1,579	8.1
White	121,353	975	6.7	641	4.4	913	6.2
All other	14,940	765	15.7	489	10.0	666	13.5
Black	14,623	751	16.4	478	10.5	646	13.9
Urban places	67,051	955	8.6	655	5.9	872	7.8
White	57,867	438	5.9	312	4.2	424	5.6
All other	9,184	517	14.2	343	9.4	448	12.1
Black	9,036	513	14.8	339	9.8	439	12.5
Balance of area	69,242	785	9.5	475	5.7	707	8.5
White	63,486	537	7.6	329	4.7	489	6.9
All other	5,756	248	20.0	146	11.8	218	17.3
Black	5,587	238	21.4	139	12.5	207	18.3
Metropolitan counties	121,850	1,604	9.0	1,049	5.9	1,451	8.1
White	108,329	877	6.6	586	4.4	826	6.2
All other	13,521	727	15.9	463	10.1	625	13.5
Black	13,237	713	16.7	452	10.6	607	14.0
Urban places	66,020	942	8.6	643	5.9	862	7.8
White	56,961	431	5.8	305	4.1	422	5.7
All other	9,059	511	14.2	338	9.4	440	12.1
Black	8,913	507	14.8	334	9.8	431	12.4
Balance of area	55,830	662	9.7	406	5.9	589	8.5
White	51,368	446	7.6	281	4.8	404	6.8
All other	4,462	216	22.3	125	12.9	185	18.7
Black	4,324	206	24.0	118	13.8	176	20.1
Nonmetropolitan counties	14,443	136	8.7	81	5.2	128	8.1
White	13,024	98	7.8	55	4.4	87	6.9
All other	1,419	38	12.3	26	8.4	41	13.1
Black	1,386	38	13.0	26	8.9	39	13.2
Urban places	1,031	13	*	12	*	10	*
White	906	7	*	7	*	2	*
All other	125	6	*	5	*	8	*
Black	123	6	*	5	*	8	*
Balance of area	13,412	123	8.6	69	4.8	118	8.2
White	12,118	91	7.8	48	4.1	85	7.3
All other	1,294	32	12.0	21	7.9	33	12.2
Black	1,263	32	12.6	21	8.3	31	12.1
Georgia	52,602	1,255	11.4	828	7.5	1,367	12.2
White	37,596	508	7.4	329	4.8	583	8.5
All other	15,206	747	17.8	499	11.9	784	18.3
Black	15,048	739	18.4	496	12.3	772	18.8
Urban places	18,779	533	14.2	351	9.4	576	15.2
White	10,044	117	8.2	81	5.7	131	9.1
All other	8,735	416	17.9	270	11.6	445	18.8
Black	8,701	414	18.3	269	11.9	442	19.2
Balance of area	34,023	722	9.9	477	6.5	791	10.7
White	27,552	391	7.2	248	4.6	452	8.3
All other	6,471	331	17.6	229	12.2	339	17.7
Black	6,347	325	18.4	227	12.8	330	18.3
Metropolitan counties	30,755	813	11.1	539	7.3	918	12.4
White	21,316	308	7.0	201	4.6	370	8.3
All other	9,439	505	17.3	338	11.6	548	18.4
Black	9,305	499	18.0	336	12.1	537	19.0
Urban places	14,440	431	14.3	286	9.5	473	15.5
White	7,224	85	7.9	62	5.8	105	9.7
All other	7,216	346	17.9	224	11.6	368	18.6
Black	7,185	345	18.3	224	11.9	365	19.0
Balance of area	16,315	382	8.8	253	5.9	445	10.2
White	14,092	223	6.7	139	4.2	265	7.9
All other	2,223	159	16.1	114	11.6	180	17.9
Black	2,120	154	17.5	112	12.7	172	19.1
Nonmetropolitan counties	22,047	442	12.0	289	7.8	449	12.0
White	16,280	200	8.3	128	5.3	213	8.7
All other	5,767	242	18.9	161	12.6	236	18.1
Black	5,743	240	19.1	160	12.7	235	18.3
Urban places	4,339	102	13.9	65	8.9	103	13.9
White	2,620	32	9.1	19	*	26	7.4
All other	1,519	70	18.4	46	12.1	77	19.8
Black	1,516	69	18.5	45	12.0	77	20.2
Balance of area	17,708	340	11.5	224	7.6	346	11.5
White	13,460	168	8.1	109	5.3	187	9.0
All other	4,248	172	19.2	115	12.8	159	17.4
Black	4,227	171	19.3	115	13.0	158	17.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 4 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Hawaii	6,810	147	7.4	93	4.7	153	7.6
White	2,072	36	6.1	26	4.4	66	11.1
All other	4,738	111	7.9	67	4.8	87	6.2
Black	77	20	32.4	9	*	5	*
Urban places	4,935	100	7.3	62	4.5	90	6.6
White	1,416	24	6.3	16	*	42	10.9
All other	3,519	76	7.7	46	4.7	48	4.9
Black	59	19	*	9	*	5	*
Balance of area	1,875	47	7.5	31	4.9	63	9.9
White	656	12	*	10	*	24	11.5
All other	1,219	35	8.3	21	5.0	39	9.1
Black	18	1	*	–	*	–	*
Metropolitan counties	4,874	106	7.2	64	4.3	98	6.6
White	1,396	25	5.8	17	*	42	9.7
All other	3,478	81	7.7	47	4.5	56	5.3
Black	62	18	*	8	*	5	*
Urban places	4,344	90	7.3	55	4.5	81	6.5
White	1,266	23	6.4	15	*	37	10.2
All other	3,078	67	7.6	40	4.6	44	5.0
Black	55	18	*	8	*	5	*
Balance of area	530	16	*	9	*	17	*
White	130	2	*	2	*	5	*
All other	400	14	*	7	*	12	*
Black	7	–	*	–	*	–	*
Nonmetropolitan counties	1,936	41	8.0	29	5.7	55	10.6
White	676	11	*	9	*	24	14.8
All other	1,260	30	8.5	20	5.7	31	8.7
Black	15	2	*	1	*	–	*
Urban places	591	10	*	7	*	9	*
White	150	1	*	1	*	5	*
All other	441	9	*	6	*	4	*
Black	4	1	*	1	*	–	*
Balance of area	1,345	31	8.0	22	5.7	46	11.8
White	526	10	*	8	*	19	*
All other	819	21	8.5	14	*	27	10.8
Black	11	1	*	–	*	–	*
Idaho	7,719	146	8.7	89	5.3	111	6.6
White	7,602	140	8.6	84	5.1	105	6.4
All other	117	6	*	5	*	6	*
Black	14	1	*	1	*	–	*
Urban places	3,401	76	10.0	49	6.5	48	6.3
White	3,365	75	10.2	48	6.5	46	6.2
All other	36	1	*	1	*	2	*
Black	11	–	*	–	*	–	*
Balance of area	4,318	70	7.6	40	4.3	63	6.8
White	4,237	65	7.2	36	4.0	59	6.5
All other	81	5	*	4	*	4	*
Black	3	1	*	1	*	–	*
Metropolitan counties	1,346	29	8.6	18	*	19	*
White	1,338	29	8.8	18	*	18	*
All other	8	–	*	–	*	1	*
Black	2	–	*	–	*	–	*
Urban places	1,066	22	8.9	15	*	14	*
White	1,059	22	9.3	15	*	13	*
All other	7	–	*	–	*	1	*
Black	2	–	*	–	*	–	*
Balance of area	280	7	*	3	*	5	*
White	279	7	*	3	*	5	*
All other	1	–	*	–	*	–	*
Black	–	–	*	–	*	–	*
Nonmetropolitan counties	6,373	117	8.7	71	5.3	92	6.8
White	6,264	111	8.5	66	5.1	87	6.6
All other	109	6	*	5	*	5	*
Black	12	1	*	1	*	–	*
Urban places	2,335	54	10.6	34	6.7	34	6.6
White	2,306	53	10.7	33	6.7	33	6.6
All other	29	1	*	1	*	1	*
Black	9	–	*	–	*	–	*
Balance of area	4,038	63	7.6	37	4.4	58	6.9
White	3,958	58	7.2	33	4.1	54	6.6
All other	80	5	*	4	*	4	*
Black	3	1	*	1	*	–	*

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Illinois	104,123	2,083	10.7	1,376	7.1	1,403	7.2
White	87,121	1,149	7.9	776	5.3	855	5.8
All other	17,002	934	19.1	600	12.3	548	11.1
Black	16,406	920	21.3	592	13.7	520	11.9
Urban places	72,466	1,650	11.6	1,087	7.6	1,093	7.6
White	56,511	777	8.0	526	5.4	568	5.8
All other	15,955	873	19.3	561	12.4	525	11.5
Black	15,418	862	21.3	555	13.7	498	12.1
Balance of area	31,657	433	8.4	289	5.6	310	6.0
White	30,610	372	7.7	250	5.2	287	5.9
All other	1,047	61	17.3	39	11.1	23	6.5
Black	988	58	21.2	37	13.5	22	8.0
Metropolitan counties	81,964	1,854	11.0	1,229	7.3	1,237	7.3
White	65,410	940	7.8	643	5.3	702	5.6
All other	16,554	914	19.1	586	12.3	535	11.1
Black	15,970	900	21.2	578	13.6	507	11.8
Urban places	66,402	1,588	11.7	1,054	7.8	1,039	7.6
White	50,707	729	8.0	503	5.5	526	5.8
All other	15,695	859	19.3	551	12.4	513	11.4
Black	15,164	848	21.2	545	13.6	486	12.0
Balance of area	15,562	266	8.0	175	5.3	198	5.9
White	14,703	211	7.0	140	4.7	176	5.8
All other	859	55	17.3	35	11.0	22	6.9
Black	806	52	21.2	33	13.5	21	8.5
Nonmetropolitan counties	22,159	229	9.0	147	5.8	166	6.5
White	21,711	209	8.5	133	5.4	153	6.2
All other	448	20	19.6	14	*	13	*
Black	436	20	23.3	14	*	13	*
Urban places	6,064	62	8.9	33	4.8	54	7.7
White	5,804	48	7.7	23	3.7	42	6.7
All other	260	14	*	10	*	12	*
Black	254	14	*	10	*	12	*
Balance of area	16,095	167	9.0	114	6.1	112	6.0
White	15,907	161	8.8	110	6.0	111	6.0
All other	188	6	*	4	*	1	*
Black	182	6	*	4	*	1	*
Indiana	50,148	781	9.1	486	5.7	598	6.9
White	45,994	597	7.9	364	4.8	470	6.2
All other	4,154	184	17.8	122	11.8	128	12.3
Black	4,087	184	19.3	122	12.8	121	12.6
Urban places	28,520	496	10.4	319	6.7	355	7.4
White	24,540	315	8.3	199	5.2	229	6.0
All other	3,980	181	18.4	120	12.2	126	12.6
Black	3,936	181	19.7	120	13.0	121	13.0
Balance of area	21,628	285	7.5	167	4.4	243	6.4
White	21,454	282	7.5	165	4.4	241	6.4
All other	174	3	*	2	*	2	*
Black	151	3	*	2	*	–	*
Metropolitan counties	33,092	568	9.5	366	6.1	416	6.9
White	29,185	391	7.8	250	5.0	298	5.9
All other	3,907	177	18.3	116	12.0	118	12.0
Black	3,858	177	19.6	116	12.9	112	12.3
Urban places	23,882	449	10.8	294	7.1	297	7.1
White	20,077	273	8.5	178	5.5	180	5.5
All other	3,805	176	18.8	116	12.4	117	12.3
Black	3,764	176	20.0	116	13.2	112	12.6
Balance of area	9,210	119	6.5	72	3.9	119	6.4
White	9,108	118	6.5	72	4.0	118	6.5
All other	102	1	*	–	*	1	*
Black	94	1	*	–	*	–	*
Nonmetropolitan counties	17,056	213	8.3	120	4.7	182	7.0
White	16,809	206	8.2	114	4.5	172	6.8
All other	247	7	*	6	*	10	*
Black	229	7	*	6	*	9	*
Urban places	4,638	47	7.6	25	4.1	58	9.3
White	4,463	42	7.4	21	3.7	49	8.5
All other	175	5	*	4	*	9	*
Black	172	5	*	4	*	9	*
Balance of area	12,418	166	8.5	95	4.9	124	6.3
White	12,346	164	8.5	93	4.8	123	6.3
All other	72	2	*	2	*	1	*
Black	57	2	*	2	*	–	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 5 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Iowa	27,353	313	8.0	172	4.4	233	5.9
White	26,949	294	7.9	164	4.4	216	5.8
All other	404	19	*	8	*	17	*
Black	342	16	*	7	*	11	*
Urban places	11,214	164	8.7	80	4.2	113	6.0
White	10,845	148	8.6	72	4.2	97	5.6
All other	369	16	*	8	*	16	*
Black	323	13	*	7	*	11	*
Balance of area	16,139	149	7.4	92	4.6	120	5.9
White	16,104	146	7.3	92	4.6	119	5.9
All other	35	3	*	–	*	1	*
Black	19	3	*	–	*	–	*
Metropolitan counties	9,946	166	8.7	90	4.7	95	5.0
White	9,632	153	8.7	84	4.8	80	4.5
All other	314	13	*	6	*	15	*
Black	277	12	*	6	*	10	*
Urban places	7,698	126	8.6	63	4.3	81	5.5
White	7,394	114	8.6	57	4.3	66	5.0
All other	304	12	*	6	*	15	*
Black	269	11	*	6	*	10	*
Balance of area	2,248	40	9.1	27	6.1	14	*
White	2,238	39	9.0	27	6.2	14	*
All other	10	1	*	–	*	–	*
Black	8	1	*	–	*	–	*
Nonmetropolitan counties	17,407	147	7.4	82	4.1	138	6.9
White	17,317	141	7.2	80	4.1	136	6.9
All other	90	6	*	2	*	2	*
Black	65	4	*	1	*	1	*
Urban places	3,516	38	9.0	17	*	32	7.5
White	3,451	34	8.5	15	*	31	7.7
All other	65	4	*	2	*	1	*
Black	54	2	*	1	*	1	*
Balance of area	13,891	109	6.9	65	4.1	106	6.7
White	13,866	107	6.9	65	4.2	105	6.7
All other	25	2	*	–	*	1	*
Black	11	2	*	–	*	–	*
Kansas	22,505	335	8.9	192	5.1	206	5.4
White	21,186	268	8.0	153	4.5	173	5.1
All other	1,319	67	16.1	39	9.4	33	7.9
Black	1,161	63	19.9	37	11.7	31	9.7
Urban places	11,942	223	9.1	125	5.1	122	5.0
White	10,753	161	7.8	90	4.4	94	4.5
All other	1,189	62	16.3	35	9.2	28	7.3
Black	1,091	59	19.9	33	11.1	26	8.7
Balance of area	10,563	112	8.4	67	5.0	84	6.2
White	10,433	107	8.2	63	4.8	79	6.0
All other	130	5	*	4	*	5	*
Black	70	4	*	4	*	5	*
Metropolitan counties	10,178	201	9.2	116	5.3	114	5.2
White	9,136	143	7.7	82	4.4	86	4.6
All other	1,042	58	18.1	34	10.6	28	8.7
Black	960	55	21.5	32	12.5	26	10.1
Urban places	8,245	184	9.3	96	5.4	90	5.1
White	7,237	107	7.3	63	4.3	65	4.4
All other	1,008	57	18.5	33	10.7	25	8.0
Black	938	54	21.7	31	12.5	23	9.2
Balance of area	1,933	37	9.1	20	4.9	24	5.9
White	1,899	36	9.1	19	*	21	5.3
All other	34	1	*	1	*	3	*
Black	22	1	*	1	*	3	*
Nonmetropolitan counties	12,327	134	8.3	76	4.7	92	5.7
White	12,050	125	8.3	71	4.7	87	5.7
All other	277	9	*	5	*	5	*
Black	201	8	*	5	*	5	*
Urban places	3,697	59	8.8	29	4.3	32	4.7
White	3,516	54	9.0	27	4.5	29	4.8
All other	181	5	*	2	*	3	*
Black	153	5	*	2	*	3	*
Balance of area	8,630	75	8.0	47	5.0	60	6.4
White	8,534	71	7.8	44	4.8	58	6.3
All other	96	4	*	3	*	2	*
Black	48	3	*	3	*	2	*
Kentucky	35,346	486	8.9	289	5.3	366	6.7
White	32,680	401	8.2	244	5.0	303	6.2
All other	2,666	85	15.0	45	8.0	63	11.0
Black	2,612	82	15.5	44	8.3	61	11.4
Urban places	12,423	184	9.5	114	5.9	131	6.7
White	10,501	114	7.5	72	4.8	86	5.6
All other	1,922	70	16.7	42	10.0	45	10.6
Black	1,891	68	17.2	41	10.3	44	11.0
Balance of area	22,923	302	8.6	175	5.0	235	6.7
White	22,179	287	8.6	172	5.1	217	6.4
All other	744	15	*	3	*	18	*
Black	721	14	*	3	*	17	*
Metropolitan counties	15,432	256	9.7	159	6.0	159	6.0
White	13,596	183	8.3	119	5.4	113	5.1
All other	1,836	73	17.2	40	9.4	46	10.7
Black	1,800	70	17.6	39	9.8	46	11.4
Urban places	9,540	158	10.2	98	6.3	106	6.8
White	7,926	96	8.0	61	5.1	68	5.6
All other	1,614	62	17.5	37	10.4	38	10.6
Black	1,589	60	17.8	36	10.7	38	11.1
Balance of area	5,892	98	9.1	61	5.7	53	4.9
White	5,670	87	8.6	58	5.7	45	4.4
All other	222	11	*	3	*	8	*
Black	211	10	*	3	*	8	*
Nonmetropolitan counties	19,914	230	8.2	130	4.6	207	7.3
White	19,084	218	8.2	125	4.7	190	7.1
All other	830	12	*	5	*	17	*
Black	812	12	*	5	*	15	*
Urban places	2,883	26	6.9	16	*	25	6.5
White	2,575	18	*	11	*	18	*
All other	308	8	*	5	*	7	*
Black	302	8	*	5	*	6	*
Balance of area	17,031	204	8.4	114	4.7	182	7.5
White	16,509	200	8.5	114	4.9	172	7.3
All other	522	4	*	–	*	10	*
Black	510	4	*	–	*	9	*
Louisiana	38,283	761	10.5	475	6.6	572	7.9
White	26,022	327	8.1	213	5.2	204	5.0
All other	12,261	434	13.7	262	8.3	368	11.5
Black	12,127	431	14.2	259	8.5	366	11.9
Urban places	18,726	398	11.7	253	7.4	315	9.2
White	11,100	111	7.8	71	5.0	77	5.4
All other	7,626	287	14.5	182	9.2	238	11.9
Black	7,566	286	15.0	181	9.5	238	12.3
Balance of area	19,557	363	9.5	222	5.8	257	6.7
White	14,922	216	8.2	142	5.4	127	4.8
All other	4,635	147	12.4	80	6.8	130	10.9
Black	4,561	145	12.8	78	6.9	128	11.2
Metropolitan parishes [1]	25,454	519	10.3	327	6.5	395	7.8
White	17,113	201	7.2	127	4.5	129	4.6
All other	8,341	318	14.2	200	8.9	266	11.7
Black	8,240	315	14.7	197	9.2	264	12.2
Urban places	15,999	342	11.6	220	7.5	264	8.9
White	9,359	87	7.2	56	4.6	58	4.8
All other	6,640	255	14.7	164	9.4	206	11.7
Black	6,587	254	15.2	163	9.7	206	12.1
Balance of area	9,455	177	8.5	107	5.2	131	6.3
White	7,754	114	7.2	71	4.5	71	4.5
All other	1,701	63	12.6	36	7.2	60	11.9
Black	1,653	61	13.2	34	7.4	58	12.4
Nonmetropolitan parishes [1]	12,829	242	11.0	148	6.8	177	8.0
White	8,909	126	9.9	86	6.8	75	5.9
All other	3,920	116	12.6	62	6.7	102	10.9
Black	3,887	116	12.8	62	6.9	102	11.2
Urban places	2,727	56	12.3	33	7.3	51	11.1
White	1,741	24	11.2	15	*	19	*
All other	986	32	13.3	18	*	32	13.2
Black	979	32	13.6	18	*	32	13.4
Balance of area	10,102	186	10.7	115	6.6	126	7.2
White	7,168	102	9.7	71	6.7	56	5.3
All other	2,934	84	12.3	44	6.4	70	10.1
Black	2,908	84	12.6	44	6.6	70	10.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 6 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Maine	11,226	113	6.7	74	4.4	82	4.9	Massachusetts	53,075	579	6.6	401	4.5	520	5.9
White	11,167	110	6.7	72	4.4	82	5.0	White	50,811	460	6.1	317	4.2	410	5.4
All other	59	3	*	2	*	–	*	All other	2,264	119	9.7	84	6.9	110	8.9
Black	21	1	*	1	*	–	*	Black	1,957	107	12.3	75	8.6	93	10.6
Urban places	3,133	34	7.6	20	4.5	26	5.8	Urban places	39,375	432	6.7	298	4.6	384	5.9
White	3,112	34	7.8	20	4.6	26	5.9	White	37,290	322	6.1	220	4.2	280	5.3
All other	21	–	*	–	*	–	*	All other	2,085	110	9.5	78	6.7	104	8.9
Black	8	–	*	–	*	–	*	Black	1,811	100	12.0	71	8.5	88	10.4
Balance of area	8,093	79	6.4	54	4.4	56	4.5	Balance of area	13,700	147	6.2	103	4.3	136	5.7
White	8,055	76	6.3	52	4.3	56	4.6	White	13,521	138	6.0	97	4.2	130	5.6
All other	38	3	*	2	*	–	*	All other	179	9	*	6	*	6	*
Black	13	1	*	1	*	–	*	Black	146	7	*	4	*	5	*
Metropolitan counties	4,360	46	6.7	34	4.9	38	5.5	Metropolitan counties	49,953	558	6.6	389	4.6	498	5.8
White	4,329	46	6.8	34	5.0	38	5.6	White	47,761	440	6.1	306	4.2	390	5.3
All other	31	–	*	–	*	–	*	All other	2,192	118	9.8	83	6.9	108	8.9
Black	11	–	*	–	*	–	*	Black	1,895	106	12.3	74	8.6	91	10.5
Urban places	2,147	23	7.7	15	*	14	*	Urban places	38,921	430	6.7	297	4.6	381	5.9
White	2,130	23	7.9	15	*	14	*	White	36,852	320	6.1	219	4.2	277	5.3
All other	17	–	*	–	*	–	*	All other	2,069	110	9.5	78	6.8	104	8.9
Black	7	–	*	–	*	–	*	Black	1,797	100	12.0	71	8.5	88	10.5
Balance of area	2,213	23	5.9	19	*	24	6.1	Balance of area	11,032	128	6.2	92	4.4	117	5.6
White	2,199	23	6.0	19	*	24	6.2	White	10,909	120	5.9	87	4.3	113	5.5
All other	14	–	*	–	*	–	*	All other	123	8	*	5	*	4	*
Black	4	–	*	–	*	–	*	Black	98	6	*	3	*	3	*
Nonmetropolitan counties	6,866	67	6.8	40	4.0	44	4.4	Nonmetropolitan counties	3,122	21	6.0	12	*	22	6.2
White	6,838	64	6.6	38	3.9	44	4.5	White	3,050	20	5.9	11	*	20	5.9
All other	28	3	*	2	*	–	*	All other	72	1	*	1	*	2	*
Black	10	1	*	1	*	–	*	Black	62	1	*	1	*	2	*
Urban places	986	11	*	5	*	12	*	Urban places	454	2	*	1	*	3	*
White	982	11	*	5	*	12	*	White	438	2	*	1	*	3	*
All other	4	–	*	–	*	–	*	All other	16	–	*	–	*	–	*
Black	1	–	*	–	*	–	*	Black	14	–	*	–	*	–	*
Balance of area	5,880	56	6.7	35	4.2	32	3.8	Balance of area	2,668	19	*	11	*	19	*
White	5,856	53	6.4	33	4.0	32	3.9	White	2,612	18	*	10	*	17	*
All other	24	3	*	2	*	–	*	All other	56	1	*	1	*	2	*
Black	9	1	*	1	*	–	*	Black	48	1	*	1	*	2	*
Maryland	38,427	726	9.2	478	6.0	679	8.5	Michigan	79,980	1,555	10.4	1,003	6.7	761	5.0
White	28,565	347	6.8	218	4.3	327	6.4	White	67,442	858	7.4	547	4.7	534	4.6
All other	9,862	379	13.5	260	9.3	352	12.4	All other	12,538	697	20.4	456	13.3	227	6.6
Black	9,512	366	14.7	249	10.0	342	13.5	Black	12,002	684	21.6	450	14.2	213	6.7
Urban places	13,540	274	12.0	178	7.8	272	11.8	Urban places	46,236	1,101	12.1	714	7.9	439	4.8
White	7,769	90	8.9	56	5.6	70	6.9	White	34,559	436	7.4	276	4.7	242	4.1
All other	5,771	184	14.4	122	9.5	202	15.5	All other	11,677	665	20.7	438	13.7	197	6.1
Black	5,689	179	14.9	118	9.8	199	16.3	Black	11,385	658	21.6	433	14.2	189	6.2
Balance of area	24,887	452	8.0	300	5.3	407	7.2	Balance of area	33,744	454	7.7	289	4.9	322	5.4
White	20,796	257	6.3	162	3.9	257	6.2	White	32,883	422	7.4	271	4.7	292	5.1
All other	4,091	195	12.8	138	9.0	150	9.7	All other	861	32	15.3	18	*	30	14.1
Black	3,823	187	14.4	131	10.1	143	10.9	Black	617	26	21.4	17	*	24	19.4
Metropolitan counties	34,881	669	9.0	440	5.9	645	8.6	Metropolitan counties	62,103	1,342	10.8	881	7.1	635	5.1
White	25,761	314	6.7	198	4.2	308	6.5	White	49,991	657	7.2	430	4.7	413	4.5
All other	9,120	355	13.2	242	9.0	337	12.4	All other	12,112	685	20.6	451	13.6	222	6.6
Black	8,777	342	14.4	231	9.7	327	13.6	Black	11,742	676	21.6	446	14.3	209	6.6
Urban places	13,054	268	12.1	173	7.8	265	11.8	Urban places	44,562	1,086	12.3	704	7.9	432	4.8
White	7,409	89	9.2	55	5.7	68	7.0	White	32,911	422	7.4	266	4.7	236	4.1
All other	5,645	179	14.4	118	9.5	197	15.6	All other	11,651	664	20.8	438	13.7	196	6.1
Black	5,565	174	14.9	114	9.8	194	16.3	Black	11,374	657	21.6	433	14.3	188	6.2
Balance of area	21,827	401	7.7	267	5.2	380	7.3	Balance of area	17,541	256	7.2	177	5.0	203	5.7
White	18,352	225	6.0	143	3.8	240	6.4	White	17,080	235	6.9	164	4.8	177	5.1
All other	3,475	176	12.3	124	8.7	140	9.7	All other	461	21	16.1	13	*	26	19.6
Black	3,212	168	13.9	117	9.7	133	10.9	Black	368	19	*	13	*	21	22.4
Nonmetropolitan counties	3,546	57	10.9	38	7.3	34	6.5	Nonmetropolitan counties	17,877	213	8.2	122	4.7	126	4.8
White	2,804	33	8.4	20	5.1	19	*	White	17,451	201	8.0	117	4.7	121	4.8
All other	742	24	18.5	18	*	15	*	All other	426	12	*	5	*	5	*
Black	735	24	19.4	18	*	15	*	Black	260	8	*	4	*	4	*
Urban places	486	6	*	5	*	7	*	Urban places	1,674	15	*	10	*	7	*
White	360	1	*	1	*	2	*	White	1,648	14	*	10	*	6	*
All other	126	5	*	4	*	5	*	All other	26	1	*	–	*	1	*
Black	124	5	*	4	*	5	*	Black	11	1	*	–	*	1	*
Balance of area	3,060	51	11.2	33	7.3	27	5.9	Balance of area	16,203	198	8.4	112	4.7	119	5.0
White	2,444	32	8.9	19	*	17	*	White	15,803	187	8.2	107	4.7	115	5.0
All other	616	19	*	14	*	10	*	All other	400	11	*	5	*	4	*
Black	611	19	*	14	*	10	*	Black	249	7	*	4	*	3	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 7 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Minnesota	35,309	503	7.5	298	4.4	418	6.2
White	34,383	405	6.7	250	4.1	372	6.1
All other	926	98	15.2	48	7.5	46	7.1
Black	517	62	22.1	32	11.4	25	8.8
Urban places	18,590	333	8.5	201	5.1	246	6.2
White	17,838	244	7.3	155	4.6	203	6.0
All other	752	89	15.8	46	8.2	43	7.6
Black	511	61	22.1	32	11.6	25	9.0
Balance of area	16,719	170	6.1	97	3.5	172	6.1
White	16,545	161	5.9	95	3.5	169	6.2
All other	174	9	*	2	*	3	*
Black	6	1	*	–	*	–	*
Metropolitan counties	20,447	361	7.4	217	4.5	302	6.2
White	19,694	276	6.4	173	4.0	258	6.0
All other	753	85	15.0	44	7.8	44	7.7
Black	510	59	21.3	30	10.8	25	8.9
Urban places	15,616	294	8.3	178	5.0	225	6.3
White	14,892	210	7.0	134	4.5	182	6.1
All other	724	84	15.5	44	8.1	43	7.9
Black	505	58	21.2	30	11.0	25	9.1
Balance of area	4,831	67	5.1	39	3.0	77	5.8
White	4,802	66	5.1	39	3.0	76	5.8
All other	29	1	*	–	*	1	*
Black	5	1	*	–	*	–	*
Nonmetropolitan counties	14,862	142	7.6	81	4.4	116	6.2
White	14,689	129	7.2	77	4.3	114	6.4
All other	173	13	*	4	*	2	*
Black	7	3	*	2	*	–	*
Urban places	2,974	39	10.0	23	5.9	21	5.3
White	2,946	34	9.1	21	5.6	21	5.6
All other	28	5	*	2	*	–	*
Black	6	3	*	2	*	–	*
Balance of area	11,888	103	7.0	58	4.0	95	6.4
White	11,743	95	6.7	56	4.0	93	6.5
All other	145	8	*	2	*	2	*
Black	1	–	*	–	*	–	*
Mississippi	25,664	494	11.4	303	7.0	464	10.6
White	16,503	163	7.4	95	4.3	131	5.9
All other	9,161	331	15.5	208	9.8	333	15.4
Black	9,084	323	15.5	204	9.8	331	15.6
Urban places	8,816	188	12.9	122	8.4	166	11.3
White	5,322	53	9.3	36	6.3	29	5.1
All other	3,494	135	15.3	86	9.8	137	15.3
Black	3,474	133	15.4	84	9.7	137	15.6
Balance of area	16,848	306	10.7	181	6.3	298	10.3
White	11,181	110	6.8	59	3.6	102	6.3
All other	5,667	196	15.7	122	9.8	196	15.5
Black	5,610	190	15.6	120	9.8	194	15.7
Metropolitan counties	6,530	133	10.2	76	5.8	125	9.5
White	4,600	59	7.9	35	4.7	44	5.8
All other	1,930	74	13.4	41	7.4	81	14.5
Black	1,914	71	13.4	40	7.5	81	15.1
Urban places	3,735	73	10.2	42	5.9	79	10.9
White	2,439	25	8.0	16	*	17	*
All other	1,296	48	11.9	26	6.5	62	15.2
Black	1,284	47	12.2	25	6.5	62	15.8
Balance of area	2,795	60	10.2	34	5.8	46	7.8
White	2,161	34	7.8	19	*	27	6.1
All other	634	26	17.5	15	*	19	*
Black	630	24	16.7	15	*	19	*
Nonmetropolitan counties	19,134	361	12.0	227	7.5	339	11.1
White	11,903	104	7.2	60	4.2	87	6.0
All other	7,231	257	16.3	167	10.6	252	15.7
Black	7,170	252	16.2	164	10.6	250	15.9
Urban places	5,081	115	15.6	80	10.9	87	11.7
White	2,883	28	10.9	20	7.8	12	*
All other	2,198	87	18.1	60	12.5	75	15.4
Black	2,190	86	18.1	59	12.4	75	15.5
Balance of area	14,053	246	10.8	147	6.4	252	10.9
White	9,020	76	6.4	40	3.4	75	6.3
All other	5,033	170	15.5	107	9.7	177	15.9
Black	4,980	166	15.4	105	9.8	175	16.0

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Missouri	50,885	806	10.2	496	6.3	515	6.5
White	45,214	505	7.9	311	4.9	364	5.7
All other	5,671	301	20.4	185	12.5	151	10.1
Black	5,523	294	21.5	180	13.2	149	10.8
Urban places	22,944	423	11.2	254	6.7	255	6.7
White	18,315	192	7.4	113	4.3	150	5.7
All other	4,629	231	20.0	141	12.2	105	9.0
Black	4,548	227	20.8	138	12.7	104	9.5
Balance of area	27,941	383	9.3	242	5.9	260	6.3
White	26,899	313	8.3	198	5.2	214	5.6
All other	1,042	70	21.9	44	13.7	46	14.2
Black	975	67	24.1	42	15.1	45	15.9
Metropolitan counties	30,944	554	10.1	337	6.2	354	6.4
White	25,804	283	6.8	170	4.1	219	5.3
All other	5,140	271	20.2	167	12.4	135	9.9
Black	5,024	265	21.1	162	12.9	134	10.6
Urban places	20,073	391	11.5	235	6.9	234	6.8
White	15,624	169	7.4	99	4.3	131	5.7
All other	4,449	222	20.1	136	12.3	103	9.2
Black	4,375	218	20.9	133	12.7	102	9.7
Balance of area	10,871	163	7.8	102	4.9	120	5.7
White	10,180	114	6.2	71	3.9	88	4.8
All other	691	49	20.5	31	13.0	32	13.2
Black	649	47	22.2	29	13.7	32	14.9
Nonmetropolitan counties	19,941	252	10.6	159	6.7	161	6.7
White	19,410	222	9.8	141	6.3	145	6.4
All other	531	30	22.6	18	*	16	*
Black	499	29	26.0	18	*	15	*
Urban places	2,671	32	8.7	19	*	21	5.6
White	2,691	23	7.2	14	*	19	*
All other	180	9	*	5	*	2	*
Black	173	9	*	5	*	2	*
Balance of area	17,070	220	10.9	140	6.9	140	6.9
White	16,719	199	10.3	127	6.6	126	6.5
All other	351	21	25.9	13	*	14	*
Black	326	20	30.1	13	*	13	*
Montana	7,014	81	7.0	38	3.3	87	7.5
White	6,652	60	6.0	31	3.1	75	7.4
All other	362	21	14.2	7	*	12	*
Black	8	1	*	–	*	–	*
Urban places	2,912	32	7.1	14	*	31	6.9
White	2,835	22	5.3	11	*	27	6.5
All other	77	10	*	3	*	4	*
Black	7	1	*	–	*	–	*
Balance of area	4,102	49	7.0	24	3.4	56	7.9
White	3,817	38	6.4	20	3.4	48	8.1
All other	285	11	*	4	*	8	*
Black	1	–	*	–	*	–	*
Metropolitan counties	1,623	22	7.4	9	*	20	6.7
White	1,574	17	*	9	*	18	*
All other	49	5	*	–	*	2	*
Black	4	1	*	–	*	–	*
Urban places	1,333	14	*	6	*	15	*
White	1,284	9	*	6	*	13	*
All other	49	5	*	–	*	2	*
Black	4	1	*	–	*	–	*
Balance of area	290	8	*	3	*	5	*
White	290	8	*	3	*	5	*
All other	–	–	*	–	*	–	*
Black	–	–	*	–	*	–	*
Nonmetropolitan counties	5,391	59	6.9	29	3.4	67	7.8
White	5,078	43	5.9	22	3.0	57	7.7
All other	313	16	*	7	*	10	*
Black	4	–	*	–	*	–	*
Urban places	1,579	18	*	8	*	16	*
White	1,551	13	*	5	*	14	*
All other	28	5	*	3	*	2	*
Black	3	–	*	–	*	–	*
Balance of area	3,812	41	6.5	21	3.4	51	8.1
White	3,527	30	5.8	17	*	43	8.2
All other	285	11	*	4	*	8	*
Black	1	–	*	–	*	–	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 8 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Nebraska	14,725	182	7.6	96	4.0	171	7.1
White	14,196	151	6.9	84	3.8	153	6.9
All other	529	31	15.3	12	*	18	*
Black	425	24	17.9	12	*	12	*
Urban places	6,692	107	8.7	54	4.4	99	8.0
White	6,244	79	7.4	42	3.9	85	7.9
All other	448	28	17.7	12	*	14	*
Black	411	24	19.2	12	*	12	*
Balance of area	8,033	75	6.4	42	3.6	72	6.1
White	7,952	72	6.4	42	3.7	68	6.0
All other	81	3	*	–	*	4	*
Black	14	–	*	–	*	–	*
Metropolitan counties	5,575	104	8.1	61	4.8	88	6.8
White	5,130	78	7.0	49	4.4	72	6.4
All other	445	26	15.5	12	*	16	*
Black	414	24	18.2	12	*	12	*
Urban places	4,614	86	9.4	48	5.3	75	8.1
White	4,182	60	7.9	36	4.7	61	7.9
All other	432	26	17.3	12	*	14	*
Black	405	24	19.4	12	*	12	*
Balance of area	961	18	*	13	*	13	*
White	948	18	*	13	*	11	*
All other	13	–	*	–	*	2	*
Black	9	–	*	–	*	–	*
Nonmetropolitan counties	9,150	78	6.9	35	3.1	83	7.3
White	9,066	73	6.7	35	3.2	81	7.4
All other	84	5	*	–	*	2	*
Black	11	–	*	–	*	–	*
Urban places	2,078	21	6.6	6	*	24	7.5
White	2,062	19	*	6	*	24	7.7
All other	16	2	*	–	*	–	*
Black	6	–	*	–	*	–	*
Balance of area	7,072	57	7.1	29	3.6	59	7.3
White	7,004	54	6.9	29	3.7	57	7.3
All other	68	3	*	–	*	2	*
Black	5	–	*	–	*	–	*
Nevada	9,963	202	9.2	95	4.3	150	6.8
White	9,194	153	8.2	70	3.7	116	6.2
All other	769	49	14.9	25	7.6	34	10.2
Black	563	44	21.3	22	10.6	25	12.0
Urban places	5,652	129	8.1	59	3.7	98	6.1
White	5,078	89	6.7	39	2.9	72	5.4
All other	574	40	14.6	20	7.3	26	9.4
Black	473	38	20.2	18	*	21	11.0
Balance of area	4,311	73	12.1	36	6.0	52	8.5
White	4,116	64	11.6	31	5.6	44	7.9
All other	195	9	*	5	*	8	*
Black	90	6	*	4	*	4	*
Metropolitan counties	8,221	165	8.8	76	4.1	129	6.9
White	7,529	118	7.5	53	3.4	99	6.3
All other	692	47	15.4	23	7.5	30	9.7
Black	552	44	21.4	22	10.7	25	12.0
Urban places	5,199	120	7.8	54	3.5	93	6.0
White	4,641	81	6.4	35	2.8	68	5.3
All other	558	39	14.4	19	*	25	9.2
Black	472	38	20.2	18	*	21	11.0
Balance of area	3,022	45	13.8	22	6.7	36	10.9
White	2,888	37	12.7	18	*	31	10.5
All other	134	8	*	4	*	5	*
Black	80	6	*	4	*	4	*
Nonmetropolitan counties	1,742	37	11.1	19	*	21	6.3
White	1,665	35	11.3	17	*	17	*
All other	77	2	*	2	*	4	*
Black	11	–	*	–	*	–	*
Urban places	453	9	*	5	*	5	*
White	437	8	*	4	*	4	*
All other	16	1	*	1	*	1	*
Black	1	–	*	–	*	–	*
Balance of area	1,289	28	10.1	14	*	16	*
White	1,228	27	10.4	13	*	13	*
All other	61	1	*	1	*	3	*
Black	10	–	*	–	*	–	*

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
New Hampshire	8,413	99	6.1	64	3.9	94	5.7
White	8,372	96	6.0	63	3.9	92	5.7
All other	41	3	*	1	*	2	*
Black	27	1	*	1	*	1	*
Urban places	3,388	40	6.8	25	4.2	29	4.9
White	3,364	37	6.4	24	4.1	29	5.0
All other	24	3	*	1	*	–	*
Black	16	1	*	1	*	–	*
Balance of area	5,025	59	5.7	39	3.7	65	6.2
White	5,008	59	5.7	39	3.8	63	6.1
All other	17	–	*	–	*	2	*
Black	11	–	*	–	*	1	*
Metropolitan counties	4,605	64	6.0	41	3.9	57	5.3
White	4,578	62	5.9	40	3.8	55	5.2
All other	27	2	*	1	*	2	*
Black	19	1	*	1	*	1	*
Urban places	2,251	33	7.5	22	5.0	24	5.5
White	2,230	31	7.3	21	4.9	24	5.6
All other	21	2	*	1	*	–	*
Black	15	1	*	1	*	–	*
Balance of area	2,354	31	4.9	19	*	33	5.2
White	2,348	31	5.0	19	*	31	5.0
All other	6	–	*	–	*	2	*
Black	4	–	*	–	*	1	*
Nonmetropolitan counties	3,808	35	6.1	23	4.0	37	6.5
White	3,794	34	6.0	23	4.1	37	6.5
All other	14	1	*	–	*	–	*
Black	8	–	*	–	*	–	*
Urban places	1,137	7	*	3	*	5	*
White	1,134	6	*	3	*	5	*
All other	3	1	*	–	*	–	*
Black	1	–	*	–	*	–	*
Balance of area	2,671	28	6.7	20	4.8	32	7.7
White	2,660	28	6.8	20	4.8	32	7.7
All other	11	–	*	–	*	–	*
Black	7	–	*	–	*	–	*
New Jersey	70,492	1,054	8.7	698	5.7	966	7.9
White	60,583	592	6.4	402	4.3	593	6.3
All other	9,909	462	16.2	296	10.3	373	12.9
Black	9,422	434	18.3	277	11.7	347	14.4
Urban places	50,046	817	9.6	534	6.3	619	7.2
White	41,222	400	6.7	268	4.5	314	5.2
All other	8,824	417	16.4	266	10.5	305	11.9
Black	8,464	397	18.5	251	11.7	290	13.3
Balance of area	20,446	237	6.6	164	4.6	347	9.5
White	19,361	192	5.9	134	4.1	279	8.4
All other	1,085	45	13.9	30	9.3	68	20.6
Black	958	37	16.5	26	11.6	57	24.8
Metropolitan counties	70,492	1,054	8.7	698	5.7	966	7.9
White	60,583	592	6.4	402	4.3	593	6.3
All other	9,909	462	16.2	296	10.3	373	12.9
Black	9,422	434	18.3	277	11.7	347	14.4
Urban places	50,046	817	9.6	534	6.3	619	7.2
White	41,222	400	6.7	268	4.5	314	5.2
All other	8,824	417	16.4	266	10.5	305	11.9
Black	8,464	397	18.5	251	11.7	290	13.3
Balance of area	20,446	237	6.6	164	4.6	347	9.5
White	19,361	192	5.9	134	4.1	279	8.4
All other	1,085	45	13.9	30	9.3	68	20.6
Black	958	37	16.5	26	11.6	57	24.8
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 9 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
New Mexico [3]	11,270	225	8.1	138	5.0	105	3.8	North Carolina	58,880	1,106	10.8	724	7.1	862	8.4
White	10,252	174	7.6	111	4.8	89	3.8	White	44,491	553	8.0	345	5.0	456	6.5
All other	1,018	51	10.7	27	5.7	16	*	All other	14,389	553	16.7	379	11.5	406	12.1
Black	202	13	*	10	*	4	*	Black	13,854	523	17.2	360	11.8	386	12.5
Urban places	6,426	133	8.9	85	5.7	59	3.9	Urban places	21,462	464	11.8	316	8.1	387	9.8
White	6,115	112	8.4	72	5.4	52	3.9	White	14,639	152	7.2	101	4.8	147	6.9
All other	311	21	13.7	13	*	7	*	All other	6,823	312	17.4	215	12.0	240	13.2
Black	167	13	*	10	*	3	*	Black	6,718	303	17.9	209	12.3	232	13.5
Balance of area	4,844	92	7.1	53	4.1	46	3.6	Balance of area	37,418	642	10.2	408	6.5	475	7.5
White	4,137	62	6.4	39	4.0	37	3.8	White	29,852	401	8.4	244	5.1	309	6.4
All other	707	30	9.3	14	*	9	*	All other	7,566	241	15.9	164	10.8	166	10.8
Black	35	–	*	–	*	1	*	Black	7,136	220	16.3	151	11.2	154	11.3
Metropolitan counties	4,926	104	8.1	67	5.2	51	3.9	Metropolitan counties	29,861	601	10.1	404	6.8	496	8.3
White	4,755	95	8.0	63	5.3	47	3.9	White	23,330	307	7.3	197	4.7	272	6.5
All other	171	9	*	4	*	4	*	All other	6,531	294	16.6	207	11.7	224	12.5
Black	76	6	*	4	*	2	*	Black	6,427	286	17.3	202	12.2	217	12.9
Urban places	4,206	94	9.3	59	5.8	40	3.9	Urban places	16,362	365	11.7	247	7.9	305	9.7
White	4,077	85	9.1	55	5.9	37	3.9	White	11,426	125	7.1	82	4.6	124	7.0
All other	129	9	*	4	*	3	*	All other	4,936	240	17.6	165	12.1	181	13.1
Black	69	6	*	4	*	1	*	Black	4,866	234	18.2	162	12.6	174	13.4
Balance of area	720	10	*	8	*	11	*	Balance of area	13,499	236	8.3	157	5.5	191	6.7
White	678	10	*	8	*	10	*	White	11,904	182	7.5	115	4.8	148	6.1
All other	42	–	*	–	*	1	*	All other	1,595	54	13.1	42	10.2	43	10.3
Black	7	–	*	–	*	1	*	Black	1,561	52	14.0	40	10.8	43	11.4
Nonmetropolitan counties	6,344	121	8.1	71	4.8	54	3.6	Nonmetropolitan counties	29,019	505	11.8	320	7.5	366	8.5
White	5,497	79	7.1	48	4.3	42	3.8	White	21,161	246	9.0	148	5.4	184	6.7
All other	847	42	11.0	23	6.0	12	*	All other	7,858	259	16.9	172	11.2	182	11.7
Black	126	7	*	6	*	2	*	Black	7,427	237	17.1	158	11.4	169	12.0
Urban places	2,220	39	8.1	26	5.4	19	*	Urban places	5,100	99	12.5	69	8.7	82	10.3
White	2,038	27	6.7	17	*	15	*	White	3,213	27	7.5	19	*	23	6.3
All other	182	12	*	9	*	4	*	All other	1,887	72	16.8	50	11.6	59	13.6
Black	98	7	*	6	*	2	*	Black	1,852	69	16.8	47	11.5	58	14.0
Balance of area	4,124	82	8.1	45	4.4	35	3.4	Balance of area	23,919	406	11.6	251	7.2	284	8.1
White	3,459	52	7.4	31	4.4	27	3.8	White	17,948	219	9.2	129	5.4	161	6.7
All other	665	30	9.8	14	*	8	*	All other	5,971	187	16.9	122	11.0	123	11.0
Black	28	–	*	–	*	–	*	Black	5,575	168	17.2	111	11.3	111	11.2
New York	167,549	2,753	9.4	1,886	6.4	2,841	9.6	North Dakota	5,576	72	8.1	41	4.6	54	6.0
White	140,789	1,605	7.4	1,118	5.2	1,770	8.1	White	5,394	57	7.2	33	4.2	46	5.8
All other	26,760	1,148	15.1	768	10.1	1,071	13.9	All other	182	15	*	8	*	8	*
Black	24,969	1,089	17.5	736	11.8	981	15.5	Black	5	2	*	2	*	1	*
Urban places	108,257	2,095	10.9	1,442	7.5	2,160	11.1	Urban places	2,036	35	8.5	21	5.1	28	6.7
White	83,441	1,049	8.6	736	6.0	1,176	9.5	White	2,013	32	8.2	20	5.2	26	6.7
All other	24,816	1,046	15.0	706	10.2	984	14.0	All other	23	3	*	1	*	2	*
Black	23,294	997	17.3	677	11.7	907	15.5	Black	4	1	*	1	*	1	*
Balance of area	59,292	658	6.5	444	4.4	681	6.7	Balance of area	3,540	37	7.8	20	4.2	26	5.4
White	57,348	556	5.9	382	4.1	594	6.3	White	3,381	25	6.2	13	*	20	4.9
All other	1,944	102	15.9	62	9.7	87	13.4	All other	159	12	*	7	*	6	*
Black	1,675	92	20.8	59	13.3	74	16.4	Black	1	1	*	1	*	–	*
Metropolitan counties	152,935	2,570	9.5	1,769	6.6	2,650	9.7	Metropolitan counties	1,671	22	5.8	13	*	20	5.2
White	126,438	1,440	7.4	1,013	5.2	1,596	8.1	White	1,653	20	5.6	12	*	20	5.5
All other	26,497	1,130	15.1	756	10.1	1,054	13.9	All other	18	2	*	1	*	–	*
Black	24,748	1,073	17.4	724	11.8	970	15.5	Black	4	1	*	1	*	–	*
Urban places	105,207	2,050	10.9	1,412	7.5	2,126	11.2	Urban places	1,315	21	7.1	12	*	17	*
White	80,457	1,009	8.5	709	6.0	1,147	9.6	White	1,300	20	7.2	12	*	17	*
All other	24,750	1,041	15.0	703	10.2	979	14.0	All other	15	1	*	–	*	–	*
Black	23,229	992	17.3	674	11.7	904	15.5	Black	3	–	*	–	*	–	*
Balance of area	47,728	520	6.3	357	4.4	524	6.4	Balance of area	356	1	*	1	*	3	*
White	45,981	431	5.7	304	4.0	449	5.9	White	353	–	*	–	*	3	*
All other	1,747	89	15.5	53	9.2	75	12.9	All other	3	1	*	1	*	–	*
Black	1,519	81	20.3	50	12.5	66	16.2	Black	1	1	*	1	*	–	*
Nonmetropolitan counties	14,614	183	8.0	117	5.1	191	8.2	Nonmetropolitan counties	3,905	50	9.9	28	5.5	34	6.7
White	14,351	165	7.5	105	4.8	174	7.9	White	3,741	37	8.6	21	4.9	26	6.0
All other	263	18	*	12	*	17	*	All other	164	13	*	7	*	8	*
Black	221	16	*	12	*	11	*	Black	1	1	*	1	*	1	*
Urban places	3,050	45	10.4	30	6.9	34	7.8	Urban places	721	14	*	9	*	11	*
White	2,984	40	10.0	27	6.7	29	7.2	White	713	12	*	8	*	9	*
All other	66	5	*	3	*	5	*	All other	8	2	*	1	*	2	*
Black	65	5	*	3	*	3	*	Black	1	1	*	1	*	1	*
Balance of area	11,564	138	7.4	87	4.7	157	8.4	Balance of area	3,184	36	9.2	19	*	23	5.9
White	11,367	125	7.0	78	4.3	145	8.0	White	3,028	25	7.8	13	*	17	*
All other	197	13	*	9	*	12	*	All other	156	11	*	6	*	6	*
Black	156	11	*	9	*	8	*	Black	–	–	*	–	*	–	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 10 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Ohio	100,190	1,559	9.4	962	5.8	1,193	7.1
White	89,354	1,076	7.8	660	4.8	870	6.3
All other	10,836	483	17.2	302	10.7	323	11.4
Black	10,616	469	17.8	294	11.2	309	11.6
Urban places	58,285	1,016	10.6	620	6.4	780	8.0
White	48,451	571	8.1	346	4.9	473	6.7
All other	9,834	445	17.3	274	10.6	307	11.8
Black	9,675	433	17.7	267	10.9	295	11.9
Balance of area	41,905	543	7.8	342	4.9	413	5.9
White	40,903	505	7.5	314	4.7	397	5.9
All other	1,002	38	16.3	28	12.0	16	*
Black	941	36	19.1	27	14.3	14	*
Metropolitan counties	78,221	1,305	9.8	813	6.1	971	7.3
White	67,806	834	7.9	520	4.9	655	6.2
All other	10,415	471	17.2	293	10.7	316	11.4
Black	10,225	458	17.8	285	11.1	303	11.7
Urban places	51,577	941	10.8	582	6.7	716	8.1
White	41,999	507	8.2	316	5.1	414	6.6
All other	9,578	434	17.2	266	10.5	302	11.8
Black	9,435	423	17.6	259	10.8	291	12.0
Balance of area	26,644	364	8.0	231	5.1	255	5.6
White	25,807	327	7.5	204	4.7	241	5.5
All other	837	37	17.5	27	12.8	14	*
Black	790	35	20.3	26	15.1	12	*
Nonmetropolitan counties	21,969	254	7.7	149	4.5	222	6.7
White	21,548	242	7.5	140	4.3	215	6.6
All other	421	12	*	9	*	7	*
Black	391	11	*	9	*	6	*
Urban places	6,708	75	8.4	38	4.2	64	7.1
White	6,452	64	7.6	30	3.6	59	7.0
All other	256	11	*	8	*	5	*
Black	240	10	*	8	*	4	*
Balance of area	15,261	179	7.4	111	4.6	158	6.5
White	15,096	178	7.5	110	4.6	156	6.5
All other	165	1	*	1	*	2	*
Black	151	1	*	1	*	2	*
Oklahoma	30,275	460	9.6	249	5.2	372	7.7
White	26,993	340	9.1	186	5.0	287	7.6
All other	3,282	120	11.7	63	6.1	85	8.2
Black	2,002	90	17.4	43	8.3	67	12.8
Urban places	15,553	295	10.3	169	5.9	234	8.1
White	13,671	202	9.2	121	5.5	175	7.9
All other	1,882	93	13.9	48	7.2	59	8.7
Black	1,495	80	17.9	39	8.7	50	11.1
Balance of area	14,722	165	8.7	80	4.2	138	7.2
White	13,322	138	8.9	65	4.2	112	7.2
All other	1,400	27	7.6	15	*	26	7.2
Black	507	10	*	4	*	17	*
Metropolitan counties	15,427	295	9.8	167	5.6	235	7.8
White	13,639	207	8.8	120	5.1	176	7.5
All other	1,788	88	13.3	47	7.1	59	8.8
Black	1,357	74	17.6	36	8.6	49	11.5
Urban places	11,994	248	10.4	144	6.0	194	8.0
White	10,492	164	9.0	101	5.5	143	7.8
All other	1,502	84	14.8	43	7.6	51	8.9
Black	1,222	72	18.3	34	8.6	44	11.0
Balance of area	3,433	47	7.7	23	3.8	41	6.7
White	3,147	43	8.4	19	*	33	6.4
All other	286	4	*	4	*	8	*
Black	135	2	*	2	*	5	*
Nonmetropolitan counties	14,848	165	9.3	82	4.6	137	7.6
White	13,354	133	9.4	66	4.7	111	7.8
All other	1,494	32	8.8	16	*	26	7.1
Black	645	16	*	7	*	18	*
Urban places	3,559	47	9.8	25	5.2	40	8.3
White	3,179	38	10.1	20	5.3	32	8.4
All other	380	9	*	5	*	8	*
Black	273	8	*	5	*	6	*
Balance of area	11,289	118	9.1	57	4.4	97	7.4
White	10,175	95	9.2	46	4.5	79	7.6
All other	1,114	23	8.7	11	*	18	*
Black	372	8	*	2	*	12	*
Oregon	25,015	309	7.3	172	4.0	262	6.1
White	24,345	275	7.0	152	3.8	242	6.1
All other	670	34	11.3	20	6.6	20	6.6
Black	317	20	20.7	13	*	12	*
Urban places	12,946	179	7.8	101	4.4	129	5.6
White	12,447	149	7.2	84	4.1	114	5.5
All other	499	30	13.4	17	*	15	*
Black	298	19	*	12	*	11	*
Balance of area	12,069	130	6.6	71	3.6	133	6.7
White	11,898	126	6.7	68	3.6	128	6.7
All other	171	4	*	3	*	5	*
Black	19	1	*	1	*	1	*
Metropolitan counties	16,422	230	7.7	133	4.4	182	6.0
White	15,890	202	7.3	116	4.2	167	6.0
All other	532	28	11.3	17	*	15	*
Black	306	19	*	12	*	11	*
Urban places	10,778	162	8.4	94	4.9	120	6.2
White	10,319	134	7.8	77	4.5	105	6.0
All other	459	28	13.5	17	*	15	*
Black	293	19	*	12	*	11	*
Balance of area	5,644	68	6.4	39	3.6	62	5.8
White	5,571	68	6.6	39	3.8	62	6.0
All other	73	–	*	–	*	–	*
Black	13	–	*	–	*	–	*
Nonmetropolitan counties	8,593	79	6.3	39	3.1	80	6.4
White	8,455	73	6.1	36	3.0	75	6.3
All other	138	6	*	3	*	5	*
Black	11	1	*	1	*	1	*
Urban places	2,168	17	*	7	*	9	*
White	2,128	15	*	7	*	9	*
All other	40	2	*	–	*	–	*
Black	5	–	*	–	*	–	*
Balance of area	6,425	62	6.9	32	3.6	71	7.8
White	6,327	58	6.7	29	3.4	66	7.6
All other	98	4	*	3	*	5	*
Black	6	1	*	1	*	1	*
Pennsylvania	122,657	1,543	9.1	1,009	6.0	1,487	8.7
White	110,813	1,034	7.4	679	4.9	1,116	7.9
All other	11,844	509	17.6	330	11.4	371	12.7
Black	11,507	499	19.4	324	12.6	355	13.6
Urban places	61,626	936	11.0	604	7.1	776	9.1
White	50,695	457	7.9	292	5.0	446	7.6
All other	10,931	479	18.1	312	11.8	330	12.3
Black	10,680	471	19.5	307	12.7	321	13.1
Balance of area	61,031	607	7.2	405	4.8	711	8.4
White	60,118	577	7.1	387	4.7	670	8.1
All other	913	30	12.5	18	*	41	16.7
Black	827	28	16.6	17	*	34	19.8
Metropolitan counties	103,338	1,341	9.2	879	6.0	1,272	8.7
White	91,635	840	7.2	555	4.7	906	7.7
All other	11,703	501	17.5	324	11.3	366	12.7
Black	11,380	493	19.3	319	12.5	351	13.6
Urban places	59,359	907	11.0	589	7.1	755	9.1
White	48,486	435	7.8	282	5.0	427	7.6
All other	10,873	472	17.9	307	11.6	328	12.3
Black	10,624	465	19.4	302	12.6	319	13.1
Balance of area	43,979	434	6.9	290	4.6	517	8.1
White	43,149	405	6.6	273	4.5	479	7.8
All other	830	29	13.2	17	*	38	17.0
Black	756	28	17.8	17	*	32	19.9
Nonmetropolitan counties	19,319	202	8.7	130	5.6	215	9.2
White	19,178	194	8.5	124	5.4	210	9.1
All other	141	8	*	6	*	5	*
Black	127	6	*	5	*	4	*
Urban places	2,267	29	12.8	15	*	21	9.2
White	2,209	22	10.5	10	*	19	*
All other	58	7	*	5	*	2	*
Black	56	6	*	5	*	2	*
Balance of area	17,052	173	8.3	115	5.5	194	9.2
White	16,969	172	8.3	114	5.5	191	9.1
All other	83	1	*	1	*	3	*
Black	71	–	*	–	*	2	*

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 11 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Rhode Island	9,398	118	8.0	82	5.6	80	5.4
White	9,023	91	7.0	62	4.8	71	5.5
All other	375	27	15.1	20	11.2	9	*
Black	315	24	21.0	18	*	6	*
Urban places	7,482	95	8.2	64	5.5	68	5.9
White	7,130	68	6.9	44	4.5	59	6.0
All other	352	27	16.0	20	11.8	9	*
Black	303	24	21.5	18	*	6	*
Balance of area	1,916	23	7.2	18	*	12	*
White	1,893	23	7.4	18	*	12	*
All other	23	–	*	–	*	–	*
Black	12	–	*	–	*	–	*
Metropolitan counties	8,696	108	8.0	76	5.6	71	5.2
White	8,345	84	7.1	59	5.0	62	5.2
All other	351	24	14.2	17	*	9	*
Black	292	21	19.8	15	*	6	*
Urban places	7,042	86	8.0	59	5.5	59	5.4
White	6,711	62	6.7	42	4.6	50	5.4
All other	331	24	15.1	17	*	9	*
Black	283	21	20.2	15	*	6	*
Balance of area	1,654	22	8.1	17	*	12	*
White	1,634	22	8.4	17	*	12	*
All other	20	–	*	–	*	–	*
Black	9	–	*	–	*	–	*
Nonmetropolitan counties	702	10	*	6	*	9	*
White	678	7	*	3	*	9	*
All other	24	3	*	3	*	–	*
Black	23	3	*	3	*	–	*
Urban places	440	9	*	5	*	9	*
White	419	6	*	2	*	9	*
All other	21	3	*	3	*	–	*
Black	20	3	*	3	*	–	*
Balance of area	262	1	*	1	*	–	*
White	259	1	*	1	*	–	*
All other	3	–	*	–	*	–	*
Black	3	–	*	–	*	–	*
South Carolina	29,966	649	11.3	404	7.0	587	10.1
White	20,447	280	8.1	169	4.9	267	7.7
All other	9,519	369	16.1	235	10.2	320	13.7
Black	9,468	369	16.4	235	10.5	316	13.9
Urban places	8,322	177	11.0	112	6.9	177	10.8
White	5,360	54	6.6	30	3.7	61	7.4
All other	2,962	123	15.4	82	10.3	116	14.4
Black	2,942	123	15.9	82	10.6	114	14.5
Balance of area	21,644	472	11.4	292	7.0	410	9.8
White	15,087	226	8.6	139	5.3	206	7.7
All other	6,557	246	16.4	153	10.2	204	13.4
Black	6,526	246	16.7	153	10.4	202	13.6
Metropolitan counties	17,062	357	10.2	211	6.0	335	9.5
White	12,413	178	7.7	101	4.4	180	7.8
All other	4,649	179	15.0	110	9.2	155	12.8
Black	4,609	179	15.4	110	9.5	154	13.1
Urban places	6,441	147	11.0	87	6.5	143	10.6
White	4,142	46	6.6	24	3.5	53	7.6
All other	2,299	101	15.8	63	9.9	90	13.9
Black	2,280	101	16.3	63	10.2	89	14.1
Balance of area	10,621	210	9.7	124	5.7	192	8.8
White	8,271	132	8.2	77	4.8	127	7.8
All other	2,350	78	14.0	47	8.5	65	11.6
Black	2,329	78	14.4	47	8.7	65	11.9
Nonmetropolitan counties	12,904	292	12.9	193	8.5	252	11.0
White	8,034	102	8.8	68	5.9	87	7.5
All other	4,870	190	17.2	125	11.3	165	14.7
Black	4,859	190	17.5	125	11.5	162	14.7
Urban places	1,881	30	10.6	25	8.8	34	11.9
White	1,218	8	*	6	*	8	*
All other	663	22	13.9	19	*	26	16.2
Black	662	22	14.2	19	*	25	15.9
Balance of area	11,023	262	13.3	168	8.5	218	10.9
White	6,816	94	9.1	62	6.0	79	7.6
All other	4,207	168	17.8	106	11.2	139	14.5
Black	4,197	168	18.1	106	11.4	137	14.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
South Dakota [2]	6,644	103	9.4	59	5.4	74	6.7
White	6,208	73	8.0	44	4.8	56	6.1
All other	436	30	16.4	15	*	18	*
Black	7	2	*	1	*	1	*
Urban places	2,435	37	8.2	18	*	25	5.5
White	2,373	31	7.7	16	*	22	5.4
All other	62	6	*	2	*	3	*
Black	6	1	*	–	*	–	*
Balance of area	4,209	66	10.2	41	6.3	49	7.5
White	3,835	42	8.3	28	5.5	34	6.7
All other	374	24	17.2	13	*	15	*
Black	1	1	*	1	*	1	*
Metropolitan counties	1,494	36	9.9	21	5.8	21	5.7
White	1,434	28	8.5	18	*	19	*
All other	60	8	*	3	*	2	*
Black	6	2	*	1	*	–	*
Urban places	1,213	26	9.4	16	*	19	*
White	1,161	21	8.5	14	*	17	*
All other	52	5	*	2	*	2	*
Black	5	1	*	–	*	–	*
Balance of area	281	10	*	5	*	2	*
White	273	7	*	4	*	2	*
All other	8	3	*	1	*	–	*
Black	1	1	*	1	*	–	*
Nonmetropolitan counties	5,150	67	9.2	38	5.2	53	7.2
White	4,774	45	7.7	26	4.5	37	6.3
All other	376	22	15.1	12	*	16	*
Black	1	–	*	–	*	1	*
Urban places	1,222	11	*	2	*	6	*
White	1,212	10	*	2	*	5	*
All other	10	1	*	–	*	1	*
Black	1	–	*	–	*	–	*
Balance of area	3,928	56	10.0	36	6.4	47	8.3
White	3,562	35	8.2	24	5.6	32	7.4
All other	366	21	15.8	12	*	15	*
Black	–	–	*	–	*	1	*
Tennessee [2]	46,309	744	10.0	463	6.2	414	5.5
White	38,581	410	7.3	254	4.5	244	4.3
All other	7,728	334	18.0	209	11.3	170	9.1
Black	7,663	332	18.6	207	11.6	168	9.3
Urban places	23,045	454	11.9	282	7.4	210	5.5
White	16,786	175	7.8	106	4.7	78	3.5
All other	6,259	279	17.8	176	11.2	132	8.4
Black	6,215	277	18.3	174	11.5	132	8.6
Balance of area	23,264	290	8.0	181	5.0	204	5.6
White	21,795	235	7.0	148	4.4	166	4.9
All other	1,469	55	19.2	33	11.5	38	13.1
Black	1,448	55	20.8	33	12.5	36	13.4
Metropolitan counties	29,369	544	10.3	341	6.5	290	5.5
White	22,940	254	7.0	160	4.4	150	4.1
All other	6,429	290	17.9	181	11.2	140	8.6
Black	6,378	288	18.4	179	11.5	139	8.8
Urban places	20,088	417	12.1	258	7.5	189	5.4
White	14,135	144	7.4	87	4.5	64	3.3
All other	5,953	273	18.2	171	11.4	125	8.2
Black	5,912	271	18.6	169	11.6	125	8.5
Balance of area	9,281	127	7.0	83	4.6	101	5.5
White	8,805	110	6.5	73	4.3	86	5.0
All other	476	17	*	10	*	15	*
Black	466	17	*	10	*	14	*
Nonmetropolitan counties	16,940	200	9.2	122	5.6	124	5.7
White	15,641	156	8.0	94	4.8	94	4.8
All other	1,299	44	19.1	28	12.2	30	12.9
Black	1,285	44	20.2	28	12.9	29	13.2
Urban places	2,957	37	10.1	24	6.6	21	5.7
White	2,651	31	10.3	19	*	14	*
All other	306	6	*	5	*	7	*
Black	303	6	*	5	*	7	*
Balance of area	13,983	163	9.0	98	5.4	103	5.7
White	12,990	125	7.6	75	4.6	80	4.8
All other	993	38	22.7	23	13.7	23	13.6
Black	982	38	24.0	23	14.5	22	13.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 12 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Texas	126,795	2,448	7.7	1,439	4.5	2,058	6.4
White	109,313	1,786	6.7	1,049	3.9	1,567	5.8
All other	17,482	662	13.1	390	7.7	491	9.6
Black	16,855	628	14.6	368	8.5	443	10.2
Urban places	81,739	1,827	8.0	1,075	4.7	1,510	6.6
White	67,841	1,240	6.7	730	4.0	1,086	5.8
All other	13,898	587	13.8	345	8.1	424	9.9
Black	13,376	555	15.3	325	8.9	380	10.3
Balance of area	45,056	621	6.9	364	4.0	548	6.0
White	41,472	546	6.6	319	3.9	481	5.8
All other	3,584	75	9.3	45	5.6	67	8.3
Black	3,479	73	10.9	43	6.4	63	9.3
Metropolitan counties	93,727	2,090	7.7	1,237	4.6	1,779	6.5
White	79,293	1,484	6.6	876	3.9	1,327	5.9
All other	14,434	606	13.4	361	8.0	452	9.9
Black	13,843	572	15.0	339	8.9	405	10.5
Urban places	74,258	1,742	8.1	1,028	4.8	1,434	6.7
White	61,155	1,171	6.8	688	4.0	1,021	5.9
All other	13,103	571	14.1	340	8.4	413	10.1
Black	12,589	539	15.6	320	9.2	369	10.5
Balance of area	19,469	348	6.2	209	3.7	345	6.1
White	18,138	313	6.1	188	3.6	306	5.9
All other	1,331	35	7.5	21	4.5	39	8.3
Black	1,254	33	9.3	19	*	36	10.1
Nonmetropolitan counties	33,068	358	7.6	202	4.3	279	5.9
White	30,020	302	7.2	173	4.1	240	5.7
All other	3,048	56	10.8	29	5.6	39	7.4
Black	3,012	56	11.5	29	5.9	38	7.7
Urban places	7,481	85	6.4	47	3.5	76	5.7
White	6,686	69	6.0	42	3.7	65	5.7
All other	795	16	*	5	*	11	*
Black	787	16	*	5	*	11	*
Balance of area	25,587	273	8.0	155	4.5	203	5.9
White	23,334	233	7.6	131	4.3	175	5.7
All other	2,253	40	11.9	24	7.1	28	8.3
Black	2,225	40	12.6	24	7.5	27	8.4
Utah	9,651	220	6.1	109	3.0	194	5.4
White	9,413	204	6.0	102	3.0	191	5.6
All other	238	16	*	7	*	3	*
Black	66	3	*	3	*	–	*
Urban places	5,072	113	5.9	57	3.0	113	5.9
White	4,943	102	5.7	51	2.8	111	6.1
All other	129	11	*	6	*	2	*
Black	50	3	*	3	*	–	*
Balance of area	4,579	107	6.3	52	3.1	81	4.8
White	4,470	102	6.3	51	3.2	80	4.9
All other	109	5	*	1	*	1	*
Black	16	–	*	–	*	–	*
Metropolitan counties	7,099	182	6.4	87	3.1	145	5.1
White	6,927	169	6.2	82	3.0	143	5.2
All other	172	13	*	5	*	2	*
Black	64	3	*	3	*	–	*
Urban places	4,340	100	6.0	48	2.9	96	5.7
White	4,219	90	5.7	43	2.7	94	5.9
All other	121	10	*	5	*	2	*
Black	48	3	*	3	*	–	*
Balance of area	2,759	82	7.0	39	3.3	49	4.2
White	2,708	79	7.0	39	3.5	49	4.3
All other	51	3	*	–	*	–	*
Black	16	–	*	–	*	–	*
Nonmetropolitan counties	2,552	38	5.0	22	2.9	49	6.4
White	2,486	35	4.9	20	2.8	48	6.7
All other	66	3	*	2	*	1	*
Black	2	–	*	–	*	–	*
Urban places	732	13	*	9	*	17	*
White	724	12	*	8	*	17	*
All other	8	1	*	1	*	–	*
Black	2	–	*	–	*	–	*
Balance of area	1,820	25	4.7	13	*	32	6.0
White	1,762	23	4.7	12	*	31	6.3
All other	58	2	*	1	*	1	*
Black	–	–	*	–	*	–	*

Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate		
Vermont	4,563	46	5.8	31	3.9	50	6.2
White	4,550	46	5.9	31	3.9	50	6.3
All other	13	–	*	–	*	–	*
Black	5	–	*	–	*	–	*
Urban places	615	9	*	5	*	7	*
White	609	9	*	5	*	7	*
All other	6	–	*	–	*	–	*
Black	4	–	*	–	*	–	*
Balance of area	3,948	37	5.2	26	3.7	43	6.0
White	3,941	37	5.3	26	3.7	43	6.1
All other	7	–	*	–	*	–	*
Black	1	–	*	–	*	–	*
Metropolitan counties	818	16	*	11	*	13	*
White	811	16	*	11	*	13	*
All other	7	–	*	–	*	–	*
Black	4	–	*	–	*	–	*
Urban places	383	7	*	4	*	3	*
White	377	7	*	4	*	3	*
All other	6	–	*	–	*	–	*
Black	4	–	*	–	*	–	*
Balance of area	435	9	*	7	*	10	*
White	434	9	*	7	*	10	*
All other	1	–	*	–	*	–	*
Black	–	–	*	–	*	–	*
Nonmetropolitan counties	3,745	30	5.0	20	3.4	37	6.2
White	3,739	30	5.1	20	3.4	37	6.3
All other	6	–	*	–	*	–	*
Black	1	–	*	–	*	–	*
Urban places	232	2	*	1	*	4	*
White	232	2	*	1	*	4	*
All other	–	–	*	–	*	–	*
Black	–	–	*	–	*	–	*
Balance of area	3,513	28	4.9	19	*	33	5.8
White	3,507	28	5.0	19	*	33	5.8
All other	6	–	*	–	*	–	*
Black	1	–	*	–	*	–	*
Virginia	49,129	965	9.9	642	6.6	781	8.0
White	38,061	517	7.4	324	4.6	463	6.5
All other	11,068	448	16.6	318	11.8	318	11.8
Black	10,774	435	18.3	309	13.0	306	12.7
Urban places	20,773	536	12.4	362	8.4	390	9.0
White	14,202	240	9.1	149	5.6	190	7.1
All other	6,571	296	17.8	213	12.8	200	11.9
Black	6,446	293	19.2	211	13.9	194	12.6
Balance of area	28,356	429	7.9	280	5.2	391	7.2
White	23,859	277	6.3	175	4.0	273	6.2
All other	4,497	152	14.6	105	10.1	118	11.2
Black	4,328	142	16.6	98	11.4	112	12.9
Metropolitan counties	31,870	767	10.3	518	6.9	554	7.4
White	23,687	387	7.4	253	4.9	306	5.9
All other	8,183	380	16.8	265	11.7	248	10.8
Black	7,907	367	18.8	256	13.1	238	12.0
Urban places	18,789	507	12.7	345	8.8	360	8.9
White	12,465	222	9.3	141	5.9	166	6.9
All other	6,324	285	17.7	204	12.6	194	11.9
Black	6,204	282	19.1	202	13.7	189	12.6
Balance of area	13,081	260	7.5	173	5.0	194	5.6
White	11,222	165	5.9	112	4.0	140	5.0
All other	1,859	95	14.6	61	9.4	54	8.2
Black	1,703	85	17.8	54	11.3	49	10.2
Nonmetropolitan counties	17,259	198	8.7	124	5.4	227	9.9
White	14,374	130	7.1	71	3.9	157	8.5
All other	2,885	68	15.4	53	12.0	70	15.6
Black	2,867	68	15.9	53	12.4	68	15.6
Urban places	1,984	29	9.4	17	*	30	9.6
White	1,737	18	*	8	*	24	9.3
All other	247	11	*	9	*	6	*
Black	242	11	*	9	*	5	*
Balance of area	15,275	169	8.6	107	5.4	197	9.9
White	12,637	112	7.1	63	4.0	133	8.4
All other	2,638	57	14.7	44	11.3	64	16.2
Black	2,625	57	14.9	44	11.5	63	16.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 13 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Washington	37,073	600	7.5	313	3.9	440	5.5	Wisconsin	43,137	599	8.3	360	5.0	422	5.8
White	35,139	514	7.3	263	3.7	367	5.2	White	41,494	480	7.7	300	4.8	322	5.1
All other	1,934	86	9.4	50	5.5	73	8.0	All other	1,643	119	12.1	60	6.1	100	10.1
Black	844	44	14.3	28	9.1	40	12.8	Black	1,338	102	14.1	52	7.2	86	11.8
Urban places	18,058	281	8.0	143	4.1	221	6.2	Urban places	21,803	334	8.5	189	4.8	258	6.5
White	16,769	227	7.6	111	3.7	171	5.7	White	20,360	221	7.3	130	4.3	163	5.3
All other	1,289	54	10.1	32	6.0	50	9.3	All other	1,443	113	12.5	59	6.5	95	10.4
Black	670	31	15.3	19	*	30	14.6	Black	1,311	100	14.0	51	7.1	85	11.8
Balance of area	19,015	319	7.2	170	3.8	219	4.9	Balance of area	21,334	265	8.1	171	5.2	164	5.0
White	18,370	287	7.1	152	3.7	196	4.8	White	21,134	259	8.1	170	5.3	159	5.0
All other	645	32	8.5	18	*	23	6.1	All other	200	6	*	1	*	5	*
Black	174	13	*	9	*	10	*	Black	27	2	*	1	*	1	*
Metropolitan counties	28,805	496	7.5	262	4.0	374	5.6	Metropolitan counties	26,840	439	8.6	262	5.1	290	5.6
White	27,061	415	7.2	216	3.7	303	5.2	White	25,357	327	7.8	205	4.9	194	4.6
All other	1,744	81	9.8	46	5.6	71	8.5	All other	1,483	112	12.4	57	6.3	96	10.5
Black	813	43	14.3	27	9.0	40	13.1	Black	1,331	101	14.1	51	7.1	86	11.8
Urban places	15,924	243	7.8	125	4.0	205	6.5	Urban places	19,303	319	8.8	180	5.0	235	6.4
White	14,672	189	7.2	93	3.5	155	5.9	White	17,872	208	7.6	123	4.5	141	5.1
All other	1,252	54	10.6	32	6.3	50	9.7	All other	1,431	111	12.5	57	6.4	94	10.5
Black	660	31	15.6	19	*	30	14.9	Black	1,310	100	14.0	51	7.2	85	11.8
Balance of area	12,881	253	7.3	137	3.9	169	4.8	Balance of area	7,537	120	8.1	82	5.5	55	3.7
White	12,389	226	7.1	123	3.9	148	4.7	White	7,485	119	8.1	82	5.6	53	3.6
All other	492	27	8.4	14	*	21	6.5	All other	52	1	*	–	*	2	*
Black	153	12	*	8	*	10	*	Black	21	1	*	–	*	1	*
Nonmetropolitan counties	8,268	104	7.7	51	3.8	66	4.9	Nonmetropolitan counties	16,297	160	7.6	98	4.7	132	6.3
White	8,078	99	7.8	47	3.7	64	5.0	White	16,137	153	7.6	95	4.7	128	6.3
All other	190	5	*	4	*	2	*	All other	160	7	*	3	*	4	*
Black	31	1	*	1	*	–	*	Black	7	1	*	1	*	–	*
Urban places	2,134	38	9.6	18	*	16	*	Urban places	2,500	15	*	9	*	23	7.2
White	2,097	38	10.3	18	*	16	*	White	2,488	13	*	7	*	22	7.3
All other	37	–	*	–	*	–	*	All other	12	2	*	2	*	1	*
Black	10	–	*	–	*	–	*	Black	1	–	*	–	*	–	*
Balance of area	6,134	66	6.9	33	3.4	50	5.2	Balance of area	13,797	145	8.2	89	5.0	109	6.1
White	5,981	61	6.8	29	3.2	48	5.3	White	13,649	140	8.1	88	5.1	106	6.1
All other	153	5	*	4	*	2	*	All other	148	5	*	1	*	3	*
Black	21	1	*	1	*	–	*	Black	6	1	*	1	*	–	*
West Virginia	19,964	185	8.2	112	5.0	171	7.5	Wyoming	3,159	53	7.9	22	3.3	55	8.1
White	19,199	175	8.1	107	5.0	157	7.2	White	3,080	47	7.5	19	*	54	8.5
All other	765	10	*	5	*	14	*	All other	79	6	*	3	*	1	*
Black	748	9	*	5	*	14	*	Black	18	1	*	–	*	1	*
Urban places	5,485	42	8.2	30	5.9	45	8.7	Urban places	1,455	28	8.4	10	*	33	9.8
White	5,108	36	7.8	26	5.6	37	8.0	White	1,429	26	8.2	9	*	32	10.0
All other	377	6	*	4	*	8	*	All other	26	2	*	1	*	1	*
Black	368	6	*	4	*	8	*	Black	17	1	*	–	*	1	*
Balance of area	14,479	143	8.2	82	4.7	126	7.2	Balance of area	1,704	25	7.4	12	*	22	6.5
White	14,091	139	8.2	81	4.8	120	7.0	White	1,651	21	6.7	10	*	22	7.0
All other	388	4	*	1	*	6	*	All other	53	4	*	2	*	–	*
Black	380	3	*	1	*	6	*	Black	1	–	*	–	*	–	*
Metropolitan counties	7,319	58	7.1	34	4.2	61	7.4	Metropolitan counties	943	20	9.2	9	*	23	10.5
White	7,068	53	6.8	31	4.0	55	7.1	White	919	18	*	8	*	22	10.5
All other	251	5	*	3	*	6	*	All other	24	2	*	1	*	1	*
Black	244	5	*	3	*	6	*	Black	19	1	*	–	*	1	*
Urban places	3,680	27	7.8	19	*	33	9.4	Urban places	785	15	*	6	*	20	11.0
White	3,484	22	6.9	16	*	27	8.4	White	765	13	*	5	*	19	*
All other	196	5	*	3	*	6	*	All other	20	2	*	1	*	1	*
Black	192	5	*	3	*	6	*	Black	12	1	*	–	*	1	*
Balance of area	3,639	31	6.6	15	*	28	6.0	Balance of area	158	5	*	3	*	3	*
White	3,584	31	6.8	15	*	28	6.1	White	154	5	*	3	*	3	*
All other	55	–	*	–	*	–	*	All other	4	–	*	–	*	–	*
Black	52	–	*	–	*	–	*	Black	1	–	*	–	*	–	*
Nonmetropolitan counties	12,645	127	8.8	78	5.4	110	7.6	Nonmetropolitan counties	2,216	33	7.3	13	*	32	7.0
White	12,131	122	8.8	76	5.5	102	7.3	White	2,161	29	6.8	11	*	32	7.5
All other	514	5	*	2	*	8	*	All other	55	4	*	2	*	–	*
Black	504	4	*	2	*	8	*	Black	5	–	*	–	*	–	*
Urban places	1,805	15	*	11	*	12	*	Urban places	670	13	*	4	*	13	*
White	1,624	14	*	10	*	10	*	White	664	13	*	4	*	13	*
All other	181	1	*	1	*	2	*	All other	6	–	*	–	*	–	*
Black	176	1	*	1	*	2	*	Black	5	–	*	–	*	–	*
Balance of area	10,840	112	8.8	67	5.3	98	7.7	Balance of area	1,546	20	6.6	9	*	19	*
White	10,507	108	8.7	66	5.3	92	7.4	White	1,497	16	*	7	*	19	*
All other	333	4	*	1	*	6	*	All other	49	4	*	2	*	–	*
Black	328	3	*	1	*	6	*	Black	–	–	*	–	*	–	*

[1] County equivalents.

[2] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991

(Page 1 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,169,518	36,766	7,214	8,479	36,452	59,628	88,122	120,676	248,078	478,636	607,490	477,401	576
Male	1,121,665	21,008	4,045	5,272	27,549	43,709	60,552	76,028	151,436	275,856	298,950	156,823	437
Female	1,047,853	15,758	3,169	3,207	8,903	15,919	27,570	44,648	96,642	202,780	308,540	320,578	139
White	1,868,904	23,657	5,028	6,321	25,988	42,345	63,957	93,653	205,293	415,819	546,613	439,797	433
Male	956,497	13,696	2,818	3,916	19,333	31,509	44,552	59,321	126,510	241,582	269,669	143,266	325
Female	912,407	9,961	2,210	2,405	6,655	10,836	19,405	34,332	78,783	174,237	276,944	296,531	108
All other	300,614	13,109	2,186	2,158	10,464	17,283	24,165	27,023	42,785	62,817	60,877	37,604	143
Male	165,168	7,312	1,227	1,356	8,216	12,200	16,000	16,707	24,926	34,274	29,281	13,557	112
Female	135,446	5,797	959	802	2,248	5,083	8,165	10,316	17,859	28,543	31,596	24,047	31
Black	269,525	11,994	1,930	1,869	9,303	15,693	22,059	24,364	38,448	56,438	54,182	33,110	135
Male	147,331	6,714	1,083	1,172	7,365	11,072	14,701	15,145	22,450	30,608	25,417	11,498	106
Female	122,194	5,280	847	697	1,938	4,621	7,358	9,219	15,998	25,830	28,765	21,612	29
Metropolitan counties	1,607,648	29,430	5,519	6,155	27,680	48,081	71,232	92,745	186,198	354,319	440,723	345,100	466
Male	826,356	16,742	3,061	3,790	21,105	35,358	49,390	58,293	112,991	201,565	212,924	110,780	357
Female	781,292	12,688	2,458	2,365	6,575	12,723	21,842	34,452	73,207	152,754	227,799	234,320	109
White	1,364,396	18,275	3,703	4,424	18,818	33,300	50,428	70,203	150,948	303,949	393,593	316,411	344
Male	692,279	10,508	2,053	2,693	14,087	24,946	35,568	44,353	92,465	174,150	190,470	100,724	262
Female	672,117	7,767	1,650	1,731	4,731	8,354	14,860	25,850	58,483	129,799	203,123	215,687	82
All other	243,252	11,155	1,816	1,731	8,862	14,781	20,804	22,542	35,250	50,370	47,130	28,689	122
Male	134,077	6,234	1,008	1,097	7,018	10,412	13,822	13,940	20,526	27,415	22,454	10,056	95
Female	109,175	4,921	808	634	1,844	4,369	6,982	8,602	14,724	22,955	24,676	18,633	27
Black	219,618	10,349	1,628	1,531	8,092	13,719	19,286	20,492	31,926	45,381	41,873	25,225	116
Male	120,588	5,797	904	974	6,465	9,679	12,909	12,744	18,632	24,527	19,387	8,479	91
Female	99,030	4,552	724	557	1,627	4,040	6,377	7,748	13,294	20,854	22,486	16,746	25
Nonmetropolitan counties	561,870	7,336	1,695	2,324	8,772	11,547	16,890	27,931	61,880	124,317	166,767	132,301	110
Male	295,309	4,266	984	1,482	6,444	8,351	11,162	17,735	38,445	74,291	86,026	46,043	80
Female	266,561	3,070	711	842	2,328	3,196	5,728	10,196	23,435	50,026	80,741	86,258	30
White	504,508	5,382	1,325	1,897	7,170	9,045	13,529	23,450	54,345	111,870	153,020	123,386	89
Male	264,218	3,188	765	1,223	5,246	6,563	8,984	14,968	34,045	67,432	79,199	42,542	63
Female	240,290	2,194	560	674	1,924	2,482	4,545	8,482	20,300	44,438	73,821	80,844	26
All other	57,362	1,954	370	427	1,602	2,502	3,361	4,481	7,535	12,447	13,747	8,915	21
Male	31,091	1,078	219	259	1,198	1,788	2,178	2,767	4,400	6,859	6,827	3,501	17
Female	26,271	876	151	168	404	714	1,183	1,714	3,135	5,588	6,920	5,414	4
Black	49,907	1,645	302	338	1,211	1,974	2,773	3,872	6,522	11,057	12,309	7,885	19
Male	26,743	917	179	198	900	1,393	1,792	2,401	3,818	6,081	6,030	3,019	15
Female	23,164	728	123	140	311	581	981	1,471	2,704	4,976	6,279	4,866	4
Alabama	40,063	705	130	182	810	1,145	1,579	2,507	5,094	8,983	11,289	7,639	-
Male	21,042	391	76	120	601	802	1,033	1,606	3,186	5,297	5,477	2,453	-
Female	19,021	314	54	62	209	343	546	901	1,908	3,686	5,812	5,186	-
White	29,375	330	70	98	488	668	938	1,722	3,698	6,707	8,649	6,007	-
Male	15,416	188	45	65	345	472	622	1,122	2,429	4,062	4,196	1,870	-
Female	13,959	142	25	33	143	196	316	600	1,269	2,645	4,453	4,137	-
All other	10,688	375	60	84	322	477	641	785	1,396	2,276	2,640	1,632	-
Male	5,626	203	31	55	256	330	411	484	757	1,235	1,281	583	-
Female	5,062	172	29	29	66	147	230	301	639	1,041	1,359	1,049	-
Black	10,641	374	60	83	321	473	635	781	1,392	2,263	2,629	1,630	-
Male	5,604	203	31	54	255	327	410	483	755	1,229	1,274	583	-
Female	5,037	171	29	29	66	146	225	298	637	1,034	1,355	1,047	-
Metropolitan counties	25,940	461	82	131	544	792	1,084	1,612	3,321	5,932	7,132	4,849	-
Male	13,476	247	47	86	409	563	704	1,021	2,059	3,464	3,383	1,493	-
Female	12,464	214	35	45	135	229	380	591	1,262	2,468	3,749	3,356	-
White	18,984	200	45	63	317	470	635	1,111	2,413	4,421	5,462	3,847	-
Male	9,832	109	29	39	227	335	415	715	1,561	2,647	2,592	1,163	-
Female	9,152	91	16	24	90	135	220	396	852	1,774	2,870	2,684	-
All other	6,956	261	37	68	227	322	449	501	908	1,511	1,670	1,002	-
Male	3,644	138	18	47	182	228	289	306	498	817	791	330	-
Female	3,312	123	19	21	45	94	160	195	410	694	879	672	-
Black	6,924	260	37	68	226	320	444	498	906	1,500	1,664	1,001	-
Male	3,629	138	18	47	181	227	288	305	496	811	788	330	-
Female	3,295	122	19	21	45	93	156	193	410	689	876	671	-
Nonmetropolitan counties	14,123	244	48	51	266	353	495	895	1,773	3,051	4,157	2,790	-
Male	7,566	144	29	34	192	239	329	585	1,127	1,833	2,094	960	-
Female	6,557	100	19	17	74	114	166	310	646	1,218	2,063	1,830	-
White	10,391	130	25	35	171	198	303	611	1,285	2,286	3,187	2,160	-
Male	5,584	79	16	26	118	137	207	407	868	1,415	1,604	707	-
Female	4,807	51	9	9	53	61	96	204	417	871	1,583	1,453	-
All other	3,732	114	23	16	95	155	192	284	488	765	970	630	-
Male	1,982	65	13	8	74	102	122	178	259	418	490	253	-
Female	1,750	49	10	8	21	53	70	106	229	347	480	377	-
Black	3,717	114	23	15	95	153	191	283	486	763	965	629	-
Male	1,975	65	13	7	74	100	122	178	259	418	486	253	-
Female	1,742	49	10	8	21	53	69	105	227	345	479	376	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 2 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	2,200	104	18	26	118	180	202	212	352	406	408	174	-
Male	1,384	70	14	16	89	131	142	130	236	265	211	80	-
Female	816	34	4	10	29	49	60	82	116	141	197	94	-
White	1,527	60	8	13	73	83	144	164	263	319	286	114	-
Male	965	42	6	8	51	59	101	105	184	208	151	50	-
Female	562	18	2	5	22	24	43	59	79	111	135	64	-
All other	673	44	10	13	45	97	58	48	89	87	122	60	-
Male	419	28	8	8	38	72	41	25	52	57	60	30	-
Female	254	16	2	5	7	25	17	23	37	30	62	30	-
Black	49	6	2	-	3	8	3	5	5	8	7	2	-
Male	30	3	2	-	3	5	2	5	-	5	3	2	-
Female	19	3	-	-	-	3	1	-	5	3	4	-	-
Metropolitan census areas [1]	781	39	6	11	40	69	82	86	132	145	129	42	-
Male	458	27	4	8	27	43	53	47	85	91	59	14	-
Female	323	12	2	3	13	26	29	39	47	54	70	28	-
White	624	26	3	6	33	43	67	67	113	125	106	35	-
Male	374	18	1	5	22	30	43	38	79	78	50	10	-
Female	250	8	2	1	11	13	24	29	34	47	56	25	-
All other	157	13	3	5	7	26	15	19	19	20	23	7	-
Male	84	9	3	3	5	13	10	9	6	13	9	4	-
Female	73	4	-	2	2	13	5	10	13	7	14	3	-
Black	36	6	2	-	3	7	2	4	2	5	3	2	-
Male	23	3	2	-	3	4	1	4	-	3	1	2	-
Female	13	3	-	-	-	3	1	-	2	2	2	-	-
Nonmetropolitan census areas [1]	1,419	65	12	15	78	111	120	126	220	261	279	132	-
Male	926	43	10	8	62	88	89	83	151	174	152	66	-
Female	493	22	2	7	16	23	31	43	69	87	127	66	-
White	903	34	5	7	40	40	77	97	150	194	180	79	-
Male	591	24	5	3	29	29	58	67	105	130	101	40	-
Female	312	10	-	4	11	11	19	30	45	64	79	39	-
All other	516	31	7	8	38	71	43	29	70	67	99	53	-
Male	335	19	5	5	33	59	31	16	46	44	51	26	-
Female	181	12	2	3	5	12	12	13	24	23	48	27	-
Black	13	-	-	-	-	1	1	1	3	3	4	-	-
Male	7	-	-	-	-	1	1	1	-	2	2	-	-
Female	6	-	-	-	-	-	-	-	3	1	2	-	-
Arizona	29,548	584	140	129	586	873	1,251	1,677	3,329	6,911	8,336	5,718	14
Male	16,210	333	75	77	441	661	884	1,044	2,033	4,156	4,366	2,127	13
Female	13,338	251	65	52	145	212	367	633	1,296	2,755	3,970	3,591	1
White	27,468	457	114	107	470	700	1,053	1,488	3,082	6,533	8,003	5,448	13
Male	14,993	257	60	64	357	539	741	926	1,886	3,947	4,203	2,001	12
Female	12,475	200	54	43	113	161	312	562	1,196	2,586	3,800	3,447	1
All other	2,080	127	26	22	116	173	198	189	247	378	333	270	1
Male	1,217	76	15	13	84	122	143	118	147	209	163	126	1
Female	863	51	11	9	32	51	55	71	100	169	170	144	-
Black	764	51	6	3	34	37	62	61	85	179	138	107	1
Male	440	32	6	2	24	25	48	43	54	103	65	37	1
Female	324	19	-	1	10	12	14	18	31	76	73	70	-
Metropolitan counties	22,884	449	97	85	421	662	943	1,272	2,485	5,227	6,609	4,622	12
Male	12,332	256	56	49	316	508	676	789	1,509	3,083	3,400	1,679	11
Female	10,552	193	41	36	105	154	267	483	976	2,144	3,209	2,943	1
White	21,720	381	88	77	365	595	834	1,165	2,331	4,984	6,411	4,478	11
Male	11,673	212	48	45	275	469	595	725	1,418	2,954	3,306	1,616	10
Female	10,047	169	40	32	90	126	239	440	913	2,030	3,105	2,862	1
All other	1,164	68	9	8	56	67	109	107	154	243	198	144	1
Male	659	44	8	4	41	39	81	64	91	129	94	63	1
Female	505	24	1	4	15	28	28	43	63	114	104	81	-
Black	690	40	4	3	32	32	59	56	81	165	122	95	1
Male	396	28	4	2	22	20	46	38	51	95	55	34	1
Female	294	12	-	1	10	12	13	18	30	70	67	61	-
Nonmetropolitan counties	6,664	135	43	44	165	211	308	405	844	1,684	1,727	1,096	2
Male	3,878	77	19	28	125	153	208	255	524	1,073	966	448	2
Female	2,786	58	24	16	40	58	100	150	320	611	761	648	-
White	5,748	76	26	30	105	105	219	323	751	1,549	1,592	970	2
Male	3,320	45	12	19	82	70	146	201	468	993	897	385	2
Female	2,428	31	14	11	23	35	73	122	283	556	695	585	-
All other	916	59	17	14	60	106	89	82	93	135	135	126	-
Male	558	32	7	9	43	83	62	54	56	80	69	63	-
Female	358	27	10	5	17	23	27	28	37	55	66	63	-
Black	74	11	2	-	2	5	3	5	4	14	16	12	-
Male	44	4	2	-	2	5	2	5	3	8	10	3	-
Female	30	7	-	-	-	-	1	-	1	6	6	9	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 3 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	25,048	363	86	129	433	623	836	1,316	2,756	5,466	7,432	5,605	3
Male	13,196	206	49	83	302	437	564	846	1,744	3,213	3,773	1,978	1
Female	11,852	157	37	46	131	186	272	470	1,012	2,253	3,659	3,627	2
White	20,873	226	59	82	310	434	591	1,058	2,256	4,618	6,441	4,795	3
Male	10,993	127	33	55	208	304	404	681	1,457	2,775	3,297	1,651	1
Female	9,880	99	26	27	102	130	187	377	799	1,843	3,144	3,144	2
All other	4,175	137	27	47	123	189	245	258	500	848	991	810	-
Male	2,203	79	16	28	94	133	160	165	287	438	476	327	-
Female	1,972	58	11	19	29	56	85	93	213	410	515	483	-
Black	4,119	136	27	47	123	186	241	250	490	838	983	798	-
Male	2,171	79	16	28	94	130	157	161	283	434	469	320	-
Female	1,948	57	11	19	29	56	84	89	207	404	514	478	-
Metropolitan counties	8,492	164	26	52	173	258	346	491	961	1,870	2,338	1,813	-
Male	4,332	96	15	31	123	175	228	316	601	1,065	1,108	574	-
Female	4,160	68	11	21	50	83	118	175	360	805	1,230	1,239	-
White	6,769	97	17	29	109	175	240	383	753	1,528	1,947	1,491	-
Male	3,425	57	8	18	73	117	156	242	484	897	915	458	-
Female	3,344	40	9	11	36	58	84	141	269	631	1,032	1,033	-
All other	1,723	67	9	23	64	83	106	108	208	342	391	322	-
Male	907	39	7	13	50	58	72	74	117	168	193	116	-
Female	816	28	2	10	14	25	34	34	91	174	198	206	-
Black	1,698	66	9	23	64	82	104	104	203	337	388	318	-
Male	893	39	7	13	50	57	70	72	116	166	190	113	-
Female	805	27	2	10	14	25	34	32	87	171	198	205	-
Nonmetropolitan counties	16,556	199	60	77	260	365	490	825	1,795	3,596	5,094	3,792	3
Male	8,864	110	34	52	179	262	336	530	1,143	2,148	2,665	1,404	1
Female	7,692	89	26	25	81	103	154	295	652	1,448	2,429	2,388	2
White	14,104	129	42	53	201	259	351	675	1,503	3,090	4,494	3,304	3
Male	7,568	70	25	37	135	187	248	439	973	1,878	2,382	1,193	1
Female	6,536	59	17	16	66	72	103	236	530	1,212	2,112	2,111	2
All other	2,452	70	18	24	59	106	139	150	292	506	600	488	-
Male	1,296	40	9	15	44	75	88	91	170	270	283	211	-
Female	1,156	30	9	9	15	31	51	59	122	236	317	277	-
Black	2,421	70	18	24	59	104	137	146	287	501	595	480	-
Male	1,278	40	9	15	44	73	87	89	167	268	279	207	-
Female	1,143	30	9	9	15	31	50	57	120	233	316	273	-
California	215,284	4,623	877	980	4,756	7,796	11,382	13,345	23,968	45,306	56,873	45,205	173
Male	113,772	2,678	466	606	3,754	6,042	8,229	8,580	14,388	25,623	28,080	15,190	136
Female	101,512	1,945	411	374	1,002	1,754	3,153	4,765	9,580	19,683	28,793	30,015	37
White	186,964	3,517	660	779	3,647	6,199	9,077	10,776	19,984	39,496	51,003	41,671	155
Male	97,564	2,040	354	486	2,865	4,873	6,703	7,006	12,017	22,305	24,994	13,801	120
Female	89,400	1,477	306	293	782	1,326	2,374	3,770	7,967	17,191	26,009	27,870	35
All other	28,320	1,106	217	201	1,109	1,597	2,305	2,569	3,984	5,810	5,870	3,534	18
Male	16,208	638	112	120	889	1,169	1,526	1,574	2,371	3,318	3,086	1,389	16
Female	12,112	468	105	81	220	428	779	995	1,613	2,492	2,784	2,145	2
Black	17,725	793	131	113	791	1,188	1,674	1,737	2,562	3,511	3,322	1,888	15
Male	10,092	466	71	67	653	892	1,151	1,084	1,566	1,958	1,567	604	13
Female	7,633	327	60	46	138	296	523	653	996	1,553	1,755	1,284	2
Metropolitan counties	204,167	4,496	844	934	4,554	7,501	10,968	12,764	22,710	42,722	53,639	42,877	158
Male	107,793	2,604	449	574	3,600	5,837	7,951	8,233	13,645	24,081	26,360	14,333	126
Female	96,374	1,892	395	360	954	1,664	3,017	4,531	9,065	18,641	27,279	28,544	32
White	176,279	3,405	629	738	3,466	5,929	8,699	10,222	18,775	36,991	47,868	39,417	140
Male	91,843	1,974	337	458	2,727	4,688	6,449	6,674	11,300	20,810	23,333	12,983	110
Female	84,436	1,431	292	280	739	1,241	2,250	3,548	7,475	16,181	24,535	26,434	30
All other	27,888	1,091	215	196	1,088	1,572	2,269	2,542	3,935	5,731	5,771	3,460	18
Male	15,950	630	112	116	873	1,149	1,502	1,559	2,345	3,271	3,027	1,350	16
Female	11,938	461	103	80	215	423	767	983	1,590	2,460	2,744	2,110	2
Black	17,538	788	130	110	786	1,177	1,660	1,724	2,544	3,476	3,275	1,853	15
Male	9,977	463	71	65	648	884	1,143	1,075	1,554	1,935	1,542	584	13
Female	7,561	325	59	45	138	293	517	649	990	1,541	1,733	1,269	2
Nonmetropolitan counties	11,117	127	33	46	202	295	414	581	1,258	2,584	3,234	2,328	15
Male	5,979	74	17	32	154	205	278	347	743	1,542	1,720	857	10
Female	5,138	53	16	14	48	90	136	234	515	1,042	1,514	1,471	5
White	10,685	112	31	41	181	270	378	554	1,209	2,505	3,135	2,254	15
Male	5,721	66	17	28	138	185	254	332	717	1,495	1,661	818	10
Female	4,964	46	14	13	43	85	124	222	492	1,010	1,474	1,436	5
All other	432	15	2	5	21	25	36	27	49	79	99	74	-
Male	258	8	-	4	16	20	24	15	26	47	59	39	-
Female	174	7	2	1	5	5	12	12	23	32	40	35	-
Black	187	5	1	3	5	11	14	13	18	35	47	35	-
Male	115	3	-	2	5	8	8	9	12	23	25	20	-
Female	72	2	1	1	-	3	6	4	6	12	22	15	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 4 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	22,588	451	82	113	455	709	1,098	1,315	2,472	4,662	6,052	5,179	-
Male	11,663	259	44	74	342	536	759	837	1,498	2,617	2,964	1,733	-
Female	10,925	192	38	39	113	173	339	478	974	2,045	3,088	3,446	-
White	21,552	384	66	101	421	639	1,003	1,212	2,308	4,469	5,896	5,053	-
Male	11,102	221	35	65	315	486	703	772	1,405	2,524	2,888	1,688	-
Female	10,450	163	31	36	106	153	300	440	903	1,945	3,008	3,365	-
All other	1,036	67	16	12	34	70	95	103	164	193	156	126	-
Male	561	38	9	9	27	50	56	65	93	93	76	45	-
Female	475	29	7	3	7	20	39	38	71	100	80	81	-
Black	803	53	10	10	27	52	77	80	139	147	124	84	-
Male	441	30	6	9	21	37	49	51	80	67	61	30	-
Female	362	23	4	1	6	15	28	29	59	80	63	54	-
Metropolitan counties	17,470	383	70	85	354	592	913	1,055	1,926	3,672	4,511	3,909	-
Male	8,883	222	35	50	265	448	628	657	1,155	2,054	2,110	1,259	-
Female	8,587	161	35	35	89	144	285	398	771	1,618	2,401	2,650	-
White	16,470	316	55	73	322	527	821	953	1,767	3,484	4,362	3,790	-
Male	8,344	184	26	41	240	403	574	593	1,066	1,963	2,036	1,218	-
Female	8,126	132	29	32	82	124	247	360	701	1,521	2,326	2,572	-
All other	1,000	67	15	12	32	65	92	102	159	188	149	119	-
Male	539	38	9	9	25	45	54	64	89	91	74	41	-
Female	461	29	6	3	7	20	38	38	70	97	75	78	-
Black	798	53	10	10	27	52	77	80	137	147	122	83	-
Male	437	30	6	9	21	37	49	51	78	67	60	29	-
Female	361	23	4	1	6	15	28	29	59	80	62	54	-
Nonmetropolitan counties	5,118	68	12	28	101	117	185	260	546	990	1,541	1,270	-
Male	2,780	37	9	24	77	88	131	180	343	563	854	474	-
Female	2,338	31	3	4	24	29	54	80	203	427	687	796	-
White	5,082	68	11	28	99	112	182	259	541	985	1,534	1,263	-
Male	2,758	37	9	24	75	83	129	179	339	561	852	470	-
Female	2,324	31	2	4	24	29	53	80	202	424	682	793	-
All other	36	-	1	-	2	5	3	1	5	5	7	7	-
Male	22	-	-	-	2	5	2	1	4	2	2	4	-
Female	14	-	1	-	-	-	1	-	1	3	5	3	-
Black	5	-	-	-	-	-	-	-	2	-	2	1	-
Male	4	-	-	-	-	-	-	-	2	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Connecticut	28,029	359	71	71	356	668	1,006	1,357	2,691	6,135	8,064	7,051	-
Male	13,966	201	34	43	277	468	691	849	1,774	3,483	3,888	2,258	-
Female	14,063	158	37	28	79	200	315	508	1,117	2,652	4,176	4,793	-
White	26,046	259	55	57	286	505	777	1,135	2,578	5,787	7,751	6,856	-
Male	12,831	153	24	32	222	350	542	710	1,572	3,286	3,757	2,183	-
Female	13,215	106	31	25	64	155	235	425	1,006	2,501	3,994	4,673	-
All other	1,983	100	16	14	70	163	229	222	313	348	313	195	-
Male	1,135	48	10	11	55	118	149	139	202	197	131	75	-
Female	848	52	6	3	15	45	80	83	111	151	182	120	-
Black	1,863	93	14	12	66	159	220	208	297	324	284	186	-
Male	1,061	45	8	9	52	115	141	130	190	181	121	69	-
Female	802	48	6	3	14	44	79	78	107	143	163	117	-
Metropolitan counties	25,700	328	67	68	326	625	924	1,259	2,643	5,640	7,408	6,412	-
Male	12,796	182	32	42	254	441	637	788	1,630	3,201	3,541	2,048	-
Female	12,904	146	35	26	72	184	287	471	1,013	2,439	3,867	4,364	-
White	23,741	228	51	54	257	462	697	1,040	2,334	5,296	7,098	6,224	-
Male	11,674	134	22	31	200	323	489	652	1,430	3,005	3,412	1,976	-
Female	12,067	94	29	23	57	139	208	388	904	2,291	3,686	4,248	-
All other	1,959	100	16	14	69	163	227	219	309	344	310	188	-
Male	1,122	48	10	11	54	118	148	136	200	196	129	72	-
Female	837	52	6	3	15	45	79	83	109	148	181	116	-
Black	1,842	93	14	12	65	159	218	206	293	322	281	179	-
Male	1,049	45	8	9	51	115	140	128	188	180	119	66	-
Female	793	48	6	3	14	44	78	78	105	142	162	113	-
Nonmetropolitan counties	2,329	31	4	3	30	43	82	98	248	495	656	639	-
Male	1,170	19	2	1	23	27	54	61	144	282	347	210	-
Female	1,159	12	2	2	7	16	28	37	104	213	309	429	-
White	2,305	31	4	3	29	43	80	95	244	491	653	632	-
Male	1,157	19	2	1	22	27	53	58	142	281	345	207	-
Female	1,148	12	2	2	7	16	27	37	102	210	308	425	-
All other	24	-	-	-	1	-	2	3	4	4	3	7	-
Male	13	-	-	-	1	-	1	3	2	1	2	3	-
Female	11	-	-	-	-	-	1	-	2	3	1	4	-
Black	21	-	-	-	1	-	2	2	4	2	3	7	-
Male	12	-	-	-	1	-	1	2	2	1	2	3	-
Female	9	-	-	-	-	-	1	-	2	1	1	4	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 5 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,928	132	13	20	62	145	215	337	761	1,466	1,614	1,160	3
Male	2,979	71	8	11	48	110	145	206	439	831	782	325	3
Female	2,949	61	5	9	14	35	70	131	322	635	832	835	-
White	4,910	79	7	15	49	97	153	249	602	1,215	1,402	1,041	1
Male	2,451	42	3	10	37	72	115	158	348	706	665	294	1
Female	2,459	37	4	5	12	25	38	91	254	509	737	747	-
All other	1,018	53	6	5	13	48	62	88	159	251	212	119	2
Male	528	29	5	1	11	38	30	48	91	125	117	31	2
Female	490	24	1	4	2	10	32	40	68	126	95	88	-
Black	984	52	6	5	13	45	61	88	153	244	200	115	2
Male	509	29	5	1	11	35	30	48	86	122	109	31	2
Female	475	23	1	4	2	10	31	40	67	122	91	84	-
Metropolitan counties	3,671	94	8	12	36	84	144	231	470	897	976	716	3
Male	1,849	48	5	6	31	65	92	137	272	507	478	205	3
Female	1,822	46	3	6	5	19	52	94	198	390	498	511	-
White	3,030	59	3	9	28	52	98	172	370	735	857	646	1
Male	1,511	29	1	6	23	39	69	108	215	425	410	185	1
Female	1,519	30	2	3	5	13	29	64	155	310	447	461	-
All other	641	35	5	3	8	32	46	59	100	162	119	70	2
Male	338	19	4	-	8	26	23	29	57	82	68	20	2
Female	303	16	1	3	-	6	23	30	43	80	51	50	-
Black	624	35	5	3	8	29	45	59	94	159	117	68	2
Male	326	19	4	-	8	23	23	29	52	80	66	20	2
Female	298	16	1	3	-	6	22	30	42	79	51	48	-
Nonmetropolitan counties	2,257	38	5	8	26	61	71	106	291	569	638	444	-
Male	1,130	23	3	5	17	45	53	69	167	324	304	120	-
Female	1,127	15	2	3	9	16	18	37	124	245	334	324	-
White	1,880	20	4	6	21	45	55	77	232	480	545	395	-
Male	940	13	2	4	14	33	46	50	133	281	255	109	-
Female	940	7	2	2	7	12	9	27	99	199	290	286	-
All other	377	18	1	2	5	16	16	29	59	89	93	49	-
Male	190	10	1	1	3	12	7	19	34	43	49	11	-
Female	187	8	-	1	2	4	9	10	25	46	44	38	-
Black	360	17	1	2	5	16	16	29	59	85	83	47	-
Male	183	10	1	1	3	12	7	19	34	42	43	11	-
Female	177	7	-	1	2	4	9	10	25	43	40	36	-
District of Columbia	7,075	247	33	18	269	420	598	644	908	1,381	1,465	1,054	38
Male	3,931	143	14	13	226	306	442	444	540	775	686	313	29
Female	3,144	104	19	5	43	114	156	200	368	606	779	741	9
White	1,593	13	6	2	17	63	123	100	126	243	424	466	10
Male	857	10	2	1	15	57	112	84	88	144	199	139	6
Female	736	3	4	1	2	6	11	16	38	99	225	327	4
All other	5,482	234	27	16	252	357	475	544	782	1,138	1,041	588	28
Male	3,074	133	12	12	211	249	330	360	452	631	487	174	23
Female	2,408	101	15	4	41	108	145	184	330	507	554	414	5
Black	5,446	234	27	16	250	355	473	540	773	1,132	1,035	583	28
Male	3,049	133	12	12	209	247	329	358	446	628	482	170	23
Female	2,397	101	15	4	41	108	144	182	327	504	553	413	5
Metropolitan counties	7,075	247	33	18	269	420	598	644	908	1,381	1,465	1,054	38
Male	3,931	143	14	13	226	306	442	444	540	775	686	313	29
Female	3,144	104	19	5	43	114	156	200	368	606	779	741	9
White	1,593	13	6	2	17	63	123	100	126	243	424	466	10
Male	857	10	2	1	15	57	112	84	88	144	199	139	6
Female	736	3	4	1	2	6	11	16	38	99	225	327	4
All other	5,482	234	27	16	252	357	475	544	782	1,138	1,041	588	28
Male	3,074	133	12	12	211	249	330	360	452	631	487	174	23
Female	2,408	101	15	4	41	108	145	184	330	507	554	414	5
Black	5,446	234	27	16	250	355	473	540	773	1,132	1,035	583	28
Male	3,049	133	12	12	209	247	329	358	446	628	482	170	23
Female	2,397	101	15	4	41	108	144	182	327	504	553	413	5
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 6 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	136,293	1,740	437	392	1,721	3,568	4,832	6,746	14,362	30,977	41,206	30,277	35
Male	73,817	970	239	251	1,276	2,572	3,405	4,303	8,983	18,407	21,730	11,657	24
Female	62,476	770	198	141	445	996	1,427	2,443	5,379	12,570	19,476	18,620	11
White	121,353	975	280	259	1,188	2,498	3,593	5,290	12,196	27,927	38,354	28,769	24
Male	65,483	557	147	163	883	1,887	2,604	3,432	7,697	16,701	20,311	11,084	17
Female	55,870	418	133	96	305	611	989	1,858	4,499	11,226	18,043	17,685	7
All other	14,940	765	157	133	533	1,070	1,239	1,456	2,166	3,050	2,852	1,508	11
Male	8,334	413	92	88	393	685	801	871	1,286	1,706	1,419	573	7
Female	6,606	352	65	45	140	385	438	585	880	1,344	1,433	935	4
Black	14,623	751	155	127	515	1,046	1,206	1,421	2,115	2,989	2,800	1,488	10
Male	8,137	409	90	82	379	666	781	849	1,261	1,671	1,385	557	7
Female	6,486	342	65	45	136	380	425	572	854	1,318	1,415	931	3
Metropolitan counties	121,850	1,604	391	346	1,522	3,271	4,423	6,076	12,726	27,169	36,772	27,527	23
Male	65,685	887	215	220	1,127	2,365	3,128	3,880	7,978	16,037	19,251	10,583	14
Female	56,165	717	176	126	395	906	1,295	2,196	4,748	11,132	17,521	16,944	9
White	108,329	877	244	222	1,039	2,264	3,273	4,737	10,778	24,429	34,241	26,211	14
Male	58,138	500	128	138	773	1,727	2,385	3,074	6,815	14,507	17,998	10,084	9
Female	50,191	377	116	84	266	537	888	1,663	3,963	9,922	16,243	16,127	5
All other	13,521	727	147	124	483	1,007	1,150	1,339	1,948	2,740	2,531	1,316	9
Male	7,547	387	87	82	354	638	743	806	1,163	1,530	1,253	499	5
Female	5,974	340	60	42	129	369	407	533	785	1,210	1,278	817	4
Black	13,237	713	145	120	467	986	1,123	1,306	1,902	2,686	2,484	1,297	8
Male	7,377	383	85	78	342	622	728	785	1,142	1,500	1,223	484	5
Female	5,860	330	60	42	125	364	395	521	760	1,186	1,261	813	3
Nonmetropolitan counties	14,443	136	46	46	199	297	409	670	1,636	3,808	4,434	2,750	12
Male	8,132	83	24	31	149	207	277	423	1,005	2,370	2,479	1,074	10
Female	6,311	53	22	15	50	90	132	247	631	1,438	1,955	1,676	2
White	13,024	98	36	37	149	234	320	553	1,418	3,498	4,113	2,558	10
Male	7,345	57	19	25	110	160	219	358	882	2,194	2,313	1,000	8
Female	5,679	41	17	12	39	74	101	195	536	1,304	1,800	1,558	2
All other	1,419	38	10	9	50	63	89	117	218	310	321	192	2
Male	787	26	5	6	39	47	58	65	123	176	166	74	2
Female	632	12	5	3	11	16	31	52	95	134	155	118	-
Black	1,386	38	10	7	48	60	83	115	213	303	316	191	2
Male	760	26	5	4	37	44	53	64	119	171	162	73	2
Female	626	12	5	3	11	16	30	51	94	132	154	118	-
Georgia	52,802	1,255	224	268	1,096	1,921	2,836	3,824	6,864	11,651	13,808	9,051	4
Male	27,964	705	123	162	784	1,419	1,956	2,488	4,326	6,755	6,531	2,712	3
Female	24,838	550	101	106	312	502	880	1,336	2,538	4,896	7,277	6,339	1
White	37,596	508	120	160	630	1,042	1,616	2,339	4,749	8,603	10,511	7,316	2
Male	19,731	292	72	93	451	796	1,157	1,540	3,067	5,091	5,013	2,157	2
Female	17,865	216	48	67	179	246	459	799	1,682	3,512	5,498	5,159	-
All other	15,206	747	104	108	466	879	1,220	1,485	2,115	3,048	3,297	1,735	2
Male	8,233	413	51	69	333	623	799	948	1,259	1,664	1,518	555	1
Female	6,973	334	53	39	133	256	421	537	856	1,384	1,779	1,180	1
Black	15,048	739	104	107	448	871	1,206	1,461	2,087	3,021	3,274	1,728	2
Male	8,158	411	51	69	320	621	791	936	1,246	1,653	1,505	554	1
Female	6,890	328	53	38	128	250	415	525	841	1,368	1,769	1,174	1
Metropolitan counties	30,755	813	137	151	686	1,321	1,908	2,365	4,088	6,602	7,595	5,086	3
Male	16,231	449	74	88	504	997	1,337	1,541	2,551	3,757	3,452	1,479	2
Female	14,524	364	63	63	182	324	571	824	1,537	2,845	4,143	3,607	1
White	21,316	308	73	87	355	680	1,053	1,416	2,726	4,830	5,706	4,081	1
Male	11,101	170	45	44	262	531	769	937	1,726	2,809	2,637	1,170	1
Female	10,215	138	28	43	93	149	284	479	1,000	2,021	3,069	2,911	-
All other	9,439	505	64	64	331	641	855	949	1,362	1,772	1,889	1,005	2
Male	5,130	279	29	44	242	466	568	604	825	948	815	309	1
Female	4,309	226	35	20	89	175	287	345	537	824	1,074	696	1
Black	9,305	499	64	63	316	635	843	931	1,336	1,748	1,867	1,001	2
Male	5,066	277	29	44	231	465	561	595	813	938	803	309	1
Female	4,239	222	35	19	85	170	282	336	523	810	1,064	692	1
Nonmetropolitan counties	22,047	442	87	117	410	600	928	1,459	2,776	5,049	6,213	3,965	1
Male	11,733	256	49	74	280	422	619	947	1,775	2,998	3,079	1,233	1
Female	10,314	186	38	43	130	178	309	512	1,001	2,051	3,134	2,732	-
White	16,280	200	47	73	275	362	563	923	2,023	3,773	4,805	3,235	1
Male	8,630	122	27	49	189	265	388	603	1,341	2,282	2,376	987	1
Female	7,650	78	20	24	86	97	175	320	682	1,491	2,429	2,248	-
All other	5,767	242	40	44	135	238	365	536	753	1,276	1,408	730	-
Male	3,103	134	22	25	91	157	231	344	434	716	703	246	-
Female	2,664	108	18	19	44	81	134	192	319	560	705	484	-
Black	5,743	240	40	44	132	236	363	530	751	1,273	1,407	727	-
Male	3,092	134	22	25	89	156	230	341	433	715	702	245	-
Female	2,651	106	18	19	43	80	133	189	318	558	705	482	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 7 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	6,810	147	20	31	99	212	349	427	798	1,579	1,744	1,399	5
Male	3,944	81	13	22	75	155	246	261	461	949	1,056	621	4
Female	2,866	66	7	9	24	57	103	166	337	630	688	778	1
White	2,072	36	5	9	30	81	143	157	236	472	544	356	3
Male	1,199	20	2	5	25	65	111	109	144	292	295	129	2
Female	873	16	3	4	5	16	32	48	92	180	249	227	1
All other	4,738	111	15	22	69	131	206	270	562	1,107	1,200	1,043	2
Male	2,745	61	11	17	50	90	135	152	317	657	761	492	2
Female	1,993	50	4	5	19	41	71	118	245	450	439	551	-
Black	77	20	2	1	9	5	10	2	6	13	4	3	2
Male	51	5	1	1	8	3	10	2	4	12	3	-	2
Female	26	15	1	-	1	2	-	-	2	1	1	3	-
Metropolitan counties	4,874	106	17	18	62	134	232	300	569	1,163	1,247	1,025	1
Male	2,768	59	12	13	48	98	162	179	331	691	746	428	1
Female	2,106	47	5	5	14	36	70	121	238	472	501	597	-
White	1,396	25	4	5	20	50	81	97	156	322	375	260	1
Male	785	15	2	3	18	40	65	65	93	195	198	90	1
Female	611	10	2	2	2	10	16	32	63	127	177	170	-
All other	3,478	81	13	13	42	84	151	203	413	841	872	765	-
Male	1,983	44	10	10	30	58	97	114	238	496	548	338	-
Female	1,495	37	3	3	12	26	54	89	175	345	324	427	-
Black	62	18	2	-	9	3	8	2	5	8	4	3	-
Male	38	4	1	-	8	2	8	2	3	7	3	-	-
Female	24	14	1	-	1	1	-	-	2	1	1	3	-
Nonmetropolitan counties	1,936	41	3	13	37	78	117	127	229	416	497	374	4
Male	1,176	22	1	9	27	57	84	82	130	258	310	193	3
Female	760	19	2	4	10	21	33	45	99	158	187	181	1
White	676	11	1	4	10	31	62	60	80	150	169	96	2
Male	414	5	-	2	7	25	46	44	51	97	97	39	1
Female	262	6	1	2	3	6	16	16	29	53	72	57	1
All other	1,260	30	2	9	27	47	55	67	149	266	328	278	2
Male	762	17	1	7	20	32	38	38	79	161	213	154	2
Female	498	13	1	2	7	15	17	29	70	105	115	124	-
Black	15	2	-	1	-	2	2	-	1	5	-	-	2
Male	13	1	-	1	-	1	2	-	1	5	-	-	2
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Idaho	7,719	146	33	56	149	164	259	338	762	1,668	2,301	1,843	-
Male	4,031	83	19	38	104	112	171	208	448	953	1,242	653	-
Female	3,688	63	14	18	45	52	88	130	314	715	1,059	1,190	-
White	7,602	140	33	55	144	155	246	335	741	1,638	2,283	1,832	-
Male	3,960	77	19	37	100	107	162	206	436	938	1,230	648	-
Female	3,642	63	14	18	44	48	84	129	305	700	1,053	1,184	-
All other	117	6	-	1	5	9	13	3	21	30	18	11	-
Male	71	6	-	1	4	5	9	2	12	15	12	5	-
Female	46	-	-	-	1	4	4	1	9	15	6	6	-
Black	14	1	-	-	1	-	2	-	2	4	3	1	-
Male	9	1	-	-	1	-	-	-	2	3	2	-	-
Female	5	-	-	-	-	-	2	-	-	1	1	1	-
Metropolitan counties	1,346	29	3	10	20	20	57	74	134	287	390	322	-
Male	684	16	2	7	12	13	39	42	68	167	218	100	-
Female	662	13	1	3	8	7	18	32	66	120	172	222	-
White	1,338	29	3	10	19	19	55	74	132	286	389	322	-
Male	680	16	2	7	11	12	39	42	67	167	217	100	-
Female	658	13	1	3	8	7	16	32	65	119	172	222	-
All other	8	-	-	-	1	1	2	-	2	1	1	-	-
Male	4	-	-	-	1	1	-	-	1	-	1	-	-
Female	4	-	-	-	-	-	2	-	1	1	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Nonmetropolitan counties	6,373	117	30	46	129	144	202	264	628	1,381	1,911	1,521	-
Male	3,347	67	17	31	92	99	132	166	380	786	1,024	553	-
Female	3,026	50	13	15	37	45	70	98	248	595	887	968	-
White	6,264	111	30	45	125	136	191	261	609	1,352	1,894	1,510	-
Male	3,280	61	17	30	89	95	123	164	369	771	1,013	548	-
Female	2,984	50	13	15	36	41	68	97	240	581	881	962	-
All other	109	6	-	1	4	8	11	3	19	29	17	11	-
Male	67	6	-	1	3	4	9	2	11	15	11	5	-
Female	42	-	-	-	1	4	2	1	8	14	6	6	-
Black	12	1	-	-	-	-	1	-	2	4	3	1	-
Male	8	1	-	-	-	-	-	-	2	3	2	-	-
Female	4	-	-	-	-	-	1	-	-	1	1	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 8 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	104,123	2,083	380	409	1,751	2,713	4,072	5,683	11,835	22,682	28,981	23,531	3
Male	52,709	1,179	213	255	1,333	1,991	2,765	3,532	7,195	12,957	13,794	7,493	2
Female	51,414	904	167	154	418	722	1,307	2,151	4,640	9,725	15,187	16,038	1
White	87,121	1,149	234	258	1,104	1,669	2,545	3,961	9,261	19,229	26,042	21,667	2
Male	43,265	659	135	165	825	1,232	1,751	2,456	5,673	11,089	12,435	6,844	1
Female	43,856	490	99	93	279	437	794	1,505	3,588	8,140	13,607	14,823	1
All other	17,002	934	146	151	647	1,044	1,527	1,722	2,574	3,453	2,939	1,864	1
Male	9,444	520	78	90	508	759	1,014	1,076	1,522	1,868	1,359	649	1
Female	7,558	414	68	61	139	285	513	646	1,052	1,585	1,580	1,215	-
Black	16,406	920	142	143	633	1,013	1,488	1,656	2,478	3,334	2,809	1,789	1
Male	9,110	513	76	86	500	739	994	1,038	1,461	1,802	1,281	619	1
Female	7,296	407	66	57	133	274	494	618	1,017	1,532	1,528	1,170	-
Metropolitan counties	81,964	1,854	332	362	1,456	2,399	3,608	4,834	9,672	18,006	22,174	17,266	1
Male	41,658	1,044	181	224	1,119	1,775	2,461	2,999	5,831	10,194	10,409	5,420	1
Female	40,306	810	151	138	337	624	1,147	1,835	3,841	7,812	11,765	11,846	-
White	65,410	940	192	214	817	1,380	2,110	3,143	7,147	14,649	19,346	15,471	1
Male	32,444	537	106	136	617	1,030	1,468	1,942	4,338	8,379	9,096	4,794	1
Female	32,966	403	86	78	200	350	642	1,201	2,809	6,270	10,250	10,677	-
All other	16,554	914	140	148	639	1,019	1,498	1,691	2,525	3,357	2,828	1,795	-
Male	9,214	507	75	88	502	745	993	1,057	1,493	1,815	1,313	626	-
Female	7,340	407	65	60	137	274	505	634	1,032	1,542	1,515	1,169	-
Black	15,970	900	136	141	625	992	1,459	1,627	2,432	3,238	2,699	1,721	-
Male	8,885	500	73	84	494	727	973	1,021	1,433	1,749	1,235	596	-
Female	7,085	400	63	57	131	265	486	606	999	1,489	1,464	1,125	-
Nonmetropolitan counties	22,159	229	48	47	295	314	464	849	2,163	4,676	6,807	6,265	2
Male	11,051	135	32	31	214	216	304	533	1,364	2,763	3,385	2,073	1
Female	11,108	94	16	16	81	98	160	316	799	1,913	3,422	4,192	1
White	21,711	209	42	44	287	289	435	818	2,114	4,580	6,696	6,196	1
Male	10,821	122	29	29	208	202	283	514	1,335	2,710	3,339	2,050	-
Female	10,890	87	13	15	79	87	152	304	779	1,870	3,357	4,146	1
All other	448	20	6	3	8	25	29	31	49	96	111	69	1
Male	230	13	3	2	6	14	21	19	29	53	46	23	1
Female	218	7	3	1	2	11	8	12	20	43	65	46	-
Black	436	20	6	2	8	21	29	29	46	96	110	68	1
Male	225	13	3	2	6	12	21	17	28	53	46	23	1
Female	211	7	3	-	2	9	8	12	18	43	64	45	-
Indiana	50,148	781	150	213	800	1,127	1,697	2,546	5,767	11,391	14,023	11,652	1
Male	25,073	445	92	137	567	808	1,124	1,547	3,501	6,413	6,850	3,588	1
Female	25,075	336	58	76	233	319	573	999	2,266	4,978	7,173	8,064	-
White	45,994	597	124	183	663	941	1,405	2,228	5,177	10,454	13,119	11,103	-
Male	22,902	343	74	117	468	695	942	1,357	3,160	5,907	6,425	3,414	-
Female	23,092	254	50	66	195	246	463	871	2,017	4,547	6,694	7,689	-
All other	4,154	184	26	30	137	186	292	318	590	937	904	549	1
Male	2,171	102	18	20	99	113	182	190	341	506	425	174	1
Female	1,983	82	8	10	38	73	110	128	249	431	479	375	-
Black	4,087	184	25	30	134	180	286	313	580	916	895	543	1
Male	2,137	102	18	20	96	108	181	187	336	496	421	171	1
Female	1,950	82	7	10	38	72	105	126	244	420	474	372	-
Metropolitan counties	33,092	568	98	141	549	819	1,243	1,725	3,852	7,601	9,069	7,426	1
Male	16,417	312	60	92	389	576	825	1,023	2,335	4,212	4,357	2,235	1
Female	16,675	256	38	49	160	243	418	702	1,517	3,389	4,712	5,191	-
White	29,185	391	76	113	416	645	969	1,418	3,306	6,715	8,221	6,915	-
Male	14,369	213	44	73	291	473	654	842	2,015	3,732	3,956	2,076	-
Female	14,816	178	32	40	125	172	315	576	1,291	2,983	4,265	4,839	-
All other	3,907	177	22	28	133	174	274	307	546	886	848	511	1
Male	2,048	99	16	19	98	103	171	181	320	480	401	159	1
Female	1,859	78	6	9	35	71	103	126	226	406	447	352	-
Black	3,858	177	21	28	130	169	272	302	540	868	841	509	1
Male	2,023	99	16	19	95	99	171	178	317	472	397	159	1
Female	1,835	78	5	9	35	70	101	124	223	396	444	350	-
Nonmetropolitan counties	17,056	213	52	72	251	308	454	821	1,915	3,790	4,954	4,226	-
Male	8,656	133	32	45	178	232	299	524	1,166	2,201	2,493	1,353	-
Female	8,400	80	20	27	73	76	155	297	749	1,589	2,461	2,873	-
White	16,809	206	48	70	247	296	436	810	1,871	3,739	4,898	4,188	-
Male	8,533	130	30	44	177	222	288	515	1,145	2,175	2,469	1,338	-
Female	8,276	76	18	26	70	74	148	295	726	1,564	2,429	2,850	-
All other	247	7	4	2	4	12	18	11	44	51	56	38	-
Male	123	3	2	1	1	10	11	9	21	26	24	15	-
Female	124	4	2	1	3	2	7	2	23	25	32	23	-
Black	229	7	4	2	4	11	14	11	40	48	54	34	-
Male	114	3	2	1	1	9	10	9	19	24	24	12	-
Female	115	4	2	1	3	2	4	2	21	24	30	22	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 9 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,353	313	68	84	314	388	610	1,015	2,518	5,415	8,303	8,325	-
Male	13,511	188	36	52	225	256	384	646	1,576	3,298	4,178	2,672	-
Female	13,842	125	32	32	89	132	226	369	942	2,117	4,125	5,653	-
White	26,949	294	66	83	292	373	578	985	2,454	5,318	8,236	8,270	-
Male	13,268	177	35	51	206	247	364	625	1,535	3,242	4,137	2,649	-
Female	13,681	117	31	32	86	126	214	360	919	2,076	4,099	5,621	-
All other	404	19	2	1	22	15	32	30	64	97	67	55	-
Male	243	11	1	1	19	9	20	21	41	56	41	23	-
Female	161	8	1	-	3	6	12	9	23	41	26	32	-
Black	342	16	2	1	12	12	27	24	53	86	60	49	-
Male	205	10	1	1	11	6	17	18	36	48	37	20	-
Female	137	6	1	-	1	6	10	6	17	38	23	29	-
Metropolitan counties	9,946	166	32	35	126	171	302	463	1,037	2,085	2,896	2,633	-
Male	4,859	104	15	25	97	107	191	296	636	1,217	1,401	770	-
Female	5,087	62	17	10	29	64	111	167	401	868	1,495	1,863	-
White	9,632	153	30	35	111	160	279	437	983	2,012	2,842	2,590	-
Male	4,672	98	14	25	84	101	179	278	600	1,174	1,367	752	-
Female	4,960	55	16	10	27	59	100	159	383	838	1,475	1,838	-
All other	314	13	2	-	15	11	23	26	54	73	54	43	-
Male	187	6	1	-	13	6	12	18	36	43	34	18	-
Female	127	7	1	-	2	5	11	8	18	30	20	25	-
Black	277	12	2	-	9	9	20	21	48	66	50	40	-
Male	165	6	1	-	8	4	11	16	33	39	31	16	-
Female	112	6	1	-	1	5	9	5	15	27	19	24	-
Nonmetropolitan counties	17,407	147	36	49	188	217	308	552	1,481	3,330	5,407	5,692	-
Male	8,652	84	21	27	128	149	193	350	940	2,081	2,777	1,902	-
Female	8,755	63	15	22	60	68	115	202	541	1,249	2,630	3,790	-
White	17,317	141	36	48	181	213	299	548	1,471	3,306	5,394	5,680	-
Male	8,596	79	21	26	122	146	185	347	935	2,068	2,770	1,897	-
Female	8,721	62	15	22	59	67	114	201	536	1,238	2,624	3,783	-
All other	90	6	-	1	7	4	9	4	10	24	13	12	-
Male	56	5	-	1	6	3	8	3	5	13	7	5	-
Female	34	1	-	-	1	1	1	1	5	11	6	7	-
Black	65	4	-	1	3	3	7	3	5	20	10	9	-
Male	40	4	-	1	3	2	6	2	3	9	6	4	-
Female	25	-	-	-	-	1	1	1	2	11	4	5	-
Kansas	22,505	335	78	101	343	473	613	968	2,207	4,538	6,496	6,349	4
Male	11,333	198	46	66	249	329	400	586	1,369	2,688	3,330	2,068	4
Female	11,172	137	32	35	94	144	213	382	838	1,850	3,166	4,281	-
White	21,186	268	70	89	298	400	531	873	2,016	4,278	6,235	6,124	4
Male	10,616	156	41	56	214	277	340	536	1,259	2,546	3,198	1,989	4
Female	10,570	112	29	33	84	123	191	337	757	1,732	3,037	4,135	-
All other	1,319	67	8	12	45	73	82	95	191	260	261	225	-
Male	717	42	5	10	35	52	60	50	110	142	132	79	-
Female	602	25	3	2	10	21	22	45	81	118	129	146	-
Black	1,161	63	7	12	36	62	75	77	165	222	231	211	-
Male	631	39	4	10	28	43	57	41	97	124	115	73	-
Female	530	24	3	2	8	19	18	36	68	98	116	138	-
Metropolitan counties	10,178	201	38	55	176	267	362	552	1,184	2,174	2,740	2,427	2
Male	5,219	118	19	34	125	187	243	339	739	1,302	1,361	750	2
Female	4,959	83	19	21	51	80	119	213	445	872	1,379	1,677	-
White	9,136	143	33	44	140	204	294	475	1,034	1,984	2,538	2,245	2
Male	4,653	82	17	25	94	143	192	297	654	1,193	1,264	690	2
Female	4,483	61	16	19	46	61	102	178	380	791	1,274	1,555	-
All other	1,042	58	5	11	36	63	68	77	150	190	202	182	-
Male	566	36	2	9	31	44	51	42	85	109	97	60	-
Female	476	22	3	2	5	19	17	35	65	81	105	122	-
Black	960	55	5	11	31	54	64	64	138	176	188	174	-
Male	514	34	2	9	26	37	49	34	79	99	90	55	-
Female	446	21	3	2	5	17	15	30	59	77	98	119	-
Nonmetropolitan counties	12,327	134	40	46	167	206	251	416	1,023	2,364	3,756	3,922	2
Male	6,114	80	27	32	124	142	157	247	630	1,386	1,969	1,318	2
Female	6,213	54	13	14	43	64	94	169	393	978	1,787	2,604	-
White	12,050	125	37	45	158	196	237	398	982	2,294	3,697	3,879	2
Male	5,963	74	24	31	120	134	148	239	605	1,353	1,934	1,299	2
Female	6,087	51	13	14	38	62	89	159	377	941	1,763	2,580	-
All other	277	9	3	1	9	10	14	18	41	70	59	43	-
Male	151	6	3	1	4	8	9	8	25	33	35	19	-
Female	126	3	-	-	5	2	5	10	16	37	24	24	-
Black	201	8	2	1	5	8	11	13	27	46	43	37	-
Male	117	5	2	1	2	6	8	7	18	25	25	18	-
Female	84	3	-	-	3	2	3	6	9	21	18	19	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 10 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	35,346	486	117	158	567	780	1,190	2,012	4,382	8,129	10,031	7,494	-
Male	18,460	293	64	107	411	546	799	1,243	2,724	4,834	4,917	2,522	-
Female	16,886	193	53	51	156	234	391	769	1,658	3,295	5,114	4,972	-
White	32,680	401	106	137	517	687	1,053	1,811	4,000	7,508	9,401	7,059	-
Male	17,052	245	59	95	375	479	700	1,130	2,506	4,483	4,627	2,353	-
Female	15,628	156	47	42	142	208	353	681	1,494	3,025	4,774	4,706	-
All other	2,666	85	11	21	50	93	137	201	382	621	630	435	-
Male	1,408	48	5	12	36	67	99	113	218	351	290	169	-
Female	1,258	37	6	9	14	26	38	88	164	270	340	266	-
Black	2,612	82	11	20	47	91	132	195	374	612	617	431	-
Male	1,381	45	5	12	33	66	97	111	213	346	284	169	-
Female	1,231	37	6	8	14	25	35	84	161	266	333	262	-
Metropolitan counties	15,432	256	54	65	223	326	527	875	1,938	3,648	4,208	3,312	-
Male	7,744	150	25	40	165	222	357	517	1,198	2,070	1,983	1,017	-
Female	7,688	106	29	25	58	104	170	358	740	1,578	2,225	2,295	-
White	13,596	183	49	52	182	255	423	737	1,658	3,214	3,789	3,054	-
Male	6,778	108	23	33	135	172	283	442	1,037	1,834	1,796	915	-
Female	6,818	75	26	19	47	83	140	295	621	1,380	1,993	2,139	-
All other	1,836	73	5	13	41	71	104	138	280	434	419	258	-
Male	966	42	2	7	30	50	74	75	161	236	187	102	-
Female	870	31	3	6	11	21	30	63	119	198	232	156	-
Black	1,800	70	5	13	39	69	101	136	272	426	413	256	-
Male	945	39	2	7	28	49	72	75	156	231	184	102	-
Female	855	31	3	6	11	20	29	61	116	195	229	154	-
Nonmetropolitan counties	19,914	230	63	93	344	454	663	1,137	2,444	4,481	5,823	4,182	-
Male	10,716	143	39	67	246	324	442	726	1,526	2,764	2,934	1,505	-
Female	9,198	87	24	26	98	130	221	411	918	1,717	2,889	2,677	-
White	19,084	218	57	85	335	432	630	1,074	2,342	4,294	5,612	4,005	-
Male	10,274	137	36	62	240	307	417	688	1,469	2,649	2,831	1,438	-
Female	8,810	81	21	23	95	125	213	386	873	1,645	2,781	2,567	-
All other	830	12	6	8	9	22	33	63	102	187	211	177	-
Male	442	6	3	5	6	17	25	38	57	115	103	67	-
Female	388	6	3	3	3	5	8	25	45	72	108	110	-
Black	812	12	6	7	8	22	31	59	102	186	204	175	-
Male	436	6	3	5	5	17	25	36	57	115	100	67	-
Female	376	6	3	2	3	5	6	23	45	71	104	108	-
Louisiana	38,283	761	156	186	894	1,296	1,712	2,495	5,054	8,618	10,089	7,020	2
Male	20,321	451	87	118	694	991	1,174	1,571	3,077	4,997	4,914	2,245	2
Female	17,962	310	69	68	200	305	538	924	1,977	3,621	5,175	4,775	-
White	26,022	327	68	89	448	645	912	1,506	3,264	6,073	7,417	5,271	2
Male	13,601	197	40	54	336	503	644	967	2,032	3,616	3,611	1,599	2
Female	12,421	130	28	35	112	142	268	539	1,232	2,457	3,806	3,672	-
All other	12,261	434	88	97	446	651	800	989	1,790	2,545	2,672	1,749	-
Male	6,720	254	47	64	358	488	530	604	1,045	1,381	1,303	646	-
Female	5,541	180	41	33	88	163	270	385	745	1,164	1,369	1,103	-
Black	12,127	431	84	92	437	644	787	979	1,766	2,525	2,646	1,736	-
Male	6,639	253	46	59	350	482	523	601	1,027	1,373	1,286	639	-
Female	5,488	178	38	33	87	162	264	378	739	1,152	1,360	1,097	-
Metropolitan parishes [1]	25,454	519	109	129	658	950	1,244	1,739	3,411	5,740	6,445	4,508	2
Male	13,461	310	60	82	522	737	875	1,093	2,064	3,314	3,055	1,347	2
Female	11,993	209	49	47	136	213	369	646	1,347	2,426	3,390	3,161	-
White	17,113	201	47	62	292	451	656	1,058	2,186	4,015	4,698	3,445	2
Male	8,820	121	27	36	221	353	474	679	1,349	2,375	2,194	989	2
Female	8,293	80	20	26	71	98	182	379	837	1,640	2,504	2,456	-
All other	8,341	318	62	67	366	499	588	681	1,225	1,725	1,747	1,063	-
Male	4,641	189	33	46	301	384	401	414	715	939	861	358	-
Female	3,700	129	29	21	65	115	187	267	510	786	886	705	-
Black	8,240	315	60	64	359	493	578	673	1,208	1,713	1,726	1,051	-
Male	4,580	188	33	43	295	379	396	411	702	933	848	352	-
Female	3,660	127	27	21	64	114	182	262	506	780	878	699	-
Nonmetropolitan parishes [1]	12,829	242	47	57	236	346	468	756	1,643	2,878	3,644	2,512	-
Male	6,860	141	27	36	172	254	299	478	1,013	1,683	1,859	898	-
Female	5,969	101	20	21	64	92	169	278	630	1,195	1,785	1,614	-
White	8,909	126	21	27	156	194	256	448	1,078	2,058	2,719	1,826	-
Male	4,781	76	13	18	115	150	170	288	683	1,241	1,417	610	-
Female	4,128	50	8	9	41	44	86	160	395	817	1,302	1,216	-
All other	3,920	116	26	30	80	152	212	308	565	820	925	686	-
Male	2,079	65	14	18	57	104	129	190	330	442	442	288	-
Female	1,841	51	12	12	23	48	83	118	235	378	483	398	-
Black	3,887	116	24	28	78	151	209	306	558	812	920	685	-
Male	2,059	65	13	16	55	103	127	190	325	440	438	287	-
Female	1,828	51	11	12	23	48	82	116	233	372	482	398	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 11 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	11,226	113	25	26	143	206	313	517	1,252	2,443	3,288	2,899	-
Male	5,632	75	17	20	103	144	208	324	778	1,417	1,617	929	-
Female	5,594	38	9	6	40	62	105	193	474	1,026	1,671	1,970	-
White	11,167	110	26	24	139	205	308	512	1,245	2,434	3,276	2,888	-
Male	5,599	75	17	18	100	143	204	322	773	1,412	1,613	922	-
Female	5,568	35	9	6	39	62	104	190	472	1,022	1,663	1,966	-
All other	59	3	-	2	4	1	5	5	7	9	12	11	-
Male	33	-	-	2	3	1	4	2	5	5	4	7	-
Female	26	3	-	-	1	-	1	3	2	4	8	4	-
Black	21	1	-	-	1	1	2	1	1	6	3	5	-
Male	14	-	-	-	1	1	2	1	1	3	1	4	-
Female	7	1	-	-	-	-	-	-	-	3	2	1	-
Metropolitan counties	4,360	46	10	11	57	92	136	196	468	936	1,290	1,118	-
Male	2,148	33	7	7	37	64	97	126	289	525	611	352	-
Female	2,212	13	3	4	20	28	39	70	179	411	679	766	-
White	4,329	46	10	10	55	92	133	193	464	933	1,281	1,112	-
Male	2,130	33	7	6	35	64	95	125	286	524	607	348	-
Female	2,199	13	3	4	20	28	38	68	178	409	674	764	-
All other	31	-	-	1	2	-	3	3	4	3	9	6	-
Male	18	-	-	1	2	-	2	1	3	1	4	4	-
Female	13	-	-	-	-	-	1	2	1	2	5	2	-
Black	11	-	-	-	1	-	1	1	-	3	2	3	-
Male	8	-	-	-	1	-	1	1	-	1	1	3	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-
Nonmetropolitan counties	6,866	67	16	15	86	114	177	321	784	1,507	1,998	1,781	-
Male	3,484	42	10	13	66	80	111	198	489	892	1,006	577	-
Female	3,382	25	6	2	20	34	66	123	295	615	992	1,204	-
White	6,838	64	16	14	84	113	175	319	781	1,501	1,995	1,776	-
Male	3,469	42	10	12	65	79	109	197	487	888	1,006	574	-
Female	3,369	22	6	2	19	34	66	122	294	613	989	1,202	-
All other	28	3	-	1	2	1	2	2	3	6	3	5	-
Male	15	-	-	1	1	1	2	1	2	4	-	3	-
Female	13	3	-	-	1	-	-	1	1	2	3	2	-
Black	10	1	-	-	-	1	1	-	1	3	1	2	-
Male	6	-	-	-	-	1	1	-	1	2	-	1	-
Female	4	1	-	-	-	-	-	-	-	1	1	1	-
Maryland	38,427	726	150	154	680	1,365	1,893	2,438	4,767	8,880	9,933	7,411	30
Male	19,835	402	89	104	532	993	1,282	1,517	2,906	5,013	4,720	2,258	19
Female	18,592	324	61	50	148	372	611	921	1,861	3,867	5,213	5,153	11
White	28,565	347	80	86	335	629	950	1,476	3,286	6,828	8,129	6,408	11
Male	14,249	185	47	56	254	454	646	947	2,021	3,838	3,875	1,920	6
Female	14,316	162	33	30	81	175	304	529	1,265	2,990	4,254	4,488	5
All other	9,862	379	70	68	345	736	943	962	1,481	2,052	1,804	1,003	19
Male	5,586	217	42	48	278	539	636	570	885	1,175	845	338	13
Female	4,276	162	28	20	67	197	307	392	596	877	959	665	6
Black	9,512	366	70	64	332	719	925	922	1,420	1,976	1,737	962	19
Male	5,395	211	42	44	267	527	627	550	847	1,136	810	321	13
Female	4,117	155	28	20	65	192	298	372	573	840	927	641	6
Metropolitan counties	34,881	669	134	139	624	1,284	1,783	2,267	4,356	8,029	8,924	6,648	24
Male	17,987	371	79	95	487	934	1,201	1,416	2,645	4,522	4,216	2,006	15
Female	16,894	298	55	44	137	350	582	851	1,711	3,507	4,708	4,642	9
White	25,761	314	71	74	288	576	873	1,356	2,964	6,161	7,307	5,766	11
Male	12,807	168	42	48	216	413	589	874	1,816	3,454	3,471	1,710	6
Female	12,954	146	29	26	72	163	284	482	1,148	2,707	3,836	4,056	5
All other	9,120	355	63	65	336	708	910	911	1,392	1,868	1,617	882	13
Male	5,180	203	37	47	271	521	612	542	829	1,068	745	296	9
Female	3,940	152	26	18	65	187	298	369	563	800	872	586	4
Black	8,777	342	63	61	323	692	894	871	1,331	1,793	1,551	843	13
Male	4,991	197	37	43	260	510	603	522	791	1,029	710	280	9
Female	3,786	145	26	18	63	182	291	349	540	764	841	563	4
Nonmetropolitan counties	3,546	57	16	15	56	81	110	171	411	851	1,009	763	6
Male	1,848	31	10	9	45	59	81	101	261	491	504	252	4
Female	1,698	26	6	6	11	22	29	70	150	360	505	511	2
White	2,804	33	9	12	47	53	77	120	322	667	822	642	-
Male	1,442	17	5	8	38	41	57	73	205	384	404	210	-
Female	1,362	16	4	4	9	12	20	47	117	283	418	432	-
All other	742	24	7	3	9	28	33	51	89	184	187	121	6
Male	406	14	5	1	7	18	24	28	56	107	100	42	4
Female	336	10	2	2	2	10	9	23	33	77	87	79	2
Black	735	24	7	3	9	27	31	51	89	183	186	119	6
Male	404	14	5	1	7	17	24	28	56	107	100	41	4
Female	331	10	2	2	2	10	7	23	33	76	86	78	2

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 12 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	53,075	579	81	126	538	1,109	1,812	2,393	5,496	11,432	15,521	13,982	6
Male	25,498	316	39	84	422	798	1,270	1,460	3,342	6,444	7,279	4,038	6
Female	27,577	263	42	42	116	311	542	933	2,154	4,988	8,242	9,944	-
White	50,611	460	59	107	429	946	1,566	2,189	5,166	11,018	15,188	13,680	3
Male	24,224	255	25	74	332	673	1,101	1,334	3,150	6,217	7,115	3,945	3
Female	26,587	205	34	33	97	273	465	855	2,016	4,801	8,073	9,735	-
All other	2,264	119	22	19	109	163	246	204	330	414	333	302	3
Male	1,274	61	14	10	90	125	169	126	192	227	164	93	3
Female	990	58	8	9	19	38	77	78	138	187	169	209	-
Black	1,957	107	20	16	95	147	223	171	286	351	275	263	3
Male	1,086	58	12	9	79	110	155	107	167	185	123	78	3
Female	871	49	8	7	16	37	68	64	119	166	152	185	-
Metropolitan counties	49,953	558	78	120	513	1,080	1,734	2,267	5,264	10,757	14,531	13,045	6
Male	23,969	305	38	80	405	776	1,210	1,371	3,211	6,061	6,784	3,722	6
Female	25,984	253	40	40	108	304	524	896	2,053	4,696	7,747	9,323	-
White	47,761	440	56	101	406	917	1,493	2,067	4,943	10,360	14,213	12,762	3
Male	22,733	244	24	70	317	651	1,045	1,246	3,023	5,843	6,627	3,640	3
Female	25,028	196	32	31	89	266	448	821	1,920	4,517	7,586	9,122	-
All other	2,192	118	22	19	107	163	241	200	321	397	318	283	3
Male	1,236	61	14	10	88	125	165	125	188	218	157	82	3
Female	956	57	8	9	19	38	76	75	133	179	161	201	-
Black	1,895	106	20	16	93	147	219	167	279	336	261	248	3
Male	1,055	58	12	9	77	110	152	106	164	178	117	69	3
Female	840	48	8	7	16	37	67	61	115	158	144	179	-
Nonmetropolitan counties	3,122	21	3	6	25	29	78	126	232	675	990	937	-
Male	1,529	11	1	4	17	22	60	89	131	383	495	316	-
Female	1,593	10	2	2	8	7	18	37	101	292	495	621	-
White	3,050	20	3	6	23	29	73	122	223	658	975	918	-
Male	1,491	11	1	4	15	22	56	88	127	374	488	305	-
Female	1,559	9	2	2	8	7	17	34	96	284	487	613	-
All other	72	1	-	-	2	-	5	4	9	17	15	19	-
Male	38	-	-	-	2	-	4	1	4	9	7	11	-
Female	34	1	-	-	-	-	1	3	5	8	8	8	-
Black	62	1	-	-	2	-	4	4	7	15	14	15	-
Male	31	-	-	-	2	-	3	1	3	7	6	9	-
Female	31	1	-	-	-	-	1	3	4	8	8	6	-
Michigan	79,980	1,555	299	326	1,392	1,932	3,095	4,566	9,591	18,144	22,158	16,915	7
Male	41,083	905	157	211	1,068	1,341	1,983	2,808	5,748	10,242	11,044	5,571	5
Female	38,897	650	142	115	324	591	1,112	1,758	3,843	7,902	11,114	11,344	2
White	67,442	858	210	246	848	1,277	2,039	3,465	7,823	15,445	19,665	15,562	4
Male	34,151	503	105	154	617	879	1,300	2,127	4,730	8,780	9,859	5,094	3
Female	33,291	355	105	92	231	398	739	1,338	3,093	6,665	9,806	10,468	1
All other	12,538	697	89	80	544	655	1,056	1,101	1,768	2,699	2,493	1,353	3
Male	6,932	402	52	57	451	462	683	681	1,018	1,462	1,185	477	2
Female	5,606	295	37	23	93	193	373	420	750	1,237	1,308	876	1
Black	12,002	684	84	77	521	623	1,024	1,035	1,683	2,599	2,373	1,296	3
Male	6,637	394	50	54	434	439	666	643	964	1,408	1,126	457	2
Female	5,365	290	34	23	87	184	358	392	719	1,191	1,247	839	1
Metropolitan counties	62,103	1,342	241	234	1,139	1,604	2,622	3,701	7,611	14,082	16,773	12,748	6
Male	31,613	775	125	153	887	1,121	1,679	2,254	4,554	7,820	8,125	4,116	4
Female	30,490	567	116	81	252	483	943	1,447	3,057	6,262	8,648	8,632	2
White	49,991	657	155	155	606	973	1,591	2,638	5,905	11,479	14,367	11,462	3
Male	24,908	382	76	97	444	678	1,009	1,595	3,573	6,410	6,980	3,662	2
Female	25,083	275	79	58	162	295	582	1,043	2,332	5,069	7,387	7,800	1
All other	12,112	685	86	79	533	631	1,031	1,063	1,706	2,603	2,406	1,286	3
Male	6,705	393	49	56	443	443	670	659	981	1,410	1,145	454	2
Female	5,407	292	37	23	90	188	361	404	725	1,193	1,261	832	1
Black	11,742	676	81	76	514	608	1,009	1,019	1,646	2,542	2,319	1,249	3
Male	6,503	388	47	53	430	426	657	635	945	1,377	1,101	442	2
Female	5,239	288	34	23	84	182	352	384	701	1,165	1,218	807	1
Nonmetropolitan counties	17,877	213	58	92	253	328	473	865	1,980	4,062	5,385	4,167	1
Male	9,470	130	32	58	181	220	304	554	1,194	2,422	2,919	1,455	1
Female	8,407	83	26	34	72	108	169	311	786	1,640	2,466	2,712	-
White	17,451	201	55	91	242	304	448	827	1,918	3,966	5,298	4,100	1
Male	9,243	121	29	57	173	201	291	532	1,157	2,370	2,879	1,432	1
Female	8,208	80	26	34	69	103	157	295	761	1,596	2,419	2,668	-
All other	426	12	3	1	11	24	25	38	62	96	87	67	-
Male	227	9	3	1	8	19	13	22	37	52	40	23	-
Female	199	3	-	-	3	5	12	16	25	44	47	44	-
Black	260	8	3	1	7	15	15	16	37	57	54	47	-
Male	134	6	3	1	4	13	9	8	19	31	25	15	-
Female	126	2	-	-	3	2	6	8	18	26	29	32	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 13 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	35,309	503	93	125	450	661	994	1,473	3,305	6,833	10,368	10,502	2
Male	17,986	310	52	72	343	494	659	919	1,989	4,103	5,360	3,683	2
Female	17,323	193	41	53	107	167	335	554	1,316	2,730	5,008	6,819	-
White	34,383	405	73	117	392	581	918	1,379	3,169	6,689	10,228	10,430	2
Male	17,448	259	42	69	298	431	605	849	1,919	4,021	5,297	3,656	2
Female	16,935	146	31	48	94	150	313	530	1,250	2,668	4,931	6,774	-
All other	926	98	20	8	58	80	76	94	136	144	140	72	-
Male	538	51	10	3	45	63	54	70	70	82	63	27	-
Female	388	47	10	5	13	17	22	24	66	62	77	45	-
Black	517	62	11	4	30	46	47	48	70	84	72	43	-
Male	305	34	6	2	23	35	34	36	39	47	33	16	-
Female	212	28	5	2	7	11	13	12	31	37	39	27	-
Metropolitan counties	20,447	361	61	72	289	480	703	1,011	2,042	4,022	5,704	5,701	1
Male	10,097	216	35	37	215	359	483	637	1,216	2,330	2,797	1,771	1
Female	10,350	145	26	35	74	121	220	374	826	1,692	2,907	3,930	-
White	19,694	276	42	65	240	412	637	928	1,945	3,904	5,601	5,643	1
Male	9,658	173	26	35	178	306	435	571	1,166	2,264	2,750	1,753	1
Female	10,036	103	16	30	62	106	202	357	779	1,640	2,851	3,890	-
All other	753	85	19	7	49	68	66	83	97	118	103	58	-
Male	439	43	9	2	37	53	48	66	50	66	47	18	-
Female	314	42	10	5	12	15	18	17	47	52	56	40	-
Black	510	59	11	4	30	45	47	48	70	83	71	42	-
Male	299	32	6	2	23	34	34	36	39	46	32	15	-
Female	211	27	5	2	7	11	13	12	31	37	39	27	-
Nonmetropolitan counties	14,862	142	32	53	161	181	291	462	1,263	2,811	4,664	4,801	1
Male	7,889	94	17	35	128	135	176	282	773	1,773	2,563	1,912	1
Female	6,973	48	15	18	33	46	115	180	490	1,038	2,101	2,889	-
White	14,689	129	31	52	152	169	281	451	1,224	2,785	4,627	4,787	1
Male	7,790	86	16	34	120	125	170	278	753	1,757	2,547	1,903	1
Female	6,899	43	15	18	32	44	111	173	471	1,028	2,080	2,884	-
All other	173	13	1	1	9	12	10	11	39	26	37	14	-
Male	99	8	1	1	8	10	6	4	20	16	16	9	-
Female	74	5	-	-	1	2	4	7	19	10	21	5	-
Black	7	3	-	-	-	1	-	-	-	1	1	1	-
Male	6	2	-	-	-	1	-	-	-	1	1	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Mississippi	25,664	494	98	141	552	758	1,038	1,565	3,136	5,614	7,099	5,169	-
Male	13,438	276	56	89	405	545	698	1,003	1,925	3,271	3,442	1,728	-
Female	12,226	218	42	52	147	213	340	562	1,211	2,343	3,657	3,441	-
White	16,503	163	37	65	274	356	513	913	2,073	3,712	4,865	3,532	-
Male	8,567	100	22	39	190	261	349	617	1,330	2,245	2,341	1,073	-
Female	7,936	63	15	26	84	95	164	296	743	1,467	2,524	2,459	-
All other	9,161	331	61	76	278	402	525	652	1,063	1,902	2,234	1,637	-
Male	4,871	176	34	50	215	284	349	386	595	1,026	1,101	655	-
Female	4,290	155	27	26	63	118	176	266	468	876	1,133	982	-
Black	9,084	323	59	75	275	397	520	646	1,055	1,888	2,220	1,626	-
Male	4,827	171	34	49	212	280	345	383	593	1,017	1,092	651	-
Female	4,257	152	25	26	63	117	175	263	462	871	1,128	975	-
Metropolitan counties	6,530	133	28	32	146	238	297	428	948	1,522	1,613	1,145	-
Male	3,528	74	14	23	109	168	207	280	603	902	781	367	-
Female	3,002	59	14	9	37	70	90	148	345	620	832	778	-
White	4,600	59	15	18	76	137	176	283	671	1,147	1,182	836	-
Male	2,480	31	7	11	51	98	121	190	449	701	569	252	-
Female	2,120	28	8	7	25	39	55	93	222	446	613	584	-
All other	1,930	74	13	14	70	101	121	145	277	375	431	309	-
Male	1,048	43	7	12	58	70	86	90	154	201	212	115	-
Female	882	31	6	2	12	31	35	55	123	174	219	194	-
Black	1,914	71	13	14	70	101	121	143	276	374	427	304	-
Male	1,041	41	7	12	58	70	86	88	154	201	211	113	-
Female	873	30	6	2	12	31	35	55	122	173	216	191	-
Nonmetropolitan counties	19,134	361	70	109	406	520	741	1,137	2,188	4,092	5,486	4,024	-
Male	9,910	202	42	66	296	377	491	723	1,322	2,369	2,661	1,361	-
Female	9,224	159	28	43	110	143	250	414	866	1,723	2,825	2,663	-
White	11,903	104	22	47	198	219	337	630	1,402	2,565	3,683	2,696	-
Male	6,087	69	15	28	139	163	228	427	881	1,544	1,772	821	-
Female	5,816	35	7	19	59	56	109	203	521	1,021	1,911	1,875	-
All other	7,231	257	48	62	208	301	404	507	786	1,527	1,803	1,328	-
Male	3,823	133	27	38	157	214	263	296	441	825	889	540	-
Female	3,408	124	21	24	51	87	141	211	345	702	914	788	-
Black	7,170	252	46	61	205	296	399	503	779	1,514	1,793	1,322	-
Male	3,786	130	27	37	154	210	259	295	439	816	881	538	-
Female	3,384	122	19	24	51	86	140	208	340	698	912	784	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 14 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	50,885	806	139	191	808	1,180	1,596	2,525	5,546	10,694	14,745	12,651	4
Male	25,773	485	76	116	615	886	1,059	1,572	3,391	6,291	7,268	4,013	1
Female	25,112	321	63	75	193	294	537	953	2,155	4,403	7,477	8,638	3
White	45,214	505	103	143	593	900	1,222	2,059	4,774	9,520	13,569	11,823	3
Male	22,754	320	56	85	438	675	823	1,290	2,956	5,662	6,719	3,729	1
Female	22,460	185	47	58	155	225	399	769	1,818	3,858	6,850	8,094	2
All other	5,671	301	36	48	215	280	374	466	772	1,174	1,176	828	1
Male	3,019	165	20	31	177	211	236	282	435	629	549	284	-
Female	2,652	136	16	17	38	69	138	184	337	545	627	544	1
Black	5,523	294	35	47	212	270	364	453	749	1,147	1,141	810	1
Male	2,953	160	20	30	174	204	232	279	425	612	535	282	-
Female	2,570	134	15	17	38	66	132	174	324	535	606	528	1
Metropolitan counties	30,944	554	88	119	522	856	1,113	1,624	3,563	6,542	8,595	7,364	4
Male	15,397	336	46	68	421	642	753	998	2,163	3,732	4,025	2,212	1
Female	15,547	218	42	51	101	214	360	626	1,400	2,810	4,570	5,152	3
White	25,804	283	55	75	317	589	764	1,197	2,857	5,473	7,554	6,637	3
Male	12,656	189	29	41	251	438	531	735	1,764	3,155	3,546	1,976	1
Female	13,148	94	26	34	66	151	233	462	1,093	2,318	4,008	4,661	2
All other	5,140	271	33	44	205	267	349	427	706	1,069	1,041	727	1
Male	2,741	147	17	27	170	204	222	263	399	577	479	236	-
Female	2,399	124	16	17	35	63	127	164	307	492	562	491	1
Black	5,024	265	32	44	203	258	343	416	687	1,046	1,016	713	1
Male	2,688	142	17	27	168	198	220	260	391	561	470	234	-
Female	2,336	123	15	17	35	60	123	156	296	485	546	479	1
Nonmetropolitan counties	19,941	252	51	72	286	324	483	901	1,983	4,152	6,150	5,287	-
Male	10,376	149	30	48	194	244	306	574	1,228	2,559	3,243	1,801	-
Female	9,565	103	21	24	92	80	177	327	755	1,593	2,907	3,486	-
White	19,410	222	48	68	276	311	458	862	1,917	4,047	6,015	5,186	-
Male	10,098	131	27	44	187	237	292	555	1,192	2,507	3,173	1,753	-
Female	9,312	91	21	24	89	74	166	307	725	1,540	2,842	3,433	-
All other	531	30	3	4	10	13	25	39	66	105	135	101	-
Male	278	18	3	4	7	7	14	19	36	52	70	48	-
Female	253	12	-	-	3	6	11	20	30	53	65	53	-
Black	499	29	3	3	9	12	21	37	62	101	125	97	-
Male	265	18	3	3	6	6	12	19	34	51	65	48	-
Female	234	11	-	-	3	6	9	18	28	50	60	49	-
Montana	7,014	81	19	38	127	149	223	343	708	1,591	2,083	1,652	-
Male	3,759	41	11	29	94	112	150	216	443	949	1,118	596	-
Female	3,255	40	8	9	33	37	73	127	265	642	965	1,056	-
White	6,652	60	12	33	103	130	197	302	657	1,513	2,024	1,621	-
Male	3,543	31	6	25	75	98	133	194	412	907	1,082	580	-
Female	3,109	29	6	8	28	32	64	108	245	606	942	1,041	-
All other	362	21	7	5	24	19	26	41	51	78	59	31	-
Male	216	10	5	4	19	14	17	22	31	42	36	16	-
Female	146	11	2	1	5	5	9	19	20	36	23	15	-
Black	8	1	-	-	-	-	-	1	2	2	2	-	-
Male	5	1	-	-	-	-	-	-	1	2	1	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-
Metropolitan counties	1,623	22	4	6	35	41	46	86	185	391	462	345	-
Male	835	11	3	5	23	26	28	53	115	221	236	114	-
Female	788	11	1	1	12	15	18	33	70	170	226	231	-
White	1,574	17	3	6	31	39	44	79	171	386	455	343	-
Male	809	8	2	5	20	25	28	51	106	220	231	113	-
Female	765	9	1	1	11	14	16	28	65	166	224	230	-
All other	49	5	1	-	4	2	2	7	14	5	7	2	-
Male	26	3	1	-	3	1	-	2	9	1	5	1	-
Female	23	2	-	-	1	1	2	5	5	4	2	1	-
Black	4	1	-	-	-	-	-	1	1	-	1	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Nonmetropolitan counties	5,391	59	15	32	92	108	177	257	523	1,200	1,621	1,307	-
Male	2,924	30	8	24	71	86	122	163	328	728	882	482	-
Female	2,467	29	7	8	21	22	55	94	195	472	739	825	-
White	5,078	43	9	27	72	91	153	223	486	1,127	1,569	1,278	-
Male	2,734	23	4	20	55	73	105	143	306	687	851	467	-
Female	2,344	20	5	7	17	18	48	80	180	440	718	811	-
All other	313	16	6	5	20	17	24	34	37	73	52	29	-
Male	190	7	4	4	16	13	17	20	22	41	31	15	-
Female	123	9	2	1	4	4	7	14	15	32	21	14	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 15 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,725	182	40	58	199	246	354	583	1,348	2,906	4,362	4,444	3
Male	7,333	98	24	33	142	175	229	357	844	1,729	2,232	1,468	2
Female	7,392	84	16	25	57	71	125	226	504	1,177	2,130	2,976	1
White	14,196	151	35	55	178	215	315	543	1,269	2,798	4,252	4,382	3
Male	7,030	78	21	31	123	153	204	336	794	1,670	2,172	1,446	2
Female	7,166	73	14	24	55	62	111	207	475	1,128	2,080	2,936	1
All other	529	31	5	3	21	31	39	40	79	108	110	62	-
Male	303	20	3	2	19	22	25	21	50	59	60	22	-
Female	226	11	2	1	2	9	14	19	29	49	50	40	-
Black	425	24	5	3	16	23	28	30	67	85	90	54	-
Male	237	14	3	2	14	16	19	15	44	42	50	18	-
Female	188	10	2	1	2	7	9	15	23	43	40	36	-
Metropolitan counties	5,575	104	20	15	79	115	165	298	619	1,202	1,540	1,415	3
Male	2,731	59	12	10	57	80	113	168	390	691	739	410	2
Female	2,844	45	8	5	22	35	52	130	229	511	801	1,005	1
White	5,130	78	15	12	61	88	135	267	545	1,115	1,450	1,361	3
Male	2,481	43	9	8	41	61	94	152	343	647	691	390	2
Female	2,649	35	6	4	20	27	41	115	202	468	759	971	1
All other	445	26	5	3	18	27	30	31	74	87	90	54	-
Male	250	16	3	2	16	19	19	16	47	44	48	20	-
Female	195	10	2	1	2	8	11	15	27	43	42	34	-
Black	414	24	5	3	16	23	27	29	67	84	84	52	-
Male	233	14	3	2	14	16	19	15	44	42	46	18	-
Female	181	10	2	1	2	7	8	14	23	42	38	34	-
Nonmetropolitan counties	9,150	78	20	43	120	131	189	285	729	1,704	2,822	3,029	-
Male	4,602	39	12	23	85	95	116	189	454	1,038	1,493	1,058	-
Female	4,548	39	8	20	35	36	73	96	275	666	1,329	1,971	-
White	9,066	73	20	43	117	127	180	276	724	1,683	2,802	3,021	-
Male	4,549	35	12	23	82	92	110	184	451	1,023	1,481	1,056	-
Female	4,517	38	8	20	35	35	70	92	273	660	1,321	1,965	-
All other	84	5	-	-	3	4	9	9	5	21	20	8	-
Male	53	4	-	-	3	3	6	5	3	15	12	2	-
Female	31	1	-	-	-	1	3	4	2	6	8	6	-
Black	11	-	-	-	-	-	1	1	-	1	6	2	-
Male	4	-	-	-	-	-	-	-	-	-	4	-	-
Female	7	-	-	-	-	-	1	1	-	1	2	2	-
Nevada	9,963	202	43	42	194	367	521	732	1,478	2,708	2,427	1,240	9
Male	5,724	124	28	25	144	260	374	493	934	1,622	1,267	445	8
Female	4,239	78	15	17	50	107	147	239	544	1,086	1,160	795	1
White	9,194	153	32	36	152	319	456	633	1,349	2,590	2,296	1,171	7
Male	5,270	98	22	21	110	232	327	431	855	1,549	1,196	423	6
Female	3,924	55	10	15	42	87	129	202	494	1,041	1,100	748	1
All other	769	49	11	6	42	48	65	99	129	118	131	69	2
Male	454	26	6	4	34	28	47	62	79	73	71	22	2
Female	315	23	5	2	8	20	18	37	50	45	60	47	-
Black	563	44	9	4	31	31	50	76	97	83	86	50	2
Male	333	25	5	3	27	18	36	51	61	51	40	14	2
Female	230	19	4	1	4	13	14	25	36	32	46	36	-
Metropolitan counties	8,221	165	36	32	161	293	447	625	1,248	2,256	1,946	1,003	9
Male	4,733	102	26	17	123	207	328	422	793	1,350	1,002	355	8
Female	3,488	63	10	15	38	86	119	203	455	906	944	648	1
White	7,529	118	28	27	126	254	388	537	1,125	2,142	1,834	943	7
Male	4,330	77	21	13	94	185	286	367	718	1,281	944	338	6
Female	3,199	41	7	14	32	69	102	170	407	861	890	605	1
All other	692	47	8	5	35	39	59	88	123	114	112	60	2
Male	403	25	5	4	29	22	42	55	75	69	58	17	2
Female	289	22	3	1	6	17	17	33	48	45	54	43	-
Black	552	44	8	4	31	30	48	74	96	83	83	49	2
Male	327	25	5	3	27	17	34	50	61	51	39	13	2
Female	225	19	3	1	4	13	14	24	35	32	44	36	-
Nonmetropolitan counties	1,742	37	7	10	33	74	74	107	230	452	481	237	-
Male	991	22	2	8	21	53	46	71	141	272	265	90	-
Female	751	15	5	2	12	21	28	36	89	180	216	147	-
White	1,665	35	4	9	26	65	68	96	224	448	462	228	-
Male	940	21	1	8	16	47	41	64	137	268	252	85	-
Female	725	14	3	1	10	18	27	32	87	180	210	143	-
All other	77	2	3	1	7	9	6	11	6	4	19	9	-
Male	51	1	1	-	5	6	5	7	4	4	13	5	-
Female	26	1	2	1	2	3	1	4	2	-	6	4	-
Black	11	-	1	-	-	1	2	2	1	-	3	1	-
Male	6	-	-	-	-	1	2	1	-	-	1	1	-
Female	5	-	1	-	-	-	-	1	1	-	2	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 16 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	8,413	99	22	20	118	163	241	461	988	1,821	2,491	1,989	-
Male	4,192	60	13	14	88	113	159	289	602	1,057	1,212	585	-
Female	4,221	39	9	6	30	50	82	172	386	764	1,279	1,404	-
White	8,372	96	22	20	113	162	236	459	981	1,815	2,485	1,983	-
Male	4,168	57	13	14	85	112	157	287	596	1,053	1,209	585	-
Female	4,204	39	9	6	28	50	79	172	385	762	1,276	1,398	-
All other	41	3	-	-	5	1	5	2	7	6	6	6	-
Male	24	3	-	-	3	1	2	2	6	4	3	-	-
Female	17	-	-	-	2	-	3	-	1	2	3	6	-
Black	27	1	-	-	3	1	3	2	5	3	5	4	-
Male	17	1	-	-	1	1	2	2	4	3	3	-	-
Female	10	-	-	-	2	-	1	-	1	-	2	4	-
Metropolitan counties	4,605	64	10	10	71	98	160	263	569	1,006	1,327	1,027	-
Male	2,310	44	8	8	51	71	103	164	357	590	626	288	-
Female	2,295	20	2	2	20	27	57	99	212	416	701	739	-
White	4,578	62	10	10	70	97	157	261	564	1,002	1,323	1,022	-
Male	2,296	42	8	8	50	70	102	162	353	588	625	288	-
Female	2,282	20	2	2	20	27	55	99	211	414	698	734	-
All other	27	2	-	-	1	1	3	2	5	4	4	5	-
Male	14	2	-	-	1	1	1	2	4	2	1	-	-
Female	13	-	-	-	-	-	2	-	1	2	3	5	-
Black	19	1	-	-	-	1	2	2	4	2	3	4	-
Male	11	1	-	-	-	1	1	2	3	2	1	-	-
Female	8	-	-	-	-	-	1	-	1	-	2	4	-
Nonmetropolitan counties	3,808	35	12	10	47	65	81	198	419	815	1,164	962	-
Male	1,882	16	5	6	37	42	56	125	245	467	586	297	-
Female	1,926	19	7	4	10	23	25	73	174	348	578	665	-
White	3,794	34	12	10	43	65	79	198	417	813	1,162	961	-
Male	1,872	15	5	6	35	42	55	125	243	465	584	297	-
Female	1,922	19	7	4	8	23	24	73	174	348	578	664	-
All other	14	1	-	-	4	-	2	-	2	2	2	1	-
Male	10	1	-	-	2	-	1	-	2	2	2	-	-
Female	4	-	-	-	2	-	1	-	-	-	-	1	-
Black	8	-	-	-	3	-	1	-	1	1	2	-	-
Male	6	-	-	-	1	-	1	-	1	1	2	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-
New Jersey	70,492	1,054	166	187	734	1,994	3,210	3,844	7,986	16,156	19,997	15,144	20
Male	35,545	577	96	111	509	1,380	2,184	2,349	4,772	9,132	9,550	4,872	13
Female	34,947	477	70	76	225	614	1,026	1,495	3,214	7,024	10,447	10,272	7
White	60,583	592	107	127	489	1,254	1,991	2,798	6,468	14,224	18,358	14,163	12
Male	30,127	319	60	72	337	923	1,363	1,716	3,875	8,090	8,812	4,555	5
Female	30,456	273	47	55	152	331	628	1,082	2,593	6,134	9,546	9,608	7
All other	9,909	462	59	60	245	740	1,219	1,046	1,518	1,932	1,639	981	8
Male	5,418	258	36	39	172	457	821	633	897	1,042	738	317	8
Female	4,491	204	23	21	73	283	398	413	621	890	901	664	-
Black	9,422	434	56	56	228	724	1,184	988	1,439	1,831	1,542	932	8
Male	5,138	244	34	36	163	444	801	594	849	985	682	298	8
Female	4,284	190	22	20	65	280	383	394	590	846	860	634	-
Metropolitan counties	70,492	1,054	166	187	734	1,994	3,210	3,844	7,986	16,156	19,997	15,144	20
Male	35,545	577	96	111	509	1,380	2,184	2,349	4,772	9,132	9,550	4,872	13
Female	34,947	477	70	76	225	614	1,026	1,495	3,214	7,024	10,447	10,272	7
White	60,583	592	107	127	489	1,254	1,991	2,798	6,468	14,224	18,358	14,163	12
Male	30,127	319	60	72	337	923	1,363	1,716	3,875	8,090	8,812	4,555	5
Female	30,456	273	47	55	152	331	628	1,082	2,593	6,134	9,546	9,608	7
All other	9,909	462	59	60	245	740	1,219	1,046	1,518	1,932	1,639	981	8
Male	5,418	258	36	39	172	457	821	633	897	1,042	738	317	8
Female	4,491	204	23	21	73	283	398	413	621	890	901	664	-
Black	9,422	434	56	56	228	724	1,184	988	1,439	1,831	1,542	932	8
Male	5,138	244	34	36	163	444	801	594	849	985	682	298	8
Female	4,284	190	22	20	65	280	383	394	590	846	860	634	-
Nonmetropolitan counties	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 17 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	11,270	225	52	82	296	436	607	652	1,283	2,366	3,028	2,231	12
Male	6,176	132	32	53	216	329	413	416	786	1,380	1,587	825	7
Female	5,094	93	20	29	80	107	194	236	497	986	1,441	1,406	5
White	10,252	174	40	67	234	345	513	563	1,155	2,194	2,852	2,105	10
Male	5,565	103	22	42	166	263	346	352	709	1,292	1,497	768	5
Female	4,687	71	18	25	68	82	167	211	446	902	1,355	1,337	5
All other	1,018	51	12	15	62	91	94	89	128	172	176	126	2
Male	611	29	10	11	50	66	67	64	77	88	90	57	2
Female	407	22	2	4	12	25	27	25	51	84	86	69	-
Black	202	13	1	1	8	6	8	13	32	42	43	34	1
Male	116	10	1	-	8	4	5	8	19	19	22	19	1
Female	86	3	-	1	-	2	3	5	13	23	21	15	-
Metropolitan counties	4,926	104	17	32	125	200	276	295	559	1,031	1,314	966	7
Male	2,629	58	7	20	90	155	197	184	319	613	660	322	4
Female	2,297	46	10	12	35	45	79	111	240	418	654	644	3
White	4,755	95	16	30	116	186	262	279	536	998	1,283	948	6
Male	2,520	54	7	19	81	147	186	172	304	591	643	313	3
Female	2,235	41	9	11	35	39	76	107	232	407	640	635	3
All other	171	9	1	2	9	14	14	16	23	33	31	18	1
Male	109	4	-	1	9	8	11	12	15	22	17	9	1
Female	62	5	1	1	-	6	3	4	8	11	14	9	-
Black	76	6	-	-	4	4	6	8	13	11	14	9	1
Male	47	4	-	-	4	3	4	5	7	6	8	5	1
Female	29	2	-	-	-	1	2	3	6	5	6	4	-
Nonmetropolitan counties	6,344	121	35	50	171	236	331	357	724	1,335	1,714	1,265	5
Male	3,547	74	25	33	126	174	216	232	467	767	927	503	3
Female	2,797	47	10	17	45	62	115	125	257	568	787	762	2
White	5,497	79	24	37	118	159	251	284	619	1,196	1,569	1,157	4
Male	3,045	49	15	23	85	116	160	180	405	701	854	455	2
Female	2,452	30	9	14	33	43	91	104	214	495	715	702	2
All other	847	42	11	13	53	77	80	73	105	139	145	108	1
Male	502	25	10	10	41	58	56	52	62	66	73	48	1
Female	345	17	1	3	12	19	24	21	43	73	72	60	-
Black	126	7	1	1	4	2	2	5	19	31	29	25	-
Male	69	6	1	-	4	1	1	3	12	13	14	14	-
Female	57	1	-	1	-	1	1	2	7	18	15	11	-
New York	167,549	2,753	508	517	2,494	5,504	9,108	10,102	18,780	35,036	44,796	37,933	18
Male	84,685	1,550	281	287	1,910	4,023	6,529	6,422	11,233	19,428	21,060	11,947	15
Female	82,864	1,203	227	230	584	1,481	2,579	3,680	7,547	15,608	23,736	25,986	3
White	140,789	1,605	311	374	1,528	3,525	5,814	7,109	14,951	29,816	40,457	35,285	14
Male	69,966	908	173	208	1,144	2,649	4,281	4,518	9,057	16,718	19,201	11,098	11
Female	70,823	697	138	166	384	876	1,533	2,591	5,894	13,098	21,256	24,187	3
All other	26,760	1,148	197	143	966	1,979	3,294	2,993	3,829	5,220	4,339	2,648	4
Male	14,719	642	108	79	766	1,374	2,248	1,904	2,176	2,710	1,859	849	4
Female	12,041	506	89	64	200	605	1,046	1,089	1,653	2,510	2,480	1,799	-
Black	24,969	1,089	188	131	923	1,902	3,165	2,825	3,563	4,827	3,952	2,401	3
Male	13,672	607	103	72	737	1,321	2,158	1,795	2,004	2,484	1,654	734	3
Female	11,297	482	85	59	186	581	1,007	1,030	1,559	2,343	2,298	1,667	-
Metropolitan counties	152,935	2,570	458	459	2,347	5,255	8,770	9,407	17,224	31,688	40,437	34,302	18
Male	77,325	1,454	257	252	1,806	3,835	6,298	5,982	10,277	17,491	18,901	10,757	15
Female	75,610	1,116	201	207	541	1,420	2,472	3,425	6,947	14,197	21,536	23,545	3
White	126,438	1,440	264	317	1,387	3,293	5,497	6,446	13,435	26,524	36,144	31,677	14
Male	62,765	820	151	173	1,044	2,476	4,064	4,104	8,131	14,815	17,058	9,918	11
Female	63,673	620	113	144	343	817	1,433	2,342	5,304	11,709	19,086	21,759	3
All other	26,497	1,130	194	142	960	1,962	3,273	2,961	3,789	5,164	4,293	2,625	4
Male	14,560	634	106	79	762	1,359	2,234	1,878	2,146	2,676	1,843	839	4
Female	11,937	496	88	63	198	603	1,039	1,083	1,643	2,488	2,450	1,786	-
Black	24,748	1,073	186	130	917	1,886	3,148	2,796	3,525	4,786	3,913	2,385	3
Male	13,533	600	102	72	733	1,307	2,146	1,770	1,976	2,458	1,640	726	3
Female	11,215	473	84	58	184	579	1,002	1,026	1,549	2,328	2,273	1,659	-
Nonmetropolitan counties	14,614	183	50	58	147	249	338	695	1,556	3,348	4,359	3,631	-
Male	7,360	96	24	35	104	188	231	440	956	1,937	2,159	1,190	-
Female	7,254	87	26	23	43	61	107	255	600	1,411	2,200	2,441	-
White	14,351	165	47	57	141	232	317	663	1,516	3,292	4,313	3,608	-
Male	7,201	88	22	35	100	173	217	414	926	1,903	2,143	1,180	-
Female	7,150	77	25	22	41	59	100	249	590	1,389	2,170	2,428	-
All other	263	18	3	1	6	17	21	32	40	56	46	23	-
Male	159	8	2	-	4	15	14	26	30	34	16	10	-
Female	104	10	1	1	2	2	7	6	10	22	30	13	-
Black	221	16	2	1	6	16	17	29	38	41	39	16	-
Male	139	7	1	-	4	14	12	25	28	26	14	8	-
Female	82	9	1	1	2	2	5	4	10	15	25	8	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 18 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	58,880	1,106	208	247	1,019	1,688	2,462	3,712	7,601	13,725	15,900	11,200	12
Male	30,736	632	125	146	753	1,212	1,638	2,384	4,737	8,053	7,550	3,499	7
Female	28,144	474	83	101	266	476	824	1,328	2,864	5,672	8,350	7,701	5
White	44,491	553	129	143	622	975	1,452	2,452	5,628	10,513	12,668	9,348	8
Male	22,910	334	75	85	453	708	974	1,585	3,532	6,262	6,022	2,875	5
Female	21,581	219	54	58	169	267	478	867	2,096	4,251	6,646	6,473	3
All other	14,389	553	79	104	397	713	1,010	1,260	1,973	3,212	3,232	1,852	4
Male	7,826	298	50	61	300	504	664	799	1,205	1,791	1,528	624	2
Female	6,563	255	29	43	97	209	346	461	768	1,421	1,704	1,228	2
Black	13,854	523	74	96	376	678	965	1,207	1,893	3,104	3,143	1,791	4
Male	7,535	289	45	56	283	479	640	765	1,160	1,730	1,487	599	2
Female	6,319	234	29	40	93	199	325	442	733	1,374	1,656	1,192	2
Metropolitan counties	29,861	601	118	122	559	937	1,356	1,933	3,862	6,777	7,821	5,769	6
Male	15,512	344	73	74	416	682	897	1,238	2,377	3,950	3,699	1,759	3
Female	14,349	257	45	48	143	255	459	695	1,485	2,827	4,122	4,010	3
White	23,330	307	80	83	357	565	810	1,314	2,988	5,415	6,465	4,941	5
Male	11,955	181	48	47	263	418	534	844	1,847	3,199	3,090	1,482	2
Female	11,375	126	32	36	94	147	276	470	1,141	2,216	3,375	3,459	3
All other	6,531	294	38	39	202	372	546	619	874	1,362	1,356	828	1
Male	3,557	163	25	27	153	264	363	394	530	751	609	277	1
Female	2,974	131	13	12	49	108	183	225	344	611	747	551	-
Black	6,427	286	36	36	198	365	532	603	860	1,343	1,346	821	1
Male	3,503	159	23	25	149	258	353	385	524	745	605	276	1
Female	2,924	127	13	11	49	107	179	218	336	598	741	545	-
Nonmetropolitan counties	29,019	505	90	125	460	751	1,106	1,779	3,739	6,948	8,079	5,431	6
Male	15,224	288	52	72	337	530	741	1,146	2,360	4,103	3,851	1,740	4
Female	13,795	217	38	53	123	221	365	633	1,379	2,845	4,228	3,691	2
White	21,161	246	49	60	265	410	642	1,138	2,640	5,098	6,203	4,407	3
Male	10,955	153	27	38	190	290	440	741	1,685	3,063	2,932	1,393	3
Female	10,206	93	22	22	75	120	202	397	955	2,035	3,271	3,014	-
All other	7,858	259	41	65	195	341	464	641	1,099	1,850	1,876	1,024	3
Male	4,269	135	25	34	147	240	301	405	675	1,040	919	347	1
Female	3,589	124	16	31	48	101	163	236	424	810	957	677	2
Black	7,427	237	38	60	178	313	433	604	1,033	1,761	1,797	970	3
Male	4,032	130	22	31	134	221	287	380	636	985	882	323	1
Female	3,395	107	16	29	44	92	146	224	397	776	915	647	2
North Dakota	5,576	72	12	19	70	76	154	202	544	1,064	1,744	1,619	-
Male	2,970	39	5	9	58	59	103	125	342	669	958	603	-
Female	2,606	33	7	10	12	17	51	77	202	395	786	1,016	-
White	5,394	57	12	17	58	64	135	178	516	1,031	1,719	1,607	-
Male	2,875	35	5	9	50	50	91	110	326	657	944	598	-
Female	2,519	22	7	8	8	14	44	68	190	374	775	1,009	-
All other	182	15	-	2	12	12	19	24	28	33	25	12	-
Male	95	4	-	-	8	9	12	15	16	12	14	5	-
Female	87	11	-	2	4	3	7	9	12	21	11	7	-
Black	5	2	-	-	-	1	-	1	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	-	1	-	-	1	-	-
Metropolitan counties	1,671	22	10	7	21	26	63	67	187	322	453	493	-
Male	857	13	4	5	18	21	41	41	122	202	228	162	-
Female	814	9	6	2	3	5	22	26	65	120	225	331	-
White	1,653	20	10	7	21	25	60	60	184	322	451	493	-
Male	849	13	4	5	18	20	40	38	120	202	227	162	-
Female	804	7	6	2	3	5	20	22	64	120	224	331	-
All other	18	2	-	-	-	1	3	7	3	-	2	-	-
Male	8	-	-	-	-	1	1	3	2	-	1	-	-
Female	10	2	-	-	-	-	2	4	1	-	1	-	-
Black	4	1	-	-	-	1	-	1	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
Nonmetropolitan counties	3,905	50	2	12	49	50	91	135	357	742	1,291	1,126	-
Male	2,113	26	1	4	40	38	62	84	220	467	730	441	-
Female	1,792	24	1	8	9	12	29	51	137	275	561	685	-
White	3,741	37	2	10	37	39	75	118	332	709	1,268	1,114	-
Male	2,026	22	1	4	32	30	51	72	206	455	717	436	-
Female	1,715	15	1	6	5	9	24	46	126	254	551	678	-
All other	164	13	-	2	12	11	16	17	25	33	23	12	-
Male	87	4	-	-	8	8	11	12	14	12	13	5	-
Female	77	9	-	2	4	3	5	5	11	21	10	7	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 19 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	100,190	1,559	280	320	1,373	2,108	3,155	5,142	11,894	23,661	28,671	22,025	2
Male	50,409	907	161	206	1,011	1,500	2,121	3,140	7,125	13,448	13,783	7,005	2
Female	49,781	652	119	114	362	608	1,034	2,002	4,769	10,213	14,888	15,020	-
White	89,354	1,076	210	259	1,046	1,600	2,504	4,293	10,231	21,102	26,406	20,626	1
Male	44,515	624	125	166	752	1,148	1,690	2,611	6,156	12,051	12,688	6,503	1
Female	44,839	452	85	93	294	452	814	1,682	4,075	9,051	13,718	14,123	-
All other	10,836	483	70	61	327	508	651	849	1,663	2,559	2,265	1,399	1
Male	5,894	283	36	40	259	352	431	529	969	1,397	1,095	502	1
Female	4,942	200	34	21	68	156	220	320	694	1,162	1,170	897	-
Black	10,616	469	68	57	315	493	636	833	1,632	2,514	2,227	1,371	1
Male	5,775	274	35	37	251	345	421	518	955	1,374	1,074	490	1
Female	4,841	195	33	20	64	148	215	315	677	1,140	1,153	881	-
Metropolitan counties	78,221	1,305	219	231	1,082	1,707	2,565	4,043	9,444	18,649	22,215	16,759	2
Male	39,091	774	126	144	792	1,203	1,733	2,449	5,600	10,457	10,580	5,231	2
Female	39,130	531	93	87	290	504	832	1,594	3,844	8,192	11,635	11,528	-
White	67,806	834	151	173	761	1,208	1,938	3,220	7,839	16,201	20,044	15,436	1
Male	33,431	497	92	107	537	858	1,321	1,936	4,670	9,124	9,524	4,764	1
Female	34,375	337	59	66	224	350	617	1,284	3,169	7,077	10,520	10,672	-
All other	10,415	471	68	58	321	499	627	823	1,605	2,448	2,171	1,323	1
Male	5,660	277	34	37	255	345	412	513	930	1,333	1,056	467	1
Female	4,755	194	34	21	66	154	215	310	675	1,115	1,115	856	-
Black	10,225	458	66	56	311	485	616	807	1,575	2,411	2,138	1,301	1
Male	5,557	268	33	36	248	339	404	502	916	1,315	1,036	459	1
Female	4,668	190	33	20	63	146	212	305	659	1,096	1,102	842	-
Nonmetropolitan counties	21,969	254	61	89	291	401	590	1,099	2,450	5,012	6,456	5,266	-
Male	11,318	133	35	62	219	297	388	691	1,525	2,991	3,203	1,774	-
Female	10,651	121	26	27	72	104	202	408	925	2,021	3,253	3,492	-
White	21,548	242	59	86	285	392	566	1,073	2,392	4,901	6,362	5,190	-
Male	11,084	127	33	59	215	290	369	675	1,486	2,927	3,164	1,739	-
Female	10,464	115	26	27	70	102	197	398	906	1,974	3,198	3,451	-
All other	421	12	2	3	6	9	24	26	58	111	94	76	-
Male	234	6	2	3	4	7	19	16	39	64	39	35	-
Female	187	6	-	-	2	2	5	10	19	47	55	41	-
Black	391	11	2	1	4	8	20	26	57	103	89	70	-
Male	218	6	2	1	3	6	17	16	39	59	38	31	-
Female	173	5	-	-	1	2	3	10	18	44	51	39	-
Oklahoma	30,275	460	109	118	496	635	987	1,607	3,438	6,618	8,673	7,114	20
Male	15,432	262	65	73	378	462	623	1,002	2,074	3,863	4,297	2,318	15
Female	14,843	198	44	45	118	173	364	605	1,364	2,755	4,376	4,796	5
White	26,993	340	86	92	384	505	787	1,369	2,988	5,975	7,881	6,568	18
Male	13,703	196	50	55	293	364	508	849	1,809	3,531	3,904	2,130	14
Female	13,290	144	36	37	91	141	279	520	1,179	2,444	3,977	4,438	4
All other	3,282	120	23	26	112	130	200	238	450	643	792	546	2
Male	1,729	66	15	18	85	98	115	153	265	332	393	188	1
Female	1,553	54	8	8	27	32	85	85	185	311	399	358	1
Black	2,002	90	19	18	60	83	110	135	242	381	504	359	1
Male	1,047	49	11	13	49	65	65	83	151	190	245	125	1
Female	955	41	8	5	11	18	45	52	91	191	259	234	-
Metropolitan counties	15,427	295	61	55	277	396	612	928	1,880	3,359	4,133	3,418	13
Male	7,747	166	32	40	214	283	384	577	1,122	1,936	1,944	1,039	10
Female	7,680	129	29	15	63	113	228	351	758	1,423	2,189	2,379	3
White	13,639	207	43	37	208	308	501	790	1,624	3,014	3,731	3,164	12
Male	6,795	118	22	27	162	217	320	488	970	1,756	1,746	959	10
Female	6,844	89	21	10	46	91	181	302	654	1,258	1,985	2,205	2
All other	1,788	88	18	18	69	88	111	138	256	345	402	254	1
Male	952	48	10	13	52	66	64	89	152	180	198	80	-
Female	836	40	8	5	17	22	47	49	104	165	204	174	1
Black	1,357	74	17	17	45	65	78	100	188	257	319	197	-
Male	717	40	9	12	37	49	47	62	117	130	153	61	-
Female	640	34	8	5	8	16	31	38	71	127	166	136	-
Nonmetropolitan counties	14,848	165	48	63	219	239	375	679	1,558	3,259	4,540	3,696	7
Male	7,685	96	33	33	164	179	239	425	952	1,927	2,353	1,279	5
Female	7,163	69	15	30	55	60	136	254	606	1,332	2,187	2,417	2
White	13,354	133	43	55	176	197	286	579	1,364	2,961	4,150	3,404	6
Male	6,908	78	28	28	131	147	188	361	839	1,775	2,158	1,171	4
Female	6,446	55	15	27	45	50	98	218	525	1,186	1,992	2,233	2
All other	1,494	32	5	8	43	42	89	100	194	298	390	292	1
Male	777	18	5	5	33	32	51	64	113	152	195	108	1
Female	717	14	-	3	10	10	38	36	81	146	195	184	-
Black	645	16	2	1	15	18	32	35	54	124	185	162	1
Male	330	9	2	1	12	16	18	21	34	60	92	64	1
Female	315	7	-	-	3	2	14	14	20	64	93	98	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 20 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	25,015	309	74	91	375	476	831	1,229	2,488	5,652	7,545	5,945	-
Male	13,042	182	45	53	285	359	578	744	1,528	3,276	3,966	2,026	-
Female	11,973	127	29	38	90	117	253	485	960	2,376	3,579	3,919	-
White	24,345	275	65	85	340	432	780	1,169	2,393	5,510	7,413	5,883	-
Male	12,660	161	38	52	256	326	544	706	1,472	3,197	3,898	2,010	-
Female	11,685	114	27	33	84	106	236	463	921	2,313	3,515	3,873	-
All other	670	34	9	6	35	44	51	60	95	142	132	62	-
Male	382	21	7	1	29	33	34	38	56	79	68	16	-
Female	288	13	2	5	6	11	17	22	39	63	64	46	-
Black	317	20	3	1	14	21	24	31	39	72	65	27	-
Male	184	14	3	1	13	18	17	21	24	35	32	6	-
Female	133	6	-	-	1	3	7	10	15	37	33	21	-
Metropolitan counties	16,422	230	46	65	247	332	601	792	1,596	3,547	4,882	4,084	-
Male	8,356	130	28	41	187	249	433	495	975	2,022	2,472	1,324	-
Female	8,066	100	18	24	60	83	168	297	621	1,525	2,410	2,760	-
White	15,890	202	41	62	221	299	566	742	1,521	3,430	4,773	4,033	-
Male	8,049	112	23	40	166	223	408	464	929	1,957	2,416	1,311	-
Female	7,841	90	18	22	55	76	158	278	592	1,473	2,357	2,722	-
All other	532	28	5	3	26	33	35	50	75	117	109	51	-
Male	307	18	5	1	21	26	25	31	46	65	56	13	-
Female	225	10	-	2	5	7	10	19	29	52	53	38	-
Black	306	19	3	1	14	20	22	29	38	71	62	27	-
Male	177	13	3	1	13	17	17	19	24	34	30	6	-
Female	129	6	-	-	1	3	5	10	14	37	32	21	-
Nonmetropolitan counties	8,593	79	28	26	128	144	230	437	892	2,105	2,663	1,861	-
Male	4,686	52	17	12	98	110	145	249	553	1,254	1,494	702	-
Female	3,907	27	11	14	30	34	85	188	339	851	1,169	1,159	-
White	8,455	73	24	23	119	133	214	427	872	2,080	2,640	1,850	-
Male	4,611	49	15	12	90	103	136	242	543	1,240	1,482	699	-
Female	3,844	24	9	11	29	30	78	185	329	840	1,158	1,151	-
All other	138	6	4	3	9	11	16	10	20	25	23	11	-
Male	75	3	2	-	8	7	9	7	10	14	12	3	-
Female	63	3	2	3	1	4	7	3	10	11	11	8	-
Black	11	1	-	-	-	1	2	2	1	1	3	-	-
Male	7	1	-	-	-	1	-	2	-	1	2	-	-
Female	4	-	-	-	-	-	2	-	1	-	1	-	-
Pennsylvania	122,657	1,543	295	319	1,367	2,327	3,634	5,732	13,522	29,163	37,373	27,367	15
Male	61,225	882	169	194	1,026	1,686	2,442	3,554	8,202	16,468	17,843	8,749	10
Female	61,432	661	126	125	341	641	1,192	2,178	5,320	12,695	19,530	18,618	5
White	110,813	1,034	214	249	1,060	1,742	2,795	4,663	11,732	26,409	35,031	25,673	11
Male	54,923	591	121	148	760	1,252	1,873	2,914	7,195	15,018	16,798	8,225	8
Female	55,890	443	93	101	280	490	922	1,749	4,537	11,391	18,233	17,648	3
All other	11,844	509	81	70	307	585	839	1,069	1,790	2,754	2,342	1,494	4
Male	6,302	291	48	46	246	434	569	640	1,007	1,450	1,045	524	2
Female	5,542	218	33	24	61	151	270	429	783	1,304	1,297	970	2
Black	11,507	499	77	69	288	568	816	1,021	1,746	2,692	2,276	1,451	4
Male	6,122	285	46	46	234	420	557	610	983	1,412	1,020	507	2
Female	5,385	214	31	23	54	148	259	411	763	1,280	1,256	944	2
Metropolitan counties	103,338	1,341	236	255	1,150	2,031	3,191	4,912	11,481	24,566	31,248	22,913	14
Male	51,351	758	134	154	862	1,486	2,141	3,013	6,975	13,813	14,725	7,281	9
Female	51,987	583	102	101	288	545	1,050	1,899	4,506	10,753	16,523	15,632	5
White	91,635	840	157	186	845	1,452	2,359	3,855	9,711	21,843	28,941	21,436	10
Male	45,128	473	88	108	617	1,057	1,579	2,383	5,981	12,378	13,696	6,761	7
Female	46,507	367	69	78	228	395	780	1,472	3,730	9,465	15,245	14,675	3
All other	11,703	501	79	69	305	579	832	1,057	1,770	2,723	2,307	1,477	4
Male	6,223	285	46	46	245	429	562	630	994	1,435	1,029	520	2
Female	5,480	216	33	23	60	150	270	427	776	1,288	1,278	957	2
Black	11,380	493	75	68	286	562	809	1,011	1,726	2,664	2,246	1,436	4
Male	6,054	281	44	46	233	415	550	602	970	1,400	1,008	503	2
Female	5,326	212	31	22	53	147	259	409	756	1,264	1,238	933	2
Nonmetropolitan counties	19,319	202	59	64	217	296	443	820	2,041	4,597	6,125	4,454	1
Male	9,874	124	35	40	164	200	301	541	1,227	2,655	3,118	1,468	1
Female	9,445	78	24	24	53	96	142	279	814	1,942	3,007	2,986	-
White	19,178	194	57	63	215	290	436	808	2,021	4,566	6,090	4,437	1
Male	9,795	118	33	40	163	195	294	531	1,214	2,640	3,102	1,464	1
Female	9,383	76	24	23	52	95	142	277	807	1,926	2,988	2,973	-
All other	141	8	2	1	2	6	7	12	20	31	35	17	-
Male	79	6	2	-	1	5	7	10	13	15	16	4	-
Female	62	2	-	1	1	1	-	2	7	16	19	13	-
Black	127	6	2	1	2	6	7	10	20	28	30	15	-
Male	68	4	2	-	1	5	7	8	13	12	12	4	-
Female	59	2	-	1	1	1	-	2	7	16	18	11	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 21 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,398	118	19	27	91	165	310	369	987	2,004	2,834	2,474	-
Male	4,592	62	14	19	67	116	196	227	586	1,167	1,410	728	-
Female	4,806	56	5	8	24	49	114	142	401	837	1,424	1,746	-
White	9,023	91	13	21	78	136	279	342	935	1,934	2,774	2,420	-
Male	4,388	46	10	14	57	100	180	210	554	1,123	1,381	713	-
Female	4,635	45	3	7	21	36	99	132	381	811	1,393	1,707	-
All other	375	27	6	6	13	29	31	27	52	70	60	54	-
Male	204	16	4	5	10	16	16	17	32	44	29	15	-
Female	171	11	2	1	3	13	15	10	20	26	31	39	-
Black	315	24	5	6	10	27	28	22	43	60	48	42	-
Male	174	15	4	5	7	14	15	13	26	40	25	10	-
Female	141	9	1	1	3	13	13	9	17	20	23	32	-
Metropolitan counties	8,696	108	18	23	85	150	284	340	914	1,876	2,620	2,278	-
Male	4,230	54	14	16	61	105	181	208	541	1,096	1,295	659	-
Female	4,466	54	4	7	24	45	103	132	373	780	1,325	1,619	-
White	8,345	84	12	20	73	122	254	315	867	1,809	2,563	2,226	-
Male	4,042	41	10	13	52	89	165	192	513	1,054	1,268	645	-
Female	4,303	43	2	7	21	33	89	123	354	755	1,295	1,581	-
All other	351	24	6	3	12	28	30	25	47	67	57	52	-
Male	188	13	4	3	9	16	16	16	28	42	27	14	-
Female	163	11	2	-	3	12	14	9	19	25	30	38	-
Black	292	21	5	3	9	26	27	20	39	57	45	40	-
Male	159	12	4	3	6	14	15	12	23	38	23	9	-
Female	133	9	1	-	3	12	12	8	16	19	22	31	-
Nonmetropolitan counties	702	10	1	4	6	15	26	29	73	128	214	196	-
Male	362	8	-	3	6	11	15	19	45	71	115	69	-
Female	340	2	1	1	-	4	11	10	28	57	99	127	-
White	678	7	1	1	5	14	25	27	68	125	211	194	-
Male	346	5	-	1	5	11	15	18	41	69	113	68	-
Female	332	2	1	-	-	3	10	9	27	56	98	126	-
All other	24	3	-	3	1	1	1	2	5	3	3	2	-
Male	16	3	-	2	1	-	-	1	4	2	2	1	-
Female	8	-	-	1	-	1	1	1	1	1	1	1	-
Black	23	3	-	3	1	1	1	2	4	3	3	2	-
Male	15	3	-	2	1	-	-	1	3	2	2	1	-
Female	8	-	-	1	-	1	1	1	1	1	1	1	-
South Carolina	29,966	649	103	133	651	968	1,571	2,188	4,134	7,217	7,729	4,619	4
Male	15,893	349	59	76	493	705	1,066	1,393	2,591	4,138	3,619	1,400	4
Female	14,073	300	44	57	158	263	505	795	1,543	3,079	4,110	3,219	-
White	20,447	280	52	83	385	503	837	1,284	2,786	4,977	5,624	3,635	1
Male	10,840	165	29	44	280	372	579	843	1,800	2,985	2,663	1,079	1
Female	9,607	115	23	39	105	131	258	441	986	1,992	2,961	2,556	-
All other	9,519	369	51	50	266	465	734	904	1,348	2,240	2,105	984	3
Male	5,053	184	30	32	213	333	487	550	791	1,153	956	321	3
Female	4,466	185	21	18	53	132	247	354	557	1,087	1,149	663	-
Black	9,468	369	51	50	265	462	725	899	1,338	2,227	2,099	980	3
Male	5,026	184	30	32	212	330	482	547	786	1,148	953	319	3
Female	4,442	185	21	18	53	132	243	352	552	1,079	1,146	661	-
Metropolitan counties	17,062	357	59	72	361	585	906	1,229	2,410	4,044	4,361	2,676	2
Male	9,024	186	33	44	273	417	610	782	1,499	2,321	2,043	814	2
Female	8,038	171	26	28	88	168	296	447	911	1,723	2,318	1,862	-
White	12,413	178	37	49	229	332	519	802	1,738	2,969	3,363	2,196	1
Male	6,564	100	22	29	163	237	357	523	1,107	1,774	1,586	665	1
Female	5,849	78	15	20	66	95	162	279	631	1,195	1,777	1,531	-
All other	4,649	179	22	23	132	253	387	427	672	1,075	998	480	1
Male	2,460	86	11	15	110	180	253	259	392	547	457	149	1
Female	2,189	93	11	8	22	73	134	168	280	528	541	331	-
Black	4,609	179	22	23	131	250	380	423	665	1,067	992	476	1
Male	2,438	86	11	15	109	177	249	256	389	544	454	147	1
Female	2,171	93	11	8	22	73	131	167	276	523	538	329	-
Nonmetropolitan counties	12,904	292	44	61	290	383	665	959	1,724	3,173	3,368	1,943	2
Male	6,869	163	26	32	220	288	456	611	1,092	1,817	1,576	586	2
Female	6,035	129	18	29	70	95	209	348	632	1,356	1,792	1,357	-
White	8,034	102	15	34	156	171	318	482	1,048	2,008	2,261	1,439	-
Male	4,276	65	7	15	117	135	222	320	693	1,211	1,077	414	-
Female	3,758	37	8	19	39	36	96	162	355	797	1,184	1,025	-
All other	4,870	190	29	27	134	212	347	477	676	1,165	1,107	504	2
Male	2,593	98	19	17	103	153	234	291	399	606	499	172	2
Female	2,277	92	10	10	31	59	113	186	277	559	608	332	-
Black	4,859	190	29	27	134	212	345	476	673	1,160	1,107	504	2
Male	2,588	98	19	17	103	153	233	291	397	604	499	172	2
Female	2,271	92	10	10	31	59	112	185	276	556	608	332	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 22 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,644	103	18	39	104	114	157	238	602	1,318	1,867	2,084	-
Male	3,545	62	10	24	87	79	99	155	392	846	1,046	745	-
Female	3,099	41	8	15	17	35	58	83	210	472	821	1,339	-
White	6,208	73	13	34	77	87	122	188	525	1,241	1,809	2,039	-
Male	3,276	44	8	21	67	59	72	124	349	795	1,014	723	-
Female	2,932	29	5	13	10	28	50	64	176	446	795	1,316	-
All other	436	30	5	5	27	27	35	50	77	77	58	45	-
Male	269	18	2	3	20	20	27	31	43	51	32	22	-
Female	167	12	3	2	7	7	8	19	34	26	26	23	-
Black	7	2	-	-	1	1	-	1	-	1	1	-	-
Male	7	2	-	-	1	1	-	1	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Metropolitan counties	1,494	36	4	10	30	36	40	59	153	318	395	413	-
Male	773	20	2	7	24	25	26	46	92	191	208	132	-
Female	721	16	2	3	6	11	14	13	61	127	187	281	-
White	1,434	28	3	7	26	32	32	57	142	311	387	409	-
Male	736	14	1	5	21	22	20	45	87	187	204	130	-
Female	698	14	2	2	5	10	12	12	55	124	183	279	-
All other	60	8	1	3	4	4	8	2	11	7	8	4	-
Male	37	6	1	2	3	3	6	1	5	4	4	2	-
Female	23	2	-	1	1	1	2	1	6	3	4	2	-
Black	6	2	-	-	1	1	-	-	-	1	1	-	-
Male	6	2	-	-	1	1	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,150	67	14	29	74	78	117	179	449	1,000	1,472	1,671	-
Male	2,772	42	8	17	63	54	73	109	300	655	838	613	-
Female	2,378	25	6	12	11	24	44	70	149	345	634	1,058	-
White	4,774	45	10	27	51	55	90	131	383	930	1,422	1,630	-
Male	2,540	30	7	16	46	37	52	79	262	608	810	593	-
Female	2,234	15	3	11	5	18	38	52	121	322	612	1,037	-
All other	376	22	4	2	23	23	27	48	66	70	50	41	-
Male	232	12	1	1	17	17	21	30	38	47	28	20	-
Female	144	10	3	1	6	6	6	18	28	23	22	21	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	46,309	744	143	190	818	1,227	1,799	2,782	5,732	10,234	13,240	9,392	8
Male	24,191	433	78	124	624	888	1,179	1,774	3,548	5,995	6,459	3,082	7
Female	22,118	311	65	66	194	339	620	1,008	2,184	4,239	6,781	6,310	1
White	38,581	410	90	144	576	883	1,311	2,219	4,717	8,604	11,401	8,221	3
Male	20,181	254	48	93	428	658	868	1,440	2,986	5,150	5,606	2,647	3
Female	18,400	156	42	51	150	225	443	779	1,731	3,454	5,795	5,574	-
All other	7,728	334	53	46	240	344	488	563	1,015	1,630	1,839	1,171	5
Male	4,010	179	30	31	196	230	311	334	562	845	853	435	4
Female	3,718	155	23	15	44	114	177	229	453	785	986	736	1
Black	7,663	332	52	46	238	336	480	560	1,007	1,617	1,828	1,162	5
Male	3,972	177	29	31	195	223	307	333	560	837	848	428	4
Female	3,691	155	23	15	43	113	173	227	447	780	980	734	1
Metropolitan counties	29,369	544	102	127	554	849	1,255	1,802	3,635	6,450	8,182	5,861	8
Male	15,060	318	56	81	424	604	826	1,137	2,210	3,687	3,863	1,847	7
Female	14,309	226	46	46	130	245	429	665	1,425	2,763	4,319	4,014	1
White	22,940	254	53	87	348	548	824	1,322	2,775	5,103	6,699	4,924	3
Male	11,704	160	29	53	255	404	544	847	1,731	2,994	3,185	1,499	3
Female	11,236	94	24	34	93	144	280	475	1,044	2,109	3,514	3,425	-
All other	6,429	290	49	40	206	301	431	480	860	1,347	1,483	937	5
Male	3,356	158	27	28	169	200	282	290	479	693	678	348	4
Female	3,073	132	22	12	37	101	149	190	381	654	805	589	1
Black	6,378	288	48	40	204	294	425	478	855	1,338	1,473	930	5
Male	3,326	156	26	28	168	194	279	289	477	688	674	343	4
Female	3,052	132	22	12	36	100	146	189	378	650	799	587	1
Nonmetropolitan counties	16,940	200	41	63	264	378	544	980	2,097	3,784	5,058	3,531	-
Male	9,131	115	22	43	200	284	353	637	1,338	2,308	2,596	1,235	-
Female	7,809	85	19	20	64	94	191	343	759	1,476	2,462	2,296	-
White	15,641	156	37	57	230	335	487	897	1,942	3,501	4,702	3,297	-
Male	8,477	94	19	40	173	254	324	593	1,255	2,156	2,421	1,148	-
Female	7,164	62	18	17	57	81	163	304	687	1,345	2,281	2,149	-
All other	1,299	44	4	6	34	43	57	83	155	283	356	234	-
Male	654	21	3	3	27	30	29	44	83	152	175	87	-
Female	645	23	1	3	7	13	28	39	72	131	181	147	-
Black	1,285	44	4	6	34	42	55	82	152	279	355	232	-
Male	646	21	3	3	27	29	28	44	83	149	174	85	-
Female	639	23	1	3	7	13	27	38	69	130	181	147	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 23 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	126,795	2,448	594	687	3,082	4,715	5,900	7,994	15,655	27,136	33,261	25,236	87
Male	67,703	1,392	350	433	2,362	3,570	4,131	5,124	9,670	15,721	16,588	8,287	75
Female	59,092	1,056	244	254	720	1,145	1,769	2,870	5,985	11,415	16,673	16,949	12
White	109,313	1,786	457	553	2,314	3,601	4,615	6,473	13,089	23,734	29,729	22,881	81
Male	58,092	1,020	276	359	1,749	2,766	3,299	4,172	8,219	13,859	14,901	7,403	69
Female	51,221	766	181	194	565	835	1,316	2,301	4,870	9,875	14,828	15,478	12
All other	17,482	662	137	134	768	1,114	1,285	1,521	2,566	3,402	3,532	2,355	6
Male	9,611	372	74	74	613	804	832	952	1,451	1,862	1,687	884	6
Female	7,871	290	63	60	155	310	453	569	1,115	1,540	1,845	1,471	-
Black	16,855	628	133	122	723	1,057	1,228	1,460	2,472	3,281	3,429	2,316	6
Male	9,246	352	72	68	583	762	791	919	1,399	1,794	1,632	868	6
Female	7,609	276	61	54	140	295	437	541	1,073	1,487	1,797	1,448	-
Metropolitan counties	93,727	2,090	507	570	2,556	4,058	5,019	6,423	12,085	19,973	23,174	17,208	64
Male	50,255	1,185	302	352	1,970	3,070	3,544	4,123	7,433	11,421	11,379	5,420	56
Female	43,472	905	205	218	586	988	1,475	2,300	4,652	8,552	11,795	11,788	8
White	79,293	1,484	377	452	1,870	3,042	3,863	5,092	9,900	17,204	20,486	15,463	60
Male	42,238	848	232	289	1,421	2,340	2,794	3,284	6,198	9,896	10,094	4,790	52
Female	37,055	636	145	163	449	702	1,069	1,808	3,702	7,308	10,392	10,673	8
All other	14,434	606	130	118	686	1,016	1,156	1,331	2,185	2,769	2,688	1,745	4
Male	8,017	337	70	63	549	730	750	839	1,235	1,525	1,285	630	4
Female	6,417	269	60	55	137	286	406	492	950	1,244	1,403	1,115	-
Black	13,843	572	126	106	646	962	1,100	1,273	2,100	2,653	2,594	1,707	4
Male	7,675	317	68	57	524	690	710	807	1,189	1,461	1,233	615	4
Female	6,168	255	58	49	122	272	390	466	911	1,192	1,361	1,092	-
Nonmetropolitan counties	33,068	358	87	117	526	657	881	1,571	3,570	7,163	10,087	8,028	23
Male	17,448	207	48	81	392	500	587	1,001	2,237	4,300	5,209	2,867	19
Female	15,620	151	39	36	134	157	294	570	1,333	2,863	4,878	5,161	4
White	30,020	302	80	101	444	559	752	1,381	3,189	6,530	9,243	7,418	21
Male	15,854	172	44	70	328	426	505	888	2,021	3,963	4,807	2,613	17
Female	14,166	130	36	31	116	133	247	493	1,168	2,567	4,436	4,805	4
All other	3,048	56	7	16	82	98	129	190	381	633	844	610	2
Male	1,594	35	4	11	64	74	82	113	216	337	402	254	2
Female	1,454	21	3	5	18	24	47	77	165	296	442	356	-
Black	3,012	56	7	16	77	95	128	187	372	628	835	609	2
Male	1,571	35	4	11	59	72	81	112	210	333	399	253	2
Female	1,441	21	3	5	18	23	47	75	162	295	436	356	-
Utah	9,651	220	67	84	204	306	422	475	988	1,957	2,726	2,201	1
Male	5,039	132	30	52	159	219	276	291	573	1,119	1,408	780	-
Female	4,612	88	37	32	45	87	146	184	415	838	1,318	1,421	1
White	9,413	204	62	82	193	284	401	452	958	1,921	2,693	2,162	1
Male	4,906	123	26	50	153	201	261	279	554	1,102	1,387	770	-
Female	4,507	81	36	32	40	83	140	173	404	819	1,306	1,392	1
All other	238	16	5	2	11	22	21	23	30	36	33	39	-
Male	133	9	4	2	6	18	15	12	19	17	21	10	-
Female	105	7	1	-	5	4	6	11	11	19	12	29	-
Black	66	3	2	-	1	5	8	7	12	10	11	7	-
Male	41	3	2	-	1	4	7	5	8	5	4	2	-
Female	25	-	-	-	-	1	1	2	4	5	7	5	-
Metropolitan counties	7,099	182	52	60	146	233	331	367	748	1,431	1,959	1,590	-
Male	3,707	105	22	36	117	167	218	231	434	819	1,008	550	-
Female	3,392	77	30	24	29	66	113	136	314	612	951	1,040	-
White	6,927	169	47	58	138	220	318	354	725	1,406	1,931	1,561	-
Male	3,607	97	18	34	113	157	207	222	420	805	991	543	-
Female	3,320	72	29	24	25	63	111	132	305	601	940	1,018	-
All other	172	13	5	2	8	13	13	13	23	25	28	29	-
Male	100	8	4	2	4	10	11	9	14	14	17	7	-
Female	72	5	1	-	4	3	2	4	9	11	11	22	-
Black	64	3	2	-	1	5	8	7	12	9	10	7	-
Male	40	3	2	-	1	4	7	5	8	5	3	2	-
Female	24	-	-	-	-	1	1	2	4	4	7	5	-
Nonmetropolitan counties	2,552	38	15	24	58	73	91	108	240	526	767	611	1
Male	1,332	27	8	16	42	52	58	60	139	300	400	230	-
Female	1,220	11	7	8	16	21	33	48	101	226	367	381	1
White	2,486	35	15	24	55	64	83	98	233	515	762	601	1
Male	1,299	26	8	16	40	44	54	57	134	297	396	227	-
Female	1,187	9	7	8	15	20	29	41	99	218	366	374	1
All other	66	3	-	-	3	9	8	10	7	11	5	10	-
Male	33	1	-	-	2	8	4	3	5	3	4	3	-
Female	33	2	-	-	1	1	4	7	2	8	1	7	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 24 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,563	46	8	16	70	94	131	207	511	924	1,359	1,197	-
Male	2,209	21	4	10	53	63	101	123	336	514	647	337	-
Female	2,354	25	4	6	17	31	30	84	175	410	712	860	-
White	4,550	46	8	16	69	92	131	205	508	921	1,358	1,196	-
Male	2,202	21	4	10	52	63	101	122	334	512	646	337	-
Female	2,348	25	4	6	17	29	30	83	174	409	712	859	-
All other	13	-	-	-	1	2	-	2	3	3	1	1	-
Male	7	-	-	-	1	-	-	1	2	2	1	-	-
Female	6	-	-	-	-	2	-	1	1	1	-	1	-
Black	5	-	-	-	-	1	-	1	1	2	-	-	-
Male	4	-	-	-	-	-	-	1	1	2	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Metropolitan counties	818	16	2	3	16	17	40	33	110	170	227	184	-
Male	385	9	1	2	9	10	32	19	70	91	101	41	-
Female	433	7	1	1	7	7	8	14	40	79	126	143	-
White	811	16	2	3	15	16	40	32	107	169	227	184	-
Male	380	9	1	2	8	10	32	18	68	90	101	41	-
Female	431	7	1	1	7	6	8	14	39	79	126	143	-
All other	7	-	-	-	1	1	-	1	3	1	-	-	-
Male	5	-	-	-	1	-	-	1	2	1	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black	4	-	-	-	-	1	-	1	1	1	-	-	-
Male	3	-	-	-	-	-	-	1	1	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Nonmetropolitan counties	3,745	30	6	13	54	77	91	174	401	754	1,132	1,013	-
Male	1,824	12	3	8	44	53	69	104	266	423	546	296	-
Female	1,921	18	3	5	10	24	22	70	135	331	586	717	-
White	3,739	30	6	13	54	76	91	173	401	752	1,131	1,012	-
Male	1,822	12	3	8	44	53	69	104	266	422	545	296	-
Female	1,917	18	3	5	10	23	22	69	135	330	586	716	-
All other	6	-	-	-	-	1	-	1	-	2	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	4	-	-	-	-	1	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	49,129	965	145	190	845	1,378	1,939	2,937	6,351	11,526	13,272	9,560	21
Male	25,452	544	81	114	620	1,007	1,284	1,885	3,917	6,678	6,347	2,964	11
Female	23,677	421	64	76	225	371	655	1,052	2,434	4,848	6,925	6,596	10
White	38,061	517	88	122	543	891	1,285	2,088	4,701	8,850	10,814	8,150	12
Male	19,372	289	48	74	388	645	867	1,345	2,917	5,175	5,134	2,483	7
Female	18,689	228	40	48	155	246	418	743	1,784	3,675	5,680	5,667	5
All other	11,068	448	57	68	302	487	654	849	1,650	2,676	2,458	1,410	9
Male	6,080	255	33	40	232	362	417	540	1,000	1,503	1,213	481	4
Female	4,988	193	24	28	70	125	237	309	650	1,173	1,245	929	5
Black	10,774	435	53	67	290	474	623	819	1,594	2,621	2,400	1,389	9
Male	5,930	247	32	39	225	353	399	527	977	1,477	1,176	474	4
Female	4,844	188	21	28	65	121	224	292	617	1,144	1,224	915	5
Metropolitan counties	31,870	767	101	135	564	1,000	1,380	1,963	4,153	7,498	8,269	6,026	14
Male	16,214	423	55	83	412	720	917	1,245	2,530	4,276	3,790	1,756	7
Female	15,656	344	46	52	152	280	463	718	1,623	3,222	4,479	4,270	7
White	23,687	387	57	80	323	600	854	1,329	2,954	5,536	6,529	5,033	5
Male	11,773	211	30	49	224	425	577	855	1,817	3,204	2,962	1,416	3
Female	11,914	176	27	31	99	175	277	474	1,137	2,332	3,567	3,617	2
All other	8,183	380	44	55	241	400	526	634	1,199	1,962	1,740	993	9
Male	4,441	212	25	34	188	295	340	390	713	1,072	828	340	4
Female	3,742	168	19	21	53	105	186	244	486	890	912	653	5
Black	7,907	367	40	54	230	389	498	606	1,144	1,911	1,685	974	9
Male	4,299	204	24	33	181	287	323	378	691	1,047	794	333	4
Female	3,608	163	16	21	49	102	175	228	453	864	891	641	5
Nonmetropolitan counties	17,259	198	44	55	281	378	559	974	2,198	4,028	5,003	3,534	7
Male	9,238	121	26	31	208	287	367	640	1,387	2,402	2,557	1,208	4
Female	8,021	77	18	24	73	91	192	334	811	1,626	2,446	2,326	3
White	14,374	130	31	42	220	291	431	759	1,747	3,314	4,285	3,117	7
Male	7,599	78	18	25	164	220	290	490	1,100	1,971	2,172	1,067	4
Female	6,775	52	13	17	56	71	141	269	647	1,343	2,113	2,050	3
All other	2,885	68	13	13	61	87	128	215	451	714	718	417	-
Male	1,639	43	8	6	44	67	77	150	287	431	385	141	-
Female	1,246	25	5	7	17	20	51	65	164	283	333	276	-
Black	2,867	68	13	13	60	85	125	213	450	710	715	415	-
Male	1,631	43	8	6	44	66	76	149	286	430	382	141	-
Female	1,236	25	5	7	16	19	49	64	164	280	333	274	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 25 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	37,073	600	99	148	621	870	1,479	1,925	3,920	8,203	10,446	8,757	5
Male	19,172	316	57	86	470	633	1,027	1,166	2,314	4,843	5,304	2,953	3
Female	17,901	284	42	62	151	237	452	759	1,606	3,360	5,142	5,804	2
White	35,139	514	81	129	521	759	1,320	1,743	3,618	7,819	10,092	8,539	4
Male	18,048	281	50	78	395	562	924	1,059	2,127	4,624	5,099	2,847	2
Female	17,091	233	31	51	126	197	396	684	1,491	3,195	4,993	5,692	2
All other	1,934	86	18	19	100	111	159	182	302	384	354	218	1
Male	1,124	35	7	8	75	71	103	107	187	219	205	106	1
Female	810	51	11	11	25	40	56	75	115	165	149	112	–
Black	844	44	7	8	46	51	76	85	140	173	138	76	–
Male	503	17	1	2	40	31	56	58	90	98	78	32	–
Female	341	27	6	6	6	20	20	27	50	75	60	44	–
Metropolitan counties	28,805	496	79	110	486	725	1,198	1,558	3,054	6,283	8,060	6,755	1
Male	14,782	255	44	60	367	527	848	954	1,606	3,671	4,045	2,205	–
Female	14,023	241	35	50	119	198	350	604	1,248	2,612	4,015	4,550	1
White	27,061	415	65	94	401	626	1,053	1,391	2,781	5,939	7,735	6,560	1
Male	13,768	222	39	54	303	463	757	854	1,639	3,474	3,854	2,109	–
Female	13,293	193	26	40	98	163	296	537	1,142	2,465	3,881	4,451	1
All other	1,744	81	14	16	85	99	145	167	273	344	325	195	–
Male	1,014	33	5	6	64	64	91	100	167	197	191	98	–
Female	730	48	9	10	21	35	54	67	106	147	134	99	–
Black	813	43	6	8	45	50	72	81	134	168	136	70	–
Male	484	17	1	2	39	30	53	56	85	95	77	29	–
Female	329	26	5	6	6	20	19	25	49	73	59	41	–
Nonmetropolitan counties	8,268	104	20	38	135	145	281	367	866	1,920	2,386	2,002	4
Male	4,390	61	13	26	103	106	179	212	508	1,172	1,259	748	3
Female	3,878	43	7	12	32	39	102	155	358	748	1,127	1,254	1
White	8,078	99	16	35	120	133	267	352	837	1,880	2,357	1,979	3
Male	4,280	59	11	24	92	99	167	205	488	1,150	1,245	738	2
Female	3,798	40	5	11	28	34	100	147	349	730	1,112	1,241	1
All other	190	5	4	3	15	12	14	15	29	40	29	23	1
Male	110	2	2	2	11	7	12	7	20	22	14	10	1
Female	80	3	2	1	4	5	2	8	9	18	15	13	–
Black	31	1	1	–	1	1	4	4	6	5	2	6	–
Male	19	–	–	–	1	1	3	2	5	3	1	3	–
Female	12	1	1	–	–	–	1	2	1	2	1	3	–
West Virginia	19,964	185	44	59	293	392	576	1,034	2,364	4,856	5,923	4,237	1
Male	10,290	110	28	36	210	289	374	666	1,427	2,808	2,930	1,411	1
Female	9,674	75	16	23	83	103	202	368	937	2,048	2,993	2,826	–
White	19,199	175	40	55	279	367	549	979	2,277	4,696	5,715	4,066	1
Male	9,902	104	26	33	200	274	356	629	1,376	2,725	2,822	1,356	1
Female	9,297	71	14	22	79	93	193	350	901	1,971	2,693	2,710	–
All other	765	10	4	4	14	25	27	55	87	160	208	171	–
Male	388	6	2	3	10	15	18	37	51	83	108	55	–
Female	377	4	2	1	4	10	9	18	36	77	100	116	–
Black	748	9	4	4	14	24	27	51	85	155	207	168	–
Male	377	6	2	3	10	15	18	34	49	80	107	53	–
Female	371	3	2	1	4	9	9	17	36	75	100	115	–
Metropolitan counties	7,319	58	9	19	99	132	205	344	849	1,810	2,219	1,575	–
Male	3,640	38	5	9	71	97	134	212	514	1,011	1,058	491	–
Female	3,679	20	4	10	28	35	71	132	335	799	1,161	1,084	–
White	7,068	53	9	18	92	125	191	328	818	1,757	2,160	1,517	–
Male	3,523	35	5	9	67	92	124	202	497	990	1,028	474	–
Female	3,545	18	4	9	25	33	67	126	321	767	1,132	1,043	–
All other	251	5	–	1	7	7	14	16	31	53	59	58	–
Male	117	3	–	–	4	5	10	10	17	21	30	17	–
Female	134	2	–	1	3	2	4	6	14	32	29	41	–
Black	244	5	–	1	7	7	14	15	30	51	58	56	–
Male	113	3	–	–	4	5	10	10	16	20	29	16	–
Female	131	2	–	1	3	2	4	5	14	31	29	40	–
Nonmetropolitan counties	12,645	127	35	40	194	260	371	690	1,515	3,046	3,704	2,662	1
Male	6,650	72	23	27	139	192	240	454	913	1,797	1,872	920	1
Female	5,995	55	12	13	55	68	131	236	602	1,249	1,832	1,742	–
White	12,131	122	31	37	187	242	358	651	1,459	2,939	3,555	2,549	1
Male	6,379	69	21	24	133	182	232	427	879	1,735	1,794	882	1
Female	5,752	53	10	13	54	60	126	224	580	1,204	1,761	1,667	–
All other	514	5	4	3	7	18	13	39	56	107	149	113	–
Male	271	3	2	3	6	10	8	27	34	62	78	38	–
Female	243	2	2	–	1	8	5	12	22	45	71	75	–
Black	504	4	4	3	7	17	13	36	55	104	149	112	–
Male	264	3	2	3	6	10	8	24	33	60	78	37	–
Female	240	1	2	–	1	7	5	12	22	44	71	75	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1991—Con.

(Page 26 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	43,137	599	136	170	587	732	1,138	1,756	4,220	8,727	13,273	11,796	3
Male	22,110	359	77	101	444	538	723	1,103	2,648	5,246	6,817	4,053	1
Female	21,027	240	59	69	143	194	415	653	1,572	3,481	6,456	7,743	2
White	41,494	480	100	140	488	618	1,013	1,585	3,965	8,443	13,008	11,651	3
Male	21,150	286	59	80	361	458	636	986	2,504	5,088	6,694	3,997	1
Female	20,344	194	41	60	127	160	377	599	1,461	3,355	6,314	7,654	2
All other	1,643	119	36	30	99	114	125	171	255	284	265	145	-
Male	960	73	18	21	83	80	87	117	144	158	123	56	-
Female	683	46	18	9	16	34	38	54	111	126	142	89	-
Black	1,338	102	29	24	86	94	103	140	211	233	200	116	-
Male	783	62	12	15	72	64	74	98	118	134	91	43	-
Female	555	40	17	9	14	30	29	42	93	99	109	73	-
Metropolitan counties	26,840	439	97	105	388	527	778	1,160	2,709	5,452	8,073	7,112	-
Male	13,456	266	54	64	286	395	494	741	1,690	3,208	3,956	2,292	-
Female	13,384	173	43	41	92	132	284	419	1,019	2,244	4,117	4,820	-
White	25,357	327	61	77	297	421	664	1,006	2,477	5,199	7,842	6,986	-
Male	12,586	198	36	45	219	320	414	636	1,559	3,065	3,850	2,245	-
Female	12,771	129	25	32	78	101	250	371	918	2,134	3,992	4,741	-
All other	1,483	112	36	28	91	106	114	154	232	253	231	126	-
Male	870	68	18	19	77	75	80	106	131	143	106	47	-
Female	613	44	18	9	14	31	34	48	101	110	125	79	-
Black	1,331	101	29	24	86	94	103	139	211	231	199	114	-
Male	778	61	12	15	72	64	74	97	118	132	91	42	-
Female	553	40	17	9	14	30	29	42	93	99	108	72	-
Nonmetropolitan counties	16,297	160	39	65	199	205	360	596	1,511	3,275	5,200	4,684	3
Male	8,654	93	23	37	148	143	229	362	958	2,038	2,861	1,761	1
Female	7,643	67	16	28	51	62	131	234	553	1,237	2,339	2,923	2
White	16,137	153	39	63	191	197	349	579	1,488	3,244	5,166	4,665	3
Male	8,564	88	23	35	142	138	222	351	945	2,023	2,844	1,752	1
Female	7,573	65	16	28	49	59	127	228	543	1,221	2,322	2,913	2
All other	160	7	-	2	8	8	11	17	23	31	34	19	-
Male	90	5	-	2	6	5	7	11	13	15	17	9	-
Female	70	2	-	-	2	3	4	6	10	16	17	10	-
Black	7	1	-	-	-	-	-	1	-	2	1	2	-
Male	5	1	-	-	-	-	-	1	-	2	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Wyoming	3,159	53	11	23	82	86	135	189	383	663	843	690	1
Male	1,690	28	4	17	60	59	81	100	235	415	453	237	1
Female	1,469	25	7	6	22	27	54	89	148	248	390	453	-
White	3,080	47	10	21	71	83	122	182	369	656	837	681	1
Male	1,644	28	3	15	52	57	72	95	228	412	448	233	1
Female	1,436	19	7	6	19	26	50	87	141	244	389	448	-
All other	79	6	1	2	11	3	13	7	14	7	6	9	-
Male	46	-	1	2	8	2	9	5	7	3	5	4	-
Female	33	6	-	-	3	1	4	2	7	4	1	5	-
Black	18	1	-	1	1	-	2	2	2	3	3	3	-
Male	14	-	-	1	1	-	2	2	2	2	2	2	-
Female	4	1	-	-	-	-	-	-	-	1	1	1	-
Metropolitan counties	943	20	4	10	22	29	38	63	119	213	236	189	-
Male	493	9	3	8	13	16	21	37	70	131	119	66	-
Female	450	11	1	2	9	13	17	26	49	82	117	123	-
White	919	18	3	9	20	28	34	60	116	211	234	186	-
Male	478	9	2	7	11	16	17	34	70	130	118	64	-
Female	441	9	1	2	9	12	17	26	46	81	116	122	-
All other	24	2	1	1	2	1	4	3	3	2	2	3	-
Male	15	-	1	1	2	-	4	3	-	1	1	2	-
Female	9	2	-	-	-	1	-	-	3	1	1	1	-
Black	13	1	-	1	1	-	2	2	-	2	2	2	-
Male	9	-	-	1	1	-	2	2	-	1	1	1	-
Female	4	1	-	-	-	-	-	-	-	1	1	1	-
Nonmetropolitan counties	2,216	33	7	13	60	57	97	126	264	450	607	501	1
Male	1,197	19	1	9	47	43	60	63	165	284	334	171	1
Female	1,019	14	6	4	13	14	37	63	99	166	273	330	-
White	2,161	29	7	12	51	55	88	122	253	445	603	495	1
Male	1,166	19	1	8	41	41	55	61	158	282	330	169	1
Female	995	10	6	4	10	14	33	61	95	163	273	326	-
All other	55	4	-	1	9	2	9	4	11	5	4	6	-
Male	31	-	-	1	6	2	5	2	7	2	4	2	-
Female	24	4	-	-	3	-	4	2	4	3	-	4	-
Black	5	-	-	-	-	-	-	-	2	1	1	1	-
Male	5	-	-	-	-	-	-	-	2	1	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991

(Page 1 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
METROPOLITAN STATISTICAL AREAS, PRIMARY METROPOLITAN STATISTICAL AREAS, AND NEW ENGLAND COUNTY METROPOLITAN AREAS													
Total, 320 areas	1,607,648	29,430	5,519	6,155	27,680	48,081	71,232	92,745	186,198	354,319	440,723	345,100	466
Male	826,356	16,742	3,061	3,790	21,105	35,358	49,390	58,293	112,991	201,565	212,924	110,780	357
Female	781,292	12,688	2,458	2,365	6,575	12,723	21,842	34,452	73,207	152,754	227,799	234,320	109
White	1,364,396	18,275	3,703	4,424	18,818	33,300	50,428	70,203	150,948	303,949	393,593	316,411	344
Male	692,279	10,508	2,053	2,693	14,087	24,946	35,568	44,353	92,465	174,150	190,470	100,724	262
Female	672,117	7,767	1,650	1,731	4,731	8,354	14,860	25,850	58,483	129,799	203,123	215,687	82
All other	243,252	11,155	1,816	1,731	8,862	14,781	20,804	22,542	35,250	50,370	47,130	28,689	122
Male	134,077	6,234	1,008	1,097	7,018	10,412	13,822	13,940	20,526	27,415	22,454	10,056	95
Female	109,175	4,921	808	634	1,844	4,369	6,982	8,602	14,724	22,955	24,676	18,633	27
Black	219,618	10,349	1,628	1,531	8,092	13,719	19,286	20,492	31,926	45,381	41,873	25,225	116
Male	120,588	5,797	904	974	6,465	9,679	12,909	12,744	18,632	24,527	19,387	8,479	91
Female	99,030	4,552	724	557	1,627	4,040	6,377	7,748	13,294	20,854	22,486	16,746	25
Abilene, TX, MSA	1,055	15	6	2	14	36	34	57	124	244	278	245	-
Male	533	10	4	-	10	23	19	37	79	133	140	78	-
Female	522	5	2	2	4	13	15	20	45	111	138	167	-
White	997	13	5	1	14	31	30	52	115	233	268	235	-
Male	500	8	3	-	10	20	16	33	72	127	136	75	-
Female	497	5	2	1	4	11	14	19	43	106	132	160	-
All other	58	2	1	1	-	5	4	5	9	11	10	10	-
Male	33	2	1	-	-	3	3	4	7	6	4	3	-
Female	25	-	-	1	-	2	1	1	2	5	6	7	-
Black	56	2	1	1	-	5	4	5	8	10	10	10	-
Male	32	2	1	-	-	3	3	4	6	6	4	3	-
Female	24	-	-	1	-	2	1	1	2	4	6	7	-
Akron, OH, PMSA	5,840	91	14	18	78	125	191	276	694	1,412	1,638	1,303	-
Male	2,895	55	9	7	54	87	128	167	414	775	794	405	-
Female	2,945	36	5	11	24	38	63	109	280	637	844	898	-
White	5,251	62	7	14	56	97	160	228	609	1,283	1,512	1,223	-
Male	2,568	37	3	5	37	67	109	133	364	708	727	378	-
Female	2,683	25	4	9	19	30	51	95	245	575	785	845	-
All other	589	29	7	4	22	28	31	48	85	129	126	80	-
Male	327	18	6	2	17	20	19	34	50	67	67	27	-
Female	262	11	1	2	5	8	12	14	35	62	59	53	-
Black	571	29	7	3	19	27	30	47	81	125	124	79	-
Male	316	18	6	2	14	20	18	33	48	65	66	26	-
Female	255	11	1	1	5	7	12	14	33	60	58	53	-
Albany, GA, MSA	856	26	6	7	21	29	42	63	123	205	211	123	-
Male	466	17	3	4	16	20	31	39	78	115	108	35	-
Female	390	9	3	3	5	9	11	24	45	90	103	88	-
White	504	2	3	1	6	11	17	25	76	142	138	83	-
Male	286	1	2	-	5	8	16	17	49	87	76	25	-
Female	218	1	1	1	1	3	1	8	27	55	62	58	-
All other	352	24	3	6	15	18	25	38	47	63	73	40	-
Male	180	16	1	4	11	12	15	22	29	28	32	10	-
Female	172	8	2	2	4	6	10	16	18	35	41	30	-
Black	352	24	3	6	15	18	25	38	47	63	73	40	-
Male	180	16	1	4	11	12	15	22	29	28	32	10	-
Female	172	8	2	2	4	6	10	16	18	35	41	30	-
Albany-Schenectady-Troy, NY, MSA	8,327	104	28	18	99	129	224	395	865	1,922	2,434	2,109	-
Male	4,097	68	21	3	69	88	155	231	511	1,117	1,166	668	-
Female	4,230	36	7	15	30	41	69	164	354	805	1,268	1,441	-
White	7,989	77	19	14	90	111	195	359	813	1,859	2,379	2,073	-
Male	3,903	50	14	1	63	77	133	209	479	1,084	1,137	656	-
Female	4,086	27	5	13	27	34	62	150	334	775	1,242	1,417	-
All other	338	27	9	4	9	18	29	36	52	63	55	36	-
Male	194	18	7	2	6	11	22	22	32	33	29	12	-
Female	144	9	2	2	3	7	7	14	20	30	26	24	-
Black	314	26	9	4	9	16	28	35	44	61	49	33	-
Male	182	17	7	2	6	10	21	21	28	33	26	11	-
Female	132	9	2	2	3	6	7	14	16	28	23	22	-
Albuquerque, NM, MSA	3,375	72	13	16	76	136	191	201	363	720	911	672	4
Male	1,798	44	6	10	55	104	143	128	208	420	449	230	1
Female	1,577	28	7	6	21	32	48	73	155	300	462	442	3
White	3,253	64	12	15	69	126	181	190	348	696	890	658	4
Male	1,721	40	6	9	48	98	135	121	198	406	436	223	1
Female	1,532	24	6	6	21	28	46	69	150	290	454	435	3
All other	122	8	1	1	7	10	10	11	15	24	21	14	-
Male	77	4	-	1	7	6	8	7	10	14	13	7	-
Female	45	4	1	-	-	4	2	4	5	10	8	7	-
Black	58	6	-	-	4	4	3	6	10	8	10	7	-
Male	35	4	-	-	4	3	2	3	6	3	7	3	-
Female	23	2	-	-	-	1	1	3	4	5	3	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 2 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alexandria, LA, MSA	1,245	23	7	6	23	30	49	70	143	293	350	251	-
Male	647	13	5	4	18	23	33	40	96	172	168	75	-
Female	598	10	2	2	5	7	16	30	47	121	182	176	-
White	901	12	3	3	17	17	29	47	92	220	265	196	-
Male	470	7	3	1	13	14	23	30	64	137	120	58	-
Female	431	5	-	2	4	3	6	17	28	83	145	138	-
All other	344	11	4	3	6	13	20	23	51	73	85	55	-
Male	177	6	2	3	5	9	10	10	32	35	48	17	-
Female	167	5	2	-	1	4	10	13	19	38	37	38	-
Black	340	11	4	3	6	13	19	22	50	73	85	54	-
Male	175	6	2	3	5	9	10	10	31	35	48	16	-
Female	165	5	2	-	1	4	9	12	19	38	37	38	-
Allentown-Bethlehem-Easton, PA-NJ, MSA	6,388	67	13	21	59	111	171	292	662	1,490	2,086	1,416	-
Male	3,191	26	4	11	37	78	112	178	433	851	1,007	454	-
Female	3,197	41	9	10	22	33	59	114	229	639	1,079	962	-
White	6,290	61	12	20	55	107	165	280	648	1,477	2,060	1,405	-
Male	3,141	23	3	11	34	76	106	172	424	846	996	450	-
Female	3,149	38	9	9	21	31	59	108	224	631	1,064	955	-
All other	98	6	1	1	4	4	6	12	14	13	26	11	-
Male	50	3	1	-	3	2	6	6	9	5	11	4	-
Female	48	3	-	1	1	2	-	6	5	8	15	7	-
Black	83	5	-	1	4	4	6	11	12	9	24	7	-
Male	45	3	-	-	3	2	6	6	8	4	10	3	-
Female	38	2	-	1	1	2	-	5	4	5	14	4	-
Altoona, PA, MSA	1,537	11	5	5	17	13	35	60	154	402	489	346	-
Male	776	4	4	4	13	9	21	38	100	239	234	110	-
Female	761	7	1	1	4	4	14	22	54	163	255	236	-
White	1,528	11	5	5	17	13	35	60	154	399	484	345	-
Male	771	4	4	4	13	9	21	38	100	238	231	109	-
Female	757	7	1	1	4	4	14	22	54	161	253	236	-
All other	9	-	-	-	-	-	-	-	-	3	5	1	-
Male	5	-	-	-	-	-	-	-	-	1	3	1	-
Female	4	-	-	-	-	-	-	-	-	2	2	-	-
Black	9	-	-	-	-	-	-	-	-	3	5	1	-
Male	5	-	-	-	-	-	-	-	-	1	3	1	-
Female	4	-	-	-	-	-	-	-	-	2	2	-	-
Amarillo, TX, MSA	1,579	32	7	2	29	45	58	97	208	370	437	294	-
Male	834	21	3	-	16	36	38	63	131	224	214	88	-
Female	745	11	4	2	13	9	20	34	77	146	223	206	-
White	1,478	23	4	2	23	39	49	89	195	351	420	283	-
Male	783	15	1	-	13	30	34	59	127	214	207	83	-
Female	695	8	3	2	10	9	15	30	68	137	213	200	-
All other	101	9	3	-	6	6	9	8	13	19	17	11	-
Male	51	6	2	-	3	6	4	4	4	10	7	5	-
Female	50	3	1	-	3	-	5	4	9	9	10	6	-
Black	89	9	3	-	6	6	8	6	10	14	17	10	-
Male	45	6	2	-	3	6	3	3	2	9	7	4	-
Female	44	3	1	-	3	-	5	3	8	5	10	6	-
Anaheim-Santa Ana, CA, PMSA	14,449	317	56	53	264	471	622	867	1,598	2,946	3,775	3,480	-
Male	7,252	186	29	32	202	362	430	540	937	1,622	1,777	1,135	-
Female	7,197	131	27	21	62	109	192	327	661	1,324	1,998	2,345	-
White	13,649	282	45	44	229	427	563	779	1,500	2,777	3,602	3,401	-
Male	6,791	158	23	27	174	333	394	490	880	1,522	1,684	1,106	-
Female	6,858	124	22	17	55	94	169	289	620	1,255	1,918	2,295	-
All other	800	35	11	9	35	44	59	88	98	169	173	79	-
Male	461	28	6	5	28	29	36	50	57	100	93	29	-
Female	339	7	5	4	7	15	23	38	41	69	80	50	-
Black	163	17	1	3	12	15	16	19	22	21	26	11	-
Male	107	14	1	3	11	10	10	12	15	12	16	3	-
Female	56	3	-	-	1	5	6	7	7	9	10	8	-
Anchorage, AK, MSA	781	39	6	11	40	69	82	86	132	145	129	42	-
Male	458	27	4	8	27	43	53	47	85	91	59	14	-
Female	323	12	2	3	13	26	29	39	47	54	70	28	-
White	624	26	3	6	33	43	67	67	113	125	106	35	-
Male	374	18	1	5	22	30	43	38	79	78	50	10	-
Female	250	8	2	1	11	13	24	29	34	47	56	25	-
All other	157	13	3	5	7	26	15	19	19	20	23	7	-
Male	84	9	3	3	5	13	10	9	6	13	9	4	-
Female	73	4	-	2	2	13	5	10	13	7	14	3	-
Black	36	6	2	-	3	7	2	4	2	5	3	2	-
Male	23	3	2	-	3	4	1	4	-	3	1	2	-
Female	13	3	-	-	-	3	1	-	2	2	2	-	-
Anderson, IN, MSA	1,280	11	2	9	20	18	43	60	143	288	412	274	-
Male	633	3	1	4	16	11	28	40	70	163	217	80	-
Female	647	8	1	5	4	7	15	20	73	125	195	194	-
White	1,204	7	2	8	17	16	38	53	135	271	395	262	-
Male	594	1	1	4	14	10	25	35	66	153	208	77	-
Female	610	6	1	4	3	6	13	18	69	118	187	185	-
All other	76	4	-	1	3	2	5	7	8	17	17	12	-
Male	39	2	-	-	2	1	3	5	4	10	9	3	-
Female	37	2	-	1	1	1	2	2	4	7	8	9	-
Black	75	4	-	1	3	1	5	7	8	17	17	12	-
Male	38	2	-	-	2	-	3	5	4	10	9	3	-
Female	37	2	-	1	1	1	2	2	4	7	8	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 3 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Anderson, SC, MSA	1,309	17	2	6	26	33	65	89	170	301	376	224	-
Male	711	7	-	4	15	25	51	56	113	170	197	73	-
Female	598	10	2	2	11	8	14	33	57	131	179	151	-
White	1,077	9	1	5	19	26	47	72	139	250	313	196	-
Male	585	2	-	3	11	19	37	43	91	147	168	64	-
Female	492	7	1	2	8	7	10	29	48	103	145	132	-
All other	232	8	1	1	7	7	18	17	31	51	63	28	-
Male	126	5	-	1	4	6	14	13	22	23	29	9	-
Female	106	3	1	-	3	1	4	4	9	28	34	19	-
Black	231	8	1	1	7	6	18	17	31	51	63	28	-
Male	125	5	-	1	4	5	14	13	22	23	29	9	-
Female	106	3	1	-	3	1	4	4	9	28	34	19	-
Ann Arbor, MI, PMSA	1,487	36	6	7	20	36	70	112	161	290	387	362	-
Male	718	20	3	5	14	23	46	72	96	162	175	102	-
Female	769	16	3	2	6	13	24	40	65	128	212	260	-
White	1,282	25	2	4	14	28	51	94	140	246	340	338	-
Male	610	13	-	3	10	19	35	58	87	140	152	93	-
Female	672	12	2	1	4	9	16	36	53	106	188	245	-
All other	205	11	4	3	6	8	19	18	21	44	47	24	-
Male	108	7	3	2	4	4	11	14	9	22	23	9	-
Female	97	4	1	1	2	4	8	4	12	22	24	15	-
Black	192	11	4	3	3	8	19	15	19	42	45	23	-
Male	102	7	3	2	2	4	11	13	8	21	22	9	-
Female	90	4	1	1	1	4	8	2	11	21	23	14	-
Anniston, AL, MSA	1,148	31	2	7	20	40	50	67	145	278	319	189	-
Male	601	20	1	3	15	28	30	46	96	162	139	61	-
Female	547	11	1	4	5	12	20	21	49	116	180	128	-
White	927	14	1	5	11	28	38	52	113	220	279	166	-
Male	482	11	-	3	9	18	22	34	82	131	120	52	-
Female	445	3	1	2	2	10	16	18	31	89	159	114	-
All other	221	17	1	2	9	12	12	15	32	58	40	23	-
Male	119	9	1	-	6	10	8	12	14	31	19	9	-
Female	102	8	-	2	3	2	4	3	18	27	21	14	-
Black	221	17	1	2	9	12	12	15	32	58	40	23	-
Male	119	9	1	-	6	10	8	12	14	31	19	9	-
Female	102	8	-	2	3	2	4	3	18	27	21	14	-
Appleton-Oshkosh-Neenah, WI, MSA	2,417	38	6	11	38	45	61	96	248	505	713	656	-
Male	1,222	26	3	7	31	33	42	57	158	295	358	212	-
Female	1,195	12	3	4	7	12	19	39	90	210	355	444	-
White	2,395	38	6	11	37	44	60	95	244	501	708	651	-
Male	1,208	26	3	7	30	32	41	57	154	292	356	210	-
Female	1,187	12	3	4	7	12	19	38	90	209	352	441	-
All other	22	-	-	-	1	1	1	1	4	4	5	5	-
Male	14	-	-	-	1	1	1	-	4	3	2	2	-
Female	8	-	-	-	-	-	-	1	-	1	3	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asheville, NC, MSA	1,914	20	6	5	21	44	51	88	229	442	537	471	-
Male	1,003	12	4	5	18	31	30	51	153	254	274	171	-
Female	911	8	2	-	3	13	21	37	76	188	263	300	-
White	1,748	17	6	5	17	33	42	78	203	410	494	443	-
Male	902	10	4	5	15	22	26	45	134	233	253	155	-
Female	846	7	2	-	2	11	16	33	69	177	241	288	-
All other	166	3	-	-	4	11	9	10	26	32	43	28	-
Male	101	2	-	-	3	9	4	6	19	21	21	16	-
Female	65	1	-	-	1	2	5	4	7	11	22	12	-
Black	163	3	-	-	4	11	8	10	26	30	43	28	-
Male	100	2	-	-	3	9	4	6	19	20	21	16	-
Female	63	1	-	-	1	2	4	4	7	10	22	12	-
Athens, GA, MSA	1,084	25	2	6	24	19	45	66	127	230	309	231	-
Male	539	16	2	3	19	17	29	41	80	129	136	67	-
Female	545	9	-	3	5	2	16	25	47	101	173	164	-
White	870	15	1	4	13	14	32	48	97	185	256	205	-
Male	432	10	1	2	9	13	20	31	63	106	118	59	-
Female	438	5	-	2	4	1	12	17	34	79	138	146	-
All other	214	10	1	2	11	5	13	18	30	45	53	26	-
Male	107	6	1	1	10	4	9	10	17	23	18	8	-
Female	107	4	-	1	1	1	4	8	13	22	35	18	-
Black	212	10	1	2	11	5	13	18	29	44	53	26	-
Male	106	6	1	1	10	4	9	10	16	23	18	8	-
Female	106	4	-	1	1	1	4	8	13	21	35	18	-
Atlanta, GA, MSA	18,941	499	94	95	448	929	1,333	1,534	2,467	3,845	4,510	3,185	2
Male	10,019	264	50	57	327	709	954	993	1,522	2,195	2,021	926	1
Female	8,922	235	44	38	121	220	379	541	945	1,650	2,489	2,259	1
White	13,504	191	48	59	245	506	763	949	1,687	2,886	3,534	2,635	1
Male	7,027	102	31	31	179	398	568	624	1,063	1,685	1,596	749	1
Female	6,477	89	17	28	66	108	195	325	624	1,201	1,938	1,886	-
All other	5,437	308	46	36	203	423	570	585	780	959	976	550	1
Male	2,992	162	19	26	148	311	386	369	459	510	425	177	-
Female	2,445	146	27	10	55	112	184	216	321	449	551	373	1
Black	5,335	303	46	35	191	418	562	569	761	945	957	547	1
Male	2,938	160	19	26	138	310	381	361	450	502	414	177	-
Female	2,397	143	27	9	53	108	181	208	311	443	543	370	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 4 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atlantic City, NJ, MSA	3,614	48	10	9	38	95	150	158	377	837	1,060	830	2
Male	1,788	29	7	3	26	69	94	103	208	468	498	282	1
Female	1,826	19	3	6	12	26	56	55	169	369	562	548	1
White	3,043	27	7	6	27	58	102	116	294	722	948	735	1
Male	1,508	15	6	1	18	45	71	82	163	414	449	244	–
Female	1,535	12	1	5	9	13	31	34	131	308	499	491	1
All other	571	21	3	3	11	37	48	42	83	115	112	95	1
Male	280	14	1	2	8	24	23	21	45	54	49	38	1
Female	291	7	2	1	3	13	25	21	38	61	63	57	–
Black	558	21	3	3	10	35	47	41	79	113	110	95	1
Male	272	14	1	2	7	22	23	20	43	53	48	38	1
Female	286	7	2	1	3	13	24	21	36	60	62	57	–
Augusta, GA-SC, MSA	3,437	95	18	22	67	127	182	257	474	832	875	488	–
Male	1,871	62	13	12	52	102	119	183	295	474	411	148	–
Female	1,566	33	5	10	15	25	63	74	179	358	464	340	–
White	2,278	43	9	14	26	56	88	153	315	593	616	365	–
Male	1,231	30	7	7	19	45	63	108	207	344	292	109	–
Female	1,047	13	2	7	7	11	25	45	108	249	324	256	–
All other	1,159	52	9	8	41	71	94	104	159	239	259	123	–
Male	640	32	6	5	33	57	56	75	88	130	119	39	–
Female	519	20	3	3	8	14	38	29	71	109	140	84	–
Black	1,143	52	9	8	39	71	91	104	154	235	257	123	–
Male	635	32	6	5	32	57	55	75	87	129	118	39	–
Female	508	20	3	3	7	14	36	29	67	106	139	84	–
Aurora-Elgin, IL, PMSA	2,416	55	17	10	49	55	108	151	254	499	648	570	–
Male	1,187	28	4	6	33	37	71	93	156	279	299	181	–
Female	1,229	27	13	4	16	18	37	58	98	220	349	389	–
White	2,289	40	15	9	40	47	95	132	242	477	628	564	–
Male	1,122	18	3	5	31	32	63	83	147	270	292	178	–
Female	1,167	22	12	4	9	15	32	49	95	207	336	386	–
All other	127	15	2	1	9	8	13	19	12	22	20	6	–
Male	65	10	1	1	2	5	8	10	9	9	7	3	–
Female	62	5	1	–	7	3	5	9	3	13	13	3	–
Black	117	14	2	1	8	7	12	17	12	21	17	6	–
Male	59	10	1	1	2	4	7	8	9	8	6	3	–
Female	58	4	1	–	6	3	5	9	3	13	11	3	–
Austin, TX, MSA	4,244	79	27	23	115	212	257	295	484	811	1,066	873	2
Male	2,279	44	16	14	89	171	193	196	309	464	527	254	2
Female	1,965	35	11	9	26	41	64	99	175	347	539	619	–
White	3,716	57	18	21	97	178	204	248	403	719	964	807	–
Male	1,973	34	12	13	75	143	153	166	256	413	476	232	–
Female	1,743	23	6	8	22	35	51	82	147	306	488	575	–
All other	528	22	9	2	18	34	53	47	81	92	102	66	2
Male	306	10	4	1	14	28	40	30	53	51	51	22	2
Female	222	12	5	1	4	6	13	17	28	41	51	44	–
Black	509	18	9	2	16	34	52	44	79	90	98	65	2
Male	296	8	4	1	14	28	39	30	52	49	48	21	2
Female	213	10	5	1	2	6	13	14	27	41	50	44	–
Bakersfield, CA, MSA	4,140	134	26	20	116	175	202	276	521	919	1,051	697	3
Male	2,334	78	13	13	92	129	138	179	324	550	556	259	3
Female	1,806	56	13	7	24	46	64	97	197	369	495	438	–
White	3,774	114	23	17	102	157	173	247	484	842	975	637	3
Male	2,114	65	12	11	80	117	121	161	302	508	510	224	3
Female	1,660	49	11	6	22	40	52	86	182	334	465	413	–
All other	366	20	3	3	14	18	29	29	37	77	76	60	–
Male	220	13	1	2	12	12	17	18	22	42	46	35	–
Female	146	7	2	1	2	6	12	11	15	35	30	25	–
Black	261	14	2	2	10	13	22	22	25	63	56	32	–
Male	151	11	–	2	9	9	13	14	15	35	30	13	–
Female	110	3	2	–	1	4	9	8	10	28	26	19	–
Baltimore, MD, MSA	21,430	342	73	68	344	799	1,127	1,446	2,644	5,123	5,481	3,965	18
Male	11,183	193	42	46	268	580	758	909	1,622	2,901	2,639	1,212	13
Female	10,247	149	31	22	76	219	369	537	1,022	2,222	2,842	2,753	5
White	15,118	145	35	32	161	320	496	832	1,706	3,749	4,299	3,336	7
Male	7,611	77	20	21	118	225	334	536	1,066	2,125	2,089	995	5
Female	7,507	68	15	11	43	95	162	296	640	1,624	2,210	2,341	2
All other	6,312	197	38	36	183	479	631	614	938	1,374	1,182	629	11
Male	3,572	116	22	25	150	355	424	373	556	776	550	217	8
Female	2,740	81	16	11	33	124	207	241	382	598	632	412	3
Black	6,204	190	38	35	161	475	625	597	914	1,351	1,165	622	11
Male	3,511	112	22	24	148	353	420	363	539	768	540	214	8
Female	2,693	78	16	11	33	122	205	234	375	583	625	408	3
Bangor, ME, NECMA	1,243	19	3	3	22	22	45	62	148	274	359	286	–
Male	632	17	1	2	14	11	29	43	92	157	171	95	–
Female	611	2	2	1	8	11	16	19	56	117	188	191	–
White	1,238	19	3	3	20	22	44	62	148	274	359	284	–
Male	628	17	1	2	12	11	28	43	92	157	171	94	–
Female	610	2	2	1	8	11	16	19	56	117	188	190	–
All other	5	–	–	–	2	–	1	–	–	–	–	2	–
Male	4	–	–	–	2	–	1	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	1	–	–	–	–	–	–	1	–
Male	2	–	–	–	1	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 5 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Baton Rouge, LA, MSA	3,843	86	9	23	112	145	223	272	508	890	927	647	1
Male	2,065	54	5	15	84	110	162	165	309	513	449	198	1
Female	1,778	32	4	8	28	35	61	107	199	377	478	449	-
White	2,528	36	4	10	59	64	90	158	331	622	667	486	1
Male	1,322	22	3	5	40	49	63	100	206	365	324	144	1
Female	1,206	14	1	5	19	15	27	58	125	257	343	342	-
All other	1,315	50	5	13	53	81	133	114	177	268	260	161	-
Male	743	32	2	10	44	61	99	65	103	148	125	54	-
Female	572	18	3	3	9	20	34	49	74	120	135	107	-
Black	1,304	49	5	13	53	81	130	114	175	264	259	161	-
Male	739	32	2	10	44	61	98	65	103	146	124	54	-
Female	565	17	3	3	9	20	32	49	72	118	135	107	-
Battle Creek, MI, MSA	1,372	19	5	4	16	27	58	80	174	283	407	299	-
Male	698	11	3	3	14	18	39	47	109	165	192	97	-
Female	674	8	2	1	2	9	19	33	65	118	215	202	-
White	1,240	15	3	4	11	21	47	65	157	257	382	278	-
Male	626	10	2	3	9	15	30	39	99	148	182	89	-
Female	614	5	1	1	2	6	17	26	58	109	200	189	-
All other	132	4	2	-	5	6	11	15	17	26	25	21	-
Male	72	1	1	-	5	3	9	8	10	17	10	8	-
Female	60	3	1	-	-	3	2	7	7	9	15	13	-
Black	122	3	1	-	5	5	10	13	16	24	24	21	-
Male	67	1	1	-	5	3	8	7	10	15	9	8	-
Female	55	2	-	-	-	2	2	6	6	9	15	13	-
Beaumont-Port Arthur, TX, MSA	3,554	76	19	23	69	96	121	238	452	803	993	662	2
Male	1,822	42	12	13	46	67	83	144	267	445	494	208	1
Female	1,732	34	7	10	23	29	38	94	185	358	499	454	1
White	2,665	30	8	8	44	61	76	148	301	608	813	566	2
Male	1,357	16	6	5	27	42	51	97	186	342	409	175	1
Female	1,308	14	2	3	17	19	25	51	115	266	404	391	1
All other	889	46	11	15	25	35	45	90	151	195	180	96	-
Male	465	26	6	8	19	25	32	47	81	103	85	33	-
Female	424	20	5	7	6	10	13	43	70	92	95	63	-
Black	871	44	11	14	25	32	42	89	150	195	175	94	-
Male	452	24	6	8	19	22	29	46	80	103	83	32	-
Female	419	20	5	6	6	10	13	43	70	92	92	62	-
Beaver County, PA, PMSA	1,978	32	3	6	21	35	32	93	237	523	604	392	-
Male	1,023	18	1	4	15	23	21	56	140	314	291	140	-
Female	955	14	2	2	6	12	11	37	97	209	313	252	-
White	1,868	26	3	6	18	26	29	84	217	496	588	375	-
Male	963	16	1	4	12	18	20	54	125	295	285	133	-
Female	905	10	2	2	6	8	9	30	92	201	303	242	-
All other	110	6	-	-	3	9	3	9	20	27	16	17	-
Male	60	2	-	-	3	5	1	2	15	19	6	7	-
Female	50	4	-	-	-	4	2	7	5	8	10	10	-
Black	109	6	-	-	3	9	3	9	19	27	16	17	-
Male	59	2	-	-	3	5	1	2	14	19	6	7	-
Female	50	4	-	-	-	4	2	7	5	8	10	10	-
Bellingham, WA, MSA	1,029	9	-	6	16	24	33	39	89	229	286	298	-
Male	533	3	-	4	11	16	20	24	57	144	150	104	-
Female	496	6	-	2	5	8	13	15	32	85	136	194	-
White	999	7	-	5	12	21	32	36	87	223	282	294	-
Male	517	3	-	3	9	15	20	22	55	140	148	102	-
Female	482	4	-	2	3	6	12	14	32	83	134	192	-
All other	30	2	-	1	4	3	1	3	2	6	4	4	-
Male	16	-	-	1	2	1	-	2	2	4	2	2	-
Female	14	2	-	-	2	2	1	1	-	2	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton Harbor, MI, MSA	1,617	33	6	6	25	37	39	83	192	348	444	404	-
Male	836	16	4	4	23	30	24	48	117	202	250	118	-
Female	781	17	2	2	2	7	15	35	75	146	194	286	-
White	1,403	16	4	2	14	29	34	64	164	306	398	372	-
Male	712	6	2	1	13	24	21	39	102	174	227	103	-
Female	691	10	2	1	1	5	13	25	62	132	171	269	-
All other	214	17	2	4	11	8	5	19	28	42	46	32	-
Male	124	10	2	3	10	6	3	9	15	28	23	15	-
Female	90	7	-	1	1	2	2	10	13	14	23	17	-
Black	206	17	2	4	9	7	5	19	27	41	44	31	-
Male	121	10	2	3	8	5	3	9	15	28	23	15	-
Female	85	7	-	1	1	2	2	10	12	13	21	16	-
Bergen-Passaic, NJ, PMSA	11,948	146	17	23	113	279	469	607	1,281	2,608	3,514	2,891	-
Male	5,888	73	7	15	74	192	319	356	777	1,483	1,695	897	-
Female	6,060	73	10	8	39	87	150	251	504	1,125	1,819	1,994	-
White	10,952	97	17	15	91	194	344	478	1,136	2,422	3,357	2,801	-
Male	5,341	50	7	9	57	137	234	281	694	1,378	1,626	868	-
Female	5,611	47	10	6	34	57	110	197	442	1,044	1,731	1,933	-
All other	996	49	-	8	22	85	125	129	145	186	157	90	-
Male	547	23	-	6	17	55	85	75	83	105	69	29	-
Female	449	26	-	2	5	30	40	54	62	81	88	61	-
Black	890	42	-	4	18	82	118	115	126	162	138	85	-
Male	481	19	-	3	14	53	80	67	72	89	58	26	-
Female	409	23	-	1	4	29	38	48	54	73	80	59	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 6 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Billings, MT, MSA	931	12	1	4	22	27	28	43	102	231	276	185	-
Male	483	7	1	3	15	17	16	28	68	125	143	60	-
Female	448	5	-	1	7	10	12	15	34	106	133	125	-
White	913	10	1	4	20	27	26	43	97	227	274	184	-
Male	474	6	1	3	14	17	16	28	64	124	141	60	-
Female	439	4	-	1	6	10	10	15	33	103	133	124	-
All other	18	2	-	-	2	-	2	-	5	4	2	1	-
Male	9	1	-	-	1	-	-	-	4	1	2	-	-
Female	9	1	-	-	1	-	2	-	1	3	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, MS, MSA	1,822	35	6	7	22	70	69	105	270	454	467	317	-
Male	986	20	3	5	17	50	49	76	176	277	223	90	-
Female	836	15	3	2	5	20	20	29	94	177	244	227	-
White	1,523	22	4	4	18	52	54	86	227	398	394	264	-
Male	823	11	3	2	13	37	39	62	151	243	187	75	-
Female	700	11	1	2	5	15	15	24	76	155	207	189	-
All other	299	13	2	3	4	18	15	19	43	56	73	53	-
Male	163	9	-	3	4	13	10	14	25	34	36	15	-
Female	136	4	2	-	-	5	5	5	18	22	37	38	-
Black	288	11	2	3	4	18	15	18	43	56	69	49	-
Male	159	8	-	3	4	13	10	13	25	34	35	14	-
Female	129	3	2	-	-	5	5	5	18	22	34	35	-
Binghamton, NY, MSA	2,583	27	4	4	24	33	71	98	282	623	762	655	-
Male	1,283	18	4	3	15	24	46	47	179	371	379	197	-
Female	1,300	9	-	1	9	9	25	51	103	252	383	458	-
White	2,549	26	4	4	21	31	66	97	275	618	756	651	-
Male	1,261	17	4	3	12	23	41	46	174	367	377	197	-
Female	1,288	9	-	1	9	8	25	51	101	251	379	454	-
All other	34	1	-	-	3	2	5	1	7	5	6	4	-
Male	22	1	-	-	3	1	5	1	5	4	2	-	-
Female	12	-	-	-	-	1	-	-	2	1	4	4	-
Black	29	1	-	-	3	2	5	1	4	4	6	3	-
Male	18	1	-	-	3	1	5	1	2	3	2	-	-
Female	11	-	-	-	-	1	-	-	2	1	4	3	-
Birmingham, AL, MSA	9,232	155	22	39	213	286	410	553	1,121	2,023	2,567	1,843	-
Male	4,782	83	15	26	162	212	271	355	686	1,161	1,248	563	-
Female	4,450	72	7	13	51	74	139	198	435	862	1,319	1,280	-
White	6,404	58	11	19	119	166	205	365	776	1,433	1,832	1,420	-
Male	3,269	28	9	11	82	124	133	245	495	833	898	411	-
Female	3,135	30	2	8	37	42	72	120	281	600	934	1,009	-
All other	2,828	97	11	20	94	120	205	188	345	590	735	423	-
Male	1,513	55	6	15	80	88	138	110	191	328	350	152	-
Female	1,315	42	5	5	14	32	67	78	154	262	385	271	-
Black	2,821	97	11	20	94	119	205	187	345	586	735	422	-
Male	1,509	55	6	15	80	88	138	110	191	324	350	152	-
Female	1,312	42	5	5	14	31	67	77	154	262	385	270	-
Bismarck, ND, MSA	622	14	4	4	7	7	26	22	64	129	181	164	-
Male	321	6	-	2	6	6	14	17	40	78	90	62	-
Female	301	8	4	2	1	1	12	5	24	51	91	102	-
White	614	12	4	4	7	7	23	21	62	129	181	164	-
Male	319	6	-	2	6	6	13	17	39	78	90	62	-
Female	295	6	4	2	1	1	10	4	23	51	91	102	-
All other	8	2	-	-	-	-	3	1	2	-	-	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	6	2	-	-	-	-	2	1	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Bloomington, IN, MSA	597	7	1	4	12	17	22	32	76	120	170	136	-
Male	323	4	1	4	9	13	15	20	55	67	84	51	-
Female	274	3	-	-	3	4	7	12	21	53	86	85	-
White	590	5	1	4	12	16	22	32	74	120	169	135	-
Male	319	3	1	4	9	12	15	20	53	67	84	51	-
Female	271	2	-	-	3	4	7	12	21	53	85	84	-
All other	7	2	-	-	-	1	-	-	2	-	1	1	-
Male	4	1	-	-	-	1	-	-	2	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	1	1	-
Black	6	2	-	-	-	1	-	-	1	-	1	1	-
Male	3	1	-	-	-	1	-	-	1	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	1	1	-
Bloomington-Normal, IL, MSA	915	11	2	3	13	17	22	37	83	191	273	263	-
Male	460	6	1	1	11	13	14	24	57	106	139	88	-
Female	455	5	1	2	2	4	8	13	26	85	134	175	-
White	886	8	2	3	12	17	20	34	81	184	264	261	-
Male	446	5	1	1	10	13	13	22	56	103	134	88	-
Female	440	3	1	2	2	4	7	12	25	81	130	173	-
All other	29	3	-	-	1	-	2	3	2	7	9	2	-
Male	14	1	-	-	1	-	1	2	1	3	5	-	-
Female	15	2	-	-	-	-	1	1	1	4	4	2	-
Black	25	3	-	-	1	-	1	2	2	6	8	2	-
Male	13	1	-	-	1	-	1	2	1	3	4	-	-
Female	12	2	-	-	-	-	-	-	1	3	4	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 7 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Boise City, ID, MSA	1,346	29	3	10	20	20	57	74	134	287	390	322	-
Male	684	16	2	7	12	13	39	42	68	167	218	100	-
Female	662	13	1	3	8	7	18	32	66	120	172	222	-
White	1,338	29	3	10	19	19	55	74	132	286	389	322	-
Male	680	16	2	7	11	12	39	42	67	167	217	100	-
Female	658	13	1	3	8	7	16	32	65	119	172	222	-
All other	8	-	-	-	1	1	2	-	2	1	1	-	-
Male	4	-	-	-	1	1	-	-	1	-	1	-	-
Female	4	-	-	-	-	-	2	-	1	1	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Boston-Lawrence-Salem-Lowell-Brockton, MA, NECMA	32,110	341	52	62	343	733	1,159	1,501	3,398	6,815	9,199	8,501	6
Male	15,306	185	25	44	280	527	819	913	2,074	3,824	4,246	2,363	6
Female	16,804	156	27	18	63	206	340	588	1,324	2,991	4,953	6,138	-
White	30,435	253	33	50	253	599	981	1,340	3,152	6,511	8,977	8,283	3
Male	14,349	136	13	37	204	424	697	810	1,933	3,659	4,131	2,302	3
Female	16,086	117	20	13	49	175	284	530	1,219	2,852	4,846	5,981	-
All other	1,675	88	19	12	90	134	178	161	246	304	222	218	3
Male	957	49	12	7	76	103	122	103	141	165	115	61	3
Female	718	39	7	5	14	31	56	58	105	139	107	157	-
Black	1,429	78	17	11	79	120	159	131	211	254	179	187	3
Male	805	46	10	7	67	90	111	87	121	131	84	48	3
Female	624	32	7	4	12	30	48	44	90	123	95	139	-
Boulder-Longmont, CO, PMSA	1,053	18	5	10	22	39	53	55	99	205	302	245	-
Male	512	11	2	4	18	24	38	37	57	115	134	72	-
Female	541	7	3	6	4	15	15	18	42	90	168	173	-
White	1,038	18	5	9	22	34	50	54	97	204	300	245	-
Male	505	11	2	4	18	22	38	36	56	114	132	72	-
Female	533	7	3	5	4	12	12	18	41	90	168	173	-
All other	15	-	-	1	-	5	3	1	2	1	2	-	-
Male	7	-	-	-	-	2	-	1	1	1	2	-	-
Female	8	-	-	1	-	3	3	-	1	-	-	-	-
Black	6	-	-	-	-	2	1	-	1	1	1	-	-
Male	4	-	-	-	-	1	-	-	1	1	1	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
Bradenton, FL, MSA	2,850	18	2	5	25	39	69	91	240	640	947	774	-
Male	1,545	15	2	2	20	24	51	54	143	391	524	319	-
Female	1,305	3	-	3	5	15	18	37	97	249	423	455	-
White	2,713	13	2	3	23	33	51	77	225	615	915	756	-
Male	1,459	12	2	1	19	21	36	46	133	370	506	313	-
Female	1,254	1	-	2	4	12	15	31	92	245	409	443	-
All other	137	5	-	2	2	6	18	14	15	25	32	18	-
Male	86	3	-	1	1	3	15	8	10	21	18	6	-
Female	51	2	-	1	1	3	3	6	5	4	14	12	-
Black	135	5	-	2	2	6	17	14	15	24	32	18	-
Male	84	3	-	1	1	3	14	8	10	20	18	6	-
Female	51	2	-	1	1	3	3	6	5	4	14	12	-
Brazoria, TX, PMSA	1,223	19	6	6	33	49	56	86	198	251	328	191	-
Male	631	9	5	5	29	41	38	44	124	137	144	55	-
Female	592	10	1	1	4	8	18	42	74	114	184	136	-
White	1,127	18	3	6	32	46	52	78	178	234	302	178	-
Male	576	9	2	5	28	39	35	38	114	127	128	51	-
Female	551	9	1	1	4	7	17	40	64	107	174	127	-
All other	96	1	3	-	1	3	4	8	20	17	26	13	-
Male	55	-	3	-	1	2	3	6	10	10	16	4	-
Female	41	1	-	-	-	1	1	2	10	7	10	9	-
Black	94	1	3	-	1	3	4	8	19	17	25	13	-
Male	54	-	3	-	1	2	3	6	10	10	15	4	-
Female	40	1	-	-	-	1	1	2	9	7	10	9	-
Bremerton, WA, MSA	1,351	31	1	5	23	37	48	70	130	309	385	312	-
Male	680	14	1	2	18	24	30	39	77	181	202	92	-
Female	671	17	-	3	5	13	18	31	53	128	183	220	-
White	1,301	29	1	5	20	32	46	64	126	298	373	307	-
Male	652	13	1	2	15	22	29	36	75	176	194	89	-
Female	649	16	-	3	5	10	17	28	51	122	179	218	-
All other	50	2	-	-	3	5	2	6	4	11	12	5	-
Male	28	1	-	-	3	2	1	3	2	5	8	3	-
Female	22	1	-	-	-	3	1	3	2	6	4	2	-
Black	17	1	-	-	3	2	1	1	1	4	3	1	-
Male	11	1	-	-	3	1	1	-	1	2	1	1	-
Female	6	-	-	-	-	1	-	1	-	2	2	-	-
Bridgeport-Stamford-Norwalk-Danbury, CT, NECMA	6,818	87	18	19	91	191	246	350	736	1,499	1,904	1,677	-
Male	3,322	43	7	10	70	137	164	207	460	837	888	499	-
Female	3,496	44	11	9	21	54	82	143	276	662	1,016	1,178	-
White	6,221	54	13	16	66	137	178	278	652	1,400	1,796	1,631	-
Male	2,974	26	5	7	50	97	120	161	403	779	844	482	-
Female	3,247	28	8	9	16	40	58	117	249	621	952	1,149	-
All other	597	33	5	3	25	54	68	72	84	99	108	46	-
Male	348	17	2	3	20	40	44	46	57	58	44	17	-
Female	249	16	3	-	5	14	24	26	27	41	64	29	-
Black	553	32	4	2	23	51	63	66	78	92	96	46	-
Male	318	16	1	2	18	38	39	42	54	52	39	17	-
Female	235	16	3	-	5	13	24	24	24	40	57	29	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 8 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Brownsville-Harlingen, TX, MSA	1,679	39	18	10	52	37	73	80	173	418	441	324	14
Male	951	23	12	9	45	25	53	42	103	253	243	130	13
Female	728	16	6	1	7	12	20	38	70	165	198	194	1
White	1,669	39	18	10	52	37	72	79	173	413	440	322	14
Male	945	23	12	9	45	25	52	41	103	251	242	129	13
Female	724	16	6	1	7	12	20	38	70	162	198	193	1
All other	10	–	–	–	–	–	1	1	–	5	1	2	–
Male	6	–	–	–	–	–	1	1	–	2	1	1	–
Female	4	–	–	–	–	–	–	–	–	3	–	1	–
Black	7	–	–	–	–	–	1	1	–	3	1	1	–
Male	4	–	–	–	–	–	1	1	–	1	1	–	–
Female	3	–	–	–	–	–	–	–	–	2	–	1	–
Bryan-College Station, TX, MSA	568	11	5	3	15	26	15	45	53	100	181	114	–
Male	303	6	3	2	15	20	11	28	32	52	87	47	–
Female	265	5	2	1	–	6	4	17	21	48	94	67	–
White	453	7	4	2	11	22	10	34	44	78	150	91	–
Male	247	3	2	2	11	18	7	22	27	45	75	35	–
Female	206	4	2	–	–	4	3	12	17	33	75	56	–
All other	115	4	1	1	4	4	5	11	9	22	31	23	–
Male	56	3	1	–	4	2	4	6	5	7	12	12	–
Female	59	1	–	1	–	2	1	5	4	15	19	11	–
Black	111	4	1	1	4	3	5	11	9	21	29	23	–
Male	53	3	1	–	4	1	4	6	5	7	10	12	–
Female	58	1	–	1	–	2	1	5	4	14	19	11	–
Buffalo, NY, PMSA	10,383	144	14	23	81	160	318	501	1,215	2,564	3,158	2,202	3
Male	5,168	80	8	11	60	110	197	300	718	1,481	1,531	660	2
Female	5,215	64	6	12	21	50	121	201	497	1,083	1,627	1,542	1
White	9,247	84	10	17	53	106	234	401	1,027	2,301	2,923	2,088	3
Male	4,555	49	5	9	37	76	147	243	615	1,347	1,403	622	2
Female	4,692	35	5	8	16	30	87	158	412	954	1,520	1,466	1
All other	1,136	60	4	6	28	54	84	100	188	263	235	114	–
Male	613	41	3	2	23	34	50	57	103	134	128	38	–
Female	523	19	1	4	5	20	34	43	85	129	107	76	–
Black	1,093	56	4	5	26	52	84	95	182	250	229	110	–
Male	588	39	3	2	22	33	50	53	97	127	125	37	–
Female	505	17	1	3	4	19	34	42	85	123	104	73	–
Burlington, NC, MSA	1,007	17	3	2	10	27	38	42	115	260	290	203	–
Male	525	7	2	1	6	22	26	22	76	153	151	59	–
Female	482	10	1	1	4	5	12	20	39	107	139	144	–
White	816	7	2	2	4	17	29	24	94	207	249	181	–
Male	420	4	2	1	1	15	19	12	64	121	129	52	–
Female	396	3	–	1	3	2	10	12	30	86	120	129	–
All other	191	10	1	–	6	10	9	18	21	53	41	22	–
Male	105	3	–	–	5	7	7	10	12	32	22	7	–
Female	86	7	1	–	1	3	2	8	9	21	19	15	–
Black	189	10	1	–	6	10	9	18	19	53	41	22	–
Male	104	3	–	–	5	7	7	10	11	32	22	7	–
Female	85	7	1	–	1	3	2	8	8	21	19	15	–
Burlington, VT, NECMA	818	16	2	3	16	17	40	33	110	170	227	184	–
Male	385	9	1	2	9	10	32	19	70	91	101	41	–
Female	433	7	1	1	7	7	8	14	40	79	126	143	–
White	811	16	2	3	15	16	40	32	107	169	227	184	–
Male	380	9	1	2	8	10	32	18	68	90	101	41	–
Female	431	7	1	1	7	6	8	14	39	79	126	143	–
All other	7	–	–	–	1	1	–	1	3	1	–	–	–
Male	5	–	–	–	1	–	–	1	2	1	–	–	–
Female	2	–	–	–	–	1	–	–	1	–	–	–	–
Black	4	–	–	–	–	1	–	1	1	1	–	–	–
Male	3	–	–	–	–	–	–	1	1	1	–	–	–
Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Canton, OH, MSA	3,902	59	10	5	44	62	109	164	462	937	1,137	913	–
Male	1,958	28	7	2	36	44	73	102	272	515	569	310	–
Female	1,944	31	3	3	8	18	36	62	190	422	568	603	–
White	3,658	47	10	5	41	53	94	150	426	878	1,073	881	–
Male	1,821	22	7	2	33	38	65	93	251	480	532	298	–
Female	1,837	25	3	3	8	15	29	57	175	398	541	583	–
All other	244	12	–	–	3	9	15	14	36	59	64	32	–
Male	137	6	–	–	3	6	8	9	21	35	37	12	–
Female	107	6	–	–	–	3	7	5	15	24	27	20	–
Black	241	12	–	–	3	9	15	14	36	59	63	30	–
Male	137	6	–	–	3	6	8	9	21	35	37	12	–
Female	104	6	–	–	–	3	7	5	15	24	26	18	–
Casper, WY, MSA	445	8	1	3	8	12	19	37	63	104	98	92	–
Male	242	4	1	3	4	7	11	21	41	69	51	30	–
Female	203	4	–	–	4	5	8	16	22	35	47	62	–
White	434	7	1	2	7	12	16	34	63	104	98	90	–
Male	232	4	1	2	3	7	8	18	41	69	51	28	–
Female	202	3	–	–	4	5	8	16	22	35	47	62	–
All other	11	1	–	1	1	–	3	3	–	–	–	2	–
Male	10	–	–	1	1	–	3	3	–	–	–	2	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Black	5	–	–	1	–	–	1	2	–	–	–	1	–
Male	5	–	–	1	–	–	1	2	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 9 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cedar Rapids, IA, MSA	1,276	14	6	5	12	23	53	52	127	246	372	366	-
Male	612	11	3	4	12	17	33	29	77	140	181	105	-
Female	664	3	3	1	-	6	20	23	50	106	191	261	-
White	1,257	14	6	5	11	21	50	49	121	244	371	365	-
Male	599	11	3	4	11	15	32	27	73	138	180	105	-
Female	658	3	3	1	-	6	18	22	48	106	191	260	-
All other	19	-	-	-	1	2	3	3	6	2	1	1	-
Male	13	-	-	-	1	2	1	2	4	2	1	-	-
Female	6	-	-	-	-	-	2	1	2	-	-	1	-
Black	14	-	-	-	-	2	2	1	5	2	1	1	-
Male	11	-	-	-	-	2	1	1	4	2	1	-	-
Female	3	-	-	-	-	-	1	-	1	-	-	1	-
Champaign-Urbana-Rantoul, IL, MSA	988	27	4	5	11	32	36	35	112	199	276	251	-
Male	474	20	1	3	9	28	21	20	63	111	126	72	-
Female	514	7	3	2	2	4	15	15	49	88	150	179	-
White	887	17	3	5	8	25	28	27	94	184	262	234	-
Male	416	12	-	3	7	22	17	16	54	102	117	66	-
Female	471	5	3	2	1	3	11	11	40	82	145	168	-
All other	101	10	1	-	3	7	8	8	18	15	14	17	-
Male	58	8	1	-	2	6	4	4	9	9	9	6	-
Female	43	2	-	-	1	1	4	4	9	6	5	11	-
Black	92	8	1	-	3	5	8	7	18	13	14	15	-
Male	53	7	1	-	2	4	4	4	9	7	9	6	-
Female	39	1	-	-	1	1	4	3	9	6	5	9	-
Charleston, SC, MSA	3,547	92	21	13	101	163	219	246	513	837	816	524	2
Male	1,921	45	14	8	79	113	144	168	315	491	397	145	2
Female	1,626	47	7	5	22	50	75	78	198	346	419	379	-
White	2,215	35	12	8	55	84	123	143	322	526	522	384	1
Male	1,193	15	8	5	40	56	81	103	201	323	256	104	1
Female	1,022	20	4	3	15	28	42	40	121	203	266	280	-
All other	1,332	57	9	5	46	79	96	103	191	311	294	140	1
Male	728	30	6	3	39	57	63	65	114	168	141	41	1
Female	604	27	3	2	7	22	33	38	77	143	153	99	-
Black	1,326	57	9	5	46	79	94	103	190	310	293	139	1
Male	725	30	6	3	39	57	62	65	113	168	140	41	1
Female	601	27	3	2	7	22	32	38	77	142	153	98	-
Charleston, WV, MSA	2,745	18	5	11	41	64	89	146	306	682	828	555	-
Male	1,331	13	4	6	29	46	57	93	167	375	385	156	-
Female	1,414	5	1	5	12	18	32	53	139	307	443	399	-
White	2,590	16	5	10	37	60	83	137	290	646	783	523	-
Male	1,266	11	4	6	27	43	51	88	160	363	363	150	-
Female	1,324	5	1	4	10	17	32	49	130	283	420	373	-
All other	155	2	-	1	4	4	6	9	16	36	45	32	-
Male	65	2	-	-	2	3	6	5	7	12	22	6	-
Female	90	-	-	1	2	1	-	4	9	24	23	26	-
Black	152	2	-	1	4	4	6	8	16	35	44	32	-
Male	63	2	-	-	2	3	6	5	7	11	21	6	-
Female	89	-	-	1	2	1	-	3	9	24	23	26	-
Charlotte-Gastonia-Rock Hill, NC-SC, MSA	9,662	188	37	35	175	275	468	667	1,297	2,264	2,502	1,754	-
Male	5,052	113	19	21	141	199	312	446	810	1,301	1,165	525	-
Female	4,610	75	18	14	34	76	156	221	487	963	1,337	1,229	-
White	7,558	103	25	27	117	159	266	456	1,005	1,783	2,099	1,518	-
Male	3,900	66	11	15	91	116	177	310	632	1,049	977	456	-
Female	3,658	37	14	12	26	43	89	146	373	734	1,122	1,062	-
All other	2,104	85	12	8	58	116	202	211	292	481	403	236	-
Male	1,152	47	8	6	50	83	135	136	178	252	188	69	-
Female	952	38	4	2	8	33	67	75	114	229	215	167	-
Black	2,076	84	11	8	58	113	198	206	291	472	400	235	-
Male	1,136	47	7	6	50	80	131	133	177	249	187	69	-
Female	940	37	4	2	8	33	67	73	114	223	213	166	-
Charlottesville, VA, MSA	990	12	2	1	13	19	39	56	95	245	283	225	-
Male	506	8	2	1	6	16	24	36	61	141	141	70	-
Female	484	4	-	-	7	3	15	20	34	104	142	155	-
White	803	6	2	1	10	18	26	39	80	188	239	194	-
Male	405	4	2	1	4	15	17	26	54	107	119	56	-
Female	398	2	-	-	6	3	9	13	26	81	120	138	-
All other	187	6	-	-	3	1	13	17	15	57	44	31	-
Male	101	4	-	-	2	1	7	10	7	34	22	14	-
Female	86	2	-	-	1	-	6	7	8	23	22	17	-
Black	184	5	-	-	3	1	13	17	14	57	43	31	-
Male	100	3	-	-	2	1	7	10	7	34	22	14	-
Female	84	2	-	-	1	-	6	7	7	23	21	17	-
Chattanooga, TN-GA, MSA	4,208	69	11	15	78	99	142	265	535	959	1,213	822	-
Male	2,177	38	7	5	60	74	96	169	322	564	581	261	-
Female	2,031	31	4	10	18	25	46	96	213	395	632	561	-
White	3,543	52	8	13	55	72	115	215	434	810	1,040	729	-
Male	1,836	27	6	4	39	56	78	142	269	489	502	224	-
Female	1,707	25	2	9	16	16	37	73	165	321	538	505	-
All other	665	17	3	2	23	27	27	50	101	149	173	93	-
Male	341	11	1	1	21	18	18	27	53	75	79	37	-
Female	324	6	2	1	2	9	9	23	48	74	94	56	-
Black	663	17	3	2	23	27	27	50	101	148	173	92	-
Male	339	11	1	1	21	18	18	27	53	74	79	36	-
Female	324	6	2	1	2	9	9	23	48	74	94	56	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 10 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cheyenne, WY, MSA	498	12	3	7	14	17	19	26	56	109	138	97	-
Male	251	5	2	5	9	9	10	16	29	62	68	36	-
Female	247	7	1	2	5	8	9	10	27	47	70	61	-
White	485	11	2	7	13	16	18	26	53	107	136	96	-
Male	246	5	1	5	8	9	9	16	29	61	67	36	-
Female	239	6	1	2	5	7	9	10	24	46	69	60	-
All other	13	1	1	-	1	1	1	-	3	2	2	1	-
Male	5	-	1	-	1	-	1	-	-	1	1	-	-
Female	8	1	-	-	-	1	-	-	3	1	1	1	-
Black	8	1	-	-	1	-	1	-	-	2	2	1	-
Male	4	-	-	-	1	-	1	-	-	1	1	-	-
Female	4	1	-	-	-	-	-	-	-	1	1	1	-
Chicago, IL, PMSA	54,603	1,368	224	240	1,000	1,744	2,667	3,414	6,602	12,159	14,370	10,815	-
Male	27,975	758	127	147	782	1,296	1,845	2,143	3,971	6,846	6,722	3,338	-
Female	26,628	610	97	93	218	448	822	1,271	2,631	5,313	7,648	7,477	-
White	40,432	610	114	111	476	858	1,376	1,935	4,452	9,254	11,959	9,287	-
Male	20,083	341	68	70	366	649	982	1,217	2,701	5,251	5,612	2,826	-
Female	20,349	269	46	41	110	209	394	718	1,751	4,003	6,347	6,461	-
All other	14,171	758	110	129	524	886	1,291	1,479	2,150	2,905	2,411	1,528	-
Male	7,892	417	59	77	416	647	863	926	1,270	1,595	1,110	512	-
Female	6,279	341	51	52	108	239	428	553	880	1,310	1,301	1,016	-
Black	13,659	747	108	125	513	865	1,261	1,420	2,064	2,801	2,293	1,462	-
Male	7,598	411	58	73	408	634	845	893	1,215	1,536	1,037	488	-
Female	6,061	336	50	52	105	231	416	527	849	1,265	1,256	974	-
Chico, CA, MSA	1,825	18	8	5	23	37	62	84	168	429	550	441	-
Male	1,010	13	6	3	19	30	45	58	96	262	311	167	-
Female	815	5	2	2	4	7	17	26	72	167	239	274	-
White	1,795	17	7	5	23	35	58	82	165	423	546	434	-
Male	991	12	5	3	19	28	42	56	93	259	310	164	-
Female	804	5	2	2	4	7	16	26	72	164	236	270	-
All other	30	1	1	-	-	2	4	2	3	6	4	7	-
Male	19	1	1	-	-	2	3	2	3	3	1	3	-
Female	11	-	-	-	-	-	1	-	-	3	3	4	-
Black	20	1	1	-	-	1	3	2	2	5	1	4	-
Male	14	1	1	-	-	1	3	2	2	3	-	1	-
Female	6	-	-	-	-	-	-	-	-	2	1	3	-
Cincinnati, OH-KY-IN, PMSA	12,705	221	40	46	160	243	432	719	1,607	2,936	3,475	2,826	-
Male	6,228	146	22	31	114	160	283	423	946	1,604	1,617	882	-
Female	6,477	75	18	15	46	83	149	296	661	1,332	1,858	1,944	-
White	10,949	155	30	37	114	195	355	585	1,317	2,501	3,077	2,583	-
Male	5,297	100	19	26	79	128	236	342	778	1,380	1,423	786	-
Female	5,652	55	11	11	35	67	119	243	539	1,121	1,654	1,797	-
All other	1,756	66	10	9	46	48	77	134	290	435	398	243	-
Male	931	46	3	5	35	32	47	81	168	224	194	96	-
Female	825	20	7	4	11	16	30	53	122	211	204	147	-
Black	1,720	62	10	9	45	48	75	131	286	425	392	237	-
Male	910	43	3	5	35	32	45	78	165	220	191	93	-
Female	810	19	7	4	10	16	30	53	121	205	201	144	-
Clarksville-Hopkinsville, TN-KY, MSA	1,178	31	7	6	39	37	44	72	148	255	322	217	-
Male	639	16	4	3	30	28	26	32	91	162	161	86	-
Female	539	15	3	3	9	9	18	40	57	93	161	131	-
White	922	19	5	4	31	29	35	53	111	199	265	171	-
Male	507	10	4	2	22	23	19	24	74	131	135	63	-
Female	415	9	1	2	9	6	16	29	37	68	130	108	-
All other	256	12	2	2	8	8	9	19	37	56	57	46	-
Male	132	6	-	1	8	5	7	8	17	31	26	23	-
Female	124	6	2	1	-	3	2	11	20	25	31	23	-
Black	252	12	2	2	7	8	8	18	36	56	57	46	-
Male	131	6	-	1	7	5	7	8	17	31	26	23	-
Female	121	6	2	1	-	3	1	10	19	25	31	23	-
Cleveland, OH, PMSA	18,434	328	46	47	212	432	636	921	2,164	4,424	5,392	3,830	2
Male	9,211	196	27	36	161	309	434	566	1,258	2,486	2,579	1,157	2
Female	9,223	132	19	11	51	123	202	355	906	1,938	2,813	2,673	-
White	14,825	156	28	31	119	246	394	635	1,574	3,570	4,656	3,415	1
Male	7,241	94	17	23	83	178	277	393	923	2,016	2,221	1,015	1
Female	7,584	62	11	8	36	68	117	242	651	1,554	2,435	2,400	-
All other	3,609	172	18	16	93	186	242	286	590	854	736	415	1
Male	1,970	102	10	13	78	131	157	173	335	470	358	142	1
Female	1,639	70	8	3	15	55	85	113	255	384	378	273	-
Black	3,577	171	18	16	92	183	242	283	586	845	729	411	1
Male	1,951	101	10	13	77	129	157	171	333	464	354	141	1
Female	1,626	70	8	3	15	54	85	112	253	381	375	270	-
Colorado Springs, CO, MSA	2,315	70	12	21	54	78	134	173	277	465	530	501	-
Male	1,171	38	6	15	38	55	87	90	176	271	234	161	-
Female	1,144	32	6	6	16	23	47	83	101	194	296	340	-
White	2,158	58	8	15	47	65	118	147	258	436	515	491	-
Male	1,087	31	3	10	33	49	75	78	165	257	226	160	-
Female	1,071	27	5	5	14	16	43	69	93	179	289	331	-
All other	157	12	4	6	7	13	16	26	19	29	15	10	-
Male	84	7	3	5	5	6	12	12	11	14	8	1	-
Female	73	5	1	1	2	7	4	14	8	15	7	9	-
Black	133	8	3	6	6	12	14	24	17	23	14	6	-
Male	74	5	2	5	4	6	12	11	10	11	7	1	-
Female	59	3	1	1	2	6	2	13	7	12	7	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 11 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Columbia, MO, MSA	680	20	4	4	20	18	24	38	70	115	189	178	-
Male	355	18	2	3	16	15	16	21	42	65	109	48	-
Female	325	2	2	1	4	3	8	17	28	50	80	130	-
White	611	15	2	3	19	16	21	32	62	103	173	165	-
Male	318	13	1	3	15	13	14	19	38	58	100	44	-
Female	293	2	1	-	4	3	7	13	24	45	73	121	-
All other	69	5	2	1	1	2	3	6	8	12	16	13	-
Male	37	5	1	-	1	2	2	2	4	7	9	4	-
Female	32	-	1	1	-	-	1	4	4	5	7	9	-
Black	62	4	2	1	1	2	3	5	6	12	16	10	-
Male	35	4	1	-	1	2	2	2	3	7	9	4	-
Female	27	-	1	1	-	-	1	3	3	5	7	6	-
Columbia, SC, MSA	3,370	71	12	16	80	144	212	259	469	768	817	522	-
Male	1,737	35	6	11	65	107	138	164	298	423	343	147	-
Female	1,633	36	6	5	15	37	74	95	171	345	474	375	-
White	2,255	31	7	9	44	73	97	136	315	524	613	406	-
Male	1,157	13	3	7	35	58	65	90	207	304	261	114	-
Female	1,098	18	4	2	9	15	32	46	108	220	352	292	-
All other	1,115	40	5	7	36	71	115	123	154	244	204	116	-
Male	580	22	3	4	30	49	73	74	91	119	82	33	-
Female	535	18	2	3	6	22	42	49	63	125	122	83	-
Black	1,095	40	5	7	36	70	111	121	149	240	202	114	-
Male	571	22	3	4	30	48	71	72	90	117	82	32	-
Female	524	18	2	3	6	22	40	49	59	123	120	82	-
Columbus, GA-AL, MSA	2,208	47	11	7	44	71	96	160	328	534	590	320	-
Male	1,127	23	4	5	31	45	67	104	207	302	253	86	-
Female	1,081	24	7	2	13	26	29	56	121	232	337	234	-
White	1,394	20	9	4	25	30	46	83	191	354	388	244	-
Male	718	9	4	2	21	19	40	54	117	213	171	68	-
Female	676	11	5	2	4	11	6	29	74	141	217	176	-
All other	814	27	2	3	19	41	50	77	137	180	202	76	-
Male	409	14	-	3	10	26	27	50	90	89	82	18	-
Female	405	13	2	-	9	15	23	27	47	91	120	58	-
Black	809	27	2	3	19	40	50	76	136	179	201	76	-
Male	408	14	-	3	10	26	27	50	89	89	82	18	-
Female	401	13	2	-	9	14	23	26	47	90	119	58	-
Columbus, OH, MSA	10,801	205	33	40	207	304	400	596	1,395	2,537	2,878	2,206	-
Male	5,362	124	15	20	162	216	264	371	816	1,393	1,322	659	-
Female	5,439	81	18	20	45	88	136	225	579	1,144	1,556	1,547	-
White	9,470	141	23	28	139	232	323	490	1,203	2,235	2,618	2,038	-
Male	4,650	87	12	15	105	173	209	301	701	1,240	1,205	602	-
Female	4,820	54	11	13	34	59	114	189	502	995	1,413	1,436	-
All other	1,331	64	10	12	68	72	77	106	192	302	260	168	-
Male	712	37	3	5	57	43	55	70	115	153	117	57	-
Female	619	27	7	7	11	29	22	36	77	149	143	111	-
Black	1,286	61	10	12	65	67	73	101	188	293	252	164	-
Male	688	36	3	5	55	40	52	66	114	149	112	56	-
Female	598	25	7	7	10	27	21	35	74	144	140	108	-
Corpus Christi, TX, MSA	2,523	49	11	11	56	83	110	161	347	605	632	455	3
Male	1,348	34	7	9	40	57	78	100	201	338	320	162	2
Female	1,175	15	4	2	16	26	32	61	146	267	312	293	1
White	2,360	46	11	11	49	78	103	151	316	562	595	435	3
Male	1,265	31	7	9	33	54	73	94	188	317	301	156	2
Female	1,095	15	4	2	16	24	30	57	128	245	294	279	1
All other	163	3	-	-	7	5	7	10	31	43	37	20	-
Male	83	3	-	-	7	3	5	6	13	21	19	6	-
Female	80	-	-	-	-	2	2	4	18	22	18	14	-
Black	160	3	-	-	7	5	6	9	31	43	36	20	-
Male	81	3	-	-	7	3	4	5	13	21	19	6	-
Female	79	-	-	-	-	2	2	4	18	22	17	14	-
Cumberland, MD-WV, MSA	1,270	15	3	5	8	21	20	50	145	322	399	282	-
Male	615	7	-	4	4	18	13	31	89	177	185	87	-
Female	655	8	3	1	4	3	7	19	56	145	214	195	-
White	1,250	15	3	5	8	19	19	49	141	317	394	280	-
Male	604	7	-	4	4	16	13	30	87	176	181	86	-
Female	646	8	3	1	4	3	6	19	54	141	213	194	-
All other	20	-	-	-	-	2	1	1	4	5	5	2	-
Male	11	-	-	-	-	2	-	1	2	1	4	1	-
Female	9	-	-	-	-	-	1	-	2	4	1	1	-
Black	18	-	-	-	-	2	-	1	4	4	5	2	-
Male	11	-	-	-	-	2	-	1	2	1	4	1	-
Female	7	-	-	-	-	-	-	-	2	3	1	1	-
Dallas, TX, PMSA	16,288	380	63	97	494	878	1,013	1,242	2,093	3,272	3,820	2,930	6
Male	8,684	212	35	64	392	666	728	811	1,282	1,860	1,755	874	5
Female	7,604	168	28	33	102	212	285	431	811	1,412	2,065	2,056	1
White	13,152	247	42	64	301	619	758	895	1,615	2,704	3,276	2,627	4
Male	6,865	133	25	40	234	479	561	598	1,004	1,518	1,499	771	3
Female	6,287	114	17	24	67	140	197	297	611	1,186	1,777	1,856	1
All other	3,136	133	21	33	193	259	255	347	478	568	544	303	2
Male	1,819	79	10	24	158	187	167	213	278	342	256	103	2
Female	1,317	54	11	9	35	72	88	134	200	226	288	200	-
Black	2,998	122	21	30	181	244	242	333	457	541	527	298	2
Male	1,726	72	10	21	149	176	155	206	266	323	245	101	2
Female	1,272	50	11	9	32	68	87	127	191	218	282	197	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 12 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Danville, VA, MSA	1,233	16	2	3	14	30	25	66	164	302	354	257	-
Male	681	10	1	2	11	22	19	43	117	186	181	89	-
Female	552	6	1	1	3	8	6	23	47	116	173	168	-
White	891	6	2	1	7	13	12	37	112	213	274	214	-
Male	483	3	1	1	5	11	8	24	83	134	144	69	-
Female	408	3	1	-	2	2	4	13	29	79	130	145	-
All other	342	10	-	2	7	17	13	29	52	89	80	43	-
Male	198	7	-	1	6	11	11	19	34	52	37	20	-
Female	144	3	-	1	1	6	2	10	18	37	43	23	-
Black	341	10	-	2	7	16	13	29	52	89	80	43	-
Male	197	7	-	1	6	10	11	19	34	52	37	20	-
Female	144	3	-	1	1	6	2	10	18	37	43	23	-
Davenport-Rock Island-Moline, IA-IL, MSA	3,263	38	7	10	42	48	87	153	327	730	999	822	-
Male	1,663	22	2	7	32	29	59	96	200	447	492	277	-
Female	1,600	16	5	3	10	19	28	57	127	283	507	545	-
White	3,122	30	5	9	36	43	76	133	302	703	978	807	-
Male	1,579	18	2	6	26	27	53	82	186	429	480	270	-
Female	1,543	12	3	3	10	16	23	51	116	274	498	537	-
All other	141	8	2	1	6	5	11	20	25	27	21	15	-
Male	84	4	-	1	6	2	6	14	14	18	12	7	-
Female	57	4	2	-	-	3	5	6	11	9	9	8	-
Black	135	8	2	1	6	5	9	19	25	26	21	13	-
Male	81	4	-	1	6	2	6	13	14	17	12	6	-
Female	54	4	2	-	-	3	3	6	11	9	9	7	-
Dayton-Springfield, OH, MSA	8,431	111	29	30	123	189	295	463	1,003	1,989	2,420	1,779	-
Male	4,198	63	17	20	92	133	206	290	576	1,124	1,139	538	-
Female	4,233	48	12	10	31	56	89	173	427	865	1,281	1,241	-
White	7,242	72	20	22	93	129	233	370	815	1,711	2,144	1,633	-
Male	3,559	41	11	16	70	92	162	236	464	967	1,005	495	-
Female	3,683	31	9	6	23	37	71	134	351	744	1,139	1,138	-
All other	1,189	39	9	8	30	60	62	93	188	278	276	146	-
Male	639	22	6	4	22	41	44	54	112	157	134	43	-
Female	550	17	3	4	8	19	18	39	76	121	142	103	-
Black	1,167	37	8	8	30	58	61	90	184	274	273	144	-
Male	631	21	6	4	22	40	43	53	111	155	133	43	-
Female	536	16	2	4	8	18	18	37	73	119	140	101	-
Daytona Beach, FL, MSA	4,717	33	14	7	45	99	150	210	449	1,177	1,438	1,094	1
Male	2,492	14	6	5	32	72	108	139	275	709	726	406	-
Female	2,225	19	8	2	13	27	42	71	174	468	712	688	1
White	4,382	22	9	4	38	84	130	177	416	1,091	1,361	1,050	-
Male	2,333	11	2	2	26	64	96	126	261	667	687	391	-
Female	2,049	11	7	2	12	20	34	51	155	424	674	659	-
All other	335	11	5	3	7	15	20	33	33	86	77	44	1
Male	159	3	4	3	6	8	12	13	14	42	39	15	-
Female	176	8	1	-	1	7	8	20	19	44	38	29	1
Black	330	11	4	3	7	15	20	31	32	86	76	44	1
Male	155	3	3	3	6	8	12	12	13	42	38	15	-
Female	175	8	1	-	1	7	8	19	19	44	38	29	1
Decatur, AL, MSA	1,141	12	2	5	14	35	34	68	162	254	335	220	-
Male	605	6	-	4	12	22	22	40	98	163	159	79	-
Female	536	6	2	1	2	13	12	28	64	91	176	141	-
White	1,008	5	2	3	12	30	25	62	141	229	305	194	-
Male	534	4	-	3	10	20	15	36	88	150	139	69	-
Female	474	1	2	-	2	10	10	26	53	79	166	125	-
All other	133	7	-	2	2	5	9	6	21	25	30	26	-
Male	71	2	-	1	2	2	7	4	10	13	20	10	-
Female	62	5	-	1	-	3	2	2	11	12	10	16	-
Black	132	7	-	2	2	5	9	6	21	25	29	26	-
Male	70	2	-	1	2	2	7	4	10	13	19	10	-
Female	62	5	-	1	-	3	2	2	11	12	10	16	-
Decatur, IL, MSA	1,200	20	7	4	12	17	31	44	125	254	381	305	-
Male	597	12	5	1	9	15	21	28	79	151	174	102	-
Female	603	8	2	3	3	2	10	16	46	103	207	203	-
White	1,094	14	7	3	10	15	21	37	108	232	357	290	-
Male	538	9	5	1	8	14	13	24	71	138	160	95	-
Female	556	5	2	2	2	1	8	13	37	94	197	195	-
All other	106	6	-	1	2	2	10	7	17	22	24	15	-
Male	59	3	-	-	1	1	8	4	8	13	14	7	-
Female	47	3	-	1	1	1	2	3	9	9	10	8	-
Black	105	6	-	-	2	2	10	7	17	22	24	15	-
Male	59	3	-	-	1	1	8	4	8	13	14	7	-
Female	46	3	-	-	1	1	2	3	9	9	10	8	-
Denver, CO, PMSA	10,797	243	42	37	204	405	603	641	1,202	2,277	2,756	2,387	-
Male	5,528	144	20	21	155	324	423	419	722	1,253	1,284	763	-
Female	5,269	99	22	16	49	81	180	222	480	1,024	1,472	1,624	-
White	10,010	190	31	32	179	362	532	570	1,065	2,133	2,628	2,288	-
Male	5,105	114	14	17	135	291	382	370	646	1,187	1,223	726	-
Female	4,905	76	17	15	44	71	150	200	419	946	1,405	1,562	-
All other	787	53	11	5	25	43	71	71	137	144	128	99	-
Male	423	30	6	4	20	33	41	49	76	66	61	37	-
Female	364	23	5	1	5	10	30	22	61	78	67	62	-
Black	638	44	7	4	21	36	60	56	118	116	104	72	-
Male	345	24	4	4	17	28	36	40	66	49	50	27	-
Female	293	20	3	-	4	8	24	16	52	67	54	45	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 13 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, IA, MSA	3,188	76	9	14	43	62	98	165	330	674	903	814	-
Male	1,537	46	2	7	31	36	68	112	194	388	437	216	-
Female	1,651	30	7	7	12	26	30	53	136	286	466	598	-
White	3,036	71	9	14	36	60	90	156	309	630	875	786	-
Male	1,446	43	2	7	26	35	63	104	182	365	416	203	-
Female	1,590	28	7	7	10	25	27	52	127	265	459	583	-
All other	152	5	-	-	7	2	8	9	21	44	28	28	-
Male	91	3	-	-	5	1	5	8	12	23	21	13	-
Female	61	2	-	-	2	1	3	1	9	21	7	15	-
Black	138	5	-	-	6	2	6	7	19	38	27	28	-
Male	83	3	-	-	5	1	4	7	10	20	20	13	-
Female	55	2	-	-	1	1	2	-	9	18	7	15	-
Detroit, MI, PMSA	38,669	844	132	136	754	1,064	1,772	2,392	4,860	9,055	10,337	7,318	5
Male	19,815	478	70	86	594	751	1,127	1,467	2,915	4,923	4,993	2,408	3
Female	18,854	366	62	50	160	313	645	925	1,945	4,132	5,344	4,910	2
White	28,980	344	72	85	339	557	924	1,560	3,494	6,960	8,370	6,273	2
Male	14,470	191	35	48	249	390	576	947	2,124	3,815	4,059	2,035	1
Female	14,510	153	37	37	90	167	348	613	1,370	3,145	4,311	4,238	1
All other	9,689	500	60	51	415	507	848	832	1,366	2,095	1,967	1,045	3
Male	5,345	287	35	38	345	361	551	520	791	1,108	934	373	2
Female	4,344	213	25	13	70	146	297	312	575	987	1,033	672	1
Black	9,465	495	59	49	409	493	834	806	1,329	2,059	1,909	1,020	3
Male	5,214	284	34	36	341	350	544	504	767	1,085	904	363	2
Female	4,251	211	25	13	68	143	290	302	562	974	1,005	657	1
Dothan, AL, MSA	1,085	18	3	8	21	27	38	69	154	248	279	220	-
Male	560	10	1	5	16	18	26	39	106	150	127	62	-
Female	525	8	2	3	5	9	12	30	48	98	152	158	-
White	854	13	1	4	15	16	20	46	120	209	223	187	-
Male	430	5	1	2	12	12	13	25	81	122	103	54	-
Female	424	8	-	2	3	4	7	21	39	87	120	133	-
All other	231	5	2	4	6	11	18	23	34	39	56	33	-
Male	130	5	-	3	4	6	13	14	25	28	24	8	-
Female	101	-	2	1	2	5	5	9	9	11	32	25	-
Black	231	5	2	4	6	11	18	23	34	39	56	33	-
Male	130	5	-	3	4	6	13	14	25	28	24	8	-
Female	101	-	2	1	2	5	5	9	9	11	32	25	-
Dubuque, IA, MSA	843	8	4	2	10	14	13	30	80	177	275	230	-
Male	389	7	3	2	7	12	8	19	49	102	132	48	-
Female	454	1	1	-	3	2	5	11	31	75	143	182	-
White	842	8	4	2	9	14	13	30	80	177	275	230	-
Male	388	7	3	2	6	12	8	19	49	102	132	48	-
Female	454	1	1	-	3	2	5	11	31	75	143	182	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth, MN-WI, MSA	2,731	19	6	9	30	39	57	97	233	562	946	733	-
Male	1,320	11	4	3	19	29	34	58	139	308	475	240	-
Female	1,411	8	2	6	11	10	23	39	94	254	471	493	-
White	2,700	19	5	9	30	35	54	91	230	554	943	730	-
Male	1,305	11	4	3	19	25	32	53	139	305	474	240	-
Female	1,395	8	1	6	11	10	22	38	91	249	469	490	-
All other	31	-	1	-	-	4	3	6	3	8	3	3	-
Male	15	-	-	-	-	4	2	5	-	3	1	-	-
Female	16	-	1	-	-	-	1	1	3	5	2	3	-
Black	4	-	-	-	-	1	-	-	-	1	-	2	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Eau Claire, WI, MSA	1,177	15	3	8	15	21	23	38	79	246	373	356	-
Male	594	11	3	7	9	15	9	27	41	156	189	127	-
Female	583	4	-	1	6	6	14	11	38	90	184	229	-
White	1,171	15	2	8	15	18	23	37	79	246	372	356	-
Male	590	11	2	7	9	12	9	27	41	156	189	127	-
Female	581	4	-	1	6	6	14	10	38	90	183	229	-
All other	6	-	1	-	-	3	-	1	-	-	1	-	-
Male	4	-	1	-	-	3	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, TX, MSA	3,360	97	23	25	89	120	151	206	442	771	820	612	4
Male	1,772	49	14	14	70	93	101	124	258	457	392	196	4
Female	1,588	48	9	11	19	27	50	82	184	314	428	416	-
White	3,256	87	21	25	86	109	139	193	431	757	797	607	4
Male	1,706	45	13	14	68	86	92	116	251	447	377	193	4
Female	1,550	42	8	11	18	23	47	77	180	310	420	414	-
All other	104	10	2	-	3	11	12	13	11	14	23	5	-
Male	66	4	1	-	2	7	9	8	7	10	15	3	-
Female	38	6	1	-	1	4	3	5	4	4	8	2	-
Black	93	10	2	-	3	9	12	12	9	11	20	5	-
Male	60	4	1	-	2	7	9	7	6	8	13	3	-
Female	33	6	1	-	1	2	3	5	3	3	7	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 14 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elkhart-Goshen, IN, MSA	1,174	26	7	9	20	26	41	60	116	270	284	315	-
Male	546	9	5	6	11	20	30	33	73	142	123	94	-
Female	628	17	2	3	9	6	11	27	43	128	161	221	-
White	1,127	21	6	7	19	25	33	55	112	258	279	312	-
Male	520	8	4	4	11	19	23	31	70	135	122	93	-
Female	607	13	2	3	8	6	10	24	42	123	157	219	-
All other	47	5	1	2	1	1	8	5	4	12	5	3	-
Male	26	1	1	2	-	1	7	2	3	7	1	1	-
Female	21	4	-	-	1	-	1	3	1	5	4	2	-
Black	45	5	1	2	1	1	8	5	4	10	5	3	-
Male	26	1	1	2	-	1	7	2	3	7	1	1	-
Female	19	4	-	-	1	-	1	3	1	3	4	2	-
Elmira, NY, MSA	951	11	2	1	8	15	30	44	97	204	293	246	-
Male	457	7	2	-	4	8	18	24	63	117	143	71	-
Female	494	4	-	1	4	7	12	20	34	87	150	175	-
White	932	10	1	1	7	15	29	44	97	199	287	242	-
Male	447	7	1	-	4	8	17	24	63	113	140	70	-
Female	485	3	-	1	3	7	12	20	34	86	147	172	-
All other	19	1	1	-	1	-	1	-	-	5	6	4	-
Male	10	-	1	-	-	-	1	-	-	4	3	1	-
Female	9	1	-	-	1	-	-	-	-	1	3	3	-
Black	17	1	1	-	1	-	1	-	-	4	6	3	-
Male	9	-	1	-	-	-	1	-	-	4	3	-	-
Female	8	1	-	-	1	-	-	-	-	-	3	3	-
Enid, OK, MSA	523	5	1	2	4	15	16	26	57	111	144	142	-
Male	252	3	-	2	2	12	12	13	40	75	59	34	-
Female	271	2	1	-	2	3	4	13	17	36	85	108	-
White	506	4	1	1	4	14	15	25	54	107	141	140	-
Male	241	2	-	1	2	11	11	12	39	72	57	34	-
Female	265	2	1	-	2	3	4	13	15	35	84	106	-
All other	17	1	-	1	-	1	1	1	3	4	3	2	-
Male	11	1	-	1	-	1	1	1	1	3	2	-	-
Female	6	-	-	-	-	-	-	-	2	1	1	2	-
Black	15	-	-	1	-	1	1	1	2	4	3	2	-
Male	10	-	-	1	-	1	1	1	1	3	2	-	-
Female	5	-	-	-	-	-	-	-	1	1	1	2	-
Erie, PA, MSA	2,559	37	4	10	32	40	69	110	292	625	793	547	-
Male	1,270	16	4	7	22	27	40	64	168	346	392	184	-
Female	1,289	21	-	3	10	13	29	46	124	279	401	363	-
White	2,458	26	4	9	28	32	61	100	277	604	780	537	-
Male	1,214	11	4	7	19	21	35	56	162	334	383	182	-
Female	1,244	15	-	2	9	11	26	44	115	270	397	355	-
All other	101	11	-	1	4	8	8	10	15	21	13	10	-
Male	56	5	-	-	3	6	5	8	6	12	9	2	-
Female	45	6	-	1	1	2	3	2	9	9	4	8	-
Black	97	11	-	1	4	7	7	10	14	20	13	10	-
Male	54	5	-	-	3	5	5	8	6	11	9	2	-
Female	43	6	-	1	1	2	2	2	8	9	4	8	-
Eugene-Springfield, OR, MSA	2,268	26	4	18	29	29	77	119	218	528	701	519	-
Male	1,126	13	2	12	22	19	55	71	124	300	350	158	-
Female	1,142	13	2	6	7	10	22	48	94	228	351	361	-
White	2,238	25	4	18	28	27	76	114	213	522	695	516	-
Male	1,104	13	2	12	21	17	54	68	119	295	345	158	-
Female	1,134	12	2	6	7	10	22	46	94	227	350	358	-
All other	30	1	-	-	1	2	1	5	5	6	6	3	-
Male	22	-	-	-	1	2	1	3	5	5	5	-	-
Female	8	1	-	-	-	-	-	2	-	1	1	3	-
Black	5	-	-	-	1	-	1	-	1	1	1	-	-
Male	5	-	-	-	1	-	1	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Evansville, IN-KY, MSA	2,713	35	5	10	36	52	79	126	273	632	788	677	-
Male	1,346	19	5	6	25	37	59	69	163	363	384	216	-
Female	1,367	16	-	4	11	15	20	57	110	269	404	461	-
White	2,521	28	3	9	31	46	72	112	253	597	727	643	-
Male	1,249	15	3	6	23	34	54	60	151	345	355	203	-
Female	1,272	13	-	3	8	12	18	52	102	252	372	440	-
All other	192	7	2	1	5	6	7	14	20	35	61	34	-
Male	97	4	2	-	2	3	5	9	12	18	29	13	-
Female	95	3	-	1	3	3	2	5	8	17	32	21	-
Black	190	7	2	1	5	6	6	13	20	35	61	34	-
Male	97	4	2	-	2	3	5	9	12	18	29	13	-
Female	93	3	-	1	3	3	1	4	8	17	32	21	-
Fargo-Moorhead, ND-MN, MSA	985	14	5	8	15	23	36	30	112	174	272	296	-
Male	497	9	4	6	12	17	25	18	71	101	144	90	-
Female	488	5	1	2	3	6	11	12	41	73	128	206	-
White	982	13	5	8	15	23	34	30	112	174	272	296	-
Male	496	9	4	6	12	17	24	18	71	101	144	90	-
Female	486	4	1	2	3	6	10	12	41	73	128	206	-
All other	3	1	-	-	-	-	2	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 15 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville, NC, MSA	1,558	57	15	14	54	77	97	115	267	360	325	176	1
Male	842	27	9	10	42	54	56	67	162	217	148	50	-
Female	716	30	6	4	12	23	41	48	105	143	177	126	1
White	1,019	27	9	4	31	46	47	70	185	247	222	130	1
Male	552	16	5	3	24	31	27	44	114	158	97	33	-
Female	467	11	4	1	7	15	20	26	71	89	125	97	1
All other	539	30	6	10	23	31	50	45	82	113	103	46	-
Male	290	11	4	7	18	23	29	23	48	59	51	17	-
Female	249	19	2	3	5	8	21	22	34	54	52	29	-
Black	505	29	5	8	22	30	44	42	77	107	99	42	-
Male	274	11	3	6	17	22	25	21	45	58	50	16	-
Female	231	18	2	2	5	8	19	21	32	49	49	26	-
Fayetteville-Springdale, AR, MSA	934	25	3	3	20	25	43	52	104	199	268	192	-
Male	484	14	2	3	17	13	29	34	66	113	123	70	-
Female	450	11	1	-	3	12	14	18	38	86	145	122	-
White	924	23	3	3	19	24	43	52	103	195	267	192	-
Male	480	13	2	3	16	12	29	34	66	112	123	70	-
Female	444	10	1	-	3	12	14	18	37	83	144	122	-
All other	10	2	-	-	1	1	-	-	1	4	1	-	-
Male	4	1	-	-	1	1	-	-	-	1	-	-	-
Female	6	1	-	-	-	-	-	-	1	3	1	-	-
Black	7	1	-	-	1	1	-	-	1	2	1	-	-
Male	3	1	-	-	1	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	2	1	-	-
Flint, MI, MSA	3,526	88	16	19	70	111	141	221	526	782	880	672	-
Male	1,831	51	9	9	59	80	95	118	311	451	418	230	-
Female	1,695	37	7	10	11	31	46	103	215	331	462	442	-
White	2,906	45	10	10	36	69	92	159	414	653	791	627	-
Male	1,477	27	5	6	28	55	66	87	252	365	371	215	-
Female	1,429	18	5	4	8	14	26	72	162	288	420	412	-
All other	620	43	6	9	34	42	49	62	112	129	89	45	-
Male	354	24	4	3	31	25	29	31	59	86	47	15	-
Female	266	19	2	6	3	17	20	31	53	43	42	30	-
Black	603	43	6	9	33	41	49	62	107	125	85	43	-
Male	346	24	4	3	31	24	29	31	57	84	45	14	-
Female	257	19	2	6	2	17	20	31	50	41	40	29	-
Florence, AL, MSA	1,331	14	2	3	31	22	52	95	174	336	357	245	-
Male	735	10	2	3	23	16	31	70	117	208	166	89	-
Female	596	4	-	-	8	6	21	25	57	128	191	156	-
White	1,172	12	1	2	28	17	45	81	149	301	320	216	-
Male	645	9	1	2	22	13	28	58	104	184	147	77	-
Female	527	3	-	-	6	4	17	23	45	117	173	139	-
All other	159	2	1	1	3	5	7	14	25	35	37	29	-
Male	90	1	1	1	1	3	3	12	13	24	19	12	-
Female	69	1	-	-	2	2	4	2	12	11	18	17	-
Black	159	2	1	1	3	5	7	14	25	35	37	29	-
Male	90	1	1	1	1	3	3	12	13	24	19	12	-
Female	69	1	-	-	2	2	4	2	12	11	18	17	-
Florence, SC, MSA	1,114	34	2	5	24	41	47	76	170	285	283	147	-
Male	565	16	1	4	19	23	28	47	105	157	128	37	-
Female	549	18	1	1	5	18	19	29	65	128	155	110	-
White	665	9	2	3	17	13	18	40	91	183	187	102	-
Male	341	8	1	3	14	6	9	27	59	98	91	25	-
Female	324	1	1	-	3	7	9	13	32	85	96	77	-
All other	449	25	-	2	7	28	29	36	79	102	96	45	-
Male	224	8	-	1	5	17	19	20	46	59	37	12	-
Female	225	17	-	1	2	11	10	16	33	43	59	33	-
Black	447	25	-	2	7	28	29	35	79	102	95	45	-
Male	223	8	-	1	5	17	19	20	46	59	36	12	-
Female	224	17	-	1	2	11	10	15	33	43	59	33	-
Fort Collins-Loveland, CO, MSA	1,184	23	2	8	28	23	35	67	115	230	348	305	-
Male	589	13	2	4	21	15	22	35	72	143	158	104	-
Female	595	10	-	4	7	8	13	32	43	87	190	201	-
White	1,177	22	2	8	28	23	35	65	115	228	347	304	-
Male	586	13	2	4	21	15	22	35	72	141	157	104	-
Female	591	9	-	4	7	8	13	30	43	87	190	200	-
All other	7	1	-	-	-	-	-	2	-	2	1	1	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	4	1	-	-	-	-	-	2	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Lauderdale-Hollywood-Pompano Beach, FL, PMSA	14,792	196	51	25	130	399	566	698	1,264	2,948	4,971	3,544	-
Male	7,937	98	26	17	90	286	400	460	784	1,675	2,589	1,512	-
Female	6,855	98	25	8	40	113	166	238	480	1,273	2,382	2,032	-
White	13,416	79	26	11	81	270	410	563	1,052	2,704	4,768	3,452	-
Male	7,156	37	13	6	53	211	303	376	655	1,533	2,494	1,475	-
Female	6,260	42	13	5	28	59	107	187	397	1,171	2,274	1,977	-
All other	1,376	117	25	14	49	129	156	135	212	244	203	92	-
Male	781	61	13	11	37	75	97	84	129	142	95	37	-
Female	595	56	12	3	12	54	59	51	83	102	108	55	-
Black	1,332	113	25	14	48	127	150	133	202	233	196	91	-
Male	758	61	13	11	37	73	93	83	124	138	89	36	-
Female	574	52	12	3	11	54	57	50	78	95	107	55	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 16 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Myers-Cape Coral, FL, MSA	3,742	35	9	9	39	93	102	144	405	948	1,207	749	2
Male	2,150	23	5	6	25	67	71	88	262	579	725	297	2
Female	1,592	12	4	3	14	26	31	56	143	369	482	452	-
White	3,557	27	8	8	31	74	84	125	372	912	1,177	737	2
Male	2,044	17	5	6	20	58	59	76	241	556	710	294	2
Female	1,513	10	3	2	11	16	25	49	131	356	467	443	-
All other	185	8	1	1	8	19	18	19	33	36	30	12	-
Male	106	6	-	-	5	9	12	12	21	23	15	3	-
Female	79	2	1	1	3	10	6	7	12	13	15	9	-
Black	184	8	1	1	8	19	18	19	32	36	30	12	-
Male	106	6	-	-	5	9	12	12	21	23	15	3	-
Female	78	2	1	1	3	10	6	7	11	13	15	9	-
Fort Pierce, FL, MSA	2,890	35	9	6	37	57	89	140	296	785	934	502	-
Male	1,660	20	5	5	25	42	64	79	190	492	525	213	-
Female	1,230	15	4	1	12	15	25	61	106	293	409	289	-
White	2,614	16	6	6	21	34	73	106	262	721	885	484	-
Male	1,491	10	3	5	13	26	54	57	167	449	503	204	-
Female	1,123	6	3	1	8	8	19	49	95	272	382	280	-
All other	276	19	3	-	16	23	16	34	34	64	49	18	-
Male	169	10	2	-	12	16	10	22	23	43	22	9	-
Female	107	9	1	-	4	7	6	12	11	21	27	9	-
Black	258	15	3	-	11	17	16	33	34	62	49	18	-
Male	154	8	2	-	7	10	10	21	23	42	22	9	-
Female	104	7	1	-	4	7	6	12	11	20	27	9	-
Fort Smith, AR-OK, MSA	1,705	29	5	8	21	47	56	92	197	387	480	383	-
Male	887	12	4	4	14	32	37	61	124	229	239	131	-
Female	818	17	1	4	7	15	19	31	73	158	241	252	-
White	1,604	24	4	6	19	42	50	87	191	364	450	367	-
Male	832	12	3	3	12	28	33	59	118	215	223	126	-
Female	772	12	1	3	7	14	17	28	73	149	227	241	-
All other	101	5	1	2	2	5	6	5	6	23	30	16	-
Male	55	-	1	1	2	4	4	2	6	14	16	5	-
Female	46	5	-	1	-	1	2	3	-	9	14	11	-
Black	72	4	1	2	2	2	3	-	4	16	23	15	-
Male	37	-	1	1	2	2	2	-	4	10	11	4	-
Female	35	4	-	1	-	-	1	-	-	6	12	11	-
Fort Walton Beach, FL, MSA	980	14	2	4	26	28	47	63	149	273	225	149	-
Male	545	10	1	2	25	16	32	40	94	165	116	44	-
Female	435	4	1	2	1	12	15	23	55	108	109	105	-
White	908	8	2	2	24	21	45	59	140	252	208	147	-
Male	503	5	1	-	24	14	31	37	88	153	107	43	-
Female	405	3	1	2	-	7	14	22	52	99	101	104	-
All other	72	6	-	2	2	7	2	4	9	21	17	2	-
Male	42	5	-	2	1	2	1	3	6	12	9	1	-
Female	30	1	-	-	1	5	1	1	3	9	8	1	-
Black	68	6	-	2	1	7	1	4	8	21	16	2	-
Male	40	5	-	2	1	2	1	3	5	12	8	1	-
Female	28	1	-	-	-	5	-	1	3	9	8	1	-
Fort Wayne, IN, MSA	2,935	60	9	13	65	69	89	154	315	652	790	719	-
Male	1,470	29	6	10	48	50	57	90	198	376	388	218	-
Female	1,465	31	3	3	17	19	32	64	117	276	402	501	-
White	2,702	47	6	8	49	56	75	133	283	599	746	700	-
Male	1,346	24	4	6	36	42	50	77	180	344	366	217	-
Female	1,356	23	2	2	13	14	25	56	103	255	380	483	-
All other	233	13	3	5	16	13	14	21	32	53	44	19	-
Male	124	5	2	4	12	8	7	13	18	32	22	1	-
Female	109	8	1	1	4	5	7	8	14	21	22	18	-
Black	230	13	3	5	14	13	14	21	32	52	44	19	-
Male	121	5	2	4	10	8	7	13	18	31	22	1	-
Female	109	8	1	1	4	5	7	8	14	21	22	18	-
Fort Worth-Arlington, TX, PMSA	8,964	210	43	56	228	366	434	616	1,141	1,967	2,199	1,702	2
Male	4,608	116	25	30	176	275	298	378	695	1,051	1,076	487	1
Female	4,356	94	18	26	52	91	136	238	446	916	1,123	1,215	1
White	7,757	147	33	43	168	268	340	499	971	1,754	1,973	1,559	2
Male	3,958	81	21	26	125	198	239	313	601	940	974	439	1
Female	3,799	66	12	17	43	70	101	186	370	814	999	1,120	1
All other	1,207	63	10	13	60	98	94	117	170	213	226	143	-
Male	650	35	4	4	51	77	59	65	94	111	102	48	-
Female	557	28	6	9	9	21	35	52	76	102	124	95	-
Black	1,154	61	8	12	57	93	90	109	166	201	216	141	-
Male	624	34	3	4	49	73	57	63	92	105	96	48	-
Female	530	27	5	8	8	20	33	46	74	96	120	93	-
Fresno, CA, MSA	4,988	157	27	32	145	194	209	320	552	1,017	1,299	1,031	5
Male	2,681	93	12	19	112	141	152	209	341	597	658	344	3
Female	2,307	64	15	13	33	53	57	111	211	420	641	687	2
White	4,463	119	20	26	124	166	175	270	486	927	1,185	960	5
Male	2,372	70	9	15	94	122	131	176	298	543	592	319	3
Female	2,091	49	11	11	30	44	44	94	188	384	593	641	2
All other	525	38	7	6	21	28	34	50	66	90	114	71	-
Male	309	23	3	4	18	19	21	33	43	54	66	25	-
Female	216	15	4	2	3	9	13	17	23	36	48	46	-
Black	307	21	2	2	13	17	21	29	47	50	67	38	-
Male	175	13	2	1	11	13	11	17	27	31	35	14	-
Female	132	8	-	1	2	4	10	12	20	19	32	24	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 17 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gadsden, AL, MSA	1,190	11	2	9	25	25	45	67	134	274	388	210	-
Male	612	5	1	5	21	16	33	44	76	167	187	57	-
Female	578	6	1	4	4	9	12	23	58	107	201	153	-
White	1,019	8	2	5	19	21	37	55	115	234	339	184	-
Male	523	4	1	2	16	14	27	37	67	147	159	49	-
Female	496	4	1	3	3	7	10	18	48	87	180	135	-
All other	171	3	-	4	6	4	8	12	19	40	49	26	-
Male	89	1	-	3	5	2	6	7	9	20	28	8	-
Female	82	2	-	1	1	2	2	5	10	20	21	18	-
Black	171	3	-	4	6	4	8	12	19	40	49	26	-
Male	89	1	-	3	5	2	6	7	9	20	28	8	-
Female	82	2	-	1	1	2	2	5	10	20	21	18	-
Gainesville, FL, MSA	1,504	30	8	9	41	45	81	98	150	339	390	313	-
Male	801	23	6	7	29	32	54	57	97	181	202	113	-
Female	703	7	2	2	12	13	27	41	53	158	188	200	-
White	1,154	16	4	7	26	27	54	60	117	262	317	264	-
Male	613	14	2	6	16	24	38	40	78	141	163	91	-
Female	541	2	2	1	10	3	16	20	39	121	154	173	-
All other	350	14	4	2	15	18	27	38	33	77	73	49	-
Male	188	9	4	1	13	8	16	17	19	40	39	22	-
Female	162	5	-	1	2	10	11	21	14	37	34	27	-
Black	347	14	4	2	14	17	27	37	33	77	73	49	-
Male	186	9	4	1	12	7	16	17	19	40	39	22	-
Female	161	5	-	1	2	10	11	20	14	37	34	27	-
Galveston-Texas City, TX, PMSA	1,877	52	5	17	45	57	112	131	234	440	476	307	1
Male	1,050	38	3	9	35	39	86	101	138	263	239	99	-
Female	827	14	2	8	10	18	26	30	96	177	237	208	1
White	1,498	30	5	12	28	46	83	105	174	359	405	250	1
Male	842	22	3	7	19	30	66	83	110	222	203	77	-
Female	656	8	2	5	9	16	17	22	64	137	202	173	1
All other	379	22	-	5	17	11	29	26	60	81	71	57	-
Male	208	16	-	2	16	9	20	18	28	41	36	22	-
Female	171	6	-	3	1	2	9	8	32	40	35	35	-
Black	374	22	-	5	17	11	28	26	58	81	69	57	-
Male	207	16	-	2	16	9	20	18	28	41	35	22	-
Female	167	6	-	3	1	2	8	8	30	40	34	35	-
Gary-Hammond, IN, PMSA	5,542	103	16	27	88	170	274	350	706	1,389	1,509	909	1
Male	2,865	65	10	17	61	118	177	212	409	769	723	303	1
Female	2,677	38	6	10	27	52	97	138	297	620	786	606	-
White	4,284	58	10	19	46	98	171	242	519	1,108	1,236	777	-
Male	2,189	40	4	11	26	75	109	152	303	615	599	255	-
Female	2,095	18	6	8	20	23	62	90	216	493	637	522	-
All other	1,258	45	6	8	42	72	103	108	187	281	273	132	1
Male	676	25	6	6	35	43	68	60	106	154	124	48	1
Female	582	20	-	2	7	29	35	48	81	127	149	84	-
Black	1,254	45	6	8	42	72	103	108	187	279	271	132	1
Male	674	25	6	6	35	43	68	60	106	154	122	48	1
Female	580	20	-	2	7	29	35	48	81	125	149	84	-
Glens Falls, NY, MSA	1,143	6	2	4	14	19	34	52	129	251	339	293	-
Male	553	4	2	3	13	10	26	36	72	133	171	83	-
Female	590	2	-	1	1	9	8	16	57	118	168	210	-
White	1,134	6	1	4	14	19	31	51	128	250	339	291	-
Male	546	4	1	3	13	10	23	35	72	132	171	82	-
Female	588	2	-	1	1	9	8	16	56	118	168	209	-
All other	9	-	1	-	-	-	3	1	1	1	-	2	-
Male	7	-	1	-	-	-	3	1	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Black	8	-	1	-	-	-	3	1	-	1	-	2	-
Male	7	-	1	-	-	-	3	1	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Grand Forks, ND, MSA	417	2	1	-	2	3	7	29	44	84	102	143	-
Male	216	2	-	-	2	3	5	15	33	60	51	45	-
Female	201	-	1	-	-	-	2	14	11	24	51	98	-
White	407	2	1	-	2	2	7	23	43	84	100	143	-
Male	210	2	-	-	2	2	5	12	32	60	50	45	-
Female	197	-	1	-	-	-	2	11	11	24	50	98	-
All other	10	-	-	-	-	1	-	6	1	-	2	-	-
Male	6	-	-	-	-	1	-	3	1	-	1	-	-
Female	4	-	-	-	-	-	-	3	-	-	1	-	-
Black	3	-	-	-	-	1	-	1	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Grand Rapids, MI, MSA	4,943	119	18	20	78	88	159	260	497	1,017	1,411	1,276	-
Male	2,465	76	9	15	59	57	103	153	287	584	690	432	-
Female	2,478	43	9	5	19	31	56	107	210	433	721	844	-
White	4,629	88	15	15	61	70	143	228	457	958	1,354	1,240	-
Male	2,293	55	8	10	44	42	91	135	267	554	668	419	-
Female	2,336	33	7	5	17	28	52	93	190	404	686	821	-
All other	314	31	3	5	17	18	16	32	40	59	57	36	-
Male	172	21	1	5	15	15	12	18	20	30	22	13	-
Female	142	10	2	-	2	3	4	14	20	29	35	23	-
Black	278	30	1	4	14	16	14	26	37	54	51	31	-
Male	154	20	-	4	13	13	10	15	18	30	19	12	-
Female	124	10	1	-	1	3	4	11	19	24	32	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 18 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Great Falls, MT, MSA	692	10	3	2	13	14	18	43	83	160	186	160	-
Male	352	4	2	2	8	9	12	25	47	96	93	54	-
Female	340	6	1	-	5	5	6	18	36	64	93	106	-
White	661	7	2	2	11	12	18	36	74	159	181	159	-
Male	335	2	1	2	6	8	12	23	42	96	90	53	-
Female	326	5	1	-	5	4	6	13	32	63	91	106	-
All other	31	3	1	-	2	2	-	7	9	1	5	1	-
Male	17	2	1	-	2	1	-	2	5	-	3	1	-
Female	14	1	-	-	-	1	-	5	4	1	2	-	-
Black	4	1	-	-	-	-	-	1	1	-	1	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Greeley, CO, MSA	864	15	5	7	31	17	39	47	81	186	226	210	-
Male	434	7	2	4	22	11	25	33	46	105	110	69	-
Female	430	8	3	3	9	6	14	14	35	81	116	141	-
White	854	14	5	7	31	16	39	47	81	181	226	207	-
Male	427	6	2	4	22	10	25	33	46	102	110	67	-
Female	427	8	3	3	9	6	14	14	35	79	116	140	-
All other	10	1	-	-	-	1	-	-	-	5	-	3	-
Male	7	1	-	-	-	1	-	-	-	3	-	2	-
Female	3	-	-	-	-	-	-	-	-	2	-	1	-
Black	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	3	1	-	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Green Bay, WI, MSA	1,360	29	9	3	24	23	37	52	127	277	434	345	-
Male	734	19	7	1	15	18	22	37	88	169	235	123	-
Female	626	10	2	2	9	5	15	15	39	108	199	222	-
White	1,339	27	6	2	22	22	37	51	125	275	428	344	-
Male	720	18	4	-	13	17	22	36	87	169	232	122	-
Female	619	9	2	2	9	5	15	15	38	106	196	222	-
All other	21	2	3	1	2	1	-	1	2	2	6	1	-
Male	14	1	3	1	2	1	-	1	1	-	3	1	-
Female	7	1	-	-	-	-	-	-	1	2	3	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Greensboro--Winston-Salem--High Point, NC, MSA	8,415	152	32	33	137	216	350	517	1,046	1,868	2,292	1,771	1
Male	4,334	91	22	20	92	160	224	336	633	1,103	1,091	562	-
Female	4,081	61	10	13	45	56	126	181	413	765	1,201	1,209	1
White	6,738	74	20	25	96	123	209	371	817	1,537	1,917	1,548	1
Male	3,435	42	13	14	65	93	131	239	500	918	935	485	-
Female	3,303	32	7	11	31	30	78	132	317	619	982	1,063	1
All other	1,677	78	12	8	41	93	141	146	229	331	375	223	-
Male	899	49	9	6	27	67	93	97	133	185	156	77	-
Female	778	29	3	2	14	26	48	49	96	146	219	146	-
Black	1,664	75	12	8	41	92	139	142	227	330	375	223	-
Male	890	47	9	6	27	66	91	94	133	184	156	77	-
Female	774	28	3	2	14	26	48	48	94	146	219	146	-
Greenville-Spartanburg, SC, MSA	5,532	84	12	21	91	152	253	410	785	1,316	1,470	938	-
Male	2,920	45	7	11	68	109	175	246	482	780	699	298	-
Female	2,612	39	5	10	23	43	78	164	303	536	771	640	-
White	4,549	60	10	14	66	103	170	299	639	1,086	1,252	850	-
Male	2,402	37	6	6	45	75	119	185	396	670	596	267	-
Female	2,147	23	4	8	21	28	51	114	243	416	656	583	-
All other	983	24	2	7	25	49	83	111	146	230	218	88	-
Male	518	8	1	5	23	34	56	61	86	110	103	31	-
Female	465	16	1	2	2	15	27	50	60	120	115	57	-
Black	978	24	2	7	24	48	83	110	145	230	218	87	-
Male	513	8	1	5	22	33	56	60	85	110	103	30	-
Female	465	16	1	2	2	15	27	50	60	120	115	57	-
Hagerstown, MD, MSA	1,125	15	4	5	13	23	26	44	132	274	342	247	-
Male	554	11	2	5	10	19	16	28	74	142	167	80	-
Female	571	4	2	-	3	4	10	16	58	132	175	167	-
White	1,098	15	4	5	12	21	25	41	125	268	341	241	-
Male	539	11	2	5	9	17	16	26	71	138	167	77	-
Female	559	4	2	-	3	4	9	15	54	130	174	164	-
All other	27	-	-	-	1	2	1	3	7	6	1	6	-
Male	15	-	-	-	1	2	-	2	3	4	-	3	-
Female	12	-	-	-	-	-	1	1	4	2	1	3	-
Black	26	-	-	-	1	2	1	2	7	6	1	6	-
Male	14	-	-	-	1	2	-	1	3	4	-	3	-
Female	12	-	-	-	-	-	1	1	4	2	1	3	-
Hamilton-Middletown, OH, PMSA	2,165	33	5	6	40	49	59	122	293	537	583	438	-
Male	1,069	18	5	5	26	40	39	58	174	311	264	129	-
Female	1,096	15	-	1	14	9	20	64	119	226	319	309	-
White	2,050	31	5	6	38	45	52	117	278	510	551	417	-
Male	1,007	17	5	5	25	37	35	55	163	294	249	122	-
Female	1,043	14	-	1	13	8	17	62	115	216	302	295	-
All other	115	2	-	-	2	4	7	5	15	27	32	21	-
Male	62	1	-	-	1	3	4	3	11	17	15	7	-
Female	53	1	-	-	1	1	3	2	4	10	17	14	-
Black	104	1	-	-	1	3	5	4	13	26	31	20	-
Male	57	-	-	-	1	3	3	3	10	17	14	6	-
Female	47	1	-	-	-	-	2	1	3	9	17	14	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 19 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Harrisburg-Lebanon-Carlisle, PA, MSA	5,401	64	11	15	54	84	150	249	610	1,266	1,590	1,308	-
Male	2,673	42	7	8	37	60	96	155	379	716	766	407	-
Female	2,728	22	4	7	17	24	54	94	231	550	824	901	-
White	5,016	49	10	8	45	75	117	208	555	1,173	1,520	1,256	-
Male	2,462	33	6	5	29	53	82	128	349	664	729	384	-
Female	2,554	16	4	3	16	22	35	80	206	509	791	872	-
All other	385	15	1	7	9	9	33	41	55	93	70	52	-
Male	211	9	1	3	8	7	14	27	30	52	37	23	-
Female	174	6	-	4	1	2	19	14	25	41	33	29	-
Black	366	15	1	7	7	9	32	37	53	89	65	51	-
Male	203	9	1	3	7	7	14	25	29	49	36	23	-
Female	163	6	-	4	-	2	18	12	24	40	29	28	-
Hartford-New Britain-Middletown, CT, NECMA	9,510	125	28	20	112	206	342	454	974	2,121	2,726	2,402	-
Male	4,742	66	13	13	81	143	244	285	604	1,185	1,324	784	-
Female	4,768	59	15	7	31	63	98	169	370	936	1,402	1,618	-
White	8,871	92	22	17	93	161	274	378	866	2,004	2,619	2,345	-
Male	4,388	50	8	12	68	111	195	239	537	1,126	1,279	763	-
Female	4,483	42	14	5	25	50	79	139	329	878	1,340	1,582	-
All other	639	33	6	3	19	45	68	76	108	117	107	57	-
Male	354	16	5	1	13	32	49	46	67	59	45	21	-
Female	285	17	1	2	6	13	19	30	41	58	62	36	-
Black	593	29	5	3	18	45	66	72	102	106	95	52	-
Male	326	14	4	1	13	32	48	43	62	51	41	17	-
Female	267	15	1	2	5	13	18	29	40	55	54	35	-
Hickory-Morganton, NC, MSA	1,932	32	5	3	43	66	78	145	244	428	527	361	-
Male	1,051	14	4	1	34	51	58	97	148	276	256	112	-
Female	881	18	1	2	9	15	20	48	96	152	271	249	-
White	1,780	29	5	3	33	61	71	123	222	399	489	345	-
Male	962	12	4	1	25	49	54	83	132	257	238	107	-
Female	818	17	1	2	8	12	17	40	90	142	251	238	-
All other	152	3	-	-	10	5	7	22	22	29	38	16	-
Male	89	2	-	-	9	2	4	14	16	19	18	5	-
Female	63	1	-	-	1	3	3	8	6	10	20	11	-
Black	150	3	-	-	10	5	6	22	21	29	38	16	-
Male	88	2	-	-	9	2	4	14	15	19	18	5	-
Female	62	1	-	-	1	3	2	8	6	10	20	11	-
Honolulu, HI, MSA	4,874	106	17	18	62	134	232	300	569	1,163	1,247	1,025	1
Male	2,768	59	12	13	48	98	162	179	331	691	746	428	1
Female	2,106	47	5	5	14	36	70	121	238	472	501	597	-
White	1,396	25	4	5	20	50	81	97	156	322	375	260	1
Male	785	15	2	3	18	40	65	65	93	195	198	90	1
Female	611	10	2	2	2	10	16	32	63	127	177	170	-
All other	3,478	81	13	13	42	84	151	203	413	841	872	765	-
Male	1,983	44	10	10	30	58	97	114	238	496	548	338	-
Female	1,495	37	3	3	12	26	54	89	175	345	324	427	-
Black	62	18	2	-	9	3	8	2	5	8	4	3	-
Male	38	4	1	-	8	2	8	2	3	7	3	-	-
Female	24	14	1	-	1	1	-	-	2	1	1	3	-
Houma-Thibodaux, LA, MSA	1,387	27	9	11	42	55	64	114	197	316	332	220	-
Male	769	17	4	6	30	45	36	74	115	189	175	78	-
Female	618	10	5	5	12	10	28	40	82	127	157	142	-
White	1,152	18	7	9	35	39	50	86	156	275	281	196	-
Male	626	11	4	5	24	31	29	56	91	163	147	65	-
Female	526	7	3	4	11	8	21	30	65	112	134	131	-
All other	235	9	2	2	7	16	14	28	41	41	51	24	-
Male	143	6	-	1	6	14	7	18	24	26	28	13	-
Female	92	3	2	1	1	2	7	10	17	15	23	11	-
Black	206	9	1	2	5	11	14	25	34	39	44	22	-
Male	121	6	-	1	4	10	7	16	17	25	23	12	-
Female	85	3	1	1	1	1	7	9	17	14	21	10	-
Houston, TX, PMSA	20,801	533	143	155	718	1,242	1,554	1,706	2,907	4,206	4,485	3,143	9
Male	11,605	285	86	87	543	968	1,131	1,132	1,780	2,412	2,160	1,012	9
Female	9,196	248	57	68	175	274	423	574	1,127	1,794	2,325	2,131	-
White	15,776	315	95	115	462	840	1,074	1,245	2,154	3,249	3,634	2,584	9
Male	8,799	170	59	67	351	689	809	824	1,351	1,898	1,761	811	9
Female	6,977	145	36	48	111	151	265	421	803	1,351	1,873	1,773	-
All other	5,025	218	48	40	256	402	480	461	753	957	851	559	-
Male	2,806	115	27	20	192	279	322	308	429	514	399	201	-
Female	2,219	103	21	20	64	123	158	153	324	443	452	358	-
Black	4,762	206	46	34	235	379	452	443	717	903	812	535	-
Male	2,653	109	26	17	180	261	303	292	407	486	379	193	-
Female	2,109	97	20	17	55	118	149	151	310	417	433	342	-
Huntington-Ashland, WV-KY-OH, MSA	3,461	37	9	10	41	65	105	180	433	819	1,041	721	-
Male	1,809	20	3	7	32	42	68	112	275	475	523	252	-
Female	1,652	17	6	3	9	23	37	68	158	344	518	469	-
White	3,374	33	9	10	40	63	97	174	421	802	1,025	700	-
Male	1,761	18	3	7	31	41	63	107	270	463	512	246	-
Female	1,613	15	6	3	9	22	34	67	151	339	513	454	-
All other	87	4	-	-	1	2	8	6	12	17	16	21	-
Male	48	2	-	-	1	1	5	5	5	12	11	6	-
Female	39	2	-	-	-	1	3	1	7	5	5	15	-
Black	84	4	-	-	1	2	8	6	11	16	15	21	-
Male	45	2	-	-	1	1	5	5	4	11	10	6	-
Female	39	2	-	-	-	1	3	1	7	5	5	15	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Huntsville, AL, MSA	1,689	32	8	10	35	47	76	140	236	393	403	309	-
Male	890	17	5	7	26	36	48	86	153	240	177	95	-
Female	799	15	3	3	9	11	28	54	83	153	226	214	-
White	1,353	21	6	7	21	33	52	99	186	321	343	264	-
Male	715	11	3	5	16	26	34	61	128	200	150	81	-
Female	638	10	3	2	5	7	18	38	58	121	193	183	-
All other	336	11	2	3	14	14	24	41	50	72	60	45	-
Male	175	6	2	2	10	10	14	25	25	40	27	14	-
Female	161	5	-	1	4	4	10	16	25	32	33	31	-
Black	330	11	2	3	14	14	23	41	48	70	59	45	-
Male	172	6	2	2	10	10	14	25	23	39	27	14	-
Female	158	5	-	1	4	4	9	16	25	31	32	31	-
Indianapolis, IN, MSA	10,607	208	33	38	177	330	427	555	1,281	2,376	2,718	2,464	-
Male	5,264	129	19	25	129	240	282	323	796	1,322	1,283	716	-
Female	5,343	79	14	13	48	90	145	232	485	1,054	1,435	1,748	-
White	8,944	127	26	30	122	263	319	439	1,052	1,993	2,357	2,216	-
Male	4,411	81	15	21	88	199	222	250	661	1,111	1,119	644	-
Female	4,533	46	11	9	34	64	97	189	391	882	1,238	1,572	-
All other	1,663	81	7	8	55	67	108	116	229	383	361	248	-
Male	853	48	4	4	41	41	60	73	135	211	164	72	-
Female	810	33	3	4	14	26	48	43	94	172	197	176	-
Black	1,644	81	7	8	54	66	107	113	227	377	358	246	-
Male	843	48	4	4	40	40	60	71	135	206	163	72	-
Female	801	33	3	4	14	26	47	42	92	171	195	174	-
Iowa City, IA, MSA	452	12	3	3	9	16	21	32	46	82	106	122	-
Male	254	9	1	2	8	11	15	21	31	51	62	43	-
Female	198	3	2	1	1	5	6	11	15	31	44	79	-
White	446	12	3	3	8	13	21	32	44	82	106	122	-
Male	250	9	1	2	7	9	15	21	30	51	62	43	-
Female	196	3	2	1	1	4	6	11	14	31	44	79	-
All other	6	-	-	-	1	3	-	-	2	-	-	-	-
Male	4	-	-	-	1	2	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Jackson, MI, MSA	1,387	16	6	4	22	34	49	64	159	321	381	330	1
Male	691	10	2	4	19	25	29	42	97	178	185	99	1
Female	696	6	4	-	3	9	20	22	62	143	196	231	-
White	1,295	14	5	4	19	29	38	55	147	305	363	315	1
Male	640	10	2	4	16	22	20	34	87	169	178	97	1
Female	655	4	3	-	3	7	18	21	60	136	185	218	-
All other	92	2	1	-	3	5	11	9	12	16	18	15	-
Male	51	-	-	-	3	3	9	8	10	9	7	2	-
Female	41	2	1	-	-	2	2	1	2	7	11	13	-
Black	86	2	1	-	3	4	11	9	10	15	18	13	-
Male	48	-	-	-	3	3	9	8	8	8	7	2	-
Female	38	2	1	-	-	1	2	1	2	7	11	11	-
Jackson, MS, MSA	3,323	72	13	20	93	124	174	213	441	703	837	633	-
Male	1,776	41	7	17	70	90	124	142	279	395	397	214	-
Female	1,547	31	6	3	23	34	50	71	162	308	440	419	-
White	1,925	24	4	9	36	50	78	104	247	432	531	410	-
Male	1,023	16	1	8	24	37	56	74	172	256	250	129	-
Female	902	8	3	1	12	13	22	30	75	176	281	281	-
All other	1,398	48	9	11	57	74	96	109	194	271	306	223	-
Male	753	25	6	9	46	53	68	68	107	139	147	85	-
Female	645	23	3	2	11	21	28	41	87	132	159	138	-
Black	1,395	48	9	11	57	74	96	108	193	270	306	223	-
Male	752	25	6	9	46	53	68	67	107	139	147	85	-
Female	643	23	3	2	11	21	28	41	86	131	159	138	-
Jackson, TN, MSA	824	11	2	5	12	25	38	42	92	181	232	184	-
Male	429	4	1	4	11	19	24	29	58	114	110	55	-
Female	395	7	1	1	1	6	14	13	34	67	122	129	-
White	570	4	1	2	7	11	21	24	73	118	168	141	-
Male	289	1	1	2	6	7	11	15	52	78	77	39	-
Female	281	3	-	-	1	4	10	9	21	40	91	102	-
All other	254	7	1	3	5	14	17	18	19	63	64	43	-
Male	140	3	-	2	5	12	13	14	6	36	33	16	-
Female	114	4	1	1	-	2	4	4	13	27	31	27	-
Black	254	7	1	3	5	14	17	18	19	63	64	43	-
Male	140	3	-	2	5	12	13	14	6	36	33	16	-
Female	114	4	1	1	-	2	4	4	13	27	31	27	-
Jacksonville, FL, MSA	7,787	160	37	38	161	267	371	500	1,055	1,870	1,982	1,342	4
Male	4,015	87	21	19	127	192	262	291	640	1,033	935	405	3
Female	3,772	73	16	19	34	75	109	209	415	837	1,047	937	1
White	5,973	83	27	23	89	161	245	344	790	1,464	1,619	1,128	-
Male	3,047	47	15	12	68	122	178	207	485	819	768	326	-
Female	2,926	36	12	11	21	39	67	137	305	645	851	802	-
All other	1,814	77	10	15	72	106	126	156	265	406	363	214	4
Male	968	40	6	7	59	70	84	84	155	214	167	79	3
Female	846	37	4	8	13	36	42	72	110	192	196	135	1
Black	1,790	77	9	15	72	106	124	153	259	400	359	212	4
Male	956	40	5	7	59	70	84	83	152	211	164	78	3
Female	834	37	4	8	13	36	40	70	107	189	195	134	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 21 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jacksonville, NC, MSA	602	35	5	6	34	27	31	44	100	124	120	75	1
Male	301	23	3	3	22	18	26	20	52	68	43	23	-
Female	301	12	2	3	12	9	5	24	48	56	77	52	1
White	475	22	-	5	24	18	26	34	80	109	99	57	1
Male	236	15	-	2	16	11	22	15	41	60	35	19	-
Female	239	7	-	3	8	7	4	19	39	49	64	38	1
All other	127	13	5	1	10	9	5	10	20	15	21	18	-
Male	65	8	3	1	6	7	4	5	11	8	8	4	-
Female	62	5	2	-	4	2	1	5	9	7	13	14	-
Black	123	13	5	1	9	9	5	9	19	15	21	17	-
Male	64	8	3	1	5	7	4	5	11	8	8	4	-
Female	59	5	2	-	4	2	1	4	8	7	13	13	-
Jamestown-Dunkirk, NY, MSA	1,533	10	3	6	14	15	32	61	148	350	475	419	-
Male	740	6	3	5	9	10	18	36	92	198	231	132	-
Female	793	4	-	1	5	5	14	25	56	152	244	287	-
White	1,519	10	3	6	14	15	32	61	142	347	473	416	-
Male	732	6	3	5	9	10	18	36	87	196	230	132	-
Female	787	4	-	1	5	5	14	25	55	151	243	284	-
All other	14	-	-	-	-	-	-	-	6	3	2	3	-
Male	8	-	-	-	-	-	-	-	5	2	1	-	-
Female	6	-	-	-	-	-	-	-	1	1	1	3	-
Black	12	-	-	-	-	-	-	-	6	2	2	2	-
Male	7	-	-	-	-	-	-	-	5	1	1	-	-
Female	5	-	-	-	-	-	-	-	1	1	1	2	-
Janesville-Beloit, WI, MSA	1,223	19	5	4	15	20	20	63	140	238	372	327	-
Male	620	9	3	1	11	16	10	36	88	140	195	111	-
Female	603	10	2	3	4	4	10	27	52	98	177	216	-
White	1,189	17	4	4	15	17	17	55	136	235	365	324	-
Male	601	8	3	1	11	13	8	31	84	139	193	110	-
Female	588	9	1	3	4	4	9	24	52	96	172	214	-
All other	34	2	1	-	-	3	3	8	4	3	7	3	-
Male	19	1	-	-	-	3	2	5	4	1	2	1	-
Female	15	1	1	-	-	-	1	3	-	2	5	2	-
Black	33	2	1	-	-	3	3	8	4	3	6	3	-
Male	19	1	-	-	-	3	2	5	4	1	2	1	-
Female	14	1	1	-	-	-	1	3	-	2	4	2	-
Jersey City, NJ, PMSA	5,372	93	18	12	61	259	354	330	634	1,260	1,397	950	4
Male	2,811	51	10	9	39	188	261	224	385	698	646	298	2
Female	2,561	42	8	3	22	71	93	106	249	562	751	652	2
White	4,616	56	10	7	38	188	242	241	520	1,121	1,295	894	4
Male	2,363	31	5	5	23	136	179	168	312	625	597	280	2
Female	2,253	25	5	2	15	52	63	73	208	496	698	614	2
All other	756	37	8	5	23	71	112	89	114	139	102	56	-
Male	448	20	5	4	16	52	82	56	73	73	49	18	-
Female	308	17	3	1	7	19	30	33	41	66	53	38	-
Black	696	36	7	5	21	69	109	79	102	128	90	50	-
Male	408	19	5	4	16	50	80	49	65	65	41	14	-
Female	288	17	2	1	5	19	29	30	37	63	49	36	-
Johnson City-Kingsport-Bristol, TN-VA, MSA	4,503	34	11	14	60	89	147	237	565	1,090	1,294	962	-
Male	2,346	19	6	11	47	66	92	162	358	621	656	308	-
Female	2,157	15	5	3	13	23	55	75	207	469	638	654	-
White	4,386	33	11	13	59	87	139	232	553	1,060	1,256	943	-
Male	2,294	18	6	10	46	64	88	158	351	607	640	306	-
Female	2,092	15	5	3	13	23	51	74	202	453	616	637	-
All other	117	1	-	1	1	2	8	5	12	30	38	19	-
Male	52	1	-	1	1	2	4	4	7	14	16	2	-
Female	65	-	-	-	-	-	4	1	5	16	22	17	-
Black	114	1	-	1	1	2	8	5	12	29	37	18	-
Male	51	1	-	1	1	2	4	4	7	14	16	1	-
Female	63	-	-	-	-	-	4	1	5	15	21	17	-
Johnstown, PA, MSA	2,736	18	3	2	33	25	51	95	288	715	924	582	-
Male	1,423	9	2	1	24	19	40	57	172	423	471	205	-
Female	1,313	9	1	1	9	6	11	38	116	292	453	377	-
White	2,700	17	2	2	31	24	49	94	284	701	919	577	-
Male	1,402	9	1	1	23	19	39	57	170	413	467	203	-
Female	1,298	8	1	1	8	5	10	37	114	288	452	374	-
All other	36	1	1	-	2	1	2	1	4	14	5	5	-
Male	21	-	1	-	1	-	1	-	2	10	4	2	-
Female	15	1	-	-	1	1	1	1	2	4	1	3	-
Black	33	1	1	-	1	1	1	1	3	14	5	5	-
Male	21	-	1	-	1	-	1	-	2	10	4	2	-
Female	12	1	-	-	-	1	-	1	1	4	1	3	-
Joliet, IL, PMSA	2,586	60	6	9	44	67	111	164	345	584	700	495	1
Male	1,321	37	3	7	30	49	78	101	206	332	318	159	1
Female	1,265	23	3	2	14	18	33	63	139	252	382	336	-
White	2,385	47	4	9	33	51	88	145	308	549	673	477	1
Male	1,212	30	2	7	21	38	64	89	188	311	308	153	1
Female	1,173	17	2	2	12	13	24	56	120	238	365	324	-
All other	201	13	2	-	11	16	23	19	37	35	27	18	-
Male	109	7	1	-	9	11	14	12	18	21	10	6	-
Female	92	6	1	-	2	5	9	7	19	14	17	12	-
Black	198	13	2	-	11	16	22	19	37	35	26	17	-
Male	107	7	1	-	9	11	14	12	18	21	9	5	-
Female	91	6	1	-	2	5	8	7	19	14	17	12	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 22 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, MO, MSA	1,416	15	6	4	27	23	50	59	135	323	420	354	-
Male	720	8	3	2	22	17	30	42	91	190	205	110	-
Female	696	7	3	2	5	6	20	17	44	133	215	244	-
White	1,400	15	6	4	27	22	50	58	134	317	415	352	-
Male	712	8	3	2	22	16	30	42	91	186	203	109	-
Female	688	7	3	2	5	6	20	16	43	131	212	243	-
All other	16	-	-	-	-	1	-	1	1	6	5	2	-
Male	8	-	-	-	-	1	-	-	-	4	2	1	-
Female	8	-	-	-	-	-	-	1	1	2	3	1	-
Black	12	-	-	-	-	-	-	1	1	5	3	2	-
Male	6	-	-	-	-	-	-	-	-	4	1	1	-
Female	6	-	-	-	-	-	-	1	1	1	2	1	-
Kalamazoo, MI, MSA	1,610	39	10	8	16	47	64	97	175	329	433	392	-
Male	766	26	3	5	10	26	35	60	101	188	199	113	-
Female	844	13	7	3	6	21	29	37	74	141	234	279	-
White	1,470	22	10	7	11	41	42	87	157	303	413	377	-
Male	688	14	3	5	7	22	24	54	86	174	190	109	-
Female	782	8	7	2	4	19	18	33	71	129	223	268	-
All other	140	17	-	1	5	6	22	10	18	26	20	15	-
Male	78	12	-	-	3	4	11	6	15	14	9	4	-
Female	62	5	-	1	2	2	11	4	3	12	11	11	-
Black	131	17	-	1	4	5	21	9	16	24	19	15	-
Male	72	12	-	-	2	3	11	5	13	13	9	4	-
Female	59	5	-	1	2	2	10	4	3	11	10	11	-
Kankakee, IL, MSA	1,019	21	6	1	28	17	40	62	119	218	290	217	-
Male	544	11	4	1	21	12	24	36	78	130	139	88	-
Female	475	10	2	-	7	5	16	26	41	88	151	129	-
White	836	6	3	1	16	13	19	45	95	188	256	194	-
Male	443	4	2	1	12	9	10	27	61	119	119	79	-
Female	393	2	1	-	4	4	9	18	34	69	137	115	-
All other	183	15	3	-	12	4	21	17	24	30	34	23	-
Male	101	7	2	-	9	3	14	9	17	11	20	9	-
Female	82	8	1	-	3	1	7	8	7	19	14	14	-
Black	180	15	3	-	12	4	21	17	23	30	33	22	-
Male	99	7	2	-	9	3	14	9	16	11	20	8	-
Female	81	8	1	-	3	1	7	8	7	19	13	14	-
Kansas City, MO-KS, MSA	13,108	214	46	58	241	405	494	758	1,536	2,805	3,515	3,036	2
Male	6,629	133	24	32	178	304	329	469	939	1,594	1,668	957	2
Female	6,479	81	22	24	63	101	165	289	597	1,211	1,847	2,079	-
White	11,149	135	30	37	166	295	374	601	1,266	2,398	3,113	2,732	2
Male	5,603	84	15	19	120	221	251	378	793	1,379	1,491	850	2
Female	5,546	51	15	18	46	74	123	223	473	1,019	1,622	1,882	-
All other	1,959	79	16	19	75	110	120	157	270	407	402	304	-
Male	1,026	49	9	13	58	83	78	91	146	215	177	107	-
Female	933	30	7	6	17	27	42	66	124	192	225	197	-
Black	1,889	78	15	19	72	104	117	149	257	394	391	293	-
Male	989	48	9	13	55	78	77	86	141	204	174	104	-
Female	900	30	6	6	17	26	40	63	116	190	217	189	-
Kenosha, WI, PMSA	1,065	10	3	7	20	23	27	45	106	238	333	253	-
Male	529	5	1	4	15	12	15	29	58	143	165	82	-
Female	536	5	2	3	5	11	12	16	48	95	168	171	-
White	1,046	9	3	6	19	22	25	44	104	232	330	252	-
Male	521	4	1	4	14	12	14	29	57	141	163	82	-
Female	525	5	2	2	5	10	11	15	47	91	167	170	-
All other	19	1	-	1	1	1	2	1	2	6	3	1	-
Male	8	1	-	-	1	-	1	-	1	2	2	-	-
Female	11	-	-	1	-	1	1	1	1	4	1	1	-
Black	17	1	-	1	-	1	1	1	2	6	3	1	-
Male	7	1	-	-	-	-	1	-	1	2	2	-	-
Female	10	-	-	1	-	1	-	1	1	4	1	1	-
Killeen-Temple, TX, MSA	1,574	41	12	4	32	52	65	95	198	344	393	338	-
Male	819	18	5	2	25	30	33	60	132	207	202	105	-
Female	755	23	7	2	7	22	32	35	66	137	191	233	-
White	1,386	32	7	3	24	34	50	79	169	312	353	323	-
Male	715	13	3	2	18	17	29	48	116	189	182	98	-
Female	671	19	4	1	6	17	21	31	53	123	171	225	-
All other	188	9	5	1	8	18	15	16	29	32	40	15	-
Male	104	5	2	-	7	13	4	12	16	18	20	7	-
Female	84	4	3	1	1	5	11	4	13	14	20	8	-
Black	177	9	5	1	7	16	14	14	26	30	40	15	-
Male	101	5	2	-	6	12	4	12	16	17	20	7	-
Female	76	4	3	1	1	4	10	2	10	13	20	8	-
Knoxville, TN, MSA	5,518	75	11	19	60	128	193	348	690	1,271	1,615	1,107	1
Male	2,845	51	5	11	45	90	141	223	422	728	792	336	1
Female	2,673	24	6	8	15	38	52	125	268	543	823	771	-
White	5,099	55	10	16	57	113	169	310	629	1,180	1,515	1,045	-
Male	2,624	43	4	9	42	80	120	202	385	681	746	312	-
Female	2,475	12	6	7	15	33	49	108	244	499	769	733	-
All other	419	20	1	3	3	15	24	38	61	91	100	62	1
Male	221	8	1	2	3	10	21	21	37	47	46	24	1
Female	198	12	-	1	-	5	3	17	24	44	54	38	-
Black	409	20	-	3	3	14	23	38	61	89	98	59	1
Male	214	8	-	2	3	9	20	21	37	46	45	22	1
Female	195	12	-	1	-	5	3	17	24	43	53	37	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 23 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, IN, MSA	893	22	3	-	14	8	32	49	107	183	263	212	-
Male	435	10	1	-	7	3	23	26	59	110	134	62	-
Female	458	12	2	-	7	5	9	23	48	73	129	150	-
White	857	22	3	-	14	6	32	45	97	177	255	206	-
Male	421	10	1	-	7	3	23	22	53	109	131	62	-
Female	436	12	2	-	7	3	9	23	44	68	124	144	-
All other	36	-	-	-	-	2	-	4	10	6	8	6	-
Male	14	-	-	-	-	-	-	4	6	1	3	-	-
Female	22	-	-	-	-	2	-	-	4	5	5	6	-
Black	34	-	-	-	-	2	-	3	9	6	8	6	-
Male	13	-	-	-	-	-	-	3	6	1	3	-	-
Female	21	-	-	-	-	2	-	-	3	5	5	6	-
La Crosse, WI, MSA	832	9	2	-	9	12	17	23	66	150	273	271	-
Male	419	7	1	-	8	9	11	15	45	98	144	81	-
Female	413	2	1	-	1	3	6	8	21	52	129	190	-
White	827	8	2	-	9	11	17	23	66	148	272	271	-
Male	414	6	1	-	8	8	11	15	45	96	143	81	-
Female	413	2	1	-	1	3	6	8	21	52	129	190	-
All other	5	1	-	-	-	1	-	-	-	2	1	-	-
Male	5	1	-	-	-	1	-	-	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, LA, MSA	1,432	31	8	8	25	55	62	106	206	305	352	274	-
Male	761	21	4	5	20	42	43	60	130	172	178	86	-
Female	671	10	4	3	5	13	19	46	76	133	174	188	-
White	1,061	14	6	5	19	33	40	72	148	230	272	222	-
Male	547	10	4	3	16	25	31	40	94	133	129	62	-
Female	514	4	2	2	3	8	9	32	54	97	143	160	-
All other	371	17	2	3	6	22	22	34	58	75	80	52	-
Male	214	11	-	2	4	17	12	20	36	39	49	24	-
Female	157	6	2	1	2	5	10	14	22	36	31	28	-
Black	369	17	2	3	6	22	21	34	58	75	80	51	-
Male	213	11	-	2	4	17	11	20	36	39	49	24	-
Female	156	6	2	1	2	5	10	14	22	36	31	27	-
Lafayette-West Lafayette, IN, MSA	955	11	6	1	11	18	35	43	98	226	266	240	-
Male	495	5	3	-	8	14	22	25	63	125	152	78	-
Female	460	6	3	1	3	4	13	18	35	101	114	162	-
White	933	10	5	1	11	15	35	42	96	219	263	236	-
Male	481	4	3	-	8	12	22	24	61	121	150	76	-
Female	452	6	2	1	3	3	13	18	35	98	113	160	-
All other	22	1	1	-	-	3	-	1	2	7	3	4	-
Male	14	1	-	-	-	2	-	1	2	4	2	2	-
Female	8	-	1	-	-	1	-	-	-	3	1	2	-
Black	14	1	-	-	-	-	-	1	1	4	3	4	-
Male	9	1	-	-	-	-	-	1	1	2	2	2	-
Female	5	-	-	-	-	-	-	-	-	2	1	2	-
Lake Charles, LA, MSA	1,495	30	12	5	34	53	69	95	229	348	398	222	-
Male	814	21	5	1	27	43	46	57	142	202	201	69	-
Female	681	9	7	4	7	10	23	38	87	146	197	153	-
White	1,128	20	4	4	24	32	39	72	167	256	326	184	-
Male	598	15	1	1	18	26	26	44	101	147	164	55	-
Female	530	5	3	3	6	6	13	28	66	109	162	129	-
All other	367	10	8	1	10	21	30	23	62	92	72	38	-
Male	216	6	4	-	9	17	20	13	41	55	37	14	-
Female	151	4	4	1	1	4	10	10	21	37	35	24	-
Black	365	10	8	1	10	21	30	22	62	92	71	38	-
Male	215	6	4	-	9	17	20	13	41	55	36	14	-
Female	150	4	4	1	1	4	10	9	21	37	35	24	-
Lake County, IL, PMSA	3,098	66	10	22	54	101	120	208	377	659	822	659	-
Male	1,554	38	6	14	33	76	71	117	225	385	365	224	-
Female	1,544	28	4	8	21	25	49	91	152	274	457	435	-
White	2,862	55	6	20	45	88	97	189	336	601	785	640	-
Male	1,426	31	3	14	28	66	60	106	199	355	348	216	-
Female	1,436	24	3	6	17	22	37	83	137	246	437	424	-
All other	236	11	4	2	9	13	23	19	41	58	37	19	-
Male	128	7	3	-	5	10	11	11	26	30	17	8	-
Female	108	4	1	2	4	3	12	8	15	28	20	11	-
Black	214	11	2	-	8	12	21	19	39	53	32	17	-
Male	118	7	2	-	5	10	11	11	24	27	15	6	-
Female	96	4	-	-	3	2	10	8	15	26	17	11	-
Lakeland-Winter Haven, FL, MSA	4,201	68	14	13	70	105	130	203	494	1,010	1,226	868	-
Male	2,334	38	8	8	50	68	87	128	330	634	662	321	-
Female	1,867	30	6	5	20	37	43	75	164	376	564	547	-
White	3,712	41	12	9	56	79	97	163	423	905	1,117	810	-
Male	2,054	20	8	6	43	50	72	102	284	574	602	293	-
Female	1,658	21	4	3	13	29	25	61	139	331	515	517	-
All other	489	27	2	4	14	26	33	40	71	105	109	58	-
Male	280	18	-	2	7	18	15	26	46	60	60	28	-
Female	209	9	2	2	7	8	18	14	25	45	49	30	-
Black	484	27	2	4	14	25	32	39	71	103	109	58	-
Male	276	18	-	2	7	17	14	25	46	59	60	28	-
Female	208	9	2	2	7	8	18	14	25	44	49	30	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 24 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lancaster, PA, MSA	3,642	66	6	12	38	58	88	142	365	749	1,088	1,030	-
Male	1,758	42	3	5	23	45	59	82	215	429	512	343	-
Female	1,884	24	3	7	15	13	29	60	150	320	576	687	-
White	3,564	63	5	10	34	54	81	134	351	733	1,078	1,021	-
Male	1,707	40	3	5	20	42	55	74	206	417	508	337	-
Female	1,857	23	2	5	14	12	26	60	145	316	570	684	-
All other	78	3	1	2	4	4	7	8	14	16	10	9	-
Male	51	2	-	-	3	3	4	8	9	12	4	6	-
Female	27	1	1	2	1	1	3	-	5	4	6	3	-
Black	69	3	1	1	2	3	7	6	14	15	9	8	-
Male	45	2	-	-	2	2	4	6	9	11	4	5	-
Female	24	1	1	1	-	1	3	-	5	4	5	3	-
Lansing-East Lansing, MI, MSA	2,732	43	15	10	60	65	112	148	308	585	737	649	-
Male	1,357	28	6	7	39	43	74	89	178	327	358	208	-
Female	1,375	15	9	3	21	22	38	59	130	258	379	441	-
White	2,556	32	14	9	47	53	102	129	287	545	700	638	-
Male	1,261	22	6	6	30	33	68	76	169	306	339	206	-
Female	1,295	10	8	3	17	20	34	53	118	239	361	432	-
All other	176	11	1	1	13	12	10	19	21	40	37	11	-
Male	96	6	-	1	9	10	6	13	9	21	19	2	-
Female	80	5	1	-	4	2	4	6	12	19	18	9	-
Black	154	11	1	1	12	11	6	17	18	36	31	10	-
Male	85	6	-	1	8	9	3	13	8	18	17	2	-
Female	69	5	1	-	4	2	3	4	10	18	14	8	-
Laredo, TX, MSA	696	34	7	6	17	24	35	40	77	143	168	133	12
Male	378	19	6	4	16	19	26	25	49	74	80	50	10
Female	318	15	1	2	1	5	9	15	28	69	88	83	2
White	692	33	7	6	17	23	35	39	76	143	168	133	12
Male	374	18	6	4	16	18	26	24	48	74	80	50	10
Female	318	15	1	2	1	5	9	15	28	69	88	83	2
All other	4	1	-	-	-	1	-	1	1	-	-	-	-
Male	4	1	-	-	-	1	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, NM, MSA	804	20	2	12	19	23	34	43	119	178	199	154	1
Male	425	7	1	7	13	17	23	22	67	113	105	49	1
Female	379	13	1	5	6	6	11	21	52	65	94	105	-
White	783	20	2	12	19	22	32	43	114	173	193	152	1
Male	411	7	1	7	13	17	21	22	63	109	103	47	1
Female	372	13	1	5	6	5	11	21	51	64	90	105	-
All other	21	-	-	-	-	1	2	-	5	5	6	2	-
Male	14	-	-	-	-	-	2	-	4	4	2	2	-
Female	7	-	-	-	-	1	-	-	1	1	4	-	-
Black	12	-	-	-	-	-	2	-	2	3	3	2	-
Male	9	-	-	-	-	-	2	-	1	3	1	2	-
Female	3	-	-	-	-	-	-	-	1	-	2	-	-
Las Vegas, NV, MSA	6,201	122	31	27	132	223	349	489	971	1,712	1,450	688	7
Male	3,605	75	22	14	104	153	253	333	612	1,047	751	235	6
Female	2,596	47	9	13	28	70	96	156	359	665	699	453	1
White	5,597	77	24	23	99	187	301	411	862	1,614	1,356	638	5
Male	3,254	51	17	11	76	132	220	286	546	989	701	221	4
Female	2,343	26	7	12	23	55	81	125	316	625	655	417	1
All other	604	45	7	4	33	36	48	78	109	98	94	50	2
Male	351	24	5	3	28	21	33	47	66	58	50	14	2
Female	253	21	2	1	5	15	15	31	43	40	44	36	-
Black	506	43	7	3	30	29	42	68	92	74	72	44	2
Male	300	24	5	2	26	17	30	44	58	45	34	13	2
Female	206	19	2	1	4	12	12	24	34	29	38	31	-
Lawrence, KS, MSA	438	5	2	1	5	9	18	25	53	81	118	121	-
Male	218	3	2	1	5	9	13	17	28	40	54	46	-
Female	220	2	-	-	-	-	5	8	25	41	64	75	-
White	410	4	2	1	4	9	15	22	50	72	114	117	-
Male	206	3	2	1	4	9	10	15	28	37	52	45	-
Female	204	1	-	-	-	-	5	7	22	35	62	72	-
All other	28	1	-	-	1	-	3	3	3	9	4	4	-
Male	12	-	-	-	1	-	3	2	-	3	2	1	-
Female	16	1	-	-	-	-	-	1	3	6	2	3	-
Black	22	1	-	-	-	-	2	1	2	8	4	4	-
Male	9	-	-	-	-	-	2	1	-	3	2	1	-
Female	13	1	-	-	-	-	-	-	2	5	2	3	-
Lawton, OK, MSA	772	23	3	3	18	29	30	45	129	173	194	124	1
Male	428	15	-	3	15	15	16	32	75	106	97	54	-
Female	344	8	3	-	3	14	14	13	54	67	97	70	1
White	635	15	3	3	11	17	21	33	99	141	174	117	1
Male	349	9	-	3	10	8	10	23	60	89	85	52	-
Female	286	6	3	-	1	9	11	10	39	52	89	65	1
All other	137	8	-	-	7	12	9	12	30	32	20	7	-
Male	79	6	-	-	5	7	6	9	15	17	12	2	-
Female	58	2	-	-	2	5	3	3	15	15	8	5	-
Black	99	7	-	-	5	11	3	5	22	28	13	5	-
Male	62	5	-	-	5	6	3	3	14	17	8	1	-
Female	37	2	-	-	-	5	-	2	8	11	5	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 25 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lewiston-Auburn, ME, NECMA	1,001	10	1	4	14	17	25	43	101	210	300	276	-
Male	466	4	1	2	10	14	18	25	61	112	136	83	-
Female	535	6	-	2	4	3	7	18	40	98	164	193	-
White	995	10	1	3	14	17	25	42	101	208	299	275	-
Male	463	4	1	1	10	14	18	25	61	111	135	83	-
Female	532	6	-	2	4	3	7	17	40	97	164	192	-
All other	6	-	-	1	-	-	-	1	-	2	1	1	-
Male	3	-	-	1	-	-	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	1	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Lexington-Fayette, KY, MSA	2,726	37	12	8	50	55	79	167	363	616	728	611	-
Male	1,391	20	8	4	32	33	55	99	233	362	359	186	-
Female	1,335	17	4	4	18	22	24	68	130	254	369	425	-
White	2,350	30	10	6	46	44	66	135	306	530	623	554	-
Male	1,198	16	7	2	29	26	45	83	199	312	313	166	-
Female	1,152	14	3	4	17	18	21	52	107	218	310	388	-
All other	376	7	2	2	4	11	13	32	57	86	105	57	-
Male	193	4	1	2	3	7	10	16	34	50	46	20	-
Female	183	3	1	-	1	4	3	16	23	36	59	37	-
Black	370	7	2	2	4	10	12	32	55	85	104	57	-
Male	191	4	1	2	3	7	9	16	33	50	46	20	-
Female	179	3	1	-	1	3	3	16	22	35	58	37	-
Lima, OH, MSA	1,327	25	6	2	15	23	37	61	132	302	406	318	-
Male	648	15	4	2	9	14	22	37	71	178	197	99	-
Female	679	10	2	-	6	9	15	24	61	124	209	219	-
White	1,252	17	6	2	11	18	34	51	123	283	393	314	-
Male	602	12	4	2	5	10	20	32	69	164	187	97	-
Female	650	5	2	-	6	8	14	19	54	119	206	217	-
All other	75	8	-	-	4	5	3	10	9	19	13	4	-
Male	46	3	-	-	4	4	2	5	2	14	10	2	-
Female	29	5	-	-	-	1	1	5	7	5	3	2	-
Black	73	8	-	-	4	5	3	10	8	19	12	4	-
Male	45	3	-	-	4	4	2	5	2	14	9	2	-
Female	28	5	-	-	-	1	1	5	6	5	3	2	-
Lincoln, NE, MSA	1,501	26	6	6	9	28	43	69	146	280	435	453	-
Male	686	14	5	3	7	22	27	36	82	160	209	121	-
Female	815	12	1	3	2	6	16	33	64	120	226	332	-
White	1,474	24	6	5	9	24	41	67	144	274	428	452	-
Male	671	13	5	2	7	18	26	35	81	158	206	120	-
Female	803	11	1	3	2	6	15	32	63	116	222	332	-
All other	27	2	-	1	-	4	2	2	2	6	7	1	-
Male	15	1	-	1	-	4	1	1	1	2	3	1	-
Female	12	1	-	-	-	-	1	1	1	4	4	-	-
Black	21	1	-	1	-	3	2	2	1	5	6	-	-
Male	10	-	-	1	-	3	1	1	-	1	3	-	-
Female	11	1	-	-	-	-	1	1	1	4	3	-	-
Little Rock-North Little Rock, AR, MSA	4,406	81	15	31	94	147	197	263	504	932	1,197	945	-
Male	2,235	50	7	21	64	105	133	171	315	535	564	270	-
Female	2,171	31	8	10	30	42	64	92	189	397	633	675	-
White	3,481	43	9	18	58	91	128	207	384	757	1,003	783	-
Male	1,743	27	3	13	35	66	86	131	249	453	465	215	-
Female	1,738	16	6	5	23	25	42	76	135	304	538	568	-
All other	925	38	6	13	36	56	69	56	120	175	194	162	-
Male	492	23	4	8	29	39	47	40	66	82	99	55	-
Female	433	15	2	5	7	17	22	16	54	93	95	107	-
Black	914	38	6	13	35	56	68	55	115	174	194	159	-
Male	487	23	4	8	29	39	46	40	65	82	99	52	-
Female	427	15	2	5	7	17	22	15	50	92	95	107	-
Longview-Marshall, TX, MSA	1,582	17	7	3	24	46	58	81	186	358	444	358	-
Male	783	10	5	2	14	30	40	51	125	191	206	109	-
Female	799	7	2	1	10	16	18	30	61	167	238	249	-
White	1,204	12	3	3	18	27	34	62	132	281	344	288	-
Male	603	7	3	2	10	19	28	40	93	154	166	81	-
Female	601	5	-	1	8	8	6	22	39	127	178	207	-
All other	378	5	4	-	6	19	24	19	54	77	100	70	-
Male	180	3	2	-	4	11	12	11	32	37	40	28	-
Female	198	2	2	-	2	8	12	8	22	40	60	42	-
Black	378	5	4	-	6	19	24	19	54	77	100	70	-
Male	180	3	2	-	4	11	12	11	32	37	40	28	-
Female	198	2	2	-	2	8	12	8	22	40	60	42	-
Lorain-Elyria, OH, PMSA	2,278	50	4	6	34	45	82	115	262	570	639	471	-
Male	1,186	36	2	4	20	30	49	66	158	337	335	149	-
Female	1,092	14	2	2	14	15	33	49	104	233	304	322	-
White	2,092	37	4	5	30	36	66	101	238	529	606	440	-
Male	1,080	26	2	3	18	25	40	58	144	309	318	137	-
Female	1,012	11	2	2	12	11	26	43	94	220	288	303	-
All other	186	13	-	1	4	9	16	14	24	41	33	31	-
Male	106	10	-	1	2	5	9	8	14	28	17	12	-
Female	80	3	-	-	2	4	7	6	10	13	16	19	-
Black	182	11	-	1	4	9	16	14	22	41	33	31	-
Male	103	8	-	1	2	5	9	8	13	28	17	12	-
Female	79	3	-	-	2	4	7	6	9	13	16	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 26 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, CA, PMSA	61,786	1,592	271	285	1,817	2,614	3,597	4,118	6,966	12,545	15,346	12,590	45
Male	32,702	923	145	178	1,473	2,070	2,614	2,698	4,268	6,954	7,326	4,017	36
Female	29,084	669	126	107	344	544	983	1,420	2,698	5,591	8,020	8,573	9
White	49,368	1,146	193	211	1,301	1,903	2,579	2,940	5,211	9,924	12,840	11,080	40
Male	25,696	669	104	142	1,058	1,543	1,933	1,960	3,194	5,502	6,050	3,510	31
Female	23,672	477	89	69	243	360	646	980	2,017	4,422	6,790	7,570	9
All other	12,418	446	78	74	516	711	1,018	1,178	1,755	2,621	2,506	1,510	5
Male	7,006	254	41	36	415	527	681	738	1,074	1,452	1,276	507	5
Female	5,412	192	37	38	101	184	337	440	681	1,169	1,230	1,003	-
Black	8,951	356	51	42	414	580	808	889	1,304	1,817	1,682	1,003	5
Male	5,036	204	27	19	344	444	561	565	802	990	781	294	5
Female	3,915	152	24	23	70	136	247	324	502	827	901	709	-
Louisville, KY-IN, MSA	9,200	151	24	37	132	185	328	497	1,164	2,151	2,562	1,969	-
Male	4,498	90	12	22	97	129	217	305	705	1,173	1,175	573	-
Female	4,702	61	12	15	35	56	111	192	459	978	1,387	1,396	-
White	7,919	93	22	27	100	129	245	399	979	1,842	2,289	1,794	-
Male	3,824	55	11	17	75	89	161	250	599	1,016	1,050	501	-
Female	4,095	38	11	10	25	40	84	149	380	826	1,239	1,293	-
All other	1,281	58	2	10	32	56	83	98	185	309	273	175	-
Male	674	35	1	5	22	40	56	55	106	157	125	72	-
Female	607	23	1	5	10	16	27	43	79	152	148	103	-
Black	1,261	55	2	10	30	55	82	97	180	305	270	175	-
Male	662	32	1	5	20	39	56	55	103	156	123	72	-
Female	599	23	1	5	10	16	26	42	77	149	147	103	-
Lubbock, TX, MSA	1,586	33	10	12	23	47	71	86	217	333	434	320	-
Male	855	24	6	8	20	35	46	53	142	201	229	91	-
Female	731	9	4	4	3	12	25	33	75	132	205	229	-
White	1,461	32	9	11	18	40	64	75	195	308	405	304	-
Male	781	23	6	8	16	30	43	50	127	185	211	82	-
Female	680	9	3	3	2	10	21	25	68	123	194	222	-
All other	125	1	1	1	5	7	7	11	22	25	29	16	-
Male	74	1	-	-	4	5	3	3	15	16	18	9	-
Female	51	-	1	1	1	2	4	8	7	9	11	7	-
Black	121	1	1	1	5	6	7	9	21	25	29	16	-
Male	73	1	-	-	4	4	3	3	15	16	18	9	-
Female	48	-	1	1	1	2	4	6	6	9	11	7	-
Lynchburg, VA, MSA	1,437	15	4	11	23	29	40	81	169	352	414	299	-
Male	730	8	1	6	14	25	28	44	112	205	199	88	-
Female	707	7	3	5	9	4	12	37	57	147	215	211	-
White	1,076	4	3	7	11	16	20	51	116	270	328	250	-
Male	518	3	1	3	7	12	13	27	77	156	151	68	-
Female	558	1	2	4	4	4	7	24	39	114	177	182	-
All other	361	11	1	4	12	13	20	30	53	82	86	49	-
Male	212	5	-	3	7	13	15	17	35	49	48	20	-
Female	149	6	1	1	5	-	5	13	18	33	38	29	-
Black	360	11	1	4	12	13	20	30	53	82	85	49	-
Male	211	5	-	3	7	13	15	17	35	49	47	20	-
Female	149	6	1	1	5	-	5	13	18	33	38	29	-
Macon-Warner Robins, GA, MSA	2,563	81	6	13	56	96	127	183	349	611	648	393	-
Male	1,323	43	4	8	42	69	68	118	215	334	308	114	-
Female	1,240	38	2	5	14	27	59	65	134	277	340	279	-
White	1,591	23	3	6	30	41	67	92	203	417	424	285	-
Male	801	11	1	3	24	30	36	58	118	229	210	81	-
Female	790	12	2	3	6	11	31	34	85	188	214	204	-
All other	972	58	3	7	26	55	60	91	146	194	224	108	-
Male	522	32	3	5	18	39	32	60	97	105	98	33	-
Female	450	26	-	2	8	16	28	31	49	89	126	75	-
Black	966	58	3	7	26	55	59	89	146	192	224	107	-
Male	520	32	3	5	18	39	31	59	97	105	98	33	-
Female	446	26	-	2	8	16	28	30	49	87	126	74	-
Madison, WI, MSA	2,239	46	11	10	43	59	104	85	226	397	636	622	-
Male	1,147	27	6	5	34	45	72	56	147	255	321	179	-
Female	1,092	19	5	5	9	14	32	29	79	142	315	443	-
White	2,195	37	8	8	41	56	98	82	222	391	631	621	-
Male	1,117	19	4	4	32	42	68	53	146	252	318	179	-
Female	1,078	18	4	4	9	14	30	29	76	139	313	442	-
All other	44	9	3	2	2	3	6	3	4	6	5	1	-
Male	30	8	2	1	2	3	4	3	1	3	3	-	-
Female	14	1	1	1	-	-	2	-	3	3	2	1	-
Black	33	8	2	2	1	1	4	2	4	5	3	1	-
Male	21	7	1	1	1	1	3	2	1	2	2	-	-
Female	12	1	1	1	-	-	1	-	3	3	1	1	-
Manchester-Nashua, NH, NECMA	2,344	32	5	2	40	42	83	138	293	536	641	532	-
Male	1,167	25	4	2	26	33	55	89	186	308	302	137	-
Female	1,177	7	1	-	14	9	28	49	107	228	339	395	-
White	2,333	31	5	2	39	42	82	137	291	535	639	530	-
Male	1,161	24	4	2	25	33	55	88	184	307	302	137	-
Female	1,172	7	1	-	14	9	27	49	107	228	337	393	-
All other	11	1	-	-	1	-	1	1	2	1	2	2	-
Male	6	1	-	-	1	-	-	1	2	1	-	-	-
Female	5	-	-	-	-	-	1	-	-	-	2	2	-
Black	8	-	-	-	-	-	1	1	2	1	1	2	-
Male	4	-	-	-	-	-	-	1	2	1	-	-	-
Female	4	-	-	-	-	-	1	-	-	-	1	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 27 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, OH, MSA	1,140	15	2	6	19	22	22	63	154	250	352	235	-
Male	564	8	1	4	13	14	13	36	107	142	163	63	-
Female	576	7	1	2	6	8	9	27	47	108	189	172	-
White	1,078	12	2	6	14	18	20	57	141	237	342	229	-
Male	524	6	1	4	9	11	12	34	97	131	157	62	-
Female	554	6	1	2	5	7	8	23	44	106	185	167	-
All other	62	3	-	-	5	4	2	6	13	13	10	6	-
Male	40	2	-	-	4	3	1	2	10	11	6	1	-
Female	22	1	-	-	1	1	1	4	3	2	4	5	-
Black	61	3	-	-	5	4	2	6	13	13	10	5	-
Male	40	2	-	-	4	3	1	2	10	11	6	1	-
Female	21	1	-	-	1	1	1	4	3	2	4	4	-
McAllen-Edinburg-Mission, TX, MSA	1,995	51	14	23	59	63	67	98	223	456	546	391	4
Male	1,150	37	12	17	46	45	47	58	136	271	310	167	4
Female	845	14	2	6	13	18	20	40	87	185	236	224	-
White	1,991	51	14	23	59	63	67	96	223	456	545	390	4
Male	1,149	37	12	17	46	45	47	57	136	271	310	167	4
Female	842	14	2	6	13	18	20	39	87	185	235	223	-
All other	4	-	-	-	-	-	-	2	-	-	1	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	-	1	1	-
Black	3	-	-	-	-	-	-	2	-	-	-	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Medford, OR, MSA	1,402	11	4	5	15	19	35	56	136	330	451	340	-
Male	783	5	2	3	12	15	27	39	93	206	243	138	-
Female	619	6	2	2	3	4	8	17	43	124	208	202	-
White	1,389	11	4	4	14	18	33	55	133	327	450	340	-
Male	776	5	2	3	11	14	25	38	92	205	243	138	-
Female	613	6	2	1	3	4	8	17	41	122	207	202	-
All other	13	-	-	1	1	1	2	1	3	3	1	-	-
Male	7	-	-	-	1	1	2	1	1	1	-	-	-
Female	6	-	-	1	-	-	-	-	2	2	1	-	-
Black	4	-	-	-	-	1	1	-	1	1	-	-	-
Male	3	-	-	-	-	1	1	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Melbourne-Titusville-Palm Bay, FL, MSA	3,635	44	8	10	38	99	101	186	469	995	1,028	657	-
Male	2,052	26	4	9	29	62	72	115	313	619	556	247	-
Female	1,583	18	4	1	9	37	29	71	156	376	472	410	-
White	3,413	31	7	9	29	78	87	163	431	958	990	630	-
Male	1,926	20	4	8	23	51	60	103	289	597	533	238	-
Female	1,487	11	3	1	6	27	27	60	142	361	457	392	-
All other	222	13	1	1	9	21	14	23	38	37	38	27	-
Male	126	6	-	1	6	11	12	12	24	22	23	9	-
Female	96	7	1	-	3	10	2	11	14	15	15	18	-
Black	210	13	1	1	9	19	13	22	35	34	37	26	-
Male	120	6	-	1	6	10	12	11	22	20	23	9	-
Female	90	7	1	-	3	9	1	11	13	14	14	17	-
Memphis, TN-AR-MS, MSA	8,554	256	47	54	208	294	452	567	1,103	1,829	2,218	1,520	6
Male	4,342	144	27	32	160	205	288	342	641	1,028	1,002	468	5
Female	4,212	112	20	22	48	89	164	225	462	801	1,216	1,052	1
White	4,731	53	10	22	72	112	171	279	590	1,077	1,372	971	2
Male	2,328	33	4	11	55	87	113	167	359	635	607	255	2
Female	2,403	20	6	11	17	25	58	112	231	442	765	716	-
All other	3,823	203	37	32	136	182	281	288	513	752	846	549	4
Male	2,014	111	23	21	105	118	175	175	282	393	395	213	3
Female	1,809	92	14	11	31	64	106	113	231	359	451	336	1
Black	3,802	202	37	32	135	179	278	286	511	749	842	547	4
Male	2,004	110	23	21	105	116	174	174	281	391	394	212	3
Female	1,798	92	14	11	30	63	104	112	230	358	448	335	1
Merced, CA, MSA	1,129	42	10	8	30	35	39	62	133	242	302	226	-
Male	607	29	7	3	22	25	24	41	78	135	164	79	-
Female	522	13	3	5	8	10	15	21	55	107	138	147	-
White	1,034	32	8	7	28	32	33	59	117	223	278	217	-
Male	556	22	6	2	21	24	21	41	71	125	149	74	-
Female	478	10	2	5	7	8	12	18	46	98	129	143	-
All other	95	10	2	1	2	3	6	3	16	19	24	9	-
Male	51	7	1	1	1	1	3	-	7	10	15	5	-
Female	44	3	1	-	1	2	3	3	9	9	9	4	-
Black	54	1	2	-	-	3	4	3	9	9	16	7	-
Male	28	-	1	-	-	1	2	-	5	7	9	3	-
Female	26	1	1	-	-	2	2	3	4	2	7	4	-
Miami-Hialeah, FL, PMSA	17,897	255	66	69	249	734	935	1,113	2,055	3,228	4,922	4,265	6
Male	9,720	134	34	45	177	541	683	756	1,347	1,893	2,445	1,661	4
Female	8,177	121	32	24	72	193	252	357	708	1,335	2,477	2,604	2
White	14,918	117	36	36	134	439	589	756	1,582	2,695	4,475	4,053	6
Male	8,018	65	18	25	95	344	456	530	1,064	1,605	2,234	1,578	4
Female	6,900	52	18	11	39	95	133	226	518	1,090	2,241	2,475	2
All other	2,979	138	30	33	115	295	346	357	473	533	447	212	-
Male	1,702	69	16	20	82	197	227	226	283	288	211	83	-
Female	1,277	69	14	13	33	98	119	131	190	245	236	129	-
Black	2,937	133	30	32	114	292	345	350	469	529	438	205	-
Male	1,674	67	16	19	81	196	226	221	281	284	206	77	-
Female	1,263	66	14	13	33	96	119	129	188	245	232	128	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Middlesex-Somerset-Hunterdon, NJ, PMSA	7,427	112	12	28	63	191	311	400	943	1,797	2,074	1,496	-
Male	3,817	57	7	13	48	134	220	244	589	1,036	998	471	-
Female	3,610	55	5	15	15	57	91	156	354	761	1,076	1,025	-
White	6,943	74	9	28	53	158	249	349	874	1,699	2,002	1,448	-
Male	3,536	35	5	13	40	112	175	208	546	984	960	458	-
Female	3,407	39	4	15	13	46	74	141	328	715	1,042	990	-
All other	484	38	3	-	10	33	62	51	69	98	72	48	-
Male	281	22	2	-	8	22	45	36	43	52	38	13	-
Female	203	16	1	-	2	11	17	15	26	46	34	35	-
Black	408	32	3	-	7	30	55	41	62	84	56	38	-
Male	239	18	2	-	7	20	41	30	38	47	26	10	-
Female	169	14	1	-	-	10	14	11	24	37	30	28	-
Midland, TX, MSA	646	13	1	4	14	16	25	36	102	156	171	108	-
Male	342	4	1	3	11	10	18	20	65	82	90	38	-
Female	304	9	-	1	3	6	7	16	37	74	81	70	-
White	581	10	1	3	14	14	20	32	89	141	157	100	-
Male	304	4	1	2	11	9	14	18	55	73	82	35	-
Female	277	6	-	1	3	5	6	14	34	68	75	65	-
All other	65	3	-	1	-	2	5	4	13	15	14	8	-
Male	38	-	-	1	-	1	4	2	10	9	8	3	-
Female	27	3	-	-	-	1	1	2	3	6	6	5	-
Black	63	3	-	1	-	2	5	4	12	14	14	8	-
Male	36	-	-	1	-	1	4	2	9	8	8	3	-
Female	27	3	-	-	-	1	1	2	3	6	6	5	-
Milwaukee, WI, PMSA	12,465	215	42	47	174	246	382	577	1,317	2,577	3,672	3,216	-
Male	6,112	127	22	30	140	187	250	365	817	1,454	1,711	1,009	-
Female	6,353	88	20	17	34	59	132	212	500	1,123	1,961	2,207	-
White	11,230	124	18	23	92	158	285	449	1,125	2,366	3,482	3,108	-
Male	5,386	75	12	13	72	126	181	276	707	1,332	1,625	967	-
Female	5,844	49	6	10	20	32	104	173	418	1,034	1,857	2,141	-
All other	1,235	91	24	24	82	88	97	128	192	211	190	108	-
Male	726	52	10	17	68	61	69	89	110	122	86	42	-
Female	509	39	14	7	14	27	28	39	82	89	104	66	-
Black	1,164	84	24	21	82	83	91	119	180	201	176	103	-
Male	683	48	10	14	68	57	66	83	102	116	79	40	-
Female	481	36	14	7	14	26	25	36	78	85	97	63	-
Minneapolis-St. Paul, MN-WI, MSA	16,391	322	50	50	229	408	612	862	1,702	3,224	4,416	4,515	1
Male	8,089	194	26	24	173	302	427	549	1,011	1,892	2,116	1,374	1
Female	8,302	128	24	26	56	106	185	313	691	1,332	2,300	3,141	-
White	15,687	239	32	44	181	349	552	789	1,606	3,113	4,320	4,461	1
Male	7,678	151	17	22	137	258	383	490	961	1,829	2,073	1,356	1
Female	8,009	88	15	22	44	91	169	299	645	1,284	2,247	3,105	-
All other	704	83	18	6	48	59	60	73	96	111	96	54	-
Male	411	43	9	2	36	44	44	59	50	63	43	18	-
Female	293	40	9	4	12	15	16	14	46	48	53	36	-
Black	497	59	11	4	30	40	45	46	70	81	71	40	-
Male	290	32	6	2	23	29	32	34	39	46	32	15	-
Female	207	27	5	2	7	11	13	12	31	35	39	25	-
Mobile, AL, MSA	4,578	83	19	18	99	161	204	278	595	1,075	1,270	776	-
Male	2,397	46	8	12	76	107	130	169	367	607	624	251	-
Female	2,181	37	11	6	23	54	74	109	228	468	646	525	-
White	3,228	36	10	5	54	85	121	175	407	770	955	610	-
Male	1,686	20	5	3	36	57	76	114	258	450	471	196	-
Female	1,542	16	5	2	18	28	45	61	149	320	484	414	-
All other	1,350	47	9	13	45	76	83	103	188	305	315	166	-
Male	711	26	3	9	40	50	54	55	109	157	153	55	-
Female	639	21	6	4	5	26	29	48	79	148	162	111	-
Black	1,339	46	9	13	45	75	80	103	188	302	312	166	-
Male	707	26	3	9	40	49	53	55	109	157	151	55	-
Female	632	20	6	4	5	26	27	48	79	145	161	111	-
Modesto, CA, MSA	2,846	59	15	21	58	64	134	175	311	624	764	621	-
Male	1,515	37	9	11	48	52	95	98	192	348	393	232	-
Female	1,331	22	6	10	10	12	39	77	119	276	371	389	-
White	2,732	52	11	21	46	60	120	164	294	601	751	612	-
Male	1,451	33	7	11	40	48	87	91	182	335	387	230	-
Female	1,281	19	4	10	6	12	33	73	112	266	364	382	-
All other	114	7	4	-	12	4	14	11	17	23	13	9	-
Male	64	4	2	-	8	4	8	7	10	13	6	2	-
Female	50	3	2	-	4	-	6	4	7	10	7	7	-
Black	47	4	1	-	4	1	6	3	7	10	7	4	-
Male	26	2	1	-	4	1	4	1	5	5	3	-	-
Female	21	2	-	-	-	-	2	2	2	5	4	4	-
Monmouth-Ocean, NJ, PMSA	10,627	105	20	16	77	167	320	475	1,021	2,555	3,408	2,461	2
Male	5,344	62	13	9	50	115	199	286	586	1,451	1,657	916	-
Female	5,283	43	7	7	27	52	121	189	435	1,104	1,751	1,545	2
White	9,985	81	15	13	63	129	258	402	931	2,421	3,278	2,392	2
Male	5,000	49	9	8	41	94	163	239	535	1,371	1,600	891	-
Female	4,985	32	6	5	22	35	95	163	396	1,050	1,678	1,501	2
All other	642	24	5	3	14	38	62	73	90	134	130	69	-
Male	344	13	4	1	9	21	36	47	51	80	57	25	-
Female	298	11	1	2	5	17	26	26	39	54	73	44	-
Black	604	22	5	3	14	38	58	68	87	122	123	64	-
Male	322	12	4	1	9	21	34	43	48	73	54	23	-
Female	282	10	1	2	5	17	24	25	39	49	69	41	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 29 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Monroe, LA, MSA	1,223	27	5	6	21	36	52	65	175	263	324	249	-
Male	612	17	3	4	17	28	38	37	80	156	164	68	-
Female	611	10	2	2	4	8	14	28	95	107	160	181	-
White	835	9	1	3	9	17	29	48	118	186	239	176	-
Male	425	7	-	1	8	14	21	30	59	117	120	48	-
Female	410	2	1	2	1	3	8	18	59	69	119	128	-
All other	388	18	4	3	12	19	23	17	57	77	85	73	-
Male	187	10	3	3	9	14	17	7	21	39	44	20	-
Female	201	8	1	-	3	5	6	10	36	38	41	53	-
Black	387	18	4	3	12	19	23	17	57	77	85	72	-
Male	186	10	3	3	9	14	17	7	21	39	44	19	-
Female	201	8	1	-	3	5	6	10	36	38	41	53	-
Montgomery, AL, MSA	2,764	72	13	23	47	96	110	146	365	636	745	511	-
Male	1,372	38	9	14	36	70	66	85	219	361	330	144	-
Female	1,392	34	4	9	11	26	44	61	146	275	415	367	-
White	1,776	21	6	8	15	46	52	92	233	419	519	365	-
Male	892	13	5	5	13	31	33	52	154	248	236	102	-
Female	884	8	1	3	2	15	19	40	79	171	283	263	-
All other	988	51	7	15	32	50	58	54	132	217	226	146	-
Male	480	25	4	9	23	39	33	33	65	113	94	42	-
Female	508	26	3	6	9	11	25	21	67	104	132	104	-
Black	984	51	7	15	32	50	57	53	132	216	225	146	-
Male	478	25	4	9	23	39	33	32	65	112	94	42	-
Female	506	26	3	6	9	11	24	21	67	104	131	104	-
Muncie, IN, MSA	1,065	12	2	5	21	16	29	48	119	242	343	228	-
Male	512	6	2	3	14	10	18	28	74	133	161	63	-
Female	553	6	-	2	7	6	11	20	45	109	182	165	-
White	1,005	8	2	5	19	16	25	45	111	226	328	220	-
Male	477	4	2	3	13	10	16	26	67	126	151	59	-
Female	528	4	-	2	6	6	9	19	44	100	177	161	-
All other	60	4	-	-	2	-	4	3	8	16	15	8	-
Male	35	2	-	-	1	-	2	2	7	7	10	4	-
Female	25	2	-	-	1	-	2	1	1	9	5	4	-
Black	59	4	-	-	2	-	4	3	8	15	15	8	-
Male	35	2	-	-	1	-	2	2	7	7	10	4	-
Female	24	2	-	-	1	-	2	1	1	8	5	4	-
Muskegon, MI, MSA	1,376	38	10	6	19	29	44	71	152	314	395	298	-
Male	703	18	6	3	14	20	30	36	96	196	194	90	-
Female	673	20	4	3	5	9	14	35	56	118	201	208	-
White	1,205	17	9	6	14	26	31	60	130	268	362	282	-
Male	607	10	5	3	10	18	20	31	83	170	172	85	-
Female	598	7	4	3	4	8	11	29	47	98	190	197	-
All other	171	21	1	-	5	3	13	11	22	46	33	16	-
Male	96	8	1	-	4	2	10	5	13	26	22	5	-
Female	75	13	-	-	1	1	3	6	9	20	11	11	-
Black	162	20	1	-	5	3	13	9	20	44	31	16	-
Male	91	7	1	-	4	2	10	4	12	26	20	5	-
Female	71	13	-	-	1	1	3	5	8	18	11	11	-
Naples, FL, MSA	1,537	25	7	6	21	50	58	70	165	384	444	307	-
Male	879	13	5	5	14	40	37	42	103	228	267	125	-
Female	658	12	2	1	7	10	21	28	62	156	177	182	-
White	1,462	16	5	5	20	44	47	62	157	366	436	304	-
Male	836	10	3	4	13	36	31	38	98	217	262	124	-
Female	626	6	2	1	7	8	16	24	59	149	174	180	-
All other	75	9	2	1	1	6	11	8	8	18	8	3	-
Male	43	3	2	1	1	4	6	4	5	11	5	1	-
Female	32	6	-	-	-	2	5	4	3	7	3	2	-
Black	74	9	2	1	1	6	11	8	8	17	8	3	-
Male	43	3	2	1	1	4	6	4	5	11	5	1	-
Female	31	6	-	-	-	2	5	4	3	6	3	2	-
Nashville, TN, MSA	8,133	139	27	31	165	267	367	494	975	1,724	2,227	1,716	1
Male	4,198	87	14	21	126	191	243	324	612	978	1,039	562	1
Female	3,935	52	13	10	39	76	124	170	363	746	1,188	1,154	-
White	6,704	85	19	28	118	197	278	385	779	1,417	1,894	1,503	1
Male	3,455	55	10	19	86	145	183	252	492	824	894	494	1
Female	3,249	30	9	9	32	52	95	133	287	593	1,000	1,009	-
All other	1,429	54	8	3	47	70	89	109	196	307	333	213	-
Male	743	32	4	2	40	46	60	72	120	154	145	68	-
Female	686	22	4	1	7	24	29	37	76	153	188	145	-
Black	1,416	53	8	3	47	67	88	108	194	305	330	213	-
Male	733	31	4	2	40	43	59	71	119	153	143	68	-
Female	683	22	4	1	7	24	29	37	75	152	187	145	-
Nassau-Suffolk, NY, PMSA	21,589	285	42	50	252	452	815	1,156	2,620	4,859	5,999	5,051	8
Male	10,800	161	23	34	187	333	555	696	1,553	2,804	2,939	1,508	7
Female	10,789	124	19	16	65	119	260	460	1,067	2,055	3,060	3,543	1
White	20,072	200	30	41	195	351	649	981	2,387	4,570	5,759	4,902	7
Male	9,979	114	18	30	143	268	447	591	1,422	2,657	2,825	1,458	6
Female	10,093	86	12	11	52	83	202	390	965	1,913	2,934	3,444	1
All other	1,517	85	12	9	57	101	166	175	233	289	240	149	1
Male	821	47	5	4	44	65	108	105	131	147	114	50	1
Female	696	38	7	5	13	36	58	70	102	142	126	99	-
Black	1,395	80	12	6	53	99	158	162	216	266	208	134	1
Male	749	43	5	3	42	63	102	94	123	138	92	45	1
Female	646	37	7	3	11	36	56	68	93	130	116	89	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 30 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Bedford-Fall River-Attleboro, MA, NECMA	4,467	43	5	16	49	109	146	174	462	1,037	1,335	1,091	-
Male	2,163	22	2	9	35	79	97	99	302	562	615	341	-
Female	2,304	21	3	7	14	30	49	75	160	475	720	750	-
White	4,338	40	5	16	48	102	134	165	440	1,015	1,305	1,068	-
Male	2,097	22	2	9	34	73	89	95	284	553	602	334	-
Female	2,241	18	3	7	14	29	45	70	156	462	703	734	-
All other	129	3	-	-	1	7	12	9	22	22	30	23	-
Male	66	-	-	-	1	6	8	4	18	9	13	7	-
Female	63	3	-	-	-	1	4	5	4	13	17	16	-
Black	116	2	-	-	1	7	12	8	21	20	24	21	-
Male	58	-	-	-	1	6	8	3	17	8	8	7	-
Female	58	2	-	-	-	1	4	5	4	12	16	14	-
New Haven-Waterbury-Meriden, CT, NECMA	7,411	88	19	22	94	176	280	354	712	1,593	2,210	1,863	-
Male	3,764	55	11	14	78	125	192	234	432	947	1,066	610	-
Female	3,647	33	8	8	16	51	88	120	280	646	1,144	1,253	-
White	6,761	58	14	14	70	119	196	290	607	1,479	2,129	1,785	-
Male	3,384	42	8	7	58	84	142	193	365	875	1,033	577	-
Female	3,377	16	6	7	12	35	54	97	242	604	1,096	1,208	-
All other	650	30	5	8	24	57	84	64	105	114	81	78	-
Male	380	13	3	7	20	41	50	41	67	72	33	33	-
Female	270	17	2	1	4	16	34	23	38	42	48	45	-
Black	633	29	5	7	23	56	82	63	103	113	77	75	-
Male	371	13	3	6	19	40	48	41	65	72	32	32	-
Female	262	16	2	1	4	16	34	22	38	41	45	43	-
New London-Norwich, CT, NECMA	1,961	28	2	7	29	52	56	101	221	427	568	470	-
Male	968	18	1	5	25	36	37	62	134	232	263	155	-
Female	993	10	1	2	4	16	19	39	87	195	305	315	-
White	1,888	24	2	7	28	45	49	94	209	413	554	463	-
Male	928	16	1	5	24	31	32	59	125	225	256	154	-
Female	960	8	1	2	4	14	17	35	84	188	298	309	-
All other	73	4	-	-	1	7	7	7	12	14	14	7	-
Male	40	2	-	-	1	5	5	3	9	7	7	1	-
Female	33	2	-	-	-	2	2	4	3	7	7	6	-
Black	63	3	-	-	1	7	7	5	10	11	13	6	-
Male	34	2	-	-	1	5	5	2	7	5	7	-	-
Female	29	1	-	-	-	2	2	3	3	6	6	6	-
New Orleans, LA, MSA	11,669	247	42	50	332	489	606	823	1,555	2,604	2,929	1,991	1
Male	6,163	141	25	33	274	381	447	528	954	1,482	1,336	561	1
Female	5,506	106	17	17	58	108	159	295	601	1,122	1,593	1,430	-
White	7,459	78	17	20	103	211	318	457	922	1,747	2,060	1,525	1
Male	3,779	41	10	16	81	168	243	295	581	1,019	919	405	1
Female	3,680	37	7	4	22	43	75	162	341	728	1,141	1,120	-
All other	4,210	169	25	30	229	278	288	366	633	857	869	466	-
Male	2,384	100	15	17	193	213	204	233	373	463	417	156	-
Female	1,826	69	10	13	36	65	84	133	260	394	452	310	-
Black	4,163	167	24	27	224	277	284	364	627	851	859	459	-
Male	2,356	99	15	14	189	212	201	232	369	460	412	153	-
Female	1,807	68	9	13	35	65	83	132	258	391	447	306	-
New York, NY, PMSA	82,598	1,657	292	251	1,568	3,936	6,455	5,933	9,300	15,535	20,124	17,543	4
Male	42,500	913	160	132	1,239	2,893	4,734	3,877	5,541	8,280	9,048	5,679	4
Female	40,098	744	132	119	329	1,043	1,721	2,056	3,759	7,255	11,076	11,864	-
White	60,563	795	145	146	762	2,250	3,606	3,436	6,233	11,253	16,581	15,355	1
Male	30,397	440	79	72	594	1,710	2,786	2,288	3,799	6,062	7,585	4,981	1
Female	30,166	355	66	74	168	540	820	1,148	2,434	5,191	8,996	10,374	-
All other	22,035	862	147	105	806	1,686	2,849	2,497	3,067	4,282	3,543	2,188	3
Male	12,103	473	81	60	645	1,183	1,948	1,589	1,742	2,218	1,463	698	3
Female	9,932	389	66	45	161	503	901	908	1,325	2,064	2,080	1,490	-
Black	20,575	818	139	98	774	1,621	2,742	2,366	2,851	3,962	3,222	1,980	2
Male	11,234	447	77	55	622	1,138	1,875	1,506	1,596	2,027	1,293	596	2
Female	9,341	371	62	43	152	483	867	860	1,255	1,935	1,929	1,384	-
Newark, NJ, PMSA	16,705	291	50	47	218	612	1,048	1,040	1,888	3,546	4,402	3,553	10
Male	8,352	161	31	29	158	389	725	638	1,109	1,965	2,056	1,082	9
Female	8,353	130	19	18	60	223	323	402	779	1,581	2,346	2,471	1
White	12,287	112	23	21	97	222	396	581	1,195	2,740	3,737	3,160	3
Male	5,936	56	17	13	75	163	278	363	697	1,555	1,758	959	2
Female	6,351	56	6	8	22	59	118	218	498	1,185	1,979	2,201	1
All other	4,418	179	27	26	121	390	652	459	693	806	665	393	7
Male	2,416	105	14	16	83	226	447	275	412	410	298	123	7
Female	2,002	74	13	10	38	164	205	184	281	396	367	270	-
Black	4,316	171	27	26	116	388	648	450	679	786	639	379	7
Male	2,363	103	14	16	80	225	444	269	404	399	283	119	7
Female	1,953	68	13	10	36	163	204	181	275	387	356	260	-
Niagara Falls, NY, PMSA	2,255	18	6	9	18	33	73	105	246	571	678	496	2
Male	1,133	12	2	5	12	25	48	61	144	321	351	150	2
Female	1,122	6	4	4	6	8	25	44	102	250	327	346	-
White	2,147	12	4	9	16	30	63	89	233	548	656	485	2
Male	1,071	8	2	5	11	23	40	50	138	308	338	146	2
Female	1,076	4	2	4	5	7	23	39	95	240	318	339	-
All other	108	6	2	-	2	3	10	16	13	23	22	11	-
Male	62	4	-	-	1	2	8	11	6	13	13	4	-
Female	46	2	2	-	1	1	2	5	7	10	9	7	-
Black	98	6	2	-	2	3	8	15	12	20	20	10	-
Male	56	4	-	-	1	2	6	11	6	11	12	3	-
Female	42	2	2	-	1	1	2	4	6	9	8	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Norfolk-Virginia Beach-Newport News, VA, MSA	10,004	333	43	52	181	381	449	610	1,339	2,497	2,510	1,604	5
Male	5,152	183	25	29	132	271	293	394	797	1,399	1,138	489	2
Female	4,852	150	18	23	49	110	156	216	542	1,098	1,372	1,115	3
White	6,522	150	20	24	87	201	225	373	831	1,608	1,781	1,220	2
Male	3,312	81	10	13	61	138	152	253	505	929	801	368	1
Female	3,210	69	10	11	26	63	73	120	326	679	980	852	1
All other	3,482	183	23	28	94	180	224	237	508	889	729	384	3
Male	1,840	102	15	16	71	133	141	141	292	470	337	121	1
Female	1,642	81	8	12	23	47	83	96	216	419	392	263	2
Black	3,410	180	23	28	91	178	216	232	494	868	717	380	3
Male	1,809	100	15	16	68	132	138	141	289	461	331	117	1
Female	1,601	80	8	12	23	46	78	91	205	407	386	263	2
Oakland, CA, PMSA	15,758	264	50	73	330	527	854	1,046	1,777	3,318	4,139	3,369	11
Male	8,144	165	21	50	260	406	586	646	1,041	1,869	2,009	1,083	8
Female	7,614	99	29	23	70	121	268	400	736	1,449	2,130	2,286	3
White	12,168	161	25	47	185	316	542	685	1,283	2,580	3,394	2,940	10
Male	6,101	104	7	30	140	244	381	437	743	1,456	1,625	927	7
Female	6,067	57	18	17	45	72	161	248	540	1,124	1,769	2,013	3
All other	3,590	103	25	26	145	211	312	361	494	738	745	429	1
Male	2,043	61	14	20	120	162	205	209	298	413	384	156	1
Female	1,547	42	11	6	25	49	107	152	196	325	361	273	-
Black	2,667	78	19	19	123	181	259	287	377	538	504	281	1
Male	1,532	45	11	15	101	139	174	169	233	306	248	90	1
Female	1,135	33	8	4	22	42	85	118	144	232	256	191	-
Ocala, FL, MSA	2,284	26	4	7	30	50	57	125	276	667	685	357	-
Male	1,310	12	3	5	26	33	37	87	167	418	391	131	-
Female	974	14	1	2	4	17	20	38	109	249	294	226	-
White	2,026	15	2	5	23	40	45	112	250	604	618	312	-
Male	1,173	8	2	3	20	27	29	78	149	387	353	117	-
Female	853	7	-	2	3	13	16	34	101	217	265	195	-
All other	258	11	2	2	7	10	12	13	26	63	67	45	-
Male	137	4	1	2	6	6	8	9	18	31	38	14	-
Female	121	7	1	-	1	4	4	4	8	32	29	31	-
Black	253	11	2	2	7	9	12	13	25	60	67	45	-
Male	135	4	1	2	6	6	8	9	18	29	38	14	-
Female	118	7	1	-	1	3	4	4	7	31	29	31	-
Odessa, TX, MSA	878	18	4	5	25	29	34	56	164	201	202	139	1
Male	495	10	3	3	19	25	19	35	103	119	110	48	1
Female	383	8	1	2	6	4	15	21	61	82	92	91	-
White	827	17	4	5	24	26	29	48	159	185	197	132	1
Male	471	10	3	3	18	23	17	29	103	110	108	46	1
Female	356	7	1	2	6	3	12	19	56	75	89	86	-
All other	51	1	-	-	1	3	5	8	5	16	5	7	-
Male	24	-	-	-	1	2	2	6	-	9	2	2	-
Female	27	1	-	-	-	1	3	2	5	7	3	5	-
Black	50	1	-	-	1	3	5	7	5	16	5	7	-
Male	23	-	-	-	1	2	2	5	-	9	2	2	-
Female	27	1	-	-	-	1	3	2	5	7	3	5	-
Oklahoma City, OK, MSA	7,823	160	33	29	141	193	298	469	924	1,710	2,104	1,752	10
Male	3,873	88	19	21	111	144	190	287	531	995	972	507	8
Female	3,950	72	14	8	30	49	108	182	393	715	1,132	1,245	2
White	6,897	117	24	20	110	147	237	399	795	1,530	1,893	1,616	9
Male	3,381	67	15	13	87	109	158	240	457	897	867	463	8
Female	3,516	50	9	7	23	38	79	159	338	633	1,026	1,153	1
All other	926	43	9	9	31	46	61	70	129	180	211	136	1
Male	492	21	4	8	24	35	32	47	74	98	105	44	-
Female	434	22	5	1	7	11	29	23	55	82	106	92	1
Black	735	37	9	9	21	37	46	55	97	137	174	113	-
Male	390	19	4	8	17	28	27	34	58	68	89	38	-
Female	345	18	5	1	4	9	19	21	39	69	85	75	-
Olympia, WA, MSA	1,167	19	4	8	15	23	36	62	117	258	329	296	-
Male	604	6	2	4	14	14	26	31	67	155	182	103	-
Female	563	13	2	4	1	9	10	31	50	103	147	193	-
White	1,149	18	4	8	15	22	34	57	114	256	326	295	-
Male	594	5	2	4	14	13	24	29	66	153	181	103	-
Female	555	13	2	4	1	9	10	28	48	103	145	192	-
All other	18	1	-	-	-	1	2	5	3	2	3	1	-
Male	10	1	-	-	-	1	2	2	1	2	1	-	-
Female	8	-	-	-	-	-	-	3	2	-	2	1	-
Black	6	-	-	-	-	-	2	2	1	-	1	-	-
Male	5	-	-	-	-	-	2	2	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Omaha, NE-IA, MSA	4,679	88	15	10	79	99	142	256	554	1,053	1,264	1,117	2
Male	2,344	53	8	8	57	63	96	152	358	608	604	336	1
Female	2,335	35	7	2	22	36	46	104	196	445	660	781	1
White	4,256	64	10	8	61	76	114	226	482	971	1,180	1,062	2
Male	2,108	38	5	7	41	48	78	137	312	565	559	317	1
Female	2,148	26	5	1	20	28	36	89	170	406	621	745	1
All other	423	24	5	2	18	23	28	30	72	82	84	55	-
Male	236	15	3	1	16	15	18	15	46	43	45	19	-
Female	187	9	2	1	2	8	10	15	26	39	39	36	-
Black	399	23	5	2	16	20	25	27	66	80	81	54	-
Male	225	14	3	1	14	13	18	14	44	42	44	18	-
Female	174	9	2	1	2	7	7	13	22	38	37	36	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 32 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Orange County, NY, PMSA	2,434	40	14	12	31	71	98	143	293	539	647	546	-
Male	1,190	21	7	5	16	53	59	89	179	298	297	166	-
Female	1,244	19	7	7	15	18	39	54	114	241	350	380	-
White	2,269	35	9	9	27	61	84	121	256	514	623	530	-
Male	1,105	18	4	4	13	49	51	72	160	284	288	162	-
Female	1,164	17	5	5	14	12	33	49	96	230	335	368	-
All other	165	5	5	3	4	10	14	22	37	25	24	16	-
Male	85	3	3	1	3	4	8	17	19	14	9	4	-
Female	80	2	2	2	1	6	6	5	18	11	15	12	-
Black	161	5	5	3	3	10	14	21	36	25	23	16	-
Male	85	3	3	1	3	4	8	17	19	14	9	4	-
Female	76	2	2	2	-	6	6	4	17	11	14	12	-
Orlando, FL, MSA	7,765	138	40	33	125	271	380	492	953	1,748	2,081	1,502	2
Male	4,125	77	21	19	97	209	258	300	590	999	1,068	487	-
Female	3,640	61	19	14	28	62	122	192	363	749	1,013	1,015	2
White	6,725	92	27	17	97	214	296	388	801	1,535	1,870	1,388	-
Male	3,508	52	14	8	77	163	199	231	499	886	947	432	-
Female	3,217	40	13	9	20	51	97	157	302	649	923	956	-
All other	1,040	46	13	16	28	57	84	104	152	213	211	114	2
Male	617	25	7	11	20	46	59	69	91	113	121	55	-
Female	423	21	6	5	8	11	25	35	61	100	90	59	2
Black	1,001	46	13	14	27	56	80	98	147	203	203	113	1
Male	594	25	7	9	19	45	56	64	89	111	115	54	-
Female	407	21	6	5	8	11	24	34	58	92	88	59	1
Owensboro, KY, MSA	766	12	2	2	8	12	24	45	90	212	194	165	-
Male	388	4	1	1	7	8	15	26	58	123	90	55	-
Female	378	8	1	1	1	4	9	19	32	89	104	110	-
White	735	11	2	2	8	12	22	44	84	201	188	161	-
Male	373	4	1	1	7	8	14	25	54	116	88	55	-
Female	362	7	1	1	1	4	8	19	30	85	100	106	-
All other	31	1	-	-	-	-	2	1	6	11	6	4	-
Male	15	-	-	-	-	-	1	1	4	7	2	-	-
Female	16	1	-	-	-	-	1	-	2	4	4	4	-
Black	30	1	-	-	-	-	2	1	5	11	6	4	-
Male	14	-	-	-	-	-	1	1	3	7	2	-	-
Female	16	1	-	-	-	-	1	-	2	4	4	4	-
Oxnard-Ventura, CA, PMSA	3,954	88	14	26	79	131	178	227	475	791	1,123	819	3
Male	2,022	46	7	18	62	99	117	140	269	440	528	295	1
Female	1,932	42	7	8	17	32	61	87	206	351	595	524	2
White	3,788	78	13	23	75	123	166	208	444	763	1,093	799	3
Male	1,931	40	7	15	59	93	112	129	254	421	513	287	1
Female	1,857	38	6	8	16	30	54	79	190	342	580	512	2
All other	166	10	1	3	4	8	12	19	31	28	30	20	-
Male	91	6	-	3	3	6	5	11	15	19	15	8	-
Female	75	4	1	-	1	2	7	8	16	9	15	12	-
Black	72	8	-	-	1	4	4	8	18	6	18	5	-
Male	37	4	-	-	-	3	2	5	10	4	8	1	-
Female	35	4	-	-	1	1	2	3	8	2	10	4	-
Panama City, FL, MSA	1,084	25	5	7	12	28	44	68	156	266	290	183	-
Male	566	15	4	2	8	20	25	36	100	164	138	54	-
Female	518	10	1	5	4	8	19	32	56	102	152	129	-
White	948	17	3	3	11	19	35	59	139	239	260	163	-
Male	504	10	2	1	8	15	19	33	92	151	123	50	-
Female	444	7	1	2	3	4	16	26	47	88	137	113	-
All other	136	8	2	4	1	9	9	9	17	27	30	20	-
Male	62	5	2	1	-	5	6	3	8	13	15	4	-
Female	74	3	-	3	1	4	3	6	9	14	15	16	-
Black	134	8	2	4	1	9	8	9	16	27	30	20	-
Male	61	5	2	1	-	5	5	3	8	13	15	4	-
Female	73	3	-	3	1	4	3	6	8	14	15	16	-
Parkersburg-Marietta, WV-OH, MSA	1,494	12	1	4	21	24	44	74	161	338	438	377	-
Male	753	3	-	-	17	18	32	49	100	206	198	130	-
Female	741	9	1	4	4	6	12	25	61	132	240	247	-
White	1,480	12	1	4	20	24	43	74	158	336	436	372	-
Male	746	3	-	-	16	18	31	49	99	206	197	127	-
Female	734	9	1	4	4	6	12	25	59	130	239	245	-
All other	14	-	-	-	1	-	1	-	3	2	2	5	-
Male	7	-	-	-	1	-	1	-	1	-	1	3	-
Female	7	-	-	-	-	-	-	-	2	2	1	2	-
Black	12	-	-	-	1	-	1	-	3	2	2	3	-
Male	6	-	-	-	1	-	1	-	1	-	1	2	-
Female	6	-	-	-	-	-	-	-	2	2	1	1	-
Pascagoula, MS, MSA	918	15	6	3	18	33	31	74	152	245	212	129	-
Male	502	10	3	1	12	20	19	41	97	149	109	41	-
Female	416	5	3	2	6	13	12	33	55	96	103	88	-
White	773	6	5	3	9	26	24	64	127	218	178	113	-
Male	423	3	3	1	4	17	13	38	82	135	92	35	-
Female	350	3	2	2	5	9	11	26	45	83	86	78	-
All other	145	9	1	-	9	7	7	10	25	27	34	16	-
Male	79	7	-	-	8	3	6	3	15	14	17	6	-
Female	66	2	1	-	1	4	1	7	10	13	17	10	-
Black	143	8	1	-	9	7	7	10	25	27	34	15	-
Male	77	6	-	-	8	3	6	3	15	14	17	5	-
Female	66	2	1	-	1	4	1	7	10	13	17	10	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 33 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pensacola, FL, MSA	2,946	68	10	12	59	80	110	176	419	743	754	515	-
Male	1,546	41	5	7	43	54	74	114	250	440	359	159	-
Female	1,400	27	5	5	16	26	36	62	169	303	395	356	-
White	2,427	39	6	9	41	63	83	136	346	618	636	450	-
Male	1,271	22	2	5	28	44	60	91	211	367	303	138	-
Female	1,156	17	4	4	13	19	23	45	135	251	333	312	-
All other	519	29	4	3	18	17	27	40	73	125	118	65	-
Male	275	19	3	2	15	10	14	23	39	73	56	21	-
Female	244	10	1	1	3	7	13	17	34	52	62	44	-
Black	509	29	4	3	17	17	26	39	71	123	117	63	-
Male	269	19	3	2	14	10	14	22	38	72	56	19	-
Female	240	10	1	1	3	7	12	17	33	51	61	44	-
Peoria, IL, MSA	3,133	38	8	9	47	60	91	139	334	634	986	787	-
Male	1,546	28	3	6	38	42	51	79	205	368	476	250	-
Female	1,587	10	5	3	9	18	40	60	129	266	510	537	-
White	3,003	28	6	8	42	55	83	128	312	609	964	768	-
Male	1,471	21	3	5	35	39	47	70	189	358	464	240	-
Female	1,532	7	3	3	7	16	36	58	123	251	500	528	-
All other	130	10	2	1	5	5	8	11	22	25	22	19	-
Male	75	7	-	1	3	3	4	9	16	10	12	10	-
Female	55	3	2	-	2	2	4	2	6	15	10	9	-
Black	127	10	2	1	5	5	7	11	21	24	22	19	-
Male	74	7	-	1	3	3	4	9	15	10	12	10	-
Female	53	3	2	-	2	2	3	2	6	14	10	9	-
Philadelphia, PA-NJ, PMSA	46,938	818	142	151	615	1,272	1,870	2,612	5,557	11,037	13,111	9,740	13
Male	23,493	476	79	95	468	964	1,291	1,562	3,330	6,168	6,049	3,004	7
Female	23,445	342	63	56	147	308	579	1,050	2,227	4,869	7,062	6,736	6
White	37,027	395	75	87	350	776	1,137	1,694	3,994	8,780	11,165	8,563	11
Male	18,213	228	34	50	258	593	779	1,014	2,444	4,976	5,210	2,620	7
Female	18,814	167	41	37	92	183	358	680	1,550	3,804	5,955	5,943	4
All other	9,911	423	67	64	265	496	733	918	1,563	2,257	1,946	1,177	2
Male	5,280	248	45	45	210	371	512	548	886	1,192	839	384	-
Female	4,631	175	22	19	55	125	221	370	677	1,065	1,107	793	2
Black	9,623	415	65	64	249	478	709	880	1,514	2,207	1,896	1,144	2
Male	5,120	243	44	45	199	356	500	521	856	1,165	821	370	-
Female	4,503	172	21	19	50	122	209	359	658	1,042	1,075	774	2
Phoenix, AZ, MSA	16,182	333	76	62	316	489	679	937	1,742	3,584	4,632	3,326	6
Male	8,675	200	45	36	238	377	476	596	1,055	2,086	2,355	1,206	5
Female	7,507	133	31	26	78	112	203	341	687	1,498	2,277	2,120	1
White	15,398	280	69	54	276	440	607	863	1,637	3,426	4,512	3,229	5
Male	8,230	165	38	32	209	348	421	548	992	2,007	2,300	1,166	4
Female	7,168	115	31	22	67	92	186	315	645	1,419	2,212	2,063	1
All other	784	53	7	8	40	49	72	74	105	158	120	97	1
Male	445	35	7	4	29	29	55	48	63	79	55	40	1
Female	339	18	-	4	11	20	17	26	42	79	65	57	-
Black	512	32	3	3	25	27	47	44	57	115	88	70	1
Male	285	23	3	2	17	16	35	28	36	62	38	24	1
Female	227	9	-	1	8	11	12	16	21	53	50	46	-
Pine Bluff, AR, MSA	868	11	1	3	14	22	32	46	109	215	241	174	-
Male	446	7	1	2	10	16	19	25	71	123	107	65	-
Female	422	4	-	1	4	6	13	21	38	92	134	109	-
White	502	3	-	-	7	10	17	20	68	134	153	90	-
Male	257	3	-	-	6	8	9	9	45	81	66	30	-
Female	245	-	-	-	1	2	8	11	23	53	87	60	-
All other	366	8	1	3	7	12	15	26	41	81	88	84	-
Male	189	4	1	2	4	8	10	16	26	42	41	35	-
Female	177	4	-	1	3	4	5	10	15	39	47	49	-
Black	364	8	1	3	7	12	15	26	41	80	88	83	-
Male	188	4	1	2	4	8	10	16	26	41	41	35	-
Female	176	4	-	1	3	4	5	10	15	39	47	48	-
Pittsburgh, PA, PMSA	23,114	248	33	32	184	367	607	1,065	2,519	5,761	7,227	5,069	2
Male	11,411	135	14	17	140	259	392	660	1,521	3,215	3,417	1,639	2
Female	11,703	113	19	15	44	108	215	405	998	2,546	3,810	3,430	-
White	21,233	162	20	28	150	287	495	930	2,262	5,281	6,838	4,780	-
Male	10,449	94	10	14	114	201	324	586	1,384	2,964	3,231	1,527	-
Female	10,784	68	10	14	36	86	171	344	878	2,317	3,607	3,253	-
All other	1,881	86	13	4	34	80	112	135	257	480	389	289	2
Male	962	41	4	3	26	58	68	74	137	251	186	112	2
Female	919	45	9	1	8	22	44	61	120	229	203	177	-
Black	1,858	85	12	4	34	80	110	134	252	473	384	288	2
Male	951	41	4	3	26	58	66	74	135	247	183	112	2
Female	907	44	8	1	8	22	44	60	117	226	201	176	-
Pittsfield, MA, NECMA	1,476	8	4	2	9	23	33	46	148	306	478	419	-
Male	694	4	3	2	5	12	19	28	98	181	223	119	-
Female	782	4	1	-	4	11	14	18	50	125	255	300	-
White	1,450	8	3	2	8	21	31	43	144	303	471	416	-
Male	682	4	2	2	5	11	17	28	94	180	221	118	-
Female	768	4	1	-	3	10	14	15	50	123	250	298	-
All other	26	-	1	-	1	2	2	3	4	3	7	3	-
Male	12	-	1	-	-	1	2	-	4	1	2	1	-
Female	14	-	-	-	1	1	-	3	-	2	5	2	-
Black	26	-	1	-	1	2	2	3	4	3	7	3	-
Male	12	-	1	-	-	1	2	-	4	1	2	1	-
Female	14	-	-	-	1	1	-	3	-	2	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 34 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, ME, NECMA	2,116	17	6	4	21	53	66	91	219	452	631	556	-
Male	1,050	12	5	3	13	39	50	58	136	256	304	174	-
Female	1,066	5	1	1	8	14	16	33	83	196	327	382	-
White	2,096	17	6	4	21	53	64	89	215	451	623	553	-
Male	1,039	12	5	3	13	39	49	57	133	256	301	171	-
Female	1,057	5	1	1	8	14	15	32	82	195	322	382	-
All other	20	-	-	-	-	-	2	2	4	1	8	3	-
Male	11	-	-	-	-	-	1	1	3	-	3	3	-
Female	9	-	-	-	-	-	1	1	1	1	5	-	-
Black	7	-	-	-	-	-	1	1	-	1	2	2	-
Male	5	-	-	-	-	-	1	1	-	-	1	2	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Portland, OR, PMSA	10,276	166	29	35	165	241	407	531	993	2,143	3,008	2,558	-
Male	5,176	98	19	22	124	182	288	331	615	1,209	1,480	808	-
Female	5,100	68	10	13	41	59	119	200	378	934	1,528	1,750	-
White	9,810	139	25	33	142	212	376	488	930	2,040	2,913	2,512	-
Male	4,912	80	15	21	106	160	267	305	577	1,155	1,430	796	-
Female	4,898	59	10	12	36	52	109	183	353	885	1,483	1,716	-
All other	466	27	4	2	23	29	31	43	63	103	95	46	-
Male	264	18	4	1	18	22	21	26	38	54	50	12	-
Female	202	9	-	1	5	7	10	17	25	49	45	34	-
Black	291	19	2	1	13	19	19	28	36	66	61	27	-
Male	163	13	2	1	12	16	14	18	22	30	29	6	-
Female	128	6	-	-	1	3	5	10	14	36	32	21	-
Portsmouth-Dover-Rochester, NH, NECMA	2,261	32	5	8	31	56	77	125	276	470	686	495	-
Male	1,143	19	4	6	25	38	48	75	171	282	324	151	-
Female	1,118	13	1	2	6	18	29	50	105	188	362	344	-
White	2,245	31	5	8	31	55	75	124	273	467	684	492	-
Male	1,135	18	4	6	25	37	47	74	169	281	323	151	-
Female	1,110	13	1	2	6	18	28	50	104	186	361	341	-
All other	16	1	-	-	-	1	2	1	3	3	2	3	-
Male	8	1	-	-	-	1	1	1	2	1	1	-	-
Female	8	-	-	-	-	-	1	-	1	2	1	3	-
Black	11	1	-	-	-	1	1	1	2	1	2	2	-
Male	7	1	-	-	-	1	1	1	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	1	-	1	2	-
Poughkeepsie, NY, MSA	2,020	19	3	8	26	54	94	106	212	462	562	474	-
Male	1,000	12	2	6	20	34	70	70	136	242	276	132	-
Female	1,020	7	1	2	6	20	24	36	76	220	286	342	-
White	1,874	15	3	7	22	39	67	95	188	434	542	462	-
Male	913	9	2	5	16	27	49	63	125	226	262	129	-
Female	961	6	1	2	6	12	18	32	63	208	280	333	-
All other	146	4	-	1	4	15	27	11	24	28	20	12	-
Male	87	3	-	1	4	7	21	7	11	16	14	3	-
Female	59	1	-	-	-	8	6	4	13	12	6	9	-
Black	135	4	-	1	4	14	25	10	23	24	19	11	-
Male	81	3	-	1	4	7	19	6	11	14	13	3	-
Female	54	1	-	-	-	7	6	4	12	10	6	8	-
Providence-Pawtucket-Woonsocket, RI, NECMA	8,696	108	18	23	85	150	284	340	914	1,876	2,620	2,278	-
Male	4,230	54	14	16	61	105	181	208	541	1,096	1,295	659	-
Female	4,466	54	4	7	24	45	103	132	373	780	1,325	1,619	-
White	8,345	84	12	20	73	122	254	315	867	1,809	2,563	2,226	-
Male	4,042	41	10	13	52	89	165	192	513	1,054	1,268	645	-
Female	4,303	43	2	7	21	33	89	123	354	755	1,295	1,581	-
All other	351	24	6	3	12	28	30	25	47	67	57	52	-
Male	188	13	4	3	9	16	16	16	28	42	27	14	-
Female	163	11	2	-	3	12	14	9	19	25	30	38	-
Black	292	21	5	3	9	26	27	20	39	57	45	40	-
Male	159	12	4	3	6	14	15	12	23	38	23	9	-
Female	133	9	1	-	3	12	12	8	16	19	22	31	-
Provo-Orem, UT, MSA	1,174	39	12	16	25	29	50	47	101	231	347	277	-
Male	603	23	4	7	19	23	34	25	61	123	189	95	-
Female	571	16	8	9	6	6	16	22	40	108	158	182	-
White	1,162	35	11	16	25	28	50	47	100	231	344	275	-
Male	596	21	3	7	19	22	34	25	60	123	187	95	-
Female	566	14	8	9	6	6	16	22	40	108	157	180	-
All other	12	4	1	-	-	1	-	-	1	-	3	2	-
Male	7	2	1	-	-	1	-	-	1	-	2	-	-
Female	5	2	-	-	-	-	-	-	-	-	1	2	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, CO, MSA	1,257	14	4	2	15	30	49	72	152	309	349	261	-
Male	649	9	3	2	11	19	33	43	82	167	190	90	-
Female	608	5	1	-	4	11	16	29	70	142	159	171	-
White	1,233	14	4	2	15	27	47	70	151	302	346	255	-
Male	634	9	3	2	11	16	32	41	81	162	188	89	-
Female	599	5	1	-	4	11	15	29	70	140	158	166	-
All other	24	-	-	-	-	3	2	2	1	7	3	6	-
Male	15	-	-	-	-	3	1	2	1	5	2	1	-
Female	9	-	-	-	-	-	1	-	-	2	1	5	-
Black	17	-	-	-	-	1	2	-	1	6	2	5	-
Male	10	-	-	-	-	1	1	-	1	5	1	1	-
Female	7	-	-	-	-	-	1	-	-	1	1	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 35 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, WI, PMSA	1,407	24	7	4	21	38	50	63	148	322	398	332	-
Male	713	16	4	4	13	31	28	36	91	203	183	104	-
Female	694	8	3	-	8	7	22	27	57	119	215	228	-
White	1,325	19	5	4	18	33	46	53	127	307	388	325	-
Male	667	12	3	4	10	29	26	28	81	194	177	103	-
Female	658	7	2	-	8	4	20	25	46	113	211	222	-
All other	82	5	2	-	3	5	4	10	21	15	10	7	-
Male	46	4	1	-	3	2	2	8	10	9	6	1	-
Female	36	1	1	-	-	3	2	2	11	6	4	6	-
Black	79	5	2	-	3	5	4	9	21	14	10	6	-
Male	45	4	1	-	3	2	2	7	10	9	6	1	-
Female	34	1	1	-	-	3	2	2	11	5	4	5	-
Raleigh-Durham, NC, MSA	4,837	109	17	24	91	198	261	328	594	1,028	1,246	938	3
Male	2,460	65	10	13	65	140	180	211	365	569	571	268	3
Female	2,377	44	7	11	26	58	81	117	229	459	675	670	-
White	3,256	37	13	13	45	106	131	175	398	705	925	706	2
Male	1,597	21	9	6	33	76	86	108	251	391	424	190	2
Female	1,659	16	4	7	12	30	45	67	147	314	501	516	-
All other	1,581	72	4	11	46	92	130	153	196	323	321	232	1
Male	863	44	1	7	32	64	94	103	114	178	147	78	1
Female	718	28	3	4	14	28	36	50	82	145	174	154	-
Black	1,559	69	4	10	44	90	130	150	194	320	316	231	1
Male	852	42	1	6	30	63	94	102	114	177	144	78	1
Female	707	27	3	4	14	27	36	48	80	143	172	153	-
Rapid City, SD, MSA	551	17	2	6	14	16	20	21	75	112	136	132	-
Male	305	7	2	4	13	10	16	17	44	74	73	45	-
Female	246	10	-	2	1	6	4	4	31	38	63	87	-
White	502	13	1	3	12	13	13	19	65	106	129	128	-
Male	279	5	1	2	12	8	11	16	40	71	70	43	-
Female	223	8	-	1	-	5	2	3	25	35	59	85	-
All other	49	4	1	3	2	3	7	2	10	6	7	4	-
Male	26	2	1	2	1	2	5	1	4	3	3	2	-
Female	23	2	-	1	1	1	2	1	6	3	4	2	-
Black	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	3	1	-	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Reading, PA, MSA	3,425	42	5	12	38	54	110	146	383	747	1,074	814	-
Male	1,690	26	4	8	29	41	63	88	233	414	506	278	-
Female	1,735	16	1	4	9	13	47	58	150	333	568	536	-
White	3,351	37	4	11	38	50	104	139	374	735	1,056	803	-
Male	1,651	23	4	7	29	38	60	82	228	408	499	273	-
Female	1,700	14	-	4	9	12	44	57	146	327	557	530	-
All other	74	5	1	1	-	4	6	7	9	12	18	11	-
Male	39	3	-	1	-	3	3	6	5	6	7	5	-
Female	35	2	1	-	-	1	3	1	4	6	11	6	-
Black	68	4	1	1	-	4	6	6	9	9	17	11	-
Male	35	3	-	1	-	3	3	5	5	3	7	5	-
Female	33	1	1	-	-	1	3	1	4	6	10	6	-
Redding, CA, MSA	1,382	22	5	2	14	34	42	78	179	300	421	285	-
Male	743	9	2	2	8	27	28	55	99	176	225	112	-
Female	639	13	3	-	6	7	14	23	80	124	196	173	-
White	1,350	18	5	1	14	33	39	74	175	290	418	283	-
Male	728	8	2	1	8	26	28	52	98	170	225	110	-
Female	622	10	3	-	6	7	11	22	77	120	193	173	-
All other	32	4	-	1	-	1	3	4	4	10	3	2	-
Male	15	1	-	1	-	1	-	3	1	6	-	2	-
Female	17	3	-	-	-	-	3	1	3	4	3	-	-
Black	7	1	-	-	-	-	-	1	-	5	-	-	-
Male	5	1	-	-	-	-	-	1	-	3	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Reno, NV, MSA	2,020	43	5	5	29	70	98	136	277	544	496	315	2
Male	1,128	27	4	3	19	54	75	89	181	303	251	120	2
Female	892	16	1	2	10	16	23	47	96	241	245	195	-
White	1,932	41	4	4	27	67	87	126	263	528	478	305	2
Male	1,076	26	4	2	18	53	66	81	172	292	243	117	2
Female	856	15	-	2	9	14	21	45	91	236	235	188	-
All other	88	2	1	1	2	3	11	10	14	16	18	10	-
Male	52	1	-	1	1	1	9	8	9	11	8	3	-
Female	36	1	1	-	1	2	2	2	5	5	10	7	-
Black	46	1	1	1	1	1	6	6	4	9	11	5	-
Male	27	1	-	1	1	-	4	6	3	6	5	-	-
Female	19	-	1	-	-	1	2	-	1	3	6	5	-
Richland-Kennewick-Pasco, WA, MSA	1,038	26	4	3	18	25	40	64	120	239	290	209	-
Male	563	14	3	2	16	21	28	32	76	139	154	78	-
Female	475	12	1	1	2	4	12	32	44	100	136	131	-
White	1,007	25	3	3	18	24	38	60	120	230	284	202	-
Male	546	14	2	2	16	20	27	31	76	133	153	72	-
Female	461	11	1	1	2	4	11	29	44	97	131	130	-
All other	31	1	1	-	-	1	2	4	-	9	6	7	-
Male	17	-	1	-	-	1	1	1	-	6	1	6	-
Female	14	1	-	-	-	-	1	3	-	3	5	1	-
Black	20	1	-	-	-	1	2	1	-	8	4	3	-
Male	13	-	-	-	-	1	1	1	-	6	1	3	-
Female	7	1	-	-	-	-	1	-	-	2	3	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Richmond-Petersburg, VA, MSA	7,676	149	26	23	154	220	347	450	1,018	1,766	2,047	1,468	8
Male	3,905	77	17	15	123	161	217	301	606	1,044	935	404	5
Female	3,771	72	9	8	31	59	130	149	412	722	1,112	1,064	3
White	5,136	57	14	10	65	110	193	236	635	1,189	1,483	1,142	2
Male	2,504	30	9	6	48	83	123	156	379	714	660	294	2
Female	2,632	27	5	4	17	27	70	80	256	475	823	848	-
All other	2,540	92	12	13	89	110	154	214	383	577	564	326	6
Male	1,401	47	8	9	75	78	94	145	227	330	275	110	3
Female	1,139	45	4	4	14	32	60	69	156	247	289	216	3
Black	2,513	89	10	13	89	110	151	210	379	573	558	325	6
Male	1,384	46	7	9	75	78	93	142	226	327	269	109	3
Female	1,129	43	3	4	14	32	58	68	153	246	289	216	3
Riverside-San Bernardino, CA, PMSA	19,557	533	105	118	431	662	962	1,175	2,242	4,482	5,272	3,561	14
Male	10,513	301	60	72	344	498	651	734	1,336	2,516	2,689	1,303	9
Female	9,044	232	45	46	87	164	311	441	906	1,966	2,583	2,258	5
White	18,077	430	78	104	345	554	829	1,038	2,018	4,242	5,023	3,403	13
Male	9,677	244	49	64	274	417	574	657	1,208	2,383	2,567	1,232	8
Female	8,400	186	29	40	71	137	255	381	810	1,859	2,456	2,171	5
All other	1,480	103	27	14	86	108	133	137	224	240	249	158	1
Male	836	57	11	8	70	81	77	77	128	133	122	71	1
Female	644	46	16	6	16	27	56	60	96	107	127	87	-
Black	1,160	89	23	11	66	90	105	104	167	187	199	118	1
Male	657	50	11	6	55	68	58	63	94	106	97	48	1
Female	503	39	12	5	11	22	47	41	73	81	102	70	-
Roanoke, VA, MSA	2,402	26	1	6	31	52	76	116	261	548	671	614	-
Male	1,161	15	1	3	21	34	58	67	160	317	307	178	-
Female	1,241	11	-	3	10	18	18	49	101	231	364	436	-
White	2,104	23	-	5	24	41	65	100	226	457	601	562	-
Male	999	14	-	3	15	25	47	59	138	262	279	157	-
Female	1,105	9	-	2	9	16	18	41	88	195	322	405	-
All other	298	3	1	1	7	11	11	16	35	91	70	52	-
Male	162	1	1	-	6	9	11	8	22	55	28	21	-
Female	136	2	-	1	1	2	-	8	13	36	42	31	-
Black	298	3	1	1	7	11	11	16	35	91	70	52	-
Male	162	1	1	-	6	9	11	8	22	55	28	21	-
Female	136	2	-	1	1	2	-	8	13	36	42	31	-
Rochester, MN, MSA	634	10	1	3	14	13	22	33	49	115	178	196	-
Male	304	6	-	1	11	9	15	19	29	66	89	59	-
Female	330	4	1	2	3	4	7	14	20	49	89	137	-
White	619	9	1	2	13	9	21	30	49	115	175	195	-
Male	294	6	-	1	10	5	14	17	29	66	87	59	-
Female	325	3	1	1	3	4	7	13	20	49	88	136	-
All other	15	1	-	1	1	4	1	3	-	-	3	1	-
Male	10	-	-	-	1	4	1	2	-	-	2	-	-
Female	5	1	-	1	-	-	-	1	-	-	1	1	-
Black	6	-	-	-	-	3	1	2	-	-	-	-	-
Male	6	-	-	-	-	3	1	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rochester, NY, MSA	8,444	143	25	39	109	195	291	397	895	1,799	2,404	2,146	1
Male	4,115	87	11	28	86	148	206	247	516	984	1,155	647	-
Female	4,329	56	14	11	23	47	85	150	379	815	1,249	1,499	1
White	7,777	86	19	28	75	141	235	338	771	1,684	2,315	2,084	1
Male	3,750	52	10	21	61	111	167	207	448	928	1,114	631	-
Female	4,027	34	9	7	14	30	68	131	323	756	1,201	1,453	1
All other	667	57	6	11	34	54	56	59	124	115	89	62	-
Male	365	35	1	7	25	37	39	40	68	56	41	16	-
Female	302	22	5	4	9	17	17	19	56	59	48	46	-
Black	635	55	6	10	32	53	52	53	117	113	85	59	-
Male	349	34	1	6	23	36	36	35	66	56	41	15	-
Female	286	21	5	4	9	17	16	18	51	57	44	44	-
Rockford, IL, MSA	2,448	42	13	14	36	56	68	139	281	551	665	583	-
Male	1,227	27	5	9	26	35	45	88	177	317	308	190	-
Female	1,221	15	8	5	10	21	23	51	104	234	357	393	-
White	2,276	30	9	11	24	46	52	129	256	518	631	570	-
Male	1,139	20	4	7	16	28	35	81	162	305	296	185	-
Female	1,137	10	5	4	8	18	17	48	94	213	335	385	-
All other	172	12	4	3	12	10	16	10	25	33	34	13	-
Male	88	7	1	2	10	7	10	7	15	12	12	5	-
Female	84	5	3	1	2	3	6	3	10	21	22	8	-
Black	168	12	4	3	12	9	16	10	22	33	34	13	-
Male	86	7	1	2	10	6	10	7	14	12	12	5	-
Female	82	5	3	1	2	3	6	3	8	21	22	8	-
Sacramento, CA, MSA	11,112	210	54	47	198	400	538	684	1,351	2,502	3,010	2,113	5
Male	5,871	115	29	34	149	294	392	431	798	1,426	1,498	701	4
Female	5,241	95	25	13	49	106	146	253	553	1,076	1,512	1,412	1
White	9,921	151	40	39	144	328	448	592	1,171	2,254	2,776	1,973	5
Male	5,174	83	22	28	106	240	322	375	701	1,280	1,376	637	4
Female	4,747	68	18	11	38	88	126	217	470	974	1,400	1,336	1
All other	1,191	59	14	8	54	72	90	92	180	248	234	140	-
Male	697	32	7	6	43	54	70	56	97	146	122	64	-
Female	494	27	7	2	11	18	20	36	83	102	112	76	-
Black	682	43	9	7	36	49	68	58	112	133	116	51	-
Male	399	27	5	5	28	37	55	36	63	75	48	20	-
Female	283	16	4	2	8	12	13	22	49	58	68	31	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 37 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw-Bay City-Midland, MI, MSA	3,384	67	17	14	59	66	114	173	407	758	961	748	-
Male	1,733	41	10	12	42	48	77	122	247	444	471	219	-
Female	1,651	26	7	2	17	18	37	51	160	314	490	529	-
White	3,025	39	11	9	40	50	87	137	358	678	894	722	-
Male	1,524	24	8	8	28	38	58	95	217	395	442	211	-
Female	1,501	15	3	1	12	12	29	42	141	283	452	511	-
All other	359	28	6	5	19	16	27	36	49	80	67	26	-
Male	209	17	2	4	14	10	19	27	30	49	29	8	-
Female	150	11	4	1	5	6	8	9	19	31	38	18	-
Black	343	27	5	5	17	15	27	34	47	78	62	26	-
Male	203	17	2	4	13	10	19	26	29	49	26	8	-
Female	140	10	3	1	4	5	8	8	18	29	36	18	-
St. Cloud, MN, MSA	1,216	15	8	9	23	25	25	43	102	224	346	396	-
Male	630	9	6	7	15	23	16	28	57	124	200	145	-
Female	586	6	2	2	8	2	9	15	45	100	146	251	-
White	1,212	15	8	9	23	24	25	42	102	223	345	396	-
Male	628	9	6	7	15	22	16	28	57	124	199	145	-
Female	584	6	2	2	8	2	9	14	45	99	146	251	-
All other	4	-	-	-	-	1	-	1	-	1	1	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Joseph, MO, MSA	961	11	3	-	5	14	23	44	92	210	280	279	-
Male	465	7	2	-	3	8	16	24	63	115	137	90	-
Female	496	4	1	-	2	6	7	20	29	95	143	189	-
White	929	11	3	-	5	12	22	43	91	199	270	273	-
Male	453	7	2	-	3	7	15	24	63	111	132	89	-
Female	476	4	1	-	2	5	7	19	28	88	138	184	-
All other	32	-	-	-	-	2	1	1	1	11	10	6	-
Male	12	-	-	-	-	1	1	-	-	4	5	1	-
Female	20	-	-	-	-	1	-	1	1	7	5	5	-
Black	32	-	-	-	-	2	1	1	1	11	10	6	-
Male	12	-	-	-	-	1	1	-	-	4	5	1	-
Female	20	-	-	-	-	1	-	1	1	7	5	5	-
St. Louis, MO-IL, MSA	22,708	436	65	90	387	640	797	1,159	2,700	4,833	6,355	5,244	2
Male	11,227	241	35	53	314	480	539	704	1,609	2,744	2,970	1,538	-
Female	11,481	195	30	37	73	160	258	455	1,091	2,089	3,385	3,706	2
White	18,307	187	41	51	201	397	485	790	2,059	3,951	5,497	4,647	1
Male	8,827	113	23	29	156	295	338	471	1,235	2,271	2,559	1,337	-
Female	9,480	74	18	22	45	102	147	319	824	1,680	2,938	3,310	1
All other	4,401	249	24	39	186	243	312	369	641	882	858	597	1
Male	2,400	128	12	24	158	185	201	233	374	473	411	201	-
Female	2,001	121	12	15	28	58	111	136	267	409	447	396	1
Black	4,349	247	24	39	185	239	309	365	635	867	846	592	1
Male	2,377	127	12	24	158	183	200	231	371	465	406	200	-
Female	1,972	120	12	15	27	56	109	134	264	402	440	392	1
Salem, OR, MSA	2,476	27	9	7	38	43	82	86	249	546	722	667	-
Male	1,271	14	5	4	29	33	63	54	143	307	399	220	-
Female	1,205	13	4	3	9	10	19	32	106	239	323	447	-
White	2,453	27	8	7	37	42	81	85	245	541	715	665	-
Male	1,257	14	4	4	28	32	62	53	141	302	398	219	-
Female	1,196	13	4	3	9	10	19	32	104	239	317	446	-
All other	23	-	1	-	1	1	1	1	4	5	7	2	-
Male	14	-	1	-	1	1	1	1	2	5	1	1	-
Female	9	-	-	-	-	-	-	-	2	-	6	1	-
Black	6	-	1	-	-	-	1	1	-	3	-	-	-
Male	6	-	1	-	-	-	1	1	-	3	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Salinas-Seaside-Monterey, CA, MSA	2,227	55	6	15	55	89	80	84	272	461	614	496	-
Male	1,208	30	3	10	43	65	58	59	173	278	313	176	-
Female	1,019	25	3	5	12	24	22	25	99	183	301	320	-
White	2,001	43	6	12	52	79	72	71	225	409	569	463	-
Male	1,076	24	3	8	41	62	52	52	143	244	287	160	-
Female	925	19	3	4	11	17	20	19	82	165	282	303	-
All other	226	12	-	3	3	10	8	13	47	52	45	33	-
Male	132	6	-	2	2	3	6	7	30	34	26	16	-
Female	94	6	-	1	1	7	2	6	17	18	19	17	-
Black	102	10	-	1	2	8	6	8	24	24	10	9	-
Male	59	6	-	1	1	3	5	4	19	15	4	1	-
Female	43	4	-	-	1	5	1	4	5	9	6	8	-
Salt Lake City-Ogden, UT, MSA	5,925	143	40	44	121	204	281	320	647	1,200	1,612	1,313	-
Male	3,104	82	18	29	98	144	184	206	373	696	819	455	-
Female	2,821	61	22	15	23	60	97	114	274	504	793	858	-
White	5,765	134	36	42	113	192	268	307	625	1,175	1,587	1,286	-
Male	3,011	76	15	27	94	135	173	197	360	682	804	448	-
Female	2,754	58	21	15	19	57	95	110	265	493	783	838	-
All other	160	9	4	2	8	12	13	13	22	25	25	27	-
Male	93	6	3	2	4	9	11	9	13	14	15	7	-
Female	67	3	1	-	4	3	2	4	9	11	10	20	-
Black	62	2	1	-	1	5	8	7	12	9	10	7	-
Male	38	2	1	-	1	4	7	5	8	5	3	2	-
Female	24	-	-	-	-	1	1	2	4	4	7	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Angelo, TX, MSA	823	17	4	2	15	15	25	51	86	191	237	180	-
Male	435	12	4	2	10	11	17	27	53	111	120	68	-
Female	388	5	-	-	5	4	8	24	33	80	117	112	-
White	785	16	4	2	15	15	25	48	80	183	225	172	-
Male	415	11	4	2	10	11	17	27	50	108	113	62	-
Female	370	5	-	-	5	4	8	21	30	75	112	110	-
All other	38	1	-	-	-	-	-	3	6	8	12	8	-
Male	20	1	-	-	-	-	-	-	3	3	7	6	-
Female	18	-	-	-	-	-	-	3	3	5	5	2	-
Black	38	1	-	-	-	-	-	3	6	8	12	8	-
Male	20	1	-	-	-	-	-	-	3	3	7	6	-
Female	18	-	-	-	-	-	-	3	3	5	5	2	-
San Antonio, TX, MSA	9,351	167	50	57	245	358	431	566	1,168	2,023	2,426	1,857	3
Male	5,039	93	24	39	198	273	305	375	742	1,174	1,256	557	3
Female	4,312	74	26	18	47	85	126	191	426	849	1,170	1,300	-
White	8,588	140	44	56	201	307	391	513	1,052	1,864	2,277	1,740	3
Male	4,630	80	21	39	158	234	283	336	682	1,089	1,180	525	3
Female	3,958	60	23	17	43	73	108	177	370	775	1,097	1,215	-
All other	763	27	6	1	44	51	40	53	116	159	149	117	-
Male	409	13	3	-	40	39	22	39	60	85	76	32	-
Female	354	14	3	1	4	12	18	14	56	74	73	85	-
Black	736	26	6	1	43	51	39	48	112	153	142	115	-
Male	398	13	3	-	39	39	22	37	59	82	73	31	-
Female	338	13	3	1	4	12	17	11	53	71	69	84	-
San Diego, CA, MSA	17,248	353	61	72	338	629	944	952	1,729	3,674	4,717	3,741	38
Male	8,996	202	35	41	258	508	680	571	1,016	2,067	2,311	1,273	34
Female	8,252	151	26	31	80	121	264	381	713	1,607	2,406	2,468	4
White	15,878	288	50	54	285	519	810	829	1,530	3,406	4,466	3,606	35
Male	8,227	165	30	32	213	428	601	501	899	1,920	2,187	1,219	32
Female	7,651	123	20	22	72	91	209	328	631	1,486	2,279	2,387	3
All other	1,370	65	11	18	53	110	134	123	199	268	251	135	3
Male	769	37	5	9	45	80	79	70	117	147	124	54	2
Female	601	28	6	9	8	30	55	53	82	121	127	81	1
Black	768	51	8	11	32	74	88	67	109	140	117	69	2
Male	430	31	3	6	27	52	55	43	66	71	52	23	1
Female	338	20	5	5	5	22	33	24	43	69	65	46	1
San Francisco, CA, PMSA	14,995	151	34	35	173	598	1,306	1,065	1,536	2,823	3,868	3,378	28
Male	8,341	85	19	18	143	501	1,108	788	996	1,637	1,920	1,101	25
Female	6,654	66	15	17	30	97	198	277	540	1,186	1,948	2,277	3
White	11,973	84	23	28	105	467	1,061	829	1,129	2,159	3,142	2,926	20
Male	6,576	47	12	15	89	400	929	630	757	1,227	1,527	925	18
Female	5,397	37	11	13	16	67	132	199	372	932	1,615	2,001	2
All other	3,022	67	11	7	68	131	245	236	407	664	726	452	8
Male	1,765	38	7	3	54	101	179	158	239	410	393	176	7
Female	1,257	29	4	4	14	30	66	78	168	254	333	276	1
Black	1,322	36	6	3	34	88	155	138	178	282	267	129	6
Male	785	22	4	2	27	70	121	95	107	168	127	37	5
Female	537	14	2	1	7	18	34	43	71	114	140	92	1
San Jose, CA, PMSA	8,253	192	30	26	135	274	374	496	991	1,717	2,184	1,833	1
Male	4,186	106	15	16	100	207	269	319	584	965	1,027	578	-
Female	4,067	86	15	10	35	67	105	177	407	752	1,157	1,255	1
White	7,283	145	21	20	110	231	312	418	842	1,517	1,965	1,701	1
Male	3,611	82	9	12	83	181	227	271	497	831	904	514	-
Female	3,672	63	12	8	27	50	85	147	345	686	1,061	1,187	1
All other	970	47	9	6	25	43	62	78	149	200	219	132	-
Male	575	24	6	4	17	26	42	48	87	134	123	64	-
Female	395	23	3	2	8	17	20	30	62	66	96	68	-
Black	242	20	1	4	9	11	27	25	38	46	37	24	-
Male	138	8	1	2	8	7	19	14	26	30	15	8	-
Female	104	12	-	2	1	4	8	11	12	16	22	16	-
Santa Barbara-Santa Maria-Lompoc, CA, MSA	2,658	49	7	10	43	74	84	100	245	559	757	729	1
Male	1,342	29	4	7	35	56	59	67	142	310	381	252	-
Female	1,316	20	3	3	8	18	25	33	103	249	376	477	1
White	2,539	42	7	10	42	69	80	94	226	536	727	705	1
Male	1,270	26	4	7	35	54	56	65	132	295	359	237	-
Female	1,269	16	3	3	7	15	24	29	94	241	368	468	1
All other	119	7	-	-	1	5	4	6	19	23	30	24	-
Male	72	3	-	-	-	2	3	2	10	15	22	15	-
Female	47	4	-	-	1	3	1	4	9	8	8	9	-
Black	50	4	-	-	1	3	3	3	13	8	8	7	-
Male	27	2	-	-	-	1	2	-	7	6	4	5	-
Female	23	2	-	-	1	2	1	3	6	2	4	2	-
Santa Cruz, CA, PMSA	1,673	24	3	6	27	49	76	88	152	311	454	483	-
Male	829	15	-	1	21	38	52	56	88	155	229	174	-
Female	844	9	3	5	6	11	24	32	64	156	225	309	-
White	1,620	20	3	5	27	48	73	85	142	304	442	471	-
Male	791	12	-	1	21	37	50	55	81	148	221	165	-
Female	829	8	3	4	6	11	23	30	61	156	221	306	-
All other	53	4	-	1	-	1	3	3	10	7	12	12	-
Male	38	3	-	-	-	1	2	1	7	7	8	9	-
Female	15	1	-	1	-	-	1	2	3	-	4	3	-
Black	8	2	-	-	-	-	1	-	3	1	-	1	-
Male	6	2	-	-	-	-	1	-	2	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 39 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Fe, NM, MSA	747	12	2	4	30	41	51	51	77	133	204	140	2
Male	406	7	–	3	22	34	31	34	44	80	106	43	2
Female	341	5	2	1	8	7	20	17	33	53	98	97	–
White	719	11	2	3	28	38	49	46	74	129	200	138	1
Male	388	7	–	3	20	32	30	29	43	76	104	43	1
Female	331	4	2	–	8	6	19	17	31	53	96	95	–
All other	28	1	–	1	2	3	2	5	3	4	4	2	1
Male	18	–	–	–	2	2	1	5	1	4	2	–	1
Female	10	1	–	1	–	1	1	–	2	–	2	2	–
Black	6	–	–	–	–	–	1	2	1	–	1	–	1
Male	3	–	–	–	–	–	–	2	–	–	–	–	1
Female	3	–	–	–	–	–	1	–	1	–	1	–	–
Santa Rosa-Petaluma, CA, PMSA	3,399	35	7	14	50	84	172	177	305	719	1,041	795	–
Male	1,746	24	–	8	33	64	122	119	150	442	524	260	–
Female	1,653	11	7	6	17	20	50	58	155	277	517	535	–
White	3,317	34	7	14	47	82	155	168	295	704	1,025	786	–
Male	1,699	24	–	8	30	62	111	113	146	432	519	254	–
Female	1,618	10	7	6	17	20	44	55	149	272	506	532	–
All other	82	1	–	–	3	2	17	9	10	15	16	9	–
Male	47	–	–	–	3	2	11	6	4	10	5	6	–
Female	35	1	–	–	–	–	6	3	6	5	11	3	–
Black	30	1	–	–	–	1	9	3	2	7	6	1	–
Male	22	–	–	–	–	1	7	2	2	6	3	1	–
Female	8	1	–	–	–	–	2	1	–	1	3	–	–
Sarasota, FL, MSA	4,132	24	6	11	21	37	71	139	282	880	1,429	1,232	–
Male	2,211	11	3	9	18	31	57	89	158	533	799	503	–
Female	1,921	13	3	2	3	6	14	50	124	347	630	729	–
White	4,000	17	3	7	17	29	66	126	265	846	1,407	1,217	–
Male	2,127	7	2	6	15	24	52	82	148	507	788	496	–
Female	1,873	10	1	1	2	5	14	44	117	339	619	721	–
All other	132	7	3	4	4	8	5	13	17	34	22	15	–
Male	84	4	1	3	3	7	5	7	10	26	11	7	–
Female	48	3	2	1	1	1	–	6	7	8	11	8	–
Black	129	7	3	4	4	8	5	12	17	33	22	14	–
Male	81	4	1	3	3	7	5	6	10	25	11	6	–
Female	48	3	2	1	1	1	–	6	7	8	11	8	–
Savannah, GA, MSA	2,238	60	5	6	43	77	115	139	297	498	617	380	1
Male	1,152	34	2	4	28	55	88	87	189	278	280	106	1
Female	1,086	26	3	2	15	22	27	52	108	220	337	274	–
White	1,298	14	2	2	15	28	42	75	175	301	389	255	–
Male	642	8	2	2	8	19	31	48	113	168	177	66	–
Female	656	6	–	–	7	9	11	27	62	133	212	189	–
All other	940	46	3	4	28	49	73	64	122	197	228	125	1
Male	510	26	–	2	20	36	57	39	76	110	103	40	1
Female	430	20	3	2	8	13	16	25	46	87	125	85	–
Black	935	45	3	4	27	49	72	64	122	195	228	125	1
Male	508	26	–	2	20	36	56	39	76	109	103	40	1
Female	427	19	3	2	7	13	16	25	46	86	125	85	–
Scranton--Wilkes-Barre, PA, MSA	8,743	50	15	13	80	124	214	316	962	2,067	2,958	1,944	–
Male	4,312	27	12	6	58	89	136	198	629	1,163	1,418	576	–
Female	4,431	23	3	7	22	35	78	118	333	904	1,540	1,368	–
White	8,678	47	13	13	79	120	205	309	953	2,057	2,944	1,938	–
Male	4,276	25	11	6	57	85	131	195	623	1,156	1,413	574	–
Female	4,402	22	2	7	22	35	74	114	330	901	1,531	1,364	–
All other	65	3	2	–	1	4	9	7	9	10	14	6	–
Male	36	2	1	–	1	4	5	3	6	7	5	2	–
Female	29	1	1	–	–	–	4	4	3	3	9	4	–
Black	58	3	1	–	1	4	9	6	8	9	12	5	–
Male	34	2	–	–	1	4	5	3	6	7	5	1	–
Female	24	1	1	–	–	–	4	3	2	2	7	4	–
Seattle, WA, PMSA	13,483	207	25	48	225	368	642	738	1,479	2,885	3,670	3,195	1
Male	6,817	104	12	21	166	279	477	466	846	1,668	1,785	993	–
Female	6,666	103	13	27	59	89	165	272	633	1,217	1,885	2,202	1
White	12,363	162	15	39	184	302	553	645	1,303	2,657	3,446	3,056	1
Male	6,156	84	8	20	135	234	418	406	739	1,538	1,648	926	–
Female	6,207	78	7	19	49	68	135	239	564	1,119	1,798	2,130	1
All other	1,120	45	10	9	41	66	89	93	176	228	224	139	–
Male	661	20	4	1	31	45	59	60	107	130	137	67	–
Female	459	25	6	8	10	21	30	33	69	98	87	72	–
Black	540	25	4	4	25	36	47	52	85	117	96	49	–
Male	313	10	1	–	22	21	36	36	52	62	57	16	–
Female	227	15	3	4	3	15	11	16	33	55	39	33	–
Sharon, PA, MSA	1,354	15	6	4	9	16	28	62	121	346	408	339	–
Male	700	10	3	2	9	12	20	39	74	204	206	121	–
Female	654	5	3	2	–	4	8	23	47	142	202	218	–
White	1,293	9	6	4	9	13	26	56	115	328	393	334	–
Male	663	7	3	2	9	9	19	37	70	194	195	118	–
Female	630	2	3	2	–	4	7	19	45	134	198	216	–
All other	61	6	–	–	–	3	2	6	6	18	15	5	–
Male	37	3	–	–	–	3	1	2	4	10	11	3	–
Female	24	3	–	–	–	–	1	4	2	8	4	2	–
Black	58	6	–	–	–	3	2	6	5	18	14	4	–
Male	36	3	–	–	–	3	1	2	4	10	10	3	–
Female	22	3	–	–	–	–	1	4	1	8	4	1	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 40 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sheboygan, WI, MSA	928	10	1	5	8	9	12	39	89	171	315	269	-
Male	469	4	1	2	6	5	5	25	53	100	170	98	-
Female	459	6	-	3	2	4	7	14	36	71	145	171	-
White	924	9	1	5	8	9	12	39	88	170	314	269	-
Male	469	4	1	2	6	5	5	25	53	100	170	98	-
Female	455	5	-	3	2	4	7	14	35	70	144	171	-
All other	4	1	-	-	-	-	-	-	1	1	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sherman-Denison, TX, MSA	1,039	13	-	3	16	24	29	46	116	213	323	256	-
Male	533	12	-	-	12	16	18	27	65	134	159	90	-
Female	506	1	-	3	4	8	11	19	51	79	164	166	-
White	961	13	-	2	16	22	24	40	97	204	307	236	-
Male	500	12	-	-	12	15	16	24	57	129	153	82	-
Female	461	1	-	2	4	7	8	16	40	75	154	154	-
All other	78	-	-	1	-	2	5	6	19	9	16	20	-
Male	33	-	-	-	-	1	2	3	8	5	6	8	-
Female	45	-	-	1	-	1	3	3	11	4	10	12	-
Black	73	-	-	-	-	2	4	6	17	9	15	20	-
Male	32	-	-	-	-	1	2	3	7	5	6	8	-
Female	41	-	-	-	-	1	2	3	10	4	9	12	-
Shreveport, LA, MSA	3,160	48	17	20	69	87	119	194	398	721	833	654	-
Male	1,630	26	9	14	52	65	70	132	238	428	384	212	-
Female	1,530	22	8	6	17	22	49	62	160	293	449	442	-
White	2,049	14	5	8	26	38	61	118	252	479	588	460	-
Male	1,053	8	2	4	21	26	38	84	153	294	271	152	-
Female	996	6	3	4	5	12	23	34	99	185	317	308	-
All other	1,111	34	12	12	43	49	58	76	146	242	245	194	-
Male	577	18	7	10	31	39	32	48	85	134	113	60	-
Female	534	16	5	2	12	10	26	28	61	108	132	134	-
Black	1,106	34	12	12	43	49	57	75	145	242	243	194	-
Male	575	18	7	10	31	39	32	48	84	134	112	60	-
Female	531	16	5	2	12	10	25	27	61	108	131	134	-
Sioux City, IA-NE, MSA	1,069	18	3	4	18	11	28	35	113	210	312	316	1
Male	522	7	2	4	13	7	16	23	68	122	160	99	1
Female	547	11	1	-	5	4	12	12	45	88	152	217	-
White	1,043	15	3	4	15	10	28	33	108	205	307	314	1
Male	506	7	2	4	10	6	16	21	65	118	158	98	1
Female	537	8	1	-	5	4	12	12	43	87	149	216	-
All other	26	3	-	-	3	1	-	2	5	5	5	2	-
Male	16	-	-	-	3	1	-	2	3	4	2	1	-
Female	10	3	-	-	-	-	-	-	2	1	3	1	-
Black	16	2	-	-	1	1	-	2	3	4	2	1	-
Male	10	-	-	-	1	1	-	2	2	3	1	-	-
Female	6	2	-	-	-	-	-	-	1	1	1	1	-
Sioux Falls, SD, MSA	943	19	2	4	16	20	20	38	78	206	259	281	-
Male	468	13	-	3	11	15	10	29	48	117	135	87	-
Female	475	6	2	1	5	5	10	9	30	89	124	194	-
White	932	15	2	4	14	19	19	38	77	205	258	281	-
Male	457	9	-	3	9	14	9	29	47	116	134	87	-
Female	475	6	2	1	5	5	10	9	30	89	124	194	-
All other	11	4	-	-	2	1	1	-	1	1	1	-	-
Male	11	4	-	-	2	1	1	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	1	-	-	-	-	-	1	-	-
Male	3	1	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend-Mishawaka, IN, MSA	2,249	39	6	8	36	49	66	104	242	507	621	571	-
Male	1,102	20	2	7	26	29	44	61	156	272	304	181	-
Female	1,147	19	4	1	10	20	22	43	86	235	317	390	-
White	2,041	29	4	5	29	41	50	89	208	454	585	547	-
Male	989	13	1	4	23	25	31	56	137	244	283	172	-
Female	1,052	16	3	1	6	16	19	33	71	210	302	375	-
All other	208	10	2	3	7	8	16	15	34	53	36	24	-
Male	113	7	1	3	3	4	13	5	19	28	21	9	-
Female	95	3	1	-	4	4	3	10	15	25	15	15	-
Black	205	10	2	3	7	8	16	15	33	52	35	24	-
Male	111	7	1	3	3	4	13	5	18	28	20	9	-
Female	94	3	1	-	4	4	3	10	15	24	15	15	-
Spokane, WA, MSA	3,180	48	6	10	32	66	104	164	303	630	977	840	-
Male	1,586	26	3	8	22	47	79	95	181	360	492	273	-
Female	1,594	22	3	2	10	19	25	69	122	270	485	567	-
White	3,096	44	5	8	30	61	94	153	289	617	965	830	-
Male	1,543	26	3	7	20	43	71	88	173	355	489	268	-
Female	1,553	18	2	1	10	18	23	65	116	262	476	562	-
All other	84	4	1	2	2	5	10	11	14	13	12	10	-
Male	43	-	-	1	2	4	8	7	8	5	3	5	-
Female	41	4	1	1	-	1	2	4	6	8	9	5	-
Black	32	3	1	1	-	2	4	4	8	-	5	4	-
Male	17	-	-	-	-	2	3	4	5	-	1	2	-
Female	15	3	1	1	-	-	1	-	3	-	4	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 41 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, IL, MSA	1,763	24	8	14	31	30	71	75	172	385	500	453	-
Male	864	16	6	9	27	26	48	45	108	197	234	148	-
Female	899	8	2	5	4	4	23	30	64	188	266	305	-
White	1,642	15	4	13	25	26	56	66	155	365	479	438	-
Male	796	11	3	8	21	22	36	39	98	192	226	140	-
Female	846	4	1	5	4	4	20	27	57	173	253	298	-
All other	121	9	4	1	6	4	15	9	17	20	21	15	-
Male	68	5	3	1	6	4	12	6	10	5	8	8	-
Female	53	4	1	-	-	-	3	3	7	15	13	7	-
Black	119	9	4	1	6	4	15	9	17	19	21	14	-
Male	67	5	3	1	6	4	12	6	10	5	8	7	-
Female	52	4	1	-	-	-	3	3	7	14	13	7	-
Springfield, MO, MSA	2,129	24	6	12	29	51	77	107	216	444	583	579	1
Male	1,084	18	3	10	25	35	63	74	136	278	260	182	-
Female	1,045	6	3	2	4	16	14	33	80	166	323	397	1
White	2,064	22	6	12	29	45	70	96	208	432	573	570	1
Male	1,038	16	3	10	25	30	57	65	129	269	254	180	-
Female	1,026	6	3	2	4	15	13	31	79	163	319	390	1
All other	65	2	-	-	-	6	7	11	8	12	10	9	-
Male	46	2	-	-	-	5	6	9	7	9	6	2	-
Female	19	-	-	-	-	1	1	2	1	3	4	7	-
Black	50	-	-	-	-	4	6	9	6	10	7	8	-
Male	38	-	-	-	-	4	5	9	6	8	5	1	-
Female	12	-	-	-	-	-	1	-	-	2	2	7	-
Springfield, MA, NECMA	5,559	75	11	24	59	110	196	252	609	1,232	1,636	1,355	-
Male	2,732	41	4	15	46	79	134	160	383	719	782	389	-
Female	2,827	34	7	9	13	31	62	92	246	513	854	966	-
White	5,292	57	9	19	49	95	162	229	576	1,179	1,594	1,323	-
Male	2,581	32	3	12	38	68	111	144	347	687	761	378	-
Female	2,711	25	6	7	11	27	51	85	229	492	833	945	-
All other	267	18	2	5	10	15	34	23	33	53	42	32	-
Male	151	9	1	3	8	11	23	16	16	32	21	11	-
Female	116	9	1	2	2	4	11	7	17	21	21	21	-
Black	249	18	2	4	8	13	32	21	32	46	41	32	-
Male	140	9	1	2	7	9	22	14	16	29	20	11	-
Female	109	9	1	2	1	4	10	7	16	17	21	21	-
State College, PA, MSA	723	8	2	2	11	19	24	34	87	147	224	165	-
Male	350	3	1	1	9	15	19	25	50	88	103	36	-
Female	373	5	1	1	2	4	5	9	37	59	121	129	-
White	719	8	2	2	11	18	24	32	87	147	224	164	-
Male	347	3	1	1	9	15	19	23	50	88	103	35	-
Female	372	5	1	1	2	3	5	9	37	59	121	129	-
All other	4	-	-	-	-	1	-	2	-	-	-	1	-
Male	3	-	-	-	-	-	-	2	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Steubenville-Weirton, OH-WV, MSA	1,671	15	1	3	23	20	38	84	225	438	503	321	-
Male	877	11	1	2	17	15	27	50	133	258	250	113	-
Female	794	4	-	1	6	5	11	34	92	180	253	208	-
White	1,596	14	-	3	23	17	31	78	215	419	485	311	-
Male	832	10	-	2	17	12	22	47	126	246	243	107	-
Female	764	4	-	1	6	5	9	31	89	173	242	204	-
All other	75	1	1	-	-	3	7	6	10	19	18	10	-
Male	45	1	1	-	-	3	5	3	7	12	7	6	-
Female	30	-	-	-	-	-	2	3	3	7	11	4	-
Black	74	1	1	-	-	3	7	6	9	19	18	10	-
Male	44	1	1	-	-	3	5	3	6	12	7	6	-
Female	30	-	-	-	-	-	2	3	3	7	11	4	-
Stockton, CA, MSA	3,895	79	14	18	102	143	177	237	447	804	1,035	838	1
Male	2,077	54	11	14	78	109	116	150	252	446	530	316	1
Female	1,818	25	3	4	24	34	61	87	195	358	505	522	-
White	3,343	59	9	10	82	118	146	198	378	707	893	742	1
Male	1,732	40	7	6	65	95	98	124	216	390	437	253	1
Female	1,611	19	2	4	17	23	48	74	162	317	456	489	-
All other	552	20	5	8	20	25	31	39	69	97	142	96	-
Male	345	14	4	8	13	14	18	26	36	56	93	63	-
Female	207	6	1	-	7	11	13	13	33	41	49	33	-
Black	250	11	1	1	9	16	20	16	43	53	54	26	-
Male	134	9	1	1	6	9	13	10	22	26	27	10	-
Female	116	2	-	-	3	7	7	6	21	27	27	16	-
Syracuse, NY, MSA	5,417	76	15	22	73	91	152	277	585	1,232	1,565	1,329	-
Male	2,638	35	9	10	55	57	102	184	361	697	712	416	-
Female	2,779	41	6	12	18	34	50	93	224	535	853	913	-
White	5,180	59	11	19	63	81	133	242	554	1,179	1,528	1,311	-
Male	2,501	28	7	8	48	50	90	161	342	668	693	406	-
Female	2,679	31	4	11	15	31	43	81	212	511	835	905	-
All other	237	17	4	3	10	10	19	35	31	53	37	18	-
Male	137	7	2	2	7	7	12	23	19	29	19	10	-
Female	100	10	2	1	3	3	7	12	12	24	18	8	-
Black	210	16	4	3	8	8	18	29	28	48	32	16	-
Male	126	7	2	2	6	6	11	20	18	28	17	9	-
Female	84	9	2	1	2	2	7	9	10	20	15	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, WA, PMSA	4,275	90	26	18	89	112	161	246	462	988	1,179	904	-
Male	2,243	57	15	12	72	74	93	156	285	583	584	312	-
Female	2,032	33	11	6	17	38	68	90	177	405	595	592	-
White	3,985	70	24	16	62	97	136	213	414	934	1,134	885	-
Male	2,078	48	15	11	51	65	81	140	255	550	557	305	-
Female	1,907	22	9	5	11	32	55	73	159	384	577	580	-
All other	290	20	2	2	27	15	25	33	48	54	45	19	-
Male	165	9	-	1	21	9	12	16	30	33	27	7	-
Female	125	11	2	1	6	6	13	17	18	21	18	12	-
Black	170	13	1	2	17	9	14	19	28	34	23	10	-
Male	106	6	-	1	14	5	9	12	18	23	13	5	-
Female	64	7	1	1	3	4	5	7	10	11	10	5	-
Tallahassee, FL, MSA	1,539	31	6	12	39	65	81	115	181	323	421	264	1
Male	808	21	3	7	34	49	62	74	108	175	194	80	1
Female	731	10	3	5	5	16	19	41	73	148	227	184	-
White	1,033	9	4	9	18	24	47	68	123	220	302	208	1
Male	525	7	2	5	16	20	36	43	73	127	135	60	1
Female	508	2	2	4	2	4	11	25	50	93	167	148	-
All other	506	22	2	3	21	41	34	47	58	103	119	56	-
Male	283	14	1	2	18	29	26	31	35	48	59	20	-
Female	223	8	1	1	3	12	8	16	23	55	60	36	-
Black	505	22	2	3	21	41	33	47	58	103	119	56	-
Male	282	14	1	2	18	29	25	31	35	48	59	20	-
Female	223	8	1	1	3	12	8	16	23	55	60	36	-
Tampa-St. Petersburg-Clearwater, FL, MSA	25,217	248	62	40	231	474	706	1,046	2,455	5,753	7,946	6,251	5
Male	13,474	130	34	24	171	352	494	675	1,559	3,436	4,183	2,412	4
Female	11,743	118	28	16	60	122	212	371	896	2,317	3,763	3,839	1
White	23,565	151	40	34	183	376	587	888	2,203	5,410	7,618	6,072	3
Male	12,575	82	20	19	136	293	427	583	1,402	3,236	4,021	2,354	2
Female	10,990	69	20	15	47	83	160	305	801	2,174	3,597	3,718	1
All other	1,652	97	22	6	48	98	119	158	252	343	328	179	2
Male	899	48	14	5	35	59	67	92	157	200	162	58	2
Female	753	49	8	1	13	39	52	66	95	143	166	121	-
Black	1,604	97	22	5	43	96	113	152	243	337	318	176	2
Male	871	48	14	4	32	58	64	90	153	194	156	56	2
Female	733	49	8	1	11	38	49	62	90	143	162	120	-
Terre Haute, IN, MSA	1,395	15	2	8	15	20	42	52	147	333	421	340	-
Male	652	5	-	4	10	16	29	33	88	189	186	92	-
Female	743	10	2	4	5	4	13	19	59	144	235	248	-
White	1,338	11	2	8	15	20	38	46	140	321	412	325	-
Male	629	3	-	4	10	16	26	29	84	185	182	90	-
Female	709	8	2	4	5	4	12	17	56	136	230	235	-
All other	57	4	-	-	-	-	4	6	7	12	9	15	-
Male	23	2	-	-	-	-	3	4	4	4	4	2	-
Female	34	2	-	-	-	-	1	2	3	8	5	13	-
Black	57	4	-	-	-	-	4	6	7	12	9	15	-
Male	23	2	-	-	-	-	3	4	4	4	4	2	-
Female	34	2	-	-	-	-	1	2	3	8	5	13	-
Texarkana, TX-Texarkana, AR, MSA	1,225	14	2	4	25	21	38	69	149	284	343	276	-
Male	620	6	-	2	16	9	21	37	96	159	164	110	-
Female	605	8	2	2	9	12	17	32	53	125	179	166	-
White	966	7	2	4	15	16	24	53	112	226	276	231	-
Male	484	1	-	2	8	7	12	29	74	126	134	91	-
Female	482	6	2	2	7	9	12	24	38	100	142	140	-
All other	259	7	-	-	10	5	14	16	37	58	67	45	-
Male	136	5	-	-	8	2	9	8	22	33	30	19	-
Female	123	2	-	-	2	3	5	8	15	25	37	26	-
Black	257	7	-	-	10	5	13	15	37	58	67	45	-
Male	135	5	-	-	8	2	8	8	22	33	30	19	-
Female	122	2	-	-	2	3	5	7	15	25	37	26	-
Toledo, OH, MSA	5,569	117	20	24	79	108	194	297	666	1,302	1,536	1,226	-
Male	2,778	65	9	14	54	72	137	180	399	744	731	373	-
Female	2,791	52	11	10	25	36	57	117	267	558	805	853	-
White	4,935	72	12	18	56	79	145	238	592	1,143	1,438	1,142	-
Male	2,437	43	7	9	40	53	104	139	364	653	687	338	-
Female	2,498	29	5	9	16	26	41	99	228	490	751	804	-
All other	634	45	8	6	23	29	49	59	74	159	98	84	-
Male	341	22	2	5	14	19	33	41	35	91	44	35	-
Female	293	23	6	1	9	10	16	18	39	68	54	49	-
Black	615	45	8	5	22	27	47	59	72	155	94	81	-
Male	330	22	2	4	13	19	32	41	34	88	41	34	-
Female	285	23	6	1	9	8	15	18	38	67	53	47	-
Topeka, KS, MSA	1,490	28	2	7	21	31	52	63	157	300	413	416	-
Male	730	17	1	3	16	20	39	40	102	184	198	110	-
Female	760	11	1	4	5	11	13	23	55	116	215	306	-
White	1,347	25	2	5	17	26	40	56	141	273	383	379	-
Male	652	14	1	1	12	17	30	36	93	166	183	99	-
Female	695	11	1	4	5	9	10	20	48	107	200	280	-
All other	143	3	-	2	4	5	12	7	16	27	30	37	-
Male	78	3	-	2	4	3	9	4	9	18	15	11	-
Female	65	-	-	-	-	2	3	3	7	9	15	26	-
Black	132	3	-	2	4	5	10	5	16	24	27	36	-
Male	72	3	-	2	4	3	9	3	9	15	14	10	-
Female	60	-	-	-	-	2	1	2	7	9	13	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 43 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, NJ, PMSA	2,953	51	3	5	37	66	109	160	344	689	859	629	1
Male	1,490	29	1	4	28	46	73	102	213	391	395	207	1
Female	1,463	22	2	1	9	20	36	58	131	298	464	422	-
White	2,425	17	1	2	19	45	66	95	269	575	760	575	1
Male	1,201	11	-	1	13	34	45	61	172	325	352	186	1
Female	1,224	6	1	1	6	11	21	34	97	250	408	389	-
All other	528	34	2	3	18	21	43	65	75	114	99	54	-
Male	289	18	1	3	15	12	28	41	41	66	43	21	-
Female	239	16	1	-	3	9	15	24	34	48	56	33	-
Black	512	33	1	3	18	20	40	63	74	111	97	52	-
Male	280	17	-	3	15	11	26	40	41	64	43	20	-
Female	232	16	1	-	3	9	14	23	33	47	54	32	-
Tucson, AZ, MSA	5,768	98	17	18	84	153	230	292	636	1,372	1,690	1,174	4
Male	3,082	47	7	10	60	117	174	170	383	828	864	418	4
Female	2,686	51	10	8	24	36	56	122	253	544	826	756	-
White	5,456	83	15	18	70	139	201	266	596	1,303	1,629	1,132	4
Male	2,915	38	6	10	50	110	154	156	362	789	838	398	4
Female	2,541	45	9	8	20	29	47	110	234	514	791	734	-
All other	312	15	2	-	14	14	29	26	40	69	61	42	-
Male	167	9	1	-	10	7	20	14	21	39	26	20	-
Female	145	6	1	-	4	7	9	12	19	30	35	22	-
Black	152	8	1	-	6	5	9	10	19	41	29	24	-
Male	90	5	1	-	4	4	8	9	10	26	14	9	-
Female	62	3	-	-	2	1	1	1	9	15	15	15	-
Tulsa, OK, MSA	5,992	103	24	20	107	148	250	370	721	1,299	1,608	1,340	2
Male	3,015	58	13	13	82	105	158	235	446	717	772	414	2
Female	2,977	45	11	7	25	43	92	135	275	582	836	926	-
White	5,313	68	15	12	76	121	213	319	629	1,177	1,449	1,232	2
Male	2,661	38	7	9	59	83	134	204	386	660	698	381	2
Female	2,652	30	8	3	17	38	79	115	243	517	751	851	-
All other	679	35	9	8	31	27	37	51	92	122	159	108	-
Male	354	20	6	4	23	22	24	31	60	57	74	33	-
Female	325	15	3	4	8	5	13	20	32	65	85	75	-
Black	501	30	8	7	19	16	27	39	67	87	124	77	-
Male	251	16	5	3	15	14	16	24	44	41	51	22	-
Female	250	14	3	4	4	2	11	15	23	46	73	55	-
Tuscaloosa, AL, MSA	1,260	26	7	8	33	36	46	88	152	281	322	261	-
Male	652	11	4	6	18	28	34	57	96	166	157	75	-
Female	608	15	3	2	15	8	12	31	56	115	165	186	-
White	916	9	4	5	20	22	28	59	125	197	260	187	-
Male	485	4	3	3	8	18	23	36	81	123	128	58	-
Female	431	5	1	2	12	4	5	23	44	74	132	129	-
All other	344	17	3	3	13	14	18	29	27	84	62	74	-
Male	167	7	1	3	10	10	11	21	15	43	29	17	-
Female	177	10	2	-	3	4	7	8	12	41	33	57	-
Black	342	17	3	3	12	14	18	29	27	83	62	74	-
Male	166	7	1	3	9	10	11	21	15	43	29	17	-
Female	176	10	2	-	3	4	7	8	12	40	33	57	-
Tyler, TX, MSA	1,435	19	6	9	47	30	45	69	172	306	404	328	-
Male	742	11	3	7	37	20	23	47	105	175	204	110	-
Female	693	8	3	2	10	10	22	22	67	131	200	218	-
White	1,146	14	3	6	31	18	31	53	132	248	343	267	-
Male	577	9	1	4	21	13	14	32	79	146	174	84	-
Female	569	5	2	2	10	5	17	21	53	102	169	183	-
All other	289	5	3	3	16	12	14	16	40	58	61	61	-
Male	165	2	2	3	16	7	9	15	26	29	30	26	-
Female	124	3	1	-	-	5	5	1	14	29	31	35	-
Black	288	5	3	3	16	11	14	16	40	58	61	61	-
Male	165	2	2	3	16	7	9	15	26	29	30	26	-
Female	123	3	1	-	-	4	5	1	14	29	31	35	-
Utica-Rome, NY, MSA	3,258	30	8	12	30	52	83	139	337	777	997	793	-
Male	1,651	20	3	7	21	42	64	84	212	448	502	248	-
Female	1,607	10	5	5	9	10	19	55	125	329	495	545	-
White	3,186	25	5	12	28	43	73	131	331	768	983	787	-
Male	1,605	18	1	7	20	34	55	79	207	443	495	246	-
Female	1,581	7	4	5	8	9	18	52	124	325	488	541	-
All other	72	5	3	-	2	9	10	8	6	9	14	6	-
Male	46	2	2	-	1	8	9	5	5	5	7	2	-
Female	26	3	1	-	1	1	1	3	1	4	7	4	-
Black	66	5	3	-	2	8	10	8	6	6	12	6	-
Male	42	2	2	-	1	7	9	5	5	3	6	2	-
Female	24	3	1	-	1	1	1	3	1	3	6	4	-
Vallejo-Fairfield-Napa, CA, PMSA	3,311	53	13	21	48	117	161	216	345	762	906	668	1
Male	1,766	28	5	11	37	78	109	139	205	454	469	231	-
Female	1,545	25	8	10	11	39	52	77	140	308	437	437	1
White	2,798	31	9	15	31	88	116	175	265	659	792	616	1
Male	1,479	16	4	8	25	61	77	113	159	404	407	205	-
Female	1,319	15	5	7	6	27	39	62	106	255	385	411	1
All other	513	22	4	6	17	29	45	41	80	103	114	52	-
Male	287	12	1	3	12	17	32	26	46	50	62	26	-
Female	226	10	3	3	5	12	13	15	34	53	52	26	-
Black	308	18	2	3	14	19	31	29	41	59	64	28	-
Male	170	10	1	2	10	12	25	17	29	29	26	9	-
Female	138	8	1	1	4	7	6	12	12	30	38	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 44 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vancouver, WA, PMSA	1,671	24	6	4	35	41	76	90	187	396	478	334	-
Male	904	14	5	4	23	33	56	57	117	234	252	109	-
Female	767	10	1	-	12	8	20	33	70	162	226	225	-
White	1,650	23	6	4	35	41	72	88	181	390	478	332	-
Male	891	14	5	4	23	33	53	55	113	232	252	107	-
Female	759	9	1	-	12	8	19	33	68	158	226	225	-
All other	21	1	-	-	-	-	4	2	6	6	-	2	-
Male	13	-	-	-	-	-	3	2	4	2	-	2	-
Female	8	1	-	-	-	-	1	-	2	4	-	-	-
Black	10	-	-	-	-	-	1	-	4	3	-	2	-
Male	5	-	-	-	-	-	1	-	2	-	-	2	-
Female	5	-	-	-	-	-	-	-	2	3	-	-	-
Victoria, TX, MSA	552	12	2	3	16	15	18	24	72	140	151	98	1
Male	295	7	-	3	10	10	11	14	48	77	73	41	1
Female	257	5	2	-	6	5	7	10	24	63	78	57	-
White	493	12	2	3	15	11	16	20	61	124	138	90	1
Male	258	7	-	3	10	7	10	10	39	68	67	36	1
Female	235	5	2	-	5	4	6	10	22	56	71	54	-
All other	59	-	-	-	1	4	2	4	11	16	13	8	-
Male	37	-	-	-	-	3	1	4	9	9	6	5	-
Female	22	-	-	-	1	1	1	-	2	7	7	3	-
Black	59	-	-	-	1	4	2	4	11	16	13	8	-
Male	37	-	-	-	-	3	1	4	9	9	6	5	-
Female	22	-	-	-	1	1	1	-	2	7	7	3	-
Vineland-Millville-Bridgeton, NJ, PMSA	1,314	20	3	4	14	39	41	73	149	288	394	289	-
Male	667	10	2	4	10	22	28	50	91	155	204	91	-
Female	647	10	1	-	4	17	13	23	58	133	190	198	-
White	1,129	10	2	3	12	28	30	60	125	242	350	267	-
Male	567	4	1	3	10	17	22	40	77	125	182	86	-
Female	562	6	1	-	2	11	8	20	48	117	168	181	-
All other	185	10	1	1	2	11	11	13	24	46	44	22	-
Male	100	6	1	1	-	5	6	10	14	30	22	5	-
Female	85	4	-	-	2	6	5	3	10	16	22	17	-
Black	173	10	1	1	2	11	11	13	24	43	40	17	-
Male	95	6	1	1	-	5	6	10	14	28	20	4	-
Female	78	4	-	-	2	6	5	3	10	15	20	13	-
Visalia-Tulare-Porterville, CA, MSA	2,524	51	18	20	54	79	109	162	271	521	729	508	2
Male	1,319	30	8	8	46	57	71	92	165	290	364	186	2
Female	1,205	21	10	12	8	22	38	70	106	231	365	322	-
White	2,405	45	18	19	47	74	106	150	262	498	691	493	2
Male	1,247	25	8	8	39	53	69	86	159	279	344	175	2
Female	1,158	20	10	11	8	21	37	64	103	219	347	318	-
All other	119	6	-	1	7	5	3	12	9	23	38	15	-
Male	72	5	-	-	7	4	2	6	6	11	20	11	-
Female	47	1	-	1	-	1	1	6	3	12	18	4	-
Black	43	-	-	1	4	2	1	4	1	9	18	3	-
Male	24	-	-	-	4	2	-	2	1	5	8	2	-
Female	19	-	-	1	-	-	1	2	-	4	10	1	-
Waco, TX, MSA	1,806	19	8	3	41	52	64	102	202	409	534	372	-
Male	977	15	4	2	30	40	43	67	118	248	290	120	-
Female	829	4	4	1	11	12	21	35	84	161	244	252	-
White	1,493	16	8	3	31	34	38	78	161	346	467	311	-
Male	797	13	4	2	24	25	28	52	97	205	251	96	-
Female	696	3	4	1	7	9	10	26	64	141	216	215	-
All other	313	3	-	-	10	18	26	24	41	63	67	61	-
Male	180	2	-	-	6	15	15	15	21	43	39	24	-
Female	133	1	-	-	4	3	11	9	20	20	28	37	-
Black	311	3	-	-	10	18	26	24	40	63	66	61	-
Male	178	2	-	-	6	15	15	15	20	43	38	24	-
Female	133	1	-	-	4	3	11	9	20	20	28	37	-
Washington, DC-MD-VA, MSA	25,000	743	108	108	662	1,097	1,570	1,882	3,294	5,147	5,839	4,505	45
Male	12,976	419	54	73	522	791	1,103	1,205	1,981	2,668	2,638	1,291	31
Female	12,024	324	54	35	140	306	467	677	1,313	2,279	3,201	3,214	14
White	15,843	278	49	56	231	447	728	955	1,925	3,361	4,222	3,576	15
Male	7,821	155	26	34	172	330	524	629	1,171	1,876	1,888	1,009	7
Female	8,022	123	23	22	59	117	204	326	754	1,485	2,334	2,567	8
All other	9,157	465	59	52	431	650	842	927	1,369	1,786	1,617	929	30
Male	5,155	264	28	39	350	461	579	576	810	992	750	282	24
Female	4,002	201	31	13	81	189	263	351	559	794	867	647	6
Black	8,717	453	57	48	410	628	814	882	1,287	1,703	1,527	878	30
Male	4,912	258	28	35	335	444	560	556	765	945	699	263	24
Female	3,805	195	29	13	75	184	254	326	522	758	828	615	6
Waterloo-Cedar Falls, IA, MSA	1,338	13	3	2	13	20	36	55	138	289	422	347	-
Male	660	6	3	2	10	10	20	31	91	172	198	117	-
Female	678	7	-	-	3	10	16	24	47	117	224	230	-
White	1,268	10	2	2	11	17	29	51	124	276	406	340	-
Male	619	4	2	2	8	10	18	30	78	163	190	114	-
Female	649	6	-	-	3	7	11	21	46	113	216	226	-
All other	70	3	1	-	2	3	7	4	14	13	16	7	-
Male	41	2	1	-	2	-	2	1	13	9	8	3	-
Female	29	1	-	-	-	3	5	3	1	4	8	4	-
Black	68	3	1	-	2	3	7	4	14	13	14	7	-
Male	39	2	1	-	2	-	2	1	13	9	6	3	-
Female	29	1	-	-	-	3	5	3	1	4	8	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 45 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wausau, WI, MSA	849	11	4	2	11	19	26	41	86	163	270	216	-
Male	474	7	2	2	9	15	18	32	62	98	145	84	-
Female	375	4	2	-	2	4	8	9	24	65	125	132	-
White	842	11	2	2	11	19	25	40	86	162	268	216	-
Male	470	7	1	2	9	15	17	32	62	97	144	84	-
Female	372	4	1	-	2	4	8	8	24	65	124	132	-
All other	7	-	2	-	-	-	1	1	-	1	2	-	-
Male	4	-	1	-	-	-	1	-	-	1	1	-	-
Female	3	-	1	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
West Palm Beach-Boca Raton-Delray Beach, FL, MSA	10,351	131	31	23	123	251	275	399	813	2,192	3,452	2,659	2
Male	5,515	79	19	17	87	175	200	256	468	1,273	1,847	1,094	-
Female	4,836	52	12	6	36	76	75	143	345	919	1,605	1,565	2
White	9,383	68	15	15	77	155	202	305	684	2,012	3,262	2,586	2
Male	4,975	44	8	10	60	120	149	195	398	1,165	1,759	1,067	-
Female	4,408	24	7	5	17	35	53	110	286	847	1,503	1,519	2
All other	968	63	16	8	46	96	73	94	129	180	190	73	-
Male	540	35	11	7	27	55	51	61	70	108	88	27	-
Female	428	28	5	1	19	41	22	33	59	72	102	46	-
Black	953	62	16	8	46	94	72	93	127	178	185	72	-
Male	532	35	11	7	27	53	51	60	70	106	86	26	-
Female	421	27	5	1	19	41	21	33	57	72	99	46	-
Wheeling, WV-OH, MSA	1,936	22	2	5	18	20	40	66	198	472	638	455	-
Male	960	13	1	2	12	16	30	39	133	262	310	142	-
Female	976	9	1	3	6	4	10	27	65	210	328	313	-
White	1,908	21	2	5	17	20	38	66	194	465	633	447	-
Male	945	12	1	2	12	16	29	39	129	259	307	139	-
Female	963	9	1	3	5	4	9	27	65	206	326	308	-
All other	28	1	-	-	1	-	2	-	4	7	5	8	-
Male	15	1	-	-	-	-	1	-	4	3	3	3	-
Female	13	-	-	-	1	-	1	-	-	4	2	5	-
Black	27	1	-	-	1	-	2	-	4	6	5	8	-
Male	15	1	-	-	-	-	1	-	4	3	3	3	-
Female	12	-	-	-	1	-	1	-	-	3	2	5	-
Wichita, KS, MSA	3,899	101	15	25	64	100	129	203	451	824	1,073	913	1
Male	2,020	60	7	14	44	67	85	116	274	514	559	279	1
Female	1,879	41	8	11	20	33	44	87	177	310	514	634	-
White	3,559	65	12	22	51	80	108	177	402	765	1,008	868	1
Male	1,839	39	6	12	33	53	70	104	247	478	531	265	1
Female	1,720	26	6	10	18	27	38	73	155	287	477	603	-
All other	340	36	3	3	13	20	21	26	49	59	65	45	-
Male	181	21	1	2	11	14	15	12	27	36	28	14	-
Female	159	15	2	1	2	6	6	14	22	23	37	31	-
Black	300	33	3	3	10	14	20	21	42	54	57	43	-
Male	154	19	1	2	8	9	14	10	23	33	23	12	-
Female	146	14	2	1	2	5	6	11	19	21	34	31	-
Wichita Falls, TX, MSA	1,242	34	4	4	15	27	42	67	144	251	352	302	-
Male	585	20	4	2	10	19	27	37	79	163	154	70	-
Female	657	14	-	2	5	8	15	30	65	88	198	232	-
White	1,134	23	2	4	14	25	34	58	127	231	330	286	-
Male	529	14	2	2	9	17	25	33	72	148	141	66	-
Female	605	9	-	2	5	8	9	25	55	83	189	220	-
All other	108	11	2	-	1	2	8	9	17	20	22	16	-
Male	56	6	2	-	1	2	2	4	7	15	13	4	-
Female	52	5	-	-	-	-	6	5	10	5	9	12	-
Black	107	10	2	-	1	2	8	9	17	20	22	16	-
Male	55	5	2	-	1	2	2	4	7	15	13	4	-
Female	52	5	-	-	-	-	6	5	10	5	9	12	-
Williamsport, PA, MSA	1,090	11	7	2	13	21	35	45	121	246	318	271	-
Male	529	6	4	2	10	16	24	32	69	135	151	80	-
Female	561	5	3	-	3	5	11	13	52	111	167	191	-
White	1,067	11	7	2	13	20	35	40	118	239	317	265	-
Male	518	6	4	2	10	16	24	29	66	133	151	77	-
Female	549	5	3	-	3	4	11	11	52	106	166	188	-
All other	23	-	-	-	-	1	-	5	3	7	1	6	-
Male	11	-	-	-	-	-	-	3	3	2	-	3	-
Female	12	-	-	-	-	1	-	2	-	5	1	3	-
Black	22	-	-	-	-	1	-	4	3	7	1	6	-
Male	11	-	-	-	-	-	-	3	3	2	-	3	-
Female	11	-	-	-	-	1	-	1	-	5	1	3	-
Wilmington, DE-NJ-MD,PMSA	4,838	110	10	22	50	110	184	306	620	1,195	1,297	931	3
Male	2,452	56	7	13	42	81	122	180	360	677	636	275	3
Female	2,386	54	3	9	8	29	62	126	260	518	661	656	-
White	4,057	72	5	19	38	75	129	235	499	999	1,145	840	1
Male	2,033	34	3	13	30	53	92	143	292	573	548	251	1
Female	2,024	38	2	6	8	22	37	92	207	426	597	589	-
All other	781	38	5	3	12	35	55	71	121	196	152	91	2
Male	419	22	4	-	12	28	30	37	68	104	88	24	2
Female	362	16	1	3	-	7	25	34	53	92	64	67	-
Black	762	38	5	3	12	32	54	70	115	193	149	89	2
Male	405	22	4	-	12	25	30	36	63	102	85	24	2
Female	357	16	1	3	-	7	24	34	52	91	64	65	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wilmington, NC, MSA	1,014	17	3	4	15	31	39	61	131	263	267	183	-
Male	524	7	1	1	11	22	26	40	79	159	125	53	-
Female	490	10	2	3	4	9	13	21	52	104	142	130	-
White	772	9	2	3	9	19	25	36	104	209	209	147	-
Male	397	5	1	1	6	15	18	25	60	126	101	39	-
Female	375	4	1	2	3	4	7	11	44	83	108	108	-
All other	242	8	1	1	6	12	14	25	27	54	58	36	-
Male	127	2	-	-	5	7	8	15	19	33	24	14	-
Female	115	6	1	1	1	5	6	10	8	21	34	22	-
Black	241	8	1	1	6	12	14	25	27	53	58	36	-
Male	127	2	-	-	5	7	8	15	19	33	24	14	-
Female	114	6	1	1	1	5	6	10	8	20	34	22	-
Worcester-Fitchburg-Leominster, MA,NECMA	6,341	91	6	16	53	105	200	294	647	1,367	1,883	1,679	-
Male	3,074	53	4	10	39	79	141	171	374	775	918	510	-
Female	3,267	38	2	6	14	26	59	123	273	592	965	1,169	-
White	6,246	82	6	14	48	100	185	290	631	1,352	1,866	1,672	-
Male	3,024	50	4	10	36	75	131	169	365	764	912	508	-
Female	3,222	32	2	4	12	25	54	121	266	588	954	1,164	-
All other	95	9	-	2	5	5	15	4	16	15	17	7	-
Male	50	3	-	-	3	4	10	2	9	11	6	2	-
Female	45	6	-	2	2	1	5	2	7	4	11	5	-
Black	75	8	-	1	4	5	14	4	11	13	10	5	-
Male	40	3	-	-	2	4	9	2	6	9	3	2	-
Female	35	5	-	1	2	1	5	2	5	4	7	3	-
Yakima, WA, MSA	1,611	42	7	8	33	29	58	85	167	349	466	367	-
Male	852	17	3	3	25	19	39	54	100	207	244	141	-
Female	759	25	4	5	8	10	19	31	67	142	222	226	-
White	1,511	37	7	6	25	26	48	75	147	334	447	359	-
Male	791	15	3	1	20	18	34	47	87	197	232	137	-
Female	720	22	4	5	5	8	14	28	60	137	215	222	-
All other	100	5	-	2	8	3	10	10	20	15	19	8	-
Male	61	2	-	2	5	1	5	7	13	10	12	4	-
Female	39	3	-	-	3	2	5	3	7	5	7	4	-
Black	18	-	-	1	-	-	1	2	7	2	4	1	-
Male	14	-	-	1	-	-	-	1	7	2	3	-	-
Female	4	-	-	-	-	-	1	1	-	-	1	1	-
York, PA, MSA	3,608	38	13	9	51	66	91	163	391	865	1,052	869	-
Male	1,824	20	9	6	38	47	55	110	229	506	512	292	-
Female	1,784	18	4	3	13	19	36	53	162	359	540	577	-
White	3,522	34	11	9	50	60	85	154	380	848	1,035	856	-
Male	1,773	18	8	6	37	42	51	105	220	496	504	286	-
Female	1,749	16	3	3	13	18	34	49	160	352	531	570	-
All other	86	4	2	-	1	6	6	9	11	17	17	13	-
Male	51	2	1	-	1	5	4	5	9	10	8	6	-
Female	35	2	1	-	-	1	2	4	2	7	9	7	-
Black	82	4	2	-	1	6	6	7	11	17	15	13	-
Male	51	2	1	-	1	5	4	5	9	10	8	6	-
Female	31	2	1	-	-	1	2	2	2	7	7	7	-
Youngstown-Warren, OH, MSA	5,250	62	17	10	69	122	138	250	584	1,385	1,505	1,108	-
Male	2,715	32	10	9	50	92	103	148	386	772	726	387	-
Female	2,535	30	7	1	19	30	35	102	198	613	779	721	-
White	4,667	43	12	8	46	79	97	208	499	1,264	1,390	1,021	-
Male	2,385	24	7	7	30	56	73	119	329	712	672	356	-
Female	2,282	19	5	1	16	23	24	89	170	552	718	665	-
All other	583	19	5	2	23	43	41	42	85	121	115	87	-
Male	330	8	3	2	20	36	30	29	57	60	54	31	-
Female	253	11	2	-	3	7	11	13	28	61	61	56	-
Black	578	19	4	2	23	43	41	42	83	121	113	87	-
Male	327	8	2	2	20	36	30	29	56	60	53	31	-
Female	251	11	2	-	3	7	11	13	27	61	60	56	-
Yuba City, CA, MSA	1,058	18	10	7	24	21	46	75	144	256	282	175	-
Male	589	6	9	5	15	21	35	44	95	142	158	59	-
Female	469	12	1	2	9	-	11	31	49	114	124	116	-
White	1,003	14	8	6	22	20	43	67	133	246	275	169	-
Male	553	5	7	4	13	20	33	39	87	136	153	56	-
Female	450	9	1	2	9	-	10	28	46	110	122	113	-
All other	55	4	2	1	2	1	3	8	11	10	7	6	-
Male	36	1	2	1	2	1	2	5	8	6	5	3	-
Female	19	3	-	-	-	-	1	3	3	4	2	3	-
Black	24	2	1	-	2	1	3	6	2	3	2	2	-
Male	15	1	1	-	2	1	2	3	2	1	1	1	-
Female	9	1	-	-	-	-	1	3	-	2	1	1	-
Yuma, AZ, MSA	934	18	4	5	21	20	34	43	107	271	287	122	2
Male	575	9	4	3	18	14	26	23	71	169	181	55	2
Female	359	9	-	2	3	6	8	20	36	102	106	67	-
White	866	18	4	5	19	16	26	36	98	255	270	117	2
Male	528	9	4	3	16	11	20	21	64	158	168	52	2
Female	338	9	-	2	3	5	6	15	34	97	102	65	-
All other	68	-	-	-	2	4	8	7	9	16	17	5	-
Male	47	-	-	-	2	3	6	2	7	11	13	3	-
Female	21	-	-	-	-	1	2	5	2	5	4	2	-
Black	26	-	-	-	1	-	3	2	5	9	5	1	-
Male	21	-	-	-	1	-	3	1	5	7	3	1	-
Female	5	-	-	-	-	-	-	1	-	2	2	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 47 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
CONSOLIDATED METROPOLITAN STATISTICAL AREAS													
Boston-Lawrence-Salem, MA-NH	32,084	334	50	61	342	732	1,157	1,500	3,396	6,812	9,196	8,498	6
Male	15,293	181	24	44	279	526	818	912	2,073	3,823	4,244	2,363	6
Female	16,791	153	26	17	63	206	339	588	1,323	2,989	4,952	6,135	-
White	30,412	247	31	50	252	598	980	1,339	3,150	6,508	8,974	8,280	3
Male	14,337	132	12	37	203	423	697	809	1,932	3,658	4,129	2,302	3
Female	16,075	115	19	13	49	175	283	530	1,218	2,850	4,845	5,978	-
All other	1,672	87	19	11	90	134	177	161	246	304	222	218	3
Male	956	49	12	7	76	103	121	103	141	165	115	61	3
Female	716	38	7	4	14	31	56	58	105	139	107	157	-
Black	1,426	77	17	10	79	120	158	131	211	254	179	187	3
Male	804	46	10	7	67	90	110	87	121	131	84	48	3
Female	622	31	7	3	12	30	48	44	90	123	95	139	-
Buffalo-Niagara Falls, NY	13,405	341	119	63	129	231	427	641	1,556	3,207	3,918	2,759	14
Male	7,072	281	110	47	103	173	281	397	958	1,874	1,964	871	13
Female	6,333	60	9	16	26	58	146	244	598	1,333	1,954	1,888	1
White	11,946	210	80	46	90	157	324	517	1,332	2,909	3,652	2,622	7
Male	6,182	171	74	34	70	120	214	321	826	1,715	1,814	817	6
Female	5,764	39	6	12	20	37	110	196	506	1,194	1,838	1,805	1
All other	1,459	131	39	17	39	74	103	124	224	298	266	137	7
Male	890	110	36	13	33	53	67	76	132	159	150	54	7
Female	569	21	3	4	6	21	36	48	92	139	116	83	-
Black	1,366	121	34	13	33	65	100	114	214	280	256	129	7
Male	819	102	31	10	28	45	64	68	123	148	144	49	7
Female	547	19	3	3	5	20	36	46	91	132	112	80	-
Chicago-Gary-Lake County, IL-IN-WI	69,282	1,645	272	315	1,257	2,161	3,307	4,333	8,387	15,526	18,379	13,698	2
Male	35,443	934	152	196	956	1,589	2,257	2,696	5,026	8,755	8,593	4,287	2
Female	33,839	711	120	119	301	572	1,050	1,637	3,361	6,771	9,786	9,411	-
White	53,279	808	150	174	660	1,165	1,852	2,688	5,958	12,220	15,608	11,995	1
Male	26,563	466	82	112	487	873	1,292	1,677	3,596	6,944	7,323	3,710	1
Female	26,716	342	68	62	173	292	560	1,011	2,362	5,276	8,285	8,285	-
All other	16,003	837	122	141	597	996	1,455	1,645	2,429	3,306	2,771	1,703	1
Male	8,880	468	70	84	469	716	965	1,019	1,430	1,811	1,270	577	1
Female	7,123	369	52	57	128	280	490	626	999	1,495	1,501	1,126	-
Black	15,450	826	118	135	582	973	1,420	1,584	2,341	3,194	2,642	1,634	1
Male	8,564	462	68	80	459	702	946	984	1,373	1,748	1,191	550	1
Female	6,886	364	50	55	123	271	474	600	968	1,446	1,451	1,084	-
Cincinnati-Hamilton, OH-KY-IN	14,878	258	49	52	200	292	492	840	1,900	3,472	4,059	3,264	-
Male	7,290	164	27	35	140	200	322	480	1,119	1,912	1,881	1,010	-
Female	7,588	94	22	17	60	92	170	360	781	1,560	2,178	2,254	-
White	13,006	189	39	42	152	240	408	702	1,595	3,010	3,629	3,000	-
Male	6,299	117	24	30	104	165	271	397	940	1,672	1,672	907	-
Female	6,707	72	15	12	48	75	137	305	655	1,338	1,957	2,093	-
All other	1,872	69	10	10	48	52	84	138	305	462	430	264	-
Male	991	47	3	5	36	35	51	83	179	240	209	103	-
Female	881	22	7	5	12	17	33	55	126	222	221	161	-
Black	1,825	64	10	10	46	51	80	134	299	451	423	257	-
Male	965	43	3	5	36	35	48	80	175	236	205	99	-
Female	860	21	7	5	10	16	32	54	124	215	218	158	-
Cleveland-Akron-Lorain, OH	26,547	468	66	71	324	602	906	1,312	3,120	6,405	7,669	5,602	2
Male	13,284	286	37	47	235	426	608	799	1,830	3,597	3,708	1,709	2
Female	13,263	182	29	24	89	176	298	513	1,290	2,808	3,961	3,893	-
White	22,164	254	40	50	205	379	619	964	2,421	5,381	6,774	5,076	1
Male	10,883	156	21	31	138	270	425	584	1,431	3,032	3,266	1,528	1
Female	11,281	98	19	19	67	109	194	380	990	2,349	3,508	3,548	-
All other	4,383	214	26	21	119	223	287	348	699	1,024	895	526	1
Male	2,401	130	16	16	97	156	183	215	399	565	442	181	1
Female	1,982	84	10	5	22	67	104	133	300	459	453	345	-
Black	4,329	211	26	20	115	219	286	344	689	1,011	886	521	1
Male	2,368	127	16	16	93	154	182	212	394	557	437	179	1
Female	1,961	84	10	4	22	65	104	132	295	454	449	342	-
Dallas-Fort Worth, TX	25,242	586	103	153	722	1,244	1,446	1,858	3,234	5,238	6,018	4,632	8
Male	13,289	327	58	94	568	941	1,026	1,189	1,977	2,911	2,831	1,361	6
Female	11,953	259	45	59	154	303	420	669	1,257	2,327	3,187	3,271	2
White	20,903	392	74	107	469	887	1,097	1,394	2,586	4,457	5,248	4,186	6
Male	10,823	214	46	66	359	677	800	911	1,605	2,458	2,473	1,210	4
Female	10,080	178	28	41	110	210	297	483	981	1,999	2,775	2,976	2
All other	4,339	194	29	46	253	357	349	464	648	781	770	446	2
Male	2,466	113	12	28	209	264	226	278	372	453	358	151	2
Female	1,873	81	17	18	44	93	123	186	276	328	412	295	-
Black	4,148	181	27	42	238	337	332	442	623	742	743	439	2
Male	2,347	105	11	25	198	249	212	269	358	428	341	149	2
Female	1,801	76	16	17	40	88	120	173	265	314	402	290	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 48 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Denver-Boulder, CO	11,844	261	46	45	226	444	656	696	1,300	2,481	3,058	2,631	-
Male	6,038	155	22	24	173	348	461	456	778	1,368	1,418	835	-
Female	5,806	106	24	21	53	96	195	240	522	1,113	1,640	1,796	-
White	11,042	208	35	39	201	396	582	624	1,161	2,336	2,928	2,532	-
Male	5,608	125	16	20	153	313	420	406	701	1,301	1,355	798	-
Female	5,434	83	19	19	48	83	162	218	460	1,035	1,573	1,734	-
All other	802	53	11	6	25	48	74	72	139	145	130	99	-
Male	430	30	6	4	20	35	41	50	77	67	63	37	-
Female	372	23	5	2	5	13	33	22	62	78	67	62	-
Black	644	44	7	4	21	38	61	56	119	117	105	72	-
Male	349	24	4	4	17	29	36	40	67	50	51	27	-
Female	295	20	3	-	4	9	25	16	52	67	54	45	-
Detroit-Ann Arbor, MI	40,131	874	132	142	773	1,099	1,841	2,502	5,019	9,341	10,723	7,680	5
Male	20,522	496	71	90	607	774	1,173	1,538	3,009	5,084	5,167	2,510	3
Female	19,609	378	61	52	166	325	668	964	2,010	4,257	5,556	5,170	2
White	30,247	368	69	89	352	585	974	1,652	3,632	7,204	8,709	6,611	2
Male	15,072	203	33	51	258	409	611	1,004	2,209	3,955	4,210	2,128	1
Female	15,175	165	36	38	94	176	363	648	1,423	3,249	4,499	4,483	1
All other	9,884	506	63	53	421	514	867	850	1,387	2,137	2,014	1,069	3
Male	5,450	293	38	39	349	365	562	534	800	1,129	957	382	2
Female	4,434	213	25	14	72	149	305	316	587	1,008	1,057	687	1
Black	9,648	501	62	51	412	500	853	821	1,348	2,100	1,954	1,043	3
Male	5,313	290	37	37	343	354	555	517	775	1,105	926	372	2
Female	4,335	211	25	14	69	146	298	304	573	995	1,028	671	1
Hartford-New Britain-Middletown, CT	9,501	122	26	20	112	206	342	454	973	2,119	2,726	2,401	-
Male	4,738	64	13	13	81	143	244	285	604	1,184	1,324	783	-
Female	4,763	58	13	7	31	63	98	169	369	935	1,402	1,618	-
White	8,863	89	20	17	93	161	274	378	865	2,003	2,619	2,344	-
Male	4,384	48	8	12	68	111	195	239	537	1,125	1,279	762	-
Female	4,479	41	12	5	25	50	79	139	328	878	1,340	1,582	-
All other	638	33	6	3	19	45	68	76	108	116	107	57	-
Male	354	16	5	1	13	32	49	46	67	59	45	21	-
Female	284	17	1	2	6	13	19	30	41	57	62	36	-
Black	592	29	5	3	18	45	66	72	102	105	95	52	-
Male	326	14	4	1	13	32	48	43	62	51	41	17	-
Female	266	15	1	2	5	13	18	29	40	54	54	35	-
Houston-Galveston-Brazoria, TX	23,889	604	147	176	796	1,348	1,722	1,923	3,336	4,897	5,289	3,641	10
Male	13,279	332	88	101	607	1,048	1,255	1,277	2,041	2,812	2,543	1,166	9
Female	10,610	272	59	75	189	300	467	646	1,295	2,085	2,746	2,475	1
White	18,396	363	100	132	522	932	1,209	1,428	2,505	3,842	4,341	3,012	10
Male	10,214	201	61	79	398	758	910	945	1,575	2,247	2,092	939	9
Female	8,182	162	39	53	124	174	299	483	930	1,595	2,249	2,073	1
All other	5,493	241	47	44	274	416	513	495	831	1,055	948	629	-
Male	3,065	131	27	22	209	290	345	332	466	565	451	227	-
Female	2,428	110	20	22	65	126	168	163	365	490	497	402	-
Black	5,223	229	45	38	253	393	484	477	792	1,001	906	605	-
Male	2,910	125	26	19	197	272	326	316	444	537	429	219	-
Female	2,313	104	19	19	56	121	158	161	348	464	477	386	-
Los Angeles-Anaheim-Riverside, CA	99,663	2,514	422	481	2,588	3,871	5,356	6,384	11,273	20,758	25,507	20,448	61
Male	52,430	1,440	226	300	2,080	3,024	3,810	4,110	6,805	11,528	12,312	6,750	45
Female	47,233	1,074	196	181	508	847	1,546	2,274	4,468	9,230	13,195	13,698	16
White	84,813	1,923	313	381	1,947	3,000	4,134	4,963	9,165	17,700	22,550	18,681	56
Male	44,048	1,098	174	248	1,564	2,381	3,011	3,235	5,531	9,824	10,807	6,135	40
Female	40,765	825	139	133	383	619	1,123	1,728	3,634	7,876	11,743	12,546	16
All other	14,850	591	109	100	641	871	1,222	1,421	2,108	3,058	2,957	1,767	5
Male	8,382	342	52	52	516	643	799	875	1,274	1,704	1,505	615	5
Female	6,468	249	57	48	125	228	423	546	834	1,354	1,452	1,152	-
Black	10,336	468	68	56	493	689	933	1,020	1,511	2,031	1,925	1,137	5
Male	5,829	270	34	28	410	525	631	645	921	1,112	902	346	5
Female	4,507	198	34	28	83	164	302	375	590	919	1,023	791	-
Miami-Fort Lauderdale, FL	32,670	447	110	94	379	1,132	1,500	1,811	3,318	6,173	9,891	7,809	6
Male	17,649	231	57	62	267	827	1,082	1,216	2,131	3,566	5,033	3,173	4
Female	15,021	216	53	32	112	305	418	595	1,187	2,607	4,858	4,636	2
White	28,324	195	59	47	215	709	998	1,319	2,633	5,397	9,241	7,505	6
Male	15,170	102	30	31	148	555	758	906	1,719	3,137	4,727	3,053	4
Female	13,154	93	29	16	67	154	240	413	914	2,260	4,514	4,452	2
All other	4,346	252	51	47	164	423	502	492	685	776	650	304	-
Male	2,479	129	27	31	119	272	324	310	412	429	306	120	-
Female	1,867	123	24	16	45	151	178	182	273	347	344	184	-
Black	4,260	243	51	46	162	418	495	483	671	761	634	296	-
Male	2,428	127	27	30	118	269	319	304	405	421	295	113	-
Female	1,832	116	24	16	44	149	176	179	266	340	339	183	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 49 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee-Racine, WI	13,864	238	46	51	195	284	432	639	1,463	2,899	4,069	3,548	-
Male	6,821	142	24	34	153	218	278	401	907	1,657	1,894	1,113	-
Female	7,043	96	22	17	42	66	154	238	556	1,242	2,175	2,435	-
White	12,549	142	22	27	110	191	331	501	1,250	2,673	3,869	3,433	-
Male	6,050	86	14	17	82	155	207	304	787	1,526	1,802	1,070	-
Female	6,499	56	8	10	28	36	124	197	463	1,147	2,067	2,363	-
All other	1,315	96	24	24	85	93	101	138	213	226	200	115	-
Male	771	56	10	17	71	63	71	97	120	131	92	43	-
Female	544	40	14	7	14	30	30	41	93	95	108	72	-
Black	1,241	89	24	21	85	88	95	128	201	215	186	109	-
Male	727	52	10	14	71	59	68	90	112	125	85	41	-
Female	514	37	14	7	14	29	27	38	89	90	101	68	-
New York-Northern New Jersey-Long Island, NY-NJ-CT	165,359	2,772	473	453	2,470	6,148	10,110	10,421	18,702	34,183	43,451	36,148	28
Male	83,928	1,518	260	254	1,880	4,429	7,232	6,607	11,168	18,842	20,211	11,505	22
Female	81,431	1,254	213	199	590	1,719	2,878	3,814	7,534	15,341	23,240	24,643	6
White	133,800	1,480	267	294	1,389	3,685	6,002	6,857	14,174	28,127	38,413	33,095	17
Male	66,564	807	148	161	1,036	2,763	4,429	4,363	8,560	15,685	18,071	10,530	11
Female	67,236	673	119	133	353	922	1,573	2,494	5,614	12,442	20,342	22,565	6
All other	31,559	1,292	206	159	1,081	2,463	4,108	3,564	4,528	6,056	5,038	3,053	11
Male	17,364	711	112	93	844	1,666	2,803	2,244	2,608	3,157	2,140	975	11
Female	14,195	581	94	66	237	797	1,305	1,320	1,920	2,899	2,898	2,078	-
Black	29,549	1,218	197	144	1,028	2,383	3,963	3,365	4,234	5,625	4,592	2,790	10
Male	16,171	668	107	83	810	1,610	2,703	2,115	2,417	2,902	1,894	852	10
Female	13,378	550	90	61	218	773	1,260	1,250	1,817	2,723	2,698	1,938	-
Philadelphia-Wilmington-Trenton, PA-NJ-DE-MD	56,004	995	147	175	716	1,487	2,203	3,148	6,666	13,205	15,657	11,588	17
Male	28,082	570	81	115	548	1,113	1,513	1,893	3,992	7,389	7,280	3,577	11
Female	27,922	425	66	60	168	374	690	1,255	2,674	5,816	8,377	8,011	6
White	44,617	491	80	108	419	924	1,362	2,082	4,884	10,594	13,416	10,244	13
Male	22,003	276	35	66	311	697	938	1,257	2,984	5,999	6,288	3,143	9
Female	22,614	215	45	42	108	227	424	825	1,900	4,595	7,128	7,101	4
All other	11,387	504	67	67	297	563	841	1,066	1,782	2,611	2,241	1,344	4
Male	6,079	294	46	49	237	416	575	636	1,008	1,390	992	434	2
Female	5,308	210	21	18	60	147	266	430	774	1,221	1,249	910	2
Black	11,052	495	64	67	281	541	813	1,025	1,726	2,552	2,182	1,302	4
Male	5,891	288	44	49	226	397	561	607	973	1,357	969	418	2
Female	5,161	207	20	18	55	144	252	418	753	1,195	1,213	884	2
Pittsburgh-Beaver Valley, PA	25,086	279	32	37	205	402	639	1,158	2,756	6,284	7,831	5,461	2
Male	12,431	152	14	20	155	282	413	716	1,661	3,529	3,708	1,779	2
Female	12,655	127	18	17	50	120	226	442	1,095	2,755	4,123	3,682	-
White	23,099	188	21	34	168	313	524	1,014	2,479	5,777	7,426	5,155	-
Male	11,412	110	11	18	126	219	344	640	1,509	3,259	3,516	1,660	-
Female	11,687	78	10	16	42	94	180	374	970	2,518	3,910	3,495	-
All other	1,987	91	11	3	37	89	115	144	277	507	405	306	2
Male	1,019	42	3	2	29	63	69	76	152	270	192	119	2
Female	968	49	8	1	8	26	46	68	125	237	213	187	-
Black	1,963	90	10	3	37	89	113	143	271	500	400	305	2
Male	1,007	42	3	2	29	63	67	76	149	266	189	119	2
Female	956	48	7	1	8	26	46	67	122	234	211	186	-
Portland-Vancouver, OR-WA	11,939	189	34	37	199	282	483	621	1,180	2,538	3,485	2,891	-
Male	6,078	112	24	25	146	215	344	388	732	1,443	1,732	917	-
Female	5,861	77	10	12	53	67	139	233	448	1,095	1,753	1,974	-
White	11,452	161	30	35	176	253	448	576	1,111	2,429	3,390	2,843	-
Male	5,801	94	20	24	128	193	320	360	690	1,387	1,682	903	-
Female	5,651	67	10	11	48	60	128	216	421	1,042	1,708	1,940	-
All other	487	28	4	2	23	29	35	45	69	109	95	48	-
Male	277	18	4	1	18	22	24	28	42	56	50	14	-
Female	210	10	-	1	5	7	11	17	27	53	45	34	-
Black	301	19	2	1	13	19	20	28	40	69	61	29	-
Male	168	13	2	1	12	16	15	18	24	30	29	8	-
Female	133	6	-	-	1	3	5	10	16	39	32	21	-
Providence-Pawtucket-Fall River, RI-MA	13,147	147	18	37	134	259	429	514	1,376	2,912	3,953	3,368	-
Male	6,385	74	13	25	96	184	277	307	843	1,658	1,908	1,000	-
Female	6,762	73	5	12	38	75	152	207	533	1,254	2,045	2,368	-
White	12,669	120	14	34	121	224	387	480	1,307	2,823	3,866	3,293	-
Male	6,132	61	10	22	86	162	253	287	797	1,607	1,868	979	-
Female	6,537	59	4	12	35	62	134	193	510	1,216	1,998	2,314	-
All other	478	27	4	3	13	35	42	34	69	89	87	75	-
Male	253	13	3	3	10	22	24	20	46	51	40	21	-
Female	225	14	1	-	3	13	18	14	23	38	47	54	-
Black	407	23	4	3	10	33	39	28	60	77	69	61	-
Male	216	12	3	3	7	20	23	15	40	46	31	16	-
Female	191	11	1	-	3	13	16	13	20	31	38	45	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1991—Con.

(Page 50 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Francisco-Oakland-San Jose, CA	47,364	714	133	175	761	1,647	2,941	3,086	5,102	9,648	12,591	10,525	41
Male	25,002	420	59	104	592	1,293	2,246	2,066	3,064	5,521	6,177	3,427	33
Female	22,362	294	74	71	169	354	695	1,020	2,038	4,127	6,414	7,098	8
White	39,141	473	85	129	504	1,230	2,257	2,358	3,953	7,921	10,759	9,440	32
Male	20,249	283	31	74	387	984	1,775	1,618	2,383	4,497	5,202	2,980	25
Female	18,892	190	54	55	117	246	482	740	1,570	3,424	5,557	6,460	7
All other	8,223	241	48	46	257	417	684	728	1,149	1,727	1,832	1,085	9
Male	4,753	137	28	30	205	309	471	448	681	1,024	975	437	8
Female	3,470	104	20	16	52	108	213	280	468	703	857	648	1
Black	4,572	152	27	29	180	300	482	482	639	933	878	463	7
Male	2,652	86	17	21	146	229	347	297	399	540	419	145	6
Female	1,920	66	10	8	34	71	135	185	240	393	459	318	1
Seattle-Tacoma, WA	17,750	297	49	64	314	479	802	984	1,940	3,873	4,849	4,098	1
Male	9,055	161	26	32	238	352	569	622	1,130	2,251	2,369	1,305	-
Female	8,695	136	23	32	76	127	233	362	810	1,622	2,480	2,793	1
White	16,341	232	37	54	246	398	688	858	1,716	3,591	4,580	3,940	1
Male	8,229	132	22	30	186	298	498	546	993	2,088	2,205	1,231	-
Female	8,112	100	15	24	60	100	190	312	723	1,503	2,375	2,709	1
All other	1,409	65	12	10	68	81	114	126	224	282	269	158	-
Male	826	29	4	2	52	54	71	76	137	163	164	74	-
Female	583	36	8	8	16	27	43	50	87	119	105	84	-
Black	709	38	5	5	42	45	61	71	113	151	119	59	-
Male	419	16	1	1	36	26	45	48	70	85	70	21	-
Female	290	22	4	4	6	19	16	23	43	66	49	38	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991

(Page 1 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,169,518	36,766	2,896	1,843	1,408	1,067	43,980	3,926	4,553	15,313	21,139	25,485	34,143	40,561
Male	1,121,665	21,008	1,566	1,032	813	634	25,053	2,292	2,980	11,358	16,191	18,994	24,715	28,534
Female	1,047,853	15,758	1,330	811	595	433	18,927	1,634	1,573	3,955	4,948	6,491	9,428	12,027
White	1,868,904	23,657	1,979	1,288	983	778	28,685	2,903	3,418	11,067	14,921	17,918	24,427	28,928
Male	956,497	13,696	1,070	730	557	461	16,514	1,697	2,219	7,941	11,392	13,470	18,039	20,704
Female	912,407	9,961	909	558	426	317	12,171	1,206	1,199	3,126	3,529	4,448	6,388	8,224
All other	300,614	13,109	917	555	425	289	15,295	1,023	1,135	4,246	6,218	7,567	9,716	11,633
Male	165,168	7,312	496	302	256	173	8,539	595	761	3,417	4,799	5,524	6,676	7,830
Female	135,446	5,797	421	253	169	116	6,756	428	374	829	1,419	2,043	3,040	3,803
Black	269,525	11,994	824	478	375	253	13,924	879	990	3,737	5,566	6,811	8,882	10,651
Male	147,331	6,714	448	257	225	153	7,797	505	667	3,053	4,312	4,962	6,110	7,206
Female	122,194	5,280	376	221	150	100	6,127	374	323	684	1,254	1,849	2,772	3,445
Shigellosis and amebiasis (004,006)	15	3	–	–	1	2	6	–	–	–	–	–	2	–
Male	11	2	–	–	1	–	3	–	–	–	–	–	2	–
Female	4	1	–	–	–	2	3	–	–	–	–	–	–	–
White	13	2	–	–	1	1	4	–	–	–	–	–	2	–
Male	10	1	–	–	1	–	2	–	–	–	–	–	2	–
Female	3	1	–	–	–	1	2	–	–	–	–	–	–	–
All other	2	1	–	–	–	1	2	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Black	2	1	–	–	–	1	2	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	469	125	8	8	–	3	144	3	1	–	1	1	3	5
Male	215	68	8	4	–	1	81	2	–	–	1	1	1	3
Female	254	57	–	4	–	2	63	1	1	–	–	–	2	2
White	363	60	2	6	–	1	69	3	1	–	1	1	–	5
Male	157	32	2	3	–	–	37	2	–	–	1	1	–	3
Female	206	28	–	3	–	1	32	1	1	–	–	–	–	2
All other	106	65	6	2	–	2	75	–	–	–	–	–	3	–
Male	58	36	6	1	–	1	44	–	–	–	–	–	1	–
Female	48	29	–	1	–	1	31	–	–	–	–	–	2	–
Black	96	62	4	2	–	1	69	–	–	–	–	–	3	–
Male	53	35	4	1	–	–	40	–	–	–	–	–	1	–
Female	43	27	–	1	–	1	29	–	–	–	–	–	2	–
Tuberculosis (010-018)	1,713	2	–	1	1	–	4	5	–	4	18	44	67	104
Male	1,048	2	–	–	–	–	2	4	–	2	5	19	38	73
Female	665	–	–	1	1	–	2	1	–	2	13	25	29	31
White	978	2	–	1	1	–	4	2	–	1	5	15	22	38
Male	593	2	–	–	–	–	2	2	–	1	1	8	16	28
Female	385	–	–	1	1	–	2	–	–	–	4	7	6	10
All other	735	–	–	–	–	–	–	3	–	3	13	29	45	66
Male	455	–	–	–	–	–	–	2	–	1	4	11	22	45
Female	280	–	–	–	–	–	–	1	–	2	9	18	23	21
Black	619	–	–	–	–	–	–	2	–	2	12	29	45	65
Male	390	–	–	–	–	–	–	1	–	1	3	11	22	45
Female	229	–	–	–	–	–	–	1	–	1	9	18	23	20
Tuberculosis of respiratory system (010-012)	1,310	1	–	1	–	–	2	2	–	–	11	24	53	79
Male	841	1	–	–	–	–	1	2	–	–	3	11	33	56
Female	469	–	–	1	–	–	1	–	–	–	8	13	20	23
White	754	1	–	1	–	–	2	1	–	–	3	9	16	30
Male	474	1	–	–	–	–	1	1	–	–	–	3	12	21
Female	280	–	–	1	–	–	1	–	–	–	3	6	4	9
All other	556	–	–	–	–	–	–	1	–	–	8	15	37	49
Male	367	–	–	–	–	–	–	1	–	–	3	8	21	35
Female	189	–	–	–	–	–	–	–	–	–	5	7	16	14
Black	467	–	–	–	–	–	–	1	–	–	8	15	37	48
Male	319	–	–	–	–	–	–	1	–	–	3	8	21	35
Female	148	–	–	–	–	–	–	–	–	–	5	7	16	13
Other tuberculosis (013-018)	403	1	–	–	1	–	2	3	–	4	7	20	14	25
Male	207	1	–	–	–	–	1	2	–	2	2	8	5	17
Female	196	–	–	–	1	–	1	1	–	2	5	12	9	8
White	224	1	–	–	1	–	2	1	–	1	2	6	6	8
Male	119	1	–	–	–	–	1	1	–	1	1	5	4	7
Female	105	–	–	–	1	–	1	–	–	–	1	1	2	1
All other	179	–	–	–	–	–	–	2	–	3	5	14	8	17
Male	88	–	–	–	–	–	–	1	–	1	1	3	1	10
Female	91	–	–	–	–	–	–	1	–	2	4	11	7	7
Black	152	–	–	–	–	–	–	1	–	2	4	14	8	17
Male	71	–	–	–	–	–	–	–	–	1	–	3	1	10
Female	81	–	–	–	–	–	–	1	–	1	4	11	7	7
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.
(Page 2 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	47,561	53,627	67,049	96,553	151,525	214,468	264,168	301,822	305,668	250,777	152,702	60,711	13,211	576
Male	32,018	34,363	41,665	59,342	92,094	126,381	149,475	158,268	140,682	94,783	45,020	14,481	2,539	437
Female	15,543	19,264	25,384	37,211	59,431	88,087	114,693	143,554	164,986	155,994	107,682	46,230	10,672	139
White	35,029	41,199	52,454	78,133	127,160	183,809	232,010	269,816	276,797	230,622	141,451	56,165	11,559	433
Male	23,848	26,506	32,815	48,337	78,173	109,220	132,362	142,329	127,340	86,742	41,217	13,186	2,121	325
Female	11,181	14,693	19,639	29,796	48,987	74,589	99,648	127,487	149,457	143,880	100,234	42,979	9,438	108
All other	12,532	12,428	14,595	18,420	24,365	30,659	32,158	32,006	28,871	20,155	11,251	4,546	1,652	143
Male	8,170	7,857	8,850	11,005	13,921	17,161	17,113	15,939	13,342	8,041	3,803	1,295	418	112
Female	4,362	4,571	5,745	7,415	10,444	13,498	15,045	16,067	15,529	12,114	7,448	3,251	1,234	31
Black	11,408	11,229	13,135	16,536	21,912	27,578	28,860	28,475	25,707	17,723	9,887	4,013	1,487	135
Male	7,495	7,149	7,996	9,915	12,535	15,362	15,246	13,964	11,453	6,774	3,222	1,138	364	106
Female	3,913	4,080	5,139	6,621	9,377	12,216	13,614	14,511	14,254	10,949	6,665	2,875	1,123	29
Shigellosis and amebiasis (004,006)	–	–	–	–	1	–	1	2	2	1	–	–	–	–
Male	–	–	–	–	1	–	1	2	2	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	1	–	1	2	2	1	–	–	–	–
Male	–	–	–	–	1	–	1	2	2	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	8	7	11	12	28	33	29	55	63	39	15	5	–
Male	5	3	5	6	8	12	18	16	17	23	12	1	–	–
Female	1	5	2	5	4	16	15	13	38	40	27	14	5	–
White	5	6	5	10	11	23	29	27	54	58	36	14	5	–
Male	4	2	4	6	7	11	16	14	17	20	11	1	–	–
Female	1	4	1	4	4	12	13	13	37	38	25	13	5	–
All other	1	2	2	1	1	5	4	2	1	5	3	1	–	–
Male	1	1	1	–	1	1	2	2	–	3	1	–	–	–
Female	–	1	1	1	–	4	2	–	1	2	2	1	–	–
Black	1	2	2	1	1	3	4	2	1	4	2	1	–	–
Male	1	1	1	–	1	1	2	2	–	2	1	–	–	–
Female	–	1	1	1	–	2	2	–	1	2	1	1	–	–
Tuberculosis (010-018)	101	80	94	110	144	159	170	199	212	126	52	16	4	–
Male	72	62	66	87	100	94	94	113	117	67	26	4	3	–
Female	29	18	28	23	44	65	76	86	95	59	26	12	1	–
White	37	29	44	53	74	101	115	142	155	85	42	11	3	–
Male	27	26	27	43	59	61	62	77	82	46	22	1	2	–
Female	10	3	17	10	15	40	53	65	73	39	20	10	1	–
All other	64	51	50	57	70	58	55	57	57	41	10	5	1	–
Male	45	36	39	44	41	33	32	36	35	21	4	3	1	–
Female	19	15	11	13	29	25	23	21	22	20	6	2	–	–
Black	59	50	46	45	58	47	45	40	36	26	9	3	–	–
Male	43	35	37	36	38	28	24	27	21	12	4	2	–	–
Female	16	15	9	9	20	19	21	13	15	14	5	1	–	–
Tuberculosis of respiratory system (010-012)	63	62	76	83	119	118	137	149	171	102	40	15	4	–
Male	48	50	57	64	86	78	80	88	99	55	23	4	3	–
Female	15	12	19	19	33	40	57	61	72	47	17	11	1	–
White	20	20	30	41	62	78	90	110	126	70	33	10	3	–
Male	19	18	20	33	50	51	51	64	70	38	19	1	2	–
Female	1	2	10	8	12	27	39	46	56	32	14	9	1	–
All other	43	42	46	42	57	40	47	39	45	32	7	5	1	–
Male	29	32	37	31	36	27	29	24	29	17	4	3	1	–
Female	14	10	9	11	21	13	18	15	16	15	3	2	–	–
Black	39	41	43	33	50	32	39	26	27	19	6	3	–	–
Male	27	31	36	26	35	23	22	18	17	10	4	2	–	–
Female	12	10	7	7	15	9	17	8	10	9	2	1	–	–
Other tuberculosis (013-018)	38	18	18	27	25	41	33	50	41	24	12	1	–	–
Male	24	12	9	23	14	16	14	25	18	12	3	–	–	–
Female	14	6	9	4	11	25	19	25	23	12	9	1	–	–
White	17	9	14	12	12	23	25	32	29	15	9	1	–	–
Male	8	8	7	10	9	10	11	13	12	8	3	–	–	–
Female	9	1	7	2	3	13	14	19	17	7	6	1	–	–
All other	21	9	4	15	13	18	8	18	12	9	3	–	–	–
Male	16	4	2	13	5	6	3	12	6	4	–	–	–	–
Female	5	5	2	2	8	12	5	6	6	5	3	–	–	–
Black	20	9	3	12	8	15	6	14	9	7	3	–	–	–
Male	16	4	1	10	3	5	2	9	4	2	–	–	–	–
Female	4	5	2	2	5	10	4	5	5	5	3	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 3 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	198	43	21	10	7	3	84	12	12	24	5	4	8	2
Male	103	26	9	5	4	3	47	7	8	13	3	1	6	1
Female	95	17	12	5	3	–	37	5	4	11	2	3	2	1
White	165	34	19	10	6	3	72	9	7	20	3	4	7	2
Male	87	21	8	5	4	3	41	5	5	10	1	1	6	1
Female	78	13	11	5	2	–	31	4	2	10	2	3	1	1
All other	33	9	2	–	1	–	12	3	5	4	2	–	1	–
Male	16	5	1	–	–	–	6	2	3	3	2	–	–	–
Female	17	4	1	–	1	–	6	1	2	1	–	–	1	–
Black	29	9	2	–	1	–	12	3	4	4	1	–	1	–
Male	15	5	1	–	–	–	6	2	3	3	1	–	–	–
Female	14	4	1	–	1	–	6	1	1	1	–	–	1	–
Septicemia (038)	19,691	265	45	16	18	12	356	23	14	33	49	117	172	257
Male	8,610	143	26	9	11	7	196	11	6	14	22	63	93	155
Female	11,081	122	19	7	7	5	160	12	8	19	27	54	79	102
White	15,884	148	31	12	11	10	212	14	8	23	28	72	92	142
Male	6,812	82	20	6	6	5	119	5	4	9	12	36	47	93
Female	9,072	66	11	6	5	5	93	9	4	14	16	36	45	49
All other	3,807	117	14	4	7	2	144	9	6	10	21	45	80	115
Male	1,798	61	6	3	5	2	77	6	2	5	10	27	46	62
Female	2,009	56	8	1	2	–	67	3	4	5	11	18	34	53
Black	3,535	106	13	3	6	2	130	8	5	9	20	43	74	108
Male	1,656	58	6	2	4	2	72	5	2	4	9	26	43	60
Female	1,879	48	7	1	2	–	58	3	3	5	11	17	31	48
Acute poliomyelitis (045)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	27	5	1	2	–	–	8	7	2	1	1	4	2	1
Male	10	4	1	1	–	–	6	1	–	–	–	1	2	–
Female	17	1	–	1	–	–	2	6	2	1	1	3	–	1
White	19	4	1	2	–	–	7	3	1	1	1	3	2	–
Male	9	4	1	1	–	–	6	–	–	–	–	1	2	–
Female	10	–	–	1	–	–	1	3	1	1	1	2	–	–
All other	8	1	–	–	–	–	1	4	1	–	–	1	–	1
Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	7	1	–	–	–	–	1	3	1	–	–	1	–	1
Black	7	–	–	–	–	–	–	4	1	–	–	1	–	1
Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Female	6	–	–	–	–	–	–	3	1	–	–	1	–	1
Viral hepatitis (070)	1,840	6	3	–	–	–	9	1	3	6	26	41	68	136
Male	1,132	4	3	–	–	–	7	1	1	5	15	29	48	111
Female	708	2	–	–	–	–	2	–	2	1	11	12	20	25
White	1,487	2	3	–	–	–	5	1	2	4	13	30	57	92
Male	930	–	3	–	–	–	3	1	1	3	7	22	44	77
Female	557	2	–	–	–	–	2	–	1	1	6	8	13	15
All other	353	4	–	–	–	–	4	–	1	2	13	11	11	44
Male	202	4	–	–	–	–	4	–	–	2	8	7	4	34
Female	151	–	–	–	–	–	–	–	1	–	5	4	7	10
Black	221	3	–	–	–	–	3	–	1	1	11	8	9	37
Male	124	3	–	–	–	–	3	–	–	1	6	5	2	29
Female	97	–	–	–	–	–	–	–	1	–	5	3	7	8
Syphilis (090-097)	93	25	1	–	–	–	26	–	1	–	1	–	5	–
Male	52	9	1	–	–	–	10	–	1	–	1	–	5	–
Female	41	16	–	–	–	–	16	–	–	–	–	–	–	–
White	44	5	–	–	–	–	5	–	1	–	1	–	3	–
Male	27	3	–	–	–	–	3	–	1	–	1	–	3	–
Female	17	2	–	–	–	–	2	–	–	–	–	–	–	–
All other	49	20	1	–	–	–	21	–	–	–	–	–	2	–
Male	25	6	1	–	–	–	7	–	–	–	–	–	2	–
Female	24	14	–	–	–	–	14	–	–	–	–	–	–	–
Black	48	20	1	–	–	–	21	–	–	–	–	–	2	–
Male	24	6	1	–	–	–	7	–	–	–	–	–	2	–
Female	24	14	–	–	–	–	14	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.
(Page 4 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	1	1	–	1	–	–	–	–
Male	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Female	–	–	–	–	–	–	1	–	–	–	–	–	–	–
White	–	–	–	–	1	–	1	1	–	1	–	–	–	–
Male	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Female	–	–	–	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	9	2	4	3	5	7	4	4	1	5	2	1	–	–
Male	4	1	2	–	2	3	1	2	1	1	–	–	–	–
Female	5	1	2	3	3	4	3	2	–	4	2	1	–	–
White	8	2	3	3	4	6	3	3	1	5	2	1	–	–
Male	4	1	2	–	2	3	1	2	1	1	–	–	–	–
Female	4	1	1	3	2	3	2	1	–	4	2	1	–	–
All other	1	–	1	–	1	1	1	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	1	–	1	1	1	1	–	–	–	–	–	–
Black	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Septicemia (038)	348	323	440	635	1,033	1,589	2,198	2,953	3,355	3,015	1,879	741	158	3
Male	224	184	266	342	580	863	1,110	1,423	1,314	1,021	510	171	40	2
Female	124	139	174	293	453	726	1,088	1,530	2,041	1,994	1,369	570	118	1
White	204	205	290	441	780	1,222	1,764	2,455	2,863	2,659	1,654	645	108	3
Male	134	109	178	233	442	673	880	1,197	1,117	900	445	155	22	2
Female	70	96	112	208	338	549	884	1,258	1,746	1,759	1,209	490	86	1
All other	144	118	150	194	253	367	434	498	492	356	225	96	50	–
Male	90	75	88	109	138	190	230	226	197	121	65	16	18	–
Female	54	43	62	85	115	177	204	272	295	235	160	80	32	–
Black	140	109	140	182	239	342	411	450	454	326	210	90	45	–
Male	86	69	83	103	128	177	216	199	174	110	60	14	16	–
Female	54	40	57	79	111	165	195	251	280	216	150	76	29	–
Acute poliomyelitis (045)	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
White	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	157	141	114	160	180	210	229	177	116	45	18	3	–	–
Male	131	110	75	100	96	109	131	74	64	17	6	2	–	–
Female	26	31	39	60	84	101	98	103	52	28	12	1	–	–
White	115	106	76	126	150	181	206	155	106	42	17	3	–	–
Male	96	87	56	81	84	93	122	70	60	15	6	2	–	–
Female	19	19	20	45	66	88	84	85	46	27	11	1	–	–
All other	42	35	38	34	30	29	23	22	10	3	1	–	–	–
Male	35	23	19	19	12	16	9	4	4	2	–	–	–	–
Female	7	12	19	15	18	13	14	18	6	1	1	–	–	–
Black	28	26	19	16	14	13	14	12	6	2	1	–	–	–
Male	23	16	8	9	4	8	3	4	2	1	–	–	–	–
Female	5	10	11	7	10	5	11	8	4	1	1	–	–	–
Syphilis (090-097)	3	5	–	3	4	5	8	6	10	12	3	–	1	–
Male	2	4	–	2	4	4	4	2	8	4	–	–	1	–
Female	1	1	–	1	–	1	4	4	2	8	3	–	–	–
White	2	3	–	2	1	3	2	5	6	8	2	–	–	–
Male	1	2	–	1	1	3	1	2	6	2	–	–	–	–
Female	1	1	–	1	–	–	1	3	–	6	2	–	–	–
All other	1	2	–	1	3	2	6	1	4	4	1	–	1	–
Male	1	2	–	1	3	1	3	–	2	2	–	–	1	–
Female	–	–	–	–	–	1	3	1	2	2	1	–	–	–
Black	1	1	–	1	3	2	6	1	4	4	1	–	1	–
Male	1	1	–	1	3	1	3	–	2	2	–	–	1	–
Female	–	–	–	–	–	1	3	1	2	2	1	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 5 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003, 005,020-032,037,039-041,*042-*044,046-054, 056-066,071-088,098-139)	36,346	394	117	54	46	35	646	116	71	97	644	3,433	6,645	7,347
Male	29,914	215	60	26	25	15	341	59	46	55	464	2,891	5,716	6,532
Female	6,432	179	57	28	21	20	305	57	25	42	180	542	929	815
White	25,047	219	57	30	22	20	348	74	49	65	345	2,193	4,484	4,871
Male	21,318	127	29	17	13	9	195	36	32	41	266	1,959	4,085	4,548
Female	3,729	92	28	13	9	11	153	38	17	24	79	234	399	323
All other	11,299	175	60	24	24	15	298	42	22	32	299	1,240	2,161	2,476
Male	8,596	88	31	9	12	6	146	23	14	14	198	932	1,631	1,984
Female	2,703	87	29	15	12	9	152	19	8	18	101	308	530	492
Black	10,889	166	57	22	23	12	280	38	20	28	291	1,197	2,099	2,412
Male	8,273	81	29	8	12	5	135	20	14	10	191	895	1,578	1,930
Female	2,616	85	28	14	11	7	145	18	6	18	100	302	521	482
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	514,657	77	121	114	162	129	603	580	526	741	1,073	1,808	3,511	6,223
Male	272,380	44	53	66	98	71	332	328	322	445	638	988	1,628	2,759
Female	242,277	33	68	48	64	58	271	252	204	296	435	820	1,883	3,464
White	449,506	57	103	85	133	95	473	479	434	600	870	1,476	2,817	4,893
Male	236,409	30	46	47	77	52	252	272	270	365	537	815	1,334	2,210
Female	213,097	27	57	38	56	43	221	207	164	235	333	661	1,483	2,683
All other	65,151	20	18	29	29	34	130	101	92	141	203	332	694	1,330
Male	35,971	14	7	19	21	19	80	56	52	80	101	173	294	549
Female	29,180	6	11	10	8	15	50	45	40	61	102	159	400	781
Black	57,921	14	17	25	25	29	110	77	77	113	169	276	592	1,132
Male	32,094	8	7	16	18	17	66	41	43	63	81	146	251	464
Female	25,827	6	10	9	7	12	44	36	34	50	88	130	341	668
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,278	1	–	–	–	–	1	1	5	9	10	31	35	109
Male	5,464	1	–	–	–	–	1	–	1	5	10	18	22	87
Female	2,814	–	–	–	–	–	–	1	4	4	–	13	13	22
White	6,830	1	–	–	–	–	1	1	1	5	5	20	27	64
Male	4,405	1	–	–	–	–	1	–	–	2	5	10	16	51
Female	2,425	–	–	–	–	–	–	1	1	3	–	10	11	13
All other	1,448	–	–	–	–	–	–	–	4	4	5	11	8	45
Male	1,059	–	–	–	–	–	–	–	1	3	5	8	6	36
Female	389	–	–	–	–	–	–	–	3	1	–	3	2	9
Black	1,274	–	–	–	–	–	–	–	4	4	4	6	6	36
Male	933	–	–	–	–	–	–	–	1	3	4	4	4	28
Female	341	–	–	–	–	–	–	–	3	1	–	2	2	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	121,781	7	8	7	6	6	34	10	9	25	97	189	479	996
Male	64,324	5	5	5	4	3	22	4	6	14	58	110	282	595
Female	57,457	2	3	2	2	3	12	6	3	11	39	79	197	401
White	104,449	4	6	6	3	5	24	7	8	17	67	136	356	722
Male	54,994	2	4	5	1	3	15	4	6	9	45	79	210	441
Female	49,455	2	2	1	2	2	9	3	2	8	22	57	146	281
All other	17,332	3	2	1	3	1	10	3	1	8	30	53	123	274
Male	9,330	3	1	–	3	–	7	–	–	5	13	31	72	154
Female	8,002	–	1	1	–	1	3	3	1	3	17	22	51	120
Black	14,951	1	2	1	3	–	7	3	–	6	25	41	97	220
Male	7,957	1	1	–	3	–	5	–	–	3	12	26	57	123
Female	6,994	–	1	1	–	–	2	3	–	3	13	15	40	97
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	149,119	4	2	–	1	1	8	2	6	18	26	74	241	776
Male	95,676	2	1	–	1	1	5	–	4	13	17	42	123	462
Female	53,443	2	1	–	–	–	3	2	2	5	9	32	118	314
White	131,320	1	1	–	1	–	3	1	5	12	19	59	187	587
Male	83,342	–	1	–	1	–	2	–	3	10	14	35	93	340
Female	47,978	1	–	–	–	–	1	1	2	2	5	24	94	247
All other	17,799	3	1	–	–	1	5	1	1	6	7	15	54	189
Male	12,334	2	–	–	–	1	3	–	1	3	3	7	30	122
Female	5,465	1	1	–	–	–	2	1	–	3	4	8	24	67
Black	16,057	3	–	–	–	1	4	1	1	6	6	11	42	170
Male	11,181	2	–	–	–	1	3	–	1	3	3	5	24	113
Female	4,876	1	–	–	–	–	1	1	–	3	3	6	18	57
Malignant neoplasm of breast (174-175)	43,849	–	–	1	–	–	1	–	–	1	12	132	517	1,207
Male	266	–	–	1	–	–	1	–	–	–	–	1	1	4
Female	43,583	–	–	–	–	–	–	–	–	1	12	131	516	1,203
White	38,478	–	–	1	–	–	1	–	–	1	6	92	397	920
Male	228	–	–	1	–	–	1	–	–	–	–	1	1	3
Female	38,250	–	–	–	–	–	–	–	–	1	6	91	396	917
All other	5,371	–	–	–	–	–	–	–	–	–	6	40	120	287
Male	38	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	5,333	–	–	–	–	–	–	–	–	–	6	40	120	286
Black	4,843	–	–	–	–	–	–	–	–	–	6	34	112	252
Male	34	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	4,809	–	–	–	–	–	–	–	–	–	6	34	112	251
Malignant neoplasms of genital organs (179-187)	58,944	–	–	1	–	–	1	2	2	15	81	172	409	656
Male	34,158	–	–	–	–	–	–	2	–	5	37	63	71	74
Female	24,786	–	–	1	–	–	1	–	2	10	44	109	338	582
White	49,792	–	–	1	–	–	1	2	–	11	65	149	315	505
Male	28,492	–	–	–	–	–	–	2	–	4	33	60	62	64
Female	21,300	–	–	1	–	–	1	–	–	7	32	89	253	441
All other	9,152	–	–	–	–	–	–	–	2	4	16	23	94	151
Male	5,666	–	–	–	–	–	–	–	–	1	4	3	9	10
Female	3,486	–	–	–	–	–	–	–	2	3	12	20	85	141
Black	8,442	–	–	–	–	–	–	–	2	3	12	20	78	125
Male	5,354	–	–	–	–	–	–	–	–	–	1	2	6	7
Female	3,088	–	–	–	–	–	–	–	2	3	11	18	72	118

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 6 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003, 005,020-032,037,039-041,*042-*044,046-054, 056-066,071-088,098-139)	5,776	3,380	2,029	1,337	1,151	946	829	685	541	383	175	79	25	11
Male	5,150	3,007	1,735	1,068	859	611	475	375	283	148	59	22	7	11
Female	626	373	294	269	292	335	354	310	258	235	116	57	18	-
White	3,896	2,366	1,407	963	860	737	704	604	479	338	164	73	21	6
Male	3,626	2,184	1,250	794	647	471	398	328	245	127	55	21	4	6
Female	270	182	157	169	213	266	306	276	234	211	109	52	17	-
All other	1,880	1,014	622	374	291	209	125	81	62	45	11	6	4	5
Male	1,524	823	485	274	212	140	77	47	38	21	4	1	3	5
Female	356	191	137	100	79	69	48	34	24	24	7	5	1	-
Black	1,831	982	602	358	276	182	109	71	54	36	8	6	4	5
Male	1,478	796	471	261	203	124	68	39	34	15	2	1	3	5
Female	353	186	131	97	73	58	41	32	20	21	6	5	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,686	16,013	23,909	36,901	57,294	76,507	82,806	78,439	60,962	36,393	15,000	4,102	559	21
Male	4,789	7,655	12,326	19,963	32,249	43,309	46,568	42,419	31,391	16,761	5,963	1,394	139	14
Female	5,897	8,358	11,583	16,938	25,045	33,198	36,238	36,020	29,571	19,632	9,037	2,708	420	7
White	8,508	13,023	19,501	30,825	49,348	66,777	73,429	70,361	54,866	33,083	13,592	3,688	451	12
Male	3,804	6,108	9,868	16,480	27,774	37,558	41,162	37,836	28,029	15,065	5,335	1,224	103	8
Female	4,704	6,915	9,633	14,345	21,574	29,219	32,267	32,525	26,837	18,018	8,257	2,464	348	4
All other	2,178	2,990	4,408	6,076	7,946	9,730	9,377	8,078	6,096	3,310	1,408	414	108	9
Male	985	1,547	2,458	3,483	4,475	5,751	5,406	4,583	3,362	1,696	628	170	36	6
Female	1,193	1,443	1,950	2,593	3,471	3,979	3,971	3,495	2,734	1,614	780	244	72	3
Black	1,872	2,605	3,886	5,395	7,112	8,743	8,388	7,193	5,496	2,933	1,266	377	100	9
Male	862	1,379	2,201	3,146	4,047	5,170	4,845	4,063	2,989	1,487	557	152	35	6
Female	1,010	1,226	1,685	2,249	3,065	3,573	3,543	3,130	2,507	1,446	709	225	65	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	209	387	592	847	1,200	1,260	1,186	1,035	690	390	206	67	7	1
Male	162	310	456	635	826	880	771	635	363	190	72	18	1	1
Female	47	77	136	212	374	380	415	400	327	200	134	49	6	-
White	121	240	417	628	978	1,074	1,044	930	640	372	190	65	6	1
Male	91	187	310	466	677	746	677	563	395	183	67	16	1	1
Female	30	53	107	162	301	328	367	367	305	189	123	49	5	-
All other	88	147	175	219	222	186	142	105	50	18	16	2	1	-
Male	71	123	146	169	149	134	94	72	28	7	5	2	-	-
Female	17	24	29	50	73	52	48	33	22	11	11	-	1	-
Black	76	130	152	198	200	165	128	92	42	16	12	2	1	-
Male	61	108	126	153	139	118	88	60	23	7	4	2	-	-
Female	15	22	26	45	61	47	40	32	19	9	8	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,926	2,938	4,791	7,898	12,311	17,116	19,307	19,819	16,472	10,894	4,908	1,374	182	6
Male	1,194	1,775	3,019	4,839	7,618	10,301	10,764	10,235	7,421	4,130	1,536	359	38	4
Female	732	1,163	1,772	3,059	4,693	6,815	8,543	9,584	9,051	6,764	3,372	1,015	144	2
White	1,461	2,267	3,712	6,311	10,255	14,580	16,762	17,516	14,633	9,807	4,419	1,242	144	3
Male	908	1,354	2,307	3,873	6,406	8,809	9,425	9,120	6,594	3,680	1,367	315	26	1
Female	553	913	1,405	2,438	3,849	5,771	7,337	8,396	8,039	6,127	3,052	927	118	2
All other	465	671	1,079	1,587	2,056	2,536	2,545	2,303	1,839	1,087	489	132	38	3
Male	286	421	712	966	1,212	1,492	1,339	1,115	827	450	169	44	12	3
Female	179	250	367	621	844	1,044	1,206	1,188	1,012	637	320	88	26	-
Black	382	567	913	1,372	1,779	2,192	2,190	1,986	1,628	956	434	116	34	3
Male	236	361	603	846	1,049	1,283	1,145	920	709	387	143	35	11	3
Female	146	206	310	526	730	909	1,045	1,066	919	569	291	81	23	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,985	4,346	7,728	13,152	21,136	27,644	27,190	22,441	13,956	6,103	1,830	395	54	8
Male	1,213	2,718	4,900	8,506	13,938	18,098	17,678	14,189	8,901	3,657	996	191	20	5
Female	772	1,628	2,828	4,646	7,198	9,546	9,512	8,252	5,055	2,446	834	204	34	3
White	1,541	3,470	6,288	11,107	18,403	24,375	24,449	20,436	12,727	5,585	1,674	343	43	6
Male	924	2,100	3,902	7,040	12,060	15,764	15,756	12,826	8,043	3,328	913	166	18	5
Female	617	1,370	2,386	4,067	6,343	8,611	8,693	7,610	4,684	2,257	761	177	25	1
All other	444	876	1,440	2,045	2,733	3,269	2,741	2,005	1,229	518	156	52	11	2
Male	289	618	998	1,466	1,878	2,334	1,922	1,363	858	329	83	25	2	-
Female	155	258	442	579	855	935	819	642	371	189	73	27	9	2
Black	400	809	1,330	1,877	2,505	2,957	2,458	1,767	1,075	440	136	49	11	2
Male	267	579	929	1,349	1,735	2,108	1,728	1,202	755	280	72	23	2	-
Female	133	230	401	528	770	849	730	565	320	160	64	26	9	2
Malignant neoplasm of breast (174-175)	2,156	2,697	3,154	3,841	4,959	5,722	5,514	5,188	4,201	2,678	1,338	435	95	1
Male	5	5	12	17	28	52	39	29	36	20	14	2	-	-
Female	2,151	2,692	3,142	3,824	4,931	5,670	5,475	5,159	4,165	2,658	1,324	433	95	1
White	1,711	2,212	2,628	3,285	4,317	5,141	4,955	4,741	3,869	2,486	1,228	405	83	-
Male	4	5	7	14	25	43	33	27	31	18	13	2	-	-
Female	1,707	2,207	2,621	3,271	4,292	5,098	4,922	4,714	3,838	2,468	1,215	403	83	-
All other	445	485	526	556	642	581	559	447	332	192	110	30	12	1
Male	1	-	5	3	3	9	6	2	5	2	1	-	-	-
Female	444	485	521	553	639	572	553	445	327	190	109	30	12	1
Black	397	410	462	494	575	534	519	408	321	177	101	29	11	1
Male	1	-	5	3	1	7	6	2	5	2	1	-	-	-
Female	396	410	457	491	574	527	513	406	316	175	100	29	11	1
Malignant neoplasms of genital organs (179-187)	886	1,150	1,661	2,544	4,573	7,371	9,628	10,537	9,689	6,281	2,545	676	64	1
Male	53	96	286	700	1,957	3,813	5,985	7,165	6,969	4,533	1,844	463	41	1
Female	833	1,054	1,375	1,844	2,616	3,558	3,643	3,372	2,720	1,748	701	213	23	-
White	695	940	1,344	2,073	3,764	6,075	8,111	9,028	8,348	5,530	2,210	580	46	-
Male	47	81	208	524	1,550	3,043	4,930	6,023	5,915	3,943	1,585	391	27	-
Female	648	859	1,136	1,549	2,214	3,032	3,181	3,005	2,433	1,587	625	189	19	-
All other	191	210	317	471	809	1,296	1,517	1,509	1,341	751	335	96	18	1
Male	6	15	78	176	407	770	1,055	1,142	1,054	590	259	72	14	1
Female	185	195	239	295	402	526	462	367	287	161	76	24	4	-
Black	148	179	265	408	741	1,233	1,423	1,437	1,266	678	312	93	18	1
Male	3	14	74	169	387	750	1,000	1,098	989	530	240	69	14	1
Female	145	165	191	239	354	483	423	339	277	148	72	24	4	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 7 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	21,180	2	3	2	5	4	16	28	10	11	16	33	49	124
Male	13,468	2	2	2	4	3	13	12	4	4	13	15	29	79
Female	7,712	–	1	–	1	1	3	16	6	7	3	18	20	45
White	19,150	1	3	2	4	3	13	23	7	7	9	22	32	93
Male	12,300	1	2	2	3	2	10	8	3	3	7	9	16	59
Female	6,850	–	1	–	1	1	3	15	4	4	2	13	16	34
All other	2,030	1	–	–	1	1	3	5	3	4	7	11	17	31
Male	1,168	1	–	–	1	1	3	4	1	1	6	6	13	20
Female	862	–	–	–	–	–	–	1	2	3	1	5	4	11
Black	1,818	1	–	–	1	1	3	4	3	4	6	10	16	28
Male	1,049	1	–	–	1	1	3	3	1	1	6	6	12	19
Female	769	–	–	–	–	–	–	1	2	3	–	4	4	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61,916	41	57	62	97	74	331	278	261	314	376	577	968	1,351
Male	33,047	23	23	32	61	39	178	156	151	184	224	340	588	818
Female	28,869	18	34	30	36	35	153	122	110	130	152	237	380	533
White	55,199	36	47	49	78	52	262	226	217	267	316	507	849	1,177
Male	29,470	20	20	23	50	26	139	126	125	157	195	294	524	721
Female	25,729	16	27	26	28	26	123	100	92	110	121	213	325	456
All other	6,717	5	10	13	19	22	69	52	44	47	60	70	119	174
Male	3,577	3	3	9	11	13	39	30	26	27	29	46	64	97
Female	3,140	2	7	4	8	9	30	22	18	20	31	24	55	77
Black	5,903	3	10	11	16	21	61	42	37	36	47	61	103	150
Male	3,170	1	3	7	9	12	32	24	22	22	20	39	58	84
Female	2,733	2	7	4	7	9	29	18	15	14	27	22	45	66
Leukemia (204-208)	18,945	20	48	37	50	41	196	222	192	241	244	282	326	367
Male	10,194	11	19	23	26	24	103	125	122	157	148	179	177	187
Female	8,751	9	29	14	24	17	93	97	70	84	96	103	149	180
White	17,064	13	43	23	44	32	155	185	161	196	205	230	276	299
Male	9,165	6	16	14	20	20	76	106	104	126	125	146	147	151
Female	7,899	7	27	9	24	12	79	79	57	70	80	84	129	148
All other	1,881	7	5	14	6	9	41	37	31	45	39	52	50	68
Male	1,029	5	3	9	6	4	27	19	18	31	23	33	30	36
Female	852	2	2	5	–	5	14	18	13	14	16	19	20	32
Black	1,609	5	5	12	5	6	33	24	27	35	30	42	40	52
Male	869	3	3	8	5	3	22	11	16	23	17	29	25	25
Female	740	2	2	4	–	3	11	13	11	12	13	13	15	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30,645	2	3	4	3	3	15	37	41	107	211	318	487	637
Male	15,783	–	3	3	2	1	9	29	34	63	131	220	335	453
Female	14,862	2	–	1	1	2	6	8	7	44	80	98	152	184
White	27,224	1	3	3	3	3	13	34	35	84	178	261	378	526
Male	14,013	–	3	2	2	1	8	26	29	54	113	181	265	380
Female	13,211	1	–	1	1	2	5	8	6	30	65	80	113	146
All other	3,421	1	–	1	–	–	2	3	6	23	33	57	109	111
Male	1,770	–	–	1	–	–	1	3	5	9	18	39	70	73
Female	1,651	1	–	–	–	–	1	–	1	14	15	18	39	38
Black	3,024	1	–	1	–	–	2	3	3	19	33	51	98	99
Male	1,547	–	–	1	–	–	1	3	2	8	18	35	65	64
Female	1,477	1	–	–	–	–	1	–	1	11	15	16	33	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,994	60	26	19	13	18	136	39	34	45	58	80	115	151
Male	3,179	30	16	10	5	8	69	23	21	23	26	44	74	83
Female	3,815	30	10	9	8	10	67	16	13	22	32	36	41	68
White	6,136	48	23	15	10	16	112	36	27	35	46	56	85	126
Male	2,783	23	14	8	4	7	56	21	17	17	24	31	54	72
Female	3,353	25	9	7	6	9	56	15	10	18	22	25	31	54
All other	858	12	3	4	3	2	24	3	7	10	12	24	30	25
Male	396	7	2	2	1	1	13	2	4	6	2	13	20	11
Female	462	5	1	2	2	1	11	1	3	4	10	11	10	14
Black	777	12	2	3	2	2	21	3	4	10	9	23	27	22
Male	354	7	1	2	1	1	12	2	1	6	–	12	17	9
Female	423	5	1	1	1	1	9	1	3	4	9	11	10	13
Diabetes mellitus (250)	48,951	1	3	3	1	1	9	12	22	29	93	216	442	657
Male	21,096	–	2	1	–	–	3	7	9	15	56	109	258	377
Female	27,855	1	1	2	1	1	6	5	13	14	37	107	184	280
White	39,600	1	3	3	1	1	9	8	14	20	62	161	334	498
Male	17,473	–	2	1	–	–	3	5	6	10	38	80	198	289
Female	22,127	1	1	2	1	1	6	3	8	10	24	81	136	209
All other	9,351	–	–	–	–	–	–	4	8	9	31	55	108	159
Male	3,623	–	–	–	–	–	–	2	3	5	18	29	60	88
Female	5,728	–	–	–	–	–	–	2	5	4	13	26	48	71
Black	8,517	–	–	–	–	–	–	3	8	9	29	54	104	150
Male	3,267	–	–	–	–	–	–	1	3	5	16	28	58	85
Female	5,250	–	–	–	–	–	–	2	5	4	13	26	46	65
Nutritional deficiencies (260-269)	2,991	22	2	1	–	–	25	–	1	1	7	8	11	14
Male	1,085	15	–	1	–	–	16	–	1	1	4	1	7	5
Female	1,906	7	2	–	–	–	9	–	–	–	3	7	4	9
White	2,558	15	1	1	–	–	17	–	1	1	6	6	9	12
Male	868	10	–	1	–	–	11	–	1	1	3	1	5	3
Female	1,690	5	1	–	–	–	6	–	–	–	3	5	4	9
All other	433	7	1	–	–	–	8	–	–	–	1	2	2	2
Male	217	5	–	–	–	–	5	–	–	–	1	–	2	2
Female	216	2	1	–	–	–	3	–	–	–	–	2	–	–
Black	393	7	1	–	–	–	8	–	–	–	1	2	2	2
Male	193	5	–	–	–	–	5	–	–	–	1	–	2	2
Female	200	2	1	–	–	–	3	–	–	–	–	2	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.
(Page 8 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	298	465	823	1,266	2,103	2,843	3,412	3,439	3,060	2,030	877	249	28	-
Male	210	320	571	831	1,471	1,920	2,313	2,171	1,852	1,115	410	105	10	-
Female	88	145	252	435	632	923	1,099	1,268	1,208	915	467	144	18	-
White	242	407	710	1,103	1,904	2,579	3,060	3,149	2,824	1,892	823	225	26	-
Male	168	287	499	739	1,340	1,766	2,107	1,997	1,735	1,052	386	99	10	-
Female	74	120	211	364	564	813	953	1,152	1,089	840	437	126	16	-
All other	56	58	113	163	199	264	352	290	236	138	54	24	2	-
Male	42	33	72	92	131	154	206	174	117	63	24	6	-	-
Female	14	25	41	71	68	110	146	116	119	75	30	18	2	-
Black	50	52	108	143	170	229	318	261	209	128	52	22	2	-
Male	39	30	69	81	112	133	187	159	104	57	22	5	-	-
Female	11	22	39	62	58	96	131	102	105	71	30	17	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,956	2,467	3,281	4,570	6,676	8,385	8,999	8,209	6,501	4,060	1,748	532	74	2
Male	1,149	1,463	1,975	2,799	3,944	4,795	4,927	4,126	2,960	1,534	571	148	15	2
Female	807	1,004	1,306	1,771	2,732	3,590	4,072	4,083	3,541	2,526	1,177	384	59	-
White	1,693	2,144	2,816	3,946	5,892	7,467	8,187	7,454	5,928	3,711	1,598	482	60	-
Male	996	1,262	1,693	2,417	3,511	4,294	4,502	3,753	2,705	1,393	517	134	12	-
Female	697	882	1,123	1,529	2,381	3,173	3,685	3,701	3,223	2,318	1,081	348	48	-
All other	263	323	465	624	784	918	812	755	573	349	150	50	14	2
Male	153	201	282	382	433	501	425	373	255	141	54	14	3	2
Female	110	122	183	242	351	417	387	382	318	208	96	36	11	-
Black	226	273	406	540	708	833	719	663	510	305	129	41	11	2
Male	134	175	254	339	398	457	381	330	216	122	46	12	3	2
Female	92	98	152	201	310	376	338	333	294	183	83	29	8	-
Leukemia (204-208)	480	553	664	957	1,501	2,142	2,730	2,874	2,395	1,613	720	213	33	-
Male	266	319	372	542	909	1,250	1,644	1,543	1,167	676	239	59	10	-
Female	214	234	292	415	592	892	1,086	1,331	1,228	937	481	154	23	-
White	396	472	559	819	1,350	1,932	2,522	2,672	2,227	1,507	681	194	26	-
Male	217	267	315	465	835	1,137	1,530	1,423	1,084	628	223	54	6	-
Female	179	205	244	354	515	795	992	1,249	1,143	879	458	140	20	-
All other	84	81	105	138	151	210	208	202	168	106	39	19	7	-
Male	49	52	57	77	74	113	114	120	83	48	16	5	4	-
Female	35	29	48	61	77	97	94	82	85	58	23	14	3	-
Black	67	67	84	117	135	185	187	173	154	98	34	18	7	-
Male	41	41	45	68	66	99	100	102	73	44	13	5	4	-
Female	26	26	39	49	69	86	87	71	81	54	21	13	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	790	1,010	1,215	1,826	2,835	4,024	4,840	4,897	3,998	2,344	828	161	22	2
Male	537	649	735	1,094	1,558	2,200	2,447	2,326	1,722	906	281	49	4	1
Female	253	361	480	732	1,277	1,824	2,393	2,571	2,276	1,438	547	112	18	1
White	648	871	1,027	1,553	2,485	3,554	4,339	4,435	3,670	2,193	769	152	17	2
Male	449	565	627	942	1,370	1,956	2,202	2,104	1,587	840	264	47	3	1
Female	199	306	400	611	1,115	1,598	2,137	2,331	2,083	1,353	505	105	14	1
All other	142	139	188	273	350	470	501	462	328	151	59	9	5	-
Male	88	84	108	152	188	244	245	222	135	66	17	2	1	-
Female	54	55	80	121	162	226	256	240	193	85	42	7	4	-
Black	126	118	166	246	299	415	446	406	291	135	56	7	5	-
Male	80	71	96	138	160	215	210	190	115	58	16	1	1	-
Female	46	47	70	108	139	200	236	216	176	77	40	6	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	140	179	207	307	480	694	895	1,003	1,094	785	401	130	21	-
Male	79	103	117	167	262	358	438	452	445	251	112	24	8	-
Female	61	76	90	140	218	336	457	551	649	534	289	106	13	-
White	111	143	172	251	405	591	794	906	997	730	372	123	18	-
Male	68	80	97	142	223	310	395	415	404	225	103	23	6	-
Female	43	63	75	109	182	281	399	491	593	505	269	100	12	-
All other	29	36	35	56	75	103	101	97	97	55	29	7	3	-
Male	11	23	20	25	39	48	43	37	41	26	9	1	2	-
Female	18	13	15	31	36	55	58	60	56	29	20	6	1	-
Black	27	32	32	50	71	98	93	85	86	49	25	7	3	-
Male	10	22	19	23	38	44	40	30	37	22	7	1	2	-
Female	17	10	13	27	33	54	53	55	49	27	18	6	1	-
Diabetes mellitus (250)	896	1,187	1,847	2,761	4,250	6,440	7,394	7,736	6,939	4,919	2,262	724	114	2
Male	538	687	976	1,400	2,066	3,011	3,373	3,306	2,646	1,511	557	171	18	2
Female	358	500	871	1,361	2,184	3,429	4,021	4,430	4,293	3,408	1,705	553	96	-
White	638	865	1,272	2,022	3,184	5,030	6,076	6,460	5,954	4,291	1,971	639	91	1
Male	387	512	715	1,079	1,614	2,452	2,896	2,868	2,305	1,354	498	150	13	1
Female	251	353	557	943	1,570	2,578	3,180	3,592	3,649	2,937	1,473	489	78	-
All other	258	322	575	739	1,066	1,410	1,318	1,276	985	628	291	85	23	1
Male	151	175	261	321	452	559	477	438	341	157	59	21	5	1
Female	107	147	314	418	614	851	841	838	644	471	232	64	18	-
Black	241	294	525	681	960	1,269	1,206	1,150	874	591	267	78	23	1
Male	138	164	239	291	404	503	435	389	286	143	53	20	5	1
Female	103	130	286	390	556	766	771	761	588	448	214	58	18	-
Nutritional deficiencies (260-269)	10	26	19	43	61	107	210	371	552	617	547	276	84	1
Male	6	16	12	22	31	50	104	160	222	204	135	67	20	1
Female	4	10	7	21	30	57	106	211	330	413	412	209	64	-
White	9	23	15	33	48	79	161	321	486	552	481	234	63	1
Male	5	14	10	16	21	33	80	137	185	169	110	50	12	1
Female	4	9	5	17	27	46	81	184	301	383	371	184	51	-
All other	1	3	4	10	13	28	49	50	66	65	66	42	21	-
Male	1	2	2	6	10	17	24	23	37	35	25	17	8	-
Female	-	1	2	4	3	11	25	27	29	30	41	25	13	-
Black	1	3	4	10	12	27	42	46	61	59	54	40	19	-
Male	1	2	2	6	9	16	19	20	33	31	20	17	7	-
Female	-	1	2	4	3	11	23	26	28	28	34	23	12	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 9 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	4,121	29	19	15	11	2	76	23	33	41	53	89	108	86
Male	1,758	19	11	8	5	1	44	8	19	32	30	42	57	49
Female	2,363	10	8	7	6	1	32	15	14	9	23	47	51	37
White	3,180	16	6	7	2	–	31	10	19	11	9	22	30	26
Male	1,305	11	4	4	–	–	19	5	12	7	6	8	15	14
Female	1,875	5	2	3	2	–	12	5	7	4	3	14	15	12
All other	941	13	13	8	9	2	45	13	14	30	44	67	78	60
Male	453	8	7	4	5	1	25	3	7	25	24	34	42	35
Female	488	5	6	4	4	1	20	10	7	5	20	33	36	25
Black	883	10	12	8	9	2	41	13	14	26	40	64	77	57
Male	420	8	6	4	5	1	24	3	7	21	20	32	42	32
Female	463	2	6	4	4	1	17	10	7	5	20	32	35	25
Meningitis (320-322)	887	128	18	16	4	1	167	19	16	11	18	19	35	46
Male	442	68	12	9	2	–	91	9	9	6	9	13	24	28
Female	445	60	6	7	2	1	76	10	7	5	9	6	11	20
White	618	71	11	12	2	1	97	17	13	8	12	8	20	22
Male	306	39	8	8	–	–	55	8	7	5	6	6	12	14
Female	312	32	3	4	2	1	42	9	6	3	6	2	8	8
All other	269	57	7	4	2	–	70	2	3	3	6	11	15	24
Male	136	29	4	1	2	–	36	1	2	1	3	7	12	12
Female	133	28	3	3	–	–	34	1	1	2	3	4	3	12
Black	245	49	7	4	2	–	62	2	3	2	4	10	15	23
Male	123	27	4	1	2	–	34	1	2	1	2	6	12	12
Female	122	22	3	3	–	–	28	1	1	1	2	4	3	11
Major cardiovascular diseases (390-448)	916,342	881	198	86	69	44	1,278	168	216	466	820	1,547	2,971	5,561
Male	441,689	493	110	42	37	24	706	90	116	294	499	966	1,872	3,844
Female	474,653	388	88	44	32	20	572	78	100	172	321	581	1,099	1,717
White	806,302	575	118	58	44	31	826	118	153	333	542	1,028	1,990	3,735
Male	387,808	325	63	25	22	18	453	62	82	214	332	658	1,304	2,672
Female	418,494	250	55	33	22	13	373	56	71	119	210	370	686	1,063
All other	110,040	306	80	28	25	13	452	50	63	133	278	519	981	1,826
Male	53,881	168	47	17	15	6	253	28	34	80	167	308	568	1,172
Female	56,159	138	33	11	10	7	199	22	29	53	111	211	413	654
Black	99,043	276	74	24	20	12	406	45	56	116	249	479	914	1,690
Male	47,654	148	43	14	12	6	223	25	30	69	149	286	523	1,075
Female	51,389	128	31	10	8	6	183	20	26	47	100	193	391	615
Diseases of heart (390-398,402,404-429)	720,862	704	170	71	54	37	1,036	128	153	359	631	1,159	2,266	4,337
Male	359,814	396	94	33	32	19	574	68	83	239	402	774	1,509	3,166
Female	361,048	308	76	38	22	18	462	60	70	120	229	385	757	1,171
White	636,805	463	101	46	35	28	673	87	103	252	407	774	1,540	2,978
Male	317,642	265	54	19	19	16	373	45	54	170	256	526	1,061	2,248
Female	319,163	198	47	27	16	12	300	42	49	82	151	248	479	730
All other	84,057	241	69	25	19	9	363	41	50	107	224	385	726	1,359
Male	42,172	131	40	14	13	3	201	23	29	69	146	248	448	918
Female	41,885	110	29	11	6	6	162	18	21	38	78	137	278	441
Black	76,014	218	65	21	17	8	329	36	44	94	202	358	678	1,256
Male	37,454	115	38	11	11	3	178	20	25	60	132	232	412	841
Female	38,560	103	27	10	6	5	151	16	19	34	70	126	266	415
Rheumatic fever and rheumatic heart disease (390-398)	5,951	6	2	1	1	–	10	3	1	8	15	42	62	86
Male	1,786	1	2	1	–	–	4	3	1	4	8	16	22	32
Female	4,165	5	–	–	1	–	6	–	–	4	7	26	40	54
White	5,426	5	1	1	1	–	8	3	–	5	9	31	52	56
Male	1,607	1	1	1	–	–	3	3	–	3	5	12	19	26
Female	3,819	4	–	–	1	–	5	–	–	2	4	19	33	30
All other	525	1	1	–	–	–	2	–	1	3	6	11	10	30
Male	179	–	1	–	–	–	1	–	1	1	3	4	3	6
Female	346	1	–	–	–	–	1	–	–	2	3	7	7	24
Black	413	1	1	–	–	–	2	–	–	3	6	10	10	26
Male	138	–	1	–	–	–	1	–	–	1	3	3	3	5
Female	275	1	–	–	–	–	1	–	–	2	3	7	7	21
Hypertensive heart disease (402)	21,365	1	1	–	–	–	2	2	2	1	17	48	99	232
Male	8,995	–	1	–	–	–	1	2	2	1	15	32	61	151
Female	12,370	1	–	–	–	–	1	–	–	–	2	16	38	81
White	15,409	–	1	–	–	–	1	–	1	1	6	22	45	92
Male	6,218	–	1	–	–	–	1	–	1	1	5	14	36	73
Female	9,191	–	–	–	–	–	–	–	–	–	1	8	9	19
All other	5,956	1	–	–	–	–	1	2	1	–	11	26	54	140
Male	2,777	–	–	–	–	–	–	2	1	–	10	18	25	78
Female	3,179	1	–	–	–	–	1	–	–	–	1	8	29	62
Black	5,639	1	–	–	–	–	1	2	1	–	10	25	53	138
Male	2,635	–	–	–	–	–	–	2	1	–	10	17	25	76
Female	3,004	1	–	–	–	–	1	–	–	–	–	8	28	62
Hypertensive heart and renal disease (404)	2,445	–	–	–	–	–	–	–	–	–	3	6	15	22
Male	996	–	–	–	–	–	–	–	–	–	2	4	8	17
Female	1,449	–	–	–	–	–	–	–	–	–	1	2	7	5
White	1,714	–	–	–	–	–	–	–	–	–	2	3	5	7
Male	682	–	–	–	–	–	–	–	–	–	1	2	2	5
Female	1,032	–	–	–	–	–	–	–	–	–	1	1	3	2
All other	731	–	–	–	–	–	–	–	–	–	1	3	10	15
Male	314	–	–	–	–	–	–	–	–	–	1	2	6	12
Female	417	–	–	–	–	–	–	–	–	–	–	1	4	3
Black	695	–	–	–	–	–	–	–	–	–	1	2	10	14
Male	298	–	–	–	–	–	–	–	–	–	1	2	6	11
Female	397	–	–	–	–	–	–	–	–	–	–	–	4	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 10 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	88	87	79	92	161	233	346	553	642	605	457	219	50	-
Male	46	42	35	48	76	113	166	236	263	238	141	60	13	-
Female	42	45	44	44	85	120	180	317	379	367	316	159	37	-
White	35	30	49	61	126	176	291	482	575	549	413	195	40	-
Male	17	15	20	32	60	92	142	201	228	219	130	50	13	-
Female	18	15	29	29	66	84	149	281	347	330	283	145	27	-
All other	53	57	30	31	35	57	55	71	67	56	44	24	10	-
Male	29	27	15	16	16	21	24	35	35	19	11	10	-	-
Female	24	30	15	15	19	36	31	36	32	37	33	14	10	-
Black	52	57	28	26	28	55	50	66	63	51	43	23	9	-
Male	29	27	14	15	14	19	21	32	32	15	11	10	-	-
Female	23	30	14	11	14	36	29	34	31	36	32	13	9	-
Meningitis (320-322)	36	33	29	38	58	76	71	69	71	53	18	3	1	-
Male	25	20	17	20	37	33	26	25	26	17	7	2	-	-
Female	11	13	12	18	21	43	45	44	45	36	11	1	1	-
White	20	25	22	32	39	60	55	58	55	39	12	3	1	-
Male	14	16	13	17	24	28	21	21	19	13	5	2	-	-
Female	6	9	9	15	15	32	34	37	36	26	7	1	1	-
All other	16	8	7	6	19	16	16	11	16	14	6	-	-	-
Male	11	4	4	3	13	5	5	4	7	4	2	-	-	-
Female	5	4	3	3	6	11	11	7	9	10	4	-	-	-
Black	14	8	6	6	16	15	14	11	15	13	6	-	-	-
Male	10	4	3	3	10	4	3	4	6	4	2	-	-	-
Female	4	4	3	3	6	11	11	7	9	9	4	-	-	-
Major cardiovascular diseases (390-448)	10,018	15,108	21,366	33,423	55,410	84,047	112,291	139,677	155,560	139,175	91,028	37,631	8,457	124
Male	7,145	10,878	15,076	22,990	36,721	52,718	65,264	72,351	67,607	48,488	24,342	8,133	1,505	84
Female	2,873	4,230	6,290	10,433	18,689	31,329	47,027	67,326	87,953	90,687	66,686	29,498	6,952	40
White	7,193	11,320	16,396	26,523	45,701	71,185	97,895	124,481	141,073	128,353	84,874	35,019	7,474	90
Male	5,373	8,460	11,995	18,810	31,116	45,694	57,929	65,326	61,495	44,608	22,417	7,474	1,275	59
Female	1,820	2,860	4,401	7,713	14,585	25,491	39,966	59,155	79,578	83,745	62,457	27,545	6,199	31
All other	2,825	3,788	4,970	6,900	9,709	12,862	14,396	15,196	14,487	10,822	6,154	2,612	983	34
Male	1,772	2,418	3,081	4,180	5,605	7,024	7,335	7,025	6,112	3,880	1,925	659	230	25
Female	1,053	1,370	1,889	2,720	4,104	5,838	7,061	8,171	8,375	6,942	4,229	1,953	753	9
Black	2,624	3,490	4,550	6,286	8,795	11,646	13,006	13,566	12,922	9,546	5,412	2,318	896	31
Male	1,636	2,212	2,801	3,774	5,034	6,282	6,537	6,131	5,210	3,237	1,614	579	204	23
Female	988	1,278	1,749	2,512	3,761	5,364	6,469	7,435	7,712	6,309	3,798	1,739	692	8
Diseases of heart (390-398,402,404-429)	8,060	12,468	17,906	28,310	46,675	69,101	90,300	109,493	119,389	104,974	68,759	28,712	6,539	107
Male	6,048	9,410	13,121	20,035	31,692	44,230	53,564	57,850	52,993	37,492	18,925	6,355	1,210	74
Female	2,012	3,058	4,785	8,275	14,983	24,871	36,736	51,643	66,396	67,482	49,834	22,357	5,329	33
White	5,961	9,594	14,061	22,836	38,963	59,032	79,188	98,005	108,605	97,000	64,169	26,714	5,784	79
Male	4,692	7,520	10,657	16,638	27,123	38,633	47,810	52,464	48,401	34,594	17,474	5,833	1,018	52
Female	1,269	2,074	3,404	6,198	11,840	20,399	31,378	45,541	60,204	62,406	46,695	20,881	4,766	27
All other	2,099	2,874	3,845	5,474	7,712	10,069	11,112	11,488	10,784	7,974	4,590	1,998	755	28
Male	1,356	1,890	2,464	3,397	4,569	5,597	5,754	5,386	4,592	2,898	1,451	522	192	22
Female	743	984	1,381	2,077	3,143	4,472	5,358	6,102	6,192	5,076	3,139	1,476	563	6
Black	1,955	2,671	3,526	4,998	7,019	9,175	10,092	10,307	9,651	7,076	4,052	1,780	689	26
Male	1,252	1,738	2,234	3,067	4,112	5,030	5,156	4,708	3,930	2,450	1,230	457	169	21
Female	703	933	1,292	1,931	2,907	4,145	4,936	5,599	5,721	4,626	2,822	1,323	520	5
Rheumatic fever and rheumatic heart disease (390-398)	135	170	204	296	507	688	876	1,024	899	606	237	72	10	-
Male	69	64	67	115	182	225	277	273	224	140	43	14	3	-
Female	66	106	137	181	325	463	599	751	675	466	194	58	7	-
White	99	122	162	263	456	633	815	963	862	579	228	71	9	-
Male	54	45	55	102	163	203	258	253	215	130	41	14	3	-
Female	45	77	107	161	293	430	557	710	647	449	187	57	6	-
All other	36	48	42	33	51	55	61	61	37	27	9	1	1	-
Male	15	19	12	13	19	22	19	20	9	10	2	-	-	-
Female	21	29	30	20	32	33	42	41	28	17	7	1	1	-
Black	28	39	37	26	44	41	37	46	24	25	8	-	1	-
Male	11	14	12	10	17	15	13	13	6	9	2	-	-	-
Female	17	25	25	16	27	26	24	33	18	16	6	-	1	-
Hypertensive heart disease (402)	432	641	800	1,145	1,648	2,065	2,493	2,993	3,243	2,885	1,789	674	147	7
Male	289	436	513	740	988	1,109	1,200	1,246	1,071	710	317	87	17	7
Female	143	205	287	405	660	956	1,293	1,747	2,172	2,175	1,472	587	130	-
White	190	297	423	630	1,025	1,346	1,763	2,245	2,622	2,421	1,563	588	123	5
Male	144	228	287	435	634	762	875	950	852	573	262	71	9	5
Female	46	69	136	195	391	584	888	1,295	1,770	1,848	1,301	517	114	-
All other	242	344	377	515	623	719	730	748	621	464	226	86	24	2
Male	145	208	226	305	354	347	325	296	219	137	55	16	8	2
Female	97	136	151	210	269	372	405	452	402	327	171	70	16	-
Black	239	336	367	501	585	688	700	707	569	410	206	76	23	2
Male	143	204	219	292	335	333	312	279	197	116	50	15	7	2
Female	96	132	148	209	250	355	388	428	372	294	156	61	16	-
Hypertensive heart and renal disease (404)	24	44	50	67	121	201	291	397	438	420	238	90	18	-
Male	17	30	24	40	56	94	126	183	159	157	59	15	5	-
Female	7	14	26	27	65	107	165	214	279	263	179	75	13	-
White	9	10	14	28	64	114	181	286	335	353	208	80	15	-
Male	6	5	7	20	34	57	76	136	131	128	53	14	5	-
Female	3	5	7	8	30	57	105	150	204	225	155	66	10	-
All other	15	34	36	39	57	87	110	111	103	67	30	10	3	-
Male	11	25	17	20	22	37	50	47	28	29	6	1	-	-
Female	4	9	19	19	35	50	60	64	75	38	24	9	3	-
Black	15	34	35	38	56	84	102	105	97	62	27	10	3	-
Male	11	25	16	19	22	35	47	44	27	27	4	1	-	-
Female	4	9	19	19	34	49	55	61	70	35	23	9	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 11 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	485,438	20	6	1	4	3	34	6	9	34	92	290	807	2,092
Male	249,736	10	5	1	2	3	21	2	3	26	62	224	595	1,668
Female	235,702	10	1	–	2	–	13	4	6	8	30	66	212	424
White	439,156	13	3	1	3	3	23	4	5	22	64	214	609	1,616
Male	226,684	8	3	1	1	3	16	1	1	15	41	170	463	1,319
Female	212,472	5	–	–	2	–	7	3	4	7	23	44	146	297
All other	46,282	7	3	–	1	–	11	2	4	12	28	76	198	476
Male	23,052	2	2	–	1	–	5	1	2	11	21	54	132	349
Female	23,230	5	1	–	–	–	6	1	2	1	7	22	66	127
Black	41,154	6	3	–	1	–	10	2	3	11	22	72	180	431
Male	19,966	2	2	–	1	–	5	1	1	10	17	52	116	314
Female	21,188	4	1	–	–	–	5	1	2	1	5	20	64	117
Acute myocardial infarction (410)	235,255	8	2	1	3	1	15	1	4	19	54	151	464	1,144
Male	126,144	3	1	1	1	1	7	–	3	14	35	117	332	892
Female	109,111	5	1	–	2	–	8	1	1	5	19	34	132	252
White	212,058	7	1	1	2	1	12	–	2	13	38	115	348	881
Male	114,431	3	1	1	–	1	6	–	1	9	24	91	262	701
Female	97,627	4	–	–	2	–	6	–	1	4	14	24	86	180
All other	23,197	1	1	–	1	–	3	1	2	6	16	36	116	263
Male	11,713	–	–	–	1	–	1	–	2	5	11	26	70	191
Female	11,484	1	1	–	–	–	2	1	–	1	5	10	46	72
Black	20,654	–	1	–	1	–	2	1	1	5	12	35	106	242
Male	10,158	–	–	–	1	–	1	–	1	4	9	26	62	175
Female	10,496	–	1	–	–	–	1	1	–	1	3	9	44	67
Other acute and subacute forms of ischemic heart disease (411)	3,300	1	–	–	–	1	2	–	–	3	3	6	20	44
Male	1,941	1	–	–	–	1	2	–	–	3	3	5	16	37
Female	1,359	–	–	–	–	–	–	–	–	–	–	1	4	7
White	2,807	–	–	–	–	1	1	–	–	1	2	5	16	34
Male	1,654	–	–	–	–	1	1	–	–	1	2	4	12	30
Female	1,153	–	–	–	–	–	–	–	–	–	–	1	4	4
All other	493	1	–	–	–	–	1	–	–	2	1	1	4	10
Male	287	1	–	–	–	–	1	–	–	2	1	1	4	7
Female	206	–	–	–	–	–	–	–	–	–	–	–	–	3
Black	450	1	–	–	–	–	1	–	–	2	1	1	2	7
Male	259	1	–	–	–	–	1	–	–	2	1	1	2	5
Female	191	–	–	–	–	–	–	–	–	–	–	–	–	2
Angina pectoris (413)	1,064	–	–	–	–	–	–	–	–	–	–	–	1	3
Male	440	–	–	–	–	–	–	–	–	–	–	–	–	2
Female	624	–	–	–	–	–	–	–	–	–	–	–	1	1
White	956	–	–	–	–	–	–	–	–	–	–	–	1	2
Male	402	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	554	–	–	–	–	–	–	–	–	–	–	–	1	1
All other	108	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	38	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	70	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	98	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	32	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	66	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	245,819	11	4	–	1	1	17	5	5	12	35	133	322	901
Male	121,211	6	4	–	1	1	12	2	–	9	24	102	247	737
Female	124,608	5	–	–	–	–	5	3	5	3	11	31	75	164
White	223,335	6	2	–	1	1	10	4	3	8	24	94	244	699
Male	110,197	5	2	–	1	1	9	1	–	5	15	75	189	587
Female	113,138	1	–	–	–	–	1	3	3	3	9	19	55	112
All other	22,484	5	2	–	–	–	7	1	2	4	11	39	78	202
Male	11,014	1	2	–	–	–	3	1	–	4	9	27	58	150
Female	11,470	4	–	–	–	–	4	–	2	–	2	12	20	52
Black	19,952	5	2	–	–	–	7	1	2	4	9	36	72	181
Male	9,517	1	2	–	–	–	3	1	–	4	7	25	52	133
Female	10,435	4	–	–	–	–	4	–	2	–	2	11	20	48
Other diseases of endocardium (424)	13,727	22	5	2	2	1	32	5	4	11	29	50	76	113
Male	5,829	11	–	–	1	–	12	3	3	7	18	28	54	72
Female	7,898	11	5	2	1	1	20	2	1	4	11	22	22	41
White	12,746	14	4	2	2	–	22	4	4	9	22	38	54	79
Male	5,361	5	–	–	1	–	6	2	3	6	15	24	39	47
Female	7,385	9	4	2	1	–	16	2	1	3	7	14	15	32
All other	981	8	1	–	–	1	10	1	–	2	7	12	22	34
Male	468	6	–	–	–	–	6	1	–	1	3	4	15	25
Female	513	2	1	–	–	1	4	–	–	1	4	8	7	9
Black	858	8	1	–	–	1	10	1	–	1	7	12	20	31
Male	398	6	–	–	–	–	6	1	–	–	3	4	14	22
Female	460	2	1	–	–	1	4	–	–	1	4	8	6	9
All other forms of heart disease (415-423,425-429)	191,936	655	156	67	47	33	958	112	137	305	475	723	1,207	1,792
Male	92,472	374	86	31	29	16	536	58	74	201	297	470	769	1,226
Female	99,464	281	70	36	18	17	422	54	63	104	178	253	438	566
White	162,354	431	92	42	29	25	619	76	93	215	304	466	775	1,128
Male	77,090	251	49	17	17	13	347	39	49	145	189	304	502	778
Female	85,264	180	43	25	12	12	272	37	44	70	115	162	273	350
All other	29,582	224	64	25	18	8	339	36	44	90	171	257	432	664
Male	15,382	123	37	14	12	3	189	19	25	56	108	166	267	448
Female	14,200	101	27	11	6	5	150	17	19	34	63	91	165	216
Black	27,255	202	60	21	16	7	306	31	40	79	156	237	405	616
Male	14,019	107	35	11	10	3	166	16	23	49	98	154	248	413
Female	13,236	95	25	10	6	4	140	15	17	30	58	83	157	203

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 12 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,623	7,773	11,650	18,960	31,561	47,695	63,035	76,251	82,248	70,320	45,148	18,570	4,185	55
Male	3,728	6,135	8,888	13,854	21,933	31,433	38,374	41,436	37,580	26,002	12,735	4,219	781	37
Female	895	1,638	2,762	5,106	9,628	16,262	24,661	34,815	44,668	44,318	32,413	14,351	3,404	18
White	3,737	6,450	9,690	16,021	27,300	42,021	56,652	69,578	75,821	65,658	42,477	17,418	3,733	43
Male	3,101	5,228	7,583	12,029	19,426	28,294	35,075	38,325	34,805	24,290	11,894	3,915	665	28
Female	636	1,222	2,107	3,992	7,874	13,727	21,577	31,253	41,016	41,368	30,583	13,503	3,068	15
All other	886	1,323	1,960	2,939	4,261	5,674	6,383	6,673	6,427	4,662	2,671	1,152	452	12
Male	627	907	1,305	1,825	2,507	3,139	3,299	3,111	2,775	1,712	841	304	116	9
Female	259	416	655	1,114	1,754	2,535	3,084	3,562	3,652	2,950	1,830	848	336	3
Black	785	1,198	1,744	2,620	3,803	5,057	5,716	5,882	5,703	4,117	2,342	1,031	415	10
Male	547	808	1,141	1,601	2,197	2,747	2,901	2,656	2,338	1,433	705	264	104	8
Female	238	390	603	1,019	1,606	2,310	2,815	3,226	3,365	2,684	1,637	767	311	2
Acute myocardial infarction (410)	2,698	4,626	6,958	11,177	17,861	26,240	33,408	38,713	38,944	29,874	16,134	5,594	1,152	24
Male	2,179	3,649	5,271	8,073	12,307	17,076	19,967	20,700	17,865	11,297	4,786	1,335	225	14
Female	519	977	1,687	3,104	5,554	9,164	13,441	18,013	21,079	18,577	11,348	4,259	927	10
White	2,204	3,887	5,922	9,533	15,498	23,266	30,098	35,306	35,920	27,739	15,083	5,181	994	18
Male	1,838	3,132	4,595	7,059	10,933	15,463	18,270	19,117	16,589	10,484	4,443	1,223	181	10
Female	366	755	1,327	2,474	4,565	7,803	11,828	16,189	19,331	17,255	10,640	3,958	813	8
All other	494	739	1,036	1,644	2,363	2,974	3,310	3,407	3,024	2,135	1,051	413	158	6
Male	341	517	676	1,014	1,374	1,613	1,697	1,583	1,276	813	343	112	44	4
Female	153	222	360	630	989	1,361	1,613	1,824	1,748	1,322	708	301	114	2
Black	436	668	917	1,470	2,103	2,648	2,952	3,013	2,687	1,887	939	370	155	5
Male	292	464	582	892	1,196	1,419	1,487	1,361	1,071	679	296	96	42	3
Female	144	204	335	578	907	1,229	1,465	1,652	1,616	1,208	643	274	113	2
Other acute and subacute forms of ischemic heart disease (411)	81	125	159	211	317	387	416	409	420	374	204	88	24	7
Male	73	106	121	156	224	283	277	212	188	152	55	16	6	6
Female	8	19	38	55	93	104	139	197	232	222	149	72	18	1
White	57	107	131	178	260	314	360	351	360	336	187	80	20	7
Male	52	94	104	136	187	232	248	183	167	130	48	13	4	6
Female	5	13	27	42	73	82	112	168	193	206	139	67	16	1
All other	24	18	28	33	57	73	56	58	60	38	17	8	4	-
Male	21	12	17	20	37	51	29	29	21	22	7	3	2	-
Female	3	6	11	13	20	22	27	29	39	16	10	5	2	-
Black	24	13	25	26	53	68	54	53	57	35	16	8	4	-
Male	21	10	14	16	34	48	27	26	19	21	6	3	2	-
Female	3	3	11	10	19	20	27	27	38	14	10	5	2	-
Angina pectoris (413)	9	14	21	25	48	101	116	162	204	193	104	53	9	1
Male	8	11	15	18	24	57	51	73	79	62	26	13	1	-
Female	1	3	6	7	24	44	65	89	125	131	78	40	8	1
White	8	11	16	21	33	88	106	147	189	176	98	51	8	1
Male	7	9	11	17	21	52	48	67	74	56	26	13	-	-
Female	1	2	5	4	12	36	58	80	115	120	72	38	8	1
All other	1	3	5	4	15	13	10	15	15	17	6	2	1	-
Male	1	2	4	1	3	5	3	6	5	6	-	-	1	-
Female	-	1	1	3	12	8	7	9	10	11	6	2	-	-
Black	1	2	3	4	13	12	10	14	14	16	5	2	1	-
Male	1	1	2	1	1	5	3	5	5	6	-	-	1	-
Female	-	1	1	3	12	7	7	9	9	10	5	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,835	3,008	4,512	7,547	13,335	20,967	29,095	36,967	42,680	39,879	28,706	12,835	3,000	23
Male	1,468	2,369	3,481	5,607	9,378	14,017	18,079	20,451	19,448	14,491	7,868	2,855	549	17
Female	367	639	1,031	1,940	3,957	6,950	11,016	16,516	23,232	25,388	20,838	9,980	2,451	6
White	1,468	2,445	3,621	6,289	11,509	18,353	26,088	33,774	39,352	37,407	27,109	12,106	2,711	17
Male	1,204	1,993	2,873	4,817	8,285	12,547	16,509	18,958	17,975	13,620	7,377	2,666	480	12
Female	264	452	748	1,472	3,224	5,806	9,579	14,816	21,377	23,787	19,732	9,440	2,231	5
All other	367	563	891	1,258	1,826	2,614	3,007	3,193	3,328	2,472	1,597	729	289	6
Male	264	376	608	790	1,093	1,470	1,570	1,493	1,473	871	491	189	69	5
Female	103	187	283	468	733	1,144	1,437	1,700	1,855	1,601	1,106	540	220	1
Black	324	515	799	1,120	1,634	2,329	2,700	2,802	2,945	2,179	1,382	651	255	5
Male	233	333	543	692	966	1,275	1,384	1,264	1,243	727	403	165	59	5
Female	91	182	256	428	668	1,054	1,316	1,538	1,702	1,452	979	486	196	-
Other diseases of endocardium (424)	134	159	194	319	543	967	1,356	2,149	2,756	2,699	1,534	512	85	-
Male	88	108	117	184	320	554	694	1,005	1,150	893	404	108	7	-
Female	46	51	77	135	223	413	662	1,144	1,606	1,806	1,130	404	78	-
White	87	115	159	272	467	877	1,254	2,016	2,617	2,602	1,472	493	83	-
Male	62	80	94	160	276	513	647	941	1,092	860	385	102	7	-
Female	25	35	65	112	191	364	607	1,075	1,525	1,742	1,087	391	76	-
All other	47	44	35	47	76	90	102	133	139	97	62	19	2	-
Male	26	28	23	24	44	41	47	64	58	33	19	6	-	-
Female	21	16	12	23	32	49	55	69	81	64	43	13	2	-
Black	47	41	32	44	66	81	82	114	117	83	54	13	2	-
Male	26	27	20	21	35	36	35	54	46	29	15	4	-	-
Female	21	14	12	23	31	45	47	60	71	54	39	9	2	-
All other forms of heart disease (415-423,425-429)	2,712	3,681	5,008	7,523	12,295	17,485	22,249	26,679	29,805	28,044	19,813	8,794	2,094	45
Male	1,857	2,637	3,512	5,102	8,213	10,815	12,693	13,707	12,809	9,590	5,367	1,912	397	30
Female	855	1,044	1,496	2,421	4,082	6,670	9,356	12,972	16,996	18,454	14,446	6,882	1,697	15
White	1,839	2,600	3,613	5,622	9,651	14,041	18,523	22,917	26,348	25,387	18,221	8,064	1,821	31
Male	1,325	1,934	2,631	3,892	6,590	8,804	10,879	11,859	11,306	8,613	4,839	1,717	329	19
Female	514	666	982	1,730	3,061	5,237	7,644	11,058	15,042	16,774	13,382	6,347	1,492	12
All other	873	1,081	1,395	1,901	2,644	3,444	3,726	3,762	3,457	2,657	1,592	730	273	14
Male	532	703	881	1,210	1,623	2,011	2,014	1,848	1,503	977	528	195	68	11
Female	341	378	514	691	1,021	1,433	1,712	1,914	1,954	1,680	1,064	535	205	3
Black	841	1,023	1,311	1,769	2,465	3,224	3,455	3,453	3,141	2,379	1,415	650	245	14
Male	514	660	826	1,124	1,506	1,864	1,848	1,662	1,316	836	454	173	58	11
Female	327	363	485	645	959	1,360	1,607	1,791	1,825	1,543	961	477	187	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 13 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	9,524	2	2	-	-	1	5	2	-	5	8	24	32	72
Male	3,956	2	1	-	-	-	3	2	-	3	5	16	23	42
Female	5,568	-	1	-	-	1	2	-	-	2	3	8	9	30
White	7,160	-	1	-	-	-	1	2	-	4	4	8	14	26
Male	2,938	-	1	-	-	-	1	2	-	2	2	7	10	13
Female	4,222	-	-	-	-	-	-	-	-	2	2	1	4	13
All other	2,364	2	1	-	-	1	4	-	-	1	4	16	18	46
Male	1,018	2	-	-	-	-	2	-	-	1	3	9	13	29
Female	1,346	-	1	-	-	1	2	-	-	-	1	7	5	17
Black	2,224	2	1	-	-	1	4	-	-	1	3	16	18	46
Male	945	2	-	-	-	-	2	-	-	1	2	9	13	29
Female	1,279	-	1	-	-	1	2	-	-	-	1	7	5	17
Cerebrovascular diseases (430-438)	143,481	159	24	15	13	5	216	34	52	78	141	275	538	981
Male	56,714	84	14	9	5	4	116	17	28	37	68	126	261	536
Female	86,767	75	10	6	8	1	100	17	24	41	73	149	277	445
White	123,720	103	15	12	8	2	140	25	41	59	103	181	347	601
Male	47,839	55	8	6	3	1	73	12	23	31	57	85	175	330
Female	75,881	48	7	6	5	1	67	13	18	28	46	96	172	271
All other	19,761	56	9	3	5	3	76	9	11	19	38	94	191	380
Male	8,875	29	6	3	2	3	43	5	5	6	11	41	86	206
Female	10,886	27	3	-	3	-	33	4	6	13	27	53	105	174
Black	17,362	49	8	3	3	3	66	9	11	16	33	82	179	347
Male	7,685	25	5	3	1	3	37	5	5	5	8	35	81	186
Female	9,677	24	3	-	2	-	29	4	6	11	25	47	98	161
Intracerebral and other intracranial hemorrhage (431-432)	20,681	41	4	3	4	2	54	16	24	29	49	106	166	390
Male	9,430	26	3	2	2	2	35	8	12	18	18	54	88	241
Female	11,251	15	1	1	2	-	19	8	12	11	31	52	78	149
White	16,768	22	3	2	3	-	30	12	18	25	31	59	99	196
Male	7,421	15	2	1	2	-	20	6	8	18	14	31	57	123
Female	9,347	7	1	1	1	-	10	6	10	7	17	28	42	73
All other	3,913	19	1	1	1	2	24	4	6	4	18	47	67	194
Male	2,009	11	1	1	-	2	15	2	4	-	4	23	31	118
Female	1,904	8	-	-	1	-	9	2	2	4	14	24	36	76
Black	3,242	17	1	1	-	2	21	4	6	4	15	39	62	180
Male	1,654	10	1	1	-	2	14	2	4	-	2	21	27	109
Female	1,588	7	-	-	-	-	7	2	2	4	13	18	35	71
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16,699	21	3	2	4	2	32	3	4	9	16	11	24	59
Male	6,577	8	2	1	1	1	13	1	2	2	7	4	13	43
Female	10,122	13	1	1	3	1	19	2	2	7	9	7	11	16
White	14,656	16	2	1	3	2	24	2	3	5	13	6	15	39
Male	5,638	5	1	-	-	1	7	-	2	1	6	1	7	29
Female	9,018	11	1	1	3	1	17	2	1	4	7	5	8	10
All other	2,043	5	1	1	1	-	8	1	1	4	3	5	9	20
Male	939	3	1	1	1	-	6	1	-	1	1	3	6	14
Female	1,104	2	-	-	-	-	2	-	1	3	2	2	3	6
Black	1,846	4	-	1	-	-	5	1	1	4	2	5	9	19
Male	831	2	-	1	-	-	3	1	-	1	1	3	6	14
Female	1,015	2	-	-	-	-	2	-	1	3	1	2	3	5
Cerebral embolism (434.1)	633	-	-	-	-	-	-	1	1	1	2	1	3	4
Male	229	-	-	-	-	-	-	1	1	-	-	1	1	3
Female	404	-	-	-	-	-	-	-	-	1	2	-	2	1
White	573	-	-	-	-	-	-	1	1	1	2	1	2	3
Male	204	-	-	-	-	-	-	1	1	-	-	1	1	2
Female	369	-	-	-	-	-	-	-	-	1	2	-	1	1
All other	60	-	-	-	-	-	-	-	-	-	-	-	1	1
Male	25	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	35	-	-	-	-	-	-	-	-	-	-	-	1	-
Black	53	-	-	-	-	-	-	-	-	-	-	-	1	1
Male	23	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	30	-	-	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	105,468	97	17	10	5	1	130	14	23	39	74	157	345	528
Male	40,478	50	9	6	2	1	68	7	13	17	43	67	159	249
Female	64,990	47	8	4	3	-	62	7	10	22	31	90	186	279
White	91,723	65	10	9	2	-	86	10	19	28	57	115	231	383
Male	34,576	35	5	5	1	-	46	5	12	12	37	52	110	176
Female	57,147	30	5	4	1	-	40	5	7	16	20	63	121	187
All other	13,745	32	7	1	3	1	44	4	4	11	17	42	114	165
Male	5,902	15	4	1	1	1	22	2	1	5	6	15	49	73
Female	7,843	17	3	-	2	-	22	2	3	6	11	27	65	92
Black	12,221	28	7	1	3	1	40	4	4	8	16	38	107	147
Male	5,177	13	4	1	1	1	20	2	1	4	5	11	48	62
Female	7,044	15	3	-	2	-	20	2	3	4	11	27	59	85
Atherosclerosis (440)	17,420	1	-	-	-	-	1	-	-	1	1	2	6	14
Male	6,636	1	-	-	-	-	1	-	-	-	1	2	3	9
Female	10,784	-	-	-	-	-	-	-	-	1	-	-	3	5
White	15,981	1	-	-	-	-	1	-	-	1	1	2	4	12
Male	6,033	1	-	-	-	-	1	-	-	-	1	2	3	8
Female	9,948	-	-	-	-	-	-	-	-	1	-	-	1	4
All other	1,439	-	-	-	-	-	-	-	-	-	-	-	2	2
Male	603	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	836	-	-	-	-	-	-	-	-	-	-	-	2	1
Black	1,306	-	-	-	-	-	-	-	-	-	-	-	1	2
Male	543	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	763	-	-	-	-	-	-	-	-	-	-	-	1	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 14 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	121	181	231	332	548	870	1,200	1,469	1,676	1,424	888	361	73	2
Male	73	101	132	203	299	424	560	616	632	472	252	85	12	1
Female	48	80	99	129	249	446	640	853	1,044	952	636	276	61	1
White	50	92	103	173	358	584	894	1,125	1,349	1,206	795	311	60	1
Male	26	55	67	115	209	301	424	489	513	391	228	72	10	1
Female	24	37	36	58	149	283	470	636	836	815	567	239	50	-
All other	71	89	128	159	190	286	306	344	327	218	93	50	13	1
Male	47	46	65	88	90	123	136	127	119	81	24	13	2	-
Female	24	43	63	71	100	163	170	217	208	137	69	37	11	1
Black	65	87	125	154	179	269	287	332	300	189	87	48	13	1
Male	43	44	63	86	83	113	128	122	107	65	20	13	2	-
Female	22	43	62	68	96	156	159	210	193	124	67	35	11	1
Cerebrovascular diseases (430-438)	1,549	2,054	2,666	3,707	6,037	10,145	15,378	22,069	27,376	26,090	16,654	6,265	1,162	14
Male	839	1,100	1,454	2,024	3,213	5,426	7,715	10,051	10,557	7,925	3,876	1,164	173	8
Female	710	954	1,212	1,683	2,824	4,719	7,663	12,018	16,819	18,165	12,778	5,101	989	6
White	990	1,329	1,799	2,619	4,518	8,046	12,890	19,253	24,557	23,902	15,464	5,840	1,007	9
Male	528	677	976	1,438	2,432	4,345	6,507	8,815	9,409	7,182	3,517	1,075	147	5
Female	462	652	823	1,181	2,086	3,701	6,383	10,438	15,148	16,720	11,947	4,765	860	4
All other	559	725	867	1,088	1,519	2,099	2,488	2,816	2,819	2,188	1,190	425	155	5
Male	311	423	478	586	781	1,081	1,208	1,236	1,148	743	359	89	26	3
Female	248	302	389	502	738	1,018	1,280	1,580	1,671	1,445	831	336	129	2
Black	513	640	772	974	1,339	1,846	2,189	2,441	2,488	1,880	1,024	368	141	4
Male	286	377	432	526	691	949	1,053	1,063	967	587	287	78	25	2
Female	227	263	340	448	648	897	1,136	1,378	1,521	1,293	737	290	116	2
Intracerebral and other intracranial hemorrhage (431-432)	598	813	908	1,168	1,593	2,200	2,788	3,344	3,032	2,138	967	256	39	3
Male	358	481	532	656	843	1,187	1,341	1,437	1,139	651	248	70	11	2
Female	240	332	376	512	750	1,013	1,447	1,907	1,893	1,487	719	186	28	1
White	341	452	545	808	1,190	1,778	2,365	2,972	2,755	1,939	888	231	33	1
Male	205	250	328	461	623	973	1,127	1,268	1,036	577	223	62	10	1
Female	136	202	217	347	567	805	1,238	1,704	1,719	1,362	665	169	23	-
All other	257	361	363	360	403	422	423	372	277	199	79	25	6	2
Male	153	231	204	195	220	214	214	169	103	74	25	8	1	1
Female	104	130	159	165	183	208	209	203	174	125	54	17	5	1
Black	240	321	319	309	326	340	327	271	212	158	61	20	5	2
Male	144	208	182	165	181	168	160	122	62	55	20	6	1	1
Female	96	113	137	144	145	172	167	149	150	103	41	14	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	84	133	202	342	671	1,101	1,771	2,533	3,347	3,173	2,170	859	154	1
Male	51	92	125	209	397	624	937	1,181	1,281	923	481	165	26	-
Female	33	41	77	133	274	477	834	1,352	2,066	2,250	1,689	694	128	1
White	56	83	138	240	519	901	1,482	2,215	3,016	2,953	2,008	799	138	1
Male	34	58	85	153	317	516	781	1,033	1,145	854	437	150	22	-
Female	22	25	53	87	202	385	701	1,182	1,871	2,099	1,571	649	116	1
All other	28	50	64	102	152	200	289	318	331	220	162	60	16	-
Male	17	34	40	56	80	108	156	148	136	69	44	15	4	-
Female	11	16	24	46	72	92	133	170	195	151	118	45	12	-
Black	27	39	58	93	143	182	261	295	305	192	137	53	15	-
Male	16	26	37	49	74	96	137	139	120	55	36	13	4	-
Female	11	13	21	44	69	86	124	156	185	137	101	40	11	-
Cerebral embolism (434.1)	6	4	13	15	22	57	98	100	111	126	49	19	-	-
Male	2	1	7	10	9	29	43	42	36	35	6	2	-	-
Female	4	3	6	5	13	28	55	58	75	91	43	17	-	-
White	4	4	7	12	19	47	89	90	104	119	49	18	-	-
Male	1	1	4	8	8	22	40	40	33	33	6	2	-	-
Female	3	3	3	4	11	25	49	50	71	86	43	16	-	-
All other	2	-	6	3	3	10	9	10	7	7	-	1	-	-
Male	1	-	3	2	1	7	3	2	3	2	-	-	-	-
Female	1	-	3	1	2	3	6	8	4	5	-	1	-	-
Black	2	-	4	2	3	10	8	9	6	6	-	1	-	-
Male	1	-	2	1	1	7	3	2	3	2	-	-	-	-
Female	1	-	2	1	2	3	5	7	3	4	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	861	1,104	1,543	2,182	3,751	6,787	10,721	16,092	20,886	20,653	13,468	5,131	969	10
Male	428	526	790	1,149	1,964	3,586	5,394	7,391	8,101	6,316	3,141	927	136	6
Female	433	578	753	1,033	1,787	3,201	5,327	8,701	12,785	14,337	10,327	4,204	833	4
White	589	790	1,109	1,559	2,790	5,320	8,954	13,976	18,682	18,891	12,519	4,792	836	7
Male	288	368	559	816	1,484	2,834	4,559	6,474	7,195	5,718	2,851	861	115	4
Female	301	422	550	743	1,306	2,486	4,395	7,502	11,487	13,173	9,668	3,931	721	3
All other	272	314	434	623	961	1,467	1,767	2,116	2,204	1,762	949	339	133	3
Male	140	158	231	333	480	752	835	917	906	598	290	66	21	2
Female	132	156	203	290	481	715	932	1,199	1,298	1,164	659	273	112	1
Black	244	280	391	570	867	1,314	1,593	1,866	1,965	1,524	826	294	121	2
Male	125	143	211	311	435	678	753	800	782	475	231	59	20	1
Female	119	137	180	259	432	636	840	1,066	1,183	1,049	595	235	101	1
Atherosclerosis (440)	27	69	88	204	438	776	1,350	2,183	3,036	3,707	3,196	1,749	571	1
Male	20	54	57	122	291	464	735	1,129	1,251	1,269	760	383	84	1
Female	7	15	31	82	147	312	615	1,054	1,785	2,438	2,436	1,366	487	-
White	20	55	72	159	356	676	1,191	1,972	2,777	3,472	3,024	1,661	524	1
Male	14	42	44	98	246	417	667	1,021	1,136	1,190	709	358	75	1
Female	6	13	28	61	110	259	524	951	1,641	2,282	2,315	1,303	449	-
All other	7	14	16	45	82	100	159	211	259	235	172	88	47	-
Male	6	12	13	24	45	47	68	108	115	79	51	25	9	-
Female	1	2	3	21	37	53	91	103	144	156	121	63	38	-
Black	7	11	15	44	74	91	149	197	228	216	154	74	43	-
Male	6	10	12	24	43	44	64	99	95	70	46	21	8	-
Female	1	1	3	20	31	47	85	98	133	146	108	53	35	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 15 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	25,055	15	2	–	2	1	20	4	11	23	39	87	129	157
Male	14,569	10	1	–	–	1	12	3	5	15	23	48	76	91
Female	10,486	5	1	–	2	–	8	1	6	8	16	39	53	66
White	22,636	8	1	–	1	1	11	4	9	17	27	63	85	118
Male	13,356	4	–	–	–	1	5	3	5	11	16	38	55	73
Female	9,280	4	1	–	1	–	6	1	4	6	11	25	30	45
All other	2,419	7	1	–	1	–	9	–	2	6	12	24	44	39
Male	1,213	6	1	–	–	–	7	–	–	4	7	10	21	18
Female	1,206	1	–	–	1	–	2	–	2	2	5	14	23	21
Black	2,137	7	–	–	–	–	7	–	1	5	11	23	38	39
Male	1,027	6	–	–	–	–	6	–	–	3	7	10	17	18
Female	1,110	1	–	–	–	–	1	–	1	2	4	13	21	21
Acute bronchitis and bronchiolitis (466)	633	68	12	2	2	2	86	2	3	1	3	4	5	2
Male	288	45	9	2	–	1	57	1	–	1	–	3	3	2
Female	345	23	3	–	2	1	29	1	3	–	3	1	2	–
White	560	53	6	2	1	1	63	2	2	1	2	3	4	2
Male	248	35	4	2	–	1	42	1	–	1	–	3	3	2
Female	312	18	2	–	1	–	21	1	2	–	2	–	1	–
All other	73	15	6	–	1	1	23	–	1	–	1	1	1	–
Male	40	10	5	–	–	–	15	–	–	–	–	–	–	–
Female	33	5	1	–	1	1	8	–	1	–	1	1	1	–
Black	57	11	6	–	–	–	17	–	1	–	1	1	1	–
Male	31	6	5	–	–	–	11	–	–	–	–	–	–	–
Female	26	5	1	–	–	–	6	–	1	–	1	1	1	–
Pneumonia and influenza (480-487)	77,860	607	104	49	29	25	814	68	67	91	165	279	480	706
Male	36,214	328	67	25	20	13	453	38	31	57	94	177	312	465
Female	41,646	279	37	24	9	12	361	30	36	34	71	102	168	241
White	69,276	346	64	32	17	21	480	60	52	67	118	189	302	425
Male	31,589	196	41	15	12	11	275	34	26	42	67	120	198	285
Female	37,687	150	23	17	5	10	205	26	26	25	51	69	104	140
All other	8,584	261	40	17	12	4	334	8	15	24	47	90	178	281
Male	4,625	132	26	10	8	2	178	4	5	15	27	57	114	180
Female	3,959	129	14	7	4	2	156	4	10	9	20	33	64	101
Black	7,372	234	40	14	10	4	302	8	15	23	43	87	164	270
Male	3,938	117	26	7	7	2	159	4	5	15	24	56	105	173
Female	3,434	117	14	7	3	2	143	4	10	8	19	31	59	97
Pneumonia (480-486)	76,723	591	100	44	26	22	783	64	60	84	162	273	471	697
Male	35,781	316	65	22	18	11	432	38	27	54	92	173	305	460
Female	40,942	275	35	22	8	11	351	26	33	30	70	100	166	237
White	68,207	334	61	28	15	18	456	57	48	61	116	183	295	420
Male	31,187	187	39	13	10	9	258	34	24	40	65	116	193	281
Female	37,020	147	22	15	5	9	198	23	24	21	51	67	102	139
All other	8,516	257	39	16	11	4	327	7	12	23	46	90	176	277
Male	4,594	129	26	9	8	2	174	4	3	14	27	57	112	179
Female	3,922	128	13	7	3	2	153	3	9	9	19	33	64	98
Black	7,320	230	39	14	10	4	297	7	12	22	42	87	164	268
Male	3,915	114	26	7	7	2	156	4	3	14	24	56	105	172
Female	3,405	116	13	7	3	2	141	3	9	8	18	31	59	96
Influenza (487)	1,137	16	4	5	3	3	31	4	7	7	3	6	9	9
Male	433	12	2	3	2	2	21	–	4	3	2	4	7	5
Female	704	4	2	2	1	1	10	4	3	4	1	2	2	4
White	1,069	12	3	4	2	3	24	3	4	6	2	6	7	5
Male	402	9	2	2	2	2	17	–	2	2	2	4	5	4
Female	667	3	1	2	–	1	7	3	2	4	–	2	2	1
All other	68	4	1	1	1	–	7	1	3	1	1	–	2	4
Male	31	3	–	1	–	–	4	–	2	1	–	–	2	1
Female	37	1	1	–	1	–	3	1	1	–	1	–	–	3
Black	52	4	1	–	–	–	5	1	3	1	1	–	–	2
Male	23	3	–	–	–	–	3	–	2	1	–	–	–	1
Female	29	1	1	–	–	–	2	1	1	–	1	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	90,650	59	22	12	11	6	110	44	78	103	106	139	192	250
Male	50,485	32	11	10	9	4	66	23	52	59	58	77	97	125
Female	40,165	27	11	2	2	2	44	21	26	44	48	62	95	125
White	83,951	34	11	7	6	2	60	20	45	60	58	83	113	145
Male	46,316	19	6	5	5	–	35	11	30	33	27	46	58	71
Female	37,635	15	5	2	1	2	25	9	15	27	31	37	55	74
All other	6,699	25	11	5	5	4	50	24	33	43	48	56	79	105
Male	4,169	13	5	5	4	4	31	12	22	26	31	31	39	54
Female	2,530	12	6	–	1	–	19	12	11	17	17	25	40	51
Black	5,816	25	10	5	5	4	49	22	32	40	42	51	73	95
Male	3,621	13	4	5	4	4	30	10	21	24	25	28	36	47
Female	2,195	12	6	–	1	–	19	12	11	16	17	23	37	48
Bronchitis, chronic and unspecified (490-491)	3,727	45	6	6	6	1	64	7	5	4	10	10	7	17
Male	1,957	23	3	5	5	1	37	3	2	3	5	7	4	7
Female	1,770	22	3	1	1	–	27	4	3	1	5	3	3	10
White	3,459	26	3	5	5	–	39	5	–	3	9	6	4	12
Male	1,801	15	2	4	4	–	25	2	–	2	4	4	3	5
Female	1,658	11	1	1	1	–	14	3	–	1	5	2	1	7
All other	268	19	3	1	1	1	25	2	5	1	1	4	3	5
Male	156	8	1	1	1	1	12	1	2	1	1	3	1	2
Female	112	11	2	–	–	–	13	1	3	–	–	1	2	3
Black	224	19	3	1	1	1	25	1	5	1	1	3	3	4
Male	135	8	1	1	1	1	12	–	2	1	1	2	1	1
Female	89	11	2	–	–	–	13	1	3	–	–	1	2	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 16 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	261	336	475	870	1,712	3,155	4,063	4,463	4,083	2,980	1,531	544	112	-
Male	165	213	312	606	1,226	2,174	2,690	2,705	2,174	1,330	529	146	26	-
Female	96	123	163	264	486	981	1,373	1,758	1,909	1,650	1,002	398	86	-
White	172	250	361	736	1,506	2,847	3,732	4,126	3,785	2,773	1,422	493	99	-
Male	113	166	251	521	1,106	1,998	2,521	2,537	2,036	1,251	489	136	25	-
Female	59	84	110	215	400	849	1,211	1,589	1,749	1,522	933	357	74	-
All other	89	86	114	134	206	308	331	337	298	207	109	51	13	-
Male	52	47	61	85	120	176	169	168	138	79	40	10	1	-
Female	37	39	53	49	86	132	162	169	160	128	69	41	12	-
Black	84	81	112	116	184	265	289	289	255	185	95	48	10	-
Male	49	43	60	71	105	146	136	139	111	65	31	10	-	-
Female	35	38	52	45	79	119	153	150	144	120	64	38	10	-
Acute bronchitis and bronchiolitis (466)	6	7	12	20	26	29	52	82	77	89	72	40	15	-
Male	5	3	4	9	15	15	32	43	27	35	20	7	6	-
Female	1	4	8	11	11	14	20	39	50	54	52	33	9	-
White	6	7	10	15	22	29	45	76	71	84	65	37	14	-
Male	5	3	4	6	12	15	27	38	24	33	17	6	6	-
Female	1	4	6	9	10	14	18	38	47	51	48	31	8	-
All other	-	-	2	5	4	-	7	6	6	5	7	3	1	-
Male	-	-	-	3	3	-	5	5	3	2	3	1	-	-
Female	-	-	2	2	1	-	2	1	3	3	4	2	1	-
Black	-	-	-	4	3	-	7	5	4	3	7	3	-	-
Male	-	-	-	2	2	-	5	4	2	1	3	1	-	-
Female	-	-	-	2	1	-	2	1	2	2	4	2	-	-
Pneumonia and influenza (480-487)	738	787	951	1,350	2,388	3,825	6,398	10,195	14,400	15,550	11,774	5,430	1,390	14
Male	481	503	563	853	1,467	2,237	3,705	5,599	7,111	6,331	3,938	1,513	276	10
Female	257	284	388	497	921	1,588	2,693	4,596	7,289	9,219	7,836	3,917	1,114	4
White	468	534	675	1,023	1,937	3,213	5,586	9,124	13,158	14,480	11,035	5,076	1,263	11
Male	313	336	395	642	1,180	1,871	3,234	4,994	6,454	5,842	3,638	1,396	240	7
Female	155	198	280	381	757	1,342	2,352	4,130	6,704	8,638	7,397	3,680	1,023	4
All other	270	253	276	327	451	612	812	1,071	1,242	1,070	739	354	127	3
Male	168	167	168	211	287	366	471	605	657	489	300	117	36	3
Female	102	86	108	116	164	246	341	466	585	581	439	237	91	-
Black	248	232	257	288	404	533	712	910	1,033	875	583	278	104	3
Male	156	156	158	192	259	317	404	506	516	374	235	93	28	3
Female	92	76	99	96	145	216	308	404	517	501	348	185	76	-
Pneumonia (480-486)	726	773	939	1,332	2,352	3,780	6,306	10,071	14,233	15,336	11,573	5,337	1,357	14
Male	474	495	556	841	1,450	2,215	3,667	5,542	7,056	6,261	3,880	1,481	272	10
Female	252	278	383	491	902	1,565	2,639	4,529	7,177	9,075	7,693	3,856	1,085	4
White	458	523	664	1,005	1,902	3,169	5,500	9,008	12,999	14,274	10,839	4,987	1,232	11
Male	308	331	388	630	1,164	1,849	3,200	4,941	6,401	5,774	3,582	1,365	236	7
Female	150	192	276	375	738	1,320	2,300	4,067	6,598	8,500	7,257	3,622	996	4
All other	268	250	275	327	450	611	806	1,063	1,234	1,062	734	350	125	3
Male	166	164	168	211	286	366	467	601	655	487	298	116	36	3
Female	102	86	107	116	164	245	339	462	579	575	436	234	89	-
Black	246	229	256	288	403	532	708	903	1,027	870	579	275	102	3
Male	154	153	158	192	258	317	402	503	514	373	234	92	28	3
Female	92	76	98	96	145	215	306	400	513	497	345	183	74	-
Influenza (487)	12	14	12	18	36	45	92	124	167	214	201	93	33	-
Male	7	8	7	12	17	22	38	57	55	70	58	32	4	-
Female	5	6	5	6	19	23	54	67	112	144	143	61	29	-
White	10	11	11	18	35	44	86	116	159	206	196	89	31	-
Male	5	5	7	12	16	22	34	53	53	68	56	31	4	-
Female	5	6	4	6	19	22	52	63	106	138	140	58	27	-
All other	2	3	1	-	1	1	6	8	8	8	5	4	2	-
Male	2	3	-	-	1	-	4	4	2	2	2	1	-	-
Female	-	-	1	-	-	1	2	4	6	6	3	3	2	-
Black	2	3	1	-	1	1	4	7	6	5	4	3	2	-
Male	2	3	-	-	1	-	2	3	2	1	1	1	-	-
Female	-	-	1	-	-	1	2	4	4	4	3	2	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	437	779	1,558	3,297	7,135	12,140	16,421	18,445	15,283	9,126	3,766	1,042	189	10
Male	232	411	754	1,770	3,939	6,905	9,330	10,529	8,731	4,967	1,844	441	67	8
Female	205	368	804	1,527	3,196	5,235	7,091	7,916	6,552	4,159	1,922	601	122	2
White	304	579	1,283	2,896	6,446	11,160	15,336	17,448	14,502	8,674	3,580	983	171	5
Male	158	307	609	1,525	3,536	6,279	8,629	9,853	8,209	4,684	1,743	408	61	4
Female	146	272	674	1,371	2,910	4,881	6,707	7,595	6,293	3,990	1,837	575	110	1
All other	133	200	275	401	689	980	1,085	997	781	452	186	59	18	5
Male	74	104	145	245	403	626	701	676	522	283	101	33	6	4
Female	59	96	130	156	286	354	384	321	259	169	85	26	12	1
Black	120	193	263	364	616	855	938	846	647	357	148	47	13	5
Male	69	99	139	221	370	550	606	581	428	224	77	28	4	4
Female	51	94	124	143	246	305	332	265	219	133	71	19	9	1
Bronchitis, chronic and unspecified (490-491)	22	36	74	125	274	374	585	691	580	444	279	91	28	-
Male	13	27	40	64	154	198	315	395	315	224	109	30	5	-
Female	9	9	34	61	120	176	270	296	265	220	170	61	23	-
White	15	25	55	107	251	348	564	664	552	424	265	85	26	-
Male	9	19	27	54	139	182	299	377	299	214	103	29	5	-
Female	6	6	28	53	112	166	265	287	253	210	162	56	21	-
All other	7	11	19	18	23	26	21	27	28	20	14	6	2	-
Male	4	8	13	10	15	16	16	18	16	10	6	1	-	-
Female	3	3	6	8	8	10	5	9	12	10	8	5	2	-
Black	6	11	15	17	18	23	18	21	23	11	14	3	1	-
Male	4	8	11	9	13	14	14	14	14	7	6	1	-	-
Female	2	3	4	8	5	9	4	7	9	4	8	2	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 17 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	16,436	2	–	–	–	–	2	–	–	–	1	3	5	20
Male	9,531	–	–	–	–	–	–	–	–	–	–	3	3	12
Female	6,905	2	–	–	–	–	2	–	–	–	1	–	2	8
White	15,539	2	–	–	–	–	2	–	–	–	1	2	4	15
Male	8,904	–	–	–	–	–	–	–	–	–	–	2	2	8
Female	6,635	2	–	–	–	–	2	–	–	–	1	–	2	7
All other	897	–	–	–	–	–	–	–	–	–	–	1	1	5
Male	627	–	–	–	–	–	–	–	–	–	–	1	1	4
Female	270	–	–	–	–	–	–	–	–	–	–	–	–	1
Black	772	–	–	–	–	–	–	–	–	–	–	1	1	4
Male	536	–	–	–	–	–	–	–	–	–	–	1	1	3
Female	236	–	–	–	–	–	–	–	–	–	–	–	–	1
Asthma (493)	5,106	5	14	6	5	5	35	35	71	93	90	117	163	157
Male	1,927	5	7	5	4	3	24	18	48	54	48	62	77	67
Female	3,179	–	7	1	1	2	11	17	23	39	42	55	86	90
White	3,915	2	7	2	1	2	14	14	43	52	45	68	91	79
Male	1,388	2	3	1	1	–	7	8	28	29	20	36	43	33
Female	2,527	–	4	1	–	2	7	6	15	23	25	32	48	46
All other	1,191	3	7	4	4	3	21	21	28	41	45	49	72	78
Male	539	3	4	4	3	3	17	10	20	25	28	26	34	34
Female	652	–	3	–	1	–	4	11	8	16	17	23	38	44
Black	1,043	3	6	4	4	3	20	21	27	38	41	45	67	72
Male	472	3	3	4	3	3	16	10	19	23	24	24	32	30
Female	571	–	3	–	1	–	4	11	8	15	17	21	35	42
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65,381	7	2	–	–	–	9	2	2	6	5	9	17	56
Male	37,070	4	1	–	–	–	5	2	2	2	5	5	13	39
Female	28,311	3	1	–	–	–	4	–	–	4	–	4	4	17
White	61,038	4	1	–	–	–	5	1	2	5	3	7	14	39
Male	34,223	2	1	–	–	–	3	1	2	2	3	4	10	25
Female	26,815	2	–	–	–	–	2	–	–	3	–	3	4	14
All other	4,343	3	1	–	–	–	4	1	–	1	2	2	3	17
Male	2,847	2	–	–	–	–	2	1	–	–	2	1	3	14
Female	1,496	1	1	–	–	–	2	–	–	1	–	1	–	3
Black	3,777	3	1	–	–	–	4	–	–	1	–	2	2	15
Male	2,478	2	–	–	–	–	2	–	–	–	–	1	2	13
Female	1,299	1	1	–	–	–	2	–	–	1	–	1	–	2
Ulcer of stomach and duodenum (531-533)	6,117	6	2	2	–	1	11	–	2	–	6	13	26	57
Male	2,928	4	–	1	–	1	6	–	1	–	3	9	18	38
Female	3,189	2	2	1	–	–	5	–	1	–	3	4	8	19
White	5,456	5	2	2	–	–	9	–	2	–	4	8	16	39
Male	2,558	4	–	1	–	–	5	–	1	–	2	6	12	23
Female	2,898	1	2	1	–	–	4	–	1	–	2	2	4	16
All other	661	1	–	–	–	1	2	–	–	–	2	5	10	18
Male	370	–	–	–	–	1	1	–	–	–	1	3	6	15
Female	291	1	–	–	–	–	1	–	–	–	1	2	4	3
Black	547	1	–	–	–	–	1	–	–	–	2	5	10	16
Male	302	–	–	–	–	–	–	–	–	–	1	3	6	13
Female	245	1	–	–	–	–	1	–	–	–	1	2	4	3
Appendicitis (540-543)	389	2	–	2	2	1	7	4	6	10	5	7	4	11
Male	207	2	–	–	2	–	4	1	4	9	3	4	4	10
Female	182	–	–	2	–	1	3	3	2	1	2	3	–	1
White	321	2	–	1	1	–	4	4	5	5	3	5	3	8
Male	163	2	–	–	1	–	3	1	3	4	2	2	3	8
Female	158	–	–	1	–	–	1	3	2	1	1	3	–	–
All other	68	–	–	1	1	1	3	–	1	5	2	2	1	3
Male	44	–	–	–	1	–	1	–	1	5	1	2	1	2
Female	24	–	–	1	–	1	2	–	–	–	1	–	–	1
Black	65	–	–	1	–	1	2	–	1	5	2	2	1	3
Male	42	–	–	–	–	–	–	–	1	5	1	2	1	2
Female	23	–	–	1	–	1	2	–	–	–	1	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6,106	88	14	10	4	3	119	6	4	11	9	25	23	44
Male	2,244	61	9	6	3	3	82	4	3	9	6	14	17	24
Female	3,862	27	5	4	1	–	37	2	1	2	3	11	6	20
White	5,296	56	9	5	3	2	75	5	2	9	7	21	15	31
Male	1,868	39	5	3	2	2	51	3	2	8	4	11	12	17
Female	3,428	17	4	2	1	–	24	2	–	1	3	10	3	14
All other	810	32	5	5	1	1	44	1	2	2	2	4	8	13
Male	376	22	4	3	1	1	31	1	1	1	2	3	5	7
Female	434	10	1	2	–	–	13	–	1	1	–	1	3	6
Black	753	29	4	4	1	1	39	–	–	2	2	4	8	11
Male	347	19	3	3	1	1	27	–	–	1	2	3	5	6
Female	406	10	1	1	–	–	12	–	–	1	–	1	3	5
Chronic liver disease and cirrhosis (571)	25,429	15	2	1	–	1	19	3	3	8	30	191	667	1,452
Male	16,269	10	1	–	–	1	12	1	1	5	18	118	424	1,029
Female	9,160	5	1	1	–	–	7	2	2	3	12	73	243	423
White	21,386	9	2	1	–	1	13	2	3	4	18	133	477	1,065
Male	13,789	6	1	–	–	1	8	1	1	2	11	88	324	804
Female	7,597	3	1	1	–	–	5	1	2	2	7	45	153	261
All other	4,043	6	–	–	–	–	6	1	–	4	12	58	190	387
Male	2,480	4	–	–	–	–	4	–	–	3	7	30	100	225
Female	1,563	2	–	–	–	–	2	1	–	1	5	28	90	162
Black	3,464	6	–	–	–	–	6	1	–	4	9	44	159	338
Male	2,137	4	–	–	–	–	4	–	–	3	6	23	82	199
Female	1,327	2	–	–	–	–	2	1	–	1	3	21	77	139

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 18 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	42	135	322	688	1,468	2,570	3,244	3,447	2,567	1,347	450	107	17	1
Male	27	87	169	401	827	1,488	1,875	2,017	1,536	773	255	50	8	-
Female	15	48	153	287	641	1,082	1,369	1,430	1,031	574	195	57	9	1
White	37	106	288	637	1,354	2,417	3,058	3,306	2,466	1,295	431	103	16	1
Male	23	62	149	365	752	1,379	1,756	1,917	1,454	738	242	47	8	-
Female	14	44	139	272	602	1,038	1,302	1,389	1,012	557	189	56	8	1
All other	5	29	34	51	114	153	186	141	101	52	19	4	1	-
Male	4	25	20	36	75	109	119	100	82	35	13	3	-	-
Female	1	4	14	15	39	44	67	41	19	17	6	1	1	-
Black	5	27	32	44	103	128	165	119	78	46	14	4	1	-
Male	4	23	19	30	68	90	107	86	61	31	9	3	-	-
Female	1	4	13	14	35	38	58	33	17	15	5	1	1	-
Asthma (493)	229	237	273	303	434	548	607	627	534	347	143	55	8	-
Male	112	95	98	109	160	198	223	220	172	97	32	11	2	-
Female	117	142	175	194	274	350	384	407	362	250	111	44	6	-
White	145	144	185	215	312	437	518	557	480	324	131	54	7	-
Male	70	61	64	77	106	150	187	194	146	90	27	10	2	-
Female	75	83	121	138	206	287	331	363	334	234	104	44	5	-
All other	84	93	88	88	122	111	89	70	54	23	12	1	1	-
Male	42	34	34	32	54	48	36	26	26	7	5	1	-	-
Female	42	59	54	56	68	63	53	44	28	16	7	-	1	-
Black	76	89	86	78	107	93	69	56	37	10	10	-	1	-
Male	38	32	33	29	50	39	29	20	17	3	4	-	-	-
Female	38	57	53	49	57	54	40	36	20	7	6	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	144	371	889	2,181	4,959	8,648	11,985	13,680	11,602	6,988	2,894	789	136	9
Male	80	202	447	1,196	2,798	5,021	6,917	7,897	6,708	3,873	1,448	350	52	8
Female	64	169	442	985	2,161	3,627	5,068	5,783	4,894	3,115	1,446	439	84	1
White	107	304	755	1,937	4,529	7,958	11,196	12,921	11,004	6,631	2,753	741	122	4
Male	56	165	369	1,029	2,539	4,568	6,387	7,365	6,310	3,642	1,371	322	46	4
Female	51	139	386	908	1,990	3,390	4,809	5,556	4,694	2,989	1,382	419	76	-
All other	37	67	134	244	430	690	789	759	598	357	141	48	14	5
Male	24	37	78	167	259	453	530	532	398	231	77	28	6	4
Female	13	30	56	77	171	237	259	227	200	126	64	20	8	1
Black	33	66	130	225	388	611	686	650	509	290	110	40	10	5
Male	23	36	76	153	239	407	456	461	336	183	58	24	4	4
Female	10	30	54	72	149	204	230	189	173	107	52	16	6	1
Ulcer of stomach and duodenum (531-533)	94	128	142	210	377	501	729	975	1,089	950	579	196	32	-
Male	63	84	98	144	223	291	411	508	477	336	161	49	8	-
Female	31	44	44	66	154	210	318	467	612	614	418	147	24	-
White	68	95	102	175	305	439	648	873	1,020	901	541	185	26	-
Male	40	63	71	122	182	253	368	454	439	316	150	44	7	-
Female	28	32	31	53	123	186	280	419	581	585	391	141	19	-
All other	26	33	40	35	72	62	81	102	69	49	38	11	6	-
Male	23	21	27	22	41	38	43	54	38	20	11	5	1	-
Female	3	12	13	13	31	24	38	48	31	29	27	6	5	-
Black	24	30	34	29	65	49	64	82	52	40	31	7	6	-
Male	21	21	23	18	37	29	36	42	26	14	8	3	1	-
Female	3	9	11	11	28	20	28	40	26	26	23	4	5	-
Appendicitis (540-543)	16	13	18	20	29	38	47	38	55	43	18	-	-	-
Male	9	6	9	9	19	21	28	19	29	10	9	-	-	-
Female	7	7	9	11	10	17	19	19	26	33	9	-	-	-
White	12	9	15	17	26	33	36	31	48	40	17	-	-	-
Male	7	4	6	8	16	17	21	15	25	9	9	-	-	-
Female	5	5	9	9	10	16	15	16	23	31	8	-	-	-
All other	4	4	3	3	3	5	11	7	7	3	1	-	-	-
Male	2	2	3	1	3	4	7	4	4	1	-	-	-	-
Female	2	2	-	2	-	1	4	3	3	2	1	-	-	-
Black	4	4	3	3	3	5	10	7	7	3	-	-	-	-
Male	2	2	3	1	3	4	6	4	4	1	-	-	-	-
Female	2	2	-	2	-	1	4	3	3	2	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	83	80	104	236	380	592	884	1,161	1,177	779	302	41	-
Male	25	45	40	50	111	174	265	351	433	321	192	69	9	-
Female	21	38	40	54	125	206	327	533	728	856	587	233	32	-
White	37	60	55	76	176	306	500	769	1,028	1,079	726	285	34	-
Male	19	30	25	34	80	140	215	304	377	290	175	65	6	-
Female	18	30	30	42	96	166	285	465	651	789	551	220	28	-
All other	9	23	25	28	60	74	92	115	133	98	53	17	7	-
Male	6	15	15	16	31	34	50	47	56	31	17	4	3	-
Female	3	8	10	12	29	40	42	68	77	67	36	13	4	-
Black	7	23	24	27	58	66	81	111	124	89	53	17	7	-
Male	6	15	14	15	30	29	44	46	51	29	17	4	3	-
Female	1	8	10	12	28	37	37	65	73	60	36	13	4	-
Chronic liver disease and cirrhosis (571)	2,139	2,154	2,296	2,641	3,406	3,370	2,852	2,184	1,266	543	158	25	4	18
Male	1,564	1,562	1,612	1,857	2,270	2,100	1,600	1,140	640	233	58	9	2	14
Female	575	592	684	784	1,136	1,270	1,252	1,044	626	310	100	16	2	4
White	1,574	1,656	1,816	2,174	2,962	2,951	2,605	2,050	1,186	509	150	24	3	11
Male	1,189	1,226	1,304	1,536	1,990	1,852	1,480	1,073	608	219	54	9	1	9
Female	385	430	512	638	972	1,099	1,125	977	578	290	96	15	2	2
All other	565	498	480	467	444	419	247	134	80	34	8	1	1	7
Male	375	336	308	321	280	248	120	67	32	14	4	-	1	5
Female	190	162	172	146	164	171	127	67	48	20	4	1	-	2
Black	504	429	419	393	388	370	193	105	63	22	8	1	1	7
Male	333	294	270	277	245	216	92	53	24	6	4	-	1	5
Female	171	135	149	116	143	154	101	52	39	16	4	1	-	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 19 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	2,881	2	–	–	–	1	3	–	–	3	10	5	16	19
Male	1,246	1	–	–	–	–	1	–	–	–	2	2	10	11
Female	1,635	1	–	–	–	1	2	–	–	3	8	3	6	8
White	2,562	1	–	–	–	–	1	–	–	3	7	2	13	13
Male	1,122	–	–	–	–	–	–	–	–	–	2	–	9	8
Female	1,440	1	–	–	–	–	1	–	–	3	5	2	4	5
All other	319	1	–	–	–	1	2	–	–	–	3	3	3	6
Male	124	1	–	–	–	–	1	–	–	–	–	2	1	3
Female	195	–	–	–	–	1	1	–	–	–	3	1	2	3
Black	260	1	–	–	–	–	1	–	–	–	3	2	2	5
Male	92	1	–	–	–	–	1	–	–	–	–	1	1	2
Female	168	–	–	–	–	–	–	–	–	–	3	1	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,360	189	6	6	1	3	205	14	11	27	35	89	134	240
Male	10,418	118	5	6	–	2	131	9	5	13	20	50	85	167
Female	10,942	71	1	–	1	1	74	5	6	14	15	39	49	73
White	17,165	126	5	5	1	2	139	9	7	17	14	45	72	114
Male	8,403	82	4	5	–	2	93	5	2	10	9	23	38	79
Female	8,762	44	1	–	1	–	46	4	5	7	5	22	34	35
All other	4,195	63	1	1	–	1	66	5	4	10	21	44	62	126
Male	2,015	36	1	1	–	–	38	4	3	3	11	27	47	88
Female	2,180	27	–	–	–	1	28	1	1	7	10	17	15	38
Black	3,866	61	1	–	–	1	63	4	4	8	20	43	59	121
Male	1,849	35	1	–	–	–	36	3	3	2	10	26	45	87
Female	2,017	26	–	–	–	1	27	1	1	6	10	17	14	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	320	5	2	–	1	2	10	2	–	–	3	2	5	7
Male	154	2	2	–	–	1	5	1	–	–	3	–	4	3
Female	166	3	–	–	1	1	5	1	–	–	–	2	1	4
White	259	3	1	–	1	1	6	2	–	–	–	2	2	3
Male	129	2	1	–	–	1	4	1	–	–	–	–	1	1
Female	130	1	–	–	1	–	2	1	–	–	–	2	1	2
All other	61	2	1	–	–	1	4	–	–	–	3	–	3	4
Male	25	–	1	–	–	–	1	–	–	–	3	–	3	2
Female	36	2	–	–	–	1	3	–	–	–	–	–	–	2
Black	59	2	1	–	–	1	4	–	–	–	3	–	3	3
Male	25	–	1	–	–	–	1	–	–	–	3	–	3	2
Female	34	2	–	–	–	1	3	–	–	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,512	6	–	2	–	–	8	2	3	10	7	6	13	32
Male	758	3	–	2	–	–	5	1	2	3	4	4	6	22
Female	754	3	–	–	–	–	3	1	1	7	3	2	7	10
White	1,199	3	–	1	–	–	4	–	2	5	4	2	9	23
Male	605	1	–	1	–	–	2	–	1	2	3	1	3	17
Female	594	2	–	–	–	–	2	–	1	3	1	1	6	6
All other	313	3	–	1	–	–	4	2	1	5	3	4	4	9
Male	153	2	–	1	–	–	3	1	1	1	1	3	3	5
Female	160	1	–	–	–	–	1	1	–	4	2	1	1	4
Black	285	2	–	–	–	–	2	2	1	4	3	4	3	9
Male	136	1	–	–	–	–	1	1	1	–	1	3	2	5
Female	149	1	–	–	–	–	1	1	–	4	2	1	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,528	178	4	4	–	1	187	10	8	17	25	81	116	201
Male	9,506	113	3	4	–	1	121	7	3	10	13	46	75	142
Female	10,022	65	1	–	–	–	66	3	5	7	12	35	41	59
White	15,707	120	4	4	–	1	129	7	5	12	10	41	61	88
Male	7,669	79	3	4	–	1	87	4	1	8	6	22	34	61
Female	8,038	41	1	–	–	–	42	3	4	4	4	19	27	27
All other	3,821	58	–	–	–	–	58	3	3	5	15	40	55	113
Male	1,837	34	–	–	–	–	34	3	2	2	7	24	41	81
Female	1,984	24	–	–	–	–	24	–	1	3	8	16	14	32
Black	3,522	57	–	–	–	–	57	2	3	4	14	39	53	109
Male	1,688	34	–	–	–	–	34	2	2	2	6	23	40	80
Female	1,834	23	–	–	–	–	23	–	1	2	8	16	13	29
Infections of kidney (590)	1,219	8	4	1	–	–	13	1	–	2	7	8	9	15
Male	327	6	1	–	–	–	7	1	–	1	4	3	3	6
Female	892	2	3	1	–	–	6	–	–	1	3	5	6	9
White	1,041	4	2	1	–	–	7	1	–	1	5	7	5	10
Male	274	2	–	–	–	–	2	1	–	–	3	3	3	5
Female	767	2	2	1	–	–	5	–	–	1	2	4	2	5
All other	178	4	2	–	–	–	6	–	–	1	2	1	4	5
Male	53	4	1	–	–	–	5	–	–	1	1	–	–	1
Female	125	–	1	–	–	–	1	–	–	–	1	1	4	4
Black	161	3	2	–	–	–	5	–	–	1	2	1	4	5
Male	50	3	1	–	–	–	4	–	–	1	1	–	–	1
Female	111	–	1	–	–	–	1	–	–	–	1	1	4	4
Hyperplasia of prostate (600)	428	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	428	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	372	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	372	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	56	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	56	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	50	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	50	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 20 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	27	26	49	74	132	228	320	447	537	502	326	135	22	-
Male	14	12	21	41	76	133	160	235	226	178	91	29	4	-
Female	13	14	28	33	56	95	160	212	311	324	235	106	18	-
White	22	18	40	59	113	198	275	394	498	458	300	128	20	-
Male	12	11	18	35	69	120	139	206	214	166	81	29	3	-
Female	10	7	22	24	44	78	136	188	284	292	219	99	17	-
All other	5	8	9	15	19	30	45	53	39	44	26	7	2	-
Male	2	1	3	6	7	13	21	29	12	12	10	-	1	-
Female	3	7	6	9	12	17	24	24	27	32	16	7	1	-
Black	5	6	9	13	16	24	39	41	33	32	21	7	1	-
Male	2	1	3	5	4	11	16	20	9	8	8	-	-	-
Female	3	5	6	8	12	13	23	21	24	24	13	7	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	266	271	408	583	1,112	1,806	2,592	3,358	3,831	3,299	2,096	818	163	2
Male	179	164	235	331	629	946	1,375	1,738	1,811	1,440	740	303	46	1
Female	87	107	173	252	483	860	1,217	1,620	2,020	1,859	1,356	515	117	1
White	158	159	258	365	785	1,351	2,041	2,815	3,285	2,878	1,824	691	136	2
Male	112	93	150	202	461	724	1,111	1,496	1,588	1,267	650	250	39	1
Female	46	66	108	163	324	627	930	1,319	1,697	1,611	1,174	441	97	1
All other	108	112	150	218	327	455	551	543	546	421	272	127	27	-
Male	67	71	85	129	168	222	264	242	223	173	90	53	7	-
Female	41	41	65	89	159	233	287	301	323	248	182	74	20	-
Black	104	108	137	199	302	419	514	487	505	378	251	115	25	-
Male	65	70	77	119	154	206	249	209	203	149	82	49	5	-
Female	39	38	60	80	148	213	265	278	302	229	169	66	20	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	5	8	8	16	27	27	50	49	48	33	12	-	-
Male	3	4	5	6	10	12	15	30	19	21	12	1	-	-
Female	5	1	3	2	6	15	12	20	30	27	21	11	-	-
White	4	3	7	4	14	18	20	44	43	45	32	10	-	-
Male	2	3	4	3	10	10	11	28	18	21	12	-	-	-
Female	2	-	3	1	4	8	9	16	25	24	20	10	-	-
All other	4	2	1	4	2	9	7	6	6	3	1	2	-	-
Male	1	1	1	3	-	2	4	2	1	-	-	1	-	-
Female	3	1	-	1	2	7	3	4	5	3	1	1	-	-
Black	3	2	1	4	2	9	7	6	6	3	1	2	-	-
Male	1	1	1	3	-	2	4	2	1	-	-	1	-	-
Female	2	1	-	1	2	7	3	4	5	3	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	30	35	42	78	131	179	241	250	214	131	66	5	-
Male	14	15	26	22	45	61	95	111	136	95	54	35	2	-
Female	15	15	9	20	33	70	84	130	114	119	77	31	3	-
White	20	21	23	29	62	91	142	196	209	188	110	56	3	-
Male	9	12	19	15	35	41	76	91	115	84	48	29	1	-
Female	11	9	4	14	27	50	66	105	93	104	62	27	2	-
All other	9	9	12	13	16	40	37	45	41	26	21	10	2	-
Male	5	3	7	7	10	20	19	20	20	11	6	6	1	-
Female	4	6	5	6	6	20	18	25	21	15	15	4	1	-
Black	9	9	8	12	14	32	36	43	37	26	20	10	1	-
Male	5	3	5	6	9	17	18	19	17	11	6	6	-	-
Female	4	6	3	6	5	15	18	24	20	15	14	4	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	229	236	365	533	1,018	1,648	2,386	3,067	3,532	3,037	1,932	740	158	2
Male	162	145	204	303	574	873	1,265	1,597	1,656	1,324	674	267	44	1
Female	67	91	161	230	444	775	1,121	1,470	1,876	1,713	1,258	473	114	1
White	134	135	228	332	709	1,242	1,879	2,575	3,033	2,645	1,682	625	133	2
Male	101	78	127	184	416	673	1,024	1,377	1,454	1,162	590	221	38	1
Female	33	57	101	148	293	569	855	1,198	1,579	1,483	1,092	404	95	1
All other	95	101	137	201	309	406	507	492	499	392	250	115	25	-
Male	61	67	77	119	158	200	241	220	202	162	84	46	6	-
Female	34	34	60	82	151	206	266	272	297	230	166	69	19	-
Black	92	97	128	183	286	378	471	438	462	349	230	103	24	-
Male	59	66	71	110	145	187	227	188	185	138	76	42	5	-
Female	33	31	57	73	141	191	244	250	277	211	154	61	19	-
Infections of kidney (590)	18	19	26	27	43	61	106	162	253	209	164	64	12	-
Male	7	7	10	7	12	12	36	55	66	44	36	8	2	-
Female	11	12	16	20	31	49	70	107	187	165	128	56	10	-
White	12	15	21	20	32	55	87	138	223	191	147	54	10	-
Male	4	6	6	6	10	12	28	45	57	43	33	5	2	-
Female	8	9	15	14	22	43	59	93	166	148	114	49	8	-
All other	6	4	5	7	11	6	19	24	30	18	17	10	2	-
Male	3	1	4	1	2	-	8	10	9	1	3	3	-	-
Female	3	3	1	6	9	6	11	14	21	17	14	7	2	-
Black	5	3	5	7	11	3	19	22	26	16	15	9	2	-
Male	2	1	4	1	2	-	8	9	9	1	3	3	-	-
Female	3	2	1	6	9	3	11	13	17	15	12	6	2	-
Hyperplasia of prostate (600)	-	1	2	4	6	20	40	79	88	97	61	23	7	-
Male	-	1	2	4	6	20	40	79	88	97	61	23	7	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	-	1	-	3	4	17	33	70	74	86	55	22	7	-
Male	-	1	-	3	4	17	33	70	74	86	55	22	7	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	2	1	2	3	7	9	14	11	6	1	-	-
Male	-	-	2	1	2	3	7	9	14	11	6	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	2	1	2	3	7	8	12	9	6	-	-	-
Male	-	-	2	1	2	3	7	8	12	9	6	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.
(Page 21 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	323	...	...	...	...	...	...	...	3	33	64	72	78	51
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	323	...	...	...	...	...	...	...	3	33	64	72	78	51
White	187	...	...	...	...	...	...	...	2	13	32	42	53	32
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	187	...	...	...	...	...	...	...	2	13	32	42	53	32
All other	136	...	...	...	...	...	...	...	1	20	32	30	25	19
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	136	...	...	...	...	...	...	...	1	20	32	30	25	19
Black	125	...	...	...	...	...	...	...	1	18	29	27	23	19
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	125	...	...	...	...	...	...	...	1	18	29	27	23	19
Pregnancy with abortive outcome (630-638)	54	...	...	...	...	...	...	...	1	7	13	13	5	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	54	...	...	...	...	...	...	...	1	7	13	13	5	10
White	25	...	...	...	...	...	...	...	1	2	6	5	3	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	25	...	...	...	...	...	...	...	1	2	6	5	3	5
All other	29	...	...	...	...	...	...	...	–	5	7	8	2	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	29	...	...	...	...	...	...	...	–	5	7	8	2	5
Black	27	...	...	...	...	...	...	...	–	4	7	7	2	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	...	...	...	...	...	...	...	–	4	7	7	2	5
Other complications of pregnancy, childbirth, and the puerperium (640-676)	269	...	...	...	...	...	...	...	2	26	51	59	73	41
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	269	...	...	...	...	...	...	...	2	26	51	59	73	41
White	162	...	...	...	...	...	...	...	1	11	26	37	50	27
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	162	...	...	...	...	...	...	...	1	11	26	37	50	27
All other	107	...	...	...	...	...	...	...	1	15	25	22	23	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	107	...	...	...	...	...	...	...	1	15	25	22	23	14
Black	98	...	...	...	...	...	...	...	1	14	22	20	21	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	98	...	...	...	...	...	...	...	1	14	22	20	21	14
Congenital anomalies (740-759)	12,599	7,685	419	237	128	87	8,556	279	208	231	218	224	243	224
Male	6,800	4,202	220	124	70	55	4,671	147	116	134	124	126	124	136
Female	5,799	3,483	199	113	58	32	3,885	132	92	97	94	98	119	88
White	9,978	5,864	317	159	104	70	6,514	211	165	188	176	187	202	175
Male	5,378	3,220	164	80	57	42	3,563	111	91	107	100	106	104	111
Female	4,600	2,644	153	79	47	28	2,951	100	74	81	76	81	98	64
All other	2,621	1,821	102	78	24	17	2,042	68	43	43	42	37	41	49
Male	1,422	982	56	44	13	13	1,108	36	25	27	24	20	20	25
Female	1,199	839	46	34	11	4	934	32	18	16	18	17	21	24
Black	2,202	1,524	86	59	21	15	1,705	55	34	36	33	31	37	43
Male	1,206	833	48	31	11	11	934	30	21	23	20	17	19	21
Female	996	691	38	28	10	4	771	25	13	13	13	14	18	22
Certain conditions originating in the perinatal period (760-779)	16,781	16,591	89	23	16	12	16,731	18	9	4	6	1	2	1
Male	9,561	9,450	52	16	9	7	9,534	10	4	2	4	–	1	–
Female	7,220	7,141	37	7	7	5	7,197	8	5	2	2	1	1	1
White	9,889	9,771	54	16	10	8	9,859	7	7	3	2	–	2	1
Male	5,654	5,587	33	10	5	3	5,638	5	3	1	1	–	1	–
Female	4,235	4,184	21	6	5	5	4,221	2	4	2	1	–	1	1
All other	6,892	6,820	35	7	6	4	6,872	11	2	1	4	1	–	–
Male	3,907	3,863	19	6	4	4	3,896	5	1	1	3	–	–	–
Female	2,985	2,957	16	1	2	–	2,976	6	1	–	1	1	–	–
Black	6,512	6,447	34	6	6	4	6,497	8	1	–	4	1	–	–
Male	3,711	3,672	19	5	4	4	3,704	3	–	–	3	–	–	–
Female	2,801	2,775	15	1	2	–	2,793	5	1	–	1	1	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3,417	3,372	16	5	5	2	3,400	7	3	3	2	–	1	–
Male	2,059	2,037	8	3	2	1	2,051	3	1	2	1	–	1	–
Female	1,358	1,335	8	2	3	1	1,349	4	2	1	1	–	–	–
White	2,182	2,151	11	3	4	1	2,170	4	2	2	2	–	1	–
Male	1,334	1,317	7	2	1	–	1,327	3	1	1	1	–	1	–
Female	848	834	4	1	3	1	843	1	1	1	1	–	–	–
All other	1,235	1,221	5	2	1	1	1,230	3	1	1	–	–	–	–
Male	725	720	1	1	1	1	724	–	–	1	–	–	–	–
Female	510	501	4	1	–	–	506	3	1	–	–	–	–	–
Black	1,167	1,155	5	2	1	1	1,164	2	1	–	–	–	–	–
Male	686	682	1	1	1	1	686	–	–	–	–	–	–	–
Female	481	473	4	1	–	–	478	2	1	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	13,364	13,219	73	18	11	10	13,331	11	6	1	4	1	1	1
Male	7,502	7,413	44	13	7	6	7,483	7	3	–	3	–	–	–
Female	5,862	5,806	29	5	4	4	5,848	4	3	1	1	1	1	1
White	7,707	7,620	43	13	6	7	7,689	3	5	1	–	–	1	1
Male	4,320	4,270	26	8	4	3	4,311	2	2	–	–	–	–	–
Female	3,387	3,350	17	5	2	4	3,378	1	3	1	–	–	1	1
All other	5,657	5,599	30	5	5	3	5,642	8	1	–	4	1	–	–
Male	3,182	3,143	18	5	3	3	3,172	5	1	–	3	–	–	–
Female	2,475	2,456	12	–	2	–	2,470	3	–	–	1	1	–	–
Black	5,345	5,292	29	4	5	3	5,333	6	–	–	4	1	–	–
Male	3,025	2,990	18	4	3	3	3,018	3	–	–	3	–	–	–
Female	2,320	2,302	11	–	2	–	2,315	3	–	–	1	1	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 22 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	17	5	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	17	5	-	...	...	...	...	...	...	...	...	...	...	-
White	10	3	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	10	3	-	...	...	...	...	...	...	...	...	...	...	-
All other	7	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	2	-	...	...	...	...	...	...	...	...	...	...	-
Black	6	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	2	-	...	...	...	...	...	...	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	4	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	1	-	...	...	...	...	...	...	...	...	...	...	-
White	2	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	-	...	...	...	...	...	...	...	...	...	...	-
All other	2	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	2	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	...	...	...	...	...	...	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	13	4	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13	4	-	...	...	...	...	...	...	...	...	...	...	-
White	8	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	2	-	...	...	...	...	...	...	...	...	...	...	-
All other	5	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	2	-	...	...	...	...	...	...	...	...	...	...	-
Black	4	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	2	-	...	...	...	...	...	...	...	...	...	...	-
Congenital anomalies (740-759)	228	206	194	191	217	283	267	287	247	169	76	40	7	4
Male	126	112	116	98	113	150	140	142	106	68	32	13	2	4
Female	102	94	78	93	104	133	127	145	141	101	44	27	5	-
White	192	173	160	163	198	255	248	257	228	167	73	36	7	3
Male	101	93	98	86	101	139	130	127	97	66	31	11	2	3
Female	91	80	62	77	97	116	118	130	131	101	42	25	5	-
All other	36	33	34	28	19	28	19	30	19	2	3	4	-	1
Male	25	19	18	12	12	11	10	15	9	2	1	2	-	1
Female	11	14	16	16	7	17	9	15	10	-	2	2	-	-
Black	34	28	27	23	17	27	19	29	16	1	3	3	-	1
Male	23	16	14	11	11	11	10	14	6	1	1	2	-	1
Female	11	12	13	12	6	16	9	15	10	-	2	1	-	-
Certain conditions originating in the perinatal period (760-779)	4	1	1	2	-	-	-	-	-	1	-	-	-	-
Male	3	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	1	-	-	-	-
White	3	1	1	2	-	-	-	-	-	1	-	-	-	-
Male	2	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	3	1	1	2	-	-	-	-	-	1	-	-	-	-
Male	3	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	1	-	-	-	-
White	2	1	1	2	-	-	-	-	-	1	-	-	-	-
Male	2	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 23 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	24,342	6,268	200	72	41	23	6,604	66	76	225	434	705	912	1,039
Male	13,407	3,823	119	42	24	10	4,018	35	38	147	311	467	659	752
Female	10,935	2,445	81	30	17	13	2,586	31	38	78	123	238	253	287
White	18,499	4,075	134	52	22	17	4,300	43	52	158	276	462	619	693
Male	10,069	2,623	82	29	12	6	2,752	23	29	98	204	304	453	508
Female	8,430	1,452	52	23	10	11	1,548	20	23	60	72	158	166	185
All other	5,843	2,193	66	20	19	6	2,304	23	24	67	158	243	293	346
Male	3,338	1,200	37	13	12	4	1,266	12	9	49	107	163	206	244
Female	2,505	993	29	7	7	2	1,038	11	15	18	51	80	87	102
Black	5,306	1,963	59	20	16	5	2,063	17	23	59	138	217	275	328
Male	3,020	1,067	33	13	9	4	1,126	9	9	45	94	142	191	228
Female	2,286	896	26	7	7	1	937	8	14	14	44	75	84	100
All other diseases (Residual)	177,873	1,723	383	213	148	135	2,602	524	525	716	1,012	1,477	2,297	3,330
Male	81,082	994	193	99	84	80	1,450	271	298	420	592	901	1,394	2,066
Female	96,791	729	190	114	64	55	1,152	253	227	296	420	576	903	1,264
White	153,917	1,180	268	146	105	102	1,801	408	415	536	735	1,030	1,517	2,250
Male	69,183	673	140	67	60	60	1,000	213	233	325	462	645	968	1,444
Female	84,734	507	128	79	45	42	801	195	182	211	273	385	549	806
All other	23,956	543	115	67	43	33	801	116	110	180	277	447	780	1,080
Male	11,899	321	53	32	24	20	450	58	65	95	130	256	426	622
Female	12,057	222	62	35	19	13	351	58	45	85	147	191	354	458
Black	21,709	500	97	53	40	29	719	104	91	156	256	405	722	997
Male	10,702	295	45	26	23	18	407	53	53	81	116	222	392	572
Female	11,007	205	52	27	17	11	312	51	38	75	140	183	330	425
Accidents and adverse effects (E800-E949)	89,347	961	857	719	626	463	3,626	1,739	1,921	6,935	8,343	7,330	7,444	6,350
Male	59,730	555	464	436	370	296	2,121	1,125	1,368	4,990	6,544	5,755	5,819	4,848
Female	29,617	406	393	283	256	167	1,505	614	553	1,945	1,799	1,575	1,625	1,502
White	74,413	638	627	529	448	339	2,581	1,270	1,477	5,880	7,043	5,960	6,017	4,970
Male	49,212	361	338	332	259	220	1,510	820	1,032	4,170	5,523	4,686	4,728	3,813
Female	25,201	277	289	197	189	119	1,071	450	445	1,710	1,520	1,274	1,289	1,157
All other	14,934	323	230	190	178	124	1,045	469	444	1,055	1,300	1,370	1,427	1,380
Male	10,518	194	126	104	111	76	611	305	336	820	1,021	1,069	1,091	1,035
Female	4,416	129	104	86	67	48	434	164	108	235	279	301	336	345
Black	12,472	276	203	169	156	113	917	406	377	836	1,030	1,108	1,179	1,170
Male	8,821	168	111	92	96	69	536	262	290	673	826	861	901	885
Female	3,651	108	92	77	60	44	381	144	87	163	204	247	278	285
Motor vehicle accidents (E810-E825)	43,536	174	254	215	224	209	1,076	935	1,076	5,369	6,295	4,827	4,266	3,323
Male	29,947	92	130	123	121	117	583	586	713	3,656	4,812	3,654	3,186	2,407
Female	13,589	82	124	92	103	92	493	349	363	1,713	1,483	1,173	1,080	916
White	36,851	120	194	154	169	167	804	710	867	4,683	5,413	3,997	3,529	2,716
Male	25,183	65	91	86	90	93	425	445	563	3,152	4,135	3,023	2,642	1,965
Female	11,668	55	103	68	79	74	379	265	304	1,531	1,278	974	887	751
All other	6,685	54	60	61	55	42	272	225	209	686	882	830	737	607
Male	4,764	27	39	37	31	24	158	141	150	504	677	631	544	442
Female	1,921	27	21	24	24	18	114	84	59	182	205	199	193	165
Black	5,205	42	49	53	45	38	227	190	166	513	680	643	569	476
Male	3,771	18	31	32	24	22	127	115	121	395	532	488	422	358
Female	1,434	24	18	21	21	16	100	75	45	118	148	155	147	118
All other accidents and adverse effects (E800-E807,E826-E949)	45,811	787	603	504	402	254	2,550	804	845	1,566	2,048	2,503	3,178	3,027
Male	29,783	463	334	313	249	179	1,538	539	655	1,334	1,732	2,101	2,633	2,441
Female	16,028	324	269	191	153	75	1,012	265	190	232	316	402	545	586
White	37,562	518	433	375	279	172	1,777	560	610	1,197	1,630	1,963	2,488	2,254
Male	24,029	296	247	246	169	127	1,085	375	469	1,018	1,388	1,663	2,086	1,848
Female	13,533	222	186	129	110	45	692	185	141	179	242	300	402	406
All other	8,249	269	170	129	123	82	773	244	235	369	418	540	690	773
Male	5,754	167	87	67	80	52	453	164	186	316	344	438	547	593
Female	2,495	102	83	62	43	30	320	80	49	53	74	102	143	180
Black	7,267	234	154	116	111	75	690	216	211	323	350	465	610	694
Male	5,050	150	80	60	72	47	409	147	169	278	294	373	479	527
Female	2,217	84	74	56	39	28	281	69	42	45	56	92	131	167
Suicide (E950-E959)	30,810	...	...	...	...	...	...	1	265	1,899	2,852	3,086	3,428	3,089
Male	24,769	...	...	...	...	...	...	1	207	1,588	2,485	2,563	2,798	2,418
Female	6,041	...	...	...	...	...	...	–	58	311	367	523	630	671
White	27,996	...	...	...	...	...	...	–	228	1,628	2,450	2,629	3,045	2,799
Male	22,452	...	...	...	...	...	...	–	175	1,351	2,125	2,191	2,472	2,190
Female	5,544	...	...	...	...	...	...	–	53	277	325	438	573	609
All other	2,814	...	...	...	...	...	...	1	37	271	402	457	383	290
Male	2,317	...	...	...	...	...	...	1	32	237	360	372	326	228
Female	497	...	...	...	...	...	...	–	5	34	42	85	57	62
Black	2,097	...	...	...	...	...	...	1	31	183	296	344	301	237
Male	1,782	...	...	...	...	...	...	1	27	164	271	283	266	193
Female	315	...	...	...	...	...	...	–	4	19	25	61	35	44
Homicide and legal intervention (E960-E978)	26,513	380	184	133	60	51	808	138	381	3,365	4,794	4,157	3,644	2,691
Male	20,768	206	100	74	32	29	441	71	266	2,901	4,022	3,363	2,836	2,110
Female	5,745	174	84	59	28	22	367	67	115	464	772	794	808	581
White	12,782	207	92	76	27	31	433	81	196	1,265	1,901	1,835	1,711	1,385
Male	9,581	121	50	48	16	17	252	43	134	1,022	1,521	1,458	1,314	1,068
Female	3,201	86	42	28	11	14	181	38	62	243	380	377	397	317
All other	13,731	173	92	57	33	20	375	57	185	2,100	2,893	2,322	1,933	1,306
Male	11,187	85	50	26	16	12	189	28	132	1,879	2,501	1,905	1,522	1,042
Female	2,544	88	42	31	17	8	186	29	53	221	392	417	411	264
Black	12,958	159	87	52	30	15	343	50	176	2,006	2,779	2,202	1,819	1,209
Male	10,628	77	49	25	15	8	174	25	125	1,802	2,406	1,810	1,443	974
Female	2,330	82	38	27	15	7	169	25	51	204	373	392	376	235

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 24 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	934	775	632	683	930	1,202	1,416	1,577	1,913	1,689	1,347	795	305	83
Male	651	509	412	429	593	726	811	810	803	579	356	181	63	57
Female	283	266	220	254	337	476	605	767	1,110	1,110	991	614	242	26
White	616	538	481	549	749	1,008	1,192	1,367	1,631	1,486	1,218	731	263	67
Male	433	348	308	345	485	622	694	710	685	491	314	164	55	44
Female	183	190	173	204	264	386	498	657	946	995	904	567	208	23
All other	318	237	151	134	181	194	224	210	282	203	129	64	42	16
Male	218	161	104	84	108	104	117	100	118	88	42	17	8	13
Female	100	76	47	50	73	90	107	110	164	115	87	47	34	3
Black	290	217	133	123	167	181	206	193	266	180	115	59	40	16
Male	200	148	93	79	101	101	105	92	108	77	35	16	8	13
Female	90	69	40	44	66	80	101	101	158	103	80	43	32	3
All other diseases (Residual)	4,085	4,164	4,663	6,119	9,518	13,565	18,741	24,542	28,912	26,212	16,733	6,764	1,343	29
Male	2,597	2,551	2,722	3,559	5,452	7,353	9,817	12,063	12,244	9,103	4,529	1,434	242	24
Female	1,488	1,613	1,941	2,560	4,066	6,212	8,924	12,479	16,668	17,109	12,204	5,330	1,101	5
White	2,821	3,018	3,473	4,779	7,822	11,508	16,469	21,945	26,282	24,214	15,449	6,270	1,157	18
Male	1,812	1,845	2,024	2,781	4,524	6,263	8,665	10,836	11,131	8,343	4,141	1,311	203	14
Female	1,009	1,173	1,449	1,998	3,298	5,245	7,804	11,109	15,151	15,871	11,308	4,959	954	4
All other	1,264	1,146	1,190	1,340	1,696	2,057	2,272	2,597	2,630	1,998	1,284	494	186	11
Male	785	706	698	778	928	1,090	1,152	1,227	1,113	760	388	123	39	10
Female	479	440	492	562	768	967	1,120	1,370	1,517	1,238	896	371	147	1
Black	1,165	1,065	1,092	1,225	1,545	1,859	2,050	2,349	2,372	1,783	1,145	433	165	11
Male	721	651	639	714	844	992	1,043	1,091	967	658	336	107	33	10
Female	444	414	453	511	701	867	1,007	1,258	1,405	1,125	809	326	132	1
Accidents and adverse effects (E800-E949)	5,402	3,989	3,148	3,091	3,465	3,900	4,237	4,946	5,196	4,282	2,628	1,054	201	120
Male	4,139	2,926	2,281	2,197	2,346	2,460	2,469	2,644	2,501	1,810	909	320	50	108
Female	1,263	1,063	867	894	1,119	1,440	1,768	2,302	2,695	2,472	1,719	734	151	12
White	4,226	3,249	2,539	2,502	2,907	3,285	3,699	4,435	4,744	3,971	2,419	961	172	106
Male	3,252	2,397	1,832	1,780	1,959	2,049	2,145	2,366	2,240	1,656	832	287	38	97
Female	974	852	707	722	948	1,236	1,554	2,069	2,504	2,315	1,587	674	134	9
All other	1,176	740	609	589	558	615	538	511	452	311	209	93	29	14
Male	887	529	449	417	387	411	324	278	261	154	77	33	12	11
Female	289	211	160	172	171	204	214	233	191	157	132	60	17	3
Black	1,000	605	509	496	464	520	450	454	385	267	180	83	23	13
Male	767	438	376	360	330	345	271	247	210	130	63	31	8	11
Female	233	167	133	136	134	175	179	207	175	137	117	52	15	2
Motor vehicle accidents (E810-E825)	2,666	2,053	1,579	1,445	1,539	1,615	1,578	1,646	1,286	673	199	45	2	43
Male	1,895	1,416	1,086	975	981	955	880	891	706	379	118	26	1	41
Female	771	637	493	470	558	660	698	755	580	294	81	19	1	2
White	2,176	1,706	1,322	1,211	1,315	1,384	1,417	1,517	1,201	626	179	39	1	38
Male	1,545	1,180	900	820	838	800	777	817	644	348	105	23	–	36
Female	631	526	422	391	477	584	640	700	557	278	74	16	1	2
All other	490	347	257	234	224	231	161	129	85	47	20	6	1	5
Male	350	236	186	155	143	155	103	74	62	31	13	3	1	5
Female	140	111	71	79	81	76	58	55	23	16	7	3	–	–
Black	393	263	193	181	179	180	118	106	63	38	16	5	1	5
Male	288	184	141	125	122	122	77	63	44	26	12	3	1	5
Female	105	79	52	56	57	58	41	43	19	12	4	2	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	2,736	1,936	1,569	1,646	1,926	2,285	2,659	3,300	3,910	3,609	2,429	1,009	199	77
Male	2,244	1,510	1,195	1,222	1,365	1,505	1,589	1,753	1,795	1,431	791	294	49	67
Female	492	426	374	424	561	780	1,070	1,547	2,115	2,178	1,638	715	150	10
White	2,050	1,543	1,217	1,291	1,592	1,901	2,282	2,918	3,543	3,345	2,240	922	171	68
Male	1,707	1,217	932	960	1,121	1,249	1,368	1,549	1,596	1,308	727	264	38	61
Female	343	326	285	331	471	652	914	1,369	1,947	2,037	1,513	658	133	7
All other	686	393	352	355	334	384	377	382	367	264	189	87	28	9
Male	537	293	263	262	244	256	221	204	199	123	64	30	11	6
Female	149	100	89	93	90	128	156	178	168	141	125	57	17	3
Black	607	342	316	315	285	340	332	348	322	229	164	78	22	8
Male	479	254	235	235	208	223	194	184	166	104	51	28	7	6
Female	128	88	81	80	77	117	138	164	156	125	113	50	15	2
Suicide (E950-E959)	2,678	2,206	1,777	1,613	1,628	1,572	1,512	1,395	1,031	530	195	32	1	20
Male	2,057	1,614	1,365	1,239	1,278	1,218	1,248	1,181	878	432	153	28	1	17
Female	621	592	412	374	350	354	264	214	153	98	42	4	–	3
White	2,470	2,033	1,662	1,508	1,527	1,496	1,443	1,335	995	524	180	29	1	14
Male	1,895	1,477	1,282	1,152	1,200	1,156	1,196	1,132	849	429	141	26	1	12
Female	575	556	380	356	327	340	247	203	146	95	39	3	–	2
All other	208	173	115	105	101	76	69	60	36	6	15	3	–	6
Male	162	137	83	87	78	62	52	49	29	3	12	2	–	5
Female	46	36	32	18	23	14	17	11	7	3	3	1	–	1
Black	153	132	84	75	64	61	48	42	26	3	9	2	–	5
Male	126	109	63	62	53	50	37	39	22	2	8	2	–	4
Female	27	23	21	13	11	11	11	3	4	1	1	–	–	1
Homicide and legal intervention (E960-E978)	1,880	1,283	829	612	544	429	309	269	169	83	37	10	–	81
Male	1,461	979	635	468	396	287	207	140	80	33	13	3	–	56
Female	419	304	194	144	148	142	102	129	89	50	24	7	–	25
White	1,034	774	514	388	348	276	197	180	107	60	31	5	–	61
Male	780	567	385	289	246	174	118	84	51	25	10	–	–	40
Female	254	207	129	99	102	102	79	96	56	35	21	5	–	21
All other	846	509	315	224	196	153	112	89	62	23	6	5	–	20
Male	681	412	250	179	150	113	89	56	29	8	3	3	–	16
Female	165	97	65	45	46	40	23	33	33	15	3	2	–	4
Black	795	471	277	196	181	149	107	86	61	23	5	5	–	18
Male	650	384	226	159	141	111	86	56	28	8	3	3	–	14
Female	145	87	51	37	40	38	21	30	33	15	2	2	–	4

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 25 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	2,517	48	15	16	7	3	89	11	39	150	173	261	374	400
Male	1,765	29	3	9	2	2	45	4	27	117	128	193	280	309
Female	752	19	12	7	5	1	44	7	12	33	45	68	94	91
White	1,951	27	8	12	5	3	55	6	28	107	126	201	287	309
Male	1,366	16	2	7	1	2	28	1	19	84	94	150	212	244
Female	585	11	6	5	4	1	27	5	9	23	32	51	75	65
All other	566	21	7	4	2	–	34	5	11	43	47	60	87	91
Male	399	13	1	2	1	–	17	3	8	33	34	43	68	65
Female	167	8	6	2	1	–	17	2	3	10	13	17	19	26
Black	508	19	5	4	2	–	30	5	10	40	39	50	81	85
Male	360	12	1	2	1	–	16	3	7	30	27	38	64	60
Female	148	7	4	2	1	–	14	2	3	10	12	12	17	25

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1991—Con.

(Page 26 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	272	157	118	88	88	71	51	53	48	28	12	1	–	33
Male	189	101	77	60	56	45	28	35	25	14	8	–	–	24
Female	83	56	41	28	32	26	23	18	23	14	4	1	–	9
White	215	130	96	74	68	58	44	46	45	25	9	–	–	22
Male	154	82	62	49	42	35	23	29	23	12	6	–	–	17
Female	61	48	34	25	26	23	21	17	22	13	3	–	–	5
All other	57	27	22	14	20	13	7	7	3	3	3	1	–	11
Male	35	19	15	11	14	10	5	6	2	2	2	–	–	7
Female	22	8	7	3	6	3	2	1	1	1	1	1	–	4
Black	52	22	19	13	20	12	7	4	3	2	3	1	–	10
Male	33	16	13	10	14	10	5	3	2	1	2	–	–	6
Female	19	6	6	3	6	2	2	1	1	1	1	1	–	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991

(Page 1 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	21,042	391	76	120	601	802	1,033	1,606	3,186	5,297	5,477	2,453	19,021	314	54	62	209	343	546	901	1,908	3,686	5,812	5,186
White	15,416	188	45	65	345	472	622	1,122	2,429	4,062	4,196	1,870	13,959	142	25	33	143	196	316	600	1,269	2,645	4,453	4,137
All other	5,626	203	31	55	256	330	411	484	757	1,235	1,281	583	5,062	172	29	29	66	147	230	301	639	1,041	1,359	1,049
Black	5,604	203	31	54	255	327	410	483	755	1,229	1,274	583	5,037	171	29	29	66	146	225	298	637	1,034	1,355	1,047
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	3	-	-	-	-	-	1	-	-	1	1	3	2	-	-	-	-	-	1	-	-	-	-
White	4	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	1	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-
Black	2	1	-	-	-	-	-	1	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	23	-	-	-	-	-	2	2	4	2	7	6	24	-	-	-	-	-	1	-	3	9	4	7
White	12	-	-	-	-	-	-	1	2	6	3	14	-	-	-	-	-	-	1	-	1	4	3	5
All other	11	-	-	-	-	-	2	2	3	-	1	3	10	-	-	-	-	-	-	-	2	5	1	2
Black	11	-	-	-	-	-	2	2	3	-	1	3	9	-	-	-	-	-	-	-	2	4	1	2
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	-	2	2	4	2	6	6	17	-	-	-	-	-	-	-	2	6	3	6
White	11	-	-	-	-	-	-	1	2	5	3	10	-	-	-	-	-	-	-	-	1	3	2	4
All other	11	-	-	-	-	-	2	2	3	-	1	3	7	-	-	-	-	-	-	-	1	3	1	2
Black	11	-	-	-	-	-	2	2	3	-	1	3	6	-	-	-	-	-	-	-	1	2	1	2
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	1	-	1	3	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	165	3	-	-	-	4	3	6	20	35	68	26	240	3	1	1	1	1	4	6	19	38	84	82
White	120	-	-	-	-	-	1	4	17	25	49	24	153	-	-	-	1	-	1	5	12	22	59	53
All other	45	3	-	-	-	4	2	2	3	10	19	2	87	3	1	1	-	1	3	1	7	16	25	29
Black	44	3	-	-	-	4	2	2	3	10	18	2	87	3	1	1	-	1	3	1	7	16	25	29
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	1	-	2	1	4	6	-	-	8	-	-	-	-	-	-	-	1	2	3	2
White	12	-	-	-	-	-	2	-	4	6	-	-	8	-	-	-	-	-	-	-	1	2	3	2
All other	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	265	4	2	1	7	88	79	34	22	14	9	5	73	4	3	-	1	11	12	8	7	12	12	3
White	152	2	2	1	2	43	43	22	15	13	5	4	38	1	-	-	-	5	4	4	4	9	9	2
All other	113	2	-	-	5	45	36	12	7	1	4	1	35	3	3	-	1	6	8	4	3	3	3	1
Black	112	2	-	-	5	44	36	12	7	1	4	1	35	3	3	-	1	6	8	4	3	3	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,909	1	5	6	19	44	123	382	1,037	1,706	1,217	369	3,903	3	2	7	14	53	157	354	688	1,086	1,052	487
White	3,743	1	3	5	12	32	86	268	818	1,320	927	271	2,914	3	1	6	10	36	94	257	499	827	814	367
All other	1,166	-	2	1	7	12	37	114	219	386	290	98	989	-	1	1	4	17	63	97	189	259	238	120
Black	1,160	-	2	1	7	12	37	114	217	382	290	98	980	-	1	1	4	17	60	96	188	255	238	120

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 2 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	86	-	-	-	1	1	6	6	24	27	16	5	24	-	-	-	-	1	-	1	5	7	8	2
White	65	-	-	-	-	1	2	3	19	21	14	5	20	-	-	-	-	1	-	-	3	6	8	2
All other	21	-	-	-	1	-	4	3	5	6	2	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	21	-	-	-	1	-	4	3	5	6	2	-	4	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	955	-	1	-	4	11	32	71	188	301	251	96	813	-	-	1	-	4	19	50	101	211	271	156
White	681	-	-	-	3	7	20	38	141	221	185	66	553	-	-	-	-	2	9	33	67	141	190	111
All other	274	-	1	-	1	4	12	33	47	80	66	30	260	-	-	1	-	2	10	17	34	70	81	45
Black	271	-	1	-	1	4	12	33	46	78	66	30	257	-	-	1	-	2	8	17	34	69	81	45
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,923	-	-	-	1	6	28	170	498	759	389	72	810	-	-	-	-	3	19	70	191	270	198	59
White	1,538	-	-	-	1	4	22	123	401	610	319	58	656	-	-	-	-	2	13	50	154	227	164	46
All other	385	-	-	-	-	2	6	47	97	149	70	14	154	-	-	-	-	1	6	20	37	43	34	13
Black	384	-	-	-	-	2	6	47	97	148	70	14	153	-	-	-	-	1	6	20	37	42	34	13
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	2	-	-	-	2	1	691	-	-	-	1	11	62	100	154	174	130	59
White	3	-	-	-	-	-	1	-	-	-	1	1	511	-	-	-	-	6	36	72	107	139	103	48
All other	2	-	-	-	-	-	1	-	-	-	1	-	180	-	-	-	1	5	26	28	47	35	27	11
Black	2	-	-	-	-	-	1	-	-	-	1	-	177	-	-	-	1	5	25	27	47	34	27	11
Malignant neoplasms of genital organs (179-187)	557	-	-	-	-	2	1	6	43	177	228	100	404	-	-	-	3	7	16	44	72	111	101	50
White	344	-	-	-	-	2	1	3	24	102	141	71	289	-	-	-	3	4	11	29	52	74	79	37
All other	213	-	-	-	-	-	-	3	19	75	87	29	115	-	-	-	-	3	5	15	20	37	22	13
Black	212	-	-	-	-	-	-	3	19	74	87	29	114	-	-	-	-	3	5	15	20	36	22	13
Malignant neoplasms of urinary organs (188-189)	167	-	-	-	-	-	3	12	35	58	38	21	114	-	-	1	-	1	-	6	16	27	42	21
White	142	-	-	-	-	-	2	8	29	50	34	19	84	-	-	1	-	1	-	6	12	17	31	16
All other	25	-	-	-	-	-	1	4	6	8	4	2	30	-	-	-	-	-	-	-	4	10	11	5
Black	25	-	-	-	-	-	1	4	6	8	4	2	30	-	-	-	-	-	-	-	4	10	11	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	771	1	3	3	4	12	29	75	173	250	173	48	641	1	2	2	3	16	33	53	102	174	173	82
White	605	1	2	2	2	9	21	54	145	204	132	33	481	1	1	2	2	12	21	45	70	136	132	59
All other	166	-	1	1	2	3	8	21	28	46	41	15	160	-	1	-	1	4	12	8	32	38	41	23
Black	165	-	1	1	2	3	8	21	27	46	41	15	159	-	1	-	1	4	12	8	31	38	41	23
Leukemia (204-208)	201	-	1	3	5	3	7	16	35	55	63	13	147	1	-	2	5	6	2	8	11	42	46	24
White	172	-	1	3	3	2	6	15	33	46	55	8	124	1	-	2	3	4	2	8	9	30	43	22
All other	29	-	-	-	2	1	1	1	2	9	8	5	23	-	-	-	2	2	-	-	2	12	3	2
Black	29	-	-	-	2	1	1	1	2	9	8	5	23	-	-	-	2	2	-	-	2	12	3	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	244	-	-	-	4	9	15	26	41	79	57	13	259	1	-	1	2	4	6	22	36	70	83	34
White	193	-	-	-	3	7	11	24	26	66	46	10	196	1	-	1	2	4	2	14	25	57	64	26
All other	51	-	-	-	1	2	4	2	15	13	11	3	63	-	-	-	-	-	4	8	11	13	19	8
Black	51	-	-	-	1	2	4	2	15	13	11	3	63	-	-	-	-	-	4	8	11	13	19	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	-	-	1	3	3	4	3	13	12	14	6	91	-	1	1	3	5	5	3	10	17	31	15
White	43	-	-	-	2	2	2	2	12	12	8	3	59	-	1	-	3	2	2	2	8	13	19	9
All other	16	-	-	1	1	1	2	1	1	-	6	3	32	-	-	1	-	3	3	1	2	4	12	6
Black	15	-	-	-	1	1	2	1	1	-	6	3	32	-	-	1	-	3	3	1	2	4	12	6
Diabetes mellitus (250)	353	-	-	2	3	9	17	33	58	106	90	35	539	-	-	1	-	6	11	24	82	130	175	110
White	227	-	-	1	-	5	6	20	40	67	67	21	322	-	-	-	-	4	5	16	35	76	116	70
All other	126	-	-	1	3	4	11	13	18	39	23	14	217	-	-	1	-	2	6	8	47	54	59	40
Black	126	-	-	1	3	4	11	13	18	39	23	14	216	-	-	1	-	2	6	8	46	54	59	40
Nutritional deficiencies (260-269)	20	-	-	-	-	-	-	-	1	3	7	9	37	-	-	-	-	-	1	-	1	5	12	18
White	11	-	-	-	-	-	-	-	1	1	5	4	30	-	-	-	-	-	1	-	1	3	9	16
All other	9	-	-	-	-	-	-	-	-	2	2	5	7	-	-	-	-	-	-	-	-	2	3	2
Black	9	-	-	-	-	-	-	-	-	2	2	5	7	-	-	-	-	-	-	-	-	2	3	2
Anemias (280-285)	33	-	1	2	1	1	3	1	2	5	13	4	53	-	1	-	2	5	-	3	3	7	16	16
White	25	-	-	1	-	1	2	-	1	4	12	4	31	-	-	-	1	1	-	1	1	4	12	11
All other	8	-	1	1	1	-	1	1	1	1	1	-	22	-	1	-	1	4	-	2	2	3	4	5
Black	8	-	1	1	1	-	1	1	1	1	1	-	22	-	1	-	1	4	-	2	2	3	4	5
Meningitis (320-322)	4	1	1	1	-	-	-	-	-	-	1	-	7	-	-	-	-	-	1	1	2	1	2	-
White	2	-	1	1	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	2	-	2	-
All other	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	8,197	9	3	5	24	66	256	610	1,273	2,194	2,508	1,249	8,648	11	4	6	9	38	104	255	642	1,500	3,010	3,069
White	6,116	5	2	3	14	40	144	432	943	1,671	1,894	968	6,416	5	3	3	6	17	57	150	386	1,011	2,301	2,477
All other	2,081	4	1	2	10	26	112	178	330	523	614	281	2,232	6	1	3	3	21	47	105	256	489	709	592
Black	2,074	4	1	2	10	26	111	178	330	522	609	281	2,225	6	1	3	3	21	47	103	256	487	707	591

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 3 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,639	7	3	3	22	61	223	519	1,084	1,789	1,982	946	6,536	7	4	5	5	26	71	192	508	1,184	2,255	2,279
White	5,046	3	2	1	13	39	127	382	825	1,393	1,517	744	4,892	4	3	3	2	13	36	115	323	802	1,746	1,845
All other	1,593	4	1	2	9	22	96	137	259	396	465	202	1,644	3	1	2	3	13	35	77	185	382	509	434
Black	1,588	4	1	2	9	22	95	137	259	395	462	202	1,640	3	1	2	3	13	35	76	185	381	508	433
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	-	1	-	5	2	7	5	1	33	-	-	-	-	1	1	1	5	9	12	4
White	19	-	-	-	-	1	-	4	2	7	5	-	26	-	-	-	-	1	-	1	3	8	10	3
All other	2	-	-	-	-	-	-	1	-	-	-	1	7	-	-	-	-	-	1	-	2	1	2	1
Black	2	-	-	-	-	-	-	1	-	-	-	1	7	-	-	-	-	-	1	-	2	1	2	1
Hypertensive heart disease (402)	209	-	-	-	1	2	17	18	35	50	62	24	272	-	-	-	-	-	4	11	27	53	88	89
White	84	-	-	-	-	1	4	5	8	22	29	15	127	-	-	-	-	-	-	3	7	19	45	53
All other	125	-	-	-	1	1	13	13	27	28	33	9	145	-	-	-	-	-	4	8	20	34	43	36
Black	125	-	-	-	1	1	13	13	27	28	33	9	145	-	-	-	-	-	4	8	20	34	43	36
Hypertensive heart and renal disease (404)	18	-	-	-	-	-	-	1	2	4	8	3	26	-	-	-	-	-	-	-	2	7	9	8
White	6	-	-	-	-	-	-	-	-	1	4	1	12	-	-	-	-	-	-	-	1	2	3	6
All other	12	-	-	-	-	-	-	1	2	3	4	2	14	-	-	-	-	-	-	-	1	5	6	2
Black	12	-	-	-	-	-	-	1	2	3	4	2	14	-	-	-	-	-	-	-	1	5	6	2
Ischemic heart disease (410-414)	3,730	-	-	-	5	22	116	307	666	1,028	1,103	483	3,295	-	-	-	-	6	24	93	282	629	1,218	1,043
White	3,064	-	-	-	3	13	75	251	546	856	923	397	2,602	-	-	-	-	3	18	62	200	454	991	874
All other	666	-	-	-	2	9	41	56	120	172	180	86	693	-	-	-	-	3	6	31	82	175	227	169
Black	664	-	-	-	2	9	40	56	120	172	179	86	690	-	-	-	-	3	6	30	82	174	226	169
Acute myocardial infarction (410)	2,414	-	-	-	3	17	91	221	463	665	685	269	2,054	-	-	-	-	5	18	79	212	416	785	539
White	1,968	-	-	-	2	10	59	185	370	554	568	220	1,600	-	-	-	-	3	13	54	150	304	636	440
All other	446	-	-	-	1	7	32	36	93	111	117	49	454	-	-	-	-	2	5	25	62	112	149	99
Black	444	-	-	-	1	7	31	36	93	111	116	49	453	-	-	-	-	2	5	24	62	112	149	99
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	1	4	3	4	4	1	-	9	-	-	-	-	-	-	1	2	2	3	1
White	14	-	-	-	-	1	3	3	4	3	-	-	7	-	-	-	-	-	-	1	1	2	2	1
All other	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	2	3	1	2	10	-	-	-	-	-	-	-	-	1	5	4
White	7	-	-	-	-	-	-	-	2	2	1	2	8	-	-	-	-	-	-	-	-	1	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,291	-	-	-	2	4	21	83	197	356	416	212	1,222	-	-	-	-	1	6	13	68	210	425	499
White	1,075	-	-	-	1	2	13	63	170	297	354	175	987	-	-	-	-	-	5	7	49	147	349	430
All other	216	-	-	-	1	2	8	20	27	59	62	37	235	-	-	-	-	1	1	6	19	63	76	69
Black	216	-	-	-	1	2	8	20	27	59	62	37	233	-	-	-	-	1	1	6	19	62	75	69
Other diseases of endocardium (424)	78	-	-	-	-	1	4	3	9	19	22	20	101	-	1	-	-	-	1	5	4	18	31	41
White	57	-	-	-	-	1	3	1	5	15	16	16	88	-	-	-	-	-	1	5	4	14	26	38
All other	21	-	-	-	-	-	1	2	4	4	6	4	13	-	1	-	-	-	-	-	-	4	5	3
Black	21	-	-	-	-	-	1	2	4	4	6	4	13	-	1	-	-	-	-	-	-	4	5	3
All other forms of heart disease (415-423,425-429)	2,583	7	3	3	16	35	86	185	370	681	782	415	2,809	7	3	5	5	19	41	82	188	468	897	1,094
White	1,816	3	2	1	10	23	45	121	264	492	540	315	2,037	4	3	3	2	9	17	44	108	305	671	871
All other	767	4	1	2	6	12	41	64	106	189	242	100	772	3	-	2	3	10	24	38	80	163	226	223
Black	764	4	1	2	6	12	41	64	106	188	240	100	771	3	-	2	3	10	24	38	80	163	226	222
Hypertension with or without renal disease (401,403)	75	-	-	-	-	-	-	5	13	21	20	16	106	-	-	-	-	-	1	4	5	20	44	32
White	35	-	-	-	-	-	-	3	7	10	7	8	54	-	-	-	-	-	1	1	-	7	22	23
All other	40	-	-	-	-	-	-	2	6	11	13	8	52	-	-	-	-	-	-	3	5	13	22	9
Black	40	-	-	-	-	-	-	2	6	11	13	8	51	-	-	-	-	-	-	3	5	12	22	9
Cerebrovascular diseases (430-438)	1,132	2	-	2	1	4	25	70	130	287	388	223	1,677	4	-	1	3	9	29	54	106	238	609	624
White	760	2	-	2	1	-	11	33	77	191	275	168	1,227	1	-	-	3	3	19	30	51	160	452	508
All other	372	-	-	-	-	4	14	37	53	96	113	55	450	3	-	1	-	6	10	24	55	78	157	116
Black	371	-	-	-	-	4	14	37	53	96	112	55	448	3	-	1	-	6	10	23	55	78	156	116
Intracerebral and other intracranial hemorrhage (431-432)	194	1	-	-	-	1	13	28	27	61	51	12	213	-	-	1	2	4	9	18	23	44	73	39
White	129	1	-	-	-	-	7	8	14	51	41	7	148	-	-	-	2	2	3	8	13	36	56	28
All other	65	-	-	-	-	1	6	20	13	10	10	5	65	-	-	1	-	2	6	10	10	8	17	11
Black	65	-	-	-	-	1	6	20	13	10	10	5	65	-	-	1	-	2	6	10	10	8	17	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	99	-	-	-	-	-	-	4	9	26	40	20	152	-	-	-	-	-	-	2	9	18	59	64
White	66	-	-	-	-	-	-	3	5	16	27	15	111	-	-	-	-	-	-	2	2	13	43	51
All other	33	-	-	-	-	-	-	1	4	10	13	5	41	-	-	-	-	-	-	-	7	5	16	13
Black	33	-	-	-	-	-	-	1	4	10	13	5	41	-	-	-	-	-	-	-	7	5	16	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 4 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	3	3	1	8	-	-	-	-	-	-	-	-	2	3	3
White	6	-	-	-	-	-	-	-	-	2	3	1	6	-	-	-	-	-	-	-	-	2	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	832	1	-	2	1	3	12	38	94	197	294	190	1,304	4	-	-	1	5	20	34	74	174	474	518
White	559	1	-	2	1	-	4	22	58	122	204	145	962	1	-	-	1	1	16	20	36	109	351	427
All other	273	-	-	-	-	3	8	16	36	75	90	45	342	3	-	-	-	4	4	14	38	65	123	91
Black	272	-	-	-	-	3	8	16	36	75	89	45	340	3	-	-	-	4	4	13	38	65	122	91
Atherosclerosis (440)	102	-	-	-	-	-	-	3	10	14	40	35	161	-	-	-	-	-	2	1	5	24	48	81
White	66	-	-	-	-	-	-	1	4	9	27	25	111	-	-	-	-	-	1	-	1	15	34	60
All other	36	-	-	-	-	-	-	2	6	5	13	10	50	-	-	-	-	-	1	1	4	9	14	21
Black	35	-	-	-	-	-	-	2	6	5	12	10	50	-	-	-	-	-	1	1	4	9	14	21
Other diseases of arteries, arterioles, and capillaries (441-448)	249	-	-	-	1	1	8	13	36	83	78	29	168	-	-	-	1	3	1	4	18	34	54	53
White	209	-	-	-	-	1	6	13	30	68	68	23	132	-	-	-	1	1	-	4	11	27	47	41
All other	40	-	-	-	1	-	2	-	6	15	10	6	36	-	-	-	-	2	1	-	7	7	7	12
Black	40	-	-	-	1	-	2	-	6	15	10	6	36	-	-	-	-	2	1	-	7	7	7	12
Acute bronchitis and bronchiolitis (466)	6	-	-	-	-	-	-	-	1	4	-	1	6	-	-	-	-	-	-	-	1	3	1	1
White	4	-	-	-	-	-	-	-	1	2	-	1	5	-	-	-	-	-	-	-	-	3	1	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	645	2	2	-	4	6	16	21	57	127	232	178	696	4	-	-	4	2	9	9	33	90	205	340
White	481	1	1	-	2	2	11	17	37	98	178	134	557	1	-	-	3	-	5	5	25	67	163	288
All other	164	1	1	-	2	4	5	4	20	29	54	44	139	3	-	-	1	2	4	4	8	23	42	52
Black	163	1	1	-	2	4	5	4	20	29	53	44	139	3	-	-	1	2	4	4	8	23	42	52
Pneumonia (480-486)	640	2	2	-	4	6	16	21	57	126	231	175	680	4	-	-	4	2	9	9	33	85	202	332
White	476	1	1	-	2	2	11	17	37	97	177	131	542	1	-	-	3	-	5	5	25	62	160	281
All other	164	1	1	-	2	4	5	4	20	29	54	44	138	3	-	-	1	2	4	4	8	23	42	51
Black	163	1	1	-	2	4	5	4	20	29	53	44	138	3	-	-	1	2	4	4	8	23	42	51
Influenza (487)	5	-	-	-	-	-	-	-	-	1	1	3	16	-	-	-	-	-	-	-	-	5	3	8
White	5	-	-	-	-	-	-	-	-	1	1	3	15	-	-	-	-	-	-	-	-	5	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,000	-	-	1	2	5	5	22	129	339	389	108	621	-	-	1	1	1	6	22	91	209	199	91
White	845	-	-	-	-	2	2	18	111	283	337	92	567	-	-	-	-	1	4	18	81	189	190	84
All other	155	-	-	1	2	3	3	4	18	56	52	16	54	-	-	1	1	-	2	4	10	20	9	7
Black	155	-	-	1	2	3	3	4	18	56	52	16	54	-	-	1	1	-	2	4	10	20	9	7
Bronchitis, chronic and unspecified (490-491)	44	-	-	-	-	-	1	1	5	14	18	5	34	-	-	1	-	-	-	1	2	10	14	6
White	41	-	-	-	-	-	1	1	5	12	17	5	31	-	-	-	-	-	-	-	2	9	14	6
All other	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	1	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	1	-	-	-	1	-	1	-	-
Emphysema (492)	183	-	-	-	-	-	-	3	32	62	69	17	78	-	-	-	-	-	1	2	11	32	24	8
White	158	-	-	-	-	-	-	3	28	51	64	12	73	-	-	-	-	-	1	1	11	31	22	7
All other	25	-	-	-	-	-	-	-	4	11	5	5	5	-	-	-	-	-	-	1	-	1	2	1
Black	25	-	-	-	-	-	-	-	4	11	5	5	5	-	-	-	-	-	-	1	-	1	2	1
Asthma (493)	22	-	-	1	2	5	2	3	3	3	1	2	38	-	-	-	1	1	2	4	6	10	11	3
White	10	-	-	-	-	2	-	1	2	2	1	2	28	-	-	-	-	1	-	4	2	8	10	3
All other	12	-	-	1	2	3	2	2	1	1	-	-	10	-	-	-	1	-	2	-	4	2	1	-
Black	12	-	-	1	2	3	2	2	1	1	-	-	10	-	-	-	1	-	2	-	4	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	751	-	-	-	-	-	2	15	89	260	301	84	471	-	-	-	-	-	3	15	72	157	150	74
White	636	-	-	-	-	-	1	13	76	218	255	73	435	-	-	-	-	-	3	13	66	141	144	68
All other	115	-	-	-	-	-	1	2	13	42	46	11	36	-	-	-	-	-	-	2	6	16	6	6
Black	115	-	-	-	-	-	1	2	13	42	46	11	36	-	-	-	-	-	-	2	6	16	6	6
Ulcer of stomach and duodenum (531-533)	45	-	-	-	-	3	1	2	8	8	17	6	51	-	-	-	-	-	1	3	7	7	16	17
White	37	-	-	-	-	1	1	2	7	6	14	6	45	-	-	-	-	-	-	3	6	6	14	16
All other	8	-	-	-	-	2	-	-	1	2	3	-	6	-	-	-	-	-	1	-	1	1	2	1
Black	8	-	-	-	-	2	-	-	1	2	3	-	6	-	-	-	-	-	1	-	1	1	2	1
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	-	-	-	-	3	-	4	5	6	12	7	59	1	-	-	-	1	1	-	2	12	18	24
White	18	-	-	-	-	2	-	2	2	3	4	5	45	1	-	-	-	1	1	-	2	8	13	19
All other	19	-	-	-	-	1	-	2	3	3	8	2	14	-	-	-	-	-	-	-	-	4	5	5
Black	19	-	-	-	-	1	-	2	3	3	8	2	14	-	-	-	-	-	-	-	-	4	5	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 5 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	235	-	-	-	3	9	21	61	66	45	24	6	136	-	-	-	-	6	14	16	23	42	26	9
White	186	-	-	-	-	6	12	49	52	40	22	5	102	-	-	-	-	4	5	7	20	36	22	8
All other	49	-	-	-	3	3	9	12	14	5	2	1	34	-	-	-	-	2	9	9	3	6	4	1
Black	49	-	-	-	3	3	9	12	14	5	2	1	34	-	-	-	-	2	9	9	3	6	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	30	-	-	-	-	-	-	2	5	8	10	5	26	-	-	-	1	-	-	2	1	3	8	11
White	22	-	-	-	-	-	-	2	3	6	7	4	20	-	-	-	1	-	-	-	-	3	6	10
All other	8	-	-	-	-	-	-	-	2	2	3	1	6	-	-	-	-	-	-	2	1	-	2	1
Black	8	-	-	-	-	-	-	-	2	2	3	1	6	-	-	-	-	-	-	2	1	-	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	206	5	-	-	1	3	7	11	16	58	60	45	264	-	-	-	-	-	3	12	17	52	99	81
White	133	5	-	-	1	1	1	5	11	37	42	30	162	-	-	-	-	-	-	8	9	26	58	61
All other	73	-	-	-	-	2	6	6	5	21	18	15	102	-	-	-	-	-	3	4	8	26	41	20
Black	72	-	-	-	-	2	6	6	5	20	18	15	102	-	-	-	-	-	3	4	8	26	41	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	-	1	-	2	5	1	-	13	-	-	-	-	-	-	2	2	4	4	1
White	4	-	-	-	-	-	-	-	1	3	-	-	8	-	-	-	-	-	-	2	2	2	2	-
All other	5	-	-	-	-	-	1	-	1	2	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	5	-	-	-	-	-	1	-	1	2	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	195	5	-	-	1	3	6	10	14	53	59	44	250	-	-	-	-	-	3	10	15	48	95	79
White	127	5	-	-	1	1	1	4	10	34	42	29	153	-	-	-	-	-	-	6	7	24	58	60
All other	68	-	-	-	-	2	5	6	4	19	17	15	97	-	-	-	-	-	3	4	8	24	39	19
Black	67	-	-	-	-	2	5	6	4	18	17	15	97	-	-	-	-	-	3	4	8	24	39	19
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	-	5	1	31	-	1	-	-	-	-	-	4	6	8	12
White	4	-	-	-	-	-	-	-	-	-	3	1	25	-	-	-	-	-	-	-	3	5	8	9
All other	2	-	-	-	-	-	-	-	-	-	2	-	6	-	1	-	-	-	-	-	1	1	-	3
Black	2	-	-	-	-	-	-	-	-	-	2	-	6	-	1	-	-	-	-	-	1	1	-	3
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	1	3	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Congenital anomalies (740-759)	124	86	7	8	4	4	-	1	4	5	5	-	114	73	8	2	4	4	4	2	4	4	8	1
White	72	46	6	6	2	3	-	1	3	3	2	-	72	44	3	1	3	4	4	1	4	1	7	-
All other	52	40	1	2	2	1	-	-	1	2	3	-	42	29	5	1	1	-	-	1	-	3	1	1
Black	52	40	1	2	2	1	-	-	1	2	3	-	42	29	5	1	1	-	-	1	-	3	1	1
Certain conditions originating in the perinatal period (760-779)	187	184	1	1	-	-	1	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
White	76	75	-	-	-	-	1	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
All other	111	109	1	1	-	-	-	-	-	-	-	-	85	85	-	-	-	-	-	-	-	-	-	-
Black	111	109	1	1	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	50	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 6 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	137	134	1	1	–	–	1	–	–	–	–	–	103	103	–	–	–	–	–	–	–	–	–	–
White	58	57	–	–	–	–	1	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
All other	79	77	1	1	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
Black	79	77	1	1	–	–	–	–	–	–	–	–	62	62	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	551	73	5	2	8	39	38	57	78	97	92	62	486	55	2	3	3	22	24	25	43	60	119	130
White	363	41	2	1	6	23	21	37	63	68	67	34	292	25	1	1	1	14	13	14	26	33	66	98
All other	188	32	3	1	2	16	17	20	15	29	25	28	194	30	1	2	2	8	11	11	17	27	53	32
Black	187	32	3	1	2	16	17	19	15	29	25	28	192	30	1	2	2	8	11	11	17	27	52	31
All other diseases (Residual)	1,505	12	8	12	24	29	67	100	192	298	514	249	1,786	13	8	11	26	33	58	71	153	278	569	566
White	1,114	5	5	6	19	17	41	58	142	227	396	198	1,323	9	1	6	14	19	27	46	96	210	444	451
All other	391	7	3	6	5	12	26	42	50	71	118	51	463	4	7	5	12	14	31	25	57	68	125	115
Black	391	7	3	6	5	12	26	42	50	71	118	51	462	4	7	5	12	14	31	25	57	68	124	115
Accidents and adverse effects (E800-E949)	1,493	7	37	68	290	263	221	151	129	135	132	60	713	3	20	25	101	87	78	56	47	85	122	89
White	1,055	5	21	37	209	179	144	112	92	102	108	46	547	1	13	15	80	62	59	41	32	65	102	77
All other	438	2	16	31	81	84	77	39	37	33	24	14	166	2	7	10	21	25	19	15	15	20	20	12
Black	437	2	16	31	80	84	77	39	37	33	24	14	166	2	7	10	21	25	19	15	15	20	20	12
Motor vehicle accidents (E810-E825)	844	3	19	38	215	159	139	92	65	51	52	11	381	2	12	20	90	66	50	36	21	41	38	5
White	613	3	8	21	164	114	97	68	49	37	45	7	297	1	7	13	72	48	41	26	17	34	34	4
All other	231	–	11	17	51	45	42	24	16	14	7	4	84	1	5	7	18	18	9	10	4	7	4	1
Black	231	–	11	17	51	45	42	24	16	14	7	4	84	1	5	7	18	18	9	10	4	7	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	649	4	18	30	75	104	82	59	64	84	80	49	332	1	8	5	11	21	28	20	26	44	84	84
White	442	2	13	16	45	65	47	44	43	65	63	39	250	–	6	2	8	14	18	15	15	31	68	73
All other	207	2	5	14	30	39	35	15	21	19	17	10	82	1	2	3	3	7	10	5	11	13	16	11
Black	206	2	5	14	29	39	35	15	21	19	17	10	82	1	2	3	3	7	10	5	11	13	16	11
Suicide (E950-E959)	443	...	...	5	67	91	74	56	45	60	36	9	96	...	...	1	13	15	21	16	11	13	3	3
White	383	...	...	3	51	77	60	50	42	56	35	9	85	...	...	1	13	10	20	15	9	12	3	2
All other	60	...	...	2	16	14	14	6	3	4	1	–	11	...	...	–	–	5	1	1	2	1	–	1
Black	60	...	...	2	16	14	14	6	3	4	1	–	10	...	...	–	–	4	1	1	2	1	–	1
Homicide and legal intervention (E960-E978)	436	–	4	5	131	131	85	41	13	18	7	1	152	6	3	3	23	50	27	11	11	13	5	–
White	130	–	2	–	21	35	36	19	7	7	2	1	58	2	2	–	6	14	11	6	4	9	4	–
All other	306	–	2	5	110	96	49	22	6	11	5	–	94	4	1	3	17	36	16	5	7	4	1	–
Black	304	–	2	5	110	94	49	22	6	11	5	–	93	4	1	3	17	36	15	5	7	4	1	–
All other external causes (E980-E999)	33	1	–	–	9	1	8	4	4	2	2	2	13	–	–	–	1	1	2	–	2	2	4	1
White	19	–	–	–	4	1	6	2	4	–	1	1	8	–	–	–	–	1	–	–	2	1	4	–
All other	14	1	–	–	5	–	2	2	–	2	1	1	5	–	–	–	1	–	2	–	–	1	–	1
Black	14	1	–	–	5	–	2	2	–	2	1	1	4	–	–	–	1	–	1	–	–	1	–	1
ALASKA																								
All causes	1,384	70	14	16	89	131	142	130	236	265	211	80	816	34	4	10	29	49	60	82	116	141	197	94
White	965	42	6	8	51	59	101	105	184	208	151	50	562	18	2	5	22	24	43	59	79	111	135	64
All other	419	28	8	8	38	72	41	25	52	57	60	30	254	16	2	5	7	25	17	23	37	30	62	30
Black	30	3	2	–	3	5	2	5	–	5	3	2	19	3	–	–	–	3	1	–	5	3	4	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 7 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	5	-	-	-	-	-	-	-	2	-	1	2	6	1	-	-	-	-	-	-	2	2	1	
White	2	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	1	-	1	
All other	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	1	2	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	17	1	1	-	1	7	6	-	-	1	-	-	14	1	1	-	1	1	-	2	2	1	3	2
White	9	-	-	-	1	4	3	-	-	1	-	-	10	-	-	-	1	1	-	2	1	-	3	2
All other	8	1	1	-	-	3	3	-	-	-	-	-	4	1	1	-	-	-	-	-	1	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	280	-	2	2	1	2	17	34	69	87	60	6	223	-	-	1	3	3	21	27	59	47	47	15
White	227	-	2	1	-	1	16	28	59	72	43	5	171	-	-	1	3	3	16	23	44	37	34	10
All other	53	-	-	1	1	1	1	6	10	15	17	1	52	-	-	-	-	-	5	4	15	10	13	5
Black	4	-	-	-	-	-	-	1	-	2	1	-	6	-	-	-	-	-	1	-	3	1	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	1	3	2	-	-	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	1	2	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	61	-	-	-	-	1	3	6	11	23	16	1	48	-	-	-	-	-	4	1	13	13	11	6
White	42	-	-	-	-	-	3	3	10	15	11	-	31	-	-	-	-	-	3	1	8	9	7	3
All other	19	-	-	-	-	1	-	3	1	8	5	1	17	-	-	-	-	-	1	-	5	4	4	3
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	93	-	-	-	-	-	3	16	22	36	16	-	59	-	-	-	-	-	6	9	15	17	10	2
White	81	-	-	-	-	-	3	15	20	33	10	-	46	-	-	-	-	-	5	6	12	14	7	2
All other	12	-	-	-	-	-	-	1	2	3	6	-	13	-	-	-	-	-	1	3	3	3	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-	-	-	4	9	10	5	3	2
White	-	-	-	-	-	-	-	-	-	-	-	-	29	-	-	-	-	-	3	8	8	5	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	26	-	-	-	-	-	-	-	5	4	14	3	22	-	-	-	1	2	4	2	6	1	5	1
White	21	-	-	-	-	-	-	-	4	4	10	3	18	-	-	-	1	2	2	2	4	1	5	1
All other	5	-	-	-	-	-	-	-	1	-	4	-	4	-	-	-	-	-	2	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 8 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	22	-	-	-	-	-	1	2	11	4	3	1	9	-	-	-	-	-	-	2	2	-	4	1
White	17	-	-	-	-	-	1	2	8	3	2	1	7	-	-	-	-	-	-	2	2	-	2	1
All other	5	-	-	-	-	-	-	-	3	1	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	47	-	1	2	-	-	7	7	12	13	5	-	34	-	-	-	2	1	1	3	9	9	7	2
White	39	-	1	1	-	-	6	6	11	10	4	-	28	-	-	-	2	1	1	3	8	7	6	-
All other	8	-	-	1	-	-	1	1	1	3	1	-	6	-	-	-	-	-	-	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	9	-	-	-	1	1	1	1	1	2	2	-	5	-	-	1	-	-	2	-	1	-	1	-
White	8	-	-	-	-	1	1	1	1	2	2	-	4	-	-	1	-	-	2	-	1	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	-	1	-	-	-	2	1	4	3	4	1	10	-	-	-	-	-	-	1	2	1	5	1
White	16	-	1	-	-	-	2	1	4	3	4	1	8	-	-	-	-	-	-	1	1	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	1	-	-	-	-	-	1	1	1	-	3	-	-	-	1	-	-	-	-	1	1	-
White	4	-	1	-	-	-	-	-	1	1	1	-	3	-	-	-	1	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	25	-	-	-	1	1	2	1	5	8	6	1	30	-	-	-	-	-	2	-	2	1	10	12	3
White	17	-	-	-	-	1	2	-	4	6	4	-	24	-	-	-	-	-	2	-	2	1	8	9	2
All other	8	-	-	-	1	-	-	1	1	2	2	1	6	-	-	-	-	-	-	-	-	-	2	3	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	384	1	-	-	-	5	17	46	79	110	81	45	213	-	-	1	1	3	5	18	27	46	74	38
White	285	-	-	-	-	3	11	36	63	85	63	24	159	-	-	1	1	-	5	12	17	37	55	31
All other	99	1	-	-	-	2	6	10	16	25	18	21	54	-	-	-	-	3	-	6	10	9	19	7
Black	9	-	-	-	-	1	-	3	-	3	1	1	4	-	-	-	-	-	-	-	2	1	1	-
Diseases of heart (390-398,402,404-429)	325	1	-	-	-	5	16	41	69	97	67	29	145	-	-	-	1	1	3	10	22	37	46	25
White	241	-	-	-	-	3	11	32	55	74	53	13	104	-	-	-	1	-	3	7	13	29	33	18
All other	84	1	-	-	-	2	5	9	14	23	14	16	41	-	-	-	-	1	-	3	9	8	13	7
Black	9	-	-	-	-	1	-	3	-	3	1	1	4	-	-	-	-	-	-	-	2	1	1	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	-	2	-	3	3	-	10	-	-	-	-	-	-	-	3	2	3	2
White	5	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	-	1	1	2	1
All other	3	-	-	-	-	-	-	2	-	1	-	-	5	-	-	-	-	-	-	-	2	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	226	-	-	-	-	4	12	30	60	66	43	11	75	-	-	-	-	-	-	1	7	11	19	23	14
White	183	-	-	-	-	2	9	25	49	56	35	7	59	-	-	-	-	-	-	1	6	8	17	16	11
All other	43	-	-	-	-	2	3	5	11	10	8	4	16	-	-	-	-	-	-	-	1	3	2	7	3
Black	5	-	-	-	-	1	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	1	-	1	-
Acute myocardial infarction (410)	89	-	-	-	-	2	5	15	20	22	21	4	28	-	-	-	-	-	-	1	3	4	8	9	3
White	70	-	-	-	-	1	3	12	17	18	16	3	23	-	-	-	-	-	-	1	3	3	7	7	2
All other	19	-	-	-	-	1	2	3	3	4	5	1	5	-	-	-	-	-	-	-	-	1	1	2	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 9 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	135	-	-	-	-	1	6	15	40	44	22	7	46	-	-	-	-	-	-	4	7	11	13	11
White	112	-	-	-	-	1	5	13	32	38	19	4	35	-	-	-	-	-	-	3	5	10	8	9
All other	23	-	-	-	-	-	1	2	8	6	3	3	11	-	-	-	-	-	-	1	2	1	5	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	16	-	-	-	-	-	1	-	2	6	4	3	6	-	-	-	-	-	-	-	-	1	4	1
White	12	-	-	-	-	-	1	-	1	5	3	2	6	-	-	-	-	-	-	-	-	1	4	1
All other	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	75	1	-	-	-	1	3	9	7	22	17	15	48	-	-	-	1	1	2	3	7	13	13	8
White	41	-	-	-	-	1	1	7	5	11	12	4	31	-	-	-	1	-	2	1	3	8	11	5
All other	34	1	-	-	-	-	2	2	2	11	5	11	17	-	-	-	-	1	-	2	4	5	2	3
Black	4	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	37	-	-	-	-	-	1	4	6	7	10	9	51	-	-	1	-	1	2	6	4	8	19	10
White	25	-	-	-	-	-	-	3	5	6	6	5	41	-	-	1	-	-	2	3	3	8	14	10
All other	12	-	-	-	-	-	1	1	1	1	4	4	10	-	-	-	-	1	-	3	1	-	5	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	6	-	-	-	-	-	-	1	1	1	2	1	8	-	-	-	-	1	1	1	2	2	1	-
White	5	-	-	-	-	-	-	1	1	1	1	1	6	-	-	-	-	-	1	-	2	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	26	-	-	-	-	-	1	2	4	5	7	7	41	-	-	1	-	-	1	5	2	5	17	10
White	17	-	-	-	-	-	-	2	3	4	4	4	34	-	-	1	-	-	1	3	1	5	13	10
All other	9	-	-	-	-	-	1	-	1	1	3	3	7	-	-	-	-	-	-	2	1	-	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	8	-	-	-	-	-	-	-	1	2	1	4	9	-	-	-	-	1	-	1	-	1	5	1
White	8	-	-	-	-	-	-	-	1	2	1	4	6	-	-	-	-	-	-	1	-	-	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	13	-	-	-	-	-	-	1	3	4	2	3	7	-	-	-	-	-	-	1	1	-	4	1
White	10	-	-	-	-	-	-	1	2	3	2	2	7	-	-	-	-	-	-	1	1	-	4	1
All other	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	37	6	1	-	-	-	3	2	4	2	13	6	15	-	-	-	-	-	1	2	-	1	4	7
White	18	2	-	-	-	-	-	2	3	1	5	5	7	-	-	-	-	-	-	-	-	1	4	2
All other	19	4	1	-	-	-	3	-	1	1	8	1	8	-	-	-	-	-	1	2	-	-	-	5
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 10 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	37	6	1	-	-	-	3	2	4	2	13	6	13	-	-	-	-	-	1	2	-	1	2	7
White	18	2	-	-	-	-	-	2	3	1	5	5	5	-	-	-	-	-	-	-	-	1	2	2
All other	19	4	1	-	-	-	3	-	1	1	8	1	8	-	-	-	-	-	1	2	-	-	-	5
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	45	-	-	-	1	-	1	1	9	14	13	6	41	-	-	-	-	-	-	-	11	15	11	4
White	36	-	-	-	-	-	1	1	8	11	11	4	25	-	-	-	-	-	-	-	6	13	4	2
All other	9	-	-	-	1	-	-	-	1	3	2	2	16	-	-	-	-	-	-	-	5	2	7	2
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	6	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	-	-	1	1	-
White	6	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	2	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	35	-	-	-	-	-	1	1	8	9	10	6	35	-	-	-	-	-	-	-	10	12	9	4
White	28	-	-	-	-	-	1	1	7	7	8	4	21	-	-	-	-	-	-	-	5	11	3	2
All other	7	-	-	-	-	-	-	-	1	2	2	2	14	-	-	-	-	-	-	-	5	1	6	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	1	-	-	1
White	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	24	-	-	-	-	1	3	4	14	2	-	-	26	-	-	-	-	5	6	8	2	4	1	-
White	17	-	-	-	-	1	1	3	10	2	-	-	17	-	-	-	-	2	4	6	1	3	1	-
All other	7	-	-	-	-	-	2	1	4	-	-	-	9	-	-	-	-	3	2	2	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	-	-	-	-	-	1	1	-	1	-	7	2	-	-	-	-	-	-	1	1	2	1
White	3	1	-	-	-	-	-	1	1	-	1	-	4	2	-	-	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 11 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	1	-	-	-	-	-	1	1	-	1	-	7	2	-	-	-	-	-	-	1	1	2	1
White	3	1	-	-	-	-	-	-	1	-	1	-	4	2	-	-	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
White	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Congenital anomalies (740-759)	17	11	-	1	-	1	3	1	-	-	-	-	7	4	-	1	-	1	-	-	-	1	-	-
White	11	6	-	-	-	1	3	1	-	-	-	-	4	2	-	-	-	1	-	-	-	1	-	-
All other	6	5	-	1	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	17	16	1	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	14	13	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	40	22	-	-	3	3	3	2	3	2	1	1	21	11	-	-	-	2	-	2	-	3	2	1
White	24	12	-	-	3	2	1	1	2	1	1	1	7	4	-	-	-	1	-	-	-	1	1	-
All other	16	10	-	-	-	1	2	1	1	1	-	-	14	7	-	-	-	1	-	2	-	2	1	1
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	93	-	-	1	3	5	10	8	18	22	17	9	78	1	-	-	-	6	7	7	7	6	29	15
White	59	-	-	-	1	1	5	4	11	16	13	8	49	1	-	-	-	4	3	6	4	4	17	10
All other	34	-	-	1	2	4	5	4	7	6	4	1	29	-	-	-	-	2	4	1	3	2	12	5
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Accidents and adverse effects (E800-E949)	275	3	8	10	52	80	54	22	22	11	11	2	85	4	2	5	14	18	16	11	4	2	6	3
White	179	3	3	7	35	40	38	21	15	8	7	2	46	2	1	2	8	6	11	7	2	2	3	2
All other	96	-	5	3	17	40	16	1	7	3	4	-	39	2	1	3	6	12	5	4	2	-	3	1
Black	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 12 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	74	2	2	4	18	20	8	5	8	5	2	-	28	-	1	2	6	9	6	4	-	-	-	-
White	51	2	1	3	15	9	6	5	5	3	2	-	18	-	-	2	5	4	4	3	-	-	-	-
All other	23	-	1	1	3	11	2	-	3	2	-	-	10	-	1	-	1	5	2	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	201	1	6	6	34	60	46	17	14	6	9	2	57	4	1	3	8	9	10	7	4	2	6	3
White	128	1	2	4	20	31	32	16	10	5	5	2	28	2	1	-	3	2	7	4	2	2	3	2
All other	73	-	4	2	14	29	14	1	4	1	4	-	29	2	-	3	5	7	3	3	2	-	3	1
Black	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Suicide (E950-E959)	62	...	...	-	21	17	15	5	3	-	1	-	11	...	...	-	4	3	3	1	-	-	-	-
White	34	...	...	-	11	3	13	5	2	-	-	-	9	...	...	-	3	2	3	1	-	-	-	-
All other	28	...	...	-	10	14	2	-	1	-	1	-	2	...	...	-	1	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	28	2	-	1	5	8	7	2	2	1	-	-	15	-	1	2	5	5	1	1	-	-	-	-
White	14	1	-	-	-	2	6	2	2	1	-	-	10	-	1	1	5	2	1	-	-	-	-	-
All other	14	1	-	1	5	6	1	-	-	-	-	-	5	-	-	1	-	3	-	1	-	-	-	-
Black	5	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	16,210	333	75	77	441	661	884	1,044	2,033	4,156	4,366	2,127	13,338	251	65	52	145	212	367	633	1,296	2,755	3,970	3,591
White	14,993	257	60	64	357	539	741	926	1,886	3,947	4,203	2,001	12,475	200	54	43	113	161	312	562	1,196	2,586	3,800	3,447
All other	1,217	76	15	13	84	122	143	118	147	209	163	126	863	51	11	9	32	51	55	71	100	169	170	144
Black	440	32	6	2	24	25	48	43	54	103	65	37	324	19	-	1	10	12	14	18	31	76	73	70
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	2	1	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	19	-	-	-	-	-	1	2	1	7	6	2	5	-	-	-	-	-	-	-	2	1	1	1
White	16	-	-	-	-	-	1	2	1	6	5	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	17	-	-	-	-	-	1	2	1	6	6	1	3	-	-	-	-	-	-	-	-	1	1	1
White	15	-	-	-	-	-	1	2	1	5	5	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	2	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	117	2	1	-	-	3	6	9	8	26	44	17	121	5	-	1	1	3	3	6	11	26	33	32
White	102	1	1	-	-	2	5	7	8	23	39	15	98	3	-	-	1	-	1	4	9	25	26	29
All other	15	1	-	-	-	1	1	2	-	3	5	2	23	2	-	1	-	3	2	2	2	1	7	3
Black	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	1	-	1	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 13 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	22	-	-	-	-	2	1	4	4	5	6	-	15	-	-	-	-	-	1	1	3	2	8	-
White	20	-	-	-	-	2	1	4	4	4	5	-	14	-	-	-	-	-	1	-	3	2	8	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	330	6	-	2	11	103	106	52	17	19	7	7	58	-	4	1	1	6	9	3	8	15	7	4
White	305	5	-	2	10	98	100	48	12	19	7	4	53	-	4	-	1	5	8	3	7	15	7	3
All other	25	1	-	-	1	5	6	4	5	-	-	3	5	-	-	1	-	1	1	-	1	-	-	1
Black	18	-	-	-	-	5	5	4	3	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,921	1	4	7	20	34	107	249	669	1,358	1,133	339	3,244	2	2	5	9	36	109	286	579	966	860	390
White	3,742	1	4	6	18	31	96	229	635	1,301	1,097	324	3,104	2	2	5	8	30	106	267	550	931	832	371
All other	179	-	-	1	2	3	11	20	34	57	36	15	140	-	-	-	1	6	3	19	29	35	28	19
Black	88	-	-	-	1	-	5	12	17	27	20	6	60	-	-	-	-	2	1	5	11	15	15	11
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	63	-	-	-	1	2	3	7	14	22	12	2	38	-	-	-	-	1	-	-	7	6	17	7
White	60	-	-	-	1	1	3	7	13	21	12	2	36	-	-	-	-	1	-	-	7	6	16	6
All other	3	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	834	-	-	1	1	1	32	50	162	275	235	77	708	-	-	-	1	5	12	43	103	195	219	130
White	792	-	-	1	-	1	27	40	156	266	228	73	664	-	-	-	1	4	11	35	97	182	209	125
All other	42	-	-	-	1	-	5	10	6	9	7	4	44	-	-	-	-	1	1	8	6	13	10	5
Black	15	-	-	-	1	-	3	5	1	2	2	1	19	-	-	-	-	-	-	2	2	4	7	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,307	-	-	-	-	2	12	89	272	532	342	58	790	-	-	-	-	-	5	56	172	300	217	40
White	1,252	-	-	-	-	2	11	83	257	507	334	58	777	-	-	-	-	-	5	55	166	297	216	38
All other	55	-	-	-	-	-	1	6	15	25	8	-	13	-	-	-	-	-	-	1	6	3	1	2
Black	36	-	-	-	-	-	1	5	8	15	7	-	9	-	-	-	-	-	-	1	5	2	-	1
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	1	-	1	1	1	1	551	-	-	-	1	10	31	92	107	152	118	40
White	5	-	-	-	-	-	1	-	1	1	1	1	527	-	-	-	1	7	30	88	100	147	116	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	3	1	4	7	5	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	1	-	1	2	2	2
Malignant neoplasms of genital organs (179-187)	517	-	-	-	1	2	5	5	36	134	235	99	302	-	-	-	-	5	18	36	66	71	71	35
White	489	-	-	-	1	2	4	5	32	125	226	94	283	-	-	-	-	4	18	34	64	64	67	32
All other	28	-	-	-	-	-	1	-	4	9	9	5	19	-	-	-	-	1	-	2	2	7	4	3
Black	16	-	-	-	-	-	-	-	2	3	8	3	8	-	-	-	-	-	-	-	1	5	1	1
Malignant neoplasms of urinary organs (188-189)	216	-	-	-	-	1	3	16	26	80	64	26	95	-	-	-	-	-	-	4	13	34	23	21
White	205	-	-	-	-	-	3	15	26	76	62	23	87	-	-	-	-	-	-	3	12	32	20	20
All other	11	-	-	-	-	1	-	1	-	4	2	3	8	-	-	-	-	-	-	1	1	2	3	1
Black	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	582	1	2	3	8	10	30	61	96	194	138	39	428	2	1	3	4	8	28	37	64	132	93	56
White	558	1	2	3	7	9	28	60	93	186	132	37	409	2	1	3	4	8	27	34	61	129	88	52
All other	24	-	-	-	1	1	2	1	3	8	6	2	19	-	-	-	-	-	1	3	3	3	5	4
Black	7	-	-	-	-	-	-	-	2	3	2	-	7	-	-	-	-	-	-	2	1	1	2	1
Leukemia (204-208)	167	-	1	3	7	6	6	7	26	48	42	21	136	-	1	2	3	3	7	8	14	31	43	24
White	161	-	1	2	7	6	5	6	24	48	41	21	132	-	1	2	2	3	7	8	12	31	42	24
All other	6	-	-	1	-	-	1	1	2	-	1	-	4	-	-	-	1	-	-	-	2	-	1	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	230	-	1	-	2	10	15	14	36	72	64	16	196	-	-	-	-	4	8	10	33	45	59	37
White	220	-	1	-	2	10	14	13	33	71	61	15	189	-	-	-	-	3	8	10	31	43	58	36
All other	10	-	-	-	-	-	1	1	3	1	3	1	7	-	-	-	-	1	-	-	2	2	1	1
Black	7	-	-	-	-	-	1	1	2	1	1	1	2	-	-	-	-	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	49	-	2	1	1	1	3	3	6	11	15	6	60	2	-	-	1	2	4	-	7	8	27	9
White	44	-	1	1	-	1	3	3	6	9	14	6	59	2	-	-	1	2	4	-	6	8	27	9
All other	5	-	1	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	5	-	1	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 14 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	277	-	-	-	-	4	12	21	39	84	78	39	295	-	-	-	3	2	6	18	33	70	108	55
White	244	-	-	-	-	4	10	18	30	76	72	34	243	-	-	-	3	1	4	15	25	51	92	52
All other	33	-	-	-	-	-	2	3	9	8	6	5	52	-	-	-	-	1	2	3	8	19	16	3
Black	7	-	-	-	-	-	-	-	2	1	2	2	14	-	-	-	-	-	-	-	-	6	7	1
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	1	3	4	5	25	-	-	-	-	-	-	-	1	-	3	21
White	12	-	-	-	-	-	-	-	1	3	3	5	23	-	-	-	-	-	-	-	1	-	3	19
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Anemias (280-285)	19	-	1	-	1	-	1	1	1	8	3	3	29	-	-	-	1	1	-	-	2	2	9	14
White	17	-	1	-	-	-	-	1	1	8	3	3	27	-	-	-	-	-	-	-	2	2	9	14
All other	2	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Meningitis (320-322)	9	1	-	-	2	1	-	-	1	2	2	-	3	1	-	-	-	-	1	-	-	1	-	-
White	7	1	-	-	2	1	-	-	1	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,853	4	5	4	11	40	156	307	762	1,652	1,896	1,014	5,418	4	5	2	9	21	46	113	312	963	1,856	2,086
White	5,568	3	5	4	9	36	137	284	707	1,574	1,843	964	5,163	4	5	2	6	17	36	101	290	893	1,789	2,019
All other	285	1	-	-	2	4	19	23	55	78	53	50	255	-	-	-	3	4	10	12	22	70	67	67
Black	134	1	-	-	1	2	12	13	21	46	20	18	141	-	-	-	1	4	5	6	10	45	32	38
Diseases of heart (390-398,402,404-429)	4,769	4	4	4	7	33	129	266	679	1,360	1,508	773	4,021	4	4	1	6	19	38	88	249	748	1,353	1,510
White	4,543	3	4	4	5	30	113	246	632	1,295	1,467	742	3,842	4	4	1	3	15	32	82	235	698	1,305	1,462
All other	226	1	-	-	2	3	16	20	47	65	41	31	179	-	-	-	3	4	6	6	14	50	48	48
Black	111	1	-	-	1	1	10	12	20	41	14	11	108	-	-	-	1	4	4	3	9	36	24	27
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	-	-	2	1	2	4	9	5	3	37	-	-	-	-	1	-	2	5	11	14	4
White	25	-	-	-	-	2	1	2	4	9	4	3	35	-	-	-	-	1	-	1	5	10	14	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	62	-	-	-	-	1	6	5	14	14	14	8	95	-	-	-	-	1	2	-	5	15	30	42
White	58	-	-	-	-	1	5	5	12	13	14	8	90	-	-	-	-	-	1	-	4	15	30	40
All other	4	-	-	-	-	-	1	-	2	1	-	-	5	-	-	-	-	1	1	-	1	-	-	2
Black	4	-	-	-	-	-	1	-	2	1	-	-	4	-	-	-	-	1	1	-	1	-	-	1
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	1	-	-	3	1	-	10	-	-	-	-	-	-	-	-	3	3	4
White	5	-	-	-	-	-	1	-	-	3	1	-	10	-	-	-	-	-	-	-	-	3	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,489	-	2	-	1	16	86	203	501	1,036	1,108	535	2,662	-	-	-	2	5	20	50	171	523	926	964
White	3,366	-	2	-	1	14	78	189	474	998	1,087	522	2,573	-	-	-	1	4	17	47	165	493	899	946
All other	123	-	-	-	-	2	8	14	27	38	21	13	89	-	-	-	1	1	3	3	6	30	27	18
Black	67	-	-	-	-	1	6	8	14	25	7	6	52	-	-	-	-	1	2	2	4	18	13	12
Acute myocardial infarction (410)	1,497	-	-	-	1	7	27	78	216	464	506	198	1,094	-	-	-	2	3	12	24	73	265	402	313
White	1,451	-	-	-	1	6	24	73	208	451	495	193	1,055	-	-	-	1	2	12	24	70	248	393	305
All other	46	-	-	-	-	1	3	5	8	13	11	5	39	-	-	-	1	1	-	-	3	17	9	8
Black	20	-	-	-	-	1	2	2	4	6	4	1	18	-	-	-	-	1	-	-	2	8	3	4
Other acute and subacute forms of ischemic heart disease (411)	229	-	-	-	-	1	9	21	47	84	44	23	66	-	-	-	-	-	2	7	11	17	20	8
White	223	-	-	-	-	1	8	20	46	82	44	22	62	-	-	-	-	-	1	4	11	17	20	8
All other	6	-	-	-	-	-	1	1	1	2	-	1	4	-	-	-	-	-	1	3	-	-	-	-
Black	5	-	-	-	-	-	1	1	1	2	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
White	3	-	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,760	-	2	-	-	8	49	103	238	488	558	313	1,499	-	-	-	-	-	2	6	19	87	240	503	642
White	1,689	-	2	-	-	7	45	95	220	465	548	306	1,453	-	-	-	-	-	2	4	19	84	227	485	632
All other	71	-	-	-	-	1	4	8	18	23	10	7	46	-	-	-	-	-	-	2	-	3	13	18	10
Black	42	-	-	-	-	-	3	5	9	17	3	5	31	-	-	-	-	-	-	1	-	2	10	10	8
Other diseases of endocardium (424)	90	-	-	-	1	1	1	2	11	23	36	15	108	-	-	-	-	-	2	-	3	5	20	38	40
White	88	-	-	-	1	1	1	1	11	22	36	15	107	-	-	-	-	-	2	-	3	5	20	37	40
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 15 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	1,097	4	2	4	5	13	34	54	149	275	344	212	1,109	4	4	1	4	10	16	33	63	176	342	456
White	1,001	3	2	4	3	12	27	49	131	250	325	194	1,027	4	4	1	2	8	14	31	56	157	322	428
All other	96	1	–	–	2	1	7	5	18	25	19	18	82	–	–	–	2	2	2	2	7	19	20	28
Black	38	1	–	–	1	–	3	3	4	14	7	5	50	–	–	–	1	2	1	1	4	17	10	14
Hypertension with or without renal disease (401,403)	27	–	–	–	1	1	–	1	1	7	11	5	66	–	–	–	–	–	1	–	4	9	25	27
White	25	–	–	–	1	1	–	1	1	6	11	4	58	–	–	–	–	–	–	–	3	8	23	24
All other	2	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–	–	1	–	1	1	2	3
Black	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	2	1
Cerebrovascular diseases (430-438)	758	–	1	–	2	6	23	32	54	196	274	170	1,030	–	1	1	3	2	6	20	47	149	377	424
White	709	–	1	–	2	5	20	29	46	185	264	157	973	–	1	1	3	2	4	15	42	132	361	412
All other	49	–	–	–	–	1	3	3	8	11	10	13	57	–	–	–	–	–	2	5	5	17	16	12
Black	18	–	–	–	–	1	2	1	1	5	6	2	22	–	–	–	–	–	–	2	–	8	5	7
Intracerebral and other intracranial hemorrhage (431-432)	138	–	–	–	1	2	11	13	24	38	40	9	156	–	–	–	2	–	2	9	14	35	63	31
White	126	–	–	–	1	2	11	12	21	33	37	9	143	–	–	–	2	–	1	6	12	31	61	30
All other	12	–	–	–	–	–	–	1	3	5	3	–	13	–	–	–	–	–	1	3	2	4	2	1
Black	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	79	–	–	–	–	–	–	4	7	25	27	16	98	–	–	–	1	–	–	1	5	7	37	47
White	76	–	–	–	–	–	–	4	6	24	26	16	95	–	–	–	1	–	–	1	4	7	36	46
All other	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	1	–	1	1
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	540	–	1	–	1	4	12	15	23	132	207	145	774	–	1	1	–	2	4	10	28	107	276	345
White	506	–	1	–	1	3	9	13	19	127	201	132	733	–	1	1	–	2	3	8	26	94	263	335
All other	34	–	–	–	–	1	3	2	4	5	6	13	41	–	–	–	–	–	1	2	2	13	13	10
Black	13	–	–	–	–	1	2	1	–	3	4	2	20	–	–	–	–	–	–	1	–	8	4	7
Atherosclerosis (440)	98	–	–	–	–	–	–	1	3	23	38	33	150	–	–	–	–	–	–	–	1	19	48	82
White	94	–	–	–	–	–	–	1	3	23	38	29	147	–	–	–	–	–	–	–	1	19	47	80
All other	4	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1	2
Black	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	201	–	–	–	1	–	4	7	25	66	65	33	151	–	–	–	–	–	1	5	11	38	53	43
White	197	–	–	–	1	–	4	7	25	65	63	32	143	–	–	–	–	–	–	4	9	36	53	41
All other	4	–	–	–	–	–	–	–	–	1	2	1	8	–	–	–	–	–	1	1	2	2	–	2
Black	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	1	1	1	1	–	1
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	1	–	1	2
White	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	1	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	573	10	3	1	3	4	15	17	38	95	186	201	590	9	2	2	3	3	5	11	25	66	167	297
White	528	9	3	1	3	4	10	12	36	90	176	184	558	8	2	2	2	2	4	8	21	65	161	283
All other	45	1	–	–	–	–	5	5	2	5	10	17	32	1	–	–	1	1	1	3	4	1	6	14
Black	10	–	–	–	–	–	3	3	–	2	1	1	9	–	–	–	–	–	1	2	–	1	5	
Pneumonia (480-486)	570	9	3	1	3	4	15	17	38	94	186	200	585	9	1	2	3	3	4	11	25	66	166	295
White	525	8	3	1	3	4	10	12	36	89	176	183	553	8	1	2	2	2	3	8	21	65	160	281
All other	45	1	–	–	–	–	5	5	2	5	10	17	32	1	–	–	1	1	1	3	4	1	6	14
Black	10	–	–	–	–	–	3	3	–	2	1	1	9	–	–	–	–	–	–	1	2	–	1	5
Influenza (487)	3	1	–	–	–	–	–	–	–	1	–	1	5	–	1	–	–	–	1	–	–	–	1	2
White	3	1	–	–	–	–	–	–	–	1	–	1	5	–	1	–	–	–	1	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	963	2	–	1	4	2	6	27	90	328	361	142	730	1	–	1	2	–	7	24	82	225	279	109
White	932	2	–	1	4	2	5	23	86	317	354	138	713	1	–	1	2	–	6	23	81	223	271	105
All other	31	–	–	–	–	–	1	4	4	11	7	4	17	–	–	–	–	–	1	1	1	2	8	4
Black	23	–	–	–	–	–	3	3	10	5	2		9	–	–	–	–	–	1	–	1	2	3	2
Bronchitis, chronic and unspecified (490-491)	38	1	–	–	1	–	–	–	3	12	14	7	37	–	–	–	–	–	–	3	6	12	8	8
White	37	1	–	–	1	–	–	–	3	12	14	6	34	–	–	–	–	–	–	2	5	12	8	7
All other	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	206	–	–	–	–	–	–	6	25	78	78	19	134	–	–	–	–	–	–	4	18	44	52	16
White	202	–	–	–	–	–	–	6	24	76	77	19	134	–	–	–	–	–	–	4	18	44	52	16
All other	4	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 16 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	33	–	–	1	3	2	5	3	–	8	9	2	63	–	–	1	2	–	5	8	10	12	19	6
White	28	–	–	1	3	2	4	2	–	6	9	1	62	–	–	1	2	–	5	8	10	11	19	6
All other	5	–	–	–	–	–	1	1	–	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	4	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	686	1	–	–	–	–	1	18	62	230	260	114	496	1	–	–	–	–	2	9	48	157	200	79
White	665	1	–	–	–	–	1	15	59	223	254	112	483	1	–	–	–	–	1	9	48	156	192	76
All other	21	–	–	–	–	–	–	3	3	7	6	2	13	–	–	–	–	–	1	–	–	1	8	3
Black	16	–	–	–	–	–	–	2	2	6	5	1	7	–	–	–	–	–	1	–	–	1	3	2
Ulcer of stomach and duodenum (531-533)	41	–	–	–	–	–	2	1	6	14	11	7	39	–	–	–	–	–	2	1	2	13	12	9
White	39	–	–	–	–	–	2	1	6	13	10	7	38	–	–	–	–	–	2	1	2	13	11	9
All other	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Appendicitis (540-543)	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	1	–	1	–	1
White	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	1	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	4	–	–	–	–	–	–	1	6	11	6	46	1	–	–	1	–	–	–	6	3	18	17
White	22	2	–	–	–	–	–	–	1	4	10	5	45	1	–	–	1	–	–	–	6	3	17	17
All other	6	2	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	5	1	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Chronic liver disease and cirrhosis (571)	299	–	–	–	2	11	58	60	68	69	28	3	176	–	–	–	2	9	29	28	38	42	25	3
White	248	–	–	–	1	6	43	46	59	66	24	3	134	–	–	–	–	2	17	19	32	37	25	2
All other	51	–	–	–	1	5	15	14	9	3	4	–	42	–	–	–	2	7	12	9	6	5	–	1
Black	7	–	–	–	–	–	2	1	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Cholelithiasis and other disorders of gallbladder (574-575)	10	–	–	–	–	–	1	–	1	3	5	–	13	–	–	–	–	–	–	–	1	2	3	7
White	9	–	–	–	–	–	1	–	–	3	5	–	9	–	–	–	–	–	–	–	–	1	2	6
All other	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	1	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	167	–	–	–	–	1	3	8	13	41	64	37	152	–	–	–	–	–	1	7	12	28	65	39
White	153	–	–	–	–	1	3	6	12	39	58	34	135	–	–	–	–	–	1	5	10	22	59	38
All other	14	–	–	–	–	–	–	2	1	2	6	3	17	–	–	–	–	–	–	2	2	6	6	1
Black	8	–	–	–	–	–	–	2	–	2	2	2	6	–	–	–	–	–	–	1	1	–	4	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	–	–	1	3	1	10	–	–	–	–	–	–	–	–	1	1	7
White	5	–	–	–	–	–	–	–	–	1	3	1	10	–	–	–	–	–	–	–	1	1	1	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	162	–	–	–	–	1	3	8	13	40	61	36	140	–	–	–	–	–	1	7	11	27	63	31
White	148	–	–	–	–	1	3	6	12	38	55	33	123	–	–	–	–	–	1	5	9	21	57	30
All other	14	–	–	–	–	–	–	2	1	2	6	3	17	–	–	–	–	–	–	2	2	6	6	1
Black	8	–	–	–	–	–	–	2	–	2	2	2	6	–	–	–	–	–	–	1	1	–	4	–
Infections of kidney (590)	3	1	–	–	–	–	1	–	–	1	–	–	16	–	–	–	–	–	1	–	1	2	2	5	5
White	1	–	–	–	–	–	–	–	–	1	–	–	15	–	–	–	–	–	1	–	1	2	2	4	5
All other	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 17 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	117	80	8	5	4	3	6	3	2	3	1	2	103	68	4	4	1	5	1	1	7	5	4	3
White	92	63	4	3	3	2	6	3	2	3	1	2	87	54	4	4	1	5	-	1	6	5	4	3
All other	25	17	4	2	1	1	-	-	-	-	-	-	16	14	-	-	-	-	1	-	1	-	-	-
Black	9	8	1	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	119	116	3	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
White	93	90	3	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	16	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	103	100	3	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
White	80	77	3	-	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	162	77	1	2	1	12	15	3	4	12	14	17	92	32	3	1	-	4	6	6	3	9	9	19
White	135	61	1	2	1	9	13	3	4	9	13	15	79	27	3	1	-	4	5	6	2	8	7	16
All other	27	16	-	-	-	3	2	-	-	3	1	2	13	5	-	-	-	-	1	-	1	1	2	3
Black	10	6	-	-	-	-	2	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	1,253	12	11	7	14	52	83	88	158	247	364	215	1,273	16	10	6	11	17	37	51	110	233	385	397
White	1,135	9	7	5	11	41	65	80	142	232	342	199	1,170	12	7	5	9	13	32	46	99	209	362	376
All other	118	3	4	2	3	11	18	8	16	15	22	16	103	4	3	1	2	4	5	5	11	24	23	21
Black	26	1	1	-	-	2	3	2	4	5	6	2	32	1	-	1	1	1	2	3	1	7	8	7
Accidents and adverse effects (E800-E949)	1,001	14	34	38	177	199	161	93	80	84	70	49	508	9	33	24	64	56	54	40	32	57	72	67
White	813	8	29	32	146	152	123	70	72	72	65	42	435	6	26	19	50	45	42	31	27	54	71	64
All other	188	6	5	6	31	47	38	23	8	12	5	7	73	3	7	5	14	11	12	9	5	3	1	3
Black	26	1	3	1	5	4	8	-	1	-	1	2	9	-	-	-	2	1	1	2	2	-	-	1
Motor vehicle accidents (E810-E825)	547	4	11	20	134	131	89	54	39	34	25	5	267	1	16	18	50	44	37	22	23	28	22	6
White	429	1	10	16	108	96	61	40	37	30	25	4	219	1	13	15	37	34	29	17	18	27	22	6
All other	118	3	1	4	26	35	28	14	2	4	-	1	48	-	3	3	13	10	8	5	5	1	-	-
Black	10	-	1	1	3	1	4	-	-	-	-	-	3	-	-	-	1	-	-	-	2	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	454	10	23	18	43	68	72	39	41	50	45	44	241	8	17	6	14	12	17	18	9	29	50	61
White	384	7	19	16	38	56	62	30	35	42	40	38	216	5	13	4	13	11	13	14	9	27	49	58
All other	70	3	4	2	5	12	10	9	6	8	5	6	25	3	4	2	1	1	4	4	-	2	1	3
Black	16	1	2	-	2	3	4	-	1	-	1	2	6	-	-	-	1	1	1	2	-	-	-	1
Suicide (E950-E959)	545	...	...	6	98	107	85	73	51	63	45	15	117	...	...	-	19	18	26	21	12	9	9	3
White	494	...	...	5	83	91	73	69	51	62	44	15	104	...	...	-	13	13	25	21	12	8	9	3
All other	51	...	...	1	15	16	12	4	-	1	1	-	13	...	...	-	6	5	1	-	-	1	-	-
Black	15	...	...	1	3	5	3	1	-	-	1	-	8	...	...	-	5	2	-	-	-	1	-	-
Homicide and legal intervention (E960-E978)	259	2	2	-	84	77	48	20	10	12	4	-	88	4	2	5	15	24	17	9	5	4	3	-
White	184	1	1	-	58	52	38	14	7	9	4	-	67	2	1	4	14	19	14	6	2	4	1	-
All other	75	1	1	-	26	25	10	6	3	3	-	-	21	2	1	1	1	5	3	3	3	-	2	-
Black	26	-	-	-	13	6	4	2	-	1	-	-	4	1	-	-	-	1	1	-	-	-	1	-
All other external causes (E980-E999)	28	-	-	2	8	5	7	3	1	-	2	-	11	-	-	-	-	2	3	5	-	1	-	-
White	25	-	-	1	8	4	6	3	1	-	2	-	8	-	-	-	-	1	3	3	-	1	-	-
All other	3	-	-	1	-	1	1	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 18 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	13,196	206	49	83	302	437	564	846	1,744	3,213	3,773	1,978	11,852	157	37	46	131	186	272	470	1,012	2,253	3,659	3,627
White	10,993	127	33	55	208	304	404	681	1,457	2,775	3,297	1,651	9,880	99	26	27	102	130	187	377	799	1,843	3,144	3,144
All other	2,203	79	16	28	94	133	160	165	287	438	476	327	1,972	58	11	19	29	56	85	93	213	410	515	483
Black	2,171	79	16	28	94	130	157	161	283	434	469	320	1,948	57	11	19	29	56	84	89	207	404	514	478
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	15	-	-	-	-	2	-	-	4	1	7	1	13	-	-	-	-	1	-	1	-	3	5	3
White	8	-	-	-	-	-	-	-	2	1	4	1	10	-	-	-	-	-	-	1	-	2	5	2
All other	7	-	-	-	-	2	-	-	2	-	3	-	3	-	-	-	-	1	-	-	-	1	-	1
Black	6	-	-	-	-	2	-	-	2	-	2	-	3	-	-	-	-	1	-	-	-	1	-	1
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	2	-	-	3	1	4	1	8	-	-	-	-	1	-	1	-	1	4	1
White	6	-	-	-	-	-	-	-	2	1	2	1	6	-	-	-	-	-	-	1	-	-	4	1
All other	5	-	-	-	-	2	-	-	1	-	2	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	5	-	-	-	-	2	-	-	1	-	2	-	2	-	-	-	-	1	-	-	-	1	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	1	-	3	-	5	-	-	-	-	-	-	-	-	2	1	2
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	117	3	2	1	-	1	6	6	7	24	40	27	163	2	1	-	1	1	5	2	11	26	54	60
White	90	2	1	1	-	1	1	3	6	22	34	19	128	-	-	-	1	1	1	1	8	21	46	49
All other	27	1	1	-	-	-	5	3	1	2	6	8	35	2	1	-	-	-	4	1	3	5	8	11
Black	27	1	1	-	-	-	5	3	1	2	6	8	34	2	1	-	-	-	4	1	3	5	7	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	-	2	1	1	2	3	-	11	-	-	-	-	-	-	1	5	2	3	-
White	7	-	-	-	-	-	1	1	1	2	2	-	10	-	-	-	-	-	-	1	5	1	3	-
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	129	2	2	1	4	36	38	9	8	14	11	4	38	2	1	-	1	-	4	2	6	8	9	5
White	102	2	2	1	4	24	29	6	7	14	9	4	27	1	1	-	1	-	2	2	3	4	8	5
All other	27	-	-	-	-	12	9	3	1	-	2	-	11	1	-	-	-	-	2	-	3	4	1	-
Black	27	-	-	-	-	12	9	3	1	-	2	-	11	1	-	-	-	-	2	-	3	4	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,159	1	1	6	4	25	78	235	599	1,020	896	294	2,448	-	3	6	9	30	92	205	384	700	676	343
White	2,688	1	1	4	3	17	58	193	516	873	772	250	2,087	-	2	3	9	26	70	173	335	594	585	290
All other	471	-	-	2	1	8	20	42	83	147	124	44	361	-	1	3	-	4	22	32	49	106	91	53
Black	463	-	-	2	1	8	19	41	82	145	121	44	354	-	1	3	-	4	21	31	47	103	91	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 19 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	42	-	-	-	-	-	1	8	11	10	8	4	25	-	-	-	-	1	1	2	1	7	5	8
White	35	-	-	-	-	-	-	7	8	9	7	4	22	-	-	-	-	1	1	1	1	7	4	7
All other	7	-	-	-	-	-	1	1	3	1	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	6	-	-	-	-	-	1	1	2	1	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	702	-	-	-	-	5	15	54	127	221	200	80	549	-	-	-	-	1	15	28	65	148	188	104
White	592	-	-	-	-	3	11	41	108	186	173	70	452	-	-	-	-	1	8	23	53	122	157	88
All other	110	-	-	-	-	2	4	13	19	35	27	10	97	-	-	-	-	-	7	5	12	26	31	16
Black	109	-	-	-	-	2	4	13	19	35	26	10	96	-	-	-	-	-	7	5	11	26	31	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,293	-	-	-	-	4	15	110	294	469	336	65	593	-	-	1	-	2	10	62	130	207	138	43
White	1,129	-	-	-	-	3	12	88	257	412	299	58	522	-	-	-	-	2	7	55	114	183	127	34
All other	164	-	-	-	-	1	3	22	37	57	37	7	71	-	-	1	-	-	3	7	16	24	11	9
Black	159	-	-	-	-	1	2	21	37	56	35	7	68	-	-	1	-	-	2	7	16	22	11	9
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	1	2	1	398	-	-	-	-	6	36	46	68	103	83	56
White	3	-	-	-	-	-	-	-	-	1	1	1	323	-	-	-	-	5	27	37	59	82	69	44
All other	1	-	-	-	-	-	-	-	-	-	1	-	75	-	-	-	-	1	9	9	9	21	14	12
Black	1	-	-	-	-	-	-	-	-	-	1	-	73	-	-	-	-	1	9	8	8	21	14	12
Malignant neoplasms of genital organs (179-187)	382	-	-	-	-	1	-	2	34	97	167	81	247	-	-	-	-	9	8	22	36	71	71	30
White	293	-	-	-	-	1	-	2	25	73	132	60	201	-	-	-	-	8	7	20	29	53	61	23
All other	89	-	-	-	-	-	-	-	9	24	35	21	46	-	-	-	-	1	1	2	7	18	10	7
Black	88	-	-	-	-	-	-	-	9	23	35	21	45	-	-	-	-	1	1	2	7	17	10	7
Malignant neoplasms of urinary organs (188-189)	141	-	-	-	-	1	6	6	21	51	42	14	80	-	-	-	1	1	1	3	9	23	25	17
White	122	-	-	-	-	-	5	5	19	43	37	13	71	-	-	-	1	1	1	2	9	20	20	17
All other	19	-	-	-	-	1	1	1	2	8	5	1	9	-	-	-	-	-	-	1	-	3	5	-
Black	19	-	-	-	-	1	1	1	2	8	5	1	9	-	-	-	-	-	-	1	-	3	5	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	293	-	-	2	-	7	20	33	60	88	60	23	308	-	1	2	4	5	16	26	50	73	88	43
White	257	-	-	1	-	5	15	29	57	77	52	21	279	-	1	1	4	3	15	21	48	69	78	39
All other	36	-	-	1	-	2	5	4	3	11	8	2	29	-	-	1	-	2	1	5	2	4	10	4
Black	36	-	-	1	-	2	5	4	3	11	8	2	29	-	-	1	-	2	1	5	2	4	10	4
Leukemia (204-208)	126	1	1	4	2	3	8	13	14	32	34	14	85	-	2	3	2	4	4	6	4	15	26	19
White	105	1	1	3	2	2	5	12	13	26	29	11	76	-	1	2	2	4	3	4	3	14	24	19
All other	21	-	-	1	-	1	3	1	1	6	5	3	9	-	1	1	-	-	1	2	1	1	2	-
Black	21	-	-	1	-	1	3	1	1	6	5	3	9	-	1	1	-	-	1	2	1	1	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	176	-	-	-	2	4	13	9	38	51	47	12	163	-	-	-	2	1	1	10	21	53	52	23
White	152	-	-	-	1	3	10	9	29	46	42	12	141	-	-	-	2	1	1	10	19	44	45	19
All other	24	-	-	-	1	1	3	-	9	5	5	-	22	-	-	-	-	-	-	-	2	9	7	4
Black	24	-	-	-	1	1	3	-	9	5	5	-	22	-	-	-	-	-	-	-	2	9	7	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	-	-	-	2	4	4	5	5	10	2	37	-	-	-	-	-	3	-	4	8	14	8
White	22	-	-	-	-	2	4	3	2	3	7	1	29	-	-	-	-	-	1	-	3	6	11	8
All other	10	-	-	-	-	-	-	1	3	2	3	1	8	-	-	-	-	-	2	-	1	2	3	-
Black	10	-	-	-	-	-	-	1	3	2	3	1	8	-	-	-	-	-	2	-	1	2	3	-
Diabetes mellitus (250)	223	-	-	-	-	4	8	18	42	69	52	30	304	-	-	-	1	2	4	16	35	75	104	67
White	153	-	-	-	-	2	4	12	29	47	37	22	217	-	-	-	1	1	3	11	21	46	81	53
All other	70	-	-	-	-	2	4	6	13	22	15	8	87	-	-	-	-	1	1	5	14	29	23	14
Black	69	-	-	-	-	2	4	6	13	22	15	7	83	-	-	-	-	1	1	4	13	28	23	13
Nutritional deficiencies (260-269)	21	-	-	-	-	-	1	-	-	-	11	9	34	-	-	-	-	-	-	-	2	3	15	14
White	15	-	-	-	-	-	-	-	-	-	8	7	28	-	-	-	-	-	-	-	2	2	12	12
All other	6	-	-	-	-	-	1	-	-	-	3	2	6	-	-	-	-	-	-	-	-	1	3	2
Black	6	-	-	-	-	-	1	-	-	-	3	2	5	-	-	-	-	-	-	-	-	-	3	2
Anemias (280-285)	35	1	-	-	-	3	3	2	3	9	9	5	29	-	-	-	1	2	-	2	3	6	8	7
White	21	1	-	-	-	1	1	-	3	7	5	3	17	-	-	-	-	-	-	1	1	3	6	6
All other	14	-	-	-	-	2	2	2	-	2	4	2	12	-	-	-	1	2	-	1	2	3	2	1
Black	14	-	-	-	-	2	2	2	-	2	4	2	12	-	-	-	1	2	-	1	2	3	2	1
Meningitis (320-322)	5	-	-	-	1	1	-	1	-	2	-	-	4	2	-	-	-	-	-	-	1	1	-	-
White	3	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	3	2	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	5,294	6	4	3	8	36	134	309	686	1,340	1,736	1,031	5,573	2	1	1	7	18	47	114	343	946	1,889	2,204
White	4,460	5	1	3	5	26	99	241	561	1,163	1,517	858	4,665	1	1	-	3	8	31	83	239	751	1,625	1,922
All other	814	1	3	-	3	10	35	68	125	177	219	173	908	1	-	1	4	10	16	31	104	195	264	282
Black	802	1	3	-	3	10	35	66	123	176	217	168	899	1	-	1	4	10	16	29	101	194	264	279

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 20 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,181	5	3	2	6	24	115	264	589	1,081	1,314	777	4,026	2	1	1	4	14	32	88	267	729	1,343	1,544
White	3,552	4	-	2	4	18	87	213	490	937	1,153	643	3,395	1	1	-	2	7	22	66	189	594	1,157	1,355
All other	629	1	3	-	2	6	28	51	99	144	161	134	631	1	-	1	2	7	10	22	78	135	186	189
Black	622	1	3	-	2	6	28	50	98	144	160	130	626	1	-	1	2	7	10	21	76	134	186	188
Rheumatic fever and rheumatic heart disease (390-398)	16	1	-	-	-	-	2	1	2	4	4	2	24	-	-	-	-	-	-	1	3	7	7	6
White	16	1	-	-	-	-	2	1	2	4	4	2	24	-	-	-	-	-	-	1	3	7	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	51	-	-	-	-	2	3	1	7	12	17	9	84	-	-	-	-	1	-	3	8	14	29	29
White	28	-	-	-	-	1	1	-	3	8	10	5	52	-	-	-	-	-	-	2	4	6	23	17
All other	23	-	-	-	-	1	2	1	4	4	7	4	32	-	-	-	-	1	-	1	4	8	6	12
Black	23	-	-	-	-	1	2	1	4	4	7	4	32	-	-	-	-	1	-	1	4	8	6	12
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	1	4	6	2	18	-	-	-	-	-	1	1	3	-	7	6
White	8	-	-	-	-	-	-	-	-	2	4	2	13	-	-	-	-	-	1	1	1	-	6	4
All other	5	-	-	-	-	-	-	-	1	2	2	-	5	-	-	-	-	-	-	-	2	-	1	2
Black	5	-	-	-	-	-	-	-	1	2	2	-	5	-	-	-	-	-	-	-	2	-	1	2
Ischemic heart disease (410-414)	3,057	1	-	-	-	9	78	213	463	816	938	538	2,741	-	-	-	1	6	19	61	178	525	928	1,023
White	2,631	1	-	-	-	8	60	176	392	722	826	445	2,331	-	-	-	-	3	11	50	126	431	805	905
All other	426	-	-	-	-	1	18	37	71	94	112	93	410	-	-	-	1	3	8	11	52	94	123	118
Black	421	-	-	-	-	1	18	36	71	94	111	90	408	-	-	-	1	3	8	11	51	94	123	117
Acute myocardial infarction (410)	2,091	1	-	-	-	8	63	169	347	569	622	311	1,631	-	-	-	1	4	14	52	129	349	557	525
White	1,790	1	-	-	-	7	47	138	294	504	543	255	1,370	-	-	-	-	2	7	43	85	285	482	466
All other	301	-	-	-	-	1	16	31	53	65	79	56	261	-	-	-	1	2	7	9	44	64	75	59
Black	297	-	-	-	-	1	16	30	53	65	78	54	259	-	-	-	1	2	7	9	43	64	75	58
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Angina pectoris (413)	6	-	-	-	-	-	-	-	1	2	2	1	8	-	-	-	-	-	-	-	3	2	3	
White	6	-	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	-	-	-	3	2	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	959	-	-	-	-	1	15	44	115	245	314	225	1,101	-	-	-	-	2	5	9	49	173	369	494
White	834	-	-	-	-	1	13	38	97	216	281	188	954	-	-	-	-	1	4	7	41	143	321	437
All other	125	-	-	-	-	-	2	6	18	29	33	37	147	-	-	-	-	1	1	2	8	30	48	57
Black	124	-	-	-	-	-	2	6	18	29	33	36	147	-	-	-	-	1	1	2	8	30	48	57
Other diseases of endocardium (424)	50	-	-	-	-	1	1	2	6	11	19	10	60	-	-	-	-	1	-	-	1	11	23	24
White	45	-	-	-	-	-	1	1	6	11	17	9	55	-	-	-	-	-	-	-	1	9	22	23
All other	5	-	-	-	-	1	-	1	-	-	2	1	5	-	-	-	-	1	-	-	-	2	1	1
Black	5	-	-	-	-	1	-	1	-	-	2	1	5	-	-	-	-	1	-	-	-	2	1	1
All other forms of heart disease (415-423,425-429)	994	3	3	2	6	12	31	47	110	234	330	216	1,099	2	1	1	3	6	12	22	74	172	349	456
White	824	2	-	2	4	9	23	35	87	190	292	180	920	1	1	-	2	4	10	12	54	141	294	400
All other	170	1	3	-	2	3	8	12	23	44	38	36	179	1	-	1	1	2	2	10	20	31	55	56
Black	168	1	3	-	2	3	8	12	22	44	38	35	176	1	-	1	1	2	2	9	19	30	55	56
Hypertension with or without renal disease (401,403)	41	-	-	-	-	2	-	3	2	12	14	8	56	-	-	-	-	-	1	1	2	13	14	25
White	28	-	-	-	-	1	-	2	2	8	9	6	40	-	-	-	-	-	-	1	1	5	13	20
All other	13	-	-	-	-	1	-	1	-	4	5	2	16	-	-	-	-	-	1	-	1	8	1	5
Black	12	-	-	-	-	1	-	1	-	3	5	2	16	-	-	-	-	-	1	-	1	8	1	5
Cerebrovascular diseases (430-438)	837	1	1	-	2	6	18	37	72	184	325	191	1,295	-	-	-	2	4	11	20	62	176	478	542
White	681	1	1	-	1	3	11	24	47	158	276	159	1,066	-	-	-	1	1	7	13	40	128	408	468
All other	156	-	-	-	1	3	7	13	25	26	49	32	229	-	-	-	1	3	4	7	22	48	70	74
Black	152	-	-	-	1	3	7	12	24	26	48	31	225	-	-	-	1	3	4	6	21	48	70	72
Intracerebral and other intracranial hemorrhage (431-432)	110	-	-	-	1	3	5	11	15	32	32	11	153	-	-	-	1	1	3	4	16	24	54	50
White	95	-	-	-	-	1	5	8	11	32	30	8	133	-	-	-	-	-	1	1	13	20	51	47
All other	15	-	-	-	1	2	-	3	4	-	2	3	20	-	-	-	1	1	2	3	3	4	3	3
Black	14	-	-	-	1	2	-	3	3	-	2	3	19	-	-	-	1	1	2	2	3	4	3	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	73	-	-	-	-	-	2	2	5	14	34	16	122	-	-	-	-	-	1	2	2	23	54	40
White	57	-	-	-	-	-	1	1	3	11	29	12	92	-	-	-	-	-	1	1	1	16	43	30
All other	16	-	-	-	-	-	1	1	2	3	5	4	30	-	-	-	-	-	-	1	1	7	11	10
Black	16	-	-	-	-	-	1	1	2	3	5	4	30	-	-	-	-	-	-	1	1	7	11	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 21 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	654	1	1	-	1	3	11	24	52	138	259	164	1,019	-	-	-	1	3	6	14	44	129	370	452
White	529	1	1	-	1	2	5	15	33	115	217	139	840	-	-	-	1	1	4	11	26	92	314	391
All other	125	-	-	-	-	1	6	9	19	23	42	25	179	-	-	-	-	2	2	3	18	37	56	61
Black	122	-	-	-	-	1	6	8	19	23	41	24	176	-	-	-	-	2	2	3	17	37	56	59
Atherosclerosis (440)	69	-	-	-	-	-	-	-	4	7	28	30	97	-	-	-	-	-	-	-	3	10	28	56
White	62	-	-	-	-	-	-	-	4	7	25	26	85	-	-	-	-	-	-	-	1	10	24	50
All other	7	-	-	-	-	-	-	-	-	-	3	4	12	-	-	-	-	-	-	-	2	-	4	6
Black	7	-	-	-	-	-	-	-	-	-	3	4	12	-	-	-	-	-	-	-	2	-	4	6
Other diseases of arteries, arterioles, and capillaries (441-448)	166	-	-	1	-	4	1	5	19	56	55	25	99	-	-	-	1	-	3	5	9	18	26	37
White	157	-	-	1	-	4	1	2	18	53	54	24	79	-	-	-	-	-	2	3	8	14	23	29
All other	9	-	-	-	-	-	-	3	1	3	1	1	20	-	-	-	1	-	1	2	1	4	3	8
Black	9	-	-	-	-	-	-	3	1	3	1	1	20	-	-	-	1	-	1	2	1	4	3	8
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	471	3	1	-	3	4	7	13	32	79	167	162	435	2	1	2	1	2	5	7	14	39	160	202
White	409	2	1	-	2	2	6	12	26	72	154	132	378	2	-	1	1	1	4	5	9	33	147	175
All other	62	1	-	-	1	2	1	1	6	7	13	30	57	-	1	1	-	1	1	2	5	6	13	27
Black	62	1	-	-	1	2	1	1	6	7	13	30	57	-	1	1	-	1	1	2	5	6	13	27
Pneumonia (480-486)	464	3	-	-	3	4	7	13	30	78	166	160	431	2	1	2	1	2	5	7	14	38	159	200
White	402	2	-	-	2	2	6	12	24	71	153	130	374	2	-	1	1	1	4	5	9	32	146	173
All other	62	1	-	-	1	2	1	1	6	7	13	30	57	-	1	1	-	1	1	2	5	6	13	27
Black	62	1	-	-	1	2	1	1	6	7	13	30	57	-	1	1	-	1	1	2	5	6	13	27
Influenza (487)	7	-	1	-	-	-	-	-	2	1	1	2	4	-	-	-	-	-	-	-	-	1	1	2
White	7	-	1	-	-	-	-	-	2	1	1	2	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	628	1	2	3	1	-	4	5	71	198	246	97	415	-	-	1	-	3	1	17	53	135	141	64
White	574	-	1	-	-	-	2	4	62	189	229	87	375	-	-	-	-	2	-	14	49	122	127	61
All other	54	1	1	3	1	-	2	1	9	9	17	10	40	-	-	1	-	1	1	3	4	13	14	3
Black	53	1	1	3	1	-	2	1	9	9	16	10	39	-	-	1	-	1	1	3	4	13	14	2
Bronchitis, chronic and unspecified (490-491)	17	1	1	-	1	-	-	1	1	5	3	4	18	-	-	-	-	-	-	-	3	5	6	4
White	13	-	-	-	-	-	-	1	1	5	2	4	17	-	-	-	-	-	-	-	3	5	6	3
All other	4	1	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	1	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	132	-	-	-	-	-	1	1	19	51	44	16	70	-	-	-	-	-	-	5	9	17	28	11
White	120	-	-	-	-	-	1	1	16	47	41	14	64	-	-	-	-	-	-	4	7	16	27	10
All other	12	-	-	-	-	-	-	-	3	4	3	2	6	-	-	-	-	-	-	1	2	1	1	1
Black	12	-	-	-	-	-	-	-	3	4	3	2	5	-	-	-	-	-	-	1	2	1	1	-
Asthma (493)	22	-	1	3	-	-	1	1	3	5	5	3	27	-	-	1	-	2	1	4	2	6	8	3
White	14	-	1	-	-	-	-	-	2	4	5	2	16	-	-	-	-	2	-	2	1	4	4	3
All other	8	-	-	3	-	-	1	1	1	1	-	1	11	-	-	1	-	-	1	2	1	2	4	-
Black	8	-	-	3	-	-	1	1	1	1	-	1	11	-	-	1	-	-	1	2	1	2	4	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	457	-	-	-	-	-	2	2	48	137	194	74	300	-	-	-	-	1	-	8	39	107	99	46
White	427	-	-	-	-	-	1	2	43	133	181	67	278	-	-	-	-	-	-	8	38	97	90	45
All other	30	-	-	-	-	-	1	-	5	4	13	7	22	-	-	-	-	1	-	-	1	10	9	1
Black	29	-	-	-	-	-	1	-	5	4	12	7	22	-	-	-	-	1	-	-	1	10	9	1
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	-	-	1	2	3	13	4	31	-	-	-	-	1	-	-	3	2	12	13
White	23	-	-	-	-	-	-	1	2	3	13	4	26	-	-	-	-	-	-	-	2	2	9	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	-	1	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	-	1	-	3	-
Appendicitis (540-543)	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	-	-	-	-	-	-	1	1	6	12	10	41	1	-	-	1	-	-	2	1	9	14	13
White	22	-	-	-	-	-	-	1	1	4	8	8	38	1	-	-	1	-	-	2	1	8	12	13
All other	8	-	-	-	-	-	-	-	-	2	4	2	3	-	-	-	-	-	-	-	-	1	2	-
Black	8	-	-	-	-	-	-	-	-	2	4	2	3	-	-	-	-	-	-	-	-	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	128	–	–	–	–	5	22	21	25	31	20	4	75	–	–	–	–	2	10	11	8	18	19	7
White	114	–	–	–	–	2	19	17	23	29	20	4	64	–	–	–	–	1	10	8	4	17	17	7
All other	14	–	–	–	–	3	3	4	2	2	–	–	11	–	–	–	–	1	–	3	4	1	2	–
Black	13	–	–	–	–	3	3	4	2	1	–	–	11	–	–	–	–	1	–	3	4	1	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	25	–	–	–	–	–	1	–	3	5	10	6	22	–	–	–	1	–	1	–	1	3	7	9
White	20	–	–	–	–	–	1	–	3	5	7	4	17	–	–	–	1	–	–	–	1	2	6	7
All other	5	–	–	–	–	–	–	–	–	–	3	2	5	–	–	–	–	–	1	–	–	1	1	2
Black	5	–	–	–	–	–	–	–	–	–	3	2	5	–	–	–	–	–	1	–	–	1	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	141	5	–	1	–	1	3	7	11	34	50	29	176	2	–	–	–	–	2	3	10	18	66	75
White	104	2	–	–	–	1	2	5	9	24	42	19	139	1	–	–	–	–	–	3	6	15	53	61
All other	37	3	–	1	–	–	1	2	2	10	8	10	37	1	–	–	–	–	2	–	4	3	13	14
Black	36	3	–	1	–	–	1	2	2	10	8	9	37	1	–	–	–	–	2	–	4	3	13	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	–	–	–	–	–	–	1	–	3	2	1	17	–	–	–	–	–	–	–	2	1	7	7
White	5	–	–	–	–	–	–	1	–	3	1	–	15	–	–	–	–	–	–	–	1	1	6	7
All other	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	134	5	–	1	–	1	3	6	11	31	48	28	158	2	–	–	–	–	2	3	8	17	59	67
White	99	2	–	–	–	1	2	4	9	21	41	19	123	1	–	–	–	–	–	3	5	14	47	53
All other	35	3	–	1	–	–	1	2	2	10	7	9	35	1	–	–	–	–	2	–	3	3	12	14
Black	34	3	–	1	–	–	1	2	2	10	7	8	35	1	–	–	–	–	2	–	3	3	12	14
Infections of kidney (590)	3	–	–	–	–	–	–	–	–	1	2	–	15	–	–	–	–	–	3	–	–	–	4	8
White	3	–	–	–	–	–	–	–	–	1	2	–	12	–	–	–	–	–	–	–	–	–	4	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	3	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	3	–	–	–	–	–
Hyperplasia of prostate (600)	6	–	–	–	–	–	–	–	–	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	5	–	–	–	–	–	–	–	–	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Congenital anomalies (740-759)	64	36	3	3	2	1	4	3	3	3	4	2	53	30	4	1	3	1	2	2	1	1	2	6
White	52	28	2	3	2	1	2	3	3	3	3	2	43	21	4	1	3	1	2	2	1	1	2	5
All other	12	8	1	–	–	–	2	–	–	–	1	–	10	9	–	–	–	–	–	–	–	–	–	1
Black	12	8	1	–	–	–	2	–	–	–	1	–	10	9	–	–	–	–	–	–	–	–	–	1
Certain conditions originating in the perinatal period (760-779)	70	69	–	1	–	–	–	–	–	–	–	–	52	51	–	1	–	–	–	–	–	–	–	–
White	37	36	–	1	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
All other	33	33	–	–	–	–	–	–	–	–	–	–	19	18	–	1	–	–	–	–	–	–	–	–
Black	33	33	–	–	–	–	–	–	–	–	–	–	19	18	–	1	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	23	–	1	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	17	16	–	1	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	7	7	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 23 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	46	46	-	-	-	-	-	-	-	-	-	-	39	38	-	1	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	15	14	-	1	-	-	-	-	-	-	-	-
Black	26	26	-	-	-	-	-	-	-	-	-	-	15	14	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	299	54	2	-	2	12	13	28	36	62	66	24	296	46	2	1	1	9	8	15	19	33	79	83
White	231	34	-	-	2	8	7	21	29	53	57	20	222	27	1	-	-	8	4	12	17	26	56	71
All other	68	20	2	-	-	4	6	7	7	9	9	4	74	19	1	1	1	1	4	3	2	7	23	12
Black	68	20	2	-	-	4	6	7	7	9	9	4	73	18	1	1	1	1	4	3	2	7	23	12
All other diseases (Residual)	944	9	8	6	13	21	34	62	94	200	310	187	1,044	7	7	6	15	14	29	29	75	169	319	374
White	804	5	8	3	8	11	20	52	83	170	280	164	892	6	6	4	8	8	19	21	67	147	281	325
All other	140	4	-	3	5	10	14	10	11	30	30	23	152	1	1	2	7	6	10	8	8	22	38	49
Black	139	4	-	3	5	10	14	10	10	30	30	23	152	1	1	2	7	6	10	8	8	22	38	49
Accidents and adverse effects (E800-E949)	841	8	23	53	171	164	108	76	58	71	68	41	387	4	14	20	61	54	28	21	22	45	56	62
White	667	5	16	34	134	132	81	66	47	57	61	34	316	2	9	12	56	44	23	20	16	38	45	51
All other	174	3	7	19	37	32	27	10	11	14	7	7	71	2	5	8	5	10	5	1	6	7	11	11
Black	169	3	7	19	37	29	26	9	11	14	7	7	71	2	5	8	5	10	5	1	6	7	11	11
Motor vehicle accidents (E810-E825)	438	-	7	22	123	113	59	40	16	31	23	4	201	3	6	12	53	42	20	12	10	22	15	6
White	365	-	6	17	100	91	47	35	16	26	23	4	171	1	5	7	49	36	18	11	7	19	13	5
All other	73	-	1	5	23	22	12	5	-	5	-	-	30	2	1	5	4	6	2	1	3	3	2	1
Black	72	-	1	5	23	22	12	4	-	5	-	-	30	2	1	5	4	6	2	1	3	3	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	403	8	16	31	48	51	49	36	42	40	45	37	186	1	8	8	8	12	8	9	12	23	41	56
White	302	5	10	17	34	41	34	31	31	31	38	30	145	1	4	5	7	8	5	9	9	19	32	46
All other	101	3	6	14	14	10	15	5	11	9	7	7	41	-	4	3	1	4	3	-	3	4	9	10
Black	97	3	6	14	14	7	14	5	11	9	7	7	41	-	4	3	1	4	3	-	3	4	9	10
Suicide (E950-E959)	237	...	...	3	42	43	37	28	35	24	19	6	46	...	...	1	6	15	9	6	6	2	1	-
White	220	...	...	3	34	39	35	27	33	24	19	6	40	...	...	1	6	14	7	5	5	1	1	-
All other	17	...	...	-	8	4	2	1	2	-	-	-	6	...	...	-	-	1	2	1	1	1	-	-
Black	17	...	...	-	8	4	2	1	2	-	-	-	6	...	...	-	-	1	2	1	1	1	-	-
Homicide and legal intervention (E960-E978)	215	4	1	1	48	70	50	14	14	7	5	1	80	1	1	2	17	24	18	10	4	1	1	-
White	98	2	-	1	12	31	26	12	7	4	2	1	42	1	-	2	8	9	9	8	2	1	1	-
All other	117	2	1	-	36	39	24	2	7	3	3	-	38	-	1	-	9	15	9	2	2	-	-	-
Black	116	2	1	-	36	39	23	2	7	3	3	-	38	-	1	-	9	15	9	2	2	-	-	-
All other external causes (E980-E999)	23	2	-	1	3	6	7	-	2	1	1	-	19	2	1	4	4	5	1	2	-	-	-	-
White	16	1	-	1	1	4	6	-	1	1	1	-	15	1	1	3	3	4	1	2	-	-	-	-
All other	7	1	-	-	2	2	1	-	1	-	-	-	4	1	-	1	1	1	-	-	-	-	-	-
Black	7	1	-	-	2	2	1	-	1	-	-	-	4	1	-	1	1	1	-	-	-	-	-	-
CALIFORNIA																								
All causes	113,772	2,678	466	606	3,754	6,042	8,229	8,580	14,388	25,623	28,080	15,190	101,512	1,945	411	374	1,002	1,754	3,153	4,765	9,580	19,683	28,793	30,015
White	97,564	2,040	354	486	2,865	4,873	6,703	7,006	12,017	22,305	24,994	13,801	89,400	1,477	306	293	782	1,326	2,374	3,770	7,967	17,191	26,009	27,870
All other	16,208	638	112	120	889	1,169	1,526	1,574	2,371	3,318	3,086	1,389	12,112	468	105	81	220	428	779	995	1,613	2,492	2,784	2,145
Black	10,092	466	71	67	653	892	1,151	1,084	1,566	1,958	1,567	604	7,633	327	60	46	138	296	523	653	996	1,553	1,755	1,284
Shigellosis and amebiasis (004,006)	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	42	17	2	-	-	2	2	3	3	4	3	6	32	13	1	-	-	-	-	2	1	4	4	7
White	32	12	-	-	-	1	2	2	3	4	3	5	26	9	1	-	-	-	-	2	-	3	4	7
All other	10	5	2	-	-	1	-	1	-	-	-	1	6	4	-	-	-	-	-	-	1	1	-	-
Black	7	4	-	-	-	1	-	1	-	-	-	1	4	3	-	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	122	1	-	-	2	10	19	9	28	16	24	13	77	-	-	-	3	4	6	8	12	19	18	7
White	77	1	-	-	1	6	9	7	18	11	13	11	55	-	-	-	1	4	5	5	7	16	13	4
All other	45	-	-	-	1	4	10	2	10	5	11	2	22	-	-	-	2	-	1	3	5	3	5	3
Black	23	-	-	-	1	4	9	2	6	-	1	-	4	-	-	-	1	-	-	1	-	-	1	1
Tuberculosis of respiratory system (010-012)	85	1	-	-	1	7	11	7	19	12	16	11	60	-	-	-	1	3	5	5	11	13	16	6
White	54	1	-	-	-	4	6	5	13	8	8	9	44	-	-	-	1	3	4	3	6	11	12	4
All other	31	-	-	-	1	3	5	2	6	4	8	2	16	-	-	-	-	-	1	2	5	2	4	2
Black	15	-	-	-	1	3	4	2	4	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	37	-	-	-	1	3	8	2	9	4	8	2	17	-	-	-	2	1	1	3	1	6	2	1
White	23	-	-	-	1	2	3	2	5	3	5	2	11	-	-	-	-	1	1	2	1	5	1	-
All other	14	-	-	-	-	1	5	-	4	1	3	-	6	-	-	-	2	-	-	1	-	1	1	1
Black	8	-	-	-	-	1	5	-	2	-	-	-	3	-	-	-	1	-	-	1	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 24 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	21	3	6	4	5	1	-	1	-	1	-	-	18	2	3	1	3	1	2	1	4	-	-	1
White	18	2	6	3	4	1	-	1	-	1	-	-	16	2	3	1	3	1	2	-	3	-	-	1
All other	3	1	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Septicemia (038)	295	15	5	2	4	8	26	21	34	58	75	47	315	10	5	1	-	10	8	13	27	50	102	89
White	240	9	4	1	2	3	22	16	29	47	66	41	278	10	5	1	-	9	5	9	23	41	91	84
All other	55	6	1	1	2	5	4	5	5	11	9	6	37	-	-	-	-	1	3	4	4	9	11	5
Black	37	4	1	1	1	5	3	5	3	6	5	3	20	-	-	-	-	1	3	2	3	4	5	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	5	2	-	-	-	3	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
White	5	2	-	-	-	3	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	228	-	2	1	3	21	43	40	52	40	23	3	121	-	-	-	3	7	11	14	21	34	26	5
White	172	-	2	1	1	18	28	29	37	30	23	3	82	-	-	-	3	5	7	7	14	25	16	5
All other	56	-	-	-	2	3	15	11	15	10	-	-	39	-	-	-	-	2	4	7	7	9	10	-
Black	11	-	-	-	-	1	4	3	2	1	-	-	14	-	-	-	-	2	2	4	3	-	3	-
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	1	-	-	4	2	-	-	-	-	1	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-	1	-	-	-	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	5,795	25	11	15	75	1,564	2,328	1,117	409	165	67	16	518	21	11	7	20	81	89	57	65	79	57	31
White	4,925	17	6	12	59	1,298	1,988	981	359	128	60	15	389	15	9	6	15	54	52	40	45	69	56	28
All other	870	8	5	3	16	266	340	136	50	37	7	1	129	6	2	1	5	27	37	17	20	10	1	3
Black	732	7	3	3	11	226	299	115	41	21	5	-	97	6	-	-	5	23	29	13	13	6	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	25,759	9	36	99	152	292	888	2,025	4,842	8,253	6,869	2,291	24,385	4	36	66	98	325	1,110	2,220	4,278	7,141	6,317	2,788
White	22,292	6	28	81	132	243	711	1,609	4,092	7,220	6,098	2,069	21,427	4	29	56	79	258	874	1,808	3,669	6,335	5,744	2,570
All other	3,467	3	8	18	20	49	177	416	750	1,033	771	222	2,958	-	7	10	19	67	236	412	609	806	573	218
Black	2,093	1	4	9	12	24	94	249	491	622	432	95	1,718	-	4	4	12	33	116	236	343	496	350	123
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	540	1	-	-	2	1	27	75	145	163	100	26	324	-	-	-	-	2	9	24	85	101	76	27
White	439	1	-	-	-	1	18	47	118	139	90	25	277	-	-	-	-	1	5	20	66	88	72	25
All other	101	-	-	-	2	-	9	28	27	24	10	1	47	-	-	-	-	1	4	4	19	13	4	2
Black	56	-	-	-	2	-	1	13	19	15	5	1	23	-	-	-	-	-	2	2	11	5	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,303	-	4	2	9	43	221	496	1,239	2,065	1,675	549	5,609	-	2	1	7	32	144	288	792	1,573	1,777	993
White	5,283	-	4	2	7	31	162	366	993	1,769	1,460	489	4,797	-	2	1	4	23	105	219	648	1,327	1,573	895
All other	1,020	-	-	-	2	12	59	130	246	296	215	60	812	-	-	-	3	9	39	69	144	246	204	98
Black	494	-	-	-	1	5	26	63	138	142	99	20	442	-	-	-	2	3	16	38	64	141	121	57
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	8,221	-	-	-	2	12	156	723	1,873	2,984	2,017	451	5,795	-	1	-	2	22	109	513	1,224	2,078	1,473	371
White	7,083	-	-	-	2	7	107	571	1,592	2,608	1,788	405	5,204	-	-	-	2	19	83	432	1,092	1,889	1,352	334
All other	1,138	-	-	-	-	5	49	152	281	376	229	46	591	-	1	-	-	3	26	81	132	189	121	37
Black	713	-	-	-	-	1	34	113	202	226	118	19	386	-	-	-	-	-	15	58	96	127	71	18
Malignant neoplasm of breast (174-175)	29	-	-	-	-	1	1	3	9	7	6	2	4,303	-	-	-	1	71	375	667	833	1,102	859	395
White	26	-	-	-	-	1	1	3	8	5	6	2	3,790	-	-	-	1	55	300	542	718	1,004	797	373
All other	3	-	-	-	-	-	-	-	1	2	-	-	513	-	-	-	-	16	75	125	115	98	62	22
Black	-	-	-	-	-	-	-	-	-	-	-	-	309	-	-	-	-	12	45	66	71	59	40	16
Malignant neoplasms of genital organs (179-187)	3,346	-	-	1	4	14	18	41	276	989	1,327	676	2,383	-	-	-	8	59	173	252	459	701	521	210
White	2,896	-	-	1	4	11	15	28	228	842	1,166	601	2,044	-	-	-	7	46	130	201	381	605	477	197
All other	450	-	-	-	-	3	3	13	48	147	161	75	339	-	-	-	1	13	43	51	78	96	44	13
Black	337	-	-	-	-	2	-	11	43	119	125	37	191	-	-	-	1	7	17	26	39	61	31	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 25 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,277	1	1	5	1	3	38	83	208	415	362	160	725	-	-	6	2	2	14	44	109	200	220	128
White	1,179	1	1	3	1	3	30	78	188	378	340	156	643	-	-	6	-	1	13	35	87	177	201	123
All other	98	-	-	2	-	-	8	5	20	37	22	4	82	-	-	-	2	1	1	9	22	23	19	5
Black	63	-	-	1	-	-	6	4	9	27	13	3	54	-	-	-	2	-	1	8	12	16	13	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,401	7	20	35	62	122	255	382	654	940	706	218	3,015	4	20	34	37	84	193	283	468	798	740	354
White	3,080	4	14	27	56	109	236	334	583	870	646	201	2,697	4	16	29	32	70	170	242	415	716	675	328
All other	321	3	6	8	6	13	19	48	71	70	60	17	318	-	4	5	5	14	23	41	53	82	65	26
Black	189	1	3	6	4	7	12	30	44	46	31	5	170	-	4	3	3	7	8	19	28	47	40	11
Leukemia (204-208)	1,068	-	10	44	40	50	69	78	149	267	269	92	816	-	11	24	23	25	42	61	93	205	211	121
White	928	-	8	36	32	41	52	59	135	234	245	86	725	-	9	19	21	22	32	47	81	182	197	115
All other	140	-	2	8	8	9	17	19	14	33	24	6	91	-	2	5	2	3	10	14	12	23	14	6
Black	66	-	1	2	3	4	5	7	8	22	11	3	52	-	-	1	-	1	3	9	7	17	9	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,574	-	1	12	32	46	103	144	289	423	407	117	1,415	-	2	1	18	28	51	88	215	383	440	189
White	1,378	-	1	12	30	39	90	123	247	375	357	104	1,250	-	2	1	12	21	36	70	181	347	400	180
All other	196	-	-	-	2	7	13	21	42	48	50	13	165	-	-	-	6	7	15	18	34	36	40	9
Black	115	-	-	-	2	5	10	8	28	25	30	7	91	-	-	-	4	3	9	10	15	23	22	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	321	3	6	5	7	12	22	22	40	75	93	36	330	4	4	3	4	7	11	11	34	69	104	79
White	289	3	5	5	6	11	20	21	35	71	79	33	295	4	3	2	4	5	7	10	28	61	97	74
All other	32	-	1	-	1	1	2	1	5	4	14	3	35	-	1	1	-	2	4	1	6	8	7	5
Black	16	-	1	-	-	1	-	1	4	1	8	-	22	-	-	1	-	2	2	-	4	5	4	4
Diabetes mellitus (250)	1,503	-	-	1	9	37	82	117	231	476	389	161	1,804	-	2	2	4	24	56	130	272	489	523	302
White	1,242	-	-	1	6	28	64	95	173	409	325	141	1,428	-	2	1	2	21	37	89	192	385	436	263
All other	261	-	-	-	3	9	18	22	58	67	64	20	376	-	-	1	2	3	19	41	80	104	87	39
Black	178	-	-	-	2	8	16	17	39	47	35	14	250	-	-	1	2	3	14	27	60	64	53	26
Nutritional deficiencies (260-269)	49	1	-	-	-	-	1	2	1	6	15	23	112	-	-	-	-	-	2	-	1	12	36	61
White	42	1	-	-	-	-	1	1	1	4	14	20	109	-	-	-	-	-	2	-	1	12	33	61
All other	7	-	-	-	-	-	-	1	-	2	1	3	3	-	-	-	-	-	-	-	-	-	3	-
Black	4	-	-	-	-	-	-	1	-	2	-	1	3	-	-	-	-	-	-	-	-	-	3	-
Anemias (280-285)	116	2	2	3	13	12	7	4	10	17	27	19	149	4	5	3	3	8	6	12	5	11	42	50
White	78	1	-	1	3	4	1	2	8	14	26	18	120	2	2	1	1	3	2	6	3	11	41	48
All other	38	1	2	2	10	8	6	2	2	3	1	1	29	2	3	2	2	5	4	6	2	-	1	2
Black	31	1	2	2	8	7	5	2	2	1	-	1	19	-	3	2	2	4	3	5	-	-	-	-
Meningitis (320-322)	58	6	-	3	-	6	11	7	8	6	6	5	46	7	2	2	1	1	6	5	3	5	9	5
White	43	4	-	3	-	5	8	5	4	6	5	3	36	7	2	1	1	1	2	4	3	3	9	3
All other	15	2	-	-	-	1	3	2	4	-	1	2	10	-	-	1	-	-	4	1	-	2	-	2
Black	11	2	-	-	-	-	3	2	2	-	-	2	7	-	-	1	-	-	2	1	-	2	-	1
Major cardiovascular diseases (390-448)	42,592	51	17	15	94	296	1,088	2,526	5,487	11,016	13,546	8,439	45,508	38	15	13	52	179	453	941	2,719	7,263	14,487	19,343
White	36,954	35	13	11	68	227	809	1,987	4,515	9,545	12,038	7,691	40,351	30	12	11	34	125	307	675	2,129	6,162	12,910	17,951
All other	5,638	16	4	4	26	69	279	539	972	1,471	1,508	748	5,157	8	3	2	18	54	146	266	590	1,101	1,577	1,392
Black	3,305	10	3	4	15	53	204	382	639	888	776	330	3,393	5	1	1	13	40	114	199	402	706	1,032	880
Diseases of heart (390-398,402,404-429)	33,874	42	16	9	74	235	871	2,138	4,662	8,949	10,516	6,347	33,574	31	13	9	33	116	280	645	2,055	5,532	10,672	14,184
White	29,556	30	13	6	51	183	657	1,717	3,872	7,822	9,391	5,801	29,890	23	10	7	22	83	192	479	1,648	4,717	9,535	13,170
All other	4,318	12	3	3	23	52	214	421	790	1,127	1,125	546	3,684	8	3	2	11	33	88	166	407	815	1,137	1,014
Black	2,614	6	3	3	13	40	155	305	539	697	599	253	2,510	5	1	1	7	25	73	130	294	551	766	657
Rheumatic fever and rheumatic heart disease (390-398)	212	-	-	-	-	3	10	12	39	71	51	26	457	-	-	-	-	10	12	19	58	115	148	95
White	192	-	-	-	-	3	8	6	38	62	49	26	418	-	-	-	-	8	7	15	52	105	139	92
All other	20	-	-	-	-	-	2	6	1	9	2	-	39	-	-	-	-	2	5	4	6	10	9	3
Black	9	-	-	-	-	-	-	4	1	3	1	-	15	-	-	-	-	2	4	3	2	1	1	2
Hypertensive heart disease (402)	1,116	-	-	-	1	9	43	124	213	281	302	142	1,483	-	-	-	1	6	22	47	121	264	449	573
White	831	-	-	-	1	9	20	83	141	216	243	117	1,181	-	-	-	-	2	12	24	77	193	360	513
All other	285	-	-	-	-	-	23	41	72	65	59	25	302	-	-	-	1	4	10	23	44	71	89	60
Black	207	-	-	-	-	-	20	35	56	48	38	10	224	-	-	-	-	3	10	20	34	57	64	36
Hypertensive heart and renal disease (404)	131	-	-	-	-	1	9	13	12	29	36	31	152	-	-	-	1	2	-	3	10	30	62	44
White	88	-	-	-	-	-	2	4	8	17	29	28	116	-	-	-	1	1	-	1	7	17	48	41
All other	43	-	-	-	-	1	7	9	4	12	7	3	36	-	-	-	-	1	-	2	3	13	14	3
Black	33	-	-	-	-	1	6	8	4	8	6	-	28	-	-	-	-	-	-	2	3	11	10	2
Ischemic heart disease (410-414)	23,359	-	1	-	7	70	474	1,294	3,010	6,283	7,604	4,610	22,743	-	-	-	1	28	121	385	1,256	3,634	7,433	9,884
White	20,832	-	-	-	4	57	382	1,098	2,595	5,599	6,861	4,231	20,495	-	-	-	1	24	87	302	1,030	3,122	6,704	9,224
All other	2,527	-	1	-	3	13	92	196	415	684	743	379	2,248	-	-	-	-	4	34	83	226	512	729	660
Black	1,373	-	1	-	1	11	57	126	246	376	373	182	1,490	-	-	-	-	3	30	59	152	336	475	435
Acute myocardial infarction (410)	9,846	-	-	-	3	30	212	671	1,492	2,772	3,109	1,555	8,607	-	-	-	1	12	61	206	648	1,690	2,950	3,039
White	8,763	-	-	-	1	25	160	582	1,303	2,478	2,804	1,409	7,685	-	-	-	1	11	40	160	538	1,476	2,655	2,804
All other	1,083	-	-	-	2	5	52	89	189	294	305	146	922	-	-	-	-	1	21	46	110	214	295	235
Black	554	-	-	-	1	3	32	59	105	154	129	71	594	-	-	-	-	1	20	34	73	133	178	155

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 26 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	82	-	-	-	-	4	14	14	10	20	16	2	41	-	-	-	-	2	-	2	5	10	7	15
White	73	-	-	-	-	4	12	13	7	18	15	2	36	-	-	-	-	2	-	1	4	9	6	14
All other	9	-	-	-	-	-	2	1	3	2	1	-	5	-	-	-	-	-	-	1	1	1	1	1
Black	4	-	-	-	-	-	1	-	2	1	-	-	4	-	-	-	-	-	-	1	1	1	-	1
Angina pectoris (413)	29	-	-	-	-	-	1	2	3	7	7	9	43	-	-	-	-	-	-	-	4	6	15	18
White	25	-	-	-	-	-	1	-	3	7	6	8	36	-	-	-	-	-	-	-	2	4	13	17
All other	4	-	-	-	-	-	-	2	-	-	1	1	7	-	-	-	-	-	-	-	2	2	2	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	2	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,402	-	1	-	4	36	247	607	1,505	3,484	4,472	3,044	14,052	-	-	-	-	14	60	177	599	1,928	4,461	6,812
White	11,971	-	-	-	3	28	209	503	1,282	3,096	4,036	2,812	12,738	-	-	-	-	11	47	141	486	1,633	4,030	6,389
All other	1,431	-	1	-	1	8	38	104	223	388	436	232	1,314	-	-	-	-	3	13	36	113	295	431	423
Black	813	-	1	-	-	8	24	67	139	221	243	110	887	-	-	-	-	2	10	24	76	200	296	279
Other diseases of endocardium (424)	615	2	-	-	4	9	15	19	38	129	238	161	811	3	-	-	4	5	11	6	31	99	279	373
White	570	2	-	-	4	9	11	14	34	118	225	153	761	3	-	-	4	3	10	5	25	90	265	356
All other	45	-	-	-	-	-	4	5	4	11	13	8	50	-	-	-	-	2	1	1	6	9	14	17
Black	22	-	-	-	-	-	2	5	1	5	6	3	29	-	-	-	-	1	1	1	6	4	8	8
All other forms of heart disease (415-423,425-429)	8,441	40	15	9	62	143	320	676	1,350	2,156	2,285	1,377	7,928	28	13	9	26	65	114	185	579	1,390	2,301	3,215
White	7,043	28	13	6	42	105	234	512	1,056	1,810	1,984	1,246	6,919	20	10	7	16	45	76	132	457	1,190	2,019	2,944
All other	1,398	12	2	3	20	38	86	164	294	346	301	131	1,009	8	3	2	10	20	38	53	122	200	282	271
Black	970	6	2	3	12	28	70	127	231	257	175	58	724	5	1	1	7	16	28	45	97	142	208	174
Hypertension with or without renal disease (401,403)	394	-	-	-	-	4	10	18	41	96	128	97	590	-	-	-	-	2	8	17	33	98	203	229
White	302	-	-	-	-	1	2	9	28	72	108	82	488	-	-	-	-	1	5	6	23	82	167	204
All other	92	-	-	-	-	3	8	9	13	24	20	15	102	-	-	-	-	1	3	11	10	16	36	25
Black	57	-	-	-	-	3	7	7	9	17	9	5	78	-	-	-	-	1	3	11	9	10	26	18
Cerebrovascular diseases (430-438)	6,180	9	1	5	15	48	178	301	570	1,382	2,175	1,494	9,206	6	2	4	16	49	149	252	503	1,309	2,979	3,936
White	5,172	5	1	4	13	37	127	207	428	1,123	1,885	1,341	8,034	6	2	4	10	35	101	171	355	1,073	2,636	3,640
All other	1,008	4	1	1	2	11	51	94	142	259	290	153	1,172	-	-	-	6	14	48	81	148	236	343	296
Black	507	4	-	1	2	7	37	55	75	139	130	57	669	-	-	-	5	9	32	51	80	122	204	166
Intracerebral and other intracranial hemorrhage (431-432)	1,090	2	-	2	3	17	81	120	190	269	293	113	1,218	2	-	2	8	8	59	92	150	243	396	258
White	813	2	-	2	2	12	55	79	135	206	225	95	964	2	-	2	5	6	35	48	102	192	337	235
All other	277	-	-	-	1	5	26	41	55	63	68	18	254	-	-	-	3	2	24	44	48	51	59	23
Black	107	-	-	-	1	2	21	22	22	17	18	4	114	-	-	-	2	-	17	28	16	17	22	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	700	1	1	-	3	2	12	28	60	173	252	168	1,072	4	1	1	1	2	3	18	51	145	335	510
White	592	-	-	-	2	1	9	21	48	145	217	149	956	4	1	1	-	2	-	13	40	124	302	468
All other	108	1	1	-	1	1	3	7	12	28	35	19	116	-	-	-	1	-	3	5	11	21	33	42
Black	56	1	-	-	1	1	2	3	3	17	23	5	75	-	-	-	1	-	2	2	9	14	23	24
Cerebral embolism (434.1)	25	-	-	-	-	1	-	1	2	7	9	5	48	-	-	-	1	1	1	3	2	8	15	17
White	22	-	-	-	-	1	-	-	2	5	9	5	44	-	-	-	1	-	1	2	1	7	15	17
All other	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	1	-	1	1	1	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	-	1	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	4,365	6	-	3	9	28	85	152	318	933	1,621	1,208	6,868	-	1	1	6	38	86	139	300	913	2,233	3,151
White	3,745	3	-	2	9	23	63	107	243	767	1,434	1,092	6,070	-	1	1	4	27	65	108	212	750	1,982	2,920
All other	620	3	-	1	-	5	22	45	75	166	187	116	798	-	-	-	2	11	21	31	88	163	251	231
Black	342	3	-	1	-	4	14	30	50	103	89	48	477	-	-	-	2	8	13	21	54	90	159	130
Atherosclerosis (440)	803	-	-	-	-	-	2	9	39	139	308	306	1,217	-	-	-	-	1	1	3	43	119	324	726
White	737	-	-	-	-	-	2	7	35	126	283	284	1,131	-	-	-	-	-	1	3	35	102	303	687
All other	66	-	-	-	-	-	-	2	4	13	25	22	86	-	-	-	-	1	-	-	8	17	21	39
Black	44	-	-	-	-	-	-	2	3	11	16	12	60	-	-	-	-	1	-	-	5	12	15	27
Other diseases of arteries, arterioles, and capillaries (441-448)	1,341	-	-	1	5	9	27	60	175	450	419	195	921	1	-	-	3	11	15	24	85	205	309	268
White	1,187	-	-	1	4	6	21	47	152	402	371	183	808	1	-	-	2	6	8	16	68	188	269	250
All other	154	-	-	-	1	3	6	13	23	48	48	12	113	-	-	-	1	5	7	8	17	17	40	18
Black	83	-	-	-	-	3	5	13	13	24	22	3	76	-	-	-	1	4	6	7	14	11	21	12
Acute bronchitis and bronchiolitis (466)	46	9	-	-	-	1	-	1	5	10	9	11	44	7	1	1	-	-	-	3	3	5	11	13
White	42	7	-	-	-	1	-	1	5	10	8	10	41	6	-	1	-	-	-	3	3	5	10	13
All other	4	2	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	4,469	43	9	11	13	54	91	108	262	698	1,694	1,483	5,265	34	6	7	12	29	54	71	173	615	1,558	2,704
White	3,908	34	8	8	12	48	71	84	216	589	1,495	1,341	4,774	25	4	7	8	20	38	58	136	545	1,409	2,522
All other	561	9	1	3	1	6	20	24	46	109	199	142	491	9	2	-	4	9	16	13	37	70	149	182
Black	284	6	1	3	-	4	17	17	31	59	86	59	272	5	1	-	3	5	12	8	20	46	84	88

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 27 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	4,426	41	8	9	12	54	90	108	260	692	1,680	1,469	5,199	33	5	7	11	29	54	70	171	609	1,542	2,666
White	3,871	32	7	7	11	48	70	84	214	585	1,482	1,329	4,714	24	4	7	8	20	38	57	134	539	1,394	2,487
All other	555	9	1	2	1	6	20	24	46	107	198	140	485	9	1	–	3	9	16	13	37	70	148	179
Black	282	6	1	2	–	4	17	17	31	59	85	59	269	5	1	–	2	5	12	8	20	46	84	86
Influenza (487)	43	2	1	2	1	–	1	–	2	6	14	14	66	1	1	–	1	–	–	1	2	6	16	38
White	37	2	1	1	1	–	1	–	2	4	13	12	60	1	–	–	–	–	–	1	2	6	15	35
All other	6	–	–	1	–	–	–	–	–	2	1	2	6	–	1	–	1	–	–	–	–	–	1	3
Black	2	–	–	1	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	–	–	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,951	6	5	11	12	24	43	108	513	1,637	1,846	743	4,755	5	–	3	9	24	53	116	501	1,472	1,788	784
White	4,415	4	2	8	8	21	28	91	439	1,460	1,670	683	4,456	2	–	1	6	19	35	93	448	1,384	1,717	751
All other	536	2	3	3	4	3	15	17	74	177	176	60	299	3	–	2	3	5	18	23	53	88	71	33
Black	287	2	3	2	4	2	14	15	56	93	73	21	188	3	–	2	3	4	12	22	29	54	42	17
Bronchitis, chronic and unspecified (490-491)	218	6	2	2	–	–	4	4	20	60	78	42	227	5	–	1	–	1	5	5	20	56	76	58
White	196	4	2	1	–	–	3	3	17	58	67	41	213	2	–	–	–	1	4	3	20	53	75	55
All other	22	2	–	1	–	–	1	1	3	2	11	1	14	3	–	1	–	–	1	2	–	3	1	3
Black	13	2	–	–	–	–	1	–	3	–	6	1	9	3	–	1	–	–	–	1	–	2	1	1
Emphysema (492)	1,035	–	–	–	–	3	4	27	120	377	385	119	973	–	–	–	–	1	–	22	118	351	355	126
White	945	–	–	–	–	2	3	22	102	338	363	115	933	–	–	–	–	1	–	19	110	336	344	123
All other	90	–	–	–	–	1	1	5	18	39	22	4	40	–	–	–	–	–	–	3	8	15	11	3
Black	56	–	–	–	–	1	1	4	14	23	10	3	30	–	–	–	–	–	–	3	6	12	7	2
Asthma (493)	228	–	3	8	10	17	18	22	29	52	48	21	367	–	–	2	8	19	32	28	56	103	82	37
White	166	–	–	6	6	15	12	17	19	41	35	15	287	–	–	1	5	14	20	18	35	88	74	32
All other	62	–	3	2	4	2	6	5	10	11	13	6	80	–	–	1	3	5	12	10	21	15	8	5
Black	36	–	3	2	4	1	5	5	8	2	5	1	47	–	–	1	3	4	10	10	9	7	3	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,470	–	–	1	2	4	17	55	344	1,148	1,335	561	3,188	–	–	–	1	3	16	61	307	962	1,275	563
White	3,108	–	–	1	2	4	10	49	301	1,023	1,205	512	3,023	–	–	–	1	3	11	53	283	907	1,224	541
All other	362	–	–	–	–	–	7	6	43	125	130	49	165	–	–	–	–	–	5	8	24	55	51	22
Black	182	–	–	–	–	–	7	6	31	68	52	16	102	–	–	–	–	–	2	8	14	33	31	14
Ulcer of stomach and duodenum (531-533)	406	1	1	1	–	4	20	26	56	101	124	72	442	–	–	–	1	1	6	12	38	71	148	165
White	345	1	–	1	–	4	13	23	45	86	105	67	398	–	–	–	1	1	5	9	31	59	138	154
All other	61	–	1	–	–	–	7	3	11	15	19	5	44	–	–	–	–	–	1	3	7	12	10	11
Black	27	–	–	–	–	–	5	2	8	6	6	–	23	–	–	–	–	–	1	2	4	5	5	6
Appendicitis (540-543)	25	–	2	–	2	–	2	4	3	2	9	1	23	–	1	–	–	2	1	2	4	6	1	6
White	19	–	1	–	1	–	2	2	2	2	8	1	20	–	1	–	–	2	–	2	4	5	1	5
All other	6	–	1	–	1	–	–	2	1	–	1	–	3	–	–	–	–	–	1	–	–	1	–	1
Black	5	–	–	–	1	–	–	2	1	–	1	–	2	–	–	–	–	–	1	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	202	6	3	1	1	5	5	9	13	43	73	43	331	5	2	–	1	1	5	6	17	52	110	132
White	181	5	2	1	–	4	4	9	11	38	65	42	313	5	1	–	1	1	4	5	16	47	104	129
All other	21	1	1	–	1	1	1	–	2	5	8	1	18	–	1	–	–	–	1	1	1	5	6	3
Black	13	–	1	–	1	1	–	–	2	1	6	1	13	–	–	–	–	–	–	1	1	3	5	3
Chronic liver disease and cirrhosis (571)	2,426	1	–	–	3	106	471	530	634	461	185	29	1,304	1	–	–	4	48	192	196	314	314	193	42
White	2,147	1	–	–	3	98	416	451	562	412	174	24	1,157	–	–	–	3	40	156	173	293	281	174	37
All other	279	–	–	–	–	8	55	79	72	49	11	5	147	1	–	–	1	8	36	23	21	33	19	5
Black	180	–	–	–	–	4	38	56	52	25	4	1	103	1	–	–	1	7	33	17	13	21	8	2
Cholelithiasis and other disorders of gallbladder (574-575)	104	1	–	–	–	2	4	3	6	24	43	21	151	–	1	–	2	1	3	7	9	25	50	53
White	86	–	–	–	–	1	3	3	6	20	35	18	133	–	–	–	2	–	2	4	8	22	47	48
All other	18	1	–	–	–	1	1	–	–	4	8	3	18	–	1	–	–	1	1	3	1	3	3	5
Black	4	1	–	–	–	–	1	–	–	2	–	–	9	–	–	–	–	–	1	2	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	739	18	2	–	2	12	40	26	76	174	217	172	721	14	1	–	4	14	21	27	76	149	226	189
White	595	12	1	–	2	9	26	19	51	134	193	148	584	11	1	–	3	11	17	22	55	117	189	158
All other	144	6	1	–	–	3	14	7	25	40	24	24	137	3	–	–	1	3	4	5	21	32	37	31
Black	91	6	–	–	–	3	13	6	20	23	10	10	88	3	–	–	1	2	2	5	12	23	23	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	–	–	–	–	1	1	–	3	–	5	1	8	–	1	–	–	–	2	–	2	–	1	2
White	11	–	–	–	–	1	1	–	3	–	5	1	7	–	1	–	–	–	1	–	2	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 28 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	68	–	2	–	1	1	4	4	9	12	23	12	64	–	–	–	1	2	5	4	9	12	19	12
White	56	–	1	–	1	–	3	4	7	8	21	11	55	–	–	–	–	2	3	4	8	10	17	11
All other	12	–	1	–	–	1	1	–	2	4	2	1	9	–	–	–	1	–	2	–	1	2	2	1
Black	5	–	–	–	–	1	1	–	1	–	1	1	7	–	–	–	1	–	2	–	1	1	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	660	18	–	–	1	10	35	22	64	162	189	159	649	14	–	–	3	12	14	23	65	137	206	175
White	528	12	–	–	1	8	22	15	41	126	167	136	522	11	–	–	3	9	13	18	45	107	171	145
All other	132	6	–	–	–	2	13	7	23	36	22	23	127	3	–	–	–	3	1	5	20	30	35	30
Black	86	6	–	–	–	2	12	6	19	23	9	9	81	3	–	–	–	2	–	5	11	22	21	17
Infections of kidney (590)	42	1	–	–	1	3	2	1	2	5	15	12	135	–	–	–	–	1	2	6	10	21	44	51
White	41	1	–	–	1	3	2	1	2	5	14	12	118	–	–	–	–	–	.2	5	6	20	41	44
All other	1	–	–	–	–	–	–	–	–	–	1	–	17	–	–	–	–	1	–	1	4	1	3	7
Black	1	–	–	–	–	–	–	–	–	–	1	–	14	–	–	–	–	1	–	1	4	–	3	5
Hyperplasia of prostate (600)	51	–	–	–	–	–	–	–	2	8	19	22	...	...	...	...	...	...	...	...	...	...	...	...
White	42	–	–	–	–	–	–	–	2	7	13	20	...	...	...	...	...	...	...	...	...	...	...	...
All other	9	–	–	–	–	–	–	–	–	1	6	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	–	–	–	–	–	–	–	–	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	64	...	...	–	16	35	12	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	49	...	...	–	10	27	11	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	6	8	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	4	4	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	4	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	55	...	...	–	12	32	10	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	44	...	...	–	8	25	10	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	4	7	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
Congenital anomalies (740-759)	942	634	59	43	38	32	38	21	23	19	26	8	775	499	66	31	25	45	18	21	17	18	20	15
White	775	527	41	36	28	25	31	18	21	18	23	7	619	399	50	22	19	38	13	14	14	17	19	14
All other	167	107	18	7	10	7	7	3	2	1	3	1	156	100	16	9	6	7	5	7	3	1	1	1
Black	96	59	10	3	5	5	5	2	2	1	2	1	75	49	7	2	1	4	4	4	2	–	1	1
Certain conditions originating in the perinatal period (760-779)	1,101	1,087	14	–	–	–	–	–	–	–	–	–	850	840	8	–	–	–	1	1	–	–	–	–
White	815	807	8	–	–	–	–	–	–	–	–	–	629	622	5	–	–	–	1	1	–	–	–	–
All other	286	280	6	–	–	–	–	–	–	–	–	–	221	218	3	–	–	–	–	–	–	–	–	–
Black	232	226	6	–	–	–	–	–	–	–	–	–	171	168	3	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	253	251	2	–	–	–	–	–	–	–	–	–	157	154	2	–	–	–	1	–	–	–	–	–
White	197	196	1	–	–	–	–	–	–	–	–	–	116	113	2	–	–	–	.1	–	–	–	–	–
All other	56	55	1	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–
Black	42	41	1	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	848	836	12	–	–	–	–	–	–	–	–	–	693	686	6	–	–	–	–	1	–	–	–	–
White	618	611	7	–	–	–	–	–	–	–	–	–	513	509	3	–	–	–	–	1	–	–	–	–
All other	230	225	5	–	–	–	–	–	–	–	–	–	180	177	3	–	–	–	–	–	–	–	–	–
Black	190	185	5	–	–	–	–	–	–	–	–	–	134	131	3	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,087	516	19	7	57	105	144	71	47	44	35	19	688	291	17	8	21	45	72	44	48	51	48	32
White	843	386	13	5	40	87	117	54	39	35	31	16	558	212	14	6	18	32	60	37	44	47	46	31
All other	244	130	6	2	17	18	27	17	8	9	4	3	130	79	3	2	3	13	12	7	4	4	2	1
Black	168	93	3	2	9	12	20	13	6	6	–	1	89	60	2	1	1	10	5	5	2	2	1	–
All other diseases (Residual)	7,145	131	38	70	99	255	569	531	777	1,500	1,983	1,187	8,112	77	45	47	74	149	316	389	587	1,311	2,389	2,726
White	6,268	101	30	60	76	217	469	440	656	1,328	1,809	1,078	7,314	60	32	35	59	112	246	321	499	1,171	2,216	2,561
All other	877	30	8	10	23	38	100	91	121	172	174	109	798	17	13	12	15	37	70	68	88	140	173	165
Black	537	22	4	6	15	29	70	65	83	107	83	52	534	14	6	7	8	32	59	51	58	92	112	95
Accidents and adverse effects (E800-E949)	6,686	58	191	223	1,385	1,532	1,157	658	427	414	385	218	2,831	40	144	142	385	369	349	237	182	286	395	299
White	5,675	42	159	174	1,209	1,294	978	561	344	346	335	196	2,389	34	110	112	334	297	265	191	148	249	372	274
All other	1,011	16	32	49	176	238	179	97	83	68	50	22	442	6	34	30	51	72	84	46	34	37	23	25
Black	616	9	22	19	101	164	127	60	52	31	21	9	259	2	24	18	21	54	61	28	15	15	12	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 29 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	3,554	10	63	154	1,048	895	491	309	184	189	137	56	1,455	12	62	101	326	261	191	127	96	117	127	35
White	3,034	8	51	117	925	758	418	268	156	147	121	48	1,202	9	49	80	283	209	149	107	73	96	120	27
All other	520	2	12	37	123	137	73	41	28	42	16	8	253	3	13	21	43	52	42	20	23	21	7	8
Black	272	1	7	15	62	84	43	18	17	17	3	4	122	–	9	11	14	36	25	9	9	7	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	3,132	48	128	69	337	637	666	349	243	225	248	162	1,376	28	82	41	59	108	158	110	86	169	268	264
White	2,641	34	108	57	284	536	560	293	188	199	214	148	1,187	25	61	32	51	88	116	84	75	153	252	247
All other	491	14	20	12	53	101	106	56	55	26	34	14	189	3	21	9	8	20	42	26	11	16	16	17
Black	344	8	15	4	39	80	84	42	35	14	18	5	137	2	15	7	7	18	36	19	6	8	11	8
Suicide (E950-E959)	2,909	...	...	22	420	647	539	359	284	296	253	84	807	...	...	7	79	133	151	143	123	84	59	27
White	2,629	...	...	19	343	565	499	331	257	283	245	83	713	...	...	5	66	110	136	128	115	76	53	23
All other	280	...	...	3	77	82	40	28	27	13	8	1	94	...	...	2	13	23	15	15	8	8	6	4
Black	126	...	...	3	39	36	25	14	4	3	2	–	29	...	...	1	5	6	3	7	3	3	1	–
Homicide and legal intervention (E960-E978)	3,386	27	34	66	1,333	963	548	213	105	48	23	2	731	23	28	29	173	200	124	60	29	21	26	8
White	2,211	18	24	53	844	619	351	148	78	36	17	2	468	14	15	23	104	120	74	40	24	18	21	6
All other	1,175	9	10	13	489	344	197	65	27	12	6	–	263	9	13	6	69	80	50	20	5	3	5	2
Black	1,007	8	6	8	423	301	172	51	19	11	6	–	191	6	8	5	55	59	37	10	1	3	5	1
All other external causes (E980-E999)	143	2	1	3	24	32	39	17	7	5	4	4	61	4	6	1	5	9	12	8	7	6	1	1
White	114	–	–	2	16	29	30	14	6	5	4	3	48	2	4	1	5	9	6	7	6	5	1	1
All other	29	2	1	1	8	3	9	3	1	–	–	1	13	2	2	–	–	–	6	1	1	1	–	–
Black	18	2	1	1	5	–	7	1	1	–	–	–	10	1	1	–	–	–	6	1	1	–	–	–
COLORADO																								
All causes	11,663	259	44	74	342	536	759	837	1,498	2,617	2,964	1,733	10,925	192	38	39	113	173	339	478	974	2,045	3,088	3,446
White	11,102	221	35	65	315	486	703	772	1,405	2,524	2,888	1,688	10,450	163	31	36	106	153	300	440	903	1,945	3,008	3,365
All other	561	38	9	9	27	50	56	65	93	93	76	45	475	29	7	3	7	20	39	38	71	100	80	81
Black	441	30	6	9	21	37	49	51	80	67	61	30	362	23	4	1	6	15	28	29	59	80	63	54
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–	–	–	–	1	2	1
White	1	–	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	5	–	–	–	–	–	–	–	1	2	1	1	3	–	–	–	–	–	2	–	–	–	1	–
White	5	–	–	–	–	–	–	–	1	2	1	1	2	–	–	–	–	–	1	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	1	–	–	–	1	–
White	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	75	1	–	–	2	1	2	–	10	14	26	19	117	–	2	1	1	3	4	3	6	19	43	35
White	71	1	–	–	2	–	2	–	9	13	25	19	107	–	1	1	1	1	3	3	5	17	42	35
All other	4	–	–	–	–	1	–	–	1	1	1	–	10	–	1	–	–	2	1	–	1	2	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	8	–	1	–	–	2	1	–	1	2	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 30 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	13	-	-	-	-	-	2	3	3	3	2	-	10	-	-	1	-	-	1	2	2	3	1	-
White	13	-	-	-	-	-	2	3	3	3	2	-	9	-	-	1	-	-	1	2	2	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	363	1	1	-	8	117	145	51	23	9	7	1	53	1	2	1	3	7	6	4	8	9	7	5
White	328	1	-	-	6	106	133	47	20	7	7	1	44	1	1	1	3	4	4	3	7	8	7	5
All other	35	-	1	-	2	11	12	4	3	2	-	-	9	-	1	-	-	3	2	1	1	1	-	-
Black	30	-	-	-	2	11	11	3	2	1	-	-	8	-	-	-	-	3	2	1	1	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,687	1	4	11	11	36	77	205	511	844	721	266	2,520	-	5	8	3	30	120	209	404	714	674	353
White	2,571	1	4	9	11	33	74	186	479	820	696	258	2,410	-	5	7	3	28	109	195	381	683	653	346
All other	116	-	-	2	-	3	3	19	32	24	25	8	110	-	-	1	-	2	11	14	23	31	21	7
Black	87	-	-	2	-	2	1	15	27	15	19	6	88	-	-	-	-	1	9	10	20	25	17	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	48	-	-	-	-	1	2	8	20	11	6	-	39	-	-	-	-	1	1	2	7	13	9	6
White	42	-	-	-	-	1	2	5	18	11	5	-	36	-	-	-	-	1	-	2	5	13	9	6
All other	6	-	-	-	-	-	-	3	2	-	1	-	3	-	-	-	-	-	1	-	2	-	-	-
Black	6	-	-	-	-	-	-	3	2	-	1	-	3	-	-	-	-	-	1	-	2	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	646	-	1	-	-	2	23	62	146	174	173	65	620	-	-	-	-	1	17	34	89	143	188	148
White	612	-	1	-	-	2	22	55	132	170	167	63	578	-	-	-	-	1	15	31	78	130	179	144
All other	34	-	-	-	-	-	1	7	14	4	6	2	42	-	-	-	-	-	2	3	11	13	9	4
Black	24	-	-	-	-	-	1	4	11	2	4	2	32	-	-	-	-	-	2	2	8	10	6	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	861	-	-	-	-	2	7	63	188	344	204	53	461	-	-	-	-	1	9	38	101	159	125	28
White	828	-	-	-	-	2	7	55	179	336	197	52	447	-	-	-	-	-	8	36	99	156	120	28
All other	33	-	-	-	-	-	-	8	9	8	7	1	14	-	-	-	-	1	1	2	2	3	5	-
Black	24	-	-	-	-	-	-	7	8	5	4	-	10	-	-	-	-	-	-	2	2	2	4	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	505	-	-	-	-	4	53	72	86	148	101	41
White	1	-	-	-	-	-	-	-	-	-	1	-	484	-	-	-	-	4	47	66	84	143	100	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	-	6	6	2	5	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	5	4	2	4	1	1
Malignant neoplasms of genital organs (179-187)	382	-	-	-	1	4	2	4	25	107	151	88	266	-	-	-	-	6	16	23	33	86	72	30
White	363	-	-	-	1	4	2	3	23	101	143	86	257	-	-	-	-	6	16	22	33	80	71	29
All other	19	-	-	-	-	-	-	1	2	6	8	2	9	-	-	-	-	-	-	1	-	6	1	1
Black	18	-	-	-	-	-	-	1	2	5	8	2	9	-	-	-	-	-	-	1	-	6	1	1
Malignant neoplasms of urinary organs (188-189)	134	-	-	-	1	-	6	11	19	38	46	13	78	-	-	-	-	-	2	8	9	20	29	10
White	129	-	-	-	1	-	6	11	17	37	45	12	76	-	-	-	-	-	1	7	9	20	29	10
All other	5	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-	1	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	327	1	3	6	6	15	20	37	70	91	54	24	283	-	5	6	2	13	12	18	44	71	68	44
White	314	1	3	4	6	12	19	37	68	89	53	22	274	-	5	5	2	13	12	17	40	71	66	43
All other	13	-	-	2	-	3	1	-	2	2	1	2	9	-	-	1	-	-	-	1	4	-	2	1
Black	11	-	-	2	-	2	-	-	2	2	1	2	6	-	-	-	-	-	-	-	4	-	2	-
Leukemia (204-208)	107	-	-	5	1	4	5	3	15	32	33	9	88	-	-	2	-	2	5	3	13	18	24	21
White	104	-	-	5	1	4	4	3	15	31	32	9	87	-	-	2	-	2	5	3	13	18	23	21
All other	3	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	181	-	-	-	2	8	12	17	28	47	53	14	180	-	-	-	1	2	5	11	22	56	58	25
White	178	-	-	-	2	8	12	17	27	45	53	14	171	-	-	-	1	1	5	11	20	52	56	25
All other	3	-	-	-	-	-	-	-	1	2	-	-	9	-	-	-	-	1	-	-	2	4	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	8	-	-	-	-	1	-	-	2	3	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	-	1	3	-	3	4	8	3	35	-	-	1	-	-	-	3	2	9	8	12
White	22	-	-	-	-	1	3	-	3	4	8	3	32	-	-	1	-	-	-	2	1	8	8	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 31 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	202	-	-	-	-	7	12	17	33	63	47	23	274	-	-	-	1	3	10	14	33	69	88	56
White	191	-	-	-	-	7	10	16	31	59	45	23	249	-	-	-	1	3	9	13	25	62	85	51
All other	11	-	-	-	-	-	2	1	2	4	2	-	25	-	-	-	-	-	1	1	8	7	3	5
Black	10	-	-	-	-	-	2	1	2	3	2	-	18	-	-	-	-	-	1	-	7	4	1	5
Nutritional deficiencies (260-269)	18	1	-	-	-	1	-	-	1	1	6	8	40	-	-	-	-	1	1	-	1	5	9	23
White	17	1	-	-	-	1	-	-	1	1	6	7	38	-	-	-	-	1	1	-	1	5	8	22
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	15	1	-	1	3	-	-	-	1	2	2	5	16	-	1	1	-	1	1	2	-	1	4	5
White	13	-	-	1	2	-	-	-	1	2	2	5	14	-	1	1	-	-	1	1	-	1	4	5
All other	2	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Meningitis (320-322)	3	2	-	-	-	-	1	-	-	-	-	-	4	-	-	1	-	-	-	-	-	1	1	1
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	1	1	1
All other	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,942	7	2	2	5	26	112	252	508	994	1,229	805	4,288	4	1	-	7	15	43	87	243	656	1,330	1,902
White	3,765	7	1	-	5	23	95	231	475	949	1,194	785	4,149	3	1	-	7	14	40	83	224	618	1,295	1,864
All other	177	-	1	2	-	3	17	21	33	45	35	20	139	1	-	-	-	1	3	4	19	38	35	38
Black	146	-	-	2	-	1	16	18	29	34	30	16	107	1	-	-	-	1	2	3	15	31	27	27
Diseases of heart (390-398,402,404-429)	3,119	5	2	2	4	21	94	234	448	788	926	595	3,018	3	1	-	6	7	29	61	190	481	946	1,294
White	2,984	5	1	-	4	18	79	218	419	754	908	578	2,909	2	1	-	6	6	26	58	175	450	922	1,263
All other	135	-	1	2	-	3	15	16	29	34	18	17	109	1	-	-	-	1	3	3	15	31	24	31
Black	112	-	-	2	-	1	14	13	26	27	15	14	82	1	-	-	-	1	2	2	13	25	17	21
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	-	-	-	3	1	5	9	14	3	84	-	-	-	-	-	3	3	6	19	36	17
White	34	-	-	-	-	-	3	1	4	9	14	3	83	-	-	-	-	-	3	3	6	19	35	17
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	55	-	-	-	-	1	2	3	7	12	18	12	117	-	-	-	-	-	-	1	9	14	34	59
White	51	-	-	-	-	1	2	2	6	11	17	12	113	-	-	-	-	-	-	1	8	11	34	59
All other	4	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	-	1	3	-	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	1	2	14	-	-	-	-	-	-	-	-	-	5	9
White	3	-	-	-	-	-	-	-	-	-	1	2	13	-	-	-	-	-	-	-	-	-	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	2,248	-	-	-	-	6	58	174	342	597	668	403	1,954	-	-	-	-	-	7	33	130	325	612	847
White	2,169	-	-	-	-	5	51	164	322	579	655	393	1,882	-	-	-	-	-	7	31	119	307	594	824
All other	79	-	-	-	-	1	7	10	20	18	13	10	72	-	-	-	-	-	-	2	11	18	18	23
Black	63	-	-	-	-	1	6	7	18	13	11	7	50	-	-	-	-	-	-	1	10	14	11	14
Acute myocardial infarction (410)	1,112	-	-	-	-	2	29	95	183	310	332	161	895	-	-	-	-	-	4	22	71	193	306	299
White	1,084	-	-	-	-	1	25	89	176	307	329	157	866	-	-	-	-	-	4	21	66	186	298	291
All other	28	-	-	-	-	1	4	6	7	3	3	4	29	-	-	-	-	-	-	1	5	7	8	8
Black	21	-	-	-	-	1	4	4	6	2	2	2	18	-	-	-	-	-	-	-	5	5	5	3
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	1	-	3	3	2	-	7	-	-	-	-	-	-	1	1	2	-	3
White	8	-	-	-	-	-	-	-	3	3	2	-	7	-	-	-	-	-	-	1	1	2	-	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	-	-	-	3	1	1	8	-	-	-	-	-	-	-	-	2	5	1
White	5	-	-	-	-	-	-	-	-	3	1	1	6	-	-	-	-	-	-	-	-	1	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,122	-	-	-	-	4	28	79	156	281	333	241	1,044	-	-	-	-	-	3	10	58	128	301	544
White	1,072	-	-	-	-	4	26	75	143	266	323	235	1,003	-	-	-	-	-	3	9	52	118	291	530
All other	50	-	-	-	-	-	2	4	13	15	10	6	41	-	-	-	-	-	-	1	6	10	10	14
Black	41	-	-	-	-	-	1	3	12	11	9	5	30	-	-	-	-	-	-	1	5	8	6	10
Other diseases of endocardium (424)	66	-	-	-	-	-	3	5	6	9	16	27	82	-	-	-	-	-	-	2	3	10	34	33
White	64	-	-	-	-	-	2	5	6	8	16	27	80	-	-	-	-	-	-	2	3	9	34	32
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 32 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	712	5	2	2	4	14	28	51	88	161	209	148	767	3	1	-	6	7	19	22	42	113	225	329
White	663	5	1	-	4	12	21	46	81	147	205	141	738	2	1	-	6	6	16	21	39	104	220	323
All other	49	-	1	2	-	2	7	5	7	14	4	7	29	1	-	-	-	1	3	1	3	9	5	6
Black	43	-	-	2	-	-	7	5	7	12	3	7	25	1	-	-	-	1	2	1	2	8	5	5
Hypertension with or without renal disease (401,403)	54	-	-	-	-	-	1	1	3	12	17	20	79	-	-	-	-	-	-	3	4	10	25	37
White	48	-	-	-	-	-	-	1	3	11	15	18	73	-	-	-	-	-	-	3	3	6	24	37
All other	6	-	-	-	-	-	1	-	-	1	2	2	6	-	-	-	-	-	-	-	1	4	1	-
Black	5	-	-	-	-	-	1	-	-	1	2	1	6	-	-	-	-	-	-	-	1	4	1	-
Cerebrovascular diseases (430-438)	506	2	-	-	1	4	10	8	38	117	203	123	859	1	-	-	-	6	10	21	36	123	276	386
White	479	2	-	-	1	4	9	7	34	108	192	122	838	1	-	-	-	6	10	20	33	120	266	382
All other	27	-	-	-	-	-	1	1	4	9	11	1	21	-	-	-	-	-	-	1	3	3	10	4
Black	22	-	-	-	-	-	1	1	3	6	10	1	17	-	-	-	-	-	-	1	1	2	9	4
Intracerebral and other intracranial hemorrhage (431-432)	92	1	-	-	1	1	3	5	11	23	36	11	118	-	-	-	-	2	4	8	11	23	48	22
White	88	1	-	-	1	1	3	4	10	23	34	11	115	-	-	-	-	2	4	7	11	22	48	21
All other	4	-	-	-	-	-	-	1	1	-	2	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	1	-	1	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	45	-	-	-	-	-	2	1	4	8	20	10	71	-	-	-	-	1	-	-	-	7	23	40
White	41	-	-	-	-	-	2	1	3	7	19	9	68	-	-	-	-	1	-	-	-	7	21	39
All other	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	3	2
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	367	1	-	-	-	3	5	2	23	86	145	102	664	1	-	-	-	3	6	13	25	92	202	322
White	348	1	-	-	-	3	4	2	21	78	137	102	649	1	-	-	-	3	6	13	22	90	194	320
All other	19	-	-	-	-	-	1	-	2	8	8	-	15	-	-	-	-	-	-	-	3	2	8	2
Black	16	-	-	-	-	-	1	-	2	5	8	-	11	-	-	-	-	-	-	-	1	1	7	2
Atherosclerosis (440)	105	-	-	-	-	1	1	-	-	17	33	53	208	-	-	-	-	-	-	-	2	10	46	150
White	105	-	-	-	-	1	1	-	-	17	33	53	207	-	-	-	-	-	-	-	2	10	46	149
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	158	-	-	-	-	-	6	9	19	60	50	14	124	-	-	-	1	2	4	2	11	32	37	35
White	149	-	-	-	-	-	6	5	19	59	46	14	122	-	-	-	1	2	4	2	11	32	37	33
All other	9	-	-	-	-	-	-	4	-	1	4	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	7	-	-	-	-	-	-	4	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Acute bronchitis and bronchiolitis (466)	6	-	1	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	1	1	-
White	6	-	1	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	401	4	-	1	1	7	8	12	28	64	129	147	544	5	1	2	-	6	4	10	19	54	150	293
White	391	3	-	1	1	6	6	12	26	63	129	145	529	3	1	2	-	5	3	10	19	54	147	285
All other	10	1	-	1	-	1	2	-	2	1	-	2	15	2	-	-	-	1	1	-	-	-	3	8
Black	5	-	-	1	-	-	1	-	1	1	-	1	10	1	-	-	-	-	1	-	-	-	1	7
Pneumonia (480-486)	397	4	-	1	1	5	8	12	28	64	129	145	532	5	1	1	-	6	4	10	19	52	148	286
White	388	3	-	1	1	5	6	12	26	63	129	143	517	3	1	1	-	5	3	10	19	52	145	278
All other	9	1	-	1	-	-	2	-	2	1	-	2	15	2	-	-	-	1	1	-	-	-	3	8
Black	5	-	-	1	-	-	1	-	1	1	-	1	10	1	-	-	-	-	1	-	-	-	1	7
Influenza (487)	4	-	-	-	-	2	-	-	-	-	-	2	12	-	-	1	-	-	-	-	-	2	2	7
White	3	-	-	-	-	1	-	-	-	-	-	2	12	-	-	1	-	-	-	-	-	2	2	7
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	827	-	-	-	1	5	3	17	97	259	310	135	679	-	1	-	-	-	7	15	77	214	262	103
White	812	-	-	-	1	5	3	15	91	257	307	133	660	-	1	-	-	-	6	13	75	207	259	99
All other	15	-	-	-	-	-	-	2	6	2	3	2	19	-	-	-	-	-	1	2	2	7	3	4
Black	11	-	-	-	-	-	-	2	5	1	3	-	13	-	-	-	-	-	-	2	2	5	3	1
Bronchitis, chronic and unspecified (490-491)	40	-	-	-	-	1	-	1	8	5	14	11	24	-	-	-	-	-	-	-	2	8	5	9
White	40	-	-	-	-	1	-	1	8	5	14	11	24	-	-	-	-	-	-	-	2	8	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	136	-	-	-	-	-	-	3	22	46	49	16	110	-	-	-	-	-	-	2	14	39	47	8
White	133	-	-	-	-	-	-	3	19	46	49	16	109	-	-	-	-	-	-	1	14	39	47	8
All other	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 33 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	32	-	-	-	1	3	2	4	5	4	9	4	66	-	1	-	-	-	6	4	11	14	18	12
White	31	-	-	-	1	3	2	3	5	4	9	4	57	-	1	-	-	-	5	4	9	11	18	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	1	-	2	3	-	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	-	-	-	2	3	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	619	-	-	-	-	1	1	9	62	204	238	104	479	-	-	-	-	-	1	9	50	153	192	74
White	608	-	-	-	-	1	1	8	59	202	235	102	470	-	-	-	-	-	1	8	50	149	189	73
All other	11	-	-	-	-	-	-	1	3	2	3	2	9	-	-	-	-	-	-	1	-	4	3	1
Black	8	-	-	-	-	-	-	1	3	1	3	-	6	-	-	-	-	-	-	1	-	2	3	-
Ulcer of stomach and duodenum (531-533)	33	-	-	-	-	-	3	2	6	4	9	9	49	-	-	-	-	-	-	1	2	5	24	17
White	32	-	-	-	-	-	2	2	6	4	9	9	46	-	-	-	-	-	-	1	1	4	24	16
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Appendicitis (540-543)	3	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	2	-	-	-	2	-	1	3	5	12	5	53	-	-	-	-	1	1	-	2	10	15	24
White	30	2	-	-	-	2	-	1	3	5	12	5	48	-	-	-	-	1	1	-	1	9	12	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	1	3	-
Chronic liver disease and cirrhosis (571)	207	-	-	-	-	6	48	48	54	33	13	5	113	-	-	-	-	5	17	17	25	24	21	4
White	200	-	-	-	-	4	47	46	53	33	13	4	104	-	-	-	-	4	15	16	22	24	19	4
All other	7	-	-	-	-	2	1	2	1	-	-	1	9	-	-	-	-	1	2	1	3	-	2	-
Black	6	-	-	-	-	1	1	2	1	-	-	1	8	-	-	-	-	1	2	1	2	-	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	1	1	8	6	23	-	-	-	1	1	-	-	4	3	6	8
White	16	-	-	-	-	-	-	-	1	1	8	6	21	-	-	-	-	1	-	-	3	3	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	57	-	-	-	1	-	-	4	2	15	19	16	63	-	-	-	-	3	1	2	3	14	15	25
White	50	-	-	-	-	-	-	4	1	14	16	15	60	-	-	-	-	3	-	-	3	14	15	25
All other	7	-	-	-	1	-	-	-	1	1	3	1	3	-	-	-	-	-	1	2	-	-	-	-
Black	6	-	-	-	1	-	-	-	1	1	3	-	2	-	-	-	-	-	1	1	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	1	-	3	3	4	8	-	-	-	-	1	1	1	1	3	-	1
White	10	-	-	-	-	-	-	1	-	3	2	4	6	-	-	-	-	1	-	-	1	3	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	43	-	-	-	1	-	-	3	1	12	16	10	53	-	-	-	-	2	-	1	2	10	14	24
White	37	-	-	-	-	-	-	3	-	11	14	9	52	-	-	-	-	2	-	-	2	10	14	24
All other	6	-	-	-	1	-	-	-	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	5	-	-	-	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Infections of kidney (590)	5	-	-	-	-	-	1	-	-	1	1	2	10	-	-	-	-	-	1	-	-	1	2	6
White	4	-	-	-	-	-	1	-	-	1	-	2	10	-	-	-	-	-	1	-	-	1	2	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	1	-	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	1	-	3	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 34 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	81	49	9	3	2	3	4	3	2	1	4	1	77	53	6	-	-	1	1	4	1	3	7	1
White	67	39	6	3	2	2	4	3	2	1	4	1	68	46	5	-	-	1	1	3	1	3	7	1
All other	14	10	3	-	-	1	-	-	-	-	-	-	9	7	1	-	-	-	-	1	-	-	-	-
Black	13	9	3	-	-	1	-	-	-	-	-	-	8	6	1	-	-	-	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	87	86	-	1	-	-	-	-	-	-	-	-	66	65	-	1	-	-	-	-	-	-	-	-
White	74	73	-	1	-	-	-	-	-	-	-	-	57	56	-	1	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	17	-	1	-	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-
White	15	14	-	1	-	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	69	69	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
White	59	59	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	130	83	-	-	2	4	6	1	3	6	17	8	92	46	1	-	-	3	1	1	5	5	9	21
White	117	71	-	-	2	4	6	1	3	6	17	7	82	38	1	-	-	2	1	1	4	5	9	21
All other	13	12	-	-	-	-	-	-	-	-	-	1	10	8	-	-	-	1	-	-	1	-	-	-
Black	9	8	-	-	-	-	-	-	-	-	-	1	10	8	-	-	-	1	-	-	1	-	-	-
All other diseases (Residual)	989	11	6	11	17	32	54	63	99	196	291	209	1,211	11	5	3	18	12	27	54	94	164	345	478
White	941	11	6	8	16	30	48	57	90	185	288	202	1,157	10	4	3	14	12	23	48	86	156	338	463
All other	48	-	-	3	1	2	6	6	9	11	3	7	54	1	1	-	4	-	4	6	8	8	7	15
Black	37	-	-	3	-	2	5	4	8	9	1	5	39	1	1	-	3	-	4	5	7	6	6	6
Accidents and adverse effects (E800-E949)	817	5	17	33	157	154	142	87	53	58	67	44	377	4	8	15	55	37	40	25	26	43	54	70
White	778	5	14	33	152	144	137	79	50	57	64	43	355	4	7	14	53	34	33	22	25	41	54	68
All other	39	-	3	-	5	10	5	8	3	1	3	1	22	-	1	1	2	3	7	3	1	2	-	2
Black	26	-	2	-	5	5	4	4	3	1	2	-	12	-	-	-	2	1	4	2	-	2	-	1
Motor vehicle accidents (E810-E825)	412	-	7	18	110	95	72	40	23	22	19	6	174	2	2	10	48	30	21	11	11	20	11	8
White	393	-	5	18	107	88	69	38	22	22	18	6	163	2	2	9	47	27	17	10	11	19	11	8
All other	19	-	2	-	3	7	3	2	1	-	1	-	11	-	-	1	1	3	4	1	-	1	-	-
Black	12	-	1	-	3	4	2	1	1	-	-	-	4	-	-	-	1	1	1	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	405	5	10	15	47	59	70	47	30	36	48	38	203	2	6	5	7	7	19	14	15	23	43	62
White	385	5	9	15	45	56	68	41	28	35	46	37	192	2	5	5	6	7	16	12	14	22	43	60
All other	20	-	1	-	2	3	2	6	2	1	2	1	11	-	1	-	1	-	3	2	1	1	-	2
Black	14	-	1	-	2	1	2	3	2	1	2	-	8	-	-	-	1	-	3	2	-	1	-	1
Suicide (E950-E959)	443	...	...	7	75	89	100	58	45	30	29	10	120	...	...	1	12	26	36	13	11	15	5	1
White	430	...	...	6	71	83	100	58	45	29	29	9	116	...	...	1	12	24	35	12	11	15	5	1
All other	13	...	...	1	4	6	-	-	-	1	-	1	4	...	...	-	-	2	1	1	-	-	-	-
Black	7	...	...	1	2	4	-	-	-	-	-	-	2	...	...	-	-	1	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	148	4	3	3	54	32	27	13	7	5	-	-	58	2	2	3	10	13	12	7	5	2	1	1
White	118	4	2	3	41	22	23	11	7	5	-	-	50	1	1	2	10	10	11	7	5	2	-	1
All other	30	-	1	-	13	10	4	2	-	-	-	-	8	1	1	1	-	3	1	-	-	-	1	-
Black	28	-	1	-	11	10	4	2	-	-	-	-	8	1	1	1	-	3	1	-	-	-	1	-
All other external causes (E980-E999)	29	-	1	-	3	13	9	-	3	-	-	-	14	-	1	-	-	3	2	5	1	-	2	-
White	27	-	1	-	3	13	7	-	3	-	-	-	13	-	-	-	-	3	2	5	1	-	2	-
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 35 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	13,966	201	34	43	277	468	691	849	1,774	3,483	3,888	2,258	14,063	158	37	28	79	200	315	508	1,117	2,652	4,176	4,793
White	12,831	153	24	32	222	350	542	710	1,572	3,286	3,757	2,183	13,215	106	31	25	64	155	235	425	1,006	2,501	3,994	4,673
All other	1,135	48	10	11	55	118	149	139	202	197	131	75	848	52	6	3	15	45	80	83	111	151	182	120
Black	1,061	45	8	9	52	115	141	130	190	181	121	69	802	48	6	3	14	44	79	78	107	143	163	117
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	5	-	-	-	-	1	-	-	2	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-
White	5	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	154	2	1	-	-	4	8	9	15	35	43	37	206	-	-	-	-	2	3	3	11	35	60	92
White	131	1	1	-	-	2	5	6	12	31	40	33	193	-	-	-	-	2	2	3	9	33	58	86
All other	23	1	-	-	-	2	3	3	3	4	3	4	13	-	-	-	-	-	1	-	2	2	2	6
Black	23	1	-	-	-	2	3	3	3	4	3	4	12	-	-	-	-	-	1	-	2	2	2	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	-	-	2	3	3	1	2	1	-	9	-	-	-	-	-	1	-	4	2	2	-
White	10	-	-	-	-	2	3	2	-	2	1	-	8	-	-	-	-	-	1	-	3	2	2	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	337	2	1	1	6	92	121	56	27	18	6	7	118	3	3	1	6	35	29	11	3	14	7	6
White	228	2	-	-	4	60	78	39	19	14	6	6	73	1	2	1	4	18	11	7	2	14	7	6
All other	109	-	1	1	2	32	43	17	8	4	-	1	45	2	1	-	2	17	18	4	1	-	-	-
Black	107	-	1	1	2	31	42	17	8	4	-	1	44	2	1	-	2	17	17	4	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,602	-	7	5	14	28	94	263	648	1,217	985	341	3,442	-	2	7	10	31	118	273	537	989	992	483
White	3,347	-	5	4	14	22	74	226	573	1,154	951	324	3,261	-	1	6	9	28	96	245	497	951	957	471
All other	255	-	2	1	-	6	20	37	75	63	34	17	181	-	1	1	1	3	22	28	40	38	35	12
Black	228	-	1	-	-	6	15	35	69	58	29	15	172	-	1	1	1	3	22	24	38	36	34	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 36 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	94	-	-	-	-	-	5	15	31	20	21	2	38	-	-	-	-	-	-	3	9	12	9	5
White	85	-	-	-	-	-	5	11	27	20	20	2	37	-	-	-	-	-	-	2	9	12	9	5
All other	9	-	-	-	-	-	-	4	4	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	7	-	-	-	-	-	-	4	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	922	-	1	-	1	5	16	62	158	335	253	91	824	-	-	-	-	2	16	32	97	235	287	155
White	863	-	-	-	1	5	12	49	146	320	244	86	786	-	-	-	-	2	12	27	93	225	277	150
All other	59	-	1	-	-	-	4	13	12	15	9	5	38	-	-	-	-	-	4	5	4	10	10	5
Black	49	-	1	-	-	-	3	11	10	13	7	4	37	-	-	-	-	-	4	4	4	10	10	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,170	-	-	-	-	2	19	93	242	430	312	72	755	-	-	-	-	3	17	76	143	258	195	63
White	1,082	-	-	-	-	1	15	83	202	410	301	70	716	-	-	-	-	3	12	70	132	250	186	63
All other	88	-	-	-	-	1	4	10	40	20	11	2	39	-	-	-	-	-	5	6	11	8	9	-
Black	83	-	-	-	-	1	4	10	38	19	9	2	37	-	-	-	-	-	5	5	11	7	9	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	1	-	1	1	615	-	-	-	-	5	42	78	124	159	148	59
White	2	-	-	-	-	-	-	-	1	-	1	-	583	-	-	-	-	5	36	71	115	153	144	59
All other	1	-	-	-	-	-	-	-	-	-	-	1	32	-	-	-	-	-	6	7	9	6	4	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	30	-	-	-	-	-	6	6	8	6	4	-
Malignant neoplasms of genital organs (179-187)	435	-	-	-	1	1	-	6	28	141	168	90	356	-	-	-	1	7	20	32	56	99	98	43
White	407	-	-	-	1	1	-	6	24	129	163	83	335	-	-	-	1	7	15	31	52	93	93	43
All other	28	-	-	-	-	-	-	-	4	12	5	7	21	-	-	-	-	-	5	1	4	6	5	-
Black	28	-	-	-	-	-	-	-	4	12	5	7	20	-	-	-	-	-	5	1	4	5	5	-
Malignant neoplasms of urinary organs (188-189)	191	-	1	-	-	-	-	9	41	65	55	20	126	-	-	1	-	1	1	11	10	29	46	27
White	186	-	1	-	-	-	-	8	40	63	54	20	116	-	-	1	-	-	1	9	9	28	43	25
All other	5	-	-	-	-	-	-	1	1	2	1	-	10	-	-	-	-	1	-	2	1	1	3	2
Black	5	-	-	-	-	-	-	1	1	2	1	-	9	-	-	-	-	1	-	2	1	1	2	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	469	-	4	1	7	11	28	53	100	129	103	33	414	-	1	2	6	7	12	25	62	118	113	68
White	435	-	4	1	7	9	23	48	89	123	100	31	390	-	-	2	5	6	12	23	54	114	110	64
All other	34	-	-	-	-	2	5	5	11	6	3	2	24	-	1	-	1	1	-	2	8	4	3	4
Black	30	-	-	-	-	2	4	5	10	5	3	1	23	-	1	-	1	1	-	2	7	4	3	4
Leukemia (204-208)	134	-	1	3	4	4	9	10	18	49	25	11	115	-	1	4	1	5	5	9	15	27	26	22
White	125	-	-	2	4	3	8	9	16	48	24	11	105	-	1	3	1	4	4	6	13	27	25	21
All other	9	-	1	1	-	1	1	1	2	1	1	-	10	-	-	1	-	1	1	3	2	-	1	1
Black	7	-	-	-	-	1	1	1	2	1	1	-	9	-	-	1	-	1	1	2	2	-	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	184	-	-	1	1	5	17	15	29	48	47	21	199	-	-	-	2	1	5	7	21	52	70	41
White	162	-	-	1	1	3	11	12	28	41	44	21	193	-	-	-	2	1	4	6	20	49	70	41
All other	22	-	-	-	-	2	6	3	1	7	3	-	6	-	-	-	-	-	1	1	1	3	-	-
Black	18	-	-	-	-	2	3	3	1	6	3	-	6	-	-	-	-	-	1	1	1	3	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	47	1	-	-	2	2	2	5	8	7	14	6	61	-	1	1	-	-	3	9	5	9	23	10
White	46	1	-	-	2	2	2	5	7	7	14	6	59	-	1	1	-	-	3	8	5	9	22	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Diabetes mellitus (250)	234	-	-	1	-	3	13	15	39	68	73	22	287	-	-	-	-	3	6	12	24	66	104	72
White	212	-	-	1	-	3	9	14	29	64	71	21	253	-	-	-	-	3	4	5	20	60	92	69
All other	22	-	-	-	-	-	4	1	10	4	2	1	34	-	-	-	-	-	2	7	4	6	12	3
Black	21	-	-	-	-	-	4	1	10	4	1	1	33	-	-	-	-	-	2	7	4	6	11	3
Nutritional deficiencies (260-269)	7	-	-	-	-	-	1	-	-	-	4	2	16	-	-	-	-	-	-	1	-	1	3	11
White	6	-	-	-	-	-	1	-	-	-	3	2	15	-	-	-	-	-	-	1	-	1	2	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	16	-	1	-	-	-	-	-	1	3	5	6	27	-	-	-	-	1	-	-	2	2	4	18
White	13	-	-	-	-	-	-	-	-	3	5	5	25	-	-	-	-	-	-	-	2	1	4	18
All other	3	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Black	2	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Meningitis (320-322)	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,621	4	3	3	4	40	127	279	692	1,489	1,843	1,137	6,353	2	4	2	3	17	46	102	317	991	2,022	2,847
White	5,282	3	3	2	3	22	104	237	622	1,402	1,784	1,100	6,029	1	4	2	3	13	32	74	273	913	1,933	2,781
All other	339	1	-	1	1	18	23	42	70	87	59	37	324	1	-	-	-	4	14	28	44	78	89	66
Black	321	1	-	1	1	17	22	40	65	82	57	35	306	1	-	-	-	4	14	28	43	73	77	66

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 37 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	4,645	3	3	2	3	32	104	246	618	1,248	1,473	913	4,918	2	3	2	3	11	34	79	264	795	1,551	2,174
White	4,376	2	3	1	2	18	87	215	557	1,175	1,431	885	4,671	1	3	2	3	7	23	55	225	738	1,488	2,126
All other	269	1	-	1	1	14	17	31	61	73	42	28	247	1	-	-	-	4	11	24	39	57	63	48
Black	253	1	-	1	1	13	16	30	56	69	40	26	235	1	-	-	-	4	11	24	38	53	56	48
Rheumatic fever and rheumatic heart disease (390-398)	18	-	1	-	-	-	-	2	4	5	3	3	77	-	-	-	-	1	-	3	12	23	29	9
White	16	-	1	-	-	-	-	2	4	5	2	2	72	-	-	-	-	1	-	2	10	21	29	9
All other	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	1	2	2	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	1	2	2	-	-
Hypertensive heart disease (402)	109	-	-	-	-	-	5	19	28	24	25	8	132	-	-	-	-	-	2	5	11	27	32	55
White	89	-	-	-	-	-	5	9	22	23	23	7	118	-	-	-	-	-	2	2	10	22	29	53
All other	20	-	-	-	-	-	-	10	6	1	2	1	14	-	-	-	-	-	-	3	1	5	3	2
Black	17	-	-	-	-	-	-	10	4	1	2	-	13	-	-	-	-	-	-	3	1	4	3	2
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	1	1	-	2	7	3	12	-	-	-	-	-	-	-	1	2	3	6
White	11	-	-	-	-	-	-	1	-	2	5	3	10	-	-	-	-	-	-	-	-	1	3	6
All other	3	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Ischemic heart disease (410-414)	2,770	-	-	-	-	9	50	124	335	754	928	570	2,974	-	-	1	-	1	16	35	142	460	946	1,373
White	2,669	-	-	-	-	5	42	116	316	725	910	555	2,862	-	-	1	-	1	12	28	126	434	916	1,344
All other	101	-	-	-	-	4	8	8	19	29	18	15	112	-	-	-	-	-	4	7	16	26	30	29
Black	92	-	-	-	-	4	7	7	17	26	16	15	104	-	-	-	-	-	4	7	15	23	26	29
Acute myocardial infarction (410)	1,123	-	-	-	-	2	17	64	161	323	370	186	1,168	-	-	-	-	-	5	26	79	233	405	420
White	1,089	-	-	-	-	1	13	62	152	318	360	183	1,115	-	-	-	-	-	5	22	70	217	391	410
All other	34	-	-	-	-	1	4	2	9	5	10	3	53	-	-	-	-	-	-	4	9	16	14	10
Black	29	-	-	-	-	1	3	2	8	3	9	3	48	-	-	-	-	-	-	4	8	13	13	10
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	14	-	-	-	-	-	-	2	-	5	5	2	15	-	-	-	-	-	-	-	-	4	3	8
White	13	-	-	-	-	-	-	2	-	5	5	1	13	-	-	-	-	-	-	-	-	3	3	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,630	-	-	-	-	7	33	58	174	425	553	380	1,789	-	-	1	-	1	11	9	63	222	537	945
White	1,564	-	-	-	-	4	29	52	164	401	545	369	1,732	-	-	1	-	1	7	6	56	213	521	927
All other	66	-	-	-	-	3	4	6	10	24	8	11	57	-	-	-	-	-	4	3	7	9	16	18
Black	62	-	-	-	-	3	4	5	9	23	7	11	54	-	-	-	-	-	4	3	7	9	13	18
Other diseases of endocardium (424)	80	-	-	-	1	2	3	1	5	16	31	21	114	-	-	-	-	1	1	1	2	15	34	60
White	74	-	-	-	-	2	-	1	4	16	30	21	110	-	-	-	-	-	-	1	2	13	34	60
All other	6	-	-	-	1	-	3	-	1	-	1	-	4	-	-	-	-	1	1	-	-	2	-	-
Black	6	-	-	-	1	-	3	-	1	-	1	-	4	-	-	-	-	1	1	-	-	2	-	-
All other forms of heart disease (415-423,425-429)	1,654	3	2	2	2	21	45	99	246	447	479	308	1,609	2	3	1	3	8	15	35	96	268	507	671
White	1,517	2	2	1	2	11	40	86	211	404	461	297	1,499	1	3	1	3	5	9	22	77	247	477	654
All other	137	1	-	1	-	10	5	13	35	43	18	11	110	1	-	-	-	3	6	13	19	21	30	17
Black	133	1	-	1	-	9	5	13	34	42	18	10	107	1	-	-	-	3	6	13	19	21	27	17
Hypertension with or without renal disease (401,403)	43	-	-	1	-	-	-	-	5	9	18	10	57	-	-	-	-	-	-	2	1	6	22	26
White	37	-	-	1	-	-	-	-	3	8	17	8	53	-	-	-	-	-	-	1	1	5	20	26
All other	6	-	-	-	-	-	-	-	2	1	1	2	4	-	-	-	-	-	-	1	-	1	2	-
Black	6	-	-	-	-	-	-	-	2	1	1	2	4	-	-	-	-	-	-	1	-	1	2	-
Cerebrovascular diseases (430-438)	676	1	-	-	1	8	21	26	44	153	252	170	1,076	-	1	-	-	6	10	17	42	143	344	513
White	625	1	-	-	1	4	16	17	39	142	240	165	1,024	-	1	-	-	6	8	14	39	126	329	501
All other	51	-	-	-	-	4	5	9	5	11	12	5	52	-	-	-	-	-	2	3	3	17	15	12
Black	49	-	-	-	-	4	5	8	5	10	12	5	46	-	-	-	-	-	2	3	3	16	10	12
Intracerebral and other intracranial hemorrhage (431-432)	122	-	-	-	1	2	7	13	13	32	38	16	128	-	1	-	-	1	1	6	15	29	46	29
White	106	-	-	-	1	1	4	8	12	29	36	15	113	-	1	-	-	1	-	5	12	23	42	29
All other	16	-	-	-	-	1	3	5	1	3	2	1	15	-	-	-	-	-	1	1	3	6	4	-
Black	14	-	-	-	-	1	3	4	1	2	2	1	13	-	-	-	-	-	1	1	3	5	3	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	66	-	-	-	-	-	1	1	6	9	33	16	146	-	-	-	-	-	2	1	4	19	45	75
White	61	-	-	-	-	-	1	1	5	9	29	16	141	-	-	-	-	-	2	1	4	17	45	72
All other	5	-	-	-	-	-	-	-	1	-	4	-	5	-	-	-	-	-	-	-	-	2	-	3
Black	5	-	-	-	-	-	-	-	1	-	4	-	5	-	-	-	-	-	-	-	-	2	-	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 38 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-	-	1	2	3	2
White	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	1	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	487	1	-	-	-	6	13	12	25	112	181	137	794	-	-	-	-	5	7	10	22	93	250	407
White	457	1	-	-	-	3	11	8	22	104	175	133	763	-	-	-	-	5	6	8	22	84	239	399
All other	30	-	-	-	-	3	2	4	3	8	6	4	31	-	-	-	-	-	1	2	-	9	11	8
Black	30	-	-	-	-	3	2	4	3	8	6	4	27	-	-	-	-	-	1	2	-	9	7	8
Atherosclerosis (440)	70	-	-	-	-	-	-	1	7	16	24	22	142	-	-	-	-	-	-	3	3	15	31	90
White	68	-	-	-	-	-	-	1	7	16	22	22	132	-	-	-	-	-	-	3	2	13	27	87
All other	2	-	-	-	-	-	-	-	-	-	2	-	10	-	-	-	-	-	-	-	1	2	4	3
Black	2	-	-	-	-	-	-	-	-	-	2	-	10	-	-	-	-	-	-	-	1	2	4	3
Other diseases of arteries, arterioles, and capillaries (441-448)	187	-	-	-	-	-	2	6	18	63	76	22	160	-	-	-	-	-	2	1	7	32	74	44
White	176	-	-	-	-	-	1	4	16	61	74	20	149	-	-	-	-	-	1	1	6	31	69	41
All other	11	-	-	-	-	-	1	2	2	2	2	2	11	-	-	-	-	-	1	-	1	1	5	3
Black	11	-	-	-	-	-	1	2	2	2	2	2	11	-	-	-	-	-	1	-	1	1	5	3
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	473	1	1	-	3	3	12	10	25	57	158	203	609	2	1	-	-	-	4	6	19	37	168	372
White	449	1	1	-	3	3	8	7	23	52	152	199	592	2	-	-	-	-	3	5	17	35	163	367
All other	24	-	-	-	-	-	4	3	2	5	6	4	17	-	1	-	-	-	1	1	2	2	5	5
Black	22	-	-	-	-	-	4	2	2	5	6	3	16	-	1	-	-	-	1	1	2	2	4	5
Pneumonia (480-486)	471	1	1	-	3	3	12	10	24	57	158	202	602	2	1	-	-	-	4	6	19	35	167	368
White	447	1	1	-	3	3	8	7	22	52	152	198	585	2	-	-	-	-	3	5	17	33	162	363
All other	24	-	-	-	-	-	4	3	2	5	6	4	17	-	1	-	-	-	1	1	2	2	5	5
Black	22	-	-	-	-	-	4	2	2	5	6	3	16	-	1	-	-	-	1	1	2	2	4	5
Influenza (487)	2	-	-	-	-	-	-	-	1	-	-	1	7	-	-	-	-	-	-	-	-	2	1	4
White	2	-	-	-	-	-	-	-	1	-	-	1	7	-	-	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	520	-	-	-	1	2	2	9	42	168	192	104	485	-	-	-	-	-	4	7	32	149	178	115
White	496	-	-	-	1	1	2	9	38	159	186	100	480	-	-	-	-	-	2	7	32	147	177	115
All other	24	-	-	-	-	1	-	-	4	9	6	4	5	-	-	-	-	-	2	-	-	2	1	-
Black	22	-	-	-	-	1	-	-	4	7	6	4	5	-	-	-	-	-	2	-	-	2	1	-
Bronchitis, chronic and unspecified (490-491)	22	-	-	-	-	-	-	-	3	8	8	3	16	-	-	-	-	-	1	-	-	6	2	7
White	19	-	-	-	-	-	-	-	1	8	7	3	15	-	-	-	-	-	-	-	-	6	2	7
All other	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Emphysema (492)	86	-	-	-	-	-	1	3	9	31	25	17	77	-	-	-	-	-	1	1	6	26	30	13
White	85	-	-	-	-	-	1	3	9	30	25	17	76	-	-	-	-	-	1	1	6	26	29	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	12	-	-	-	1	2	-	2	1	5	1	-	27	-	-	-	-	-	1	-	3	7	8	8
White	9	-	-	-	1	1	-	2	1	4	-	-	25	-	-	-	-	-	-	-	3	6	8	8
All other	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	400	-	-	-	-	-	1	4	29	124	158	84	365	-	-	-	-	-	1	6	23	110	138	87
White	383	-	-	-	-	-	1	4	27	117	154	80	364	-	-	-	-	-	1	6	23	109	138	87
All other	17	-	-	-	-	-	-	-	2	7	4	4	1	-	-	-	-	-	-	-	-	1	-	-
Black	15	-	-	-	-	-	-	-	2	5	4	4	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	21	-	-	-	-	-	1	1	3	6	5	5	32	-	-	-	-	-	-	1	1	6	9	15
White	20	-	-	-	-	-	1	-	3	6	5	5	28	-	-	-	-	-	-	1	1	6	8	12
All other	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Appendicitis (540-543)	7	-	-	-	1	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	-	-	-	1	1	-	2	-	5	14	11	49	1	-	-	-	-	-	-	-	7	18	23
White	31	-	-	-	-	1	-	2	-	5	13	10	48	1	-	-	-	-	-	-	-	6	18	23
All other	3	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 39 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see *Technical Appendix*]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	202	-	-	-	-	7	33	35	43	52	29	3	122	-	-	-	-	4	10	13	25	45	20	5
White	187	-	-	-	-	7	31	30	39	50	27	3	114	-	-	-	-	4	8	11	24	43	19	5
All other	15	-	-	-	-	-	2	5	4	2	2	-	8	-	-	-	-	-	2	2	1	2	1	-
Black	13	-	-	-	-	-	2	4	4	1	2	-	7	-	-	-	-	-	2	2	1	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	2	1	1	3	4	4	13	-	-	-	-	-	-	-	-	2	3	8
White	15	-	-	-	-	-	2	1	1	3	4	4	12	-	-	-	-	-	-	-	-	1	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	156	2	-	-	-	2	8	5	21	31	57	30	162	2	-	-	-	1	2	6	15	34	61	41
White	143	1	-	-	-	1	5	4	18	29	55	30	142	1	-	-	-	-	1	4	12	31	55	38
All other	13	1	-	-	-	1	3	1	3	2	2	-	20	1	-	-	-	1	1	2	3	3	6	3
Black	12	1	-	-	-	1	3	1	3	2	1	-	19	1	-	-	-	1	1	2	3	3	5	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, *not specified as acute or* chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	-	2	-	2	3	1	1	7	-	-	-	-	-	-	1	-	-	5	1
White	9	-	-	-	-	-	2	-	2	3	1	1	6	-	-	-	-	-	-	1	-	-	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	147	2	-	-	-	2	6	5	19	28	56	29	154	2	-	-	-	1	1	5	15	34	56	40
White	134	1	-	-	-	1	3	4	16	26	54	29	135	1	-	-	-	-	-	3	12	31	51	37
All other	13	1	-	-	-	1	3	1	3	2	2	-	19	1	-	-	-	1	1	2	3	3	5	3
Black	12	1	-	-	-	1	3	1	3	2	1	-	18	1	-	-	-	1	1	2	3	3	4	3
Infections of kidney (590)	2	-	-	-	-	-	-	1	-	-	-	1	4	-	1	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	1	-	-	-	1	4	-	1	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	1	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	70	40	5	2	1	2	-	3	5	3	8	1	72	40	3	1	3	2	4	1	2	5	6	5
White	62	37	3	1	1	1	-	3	4	3	8	1	68	36	3	1	3	2	4	1	2	5	6	5
All other	8	3	2	1	-	1	-	-	1	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	6	3	1	-	-	1	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	109	109	-	-	-	-	-	-	-	-	-	-	83	81	2	-	-	-	-	-	-	-	-	-
White	76	76	-	-	-	-	-	-	-	-	-	-	50	48	2	-	-	-	-	-	-	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	30	30	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	17	-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 40 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	92	92	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
White	61	61	-	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
All other	31	31	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	282	29	1	2	16	53	79	26	14	19	29	14	165	21	3	2	5	22	26	9	12	8	27	30
White	240	23	1	2	14	41	65	20	14	18	28	14	142	12	3	2	5	20	18	7	11	8	26	30
All other	42	6	-	-	2	12	14	6	-	1	1	-	23	9	-	-	-	2	8	2	1	-	1	-
Black	40	6	-	-	2	12	13	5	-	1	1	-	23	9	-	-	-	2	8	2	1	-	1	-
All other diseases (Residual)	1,067	8	4	5	6	37	55	50	105	213	326	258	1,340	5	9	3	6	11	28	29	83	211	399	556
White	993	7	3	5	5	35	37	37	90	204	315	255	1,258	4	7	3	4	6	23	23	74	201	376	537
All other	74	1	1	-	1	2	18	13	15	9	11	3	82	1	2	-	2	5	5	6	9	10	23	19
Black	71	1	1	-	1	2	18	13	15	7	11	2	78	1	2	-	2	5	5	5	9	10	21	18
Accidents and adverse effects (E800-E949)	523	3	8	19	112	71	55	35	41	61	61	57	294	-	7	10	29	36	15	14	14	33	62	74
White	469	1	6	13	100	61	47	29	40	57	60	55	269	-	6	8	26	29	14	13	13	29	60	71
All other	54	2	2	6	12	10	8	6	1	4	1	2	25	-	1	2	3	7	1	1	1	4	2	3
Black	51	2	2	6	12	10	8	4	1	4	-	2	23	-	1	2	2	7	1	1	1	4	2	2
Motor vehicle accidents (E810-E825)	226	-	2	11	87	43	22	11	15	15	14	6	109	-	3	3	25	29	8	7	8	7	14	5
White	200	-	2	7	79	37	19	10	14	13	14	5	100	-	2	3	22	24	8	7	8	7	14	5
All other	26	-	-	4	8	6	3	1	1	2	-	1	9	-	1	-	3	5	-	-	-	-	-	-
Black	25	-	-	4	8	6	3	-	1	2	-	1	8	-	1	-	2	5	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	297	3	6	8	25	28	33	24	26	46	47	51	185	-	4	7	4	7	7	7	6	26	48	69
White	269	1	4	6	21	24	28	19	26	44	46	50	169	-	4	5	4	5	6	6	5	22	46	66
All other	28	2	2	2	4	4	5	5	-	2	1	1	16	-	-	2	-	2	1	1	1	4	2	3
Black	26	2	2	2	4	4	5	4	-	2	-	1	15	-	-	2	-	2	1	1	1	4	2	2
Suicide (E950-E959)	274	...	...	1	53	66	45	31	31	19	23	5	56	...	...	1	4	16	10	7	8	3	4	3
White	261	...	...	1	49	62	43	31	30	17	23	5	53	...	...	1	3	15	10	7	7	3	4	3
All other	13	...	...	-	4	4	2	-	1	2	-	-	3	...	...	-	1	1	-	-	1	-	-	-
Black	11	...	...	-	3	4	2	-	1	1	-	-	3	...	...	-	1	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	150	-	1	4	57	44	18	9	8	5	4	-	36	-	1	-	11	13	4	2	2	-	3	-
White	82	-	-	3	26	20	14	6	6	4	3	-	23	-	1	-	6	10	1	2	2	-	1	-
All other	68	-	1	1	31	24	4	3	2	1	1	-	13	-	-	-	5	3	3	-	-	-	2	-
Black	65	-	1	1	29	23	4	3	2	1	1	-	12	-	-	-	5	2	3	-	-	-	2	-
All other external causes (E980-E999)	16	-	-	-	-	4	10	1	1	-	-	-	7	-	-	-	-	4	2	1	-	-	-	-
White	12	-	-	-	-	1	9	1	1	-	-	-	6	-	-	-	-	3	2	1	-	-	-	-
All other	4	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	4	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
DELAWARE																								
All causes	2,979	71	8	11	48	110	145	206	439	831	782	325	2,949	61	5	9	14	35	70	131	322	635	832	835
White	2,451	42	3	10	37	72	115	158	348	706	665	294	2,459	37	4	5	12	25	38	91	254	509	737	747
All other	528	29	5	1	11	38	30	48	91	125	117	31	490	24	1	4	2	10	32	40	68	126	95	88
Black	509	29	5	1	11	35	30	48	86	122	109	31	475	23	1	4	2	10	31	40	67	122	91	84
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	1	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 41 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	28	1	-	-	-	-	1	2	2	8	7	7	32	1	-	-	1	-	1	-	1	3	13	12
White	26	-	-	-	-	-	1	1	2	8	7	7	25	-	-	-	1	-	1	-	-	2	10	11
All other	2	1	-	-	-	-	-	1	-	-	-	-	7	1	-	-	-	-	-	-	1	1	3	1
Black	2	1	-	-	-	-	-	1	-	-	-	-	7	1	-	-	-	-	-	-	1	1	3	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	60	-	-	1	1	14	17	12	3	3	8	1	14	-	-	-	-	3	3	4	1	3	-	-
White	37	-	-	1	-	7	10	9	2	2	5	1	6	-	-	-	-	2	-	1	1	2	-	-
All other	23	-	-	-	1	7	7	3	1	1	3	-	8	-	-	-	-	1	3	3	-	1	-	-
Black	23	-	-	-	1	7	7	3	1	1	3	-	8	-	-	-	-	1	3	3	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	809	-	-	1	5	3	27	62	175	298	192	46	711	-	-	2	3	9	24	49	142	214	190	78
White	663	-	-	1	4	3	21	47	142	250	158	37	592	-	-	2	3	7	13	44	117	171	167	68
All other	146	-	-	-	1	-	6	15	33	48	34	9	119	-	-	-	-	2	11	5	25	43	23	10
Black	144	-	-	-	1	-	6	15	33	48	32	9	115	-	-	-	-	2	11	5	24	42	22	9
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	-	-	-	-	-	-	5	9	3	4	2	6	-	-	-	-	-	-	-	1	3	2	-
White	20	-	-	-	-	-	-	5	7	3	3	2	6	-	-	-	-	-	-	-	1	3	2	-
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	187	-	-	1	-	-	4	17	38	68	49	10	154	-	-	-	1	-	5	8	21	47	50	22
White	152	-	-	1	-	-	3	12	30	57	41	8	129	-	-	-	1	-	3	8	18	37	43	19
All other	35	-	-	-	-	-	1	5	8	11	8	2	25	-	-	-	-	-	2	-	3	10	7	3
Black	33	-	-	-	-	-	1	5	8	11	6	2	24	-	-	-	-	-	2	-	3	9	7	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	319	-	-	-	-	-	7	25	83	127	67	10	172	-	-	-	1	1	4	12	44	53	46	11
White	258	-	-	-	-	-	5	19	66	106	55	7	140	-	-	-	1	1	2	11	31	46	40	8
All other	61	-	-	-	-	-	2	6	17	21	12	3	32	-	-	-	-	-	2	1	13	7	6	3
Black	61	-	-	-	-	-	2	6	17	21	12	3	29	-	-	-	-	-	2	1	12	7	5	2
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	125	-	-	-	-	3	6	10	36	33	22	15
White	1	-	-	-	-	-	-	-	-	1	-	-	107	-	-	-	-	3	3	9	32	25	22	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	3	1	4	8	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	3	1	4	8	-	2
Malignant neoplasms of genital organs (179-187)	77	-	-	-	-	-	-	1	6	33	30	7	74	-	-	-	-	1	3	6	12	31	15	6
White	56	-	-	-	-	-	-	-	5	23	23	5	58	-	-	-	-	1	1	5	10	21	14	6
All other	21	-	-	-	-	-	-	1	1	10	7	2	16	-	-	-	-	-	2	1	2	10	1	-
Black	21	-	-	-	-	-	-	1	1	10	7	2	16	-	-	-	-	-	2	1	2	10	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 42 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	51	-	-	-	-	-	-	2	12	21	11	5	18	-	-	-	-	-	-	-	3	3	9	3
White	43	-	-	-	-	-	-	-	9	20	9	5	15	-	-	-	-	-	-	-	3	2	7	3
All other	8	-	-	-	-	-	-	2	3	1	2	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	8	-	-	-	-	-	-	2	3	1	2	-	3	-	-	-	-	-	-	-	-	1	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	97	-	-	-	3	3	9	11	21	27	17	6	91	-	-	1	-	1	4	8	12	29	23	13
White	86	-	-	-	2	3	9	10	19	24	14	5	75	-	-	1	-	1	2	6	11	22	21	11
All other	11	-	-	-	1	-	-	1	2	3	3	1	16	-	-	-	-	-	2	2	1	7	2	2
Black	11	-	-	-	1	-	-	1	2	3	3	1	16	-	-	-	-	-	2	2	1	7	2	2
Leukemia (204-208)	22	-	-	-	1	-	1	-	1	8	7	4	28	-	-	1	1	1	-	1	5	7	11	1
White	20	-	-	-	1	-	1	-	1	7	7	3	25	-	-	1	1	-	-	1	5	7	9	1
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	1	-	-	-	-	2	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	1	-	-	-	-	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	-	-	1	-	6	1	5	10	7	2	43	-	-	-	-	2	2	4	8	8	12	7
White	27	-	-	-	1	-	3	1	5	9	6	2	37	-	-	-	-	1	2	4	6	8	9	7
All other	5	-	-	-	-	-	3	-	-	1	1	-	6	-	-	-	-	1	-	-	2	-	3	-
Black	5	-	-	-	-	-	3	-	-	1	1	-	6	-	-	-	-	1	-	-	2	-	3	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	-	-	4	5	-	9	-	-	-	-	-	-	-	2	2	1	4
White	9	-	-	-	-	-	-	-	-	4	5	-	8	-	-	-	-	-	-	-	1	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diabetes mellitus (250)	59	-	-	-	-	3	2	4	13	18	13	6	116	-	-	-	-	-	-	7	17	40	25	27
White	45	-	-	-	-	3	1	3	7	13	13	5	77	-	-	-	-	-	-	2	10	27	17	21
All other	14	-	-	-	-	-	1	1	6	5	-	1	39	-	-	-	-	-	-	5	7	13	8	6
Black	14	-	-	-	-	-	1	1	6	5	-	1	38	-	-	-	-	-	-	5	7	13	7	6
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	1	1	3	1	-	6	-	-	-	-	-	-	-	1	-	-	5
White	4	-	-	-	-	-	-	1	-	2	1	-	5	-	-	-	-	-	-	-	1	-	-	4
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	4	-	-	-	-	-	-	-	1	3	-	-	8	-	-	-	-	-	-	1	-	-	5	2
White	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	-	-	1	-	-	4	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,119	1	-	-	2	15	24	67	158	328	367	156	1,302	-	1	1	-	5	12	44	103	243	397	496
White	964	1	-	-	2	7	21	57	128	286	313	148	1,115	-	1	-	-	2	7	28	79	193	356	449
All other	155	-	-	-	-	8	3	10	30	42	54	8	187	-	-	1	-	3	5	16	24	50	41	47
Black	145	-	-	-	-	6	3	10	30	40	48	8	181	-	-	1	-	3	5	16	24	48	39	45
Diseases of heart (390-398,402,404-429)	923	1	-	-	2	10	20	59	135	277	298	122	1,003	-	1	1	-	3	8	35	84	196	301	374
White	798	1	-	-	2	5	17	50	110	241	254	117	876	-	1	-	-	1	4	23	67	161	277	342
All other	125	-	-	-	-	5	3	9	25	36	42	5	127	-	-	1	-	2	4	12	17	35	24	32
Black	117	-	-	-	-	4	3	9	25	34	37	5	124	-	-	1	-	2	4	12	17	35	23	30
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	-	-	1	2	-	-	9	-	-	-	-	-	-	-	2	1	6	-
White	2	-	-	-	-	-	-	-	1	1	-	-	8	-	-	-	-	-	-	-	1	1	6	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	45	-	-	-	-	-	4	4	14	10	10	3	54	-	-	-	-	1	1	2	5	13	12	20
White	37	-	-	-	-	-	4	4	8	9	9	3	37	-	-	-	-	-	-	-	2	7	11	17
All other	8	-	-	-	-	-	-	-	6	1	1	-	17	-	-	-	-	1	1	2	3	6	1	3
Black	7	-	-	-	-	-	-	-	6	1	-	-	17	-	-	-	-	1	1	2	3	6	1	3
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	2	-	1	8	-	-	-	-	-	-	-	-	1	2	5
White	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Ischemic heart disease (410-414)	567	-	-	-	-	6	12	36	80	185	185	63	575	-	-	-	-	1	5	25	53	118	183	190
White	502	-	-	-	-	4	10	33	70	165	161	59	502	-	-	-	-	-	3	19	44	99	166	171
All other	65	-	-	-	-	2	2	3	10	20	24	4	73	-	-	-	-	1	2	6	9	19	17	19
Black	62	-	-	-	-	1	2	3	10	19	23	4	72	-	-	-	-	1	2	6	9	19	17	18
Acute myocardial infarction (410)	303	-	-	-	-	2	5	22	46	107	99	22	318	-	-	-	-	-	-	9	34	74	114	87
White	263	-	-	-	-	2	3	20	38	96	83	21	272	-	-	-	-	-	-	5	29	60	102	76
All other	40	-	-	-	-	-	2	2	8	11	16	1	46	-	-	-	-	-	-	4	5	14	12	11
Black	38	-	-	-	-	-	2	2	8	10	15	1	45	-	-	-	-	-	-	4	5	14	12	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 43 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	262	-	-	-	-	4	7	14	33	78	86	40	252	-	-	-	-	1	5	16	19	42	68	101
White	238	-	-	-	-	2	7	13	31	69	78	38	226	-	-	-	-	-	3	14	15	37	64	93
All other	24	-	-	-	-	2	-	1	2	9	8	2	26	-	-	-	-	1	2	2	4	5	4	8
Black	23	-	-	-	-	1	-	1	2	9	8	2	26	-	-	-	-	1	2	2	4	5	4	8
Other diseases of endocardium (424)	14	-	-	-	-	-	-	3	1	1	7	2	13	-	-	-	-	-	-	1	-	3	4	5
White	12	-	-	-	-	-	-	2	1	1	6	2	13	-	-	-	-	-	-	1	-	3	4	5
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	291	1	-	-	2	4	4	16	39	77	94	53	344	-	1	1	-	1	2	7	24	60	94	154
White	242	1	-	-	2	1	3	11	30	63	78	52	310	-	1	-	-	1	1	3	20	50	88	146
All other	49	-	-	-	-	3	1	5	9	14	16	1	34	-	-	1	-	-	1	4	4	10	6	8
Black	45	-	-	-	-	3	1	5	9	13	13	1	32	-	-	1	-	-	1	4	4	10	5	7
Hypertension with or without renal disease (401,403)	5	-	-	-	-	-	1	-	-	2	2	-	10	-	-	-	-	1	-	-	1	2	4	2
White	4	-	-	-	-	-	1	-	-	1	2	-	6	-	-	-	-	1	-	-	-	2	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	-	2	1
Cerebrovascular diseases (430-438)	131	-	-	-	-	5	2	8	16	30	44	26	224	-	-	-	-	1	3	8	16	33	70	93
White	105	-	-	-	-	2	2	7	12	26	33	23	182	-	-	-	-	-	2	4	11	23	60	82
All other	26	-	-	-	-	3	-	1	4	4	11	3	42	-	-	-	-	1	1	4	5	10	10	11
Black	24	-	-	-	-	2	-	1	4	4	10	3	39	-	-	-	-	1	1	4	5	8	9	11
Intracerebral and other intracranial hemorrhage (431-432)	23	-	-	-	-	2	-	3	5	2	8	3	38	-	-	-	-	-	2	4	7	6	10	9
White	16	-	-	-	-	1	-	2	4	1	7	1	28	-	-	-	-	-	1	3	3	5	8	8
All other	7	-	-	-	-	1	-	1	1	1	1	2	10	-	-	-	-	-	1	1	4	1	2	1
Black	7	-	-	-	-	1	-	1	1	1	1	2	10	-	-	-	-	-	1	1	4	1	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	-	-	-	-	1	-	-	2	2	3	3	26	-	-	-	-	-	-	-	1	4	8	13
White	9	-	-	-	-	-	-	-	1	2	3	3	24	-	-	-	-	-	-	-	1	4	8	11
All other	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	97	-	-	-	-	2	2	5	9	26	33	20	159	-	-	-	-	1	1	4	8	23	52	70
White	80	-	-	-	-	1	2	5	7	23	23	19	129	-	-	-	-	-	1	1	7	14	44	62
All other	17	-	-	-	-	1	-	-	2	3	10	1	30	-	-	-	-	1	-	3	1	9	8	8
Black	15	-	-	-	-	-	-	-	2	3	9	1	27	-	-	-	-	1	-	3	1	7	7	8
Atherosclerosis (440)	7	-	-	-	-	-	-	-	-	1	4	2	19	-	-	-	-	-	-	-	-	3	4	12
White	7	-	-	-	-	-	-	-	-	1	4	2	14	-	-	-	-	-	-	-	-	1	3	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	53	-	-	-	-	-	1	-	7	18	21	6	46	-	-	-	-	-	1	1	2	9	18	15
White	50	-	-	-	-	-	1	-	6	17	20	6	37	-	-	-	-	-	1	1	1	6	14	14
All other	3	-	-	-	-	-	-	-	1	1	1	-	9	-	-	-	-	-	-	-	1	3	4	1
Black	3	-	-	-	-	-	-	-	1	1	1	-	9	-	-	-	-	-	-	-	1	3	4	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	78	1	-	-	-	-	1	2	6	17	25	26	103	-	-	-	-	-	3	1	3	13	36	47
White	71	-	-	-	-	-	1	2	5	16	23	24	89	-	-	-	-	-	1	-	2	9	32	45
All other	7	1	-	-	-	-	-	-	1	1	2	2	14	-	-	-	-	-	2	1	1	4	4	2
Black	7	1	-	-	-	-	-	-	1	1	2	2	13	-	-	-	-	-	2	1	1	3	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 44 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	77	1	-	-	-	-	1	2	6	17	24	26	100	-	-	-	-	-	3	1	3	13	36	44
White	70	-	-	-	-	-	1	2	5	16	22	24	86	-	-	-	-	-	1	-	2	9	32	42
All other	7	1	-	-	-	-	-	-	1	1	2	2	14	-	-	-	-	-	2	1	1	4	4	2
Black	7	1	-	-	-	-	-	-	1	1	2	2	13	-	-	-	-	-	2	1	1	3	4	2
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	3
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	117	-	-	-	-	-	-	3	12	45	40	17	111	-	-	-	-	-	-	2	12	40	36	21
White	102	-	-	-	-	-	-	1	10	38	36	17	106	-	-	-	-	-	-	2	10	38	35	21
All other	15	-	-	-	-	-	-	2	2	7	4	-	5	-	-	-	-	-	-	-	2	2	1	-
Black	15	-	-	-	-	-	-	2	2	7	4	-	5	-	-	-	-	-	-	-	2	2	1	-
Bronchitis, chronic and unspecified (490-491)	8	-	-	-	-	-	-	-	1	4	2	1	3	-	-	-	-	-	-	1	-	1	-	1
White	7	-	-	-	-	-	-	-	1	3	2	1	3	-	-	-	-	-	-	1	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	26	-	-	-	-	-	-	1	4	9	9	3	20	-	-	-	-	-	-	1	2	10	4	3
White	25	-	-	-	-	-	-	1	3	9	9	3	18	-	-	-	-	-	-	1	1	10	3	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Asthma (493)	8	-	-	-	-	-	-	-	2	2	3	1	3	-	-	-	-	-	-	-	-	2	-	1
White	6	-	-	-	-	-	-	-	1	1	3	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	75	-	-	-	-	-	-	2	5	30	26	12	85	-	-	-	-	-	-	-	10	27	32	16
White	64	-	-	-	-	-	-	-	5	25	22	12	83	-	-	-	-	-	-	-	9	26	32	16
All other	11	-	-	-	-	-	-	2	-	5	4	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	11	-	-	-	-	-	-	2	-	5	4	-	2	-	-	-	-	-	-	-	1	1	-	-
Ulcer of stomach and duodenum (531-533)	3	-	-	-	-	-	1	-	-	-	1	1	11	-	-	-	-	-	-	-	-	-	8	3
White	2	-	-	-	-	-	-	-	-	-	1	1	11	-	-	-	-	-	-	-	-	-	8	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	-	-	-	-	1	1	1	1	1	9	-	-	-	-	-	-	-	-	-	5	4
White	4	-	-	-	-	-	-	1	-	1	1	1	9	-	-	-	-	-	-	-	-	-	5	4
All other	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	48	-	-	-	-	2	6	14	11	8	6	1	19	-	-	-	-	1	3	3	3	5	4	-
White	39	-	-	-	-	2	4	11	9	8	5	-	16	-	-	-	-	1	1	2	3	5	4	-
All other	9	-	-	-	-	-	2	3	2	-	1	1	3	-	-	-	-	-	2	1	-	-	-	-
Black	9	-	-	-	-	-	2	3	2	-	1	1	3	-	-	-	-	-	2	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	-	-	-	2	3	2	3	5	-	-	-	-	-	-	-	-	2	3	-
White	8	-	-	-	-	-	-	-	1	2	2	3	5	-	-	-	-	-	-	-	-	2	3	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	1	-	-	-	-	1	1	3	18	13	7	35	-	-	-	-	-	1	-	3	8	10	13
White	30	-	-	-	-	-	1	1	1	12	9	6	23	-	-	-	-	-	-	-	2	6	8	7
All other	14	1	-	-	-	-	-	-	2	6	4	1	12	-	-	-	-	-	1	-	1	2	2	6
Black	12	1	-	-	-	-	-	-	-	6	4	1	11	-	-	-	-	-	-	-	1	2	2	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 45 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	-	-	1	-	2	3
White	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	40	1	-	-	-	-	1	1	3	16	12	6	28	-	-	-	-	-	-	-	2	8	8	10
White	26	-	-	-	-	-	1	1	1	10	8	5	22	-	-	-	-	-	-	-	1	6	8	7
All other	14	1	-	-	-	-	-	-	2	6	4	1	6	-	-	-	-	-	-	-	1	2	-	3
Black	12	1	-	-	-	-	-	-	-	6	4	1	6	-	-	-	-	-	-	-	1	2	-	3
Infections of kidney (590)	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	21	14	1	1	-	-	-	2	-	2	1	-	15	12	-	-	-	-	2	-	1	-	-	-
White	15	10	-	1	-	-	-	1	-	2	1	-	10	8	-	-	-	-	1	-	1	-	-	-
All other	6	4	1	-	-	-	-	1	-	-	-	-	5	4	-	-	-	-	1	-	-	-	-	-
Black	6	4	1	-	-	-	-	1	-	-	-	-	4	3	-	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	31	31	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	25	25	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	25	13	-	1	-	-	-	-	-	4	6	1	24	8	-	-	-	-	-	-	-	3	5	8
White	21	9	-	1	-	-	-	-	-	4	6	1	17	5	-	-	-	-	-	-	-	2	4	6
All other	4	4	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-	-	-	1	1	2
Black	4	4	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-	-	-	1	1	2
All other diseases (Residual)	232	3	1	1	4	7	12	15	26	52	66	45	269	2	1	2	2	5	10	12	24	41	67	103
White	185	3	-	1	4	4	9	7	20	41	59	37	223	2	1	2	1	4	5	7	18	35	57	91
All other	47	-	1	-	-	3	3	8	6	11	7	8	46	-	-	-	1	1	5	5	6	6	10	12
Black	45	-	1	-	-	2	3	8	5	11	7	8	45	-	-	-	1	1	5	5	6	6	10	11
Accidents and adverse effects (E800-E949)	150	1	5	6	19	30	32	9	13	8	20	6	74	4	2	3	7	7	5	3	2	10	20	11
White	119	-	3	5	17	21	28	7	10	7	15	6	60	1	1	1	7	5	3	1	2	8	20	11
All other	31	1	2	1	2	9	4	2	3	1	5	-	14	3	1	2	-	2	2	2	-	2	-	-
Black	30	1	2	1	2	9	4	2	2	1	5	-	14	3	1	2	-	2	2	2	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 46 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	77	1	–	5	15	15	17	2	9	3	7	2	29	–	1	2	6	5	3	2	1	3	5	1
White	67	–	–	5	15	12	16	2	6	3	6	2	25	–	1	1	6	4	3	–	1	3	5	1
All other	10	1	–	–	–	3	1	–	3	–	1	–	4	–	–	1	–	1	–	2	–	–	–	–
Black	9	1	–	–	–	3	1	–	2	–	1	–	4	–	–	1	–	1	–	2	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	73	–	5	1	4	15	15	7	4	5	13	4	45	4	1	1	1	2	2	1	1	7	15	10
White	52	–	3	–	2	9	12	5	4	4	9	4	35	1	–	–	1	1	–	1	1	5	15	10
All other	21	–	2	1	2	6	3	2	–	1	4	–	10	3	1	1	–	1	2	–	–	2	–	–
Black	21	–	2	1	2	6	3	2	–	1	4	–	10	3	1	1	–	1	2	–	–	2	–	–
Suicide (E950-E959)	57	...	...	–	3	20	12	8	7	6	1	–	22	...	...	–	–	3	3	4	5	6	1	–
White	54	...	...	–	3	18	12	7	7	6	1	–	21	...	...	–	–	3	3	4	5	5	1	–
All other	3	...	...	–	–	2	–	1	–	–	–	–	1	...	...	–	–	–	–	–	–	1	–	–
Black	3	...	...	–	–	2	–	1	–	–	–	–	1	...	...	–	–	–	–	–	–	1	–	–
Homicide and legal intervention (E960-E978)	40	–	1	–	13	12	6	1	2	1	2	1	12	2	1	1	1	2	1	1	–	1	2	–
White	18	–	–	–	6	5	4	1	–	1	1	–	6	1	1	–	–	1	1	–	–	1	1	–
All other	22	–	1	–	7	7	2	–	2	–	1	1	6	1	–	1	1	1	–	1	–	–	1	–
Black	21	–	1	–	7	7	2	–	1	–	1	1	6	1	–	1	1	1	–	1	–	–	1	–
All other external causes (E980-E999)	4	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISTRICT OF COLUMBIA																								
All causes	3,931	143	14	13	226	306	442	444	540	775	686	313	3,144	104	19	5	43	114	156	200	368	606	779	741
White	857	10	2	1	15	57	112	84	88	144	199	139	736	3	4	1	2	6	11	16	38	99	225	327
All other	3,074	133	12	12	211	249	330	360	452	631	487	174	2,408	101	15	4	41	108	145	184	330	507	554	414
Black	3,049	133	12	12	209	247	329	358	446	628	482	170	2,397	101	15	4	41	108	144	182	327	504	553	413
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	10	–	–	–	–	1	1	3	3	2	–	–	4	–	–	–	–	–	1	1	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	10	–	–	–	–	1	1	3	3	2	–	–	3	–	–	–	–	–	1	1	–	1	–	–
Black	10	–	–	–	–	1	1	3	3	2	–	–	3	–	–	–	–	–	1	1	–	1	–	–
Tuberculosis of respiratory system (010-012)	9	–	–	–	–	1	1	3	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	9	–	–	–	–	1	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	9	–	–	–	–	1	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	69	–	–	–	–	1	3	9	14	17	19	6	75	1	–	–	–	1	3	4	10	19	16	21
White	13	–	–	–	–	–	1	3	–	2	4	3	14	–	–	–	–	–	–	–	2	1	4	7
All other	56	–	–	–	–	1	2	6	14	15	15	3	61	1	–	–	–	1	3	4	8	18	12	14
Black	54	–	–	–	–	1	2	5	14	15	14	3	61	1	–	–	–	1	3	4	8	18	12	14
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 47 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	8	-	-	-	1	1	2	2	-	2	-	-	3	-	-	-	-	-	1	2	-	-	-	-
White	4	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	1	1	1	-	1	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	4	-	-	-	-	1	1	1	-	1	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	392	1	2	-	8	108	167	76	20	7	2	-	50	-	2	1	6	18	13	1	5	-	1	3
White	141	1	-	-	1	34	64	31	8	2	-	-	2	-	-	1	-	-	-	-	1	-	-	-
All other	251	-	2	-	7	74	103	45	12	5	2	-	48	-	2	-	6	18	13	1	4	-	1	3
Black	251	-	2	-	7	74	103	45	12	5	2	-	48	-	2	-	6	18	13	1	4	-	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	822	1	1	-	2	8	24	98	178	250	186	72	725	-	1	1	-	10	31	77	126	194	203	82
White	188	-	-	-	-	3	11	20	31	43	52	28	171	-	-	-	-	-	5	8	13	47	64	34
All other	634	1	1	-	2	5	13	78	147	207	134	44	554	-	1	1	-	10	26	69	113	147	139	48
Black	627	1	1	-	1	5	13	78	145	205	133	43	549	-	1	1	-	10	26	67	111	146	139	48
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	28	-	-	-	-	-	1	5	9	8	3	2	6	-	-	-	-	-	-	-	1	2	-	3
White	7	-	-	-	-	-	1	-	3	2	-	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	21	-	-	-	-	-	-	5	6	6	3	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	21	-	-	-	-	-	-	5	6	6	3	1	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	218	-	-	-	-	1	5	29	42	69	55	15	215	-	-	-	-	1	5	14	32	63	68	32
White	40	-	-	-	-	-	-	2	6	15	12	5	41	-	-	-	-	-	1	-	3	4	21	12
All other	178	-	-	-	-	1	5	27	36	54	43	10	174	-	-	-	-	1	4	14	29	59	47	20
Black	176	-	-	-	-	1	5	27	35	54	42	10	173	-	-	-	-	1	4	14	29	58	47	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	250	-	-	-	-	-	5	38	77	76	48	6	130	-	-	-	-	2	3	20	30	31	35	9
White	52	-	-	-	-	-	1	9	11	11	18	2	37	-	-	-	-	-	-	1	5	15	11	5
All other	198	-	-	-	-	-	4	29	66	65	30	4	93	-	-	-	-	2	3	19	25	16	24	4
Black	197	-	-	-	-	-	4	29	66	64	30	4	93	-	-	-	-	2	3	19	25	16	24	4
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	144	-	-	-	-	2	16	26	25	35	26	14
White	-	-	-	-	-	-	-	-	-	-	-	-	35	-	-	-	-	-	2	5	1	11	11	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	109	-	-	-	-	2	14	21	24	24	15	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	108	-	-	-	-	2	14	20	24	24	15	9
Malignant neoplasms of genital organs (179-187)	118	-	-	-	-	-	-	-	7	39	45	27	64	-	-	-	-	2	1	4	9	18	22	8
White	22	-	-	-	-	-	-	-	1	3	8	10	19	-	-	-	-	-	-	1	1	9	5	3
All other	96	-	-	-	-	-	-	-	6	36	37	17	45	-	-	-	-	2	1	3	8	9	17	5
Black	96	-	-	-	-	-	-	-	6	36	37	17	45	-	-	-	-	2	1	3	8	9	17	5
Malignant neoplasms of urinary organs (188-189)	31	-	-	-	-	-	-	4	5	10	7	5	17	-	-	-	-	-	-	1	3	3	8	2
White	10	-	-	-	-	-	-	2	1	-	4	3	5	-	-	-	-	-	-	-	1	1	3	-
All other	21	-	-	-	-	-	-	2	4	10	3	2	12	-	-	-	-	-	-	1	2	2	5	2
Black	20	-	-	-	-	-	-	2	4	10	3	1	12	-	-	-	-	-	-	1	2	2	5	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	112	-	-	-	1	3	3	11	31	35	17	11	86	-	1	-	-	1	3	7	17	22	23	12
White	32	-	-	-	-	2	2	1	6	10	5	6	18	-	-	-	-	-	1	1	1	3	8	4
All other	80	-	-	-	1	1	1	10	25	25	12	5	68	-	1	-	-	1	2	6	16	19	15	8
Black	78	-	-	-	-	1	1	10	25	24	12	5	67	-	1	-	-	1	2	6	15	19	15	8
Leukemia (204-208)	22	1	1	-	1	1	1	2	1	6	5	3	18	-	-	1	-	-	1	1	5	3	5	2
White	4	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	-	1	1	-	2
All other	18	1	1	-	1	1	1	1	-	5	4	3	14	-	-	1	-	-	1	1	4	2	5	-
Black	18	1	1	-	1	1	1	1	-	5	4	3	13	-	-	1	-	-	1	1	3	2	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	-	-	-	-	3	9	9	6	7	6	3	45	-	-	-	-	2	2	4	4	17	16	-
White	21	-	-	-	-	1	7	5	2	1	4	1	9	-	-	-	-	-	1	-	-	3	5	-
All other	22	-	-	-	-	2	2	4	4	6	2	2	36	-	-	-	-	2	1	4	4	14	11	-
Black	21	-	-	-	-	2	2	4	3	6	2	2	35	-	-	-	-	2	1	3	4	14	11	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	1	-	-	1	3	3	-	-	2	-	-	10	-	-	-	-	2	-	-	-	5	2	1
White	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
All other	9	1	-	-	1	3	2	-	-	2	-	-	8	-	-	-	-	1	-	-	-	5	2	-
Black	9	1	-	-	1	3	2	-	-	2	-	-	8	-	-	-	-	1	-	-	-	5	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 48 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	78	-	-	-	-	3	3	8	17	23	18	6	96	-	-	-	-	2	5	3	17	22	26	21
White	17	-	-	-	-	-	-	1	5	5	4	2	16	-	-	-	-	1	-	-	1	2	6	6
All other	61	-	-	-	-	3	3	7	12	18	14	4	80	-	-	-	-	1	5	3	16	20	20	15
Black	61	-	-	-	-	3	3	7	12	18	14	4	80	-	-	-	-	1	5	3	16	20	20	15
Nutritional deficiencies (260-269)	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	4
Black	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	4
Anemias (280-285)	10	-	-	-	-	1	-	2	1	-	5	1	12	-	1	1	-	2	-	1	-	1	2	4
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	8	-	-	-	-	1	-	2	1	-	4	-	9	-	1	1	-	2	-	1	-	1	2	1
Black	7	-	-	-	-	1	-	2	-	-	4	-	9	-	1	1	-	2	-	1	-	1	2	1
Meningitis (320-322)	5	2	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,127	3	1	1	4	14	49	103	197	327	281	139	1,208	1	2	-	2	8	30	57	127	239	376	364
White	256	1	-	-	-	1	6	7	26	60	82	70	321	-	1	-	-	-	2	2	10	27	109	168
All other	871	2	1	1	4	13	43	96	171	267	199	69	887	1	1	-	2	8	28	55	117	212	267	196
Black	865	2	1	1	4	13	43	96	169	266	196	69	885	1	1	-	2	8	28	55	116	211	267	196
Diseases of heart (390-398,402,404-429)	915	3	-	1	4	11	41	85	169	267	221	105	950	1	1	-	1	5	23	43	95	190	301	288
White	202	1	-	-	-	1	6	7	22	49	65	48	247	-	-	-	-	-	2	1	5	21	86	130
All other	713	2	-	1	4	10	35	78	147	218	156	57	703	1	1	-	1	5	21	42	90	169	215	158
Black	707	2	-	1	4	10	35	78	145	217	153	57	701	1	1	-	1	5	21	42	89	168	215	158
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	-	-	-	-	-	2	-	12	-	-	-	-	-	3	1	3	1	4	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	3	1	3	-	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	3	1	3	-	3	-
Hypertensive heart disease (402)	96	-	-	1	1	2	6	8	30	24	13	8	106	-	-	-	-	-	1	6	11	25	38	25
White	14	-	-	-	-	-	-	-	4	4	3	1	16	-	-	-	-	-	1	-	2	5	8	8
All other	82	-	-	1	1	2	6	8	26	20	10	7	90	-	-	-	-	-	-	6	11	23	33	17
Black	82	-	-	1	1	2	6	8	26	20	10	7	90	-	-	-	-	-	-	6	11	23	33	17
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	1	1	1	1	1	5	-	-	-	-	-	-	-	-	1	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
Black	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
Ischemic heart disease (410-414)	328	-	-	-	-	2	15	31	57	86	89	47	361	-	-	-	-	-	2	13	32	57	119	138
White	103	-	-	-	-	-	4	5	12	20	32	30	130	-	-	-	-	-	-	-	1	10	41	78
All other	225	-	-	-	-	2	11	26	45	66	57	17	231	-	-	-	-	-	2	13	31	47	78	60
Black	222	-	-	-	-	2	11	26	44	65	56	17	230	-	-	-	-	-	2	13	31	46	78	60
Acute myocardial infarction (410)	137	-	-	-	-	-	3	10	20	48	36	20	169	-	-	-	-	-	-	8	15	29	63	54
White	41	-	-	-	-	-	1	2	4	12	11	11	60	-	-	-	-	-	-	-	-	7	25	28
All other	96	-	-	-	-	-	2	8	16	36	25	9	109	-	-	-	-	-	-	8	15	22	38	26
Black	94	-	-	-	-	-	2	8	16	35	24	9	108	-	-	-	-	-	-	8	15	21	38	26
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	190	-	-	-	-	2	12	21	37	37	53	27	191	-	-	-	-	-	2	5	17	28	55	84
White	62	-	-	-	-	-	3	3	8	8	21	19	70	-	-	-	-	-	-	-	1	3	16	50
All other	128	-	-	-	-	2	9	18	29	29	32	8	121	-	-	-	-	-	2	5	16	25	39	34
Black	127	-	-	-	-	2	9	18	28	29	32	8	121	-	-	-	-	-	2	5	16	25	39	34
Other diseases of endocardium (424)	9	-	-	-	-	-	-	1	-	1	5	2	12	-	-	-	-	-	1	-	1	2	3	5
White	5	-	-	-	-	-	-	-	-	1	2	2	6	-	-	-	-	-	-	-	-	-	3	3
All other	4	-	-	-	-	-	-	1	-	-	3	-	6	-	-	-	-	-	1	-	1	2	-	2
Black	4	-	-	-	-	-	-	1	-	-	3	-	6	-	-	-	-	-	1	-	1	2	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 49 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	475	3	–	–	3	7	20	44	81	155	111	47	454	1	1	–	1	5	16	23	48	104	136	117
White	79	1	–	–	–	1	2	2	6	24	27	15	92	–	–	–	–	–	1	1	4	8	36	40
All other	396	2	–	–	3	6	18	42	75	131	84	32	362	1	1	–	1	5	15	22	44	96	100	77
Black	393	2	–	–	3	6	18	42	74	131	82	32	361	1	1	–	1	5	15	22	43	96	100	77
Hypertension with or without renal disease (401,403)	20	–	–	–	–	–	–	1	6	4	8	1	20	–	–	–	–	1	2	1	4	1	5	6
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	18	–	–	–	–	–	–	1	6	4	7	–	18	–	–	–	–	1	2	1	4	1	4	5
Black	18	–	–	–	–	–	–	1	6	4	7	–	18	–	–	–	–	1	2	1	4	1	4	5
Cerebrovascular diseases (430-438)	141	–	1	–	–	3	8	14	18	38	38	21	198	–	1	–	1	2	5	13	23	40	60	53
White	36	–	–	–	–	–	–	–	2	7	12	15	60	–	1	–	–	–	–	1	4	5	19	30
All other	105	–	1	–	–	3	8	14	16	31	26	6	138	–	–	–	1	2	5	12	19	35	41	23
Black	105	–	1	–	–	3	8	14	16	31	26	6	138	–	–	–	1	2	5	12	19	35	41	23
Intracerebral and other intracranial hemorrhage (431-432)	37	–	–	–	–	2	3	9	4	8	5	6	41	–	1	–	1	1	3	5	7	10	12	1
White	8	–	–	–	–	–	–	–	–	2	2	4	11	–	1	–	–	–	–	–	2	2	6	–
All other	29	–	–	–	–	2	3	9	4	6	3	2	30	–	–	–	1	1	3	5	5	8	6	1
Black	29	–	–	–	–	2	3	9	4	6	3	2	30	–	–	–	1	1	3	5	5	8	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	–	–	–	–	–	2	–	2	6	4	2	28	–	–	–	–	–	1	2	3	7	7	8
White	5	–	–	–	–	–	–	–	–	2	1	2	10	–	–	–	–	–	–	–	–	2	1	7
All other	11	–	–	–	–	–	2	–	2	4	3	–	18	–	–	–	–	–	1	2	3	5	6	1
Black	11	–	–	–	–	–	2	–	2	4	3	–	18	–	–	–	–	–	1	2	3	5	6	1
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	87	–	1	–	–	1	3	5	12	24	28	13	128	–	–	–	–	1	1	6	13	23	41	43
White	23	–	–	–	–	–	–	–	2	3	9	9	38	–	–	–	–	–	–	1	2	1	12	22
All other	64	–	1	–	–	1	3	5	10	21	19	4	90	–	–	–	–	1	1	5	11	22	29	21
Black	64	–	1	–	–	1	3	5	10	21	19	4	90	–	–	–	–	1	1	5	11	22	29	21
Atherosclerosis (440)	25	–	–	–	–	–	–	1	1	8	8	7	16	–	–	–	–	–	–	–	1	3	3	9
White	5	–	–	–	–	–	–	–	1	–	1	3	4	–	–	–	–	–	–	–	–	–	1	3
All other	20	–	–	–	–	–	–	1	–	8	7	4	12	–	–	–	–	–	–	–	1	3	2	6
Black	20	–	–	–	–	–	–	1	–	8	7	4	12	–	–	–	–	–	–	–	1	3	2	6
Other diseases of arteries, arterioles, and capillaries (441-448)	26	–	–	–	–	–	–	2	3	10	6	5	24	–	–	–	–	–	–	–	4	5	7	8
White	11	–	–	–	–	–	–	–	1	4	3	3	8	–	–	–	–	–	–	–	1	1	2	4
All other	15	–	–	–	–	–	–	2	2	6	3	2	16	–	–	–	–	–	–	–	3	4	5	4
Black	15	–	–	–	–	–	–	2	2	6	3	2	16	–	–	–	–	–	–	–	3	4	5	4
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	83	–	–	–	2	3	10	7	6	17	18	20	104	2	–	–	1	6	3	2	6	13	18	53
White	18	–	–	–	1	–	–	–	1	2	7	7	34	–	–	–	–	–	–	–	2	2	2	28
All other	65	–	–	–	1	3	10	7	5	15	11	13	70	2	–	–	1	6	3	2	4	11	16	25
Black	64	–	–	–	1	3	10	7	5	15	11	12	69	2	–	–	1	6	3	2	4	11	16	24
Pneumonia (480-486)	83	–	–	–	2	3	10	7	6	17	18	20	104	2	–	–	1	6	3	2	6	13	18	53
White	18	–	–	–	1	–	–	–	1	2	7	7	34	–	–	–	–	–	–	–	2	2	2	28
All other	65	–	–	–	1	3	10	7	5	15	11	13	70	2	–	–	1	6	3	2	4	11	16	25
Black	64	–	–	–	1	3	10	7	5	15	11	12	69	2	–	–	1	6	3	2	4	11	16	24
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74	–	1	1	–	1	4	5	10	18	24	10	61	–	–	–	1	–	2	3	4	22	15	13
White	30	–	–	–	–	–	–	2	2	7	13	6	24	–	–	–	–	–	–	–	–	7	11	6
All other	44	–	1	1	–	1	4	3	8	11	11	4	37	–	–	–	1	–	2	3	4	15	4	7
Black	43	–	1	1	–	–	4	3	8	11	11	4	37	–	–	–	1	–	2	3	4	15	4	7
Bronchitis, chronic and unspecified (490-491)	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Emphysema (492)	16	–	–	–	–	–	–	2	2	5	7	–	7	–	–	–	–	–	–	–	–	3	1	3
White	6	–	–	–	–	–	–	1	1	1	3	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	10	–	–	–	–	–	–	1	1	4	4	–	4	–	–	–	–	–	–	–	–	3	–	1
Black	10	–	–	–	–	–	–	1	1	4	4	–	4	–	–	–	–	–	–	–	–	3	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 50 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	11	-	1	1	-	-	4	1	1	1	1	1	8	-	-	-	1	-	2	-	1	3	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	10	-	1	1	-	-	4	1	1	1	1	-	7	-	-	-	1	-	2	-	1	3	-	-
Black	10	-	1	1	-	-	4	1	1	1	1	-	7	-	-	-	1	-	2	-	1	3	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	46	-	-	-	-	1	-	1	7	12	16	9	44	-	-	-	-	-	-	3	3	16	11	10
White	22	-	-	-	-	-	-	-	1	6	10	5	19	-	-	-	-	-	-	-	-	7	8	4
All other	24	-	-	-	-	1	-	1	6	6	6	4	25	-	-	-	-	-	-	3	3	9	3	6
Black	23	-	-	-	-	-	-	1	6	6	6	4	25	-	-	-	-	-	-	3	3	9	3	6
Ulcer of stomach and duodenum (531-533)	5	-	-	-	-	-	1	-	1	3	-	-	4	-	-	-	-	-	-	-	-	1	1	2
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	4	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	-	1	3	1	1	2	14	-	-	-	-	-	1	-	2	1	4	6
White	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	5	-	-	-	-	-	-	1	2	-	1	1	13	-	-	-	-	-	1	-	2	1	3	6
Black	5	-	-	-	-	-	-	1	2	-	1	1	13	-	-	-	-	-	1	-	2	1	3	6
Chronic liver disease and cirrhosis (571)	93	-	1	-	1	1	21	23	23	13	6	-	61	-	-	-	-	6	9	12	12	13	3	5
White	9	-	1	-	-	-	3	2	-	2	1	-	12	-	-	-	-	-	-	2	-	3	3	3
All other	84	-	-	-	1	1	18	21	23	11	5	-	49	-	-	-	-	6	9	10	12	10	-	2
Black	84	-	-	-	1	1	18	21	23	11	5	-	49	-	-	-	-	6	9	10	12	10	-	2
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	1	1	2	-	5	-	-	-	-	-	-	-	-	1	-	4
White	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	-	1	-	4
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	54	-	-	-	2	2	3	5	7	11	16	8	51	-	-	-	-	2	3	2	9	10	12	13
White	9	-	-	-	-	-	1	-	-	1	5	2	3	-	-	-	-	-	-	-	-	-	-	3
All other	45	-	-	-	2	2	2	5	7	10	11	6	48	-	-	-	-	2	3	2	9	10	12	10
Black	44	-	-	-	2	1	2	5	7	10	11	6	48	-	-	-	-	2	3	2	9	10	12	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	52	-	-	-	2	2	3	5	7	11	14	8	49	-	-	-	-	1	3	2	8	10	12	13
White	8	-	-	-	-	-	1	-	-	1	4	2	3	-	-	-	-	-	-	-	-	-	-	3
All other	44	-	-	-	2	2	2	5	7	10	10	6	46	-	-	-	-	1	3	2	8	10	12	10
Black	43	-	-	-	2	1	2	5	7	10	10	6	46	-	-	-	-	1	3	2	8	10	12	10
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	-	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	-	1	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 51 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	–	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	–	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	1	1	–	1	...	...	...	...
Congenital anomalies (740-759)	20	13	1	–	1	–	–	3	–	–	1	1	8	6	1	–	–	–	–	–	1	–	–	–
White	4	2	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	16	11	1	–	1	–	–	2	–	–	–	1	7	6	–	–	–	–	–	–	1	–	–	–
Black	16	11	1	–	1	–	–	2	–	–	–	1	7	6	–	–	–	–	–	–	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	92	91	1	–	–	–	–	–	–	–	–	–	75	75	–	–	–	–	–	–	–	–	–	–
White	4	3	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other	88	88	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	–
Black	88	88	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	23	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	22	22	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Black	22	22	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	69	68	1	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
White	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	66	66	–	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
Black	66	66	–	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	123	21	2	1	4	21	45	17	4	1	2	2	58	15	1	1	3	8	13	4	2	3	–	7
White	16	2	–	–	–	3	7	1	1	–	–	2	8	1	–	–	1	1	–	2	–	1	–	2
All other	107	19	2	1	4	18	38	16	3	1	2	–	50	14	1	1	2	7	13	2	2	2	–	5
Black	106	19	2	1	4	18	37	16	3	1	2	–	50	14	1	1	2	7	13	2	2	2	–	5
All other diseases (Residual)	318	7	–	1	2	12	33	42	33	62	86	36	349	–	3	–	7	17	21	20	32	56	82	111
White	82	–	–	–	1	4	9	10	6	13	24	14	83	–	1	–	–	1	–	1	5	7	20	48
All other	236	7	–	1	1	8	24	32	27	49	62	22	266	–	2	–	7	16	21	19	27	49	62	63
Black	235	7	–	1	1	8	24	32	27	49	62	21	264	–	2	–	7	16	20	19	27	49	61	63
Accidents and adverse effects (E800-E949)	119	2	3	3	14	17	20	12	12	12	13	9	81	1	6	–	2	7	7	4	10	4	14	24
White	27	–	–	1	4	5	4	2	2	2	3	3	23	–	1	–	1	–	1	–	2	1	4	12
All other	92	2	3	2	10	12	16	10	10	10	10	6	58	1	5	–	1	7	6	4	8	3	10	12
Black	89	2	3	2	10	12	16	9	9	10	10	5	58	1	5	–	1	7	6	4	8	3	10	12
Motor vehicle accidents (E810-E825)	42	–	1	1	10	10	6	2	6	1	3	2	24	1	3	–	2	4	4	1	4	1	3	1
White	7	–	–	–	2	1	3	–	1	–	–	–	5	–	1	–	1	–	1	–	1	1	–	–
All other	35	–	1	1	8	9	3	2	5	1	3	2	19	1	2	–	1	4	3	1	3	–	3	1
Black	35	–	1	1	8	9	3	2	5	1	3	2	19	1	2	–	1	4	3	1	3	–	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	77	2	2	2	4	7	14	10	6	11	10	7	57	–	3	–	–	3	3	3	6	3	11	23
White	20	–	–	1	2	4	1	2	1	2	3	3	18	–	–	–	–	–	–	–	1	–	4	12
All other	57	2	2	1	2	3	13	8	5	9	7	4	39	–	3	–	–	3	3	3	5	3	7	11
Black	54	2	2	1	2	3	13	7	4	9	7	3	39	–	3	–	–	3	3	3	5	3	7	11
Suicide (E950-E959)	28	...	...	–	4	8	3	4	5	1	1	1	6	...	...	–	–	–	3	–	3	–	–	–
White	10	...	...	–	–	4	1	2	2	–	–	–	4	...	...	–	–	–	2	–	2	–	–	–
All other	18	...	...	–	4	4	2	2	3	1	1	1	2	...	...	–	–	–	1	–	1	–	–	–
Black	18	...	...	–	4	4	2	2	3	1	1	1	2	...	...	–	–	–	1	–	1	–	–	–
Homicide and legal intervention (E960-E978)	355	–	1	6	179	97	42	21	3	2	1	–	62	–	2	–	19	21	8	5	2	1	4	–
White	10	–	–	–	6	2	1	1	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
All other	345	–	1	6	173	95	41	20	3	2	1	–	59	–	2	–	19	20	7	4	2	1	4	–
Black	344	–	1	6	172	95	41	20	3	2	1	–	59	–	2	–	19	20	7	4	2	1	4	–
All other external causes (E980-E999)	18	–	–	–	1	4	5	2	2	2	1	–	8	–	–	–	1	3	1	1	–	–	–	–
White	7	–	–	–	1	1	1	–	2	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	11	–	–	–	–	3	4	2	–	1	–	–	7	–	–	–	1	2	1	1	–	–	–	–
Black	11	–	–	–	–	3	4	2	–	1	–	–	7	–	–	–	1	2	1	1	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 52 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	73,817	970	239	251	1,276	2,572	3,405	4,303	8,983	18,407	21,730	11,657	62,476	770	198	141	445	996	1,427	2,443	5,379	12,570	19,476	18,620
White	65,483	557	147	163	883	1,887	2,604	3,432	7,697	16,701	20,311	11,084	55,870	418	133	96	305	611	989	1,858	4,499	11,226	18,043	17,685
All other	8,334	413	92	88	393	685	801	871	1,286	1,706	1,419	573	6,606	352	65	45	140	385	438	585	880	1,344	1,433	935
Black	8,137	409	90	82	379	666	781	849	1,261	1,671	1,385	557	6,486	342	65	45	136	380	425	572	854	1,318	1,415	931
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	15	6	2	-	-	-	-	1	-	3	1	2	7	2	-	-	-	-	-	-	1	-	1	3
White	8	1	-	-	-	-	-	1	-	3	1	2	5	-	-	-	-	-	-	-	1	-	1	3
All other	7	5	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	5	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	71	-	-	1	1	1	4	7	14	19	20	4	40	-	-	-	-	7	2	1	2	9	13	6
White	48	-	-	-	-	2	3	14	11	15	3	25	-	-	-	-	-	-	-	1	6	13	5	
All other	23	-	-	1	1	1	2	4	-	8	5	1	15	-	-	-	-	7	2	1	1	3	-	1
Black	23	-	-	1	1	1	2	4	-	8	5	1	15	-	-	-	-	7	2	1	1	3	-	1
Tuberculosis of respiratory system (010-012)	65	-	-	1	1	1	2	6	14	17	20	3	33	-	-	-	-	4	2	1	2	7	12	5
White	46	-	-	-	-	-	2	3	14	10	15	2	22	-	-	-	-	-	-	-	1	5	12	4
All other	19	-	-	1	1	1	-	3	-	7	5	1	11	-	-	-	-	4	2	1	1	2	-	1
Black	19	-	-	1	1	1	-	3	-	7	5	1	11	-	-	-	-	4	2	1	1	2	-	1
Other tuberculosis (013-018)	6	-	-	-	-	-	2	1	-	2	-	1	7	-	-	-	-	3	-	-	-	2	1	1
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	4	-	-	-	-	-	2	1	-	1	-	-	4	-	-	-	-	3	-	-	-	1	-	-
Black	4	-	-	-	-	-	2	1	-	1	-	-	4	-	-	-	-	3	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	1	-	2	-	-	-	-	1	-	1	-	9	-	1	4	-	1	-	-	-	1	1	1
White	4	1	-	1	-	-	-	-	1	-	1	-	5	-	1	2	-	-	-	-	-	-	1	1
All other	1	-	-	1	-	-	-	-	-	-	-	-	4	-	-	2	-	1	-	-	-	1	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	4	-	-	2	-	1	-	-	-	1	-	-
Septicemia (038)	367	6	3	2	-	3	12	7	33	84	128	89	393	8	-	-	-	5	7	9	27	72	121	144
White	326	4	1	1	-	1	8	6	25	74	121	85	342	7	-	-	-	2	5	3	22	60	108	135
All other	41	2	2	1	-	2	4	1	8	10	7	4	51	1	-	-	-	3	2	6	5	12	13	9
Black	39	2	1	1	-	2	4	1	8	10	7	3	51	1	-	-	-	3	2	6	5	12	13	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	95	-	-	-	-	6	17	13	16	26	12	5	54	-	-	-	-	1	4	4	7	13	20	5
White	83	-	-	-	-	5	12	11	13	26	11	5	50	-	-	-	-	1	4	3	6	12	19	5
All other	12	-	-	-	-	1	5	2	3	-	1	-	4	-	-	-	-	-	-	1	1	1	1	-
Black	11	-	-	-	-	1	4	2	3	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Syphilis (090-097)	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	2,557	18	10	8	48	796	929	403	204	73	55	12	585	14	16	5	36	166	135	68	40	34	49	22
White	1,826	8	3	5	31	574	670	283	141	53	48	10	244	2	6	3	8	42	37	28	27	27	43	21
All other	731	10	7	3	17	222	259	120	63	20	7	2	341	12	10	2	28	124	98	40	13	7	6	1
Black	727	10	7	3	17	221	259	119	61	20	7	2	340	12	10	2	28	124	98	39	13	7	6	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,075	1	11	26	48	150	418	1,115	3,104	6,354	5,883	1,964	15,494	1	15	27	44	148	465	1,109	2,464	4,691	4,458	2,072
White	17,298	1	7	21	40	123	335	919	2,692	5,814	5,500	1,846	14,137	1	13	19	34	119	372	924	2,159	4,334	4,203	1,959
All other	1,777	-	4	5	8	27	83	196	412	540	383	118	1,357	-	2	8	10	29	93	185	305	357	255	113
Black	1,733	-	4	5	7	27	79	189	404	527	374	116	1,323	-	2	8	10	28	86	181	297	347	251	113

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 53 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	420	-	-	-	1	1	15	50	113	127	83	30	196	-	-	2	1	2	2	12	41	61	50	25
White	358	-	-	-	1	-	8	36	94	117	72	30	175	-	-	1	1	1	2	9	36	54	47	24
All other	62	-	-	-	-	1	7	14	19	10	11	-	21	-	-	1	-	1	-	3	5	7	3	1
Black	59	-	-	-	-	1	6	14	19	9	10	-	21	-	-	1	-	1	-	3	5	7	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	4,430	-	-	1	4	12	95	264	707	1,451	1,405	491	3,546	-	-	-	1	14	58	151	453	962	1,184	723
White	3,990	-	-	1	3	7	71	211	591	1,328	1,321	457	3,182	-	-	-	-	11	45	110	365	872	1,095	684
All other	440	-	-	-	1	5	24	53	116	123	84	34	364	-	-	-	1	3	13	41	88	90	89	39
Black	420	-	-	-	1	5	22	49	109	118	82	34	356	-	-	-	1	3	10	41	85	88	89	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,935	-	-	1	1	13	107	450	1,410	2,625	1,895	433	3,944	-	-	1	-	5	69	265	773	1,453	1,090	288
White	6,313	-	-	1	1	12	84	365	1,238	2,411	1,782	419	3,697	-	-	1	-	4	60	234	703	1,373	1,047	275
All other	622	-	-	-	-	1	23	85	172	214	113	14	247	-	-	-	-	1	9	31	70	80	43	13
Black	610	-	-	-	-	1	22	82	171	210	110	14	236	-	-	-	-	1	8	28	69	76	41	13
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	1	2	6	3	-	2,629	-	-	-	1	39	146	325	495	737	619	267
White	12	-	-	-	-	-	-	1	2	6	3	-	2,402	-	-	-	1	29	115	275	445	696	589	252
All other	-	-	-	-	-	-	-	-	-	-	-	-	227	-	-	-	-	10	31	50	50	41	30	15
Black	-	-	-	-	-	-	-	-	-	-	-	-	219	-	-	-	-	9	30	49	47	39	30	15
Malignant neoplasms of genital organs (179-187)	2,494	-	-	-	2	9	7	19	152	666	1,096	543	1,570	-	-	1	4	29	79	156	258	464	397	182
White	2,172	-	-	-	2	9	6	12	110	568	979	486	1,358	-	-	-	-	21	61	124	216	400	369	167
All other	322	-	-	-	-	-	1	7	42	98	117	57	212	-	-	1	4	8	18	32	42	64	28	15
Black	318	-	-	-	-	-	1	7	42	97	116	55	208	-	-	1	4	8	16	32	41	63	28	15
Malignant neoplasms of urinary organs (188-189)	1,032	-	-	-	-	5	16	57	124	325	347	158	519	-	-	2	-	4	10	21	66	133	178	105
White	981	-	-	-	-	2	13	55	121	309	327	154	479	-	-	1	-	3	7	18	61	126	167	96
All other	51	-	-	-	-	3	3	2	3	16	20	4	40	-	-	1	-	1	3	3	5	7	11	9
Black	51	-	-	-	-	3	3	2	3	16	20	4	39	-	-	1	-	1	3	3	5	7	10	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,013	1	5	15	19	56	102	154	371	634	509	146	1,564	-	10	10	14	27	71	101	198	442	434	257
White	1,868	1	4	12	16	47	84	137	336	595	493	143	1,444	-	8	8	12	24	60	84	179	409	412	248
All other	145	-	1	3	3	9	18	17	35	39	16	3	120	-	2	2	2	3	11	17	19	33	22	9
Black	142	-	1	3	3	9	18	17	35	37	15	3	120	-	2	2	2	3	11	17	19	33	22	9
Leukemia (204-208)	647	-	6	8	10	17	21	40	78	183	204	80	535	1	5	9	15	17	10	26	62	137	171	82
White	601	-	3	6	8	13	19	35	73	172	197	75	497	1	5	7	12	17	9	24	53	129	163	77
All other	46	-	3	2	2	4	2	5	5	11	7	5	38	-	-	2	3	-	1	2	9	8	8	5
Black	45	-	3	2	1	4	2	5	5	11	7	5	38	-	-	2	3	-	1	2	9	8	8	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,092	-	-	1	11	37	55	80	147	337	341	83	991	-	-	2	8	11	20	52	118	302	335	143
White	1,003	-	-	1	9	33	50	67	127	308	326	82	903	-	-	1	8	9	13	46	101	275	314	136
All other	89	-	-	-	2	4	5	13	20	29	15	1	88	-	-	1	-	2	7	6	17	27	21	7
Black	88	-	-	-	2	4	5	13	20	29	14	1	86	-	-	1	-	2	7	6	17	26	20	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	195	2	2	1	4	4	5	10	20	49	67	31	207	2	4	1	4	3	5	5	17	49	66	51
White	177	1	2	1	4	2	4	8	18	45	63	29	185	1	3	1	3	2	2	5	14	43	63	48
All other	18	1	-	-	-	2	1	2	2	4	4	2	22	1	1	-	1	1	3	-	3	6	3	3
Black	18	1	-	-	-	2	1	2	2	4	4	2	22	1	1	-	1	1	3	-	3	6	3	3
Diabetes mellitus (250)	1,399	-	1	2	5	23	39	100	188	433	457	151	1,482	-	1	1	-	18	35	76	189	408	463	291
White	1,201	-	1	1	2	20	27	78	147	366	412	147	1,143	-	1	-	-	12	23	40	136	283	390	258
All other	198	-	-	1	3	3	12	22	41	67	45	4	339	-	-	1	-	6	12	36	53	125	73	33
Black	193	-	-	-	3	3	12	21	39	67	44	4	336	-	-	1	-	6	12	36	52	123	73	33
Nutritional deficiencies (260-269)	38	-	-	-	-	1	-	1	1	2	17	16	81	-	-	-	1	-	-	2	3	9	21	45
White	30	-	-	-	-	1	-	1	1	2	11	14	70	-	-	-	1	-	-	2	2	5	20	40
All other	8	-	-	-	-	-	-	-	-	-	6	2	11	-	-	-	-	-	-	-	1	4	1	5
Black	7	-	-	-	-	-	-	-	-	-	6	1	11	-	-	-	-	-	-	-	1	4	1	5
Anemias (280-285)	120	2	-	3	3	10	7	5	6	19	27	38	138	-	2	3	1	5	5	6	6	16	53	41
White	91	-	-	3	-	2	2	2	5	17	25	35	105	-	-	2	-	-	3	2	4	12	48	34
All other	29	2	-	-	3	8	5	3	1	2	2	3	33	-	2	1	1	5	2	4	2	4	5	7
Black	28	2	-	-	2	8	5	3	1	2	2	3	32	-	2	1	1	5	2	4	1	4	5	7
Meningitis (320-322)	19	2	1	-	1	3	2	1	3	3	3	-	29	8	2	-	1	1	1	2	2	3	5	4
White	14	2	-	-	-	1	1	1	3	3	3	-	15	3	1	-	-	-	-	1	2	2	4	2
All other	5	-	1	-	1	2	1	-	-	-	-	-	14	5	1	-	1	1	1	1	-	1	1	2
Black	5	-	1	-	1	2	1	-	-	-	-	-	13	4	1	-	1	1	1	1	-	1	1	2
Major cardiovascular diseases (390-448)	29,889	19	10	9	42	126	512	1,312	3,381	7,770	10,256	6,448	28,395	21	8	8	26	84	209	523	1,510	4,571	9,852	11,580
White	27,314	13	5	8	29	82	383	1,053	2,915	7,068	9,607	6,147	25,806	13	5	7	16	43	120	362	1,165	3,992	9,049	11,033
All other	2,575	6	5	1	13	44	129	259	466	702	649	301	2,589	8	3	1	10	41	89	161	345	579	803	547
Black	2,528	6	5	1	13	43	126	257	460	685	636	296	2,553	8	3	1	10	40	89	157	336	570	794	544

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 54 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	24,514	15	8	4	31	108	424	1,134	2,918	6,458	8,243	5,167	21,713	17	7	7	17	58	140	360	1,179	3,556	7,514	8,855
White	22,576	10	4	4	22	70	328	942	2,562	5,924	7,766	4,940	19,809	11	5	6	9	28	75	254	916	3,125	6,920	8,459
All other	1,938	5	4	–	9	38	96	192	356	534	477	227	1,904	6	2	1	8	30	65	106	263	431	594	396
Black	1,899	5	4	–	9	37	93	191	354	519	465	222	1,879	6	2	1	8	29	65	105	257	423	588	394
Rheumatic fever and rheumatic heart disease (390-398)	123	–	1	1	1	1	7	7	18	34	37	16	256	–	–	–	1	5	6	15	25	72	95	37
White	112	–	–	1	–	–	5	7	17	31	37	14	241	–	–	–	1	3	4	14	20	69	94	36
All other	11	–	1	–	1	1	2	–	1	3	–	2	15	–	–	–	–	2	2	1	5	3	1	1
Black	11	–	1	–	1	1	2	–	1	3	–	2	14	–	–	–	–	2	2	1	5	2	1	1
Hypertensive heart disease (402)	751	–	–	–	1	5	20	73	150	202	213	86	859	–	–	–	–	6	16	32	79	169	288	269
White	573	–	–	–	1	3	10	41	101	154	183	79	680	–	–	–	–	1	–	10	49	131	246	243
All other	178	–	–	–	–	2	10	32	49	48	30	7	179	–	–	–	–	5	16	22	30	38	42	26
Black	178	–	–	–	–	2	10	32	49	48	30	7	178	–	–	–	–	5	16	22	30	37	42	26
Hypertensive heart and renal disease (404)	70	–	–	–	–	–	–	3	4	16	29	18	87	–	–	–	–	–	–	2	5	12	37	31
White	51	–	–	–	–	–	–	–	2	10	24	15	61	–	–	–	–	–	–	2	2	9	23	25
All other	19	–	–	–	–	–	–	3	2	6	5	3	26	–	–	–	–	–	–	–	3	3	14	6
Black	19	–	–	–	–	–	–	3	2	6	5	3	26	–	–	–	–	–	–	–	3	3	14	6
Ischemic heart disease (410-414)	17,925	–	1	1	4	34	234	746	2,027	4,826	6,217	3,834	15,197	–	–	1	–	14	59	199	776	2,480	5,387	6,279
White	16,767	–	–	1	3	22	199	639	1,825	4,483	5,913	3,681	14,044	–	–	1	–	7	39	158	624	2,213	4,995	6,006
All other	1,158	–	1	–	1	12	35	107	202	343	304	153	1,153	–	–	–	–	7	20	41	152	267	392	273
Black	1,136	–	1	–	1	12	32	106	200	333	300	151	1,137	–	–	–	–	7	20	40	148	263	388	271
Acute myocardial infarction (410)	7,558	–	1	1	2	15	102	376	957	2,175	2,595	1,334	6,147	–	–	1	–	9	30	105	408	1,234	2,316	2,043
White	7,074	–	–	1	1	10	81	330	874	2,013	2,476	1,288	5,658	–	–	1	–	4	21	89	329	1,104	2,149	1,960
All other	484	–	1	–	1	5	21	46	83	162	119	46	489	–	–	–	–	5	9	16	79	130	167	83
Black	474	–	1	–	1	5	19	45	82	160	116	45	479	–	–	–	–	5	9	16	75	128	164	82
Other acute and subacute forms of ischemic heart disease (411)	48	–	–	–	–	–	–	3	7	18	10	10	54	–	–	–	–	–	–	1	9	8	18	18
White	47	–	–	–	–	–	–	2	7	18	10	10	47	–	–	–	–	–	–	–	8	7	16	16
All other	1	–	–	–	–	–	–	1	–	–	–	–	7	–	–	–	–	–	–	1	1	1	2	2
Black	1	–	–	–	–	–	–	1	–	–	–	–	7	–	–	–	–	–	–	1	1	1	2	2
Angina pectoris (413)	31	–	–	–	–	–	3	–	2	9	11	6	36	–	–	–	–	–	–	1	4	2	16	13
White	30	–	–	–	–	–	3	–	2	9	11	5	31	–	–	–	–	–	–	–	1	2	16	12
All other	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	1	3	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	1	3	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	10,288	–	–	–	2	19	129	367	1,061	2,624	3,601	2,484	8,960	–	–	–	–	5	29	92	355	1,236	3,037	4,205
White	9,616	–	–	–	2	12	115	307	942	2,443	3,416	2,378	8,308	–	–	–	–	3	18	69	286	1,100	2,814	4,018
All other	672	–	–	–	–	7	14	60	119	181	185	106	652	–	–	–	–	2	11	23	69	136	223	187
Black	660	–	–	–	–	7	13	60	118	173	184	105	646	–	–	–	–	2	11	22	69	134	222	186
Other diseases of endocardium (424)	434	–	–	–	4	7	9	17	25	90	176	106	532	–	–	–	2	3	2	5	31	86	176	227
White	406	–	–	–	2	5	6	13	24	83	169	104	504	–	–	–	–	–	2	3	27	81	170	221
All other	28	–	–	–	2	2	3	4	1	7	7	2	28	–	–	–	2	3	–	2	4	5	6	6
Black	28	–	–	–	2	2	3	4	1	7	7	2	28	–	–	–	2	3	–	2	4	5	6	6
All other forms of heart disease (415-423,425-429)	5,211	15	6	2	21	61	154	288	694	1,290	1,571	1,107	4,782	17	7	6	14	30	57	107	263	737	1,531	2,012
White	4,667	10	4	2	16	40	108	242	593	1,163	1,440	1,047	4,279	11	5	5	8	17	30	67	194	622	1,392	1,928
All other	544	5	2	–	5	21	46	46	101	127	131	60	503	6	2	1	6	13	27	40	69	115	139	84
Black	527	5	2	–	5	20	46	46	101	122	123	57	496	6	2	1	6	12	27	40	67	113	137	84
Hypertension with or without renal disease (401,403)	322	–	–	–	–	3	8	17	32	68	112	82	370	–	–	–	–	–	6	9	31	71	133	120
White	244	–	–	–	–	1	2	5	19	52	90	75	290	–	–	–	–	–	4	3	16	47	110	110
All other	78	–	–	–	–	2	6	12	13	16	22	7	80	–	–	–	–	–	2	6	15	24	23	10
Black	77	–	–	–	–	2	6	12	12	16	22	7	79	–	–	–	–	–	2	6	15	23	23	10
Cerebrovascular diseases (430-438)	3,570	4	2	3	6	11	67	122	280	806	1,378	891	5,018	4	1	1	7	24	51	129	242	740	1,746	2,073
White	3,130	3	1	2	5	8	45	78	206	688	1,257	837	4,501	2	–	1	5	15	32	87	187	632	1,581	1,959
All other	440	1	1	1	1	3	22	44	74	118	121	54	517	2	1	–	2	9	19	42	55	108	165	114
Black	435	1	1	1	1	3	22	43	72	116	121	54	509	2	1	–	2	9	19	39	53	108	162	114
Intracerebral and other intracranial hemorrhage (431-432)	599	–	–	1	1	3	28	50	84	151	216	65	676	1	–	–	4	12	21	48	67	145	239	139
White	516	–	–	–	1	3	15	30	63	134	208	62	584	1	–	–	2	6	12	27	52	122	230	132
All other	83	–	–	1	–	–	13	20	21	17	8	3	92	–	–	–	2	6	9	21	15	23	9	7
Black	81	–	–	1	–	–	13	19	20	17	8	3	90	–	–	–	2	6	9	20	14	23	9	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	540	1	–	–	1	2	5	10	45	105	195	176	765	–	–	–	1	1	2	11	17	94	250	389
White	478	1	–	–	1	1	5	6	35	91	172	166	707	–	–	–	1	–	2	5	14	86	228	371
All other	62	–	–	–	–	1	–	4	10	14	23	10	58	–	–	–	–	1	–	6	3	8	22	18
Black	62	–	–	–	–	1	–	4	10	14	23	10	57	–	–	–	–	1	–	5	3	8	22	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 55 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	14	-	-	1	-	-	-	-	-	3	7	3	33	-	-	-	-	-	-	-	2	6	10	15
White	13	-	-	1	-	-	-	-	-	3	7	2	31	-	-	-	-	-	-	-	2	5	9	15
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,417	3	2	1	4	6	34	62	151	547	960	647	3,544	3	1	1	2	11	28	70	156	495	1,247	1,530
White	2,123	2	1	1	3	4	25	42	108	460	870	607	3,179	1	-	1	2	9	18	55	119	419	1,114	1,441
All other	294	1	1	-	1	2	9	20	43	87	90	40	365	2	1	-	-	2	10	15	37	76	133	89
Black	291	1	1	-	1	2	9	20	42	85	90	40	360	2	1	-	-	2	10	14	36	76	130	89
Atherosclerosis (440)	430	-	-	-	-	-	1	7	26	69	167	160	602	-	-	-	-	-	1	2	9	42	173	375
White	397	-	-	-	-	-	1	5	21	59	156	155	565	-	-	-	-	-	1	2	5	36	162	359
All other	33	-	-	-	-	-	-	2	5	10	11	5	37	-	-	-	-	-	-	-	4	6	11	16
Black	33	-	-	-	-	-	-	2	5	10	11	5	36	-	-	-	-	-	-	-	4	6	11	15
Other diseases of arteries, arterioles, and capillaries (441-448)	1,053	-	-	2	5	4	12	32	125	369	356	148	692	-	-	-	2	2	11	23	49	162	286	157
White	967	-	-	2	2	3	7	23	107	345	338	140	641	-	-	-	2	-	8	16	41	152	276	146
All other	86	-	-	-	3	1	5	9	18	24	18	8	51	-	-	-	-	2	3	7	8	10	10	11
Black	84	-	-	-	3	1	5	9	17	24	17	8	50	-	-	-	-	2	3	7	7	10	10	11
Acute bronchitis and bronchiolitis (466)	12	2	2	-	-	-	-	1	1	2	1	3	23	1	-	-	1	-	-	-	3	3	7	8
White	10	2	1	-	-	-	-	1	-	2	1	3	23	1	-	-	1	-	-	-	3	3	7	8
All other	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,721	11	6	2	6	25	42	58	95	279	607	590	1,620	15	6	-	1	14	20	39	60	179	489	797
White	1,538	5	1	2	3	17	32	39	69	244	562	564	1,497	8	3	-	-	8	14	30	49	160	455	770
All other	183	6	5	-	3	8	10	19	26	35	45	26	123	7	3	-	1	6	6	9	11	19	34	27
Black	179	6	5	-	3	8	10	19	25	34	43	26	122	7	3	-	1	6	6	9	10	19	34	27
Pneumonia (480-486)	1,710	11	6	2	6	25	42	57	95	278	606	582	1,605	15	6	-	1	14	19	38	60	177	482	793
White	1,528	5	1	2	3	17	32	38	69	244	561	556	1,485	8	3	-	-	8	14	29	49	159	448	767
All other	182	6	5	-	3	8	10	19	26	34	45	26	120	7	3	-	1	6	5	9	11	18	34	26
Black	178	6	5	-	3	8	10	19	25	33	43	26	119	7	3	-	1	6	5	9	10	18	34	26
Influenza (487)	11	-	-	-	-	-	-	1	-	1	1	8	15	-	-	-	-	-	1	1	-	2	7	4
White	10	-	-	-	-	-	-	1	-	-	1	8	12	-	-	-	-	-	-	1	-	1	7	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,286	2	1	1	4	3	19	74	363	998	1,321	500	2,793	-	1	2	3	6	15	75	268	825	1,069	529
White	3,065	1	1	1	-	1	15	55	328	926	1,256	481	2,703	-	-	1	1	3	9	58	259	803	1,052	517
All other	221	1	-	-	4	2	4	19	35	72	65	19	90	-	1	1	2	3	6	17	9	22	17	12
Black	214	1	-	-	4	2	4	18	33	71	64	17	90	-	1	1	2	3	6	17	9	22	17	12
Bronchitis, chronic and unspecified (490-491)	111	1	-	-	1	-	2	3	14	24	43	23	124	-	1	-	-	-	1	7	7	37	41	30
White	103	1	-	-	-	-	2	2	13	21	42	22	121	-	-	-	-	-	1	6	7	36	41	30
All other	8	-	-	-	1	-	-	1	1	3	1	1	3	-	1	-	-	-	-	1	-	1	-	-
Black	8	-	-	-	1	-	-	1	1	3	1	1	3	-	1	-	-	-	-	1	-	1	-	-
Emphysema (492)	707	-	-	-	-	-	2	15	81	239	269	101	552	-	-	-	-	1	2	14	69	182	208	76
White	675	-	-	-	-	-	2	11	77	228	259	98	543	-	-	-	-	1	2	13	68	179	204	76
All other	32	-	-	-	-	-	-	4	4	11	10	3	9	-	-	-	-	-	-	1	1	3	4	-
Black	30	-	-	-	-	-	-	4	4	11	9	2	9	-	-	-	-	-	-	1	1	3	4	-
Asthma (493)	87	1	1	1	3	3	5	11	16	19	18	9	156	-	-	2	3	5	8	21	17	33	43	24
White	65	-	1	1	-	1	3	8	11	15	17	8	128	-	-	1	1	2	3	12	16	28	42	23
All other	22	1	-	-	3	2	2	3	5	4	1	1	28	-	-	1	2	3	5	9	1	5	1	1
Black	22	1	-	-	3	2	2	3	5	4	1	1	28	-	-	1	2	3	5	9	1	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,381	-	-	-	-	-	10	45	252	716	991	367	1,961	-	-	-	-	-	4	33	175	573	777	399
White	2,222	-	-	-	-	-	8	34	227	662	938	353	1,911	-	-	-	-	-	3	27	168	560	765	388
All other	159	-	-	-	-	-	2	11	25	54	53	14	50	-	-	-	-	-	1	6	7	13	12	11
Black	154	-	-	-	-	-	2	10	23	53	53	13	50	-	-	-	-	-	1	6	7	13	12	11
Ulcer of stomach and duodenum (531-533)	192	-	-	-	-	2	2	11	20	52	74	31	197	1	-	-	-	-	2	6	13	33	76	66
White	179	-	-	-	-	2	-	10	19	51	69	28	179	-	-	-	-	-	2	4	10	27	71	65
All other	13	-	-	-	-	-	2	1	1	1	5	3	18	1	-	-	-	-	-	2	3	6	5	1
Black	10	-	-	-	-	-	1	1	1	1	4	2	18	1	-	-	-	-	-	2	3	6	5	1
Appendicitis (540-543)	9	-	-	-	1	-	-	-	2	3	2	1	8	-	-	-	-	-	1	-	2	1	4	-
White	9	-	-	-	1	-	-	-	2	3	2	1	6	-	-	-	-	-	1	-	2	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	121	3	-	-	1	3	2	3	5	26	39	39	189	1	1	-	-	-	1	4	9	25	69	79
White	105	2	-	-	1	2	1	2	4	23	35	35	168	-	1	-	-	-	1	3	6	22	61	74
All other	16	1	-	-	-	1	1	1	1	3	4	4	21	1	-	-	-	-	-	1	3	3	8	5
Black	16	1	-	-	-	1	1	1	1	3	4	4	21	1	-	-	-	-	-	1	3	3	8	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 56 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,089	–	–	–	–	22	116	183	295	269	172	31	687	–	1	–	–	18	61	100	135	210	125	37
White	990	–	–	–	–	20	104	150	265	254	166	30	618	–	1	–	–	15	48	76	123	201	120	34
All other	99	–	–	–	–	2	12	33	30	15	6	1	69	–	–	–	–	3	13	24	12	9	5	3
Black	98	–	–	–	–	2	12	32	30	15	6	1	68	–	–	–	–	3	13	24	12	8	5	3
Cholelithiasis and other disorders of gallbladder (574-575)	86	–	–	–	–	–	2	3	3	24	28	26	99	–	–	–	1	2	1	5	4	16	34	36
White	79	–	–	–	–	–	2	1	3	21	27	25	86	–	–	–	1	–	1	5	2	12	32	33
All other	7	–	–	–	–	–	–	2	–	3	1	1	13	–	–	–	–	2	–	–	2	4	2	3
Black	7	–	–	–	–	–	–	2	–	3	1	1	12	–	–	–	–	2	–	–	2	3	2	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	503	3	1	2	3	8	17	15	37	113	170	134	422	4	–	1	–	1	5	8	25	71	141	166
White	426	2	1	1	2	4	9	9	28	93	153	124	343	3	–	1	–	–	3	5	11	55	119	146
All other	77	1	–	1	1	4	8	6	9	20	17	10	79	1	–	–	–	1	2	3	14	16	22	20
Black	76	1	–	1	1	4	8	6	9	20	16	10	75	1	–	–	–	1	2	3	13	15	20	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	–	–	–	–	–	1	1	–	–	4	2	5	–	–	–	–	–	–	–	–	2	–	3
White	8	–	–	–	–	–	1	1	–	–	4	2	3	–	–	–	–	–	–	–	–	1	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	55	–	–	1	–	1	2	3	2	14	19	13	49	–	–	1	–	–	1	–	3	6	13	25
White	47	–	–	–	–	1	2	2	1	11	18	12	40	–	–	1	–	–	1	–	3	4	12	19
All other	8	–	–	1	–	–	–	1	1	3	1	1	9	–	–	–	–	–	–	–	–	2	1	6
Black	8	–	–	1	–	–	–	1	1	3	1	1	8	–	–	–	–	–	–	–	–	1	1	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	440	3	1	1	3	7	14	11	35	99	147	119	368	4	–	–	–	1	4	8	22	63	128	138
White	371	2	1	1	2	3	6	6	27	82	131	110	300	3	–	–	–	–	2	5	8	50	107	125
All other	69	1	–	–	1	4	8	5	8	17	16	9	68	1	–	–	–	1	2	3	14	13	21	13
Black	68	1	–	–	1	4	8	5	8	17	15	9	65	1	–	–	–	1	2	3	13	13	19	13
Infections of kidney (590)	18	–	–	–	–	–	–	–	–	1	11	6	31	–	–	–	1	–	1	–	–	5	13	11
White	17	–	–	–	–	–	–	–	–	1	10	6	26	–	–	–	1	–	–	–	–	4	11	10
All other	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	–	1	2	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	–	1	2	1
Hyperplasia of prostate (600)	22	–	–	–	–	–	–	1	1	3	8	9	...	...	...	...	...	...	...	...	...	...	...	...
White	19	–	–	–	–	–	–	–	–	3	8	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	1	1	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	1	1	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	–	2	11	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	1	6	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	5	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	5	3	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	2	9	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	1	6	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	3	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	3	3	–	...	...	...	...
Congenital anomalies (740-759)	316	171	30	9	15	6	15	15	15	24	10	6	278	170	25	8	4	9	13	3	12	13	17	4
White	242	122	24	6	10	5	12	11	13	23	10	6	207	114	18	7	4	8	9	2	12	12	17	4
All other	74	49	6	3	5	1	3	4	2	1	–	–	71	56	7	1	–	1	4	1	–	1	–	–
Black	70	47	6	3	4	1	3	3	2	1	–	–	66	51	7	1	–	1	4	1	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	465	460	5	–	–	–	–	–	–	–	–	–	374	370	3	–	–	1	–	–	–	–	–	–
White	237	235	2	–	–	–	–	–	–	–	–	–	193	192	–	–	–	1	–	–	–	–	–	–
All other	228	225	3	–	–	–	–	–	–	–	–	–	181	178	3	–	–	–	–	–	–	–	–	–
Black	226	223	3	–	–	–	–	–	–	–	–	–	177	174	3	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	83	83	–	–	–	–	–	–	–	–	–	–	60	58	2	–	–	–	–	–	–	–	–	–
White	44	44	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
All other	39	39	–	–	–	–	–	–	–	–	–	–	26	24	2	–	–	–	–	–	–	–	–	–
Black	39	39	–	–	–	–	–	–	–	–	–	–	26	24	2	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 57 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	382	377	5	–	–	–	–	–	–	–	–	–	314	312	1	–	–	1	–	–	–	–	–	–
White	193	191	2	–	–	–	–	–	–	–	–	–	159	158	–	–	–	1	–	–	–	–	–	–
All other	189	186	3	–	–	–	–	–	–	–	–	–	155	154	1	–	–	–	–	–	–	–	–	–
Black	187	184	3	–	–	–	–	–	–	–	–	–	151	150	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	980	159	8	2	22	41	66	82	109	167	170	152	845	88	5	3	10	29	13	26	58	97	190	324
White	809	102	4	2	15	32	50	68	98	150	148	140	709	42	2	1	9	19	5	20	52	80	173	305
All other	171	57	4	–	7	9	16	14	11	17	22	12	136	46	3	2	1	10	8	6	6	17	17	19
Black	168	57	4	–	7	9	15	12	11	17	22	12	135	46	3	2	1	10	8	6	6	17	17	18
All other diseases (Residual)	5,048	57	24	26	40	108	200	258	486	1,111	1,661	1,076	5,631	30	21	19	33	102	117	164	367	950	1,801	2,027
White	4,492	28	12	17	31	81	156	197	403	982	1,554	1,030	5,005	14	12	15	16	62	72	111	296	828	1,663	1,916
All other	556	29	12	9	9	27	44	61	83	129	107	46	626	16	9	4	17	40	45	53	71	122	138	111
Black	545	29	12	8	9	26	43	61	81	128	104	44	617	16	9	4	17	40	44	53	67	120	136	111
Accidents and adverse effects (E800-E949)	3,271	32	102	136	553	572	511	282	292	258	313	211	1,532	24	78	48	161	194	152	101	84	185	261	243
White	2,695	19	71	82	450	466	419	236	236	220	288	200	1,326	15	62	31	133	154	131	83	69	167	247	233
All other	576	13	31	54	103	106	92	46	56	38	25	11	206	9	16	17	28	40	21	18	15	18	14	10
Black	537	13	30	50	93	95	87	42	56	37	23	10	195	9	16	17	25	37	18	16	15	18	14	10
Motor vehicle accidents (E810-E825)	1,729	5	31	72	423	361	261	146	142	113	121	50	788	4	24	34	144	145	104	61	47	90	101	34
White	1,442	2	22	44	356	295	216	127	115	102	114	45	674	1	15	24	120	116	90	52	41	84	98	33
All other	287	3	9	28	67	66	45	19	27	11	7	5	114	3	9	10	24	29	14	9	6	6	3	1
Black	257	3	8	27	57	56	41	16	27	11	6	5	103	3	9	10	21	26	11	7	6	6	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,542	27	71	64	130	211	250	136	150	145	192	161	744	20	54	14	17	49	48	40	37	95	160	209
White	1,253	17	49	38	94	171	203	109	121	118	174	155	652	14	47	7	13	38	41	31	28	83	149	200
All other	289	10	22	26	36	40	47	27	29	27	18	6	92	6	7	7	4	11	7	9	9	12	11	9
Black	280	10	22	23	36	39	46	26	29	26	17	5	92	6	7	7	4	11	7	9	9	12	11	9
Suicide (E950-E959)	1,659	...	...	4	196	291	266	218	211	199	194	78	436	...	...	5	42	72	80	67	52	61	35	22
White	1,553	...	...	4	174	265	240	207	202	194	190	76	420	...	...	4	39	69	75	64	52	61	34	22
All other	106	...	...	–	22	26	26	11	9	5	4	2	16	...	...	1	3	3	5	3	–	–	1	–
Black	98	...	...	–	22	24	24	10	8	4	4	1	12	...	...	1	2	3	4	1	–	–	1	–
Homicide and legal intervention (E960-E978)	1,118	11	19	14	276	356	187	121	72	42	15	3	353	9	7	6	64	95	73	37	15	19	20	4
White	553	6	11	7	83	171	106	78	49	28	9	3	202	1	4	2	32	44	51	24	10	13	15	3
All other	565	5	8	7	193	185	81	43	23	14	6	–	151	8	3	4	32	51	22	13	5	6	5	1
Black	557	5	8	7	192	182	79	42	22	14	6	–	150	8	3	4	32	51	21	13	5	6	5	1
All other external causes (E980-E999)	53	2	–	1	7	11	15	3	4	1	7	1	27	1	1	–	9	3	–	3	4	1	2	2
White	44	2	–	–	7	9	14	2	3	1	5	1	19	1	–	–	5	1	–	3	4	1	2	1
All other	9	–	–	1	–	2	1	1	1	–	2	–	8	–	1	–	4	2	–	–	–	–	–	1
Black	8	–	–	1	–	2	1	1	1	–	1	–	8	–	1	–	4	2	–	–	–	–	–	1
GEORGIA																								
All causes	27,964	705	123	162	784	1,419	1,956	2,488	4,326	6,755	6,531	2,712	24,838	550	101	106	312	502	880	1,336	2,538	4,896	7,277	6,339
White	19,731	292	72	93	451	796	1,157	1,540	3,067	5,091	5,013	2,157	17,865	216	48	67	179	246	459	799	1,682	3,512	5,498	5,159
All other	8,233	413	51	69	333	623	799	948	1,259	1,664	1,518	555	6,973	334	53	39	133	256	421	537	856	1,384	1,779	1,180
Black	8,158	411	51	69	320	621	791	936	1,246	1,653	1,505	554	6,890	328	53	38	128	250	415	525	841	1,368	1,769	1,174
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	2	2
White	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	33	–	–	–	–	1	2	4	6	8	8	4	21	–	–	1	–	1	–	1	5	6	6	1
White	13	–	–	–	–	–	–	1	2	5	3	2	7	–	–	–	–	–	–	–	–	4	3	–
All other	20	–	–	–	–	1	2	3	4	3	5	2	14	–	–	1	–	1	–	1	5	2	3	1
Black	20	–	–	–	–	1	2	3	4	3	5	2	14	–	–	1	–	1	–	1	5	2	3	1
Tuberculosis of respiratory system (010-012)	27	–	–	–	–	1	2	3	3	6	8	4	16	–	–	–	–	1	–	1	5	5	3	1
White	12	–	–	–	–	–	–	1	2	4	3	2	5	–	–	–	–	–	–	–	–	3	2	–
All other	15	–	–	–	–	1	2	2	1	2	5	2	11	–	–	–	–	1	–	1	5	2	1	1
Black	15	–	–	–	–	1	2	2	1	2	5	2	11	–	–	–	–	1	–	1	5	2	1	1
Other tuberculosis (013-018)	6	–	–	–	–	–	–	1	3	2	–	–	5	–	–	1	–	–	–	–	–	1	3	–
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	5	–	–	–	–	–	–	1	3	1	–	–	3	–	–	1	–	–	–	–	–	–	2	–
Black	5	–	–	–	–	–	–	1	3	1	–	–	3	–	–	1	–	–	–	–	–	–	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 58 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	4	1	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	283	8	2	1	-	9	9	25	25	60	93	51	353	5	1	-	2	5	16	8	30	63	105	118
White	165	5	1	-	-	3	4	7	12	37	61	35	220	1	-	-	-	3	3	4	16	39	69	85
All other	118	3	1	1	-	6	5	18	13	23	32	16	133	4	1	-	2	2	13	4	14	24	36	33
Black	114	3	1	1	-	6	5	18	13	22	29	16	133	4	1	-	2	2	13	4	14	24	36	33
Acute poliomyelitis (045)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	-	-	-	1	5	5	3	1	1	1	13	-	-	-	-	2	-	1	3	6	-	1
White	13	-	-	-	-	1	4	4	2	1	-	1	11	-	-	-	-	2	-	-	3	5	-	1
All other	4	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	1	1	-	6	2	-	-	-	-	-	-	-	1	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	6	2	-	-	-	-	-	-	-	1	2	1
Black	3	-	-	-	-	-	-	-	1	1	1	-	6	2	-	-	-	-	-	-	-	1	2	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	978	8	3	-	20	348	391	120	44	27	15	2	160	5	1	1	11	44	37	16	12	17	8	8
White	544	3	1	-	6	184	218	68	30	21	12	1	53	2	-	-	3	5	8	7	5	11	6	6
All other	434	5	2	-	14	164	173	52	14	6	3	1	107	3	1	1	8	39	29	9	7	6	2	2
Black	433	5	2	-	14	164	172	52	14	6	3	1	105	3	1	1	8	37	29	9	7	6	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,396	1	7	12	19	69	227	624	1,401	2,129	1,509	398	5,197	-	4	14	23	74	265	531	995	1,401	1,339	551
White	4,734	-	1	7	15	51	152	405	1,045	1,632	1,131	295	3,876	-	3	11	7	46	165	370	715	1,081	1,043	435
All other	1,662	1	6	5	4	18	75	219	356	497	378	103	1,321	-	1	3	16	28	100	161	280	320	296	116
Black	1,650	1	6	5	3	18	73	218	352	494	377	103	1,295	-	1	3	14	27	97	154	275	316	293	115
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	156	-	-	1	-	1	12	31	33	34	33	11	65	-	-	-	-	1	2	5	11	15	20	11
White	93	-	-	-	-	1	7	10	15	26	25	9	49	-	-	-	-	1	1	4	8	11	17	7
All other	63	-	-	1	-	-	5	21	18	8	8	2	16	-	-	-	-	-	1	1	3	4	3	4
Black	62	-	-	1	-	-	5	21	18	8	7	2	16	-	-	-	-	-	1	1	3	4	3	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,304	-	-	-	-	12	58	142	286	419	302	85	1,157	-	-	-	3	7	30	78	180	287	394	178
White	907	-	-	-	-	9	38	85	196	295	219	65	789	-	-	-	-	2	13	48	106	206	279	135
All other	397	-	-	-	-	3	20	57	90	124	83	20	368	-	-	-	3	5	17	30	74	81	115	43
Black	395	-	-	-	-	3	19	57	89	124	83	20	360	-	-	-	2	5	15	30	73	78	114	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,528	-	-	-	1	6	60	249	682	926	529	75	1,117	-	-	-	-	2	31	113	285	371	242	73
White	1,991	-	-	-	-	5	38	172	531	753	426	66	914	-	-	-	-	1	21	80	226	310	214	62
All other	537	-	-	-	1	1	22	77	151	173	103	9	203	-	-	-	-	1	10	33	59	61	28	11
Black	533	-	-	-	1	1	22	77	149	171	103	9	200	-	-	-	-	1	9	32	59	60	28	11
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	2	-	4	1	-	932	-	-	-	-	26	105	164	207	194	162	74
White	4	-	-	-	-	-	-	-	-	4	-	-	707	-	-	-	-	15	68	117	159	155	132	61
All other	3	-	-	-	-	-	-	2	-	-	1	-	225	-	-	-	-	11	37	47	48	39	30	13
Black	3	-	-	-	-	-	-	2	-	-	1	-	221	-	-	-	-	11	37	45	47	39	29	13
Malignant neoplasms of genital organs (179-187)	801	-	-	-	-	4	4	12	76	256	325	124	532	-	-	-	1	14	34	70	95	138	132	48
White	503	-	-	-	-	4	4	7	50	153	208	77	371	-	-	-	1	10	15	44	65	101	94	41
All other	298	-	-	-	-	-	-	5	26	103	117	47	161	-	-	-	-	4	19	26	30	37	38	7
Black	298	-	-	-	-	-	-	5	26	103	117	47	157	-	-	-	-	4	19	23	29	37	38	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 59 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	252	1	-	-	-	-	10	23	44	87	63	24	168	-	-	-	-	-	4	12	24	50	48	30
White	205	-	-	-	-	-	6	16	36	71	55	21	126	-	-	-	-	-	3	7	15	38	37	26
All other	47	1	-	-	-	-	4	7	8	16	8	3	42	-	-	-	-	-	1	5	9	12	11	4
Black	47	1	-	-	-	-	4	7	8	16	8	3	42	-	-	-	-	-	1	5	9	12	11	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	803	-	3	8	7	22	51	111	183	238	129	51	707	-	2	9	11	13	40	57	113	198	186	78
White	610	-	1	5	7	19	38	75	144	188	98	35	526	-	2	8	2	10	29	44	85	144	145	57
All other	193	-	2	3	-	3	13	36	39	50	31	16	181	-	-	1	9	3	11	13	28	54	41	21
Black	191	-	2	3	-	3	13	35	39	49	31	16	176	-	-	1	8	2	11	12	28	54	40	20
Leukemia (204-208)	235	-	4	3	7	11	11	22	33	75	58	11	202	-	2	4	5	3	14	14	31	45	55	29
White	179	-	-	2	5	4	7	15	24	68	46	8	157	-	1	2	2	1	12	12	19	38	46	24
All other	56	-	4	1	2	7	4	7	9	7	12	3	45	-	1	2	3	2	2	2	12	7	9	5
Black	55	-	4	1	1	7	4	7	9	7	12	3	44	-	1	2	3	2	2	2	11	7	9	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	310	-	-	-	4	13	21	32	64	90	69	17	317	-	-	1	3	8	5	18	49	103	100	30
White	242	-	-	-	3	9	14	25	49	74	54	14	237	-	-	1	2	6	3	14	32	78	79	22
All other	68	-	-	-	1	4	7	7	15	16	15	3	80	-	-	-	1	2	2	4	17	25	21	8
Black	66	-	-	-	1	4	6	7	14	16	15	3	79	-	-	-	1	2	2	4	16	25	21	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	83	-	-	1	-	3	5	10	18	20	19	7	106	2	3	2	4	3	3	10	15	28	17	19
White	58	-	-	1	-	2	3	9	11	14	12	6	85	2	2	2	2	2	2	7	13	20	16	17
All other	25	-	-	-	-	1	2	1	7	6	7	1	21	-	1	-	2	1	1	3	2	8	1	2
Black	25	-	-	-	-	1	2	1	7	6	7	1	21	-	1	-	2	1	1	3	2	8	1	2
Diabetes mellitus (250)	403	-	-	-	-	15	35	43	68	118	96	28	549	-	-	-	4	7	18	37	79	148	168	88
White	251	-	-	-	-	8	23	17	41	73	66	23	333	-	-	-	2	4	9	18	44	75	110	71
All other	152	-	-	-	-	7	12	26	27	45	30	5	216	-	-	-	2	3	9	19	35	73	58	17
Black	151	-	-	-	-	7	12	26	26	45	30	5	215	-	-	-	2	3	9	19	35	73	57	17
Nutritional deficiencies (260-269)	22	1	-	-	-	-	-	-	1	5	6	9	45	-	-	-	-	2	-	1	-	7	17	18
White	9	-	-	-	-	-	-	-	1	-	4	4	29	-	-	-	-	1	-	-	-	4	11	13
All other	13	1	-	-	-	-	-	-	-	5	2	5	16	-	-	-	-	1	-	1	-	3	6	5
Black	13	1	-	-	-	-	-	-	-	5	2	5	16	-	-	-	-	1	-	1	-	3	6	5
Anemias (280-285)	52	-	1	1	1	7	-	4	5	7	16	10	67	1	1	1	-	2	6	7	3	15	16	15
White	22	-	-	-	-	-	-	1	-	4	11	6	33	-	-	1	-	-	1	2	-	6	12	11
All other	30	-	1	1	1	7	-	3	5	3	5	4	34	1	1	-	-	2	5	5	3	9	4	4
Black	30	-	1	1	1	7	-	3	5	3	5	4	34	1	1	-	-	2	5	5	3	9	4	4
Meningitis (320-322)	13	1	-	1	2	2	1	-	2	3	1	-	14	1	-	-	1	1	-	2	4	3	1	1
White	7	-	-	-	-	1	1	-	1	3	1	-	10	-	-	-	1	1	-	1	4	1	1	1
All other	6	1	-	1	2	1	-	-	1	-	-	-	4	1	-	-	-	-	-	1	-	2	-	-
Black	5	1	-	1	1	1	-	-	1	-	-	-	4	1	-	-	-	-	-	1	-	2	-	-
Major cardiovascular diseases (390-448)	10,378	16	11	3	26	92	369	876	1,738	2,881	3,005	1,359	10,993	15	6	11	17	52	151	365	839	2,022	3,742	3,773
White	7,602	8	8	2	17	42	205	538	1,220	2,144	2,321	1,096	8,035	6	3	4	11	22	64	176	503	1,360	2,796	3,090
All other	2,776	8	3	1	9	50	164	338	518	737	684	263	2,958	9	3	7	6	30	87	189	336	662	946	683
Black	2,752	8	3	1	8	50	163	330	515	733	678	262	2,931	7	3	6	6	30	86	188	328	654	943	680
Diseases of heart (390-398,402,404-429)	8,332	14	8	2	20	73	300	717	1,482	2,336	2,363	1,017	8,186	10	6	7	14	35	108	275	644	1,581	2,745	2,761
White	6,210	7	6	2	13	33	174	465	1,069	1,772	1,841	828	6,077	3	3	3	10	16	49	139	400	1,095	2,081	2,278
All other	2,122	7	2	-	7	40	126	252	413	564	522	189	2,109	7	3	4	4	19	59	136	244	486	664	483
Black	2,104	7	2	-	7	40	125	246	411	561	516	189	2,093	6	3	3	4	19	59	136	238	481	662	482
Rheumatic fever and rheumatic heart disease (390-398)	31	-	-	-	-	1	-	4	8	5	7	6	69	-	-	-	1	1	3	6	11	16	21	10
White	25	-	-	-	-	1	-	3	6	4	6	5	58	-	-	-	-	1	1	6	9	14	18	9
All other	6	-	-	-	-	-	-	1	2	1	1	1	11	-	-	-	1	-	2	-	2	2	3	1
Black	6	-	-	-	-	-	-	1	2	1	1	1	11	-	-	-	1	-	2	-	2	2	3	1
Hypertensive heart disease (402)	233	-	-	-	-	3	12	28	46	71	52	21	305	-	-	-	-	-	5	25	25	71	111	68
White	96	-	-	-	-	-	2	11	19	25	25	14	155	-	-	-	-	-	2	5	8	34	57	49
All other	137	-	-	-	-	3	10	17	27	46	27	7	150	-	-	-	-	-	3	20	17	37	54	19
Black	136	-	-	-	-	3	10	17	26	46	27	7	149	-	-	-	-	-	3	20	16	37	54	19
Hypertensive heart and renal disease (404)	34	-	-	-	-	2	1	3	5	7	12	4	40	-	-	-	-	-	-	-	9	12	15	4
White	12	-	-	-	-	-	-	-	2	3	4	3	17	-	-	-	-	-	-	-	3	4	7	3
All other	22	-	-	-	-	2	1	3	3	4	8	1	23	-	-	-	-	-	-	-	6	8	8	1
Black	22	-	-	-	-	2	1	3	3	4	8	1	23	-	-	-	-	-	-	-	6	8	8	1
Ischemic heart disease (410-414)	5,203	-	-	-	5	20	158	461	960	1,531	1,495	573	4,527	3	-	-	1	9	48	127	371	914	1,565	1,489
White	4,177	-	-	-	4	16	102	334	743	1,254	1,231	493	3,533	1	-	-	1	5	26	73	248	685	1,251	1,243
All other	1,026	-	-	-	1	4	56	127	217	277	264	80	994	2	-	-	-	4	22	54	123	229	314	246
Black	1,014	-	-	-	1	4	56	121	216	274	262	80	984	1	-	-	-	4	22	54	120	225	312	246
Acute myocardial infarction (410)	3,049	-	-	-	3	12	105	300	611	894	849	275	2,543	2	-	-	-	6	26	94	257	572	867	719
White	2,414	-	-	-	2	9	72	210	466	728	690	237	1,961	1	-	-	-	3	14	55	171	438	691	588
All other	635	-	-	-	1	3	33	90	145	166	159	38	582	1	-	-	-	3	12	39	86	134	176	131
Black	627	-	-	-	1	3	33	85	145	165	157	38	576	-	-	-	-	3	12	39	83	132	176	131

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 60 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	46	-	-	-	1	-	1	4	11	8	14	7	39	-	-	-	-	-	-	1	3	5	9	21
White	28	-	-	-	1	-	1	3	8	3	7	5	28	-	-	-	-	-	-	1	1	1	7	18
All other	18	-	-	-	-	-	-	1	3	5	7	2	11	-	-	-	-	-	-	-	2	4	2	3
Black	18	-	-	-	-	-	-	1	3	5	7	2	10	-	-	-	-	-	-	-	2	3	2	3
Angina pectoris (413)	14	-	-	-	-	-	-	1	2	4	6	1	14	-	-	-	-	-	-	-	-	5	8	1
White	10	-	-	-	-	-	-	1	2	3	4	-	13	-	-	-	-	-	-	-	-	5	7	1
All other	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,094	-	-	-	1	8	52	156	336	625	626	290	1,931	1	-	-	1	3	22	32	111	332	681	748
White	1,725	-	-	-	1	7	29	120	267	520	530	251	1,531	-	-	-	1	2	12	17	76	241	546	636
All other	369	-	-	-	-	1	23	36	69	105	96	39	400	1	-	-	-	1	10	15	35	91	135	112
Black	365	-	-	-	-	1	23	35	68	103	96	39	397	1	-	-	-	1	10	15	35	90	133	112
Other diseases of endocardium (424)	109	-	-	-	1	2	-	3	14	25	39	25	147	-	1	-	-	1	2	4	7	26	55	51
White	94	-	-	-	1	2	-	2	10	22	34	23	128	-	1	-	-	1	-	2	6	20	48	50
All other	15	-	-	-	-	-	-	1	4	3	5	2	19	-	-	-	-	-	2	2	1	6	7	1
Black	15	-	-	-	-	-	-	1	4	3	5	2	19	-	-	-	-	-	2	2	1	6	7	1
All other forms of heart disease (415-423,425-429)	2,722	14	8	2	14	45	129	218	449	697	758	388	3,098	7	5	7	12	24	50	113	221	542	978	1,139
White	1,806	7	6	2	8	14	70	115	289	464	541	290	2,186	2	2	3	9	9	20	53	126	338	700	924
All other	916	7	2	-	6	31	59	103	160	233	217	98	912	5	3	4	3	15	30	60	95	204	278	215
Black	911	7	2	-	6	31	58	103	160	233	213	98	907	5	3	3	3	15	30	60	93	203	278	214
Hypertension with or without renal disease (401,403)	108	-	-	-	-	3	5	15	22	31	17	15	149	-	-	-	1	1	6	8	19	28	45	41
White	55	-	-	-	-	1	1	5	12	16	10	10	68	-	-	-	-	-	1	1	6	11	22	27
All other	53	-	-	-	-	2	4	10	10	15	7	5	81	-	-	-	1	1	5	7	13	17	23	14
Black	53	-	-	-	-	2	4	10	10	15	7	5	80	-	-	-	1	1	5	7	13	17	23	13
Cerebrovascular diseases (430-438)	1,522	2	3	1	4	13	54	123	181	395	501	243	2,201	5	-	4	1	8	35	71	149	337	804	787
White	1,017	1	2	-	3	6	28	51	98	256	374	197	1,549	3	-	1	-	2	13	30	79	200	583	638
All other	505	1	1	1	1	7	26	72	83	139	127	46	652	2	-	3	1	6	22	41	70	137	221	149
Black	499	1	1	1	-	7	26	70	82	138	127	45	642	1	-	3	1	6	21	40	68	134	220	148
Intracerebral and other intracranial hemorrhage (431-432)	255	1	-	1	2	6	24	43	51	54	57	15	273	2	-	1	1	3	10	28	34	54	86	54
White	141	-	-	-	1	3	12	13	26	33	41	12	172	1	-	-	-	1	2	7	18	39	65	39
All other	114	1	-	1	1	3	12	30	25	21	16	3	101	1	-	1	1	2	8	21	16	15	21	15
Black	113	1	-	1	-	3	12	30	25	21	16	3	96	-	-	1	1	2	8	20	15	14	21	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	163	-	-	-	-	-	3	10	23	47	52	28	225	1	-	-	-	-	1	1	13	36	81	92
White	115	-	-	-	-	-	-	5	17	30	38	25	165	1	-	-	-	-	-	1	6	19	58	80
All other	48	-	-	-	-	-	3	5	6	17	14	3	60	-	-	-	-	-	1	-	7	17	23	12
Black	47	-	-	-	-	-	3	4	6	17	14	3	60	-	-	-	-	-	1	-	7	17	23	12
Cerebral embolism (434.1)	7	-	-	-	-	-	-	1	-	1	4	1	7	-	-	-	-	-	1	1	-	2	1	2
White	6	-	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-	-	1	-	2	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,097	1	3	-	2	7	27	69	107	293	388	199	1,696	2	-	3	-	5	23	41	102	245	636	639
White	755	1	2	-	2	3	16	33	55	192	291	159	1,208	1	-	1	-	1	11	21	55	140	460	518
All other	342	-	1	-	-	4	11	36	52	101	97	40	488	1	-	2	-	4	12	20	47	105	176	121
Black	338	-	1	-	-	4	11	35	51	100	97	39	484	1	-	2	-	4	11	20	46	103	176	121
Atherosclerosis (440)	153	-	-	-	-	-	3	4	11	35	45	55	243	-	-	-	-	-	-	1	7	23	79	133
White	97	-	-	-	-	-	-	3	5	24	28	37	179	-	-	-	-	-	-	1	3	11	57	107
All other	56	-	-	-	-	-	3	1	6	11	17	18	64	-	-	-	-	-	-	-	4	12	22	26
Black	56	-	-	-	-	-	3	1	6	11	17	18	64	-	-	-	-	-	-	-	4	12	22	26
Other diseases of arteries, arterioles, and capillaries (441-448)	263	-	-	-	2	3	7	17	42	84	79	29	214	-	-	-	1	8	2	10	20	53	69	51
White	223	-	-	-	1	2	2	14	36	76	68	24	162	-	-	-	1	4	1	5	15	43	53	40
All other	40	-	-	-	1	1	5	3	6	8	11	5	52	-	-	-	-	4	1	5	5	10	16	11
Black	40	-	-	-	1	1	5	3	6	8	11	5	52	-	-	-	-	4	1	5	5	10	16	11
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	-	3	1	7	1	-	-	-	-	-	-	1	-	2	3
White	2	-	-	-	-	-	-	-	-	-	2	-	5	1	-	-	-	-	-	-	-	-	1	3
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-
Pneumonia and influenza (480-487)	876	13	5	1	4	12	28	30	77	164	318	224	1,015	16	4	2	6	8	21	26	43	127	333	429
White	649	6	2	-	3	5	20	12	52	114	248	187	796	4	2	1	2	3	8	9	23	97	273	374
All other	227	7	3	1	1	7	8	18	25	50	70	37	219	12	2	1	4	5	13	17	20	30	60	55
Black	224	7	3	1	1	7	8	18	25	49	68	37	218	12	2	1	4	5	13	16	20	30	60	55

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 61 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	865	13	5	1	4	12	25	28	76	163	314	224	1,009	16	4	2	6	8	21	26	43	125	332	426
White	641	6	2	-	3	5	18	10	51	114	245	187	792	4	2	1	2	3	8	9	23	96	272	372
All other	224	7	3	1	1	7	7	18	25	49	69	37	217	12	2	1	4	5	13	17	20	29	60	54
Black	221	7	3	1	1	7	7	18	25	48	67	37	216	12	2	1	4	5	13	16	20	29	60	54
Influenza (487)	11	-	-	-	-	-	3	2	1	1	4	-	6	-	-	-	-	-	-	-	-	2	1	3
White	8	-	-	-	-	-	2	2	1	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,226	1	-	5	2	5	4	41	186	442	395	145	886	-	1	1	3	2	16	34	146	292	269	122
White	1,050	1	-	1	-	3	2	26	161	388	345	123	791	-	-	1	-	1	8	25	131	263	253	109
All other	176	-	-	4	2	2	2	15	25	54	50	22	95	-	1	-	3	1	8	9	15	29	16	13
Black	176	-	-	4	2	2	2	15	25	54	50	22	92	-	1	-	2	1	8	9	14	29	16	12
Bronchitis, chronic and unspecified (490-491)	40	1	-	1	-	1	-	3	4	10	13	7	47	-	-	1	-	1	-	-	7	16	9	13
White	34	1	-	-	-	1	-	1	4	9	11	7	44	-	-	1	-	1	-	-	7	16	8	11
All other	6	-	-	1	-	-	-	2	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	6	-	-	1	-	-	-	2	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
Emphysema (492)	245	-	-	-	-	-	-	9	47	84	85	20	145	-	-	-	-	-	1	6	24	57	43	14
White	213	-	-	-	-	-	-	8	42	74	73	16	132	-	-	-	-	-	1	4	23	52	42	10
All other	32	-	-	-	-	-	-	1	5	10	12	4	13	-	-	-	-	-	-	2	1	5	1	4
Black	32	-	-	-	-	-	-	1	5	10	12	4	13	-	-	-	-	-	-	2	1	5	1	4
Asthma (493)	52	-	-	4	2	4	1	6	8	17	7	3	89	-	1	-	3	1	10	13	19	15	16	11
White	27	-	-	1	-	2	-	2	3	12	5	2	54	-	-	-	-	-	3	6	13	11	13	8
All other	25	-	-	3	2	2	1	4	5	5	2	1	35	-	1	-	3	1	7	7	6	4	3	3
Black	25	-	-	3	2	2	1	4	5	5	2	1	32	-	1	-	2	1	7	7	5	4	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	889	-	-	-	-	-	3	23	127	331	290	115	605	-	-	-	-	-	5	15	96	204	201	84
White	776	-	-	-	-	-	2	15	112	293	256	98	561	-	-	-	-	-	4	15	88	184	190	80
All other	113	-	-	-	-	-	1	8	15	38	34	17	44	-	-	-	-	-	1	-	8	20	11	4
Black	113	-	-	-	-	-	1	8	15	38	34	17	44	-	-	-	-	-	1	-	8	20	11	4
Ulcer of stomach and duodenum (531-533)	64	-	-	-	1	2	3	9	8	18	20	3	89	-	-	-	-	-	2	2	5	17	31	32
White	50	-	-	-	1	1	2	7	6	15	16	2	73	-	-	-	-	-	1	-	3	17	25	27
All other	14	-	-	-	-	1	1	2	2	3	4	1	16	-	-	-	-	-	1	2	2	-	6	5
Black	14	-	-	-	-	1	1	2	2	3	4	1	16	-	-	-	-	-	1	2	2	-	6	5
Appendicitis (540-543)	7	-	-	-	1	-	1	-	1	2	2	-	5	-	-	-	-	-	1	-	-	1	2	1
White	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	5	-	-	-	1	-	-	-	-	2	2	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	5	-	-	-	1	-	-	-	-	2	2	-	3	-	-	-	-	-	1	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	78	4	1	-	-	-	7	5	7	13	28	13	100	3	-	-	-	1	1	5	3	18	28	41
White	47	1	1	-	-	-	4	1	2	8	19	11	72	1	-	-	-	-	1	4	-	11	21	34
All other	31	3	-	-	-	-	3	4	5	5	9	2	28	2	-	-	-	1	-	1	3	7	7	7
Black	31	3	-	-	-	-	3	4	5	5	9	2	28	2	-	-	-	1	-	1	3	7	7	7
Chronic liver disease and cirrhosis (571)	335	-	-	-	-	13	57	69	85	81	27	3	240	1	-	-	-	12	38	32	50	59	39	9
White	254	-	-	-	-	5	35	54	66	68	24	2	156	1	-	-	-	2	15	16	33	47	34	8
All other	81	-	-	-	-	8	22	15	19	13	3	1	84	-	-	-	-	10	23	16	17	12	5	1
Black	80	-	-	-	-	8	22	14	19	13	3	1	82	-	-	-	-	10	23	15	17	11	5	1
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	2	-	-	4	11	12	5	40	-	-	-	-	-	-	1	6	8	9	16
White	30	-	-	-	-	2	-	-	3	9	12	4	29	-	-	-	-	-	-	-	2	7	6	14
All other	4	-	-	-	-	-	-	-	1	2	-	1	11	-	-	-	-	-	-	1	4	1	3	2
Black	4	-	-	-	-	-	-	-	1	2	-	1	11	-	-	-	-	-	-	1	4	1	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	278	3	-	1	1	4	12	14	28	61	107	47	345	2	-	-	2	5	5	16	19	66	132	98
White	163	1	-	-	1	1	5	5	14	33	68	35	184	-	-	-	2	2	1	7	6	31	74	61
All other	115	2	-	1	-	3	7	9	14	28	39	12	161	2	-	-	-	3	4	9	13	35	58	37
Black	115	2	-	1	-	3	7	9	14	28	39	12	160	2	-	-	-	3	4	9	13	35	57	37
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	1	-	-	2	1	1	4	-	-	-	-	-	-	1	-	1	1	1
White	4	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 62 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	1	1	1	1	-	-	5	4	2	11	-	-	-	-	1	1	-	1	2	5	1
White	8	-	-	-	1	-	-	-	-	3	2	2	4	-	-	-	-	1	1	-	-	1	1	-
All other	7	-	-	1	-	1	1	-	-	2	2	-	7	-	-	-	-	-	-	-	1	1	4	1
Black	7	-	-	1	-	1	1	-	-	2	2	-	7	-	-	-	-	-	-	-	1	1	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	258	3	-	-	-	3	10	14	28	54	102	44	330	2	-	-	2	4	4	15	18	63	126	96
White	151	1	-	-	-	1	5	5	14	28	65	32	178	-	-	-	2	1	-	7	6	29	73	60
All other	107	2	-	-	-	2	5	9	14	26	37	12	152	2	-	-	-	3	4	8	12	34	53	36
Black	107	2	-	-	-	2	5	9	14	26	37	12	151	2	-	-	-	3	4	8	12	34	52	36
Infections of kidney (590)	12	-	-	-	-	1	1	1	-	1	6	2	16	-	-	-	-	1	1	2	-	2	5	5
White	8	-	-	-	-	1	1	1	-	1	3	1	10	-	-	-	-	-	1	1	-	-	3	5
All other	4	-	-	-	-	-	-	-	-	-	3	1	6	-	-	-	-	1	-	1	-	2	2	-
Black	4	-	-	-	-	-	-	-	-	-	3	1	6	-	-	-	-	1	-	1	-	2	2	-
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	-	4	4	6	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	-	3	4	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	5	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	3	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Congenital anomalies (740-759)	183	122	7	11	9	6	5	10	2	8	1	2	145	93	10	7	4	3	3	4	5	9	6	1
White	112	63	5	9	5	6	4	9	2	7	1	1	83	50	7	2	2	3	1	3	4	7	3	1
All other	71	59	2	2	4	-	1	1	-	1	-	1	62	43	3	5	2	-	2	1	1	2	3	-
Black	69	58	2	2	4	-	1	-	-	1	-	1	61	42	3	5	2	-	2	1	1	2	3	-
Certain conditions originating in the perinatal period (760-779)	352	349	3	-	-	-	-	-	-	-	-	-	302	296	5	-	1	-	-	-	-	-	-	-
White	123	120	3	-	-	-	-	-	-	-	-	-	106	103	3	-	-	-	-	-	-	-	-	-
All other	229	229	-	-	-	-	-	-	-	-	-	-	196	193	2	-	1	-	-	-	-	-	-	-
Black	228	228	-	-	-	-	-	-	-	-	-	-	195	192	2	-	1	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	64	63	1	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
White	29	28	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
All other	35	35	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Black	35	35	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	288	286	2	-	-	-	-	-	-	-	-	-	233	227	5	-	1	-	-	-	-	-	-	-
White	94	92	2	-	-	-	-	-	-	-	-	-	77	74	3	-	-	-	-	-	-	-	-	-
All other	194	194	-	-	-	-	-	-	-	-	-	-	156	153	2	-	1	-	-	-	-	-	-	-
Black	193	193	-	-	-	-	-	-	-	-	-	-	155	152	2	-	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	338	115	2	-	3	7	19	24	35	40	51	41	311	72	1	1	4	6	7	12	16	28	66	98
White	187	55	1	-	1	4	11	12	20	22	30	30	168	30	-	-	-	2	4	6	11	17	39	59
All other	151	60	1	-	2	3	8	12	15	18	21	11	143	42	1	1	4	4	3	6	5	11	27	39
Black	151	60	1	-	2	3	8	12	15	18	21	11	141	40	1	1	4	4	3	6	5	11	27	39
All other diseases (Residual)	2,141	38	23	13	32	71	179	212	287	437	576	273	2,458	19	16	24	28	44	97	121	170	421	757	761
White	1,472	16	13	8	21	41	93	116	166	324	447	227	1,784	11	9	18	14	20	43	61	103	311	563	631
All other	669	22	10	5	11	30	86	96	121	113	129	46	674	8	7	6	14	24	54	60	67	110	194	130
Black	663	22	10	5	11	29	86	96	119	111	128	46	667	8	7	6	13	24	54	58	66	108	193	130
Accidents and adverse effects (E800-E949)	1,849	16	46	86	353	359	293	186	163	140	141	66	933	11	37	32	130	116	107	68	60	94	156	122
White	1,303	8	30	51	257	248	196	129	117	104	110	53	676	3	15	22	101	89	73	51	42	67	118	95
All other	546	8	16	35	96	111	97	57	46	36	31	13	257	8	22	10	29	27	34	17	18	27	38	27
Black	537	8	16	35	91	111	95	56	45	36	31	13	254	8	22	10	29	26	34	17	18	26	38	26

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 63 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	978	1	18	48	261	227	151	85	71	54	49	13	488	2	21	21	109	86	75	45	35	42	39	13
White	724	1	15	34	195	157	112	65	60	37	38	10	374	–	10	12	88	69	52	36	27	35	33	12
All other	254	–	3	14	66	70	39	20	11	17	11	3	114	2	11	9	21	17	23	9	8	7	6	1
Black	247	–	3	14	61	70	39	19	10	17	11	3	112	2	11	9	21	16	23	9	8	6	6	1
All other accidents and adverse effects (E800-E807, E826-E949)	871	15	28	38	92	132	142	101	92	86	92	53	445	9	16	11	21	30	32	23	25	52	117	109
White	579	7	15	17	62	91	84	64	57	67	72	43	302	3	5	10	13	20	21	15	15	32	85	83
All other	292	8	13	21	30	41	58	37	35	19	20	10	143	6	11	1	8	10	11	8	10	20	32	26
Black	290	8	13	21	30	41	56	37	35	19	20	10	142	6	11	1	8	10	11	8	10	20	32	25
Suicide (E950-E959)	743	...	...	8	113	152	148	103	88	63	61	7	150	...	...	2	19	27	30	24	17	23	7	1
White	618	...	...	5	88	114	125	89	79	55	56	7	134	...	...	1	16	21	27	24	16	21	7	1
All other	125	...	...	3	25	38	23	14	9	8	5	–	16	...	...	1	3	6	3	–	1	2	–	–
Black	121	...	...	3	24	37	22	14	8	8	5	–	14	...	...	1	3	5	2	–	1	2	–	–
Homicide and legal intervention (E960-E978)	719	6	9	17	190	227	146	69	38	8	5	4	230	3	8	6	43	78	48	8	11	11	10	4
White	202	3	3	9	34	64	43	27	10	5	3	1	75	–	1	3	11	13	19	5	5	7	7	4
All other	517	3	6	8	156	163	103	42	28	3	2	3	155	3	7	3	32	65	29	3	6	4	3	–
Black	511	3	6	8	152	163	102	42	27	3	2	3	151	3	7	3	31	64	28	3	6	4	2	–
All other external causes (E980-E999)	41	2	–	1	7	10	9	3	4	2	2	1	24	2	3	1	5	1	4	2	1	2	2	
White	21	1	–	–	2	8	5	1	2	1	1	–	18	1	3	1	4	1	3	2	–	2	1	
All other	20	1	–	1	5	2	4	2	2	1	1	1	6	1	–	–	1	–	1	–	1	–	1	–
Black	20	1	–	1	5	2	4	2	2	1	1	1	6	1	–	–	1	–	1	–	1	–	1	–
HAWAII																								
All causes	3,944	81	13	22	75	155	246	261	461	949	1,056	621	2,866	66	7	9	24	57	103	166	337	630	688	778
White	1,199	20	2	5	25	65	111	109	144	292	295	129	873	16	3	4	5	16	32	48	92	180	249	227
All other	2,745	61	11	17	50	90	135	152	317	657	761	492	1,993	50	4	5	19	41	71	118	245	450	439	551
Black	51	5	1	1	8	3	10	2	4	12	3	–	26	15	1	–	1	2	–	–	2	1	1	3
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	9	–	–	–	–	–	1	–	2	–	4	2	3	–	–	–	–	–	–	–	–	–	1	2
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	8	–	–	–	–	–	1	–	2	–	3	2	2	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	6	–	–	–	–	–	1	–	1	–	4	2	3	–	–	–	–	–	–	–	–	–	1	2
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	7	–	–	–	–	–	1	–	1	–	3	2	2	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	40	–	–	–	–	–	2	3	5	8	16	6	21	–	–	–	–	–	1	3	1	6	4	6
White	5	–	–	–	–	–	1	1	1	–	1	1	4	–	–	–	–	–	–	2	1	–	1	–
All other	35	–	–	–	–	–	1	2	4	8	15	5	17	–	–	–	–	–	1	1	–	6	3	6
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 64 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	1	-	-	2	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	1	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	113	2	-	1	1	30	52	13	5	5	3	1	22	1	-	-	-	3	3	2	-	9	2	2
White	66	-	-	-	-	11	40	11	3	1	-	-	7	-	-	-	-	1	2	1	-	2	1	-
All other	47	2	-	1	1	19	12	2	2	4	3	1	15	1	-	-	-	2	1	1	-	7	1	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	941	-	-	2	3	11	29	68	155	332	266	74	718	-	1	3	3	13	43	66	166	202	161	59
White	304	-	-	-	1	4	5	29	49	112	84	19	220	-	1	2	1	2	10	18	49	65	56	15
All other	637	-	-	2	2	7	24	39	106	220	182	55	498	-	-	1	2	11	33	48	117	137	105	44
Black	6	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	-	-	-	-	-	2	4	5	10	3	-	11	-	-	-	-	-	1	1	2	2	3	2
White	12	-	-	-	-	-	1	-	2	7	1	-	4	-	-	-	-	-	1	1	-	1	1	-
All other	13	-	-	-	-	-	1	4	3	3	2	-	7	-	-	-	-	-	-	-	2	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	294	-	-	-	1	3	8	20	50	103	83	26	211	-	1	-	-	1	8	18	38	63	58	23
White	71	-	-	-	-	-	1	6	9	27	22	6	51	-	1	-	-	-	1	5	6	16	16	5
All other	223	-	-	-	1	3	7	14	41	76	61	20	160	-	-	-	-	1	7	13	32	47	42	18
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	282	-	-	-	-	2	3	24	60	115	65	13	168	-	-	-	-	1	6	13	41	62	40	5
White	88	-	-	-	-	1	-	13	20	33	18	3	64	-	-	-	-	-	2	4	18	25	14	1
All other	194	-	-	-	-	1	3	11	40	82	47	10	104	-	-	-	-	1	4	9	23	37	26	4
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	111	-	-	-	-	3	13	15	29	20	21	10
White	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	3	4	7	8	11	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	74	-	-	-	-	3	10	11	22	12	10	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	105	-	-	-	-	-	-	1	4	26	47	27	70	-	-	-	1	3	6	12	24	10	11	3
White	32	-	-	-	-	-	-	-	1	12	12	7	20	-	-	-	-	-	1	3	7	3	5	1
All other	73	-	-	-	-	-	-	1	3	14	35	20	50	-	-	-	-	1	3	5	9	17	7	6	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	35	-	-	-	-	-	-	2	4	15	10	4	14	-	-	-	-	-	2	2	2	6	2	-
White	21	-	-	-	-	-	-	2	2	9	6	2	3	-	-	-	-	-	-	-	1	2	-	-
All other	14	-	-	-	-	-	-	-	2	6	4	2	11	-	-	-	-	-	2	2	1	4	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	98	-	-	1	1	4	7	11	19	21	30	4	84	-	-	1	-	4	2	4	22	26	13	12
White	40	-	-	-	-	3	1	5	8	7	15	1	26	-	-	1	-	2	1	1	7	8	4	2
All other	58	-	-	1	1	1	6	6	11	14	15	3	58	-	-	-	-	2	1	3	15	18	9	10
Black	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	-	1	-	-	2	2	6	12	15	-	18	-	-	2	-	-	2	1	2	5	4	2
White	15	-	-	-	-	-	-	-	1	6	8	-	7	-	-	1	-	-	1	-	1	1	1	2
All other	23	-	-	1	-	-	2	2	5	6	7	-	11	-	-	1	-	-	1	1	1	4	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	64	-	-	-	1	2	7	4	7	30	13	-	31	-	-	-	2	1	3	-	6	8	9	2
White	25	-	-	-	1	-	2	3	6	11	2	-	8	-	-	-	1	-	-	-	2	1	4	-
All other	39	-	-	-	-	2	5	1	1	19	11	-	23	-	-	-	1	1	3	-	4	7	5	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	-	-	-	1	-	1	3	6	3	1	8	-	-	-	-	-	-	-	-	2	3	3
White	8	-	-	-	-	1	-	1	2	3	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	7	-	-	-	-	-	-	-	1	3	2	1	6	-	-	-	-	-	-	-	-	2	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 65 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	78	-	-	-	-	1	2	7	15	23	25	5	82	-	-	-	-	1	-	5	16	20	26	14
White	21	-	-	-	-	-	1	3	4	5	7	1	21	-	-	-	-	-	-	1	5	4	8	3
All other	57	-	-	-	-	1	1	4	11	18	18	4	61	-	-	-	-	1	-	4	11	16	18	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	1	2	1	1	4	-	-	-	-	-	-	-	-	-	-	4
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	-	-	-	-	1	2	-	1	3	-	-	-	-	-	-	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	2	1	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,530	3	-	5	2	10	37	93	181	386	473	338	1,203	2	-	-	2	9	18	52	95	236	340	449
White	373	-	-	1	-	3	5	26	45	105	123	64	348	-	-	-	1	1	3	13	22	62	111	135
All other	1,157	3	-	4	2	7	32	67	136	281	350	274	855	2	-	-	1	8	15	39	73	174	229	314
Black	15	-	-	-	1	1	1	-	3	7	1	-	7	1	-	-	-	-	-	-	1	1	1	3
Diseases of heart (390-398,402,404-429)	1,161	2	-	4	2	8	29	72	152	304	359	227	887	2	-	-	2	5	11	36	74	179	248	330
White	300	-	-	-	-	2	5	21	39	93	91	48	270	-	-	-	1	1	2	8	21	51	82	104
All other	861	2	-	4	2	6	24	51	113	211	268	179	617	2	-	-	1	4	9	28	53	128	166	226
Black	11	-	-	-	1	1	-	-	2	6	-	-	6	1	-	-	-	-	-	-	1	-	1	3
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	-	-	3	2	-	18	-	-	-	-	-	1	4	2	7	4	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	-	-	3	2	-	18	-	-	-	-	-	1	4	2	7	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	26	-	-	-	-	1	1	2	1	3	8	10	46	-	-	-	-	-	1	3	1	2	16	23
White	3	-	-	-	-	1	-	-	-	-	1	1	9	-	-	-	-	-	-	1	-	1	3	4
All other	23	-	-	-	-	-	1	2	1	3	7	9	37	-	-	-	-	-	1	2	1	1	13	19
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	3	-	4	-	-	-	-	-	-	-	1	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	4	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	658	-	-	-	-	1	16	50	90	174	214	111	428	-	-	-	1	1	4	17	38	98	127	142
White	178	-	-	-	-	-	3	16	25	59	53	21	117	-	-	-	-	-	-	4	10	23	40	40
All other	480	-	-	-	-	1	13	34	65	115	161	90	311	-	-	-	1	1	4	13	28	75	87	102
Black	4	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	302	-	-	-	-	1	8	30	52	95	81	35	201	-	-	-	1	1	3	10	21	55	55	55
White	81	-	-	-	-	-	1	13	13	30	17	7	48	-	-	-	-	-	-	3	6	13	13	13
All other	221	-	-	-	-	1	7	17	39	65	64	28	153	-	-	-	1	1	3	7	15	42	42	42
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	354	-	-	-	-	-	8	19	38	79	132	76	227	-	-	-	-	-	1	7	17	43	72	87
White	97	-	-	-	-	-	2	3	12	29	36	14	69	-	-	-	-	-	-	1	4	10	27	27
All other	257	-	-	-	-	-	6	16	26	50	96	62	158	-	-	-	-	-	1	6	13	33	45	60
Black	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	20	-	-	-	-	-	-	1	5	2	6	6	23	-	-	-	-	-	-	-	1	3	10	9
White	5	-	-	-	-	-	-	-	-	-	2	3	11	-	-	-	-	-	-	-	-	2	4	5
All other	15	-	-	-	-	-	-	1	5	2	4	3	12	-	-	-	-	-	-	-	1	1	6	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 66 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	448	2	-	4	2	6	12	19	56	121	126	100	368	2	-	-	1	4	5	12	31	69	89	155
White	114	-	-	-	-	1	2	5	14	34	35	23	132	-	-	-	1	1	2	3	10	25	35	55
All other	334	2	-	4	2	5	10	14	42	87	91	77	236	2	-	-	-	3	3	9	21	44	54	100
Black	6	-	-	-	1	1	-	-	2	2	-	-	4	1	-	-	-	-	-	-	-	-	-	3
Hypertension with or without renal disease (401,403)	12	-	-	-	-	-	-	1	1	4	2	4	12	-	-	-	-	-	-	2	1	2	5	2
White	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	-	1	3	1
All other	8	-	-	-	-	-	-	1	-	3	1	3	6	-	-	-	-	-	-	1	1	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	301	1	-	-	-	2	8	16	22	60	98	94	262	-	-	-	-	3	7	14	19	43	76	100
White	55	-	-	-	-	1	-	3	3	7	28	13	66	-	-	-	-	-	1	4	1	7	25	28
All other	246	1	-	-	-	1	8	13	19	53	70	81	196	-	-	-	-	3	6	10	18	36	51	72
Black	4	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	53	-	-	-	-	2	3	8	5	15	12	8	63	-	-	-	-	2	2	7	9	13	16	14
White	8	-	-	-	-	1	-	1	-	1	4	1	8	-	-	-	-	-	-	3	-	1	3	1
All other	45	-	-	-	-	1	3	7	5	14	8	7	55	-	-	-	-	2	2	4	9	12	13	13
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	-	1	8	7	3	20	-	-	-	-	-	-	1	-	4	6	9
White	2	-	-	-	-	-	-	-	-	2	-	-	9	-	-	-	-	-	-	-	-	2	3	4
All other	17	-	-	-	-	-	-	-	1	8	5	3	11	-	-	-	-	-	-	1	-	2	3	5
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	229	1	-	-	-	-	5	8	16	37	79	83	178	-	-	-	-	1	5	6	10	25	54	77
White	45	-	-	-	-	-	-	2	3	6	22	12	49	-	-	-	-	-	1	1	1	4	19	23
All other	184	1	-	-	-	-	5	6	13	31	57	71	129	-	-	-	-	1	4	5	9	21	35	54
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	13	-	-	-	-	-	-	3	1	1	5	3	16	-	-	-	-	-	-	-	-	2	5	9
White	4	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	9	-	-	-	-	-	-	2	-	1	4	2	14	-	-	-	-	-	-	-	-	1	4	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	43	-	-	1	-	-	-	1	5	17	9	10	26	-	-	-	-	1	-	-	1	10	6	8
White	10	-	-	1	-	-	-	1	1	4	2	1	4	-	-	-	-	-	-	-	-	2	-	2
All other	33	-	-	-	-	-	-	-	4	13	7	9	22	-	-	-	-	1	-	-	1	8	6	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	164	-	-	-	-	3	2	2	11	25	60	61	136	-	-	-	-	1	2	3	4	23	26	77
White	41	-	-	-	-	1	1	1	4	4	18	12	45	-	-	-	-	-	-	1	1	5	14	24
All other	123	-	-	-	-	2	1	1	7	21	42	49	91	-	-	-	-	1	2	2	3	18	12	53
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	164	-	-	-	-	3	2	2	11	25	60	61	135	-	-	-	-	1	2	3	4	23	25	77
White	41	-	-	-	-	1	1	1	4	4	18	12	45	-	-	-	-	-	-	1	1	5	14	24
All other	123	-	-	-	-	2	1	1	7	21	42	49	90	-	-	-	-	1	2	2	3	18	11	53
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	126	-	-	-	2	-	5	2	18	35	44	20	101	-	-	-	-	-	-	6	11	36	28	20
White	41	-	-	-	-	-	-	2	13	11	12	3	47	-	-	-	-	-	-	4	6	18	15	4
All other	85	-	-	-	2	-	5	-	5	24	32	17	54	-	-	-	-	-	-	2	5	18	13	16
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	1	-	2	2	-	1	7	-	-	-	-	-	-	-	1	-	1	5
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	1	-	2	1	-	1	7	-	-	-	-	-	-	-	1	-	1	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	30	-	-	-	-	-	1	-	5	8	13	3	16	-	-	-	-	-	-	1	4	9	1	1
White	8	-	-	-	-	-	-	-	3	2	3	-	11	-	-	-	-	-	-	1	3	6	1	-
All other	22	-	-	-	-	-	1	-	2	6	10	3	5	-	-	-	-	-	-	-	1	3	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	21	-	-	-	2	-	2	2	2	6	6	1	23	-	-	-	-	-	-	4	2	10	5	2
White	5	-	-	-	-	-	-	2	1	1	1	-	7	-	-	-	-	-	-	3	-	4	-	-
All other	16	-	-	-	2	-	2	-	1	5	5	1	16	-	-	-	-	-	-	1	2	6	5	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	-	-	-	-	-	1	-	9	19	25	15	55	-	-	-	-	-	-	1	4	17	21	12
White	27	-	-	-	-	-	-	-	9	7	8	3	29	-	-	-	-	-	-	-	3	8	14	4
All other	42	-	-	-	-	-	1	-	-	12	17	12	26	-	-	-	-	-	-	1	1	9	7	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	2	1	2	2	4	-	8	-	-	-	-	-	-	-	1	2	3	2
White	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	9	-	-	-	-	-	1	-	2	2	4	-	7	-	-	-	-	-	-	-	1	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	2	-	-	-	-	1	2	1	1	5	-	-	-	-	-	-	-	1	3	-	1
White	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	5	-	-	1	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	-	1	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	52	-	-	-	-	2	11	14	4	15	5	1	16	-	-	-	-	-	2	3	2	4	3	2
White	26	-	-	-	-	-	6	9	1	8	2	-	7	-	-	-	-	-	1	2	-	1	1	2
All other	26	-	-	-	-	2	5	5	3	7	3	1	9	-	-	-	-	-	1	1	2	3	2	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	7	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	-	-	1	-	1	-	-	-	7	13	10	29	1	-	-	-	-	2	2	3	7	8	6
White	7	-	-	-	-	-	-	-	-	2	2	3	6	1	-	-	-	-	-	-	-	1	3	1
All other	25	-	-	1	-	1	-	-	-	5	11	7	23	-	-	-	-	-	2	2	3	6	5	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	29	-	-	1	-	-	-	-	-	7	12	9	28	1	-	-	-	-	2	2	3	6	8	6
White	6	-	-	-	-	-	-	-	-	2	2	2	6	1	-	-	-	-	-	-	-	1	3	1
All other	23	-	-	1	-	-	-	-	-	5	10	7	22	-	-	-	-	-	2	2	3	5	5	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 68 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	27	19	3	1	-	-	-	1	2	-	1	-	21	13	2	1	1	-	1	2	-	-	-	1
White	6	6	-	-	-	-	-	-	-	-	-	-	8	6	1	1	-	-	-	-	-	-	-	-
All other	21	13	3	1	-	-	-	1	2	-	1	-	13	7	1	-	1	-	1	2	-	-	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	35	35	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	99	18	2	3	2	16	20	14	6	4	7	7	51	11	-	-	4	4	7	3	5	5	2	10
White	31	5	-	-	1	6	7	5	3	2	2	-	19	-	-	-	1	3	6	1	1	2	1	4
All other	68	13	2	3	1	10	13	9	3	2	5	7	32	11	-	-	3	1	1	2	4	3	1	6
Black	5	-	-	1	-	-	4	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	307	2	3	2	3	7	14	16	25	65	103	67	271	3	1	2	1	6	7	7	18	57	63	106
White	107	-	2	-	1	1	8	9	9	28	31	18	87	1	-	-	-	2	1	1	7	13	30	32
All other	200	2	1	2	2	6	6	7	16	37	72	49	184	2	1	2	1	4	6	6	11	44	33	74
Black	3	-	-	-	-	1	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	211	-	5	5	35	42	41	14	16	19	17	16	73	1	2	3	5	9	8	6	6	13	9	11
White	83	-	-	3	14	19	17	5	8	6	5	6	23	-	1	1	1	4	5	3	-	2	2	4
All other	128	-	5	2	21	23	24	9	8	13	12	10	50	1	1	2	4	5	3	3	6	11	7	7
Black	8	-	1	-	1	1	3	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	105	-	3	4	24	27	19	8	8	6	5	-	35	-	1	2	5	6	4	4	4	6	3	-
White	41	-	-	2	9	12	8	3	4	1	2	-	11	-	1	1	1	2	3	2	-	-	1	-
All other	64	-	3	2	15	15	11	5	4	5	3	-	24	-	-	1	4	4	1	2	4	6	2	-
Black	5	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	106	-	2	1	11	15	22	6	8	13	12	16	38	1	1	1	-	3	4	2	2	7	6	11
White	42	-	-	1	5	7	9	2	4	5	3	6	12	-	-	-	-	2	2	1	-	2	1	4
All other	64	-	2	-	6	8	13	4	4	8	9	10	26	1	1	1	-	1	2	1	2	5	5	7
Black	3	-	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	87	...	...	-	14	25	16	9	7	7	5	4	20	...	...	-	2	5	4	3	2	-	4	-
White	42	...	...	-	5	15	10	3	2	3	2	2	8	...	...	-	1	3	2	-	-	-	2	-
All other	45	...	...	-	9	10	6	6	5	4	3	2	12	...	...	-	1	2	2	3	2	-	2	-
Black	4	...	...	-	3	-	-	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	28	2	-	-	12	5	8	-	1	-	-	-	22	2	1	-	6	3	4	2	2	-	2	-
White	10	-	-	-	2	3	5	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
All other	18	2	-	-	10	2	3	-	1	-	-	-	20	2	1	-	6	3	3	2	2	-	1	-
Black	4	1	-	-	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	1	1	4	2	-	1	1	-	5	-	-	-	-	2	1	1	-	1	-	-
White	10	-	-	-	1	1	4	2	-	1	1	-	3	-	-	-	-	-	1	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 69 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	4,031	83	19	38	104	112	171	208	448	953	1,242	653	3,688	63	14	18	45	52	88	130	314	715	1,059	1,190
White	3,960	77	19	37	100	107	162	206	436	938	1,230	648	3,642	63	14	18	44	48	84	129	305	700	1,053	1,184
All other	71	6	–	1	4	5	9	2	12	15	12	5	46	–	–	–	1	4	4	1	9	15	6	6
Black	9	1	–	–	1	–	–	–	2	3	2	–	5	–	–	–	–	–	2	–	–	1	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
White	4	–	–	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	24	–	–	–	–	–	–	2	6	8	7	1	26	–	–	–	–	–	2	1	–	3	8	12
White	24	–	–	–	–	–	–	2	6	8	7	1	25	–	–	–	–	–	2	1	–	3	8	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	27	–	–	–	–	5	9	8	–	2	2	1	9	–	–	–	–	–	1	1	–	4	1	2
White	26	–	–	–	–	5	8	8	–	2	2	1	9	–	–	–	–	–	1	1	–	4	1	2
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	903	–	2	5	5	9	27	60	142	274	272	107	810	1	2	–	2	8	33	56	131	270	210	97
White	895	–	2	5	4	8	26	60	142	270	271	107	799	1	2	–	2	8	33	56	129	263	209	96
All other	8	–	–	–	1	1	1	–	–	4	1	–	11	–	–	–	–	–	–	–	2	7	1	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 70 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	17	-	-	-	-	1	1	3	3	6	2	1	4	-	-	-	-	-	-	1	1	2	-	-
White	17	-	-	-	-	1	1	3	3	6	2	1	4	-	-	-	-	-	-	1	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	230	-	-	-	-	-	10	13	36	66	72	33	179	-	-	-	-	-	4	8	22	50	57	38
White	228	-	-	-	-	-	9	13	36	65	72	33	177	-	-	-	-	-	4	8	22	48	57	38
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	256	-	-	-	-	1	4	18	52	101	69	11	158	-	-	-	-	-	2	8	22	81	38	7
White	251	-	-	-	-	-	4	18	52	98	68	11	156	-	-	-	-	-	2	8	22	79	38	7
All other	5	-	-	-	-	1	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	150	-	-	-	-	3	13	19	35	34	34	12
White	-	-	-	-	-	-	-	-	-	-	-	-	149	-	-	-	-	3	13	19	35	33	34	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	140	-	-	-	-	-	1	3	14	28	62	32	88	-	-	-	-	-	7	5	13	38	19	6
White	140	-	-	-	-	-	1	3	14	28	62	32	86	-	-	-	-	-	7	5	11	38	19	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	39	-	-	-	-	-	-	3	9	8	11	8	23	-	-	-	-	-	1	1	4	4	12	1
White	39	-	-	-	-	-	-	3	9	8	11	8	23	-	-	-	-	-	1	1	4	4	12	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	117	-	-	2	3	6	5	10	15	35	32	9	118	-	1	-	-	2	4	8	18	32	29	24
White	116	-	-	2	2	6	5	10	15	35	32	9	117	-	1	-	-	2	4	8	18	31	29	24
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	1	2	1	-	4	4	4	9	7	6	34	1	-	-	2	1	1	2	5	11	7	4
White	38	-	1	2	1	-	4	4	4	9	7	6	32	1	-	-	2	1	1	2	5	10	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	66	-	1	1	1	1	2	6	9	21	17	7	56	-	1	-	-	2	1	4	11	18	14	5
White	66	-	1	1	1	1	2	6	9	21	17	7	55	-	1	-	-	2	1	4	11	18	13	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	-	-	-	-	-	1	1	4	3	8	1	20	1	-	-	-	-	1	-	1	3	7	7
White	18	-	-	-	-	-	1	1	4	3	8	1	20	1	-	-	-	-	1	-	1	3	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	82	-	-	-	-	-	6	6	11	19	30	10	112	-	-	-	-	1	1	3	9	35	34	29
White	80	-	-	-	-	-	6	6	10	19	29	10	109	-	-	-	-	1	1	3	9	33	33	29
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	9	-	-	1	-	-	-	-	1	2	3	2	7	-	-	-	-	-	-	-	-	-	2	5
White	9	-	-	1	-	-	-	-	1	2	3	2	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	-	-	1	-	5	2	6	1	-	-	-	-	-	1	2	-	-	2
White	8	-	-	-	-	-	-	-	1	-	5	2	6	1	-	-	-	-	-	1	2	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	1
White	2	-	1	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,565	3	1	1	2	5	27	68	173	410	564	311	1,563	2	1	1	3	7	7	18	89	229	511	695
White	1,538	3	1	1	2	5	25	68	166	402	557	308	1,550	2	1	1	3	7	6	17	86	225	510	692
All other	27	-	-	-	-	-	2	-	7	8	7	3	13	-	-	-	-	-	1	1	3	4	1	3
Black	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	1	-	-	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 71 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,236	3	-	1	2	3	21	60	150	336	439	221	1,102	2	1	1	2	6	4	14	70	166	359	477
White	1,216	3	-	1	2	3	19	60	144	330	434	220	1,093	2	1	1	2	6	3	13	68	165	358	474
All other	20	-	-	-	-	-	2	-	6	6	5	1	9	-	-	-	-	-	1	1	2	1	1	3
Black	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	1	-	-	-	1	1
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	-	-	1	1	6	1	27	-	-	-	1	1	-	-	1	7	15	2
White	9	-	-	-	-	-	-	-	1	1	6	1	27	-	-	-	1	1	-	-	1	7	15	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	12	-	-	-	-	-	-	1	-	3	4	4	27	-	-	-	-	-	-	-	3	10	14	
White	12	-	-	-	-	-	-	1	-	3	4	4	27	-	-	-	-	-	-	-	3	10	14	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	929	-	-	-	-	2	12	51	126	262	327	149	704	-	-	-	1	-	2	9	49	110	230	303
White	913	-	-	-	-	2	10	51	121	257	323	149	701	-	-	-	1	-	2	9	49	109	230	301
All other	16	-	-	-	-	-	2	-	5	5	4	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	551	-	-	-	-	2	9	37	84	165	187	67	377	-	-	-	1	-	2	6	35	73	133	127
White	538	-	-	-	-	2	7	37	79	161	185	67	377	-	-	-	1	-	2	6	35	73	133	127
All other	13	-	-	-	-	-	2	-	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3
White	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	375	-	-	-	-	-	3	14	42	96	138	82	322	-	-	-	-	-	-	3	14	37	96	172
White	372	-	-	-	-	-	3	14	42	95	136	82	319	-	-	-	-	-	-	3	14	36	96	170
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	34	-	-	-	-	-	-	2	1	10	14	7	31	-	-	-	-	1	-	1	1	6	8	14
White	34	-	-	-	-	-	-	2	1	10	14	7	31	-	-	-	-	1	-	1	1	6	8	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	249	3	-	1	2	1	9	6	22	59	86	60	310	2	1	1	-	4	2	4	19	40	95	142
White	245	3	-	1	2	1	9	6	21	58	85	59	304	2	1	1	-	4	1	3	17	40	94	141
All other	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	1	1	2	-	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	-	1	-	5	-	17	-	-	-	-	-	-	-	-	4	5	8
White	6	-	-	-	-	-	-	-	1	-	5	-	17	-	-	-	-	-	-	-	-	4	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	220	-	1	-	-	2	2	6	13	47	89	60	349	-	-	-	1	1	3	3	15	44	117	165
White	215	-	1	-	-	2	2	6	12	46	87	59	345	-	-	-	1	1	3	3	14	41	117	165
All other	5	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	-	1	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	28	-	-	-	-	1	-	1	3	11	10	2	31	-	-	-	-	-	-	-	7	11	8	5
White	28	-	-	-	-	1	-	1	3	11	10	2	29	-	-	-	-	-	-	-	6	10	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	-	-	-	-	-	1	1	-	7	7	4	24	-	-	-	-	-	1	-	1	4	7	11
White	19	-	-	-	-	-	1	1	-	6	7	4	23	-	-	-	-	-	1	-	1	3	7	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 72 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	170	-	1	-	-	1	1	4	10	27	72	54	292	-	-	-	1	1	2	3	7	29	101	148
White	166	-	1	-	-	1	1	4	9	27	70	53	291	-	-	-	1	1	2	3	7	28	101	148
All other	4	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	24	-	-	-	-	-	-	-	1	3	6	14	44	-	-	-	-	-	-	-	-	3	8	33
White	23	-	-	-	-	-	-	-	1	3	6	13	44	-	-	-	-	-	-	-	-	3	8	33
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	79	-	-	-	-	-	4	2	8	24	25	16	51	-	-	-	-	-	-	1	4	12	22	12
White	78	-	-	-	-	-	4	2	8	23	25	16	51	-	-	-	-	-	-	1	4	12	22	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	133	2	-	-	1	2	5	3	13	17	41	49	163	1	-	-	-	2	4	5	8	8	43	92
White	132	2	-	-	1	2	5	3	13	17	40	49	161	1	-	-	-	2	3	5	8	8	43	91
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	128	2	-	-	1	2	5	3	12	17	40	46	154	1	-	-	-	1	3	5	7	7	43	87
White	127	2	-	-	1	2	5	3	12	17	39	46	152	1	-	-	-	1	2	5	7	7	43	86
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	1	-	1	3	9	-	-	-	-	1	1	-	1	1	-	5
White	5	-	-	-	-	-	-	-	1	-	1	3	9	-	-	-	-	1	1	-	1	1	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	283	-	-	-	1	-	-	1	25	79	129	48	175	-	-	-	1	-	1	2	25	59	57	30
White	280	-	-	-	1	-	-	1	24	78	128	48	173	-	-	-	1	-	1	2	23	59	57	30
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	-	-	-	4	3	3	9	-	-	-	-	-	-	-	-	3	2	4
White	10	-	-	-	-	-	-	-	-	4	3	3	9	-	-	-	-	-	-	-	-	3	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	50	-	-	-	-	-	-	1	6	16	22	5	25	-	-	-	-	-	-	-	-	5	10	8	2
White	50	-	-	-	-	-	-	1	6	16	22	5	25	-	-	-	-	-	-	-	-	5	10	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	8	-	-	-	1	-	-	-	1	2	3	1	16	-	-	-	1	-	-	-	4	2	5	4
White	8	-	-	-	1	-	-	-	1	2	3	1	14	-	-	-	1	-	-	-	2	2	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	215	-	-	-	-	-	-	-	18	57	101	39	125	-	-	-	-	-	-	1	2	16	44	42	20
White	212	-	-	-	-	-	-	-	17	56	100	39	125	-	-	-	-	-	-	1	2	16	44	42	20
All other	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	-	-	2	4	4	15	-	-	-	-	-	-	-	2	4	3	6
White	10	-	-	-	-	-	-	-	-	2	4	4	15	-	-	-	-	-	-	-	2	4	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	1	-	-	-	-	-	-	1	2	9	4	15	-	-	-	-	-	-	-	1	3	3	8
White	17	1	-	-	-	-	-	-	1	2	9	4	15	-	-	-	-	-	-	-	1	3	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 73 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	43	-	-	-	-	1	4	8	11	13	6	-	27	-	-	-	-	-	6	5	9	4	2	1
White	41	-	-	-	-	1	3	8	10	13	6	-	25	-	-	-	-	-	5	5	8	4	2	1
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	-	3	1		8	-	-	-	-	1	-	1	-	2	2	2
White	4	-	-	-	-	-	-	-	-	3	1		8	-	-	-	-	1	-	1	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	38	-	-	-	-	-	1	1	5	5	11	15	26	-	-	-	-	-	-	1	4	5	8	8
White	36	-	-	-	-	-	1	1	5	4	11	14	25	-	-	-	-	-	-	1	3	5	8	8
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
White	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	-	-	-	-	-	1	-	4	5	10	15	23	-	-	-	-	-	-	1	3	4	8	7
White	33	-	-	-	-	-	1	-	4	4	10	14	23	-	-	-	-	-	-	1	3	4	8	7
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	***	***	***	***	***	***	***	***	***	***	***	***
White	2	-	-	-	-	-	-	-	-	-	1	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	1	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	1	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Congenital anomalies (740-759)	33	23	3	-	-	1	-	1	1	2	2	-	33	18	3	3	1	1	2	1	1	1	-	2
White	30	20	3	-	-	1	-	1	1	2	2	-	33	18	3	3	1	1	2	1	1	1	-	2
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	29	29	-	-	-	-	-	-	-	-	-	-	23	22	1	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	23	22	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 74 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	25	25	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	16	-	-	1	-	1	1	2	5	2	10	56	12	-	-	-	1	-	3	-	5	14	21
White	37	15	-	-	1	-	1	1	2	5	2	10	56	12	-	-	-	1	-	3	-	5	14	21
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	286	6	1	3	5	2	12	12	23	55	100	67	392	2	-	5	-	4	9	11	23	59	126	153
White	281	6	1	3	5	2	10	12	21	55	100	66	386	2	-	5	-	2	9	11	23	58	123	153
All other	5	-	-	-	-	-	2	-	2	-	-	1	6	-	-	-	-	2	-	-	-	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	312	1	11	25	54	62	55	18	17	30	22	17	148	3	7	8	29	21	12	12	8	14	21	13
White	298	1	11	24	51	58	53	16	17	29	21	17	144	3	7	8	28	19	12	12	8	13	21	13
All other	14	-	-	1	3	4	2	2	-	1	1	-	4	-	-	-	1	2	-	-	-	1	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	166	-	3	16	39	36	34	7	7	13	9	2	86	-	1	6	25	17	8	11	4	8	6	-
White	159	-	3	16	36	34	33	6	7	13	9	2	83	-	1	6	24	15	8	11	4	8	6	-
All other	7	-	-	-	3	2	1	1	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	146	1	8	9	15	26	21	11	10	17	13	15	62	3	6	2	4	4	4	1	4	6	15	13
White	139	1	8	8	15	24	20	10	10	16	12	15	61	3	6	2	4	4	4	1	4	5	15	13
All other	7	-	-	1	-	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	136	...	...	3	28	18	20	16	12	21	16	2	29	...	...	-	7	4	6	5	1	5	1	-
White	136	...	...	3	28	18	20	16	12	21	16	2	29	...	...	-	7	4	6	5	1	5	1	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	15	1	-	-	4	6	2	1	-	-	1	-	5	-	-	-	1	1	1	2	-	-	-	-
White	15	1	-	-	4	6	2	1	-	-	1	-	4	-	-	-	1	1	-	2	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	5	1	-	-	3	1	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
White	4	-	-	-	3	1	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	52,709	1,179	213	255	1,333	1,991	2,765	3,532	7,195	12,957	13,794	7,493	51,414	904	167	154	418	722	1,307	2,151	4,640	9,725	15,187	16,038
White	43,265	659	135	165	825	1,232	1,751	2,456	5,673	11,089	12,435	6,844	43,856	490	99	93	279	437	794	1,505	3,588	8,140	13,607	14,823
All other	9,444	520	78	90	508	759	1,014	1,076	1,522	1,868	1,359	649	7,558	414	68	61	139	285	513	646	1,052	1,585	1,580	1,215
Black	9,110	513	76	86	500	739	994	1,038	1,461	1,802	1,281	619	7,296	407	66	57	133	274	494	618	1,017	1,532	1,528	1,170
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	10	1	-	-	-	-	-	-	2	2	2	3	11	2	-	1	-	-	1	-	-	1	4	2
White	8	-	-	-	-	-	-	-	2	2	1	3	11	2	-	1	-	-	1	-	-	1	4	2
All other	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	66	-	-	-	1	6	8	14	13	11	6	7	27	-	-	-	-	8	4	2	2	3	5	3
White	26	-	-	-	-	2	2	5	3	6	2	6	10	-	-	-	-	-	-	-	2	3	3	2
All other	40	-	-	-	1	4	6	9	10	5	4	1	17	-	-	-	-	8	4	2	-	-	2	1
Black	39	-	-	-	1	4	6	9	10	4	4	1	16	-	-	-	-	8	4	2	-	-	1	1
Tuberculosis of respiratory system (010-012)	58	-	-	-	1	6	8	12	12	9	5	5	20	-	-	-	-	6	3	1	1	3	4	2
White	22	-	-	-	-	2	2	5	2	5	2	4	7	-	-	-	-	-	-	-	1	3	2	1
All other	36	-	-	-	1	4	6	7	10	4	3	1	13	-	-	-	-	6	3	1	-	-	2	1
Black	35	-	-	-	1	4	6	7	10	3	3	1	12	-	-	-	-	6	3	1	-	-	1	1
Other tuberculosis (013-018)	8	-	-	-	-	-	-	2	1	2	1	2	7	-	-	-	-	2	1	1	1	-	1	1
White	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	1	-	1	1
All other	4	-	-	-	-	-	-	2	-	1	1	-	4	-	-	-	-	2	1	1	-	-	-	-
Black	4	-	-	-	-	-	-	2	-	1	1	-	4	-	-	-	-	2	1	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 75 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	3	-	1	2	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	6	2	-	1	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	484	6	1	-	4	8	21	28	52	109	163	92	608	6	1	1	4	6	13	14	47	117	184	215
White	358	1	1	-	4	2	8	17	36	78	132	79	483	2	1	-	2	2	8	10	31	90	148	189
All other	126	5	-	-	-	6	13	11	16	31	31	13	125	4	-	1	2	4	5	4	16	27	36	26
Black	121	5	-	-	-	5	13	9	15	30	31	13	124	4	-	1	2	4	5	4	16	27	36	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	-	-	-	1	1	6	6	4	7	4	-	22	-	-	-	1	-	1	4	5	4	6	1
White	26	-	-	-	1	1	4	5	4	7	4	-	16	-	-	-	-	-	1	2	3	3	6	1
All other	3	-	-	-	-	-	2	1	-	-	-	-	6	-	-	-	1	-	-	2	2	1	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	1	-	-	2	2	1	-	-
Syphilis (090-097)	4	2	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,034	6	4	6	17	292	428	147	58	46	22	8	206	3	2	4	6	32	42	24	22	31	24	16
White	676	5	1	4	11	175	275	98	39	38	22	8	124	1	1	1	4	12	19	13	15	22	22	14
All other	358	1	3	2	6	117	153	49	19	8	-	-	82	2	1	3	2	20	23	11	7	9	2	2
Black	354	1	3	2	6	117	150	49	18	8	-	-	80	2	1	3	2	19	23	10	7	9	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,773	1	14	36	46	131	344	940	2,537	4,189	3,397	1,138	11,639	1	10	19	26	121	441	954	1,968	3,296	3,270	1,533
White	10,792	1	9	31	38	105	267	682	2,067	3,589	2,993	1,010	10,040	1	5	14	15	92	315	757	1,627	2,864	2,938	1,412
All other	1,981	-	5	5	8	26	77	258	470	600	404	128	1,599	-	5	5	11	29	126	197	341	432	332	121
Black	1,892	-	5	5	8	25	75	245	446	581	382	120	1,524	-	5	4	11	28	117	184	321	414	323	117
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	282	-	-	-	1	3	12	35	87	78	51	15	139	-	-	-	-	-	3	16	39	33	38	10
White	203	-	-	-	-	1	3	15	64	64	43	13	112	-	-	-	-	-	1	12	27	27	35	10
All other	79	-	-	-	1	2	9	20	23	14	8	2	27	-	-	-	-	-	2	4	12	6	3	-
Black	73	-	-	-	1	2	8	18	22	13	7	2	27	-	-	-	-	-	2	4	12	6	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,226	-	-	-	3	16	78	252	631	1,089	861	296	2,834	-	-	1	3	11	59	140	354	726	958	582
White	2,708	-	-	-	2	12	56	181	500	929	763	265	2,389	-	-	1	2	7	43	98	265	611	833	529
All other	518	-	-	-	1	4	22	71	131	160	98	31	445	-	-	-	1	4	16	42	89	115	125	53
Black	481	-	-	-	1	4	22	65	123	151	87	28	423	-	-	-	1	4	15	39	86	109	120	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,409	-	-	-	1	6	82	330	1,087	1,596	1,074	233	2,379	-	-	-	-	8	60	204	533	849	575	150
White	3,721	-	-	-	1	5	58	228	887	1,378	953	211	2,066	-	-	-	-	8	47	164	454	732	521	140
All other	688	-	-	-	-	1	24	102	200	218	121	22	313	-	-	-	-	-	13	40	79	117	54	10
Black	664	-	-	-	-	1	24	99	191	213	116	20	305	-	-	-	-	-	12	40	76	115	52	10
Malignant neoplasm of breast (174-175)	14	-	-	-	-	-	-	-	-	7	3	4	2,270	-	-	-	-	31	145	302	455	611	513	213
White	11	-	-	-	-	-	-	-	-	4	3	4	1,967	-	-	-	-	24	102	243	382	547	470	199
All other	3	-	-	-	-	-	-	-	-	3	-	-	303	-	-	-	-	7	43	59	73	64	43	14
Black	3	-	-	-	-	-	-	-	-	3	-	-	289	-	-	-	-	7	40	55	67	63	43	14
Malignant neoplasms of genital organs (179-187)	1,555	-	-	-	1	6	2	30	127	453	623	313	1,206	-	-	-	-	19	79	123	210	347	307	121
White	1,250	-	-	-	1	6	2	21	95	350	513	262	1,005	-	-	-	-	10	49	97	177	301	268	103
All other	305	-	-	-	-	-	-	9	32	103	110	51	201	-	-	-	-	9	30	26	33	46	39	18
Black	300	-	-	-	-	-	-	9	29	103	110	49	191	-	-	-	-	8	30	23	31	43	38	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 76 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	627	-	-	-	1	4	13	46	103	181	202	77	358	-	-	1	-	2	7	18	41	86	134	69
White	562	-	-	-	1	3	11	35	88	162	189	73	315	-	-	1	-	2	6	15	33	76	117	65
All other	65	-	-	-	-	1	2	11	15	19	13	4	43	-	-	-	-	-	1	3	8	10	17	4
Black	65	-	-	-	-	1	2	11	15	19	13	4	40	-	-	-	-	-	-	3	8	8	17	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,461	1	7	16	18	45	79	157	313	420	310	95	1,287	-	5	6	9	29	52	87	205	346	356	192
White	1,270	1	4	14	14	40	69	128	265	368	278	89	1,150	-	3	1	7	24	38	73	177	310	333	184
All other	191	-	3	2	4	5	10	29	48	52	32	6	137	-	2	5	2	5	14	14	28	36	23	8
Black	183	-	3	2	4	5	10	28	46	49	30	6	125	-	2	4	2	5	13	12	24	33	22	8
Leukemia (204-208)	471	-	5	20	13	19	22	30	63	150	103	46	473	1	5	11	8	14	19	29	44	110	135	97
White	429	-	4	17	13	16	18	25	55	143	99	39	421	1	2	11	4	13	14	26	37	96	128	89
All other	42	-	1	3	-	3	4	5	8	7	4	7	52	-	3	-	4	1	5	3	7	14	7	8
Black	38	-	1	3	-	2	3	5	8	7	3	6	47	-	3	-	4	1	3	2	6	13	7	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	728	-	2	-	8	32	56	60	126	215	170	59	693	-	-	-	6	7	17	35	87	188	254	99
White	638	-	1	-	6	22	50	49	113	191	152	54	615	-	-	-	2	4	15	29	75	164	233	93
All other	90	-	1	-	2	10	6	11	13	24	18	5	78	-	-	-	4	3	2	6	12	24	21	6
Black	85	-	1	-	2	10	6	10	12	23	16	5	77	-	-	-	4	3	2	6	11	24	21	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	177	2	1	-	5	6	6	6	32	45	50	24	213	1	2	-	5	6	4	7	18	49	74	47
White	155	2	1	-	4	6	4	3	27	41	47	20	189	1	2	-	4	4	3	7	15	44	67	42
All other	22	-	-	-	1	-	2	3	5	4	3	4	24	-	-	-	1	2	1	-	3	5	7	5
Black	20	-	-	-	1	-	2	3	5	4	2	3	24	-	-	-	1	2	1	-	3	5	7	5
Diabetes mellitus (250)	1,010	-	-	1	6	15	54	80	163	292	277	122	1,348	-	-	1	3	15	35	66	168	373	404	283
White	822	-	-	-	5	9	36	50	133	242	235	112	1,065	-	-	1	1	14	24	43	111	281	341	249
All other	188	-	-	1	1	6	18	30	30	50	42	10	283	-	-	-	2	1	11	23	57	92	63	34
Black	175	-	-	1	1	6	18	28	30	47	35	9	272	-	-	-	2	1	11	21	55	89	60	33
Nutritional deficiencies (260-269)	58	-	-	-	-	2	1	5	1	5	21	23	78	-	-	-	-	-	-	-	-	5	26	47
White	46	-	-	-	-	-	1	5	-	4	19	17	67	-	-	-	-	-	-	-	-	3	23	41
All other	12	-	-	-	-	2	-	-	1	1	2	6	11	-	-	-	-	-	-	-	-	2	3	6
Black	11	-	-	-	-	2	-	-	1	1	2	5	10	-	-	-	-	-	-	-	-	2	3	5
Anemias (280-285)	88	1	1	1	1	5	3	3	7	10	27	29	149	-	1	3	2	5	2	3	11	23	56	43
White	67	1	1	-	-	-	1	1	3	8	25	27	116	-	-	1	-	2	1	1	7	15	53	36
All other	21	-	-	1	1	5	2	2	4	2	2	2	33	-	1	2	2	3	1	2	4	8	3	7
Black	21	-	-	1	1	5	2	2	4	2	2	2	33	-	1	2	2	3	1	2	4	8	3	7
Meningitis (320-322)	10	1	1	-	1	1	4	-	-	2	-	-	19	-	4	-	-	3	1	1	1	2	6	1
White	6	1	1	-	1	1	1	-	-	1	-	-	13	-	1	-	-	3	-	1	1	2	5	-
All other	4	-	-	-	-	-	3	-	-	1	-	-	6	-	3	-	-	-	1	-	-	-	1	1
Black	4	-	-	-	-	-	3	-	-	1	-	-	6	-	3	-	-	-	1	-	-	-	1	1
Major cardiovascular diseases (390-448)	21,159	28	14	15	42	170	568	1,248	2,897	5,704	6,524	3,949	23,748	14	12	9	40	98	260	526	1,474	3,838	7,676	9,801
White	18,203	19	6	13	27	104	356	878	2,274	4,918	5,960	3,648	20,813	8	5	5	19	47	133	300	1,082	3,157	6,899	9,158
All other	2,956	9	8	2	15	66	212	370	623	786	564	301	2,935	6	7	4	21	51	127	226	392	681	777	643
Black	2,849	9	8	2	15	65	207	361	601	760	530	291	2,856	6	6	4	19	51	125	221	387	665	754	618
Diseases of heart (390-398,402,404-429)	17,315	19	12	9	36	143	469	1,103	2,491	4,742	5,158	3,133	18,349	12	10	8	29	65	193	404	1,196	3,041	5,902	7,489
White	14,912	12	5	7	21	87	308	795	1,976	4,099	4,714	2,888	16,046	6	4	4	13	28	99	228	894	2,504	5,293	6,973
All other	2,403	7	7	2	15	56	161	308	515	643	444	245	2,303	6	6	4	16	37	94	176	302	537	609	516
Black	2,318	7	7	2	15	55	158	301	496	621	419	237	2,247	6	6	4	15	37	92	173	299	526	594	495
Rheumatic fever and rheumatic heart disease (390-398)	76	-	-	-	-	3	7	7	10	19	26	4	176	-	-	-	1	2	4	13	23	36	60	37
White	61	-	-	-	-	2	5	4	9	16	22	3	164	-	-	-	1	2	3	10	20	35	58	35
All other	15	-	-	-	-	1	2	3	1	3	4	1	12	-	-	-	-	-	1	3	3	1	2	2
Black	14	-	-	-	-	1	1	3	1	3	4	1	11	-	-	-	-	-	1	3	3	-	2	2
Hypertensive heart disease (402)	463	-	-	-	4	5	35	58	107	112	83	59	602	-	-	-	-	3	22	41	62	120	164	190
White	277	-	-	-	1	2	4	24	53	78	64	51	402	-	-	-	-	-	5	14	27	62	127	167
All other	186	-	-	-	3	3	31	34	54	34	19	8	200	-	-	-	-	3	17	27	35	58	37	23
Black	183	-	-	-	3	3	31	34	53	33	18	8	199	-	-	-	-	3	17	27	35	57	37	23
Hypertensive heart and renal disease (404)	46	-	-	-	-	-	1	2	2	8	20	13	67	-	-	-	-	-	-	4	4	16	15	28
White	33	-	-	-	-	-	-	-	1	4	16	12	43	-	-	-	-	-	-	1	-	9	9	24
All other	13	-	-	-	-	-	1	2	1	4	4	1	24	-	-	-	-	-	-	3	4	7	6	4
Black	13	-	-	-	-	-	1	2	1	4	4	1	24	-	-	-	-	-	-	3	4	7	6	4
Ischemic heart disease (410-414)	11,849	-	-	-	2	47	249	690	1,614	3,275	3,740	2,232	12,608	1	1	1	3	20	81	210	734	2,031	4,198	5,328
White	10,744	-	-	-	1	34	202	567	1,387	2,954	3,500	2,099	11,377	-	-	-	3	9	50	145	599	1,745	3,830	4,996
All other	1,105	-	-	-	1	13	47	123	227	321	240	133	1,231	1	1	1	-	11	31	65	135	286	368	332
Black	1,052	-	-	-	1	13	45	118	216	308	224	127	1,187	1	1	1	-	11	29	63	132	278	357	314
Acute myocardial infarction (410)	6,490	-	-	-	-	27	149	455	1,035	1,863	1,961	1,000	6,265	-	1	-	3	14	42	145	474	1,210	2,242	2,134
White	5,849	-	-	-	-	21	123	382	888	1,685	1,824	926	5,565	-	-	-	3	6	28	105	388	1,033	2,038	1,964
All other	641	-	-	-	-	6	26	73	147	178	137	74	700	-	1	-	-	8	14	40	86	177	204	170
Black	608	-	-	-	-	6	25	68	139	171	127	72	669	-	1	-	-	8	13	38	83	170	198	158

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 77 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	58	-	-	-	-	2	1	5	11	18	13	8	44	-	-	-	-	-	1	-	3	8	11	21
White	54	-	-	-	-	2	1	5	8	17	13	8	41	-	-	-	-	-	1	-	2	8	10	20
All other	4	-	-	-	-	-	-	-	3	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	4	-	-	-	-	-	-	-	3	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Angina pectoris (413)	28	-	-	-	-	-	-	3	4	10	8	3	27	-	-	-	-	-	-	-	1	4	8	14
White	26	-	-	-	-	-	-	3	3	10	7	3	21	-	-	-	-	-	-	-	-	3	7	11
All other	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	1	1	1	3
Black	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	1	1	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,273	-	-	-	2	18	99	227	564	1,384	1,758	1,221	6,272	1	-	1	-	6	38	65	256	809	1,937	3,159
White	4,815	-	-	-	1	11	78	177	488	1,242	1,656	1,162	5,750	-	-	-	-	3	21	40	209	701	1,775	3,001
All other	458	-	-	-	1	7	21	50	76	142	102	59	522	1	-	1	-	3	17	25	47	108	162	158
Black	438	-	-	-	1	7	20	50	73	136	96	55	509	1	-	1	-	3	16	25	47	107	157	152
Other diseases of endocardium (424)	263	1	-	-	2	9	8	13	25	53	92	60	353	2	-	-	1	2	3	7	13	60	126	139
White	237	-	-	-	2	5	4	12	23	49	84	58	319	2	-	-	-	-	1	3	13	50	120	130
All other	26	1	-	-	-	4	4	1	2	4	8	2	34	-	-	-	1	2	2	4	-	10	6	9
Black	26	1	-	-	-	4	4	1	2	4	8	2	34	-	-	-	1	2	2	4	-	10	6	9
All other forms of heart disease (415-423,425-429)	4,618	18	12	9	28	79	169	333	733	1,275	1,197	765	4,543	9	9	7	24	38	83	129	360	778	1,339	1,767
White	3,560	12	5	7	17	44	93	188	503	998	1,028	665	3,741	4	4	4	9	17	40	55	235	603	1,149	1,621
All other	1,058	6	7	2	11	35	76	145	230	277	169	100	802	5	5	3	15	21	43	74	125	175	190	146
Black	1,030	6	7	2	11	34	76	143	223	269	161	98	792	5	5	3	14	21	43	73	125	174	186	143
Hypertension with or without renal disease (401,403)	187	-	-	-	1	4	11	11	29	38	47	46	304	-	-	-	-	2	4	6	22	47	106	117
White	135	-	-	-	1	1	2	4	15	30	42	40	238	-	-	-	-	1	1	2	12	34	83	105
All other	52	-	-	-	-	3	9	7	14	8	5	6	66	-	-	-	-	1	3	4	10	13	23	12
Black	50	-	-	-	-	3	9	7	14	8	4	5	65	-	-	-	-	1	3	4	10	13	22	12
Cerebrovascular diseases (430-438)	2,706	7	2	6	4	15	73	113	265	645	991	585	4,164	2	1	1	9	27	55	95	222	613	1,367	1,772
White	2,278	5	1	6	4	10	34	61	186	536	891	544	3,674	2	1	1	6	16	27	57	150	498	1,241	1,675
All other	428	2	1	-	-	5	39	52	79	109	100	41	490	-	-	-	3	11	28	38	72	115	126	97
Black	414	2	1	-	-	5	37	51	78	106	94	40	471	-	-	-	3	11	28	36	70	110	120	93
Intracerebral and other intracranial hemorrhage (431-432)	445	4	-	2	1	3	29	49	65	128	121	43	593	-	-	1	2	13	23	34	62	151	175	132
White	333	2	-	2	1	1	5	24	45	106	109	38	480	-	-	1	1	7	10	16	42	118	162	123
All other	112	2	-	-	-	2	24	25	20	22	12	5	113	-	-	-	1	6	13	18	20	33	13	9
Black	109	2	-	-	-	2	22	25	20	21	12	5	111	-	-	-	1	6	13	18	20	31	13	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	399	-	-	-	-	2	3	11	34	90	166	93	590	-	-	-	2	-	-	7	14	65	204	278
White	339	-	-	-	-	-	2	5	25	75	144	88	523	-	-	-	1	-	-	3	7	66	184	262
All other	60	-	-	-	-	2	1	6	9	15	22	5	67	-	-	-	1	-	-	4	7	19	20	16
Black	58	-	-	-	-	2	1	6	8	15	21	5	64	-	-	-	1	-	-	4	6	19	19	15
Cerebral embolism (434.1)	10	-	-	-	-	-	-	1	1	3	2	3	13	-	-	-	-	-	-	-	1	2	5	5
White	9	-	-	-	-	-	-	-	1	3	2	3	11	-	-	-	-	-	-	-	1	2	3	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,852	3	2	4	3	10	41	52	165	424	702	446	2,968	2	1	-	5	14	32	54	145	375	983	1,357
White	1,597	3	1	4	3	9	27	32	115	352	636	415	2,660	2	1	-	4	9	17	38	100	312	892	1,285
All other	255	-	1	-	-	1	14	20	50	72	66	31	308	-	-	-	1	5	15	16	45	63	91	72
Black	246	-	1	-	-	1	14	19	50	70	61	30	294	-	-	-	1	5	15	14	44	60	86	69
Atherosclerosis (440)	251	-	-	-	-	-	-	2	12	48	86	103	434	-	-	-	-	-	-	1	6	36	106	285
White	235	-	-	-	-	-	-	2	11	43	80	99	414	-	-	-	-	-	-	1	4	32	101	276
All other	16	-	-	-	-	-	-	-	1	5	6	4	20	-	-	-	-	-	-	-	2	4	5	9
Black	15	-	-	-	-	-	-	-	1	5	5	4	20	-	-	-	-	-	-	-	2	4	5	9
Other diseases of arteries, arterioles, and capillaries (441-448)	700	2	-	-	1	8	15	19	100	231	242	82	497	-	1	-	2	4	8	20	28	101	195	138
White	643	2	-	-	1	6	12	16	86	210	233	77	441	-	-	-	-	2	6	12	22	89	181	129
All other	57	-	-	-	-	2	3	3	14	21	9	5	56	-	1	-	2	2	2	8	6	12	14	9
Black	52	-	-	-	-	2	3	2	12	20	8	5	53	-	-	-	1	2	2	8	6	12	13	9
Acute bronchitis and bronchiolitis (466)	12	-	-	-	-	-	-	-	3	2	4	3	22	-	-	-	-	-	-	-	1	1	8	12
White	11	-	-	-	-	-	-	-	2	2	4	3	19	-	-	-	-	-	-	-	1	1	8	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Pneumonia and influenza (480-487)	1,779	15	11	1	7	28	54	60	144	280	598	581	2,177	17	10	2	13	22	36	38	65	217	636	1,121
White	1,460	4	3	1	4	13	24	32	97	218	533	531	1,911	11	9	1	9	13	16	22	44	172	570	1,044
All other	319	11	8	-	3	15	30	28	47	62	65	50	266	6	1	1	4	9	20	16	21	45	66	77
Black	306	11	8	-	3	15	30	28	47	59	60	45	258	6	1	1	4	9	20	16	19	43	64	75

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 78 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,768	14	11	1	7	27	54	60	144	279	597	574	2,154	17	10	2	11	22	36	38	65	215	629	1,109
White	1,451	4	3	1	4	12	24	32	97	217	532	525	1,888	11	9	1	7	13	16	22	44	170	563	1,032
All other	317	10	8	-	3	15	30	28	47	62	65	49	266	6	1	1	4	9	20	16	21	45	66	77
Black	304	10	8	-	3	15	30	28	47	59	60	44	258	6	1	1	4	9	20	16	19	43	64	75
Influenza (487)	11	1	-	-	-	1	-	-	-	1	1	7	23	-	-	-	2	-	-	-	-	2	7	12
White	9	-	-	-	-	1	-	-	-	1	1	6	23	-	-	-	2	-	-	-	-	2	7	12
All other	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,145	1	4	2	10	14	25	64	209	673	829	314	1,791	2	2	5	6	19	17	72	208	508	656	296
White	1,905	-	2	1	5	4	11	44	167	603	779	289	1,590	2	2	3	-	6	9	52	172	459	606	279
All other	240	1	2	1	5	10	14	20	42	70	50	25	201	-	-	2	6	13	8	20	36	49	50	17
Black	226	1	2	1	3	9	14	20	40	64	48	24	189	-	-	2	6	12	7	19	35	45	46	17
Bronchitis, chronic and unspecified (490-491)	94	1	1	-	-	-	1	5	4	23	39	20	77	1	1	-	-	1	1	-	9	23	22	19
White	85	-	1	-	-	-	1	2	4	22	36	19	71	1	1	-	-	-	1	-	8	22	19	19
All other	9	1	-	-	-	-	-	3	-	1	3	1	6	-	-	-	-	1	-	-	1	1	3	-
Black	9	1	-	-	-	-	-	3	-	1	3	1	5	-	-	-	-	1	-	-	1	1	2	-
Emphysema (492)	501	-	-	-	-	-	1	17	52	175	198	58	357	1	-	-	-	-	-	3	15	47	107	144	40
White	460	-	-	-	-	-	-	13	45	158	190	54	330	1	-	-	-	-	-	3	14	42	96	137	37
All other	41	-	-	-	-	-	1	4	7	17	8	4	27	-	-	-	-	-	-	-	1	5	11	7	3
Black	39	-	-	-	-	-	1	4	6	16	8	4	27	-	-	-	-	-	-	1	5	11	7	3
Asthma (493)	94	-	2	2	10	11	18	8	13	14	14	2	166	-	1	5	5	18	11	23	25	26	37	15
White	38	-	-	1	5	1	7	2	4	7	10	1	110	-	1	3	-	6	4	14	16	20	31	15
All other	56	-	2	1	5	10	11	6	9	7	4	1	56	-	-	2	5	12	7	9	9	6	6	-
Black	52	-	2	1	3	9	11	6	8	7	4	1	51	-	-	2	5	11	6	8	9	5	5	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,456	-	1	-	-	3	5	34	140	461	578	234	1,191	-	-	-	1	-	2	34	127	352	453	222
White	1,322	-	1	-	-	3	3	27	114	416	543	215	1,079	-	-	-	-	-	1	24	106	321	419	208
All other	134	-	-	-	-	-	2	7	26	45	35	19	112	-	-	-	1	-	1	10	21	31	34	14
Black	126	-	-	-	-	-	2	7	26	40	33	18	106	-	-	-	1	-	1	10	20	28	32	14
Ulcer of stomach and duodenum (531-533)	146	-	-	-	-	2	4	11	21	34	38	36	146	-	-	-	-	-	2	4	11	17	59	53
White	120	-	-	-	-	1	2	7	15	28	34	33	130	-	-	-	-	-	2	2	9	14	54	49
All other	26	-	-	-	-	1	2	4	6	6	4	3	16	-	-	-	-	-	-	2	2	3	5	4
Black	25	-	-	-	-	1	2	4	6	6	3	3	15	-	-	-	-	-	-	2	2	3	4	4
Appendicitis (540-543)	15	-	-	1	1	-	-	1	3	4	3	2	13	-	-	1	-	-	-	1	1	1	4	5
White	8	-	-	-	1	-	-	-	2	2	1	2	12	-	-	1	-	-	-	1	-	1	4	5
All other	7	-	-	1	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	-	-	1	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	108	4	-	-	-	-	8	6	8	19	35	28	204	2	-	-	-	1	-	1	10	33	61	96
White	88	2	-	-	-	-	5	2	5	15	32	27	177	-	-	-	-	1	-	1	7	27	53	88
All other	20	2	-	-	-	-	3	4	3	4	3	1	27	2	-	-	-	-	-	-	3	6	8	8
Black	19	1	-	-	-	-	3	4	3	4	3	1	25	2	-	-	-	-	-	-	3	5	8	7
Chronic liver disease and cirrhosis (571)	863	1	-	-	3	50	172	177	192	196	62	10	455	-	-	-	2	28	72	65	97	114	58	19
White	661	1	-	-	1	26	103	130	157	174	59	10	317	-	-	-	1	15	32	35	74	87	55	18
All other	202	-	-	-	2	24	69	47	35	22	3	-	138	-	-	-	1	13	40	30	23	27	3	1
Black	197	-	-	-	2	24	68	45	34	22	2	-	134	-	-	-	1	12	40	28	22	27	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	51	-	-	-	-	-	3	1	4	12	11	20	82	-	-	-	-	-	-	2	4	15	24	37
White	48	-	-	-	-	-	2	1	4	12	10	19	68	-	-	-	-	-	-	1	3	11	21	32
All other	3	-	-	-	-	-	1	-	-	-	1	1	14	-	-	-	-	-	-	1	1	4	3	5
Black	3	-	-	-	-	-	1	-	-	-	1	1	13	-	-	-	-	-	-	1	1	4	2	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	643	3	2	-	2	8	21	26	54	145	229	153	689	4	-	1	3	4	9	25	48	133	200	262
White	507	2	2	-	1	4	8	11	30	117	202	130	534	2	-	1	1	2	2	12	24	92	172	226
All other	136	1	-	-	1	4	13	15	24	28	27	23	155	2	-	-	2	2	7	13	24	41	28	36
Black	130	1	-	-	1	4	13	14	22	28	25	22	150	2	-	-	2	2	7	13	24	39	26	35
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	2	-	2	-	1	7	1	-	-	-	-	-	-	-	2	1	3
White	4	-	-	-	-	-	-	1	-	2	-	1	6	1	-	-	-	-	-	-	-	1	1	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 79 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	38	-	-	-	-	-	1	4	4	5	12	12	46	1	-	-	2	-	-	2	2	13	11	15
White	31	-	-	-	-	-	-	3	2	3	12	11	37	-	-	-	1	-	-	1	1	10	10	14
All other	7	-	-	-	-	-	1	1	2	2	-	1	9	1	-	-	1	-	-	1	1	3	1	1
Black	6	-	-	-	-	-	1	-	2	2	-	1	9	1	-	-	1	-	-	1	1	3	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	600	3	2	-	2	8	20	20	50	138	217	140	636	2	-	1	1	4	9	23	46	118	188	244
White	472	2	2	-	1	4	8	7	28	112	190	118	491	1	-	1	-	2	2	11	23	81	161	209
All other	128	1	-	-	1	4	12	13	22	26	27	22	145	1	-	-	1	2	7	12	23	37	27	35
Black	123	1	-	-	1	4	12	13	20	26	25	21	140	1	-	-	1	2	7	12	23	35	25	34
Infections of kidney (590)	15	2	-	-	-	1	1	-	3	1	3	4	40	-	-	-	-	-	-	1	2	4	18	15
White	11	1	-	-	-	1	-	-	2	1	3	3	33	-	-	-	-	-	-	1	1	2	16	13
All other	4	1	-	-	-	-	1	-	1	-	-	1	7	-	-	-	-	-	-	-	1	2	2	2
Black	4	1	-	-	-	-	1	-	1	-	-	1	7	-	-	-	-	-	-	-	1	2	2	2
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	2	6	10	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	2	4	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	4	7	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	5	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	5	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	4	7	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	5	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	5	1	-	...	...	...	...
Congenital anomalies (740-759)	308	199	23	15	12	12	9	10	3	12	8	5	263	172	17	6	15	8	7	4	8	10	9	7
White	235	148	17	12	10	10	5	9	3	10	6	5	199	126	10	4	11	6	7	3	7	10	8	7
All other	73	51	6	3	2	2	4	1	-	2	2	-	64	46	7	2	4	2	-	1	1	-	1	-
Black	70	50	6	3	2	2	3	1	-	2	1	-	61	45	7	1	4	1	-	1	1	-	1	-
Certain conditions originating in the perinatal period (760-779)	604	598	5	1	-	-	-	-	-	-	-	-	449	445	3	-	-	-	1	-	-	-	-	-
White	316	313	3	-	-	-	-	-	-	-	-	-	229	226	2	-	-	-	1	-	-	-	-	-
All other	288	285	2	1	-	-	-	-	-	-	-	-	220	219	1	-	-	-	-	-	-	-	-	-
Black	286	283	2	1	-	-	-	-	-	-	-	-	218	217	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	140	138	2	-	-	-	-	-	-	-	-	-	105	104	1	-	-	-	-	-	-	-	-	-
White	90	88	2	-	-	-	-	-	-	-	-	-	58	57	1	-	-	-	-	-	-	-	-	-
All other	50	50	-	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Black	50	50	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	464	460	3	1	-	-	-	-	-	-	-	-	344	341	2	-	-	-	1	-	-	-	-	-
White	226	225	1	-	-	-	-	-	-	-	-	-	171	169	1	-	-	-	1	-	-	-	-	-
All other	238	235	2	1	-	-	-	-	-	-	-	-	173	172	1	-	-	-	-	-	-	-	-	-
Black	236	233	2	1	-	-	-	-	-	-	-	-	172	171	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	478	195	12	7	7	56	44	25	27	38	38	28	403	155	8	3	3	24	27	14	13	25	48	83
White	295	103	9	5	3	28	27	13	17	29	35	25	260	65	5	1	1	13	12	11	9	20	43	80
All other	183	92	3	2	4	28	17	12	10	9	3	3	143	90	3	2	2	11	15	3	4	5	5	3
Black	181	91	3	2	4	27	17	12	10	9	3	3	140	87	3	2	2	11	15	3	4	5	5	3
All other diseases (Residual)	3,827	54	26	29	55	117	211	274	408	800	1,107	746	4,788	43	18	27	36	69	121	168	323	740	1,423	1,820
White	3,140	28	19	21	43	62	128	174	316	671	997	681	4,037	25	14	18	26	42	74	103	233	620	1,259	1,623
All other	687	26	7	8	12	55	83	100	92	129	110	65	751	18	4	9	10	27	47	65	90	120	164	197
Black	665	25	5	7	11	53	82	98	89	123	109	63	724	17	3	7	10	26	46	62	88	115	159	191
Accidents and adverse effects (E800-E949)	2,561	40	82	107	479	505	385	202	194	207	228	132	1,261	21	64	50	144	141	117	84	83	132	220	205
White	2,004	21	56	67	411	385	255	154	152	179	203	121	1,029	12	37	35	121	105	79	70	66	110	204	190
All other	557	19	26	40	68	120	130	48	42	28	25	11	232	9	27	15	23	36	38	14	17	22	16	15
Black	528	18	26	37	65	111	123	45	39	28	25	11	214	9	27	15	20	33	34	14	15	20	15	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 80 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,150	2	20	46	324	268	171	95	76	75	50	23	517	3	14	26	113	88	53	51	43	55	58	13
White	964	1	16	30	291	222	129	80	61	68	45	21	450	3	10	18	102	74	45	45	33	51	57	12
All other	186	1	4	16	33	46	42	15	15	7	5	2	67	–	4	8	11	14	8	6	10	4	1	1
Black	165	–	4	13	32	38	39	12	13	7	5	2	57	–	4	8	9	12	5	6	8	3	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,411	38	62	61	155	237	214	107	118	132	178	109	744	18	50	24	31	53	64	33	40	77	162	192
White	1,040	20	40	37	120	163	126	74	91	111	158	100	579	9	27	17	19	31	34	25	33	59	147	178
All other	371	18	22	24	35	74	88	33	27	21	20	9	165	9	23	7	12	22	30	8	7	18	15	14
Black	363	18	22	24	33	73	84	33	26	21	20	9	157	9	23	7	11	21	29	8	7	17	14	11
Suicide (E950-E959)	938	...	...	9	166	205	168	106	90	87	86	21	251	...	...	5	41	38	45	44	29	21	18	10
White	834	...	...	7	138	178	152	91	82	83	82	21	230	...	...	5	39	32	38	41	27	20	18	10
All other	104	...	...	2	28	27	16	15	8	4	4	–	21	...	...	–	2	6	7	3	2	1	–	–
Black	98	...	...	2	27	27	16	14	6	3	3	–	18	...	...	–	1	6	6	2	2	1	–	–
Homicide and legal intervention (E960-E978)	1,201	15	11	23	455	333	190	82	59	20	10	3	261	9	10	14	63	64	44	22	15	9	9	2
White	354	3	3	2	108	100	57	37	30	6	5	3	100	3	3	1	22	22	13	12	11	6	6	1
All other	847	12	8	21	347	233	133	45	29	14	5	–	161	6	7	13	41	42	31	10	4	3	3	1
Black	840	12	8	21	346	229	133	43	29	14	5	–	158	6	7	13	41	40	30	10	4	3	3	1
All other external causes (E980-E999)	88	1	1	–	10	22	26	10	7	3	5	2	33	5	2	2	1	3	2	5	6	2	1	3
White	59	1	1	–	7	14	16	7	4	3	5	1	26	3	1	–	1	2	2	4	6	2	1	3
All other	29	–	–	–	3	8	10	3	3	–	–	1	7	2	1	2	–	1	–	1	–	–	–	–
Black	29	–	–	–	3	8	10	3	3	–	–	1	7	2	1	2	–	1	–	1	–	–	–	–
INDIANA																								
All causes	25,073	445	92	137	567	808	1,124	1,547	3,501	6,413	6,850	3,588	25,075	336	58	76	233	319	573	999	2,266	4,978	7,173	8,064
White	22,902	343	74	117	468	695	942	1,357	3,160	5,907	6,425	3,414	23,092	254	50	66	195	246	463	871	2,017	4,547	6,694	7,689
All other	2,171	102	18	20	99	113	182	190	341	506	425	174	1,983	82	8	10	38	73	110	128	249	431	479	375
Black	2,137	102	18	20	96	108	181	187	336	496	421	171	1,950	82	7	10	38	72	105	126	244	420	474	372
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	–	–	–	–	–	1	–	–	–	4	1	–	–	–	–	–	–	–	1	–	2
White	1	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–	–	–	–	–	1	–	1
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Tuberculosis (010-018)	20	–	–	–	–	–	–	–	6	6	6	2	11	–	–	–	1	–	–	–	1	3	5	1
White	13	–	–	–	–	–	–	–	4	3	4	2	8	–	–	–	–	–	–	–	–	2	5	1
All other	7	–	–	–	–	–	–	–	2	3	2	–	3	–	–	–	1	–	–	–	1	1	–	–
Black	5	–	–	–	–	–	–	–	2	2	1	–	3	–	–	–	1	–	–	–	1	1	–	–
Tuberculosis of respiratory system (010-012)	15	–	–	–	–	–	–	–	5	4	4	2	9	–	–	–	–	–	–	–	1	3	4	1
White	10	–	–	–	–	–	–	–	3	2	3	2	7	–	–	–	–	–	–	–	–	2	4	1
All other	5	–	–	–	–	–	–	–	2	2	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	5	–	–	–	–	–	–	–	2	2	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Other tuberculosis (013-018)	5	–	–	–	–	–	–	–	1	2	2	–	2	–	–	–	1	–	–	–	–	–	1	–
White	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	212	6	1	–	2	3	10	5	27	49	70	39	296	4	–	1	6	2	5	8	16	38	98	118
White	189	4	1	–	2	2	9	4	23	42	64	38	265	4	–	1	3	2	4	7	16	32	88	108
All other	23	2	–	–	–	1	1	1	4	7	6	1	31	–	–	–	3	–	1	1	–	6	10	10
Black	23	2	–	–	–	1	1	1	4	7	6	1	31	–	–	–	3	–	1	1	–	6	10	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 81 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	20	-	-	-	1	1	4	5	2	4	1	2	11	-	-	-	-	-	1	1	4	4	1	-
White	18	-	-	-	1	1	3	4	2	4	1	2	10	-	-	-	-	-	-	1	4	4	1	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	276	2	3	1	4	83	89	36	26	17	13	2	80	3	2	1	2	11	7	12	6	11	10	15
White	230	1	3	1	3	73	72	28	22	14	11	2	67	3	2	1	1	7	6	10	6	9	9	13
All other	46	1	-	-	1	10	17	8	4	3	2	-	13	-	-	-	1	4	1	2	-	2	1	2
Black	46	1	-	-	1	10	17	8	4	3	2	-	13	-	-	-	1	4	1	2	-	2	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,376	-	6	16	27	62	181	450	1,186	2,178	1,681	589	5,651	-	2	11	15	64	209	448	998	1,674	1,447	783
White	5,830	-	6	15	25	58	157	405	1,072	1,981	1,567	544	5,172	-	2	9	12	51	180	408	910	1,527	1,344	729
All other	546	-	-	1	2	4	24	45	114	197	114	45	479	-	-	2	3	13	29	40	88	147	103	54
Black	536	-	-	1	2	2	24	44	111	194	113	45	469	-	-	2	3	13	27	38	87	142	103	54
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	113	-	-	-	-	2	3	15	29	27	25	12	61	-	-	-	-	-	3	6	9	11	18	14
White	98	-	-	-	-	1	3	10	25	24	23	12	55	-	-	-	-	-	3	6	9	7	17	13
All other	15	-	-	-	-	1	-	5	4	3	2	-	6	-	-	-	-	-	-	-	-	4	1	1
Black	14	-	-	-	-	-	-	5	4	3	2	-	6	-	-	-	-	-	-	-	-	4	1	1
Malignant neoplasms of digestive organs and pentoneum (150-159)	1,431	-	-	-	1	9	31	107	274	466	409	134	1,360	-	-	-	-	11	25	77	196	360	422	269
White	1,286	-	-	-	1	8	22	98	239	412	383	123	1,225	-	-	-	-	11	19	69	169	325	383	249
All other	145	-	-	-	-	1	9	9	35	54	26	11	135	-	-	-	-	-	6	8	27	35	39	20
Black	145	-	-	-	-	1	9	9	35	54	26	11	133	-	-	-	-	-	6	7	27	34	39	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,438	-	-	-	1	5	55	165	543	952	597	120	1,268	-	-	-	1	2	27	97	315	483	263	80
White	2,242	-	-	-	1	5	48	146	499	868	559	116	1,168	-	-	-	-	2	21	88	293	450	243	71
All other	196	-	-	-	-	-	7	19	44	84	38	4	100	-	-	-	1	-	6	9	22	33	20	9
Black	192	-	-	-	-	-	7	18	42	83	38	4	98	-	-	-	1	-	6	9	22	31	20	9
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	-	1	3	1	964	-	-	-	-	12	70	104	189	254	204	131
White	4	-	-	-	-	-	-	-	-	1	2	1	895	-	-	-	-	6	62	93	178	237	196	123
All other	1	-	-	-	-	-	-	-	-	-	1	-	69	-	-	-	-	6	8	11	11	17	8	8
Black	1	-	-	-	-	-	-	-	-	-	1	-	67	-	-	-	-	6	7	11	11	16	8	8
Malignant neoplasms of genital organs (179-187)	734	-	-	-	2	2	6	6	51	220	285	162	581	-	-	-	1	12	38	53	90	176	145	66
White	648	-	-	-	2	2	5	5	39	197	255	143	523	-	-	-	1	9	34	48	79	155	135	62
All other	86	-	-	-	-	-	1	1	12	23	30	19	58	-	-	-	-	3	4	5	11	21	10	4
Black	85	-	-	-	-	-	1	1	11	23	30	19	56	-	-	-	-	3	4	4	11	20	10	4
Malignant neoplasms of urinary organs (188-189)	351	-	1	-	2	-	9	26	56	125	94	38	203	-	-	-	-	-	3	12	34	56	60	38
White	337	-	1	-	1	-	7	23	55	122	90	38	184	-	-	-	-	-	2	11	30	48	57	36
All other	14	-	-	-	1	-	2	3	1	3	4	-	19	-	-	-	-	-	1	1	4	8	3	2
Black	14	-	-	-	1	-	2	3	1	3	4	-	19	-	-	-	-	-	1	1	4	8	3	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	736	-	2	10	5	28	52	77	141	212	133	76	656	-	1	6	9	9	23	58	107	182	173	88
White	685	-	2	9	4	27	48	71	128	198	128	70	611	-	1	5	7	8	21	56	102	167	163	81
All other	51	-	-	1	1	1	4	6	13	14	5	6	45	-	-	1	2	1	2	2	5	15	10	7
Black	50	-	-	1	1	1	4	6	13	13	5	6	44	-	-	1	2	1	1	2	5	15	10	7
Leukemia (204-208)	221	-	2	5	11	7	9	17	30	55	57	28	216	-	1	5	2	9	10	16	19	43	58	52
White	204	-	2	5	11	6	8	16	30	50	52	24	198	-	1	4	2	8	10	13	14	40	54	52
All other	17	-	-	-	-	1	1	1	-	5	5	4	18	-	-	1	-	1	-	3	5	3	5	-
Black	15	-	-	-	-	-	1	1	-	5	4	4	17	-	-	1	-	1	-	3	4	3	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	347	-	1	1	5	9	16	37	62	120	78	18	342	-	-	-	2	9	10	25	39	109	103	45
White	326	-	1	1	5	9	16	36	57	109	75	17	313	-	-	-	2	7	8	24	36	98	96	42
All other	21	-	-	-	-	-	-	1	5	11	3	1	29	-	-	-	-	2	2	1	3	11	7	3
Black	20	-	-	-	-	-	-	1	5	10	3	1	29	-	-	-	-	2	2	1	3	11	7	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	65	-	1	-	1	2	3	5	10	22	16	5	92	1	-	3	4	2	2	3	10	18	25	24
White	63	-	1	-	1	2	3	4	10	21	16	5	84	1	-	3	3	1	2	3	9	16	24	22
All other	2	-	-	-	-	-	-	1	-	1	-	-	8	-	-	-	1	1	-	-	1	2	1	2
Black	2	-	-	-	-	-	-	1	-	1	-	-	8	-	-	-	1	1	-	-	1	2	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 82 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	497	-	-	-	2	8	19	30	85	152	143	58	815	-	-	-	2	10	16	38	98	208	256	187
White	440	-	-	-	2	8	14	22	75	140	127	52	702	-	-	-	2	7	11	32	83	175	226	166
All other	57	-	-	-	-	-	5	8	10	12	16	6	113	-	-	-	-	3	5	6	15	33	30	21
Black	56	-	-	-	-	-	5	7	10	12	16	6	111	-	-	-	-	3	5	6	15	32	29	21
Nutritional deficiencies (260-269)	32	1	-	-	-	-	-	2	3	3	7	16	58	-	-	-	-	-	-	-	3	4	18	33
White	27	1	-	-	-	-	-	1	3	2	7	13	55	-	-	-	-	-	-	-	3	4	17	31
All other	5	-	-	-	-	-	-	1	-	1	-	3	3	-	-	-	-	-	-	-	-	-	1	2
Black	5	-	-	-	-	-	-	1	-	1	-	3	3	-	-	-	-	-	-	-	-	-	1	2
Anemias (280-285)	30	-	-	1	1	-	-	2	1	5	12	8	67	-	-	-	-	3	3	-	3	8	21	29
White	23	-	-	-	-	-	-	1	-	5	10	7	54	-	-	-	-	1	1	-	3	7	16	26
All other	7	-	-	1	1	-	-	1	1	-	2	1	13	-	-	-	-	2	2	-	-	1	5	3
Black	7	-	-	1	1	-	-	1	1	-	2	1	13	-	-	-	-	2	2	-	-	1	5	3
Meningitis (320-322)	4	-	-	-	-	-	-	-	-	1	2	1	11	2	-	-	-	-	1	2	1	3	2	-
White	4	-	-	-	-	-	-	-	-	1	2	1	10	1	-	-	-	-	1	2	1	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,128	15	8	6	15	45	252	591	1,404	2,705	3,199	1,688	11,585	7	1	4	16	47	103	251	685	1,929	3,617	4,925
White	9,427	10	3	4	11	42	211	531	1,277	2,512	3,012	1,814	10,794	4	1	4	12	35	81	200	583	1,752	3,389	4,733
All other	701	5	5	2	4	3	41	60	127	193	187	74	791	3	-	-	4	12	22	51	102	177	228	192
Black	692	5	5	2	4	3	41	60	125	189	186	72	780	3	-	-	4	12	22	51	100	174	225	189
Diseases of heart (390-398,402,404-429)	8,173	9	7	3	9	39	213	516	1,199	2,229	2,507	1,442	8,623	4	1	3	11	29	75	207	547	1,497	2,697	3,552
White	7,630	7	3	2	5	37	183	467	1,093	2,081	2,367	1,385	8,017	1	1	3	11	22	60	164	473	1,358	2,524	3,400
All other	543	2	4	1	4	2	30	49	106	148	140	57	606	3	-	-	-	7	15	43	74	139	173	152
Black	536	2	4	1	4	2	30	49	104	145	139	56	597	3	-	-	-	7	15	43	72	136	171	150
Rheumatic fever and rheumatic heart disease (390-398)	33	-	-	-	-	2	2	6	6	8	5	4	101	-	-	-	-	2	3	11	16	27	28	14
White	31	-	-	-	-	2	2	4	6	8	5	4	91	-	-	-	-	1	1	8	16	24	27	14
All other	2	-	-	-	-	-	-	2	-	-	-	-	10	-	-	-	-	1	2	3	-	3	1	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	10	-	-	-	-	1	2	3	-	3	1	-
Hypertensive heart disease (402)	102	-	-	-	-	1	5	4	11	31	29	21	204	-	-	-	-	2	-	4	14	36	68	80
White	77	-	-	-	-	1	4	1	8	24	20	19	171	-	-	-	-	-	-	-	10	27	58	76
All other	25	-	-	-	-	-	1	3	3	7	9	2	33	-	-	-	-	2	-	4	4	9	10	4
Black	25	-	-	-	-	-	1	3	3	7	9	2	33	-	-	-	-	2	-	4	4	9	10	4
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	-	1	-	4	7	11	45	-	-	-	-	-	1	-	4	9	7	24
White	21	-	-	-	-	-	-	-	-	4	7	10	42	-	-	-	-	-	1	-	3	7	7	24
All other	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Ischemic heart disease (410-414)	6,026	1	-	-	1	20	141	387	926	1,697	1,899	954	5,760	-	-	-	-	9	31	132	353	1,028	1,677	2,330
White	5,692	1	-	-	-	20	127	363	858	1,598	1,809	916	5,394	-	-	-	-	7	28	110	309	952	1,766	2,222
All other	334	-	-	-	1	-	14	24	68	99	90	38	366	-	-	-	-	2	3	22	44	76	111	108
Black	328	-	-	-	1	-	14	24	66	97	89	37	361	-	-	-	-	2	3	22	43	74	109	108
Acute myocardial infarction (410)	3,105	-	-	-	-	11	84	251	537	933	918	371	2,606	-	-	-	-	4	17	87	186	574	902	836
White	2,977	-	-	-	-	11	80	240	508	897	883	358	2,468	-	-	-	-	3	15	75	169	538	857	811
All other	128	-	-	-	-	-	4	11	29	36	35	13	138	-	-	-	-	1	2	12	17	36	45	25
Black	125	-	-	-	-	-	4	11	28	36	34	12	135	-	-	-	-	1	2	12	16	35	44	25
Other acute and subacute forms of ischemic heart disease (411)	11	-	-	-	-	-	-	2	3	3	-	3	11	-	-	-	-	-	-	-	1	-	4	6
White	11	-	-	-	-	-	-	2	3	3	-	3	11	-	-	-	-	-	-	-	1	-	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	16	-	-	-	-	-	1	-	1	2	2	10
White	3	-	-	-	-	-	-	-	-	1	2	-	15	-	-	-	-	-	1	-	1	1	2	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,907	1	-	-	1	9	57	134	386	760	979	580	3,127	-	-	-	-	5	13	45	165	452	969	1,478
White	2,701	1	-	-	-	9	47	121	347	697	924	555	2,900	-	-	-	-	4	12	35	138	413	903	1,395
All other	206	-	-	-	1	-	10	13	39	63	55	25	227	-	-	-	-	1	1	10	27	39	66	83
Black	203	-	-	-	1	-	10	13	38	61	55	25	225	-	-	-	-	1	1	10	27	38	65	83
Other diseases of endocardium (424)	138	-	-	-	-	-	6	4	15	25	54	34	204	-	-	-	1	1	6	3	13	28	68	84
White	130	-	-	-	-	-	5	4	12	25	50	34	192	-	-	-	1	1	4	3	11	26	64	82
All other	8	-	-	-	-	-	1	-	3	-	4	-	12	-	-	-	-	-	2	-	2	2	4	2
Black	8	-	-	-	-	-	1	-	3	-	4	-	12	-	-	-	-	-	2	-	2	2	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 83 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,851	8	7	3	8	16	59	114	241	464	513	418	2,309	4	1	3	10	15	34	57	147	369	649	1,020
White	1,679	6	3	2	5	14	45	95	209	422	476	402	2,127	1	1	3	10	13	26	43	124	322	602	982
All other	172	2	4	1	3	2	14	19	32	42	37	16	182	3	–	–	–	2	8	14	23	47	47	38
Black	171	2	4	1	3	2	14	19	32	41	37	16	179	3	–	–	–	2	8	14	22	47	47	36
Hypertension with or without renal disease (401,403)	81	1	–	–	–	3	3	2	11	16	31	14	142	–	–	–	–	–	–	5	5	35	43	54
White	64	–	–	–	–	3	2	2	8	13	24	12	116	–	–	–	–	–	–	3	3	28	32	50
All other	17	1	–	–	–	–	1	–	3	3	7	2	26	–	–	–	–	–	–	2	2	7	11	4
Black	17	1	–	–	–	–	1	–	3	3	7	2	26	–	–	–	–	–	–	2	2	7	11	4
Cerebrovascular diseases (430-438)	1,371	5	1	3	6	2	28	58	129	316	505	318	2,232	2	–	1	4	16	24	32	110	301	736	1,006
White	1,257	3	–	2	6	2	21	48	116	282	474	303	2,103	2	–	1	1	13	19	28	88	276	700	975
All other	114	2	1	1	–	–	7	10	13	34	31	15	129	–	–	–	3	3	5	4	22	25	36	31
Black	113	2	1	1	–	–	7	10	13	34	31	14	127	–	–	–	3	3	5	4	22	25	35	30
Intracerebral and other intracranial hemorrhage (431-432)	196	3	–	1	4	–	12	22	30	56	48	20	246	–	–	1	1	5	8	5	21	44	94	67
White	177	1	–	1	4	–	9	17	27	51	47	20	228	–	–	1	–	5	6	4	15	42	89	66
All other	19	2	–	–	–	–	3	5	3	5	1	–	18	–	–	–	1	–	2	1	6	2	5	1
Black	19	2	–	–	–	–	3	5	3	5	1	–	18	–	–	–	1	–	2	1	6	2	5	1
Cerebral thrombosis and unspecified occlusion of *cerebral* arteries (434.0,434.9)	138	–	1	–	–	–	6	2	19	31	46	33	215	–	–	–	1	1	–	1	16	25	61	110
White	125	–	–	–	–	–	5	2	18	25	43	32	206	–	–	–	1	1	–	1	12	24	60	107
All other	13	–	1	–	–	–	1	–	1	6	3	1	9	–	–	–	–	–	–	–	4	1	1	3
Black	13	–	1	–	–	–	1	–	1	6	3	1	9	–	–	–	–	–	–	–	4	1	1	3
Cerebral embolism (434.1)	3	–	–	1	–	–	–	1	–	–	1	–	5	–	–	–	–	–	–	–	–	2	1	2
White	3	–	–	1	–	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,034	2	–	1	2	2	10	33	80	229	410	265	1,766	2	–	–	2	10	16	26	73	230	580	827
White	952	2	–	–	2	2	7	28	71	206	383	251	1,665	2	–	–	–	7	13	23	61	209	550	800
All other	82	–	–	1	–	–	3	5	9	23	27	14	101	–	–	–	2	3	3	3	12	21	30	27
Black	81	–	–	1	–	–	3	5	9	23	27	13	99	–	–	–	2	3	3	3	12	21	29	26
Atherosclerosis (440)	165	–	–	–	–	–	1	4	8	31	53	68	343	–	–	–	–	–	–	3	7	25	63	245
White	155	–	–	–	–	–	1	4	7	29	46	68	332	–	–	–	–	–	–	3	7	22	59	241
All other	10	–	–	–	–	–	–	–	1	2	7	–	11	–	–	–	–	–	–	–	–	3	4	4
Black	10	–	–	–	–	–	–	–	1	2	7	–	11	–	–	–	–	–	–	–	–	3	4	4
Other diseases of arteries, arterioles, and capillaries (441-448)	338	–	–	–	–	1	7	11	57	113	103	46	245	1	–	–	1	2	4	4	16	71	78	68
White	321	–	–	–	–	–	4	10	53	107	101	46	226	1	–	–	–	–	2	2	12	68	74	67
All other	17	–	–	–	–	1	3	1	4	6	2	–	19	–	–	–	1	2	2	2	4	3	4	1
Black	16	–	–	–	–	1	3	1	4	5	2	–	19	–	–	–	1	2	2	2	4	3	4	1
Acute bronchitis and bronchiolitis (466)	8	1	–	–	–	–	–	–	–	2	2	3	4	–	–	–	–	–	–	–	–	1	1	2
White	8	1	–	–	–	–	–	–	–	2	2	3	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	794	9	5	4	4	16	18	21	61	138	277	241	939	7	2	3	4	5	7	14	23	103	290	481
White	736	9	3	3	4	13	15	16	57	129	261	226	886	2	1	2	4	3	5	12	21	100	274	462
All other	58	–	2	1	–	3	3	5	4	9	16	15	53	5	1	1	–	2	2	2	2	3	16	19
Black	58	–	2	1	–	3	3	5	4	9	16	15	53	5	1	1	–	2	2	2	2	3	16	19
Pneumonia (480-486)	784	9	5	3	4	15	17	21	60	138	274	238	920	7	2	3	3	5	7	12	23	102	283	473
White	728	9	3	3	4	12	14	16	56	129	258	224	868	2	1	2	3	3	5	10	21	99	268	454
All other	56	–	2	–	–	3	3	5	4	9	16	14	52	5	1	1	–	2	2	2	2	3	15	19
Black	56	–	2	–	–	3	3	5	4	9	16	14	52	5	1	1	–	2	2	2	2	3	15	19
Influenza (487)	10	–	–	1	–	1	1	–	1	–	3	3	19	–	–	–	1	–	–	2	–	1	7	6
White	8	–	–	–	–	1	1	–	1	–	3	2	18	–	–	–	1	–	–	2	–	1	6	6
All other	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,247	–	1	1	1	3	9	27	157	415	450	183	935	1	1	–	3	3	8	28	121	288	324	158
White	1,188	–	–	1	1	2	6	24	149	396	429	180	895	1	1	–	2	2	6	24	113	279	313	154
All other	59	–	1	–	–	1	3	3	8	19	21	3	40	–	–	–	1	1	2	4	8	9	11	4
Black	57	–	1	–	–	–	2	3	8	19	21	3	40	–	–	–	1	1	2	4	8	9	11	4
Bronchitis, chronic and unspecified (490-491)	43	–	1	–	–	–	1	1	5	13	17	5	47	1	–	–	–	–	1	–	8	10	17	10
White	40	–	–	–	–	–	1	1	4	12	17	5	45	1	–	–	–	–	1	–	6	10	17	10
All other	3	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	3	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Emphysema (492)	216	–	–	–	–	–	2	8	25	76	79	26	161	–	–	–	–	–	–	9	22	60	45	25
White	204	–	–	–	–	–	2	8	23	74	73	24	157	–	–	–	–	–	–	9	20	60	43	25
All other	12	–	–	–	–	–	–	–	2	2	6	2	4	–	–	–	–	–	–	–	2	–	2	–
Black	12	–	–	–	–	–	–	–	2	2	6	2	4	–	–	–	–	–	–	–	2	–	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 84 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	37	-	-	-	1	3	5	2	5	7	13	1	64	-	1	-	3	3	7	8	7	11	14	10
White	31	-	-	-	1	2	3	1	5	6	12	1	56	-	1	-	2	2	5	7	7	10	12	10
All other	6	-	-	-	-	1	2	1	-	1	1	-	8	-	-	-	1	1	2	1	-	1	2	-
Black	4	-	-	-	-	-	1	1	-	1	1	-	8	-	-	-	1	1	2	1	-	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	951	-	-	1	-	-	1	16	122	319	341	151	663	-	-	-	-	-	-	11	84	207	248	113
White	913	-	-	1	-	-	-	14	117	304	327	150	637	-	-	-	-	-	-	8	80	199	241	109
All other	38	-	-	-	-	-	1	2	5	15	14	1	26	-	-	-	-	-	-	3	4	8	7	4
Black	38	-	-	-	-	-	1	2	5	15	14	1	26	-	-	-	-	-	-	3	4	8	7	4
Ulcer of stomach and duodenum (531-533)	70	-	-	-	-	1	1	1	10	15	30	12	62	1	-	-	1	1	1	-	3	15	18	22
White	67	-	-	-	-	1	1	1	9	14	29	12	57	1	-	-	1	1	1	-	3	13	18	19
All other	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	2	-	3
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	-	3
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	-	4	-
White	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	-	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	1	1	-	-	-	2	-	3	9	15	14	106	1	1	-	-	-	1	4	4	15	38	42
White	43	1	1	-	-	-	2	-	3	8	14	14	99	1	1	-	-	-	-	3	3	15	34	42
All other	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	1	1	1	-	4	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	1	1	1	-	4	-
Chronic liver disease and cirrhosis (571)	268	-	-	1	1	6	37	53	70	63	31	6	157	-	-	-	1	4	13	15	39	56	20	9
White	238	-	-	1	1	5	32	42	63	60	28	6	135	-	-	-	1	1	5	15	33	51	20	9
All other	30	-	-	-	-	1	5	11	7	3	3	-	22	-	-	-	-	3	8	-	6	5	-	-
Black	30	-	-	-	-	1	5	11	7	3	3	-	21	-	-	-	-	3	8	-	5	5	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	1	-	-	1	2	9	12	6	30	-	-	-	-	-	-	1	-	8	9	12
White	30	-	-	-	1	-	-	1	2	8	12	6	29	-	-	-	-	-	-	1	-	8	9	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	303	3	-	-	-	2	7	9	32	63	118	69	349	2	-	-	-	3	1	13	18	70	111	131
White	270	3	-	-	-	1	7	6	23	54	112	64	313	-	-	-	-	3	-	12	17	62	99	120
All other	33	-	-	-	-	1	-	3	9	9	6	5	36	2	-	-	-	-	1	1	1	8	12	11
Black	33	-	-	-	-	1	-	3	9	9	6	5	36	2	-	-	-	-	1	1	1	8	12	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	1	2	1
White	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	2	1	3	4	2	17	-	-	-	-	-	1	-	-	1	3	7	5
White	12	-	-	-	-	-	-	2	1	3	4	2	16	-	-	-	-	-	1	-	-	1	3	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	287	3	-	-	-	2	7	7	30	59	113	66	328	2	-	-	-	2	1	13	17	66	102	125
White	254	3	-	-	-	1	7	4	21	50	107	61	296	-	-	-	-	2	-	12	16	59	92	115
All other	33	-	-	-	-	1	-	3	9	9	6	5	32	2	-	-	-	-	1	1	1	7	10	10
Black	33	-	-	-	-	1	-	3	9	9	6	5	32	2	-	-	-	-	1	1	1	7	10	10
Infections of kidney (590)	8	-	-	-	1	-	-	-	-	1	5	1	27	1	-	-	-	-	-	1	2	4	11	8
White	7	-	-	-	1	-	-	-	-	-	5	1	24	1	-	-	-	-	-	1	2	4	9	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	4	5	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	4	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 85 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Congenital anomalies (740-759)	158	98	9	10	6	4	5	5	7	5	6	3	123	69	7	8	3	6	6	2	3	9	7	3
White	146	92	8	9	4	4	3	5	7	5	6	3	106	63	6	5	2	5	5	-	3	7	7	3
All other	12	6	1	1	2	-	2	-	-	-	-	-	17	6	1	3	1	1	1	2	-	2	-	-
Black	12	6	1	1	2	-	2	-	-	-	-	-	17	6	1	3	1	1	1	2	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	187	184	1	1	-	-	1	-	-	-	-	-	156	153	2	-	1	-	-	-	-	-	-	-
White	123	121	1	1	-	-	-	-	-	-	-	-	113	110	2	-	1	-	-	-	-	-	-	-
All other	64	63	-	-	-	-	1	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
Black	64	63	-	-	-	-	1	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	46	46	-	-	-	-	-	-	-	-	-	-	26	24	1	-	1	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	21	19	1	-	1	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	141	138	1	1	-	-	1	-	-	-	-	-	130	129	1	-	-	-	-	-	-	-	-	-
White	92	90	1	1	-	-	-	-	-	-	-	-	92	91	1	-	-	-	-	-	-	-	-	-
All other	49	48	-	-	-	-	1	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Black	49	48	-	-	-	-	1	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	200	82	3	3	7	15	22	7	12	14	11	24	180	55	2	-	10	8	9	9	3	8	28	48
White	175	71	3	2	6	12	17	6	11	12	11	24	148	37	2	-	9	5	6	6	3	8	25	47
All other	25	11	-	1	1	3	5	1	1	2	-	-	32	18	-	-	1	3	3	3	-	-	3	1
Black	25	11	-	1	1	3	5	1	1	2	-	-	32	18	-	-	1	3	3	3	-	-	3	1
All other diseases (Residual)	1,813	17	9	18	26	51	99	105	221	359	575	333	2,349	18	10	9	17	30	67	61	162	402	698	875
White	1,634	13	8	17	24	43	81	84	191	324	534	315	2,180	16	8	7	16	23	53	53	144	371	653	836
All other	179	4	1	1	2	8	18	21	30	35	41	18	169	2	2	2	1	7	14	8	18	31	45	39
Black	177	4	1	1	2	8	18	21	30	34	40	18	166	2	2	2	1	7	14	8	18	29	44	39
Accidents and adverse effects (E800-E949)	1,357	13	38	68	274	259	204	105	98	120	116	62	714	8	24	33	98	62	64	51	49	71	104	150
White	1,246	10	31	57	253	240	184	95	88	118	111	59	664	8	21	31	92	53	54	50	45	70	97	143
All other	111	3	7	11	21	19	20	10	10	2	5	3	50	-	3	2	6	9	10	1	4	1	7	7
Black	109	3	7	11	21	18	20	10	10	2	5	2	46	-	2	2	6	8	8	1	4	1	7	7
Motor vehicle accidents (E810-E825)	727	1	11	31	205	163	121	46	36	55	42	16	320	-	7	21	82	45	46	33	22	29	25	10
White	686	1	9	27	193	153	112	44	35	55	42	15	302	-	6	20	78	40	41	33	21	29	24	10
All other	41	-	2	4	12	10	9	2	1	-	-	1	18	-	1	1	4	5	5	-	1	-	1	-
Black	41	-	2	4	12	10	9	2	1	-	-	1	14	-	-	1	4	4	3	-	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	630	12	27	37	69	96	83	59	62	65	74	46	394	8	17	12	16	17	18	18	27	42	79	140
White	560	9	22	30	60	87	72	51	53	63	69	44	362	8	15	11	14	13	13	17	24	41	73	133
All other	70	3	5	7	9	9	11	8	9	2	5	2	32	-	2	1	2	4	5	1	3	1	6	7
Black	68	3	5	7	9	8	11	8	9	2	5	1	32	-	2	1	2	4	5	1	3	1	6	7
Suicide (E950-E959)	580	...	...	2	109	142	100	65	59	46	42	15	123	...	...	2	15	21	24	28	9	15	7	2
White	546	...	...	2	99	134	92	62	57	44	41	15	116	...	...	2	14	19	23	26	8	15	7	2
All other	34	...	...	-	10	8	8	3	2	2	1	-	7	...	...	-	1	2	1	2	1	-	-	-
Black	31	...	...	-	8	7	8	3	2	2	1	-	6	...	...	-	1	2	1	2	-	-	-	-
Homicide and legal intervention (E960-E978)	271	9	5	3	76	86	49	19	12	7	4	-	108	1	3	-	31	32	15	7	4	9	3	3
White	124	5	4	2	23	40	24	13	7	3	3	-	76	-	2	-	20	22	12	4	3	8	3	2
All other	147	4	1	1	53	46	25	6	5	4	1	-	32	1	1	-	11	10	3	3	1	1	-	1
Black	145	4	1	1	52	46	25	5	5	4	1	-	32	1	1	-	11	10	3	3	1	1	-	1
All other external causes (E980-E999)	54	1	1	1	8	19	12	3	5	3	1	-	21	1	1	1	1	3	9	2	1	1	-	1
White	40	-	1	1	6	14	9	2	3	3	1	-	14	-	1	1	-	3	6	1	1	1	-	-
All other	14	1	-	-	2	5	3	1	2	-	-	-	7	1	-	-	1	-	3	1	-	-	-	1
Black	14	1	-	-	2	5	3	1	2	-	-	-	7	1	-	-	1	-	3	1	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 86 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	13,511	188	36	52	225	256	384	646	1,576	3,298	4,178	2,672	13,842	125	32	32	89	132	226	369	942	2,117	4,125	5,653
White	13,268	177	35	51	206	247	364	625	1,535	3,242	4,137	2,649	13,681	117	31	32	86	126	214	360	919	2,076	4,099	5,621
All other	243	11	1	1	19	9	20	21	41	56	41	23	161	8	1	–	3	6	12	9	23	41	26	32
Black	205	10	1	1	11	6	17	18	36	48	37	20	137	6	1	–	1	6	10	6	17	38	23	29
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	2	1	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	1	–	1	1	1	4	–	–	–	–	–	–	1	–	1	1	1
White	4	–	–	–	–	–	–	1	–	1	1	1	4	–	–	–	–	–	–	1	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
White	2	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	96	2	–	–	–	–	1	5	6	29	31	22	88	3	1	–	2	1	1	2	5	13	33	27
White	93	2	–	–	–	–	1	5	5	27	31	22	83	1	1	–	2	1	1	2	4	12	32	27
All other	3	–	–	–	–	–	–	–	1	2	–	–	5	2	–	–	–	–	–	–	1	1	1	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	4	1	–	–	–	–	–	–	1	1	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	–	–	–	–	–	4	–	1	–	1	–	5	–	–	–	–	–	1	–	1	2	–	1
White	6	–	–	–	–	–	4	–	1	–	1	–	5	–	–	–	–	–	1	–	1	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	99	1	–	–	2	21	31	15	10	5	11	3	45	1	–	–	–	7	3	1	5	15	8	5
White	97	1	–	–	2	21	30	15	9	5	11	3	44	1	–	–	–	7	3	1	4	15	8	5
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,325	–	5	4	12	21	65	190	574	1,026	1,017	411	3,035	–	6	4	10	31	96	197	456	762	943	530
White	3,255	–	5	4	12	21	60	183	556	1,005	1,002	407	2,997	–	6	4	10	31	95	194	446	746	937	528
All other	70	–	–	–	–	–	5	7	18	21	15	4	38	–	–	–	–	–	1	3	10	16	6	2
Black	64	–	–	–	–	–	5	5	16	20	14	4	33	–	–	–	–	–	1	2	7	15	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 87 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	60	-	-	-	-	1	-	7	17	11	20	4	17	-	-	-	-	-	-	-	3	4	7	3
White	56	-	-	-	-	1	-	7	15	10	19	4	17	-	-	-	-	-	-	-	3	4	7	3
All other	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	775	-	1	-	-	2	16	41	140	240	240	95	724	-	-	-	-	2	14	28	71	165	264	180
White	762	-	1	-	-	2	14	38	135	240	237	95	713	-	-	-	-	2	13	28	68	161	261	180
All other	13	-	-	-	-	-	2	3	5	-	3	-	11	-	-	-	-	-	1	-	3	4	3	-
Black	11	-	-	-	-	-	2	1	5	-	3	-	9	-	-	-	-	-	1	-	2	3	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,141	-	-	-	-	-	10	75	259	409	318	70	591	-	-	-	-	1	9	50	144	198	146	43
White	1,111	-	-	-	-	-	8	73	251	396	314	69	581	-	-	-	-	1	9	49	140	193	146	43
All other	30	-	-	-	-	-	2	2	8	13	4	1	10	-	-	-	-	-	-	1	4	5	-	-
Black	28	-	-	-	-	-	2	2	7	12	4	1	7	-	-	-	-	-	-	-	2	5	-	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	-	1	554	-	-	-	-	10	35	53	100	127	143	86
White	3	-	-	-	-	-	-	-	-	2	-	1	549	-	-	-	-	10	35	52	99	126	142	85
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	1	1	1
Malignant neoplasms of genital organs (179-187)	488	-	-	-	1	1	-	4	28	117	206	131	333	-	-	-	1	6	17	33	50	78	95	53
White	479	-	-	-	1	1	-	4	28	114	203	128	330	-	-	-	1	6	17	32	50	77	95	52
All other	9	-	-	-	-	-	-	-	-	3	3	3	3	-	-	-	-	-	-	1	-	1	-	1
Black	9	-	-	-	-	-	-	-	-	3	3	3	3	-	-	-	-	-	-	1	-	1	-	1
Malignant neoplasms of urinary organs (188-189)	185	-	-	-	-	1	2	13	34	53	55	27	120	-	-	-	-	-	3	1	14	20	54	28
White	185	-	-	-	-	1	2	13	34	53	55	27	118	-	-	-	-	-	3	1	14	19	53	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	314	-	2	1	1	11	22	26	45	91	84	31	326	-	4	3	7	7	12	20	44	73	93	63
White	312	-	2	1	1	11	22	25	45	91	83	31	324	-	4	3	7	7	12	20	44	71	93	63
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Leukemia (204-208)	120	-	2	3	8	-	4	8	20	25	31	19	128	-	2	1	1	2	2	4	4	35	43	34
White	115	-	2	3	8	-	3	8	18	24	30	19	127	-	2	1	1	2	2	4	4	34	43	34
All other	5	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	239	-	-	-	2	5	11	16	31	78	63	33	242	-	-	-	1	3	4	8	26	62	98	40
White	232	-	-	-	2	5	11	15	30	75	61	33	238	-	-	-	1	3	4	8	24	61	97	40
All other	7	-	-	-	-	-	-	1	1	3	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	6	-	-	-	-	-	-	1	1	3	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	1	-	-	1	-	-	4	1	3	4	5	38	1	-	-	-	-	-	3	3	4	5	22
White	19	1	-	-	1	-	-	4	1	3	4	5	38	1	-	-	-	-	-	3	3	4	5	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	226	-	-	-	1	-	9	16	34	55	76	35	320	-	-	-	-	3	9	12	28	62	116	90
White	220	-	-	-	1	-	8	14	34	54	74	35	311	-	-	-	-	3	8	10	27	59	114	90
All other	6	-	-	-	-	-	1	2	-	1	2	-	9	-	-	-	-	-	1	2	1	3	2	-
Black	6	-	-	-	-	-	1	2	-	1	2	-	9	-	-	-	-	-	1	2	1	3	2	-
Nutritional deficiencies (260-269)	17	-	-	-	-	-	1	-	-	4	6	6	27	-	-	-	-	-	-	1	-	-	3	7	16
White	17	-	-	-	-	-	1	-	-	4	6	6	27	-	-	-	-	-	-	1	-	-	3	7	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	26	1	-	2	-	1	1	1	2	1	10	7	34	-	-	-	-	1	1	-	2	1	9	20
White	25	1	-	2	-	1	-	1	2	1	10	7	33	-	-	-	-	1	1	-	2	1	9	20
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	7	1	1	1	-	-	-	-	-	2	2	-	3	1	-	-	-	-	-	-	-	1	1	-
White	7	1	1	1	-	-	-	-	-	2	2	-	3	1	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,846	6	1	-	3	14	85	253	624	1,507	1,973	1,380	6,768	1	2	3	3	16	34	80	261	824	2,052	3,492
White	5,763	6	1	-	2	13	81	246	611	1,482	1,955	1,366	6,702	1	1	3	3	16	29	77	253	809	2,041	3,469
All other	83	-	-	-	1	1	4	7	13	25	18	14	66	-	1	-	-	-	5	3	8	15	11	23
Black	70	-	-	-	-	1	3	7	11	20	16	12	60	-	1	-	-	-	5	2	6	14	10	22

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 88 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	4,664	6	1	–	1	11	75	233	552	1,249	1,509	1,027	4,999	1	2	3	3	9	23	64	207	647	1,546	2,494
White	4,601	6	1	–	1	10	72	227	542	1,229	1,494	1,019	4,947	1	1	3	3	9	19	61	199	637	1,536	2,478
All other	63	–	–	–	–	1	3	6	10	20	15	8	52	–	1	–	–	–	4	3	8	10	10	16
Black	53	–	–	–	–	1	2	6	9	15	14	6	46	–	1	–	–	–	4	2	6	9	9	15
Rheumatic fever and rheumatic heart disease (390-398)	19	–	–	–	–	–	–	2	2	8	6	1	55	–	–	–	–	3	–	2	6	10	22	12
White	19	–	–	–	–	–	–	2	2	8	6	1	55	–	–	–	–	3	–	2	6	10	22	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	68	–	–	–	–	–	2	2	10	27	18	9	138	–	–	–	–	–	1	3	5	14	38	77
White	64	–	–	–	–	–	2	1	8	26	18	9	134	–	–	–	–	–	–	2	4	14	37	77
All other	4	–	–	–	–	–	–	1	2	1	–	–	4	–	–	–	–	–	1	1	1	–	1	–
Black	4	–	–	–	–	–	–	1	2	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Hypertensive heart and renal disease (404)	13	–	–	–	–	–	–	–	–	1	6	6	11	–	–	–	–	–	–	1	–	–	5	5
White	13	–	–	–	–	–	–	–	–	1	6	6	11	–	–	–	–	–	–	1	–	–	5	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	3,301	–	–	–	–	1	48	159	385	918	1,083	707	3,289	–	–	1	–	1	7	31	139	454	1,063	1,593
White	3,265	–	–	–	–	1	48	156	378	906	1,073	703	3,259	–	–	1	–	1	6	29	134	447	1,057	1,584
All other	36	–	–	–	–	–	–	3	7	12	10	4	30	–	–	–	–	–	1	2	5	7	6	9
Black	30	–	–	–	–	–	–	3	6	8	10	3	28	–	–	–	–	–	1	2	3	7	6	9
Acute myocardial infarction (410)	1,774	–	–	–	–	1	24	107	241	535	591	275	1,450	–	–	–	–	1	3	15	74	257	545	555
White	1,754	–	–	–	–	1	24	106	236	529	585	273	1,439	–	–	–	–	1	3	14	71	253	543	554
All other	20	–	–	–	–	–	–	1	5	6	6	2	11	–	–	–	–	–	–	1	3	4	2	1
Black	15	–	–	–	–	–	–	1	4	3	6	1	9	–	–	–	–	–	–	1	1	4	2	1
Other acute and subacute forms of ischemic heart disease (411)	5	–	–	–	–	–	–	2	1	1	1	–	4	–	–	–	–	–	–	1	1	–	1	1
White	5	–	–	–	–	–	–	2	1	1	1	–	4	–	–	–	–	–	–	1	1	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	5	–	–	–	–	–	–	–	–	1	3	1	4	–	–	–	–	–	–	–	–	1	–	3
White	5	–	–	–	–	–	–	–	–	1	3	1	4	–	–	–	–	–	–	–	–	1	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,517	–	–	–	–	–	24	50	143	381	488	431	1,631	–	–	1	–	–	4	15	64	196	517	1,034
White	1,501	–	–	–	–	–	24	48	141	375	484	429	1,812	–	–	1	–	–	3	14	62	193	513	1,026
All other	16	–	–	–	–	–	–	2	2	6	4	2	19	–	–	–	–	–	1	1	2	3	4	8
Black	15	–	–	–	–	–	–	2	2	5	4	2	19	–	–	–	–	–	1	1	2	3	4	8
Other diseases of endocardium (424)	74	–	–	–	–	1	1	5	7	18	26	16	114	–	–	–	–	–	2	1	4	12	41	54
White	73	–	–	–	–	1	1	5	6	18	26	16	113	–	–	–	–	–	2	1	3	12	41	54
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other forms of heart disease (415-423,425-429)	1,189	6	1	–	1	9	24	65	148	277	370	288	1,392	1	2	2	3	5	13	26	53	157	377	753
White	1,167	6	1	–	1	8	21	63	148	270	365	284	1,375	1	1	2	3	5	11	26	52	154	374	746
All other	22	–	–	–	–	1	3	2	–	7	5	4	17	–	1	–	–	–	2	–	1	3	3	7
Black	18	–	–	–	–	1	2	2	–	6	4	3	15	–	1	–	–	–	2	–	1	2	3	6
Hypertension with or without renal disease (401,403)	58	–	–	–	–	–	–	1	1	12	24	20	72	–	–	–	–	–	–	1	3	7	25	36
White	56	–	–	–	–	–	–	–	1	11	24	20	72	–	–	–	–	–	–	1	3	7	25	36
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	786	–	–	–	1	3	10	15	52	160	317	228	1,307	–	–	–	–	6	10	12	45	117	369	748
White	770	–	–	–	–	3	9	15	50	156	315	222	1,297	–	–	–	–	6	9	12	45	113	368	744
All other	16	–	–	–	1	–	1	–	2	4	2	6	10	–	–	–	–	–	1	–	–	4	1	4
Black	13	–	–	–	–	–	1	–	1	4	1	6	10	–	–	–	–	–	1	–	–	4	1	4
Intracerebral and other intracranial hemorrhage (431-432)	105	–	–	–	–	2	7	7	13	35	32	9	125	–	–	–	–	1	4	1	16	19	40	44
White	100	–	–	–	–	2	6	7	12	34	32	7	123	–	–	–	–	1	3	1	16	19	40	43
All other	5	–	–	–	–	–	1	–	1	1	–	2	2	–	–	–	–	–	1	–	–	–	–	1
Black	5	–	–	–	–	–	1	–	1	1	–	2	2	–	–	–	–	–	1	–	–	–	–	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	59	–	–	–	–	–	–	1	2	12	24	20	106	–	–	–	–	–	–	1	3	12	38	52
White	59	–	–	–	–	–	–	1	2	12	24	20	105	–	–	–	–	–	–	1	3	12	38	51
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 89 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	9	-	-	-	-	-	-	-	-	1	5	3
White	1	-	-	-	-	-	-	-	-	-	-	1	9	-	-	-	-	-	-	-	-	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	621	-	-	-	1	1	3	7	37	113	261	198	1,067	-	-	-	-	5	6	10	26	85	286	649
White	610	-	-	-	-	1	3	7	36	110	259	194	1,060	-	-	-	-	5	6	10	26	81	285	647
All other	11	-	-	-	1	-	-	-	1	3	2	4	7	-	-	-	-	-	-	-	-	4	1	2
Black	8	-	-	-	-	-	-	-	-	3	1	4	7	-	-	-	-	-	-	-	-	4	1	2
Atherosclerosis (440)	140	-	-	-	-	-	-	-	5	23	48	64	245	-	-	-	-	-	-	1	2	19	61	162
White	139	-	-	-	-	-	-	-	4	23	48	64	243	-	-	-	-	-	-	1	2	19	61	160
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	198	-	-	-	1	-	-	4	14	63	75	41	145	-	-	-	-	1	1	2	4	34	51	52
White	197	-	-	-	1	-	-	4	14	63	74	41	143	-	-	-	-	1	1	2	4	33	51	51
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Acute bronchitis and bronchiolitis (466)	5	2	-	-	-	-	-	-	-	2	1	-	5	1	-	-	-	-	-	-	2	-	-	2
White	5	2	-	-	-	-	-	-	-	2	1	-	4	1	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	555	2	-	1	1	4	7	3	22	78	204	233	675	2	-	-	1	2	3	3	21	44	165	434
White	552	2	-	1	1	4	6	3	22	78	204	231	673	2	-	-	1	2	3	3	21	44	164	433
All other	3	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	541	2	-	1	1	4	7	3	20	77	198	228	646	2	-	-	1	2	3	3	20	42	163	410
White	538	2	-	1	1	4	6	3	20	77	198	226	644	2	-	-	1	2	3	3	20	42	162	409
All other	3	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	14	-	-	-	-	-	-	-	2	1	6	5	29	-	-	-	-	-	-	-	1	2	2	24
White	14	-	-	-	-	-	-	-	2	1	6	5	29	-	-	-	-	-	-	-	1	2	2	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	736	1	-	1	-	3	6	6	65	223	298	133	462	-	1	2	3	1	5	9	56	117	179	89
White	735	1	-	1	-	2	6	6	65	223	298	133	458	-	1	2	3	1	5	9	56	115	177	89
All other	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Bronchitis, chronic and unspecified (490-491)	37	1	-	-	-	-	-	-	5	8	14	9	22	-	-	-	-	-	-	1	2	2	6	11
White	37	1	-	-	-	-	-	-	5	8	14	9	22	-	-	-	-	-	-	1	2	2	6	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	97	-	-	-	-	-	-	1	10	32	43	11	66	-	-	-	-	-	-	1	2	9	22	21	11
White	97	-	-	-	-	-	-	1	10	32	43	11	65	-	-	-	-	-	-	1	2	9	21	21	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	22	-	-	1	-	3	2	-	1	5	6	4	45	-	1	2	3	1	4	2	5	7	15	5
White	21	-	-	1	-	2	2	-	1	5	6	4	44	-	1	2	3	1	4	2	5	6	15	5
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	580	-	-	-	-	-	4	5	49	178	235	109	329	-	-	-	-	-	-	4	40	86	137	62
White	580	-	-	-	-	-	4	5	49	178	235	109	327	-	-	-	-	-	-	4	40	86	135	62
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Ulcer of stomach and duodenum (531-533)	38	-	-	-	-	1	1	1	1	8	14	12	68	-	-	-	-	1	1	1	2	6	26	31
White	38	-	-	-	-	1	1	1	1	8	14	12	66	-	-	-	-	1	1	1	2	5	26	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Appendicitis (540-543)	6	-	-	-	-	1	-	-	1	1	3	-	2	-	-	-	-	-	-	-	-	1	-	1
White	6	-	-	-	-	1	-	-	1	1	3	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	-	-	-	-	-	-	-	1	2	18	15	62	-	-	1	-	1	-	-	1	3	16	40
White	36	-	-	-	-	-	-	-	1	2	18	15	61	-	-	1	-	1	-	-	1	3	16	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 90 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	109	1	-	-	-	4	12	15	30	23	19	5	63	-	-	-	-	-	3	2	5	23	23	7
White	107	1	-	-	-	4	11	15	29	23	19	5	63	-	-	-	-	-	3	2	5	23	23	7
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	20	-	-	-	-	1	1	-	2	6	7	3	23	-	-	-	-	-	-	-	1	7	9	6
White	19	-	-	-	-	1	-	-	2	6	7	3	23	-	-	-	-	-	-	-	1	7	9	6
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	88	-	-	-	-	-	-	1	5	15	34	33	96	-	-	-	-	-	-	1	2	10	33	50
White	87	-	-	-	-	-	-	1	5	15	33	33	96	-	-	-	-	-	-	1	2	10	33	50
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	-	-	1	4	2	3	11	-	-	-	-	-	-	-	-	-	6	5
White	9	-	-	-	-	-	-	-	1	4	1	3	11	-	-	-	-	-	-	-	-	-	6	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	76	-	-	-	-	-	-	1	4	11	30	30	82	-	-	-	-	-	-	1	2	10	25	44
White	76	-	-	-	-	-	-	1	4	11	30	30	82	-	-	-	-	-	-	1	2	10	25	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	1	-	-	-	1	9	-	-	-	-	-	-	-	-	2	3	4
White	2	-	-	-	-	-	-	1	-	-	-	1	9	-	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	74	48	3	3	2	4	1	2	4	5	1	1	63	40	8	2	3	3	1	2	1	-	2	1
White	72	46	3	3	2	4	1	2	4	5	1	1	62	40	8	2	3	2	1	2	1	-	2	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	58	57	1	-	-	-	-	-	-	-	-	-	43	42	1	-	-	-	-	-	-	-	-	-
White	56	55	1	-	-	-	-	-	-	-	-	-	38	37	1	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 91 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	45	44	1	-	-	-	-	-	-	-	-	-	37	36	1	-	-	-	-	-	-	-	-	-
White	43	42	1	-	-	-	-	-	-	-	-	-	32	31	1	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	89	45	1	-	1	2	5	-	1	5	10	19	108	17	2	1	1	3	1	3	1	3	14	62
White	82	38	1	-	1	2	5	-	1	5	10	19	103	16	2	1	1	1	-	3	1	3	14	61
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	2	1	-	-	-	-	1
Black	6	6	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	2	1	-	-	-	-	1
All other diseases (Residual)	987	9	3	6	12	16	15	40	110	193	325	258	1,279	6	2	4	8	13	22	28	54	158	382	602
White	970	9	2	6	12	16	14	39	107	189	321	255	1,269	6	2	4	8	11	22	27	54	156	380	599
All other	17	-	1	-	-	-	1	1	3	4	4	3	10	-	-	-	-	2	-	1	-	2	2	3
Black	13	-	1	-	-	-	1	1	3	2	3	2	8	-	-	-	-	2	-	-	-	2	2	2
Accidents and adverse effects (E800-E949)	680	8	16	29	124	101	82	51	49	69	81	70	423	7	9	13	41	32	23	15	29	46	91	117
White	659	8	16	28	117	99	80	49	46	66	80	70	416	7	9	13	39	32	20	15	29	45	90	117
All other	21	-	-	1	7	2	2	2	3	3	1	-	7	-	-	-	2	-	3	-	-	1	1	-
Black	18	-	-	1	4	2	2	2	3	3	1	-	3	-	-	-	-	-	2	-	-	1	-	-
Motor vehicle accidents (E810-E825)	320	2	5	12	89	65	44	26	16	21	30	10	183	2	2	7	41	27	18	11	17	25	24	9
White	311	2	5	12	85	65	43	25	16	19	29	10	176	2	2	7	39	27	15	11	17	24	23	9
All other	9	-	-	-	4	-	1	1	-	2	1	-	7	-	-	-	2	-	3	-	-	1	1	-
Black	7	-	-	-	2	-	1	1	-	2	1	-	3	-	-	-	-	-	2	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	360	6	11	17	35	36	38	25	33	48	51	60	240	5	7	6	-	5	5	4	12	21	67	108
White	348	6	11	16	32	34	37	24	30	47	51	60	240	5	7	6	-	5	5	4	12	21	67	108
All other	12	-	-	1	3	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	11	-	-	1	2	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	281	...	...	3	52	53	45	32	25	31	27	13	54	...	...	-	9	9	16	7	3	4	4	2
White	274	...	...	3	49	50	45	31	25	31	27	13	53	...	...	-	9	9	16	7	2	4	4	2
All other	7	...	...	-	3	3	-	1	-	-	-	-	1	...	...	-	-	-	-	-	1	-	-	-
Black	2	...	...	-	1	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	47	1	3	2	13	6	4	6	8	4	-	-	29	-	-	1	7	7	4	2	3	3	2	-
White	33	1	3	2	5	4	2	5	7	4	-	-	27	-	-	1	6	7	3	2	3	3	2	-
All other	14	-	-	-	8	2	2	1	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	11	-	-	-	6	1	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	21	1	2	-	1	3	7	3	-	1	2	1	4	-	-	-	-	-	1	-	-	2	1	-
White	21	1	2	-	1	3	7	3	-	1	2	1	4	-	-	-	-	-	1	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,333	198	46	66	249	329	400	586	1,369	2,688	3,330	2,068	11,172	137	32	35	94	144	213	382	838	1,850	3,166	4,281
White	10,616	156	41	56	214	277	340	536	1,259	2,546	3,198	1,989	10,570	112	29	33	84	123	191	337	757	1,732	3,037	4,135
All other	717	42	5	10	35	52	60	50	110	142	132	79	602	25	3	2	10	21	22	45	81	118	129	146
Black	631	39	4	10	28	43	57	41	97	124	115	73	530	24	3	2	8	19	18	36	68	98	116	138
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	1	-	-	1	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	2	1	-	4	-	1	-	-	-	-	-	1	-	2	-
White	3	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	1	2	1	-	3	-	1	-	-	-	-	-	1	-	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 92 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	63	2	1	-	-	-	-	1	5	12	19	23	108	-	-	-	-	1	1	5	7	15	28	51
White	58	2	1	-	-	-	-	1	4	9	18	23	98	-	-	-	-	1	1	3	5	13	27	48
All other	5	-	-	-	-	-	-	-	1	3	1	-	10	-	-	-	-	-	-	2	2	2	1	3
Black	5	-	-	-	-	-	-	-	1	3	1	-	10	-	-	-	-	-	-	2	2	2	1	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	1	-	-	1	-	-	5	-	-	-	1	-	-	1	2	-	1	-
White	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	132	3	-	1	6	45	35	16	6	8	9	3	33	2	-	1	2	1	2	6	2	5	4	8
White	120	3	-	1	5	39	33	15	6	7	8	3	29	2	-	1	2	-	1	4	2	5	4	8
All other	12	-	-	-	1	6	2	1	-	1	1	-	4	-	-	-	-	1	1	2	-	-	-	-
Black	11	-	-	-	-	6	2	1	-	1	1	-	3	-	-	-	-	1	-	2	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,738	-	3	10	8	16	62	157	492	873	834	283	2,407	-	4	1	5	22	81	175	381	625	698	415
White	2,557	-	3	8	6	15	56	137	447	819	793	273	2,284	-	4	1	5	19	73	160	358	598	664	402
All other	181	-	-	2	2	1	6	20	45	54	41	10	123	-	-	-	-	3	8	15	23	27	34	13
Black	160	-	-	2	2	1	4	15	40	47	40	9	109	-	-	-	-	3	7	12	18	23	33	13
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	-	1	3	14	18	7	6	31	-	-	-	-	-	1	-	9	6	10	5
White	42	-	-	-	-	-	1	1	11	16	7	6	28	-	-	-	-	-	1	-	9	4	9	5
All other	7	-	-	-	-	-	-	2	3	2	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	5	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	637	-	-	-	1	2	8	44	113	192	212	65	576	-	1	-	-	1	10	34	72	131	192	135
White	591	-	-	-	-	2	6	37	102	177	204	63	543	-	1	-	-	1	9	32	65	124	182	129
All other	46	-	-	-	1	-	2	7	11	15	8	2	33	-	-	-	-	-	1	2	7	7	10	6
Black	39	-	-	-	1	-	1	5	9	13	8	2	31	-	-	-	-	-	1	2	7	5	10	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	976	-	-	-	-	2	21	58	221	361	271	44	466	-	-	-	-	1	11	35	97	168	107	47
White	913	-	-	-	-	2	18	50	204	339	257	43	439	-	-	-	-	1	10	32	91	159	100	46
All other	65	-	-	-	-	-	3	8	17	22	14	1	27	-	-	-	-	-	1	3	6	9	7	1
Black	57	-	-	-	-	-	2	7	16	18	13	1	23	-	-	-	-	-	1	3	3	8	7	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	-	3	-	422	-	-	-	-	6	30	48	71	96	116	55
White	3	-	-	-	-	-	-	-	-	-	3	-	406	-	-	-	-	5	27	44	68	95	113	54
All other	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	1	3	4	3	1	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	1	3	2	3	1	2	1
Malignant neoplasms of genital organs (179-187)	356	-	-	-	-	-	1	2	28	93	140	92	279	-	-	-	1	4	13	29	43	68	80	41
White	331	-	-	-	-	-	1	2	26	85	131	86	261	-	-	-	1	3	11	26	41	65	74	40
All other	25	-	-	-	-	-	-	-	2	8	9	6	18	-	-	-	-	1	2	3	2	3	6	1
Black	24	-	-	-	-	-	-	-	2	7	9	6	17	-	-	-	-	1	2	3	1	3	6	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 93 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	126	-	-	-	-	-	-	6	15	49	35	21	79	-	-	-	1	1	2	4	12	15	23	21
White	119	-	-	-	-	-	-	5	13	48	32	21	73	-	-	-	1	1	2	4	11	14	21	19
All other	7	-	-	-	-	-	-	1	2	1	3	-	6	-	-	-	-	-	-	-	1	1	2	2
Black	6	-	-	-	-	-	-	1	1	1	3	-	6	-	-	-	-	-	-	-	1	1	2	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	284	-	1	6	3	8	25	25	55	74	63	24	262	-	2	-	1	4	9	9	50	67	80	40
White	269	-	1	4	3	7	25	25	49	70	62	23	249	-	2	-	1	3	8	8	47	67	75	38
All other	15	-	-	2	-	1	-	-	6	4	1	1	13	-	-	-	-	1	1	1	3	-	5	2
Black	14	-	-	2	-	1	-	-	6	4	1	-	11	-	-	-	-	1	-	1	2	-	5	2
Leukemia (204-208)	116	-	2	3	3	1	2	4	22	25	41	13	110	-	1	1	1	4	2	3	9	25	29	35
White	109	-	2	3	3	1	1	4	20	24	38	13	109	-	1	1	1	4	2	3	8	25	29	35
All other	7	-	-	-	-	-	1	-	2	1	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	-	-	-	-	-	1	-	2	1	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	189	-	-	1	1	3	4	15	24	61	62	18	182	-	-	-	1	1	3	13	18	49	61	36
White	180	-	-	1	-	3	4	13	22	60	59	18	176	-	-	-	1	1	3	11	18	45	61	36
All other	9	-	-	-	1	-	-	2	2	1	3	-	6	-	-	-	-	-	-	2	-	4	-	-
Black	8	-	-	-	1	-	-	1	2	1	3	-	5	-	-	-	-	-	-	1	-	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	1	-	-	-	1	-	2	2	8	13	10	26	-	-	-	-	-	-	1	2	5	9	9
White	35	1	-	-	-	1	-	2	2	8	13	9	25	-	-	-	-	-	-	1	2	5	9	8
All other	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	218	-	-	-	2	3	8	11	42	51	61	40	311	-	-	-	2	6	8	8	32	73	95	87
White	197	-	-	-	2	3	6	9	34	45	60	38	284	-	-	-	2	4	7	6	29	63	91	82
All other	21	-	-	-	-	-	2	2	8	6	1	2	27	-	-	-	-	2	1	2	3	10	4	5
Black	20	-	-	-	-	-	2	2	7	6	1	2	22	-	-	-	-	1	-	1	3	8	4	5
Nutritional deficiencies (260-269)	19	-	-	-	1	-	1	-	2	2	4	9	43	-	-	-	-	-	-	-	-	4	8	31
White	18	-	-	-	1	-	1	-	2	2	4	8	43	-	-	-	-	-	-	-	-	4	8	31
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	15	-	-	-	-	-	1	3	-	2	4	5	26	-	-	1	-	-	1	-	1	2	8	13
White	12	-	-	-	-	-	1	1	-	2	3	5	24	-	-	1	-	-	1	-	1	2	8	12
All other	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	6	-	-	1	-	-	-	-	2	3	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	6	-	-	1	-	-	-	-	2	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,579	8	4	2	13	19	83	213	517	1,118	1,525	1,077	5,161	4	1	1	4	14	36	87	246	693	1,538	2,537
White	4,376	7	2	2	11	16	72	201	480	1,068	1,471	1,046	4,899	4	1	1	4	12	33	74	211	640	1,474	2,445
All other	203	1	2	-	2	3	11	12	37	50	54	31	262	-	-	-	-	2	3	13	35	53	64	92
Black	178	1	2	-	2	3	10	11	32	43	45	29	234	-	-	-	-	2	3	11	30	44	57	87
Diseases of heart (390-398,402,404-429)	3,639	6	4	1	11	15	70	183	450	907	1,186	806	3,878	4	1	-	3	12	28	64	197	548	1,143	1,878
White	3,487	5	2	1	9	13	63	172	419	868	1,151	784	3,702	4	1	-	3	10	26	53	171	512	1,104	1,818
All other	152	1	2	-	2	2	7	11	31	39	35	22	176	-	-	-	-	2	2	11	26	36	39	60
Black	136	1	2	-	2	2	7	10	28	35	29	20	155	-	-	-	-	2	2	10	23	30	33	55
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	-	2	2	-	7	4	2	42	-	-	-	-	-	1	-	7	9	11	14
White	17	-	-	-	-	-	2	2	-	7	4	2	42	-	-	-	-	-	1	-	7	9	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	35	-	-	-	-	-	1	4	5	6	10	9	96	-	-	-	-	1	1	2	1	10	24	57
White	33	-	-	-	-	-	1	4	5	5	9	9	89	-	-	-	-	1	1	2	-	7	23	55
All other	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	1	3	1	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	1	2	-	2
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	2	1	3	2	9	-	-	-	-	-	-	-	-	3	1	5
White	6	-	-	-	-	-	-	-	1	1	3	1	7	-	-	-	-	-	-	-	-	1	1	5
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Ischemic heart disease (410-414)	2,603	-	-	-	-	7	42	135	353	685	849	532	2,381	-	-	-	1	4	14	36	126	340	735	1,125
White	2,518	-	-	-	-	6	40	129	332	661	828	522	2,284	-	-	-	1	4	14	29	115	322	709	1,090
All other	85	-	-	-	-	1	2	6	21	24	21	10	97	-	-	-	-	-	-	7	11	18	26	35
Black	72	-	-	-	-	1	2	5	19	21	16	8	88	-	-	-	-	-	-	6	10	15	23	34
Acute myocardial infarction (410)	1,416	-	-	-	-	6	29	100	219	410	445	207	1,176	-	-	-	-	3	11	25	85	205	398	449
White	1,377	-	-	-	-	5	29	95	207	399	437	205	1,128	-	-	-	-	3	11	21	80	195	387	431
All other	39	-	-	-	-	1	-	5	12	11	8	2	48	-	-	-	-	-	-	4	5	10	11	18
Black	34	-	-	-	-	1	-	4	11	10	6	2	42	-	-	-	-	-	-	4	4	7	10	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 94 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	6	-	-	-	-	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,176	-	-	-	-	1	13	33	132	273	402	324	1,203	-	-	-	1	1	3	11	40	135	337	675
White	1,133	-	-	-	-	1	11	32	124	260	389	316	1,154	-	-	-	1	1	3	8	34	127	322	658
All other	45	-	-	-	-	-	2	1	8	13	13	8	49	-	-	-	-	-	-	3	6	8	15	17
Black	37	-	-	-	-	-	2	1	7	11	10	6	46	-	-	-	-	-	-	2	6	8	13	17
Other diseases of endocardium (424)	64	-	-	-	-	-	-	4	3	17	27	13	87	1	-	-	-	-	-	1	3	12	31	39
White	61	-	-	-	-	-	-	3	3	16	27	12	82	1	-	-	-	-	-	1	1	11	31	37
All other	3	-	-	-	-	-	-	1	-	1	-	1	5	-	-	-	-	-	-	-	2	1	-	2
Black	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	-	2	1	-	1
All other forms of heart disease (415-423,425-429)	912	6	4	1	11	8	25	38	87	191	293	248	1,263	3	1	-	2	7	12	25	60	174	341	638
White	852	5	2	1	9	7	20	34	78	178	280	238	1,198	3	1	-	2	5	10	21	48	162	329	617
All other	60	1	2	-	2	1	5	4	9	13	13	10	65	-	-	-	-	2	2	4	12	12	12	21
Black	57	1	2	-	2	1	5	4	8	12	12	10	56	-	-	-	-	2	2	4	10	10	10	18
Hypertension with or without renal disease (401,403)	33	-	-	-	-	-	-	2	7	4	11	9	54	-	-	-	-	-	-	1	4	6	16	27
White	31	-	-	-	-	-	-	2	7	3	10	9	47	-	-	-	-	-	-	1	3	4	14	25
All other	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	1	2	2	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	1	2	2	2
Cerebrovascular diseases (430-438)	629	1	-	1	-	3	13	18	39	136	234	184	964	-	-	-	1	2	6	19	34	108	306	488
White	585	1	-	1	-	2	9	18	34	127	218	175	900	-	-	-	1	2	5	17	27	95	289	464
All other	44	-	-	-	-	1	4	-	5	9	16	9	64	-	-	-	-	-	1	2	7	13	17	24
Black	36	-	-	-	-	1	3	-	3	6	14	9	58	-	-	-	-	-	1	1	6	10	16	24
Intracerebral and other intracranial hemorrhage (431-432)	96	-	-	1	-	1	9	5	11	31	27	11	100	-	-	-	-	1	2	6	13	19	30	29
White	89	-	-	1	-	-	7	5	10	31	24	11	89	-	-	-	-	1	2	6	9	14	28	29
All other	7	-	-	-	-	1	2	-	1	-	3	-	11	-	-	-	-	-	-	-	4	5	2	-
Black	5	-	-	-	-	1	2	-	-	-	2	-	7	-	-	-	-	-	-	-	3	3	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	70	-	-	-	-	-	-	1	3	14	32	20	106	-	-	-	-	-	-	1	2	16	29	58
White	63	-	-	-	-	-	-	1	2	13	31	16	98	-	-	-	-	-	-	1	2	15	27	53
All other	7	-	-	-	-	-	-	-	1	1	1	4	8	-	-	-	-	-	-	-	-	1	2	5
Black	6	-	-	-	-	-	-	-	1	-	1	4	8	-	-	-	-	-	-	-	-	1	2	5
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	1	-	-	-	-	2	3	2
White	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	1	-	-	-	-	2	3	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	462	1	-	-	-	2	4	12	25	91	174	153	750	-	-	-	-	1	4	12	19	71	244	399
White	433	1	-	-	-	2	2	12	22	83	163	148	705	-	-	-	-	1	3	10	16	64	231	380
All other	29	-	-	-	-	-	2	-	3	8	11	5	45	-	-	-	-	-	1	2	3	7	13	19
Black	24	-	-	-	-	-	1	-	2	6	10	5	43	-	-	-	-	-	1	1	3	6	13	19
Atherosclerosis (440)	102	-	-	-	-	-	-	2	3	15	32	50	152	-	-	-	-	-	-	1	2	12	39	98
White	101	-	-	-	-	-	-	2	3	15	31	50	145	-	-	-	-	-	-	1	2	10	37	95
All other	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	2	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	2	2	3
Other diseases of arteries, arterioles, and capillaries (441-448)	176	1	-	-	2	1	-	8	18	56	62	28	113	-	-	1	-	-	2	2	9	19	34	46
White	172	1	-	-	2	1	-	7	17	55	61	28	105	-	-	1	-	-	2	2	8	19	30	43
All other	4	-	-	-	-	-	-	1	1	1	1	-	8	-	-	-	-	-	-	-	1	-	4	3
Black	4	-	-	-	-	-	-	1	1	1	1	-	7	-	-	-	-	-	-	-	-	-	4	3
Acute bronchitis and bronchiolitis (466)	5	1	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
White	5	1	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	400	3	4	-	2	1	4	4	15	57	142	168	489	1	1	2	1	3	5	4	15	35	129	293
White	385	3	2	-	2	1	3	4	14	56	137	163	483	1	1	2	1	3	5	4	15	35	128	288
All other	15	-	2	-	-	-	1	-	1	1	5	5	6	-	-	-	-	-	-	-	-	-	1	5
Black	11	-	1	-	-	-	1	-	1	1	4	3	6	-	-	-	-	-	-	-	-	-	1	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 95 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																							
Pneumonia (480-486)	386	3	4	-	2	1	4	4	14	54	139	161	473	1	1	2	-	2	4	4	14	33	126	286
White	371	3	2	-	2	1	3	4	13	53	134	156	467	1	1	2	-	2	4	4	14	33	125	281
All other	15	-	2	-	-	-	1	-	1	1	5	5	6	-	-	-	-	-	-	-	-	-	1	5
Black	11	-	1	-	-	-	1	-	1	1	4	3	6	-	-	-	-	-	-	-	-	-	1	5
Influenza (487)	14	-	-	-	-	-	-	-	1	3	3	7	16	-	-	-	1	1	1	-	1	2	3	7
White	14	-	-	-	-	-	-	-	1	3	3	7	16	-	-	-	1	1	1	-	1	2	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	597	-	2	2	1	2	4	13	61	196	236	80	387	-	-	1	1	1	3	14	44	114	138	71
White	573	-	2	2	-	2	2	12	57	189	230	77	373	-	-	1	1	1	3	13	41	110	135	69
All other	24	-	-	-	1	-	2	1	4	7	6	3	14	-	-	-	1	-	-	1	3	4	3	2
Black	20	-	-	-	-	-	2	1	2	7	5	3	10	-	-	1	-	-	-	1	2	3	1	2
Bronchitis, chronic and unspecified (490-491)	25	-	1	-	-	-	-	1	2	5	10	6	18	-	-	-	-	-	-	1	5	4	6	2
White	24	-	1	-	-	-	-	1	2	4	10	6	17	-	-	-	-	-	-	1	4	4	6	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	87	-	-	-	-	-	-	1	8	40	30	8	53	-	-	-	-	-	1	4	10	15	18	5
White	84	-	-	-	-	-	-	1	8	38	29	8	52	-	-	-	-	-	1	4	10	15	17	5
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	24	-	1	2	1	2	3	2	2	6	4	1	24	-	-	1	1	1	2	3	1	4	7	4
White	21	-	1	2	-	2	1	2	2	6	4	1	22	-	-	-	1	1	2	3	-	4	7	4
All other	3	-	-	-	1	-	2	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	461	-	-	-	-	-	1	9	49	145	192	65	292	-	-	-	-	-	-	6	28	91	107	60
White	444	-	-	-	-	-	1	8	45	141	187	62	282	-	-	-	-	-	-	5	27	87	105	58
All other	17	-	-	-	-	-	-	1	4	4	5	3	10	-	-	-	-	-	-	1	1	4	2	2
Black	14	-	-	-	-	-	-	1	2	4	4	3	8	-	-	-	-	-	-	1	1	3	1	2
Ulcer of stomach and duodenum (531-533)	28	-	-	-	-	-	-	-	3	9	8	8	37	-	-	-	-	-	1	2	2	7	7	18
White	28	-	-	-	-	-	-	-	3	9	8	8	34	-	-	-	-	-	1	2	2	4	7	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	1	-	1	-	1
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	39	-	1	-	-	1	1	2	1	7	14	12	54	1	-	-	-	1	-	1	2	3	21	25
White	38	-	-	-	-	1	1	2	1	7	14	12	51	1	-	-	-	1	-	1	2	3	20	23
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic liver disease and cirrhosis (571)	95	-	-	-	-	-	19	17	26	25	7	1	56	-	-	-	-	2	4	6	13	16	11	4
White	86	-	-	-	-	-	15	15	25	24	6	1	49	-	-	-	-	2	2	4	13	15	10	3
All other	9	-	-	-	-	-	4	2	1	1	1	-	7	-	-	-	-	-	2	2	-	1	1	1
Black	8	-	-	-	-	-	4	2	1	-	1	-	5	-	-	-	-	-	2	1	-	1	-	1
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	1	2	1	6	4	14	-	-	-	-	-	-	-	-	2	4	8
White	14	-	-	-	-	-	-	1	2	1	6	4	14	-	-	-	-	-	-	-	-	2	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	138	1	-	1	-	1	4	3	11	22	54	41	123	-	1	-	-	-	2	-	8	17	33	62
White	127	1	-	1	-	1	4	3	9	19	51	38	108	-	-	-	-	-	2	-	6	12	30	58
All other	11	-	-	-	-	-	-	-	2	3	3	3	15	-	1	-	-	-	-	-	2	5	3	4
Black	11	-	-	-	-	-	-	-	2	3	3	3	14	-	1	-	-	-	-	-	2	5	2	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	1	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	1	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 96 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	–	–	–	–	–	–	–	2	3	1	11	–	–	–	–	–	1	–	–	1	3	6
White	6	–	–	–	–	–	–	–	–	2	3	1	11	–	–	–	–	–	1	–	–	1	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	129	1	–	1	–	1	4	3	11	20	50	38	109	–	–	–	–	–	–	–	8	16	30	55
White	118	1	–	1	–	1	4	3	9	17	47	35	95	–	–	–	–	–	–	–	6	11	27	51
All other	11	–	–	–	–	–	–	–	2	3	3	3	14	–	–	–	–	–	–	–	2	5	3	4
Black	11	–	–	–	–	–	–	–	2	3	3	3	13	–	–	–	–	–	–	–	2	5	2	4
Infections of kidney (590)	5	–	–	–	–	–	–	–	–	1	–	4	6	–	–	–	–	–	–	–	1	1	1	3
White	5	–	–	–	–	–	–	–	–	1	–	4	6	–	–	–	–	–	–	–	1	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	–	2	5	...	...	...	...	...	...	...	...	...	...	...	...
White	7	–	–	–	–	–	–	–	–	–	2	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	72	44	5	2	4	5	1	2	2	2	2	–	68	36	3	1	2	8	2	4	1	4	4	3
White	66	38	5	2	4	5	1	2	2	2	2	–	61	30	3	1	1	8	2	4	1	4	4	3
All other	6	6	–	–	–	–	–	–	–	–	–	–	7	6	–	–	1	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	6	5	–	–	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	82	79	1	1	1	–	–	–	–	–	–	–	49	48	1	–	–	–	–	–	–	–	–	–
White	56	55	1	–	–	–	–	–	–	–	–	–	39	38	1	–	–	–	–	–	–	–	–	–
All other	26	24	–	1	1	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	25	23	–	1	1	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
White	12	12	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	69	66	1	1	1	–	–	–	–	–	–	–	44	43	1	–	–	–	–	–	–	–	–	–
White	44	43	1	–	–	–	–	–	–	–	–	–	34	33	1	–	–	–	–	–	–	–	–	–
All other	25	23	–	1	1	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	24	22	–	1	1	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	152	33	–	–	1	3	5	12	14	29	24	31	195	26	1	1	3	3	1	9	6	18	32	95
White	128	29	–	–	1	3	4	10	10	26	17	28	173	20	1	1	3	2	1	6	4	14	29	92
All other	24	4	–	–	–	–	1	2	4	3	7	3	22	6	–	–	–	1	–	3	2	4	3	3
Black	23	4	–	–	–	–	1	2	4	3	6	3	20	6	–	–	–	1	–	2	2	4	2	3
All other diseases (Residual)	855	11	11	8	6	16	30	41	81	175	269	206	1,123	11	3	6	10	18	20	27	49	165	334	480
White	798	7	11	7	5	13	21	38	76	167	261	191	1,071	8	3	6	10	14	15	24	42	157	323	469
All other	57	4	–	1	1	3	9	3	5	8	8	15	52	3	–	–	–	4	5	3	7	8	11	11
Black	52	3	–	1	1	3	9	2	5	7	6	15	46	3	–	–	–	4	5	3	7	4	11	9
Accidents and adverse effects (E800-E949)	644	8	13	32	121	124	66	51	52	61	69	47	325	8	14	17	37	41	27	18	14	35	50	64
White	589	6	13	30	113	102	61	48	50	58	66	42	308	8	13	16	35	38	26	17	13	34	47	61
All other	55	2	–	2	8	22	5	3	2	3	3	5	17	–	1	1	2	3	1	1	1	1	3	3
Black	37	2	–	2	4	13	5	2	2	2	1	4	14	–	1	1	2	2	–	–	1	1	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 97 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	300	1	4	12	85	69	36	22	21	19	24	7	140	2	4	9	30	24	21	11	10	12	13	4
White	275	1	4	12	79	59	33	20	21	18	22	6	134	2	4	9	29	22	20	10	9	12	13	4
All other	25	–	–	–	6	10	3	2	–	1	2	1	6	–	–	–	1	2	1	1	1	–	–	–
Black	14	–	–	–	3	4	3	1	–	1	1	1	3	–	–	–	1	1	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	344	7	9	20	36	55	30	29	31	42	45	40	185	6	10	8	7	17	6	7	4	23	37	60
White	314	5	9	18	34	43	28	28	29	40	44	36	174	6	9	7	6	16	6	7	4	22	34	57
All other	30	2	–	2	2	12	2	1	2	2	1	4	11	–	1	1	1	1	–	–	–	1	3	3
Black	23	2	–	2	1	9	2	1	2	1	–	3	11	–	1	1	1	1	–	–	–	1	3	3
Suicide (E950-E959)	258	...	...	2	50	53	41	31	31	20	23	7	52	...	...	–	10	10	14	7	5	3	3	–
White	248	...	...	1	49	51	37	30	31	19	23	7	48	...	...	–	9	9	14	6	4	3	3	–
All other	10	...	...	1	1	2	4	1	–	1	–	–	4	...	...	–	1	1	–	1	1	–	–	–
Black	9	...	...	1	1	2	4	–	–	1	–	–	3	...	...	–	1	1	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	112	2	–	5	31	32	31	4	3	3	–	1	47	–	1	2	14	10	5	3	4	4	2	2
White	62	1	–	2	13	18	18	3	3	3	–	1	39	–	1	2	9	7	5	3	4	4	2	2
All other	50	1	–	3	18	14	13	1	–	–	–	–	8	–	–	–	5	3	–	–	–	–	–	–
Black	49	1	–	3	17	14	13	1	–	–	–	–	6	–	–	–	3	3	–	–	–	–	–	–
All other external causes (E980-E999)	14	–	–	–	1	6	2	2	–	2	1	–	7	–	–	–	1	2	–	3	–	1	–	–
White	14	–	–	–	1	6	2	2	–	2	1	–	7	–	–	–	1	2	–	3	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
KENTUCKY																								
All causes	18,460	293	64	107	411	546	799	1,243	2,724	4,834	4,917	2,522	16,886	193	53	51	156	234	391	769	1,658	3,295	5,114	4,972
White	17,052	245	59	95	375	479	700	1,130	2,506	4,483	4,627	2,353	15,628	156	47	42	142	208	353	681	1,494	3,025	4,774	4,706
All other	1,408	48	5	12	36	67	99	113	218	351	290	169	1,258	37	6	9	14	26	38	88	164	270	340	266
Black	1,381	45	5	12	33	66	97	111	213	346	284	169	1,231	37	6	8	14	25	35	84	161	266	333	262
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	2	–	–	–	–	1	–	–	1	1	–	4	1	–	–	–	–	–	–	1	–	1	1
White	4	1	–	–	–	–	1	–	–	1	1	–	4	1	–	–	–	–	–	–	1	–	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	13	–	–	–	–	–	–	3	–	3	4	3	15	–	1	–	–	–	–	2	2	–	6	4
White	12	–	–	–	–	–	–	2	–	3	4	3	12	–	1	–	–	–	–	1	1	–	6	3
All other	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Tuberculosis of respiratory system (010-012)	10	–	–	–	–	–	–	1	–	2	4	3	12	–	–	–	–	–	–	2	2	–	5	3
White	9	–	–	–	–	–	–	–	–	2	4	3	10	–	–	–	–	–	–	1	1	–	5	3
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Other tuberculosis (013-018)	3	–	–	–	–	–	–	2	–	1	–	–	3	–	1	–	–	–	–	–	–	–	1	1
White	3	–	–	–	–	–	–	2	–	1	–	–	2	–	1	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	144	2	1	–	–	1	5	2	17	39	42	35	201	–	–	–	2	1	2	6	19	26	78	67
White	122	–	1	–	–	1	4	2	15	31	36	32	192	–	–	–	1	1	2	5	19	23	74	67
All other	22	2	–	–	–	–	1	–	2	8	6	3	9	–	–	–	1	–	–	1	–	3	4	–
Black	21	2	–	–	–	–	1	–	2	8	5	3	9	–	–	–	1	–	–	1	–	3	4	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 98 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	13	-	-	-	-	-	2	1	1	7	2	-	13	-	-	-	1	-	-	1	4	6	1	-
White	12	-	-	-	-	-	2	1	1	6	2	-	13	-	-	-	1	-	-	1	4	6	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	129	6	1	1	-	34	42	15	7	8	13	2	51	7	2	1	2	3	3	4	5	8	8	8
White	109	5	1	-	-	27	34	13	6	8	13	2	47	5	2	1	-	3	3	4	5	8	8	8
All other	20	1	-	1	-	7	8	2	1	-	-	-	4	2	-	-	2	-	-	-	-	-	-	-
Black	20	1	-	1	-	7	8	2	1	-	-	-	4	2	-	-	2	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,708	-	2	14	13	37	114	367	1,005	1,574	1,205	377	3,829	-	5	5	10	45	160	344	702	1,098	977	483
White	4,319	-	2	14	12	33	108	334	925	1,439	1,110	342	3,534	-	5	5	8	43	146	314	640	1,021	894	458
All other	389	-	-	-	1	4	6	33	80	135	95	35	295	-	-	-	2	2	14	30	62	77	83	25
Black	382	-	-	-	1	4	6	32	79	132	93	35	289	-	-	-	2	2	12	29	61	76	82	25
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	-	-	-	-	2	5	10	32	30	14	6	34	-	-	-	-	-	1	1	11	7	10	4
White	87	-	-	-	-	2	5	8	26	28	14	4	31	-	-	-	-	-	1	1	11	5	9	4
All other	12	-	-	-	-	-	-	2	6	2	-	2	3	-	-	-	-	-	-	-	-	2	1	-
Black	12	-	-	-	-	-	-	2	6	2	-	2	3	-	-	-	-	-	-	-	-	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	966	-	-	-	-	5	26	87	182	308	269	89	896	-	-	-	4	6	32	51	108	215	302	178
White	893	-	-	-	-	5	24	79	170	285	250	80	824	-	-	-	3	6	29	47	95	199	275	170
All other	73	-	-	-	-	-	2	8	12	23	19	9	72	-	-	-	1	-	3	4	13	16	27	8
Black	72	-	-	-	-	-	2	8	11	23	19	9	72	-	-	-	1	-	3	4	13	16	27	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,033	-	-	-	1	4	37	166	540	745	449	91	992	-	-	-	1	4	13	100	239	357	223	55
White	1,874	-	-	-	1	3	34	156	493	679	420	88	914	-	-	-	-	4	11	89	215	336	207	52
All other	159	-	-	-	-	1	3	10	47	66	29	3	78	-	-	-	1	-	2	11	24	21	16	3
Black	153	-	-	-	-	1	3	9	47	63	27	3	77	-	-	-	1	-	2	11	24	21	15	3
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	3	-	1	577	-	-	-	-	6	54	83	131	144	94	65
White	4	-	-	-	-	-	-	-	-	3	-	1	534	-	-	-	-	5	51	76	120	132	86	64
All other	-	-	-	-	-	-	-	-	-	-	-	-	43	-	-	-	-	1	3	7	11	12	8	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	41	-	-	-	-	1	2	7	10	12	8	1
Malignant neoplasms of genital organs (179-187)	495	-	-	-	-	-	-	8	39	163	185	100	410	-	-	-	-	9	28	37	80	122	104	30
White	425	-	-	-	-	-	-	6	34	140	163	82	379	-	-	-	-	8	27	35	76	113	93	27
All other	70	-	-	-	-	-	-	2	5	23	22	18	31	-	-	-	-	1	1	2	4	9	11	3
Black	70	-	-	-	-	-	-	2	5	23	22	18	30	-	-	-	-	1	1	1	4	9	11	3
Malignant neoplasms of urinary organs (188-189)	182	-	-	-	1	-	4	8	41	49	55	24	117	-	-	-	-	-	1	6	12	44	27	27
White	166	-	-	-	1	-	4	8	37	44	50	22	106	-	-	-	-	-	1	5	9	42	24	25
All other	16	-	-	-	-	-	-	-	4	5	5	2	11	-	-	-	-	-	-	1	3	2	3	2
Black	16	-	-	-	-	-	-	-	4	5	5	2	11	-	-	-	-	-	-	1	3	2	3	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	535	-	2	8	5	14	29	49	114	150	131	33	460	-	4	4	4	13	24	51	75	112	105	68
White	501	-	2	8	5	13	28	43	109	140	121	32	424	-	4	4	4	13	20	47	70	104	96	62
All other	34	-	-	-	-	1	1	6	5	10	10	1	36	-	-	-	-	-	4	4	5	8	9	6
Black	34	-	-	-	-	1	1	6	5	10	10	1	34	-	-	-	-	-	3	4	5	7	9	6
Leukemia (204-208)	177	-	-	5	4	5	5	10	27	58	43	20	127	-	-	-	-	4	2	4	16	39	36	26
White	169	-	-	5	3	5	5	7	27	57	40	20	121	-	-	-	-	4	2	4	16	36	34	25
All other	8	-	-	-	1	-	-	3	-	1	3	-	6	-	-	-	-	-	-	-	-	3	2	1
Black	8	-	-	-	1	-	-	3	-	1	3	-	6	-	-	-	-	-	-	-	-	3	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	217	-	-	1	2	7	8	29	30	68	59	13	216	-	1	1	1	3	5	11	30	58	76	30
White	200	-	-	1	2	5	8	27	29	63	52	13	201	-	1	1	1	3	4	10	28	54	70	29
All other	17	-	-	-	-	2	-	2	1	5	7	-	15	-	-	-	-	-	1	1	2	4	6	1
Black	17	-	-	-	-	2	-	2	1	5	7	-	15	-	-	-	-	-	1	1	2	4	6	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	1	1	-	-	-	6	3	5	9	13	6	41	-	-	-	3	-	2	4	9	2	8	13
White	41	1	1	-	-	-	6	3	4	9	11	6	37	-	-	-	3	-	2	4	7	1	7	13
All other	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	2	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 99 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	303	-	-	-	-	5	20	25	41	93	96	23	509	-	-	-	-	1	11	25	57	135	178	102
White	277	-	-	-	-	5	18	24	37	86	89	18	459	-	-	-	-	1	9	22	48	118	165	96
All other	26	-	-	-	-	-	2	1	4	7	7	5	50	-	-	-	-	-	2	3	9	17	13	6
Black	26	-	-	-	-	-	2	1	4	7	7	5	49	-	-	-	-	-	2	3	9	17	12	6
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	-	3	4	10	37	-	-	-	-	1	-	1	-	3	13	19
White	15	-	-	-	-	-	-	-	-	3	4	8	35	-	-	-	-	1	-	1	-	3	13	17
All other	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2
Anemias (280-285)	22	-	1	-	-	-	-	-	1	6	7	7	29	-	-	-	-	1	-	3	2	3	10	10
White	19	-	1	-	-	-	-	-	1	6	4	7	24	-	-	-	-	-	-	2	2	3	8	9
All other	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	1	-	1	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	1	-	1	-	-	2	1
Meningitis (320-322)	5	1	-	-	-	1	-	-	1	1	-	1	3	-	-	1	-	-	-	-	-	2	-	-
White	4	1	-	-	-	1	-	-	-	1	-	1	3	-	-	1	-	-	-	-	-	2	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,376	6	5	3	13	49	199	485	1,063	2,002	2,269	1,282	7,694	7	6	1	10	31	77	182	491	1,312	2,647	2,930
White	6,884	4	4	2	10	45	168	447	972	1,877	2,154	1,201	7,139	5	5	1	9	25	68	153	438	1,184	2,476	2,775
All other	492	2	1	1	3	4	31	38	91	125	115	81	555	2	1	-	1	6	9	29	53	128	171	155
Black	487	2	1	1	2	4	31	37	88	125	115	81	544	2	1	-	1	6	8	28	52	125	169	152
Diseases of heart (390-398,402,404-429)	6,057	4	5	3	10	41	176	421	933	1,685	1,819	960	5,884	5	5	-	8	22	55	142	406	1,044	2,010	2,187
White	5,669	3	4	2	7	37	151	392	859	1,589	1,729	896	5,472	3	4	-	7	19	48	121	363	943	1,886	2,078
All other	388	1	1	1	3	4	25	29	74	96	90	64	412	2	1	-	1	3	7	21	43	101	124	109
Black	383	1	1	1	2	4	25	28	71	96	90	64	404	2	1	-	1	3	6	21	42	99	123	106
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	-	-	2	-	3	8	4	1	60	-	1	-	-	1	4	4	7	20	18	5
White	17	-	-	-	-	-	2	-	3	7	4	1	58	-	1	-	-	1	3	4	7	20	17	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Hypertensive heart disease (402)	102	-	-	1	-	1	7	6	15	26	34	12	130	-	-	-	-	-	2	5	7	24	45	47
White	86	-	-	-	-	1	5	5	14	20	31	10	109	-	-	-	-	-	2	1	5	17	39	45
All other	16	-	-	1	-	-	2	1	1	6	3	2	21	-	-	-	-	-	-	4	2	7	6	2
Black	16	-	-	1	-	-	2	1	1	6	3	2	21	-	-	-	-	-	-	4	2	7	6	2
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	1	4	7	3	26	-	-	-	-	-	-	-	-	7	10	9
White	13	-	-	-	-	-	-	-	1	3	7	2	22	-	-	-	-	-	-	-	-	6	7	9
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	1	3	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	1	3	-
Ischemic heart disease (410-414)	4,230	-	-	-	1	27	117	317	688	1,229	1,249	602	3,647	-	-	-	1	9	30	92	274	698	1,291	1,252
White	4,000	-	-	-	1	25	106	294	636	1,168	1,201	569	3,431	-	-	-	1	7	27	86	249	642	1,217	1,202
All other	230	-	-	-	-	2	11	23	52	61	48	33	216	-	-	-	-	2	3	6	25	56	74	50
Black	226	-	-	-	-	2	11	22	49	61	48	33	210	-	-	-	-	2	2	6	24	55	73	48
Acute myocardial infarction (410)	2,801	-	-	-	1	15	87	238	499	839	787	335	2,198	-	-	-	1	7	19	67	200	476	808	620
White	2,645	-	-	-	1	13	80	223	460	794	758	316	2,064	-	-	-	1	7	16	65	180	435	765	595
All other	156	-	-	-	-	2	7	15	39	45	29	19	134	-	-	-	-	-	3	2	20	41	43	25
Black	153	-	-	-	-	2	7	14	37	45	29	19	130	-	-	-	-	-	2	2	19	41	42	24
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	-	1	-	3	3	3	7	-	-	-	-	-	-	-	1	-	2	4
White	10	-	-	-	-	-	-	1	-	3	3	3	7	-	-	-	-	-	-	-	1	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	1	1	1	4	2	8	-	-	-	-	-	-	1	1	1	2	3
White	8	-	-	-	-	-	-	1	-	1	4	2	8	-	-	-	-	-	-	1	1	1	2	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,410	-	-	-	-	12	30	77	188	386	455	262	1,434	-	-	-	-	2	11	24	72	221	479	625
White	1,337	-	-	-	-	12	26	69	176	370	436	248	1,352	-	-	-	-	-	11	20	67	206	448	600
All other	73	-	-	-	-	-	4	8	12	16	19	14	82	-	-	-	-	2	-	4	5	15	31	25
Black	73	-	-	-	-	-	4	8	12	16	19	14	80	-	-	-	-	2	-	4	5	14	31	24
Other diseases of endocardium (424)	75	-	-	-	-	1	4	3	7	23	26	11	83	-	-	-	1	1	1	1	10	17	28	24
White	71	-	-	-	-	1	3	3	6	23	25	10	76	-	-	-	1	1	1	-	9	15	26	23
All other	4	-	-	-	-	-	1	-	1	-	1	1	7	-	-	-	-	-	-	1	1	2	2	1
Black	4	-	-	-	-	-	1	-	1	-	1	1	7	-	-	-	-	-	-	1	1	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 100 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,617	4	5	2	9	12	46	95	219	395	499	331	1,938	5	4	–	6	11	18	40	108	278	618	850
White	1,482	3	4	2	6	10	35	90	199	368	461	304	1,776	3	3	–	5	10	15	30	93	243	580	794
All other	135	1	1	–	3	2	11	5	20	27	38	27	162	2	1	–	1	1	3	10	15	35	38	56
Black	134	1	1	–	2	2	11	5	20	27	38	27	160	2	1	–	1	1	3	10	15	34	38	55
Hypertension with or without renal disease (401,403)	60	–	–	–	–	1	1	5	10	12	23	8	70	–	–	–	–	–	3	2	2	15	24	24
White	50	–	–	–	–	1	1	4	8	12	17	7	63	–	–	–	–	–	3	2	2	12	22	22
All other	10	–	–	–	–	–	–	1	2	–	6	1	7	–	–	–	–	–	–	–	–	3	2	2
Black	10	–	–	–	–	–	–	1	2	–	6	1	7	–	–	–	–	–	–	–	–	3	2	2
Cerebrovascular diseases (430-438)	922	2	–	–	3	4	16	42	85	202	322	246	1,420	2	1	1	2	7	16	36	62	199	515	579
White	842	1	–	–	3	4	11	34	72	178	306	233	1,302	2	1	1	2	4	14	30	54	177	475	542
All other	80	1	–	–	–	–	5	8	13	24	16	13	118	–	–	–	–	3	2	6	8	22	40	37
Black	80	1	–	–	–	–	5	8	13	24	16	13	115	–	–	–	–	3	2	5	8	21	39	37
Intracerebral and other intracranial hemorrhage (431-432)	120	1	–	–	1	2	3	13	28	34	22	16	165	1	–	1	–	3	3	12	16	35	61	33
White	105	–	–	–	1	2	1	8	26	31	21	15	150	1	–	1	–	2	3	11	14	29	57	32
All other	15	1	–	–	–	–	2	5	2	3	1	1	15	–	–	–	–	1	–	1	2	6	4	1
Black	15	1	–	–	–	–	2	5	2	3	1	1	15	–	–	–	–	1	–	1	2	6	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	105	–	–	–	–	–	2	4	6	24	38	31	142	1	–	–	–	–	–	2	4	20	41	74
White	95	–	–	–	–	–	1	4	5	19	37	29	136	1	–	–	–	–	–	2	4	19	40	70
All other	10	–	–	–	–	–	1	–	1	5	1	2	6	–	–	–	–	–	–	–	–	1	1	4
Black	10	–	–	–	–	–	1	–	1	5	1	2	6	–	–	–	–	–	–	–	–	1	1	4
Cerebral embolism (434.1)	5	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–	–	–	–	1	–	–
White	4	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	692	1	–	–	2	2	11	24	51	144	260	197	1,112	–	1	–	2	4	13	22	42	143	413	472
White	638	1	–	–	2	2	9	21	41	128	246	188	1,015	–	1	–	2	2	11	17	36	128	378	440
All other	54	–	–	–	–	–	2	3	10	16	14	9	97	–	–	–	–	2	2	5	6	15	35	32
Black	54	–	–	–	–	–	2	3	10	16	14	9	94	–	–	–	–	2	2	4	6	14	34	32
Atherosclerosis (440)	80	–	–	–	–	1	1	1	5	14	25	33	152	–	–	–	–	–	–	1	–	4	10	46	91
White	77	–	–	–	–	1	1	1	5	12	25	32	145	–	–	–	–	–	–	1	–	4	10	43	87
All other	3	–	–	–	–	–	–	–	–	2	–	1	7	–	–	–	–	–	–	–	–	–	–	3	4
Black	3	–	–	–	–	–	–	–	–	2	–	1	7	–	–	–	–	–	–	–	–	–	–	3	4
Other diseases of arteries, arterioles, and capillaries (441-448)	257	–	–	–	–	2	5	16	30	89	80	35	168	–	–	–	–	2	2	2	17	44	52	49
White	246	–	–	–	–	2	4	16	28	86	77	33	157	–	–	–	–	2	2	–	15	42	50	46
All other	11	–	–	–	–	–	1	–	2	3	3	2	11	–	–	–	–	–	–	2	2	2	2	3
Black	11	–	–	–	–	–	1	–	2	3	3	2	11	–	–	–	–	–	–	2	2	2	2	3
Acute bronchitis and bronchiolitis (466)	4	–	1	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	2	1	–	1	2
White	4	–	1	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	2	1	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	663	3	1	2	1	4	12	13	42	122	252	211	762	1	3	–	1	2	6	16	32	70	227	404
White	621	3	1	1	1	3	10	11	42	111	237	201	720	1	2	–	1	2	6	14	30	65	217	382
All other	42	–	–	1	–	1	2	2	–	11	15	10	42	–	1	–	–	–	–	2	2	5	10	22
Black	40	–	–	1	–	1	2	2	–	11	13	10	41	–	1	–	–	–	–	2	2	5	10	21
Pneumonia (480-486)	644	3	1	2	1	3	12	13	40	116	247	206	740	1	2	–	1	2	6	16	30	67	221	394
White	603	3	1	1	1	2	10	11	40	105	233	196	700	1	1	–	1	2	6	14	28	63	211	373
All other	41	–	–	1	–	1	2	2	–	11	14	10	40	–	1	–	–	–	–	2	2	4	10	21
Black	40	–	–	1	–	1	2	2	–	11	13	10	39	–	1	–	–	–	–	2	2	4	10	20
Influenza (487)	19	–	–	–	–	1	–	–	2	6	5	5	22	–	1	–	–	–	–	–	2	3	6	10
White	18	–	–	–	–	1	–	–	2	6	4	5	20	–	1	–	–	–	–	–	2	2	6	9
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	983	–	1	1	4	1	7	25	121	358	341	124	732	1	–	1	4	4	5	22	141	220	216	118
White	938	–	1	1	3	1	7	20	112	344	331	118	691	1	–	1	3	2	5	19	131	210	205	114
All other	45	–	–	–	1	–	–	5	9	14	10	6	41	–	–	–	1	2	–	3	10	10	11	4
Black	44	–	–	–	1	–	–	5	8	14	10	6	39	–	–	–	1	2	–	3	10	10	9	4
Bronchitis, chronic and unspecified (490-491)	44	–	1	–	1	–	–	1	4	9	18	10	43	1	–	–	2	–	–	1	6	11	13	9
White	44	–	1	–	1	–	–	1	4	9	18	10	43	1	–	–	2	–	–	1	6	11	13	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	142	–	–	–	–	–	2	5	30	53	43	9	111	–	–	–	1	–	2	3	32	43	19	11
White	133	–	–	–	–	–	2	4	25	51	42	9	107	–	–	–	1	–	2	3	30	42	18	11
All other	9	–	–	–	–	–	–	1	5	2	1	–	4	–	–	–	–	–	–	–	2	1	1	–
Black	8	–	–	–	–	–	–	1	4	2	1	–	4	–	–	–	–	–	–	–	2	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 101 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	26	-	-	1	2	1	1	2	4	5	6	4	50	-	-	1	1	4	1	4	8	10	12	9
White	23	-	-	1	1	1	1	1	4	5	5	4	43	-	-	1	-	2	1	1	7	10	12	9
All other	3	-	-	-	1	-	-	1	-	-	1	-	7	-	-	-	1	2	-	3	1	-	-	-
Black	3	-	-	-	1	-	-	1	-	-	1	-	7	-	-	-	1	2	-	3	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	771	-	-	-	1	-	4	17	83	291	274	101	528	-	-	-	-	-	2	14	95	156	172	89
White	738	-	-	-	1	-	4	14	79	279	266	95	498	-	-	-	-	-	2	14	88	147	162	85
All other	33	-	-	-	-	-	-	3	4	12	8	6	30	-	-	-	-	-	-	-	7	9	10	4
Black	33	-	-	-	-	-	-	3	4	12	8	6	28	-	-	-	-	-	-	-	7	9	8	4
Ulcer of stomach and duodenum (531-533)	41	-	-	-	-	-	1	1	6	14	11	8	32	-	-	-	-	-	-	-	2	5	12	13
White	40	-	-	-	-	-	1	1	5	14	11	8	30	-	-	-	-	-	-	-	2	4	12	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Appendicitis (540-543)	4	-	-	-	-	-	-	1	1	1	-	1	3	-	-	-	1	-	1	-	-	-	-	1
White	4	-	-	-	-	-	-	1	1	1	-	1	3	-	-	-	1	-	1	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	2	-	-	2	-	1	1	3	10	15	10	46	-	-	-	-	1	-	1	4	10	15	15
White	41	2	-	-	2	-	1	1	3	9	14	9	42	-	-	-	-	1	-	1	3	10	14	13
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	-	1	2
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	-	1	2
Chronic liver disease and cirrhosis (571)	228	-	-	-	-	4	32	48	67	47	22	8	124	-	-	-	-	5	8	21	21	34	30	5
White	209	-	-	-	-	4	28	41	60	46	22	8	113	-	-	-	-	3	7	17	19	32	30	5
All other	19	-	-	-	-	-	4	7	7	1	-	-	11	-	-	-	-	2	1	4	2	2	-	-
Black	17	-	-	-	-	-	3	7	7	-	-	-	11	-	-	-	-	2	1	4	2	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	-	-	5	7	5	8	41	-	-	-	-	-	-	2	1	3	19	16
White	23	-	-	-	-	-	-	-	5	5	5	8	39	-	-	-	-	-	-	2	1	3	17	16
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	221	2	-	-	1	3	6	6	21	53	71	58	199	-	-	-	-	2	4	4	10	40	66	73
White	199	2	-	-	-	2	4	6	20	50	62	53	171	-	-	-	-	1	2	2	7	38	58	63
All other	22	-	-	-	1	1	2	-	1	3	9	5	28	-	-	-	-	1	2	2	3	2	8	10
Black	20	-	-	-	-	1	2	-	1	3	8	5	28	-	-	-	-	1	2	2	3	2	8	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	-	1	-	1	1	1	10	4	15	-	-	-	-	-	1	1	1	5	4	3
White	16	-	-	-	-	1	-	1	1	1	8	4	12	-	-	-	-	-	1	-	1	5	3	2
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	1	-	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	199	2	-	-	1	2	6	5	20	51	59	53	183	-	-	-	-	2	3	3	9	35	61	70
White	180	2	-	-	-	1	4	5	19	48	53	48	159	-	-	-	-	1	1	2	6	33	55	61
All other	19	-	-	-	1	1	2	-	1	3	6	5	24	-	-	-	-	1	2	1	3	2	6	9
Black	17	-	-	-	-	1	2	-	1	3	5	5	24	-	-	-	-	1	2	1	3	2	6	9
Infections of kidney (590)	4	-	-	-	-	-	-	-	1	-	3	-	20	-	1	-	-	-	1	-	-	4	7	7
White	4	-	-	-	-	-	-	-	1	-	3	-	18	-	1	-	-	-	1	-	-	3	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	1	-	3	3	---	---	---	---	---	---	---	---	---	---	---	---
White	7	-	-	-	-	-	-	-	1	-	3	3	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	-	1	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	-	1	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 102 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	111	70	9	1	3	6	4	5	6	3	2	2	89	44	6	1	6	3	3	2	5	8	5	6
White	105	66	8	1	3	6	4	4	6	3	2	2	85	41	6	1	6	3	3	2	5	8	4	6
All other	6	4	1	-	-	-	-	1	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	-
Black	5	3	1	-	-	-	-	1	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	120	117	1	1	-	-	-	1	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
White	97	95	-	1	-	-	-	1	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
All other	23	22	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	23	22	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	29	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	91	88	1	1	-	-	-	1	-	-	-	-	66	66	-	-	-	-	-	-	-	-	-	-
White	71	69	-	1	-	-	-	1	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
All other	20	19	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	20	19	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	119	44	2	-	4	8	9	6	6	12	20	8	129	43	1	-	1	2	2	3	8	9	20	40
White	98	33	2	-	3	6	7	2	6	12	20	7	107	32	-	-	1	2	2	3	5	9	17	36
All other	21	11	-	-	1	2	2	4	-	-	-	1	22	11	1	-	-	-	-	-	3	-	3	4
Black	19	9	-	-	1	2	2	4	-	-	-	1	21	11	1	-	-	-	-	-	3	-	2	4
All other diseases (Residual)	1,342	18	8	7	17	28	63	80	166	287	401	267	1,501	5	13	16	8	19	34	56	97	232	468	553
White	1,231	15	8	6	12	20	54	71	152	260	383	250	1,394	3	12	15	8	17	30	48	84	214	442	521
All other	111	3	-	1	5	8	9	9	14	27	18	17	107	2	1	1	-	2	4	8	13	18	26	32
Black	111	3	-	1	5	8	9	9	14	27	18	17	106	2	1	1	-	2	4	8	12	18	26	32
Accidents and adverse effects (E800-E949)	1,141	13	28	63	251	216	161	80	79	120	79	51	542	7	14	23	87	62	46	42	34	52	95	80
White	1,067	12	26	58	240	199	149	75	77	111	71	49	509	6	13	16	82	59	46	38	31	47	91	80
All other	74	1	2	5	11	17	12	5	2	9	8	2	33	1	1	7	5	3	-	4	3	5	4	-
Black	72	1	2	5	10	17	11	5	2	9	8	2	30	1	1	6	5	3	-	2	3	5	4	-
Motor vehicle accidents (E810-E825)	560	2	11	37	178	130	72	37	25	46	15	7	261	4	5	11	76	45	30	22	12	25	25	6
White	526	2	10	34	170	120	67	33	25	44	14	7	247	4	5	9	71	43	30	20	12	24	23	6
All other	34	-	1	3	8	10	5	4	-	2	1	-	14	-	-	2	5	2	-	2	-	1	2	-
Black	33	-	1	3	7	10	5	4	-	2	1	-	11	-	-	1	5	2	-	-	-	1	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	581	11	17	26	73	86	89	43	54	74	64	44	281	3	9	12	11	17	16	20	22	27	70	74
White	541	10	16	24	70	79	82	42	52	67	57	42	262	2	8	7	11	16	16	18	19	23	68	74
All other	40	1	1	2	3	7	7	1	2	7	7	2	19	1	1	5	-	1	-	2	3	4	2	-
Black	39	1	1	2	3	7	6	1	2	7	7	2	19	1	1	5	-	1	-	2	3	4	2	-
Suicide (E950-E959)	401	...	...	7	69	76	64	57	39	42	33	14	89	...	...	1	11	26	11	15	7	13	4	1
White	378	...	...	6	65	69	56	55	38	42	33	14	88	...	...	1	11	25	11	15	7	13	4	1
All other	23	...	...	1	4	7	8	2	1	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	22	...	...	1	4	6	8	2	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	193	3	1	5	30	65	43	17	17	9	2	1	58	3	1	1	7	24	12	9	1	-	-	-
White	141	2	1	3	21	50	31	14	14	4	1	-	43	2	-	-	5	18	8	9	1	-	-	-
All other	52	1	-	2	9	15	12	3	3	5	1	1	15	1	1	1	2	6	4	-	-	-	-	-
Black	52	1	-	2	9	15	12	3	3	5	1	1	15	1	1	1	2	6	4	-	-	-	-	-
All other external causes (E980-E999)	29	2	1	2	3	8	7	1	2	3	-	-	11	-	-	-	2	-	2	2	2	-	2	1
White	26	2	1	2	3	7	7	1	2	1	-	-	10	-	-	-	2	-	1	2	2	-	2	1
All other	3	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	3	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 103 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	20,321	451	87	118	694	991	1,174	1,571	3,077	4,997	4,914	2,245	17,962	310	69	68	200	305	538	924	1,977	3,621	5,175	4,775
White	13,601	197	40	54	336	503	644	967	2,032	3,616	3,611	1,599	12,421	130	28	35	112	142	268	539	1,232	2,457	3,806	3,672
All other	6,720	254	47	64	358	488	530	604	1,045	1,381	1,303	646	5,541	180	41	33	88	163	270	385	745	1,164	1,369	1,103
Black	6,639	253	46	59	350	482	523	601	1,027	1,373	1,286	639	5,488	178	38	33	87	162	264	378	739	1,152	1,360	1,097
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	31	-	-	1	-	1	1	5	6	6	7	4	18	-	-	-	-	-	1	1	2	6	6	2
White	16	-	-	1	-	1	1	1	2	4	3	3	12	-	-	-	-	-	1	1	1	4	3	2
All other	15	-	-	-	-	-	-	4	4	2	4	1	6	-	-	-	-	-	-	-	1	2	3	-
Black	15	-	-	-	-	-	-	4	4	2	4	1	5	-	-	-	-	-	-	-	-	2	3	-
Tuberculosis of respiratory system (010-012)	26	-	-	-	-	-	1	4	6	5	6	4	14	-	-	-	-	-	1	1	2	5	3	2
White	13	-	-	-	-	-	1	1	2	3	3	3	10	-	-	-	-	-	1	1	1	4	1	2
All other	13	-	-	-	-	-	-	3	4	2	3	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	13	-	-	-	-	-	-	3	4	2	3	1	3	-	-	-	-	-	-	-	-	1	2	-
Other tuberculosis (013-018)	5	-	-	1	-	1	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-	1	3	-
White	3	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	1	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	234	4	1	1	2	4	6	13	26	53	76	48	282	2	-	-	2	3	8	11	22	47	103	84
White	137	3	1	-	-	3	4	16	31	48	31	176	1	-	-	2	2	2	6	11	27	62	63
All other	97	1	-	1	2	4	3	9	10	22	28	17	106	1	-	-	-	1	6	5	11	20	41	21
Black	94	1	-	1	2	4	3	9	10	22	25	17	106	1	-	-	-	1	6	5	11	20	41	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	31	-	-	-	1	1	9	5	8	2	5	-	21	1	-	-	1	-	4	4	4	4	2	1
White	22	-	-	-	1	-	5	4	6	1	5	-	13	1	-	-	-	-	1	3	3	2	2	1
All other	9	-	-	-	-	1	4	1	2	1	-	-	8	-	-	-	1	-	3	1	1	2	-	-
Black	6	-	-	-	-	1	1	1	2	1	-	-	8	-	-	-	1	-	3	1	1	2	-	-
Syphilis (090-097)	3	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	498	1	-	3	15	162	173	76	30	24	12	2	85	3	3	-	3	17	16	8	7	10	13	5
White	327	-	-	2	7	98	116	57	18	19	8	2	45	2	1	-	1	3	5	5	6	7	10	5
All other	171	1	-	1	8	64	57	19	12	5	4	-	40	1	2	-	2	14	11	3	1	3	3	-
Black	167	1	-	-	8	64	55	19	12	4	4	-	39	1	1	-	2	14	11	3	1	3	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,969	-	7	11	15	42	161	405	1,030	1,642	1,260	396	3,912	-	2	7	13	54	171	342	735	1,111	1,008	469
White	3,461	-	5	6	12	29	91	259	700	1,199	899	261	2,741	-	2	5	3	29	100	236	513	791	731	331
All other	1,508	-	2	5	3	13	70	146	330	443	361	135	1,171	-	-	2	10	25	71	106	222	320	277	138
Black	1,490	-	2	3	3	13	70	146	324	443	353	133	1,152	-	-	2	10	24	69	103	219	314	274	137

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 104 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	126	-	-	-	2	1	8	23	37	33	17	5	48	-	-	-	-	-	2	6	13	15	8	4
White	79	-	-	-	-	-	2	13	22	25	12	5	32	-	-	-	-	-	-	2	8	14	5	3
All other	47	-	-	-	2	1	6	10	15	8	5	-	16	-	-	-	-	-	2	4	5	1	3	1
Black	46	-	-	-	2	1	6	10	15	8	4	-	16	-	-	-	-	-	2	4	5	1	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,074	-	-	-	1	7	40	97	229	356	258	86	938	-	-	1	1	1	13	57	137	258	289	181
White	716	-	-	-	1	3	20	63	149	258	170	52	627	-	-	-	-	-	6	33	93	174	200	121
All other	358	-	-	-	-	4	20	34	80	98	88	34	311	-	-	1	1	1	7	24	44	84	89	60
Black	353	-	-	-	-	4	20	34	78	98	86	33	305	-	-	1	1	1	7	22	42	82	89	60
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,946	-	-	-	-	3	46	176	478	712	450	81	910	-	-	-	1	5	20	83	229	304	216	52
White	1,381	-	-	-	-	-	26	105	322	531	334	63	689	-	-	-	-	4	11	65	180	225	163	41
All other	565	-	-	-	-	3	20	71	156	181	116	18	221	-	-	-	1	1	9	18	49	79	53	11
Black	559	-	-	-	-	3	20	71	152	181	114	18	219	-	-	-	1	1	8	18	49	79	52	11
Malignant neoplasm of breast (174-175)	5	-	-	-	-	1	-	-	-	3	-	1	683	-	-	-	1	18	74	98	120	169	150	53
White	3	-	-	-	-	1	-	-	-	1	-	1	463	-	-	-	-	10	45	63	81	126	101	37
All other	2	-	-	-	-	-	-	-	-	2	-	-	220	-	-	-	1	8	29	35	39	43	49	16
Black	2	-	-	-	-	-	-	-	-	2	-	-	215	-	-	-	1	7	28	35	39	42	48	15
Malignant neoplasms of genital organs (179-187)	627	-	-	-	-	2	-	9	59	188	246	123	360	-	-	-	4	9	26	34	67	103	75	42
White	381	-	-	-	-	2	-	3	34	117	156	69	222	-	-	-	-	3	15	23	38	67	52	24
All other	246	-	-	-	-	-	-	6	25	71	90	54	138	-	-	-	4	6	11	11	29	36	23	18
Black	246	-	-	-	-	-	-	6	25	71	90	54	138	-	-	-	4	6	11	11	29	36	23	18
Malignant neoplasms of urinary organs (188-189)	206	-	1	-	-	2	5	16	37	67	58	20	142	-	-	-	-	2	2	12	21	43	38	24
White	163	-	1	-	-	1	2	12	31	51	49	16	105	-	-	-	-	-	2	10	17	29	29	18
All other	43	-	-	-	-	1	3	4	6	16	9	4	37	-	-	-	-	2	-	2	4	14	9	6
Black	43	-	-	-	-	1	3	4	6	16	9	4	36	-	-	-	-	2	-	2	4	14	8	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	556	-	5	8	6	12	36	54	122	156	110	47	456	-	1	3	4	9	18	35	96	110	125	55
White	417	-	3	5	6	11	23	39	91	122	84	33	322	-	1	3	2	6	10	27	64	78	90	41
All other	139	-	2	3	-	1	13	15	31	34	26	14	134	-	-	-	2	3	8	8	32	32	35	14
Black	137	-	2	3	-	1	13	15	31	34	24	14	132	-	-	-	2	3	8	8	31	31	35	14
Leukemia (204-208)	177	-	1	1	4	7	9	15	34	42	56	8	125	-	1	3	2	6	8	4	19	22	39	21
White	136	-	1	1	3	7	7	13	24	31	44	5	95	-	1	2	1	2	5	4	10	16	35	19
All other	41	-	-	-	1	-	2	2	10	11	12	3	30	-	-	1	1	4	3	-	9	6	4	2
Black	41	-	-	-	1	-	2	2	10	11	12	3	29	-	-	1	1	4	3	-	9	5	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	252	-	-	2	2	7	17	15	34	85	65	25	250	-	-	-	-	4	8	13	33	87	68	37
White	185	-	-	-	2	4	11	11	27	63	50	17	186	-	-	-	-	4	6	9	22	62	56	27
All other	67	-	-	2	-	3	6	4	7	22	15	8	64	-	-	-	-	-	2	4	11	25	12	10
Black	63	-	-	-	-	3	6	4	7	22	14	7	62	-	-	-	-	-	2	3	11	24	12	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	-	-	1	-	2	3	5	9	17	17	7	61	-	1	-	2	1	3	6	5	11	24	8
White	45	-	-	-	-	1	3	4	5	12	16	4	45	-	1	-	1	-	2	2	5	7	19	8
All other	16	-	-	1	-	1	-	1	4	5	1	3	16	-	-	-	1	1	1	4	-	4	5	-
Black	16	-	-	1	-	1	-	1	4	5	1	3	16	-	-	-	1	1	1	4	-	4	5	-
Diabetes mellitus (250)	539	-	-	-	3	8	25	49	100	183	120	51	773	-	-	3	-	3	20	44	102	203	238	160
White	340	-	-	-	1	7	12	22	56	120	91	31	440	-	-	2	-	-	10	19	35	114	155	105
All other	199	-	-	-	2	1	13	27	44	63	29	20	333	-	-	1	-	3	10	25	67	89	83	55
Black	199	-	-	-	2	1	13	27	44	63	29	20	332	-	-	1	-	3	10	25	66	89	83	55
Nutritional deficiencies (260-269)	37	1	-	-	1	-	1	-	3	4	15	12	48	-	-	-	-	-	-	-	1	5	19	23
White	21	-	-	-	1	-	1	-	1	2	10	6	30	-	-	-	-	-	-	-	-	3	12	15
All other	16	1	-	-	-	-	-	-	2	2	5	6	18	-	-	-	-	-	-	-	1	2	7	8
Black	16	1	-	-	-	-	-	-	2	2	5	6	18	-	-	-	-	-	-	-	1	2	7	8
Anemias (280-285)	41	-	1	-	2	4	2	2	1	14	10	5	47	-	1	1	-	1	1	4	1	5	15	18
White	25	-	-	-	1	1	1	1	1	9	6	5	37	-	-	-	-	-	-	1	1	5	14	16
All other	16	-	1	-	1	3	1	1	-	5	4	-	10	-	1	1	-	1	1	3	-	-	1	2
Black	16	-	1	-	1	3	1	1	-	5	4	-	10	-	1	1	-	1	1	3	-	-	1	2
Meningitis (320-322)	8	2	1	1	-	1	-	-	1	-	2	-	6	2	-	-	-	-	-	-	1	2	-	1
White	5	2	-	1	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	3	-	1	-	-	1	-	-	-	-	1	-	3	1	-	-	-	-	-	-	1	1	-	-
Black	3	-	1	-	-	1	-	-	-	-	1	-	3	1	-	-	-	-	-	-	1	1	-	-
Major cardiovascular diseases (390-448)	7,707	11	4	3	20	77	242	575	1,285	2,086	2,263	1,140	8,073	10	6	3	9	30	104	258	676	1,480	2,585	2,912
White	5,396	3	1	2	15	33	111	361	867	1,503	1,677	822	5,677	4	3	1	4	10	38	127	380	945	1,906	2,261
All other	2,311	8	3	1	5	44	131	214	418	583	586	318	2,396	6	3	2	5	20	68	131	296	535	679	651
Black	2,293	8	3	1	5	43	131	212	412	581	582	315	2,379	6	3	2	5	20	68	129	295	530	673	648

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 105 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,247	9	4	3	17	66	199	493	1,119	1,704	1,769	863	6,193	7	5	3	8	20	77	195	537	1,180	1,969	2,192
White	4,444	2	1	2	12	30	103	317	781	1,240	1,336	619	4,355	4	3	1	4	6	26	98	310	759	1,458	1,686
All other	1,803	7	3	1	5	36	96	176	338	464	433	244	1,838	3	2	2	4	14	51	97	227	421	511	506
Black	1,790	7	3	1	5	36	96	174	332	462	431	243	1,825	3	2	2	4	14	51	96	226	417	506	504
Rheumatic fever and rheumatic heart disease (390-398)	18	–	–	–	–	1	2	1	4	4	4	2	45	–	–	–	1	1	3	6	7	10	8	9
White	15	–	–	–	–	1	1	1	3	4	4	1	33	–	–	–	1	–	–	2	7	9	7	7
All other	3	–	–	–	–	–	1	–	1	–	–	1	12	–	–	–	–	1	3	4	–	1	1	2
Black	3	–	–	–	–	–	1	–	1	–	–	1	12	–	–	–	–	1	3	4	–	1	1	2
Hypertensive heart disease (402)	247	–	–	–	2	1	17	24	39	62	74	28	385	–	–	–	–	2	3	17	35	86	114	128
White	109	–	–	–	2	–	5	9	14	28	38	13	212	–	–	–	–	–	1	7	16	30	68	90
All other	138	–	–	–	–	1	12	15	25	34	36	15	173	–	–	–	–	2	2	10	19	56	46	38
Black	138	–	–	–	–	1	12	15	25	34	36	15	173	–	–	–	–	2	2	10	19	56	46	38
Hypertensive heart and renal disease (404)	23	–	–	–	–	–	–	3	2	5	8	5	48	–	–	–	–	–	–	1	4	9	20	14
White	9	–	–	–	–	–	–	–	1	2	3	3	23	–	–	–	–	–	–	1	1	5	9	7
All other	14	–	–	–	–	–	–	3	1	3	5	2	25	–	–	–	–	–	–	–	3	4	11	7
Black	14	–	–	–	–	–	–	3	1	3	5	2	25	–	–	–	–	–	–	–	3	4	11	7
Ischemic heart disease (410-414)	4,234	–	–	–	2	29	119	363	800	1,194	1,202	524	3,678	–	–	–	–	4	36	109	318	745	1,204	1,262
White	3,167	–	–	–	1	14	67	247	592	904	948	393	2,682	–	–	–	–	–	14	59	188	514	924	983
All other	1,067	–	–	–	1	15	52	116	208	290	254	131	996	–	–	–	–	4	22	50	130	231	280	279
Black	1,057	–	–	–	1	15	52	115	204	288	252	130	988	–	–	–	–	4	22	49	129	228	278	278
Acute myocardial infarction (410)	2,554	–	–	–	1	20	92	260	533	706	682	260	1,975	–	–	–	–	4	24	77	220	457	669	524
White	1,915	–	–	–	–	10	53	182	402	537	537	194	1,440	–	–	–	–	–	10	46	135	315	523	411
All other	639	–	–	–	1	10	39	78	131	169	145	66	535	–	–	–	–	4	14	31	85	142	146	113
Black	634	–	–	–	1	10	39	77	129	168	145	65	531	–	–	–	–	4	14	31	84	141	145	112
Other acute and subacute forms of ischemic heart disease (411)	56	–	–	–	1	–	7	16	17	9	4	2	19	–	–	–	–	–	5	2	2	2	5	3
White	46	–	–	–	1	–	4	14	16	6	3	2	11	–	–	–	–	–	2	1	–	2	3	3
All other	10	–	–	–	–	–	3	2	1	3	1	–	8	–	–	–	–	–	3	1	2	–	2	–
Black	10	–	–	–	–	–	3	2	1	3	1	–	8	–	–	–	–	–	3	1	2	–	2	–
Angina pectoris (413)	13	–	–	–	–	–	–	3	2	5	1	2	19	–	–	–	–	–	–	–	–	5	9	5
White	10	–	–	–	–	–	–	2	2	3	1	2	15	–	–	–	–	–	–	–	–	4	7	4
All other	3	–	–	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Black	3	–	–	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,611	–	–	–	–	9	20	84	248	474	515	260	1,665	–	–	–	–	–	7	30	96	281	521	730
White	1,196	–	–	–	–	4	10	49	172	358	407	195	1,216	–	–	–	–	–	2	12	53	193	391	565
All other	415	–	–	–	–	5	10	35	76	116	108	65	449	–	–	–	–	–	5	18	43	88	130	165
Black	410	–	–	–	–	5	10	35	74	115	106	65	445	–	–	–	–	–	5	17	43	86	129	165
Other diseases of endocardium (424)	87	–	–	–	–	2	4	3	11	25	29	13	80	–	–	–	–	–	–	1	7	16	28	28
White	67	–	–	–	–	2	1	3	7	21	23	10	66	–	–	–	–	–	–	–	5	11	25	25
All other	20	–	–	–	–	–	3	–	4	4	6	3	14	–	–	–	–	–	–	1	2	5	3	3
Black	20	–	–	–	–	–	3	–	4	4	6	3	14	–	–	–	–	–	–	1	2	5	3	3
All other forms of heart disease (415-423,425-429)	1,638	9	4	3	13	33	57	99	263	414	452	291	1,957	7	5	3	7	13	35	61	166	314	595	751
White	1,077	2	1	2	9	13	29	57	164	281	320	199	1,339	4	3	1	3	6	11	29	93	190	425	574
All other	561	7	3	1	4	20	28	42	99	133	132	92	618	3	2	2	4	7	24	32	73	124	170	177
Black	558	7	3	1	4	20	28	41	97	133	132	92	613	3	2	2	4	7	24	32	73	123	167	176
Hypertension with or without renal disease (401,403)	44	–	–	–	–	2	1	2	6	9	16	8	91	–	–	–	–	2	2	2	8	21	30	26
White	23	–	–	–	–	–	–	–	3	4	11	5	49	–	–	–	–	1	–	–	2	12	16	18
All other	21	–	–	–	–	2	1	2	3	5	5	3	42	–	–	–	–	1	2	2	6	9	14	8
Black	21	–	–	–	–	2	1	2	3	5	5	3	42	–	–	–	–	1	2	2	6	9	14	8
Cerebrovascular diseases (430-438)	1,033	2	–	–	3	3	36	60	111	272	354	192	1,400	3	1	–	1	8	24	52	106	222	466	517
White	640	1	–	–	3	–	7	30	50	176	234	139	972	–	–	–	–	3	10	23	53	136	335	412
All other	393	1	–	–	–	3	29	30	61	96	120	53	428	3	1	–	1	5	14	29	53	86	131	105
Black	390	1	–	–	–	3	29	30	61	96	119	51	424	3	1	–	1	5	14	28	53	85	130	104
Intracerebral and other intracranial hemorrhage (431-432)	154	1	–	–	–	1	18	21	24	43	34	12	173	2	–	–	–	2	8	15	30	36	54	26
White	82	–	–	–	–	–	1	9	11	26	26	9	105	–	–	–	–	2	2	7	9	24	41	20
All other	72	1	–	–	–	1	17	12	13	17	8	3	68	2	–	–	–	–	6	8	21	12	13	6
Black	71	1	–	–	–	1	17	12	13	17	8	2	68	2	–	–	–	–	6	8	21	12	13	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	116	–	–	–	–	1	1	10	10	32	35	27	149	–	–	–	–	–	2	3	5	17	56	66
White	74	–	–	–	–	–	–	5	7	23	23	16	109	–	–	–	–	–	2	–	4	12	37	54
All other	42	–	–	–	–	1	1	5	3	9	12	11	40	–	–	–	–	–	–	3	1	5	19	12
Black	41	–	–	–	–	1	1	5	3	9	11	11	39	–	–	–	–	–	–	2	1	5	19	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 106 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	1	1	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	761	1	–	–	3	1	17	29	77	195	285	153	1,075	1	1	–	1	6	14	34	70	168	356	424
White	483	1	–	–	3	–	6	16	32	126	185	114	756	–	–	–	–	1	6	16	40	99	257	337
All other	278	–	–	–	–	1	11	13	45	69	100	39	319	1	1	–	1	5	8	18	30	69	99	87
Black	277	–	–	–	–	1	11	13	45	69	100	38	316	1	1	–	1	5	8	18	30	68	98	86
Atherosclerosis (440)	152	–	–	–	–	–	2	9	12	30	47	52	202	–	–	–	–	–	1	1	8	20	53	119
White	103	–	–	–	–	–	–	5	5	24	30	39	160	–	–	–	–	–	–	1	3	10	44	102
All other	49	–	–	–	–	–	2	4	7	6	17	13	42	–	–	–	–	–	1	–	5	10	9	17
Black	49	–	–	–	–	–	2	4	7	6	17	13	42	–	–	–	–	–	1	–	5	10	9	17
Other diseases of arteries, arterioles, and capillaries (441-448)	231	–	–	–	–	6	4	11	37	71	77	25	187	–	–	–	–	–	–	8	17	37	67	58
White	186	–	–	–	–	3	1	9	28	59	66	20	141	–	–	–	–	–	–	5	12	28	53	43
All other	45	–	–	–	–	3	3	2	9	12	11	5	46	–	–	–	–	–	–	3	5	9	14	15
Black	43	–	–	–	–	2	3	2	9	12	10	5	46	–	–	–	–	–	–	3	5	9	14	15
Acute bronchitis and bronchiolitis (466)	8	–	–	–	–	–	–	–	1	3	3	1	9	3	1	–	–	–	–	–	1	–	1	3
White	6	–	–	–	–	–	–	–	1	2	2	1	7	3	–	–	–	–	–	–	1	–	1	2
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	1
Black	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia and influenza (480-487)	503	17	2	–	5	15	15	21	38	82	172	136	539	8	3	2	1	4	12	11	25	75	150	248
White	349	2	–	–	1	7	8	12	19	66	123	111	390	1	–	–	–	2	5	5	16	52	117	192
All other	154	15	2	–	4	8	7	9	19	16	49	25	149	7	3	2	1	2	7	6	9	23	33	56
Black	153	15	1	–	4	8	7	9	19	16	49	25	149	7	3	2	1	2	7	6	9	23	33	56
Pneumonia (480-486)	493	17	2	–	5	15	13	19	38	81	169	134	533	8	3	2	1	4	12	11	24	75	147	246
White	342	2	–	–	1	7	7	12	19	65	120	109	384	1	–	–	–	2	5	5	15	52	114	190
All other	151	15	2	–	4	8	6	7	19	16	49	25	149	7	3	2	1	2	7	6	9	23	33	56
Black	150	15	1	–	4	8	6	7	19	16	49	25	149	7	3	2	1	2	7	6	9	23	33	56
Influenza (487)	10	–	–	–	–	–	2	2	–	1	3	2	6	–	–	–	–	–	–	–	1	–	3	2
White	7	–	–	–	–	–	1	–	–	1	3	2	6	–	–	–	–	–	–	–	1	–	3	2
All other	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	750	–	1	2	2	2	6	19	99	256	269	94	588	1	–	2	2	2	7	20	87	195	188	84
White	596	–	1	1	2	–	2	11	75	207	224	73	499	–	–	–	1	1	2	12	70	167	170	76
All other	154	–	–	1	–	2	4	8	24	49	45	21	89	1	–	2	1	1	5	8	17	28	18	8
Black	152	–	–	1	–	2	4	8	24	47	45	21	88	1	–	2	1	1	4	8	17	28	18	8
Bronchitis, chronic and unspecified (490-491)	48	–	1	–	1	1	3	5	6	13	12	6	37	1	–	–	–	1	1	3	4	16	7	4
White	33	–	1	–	1	–	–	1	4	10	11	5	31	–	–	–	–	–	–	2	4	16	6	3
All other	15	–	–	–	–	1	3	4	2	3	1	1	6	1	–	–	–	1	1	1	–	–	1	1
Black	15	–	–	–	–	1	3	4	2	3	1	1	6	1	–	–	–	1	1	1	–	–	1	1
Emphysema (492)	149	–	–	–	–	–	–	3	14	52	63	17	112	–	–	–	–	–	–	3	14	50	30	15
White	124	–	–	–	–	–	–	2	13	44	54	11	95	–	–	–	–	–	–	2	10	42	28	13
All other	25	–	–	–	–	–	–	1	1	8	9	6	17	–	–	–	–	–	–	1	4	8	2	2
Black	24	–	–	–	–	–	–	1	1	7	9	6	17	–	–	–	–	–	–	1	4	8	2	2
Asthma (493)	33	–	–	2	1	1	3	4	6	7	8	1	54	–	–	2	2	1	4	5	14	15	9	2
White	24	–	–	1	1	–	2	3	4	6	6	1	35	–	–	–	1	1	–	2	10	12	8	1
All other	9	–	–	1	–	1	1	1	2	1	2	–	19	–	–	2	1	–	4	3	4	3	1	1
Black	9	–	–	1	–	1	1	1	2	1	2	–	18	–	–	2	1	–	3	3	4	3	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	520	–	–	–	–	–	–	7	73	184	186	70	385	–	–	–	–	–	2	9	55	114	142	63
White	415	–	–	–	–	–	–	5	54	147	153	56	338	–	–	–	–	–	2	6	46	97	128	59
All other	105	–	–	–	–	–	–	2	19	37	33	14	47	–	–	–	–	–	–	3	9	17	14	4
Black	104	–	–	–	–	–	–	2	19	36	33	14	47	–	–	–	–	–	–	3	9	17	14	4
Ulcer of stomach and duodenum (531-533)	45	–	–	–	–	–	3	3	5	15	17	2	48	–	–	–	–	2	–	1	3	12	13	17
White	26	–	–	–	–	–	–	1	2	11	10	2	39	–	–	–	–	–	–	1	2	12	9	15
All other	19	–	–	–	–	–	3	2	3	4	7	–	9	–	–	–	–	2	–	–	1	–	4	2
Black	19	–	–	–	–	–	3	2	3	4	7	–	9	–	–	–	–	2	–	–	1	–	4	2
Appendicitis (540-543)	3	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	1	–	1	–	–	–	2	3	8	12	14	75	–	–	–	–	–	1	4	6	9	27	28
White	24	1	–	1	–	–	–	–	–	6	7	9	49	–	–	–	–	–	1	–	4	5	20	19
All other	17	–	–	–	–	–	–	2	3	2	5	5	26	–	–	–	–	–	–	4	2	4	7	9
Black	16	–	–	–	–	–	–	2	3	1	5	5	26	–	–	–	–	–	–	4	2	4	7	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 107 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	226	-	-	-	1	5	28	49	53	49	38	3	129	-	-	-	-	6	10	23	36	29	23	2
White	158	-	-	-	-	4	10	30	41	39	31	3	90	-	-	-	-	2	6	11	22	27	20	2
All other	68	-	-	-	1	1	18	19	12	10	7	-	39	-	-	-	-	4	4	12	14	2	3	-
Black	67	-	-	-	1	1	18	19	12	9	7	-	39	-	-	-	-	4	4	12	14	2	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	1	1	5	4	34	-	-	-	-	-	-	2	4	6	9	13
White	11	-	-	-	-	-	-	-	1	1	5	4	22	-	-	-	-	-	-	2	2	4	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	2	2	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	2	2	4	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	216	3	-	-	2	5	5	16	22	59	61	43	249	1	-	-	1	2	6	4	21	44	96	74
White	127	2	-	-	1	1	-	6	7	33	49	28	156	1	-	-	-	-	4	3	7	24	64	53
All other	89	1	-	-	1	4	5	10	15	26	12	15	93	-	-	-	1	2	2	1	14	20	32	21
Black	88	1	-	-	1	4	5	10	14	26	12	15	93	-	-	-	1	2	2	1	14	20	32	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	1	-	-	-	1	-	-	2	6	-	-	-	-	-	1	-	1	2	1	1
White	3	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	2	-	5	1	3	11	-	-	-	-	-	-	-	1	1	4	5
White	5	-	-	-	-	-	-	1	-	2	-	2	7	-	-	-	-	-	-	-	-	-	2	5
All other	6	-	-	-	-	-	-	1	-	3	1	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	6	-	-	-	-	-	-	1	-	3	1	1	4	-	-	-	-	-	-	-	1	1	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	201	3	-	-	1	5	5	14	21	54	60	38	232	1	-	-	1	2	5	4	19	41	91	68
White	119	2	-	-	1	1	-	5	6	31	49	24	146	1	-	-	-	-	4	3	7	23	61	47
All other	82	1	-	-	-	4	5	9	15	23	11	14	86	-	-	-	1	2	1	1	12	18	30	21
Black	81	1	-	-	-	4	5	9	14	23	11	14	86	-	-	-	1	2	1	1	12	18	30	21
Infections of kidney (590)	7	-	-	-	-	-	-	-	2	3	1	1	20	-	-	-	-	-	1	-	1	4	5	9
White	3	-	-	-	-	-	-	-	-	2	-	1	12	-	-	-	-	-	-	-	1	4	1	6
All other	4	-	-	-	-	-	-	-	2	1	1	-	8	-	-	-	-	-	1	-	-	-	4	3
Black	4	-	-	-	-	-	-	-	2	1	1	-	8	-	-	-	-	-	1	-	-	-	4	3
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	1	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	1	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	1	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	6	1	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	-	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	3	5	1	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	-	1	...	...	...	...
Congenital anomalies (740-759)	139	95	10	8	2	9	1	8	3	3	-	-	106	65	9	7	3	4	-	7	2	5	2	2
White	92	62	6	4	2	6	1	7	1	3	-	-	59	33	6	5	2	2	-	4	2	3	-	2
All other	47	33	4	4	-	3	-	1	2	-	-	-	47	32	3	2	1	2	-	3	-	2	2	-
Black	46	33	4	4	-	2	-	1	2	-	-	-	46	32	3	2	-	2	-	3	-	2	2	-
Certain conditions originating in the perinatal period (760-779)	195	195	-	-	-	-	-	-	-	-	-	-	151	150	-	1	-	-	-	-	-	-	-	-
White	69	69	-	-	-	-	-	-	-	-	-	-	58	57	-	1	-	-	-	-	-	-	-	-
All other	126	126	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
Black	125	125	-	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	49	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 108 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	146	146	-	-	-	-	-	-	-	-	-	-	118	117	-	1	-	-	-	-	-	-	-	-
White	43	43	-	-	-	-	-	-	-	-	-	-	44	43	-	1	-	-	-	-	-	-	-	-
All other	103	103	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
Black	102	102	-	-	-	-	-	-	-	-	-	-	73	73	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	214	73	1	-	6	15	8	6	14	30	38	23	183	35	1	1	3	4	5	7	14	20	43	50
White	127	34	-	-	3	9	5	2	7	23	27	17	110	13	-	-	-	1	2	2	11	13	31	37
All other	87	39	1	-	3	6	3	4	7	7	11	6	73	22	1	1	3	3	3	5	3	7	12	13
Black	87	39	1	-	3	6	3	4	7	7	11	6	72	22	1	1	3	3	3	4	3	7	12	13
All other diseases (Residual)	1,407	20	15	11	21	54	94	122	186	296	384	204	1,663	18	13	13	23	35	66	99	149	262	507	478
White	904	9	6	6	9	26	52	58	108	209	279	142	1,150	9	7	7	7	8	24	49	88	187	378	386
All other	503	11	9	5	12	28	42	64	78	87	105	62	513	9	6	6	16	27	42	50	61	75	129	92
Black	493	11	9	4	12	28	41	64	75	86	103	60	509	9	5	6	16	27	42	49	61	75	129	90
Accidents and adverse effects (E800-E949)	1,246	19	36	58	258	265	184	103	89	99	89	45	541	8	22	23	77	61	48	40	49	50	87	76
White	797	6	16	23	186	166	119	66	51	69	60	34	381	3	5	12	64	42	30	27	34	36	68	60
All other	449	13	20	35	72	99	65	37	38	30	29	11	160	5	17	11	13	19	18	13	15	14	19	16
Black	439	13	20	35	68	96	64	36	37	30	29	11	159	5	17	11	13	19	17	13	15	14	19	16
Motor vehicle accidents (E810-E825)	614	2	19	19	173	154	98	52	34	29	29	5	255	3	5	10	64	47	31	26	21	21	21	6
White	428	-	8	8	137	103	70	33	18	26	21	4	189	2	3	7	56	33	20	18	15	13	17	5
All other	186	2	11	11	36	51	28	19	16	3	8	1	66	1	2	3	8	14	11	8	6	8	4	1
Black	184	2	11	11	35	50	28	19	16	3	8	1	65	1	2	3	8	14	10	8	6	8	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	632	17	17	39	85	111	86	51	55	70	60	40	286	5	17	13	13	14	17	14	28	29	66	70
White	369	6	8	15	49	63	49	33	33	43	39	30	192	1	2	5	8	9	10	9	19	23	51	55
All other	263	11	9	24	36	48	37	18	22	27	21	10	94	4	15	8	5	5	7	5	9	6	15	15
Black	255	11	9	24	33	46	36	17	21	27	21	10	94	4	15	8	5	5	7	5	9	6	15	15
Suicide (E950-E959)	457	...	...	6	92	106	83	47	36	48	31	8	101	...	...	1	13	20	21	14	12	14	5	1
White	371	...	...	4	69	78	67	44	33	43	26	7	93	...	...	1	12	20	19	13	12	12	3	1
All other	86	...	...	2	23	28	16	3	3	5	5	1	8	...	...	-	1	-	2	1	-	2	2	-
Black	81	...	...	1	21	27	16	3	2	5	5	1	7	...	...	-	1	-	1	1	-	2	2	-
Homicide and legal intervention (E960-E978)	666	4	6	10	244	204	119	37	23	13	6	-	165	2	5	4	40	46	29	10	9	9	5	6
White	128	2	2	3	24	32	32	15	12	2	4	-	65	-	2	1	11	14	15	7	4	3	4	4
All other	538	2	4	7	220	172	87	22	11	11	2	-	100	2	3	3	29	32	14	3	5	6	1	2
Black	536	2	4	7	218	172	87	22	11	11	2	-	98	2	3	3	29	32	13	3	5	5	1	2
All other external causes (E980-E999)	21	1	1	1	2	8	4	2	1	1	-	-	15	-	1	-	3	4	3	2	1	1	-	-
White	13	1	1	-	1	4	3	2	1	-	-	-	10	-	-	-	2	3	2	2	-	1	-	-
All other	8	-	-	1	1	4	1	-	-	1	-	-	5	-	1	-	1	1	1	-	1	-	-	-
Black	8	-	-	1	1	4	1	-	-	1	-	-	5	-	1	-	1	1	1	-	1	-	-	-
MAINE																								
All causes	5,632	75	17	20	103	144	208	324	778	1,417	1,617	929	5,594	38	9	6	40	62	105	193	474	1,026	1,671	1,970
White	5,599	75	17	18	100	143	204	322	773	1,412	1,613	922	5,568	35	9	6	39	62	104	190	472	1,022	1,663	1,966
All other	33	-	-	2	3	1	4	2	5	5	4	7	26	3	-	-	1	-	1	3	2	4	8	4
Black	14	-	-	-	1	1	2	1	1	3	1	4	7	1	-	-	-	-	-	-	-	3	2	1
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	1	2	1
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 109 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	30	-	-	-	-	1	2	1	5	9	5	7	43	-	-	-	-	-	-	1	-	5	13	24
White	30	-	-	-	-	1	2	1	5	9	5	7	43	-	-	-	-	-	-	1	-	5	13	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	50	-	-	-	1	16	16	4	-	8	5	-	22	-	-	-	-	3	3	-	3	6	5	2
White	49	-	-	-	1	16	15	4	-	8	5	-	22	-	-	-	-	3	3	-	3	6	5	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,528	-	4	3	3	13	55	106	289	487	435	133	1,409	-	3	-	2	15	51	102	229	393	405	209
White	1,519	-	4	2	3	13	54	104	287	485	434	133	1,403	-	3	-	2	15	51	100	228	391	404	209
All other	9	-	-	1	-	-	1	2	2	2	1	-	6	-	-	-	-	-	-	2	1	2	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	38	-	-	-	-	-	2	5	10	14	6	1	21	-	-	-	-	1	-	3	4	7	6	-
White	38	-	-	-	-	-	2	5	10	14	6	1	20	-	-	-	-	1	-	3	3	7	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	343	-	-	-	-	2	14	21	65	123	94	24	332	-	-	-	-	1	5	15	37	87	108	79
White	340	-	-	-	-	2	14	21	63	122	94	24	329	-	-	-	-	1	5	14	37	86	107	79
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	557	-	-	-	-	1	7	47	133	195	147	27	337	-	-	-	-	2	11	26	74	114	92	18
White	554	-	-	-	-	1	7	45	133	194	147	27	336	-	-	-	-	2	11	25	74	114	92	18
All other	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	220	-	-	-	-	5	14	25	47	45	57	27
White	1	-	-	-	-	-	-	-	1	-	-	-	220	-	-	-	-	5	14	25	47	45	57	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	184	-	-	-	1	1	-	2	19	54	73	34	154	-	-	-	-	2	9	17	25	41	41	19
White	184	-	-	-	1	1	-	2	19	54	73	34	153	-	-	-	-	2	9	17	25	40	41	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 110 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	67	-	-	1	-	-	1	5	14	12	22	12	41	-	-	-	-	1	-	2	3	14	15	6
White	67	-	-	1	-	-	1	5	14	12	22	12	41	-	-	-	-	1	-	2	3	14	15	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	196	-	2	1	-	5	19	16	28	53	50	22	170	-	2	-	-	2	5	7	21	51	42	40
White	193	-	2	-	-	5	18	16	28	53	49	22	170	-	2	-	-	2	5	7	21	51	42	40
All other	3	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	55	-	2	1	1	3	2	3	9	13	14	7	49	-	1	-	2	1	2	3	6	14	14	6
White	55	-	2	1	1	3	2	3	9	13	14	7	49	-	1	-	2	1	2	3	6	14	14	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	87	-	-	-	1	1	10	7	10	23	29	6	85	-	-	-	-	-	-	5	4	12	20	30	14
White	87	-	-	-	1	1	10	7	10	23	29	6	85	-	-	-	-	-	-	5	4	12	20	30	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	-	-	1	1	2	1	2	3	4	9	3	24	-	-	-	-	-	-	1	1	1	3	5	13
White	26	-	-	1	1	2	1	2	3	4	9	3	24	-	-	-	-	-	-	1	1	1	3	5	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	137	-	-	-	-	4	6	12	18	42	40	15	160	-	-	-	-	-	3	2	12	18	41	49	35
White	135	-	-	-	-	4	6	12	18	42	39	14	160	-	-	-	-	-	3	2	12	18	41	49	35
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	-	2	4	11	-	-	-	-	-	-	-	-	-	1	1	9
White	6	-	-	-	-	-	-	-	-	-	2	4	11	-	-	-	-	-	-	-	-	-	1	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	1	-	-	2	3	12	-	-	-	-	-	1	-	-	1	2	3	5
White	6	-	-	-	-	-	-	1	-	-	2	3	12	-	-	-	-	-	1	-	-	1	2	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
White	3	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,248	1	-	-	3	10	51	116	296	600	714	457	2,444	-	1	1	3	1	11	35	123	363	765	1,141
White	2,238	1	-	-	3	10	50	116	295	597	712	454	2,435	-	1	1	3	1	11	34	122	361	762	1,139
All other	10	-	-	-	-	-	1	-	1	3	2	3	9	-	-	-	-	-	-	1	1	2	3	2
Black	7	-	-	-	-	-	1	-	-	3	-	3	3	-	-	-	-	-	-	-	-	2	1	-
Diseases of heart (390-398,402,404-429)	1,838	1	-	-	2	7	46	103	255	490	565	369	1,864	-	-	1	2	-	9	28	104	284	592	844
White	1,829	1	-	-	2	7	45	103	254	487	564	366	1,856	-	-	1	2	-	9	27	103	282	590	842
All other	9	-	-	-	-	-	1	-	1	3	1	3	8	-	-	-	-	-	-	1	1	2	2	2
Black	7	-	-	-	-	-	1	-	-	3	-	3	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	1	-	-	7	2	3	23	-	-	-	-	-	-	1	5	6	7	4
White	13	-	-	-	-	-	1	-	-	7	2	3	23	-	-	-	-	-	-	1	5	6	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	31	-	-	-	-	-	1	3	8	6	8	5	55	-	-	-	-	-	-	-	4	10	12	29
White	31	-	-	-	-	-	1	3	8	6	8	5	54	-	-	-	-	-	-	-	3	10	12	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	1	-	1	2	9	-	-	-	-	-	-	-	-	5	4	
White	4	-	-	-	-	-	-	-	1	-	1	2	9	-	-	-	-	-	-	-	-	5	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischemic heart disease (410-414)	1,306	-	-	-	-	4	34	81	182	352	406	247	1,245	-	-	-	-	-	-	6	21	68	195	418	537
White	1,299	-	-	-	-	4	33	81	181	350	405	245	1,241	-	-	-	-	-	-	6	21	68	194	417	535
All other	7	-	-	-	-	-	1	-	1	2	1	2	4	-	-	-	-	-	-	-	-	-	1	1	2
Black	5	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Acute myocardial infarction (410)	657	-	-	-	-	2	19	51	106	176	202	101	522	-	-	-	-	-	-	3	12	37	104	198	168
White	654	-	-	-	-	2	18	51	106	176	202	99	521	-	-	-	-	-	-	3	12	37	104	198	167
All other	3	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 111 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	11	-	-	-	-	-	-	1	3	5	2	-	8	-	-	-	-	-	-	2	3	2	1	-
White	10	-	-	-	-	-	-	1	3	5	1	-	8	-	-	-	-	-	-	2	3	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	-	1	-	-	2	2	3	-	-	-	-	-	-	-	-	2	1	-
White	5	-	-	-	-	-	-	1	-	-	2	2	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	633	-	-	-	-	2	15	28	73	171	200	144	712	-	-	-	-	-	3	7	28	87	218	369
White	630	-	-	-	-	2	15	28	72	169	200	144	709	-	-	-	-	-	3	7	28	86	217	368
All other	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	47	-	-	-	-	1	1	1	6	7	14	17	53	-	-	-	-	-	-	-	2	3	15	33
White	47	-	-	-	-	1	1	1	6	7	14	17	53	-	-	-	-	-	-	-	2	3	15	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	437	1	-	-	2	2	9	18	58	118	134	95	479	-	-	1	2	-	3	6	25	70	135	237
White	435	1	-	-	2	2	9	18	58	117	134	94	476	-	-	1	2	-	3	5	25	69	134	237
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	1	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Hypertension with or without renal disease (401,403)	11	-	-	-	-	-	-	-	-	4	5	2	33	-	-	-	-	-	-	1	1	9	10	12
White	11	-	-	-	-	-	-	-	-	4	5	2	33	-	-	-	-	-	-	1	1	9	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	267	-	-	-	1	3	5	6	27	73	94	58	396	-	1	-	1	1	1	4	11	45	117	215
White	266	-	-	-	1	3	5	6	27	73	93	58	395	-	1	-	1	1	1	4	11	45	116	215
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	33	-	-	-	-	1	1	-	5	11	11	4	55	-	-	-	-	1	1	1	5	12	19	16
White	33	-	-	-	-	1	1	-	5	11	11	4	55	-	-	-	-	1	1	1	5	12	19	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	-	-	-	-	-	-	1	1	8	10	5	40	-	1	-	-	-	-	1	-	2	14	22
White	25	-	-	-	-	-	-	1	1	8	10	5	40	-	1	-	-	-	-	1	-	2	14	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	209	-	-	-	1	2	4	5	21	54	73	49	299	-	-	-	1	-	-	2	6	31	84	175
White	208	-	-	-	1	2	4	5	21	54	72	49	298	-	-	-	1	-	-	2	6	31	83	175
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	42	-	-	-	-	-	-	3	2	7	17	13	68	-	-	-	-	-	-	-	-	5	17	46
White	42	-	-	-	-	-	-	3	2	7	17	13	68	-	-	-	-	-	-	-	-	5	17	46
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	90	-	-	-	-	-	-	4	12	26	33	15	83	-	-	-	-	-	1	2	7	20	29	24
White	90	-	-	-	-	-	-	4	12	26	33	15	83	-	-	-	-	-	1	2	7	20	29	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	174	1	-	-	1	4	1	4	15	22	52	74	202	-	-	-	-	-	1	1	6	13	55	126
White	174	1	-	-	1	4	1	4	15	22	52	74	199	-	-	-	-	-	1	1	6	13	54	124
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 112 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																							
Pneumonia (480-486)	170	1	-	-	1	4	1	3	15	22	52	71	195	-	-	-	-	-	1	1	6	13	54	120
White	170	1	-	-	1	4	1	3	15	22	52	71	192	-	-	-	-	-	1	1	6	13	53	118
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Influenza (487)	4	-	-	-	-	-	-	1	-	-	-	3	7	-	-	-	-	-	-	-	-	-	1	6
White	4	-	-	-	-	-	-	1	-	-	-	3	7	-	-	-	-	-	-	-	-	-	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	294	-	-	-	-	-	2	6	34	71	124	57	235	-	-	-	1	-	1	11	31	63	84	44
White	294	-	-	-	-	-	2	6	34	71	124	57	232	-	-	-	1	-	1	11	31	63	81	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis, chronic and unspecified (490-491)	9	-	-	-	-	-	-	-	1	-	5	3	11	-	-	-	1	-	-	-	1	4	1	4
White	9	-	-	-	-	-	-	-	1	-	5	3	11	-	-	-	1	-	-	-	1	4	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	44	-	-	-	-	-	-	1	6	15	16	6	38	-	-	-	-	-	-	3	3	14	12	6
White	44	-	-	-	-	-	-	1	6	15	16	6	38	-	-	-	-	-	-	3	3	14	12	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	-	1	-	2	-	2	1	13	-	-	-	-	-	1	1	1	3	3	4
White	6	-	-	-	-	-	1	-	2	-	2	1	12	-	-	-	-	-	1	1	1	3	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	235	-	-	-	-	-	1	5	25	56	101	47	173	-	-	-	-	-	-	7	26	42	68	30
White	235	-	-	-	-	-	1	5	25	56	101	47	171	-	-	-	-	-	-	7	26	42	66	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	-	6	6	1	21	-	-	1	-	-	-	-	2	4	8	6
White	13	-	-	-	-	-	-	-	-	6	6	1	21	-	-	1	-	-	-	-	2	4	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	-	-	-	-	-	1	1	-	4	3	24	-	-	-	-	-	-	-	2	3	10	9
White	9	-	-	-	-	-	-	1	1	-	4	3	24	-	-	-	-	-	-	-	2	3	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	80	-	-	-	-	-	3	9	27	20	20	1	56	-	-	-	-	1	2	4	9	11	23	6
White	80	-	-	-	-	-	3	9	27	20	20	1	56	-	-	-	-	1	2	4	9	11	23	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	-	-	2	4	2	8	-	-	-	-	-	-	-	1	-	1	6
White	8	-	-	-	-	-	-	-	-	2	4	2	8	-	-	-	-	-	-	-	1	-	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	42	-	-	-	-	-	-	1	-	10	19	12	61	-	-	-	-	-	-	1	1	9	21	29
White	42	-	-	-	-	-	-	1	-	10	19	12	61	-	-	-	-	-	-	1	1	9	21	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 113 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	-	-	-	-	-	1	-	9	19	10	59	-	-	-	-	-	-	1	1	9	20	28	
White	39	-	-	-	-	-	1	-	9	19	10	59	-	-	-	-	-	-	1	1	9	20	28	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	2	
White	2	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...	
White	2	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...	
All other	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...	
Black	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...	
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	27	14	5	1	1	2	1	-	1	1	1	-	22	10	2	1	-	1	-	2	3	1	2	-
White	27	14	5	1	1	2	1	-	1	1	1	-	22	10	2	1	-	1	-	2	3	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	37	37	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	37	37	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	30	30	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	33	10	1	-	-	-	2	3	5	2	4	6	44	7	-	-	-	1	2	1	-	1	10	22
White	33	10	1	-	-	-	2	3	5	2	4	6	44	7	-	-	-	1	2	1	-	1	10	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	440	4	3	3	7	10	17	13	45	92	134	112	588	4	-	2	2	8	10	13	32	86	185	246
White	436	4	3	3	6	10	17	13	44	92	134	110	588	4	-	2	2	8	10	13	32	86	185	246
All other	4	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	257	3	4	10	52	44	26	21	17	25	22	33	143	2	2	1	28	12	16	6	7	17	21	31
White	253	3	4	9	51	43	25	21	17	25	22	33	141	1	2	1	27	12	16	6	7	17	21	31
All other	4	-	-	1	1	1	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 114 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	123	-	2	6	41	24	12	11	6	10	7	4	73	-	1	-	26	9	11	2	4	12	7	1
White	120	-	2	5	40	23	12	11	6	10	7	4	72	-	1	-	25	9	11	2	4	12	7	1
All other	3	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	134	3	2	4	11	20	14	10	11	15	15	29	70	2	1	1	2	3	5	4	3	5	14	30
White	133	3	2	4	11	20	13	10	11	15	15	29	69	1	1	1	2	3	5	4	3	5	14	30
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	149	...	...	2	29	32	22	20	19	12	11	2	28	...	...	-	3	13	4	2	2	2	1	1
White	148	...	...	2	29	32	22	20	18	12	11	2	27	...	...	-	3	13	3	2	2	2	1	1
All other	1	...	...	-	-	-	-	-	1	-	-	-	1	...	...	-	-	-	1	-	-	-	-	-
Black	1	...	...	-	-	-	-	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	1	-	-	4	5	2	3	3	-	-	-	6	-	1	-	1	2	-	1	1	-	-	-
White	17	1	-	-	3	5	2	3	3	-	-	-	6	-	1	-	1	2	-	1	1	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	5	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND																								
All causes	19,835	402	89	104	532	993	1,282	1,517	2,906	5,013	4,720	2,258	18,592	324	61	50	148	372	611	921	1,861	3,867	5,213	5,153
White	14,249	185	47	56	254	454	646	947	2,021	3,838	3,875	1,920	14,316	162	33	30	81	175	304	529	1,265	2,990	4,254	4,488
All other	5,586	217	42	48	278	539	636	570	885	1,175	845	338	4,276	162	28	20	67	197	307	392	596	877	959	665
Black	5,395	211	42	44	267	527	627	550	847	1,136	810	321	4,117	155	28	20	65	192	298	372	573	840	927	641
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	3	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
White	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	10	-	-	-	-	-	-	-	2	3	4	1	12	-	-	-	-	1	-	1	-	4	3	3
White	6	-	-	-	-	-	-	-	-	3	3	-	7	-	-	-	-	1	-	1	-	2	3	1
All other	4	-	-	-	-	-	-	-	2	-	1	1	5	-	-	-	-	-	-	1	-	2	-	2
Black	4	-	-	-	-	-	-	-	2	-	1	1	5	-	-	-	-	-	-	1	-	2	-	2
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	-	-	-	-	3	3	1	6	-	-	-	-	-	-	1	-	3	-	2
White	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	1	-	2	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	1	-	2	-	1
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	2	-	1	-	6	-	-	-	-	1	-	-	-	1	3	1
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	1	-	-	-	1	3	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
White	2	-	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	240	2	1	3	-	11	11	7	22	64	74	45	365	-	-	1	3	7	12	6	24	53	107	151
White	160	1	1	3	-	6	3	5	8	40	57	36	260	-	-	-	1	1	4	1	13	40	77	122
All other	80	1	-	-	-	5	8	2	14	24	17	9	105	-	-	1	2	6	8	5	11	13	30	29
Black	78	1	-	-	-	5	8	2	14	23	16	9	103	-	-	1	2	6	8	5	11	13	29	28
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 115 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	15	-	-	-	1	3	3	3	2	1	2	-	9	-	-	-	-	1	1	1	2	2	2	-
White	11	-	-	-	1	3	1	1	2	1	2	-	6	-	-	-	-	1	1	-	2	1	1	-
All other	4	-	-	-	-	-	2	2	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	624	3	3	1	7	194	233	100	37	27	13	5	180	5	3	3	7	51	44	19	15	16	9	8
White	225	2	1	1	-	62	73	37	17	20	7	5	49	1	-	1	1	4	7	3	8	11	7	6
All other	399	1	2	-	7	132	160	63	20	7	6	-	131	4	3	2	6	47	37	16	7	5	2	2
Black	395	-	2	-	7	131	160	62	20	7	5	-	130	4	3	2	6	47	37	16	7	5	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,171	1	8	13	14	55	180	444	1,105	1,687	1,282	382	4,588	2	6	7	12	70	191	425	827	1,360	1,171	516
White	3,816	-	6	10	12	34	103	289	788	1,257	1,018	299	3,564	2	5	5	8	53	120	285	600	1,087	963	436
All other	1,355	1	2	3	2	21	77	155	317	430	264	83	1,024	-	1	2	4	17	71	140	227	273	208	80
Black	1,300	-	2	3	2	21	72	151	301	413	257	78	989	-	1	2	4	17	69	133	218	263	203	78
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	94	-	-	-	-	-	7	20	24	20	19	4	58	-	-	-	-	-	2	2	13	18	16	7
White	56	-	-	-	-	-	2	13	10	13	14	4	41	-	-	-	-	-	1	1	5	13	15	6
All other	38	-	-	-	-	-	5	7	14	7	5	-	17	-	-	-	-	-	1	1	8	5	1	1
Black	38	-	-	-	-	-	5	7	14	7	5	-	16	-	-	-	-	-	1	1	7	5	1	1
Malignant neoplasms of digestive organs and pentoneum (150-159)	1,231	1	1	-	1	8	37	117	271	402	304	89	1,078	1	-	-	2	7	27	60	146	319	330	186
White	872	-	1	-	1	5	18	72	178	295	235	67	808	1	-	-	-	5	16	45	93	238	259	151
All other	359	1	-	-	-	3	19	45	93	107	69	22	270	-	-	-	2	2	11	15	53	81	71	35
Black	343	-	-	-	-	3	18	43	89	101	67	22	258	-	-	-	2	2	11	13	49	76	71	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,761	-	-	-	1	5	42	157	448	644	396	68	1,050	-	-	-	-	4	17	106	221	406	253	42
White	1,308	-	-	-	1	3	25	98	321	482	324	54	840	-	-	-	-	3	11	68	181	331	208	38
All other	453	-	-	-	-	2	17	59	127	162	72	14	210	-	-	-	-	1	6	38	40	75	45	4
Black	436	-	-	-	-	2	16	59	122	155	70	12	206	-	-	-	-	1	5	36	39	75	45	4
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	-	1	-	4	2	1	834	-	-	-	-	16	83	123	169	214	151	78
White	6	-	-	-	-	-	-	-	-	3	2	1	634	-	-	-	-	11	48	84	123	180	119	69
All other	2	-	-	-	-	-	-	1	-	1	-	-	200	-	-	-	-	5	35	39	46	34	32	9
Black	2	-	-	-	-	-	-	1	-	1	-	-	198	-	-	-	-	5	35	38	46	34	31	9
Malignant neoplasms of genital organs (179-187)	683	-	-	-	-	2	3	5	83	216	252	122	460	-	-	-	2	8	19	48	91	137	105	50
White	460	-	-	-	-	1	1	2	54	140	176	86	359	-	-	-	2	6	14	28	67	112	85	45
All other	223	-	-	-	-	1	2	3	29	76	76	36	101	-	-	-	-	2	5	20	24	25	20	5
Black	216	-	-	-	-	1	2	3	28	74	74	34	95	-	-	-	-	2	5	18	22	23	20	5
Malignant neoplasms of urinary organs (188-189)	235	-	2	-	-	-	6	13	38	78	70	28	152	-	-	-	-	1	2	11	25	35	49	29
White	190	-	1	-	-	-	3	7	32	57	63	27	120	-	-	-	-	1	2	6	19	27	43	22
All other	45	-	1	-	-	-	3	6	6	21	7	1	32	-	-	-	-	-	-	5	6	8	6	7
Black	43	-	1	-	-	-	3	6	5	20	7	1	31	-	-	-	-	-	-	5	6	7	6	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	684	-	3	8	5	15	44	84	159	192	135	39	573	1	4	4	3	19	24	52	101	147	143	75
White	554	-	3	5	4	12	29	67	130	157	114	33	461	1	3	3	3	17	14	38	72	120	124	66
All other	130	-	-	3	1	3	15	17	29	35	21	6	112	-	1	1	-	2	10	14	29	27	19	9
Black	122	-	-	3	1	3	12	16	27	34	20	6	108	-	1	1	-	2	9	14	28	26	18	9
Leukemia (204-208)	178	-	1	5	4	6	15	12	30	52	42	11	141	-	2	2	2	6	9	7	21	24	42	26
White	145	-	-	5	3	4	9	7	24	44	39	10	115	-	2	1	1	5	7	5	15	21	38	20
All other	33	-	1	-	1	2	6	5	6	8	3	1	26	-	-	1	1	1	2	2	6	3	4	6
Black	32	-	1	-	1	2	6	4	6	8	3	1	24	-	-	1	1	1	2	2	6	3	3	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	297	-	1	-	3	19	26	35	52	79	62	20	242	-	-	1	3	9	8	16	40	60	82	23
White	225	-	1	-	3	9	16	23	39	66	51	17	186	-	-	1	2	5	7	10	25	45	72	19
All other	72	-	-	-	-	10	10	12	13	13	11	3	56	-	-	-	1	4	1	6	15	15	10	4
Black	68	-	-	-	-	10	10	12	10	13	11	2	53	-	-	-	1	4	1	6	15	14	8	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	51	-	-	-	-	1	6	3	11	6	17	7	66	2	2	-	-	3	4	3	6	19	19	8
White	40	-	-	-	-	-	4	2	8	4	15	7	53	1	2	-	-	1	3	2	5	17	16	6
All other	11	-	-	-	-	1	2	1	3	2	2	-	13	1	-	-	-	2	1	1	1	2	3	2
Black	10	-	-	-	-	1	2	1	2	2	2	-	12	1	-	-	-	2	1	1	1	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 116 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	427	–	–	–	1	6	17	30	84	138	116	35	582	–	–	–	3	4	9	34	84	160	175	113
White	292	–	–	–	–	2	9	14	56	95	89	27	384	–	–	–	1	3	3	17	44	101	126	89
All other	135	–	–	–	1	4	8	16	28	43	27	8	198	–	–	–	2	1	6	17	40	59	49	24
Black	130	–	–	–	1	4	8	16	27	42	25	7	193	–	–	–	2	1	6	17	40	56	47	24
Nutritional deficiencies (260-269)	26	1	–	–	–	1	–	1	2	4	10	7	26	–	–	–	–	–	–	–	1	5	8	12
White	19	1	–	–	–	1	–	1	1	3	7	5	20	–	–	–	–	–	–	–	–	3	5	12
All other	7	–	–	–	–	–	–	–	1	1	3	2	6	–	–	–	–	–	–	–	1	2	3	–
Black	6	–	–	–	–	–	–	–	1	1	2	2	6	–	–	–	–	–	–	–	1	2	3	–
Anemias (280-285)	34	1	–	3	2	1	5	3	4	5	7	3	47	–	–	–	–	6	2	2	5	4	12	16
White	16	–	–	2	–	–	1	2	1	5	4	1	24	–	–	–	–	1	–	–	1	1	11	10
All other	18	1	–	1	2	1	4	1	3	–	3	2	23	–	–	–	–	5	2	2	4	3	1	6
Black	17	1	–	1	1	1	4	1	3	–	3	2	22	–	–	–	–	5	2	2	3	3	1	6
Meningitis (320-322)	6	1	–	–	–	–	1	1	–	1	1	1	7	–	–	–	1	1	2	–	1	1	1	–
White	6	1	–	–	–	–	1	1	–	1	1	1	2	–	–	–	1	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	2	–	1	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	2	–	1	1	1	–
Major cardiovascular diseases (390-448)	7,152	15	8	2	12	56	242	495	1,079	2,115	2,028	1,091	7,631	12	4	3	5	28	99	205	556	1,410	2,424	2,882
White	5,657	9	3	1	8	30	144	348	762	1,681	1,713	955	6,109	5	2	1	3	14	45	100	361	1,054	1,986	2,538
All other	1,495	6	5	1	4	26	98	147	317	434	315	136	1,522	7	2	2	2	14	54	105	195	356	438	344
Black	1,437	6	5	1	3	26	95	144	303	422	299	127	1,473	7	2	2	2	13	53	102	191	339	428	331
Diseases of heart (390-398,402,404-429)	5,893	11	6	1	9	40	202	433	925	1,770	1,625	864	5,846	9	3	1	5	20	61	156	461	1,105	1,863	2,161
White	4,705	7	3	–	6	21	122	315	669	1,412	1,387	761	4,683	3	1	–	3	11	23	76	300	829	1,533	1,904
All other	1,188	4	3	1	3	19	80	118	256	358	238	103	1,163	6	2	1	2	9	38	80	161	276	330	257
Black	1,147	4	3	1	3	19	78	115	246	348	226	99	1,132	6	2	1	2	8	37	78	158	266	326	247
Rheumatic fever and rheumatic heart disease (390-398)	35	–	–	–	1	2	3	5	7	6	9	2	62	1	–	–	–	2	3	2	5	18	25	6
White	28	–	–	–	1	2	2	2	5	6	8	2	51	1	–	–	–	2	–	1	4	17	20	6
All other	7	–	–	–	–	–	1	3	2	–	1	–	11	–	–	–	–	–	3	1	1	1	5	–
Black	5	–	–	–	–	–	1	2	2	–	–	–	10	–	–	–	–	–	2	1	1	1	5	–
Hypertensive heart disease (402)	281	–	–	–	–	–	15	41	65	73	57	29	263	–	–	–	–	–	7	13	22	40	92	89
White	165	–	–	–	–	–	5	20	31	47	40	22	180	–	–	–	–	–	1	–	8	26	71	74
All other	116	–	–	–	–	–	10	21	34	26	17	7	83	–	–	–	–	–	6	13	14	14	21	15
Black	116	–	–	–	–	–	10	21	34	26	17	7	83	–	–	–	–	–	6	13	14	14	21	15
Hypertensive heart and renal disease (404)	31	–	–	–	–	–	2	1	3	12	9	4	37	–	–	–	–	–	–	3	3	8	10	13
White	21	–	–	–	–	–	–	1	1	6	9	4	19	–	–	–	–	–	–	–	1	3	5	10
All other	10	–	–	–	–	–	2	–	2	6	–	–	18	–	–	–	–	–	–	3	2	5	5	3
Black	10	–	–	–	–	–	2	–	2	6	–	–	17	–	–	–	–	–	–	3	2	4	5	3
Ischemic heart disease (410-414)	3,244	–	–	–	–	7	76	172	517	1,059	957	454	2,963	1	–	–	–	5	13	55	245	610	1,015	1,018
White	2,753	–	–	–	–	5	52	140	409	890	850	406	2,476	–	–	–	–	4	6	37	173	487	860	909
All other	491	–	–	–	–	2	24	32	108	169	107	48	487	1	–	–	–	1	7	18	72	123	155	109
Black	465	–	–	–	–	2	22	31	99	162	103	45	466	1	–	–	–	1	7	16	71	116	153	100
Acute myocardial infarction (410)	1,844	–	–	–	–	5	55	108	315	611	527	221	1,611	–	–	–	–	5	9	32	151	376	565	472
White	1,558	–	–	–	–	3	41	91	245	516	465	196	1,331	–	–	–	–	4	4	25	112	297	470	419
All other	286	–	–	–	–	2	14	17	70	95	62	25	280	–	–	–	–	1	5	7	39	79	95	53
Black	269	–	–	–	–	2	12	17	62	92	60	23	269	–	–	–	–	1	5	6	39	72	95	50
Other acute and subacute forms of ischemic heart disease (411)	21	–	–	–	–	–	–	2	4	8	2	5	22	–	–	–	–	–	–	–	–	8	7	7
White	20	–	–	–	–	–	–	1	4	8	2	5	21	–	–	–	–	–	–	–	–	8	6	7
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Angina pectoris (413)	13	–	–	–	–	–	1	2	1	1	7	1	20	–	–	–	–	–	–	–	3	2	6	9
White	10	–	–	–	–	–	–	1	1	1	6	1	15	–	–	–	–	–	–	–	–	2	5	8
All other	3	–	–	–	–	–	1	1	–	–	1	–	5	–	–	–	–	–	–	–	3	–	1	1
Black	3	–	–	–	–	–	1	1	–	–	1	–	5	–	–	–	–	–	–	–	3	–	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,366	–	–	–	–	2	20	60	197	439	421	227	1,310	1	–	–	–	–	4	23	91	224	437	530
White	1,165	–	–	–	–	2	11	47	159	365	377	204	1,109	–	–	–	–	–	2	12	61	160	379	475
All other	201	–	–	–	–	–	9	13	38	74	44	23	201	1	–	–	–	–	2	11	30	44	58	55
Black	192	–	–	–	–	–	9	12	37	70	42	22	191	1	–	–	–	–	2	10	29	44	56	49
Other diseases of endocardium (424)	76	2	–	–	–	4	4	5	4	17	24	16	135	–	–	–	–	–	2	5	7	16	45	60
White	66	–	–	–	–	2	3	3	4	17	22	15	114	–	–	–	–	–	–	2	6	14	38	54
All other	10	2	–	–	–	2	1	2	–	–	2	1	21	–	–	–	–	–	2	3	1	2	7	6
Black	9	2	–	–	–	2	1	2	–	–	1	1	21	–	–	–	–	–	2	3	1	2	7	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 117 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,226	9	6	1	8	27	102	209	329	603	569	359	2,386	7	3	1	5	13	36	78	179	413	676	975
White	1,672	7	3	–	5	12	60	149	219	446	458	312	1,843	2	1	–	3	5	16	36	108	282	539	851
All other	554	2	3	1	3	15	42	60	110	157	111	47	543	5	2	1	2	8	20	42	71	131	137	124
Black	542	2	3	1	3	15	42	59	109	154	105	46	535	5	2	1	2	7	20	42	69	129	135	123
Hypertension with or without renal disease (401,403)	70	–	–	–	–	–	3	8	8	29	14	8	88	–	–	–	–	2	2	4	8	21	25	25
White	41	–	–	–	–	–	2	5	2	19	8	5	53	–	–	–	–	–	1	–	1	13	17	21
All other	29	–	–	–	–	–	1	3	6	10	6	3	35	–	–	–	–	2	1	4	7	8	8	4
Black	28	–	–	–	–	–	1	3	6	10	6	2	34	–	–	–	–	2	1	4	7	7	8	4
Cerebrovascular diseases (430-438)	877	4	2	1	3	12	30	43	105	213	299	163	1,339	3	1	2	–	5	31	36	66	227	412	555
White	650	2	–	1	2	6	14	22	59	162	241	140	1,077	2	1	1	–	2	17	20	43	169	328	494
All other	227	2	2	–	1	6	16	21	46	51	58	23	262	1	–	1	–	3	14	16	23	58	84	61
Black	213	2	2	–	–	6	15	21	43	49	55	19	248	1	–	1	–	3	14	15	22	52	79	60
Intracerebral and other intracranial hemorrhage (431-432)	186	–	1	1	1	4	13	17	39	46	49	14	194	2	–	2	–	1	15	18	23	56	48	28
White	120	–	–	1	1	3	3	6	21	35	39	10	139	1	–	1	–	1	9	8	14	43	39	23
All other	66	–	1	–	–	1	10	11	18	11	10	4	55	1	–	1	–	–	6	10	9	13	9	5
Black	61	–	1	–	–	1	10	11	17	10	8	3	52	1	–	1	–	–	6	9	9	13	7	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	79	1	–	–	–	–	1	4	8	13	33	19	126	–	1	–	–	–	1	2	3	13	42	64
White	63	1	–	–	–	–	–	2	6	9	28	17	104	–	1	–	–	–	1	1	3	8	32	58
All other	16	–	–	–	–	–	1	2	2	4	5	2	22	–	–	–	–	–	–	1	–	5	10	6
Black	16	–	–	–	–	–	1	2	2	4	5	2	22	–	–	–	–	–	–	1	–	5	10	6
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	610	3	1	–	2	8	16	22	58	153	217	129	1,018	1	–	–	–	4	15	16	40	158	322	462
White	465	1	–	–	1	3	11	14	32	117	174	112	833	1	–	–	–	1	7	11	26	118	257	412
All other	145	2	1	–	1	5	5	8	26	36	43	17	185	–	–	–	–	3	8	5	14	40	65	50
Black	136	2	1	–	–	5	4	8	24	35	42	14	174	–	–	–	–	3	8	5	13	34	62	49
Atherosclerosis (440)	58	–	–	–	–	–	1	–	5	12	18	22	148	–	–	–	–	–	–	–	6	12	46	84
White	47	–	–	–	–	–	1	–	4	10	13	19	123	–	–	–	–	–	–	–	3	9	41	70
All other	11	–	–	–	–	–	–	–	1	2	5	3	25	–	–	–	–	–	–	–	3	3	5	14
Black	11	–	–	–	–	–	–	–	1	2	5	3	22	–	–	–	–	–	–	–	3	3	4	12
Other diseases of arteries, arterioles, and capillaries (441-448)	254	–	–	–	–	4	6	11	36	91	72	34	210	–	–	–	–	1	5	9	15	45	78	57
White	214	–	–	–	–	3	5	6	28	78	64	30	173	–	–	–	–	1	4	4	14	34	67	49
All other	40	–	–	–	–	1	1	5	8	13	8	4	37	–	–	–	–	–	1	5	1	11	11	8
Black	38	–	–	–	–	1	1	5	7	13	7	4	37	–	–	–	–	–	1	5	1	11	11	8
Acute bronchitis and bronchiolitis (466)	3	–	–	–	–	–	–	1	–	–	1	1	4	–	–	–	–	–	–	–	–	2	1	1
White	3	–	–	–	–	–	–	1	–	–	1	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia and influenza (480-487)	574	1	–	2	1	18	22	18	43	116	187	166	619	2	2	3	–	5	13	11	16	76	153	338
White	436	1	–	2	1	8	9	7	25	87	152	144	509	1	1	3	–	1	3	5	10	59	117	309
All other	138	–	–	–	–	10	13	11	18	29	35	22	110	1	1	–	–	4	10	6	6	17	36	29
Black	136	–	–	–	–	10	13	11	18	29	33	22	106	1	1	–	–	4	10	6	6	16	36	28
Pneumonia (480-486)	570	1	–	2	1	17	22	17	43	116	187	164	614	2	2	3	–	5	13	11	16	75	152	335
White	432	1	–	2	1	7	9	6	25	87	152	142	504	1	1	3	–	1	3	5	10	58	116	306
All other	138	–	–	–	–	10	13	11	18	29	35	22	110	1	1	–	–	4	10	6	6	17	36	29
Black	136	–	–	–	–	10	13	11	18	29	33	22	106	1	1	–	–	4	10	6	6	16	36	28
Influenza (487)	4	–	–	–	–	1	–	1	–	–	–	2	5	–	–	–	–	–	–	–	–	1	1	3
White	4	–	–	–	–	1	–	1	–	–	–	2	5	–	–	–	–	–	–	–	–	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	727	–	2	1	–	3	6	15	82	225	286	107	719	2	–	1	1	2	5	20	75	218	269	126
White	610	–	–	–	–	1	3	12	64	181	248	101	628	1	–	–	–	1	–	13	63	196	245	109
All other	117	–	2	1	–	2	3	3	18	44	38	6	91	1	–	1	1	1	5	7	12	22	24	17
Black	116	–	2	1	–	2	3	3	17	44	38	6	85	1	–	1	1	1	5	7	12	21	19	17
Bronchitis, chronic and unspecified (490-491)	34	–	1	–	–	–	–	–	3	5	15	10	23	1	–	–	–	–	–	–	3	7	3	9
White	31	–	–	–	–	–	–	–	1	5	15	10	21	–	–	–	–	–	–	–	3	7	3	8
All other	3	–	1	–	–	–	–	–	2	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
Black	3	–	1	–	–	–	–	–	2	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
Emphysema (492)	109	–	–	–	–	–	–	3	16	31	45	14	125	1	–	–	–	–	–	–	20	43	49	12
White	97	–	–	–	–	–	–	2	13	25	43	14	119	1	–	–	–	–	–	–	18	41	47	12
All other	12	–	–	–	–	–	–	1	3	6	2	–	6	–	–	–	–	–	–	–	2	2	2	–
Black	12	–	–	–	–	–	–	1	3	6	2	–	5	–	–	–	–	–	–	–	2	2	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 118 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	25	–	1	1	–	3	3	3	4	6	4	–	50	–	–	1	1	1	4	6	9	13	9	6
White	12	–	–	–	–	1	2	1	3	2	3	–	30	–	–	–	–	–	2	6	6	11	7	4
All other	13	–	1	1	–	2	1	2	1	4	1	–	20	–	–	1	1	1	4	4	3	2	2	2
Black	13	–	1	1	–	2	1	2	1	4	1	–	18	–	–	1	1	1	4	4	3	1	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	559	–	–	–	–	–	3	9	59	183	222	83	521	–	–	–	–	1	1	14	43	155	208	99
White	470	–	–	–	–	–	1	9	47	149	187	77	458	–	–	–	–	1	–	11	36	137	188	85
All other	89	–	–	–	–	–	2	–	12	34	35	6	63	–	–	–	–	–	1	3	7	18	20	14
Black	88	–	–	–	–	–	2	–	11	34	35	6	60	–	–	–	–	–	1	3	7	18	17	14
Ulcer of stomach and duodenum (531-533)	39	–	–	–	–	1	–	5	5	9	16	3	31	–	–	–	–	–	–	–	1	9	10	11
White	28	–	–	–	–	–	–	2	4	7	13	2	26	–	–	–	–	–	–	–	–	8	9	9
All other	11	–	–	–	–	1	–	3	1	2	3	1	5	–	–	–	–	–	–	–	1	1	1	2
Black	10	–	–	–	–	1	–	3	1	2	3	–	4	–	–	–	–	–	–	–	1	–	1	2
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	1	1	–	1	–	2	2	3	5	18	10	72	–	–	–	–	1	–	1	2	8	26	34
White	30	–	1	–	–	–	2	2	2	4	10	9	61	–	–	–	–	1	–	–	2	6	23	29
All other	13	1	–	–	1	–	–	–	1	1	8	1	11	–	–	–	–	–	–	1	–	2	3	5
Black	13	1	–	–	1	–	–	–	1	1	8	1	10	–	–	–	–	–	–	1	–	2	3	4
Chronic liver disease and cirrhosis (571)	279	1	–	–	–	7	37	64	81	61	24	4	156	–	–	–	–	3	23	25	36	44	20	4
White	182	–	–	–	–	1	20	39	55	42	21	4	100	–	–	–	–	3	6	14	25	32	16	4
All other	97	1	–	–	–	6	17	25	26	19	3	–	56	–	–	–	–	–	17	11	11	12	4	–
Black	95	1	–	–	–	6	17	25	25	18	3	–	52	–	–	–	–	–	16	11	9	11	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	20	–	–	–	–	–	–	1	4	7	5	3	27	–	–	–	–	1	1	–	3	7	5	10
White	16	–	–	–	–	–	–	1	4	6	3	2	24	–	–	–	–	1	1	–	1	6	5	10
All other	4	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–	2	1	–	–
Black	4	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–	2	1	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	238	1	–	–	2	8	11	15	24	58	65	53	276	–	1	–	–	3	5	7	21	58	96	85
White	147	–	–	–	–	3	8	5	11	34	46	39	182	–	1	–	–	1	2	2	13	38	64	61
All other	91	1	–	–	2	5	3	10	13	24	19	14	94	–	–	–	–	2	3	5	8	20	32	24
Black	90	1	–	–	2	5	3	10	12	24	19	14	93	–	–	–	–	2	3	5	8	20	31	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	–	2	1	6	–	–	–	–	–	–	–	1	–	4	1
White	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	2	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	2	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	–	–	–	–	–	2	–	1	1	4	2	17	–	–	–	–	1	1	1	1	4	5	4
White	5	–	–	–	–	–	1	–	–	–	3	1	12	–	–	–	–	1	–	1	1	3	4	2
All other	5	–	–	–	–	–	1	–	1	1	1	1	5	–	–	–	–	–	1	–	–	1	1	2
Black	5	–	–	–	–	–	1	–	1	1	1	1	5	–	–	–	–	–	1	–	–	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	225	1	–	–	2	8	9	15	23	57	59	50	253	–	1	–	–	2	4	6	19	54	87	80
White	140	–	–	–	–	3	7	5	11	34	42	37	167	–	1	–	–	–	2	1	12	35	58	58
All other	85	1	–	–	2	5	2	10	12	23	17	13	86	–	–	–	–	2	2	5	7	19	29	22
Black	84	1	–	–	2	5	2	10	11	23	17	13	85	–	–	–	–	2	2	5	7	19	28	22
Infections of kidney (590)	2	–	–	–	–	–	–	–	–	–	2	–	6	–	–	–	–	–	–	–	1	2	2	1
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	1	6	–	...	...	...	...	...	...	...	...	...	...	...	...
White	4	–	–	–	–	–	–	–	–	–	4	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 119 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Congenital anomalies (740-759)	92	56	5	3	1	2	5	2	4	6	6	2	115	67	8	5	4	5	4	5	2	7	4	4
White	66	38	4	3	-	2	3	1	4	5	4	2	76	43	4	3	4	1	3	4	1	6	3	4
All other	26	18	1	-	1	-	2	1	-	1	2	-	39	24	4	2	-	4	1	1	1	1	1	-
Black	26	18	1	-	1	-	2	1	-	1	2	-	37	22	4	2	-	4	1	1	1	1	1	-
Certain conditions originating in the perinatal period (760-779)	213	211	1	-	-	-	1	-	-	-	-	-	159	157	2	-	-	-	-	-	-	-	-	-
White	83	81	1	-	-	-	1	-	-	-	-	-	66	66	-	-	-	-	-	-	-	-	-	-
All other	130	130	-	-	-	-	-	-	-	-	-	-	93	91	2	-	-	-	-	-	-	-	-	-
Black	126	126	-	-	-	-	-	-	-	-	-	-	89	87	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	41	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	21	21	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	21	21	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	172	170	1	-	-	-	1	-	-	-	-	-	127	125	2	-	-	-	-	-	-	-	-	-
White	63	61	1	-	-	-	1	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
All other	109	109	-	-	-	-	-	-	-	-	-	-	78	76	2	-	-	-	-	-	-	-	-	-
Black	105	105	-	-	-	-	-	-	-	-	-	-	75	73	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	576	81	16	4	48	150	151	52	26	21	13	12	278	48	8	3	14	45	53	29	21	18	14	23
White	283	39	7	2	20	68	71	28	13	16	11	8	158	22	5	1	5	20	26	19	11	15	11	21
All other	293	42	9	2	28	82	80	24	13	5	2	4	120	26	3	2	9	25	27	10	10	3	3	2
Black	284	42	9	1	27	78	80	21	13	5	2	4	116	25	3	2	8	25	27	10	8	3	3	2
All other diseases (Residual)	1,516	19	14	8	19	53	86	93	177	334	435	276	1,941	19	8	2	9	28	58	75	118	305	589	730
White	1,109	10	9	6	11	26	44	45	120	248	360	230	1,540	14	6	1	5	7	31	34	76	247	480	639
All other	407	9	5	2	8	27	42	48	57	86	75	46	401	5	2	1	4	21	27	41	42	58	109	91
Black	395	9	5	2	7	27	42	46	56	83	71	45	387	5	2	1	4	21	25	39	40	56	106	88
Accidents and adverse effects (E800-E949)	849	4	23	51	179	158	109	87	56	70	71	40	467	3	13	19	52	55	41	32	27	68	83	73
White	600	2	12	23	134	114	68	55	38	56	59	38	352	3	7	14	41	37	23	19	16	50	74	67
All other	249	2	11	28	45	44	41	32	18	14	12	2	115	-	6	5	11	18	18	13	11	18	9	6
Black	235	2	11	25	42	41	41	30	18	11	12	2	103	-	6	5	11	18	16	8	9	18	7	5
Motor vehicle accidents (E810-E825)	467	1	7	29	139	106	65	43	25	26	20	5	241	1	5	12	45	44	32	21	16	26	33	5
White	329	1	4	12	104	80	41	28	16	20	17	5	185	1	3	8	36	33	20	13	12	22	31	5
All other	138	-	3	17	35	26	24	15	9	6	3	-	56	-	2	4	9	11	12	8	4	4	2	-
Black	129	-	3	14	33	24	24	14	9	5	3	-	46	-	2	4	9	11	10	3	2	4	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	382	3	16	22	40	52	44	44	31	44	51	35	226	2	8	7	7	11	9	11	11	42	50	68
White	271	1	8	11	30	34	27	27	22	36	42	33	167	2	4	6	5	4	3	6	4	28	43	62
All other	111	2	8	11	10	18	17	17	9	8	9	2	59	-	4	1	2	7	6	5	7	14	7	6
Black	106	2	8	11	9	17	17	16	9	6	9	2	57	-	4	1	2	7	6	5	7	14	6	5
Suicide (E950-E959)	367	...	...	3	60	84	65	45	37	43	26	4	62	...	...	-	4	14	16	8	10	5	4	1
White	292	...	...	1	45	58	52	37	31	40	24	4	55	...	...	-	4	13	14	5	9	5	4	1
All other	75	...	...	2	15	26	13	8	6	3	2	-	7	...	...	-	-	1	2	3	1	-	-	-
Black	69	...	...	2	14	26	13	5	6	2	1	-	5	...	...	-	-	1	2	2	-	-	-	-
Homicide and legal intervention (E960-E978)	481	-	6	7	178	164	73	28	14	6	4	-	119	4	4	2	31	33	19	10	7	3	3	2
White	88	-	1	1	17	29	20	11	5	2	1	-	38	2	-	-	7	6	9	4	4	1	3	2
All other	393	-	5	6	161	135	53	17	9	4	3	-	81	2	4	2	24	27	10	6	3	2	-	-
Black	382	-	5	6	158	131	52	16	7	4	3	-	75	2	4	2	24	23	9	5	3	2	-	-
All other external causes (E980-E999)	46	-	-	3	6	16	16	1	2	-	-	-	16	-	-	1	1	5	7	1	-	-	-	-
White	19	-	-	1	5	5	6	-	2	-	-	-	9	-	-	1	-	3	3	1	-	-	-	-
All other	27	-	-	2	1	11	10	1	-	-	-	-	7	-	-	-	1	2	4	-	-	-	-	-
Black	27	-	-	2	1	11	10	1	-	-	-	-	6	-	-	-	-	2	4	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 120 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	25,498	316	39	84	422	798	1,270	1,460	3,342	6,444	7,279	4,038	27,577	263	42	42	116	311	542	933	2,154	4,988	8,242	9,944
White	24,224	255	25	74	332	673	1,101	1,334	3,150	6,217	7,115	3,945	26,587	205	34	33	97	273	465	855	2,016	4,801	8,073	9,735
All other	1,274	61	14	10	90	125	169	126	192	227	164	93	990	58	8	9	19	38	77	78	138	187	169	209
Black	1,086	58	12	9	79	110	155	107	167	185	123	78	871	49	8	7	16	37	68	64	119	166	152	185
Shigellosis and amebiasis (004,006)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	16	-	-	1	-	-	-	1	1	6	4	3	19	-	-	-	-	-	-	-	-	3	5	11
White	14	-	-	1	-	-	-	1	1	5	4	2	19	-	-	-	-	-	-	-	-	3	5	11
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	15	-	-	-	-	2	2	2	-	4	3	2	10	-	-	-	-	-	-	2	1	3	3	1
White	12	-	-	-	-	1	1	2	-	3	3	2	7	-	-	-	-	-	-	-	-	3	3	1
All other	3	-	-	-	-	1	1	-	-	1	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Black	3	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculosis of respiratory system (010-012)	12	-	-	-	-	2	1	2	-	4	1	2	5	-	-	-	-	-	-	-	1	3	1	-
White	10	-	-	-	-	1	1	2	-	3	1	2	4	-	-	-	-	-	-	-	-	3	1	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	1	-	-	-	2	-	5	-	-	-	-	-	-	2	-	-	2	1
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	-	-	1	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
White	2	1	-	-	1	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	257	1	-	-	1	4	17	7	35	65	79	48	387	1	1	-	-	6	2	10	24	58	115	170
White	240	1	-	-	1	1	12	7	31	62	77	48	365	1	1	-	-	6	2	8	22	53	110	162
All other	17	-	-	-	-	3	5	-	4	3	2	-	22	-	-	-	-	-	-	2	2	5	5	8
Black	15	-	-	-	-	3	4	-	4	3	1	-	19	-	-	-	-	-	-	2	1	5	4	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	25	-	-	1	1	2	7	1	4	5	2	2	18	1	-	-	-	2	1	-	2	6	4	2
White	23	-	-	1	-	2	6	1	4	5	2	2	14	1	-	-	-	1	-	-	1	6	3	2
All other	2	-	-	-	1	-	1	-	-	-	-	-	4	-	-	-	-	1	1	-	1	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	1	-
Syphilis (090-097)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	612	1	6	3	15	175	281	72	24	19	13	3	170	2	2	1	5	51	35	10	14	21	15	14
White	511	-	2	3	13	151	225	63	22	17	12	3	135	2	1	1	4	36	21	8	12	21	15	14
All other	101	1	4	-	2	24	56	9	2	2	1	-	35	-	1	-	1	15	14	2	2	-	-	-
Black	99	1	4	-	2	24	55	9	2	2	-	-	35	-	1	-	1	15	14	2	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,907	-	3	18	17	68	182	425	1,229	2,275	1,938	752	6,898	-	3	5	9	63	225	477	1,079	1,924	2,013	1,100
White	6,638	-	3	18	15	57	168	392	1,165	2,197	1,890	733	6,658	-	2	4	8	63	204	447	1,020	1,857	1,973	1,080
All other	269	-	-	-	2	11	14	33	64	78	48	19	240	-	1	1	1	-	21	30	59	67	40	20
Black	226	-	-	-	1	9	11	26	57	64	42	16	200	-	1	-	1	-	15	23	49	58	36	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 121 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	134	-	-	-	1	2	5	22	34	52	14	4	68	-	-	-	-	-	1	6	15	18	18	10
White	127	-	-	-	1	2	4	21	32	49	14	4	68	-	-	-	-	-	1	6	15	18	18	10
All other	7	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,814	-	-	-	1	11	36	89	338	603	528	208	1,760	-	-	-	-	3	22	75	189	457	620	394
White	1,740	-	-	-	1	10	34	84	319	574	518	200	1,705	-	-	-	-	3	21	68	184	440	604	385
All other	74	-	-	-	-	1	2	5	19	29	10	8	55	-	-	-	-	-	1	7	5	17	16	9
Black	57	-	-	-	-	-	-	2	14	24	10	7	47	-	-	-	-	-	-	4	5	16	15	7
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,178	-	-	-	1	2	44	155	477	799	574	126	1,456	-	-	-	1	4	32	95	291	519	393	121
White	2,096	-	-	-	1	2	38	138	452	778	564	123	1,418	-	-	-	1	4	31	92	281	503	388	118
All other	82	-	-	-	-	-	6	17	25	21	10	3	38	-	-	-	-	-	1	3	10	16	5	3
Black	71	-	-	-	-	-	6	15	24	15	8	3	32	-	-	-	-	-	1	3	9	13	3	3
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	3	-	-	1	1,323	-	-	-	-	19	69	149	246	331	329	180
White	4	-	-	-	-	-	-	-	3	-	-	1	1,268	-	-	-	-	19	60	138	227	324	323	177
All other	-	-	-	-	-	-	-	-	-	-	-	-	55	-	-	-	-	-	9	11	19	7	6	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	47	-	-	-	-	-	7	10	14	7	6	3
Malignant neoplasms of genital organs (179-187)	856	-	-	-	-	4	4	6	51	250	337	204	628	-	-	-	-	2	35	51	111	165	179	85
White	816	-	-	-	-	4	3	6	45	237	322	199	596	-	-	-	-	2	31	45	105	155	175	83
All other	40	-	-	-	-	-	1	-	6	13	15	5	32	-	-	-	-	-	4	6	6	10	4	2
Black	39	-	-	-	-	-	1	-	6	13	15	4	27	-	-	-	-	-	3	3	6	9	4	2
Malignant neoplasms of urinary organs (188-189)	361	-	-	-	1	2	6	26	60	107	106	53	232	-	-	-	1	1	8	7	31	41	82	61
White	347	-	-	-	1	-	6	24	58	104	102	52	221	-	-	-	1	1	8	7	27	39	79	59
All other	14	-	-	-	-	2	-	2	2	3	4	1	11	-	-	-	-	-	-	-	4	2	3	2
Black	11	-	-	-	-	2	-	2	2	2	3	-	10	-	-	-	-	-	-	-	4	2	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	904	-	2	9	5	29	55	94	178	249	213	70	809	-	1	4	3	17	35	63	131	216	202	137
White	876	-	2	9	3	25	53	89	172	244	209	70	783	-	-	3	3	17	31	62	121	209	201	136
All other	28	-	-	-	2	4	2	5	6	5	4	-	26	-	1	1	-	-	4	1	10	7	1	1
Black	18	-	-	-	1	3	1	3	5	3	2	-	20	-	1	-	-	-	2	1	8	7	-	1
Leukemia (204-208)	236	-	1	7	5	6	9	7	31	77	68	25	215	-	2	1	3	8	11	12	21	47	68	42
White	228	-	1	7	5	5	9	6	29	76	65	25	209	-	2	1	3	8	11	11	18	46	67	42
All other	8	-	-	-	-	1	-	1	2	1	3	-	6	-	-	-	-	-	-	1	3	1	1	-
Black	7	-	-	-	-	1	-	1	2	1	2	-	5	-	-	-	-	-	-	1	2	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	420	-	-	2	3	12	23	26	57	138	98	61	407	-	-	-	1	9	12	19	44	130	122	70
White	404	-	-	2	3	9	21	24	55	135	96	59	390	-	-	-	-	9	10	18	42	123	118	70
All other	16	-	-	-	-	3	2	2	2	3	2	2	17	-	-	-	1	-	2	1	2	7	4	-
Black	16	-	-	-	-	3	2	2	2	3	2	2	12	-	-	-	1	-	2	1	1	3	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	99	2	1	1	-	2	2	3	15	34	27	12	110	-	2	-	-	2	5	5	9	23	30	34
White	92	2	1	1	-	1	1	2	13	33	26	12	108	-	1	-	-	2	5	5	9	22	30	34
All other	7	-	-	-	-	1	1	1	2	1	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Black	6	-	-	-	-	1	1	-	2	1	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	542	-	-	1	1	7	23	33	70	156	178	73	698	-	-	-	-	3	11	12	61	186	223	202
White	508	-	-	1	1	7	23	28	60	146	172	70	655	-	-	-	-	3	10	11	57	173	213	188
All other	34	-	-	-	-	-	-	5	10	10	6	3	43	-	-	-	-	-	1	1	4	13	10	14
Black	28	-	-	-	-	-	-	5	8	8	4	3	40	-	-	-	-	-	1	1	3	12	10	13
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	1	2	3	9	4	55	-	-	-	-	-	1	-	2	2	15	35
White	19	-	-	-	-	-	-	1	2	3	9	4	55	-	-	-	-	-	1	-	2	2	15	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	48	-	1	1	1	1	1	2	2	7	16	16	79	-	-	-	-	2	4	1	1	7	26	38
White	46	-	1	1	1	1	-	2	1	7	16	16	72	-	-	-	-	1	2	1	1	5	25	37
All other	2	-	-	-	-	-	1	-	1	-	-	-	7	-	-	-	-	1	2	-	-	2	1	1
Black	2	-	-	-	-	-	1	-	1	-	-	-	7	-	-	-	-	1	2	-	-	2	1	1
Meningitis (320-322)	10	1	-	-	-	1	-	1	3	3	1	-	10	-	-	-	-	1	1	1	1	-	-	5
White	9	1	-	-	-	1	-	1	3	2	1	-	9	-	-	-	-	1	1	1	1	-	-	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	9,759	9	2	1	20	51	218	496	1,310	2,619	3,157	1,874	11,858	6	2	2	5	28	65	184	563	1,740	3,778	5,485
White	9,438	7	1	1	17	45	198	458	1,246	2,535	3,096	1,834	11,520	5	1	1	4	22	52	156	522	1,670	3,703	5,384
All other	321	2	1	-	3	6	20	38	64	84	61	40	338	1	1	1	1	6	13	28	41	70	75	101
Black	265	1	1	-	3	5	20	34	54	67	45	33	304	1	1	1	1	6	12	25	36	62	68	91

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 122 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	8,050	8	2	1	18	42	192	461	1,178	2,194	2,518	1,434	9,065	4	2	1	4	18	48	140	466	1,376	2,893	4,113
White	7,791	6	1	1	15	38	174	427	1,123	2,125	2,477	1,404	8,824	3	1	–	4	15	39	114	434	1,333	2,837	4,044
All other	259	2	1	–	3	4	18	34	55	69	41	30	241	1	1	1	–	3	9	26	32	43	56	69
Black	212	1	1	–	3	3	18	30	45	57	29	23	217	1	1	1	–	3	8	24	29	39	50	61
Rheumatic fever and rheumatic heart disease (390-398)	46	–	–	–	–	1	1	3	10	11	15	5	139	–	–	–	–	2	2	8	11	41	50	25
White	42	–	–	–	–	1	1	2	7	11	15	5	136	–	–	–	–	2	2	6	10	41	50	25
All other	4	–	–	–	–	–	–	1	3	–	–	–	3	–	–	–	–	–	–	2	1	–	–	–
Black	3	–	–	–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–	2	1	–	–	–
Hypertensive heart disease (402)	112	–	–	–	–	2	5	5	23	33	31	13	191	–	–	–	–	1	–	4	9	29	56	92
White	104	–	–	–	–	2	5	4	21	29	31	12	181	–	–	–	–	–	–	3	9	28	52	89
All other	8	–	–	–	–	–	–	1	2	4	–	1	10	–	–	–	–	1	–	1	–	1	4	3
Black	7	–	–	–	–	–	–	1	2	4	–	–	9	–	–	–	–	1	–	1	–	–	4	3
Hypertensive heart and renal disease (404)	12	–	–	–	–	1	–	1	2	3	1	4	14	–	–	–	–	–	–	–	1	3	4	6
White	11	–	–	–	–	1	–	1	2	2	1	4	13	–	–	–	–	–	–	–	1	2	4	6
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	5,611	–	–	–	1	14	115	321	817	1,576	1,804	962	5,861	–	–	–	1	6	22	79	294	915	1,950	2,594
White	5,464	–	–	–	1	14	106	302	789	1,532	1,774	946	5,716	–	–	–	1	6	18	66	275	884	1,914	2,552
All other	147	–	–	–	–	–	9	19	28	44	30	16	145	–	–	–	–	–	4	13	19	31	36	42
Black	117	–	–	–	–	–	9	16	22	33	22	14	125	–	–	–	–	–	4	11	16	28	31	35
Acute myocardial infarction (410)	2,684	–	–	–	1	8	55	181	443	771	849	376	2,659	–	–	–	1	–	16	52	168	476	985	961
White	2,599	–	–	–	1	8	51	171	425	743	831	369	2,580	–	–	–	1	–	13	45	155	460	965	941
All other	85	–	–	–	–	–	4	10	18	28	18	7	79	–	–	–	–	–	3	7	13	16	20	20
Black	62	–	–	–	–	–	4	8	13	22	10	5	67	–	–	–	–	–	3	5	11	13	18	17
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	–	–	1	1	1	2	3	5	–	–	–	–	–	–	–	2	1	2	–
White	8	–	–	–	–	–	–	1	1	1	2	3	4	–	–	–	–	–	–	–	1	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Angina pectoris (413)	14	–	–	–	–	–	–	–	2	–	6	6	22	–	–	–	–	–	–	–	–	5	8	9
White	13	–	–	–	–	–	–	–	2	–	6	5	21	–	–	–	–	–	–	–	–	4	8	9
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,905	–	–	–	–	6	60	139	371	804	947	577	3,175	–	–	–	–	6	6	27	124	433	955	1,624
White	2,844	–	–	–	–	6	55	130	361	788	935	569	3,111	–	–	–	–	6	5	21	119	419	939	1,602
All other	61	–	–	–	–	–	5	9	10	16	12	8	64	–	–	–	–	–	1	6	5	14	16	22
Black	54	–	–	–	–	–	5	8	9	11	12	8	56	–	–	–	–	–	1	6	4	14	13	18
Other diseases of endocardium (424)	168	–	–	–	2	–	4	8	13	31	52	58	272	1	–	–	–	2	1	–	9	29	84	146
White	160	–	–	–	2	–	3	7	13	29	51	55	268	1	–	–	–	2	–	–	9	29	83	144
All other	8	–	–	–	–	–	1	1	–	2	1	3	4	–	–	–	–	–	1	–	–	–	1	2
Black	8	–	–	–	–	–	1	1	–	2	1	3	4	–	–	–	–	–	1	–	–	–	1	2
All other forms of heart disease (415-423,425-429)	2,101	8	2	1	15	24	67	123	313	540	615	392	2,588	3	2	1	3	7	23	49	142	359	749	1,250
White	2,010	6	1	1	12	20	59	111	291	522	605	382	2,510	2	1	–	3	5	19	39	130	349	734	1,228
All other	91	2	1	–	3	4	8	12	22	18	10	10	78	1	1	1	–	2	4	10	12	10	15	22
Black	76	1	1	–	3	3	8	11	19	17	6	6	75	1	1	1	–	2	3	10	12	10	14	21
Hypertension with or without renal disease (401,403)	73	–	–	–	–	–	1	4	8	14	25	21	110	–	–	–	–	–	–	1	2	20	40	47
White	70	–	–	–	–	–	–	4	7	14	24	21	102	–	–	–	–	–	–	–	2	18	38	44
All other	3	–	–	–	–	–	1	–	1	–	1	–	8	–	–	–	–	–	–	1	–	2	2	3
Black	3	–	–	–	–	–	1	–	1	–	1	–	7	–	–	–	–	–	–	1	–	2	2	2
Cerebrovascular diseases (430-438)	1,135	1	–	–	2	8	13	24	80	252	445	310	2,132	2	–	1	1	8	16	39	78	258	671	1,058
White	1,088	1	–	–	2	7	12	20	74	241	431	300	2,056	2	–	1	–	5	12	38	70	236	658	1,034
All other	47	–	–	–	–	1	1	4	6	11	14	10	76	–	–	–	1	3	4	1	8	22	13	24
Black	41	–	–	–	–	1	1	4	6	8	11	10	68	–	–	–	1	3	4	–	6	18	12	24
Intracerebral and other intracranial hemorrhage (431-432)	185	–	–	–	1	2	7	7	30	53	65	20	279	–	–	1	–	1	5	12	19	62	102	77
White	173	–	–	–	1	2	7	4	26	51	62	20	264	–	–	1	–	–	4	12	18	54	101	74
All other	12	–	–	–	–	–	–	3	4	2	3	–	15	–	–	–	–	1	1	–	1	8	1	3
Black	10	–	–	–	–	–	–	3	4	1	2	–	13	–	–	–	–	1	1	–	1	6	1	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	158	–	–	–	–	–	1	1	12	38	64	42	338	1	–	–	–	–	1	–	6	32	93	205
White	150	–	–	–	–	–	1	1	10	34	62	42	334	1	–	–	–	–	–	–	6	31	93	203
All other	8	–	–	–	–	–	–	–	2	4	2	–	4	–	–	–	–	–	1	–	–	1	–	2
Black	7	–	–	–	–	–	–	–	2	3	2	–	4	–	–	–	–	–	1	–	–	1	–	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 123 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	1	-	-	-	3	2	1	19	-	-	-	-	-	-	-	2	5	6	6
White	7	-	-	-	-	1	-	-	-	3	2	1	19	-	-	-	-	-	-	-	2	5	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	785	1	-	-	1	5	5	16	38	158	314	247	1,496	1	-	-	1	7	10	27	51	159	470	770
White	758	1	-	-	1	4	4	15	38	153	305	237	1,439	1	-	-	-	5	8	26	44	146	458	751
All other	27	-	-	-	-	1	1	1	-	5	9	10	57	-	-	-	1	2	2	1	7	13	12	19
Black	24	-	-	-	-	1	1	1	-	4	7	10	51	-	-	-	1	2	2	-	5	11	11	19
Atherosclerosis (440)	130	-	-	-	-	-	1	2	9	30	33	55	257	-	-	-	-	-	-	1	3	21	64	168
White	128	-	-	-	-	-	1	2	9	29	32	55	255	-	-	-	-	-	-	1	3	21	64	166
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	371	-	-	-	-	1	11	5	35	129	136	54	294	-	-	-	-	2	1	3	14	65	110	99
White	361	-	-	-	-	-	11	5	33	126	132	54	283	-	-	-	-	2	1	3	13	62	106	96
All other	10	-	-	-	-	1	-	-	2	3	4	-	11	-	-	-	-	-	-	-	1	3	4	3
Black	7	-	-	-	-	1	-	-	2	1	3	-	11	-	-	-	-	-	-	-	1	3	4	3
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	1	1	12	1	-	-	1	-	-	-	-	-	5	5
White	3	-	-	-	-	-	-	-	-	1	1	1	11	-	-	-	1	-	-	-	-	-	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,023	5	2	3	4	10	26	20	61	146	371	374	1,365	-	2	1	3	5	5	15	29	105	354	846
White	983	3	-	3	3	7	20	18	58	139	364	368	1,335	-	1	1	3	4	5	14	25	103	349	830
All other	40	2	2	-	1	3	6	2	3	7	7	6	30	-	1	-	-	1	-	1	4	2	5	16
Black	35	2	2	-	1	3	5	2	3	6	7	3	26	-	1	-	-	1	-	-	4	2	4	14
Pneumonia (480-486)	1,020	5	2	3	4	10	26	20	61	145	369	374	1,346	-	2	1	3	5	5	15	29	103	351	832
White	980	3	-	3	3	7	20	18	58	138	362	368	1,316	-	1	1	3	4	5	14	25	101	346	816
All other	40	2	2	-	1	3	6	2	3	7	7	6	30	-	1	-	-	1	-	1	4	2	5	16
Black	35	2	2	-	1	3	5	2	3	6	7	3	26	-	1	-	-	1	-	-	4	2	4	14
Influenza (487)	3	-	-	-	-	-	-	-	-	1	2	-	19	-	-	-	-	-	-	-	-	2	3	14
White	3	-	-	-	-	-	-	-	-	1	2	-	19	-	-	-	-	-	-	-	-	2	3	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,104	-	-	-	2	3	5	21	113	314	444	202	991	-	-	2	2	3	4	22	82	278	394	204
White	1,078	-	-	-	-	3	5	19	110	307	435	199	980	-	-	2	2	3	4	22	80	275	391	201
All other	26	-	-	-	2	-	-	2	3	7	9	3	11	-	-	-	-	-	-	-	2	3	3	3
Black	20	-	-	-	2	-	-	-	3	6	6	3	10	-	-	-	-	-	-	-	2	3	3	2
Bronchitis, chronic and unspecified (490-491)	42	-	-	-	-	-	-	-	5	9	21	7	36	-	-	-	-	-	-	3	1	7	13	12
White	42	-	-	-	-	-	-	-	5	9	21	7	36	-	-	-	-	-	-	3	1	7	13	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	240	-	-	-	-	-	1	5	25	75	100	34	165	-	-	-	-	-	-	5	17	54	71	18
White	235	-	-	-	-	-	1	5	25	74	98	32	165	-	-	-	-	-	-	5	17	54	71	18
All other	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	42	-	-	-	2	3	3	8	1	9	11	5	81	-	-	2	2	3	4	6	8	20	21	15
White	36	-	-	-	-	3	3	7	-	8	10	5	77	-	-	2	2	3	4	6	7	19	19	15
All other	6	-	-	-	2	-	-	1	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	4	-	-	-	2	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	780	-	-	-	-	-	1	8	82	221	312	156	709	-	-	-	-	-	-	8	56	197	289	159
White	765	-	-	-	-	-	1	7	80	216	306	155	702	-	-	-	-	-	-	8	55	195	288	156
All other	15	-	-	-	-	-	-	1	2	5	6	1	7	-	-	-	-	-	-	-	1	2	1	3
Black	12	-	-	-	-	-	-	-	2	4	5	1	6	-	-	-	-	-	-	-	1	2	1	2
Ulcer of stomach and duodenum (531-533)	51	-	1	-	-	-	2	3	4	11	23	7	65	-	-	-	-	-	2	1	3	10	18	31
White	49	-	1	-	-	-	1	2	4	11	23	7	65	-	-	-	-	-	2	1	3	10	18	31
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-	-	-	-	1	-	1
White	5	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	55	-	-	-	-	2	1	1	2	12	20	17	124	-	-	-	-	-	1	4	8	16	32	63
White	55	-	-	-	-	2	1	1	2	12	20	17	122	-	-	-	-	-	1	4	8	16	32	61
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 124 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	388	-	-	-	1	14	61	49	84	114	55	10	218	-	-	-	-	6	12	22	39	73	47	19
White	366	-	-	-	1	11	57	45	80	110	53	9	208	-	-	-	-	5	10	21	36	71	47	18
All other	22	-	-	-	-	3	4	4	4	4	2	1	10	-	-	-	-	1	2	1	3	2	-	1
Black	15	-	-	-	-	2	4	3	3	2	1	-	9	-	-	-	-	1	2	1	3	1	-	1
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	-	2	2	8	11	9	47	-	-	-	1	-	-	1	3	8	17	17
White	31	-	-	-	-	-	-	2	2	8	11	8	45	-	-	-	1	-	-	-	3	8	16	17
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	318	2	-	1	1	2	3	10	25	79	113	82	347	1	-	-	-	3	6	9	18	69	112	129
White	290	2	-	1	1	1	2	7	19	74	105	78	325	1	-	-	-	2	4	8	15	65	110	120
All other	28	-	-	-	-	1	1	3	6	5	8	4	22	-	-	-	-	1	2	1	3	4	2	9
Black	22	-	-	-	-	1	1	2	6	5	4	3	19	-	-	-	-	1	2	-	3	4	1	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	1	1	8	-	-	-	-	-	-	-	-	2	2	4
White	3	-	-	-	-	-	-	-	1	-	1	1	8	-	-	-	-	-	-	-	-	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	-	-	1	-	4	5	6	17	-	-	-	-	-	2	1	1	3	3	7
White	15	-	-	-	-	-	-	1	-	3	5	6	17	-	-	-	-	-	2	1	1	3	3	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	299	2	-	1	1	2	3	9	24	75	107	75	322	1	-	-	-	3	4	8	17	64	107	118
White	272	2	-	1	1	1	2	6	18	71	99	71	300	1	-	-	-	2	2	7	14	60	105	109
All other	27	-	-	-	-	1	1	3	6	4	8	4	22	-	-	-	-	1	2	1	3	4	2	9
Black	21	-	-	-	-	1	1	2	6	4	4	3	19	-	-	-	-	1	2	-	3	4	1	8
Infections of kidney (590)	7	-	-	-	-	-	1	-	1	-	2	3	17	-	-	-	-	-	-	1	2	1	4	9
White	6	-	-	-	-	-	-	-	1	-	2	3	17	-	-	-	-	-	-	1	2	1	4	9
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	1	1	6	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	1	1	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	122	64	3	3	7	6	6	4	7	5	14	3	114	66	7	2	2	8	6	6	4	4	3	6
White	112	57	2	2	7	6	6	3	7	5	14	3	103	55	7	2	2	8	6	6	4	4	3	6
All other	10	7	1	1	-	-	-	1	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	8	6	1	1	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	158	156	-	2	-	-	-	-	-	-	-	-	142	141	-	1	-	-	-	-	-	-	-	-
White	118	117	-	1	-	-	-	-	-	-	-	-	103	103	-	-	-	-	-	-	-	-	-	-
All other	40	39	-	1	-	-	-	-	-	-	-	-	39	38	-	1	-	-	-	-	-	-	-	-
Black	38	38	-	-	-	-	-	-	-	-	-	-	31	30	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	35	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 125 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	123	121	–	2	–	–	–	–	–	–	–	–	119	118	–	1	–	–	–	–	–	–	–	–
White	90	89	–	1	–	–	–	–	–	–	–	–	82	82	–	–	–	–	–	–	–	–	–	–
All other	33	32	–	1	–	–	–	–	–	–	–	–	37	36	–	1	–	–	–	–	–	–	–	–
Black	31	31	–	–	–	–	–	–	–	–	–	–	30	29	–	1	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	258	49	3	2	10	39	41	34	16	17	34	13	186	24	5	2	5	14	16	10	10	17	33	50
White	230	42	3	2	9	31	38	27	15	17	34	12	175	19	5	2	4	12	16	10	10	16	31	50
All other	28	7	–	–	1	8	3	7	1	–	–	1	11	5	–	–	1	2	–	–	–	1	2	–
Black	26	7	–	–	1	6	3	7	1	–	–	1	10	5	–	–	–	2	–	–	–	1	2	–
All other diseases (Residual)	2,040	19	5	11	17	47	110	111	210	430	630	450	2,861	15	9	8	4	22	46	69	152	364	881	1,291
White	1,933	18	2	9	15	41	97	99	192	408	614	438	2,759	13	7	5	2	20	39	63	137	350	859	1,264
All other	107	1	3	2	2	6	13	12	18	22	16	12	102	2	2	3	2	2	7	6	15	14	22	27
Black	92	1	1	2	2	6	13	12	17	17	9	12	94	2	2	3	2	2	7	5	15	13	20	23
Accidents and adverse effects (E800-E949)	862	6	11	26	174	152	104	75	73	80	106	55	539	3	8	12	48	41	34	32	34	52	105	170
White	793	5	8	22	157	138	85	72	70	79	104	53	510	3	7	10	43	35	30	32	33	49	103	165
All other	69	1	3	4	17	14	19	3	3	1	2	2	29	–	1	2	5	6	4	–	1	3	2	5
Black	57	1	3	4	13	13	14	3	1	1	2	2	25	–	1	2	5	5	4	–	1	2	1	4
Motor vehicle accidents (E810-E825)	416	1	3	11	129	95	51	27	32	25	32	10	198	–	2	6	43	31	21	22	19	23	21	10
White	376	1	1	9	116	86	41	25	30	25	32	10	183	–	1	6	38	27	18	22	18	22	21	10
All other	40	–	2	2	13	9	10	2	2	–	–	–	15	–	1	–	5	4	3	–	1	1	–	–
Black	31	–	2	2	9	8	7	2	1	–	–	–	15	–	1	–	5	4	3	–	1	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	446	5	8	15	45	57	53	48	41	55	74	45	341	3	6	6	5	10	13	10	15	29	84	160
White	417	4	7	13	41	52	44	47	40	54	72	43	327	3	6	4	5	8	12	10	15	27	82	155
All other	29	1	1	2	4	5	9	1	1	1	2	2	14	–	–	2	–	2	1	–	–	2	2	5
Black	26	1	1	2	4	5	7	1	–	1	2	2	10	–	–	2	–	1	1	–	–	1	1	4
Suicide (E950-E959)	376	...	...	3	56	90	80	50	36	24	22	15	113	...	...	–	11	22	23	24	9	15	5	4
White	355	...	...	3	50	84	76	47	35	24	21	15	111	...	...	–	10	22	22	24	9	15	5	4
All other	21	...	...	–	6	6	4	3	1	–	1	–	2	...	...	–	1	–	1	–	–	–	–	–
Black	17	...	...	–	5	5	3	2	1	–	1	–	1	...	...	–	–	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	211	–	1	4	80	63	29	20	7	3	2	–	58	1	–	5	15	10	10	10	2	–	3	2
White	104	–	1	2	29	26	18	18	3	3	2	–	41	1	–	4	8	9	6	7	2	–	3	1
All other	107	–	–	2	51	37	11	2	4	–	–	–	17	–	–	1	7	1	4	3	–	–	–	1
Black	92	–	–	2	47	30	10	1	2	–	–	–	12	–	–	–	6	1	2	2	–	–	–	1
All other external causes (E980-E999)	163	–	–	1	13	56	68	16	4	1	2	1	60	1	–	1	3	17	27	5	3	2	1	–
White	151	–	–	1	11	55	61	16	2	1	2	1	54	1	–	1	3	16	22	5	3	2	1	–
All other	12	–	–	–	2	1	7	–	2	–	–	–	6	–	–	–	–	1	5	–	–	–	–	–
Black	11	–	–	–	2	1	6	–	2	–	–	–	6	–	–	–	–	1	5	–	–	–	–	–
MICHIGAN																								
All causes	41,083	905	157	211	1,068	1,341	1,983	2,808	5,748	10,242	11,044	5,571	38,897	650	142	115	324	591	1,112	1,758	3,843	7,902	11,114	11,344
White	34,151	503	105	154	617	879	1,300	2,127	4,730	8,780	9,659	5,094	33,291	355	105	92	231	398	739	1,338	3,093	6,665	9,806	10,468
All other	6,932	402	52	57	451	462	683	681	1,018	1,462	1,185	477	5,606	295	37	23	93	193	373	420	750	1,237	1,308	876
Black	6,637	394	50	54	434	439	666	643	964	1,408	1,126	457	5,365	290	34	23	87	184	358	392	719	1,191	1,247	839
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	11	7	–	–	–	–	2	–	–	1	–	1	5	3	–	–	–	–	–	–	–	1	–	1
White	6	3	–	–	–	–	1	–	–	1	–	1	4	2	–	–	–	–	–	–	–	1	–	1
All other	5	4	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	5	4	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	22	–	–	–	1	1	1	4	3	3	5	4	19	–	–	–	2	4	–	1	–	3	8	1
White	11	–	–	–	–	–	–	4	2	1	2	2	7	–	–	–	–	–	–	1	–	–	5	1
All other	11	–	–	–	1	1	1	–	1	2	3	2	12	–	–	–	2	4	–	–	–	3	3	–
Black	11	–	–	–	1	1	1	–	1	2	3	2	12	–	–	–	2	4	–	–	–	3	3	–
Tuberculosis of respiratory system (010-012)	13	–	–	–	–	1	–	3	2	2	2	3	11	–	–	–	1	3	–	–	–	1	5	1
White	6	–	–	–	–	–	–	3	1	–	1	1	4	–	–	–	–	–	–	–	–	–	3	1
All other	7	–	–	–	–	1	–	–	1	2	1	2	7	–	–	–	1	3	–	–	–	1	2	–
Black	7	–	–	–	–	1	–	–	1	2	1	2	7	–	–	–	1	3	–	–	–	1	2	–
Other tuberculosis (013-018)	9	–	–	–	1	–	1	1	1	1	3	1	8	–	–	–	1	1	–	1	–	2	3	–
White	5	–	–	–	–	–	–	1	1	1	1	1	3	–	–	–	–	–	–	1	–	–	2	–
All other	4	–	–	–	1	–	1	–	–	–	2	–	5	–	–	–	1	1	–	–	–	2	1	–
Black	4	–	–	–	1	–	1	–	–	–	2	–	5	–	–	–	1	1	–	–	–	2	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 126 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	1	1	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
White	2	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	248	9	1	1	1	4	11	15	30	50	84	42	309	2	3	-	-	4	6	5	19	42	107	121
White	182	6	-	-	1	3	5	11	18	36	67	35	243	1	3	-	-	3	5	4	11	31	85	100
All other	66	3	1	1	-	1	6	4	12	14	17	7	66	1	-	-	-	1	1	1	8	11	22	21
Black	64	3	1	1	-	1	6	4	12	14	16	6	61	1	-	-	-	1	1	1	8	11	21	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	24	2	-	-	-	1	3	6	5	2	5	-	12	-	-	-	-	2	-	-	2	6	2	-
White	18	-	-	-	-	1	1	5	5	1	5	-	7	-	-	-	-	-	-	-	2	4	1	-
All other	6	2	-	-	-	-	2	1	-	1	-	-	5	-	-	-	-	2	-	-	-	2	1	-
Black	6	2	-	-	-	-	2	1	-	1	-	-	5	-	-	-	-	2	-	-	-	2	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	521	6	2	5	9	146	178	82	40	27	19	7	138	4	3	-	2	28	28	24	15	16	12	6
White	319	2	-	4	5	93	95	47	30	24	14	5	71	-	2	-	2	10	8	12	9	12	10	6
All other	202	4	2	1	4	53	83	35	10	3	5	2	67	4	1	-	-	18	20	12	6	4	2	-
Black	200	4	2	1	4	52	83	35	10	3	4	2	64	4	1	-	-	17	20	11	6	3	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,110	2	18	27	48	88	248	760	1,991	3,364	2,657	907	9,142	2	11	32	23	109	371	776	1,683	2,739	2,316	1,080
White	8,656	2	14	20	40	72	192	604	1,671	2,892	2,336	813	7,930	2	10	26	19	82	286	641	1,416	2,379	2,081	988
All other	1,454	-	4	7	8	16	56	156	320	472	321	94	1,212	-	1	6	4	27	85	135	267	360	235	92
Black	1,379	-	3	6	8	13	52	144	307	449	305	92	1,155	-	1	6	3	25	79	122	254	347	228	90
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	184	-	-	-	1	1	9	38	48	57	20	10	88	-	-	1	-	1	3	9	13	31	16	14
White	149	-	-	-	-	1	4	27	40	50	17	10	77	-	-	-	-	1	2	9	9	28	15	13
All other	35	-	-	-	1	-	5	11	8	7	3	-	11	-	-	1	-	-	1	-	4	3	1	1
Black	32	-	-	-	1	-	4	10	8	7	2	-	11	-	-	1	-	-	1	-	4	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,376	-	2	-	1	12	52	186	466	775	650	232	2,194	-	2	-	2	6	43	117	348	610	678	388
White	2,018	-	1	-	-	9	43	141	376	669	573	206	1,888	-	1	-	2	3	32	92	291	510	600	357
All other	358	-	1	-	1	3	9	45	90	106	77	26	306	-	1	-	-	3	11	25	57	100	78	31
Black	334	-	1	-	1	2	9	43	86	100	67	25	292	-	1	-	-	2	11	24	53	96	74	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,554	-	-	-	-	4	62	291	856	1,366	789	186	1,949	-	-	-	-	4	28	170	464	741	433	109
White	3,027	-	-	-	-	4	40	232	712	1,167	697	175	1,670	-	-	-	-	2	21	139	386	638	388	96
All other	527	-	-	-	-	-	22	59	144	199	92	11	279	-	-	-	-	2	7	31	78	103	45	13
Black	498	-	-	-	-	-	20	53	137	188	90	10	265	-	-	-	-	2	6	27	76	98	45	11
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	1	1	-	2	1	2	1,634	-	-	-	-	27	134	229	347	428	325	144
White	6	-	-	-	-	-	1	1	-	1	1	2	1,406	-	-	-	-	18	99	186	296	381	292	134
All other	1	-	-	-	-	-	-	-	-	1	-	-	228	-	-	-	-	9	35	43	51	47	33	10
Black	1	-	-	-	-	-	-	-	-	1	-	-	221	-	-	-	-	9	33	39	50	47	33	10
Malignant neoplasms of genital organs (179-187)	1,263	-	-	-	2	9	6	10	91	375	532	238	932	-	-	-	1	19	67	84	155	285	233	88
White	1,044	-	-	-	2	8	5	9	75	298	442	205	791	-	-	-	-	14	52	67	125	249	204	80
All other	219	-	-	-	-	1	1	1	16	77	90	33	141	-	-	-	1	5	15	17	30	36	29	8
Black	214	-	-	-	-	-	1	-	15	77	88	33	133	-	-	-	1	5	13	14	30	35	27	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 127 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	504	–	–	–	2	1	12	31	92	155	145	66	310	–	–	2	1	2	6	18	43	81	89	68
White	451	–	–	–	1	–	8	25	84	143	128	62	273	–	–	2	1	1	4	17	39	68	80	61
All other	53	–	–	–	1	1	4	6	8	12	17	4	37	–	–	–	–	1	2	1	4	13	9	7
Black	50	–	–	–	1	1	3	6	8	11	16	4	34	–	–	–	–	1	1	1	2	13	9	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,215	1	8	16	21	31	69	126	249	348	271	75	1,068	1	5	19	10	24	54	85	170	284	271	145
White	1,081	1	6	12	19	26	60	107	222	309	250	69	956	1	5	17	7	22	47	76	146	254	247	134
All other	134	–	2	4	2	5	9	19	27	39	21	6	112	–	–	2	3	2	7	9	24	30	24	11
Black	130	–	1	3	2	5	9	18	27	38	21	6	104	–	–	2	2	2	7	8	21	28	23	11
Leukemia (204-208)	392	1	8	8	15	11	11	27	70	104	92	45	355	1	4	9	9	10	16	26	43	87	93	57
White	347	1	7	6	12	10	9	21	60	96	85	40	322	1	4	6	9	8	14	23	41	77	91	48
All other	45	–	1	2	3	1	2	6	10	8	7	5	33	–	–	3	–	2	2	3	2	10	2	9
Black	42	–	1	2	3	–	2	6	9	7	7	5	32	–	–	3	–	2	2	3	1	10	2	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	615	–	–	3	6	19	26	50	119	182	157	53	612	–	–	1	–	16	20	38	100	192	178	67
White	533	–	–	2	6	14	22	41	102	159	143	44	547	–	–	1	–	13	15	32	83	174	164	65
All other	82	–	–	1	–	5	4	9	17	23	14	9	65	–	–	–	–	3	5	6	17	18	14	2
Black	78	–	–	1	–	5	4	8	17	20	14	9	63	–	–	–	–	2	5	6	17	17	14	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	88	4	1	–	1	2	7	4	6	28	22	13	127	1	2	–	2	3	5	3	11	26	43	31
White	76	3	1	–	1	1	5	2	6	26	19	12	107	–	2	–	2	3	4	1	9	22	34	30
All other	12	1	–	–	–	1	2	2	–	2	3	1	20	1	–	–	–	–	1	2	2	4	9	1
Black	11	1	–	–	–	1	1	2	–	2	3	1	19	1	–	–	–	–	1	2	2	4	8	1
Diabetes mellitus (250)	944	–	–	1	5	18	24	83	151	296	258	108	1,153	–	–	–	–	10	21	49	147	311	377	238
White	769	–	–	1	3	11	15	60	119	239	223	98	920	–	–	–	–	8	9	30	113	242	311	207
All other	175	–	–	–	2	7	9	23	32	57	35	10	233	–	–	–	–	2	12	19	34	69	66	31
Black	170	–	–	–	2	7	9	21	31	56	34	10	225	–	–	–	–	2	12	17	34	66	63	31
Nutritional deficiencies (260-269)	53	1	–	–	–	–	–	4	1	10	17	20	70	1	–	–	–	1	–	1	2	6	27	32
White	38	–	–	–	–	–	–	3	–	8	13	14	63	–	–	–	–	1	–	1	2	3	26	30
All other	15	1	–	–	–	–	–	1	1	2	4	6	7	1	–	–	–	–	–	–	–	3	1	2
Black	14	1	–	–	–	–	–	1	1	1	4	6	7	1	–	–	–	–	–	–	–	3	1	2
Anemias (280-285)	73	1	2	1	7	6	5	2	5	14	14	16	85	1	–	2	1	3	1	3	4	9	24	37
White	51	1	1	1	–	1	1	1	3	13	14	15	61	–	–	–	–	2	–	1	3	6	20	29
All other	22	–	1	–	7	5	4	1	2	1	–	1	24	1	–	2	1	1	1	2	1	3	4	8
Black	20	–	1	–	7	5	4	1	1	–	–	1	23	1	–	2	1	1	1	2	1	3	3	8
Meningitis (320-322)	20	2	1	1	1	–	2	1	2	7	2	1	22	1	–	1	–	1	1	–	2	5	9	2
White	13	1	1	1	1	–	–	–	1	7	–	1	11	–	–	1	–	–	–	–	1	4	4	1
All other	7	1	–	–	–	–	2	1	1	–	2	–	11	1	–	–	–	1	1	–	1	1	5	1
Black	7	1	–	–	–	–	2	1	1	–	2	–	11	1	–	–	–	1	1	–	1	1	5	1
Major cardiovascular diseases (390-448)	16,741	15	7	5	39	89	441	1,002	2,366	4,499	5,295	2,981	18,079	9	4	2	14	75	190	446	1,217	3,183	5,775	7,163
White	14,457	8	5	3	23	56	301	772	1,927	3,853	4,763	2,745	15,749	7	3	2	10	53	115	305	918	2,619	5,079	6,637
All other	2,284	7	2	2	16	33	140	230	439	646	532	236	2,330	2	1	–	4	22	75	141	299	564	696	526
Black	2,180	7	2	2	13	32	137	220	411	624	505	226	2,243	2	1	–	4	22	73	137	291	543	664	506
Diseases of heart (390-398,402,404-429)	13,741	13	7	2	33	72	364	882	2,064	3,759	4,215	2,328	13,867	7	4	1	12	54	113	335	993	2,528	4,395	5,424
White	11,859	7	5	–	20	47	261	706	1,690	3,222	3,770	2,130	12,055	6	3	1	10	36	69	227	747	2,069	3,861	5,025
All other	1,882	6	2	2	13	25	103	176	374	537	445	198	1,812	1	1	–	2	18	44	108	246	459	534	399
Black	1,797	6	2	2	11	24	101	168	349	522	421	190	1,750	1	1	–	2	18	43	105	238	443	513	386
Rheumatic fever and rheumatic heart disease (390-398)	77	–	1	–	1	1	2	9	13	19	22	9	167	–	–	–	–	7	2	10	21	48	50	29
White	69	–	1	–	–	1	2	7	13	17	19	9	146	–	–	–	–	4	1	5	19	42	47	28
All other	8	–	–	–	1	–	–	2	–	2	3	–	21	–	–	–	–	3	1	5	2	6	3	1
Black	8	–	–	–	1	–	–	2	–	2	3	–	20	–	–	–	–	3	1	5	2	5	3	1
Hypertensive heart disease (402)	264	–	–	–	1	4	11	34	56	63	60	35	417	–	–	–	–	1	7	25	43	67	134	140
White	167	–	–	–	–	1	4	15	29	38	49	31	323	–	–	–	–	1	1	9	24	48	114	126
All other	97	–	–	–	1	3	7	19	27	25	11	4	94	–	–	–	–	–	6	16	19	19	20	14
Black	96	–	–	–	1	3	7	19	26	25	11	4	94	–	–	–	–	–	6	16	19	19	20	14
Hypertensive heart and renal disease (404)	29	–	–	–	1	1	1	3	2	6	11	4	45	–	–	–	–	–	–	1	1	9	18	16
White	15	–	–	–	1	–	–	1	1	4	6	2	34	–	–	–	–	–	–	–	–	5	16	13
All other	14	–	–	–	–	1	1	2	1	2	5	2	11	–	–	–	–	–	–	1	1	4	2	3
Black	14	–	–	–	–	1	1	2	1	2	5	2	11	–	–	–	–	–	–	1	1	4	2	3
Ischemic heart disease (410-414)	9,671	1	–	–	8	22	190	547	1,431	2,708	3,138	1,625	9,478	1	–	–	1	9	37	174	635	1,728	3,121	3,772
White	8,797	1	–	–	5	19	164	484	1,266	2,455	2,884	1,518	8,476	1	–	–	1	7	28	139	503	1,471	2,800	3,526
All other	874	–	–	–	3	3	26	63	165	253	254	107	1,002	–	–	–	–	2	9	35	132	257	321	246
Black	809	–	–	–	1	3	24	59	145	240	233	104	960	–	–	–	–	2	8	34	128	244	308	236
Acute myocardial infarction (410)	5,312	1	–	–	7	13	138	377	912	1,577	1,591	695	4,636	–	–	–	–	5	29	107	393	1,006	1,595	1,501
White	4,855	1	–	–	4	11	119	343	809	1,442	1,471	654	4,163	–	–	–	–	3	24	89	315	881	1,443	1,408
All other	457	–	–	–	3	2	19	34	103	135	120	41	473	–	–	–	–	2	5	18	78	125	152	93
Black	417	–	–	–	1	2	18	32	90	124	110	40	451	–	–	–	–	2	4	18	77	115	146	89

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 128 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	-	1	3	4	3	1	15	-	-	-	-	-	-	1	3	2	3	6
White	12	-	-	-	-	-	-	1	3	4	3	1	15	-	-	-	-	-	-	1	3	2	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	13	-	-	-	-	-	1	1	3	2	4	2	25	-	-	-	-	-	-	1	-	5	9	10
White	12	-	-	-	-	-	1	-	3	2	4	2	24	-	-	-	-	-	-	1	-	4	9	10
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,334	-	-	-	1	9	51	168	513	1,125	1,540	927	4,802	1	-	-	1	4	8	65	239	715	1,514	2,255
White	3,918	-	-	-	1	8	44	140	451	1,007	1,406	861	4,274	1	-	-	1	4	4	48	185	584	1,345	2,102
All other	416	-	-	-	-	1	7	28	62	118	134	66	528	-	-	-	-	-	4	17	54	131	169	153
Black	391	-	-	-	-	1	6	26	55	116	123	64	508	-	-	-	-	-	4	16	51	128	162	147
Other diseases of endocardium (424)	181	1	-	-	1	-	12	11	17	40	63	36	256	1	-	-	-	5	3	5	16	41	80	105
White	161	-	-	-	1	-	7	8	15	38	56	36	240	-	-	-	-	4	2	2	13	40	76	103
All other	20	1	-	-	-	-	5	3	2	2	7	-	16	1	-	-	-	1	1	3	3	1	4	2
Black	20	1	-	-	-	-	5	3	2	2	7	-	16	1	-	-	-	1	1	3	3	1	4	2
All other forms of heart disease (415-423,425-429)	3,519	11	6	2	21	44	148	278	545	923	921	619	3,504	5	4	1	11	32	64	120	277	635	992	1,362
White	2,650	6	4	-	13	26	84	191	366	670	756	534	2,836	5	3	1	9	20	37	72	188	463	808	1,229
All other	869	5	2	2	8	18	64	87	179	253	165	85	668	-	1	-	2	12	27	48	89	172	184	133
Black	850	5	2	2	8	17	64	83	175	251	162	80	649	-	1	-	2	12	27	46	85	170	176	130
Hypertension with or without renal disease (401,403)	117	-	-	-	-	2	2	6	15	26	41	25	144	-	-	-	-	-	2	9	8	32	50	43
White	85	-	-	-	-	-	-	2	11	17	34	21	102	-	-	-	-	-	-	4	6	24	33	35
All other	32	-	-	-	-	2	2	4	4	9	7	4	42	-	-	-	-	-	2	5	2	8	17	8
Black	31	-	-	-	-	2	2	4	4	9	6	4	42	-	-	-	-	-	2	5	2	8	17	8
Cerebrovascular diseases (430-438)	2,018	1	-	2	3	9	59	89	197	485	734	439	3,161	2	-	1	2	16	70	82	168	488	1,072	1,260
White	1,715	1	-	2	2	4	29	48	147	399	671	412	2,760	1	-	1	-	13	43	61	128	405	944	1,164
All other	303	-	-	-	1	5	30	41	50	86	63	27	401	1	-	-	2	3	27	21	40	83	128	96
Black	289	-	-	-	-	5	29	39	49	81	61	25	379	1	-	-	2	3	26	20	40	78	118	91
Intracerebral and other intracranial hemorrhage (431-432)	328	-	-	-	1	3	28	39	53	86	87	31	430	-	-	1	2	5	19	20	59	97	148	79
White	255	-	-	-	-	1	9	20	38	72	85	30	366	-	-	1	-	4	8	12	47	86	134	74
All other	73	-	-	-	1	2	19	19	15	14	2	1	64	-	-	-	2	1	11	8	12	11	14	5
Black	70	-	-	-	-	2	19	18	14	14	2	1	62	-	-	-	2	1	11	8	12	9	14	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	310	1	-	2	-	1	7	13	21	72	129	64	464	-	-	-	-	-	1	5	9	18	75	162	194
White	256	1	-	2	-	-	5	5	18	54	109	62	398	-	-	-	-	-	1	3	6	12	60	137	179
All other	54	-	-	-	-	1	2	8	3	18	20	2	66	-	-	-	-	-	-	2	3	6	15	25	15
Black	52	-	-	-	-	1	2	7	3	18	19	2	63	-	-	-	-	-	-	2	3	6	14	23	15
Cerebral embolism (434.1)	17	-	-	-	-	-	-	-	3	6	7	1	7	-	-	-	-	-	-	-	2	-	1	3	1
White	16	-	-	-	-	-	-	-	2	6	7	1	6	-	-	-	-	-	-	-	1	-	1	3	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,363	-	-	-	2	5	24	37	120	321	511	343	2,260	2	-	-	-	10	46	51	91	315	759	986
White	1,188	-	-	-	2	3	15	23	89	267	470	319	1,990	1	-	-	-	8	32	42	69	258	670	910
All other	175	-	-	-	-	2	9	14	31	54	41	24	270	1	-	-	-	2	14	9	22	57	89	76
Black	166	-	-	-	-	2	8	14	31	49	40	22	253	1	-	-	-	2	13	8	22	55	81	71
Atherosclerosis (440)	318	-	-	-	-	1	3	4	18	50	122	120	506	-	-	-	-	-	1	3	10	43	130	319
White	304	-	-	-	-	1	3	4	16	47	116	117	483	-	-	-	-	-	1	3	9	39	125	306
All other	14	-	-	-	-	-	-	-	2	3	6	3	23	-	-	-	-	-	-	-	1	4	5	13
Black	14	-	-	-	-	-	-	-	2	3	6	3	22	-	-	-	-	-	-	-	1	4	5	12
Other diseases of arteries, arterioles, and capillaries (441-448)	547	1	-	1	3	5	13	21	72	179	183	69	401	-	-	-	-	5	4	17	38	92	128	117
White	494	-	-	1	1	4	8	12	63	168	172	65	349	-	-	-	-	4	2	10	28	82	116	107
All other	53	1	-	-	2	1	5	9	9	11	11	4	52	-	-	-	-	1	2	7	10	10	12	10
Black	49	1	-	-	2	1	5	9	7	9	11	4	50	-	-	-	-	1	2	7	10	10	11	9
Acute bronchitis and bronchiolitis (466)	12	2	3	-	-	-	-	1	-	2	2	2	5	-	-	-	-	-	-	-	-	1	3	1
White	11	2	2	-	-	-	-	1	-	2	2	2	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	1,351	22	6	1	6	17	29	58	79	229	502	402	1,433	12	3	1	6	12	25	25	51	174	399	725
White	1,164	10	3	1	3	7	14	41	63	193	456	373	1,267	7	2	-	5	5	13	17	44	152	346	676
All other	187	12	3	-	3	10	15	17	16	36	46	29	166	5	1	1	1	7	12	8	7	22	53	49
Black	175	11	2	-	3	10	15	17	14	35	42	26	158	5	1	1	1	7	12	8	7	21	50	45

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 129 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	1,329	20	5	1	6	17	28	57	79	225	494	397	1,407	12	3	1	6	12	25	25	51	171	390	711
White	1,143	8	3	1	3	7	13	40	63	189	448	368	1,242	7	2	-	5	5	13	17	44	149	338	662
All other	186	12	2	-	3	10	15	17	16	36	46	29	165	5	1	1	1	7	12	8	7	22	52	49
Black	175	11	2	-	3	10	15	17	14	35	42	26	157	5	1	1	1	7	12	8	7	21	49	45
Influenza (487)	22	2	1	-	-	-	1	1	-	4	8	5	26	-	-	-	-	-	-	-	-	3	9	14
White	21	2	-	-	-	-	1	1	-	4	8	5	25	-	-	-	-	-	-	-	-	3	8	14
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,741	2	1	2	3	9	14	53	214	510	682	251	1,387	1	-	1	7	7	15	50	165	444	487	210
White	1,580	1	-	2	-	4	6	41	191	460	640	235	1,279	1	-	1	4	4	7	38	151	413	459	201
All other	161	1	1	-	3	5	8	12	23	50	42	16	108	-	-	-	3	3	8	12	14	31	28	9
Black	156	1	1	-	3	5	8	12	21	49	40	16	97	-	-	-	3	3	8	12	11	29	23	8
Bronchitis, chronic and unspecified (490-491)	76	1	-	-	-	-	1	2	10	27	19	16	57	1	-	-	-	-	-	3	3	14	24	12
White	71	1	-	-	-	-	1	2	9	25	19	14	53	1	-	-	-	-	-	3	3	12	22	12
All other	5	-	-	-	-	-	-	-	1	2	-	2	4	-	-	-	-	-	-	-	-	2	2	-
Black	5	-	-	-	-	-	-	-	1	2	-	2	3	-	-	-	-	-	-	-	-	2	1	-
Emphysema (492)	420	-	-	-	-	-	1	13	64	143	157	42	325	-	-	-	-	-	3	10	42	126	114	30
White	393	-	-	-	-	-	1	9	58	135	149	41	311	-	-	-	-	-	3	10	40	118	110	30
All other	27	-	-	-	-	-	-	4	6	8	8	1	14	-	-	-	-	-	-	-	2	8	4	-
Black	26	-	-	-	-	-	-	4	6	8	7	1	11	-	-	-	-	-	-	-	1	7	3	-
Asthma (493)	78	1	1	2	3	9	9	6	9	17	14	7	102	-	-	1	7	7	10	13	14	22	16	12
White	52	-	-	2	-	4	2	6	6	14	11	7	79	-	-	1	4	4	2	9	12	20	15	12
All other	26	1	1	-	3	5	7	-	3	3	3	-	23	-	-	-	3	3	8	4	2	2	1	-
Black	26	1	1	-	3	5	7	-	3	3	3	-	23	-	-	-	3	3	8	4	2	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,167	-	-	-	-	-	3	32	131	323	492	186	903	-	-	-	-	-	2	24	106	282	333	156
White	1,064	-	-	-	-	-	2	24	118	286	461	173	836	-	-	-	-	-	2	16	96	263	312	147
All other	103	-	-	-	-	-	1	8	13	37	31	13	67	-	-	-	-	-	-	8	10	19	21	9
Black	99	-	-	-	-	-	1	8	11	36	30	13	60	-	-	-	-	-	-	8	8	18	18	8
Ulcer of stomach and duodenum (531-533)	92	-	-	-	-	2	7	5	8	22	34	14	136	-	-	-	-	-	4	4	8	20	56	44
White	81	-	-	-	-	2	3	2	8	19	33	14	121	-	-	-	-	-	2	2	6	17	53	41
All other	11	-	-	-	-	-	4	3	-	3	1	-	15	-	-	-	-	-	2	2	2	3	3	3
Black	10	-	-	-	-	-	4	3	-	2	1	-	13	-	-	-	-	-	2	1	2	3	2	3
Appendicitis (540-543)	9	-	-	-	-	1	-	1	4	-	3	-	6	-	1	-	-	-	1	-	-	2	-	2
White	7	-	-	-	-	-	-	1	4	-	2	-	4	-	-	-	-	-	1	-	-	1	-	2
All other	2	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	80	1	1	-	-	1	2	2	4	20	19	30	140	-	-	-	-	-	2	4	4	15	49	66
White	65	1	1	-	-	1	2	2	3	14	15	26	123	-	-	-	-	-	1	4	2	12	42	62
All other	15	-	-	-	-	-	-	-	1	6	4	4	17	-	-	-	-	-	1	-	2	3	7	4
Black	15	-	-	-	-	-	-	-	1	6	4	4	17	-	-	-	-	-	1	-	2	3	7	4
Chronic liver disease and cirrhosis (571)	707	-	-	-	-	29	127	133	169	149	83	17	353	-	-	-	1	14	44	60	78	94	47	15
White	552	-	-	-	-	19	82	93	133	129	80	16	274	-	-	-	1	11	21	36	69	77	44	15
All other	155	-	-	-	-	10	45	40	36	20	3	1	79	-	-	-	-	3	23	24	9	17	3	-
Black	151	-	-	-	-	9	45	38	35	20	3	1	73	-	-	-	-	1	23	21	8	17	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	44	-	-	-	-	-	-	1	5	11	19	8	51	-	-	-	2	1	-	-	4	7	19	18
White	40	-	-	-	-	-	-	1	3	10	18	8	44	-	-	-	1	1	-	-	4	6	16	16
All other	4	-	-	-	-	-	-	-	2	1	1	-	7	-	-	-	1	-	-	-	-	1	3	2
Black	4	-	-	-	-	-	-	-	2	1	1	-	7	-	-	-	1	-	-	-	-	1	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	401	7	-	-	1	4	21	18	33	83	141	93	399	2	-	1	1	3	8	6	24	90	125	139
White	322	4	-	-	1	3	9	11	25	62	123	84	331	-	-	1	-	2	5	3	18	75	103	124
All other	79	3	-	-	-	1	12	7	8	21	18	9	68	2	-	-	1	1	3	3	6	15	22	15
Black	75	3	-	-	-	1	12	5	8	21	16	9	66	2	-	-	1	1	3	3	6	15	21	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	-	1	1	-	1	1	2	2	8	-	-	-	-	-	1	-	-	4	2	1
White	6	-	-	-	-	-	-	-	1	1	2	2	7	-	-	-	-	-	1	-	-	3	2	1
All other	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 130 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	-	-	-	-	-	2	2	3	3	10	7	19	-	-	-	-	-	1	-	1	2	8	7
White	19	-	-	-	-	-	-	-	2	3	7	7	14	-	-	-	-	-	1	-	1	2	5	5
All other	8	-	-	-	-	-	2	2	1	-	3	-	5	-	-	-	-	-	-	-	-	-	3	2
Black	7	-	-	-	-	-	2	1	1	-	3	-	5	-	-	-	-	-	-	-	-	-	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	366	7	-	-	1	3	18	16	29	79	129	84	372	2	-	1	1	3	6	6	23	84	115	131
White	297	4	-	-	1	3	9	11	22	58	114	75	310	-	-	1	-	2	3	3	17	70	96	118
All other	69	3	-	-	-	-	9	5	7	21	15	9	62	2	-	-	1	1	3	3	6	14	19	13
Black	66	3	-	-	-	-	9	4	7	21	13	9	60	2	-	-	1	1	3	3	6	14	18	12
Infections of kidney (590)	12	-	-	-	-	-	-	-	1	4	5	2	24	-	-	-	-	-	2	-	-	1	10	11
White	12	-	-	-	-	-	-	-	1	4	5	2	21	-	-	-	-	-	2	-	-	1	9	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	5	8	5	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	4	6	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	-	5	7	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	5	4	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	5	4	2	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	4	3	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	1	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	1	2	-	...	...	...	...
Congenital anomalies (740-759)	223	128	24	9	12	10	11	6	3	9	9	2	219	131	19	8	2	11	3	10	6	10	13	6
White	179	98	19	8	10	8	10	5	3	9	7	2	165	90	14	6	2	8	1	10	5	10	13	6
All other	44	30	5	1	2	2	1	1	-	-	2	-	54	41	5	2	-	3	2	-	1	-	-	-
Black	42	28	5	1	2	2	1	1	-	-	2	-	49	37	4	2	-	3	2	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	472	468	3	-	-	-	-	-	1	-	-	-	351	341	9	1	-	-	-	-	-	-	-	-
White	233	229	3	-	-	-	-	-	1	-	-	-	174	165	8	1	-	-	-	-	-	-	-	-
All other	239	239	-	-	-	-	-	-	-	-	-	-	177	176	1	-	-	-	-	-	-	-	-	-
Black	237	237	-	-	-	-	-	-	-	-	-	-	176	175	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	111	111	-	-	-	-	-	-	-	-	-	-	78	77	1	-	-	-	-	-	-	-	-	-
White	59	59	-	-	-	-	-	-	-	-	-	-	44	43	1	-	-	-	-	-	-	-	-	-
All other	52	52	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Black	51	51	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	361	357	3	-	-	-	-	-	1	-	-	-	273	264	8	1	-	-	-	-	-	-	-	-
White	174	170	3	-	-	-	-	-	1	-	-	-	130	122	7	1	-	-	-	-	-	-	-	-
All other	187	187	-	-	-	-	-	-	-	-	-	-	143	142	1	-	-	-	-	-	-	-	-	-
Black	186	186	-	-	-	-	-	-	-	-	-	-	142	141	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	232	157	7	1	5	9	7	9	8	8	7	14	146	92	3	-	3	3	4	4	7	3	14	13
White	153	92	5	1	3	6	6	6	7	8	6	13	94	49	3	-	2	3	3	3	6	2	12	11
All other	79	65	2	-	2	3	1	3	1	-	1	1	52	43	-	-	1	-	1	1	1	1	2	2
Black	73	62	2	-	1	2	1	3	1	-	1	-	51	43	-	-	-	-	1	1	1	1	2	2
All other diseases (Residual)	3,014	35	11	22	53	131	223	203	370	626	844	496	3,432	29	13	17	32	77	148	140	283	547	965	1,181
White	2,465	19	8	17	38	78	135	145	303	538	733	451	2,900	21	8	17	18	44	90	112	212	446	846	1,086
All other	549	16	3	5	15	53	88	58	67	88	111	45	532	8	5	-	14	33	58	28	71	101	119	95
Black	529	16	3	5	15	51	85	54	63	85	109	43	510	8	5	-	14	32	57	27	67	96	114	90
Accidents and adverse effects (E800-E949)	1,917	25	62	100	371	326	246	171	144	148	217	106	1,120	14	55	43	138	108	105	77	69	112	205	194
White	1,579	15	38	77	303	279	191	139	115	130	197	94	961	7	41	34	124	87	80	62	59	99	186	182
All other	338	10	24	23	68	47	55	32	29	18	20	12	159	7	14	9	14	21	25	15	10	13	19	12
Black	306	10	24	21	61	37	51	27	28	18	18	11	148	7	12	9	12	20	21	14	9	13	19	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 131 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	990	5	12	53	264	217	142	91	57	59	68	22	523	1	21	25	126	83	70	43	28	46	57	23
White	828	4	7	44	215	184	114	78	43	54	63	22	459	–	20	20	116	69	58	35	25	43	52	21
All other	162	1	5	9	49	33	28	13	14	5	5	–	64	1	1	5	10	14	12	8	3	3	5	2
Black	139	1	5	8	44	25	24	9	14	5	4	–	55	1	–	5	9	13	8	7	2	3	5	2
All other accidents and adverse effects (E800-E807, E826-E949)	927	20	50	47	107	109	104	80	87	89	149	84	597	13	34	18	12	25	35	34	41	66	148	171
White	751	11	31	33	88	95	77	61	72	76	134	72	502	7	21	14	8	18	22	27	34	56	134	161
All other	176	9	19	14	19	14	27	19	15	13	15	12	95	6	13	4	4	7	13	7	7	10	14	10
Black	167	9	19	13	17	12	27	18	14	13	14	11	93	6	12	4	3	7	13	7	7	10	14	10
Suicide (E950-E959)	927	...	...	11	150	187	195	109	76	92	82	25	215	...	...	1	24	33	55	40	26	21	12	2
White	821	...	...	10	125	162	166	99	71	87	76	25	192	...	...	1	21	28	51	35	23	20	11	2
All other	106	...	...	1	25	25	29	10	5	5	6	–	23	...	...	–	3	5	4	5	3	1	1	–
Black	98	...	...	1	22	24	27	9	4	5	6	–	18	...	...	–	1	4	4	5	2	1	–	–
Homicide and legal intervention (E960-E978)	899	9	7	21	343	242	153	69	25	19	7	2	251	3	15	4	54	63	54	24	11	11	9	3
White	223	6	4	5	53	63	40	26	14	7	3	1	125	2	8	2	18	32	23	16	7	8	7	2
All other	676	3	3	16	290	179	113	43	11	12	4	1	126	1	7	2	36	31	31	8	4	3	2	1
Black	671	3	3	16	287	177	113	43	11	12	4	1	122	1	7	2	36	30	30	6	4	3	2	1
All other external causes (E980-E999)	74	–	–	2	11	18	25	6	4	4	2	2	49	–	1	1	4	12	15	6	5	2	1	2
White	51	–	–	2	7	9	19	5	3	3	1	2	32	–	1	–	1	8	10	4	3	2	1	2
All other	23	–	–	–	4	9	6	1	1	1	1	–	17	–	–	1	3	4	5	2	2	–	–	–
Black	21	–	–	–	4	8	6	1	1	1	–	–	16	–	–	1	3	4	4	2	2	–	–	–
MINNESOTA																								
All causes	17,986	310	52	72	343	494	659	919	1,989	4,103	5,360	3,683	17,323	193	41	53	107	167	335	554	1,316	2,730	5,008	6,819
White	17,448	259	42	69	298	431	605	849	1,919	4,021	5,297	3,656	16,935	146	31	48	94	150	313	530	1,250	2,668	4,931	6,774
All other	538	51	10	3	45	63	54	70	70	82	63	27	388	47	10	5	13	17	22	24	66	62	77	45
Black	305	34	6	2	23	35	34	36	39	47	33	16	212	28	5	2	7	11	13	12	31	37	39	27
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	1	–	7	1	–	–	–	–	–	–	1	1	–	4
White	1	–	–	–	–	–	–	–	–	–	1	–	7	1	–	–	–	–	–	–	1	1	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	1	–	–	–	1	1
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	94	1	1	–	–	–	1	4	15	21	33	18	109	2	1	–	–	1	2	3	1	14	45	40
White	87	1	–	–	–	–	1	1	14	21	33	16	101	–	–	–	–	1	1	3	1	13	45	38
All other	7	–	1	–	–	–	–	3	1	–	–	2	8	2	1	–	–	1	1	–	–	1	–	2
Black	3	–	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	1	1	–	–	–	–	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 132 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	14	-	-	-	1	2	4	-	3	2	1	1	3	-	-	-	-	-	-	-	1	1	1	-
White	14	-	-	-	1	2	4	-	3	2	1	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	223	-	-	1	1	58	79	38	17	13	8	8	63	2	1	-	1	3	-	5	8	9	17	17
White	200	-	-	1	-	48	71	35	16	13	8	8	56	-	-	-	-	3	-	4	7	8	17	17
All other	23	-	-	-	1	10	8	3	1	-	-	-	7	2	1	-	1	-	-	1	1	1	-	-
Black	20	-	-	-	1	8	8	2	1	-	-	-	7	2	1	-	1	-	-	1	1	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,367	-	5	11	19	38	107	276	707	1,350	1,290	564	4,022	-	3	10	9	47	143	306	633	1,000	1,142	729
White	4,261	-	4	11	16	34	104	253	683	1,325	1,273	558	3,935	-	3	10	9	42	137	297	612	977	1,122	726
All other	106	-	1	-	3	4	3	23	24	25	17	6	87	-	-	-	-	5	6	9	21	23	20	3
Black	56	-	-	-	1	3	1	9	15	15	9	3	46	-	-	-	-	1	4	4	12	12	11	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	69	-	-	-	-	1	5	5	15	24	15	4	58	-	-	-	-	-	2	2	15	11	17	11
White	67	-	-	-	-	1	4	5	15	24	14	4	58	-	-	-	-	-	2	2	15	11	17	11
All other	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,030	-	-	-	-	7	22	63	179	319	305	135	965	-	-	-	1	6	12	48	112	220	331	235
White	1,006	-	-	-	-	6	22	56	172	314	303	133	945	-	-	-	1	5	12	47	106	216	324	234
All other	24	-	-	-	-	1	-	7	7	5	2	2	20	-	-	-	-	1	-	1	6	4	7	1
Black	10	-	-	-	-	1	-	2	4	2	-	1	7	-	-	-	-	-	-	-	2	1	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,273	-	-	-	-	2	16	84	258	474	350	89	726	-	-	-	-	1	16	65	163	230	184	67
White	1,236	-	-	-	-	1	14	80	249	463	342	87	712	-	-	-	-	1	15	64	161	225	180	66
All other	37	-	-	-	-	1	2	4	9	11	8	2	14	-	-	-	-	-	1	1	2	5	4	1
Black	25	-	-	-	-	1	1	3	6	8	5	1	8	-	-	-	-	-	1	-	-	2	4	1
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	1	2	1	2	787	-	-	-	-	8	65	96	138	177	183	120
White	6	-	-	-	-	-	-	-	1	2	1	2	767	-	-	-	-	8	62	91	133	172	181	120
All other	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	3	5	5	5	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	2	2	5	4	1	-
Malignant neoplasms of genital organs (179-187)	658	-	-	-	-	2	3	8	34	157	273	181	420	-	-	-	-	2	11	32	84	103	116	72
White	649	-	-	-	-	2	3	8	34	152	271	179	413	-	-	-	-	2	10	31	81	102	115	72
All other	9	-	-	-	-	-	-	-	-	5	2	2	7	-	-	-	-	-	1	1	3	1	1	-
Black	7	-	-	-	-	-	-	-	-	4	2	1	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	254	-	1	1	-	-	4	24	42	73	78	31	164	-	1	2	-	2	3	7	16	41	53	39
White	250	-	1	1	-	-	4	22	42	73	76	31	158	-	1	2	-	2	3	6	15	39	51	39
All other	4	-	-	-	-	-	-	2	-	-	2	-	6	-	-	-	-	-	-	1	1	2	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	560	-	3	3	8	11	34	57	115	158	116	55	463	-	1	5	5	16	16	35	60	118	115	92
White	543	-	3	3	7	10	34	52	110	155	114	55	452	-	1	5	5	15	16	35	56	114	114	91
All other	17	-	-	-	1	1	-	5	5	3	2	-	11	-	-	-	-	1	-	-	4	4	1	1
Black	8	-	-	-	-	1	-	1	3	1	2	-	7	-	-	-	-	1	-	-	4	2	-	-
Leukemia (204-208)	211	-	1	7	6	5	7	17	22	57	61	28	166	-	1	2	2	9	9	5	17	34	49	38
White	205	-	-	7	4	5	7	14	22	57	61	28	163	-	1	2	2	7	9	5	17	34	48	38
All other	6	-	1	-	2	-	-	3	-	-	-	-	3	-	-	-	-	2	-	-	-	-	1	-
Black	3	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	306	-	-	-	5	10	16	18	41	86	91	39	273	-	-	1	1	3	9	16	28	66	94	55
White	299	-	-	-	5	9	16	16	38	85	91	39	267	-	-	1	1	2	8	16	28	64	92	55
All other	7	-	-	-	-	1	-	2	3	1	-	-	6	-	-	-	-	1	1	-	-	2	2	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	5	-	-	-	-	-	1	-	-	2	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	40	-	1	1	1	-	3	1	2	14	13	4	65	-	3	-	2	1	2	4	5	6	24	18
White	40	-	1	1	1	-	3	1	2	14	13	4	62	-	3	-	2	-	1	3	5	6	24	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 133 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	318	-	-	-	-	5	18	22	37	73	106	57	440	-	-	-	-	6	7	14	52	103	125	133
White	304	-	-	-	-	5	17	19	34	68	104	57	426	-	-	-	-	6	7	12	46	101	121	133
All other	14	-	-	-	-	-	1	3	3	5	2	-	14	-	-	-	-	-	-	2	6	2	4	-
Black	7	-	-	-	-	-	-	1	2	3	1	-	7	-	-	-	-	-	-	1	3	1	2	-
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	-	2	7	4	42	-	-	-	-	-	-	-	1	1	4	36
White	13	-	-	-	-	-	-	-	-	2	7	4	42	-	-	-	-	-	-	-	1	1	4	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	31	-	-	-	1	1	2	-	1	8	8	10	36	-	-	-	-	-	-	-	1	3	12	20
White	28	-	-	-	-	-	1	-	1	8	8	10	36	-	-	-	-	-	-	-	1	3	12	20
All other	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	-	3	-	-	-	1	-	-	1	1	-	10	2	1	-	-	-	-	-	2	3	-	2
White	4	-	2	-	-	-	-	-	-	1	1	-	8	1	1	-	-	-	-	-	1	3	-	2
All other	2	-	1	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	7,225	5	1	3	13	37	144	329	774	1,701	2,442	1,776	7,388	4	2	1	7	19	63	97	323	963	2,288	3,621
White	7,095	3	1	3	9	31	129	308	753	1,673	2,416	1,769	7,273	3	2	1	4	15	60	93	300	936	2,258	3,601
All other	130	2	-	-	4	6	15	21	21	28	26	7	115	1	-	-	3	4	3	4	23	27	30	20
Black	68	2	-	-	2	3	10	11	9	15	11	5	64	-	-	-	2	4	3	1	9	17	15	13
Diseases of heart (390-398,402,404-429)	5,580	3	1	3	12	30	122	291	654	1,370	1,820	1,274	5,100	1	2	1	5	12	48	70	257	713	1,611	2,380
White	5,475	2	1	3	8	25	108	275	638	1,347	1,800	1,268	5,020	1	2	1	4	10	46	67	240	692	1,589	2,368
All other	105	1	-	-	4	5	14	16	16	23	20	6	80	-	-	-	1	2	2	3	17	21	22	12
Black	53	1	-	-	2	2	9	7	6	12	10	4	42	-	-	-	1	2	2	-	6	13	10	8
Rheumatic fever and rheumatic heart disease (390-398)	24	-	-	-	-	-	3	1	1	6	11	2	69	-	-	-	-	1	2	5	3	17	21	20
White	24	-	-	-	-	-	3	1	1	6	11	2	67	-	-	-	-	1	1	5	3	16	21	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Hypertensive heart disease (402)	66	-	-	-	-	-	3	2	6	16	24	15	110	-	-	-	-	-	1	2	4	18	36	49
White	64	-	-	-	-	-	3	2	6	15	24	14	106	-	-	-	-	-	1	2	4	17	34	48
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	1	2	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	1	1	2	4	5	17	-	-	-	-	-	-	-	-	-	7	10
White	12	-	-	-	-	-	-	1	1	2	4	5	16	-	-	-	-	-	-	-	-	-	7	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	4,168	-	-	-	2	11	86	234	538	1,080	1,357	860	3,368	-	-	-	-	2	29	43	180	505	1,102	1,507
White	4,099	-	-	-	2	9	75	225	524	1,064	1,343	857	3,317	-	-	-	-	2	28	40	167	490	1,088	1,502
All other	69	-	-	-	-	2	11	9	14	16	14	3	51	-	-	-	-	-	1	3	13	15	14	5
Black	32	-	-	-	-	1	7	3	6	7	6	2	24	-	-	-	-	-	1	-	6	9	6	2
Acute myocardial infarction (410)	1,976	-	-	-	-	7	51	118	275	563	633	329	1,494	-	-	-	-	1	18	26	99	268	570	512
White	1,946	-	-	-	-	6	45	115	269	555	628	328	1,470	-	-	-	-	1	17	24	91	262	565	510
All other	30	-	-	-	-	1	6	3	6	8	5	1	24	-	-	-	-	-	1	2	8	6	5	2
Black	10	-	-	-	-	-	3	-	1	3	2	1	10	-	-	-	-	-	1	-	4	3	2	-
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	1	-	-	2	5	3	5	4	-	-	-	-	-	-	-	-	-	-	4
White	16	-	-	-	-	1	-	-	2	5	3	5	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	-	2	3	2	7	-	-	-	-	-	-	-	1	1	-	5
White	7	-	-	-	-	-	-	-	-	2	3	2	7	-	-	-	-	-	-	-	1	1	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,169	-	-	-	2	3	35	116	261	510	718	524	1,663	-	-	-	-	1	11	17	80	236	532	986
White	2,130	-	-	-	2	2	30	110	253	502	709	522	1,636	-	-	-	-	1	11	16	75	227	523	983
All other	39	-	-	-	-	1	5	6	8	8	9	2	27	-	-	-	-	-	-	1	5	9	9	3
Black	22	-	-	-	-	1	4	3	5	4	4	1	14	-	-	-	-	-	-	-	2	6	4	2
Other diseases of endocardium (424)	114	-	-	-	-	1	2	1	8	25	45	32	176	-	-	-	1	-	-	3	7	16	54	95
White	111	-	-	-	-	-	1	-	8	25	45	32	176	-	-	-	1	-	-	3	7	16	54	95
All other	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 134 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,195	3	1	3	10	18	28	52	100	241	379	360	1,360	1	2	1	4	9	16	17	63	157	391	699
White	1,165	2	1	3	6	16	26	47	98	235	373	358	1,338	1	2	1	3	7	16	17	59	153	385	694
All other	30	1	-	-	4	2	2	5	2	6	6	2	22	-	-	-	1	2	-	-	4	4	6	5
Black	17	1	-	-	2	1	1	3	-	4	4	1	13	-	-	-	1	2	-	-	-	2	3	5
Hypertension with or without renal disease (401,403)	69	-	-	-	-	-	1	2	7	20	23	16	128	-	-	-	-	-	-	2	2	25	36	63
White	67	-	-	-	-	-	-	2	6	20	23	16	126	-	-	-	-	-	-	2	2	24	35	63
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-
Cerebrovascular diseases (430-438)	1,128	1	-	-	-	7	17	31	74	202	431	365	1,726	3	-	-	1	6	13	21	48	174	513	947
White	1,109	1	-	-	-	6	17	26	70	197	428	364	1,697	2	-	-	-	4	12	20	43	171	506	939
All other	19	-	-	-	-	1	-	5	4	5	3	1	29	1	-	-	1	2	1	1	5	3	7	8
Black	11	-	-	-	-	1	-	4	2	3	-	1	17	-	-	-	-	2	1	1	3	1	4	5
Intracerebral and other intracranial hemorrhage (431-432)	148	-	-	-	-	2	6	15	18	41	48	18	182	-	-	-	-	1	5	7	19	34	64	52
White	141	-	-	-	-	2	6	11	17	39	48	18	178	-	-	-	-	-	4	7	17	34	64	52
All other	7	-	-	-	-	-	-	4	1	2	-	-	4	-	-	-	-	1	1	-	2	-	-	-
Black	3	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	110	-	-	-	-	-	1	-	11	16	50	32	136	-	-	-	-	-	2	1	-	14	42	77
White	110	-	-	-	-	-	1	-	11	16	50	32	135	-	-	-	-	-	2	1	-	14	42	76
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	1	2	2	14	-	-	-	-	-	-	-	-	2	2	10
White	5	-	-	-	-	-	-	-	-	1	2	2	14	-	-	-	-	-	-	-	-	2	2	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	865	1	-	-	-	5	10	16	45	144	331	313	1,394	3	-	-	1	5	6	13	29	124	405	808
White	853	1	-	-	-	4	10	15	42	141	328	312	1,370	2	-	-	-	4	6	12	26	121	398	801
All other	12	-	-	-	-	1	-	1	3	3	3	1	24	1	-	-	1	1	-	1	3	3	7	7
Black	8	-	-	-	-	1	-	1	2	3	-	1	13	-	-	-	-	1	-	1	2	1	4	4
Atherosclerosis (440)	138	-	-	-	-	-	-	1	8	18	52	59	209	-	-	-	-	-	-	-	7	12	43	147
White	138	-	-	-	-	-	-	1	8	18	52	59	208	-	-	-	-	-	-	-	6	12	43	147
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	310	1	-	-	1	-	4	4	31	91	116	62	225	-	-	-	1	1	2	4	9	39	85	84
White	306	-	-	-	1	-	4	4	31	91	113	62	222	-	-	-	-	1	2	4	9	37	85	84
All other	4	1	-	-	-	-	-	-	-	-	3	-	3	-	-	-	1	-	-	-	-	2	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	2	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	2	-	3
White	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	704	5	1	2	1	2	9	11	25	82	247	319	850	4	1	4	-	2	3	7	18	46	217	548
White	685	4	-	2	1	1	8	10	23	78	244	314	837	3	1	4	-	2	2	7	17	45	212	544
All other	19	1	1	-	-	1	1	1	2	4	3	5	13	1	-	-	-	-	1	-	1	1	5	4
Black	9	-	1	-	-	1	-	1	1	1	3	1	5	1	-	-	-	-	1	-	-	1	1	1
Pneumonia (480-486)	678	5	1	2	1	2	9	10	25	81	240	302	820	4	-	3	-	2	3	6	17	46	210	529
White	659	4	-	2	1	1	8	9	23	77	237	297	807	3	-	3	-	2	2	6	16	45	205	525
All other	19	1	1	-	-	1	1	1	2	4	3	5	13	1	-	-	-	-	1	-	1	1	5	4
Black	9	-	1	-	-	1	-	1	1	1	3	1	5	1	-	-	-	-	1	-	-	1	1	1
Influenza (487)	26	-	-	-	-	-	-	1	-	1	7	17	30	-	1	1	-	-	-	1	1	-	7	19
White	26	-	-	-	-	-	-	1	-	1	7	17	30	-	1	1	-	-	-	1	1	-	7	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	887	-	1	-	-	1	4	10	80	277	361	153	606	1	-	1	1	2	3	9	65	171	249	104
White	875	-	1	-	-	1	4	9	77	273	357	153	592	-	-	1	1	2	2	9	60	169	244	104
All other	12	-	-	-	-	-	-	1	3	4	4	-	14	1	-	-	-	-	1	-	5	2	5	-
Black	7	-	-	-	-	-	-	1	2	2	2	-	9	1	-	-	-	-	1	-	3	2	2	-
Bronchitis, chronic and unspecified (490-491)	38	-	1	-	-	-	1	1	4	7	19	5	20	1	-	1	-	-	-	-	2	2	8	6
White	37	-	1	-	-	-	1	1	4	7	18	5	19	-	-	1	-	-	-	-	2	2	8	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	129	-	-	-	-	-	-	1	17	45	46	20	98	-	-	-	-	-	-	2	12	35	38	11
White	128	-	-	-	-	-	-	1	16	45	46	20	97	-	-	-	-	-	-	2	12	34	38	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 135 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	28	-	-	-	-	1	2	1	1	8	11	4	65	-	-	-	1	2	3	3	5	14	22	15
White	28	-	-	-	-	1	2	1	1	8	11	4	62	-	-	-	1	2	2	3	4	14	21	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	692	-	-	-	-	-	1	7	58	217	285	124	423	-	-	-	-	-	-	4	46	120	181	72
White	682	-	-	-	-	-	1	6	56	213	282	124	414	-	-	-	-	-	-	4	42	119	177	72
All other	10	-	-	-	-	-	-	1	2	4	3	-	9	-	-	-	-	-	-	-	4	1	4	-
Black	5	-	-	-	-	-	-	1	1	2	1	-	5	-	-	-	-	-	-	-	2	1	2	-
Ulcer of stomach and duodenum (531-533)	50	-	-	-	-	-	1	1	8	8	16	16	56	-	-	-	-	-	1	2	7	10	18	18
White	50	-	-	-	-	-	1	1	8	8	16	16	54	-	-	-	-	-	1	1	7	10	17	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	39	-	-	-	-	-	-	-	4	9	14	12	70	-	1	-	-	1	2	1	3	7	22	33
White	39	-	-	-	-	-	-	-	4	9	14	12	68	-	1	-	-	1	2	1	2	7	22	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Chronic liver disease and cirrhosis (571)	174	-	-	-	-	2	23	26	43	41	32	7	119	-	-	-	-	2	12	16	28	33	24	4
White	163	-	-	-	-	2	20	23	41	39	31	7	112	-	-	-	-	1	10	15	26	32	24	4
All other	11	-	-	-	-	-	3	3	2	2	1	-	7	-	-	-	-	1	2	1	2	1	-	-
Black	7	-	-	-	-	-	2	2	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	-	-	-	-	-	2	3	15	6	29	-	-	-	-	-	1	-	4	1	6	17
White	25	-	-	-	-	-	-	-	2	2	15	6	29	-	-	-	-	-	1	-	4	1	6	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	160	-	-	-	-	-	3	5	11	15	54	72	147	-	-	-	-	-	-	2	4	19	48	74
White	153	-	-	-	-	-	3	4	9	12	53	72	143	-	-	-	-	-	-	-	4	18	48	73
All other	7	-	-	-	-	-	-	1	2	3	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	5	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	-	-	1	1	3	1	2	7	8	-	-	-	-	-	-	-	1	1	5	1
White	14	-	-	-	-	-	1	1	2	1	2	7	8	-	-	-	-	-	-	-	1	1	5	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	144	-	-	-	-	-	2	4	8	14	52	64	139	-	-	-	-	-	-	2	3	18	43	73
White	138	-	-	-	-	-	2	3	7	11	51	64	135	-	-	-	-	-	-	-	3	17	43	72
All other	6	-	-	-	-	-	-	1	1	3	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	5	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	-	1	3	17	-	-	-	-	1	-	-	-	1	7	8
White	4	-	-	-	-	-	-	-	-	-	1	3	17	-	-	-	-	1	-	-	-	1	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	5	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 136 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	117	77	6	3	3	10	3	4	1	4	4	2	80	50	2	3	1	4	1	1	5	5	4	4
White	102	67	3	3	2	9	3	4	1	4	4	2	76	46	2	3	1	4	1	1	5	5	4	4
All other	15	10	3	-	1	1	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	11	7	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	120	120	-	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
White	101	101	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	22	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	98	98	-	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
White	83	83	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	320	69	1	2	4	7	3	3	20	72	78	60	382	32	-	1	1	1	3	3	8	37	85	211
White	304	56	1	2	4	6	3	3	20	71	77	60	364	24	-	1	-	1	3	3	8	35	80	209
All other	16	13	-	-	-	1	-	-	-	1	1	-	18	8	-	-	1	-	-	-	-	2	5	2
Black	10	8	-	-	-	-	-	-	-	1	1	-	13	5	-	-	1	-	-	-	-	2	4	1
All other diseases (Residual)	1,548	15	5	8	12	34	38	63	125	269	495	484	2,011	11	10	6	6	10	22	47	99	232	559	1,009
White	1,512	15	5	8	11	31	36	58	118	264	488	478	1,979	8	6	6	4	10	20	45	95	231	554	1,000
All other	36	-	-	-	1	3	2	5	7	5	7	6	32	3	4	-	2	-	2	2	4	1	5	9
Black	22	-	-	-	-	1	-	2	6	3	4	6	16	2	1	-	1	-	-	2	1	1	2	6
Accidents and adverse effects (E800-E949)	935	12	25	33	160	170	106	67	73	95	102	92	537	8	11	23	54	32	43	22	28	54	102	160
White	881	8	22	31	152	153	95	64	70	93	101	92	514	4	10	19	52	30	39	21	28	54	100	157
All other	54	4	3	2	8	17	11	3	3	2	1	-	23	4	1	4	2	2	4	1	-	-	2	3
Black	22	3	2	1	1	7	5	2	-	1	-	-	11	2	-	1	-	2	2	-	-	-	2	2
Motor vehicle accidents (E810-E825)	402	2	8	12	128	92	40	23	20	27	37	13	196	1	5	15	46	20	20	15	18	27	20	9
White	384	2	8	11	122	86	37	23	19	26	37	13	186	1	4	14	44	19	17	14	18	27	20	8
All other	18	-	-	1	6	6	3	-	1	1	-	-	10	-	1	1	2	1	3	1	-	-	-	1
Black	2	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	533	10	17	21	32	78	66	44	53	68	65	79	341	7	6	8	8	12	23	7	10	27	82	151
White	497	6	14	20	30	67	58	41	51	67	64	79	328	3	6	5	8	11	22	7	10	27	80	149
All other	36	4	3	1	2	11	8	3	2	1	1	-	13	4	-	3	-	1	1	-	-	-	2	2
Black	20	3	2	-	-	7	5	2	-	1	-	-	9	2	-	1	-	1	1	-	-	-	2	2
Suicide (E950-E959)	422	...	...	5	89	100	81	45	38	38	18	8	89	...	...	1	14	24	16	12	11	5	4	2
White	404	...	...	4	81	94	81	44	38	37	18	7	86	...	...	1	13	22	16	12	11	5	4	2
All other	18	...	...	1	8	6	-	1	-	1	-	1	3	...	...	-	1	2	-	-	-	-	-	-
Black	9	...	...	1	1	4	-	1	-	1	-	1	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	97	4	2	3	28	20	24	8	2	3	3	-	39	1	4	3	8	2	7	1	7	3	2	1
White	57	3	2	3	12	9	16	6	1	2	3	-	31	1	1	2	6	1	7	1	6	3	2	1
All other	40	1	-	-	16	11	8	2	1	1	-	-	8	-	3	1	2	1	-	-	1	-	-	-
Black	30	-	-	-	14	6	7	1	1	1	-	-	7	-	3	1	2	1	-	-	-	-	-	-
All other external causes (E980-E999)	34	2	-	-	9	7	4	6	1	-	2	2	15	-	1	-	1	5	3	2	1	-	2	-
White	29	1	-	-	7	5	4	6	1	-	2	2	15	-	1	-	1	5	3	2	1	-	2	-
All other	5	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 137 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	13,438	276	56	89	405	545	698	1,003	1,925	3,271	3,442	1,728	12,226	218	42	52	147	213	340	562	1,211	2,343	3,657	3,441
White	8,567	100	22	39	190	261	349	617	1,330	2,245	2,341	1,073	7,936	63	15	26	84	95	164	296	743	1,467	2,524	2,459
All other	4,871	176	34	50	215	284	349	386	595	1,026	1,101	655	4,290	155	27	26	63	118	176	266	468	876	1,133	982
Black	4,827	171	34	49	212	280	345	383	593	1,017	1,092	651	4,257	152	25	26	63	117	175	263	462	871	1,128	975
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Tuberculosis (010-018)	7	-	-	-	-	-	-	2	2	-	3	-	7	-	-	-	1	1	-	-	-	2	2	1
White	4	-	-	-	-	-	-	1	1	-	2	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	3	-	-	-	-	-	-	1	1	-	1	-	4	-	-	-	1	1	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	4	-	-	-	1	1	-	-	-	-	1	1
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1
White	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	1	1	-	-	-	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	1	1	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	1	1	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	102	3	1	1	-	1	1	7	11	16	38	23	105	-	1	-	-	2	6	2	7	19	31	37
White	56	1	-	-	-	-	1	5	5	8	23	13	58	-	1	-	-	1	1	1	5	9	21	19
All other	46	2	1	1	-	1	-	2	6	8	15	10	47	-	-	-	-	1	5	1	2	10	10	18
Black	46	2	1	1	-	1	-	2	6	8	15	10	45	-	-	-	-	1	5	1	2	10	10	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	19	-	-	-	1	-	5	-	3	6	3	1	8	-	-	-	-	1	-	-	3	2	1	1
White	15	-	-	-	-	-	4	-	3	5	3	-	5	-	-	-	-	1	-	-	1	2	1	-
All other	4	-	-	-	1	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	4	-	-	-	1	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	2	-	-	1
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	171	1	-	-	6	61	47	26	11	7	8	4	38	2	-	-	2	5	6	5	4	4	4	6
White	92	-	-	-	-	26	25	18	9	4	7	3	18	-	-	-	-	-	3	4	1	3	2	5
All other	79	1	-	-	6	35	22	8	2	3	1	1	20	2	-	-	2	5	3	1	3	1	2	1
Black	79	1	-	-	6	35	22	8	2	3	1	1	20	2	-	-	2	5	3	1	3	1	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,138	-	-	11	14	30	100	246	612	994	840	291	2,384	-	3	4	11	27	94	187	428	635	650	345
White	2,058	-	-	6	6	22	46	146	431	697	538	166	1,623	-	2	3	6	10	51	126	296	458	439	232
All other	1,080	-	-	5	8	8	54	100	181	297	302	125	761	-	1	1	5	17	43	61	132	177	211	113
Black	1,077	-	-	5	8	8	54	99	181	296	301	125	755	-	-	1	5	17	43	60	130	175	211	113

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 138 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	77	-	-	-	-	-	8	20	17	21	8	3	27	-	-	-	-	1	3	2	3	9	7	2
White	45	-	-	-	-	-	3	8	10	15	7	2	19	-	-	-	-	1	1	1	1	8	5	2
All other	32	-	-	-	-	-	5	12	7	6	1	1	8	-	-	-	-	-	2	1	2	1	2	-
Black	32	-	-	-	-	-	5	12	7	6	1	1	8	-	-	-	-	-	2	1	2	1	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	664	-	-	1	2	8	22	59	137	205	161	69	625	-	1	-	2	2	11	39	84	143	213	130
White	408	-	-	1	1	6	8	34	86	133	102	37	398	-	-	-	-	-	6	26	52	97	131	86
All other	256	-	-	-	1	2	14	25	51	72	59	32	227	-	1	-	2	2	5	13	32	46	82	44
Black	254	-	-	-	1	2	14	24	51	71	59	32	224	-	-	-	2	2	5	12	32	45	82	44
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,190	-	-	-	1	3	26	88	284	432	296	60	452	-	-	-	-	1	10	35	116	153	106	31
White	843	-	-	-	1	1	9	53	207	320	213	39	349	-	-	-	-	-	6	26	90	122	84	21
All other	347	-	-	-	-	2	17	35	77	112	83	21	103	-	-	-	-	1	4	9	26	31	22	10
Black	347	-	-	-	-	2	17	35	77	112	83	21	103	-	-	-	-	1	4	9	26	31	22	10
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	-	4	1	-	408	-	-	-	-	5	33	50	89	105	85	41
White	4	-	-	-	-	-	-	-	-	3	1	-	265	-	-	-	-	2	14	28	60	69	65	27
All other	1	-	-	-	-	-	-	-	-	1	-	-	143	-	-	-	-	3	19	22	29	36	20	14
Black	1	-	-	-	-	-	-	-	-	1	-	-	143	-	-	-	-	3	19	22	29	36	20	14
Malignant neoplasms of genital organs (179-187)	407	-	-	-	1	-	1	4	26	107	186	82	220	-	-	-	2	7	15	10	37	65	60	24
White	210	-	-	-	1	-	-	2	17	61	89	40	124	-	-	-	1	1	9	6	22	36	35	14
All other	197	-	-	-	-	-	1	2	9	46	97	42	96	-	-	-	1	6	6	4	15	29	25	10
Black	196	-	-	-	-	-	1	2	9	46	96	42	96	-	-	-	1	6	6	4	15	29	25	10
Malignant neoplasms of urinary organs (188-189)	117	-	-	1	1	-	6	7	20	41	27	14	65	-	-	-	-	-	1	5	5	16	22	16
White	77	-	-	-	-	-	5	6	17	25	16	8	46	-	-	-	-	-	1	5	5	10	15	10
All other	40	-	-	1	1	-	1	1	3	16	11	6	19	-	-	-	-	-	-	-	-	6	7	6
Black	40	-	-	1	1	-	1	1	3	16	11	6	19	-	-	-	-	-	-	-	-	6	7	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	437	-	-	5	4	11	23	46	90	116	107	35	356	-	-	2	3	5	12	30	61	97	91	55
White	309	-	-	4	1	10	15	32	69	87	73	18	264	-	-	2	3	3	10	23	46	79	56	42
All other	128	-	-	1	3	1	8	14	21	29	34	17	92	-	-	-	-	2	2	7	15	18	35	13
Black	128	-	-	1	3	1	8	14	21	29	34	17	92	-	-	-	-	2	2	7	15	18	35	13
Leukemia (204-208)	98	-	-	3	3	4	5	8	11	25	23	16	104	-	2	2	2	4	6	8	16	14	25	25
White	65	-	-	-	1	2	3	5	7	21	14	12	72	-	2	1	1	3	3	6	11	10	19	16
All other	33	-	-	3	2	2	2	3	4	4	9	4	32	-	-	1	1	1	3	2	5	4	6	9
Black	33	-	-	3	2	2	2	3	4	4	9	4	29	-	-	1	1	1	3	2	3	3	6	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	143	-	-	1	2	4	9	14	27	43	31	12	127	-	-	-	-	2	2	3	8	17	33	41	21
White	97	-	-	1	1	3	3	6	18	32	23	10	86	-	-	-	-	1	-	1	5	9	27	29	14
All other	46	-	-	-	1	1	6	8	9	11	8	2	41	-	-	-	-	1	2	2	3	8	6	12	7
Black	46	-	-	-	1	1	6	8	9	11	8	2	41	-	-	-	-	1	2	2	3	8	6	12	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	-	1	1	-	5	-	4	3	7	8	2	32	-	1	-	-	3	2	3	1	10	7	5
White	22	-	-	1	-	2	-	3	3	6	6	1	21	-	1	-	-	3	1	1	-	8	4	3
All other	9	-	1	-	-	3	-	1	-	1	2	1	11	-	-	-	-	-	1	2	1	2	3	2
Black	9	-	1	-	-	3	-	1	-	1	2	1	11	-	-	-	-	-	1	2	1	2	3	2
Diabetes mellitus (250)	140	-	-	-	1	5	8	10	19	47	39	11	292	-	-	-	1	4	6	19	46	78	72	66
White	71	-	-	-	1	3	1	8	7	28	17	6	119	-	-	-	1	2	2	5	18	30	33	28
All other	69	-	-	-	-	2	7	2	12	19	22	5	173	-	-	-	-	2	4	14	28	48	39	38
Black	68	-	-	-	-	2	7	2	12	19	21	5	173	-	-	-	-	2	4	14	28	48	39	38
Nutritional deficiencies (260-269)	21	-	-	-	-	-	-	-	1	-	6	5	9	17	-	-	-	-	-	-	-	-	3	3	11
White	10	-	-	-	-	-	-	-	1	-	2	3	4	8	-	-	-	-	-	-	-	-	-	2	6
All other	11	-	-	-	-	-	-	-	-	-	4	2	5	9	-	-	-	-	-	-	-	-	3	1	5
Black	11	-	-	-	-	-	-	-	-	-	4	2	5	9	-	-	-	-	-	-	-	-	3	1	5
Anemias (280-285)	22	-	-	-	1	-	2	2	1	5	9	2	37	-	2	2	3	1	2	4	1	3	11	8
White	10	-	-	-	-	-	-	-	1	2	6	1	16	-	-	1	-	-	-	2	-	3	6	4
All other	12	-	-	-	1	-	2	2	-	3	3	1	21	-	2	1	3	1	2	2	1	-	5	4
Black	12	-	-	-	1	-	2	2	-	3	3	1	21	-	2	1	3	1	2	2	1	-	5	4
Meningitis (320-322)	10	2	-	1	-	1	1	-	1	-	1	3	5	2	-	-	-	-	-	-	1	-	2	-
White	5	-	-	-	-	-	1	-	1	-	1	2	4	1	-	-	-	-	-	-	1	-	2	-
All other	5	2	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black	5	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,669	2	2	6	14	46	190	409	864	1,487	1,694	955	6,254	6	5	1	10	40	96	209	471	1,120	2,098	2,198
White	3,738	-	1	1	4	22	94	261	582	1,012	1,166	595	4,034	3	2	-	-	13	30	80	253	641	1,409	1,603
All other	1,931	2	1	5	10	24	96	148	282	475	528	360	2,220	3	3	1	10	27	66	129	218	479	689	595
Black	1,916	2	1	5	10	24	96	146	282	470	522	358	2,204	3	3	1	10	27	66	128	216	476	684	590

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 139 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,661	–	2	5	12	37	159	360	734	1,241	1,338	773	4,970	4	5	1	9	27	75	162	390	924	1,649	1,724
White	3,112	–	1	1	3	18	82	235	518	855	921	478	3,214	2	2	–	–	10	22	62	218	528	1,114	1,256
All other	1,549	–	1	4	9	19	77	125	216	386	417	295	1,756	2	3	1	9	17	53	100	172	396	535	468
Black	1,536	–	1	4	9	19	77	123	216	383	411	293	1,744	2	3	1	9	17	53	99	170	394	532	464
Rheumatic fever and rheumatic heart disease (390-398)	16	–	–	–	–	–	2	–	5	1	6	2	22	–	–	–	–	1	1	1	3	6	6	4
White	10	–	–	–	–	–	1	–	4	1	3	1	14	–	–	–	–	–	–	–	2	5	4	3
All other	6	–	–	–	–	–	1	–	1	–	3	1	8	–	–	–	–	1	1	1	1	1	2	1
Black	6	–	–	–	–	–	1	–	1	–	3	1	8	–	–	–	–	1	1	1	1	1	2	1
Hypertensive heart disease (402)	128	–	–	–	–	2	4	14	15	32	41	20	196	–	–	–	–	1	4	6	16	37	61	71
White	52	–	–	–	–	–	1	4	7	12	22	6	88	–	–	–	–	–	1	1	5	10	26	45
All other	76	–	–	–	–	2	3	10	8	20	19	14	108	–	–	–	–	1	3	5	11	27	35	26
Black	76	–	–	–	–	2	3	10	8	20	19	14	108	–	–	–	–	1	3	5	11	27	35	26
Hypertensive heart and renal disease (404)	16	–	–	–	–	–	2	–	1	3	5	5	25	–	–	–	–	–	1	1	–	3	11	9
White	3	–	–	–	–	–	–	–	–	–	1	2	11	–	–	–	–	–	–	–	–	–	6	5
All other	13	–	–	–	–	–	2	–	1	3	4	3	14	–	–	–	–	–	1	1	–	3	5	4
Black	13	–	–	–	–	–	2	–	1	3	4	3	14	–	–	–	–	–	1	1	–	3	5	4
Ischemic heart disease (410-414)	2,571	–	–	–	2	17	95	197	434	722	719	385	2,409	–	–	–	2	10	35	83	233	488	826	732
White	1,842	–	–	–	–	10	56	139	322	538	518	259	1,636	–	–	–	–	5	11	37	141	302	590	550
All other	729	–	–	–	2	7	39	58	112	184	201	126	773	–	–	–	2	5	24	46	92	186	236	182
Black	721	–	–	–	2	7	39	57	112	182	197	125	766	–	–	–	2	5	24	45	91	184	235	180
Acute myocardial infarction (410)	1,805	–	–	–	2	14	81	162	317	531	478	220	1,509	–	–	–	2	7	30	69	179	346	510	366
White	1,251	–	–	–	–	7	45	112	225	387	337	138	966	–	–	–	–	4	9	29	107	211	356	250
All other	554	–	–	–	2	7	36	50	92	144	141	82	543	–	–	–	2	3	21	40	72	135	154	116
Black	549	–	–	–	2	7	36	49	92	143	139	81	539	–	–	–	2	3	21	39	71	134	153	116
Other acute and subacute forms of ischemic heart disease (411)	5	–	–	–	–	–	–	–	3	–	2	–	5	–	–	–	–	–	–	–	1	–	2	2
White	5	–	–	–	–	–	–	–	3	–	2	–	5	–	–	–	–	–	–	–	1	–	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	–	2	2	1
White	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	758	–	–	–	–	3	14	35	114	190	238	164	890	–	–	–	–	3	5	14	53	140	312	363
White	583	–	–	–	–	3	11	27	94	150	178	120	662	–	–	–	–	1	2	8	33	89	231	298
All other	175	–	–	–	–	–	3	8	20	40	60	44	228	–	–	–	–	2	3	6	20	51	81	65
Black	172	–	–	–	–	–	3	8	20	39	58	44	225	–	–	–	–	2	3	6	20	50	81	63
Other diseases of endocardium (424)	28	–	–	–	–	1	1	1	3	6	10	6	61	–	1	–	–	–	2	2	1	12	26	17
White	20	–	–	–	–	–	1	–	1	6	8	4	49	–	–	–	–	–	–	1	1	10	23	14
All other	8	–	–	–	–	1	–	1	2	–	2	2	12	–	1	–	–	–	2	1	–	2	3	3
Black	8	–	–	–	–	1	–	1	2	–	2	2	12	–	1	–	–	–	2	1	–	2	3	3
All other forms of heart disease (415-423,425-429)	1,902	–	2	5	10	17	55	148	276	477	557	355	2,257	4	4	1	7	15	32	69	137	378	719	891
White	1,185	–	1	1	3	8	23	92	184	298	369	206	1,416	2	2	–	–	5	10	23	69	201	465	639
All other	717	–	1	4	7	9	32	56	92	179	188	149	841	2	2	1	7	10	22	46	68	177	254	252
Black	712	–	1	4	7	9	32	55	92	178	186	148	836	2	2	1	7	10	22	46	67	177	252	250
Hypertension with or without renal disease (401,403)	44	–	–	–	–	–	2	4	8	13	12	5	72	–	–	–	–	–	–	6	5	16	24	21
White	21	–	–	–	–	–	–	2	2	5	8	4	30	–	–	–	–	–	–	1	2	7	11	9
All other	23	–	–	–	–	–	2	2	6	8	4	1	42	–	–	–	–	–	–	5	3	9	13	12
Black	23	–	–	–	–	–	2	2	6	8	4	1	41	–	–	–	–	–	–	5	3	9	13	11
Cerebrovascular diseases (430-438)	749	1	–	1	1	7	23	35	93	177	265	146	1,016	2	–	–	1	12	19	39	64	150	384	365
White	427	–	–	–	1	2	8	16	37	101	175	87	659	1	–	–	–	3	8	16	26	83	244	278
All other	322	1	–	1	–	5	15	19	56	76	90	59	357	1	–	–	1	9	11	23	38	67	120	87
Black	320	1	–	1	–	5	15	19	56	74	90	59	354	1	–	–	1	9	11	23	38	66	118	87
Intracerebral and other intracranial hemorrhage (431-432)	110	–	–	1	–	4	11	11	20	30	25	8	121	2	–	–	–	4	9	12	14	25	33	22
White	56	–	–	–	–	2	4	1	7	19	16	7	75	1	–	–	–	1	4	4	6	17	24	18
All other	54	–	–	1	–	2	7	10	13	11	9	1	46	1	–	–	–	3	5	8	8	8	9	4
Black	54	–	–	1	–	2	7	10	13	11	9	1	46	1	–	–	–	3	5	8	8	8	9	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	78	–	–	–	–	–	3	4	10	22	25	14	101	–	–	–	–	–	–	2	7	21	38	33
White	44	–	–	–	–	–	3	4	3	14	14	6	69	–	–	–	–	–	–	–	1	10	29	29
All other	34	–	–	–	–	–	–	–	7	8	11	8	32	–	–	–	–	–	–	2	6	11	9	4
Black	34	–	–	–	–	–	–	–	7	8	11	8	32	–	–	–	–	–	–	2	6	11	9	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 140 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	3	-	-	6	-	-	-	-	1	-	-	1	-	4	-
White	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	1	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	557	1	-	-	1	3	9	20	62	122	215	124	788	-	-	-	1	7	10	25	42	104	289	310
White	323	-	-	-	1	-	1	11	26	65	145	74	511	-	-	-	-	1	4	12	18	56	189	231
All other	234	1	-	-	-	3	8	9	36	57	70	50	277	-	-	-	1	6	6	13	24	48	100	79
Black	232	1	-	-	-	3	8	9	36	55	70	50	274	-	-	-	1	6	6	13	24	47	98	79
Atherosclerosis (440)	56	-	-	-	-	1	1	1	2	10	26	15	95	-	-	-	-	-	-	-	1	8	27	59
White	45	-	-	-	-	1	-	1	1	10	20	12	69	-	-	-	-	-	-	-	1	5	19	44
All other	11	-	-	-	-	-	1	-	1	-	6	3	26	-	-	-	-	-	-	-	-	3	8	15
Black	11	-	-	-	-	-	1	-	1	-	6	3	26	-	-	-	-	-	-	-	-	3	8	15
Other diseases of arteries, arterioles, and capillaries (441-448)	159	1	-	-	1	1	5	9	27	46	53	16	101	-	-	-	-	1	2	2	11	22	34	29
White	133	-	-	-	-	1	4	7	24	41	42	14	62	-	-	-	-	-	-	1	6	18	21	16
All other	26	1	-	-	1	-	1	2	3	5	11	2	39	-	-	-	-	1	2	1	5	4	13	13
Black	26	1	-	-	1	-	1	2	3	5	11	2	39	-	-	-	-	1	2	1	5	4	13	13
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	1	-	1	-	1	1	5	-	-	-	-	-	-	-	1	1	-	3
White	3	-	-	-	-	-	1	-	1	-	1	-	4	-	-	-	-	-	-	-	1	1	-	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	377	8	1	1	-	8	7	14	26	74	129	109	415	3	1	-	1	4	4	11	17	50	147	177
White	250	4	-	1	-	4	4	5	15	49	91	77	306	1	-	-	-	1	1	7	13	30	116	137
All other	127	4	1	-	-	4	3	9	11	25	38	32	109	2	1	-	1	3	3	4	4	20	31	40
Black	126	4	1	-	-	4	3	9	10	25	38	32	109	2	1	-	1	3	3	4	4	20	31	40
Pneumonia (480-486)	374	8	1	1	-	8	7	14	26	74	128	107	402	3	1	-	1	4	4	10	17	49	140	173
White	247	4	-	1	-	4	4	5	15	49	90	75	295	1	-	-	-	1	1	6	13	29	111	133
All other	127	4	1	-	-	4	3	9	11	25	38	32	107	2	1	-	1	3	3	4	4	20	29	40
Black	126	4	1	-	-	4	3	9	10	25	38	32	107	2	1	-	1	3	3	4	4	20	29	40
Influenza (487)	3	-	-	-	-	-	-	-	-	-	1	2	13	-	-	-	-	-	-	1	-	1	7	4
White	3	-	-	-	-	-	-	-	-	-	1	2	11	-	-	-	-	-	-	1	-	1	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	533	1	-	2	-	1	5	13	74	172	206	59	340	-	2	-	-	5	2	18	44	101	120	48
White	432	1	-	-	-	1	2	10	61	137	175	45	279	-	-	-	-	2	1	10	35	87	105	39
All other	101	-	-	2	-	-	3	3	13	35	31	14	61	-	2	-	-	3	1	8	9	14	15	9
Black	100	-	-	2	-	-	3	3	13	34	31	14	61	-	2	-	-	3	1	8	9	14	15	9
Bronchitis, chronic and unspecified (490-491)	25	1	-	-	-	-	-	2	3	6	8	5	25	-	1	-	-	-	-	-	1	6	9	8
White	21	1	-	-	-	-	-	2	2	4	7	5	21	-	-	-	-	-	-	-	1	6	8	6
All other	4	-	-	-	-	-	-	-	1	2	1	-	4	-	1	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	-	-	1	2	1	-	4	-	1	-	-	-	-	-	-	-	1	2
Emphysema (492)	79	-	-	-	-	-	1	2	14	29	30	3	47	-	-	-	-	-	-	1	8	17	15	6
White	66	-	-	-	-	-	-	2	9	26	26	3	40	-	-	-	-	-	-	1	5	15	15	4
All other	13	-	-	-	-	-	1	-	5	3	4	-	7	-	-	-	-	-	-	-	3	2	-	2
Black	13	-	-	-	-	-	1	-	5	3	4	-	7	-	-	-	-	-	-	-	3	2	-	2
Asthma (493)	15	-	-	2	-	-	3	2	2	4	2	-	30	-	1	-	-	5	1	7	1	4	10	1
White	6	-	-	-	-	-	1	1	1	2	1	-	15	-	-	-	-	2	1	2	-	2	7	1
All other	9	-	-	2	-	-	2	1	1	2	1	-	15	-	1	-	-	3	-	5	1	2	3	-
Black	9	-	-	2	-	-	2	1	1	2	1	-	15	-	1	-	-	3	-	5	1	2	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	414	-	-	-	-	1	1	7	55	133	166	51	238	-	-	-	-	-	1	10	34	74	86	33
White	339	-	-	-	-	1	1	5	49	105	141	37	203	-	-	-	-	-	-	7	29	64	75	28
All other	75	-	-	-	-	-	-	2	6	28	25	14	35	-	-	-	-	-	1	3	5	10	11	5
Black	74	-	-	-	-	-	-	2	6	27	25	14	35	-	-	-	-	-	1	3	5	10	11	5
Ulcer of stomach and duodenum (531-533)	25	-	-	-	-	-	2	3	4	7	8	1	24	-	-	-	-	-	1	-	1	5	9	8
White	18	-	-	-	-	-	1	1	4	5	6	1	19	-	-	-	-	-	1	-	-	4	8	6
All other	7	-	-	-	-	-	1	2	-	2	2	-	5	-	-	-	-	-	-	-	1	1	1	2
Black	7	-	-	-	-	-	1	2	-	2	2	-	5	-	-	-	-	-	-	-	1	1	1	2
Appendicitis (540-543)	3	-	-	-	-	1	-	-	-	1	1	-	4	-	-	-	1	-	-	-	1	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	1	-	-	-	-	-	-	1	8	9	5	44	-	-	-	-	-	-	1	4	10	12	17
White	16	1	-	-	-	-	-	-	-	4	8	3	30	-	-	-	-	-	-	-	1	7	9	13
All other	8	-	-	-	-	-	-	-	1	4	1	2	14	-	-	-	-	-	-	1	3	3	3	4
Black	8	-	-	-	-	-	-	-	1	4	1	2	14	-	-	-	-	-	-	1	3	3	3	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 141 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	125	-	-	-	-	4	24	28	33	27	9	-	70	-	-	-	-	4	8	6	11	21	16	4
White	94	-	-	-	-	3	11	23	27	22	8	-	52	-	-	-	-	1	5	5	8	17	14	2
All other	31	-	-	-	-	1	13	5	6	5	1	-	18	-	-	-	-	3	3	1	3	4	2	2
Black	28	-	-	-	-	1	12	5	5	4	1	-	17	-	-	-	-	2	3	1	3	4	2	2
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	1	-	2	4	4	3	19	-	-	-	1	-	-	1	3	4	5	5
White	8	-	-	-	-	-	1	-	-	2	3	2	13	-	-	-	1	-	-	-	2	3	4	3
All other	6	-	-	-	-	-	-	-	2	2	1	1	6	-	-	-	-	-	-	1	1	1	1	2
Black	6	-	-	-	-	-	-	-	2	2	1	1	6	-	-	-	-	-	-	1	1	1	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	146	1	-	-	-	3	3	9	20	33	44	33	187	1	-	-	-	-	4	8	11	30	64	69
White	72	-	-	-	-	1	1	4	8	18	22	18	109	1	-	-	-	-	2	2	4	10	44	46
All other	74	1	-	-	-	2	2	5	12	15	22	15	78	-	-	-	-	-	2	6	7	20	20	23
Black	74	1	-	-	-	2	2	5	12	15	22	15	77	-	-	-	-	-	2	6	6	20	20	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	3	2	-	3	4	15	1	-	-	-	-	-	2	-	2	5	5
White	7	-	-	-	-	-	-	2	2	-	1	2	5	1	-	-	-	-	-	-	-	1	1	2
All other	5	-	-	-	-	-	-	1	-	-	2	2	10	-	-	-	-	-	-	2	-	1	4	3
Black	5	-	-	-	-	-	-	1	-	-	2	2	10	-	-	-	-	-	-	2	-	1	4	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	133	1	-	-	-	3	3	6	17	33	41	29	169	-	-	-	-	-	4	6	11	28	59	61
White	65	-	-	-	-	1	1	2	6	18	21	16	101	-	-	-	-	-	2	2	4	9	43	41
All other	68	1	-	-	-	2	2	4	11	15	20	13	68	-	-	-	-	-	2	4	7	19	16	20
Black	68	1	-	-	-	2	2	4	11	15	20	13	67	-	-	-	-	-	2	4	6	19	16	20
Infections of kidney (590)	6	1	-	-	-	-	-	2	-	-	1	2	21	-	-	-	-	-	-	-	4	2	6	9
White	3	-	-	-	-	-	-	1	-	-	1	1	13	-	-	-	-	-	-	-	2	1	5	5
All other	3	1	-	-	-	-	-	1	-	-	-	1	8	-	-	-	-	-	-	-	2	1	1	4
Black	3	1	-	-	-	-	-	1	-	-	-	1	8	-	-	-	-	-	-	-	2	1	1	4
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	68	48	7	3	-	2	5	-	1	-	1	1	71	46	4	3	4	1	7	2	1	2	1	-
White	31	22	3	1	-	1	1	-	1	-	1	1	29	18	2	1	2	-	2	1	1	1	1	-
All other	37	26	4	2	-	1	4	-	-	-	-	-	42	28	2	2	2	1	5	1	-	1	-	-
Black	35	24	4	2	-	1	4	-	-	-	-	-	42	28	2	2	2	1	5	1	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	134	133	-	-	1	-	-	-	-	-	-	-	96	95	-	-	1	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	25	24	-	-	1	-	-	-	-	-	-	-
All other	94	93	-	-	1	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
Black	92	91	-	-	1	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	31	-	-	-	-	-	-	-	-	-	-	22	21	-	-	1	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	10	9	-	-	1	-	-	-	-	-	-	-
All other	21	21	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	21	21	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 142 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	103	102	–	–	1	–	–	–	–	–	–	–	74	74	–	–	–	–	–	–	–	–	–	–
White	30	30	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
All other	73	72	–	–	1	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
Black	71	70	–	–	1	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	130	43	2	1	3	3	3	10	13	17	23	12	107	34	1	–	–	4	4	4	4	8	18	30
White	62	18	–	–	2	1	1	5	6	8	15	6	43	7	–	–	–	–	1	3	1	3	13	15
All other	68	25	2	1	1	2	2	5	7	9	8	6	64	27	1	–	–	4	3	1	3	5	5	15
Black	67	25	2	1	1	2	2	5	7	9	8	5	63	26	1	–	–	4	3	1	3	5	5	15
All other diseases (Residual)	907	12	4	10	14	32	48	66	100	206	257	158	1,009	13	5	8	14	14	28	44	85	172	306	320
White	561	5	–	5	7	13	15	35	69	140	174	98	688	6	–	4	6	6	17	22	54	106	229	238
All other	346	7	4	5	7	19	33	31	31	66	83	60	321	7	5	4	8	8	11	22	31	66	77	82
Black	341	7	4	5	7	18	31	31	31	66	82	59	318	7	4	4	8	8	10	21	31	66	77	82
Accidents and adverse effects (E800-E949)	1,004	14	35	45	216	185	144	89	67	100	75	34	468	13	17	31	71	50	41	23	49	43	63	67
White	581	6	18	21	125	103	85	49	48	62	41	23	320	2	7	14	59	34	26	18	35	28	49	48
All other	423	8	17	24	91	82	59	40	19	38	34	11	148	11	10	17	12	16	15	5	14	15	14	19
Black	415	7	17	23	89	80	58	40	19	37	34	11	147	11	10	17	12	16	15	5	13	15	14	19
Motor vehicle accidents (E810-E825)	567	3	16	27	151	123	84	50	37	41	31	4	245	4	6	20	64	39	32	18	23	16	15	8
White	339	–	9	17	92	67	55	28	26	23	19	3	185	–	5	10	57	28	23	14	19	11	11	7
All other	228	3	7	10	59	56	29	22	11	18	12	1	60	4	1	10	7	11	9	4	4	5	4	1
Black	222	2	7	9	57	55	28	22	11	18	12	1	60	4	1	10	7	11	9	4	4	5	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	437	11	19	18	65	62	60	39	30	59	44	30	223	9	11	11	7	11	9	5	26	27	48	59
White	242	6	9	4	33	36	30	21	22	39	22	20	135	2	2	4	2	6	3	4	16	17	38	41
All other	195	5	10	14	32	26	30	18	8	20	22	10	88	7	9	7	5	5	6	1	10	10	10	18
Black	193	5	10	14	32	25	30	18	8	19	22	10	87	7	9	7	5	5	6	1	9	10	10	18
Suicide (E950-E959)	254	. . .	. . .	–	42	50	44	31	31	28	20	8	71	. . .	. . .	1	5	18	15	7	8	13	3	1
White	203	. . .	. . .	–	29	32	34	26	31	24	20	7	61	. . .	. . .	1	4	14	14	6	7	11	3	1
All other	51	. . .	. . .	–	13	18	10	5	–	4	–	1	10	. . .	. . .	–	1	4	1	1	1	2	–	–
Black	50	. . .	. . .	–	12	18	10	5	–	4	–	1	10	. . .	. . .	–	1	4	1	1	1	2	–	–
Homicide and legal intervention (E960-E978)	326	2	3	5	88	103	53	30	18	18	6	–	83	3	–	1	17	29	13	8	3	3	4	2
White	94	1	–	1	14	24	17	15	10	9	3	–	25	–	–	1	2	7	5	3	2	1	2	2
All other	232	1	3	4	74	79	36	15	8	9	3	–	58	3	–	–	15	22	8	5	1	2	2	–
Black	231	1	3	4	74	78	36	15	8	9	3	–	58	3	–	–	15	22	8	5	1	2	2	–
All other external causes (E980-E999)	22	1	–	2	4	4	4	1	6	–	–	–	6	–	–	1	1	–	1	–	2	–	1	–
White	15	–	–	2	2	3	3	–	5	–	–	–	5	–	–	1	–	–	1	–	2	–	1	–
All other	7	1	–	–	2	1	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	7	1	–	–	2	1	1	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
MISSOURI																								
All causes	25,773	485	76	116	615	886	1,059	1,572	3,391	6,291	7,268	4,013	25,112	321	63	75	193	294	537	953	2,155	4,403	7,477	8,638
White	22,754	320	56	85	438	675	823	1,290	2,956	5,662	6,719	3,729	22,460	185	47	58	155	225	399	769	1,818	3,858	6,850	8,094
All other	3,019	165	20	31	177	211	236	282	435	629	549	284	2,652	136	16	17	38	69	138	184	337	545	627	544
Black	2,953	160	20	30	174	204	232	279	425	612	535	282	2,570	134	15	17	38	66	132	174	324	535	606	528
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	3	–	–	–	–	–	–	–	1	–	–	10	2	–	–	–	–	–	–	–	–	4	4
White	2	1	–	–	–	–	–	–	–	1	–	–	8	1	–	–	–	–	–	–	–	–	4	3
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
Tuberculosis (010-018)	11	–	–	–	–	–	1	–	1	1	5	3	11	–	–	–	–	1	–	2	–	2	5	1
White	8	–	–	–	–	–	1	–	1	1	4	1	9	–	–	–	–	1	–	2	–	1	4	1
All other	3	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	1	1	–
Black	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of respiratory system (010-012)	10	–	–	–	–	–	1	–	1	1	5	2	7	–	–	–	–	1	–	–	–	2	3	1
White	7	–	–	–	–	–	1	–	1	1	4	–	5	–	–	–	–	1	–	–	–	1	2	1
All other	3	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	1	1	–
Black	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	2	–	–	2	–
White	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	2	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 143 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Septicemia (038)	171	4	1	-	-	1	4	14	22	36	53	36	251	3	-	-	-	3	1	5	25	37	72	105
White	144	3	1	-	-	1	1	9	18	32	47	32	208	1	-	-	-	2	1	3	18	30	59	94
All other	27	1	-	-	-	-	3	5	4	4	6	4	43	2	-	-	-	1	-	2	7	7	13	11
Black	27	1	-	-	-	-	3	5	4	4	6	4	42	2	-	-	-	1	-	2	7	7	13	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	20	-	-	-	-	-	6	4	3	5	2	-	13	-	-	-	1	-	-	-	3	6	3	-
White	17	-	-	-	-	-	4	3	3	5	2	-	12	-	-	-	1	-	-	-	3	6	2	-
All other	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	379	5	1	4	10	113	127	42	30	26	14	7	89	4	2	-	2	9	8	15	13	9	7	20
White	305	3	1	3	7	90	99	35	25	22	13	7	61	1	-	-	2	7	3	8	9	7	5	19
All other	74	2	-	1	3	23	28	7	5	4	1	-	28	3	2	-	-	2	5	7	4	2	2	1
Black	70	2	-	-	3	21	27	7	5	4	1	-	28	3	2	-	-	2	5	7	4	2	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,255	2	4	12	22	57	150	451	1,210	2,089	1,691	567	5,548	1	5	12	12	54	186	439	947	1,493	1,551	848
White	5,565	1	2	10	18	49	122	377	1,069	1,872	1,540	505	4,972	1	5	10	11	50	146	371	837	1,334	1,422	785
All other	690	1	2	2	4	8	28	74	141	217	151	62	576	-	-	2	1	4	40	68	110	159	129	63
Black	674	-	2	2	4	8	28	73	136	211	149	61	553	-	-	2	1	4	37	63	104	157	123	62
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	116	-	-	-	-	1	1	19	29	43	17	6	54	-	-	-	1	1	2	2	9	13	14	12
White	95	-	-	-	-	1	1	14	20	37	16	6	49	-	-	-	1	1	1	1	9	13	13	10
All other	21	-	-	-	-	-	-	5	9	6	1	-	5	-	-	-	-	-	1	1	-	-	1	2
Black	20	-	-	-	-	-	-	5	8	6	1	-	5	-	-	-	-	-	1	1	-	-	1	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,373	-	1	-	1	7	33	103	255	447	392	134	1,251	1	-	1	-	4	22	68	165	290	415	285
White	1,195	-	1	-	1	6	22	78	224	387	357	119	1,108	1	-	1	-	4	14	55	142	247	382	262
All other	178	-	-	-	-	1	11	25	31	60	35	15	143	-	-	-	-	-	8	13	23	43	33	23
Black	172	-	-	-	-	1	11	25	30	56	35	14	140	-	-	-	-	-	8	13	22	43	31	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,375	-	-	-	-	2	33	175	548	908	576	133	1,225	-	-	-	-	2	31	93	268	414	318	99
White	2,130	-	-	-	-	2	25	142	492	822	531	116	1,117	-	-	-	-	2	26	81	241	383	291	93
All other	245	-	-	-	-	-	8	33	56	86	45	17	108	-	-	-	-	-	5	12	27	31	27	6
Black	243	-	-	-	-	-	8	32	56	86	44	17	101	-	-	-	-	-	4	11	26	31	24	5
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	2	1	-	2	2	2	984	-	-	-	-	20	50	126	195	237	237	119
White	7	-	-	-	-	-	1	1	-	2	2	1	876	-	-	-	-	17	44	104	177	208	217	109
All other	2	-	-	-	-	-	1	-	-	-	-	1	108	-	-	-	-	3	6	22	18	29	20	10
Black	2	-	-	-	-	-	1	-	-	-	-	1	103	-	-	-	-	3	5	20	17	29	19	10
Malignant neoplasms of genital organs (179-187)	690	-	-	-	1	1	1	9	48	187	296	147	561	-	-	-	3	7	25	59	101	162	124	80
White	588	-	-	-	1	1	1	8	34	158	259	126	499	-	-	-	3	7	15	50	92	145	112	75
All other	102	-	-	-	-	-	-	1	14	29	37	21	62	-	-	-	-	-	10	9	9	17	12	5
Black	100	-	-	-	-	-	-	1	14	28	36	21	56	-	-	-	-	-	9	7	7	16	12	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 144 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	278	-	-	-	1	3	5	18	42	94	80	35	171	-	-	-	-	1	2	6	21	46	56	39
White	261	-	-	-	-	3	4	16	38	92	74	34	150	-	-	-	-	1	1	5	16	39	53	35
All other	17	-	-	-	1	-	1	2	4	2	6	1	21	-	-	-	-	-	1	1	5	7	3	4
Black	17	-	-	-	1	-	1	2	4	2	6	1	21	-	-	-	-	-	1	1	5	7	3	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	832	1	2	10	8	24	36	86	179	256	165	65	700	-	2	7	4	12	27	55	113	175	185	120
White	763	1	-	8	7	19	34	80	166	239	149	60	642	-	2	5	4	11	24	49	100	159	174	114
All other	69	-	2	2	1	5	2	6	13	17	16	5	58	-	-	2	-	1	3	6	13	16	11	6
Black	68	-	2	2	1	5	2	6	12	17	16	5	57	-	-	2	-	1	3	6	13	15	11	6
Leukemia (204-208)	232	1	1	2	5	5	12	13	42	61	65	25	237	-	3	4	3	5	12	11	25	46	81	47
White	205	-	1	2	4	5	8	12	36	53	61	23	210	-	3	4	2	5	9	11	18	41	73	44
All other	27	1	-	-	1	-	4	1	6	8	4	2	27	-	-	-	1	-	3	-	7	5	8	3
Black	24	-	-	-	1	-	4	1	5	7	4	2	26	-	-	-	1	-	3	-	6	5	8	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	350	-	-	-	6	14	27	27	67	91	98	20	365	-	-	-	1	2	15	19	50	110	121	47
White	321	-	-	-	5	12	26	26	59	82	91	20	321	-	-	-	1	2	12	15	42	99	107	43
All other	29	-	-	-	1	2	1	1	8	9	7	-	44	-	-	-	-	-	3	4	8	11	14	4
Black	28	-	-	-	1	2	1	1	7	9	7	-	44	-	-	-	-	-	3	4	8	11	14	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	1	-	2	-	1	2	4	8	10	19	5	76	-	-	-	1	1	2	2	5	18	26	21
White	49	1	-	2	-	1	2	4	7	9	19	4	68	-	-	-	-	1	2	2	4	16	25	18
All other	3	-	-	-	-	-	-	-	1	1	-	1	8	-	-	-	1	-	-	-	1	2	1	3
Black	3	-	-	-	-	-	-	-	1	1	-	1	8	-	-	-	1	-	-	-	1	2	1	3
Diabetes mellitus (250)	461	-	1	-	2	8	12	27	60	146	142	63	641	-	-	1	1	10	13	27	88	159	201	141
White	392	-	1	-	2	8	11	24	43	120	127	56	542	-	-	-	1	7	11	23	66	126	180	128
All other	69	-	-	-	-	-	1	3	17	26	15	7	99	-	-	1	-	3	2	4	22	33	21	13
Black	68	-	-	-	-	-	1	3	17	26	14	7	98	-	-	1	-	3	2	4	21	33	21	13
Nutritional deficiencies (260-269)	41	-	-	-	-	-	-	-	2	8	13	18	76	-	-	-	1	-	1	1	2	5	21	45
White	32	-	-	-	-	-	-	-	-	6	11	15	72	-	-	-	1	-	1	1	2	5	21	41
All other	9	-	-	-	-	-	-	-	2	2	2	3	4	-	-	-	-	-	-	-	-	-	-	4
Black	9	-	-	-	-	-	-	-	2	2	2	3	4	-	-	-	-	-	-	-	-	-	-	4
Anemias (280-285)	37	1	-	-	-	4	-	2	1	7	12	10	60	-	1	-	-	3	3	-	5	9	16	23
White	28	-	-	-	-	2	-	2	1	5	9	9	48	-	1	-	-	1	-	-	5	7	14	20
All other	9	1	-	-	-	2	-	-	-	2	3	1	12	-	-	-	-	2	3	-	-	2	2	3
Black	9	1	-	-	-	2	-	-	-	2	3	1	12	-	-	-	-	2	3	-	-	2	2	3
Meningitis (320-322)	11	3	2	1	-	-	-	1	2	2	-	-	13	1	1	-	-	-	-	-	1	5	3	2
White	6	1	-	1	-	-	-	1	2	1	-	-	9	1	1	-	-	-	-	-	-	4	2	1
All other	5	2	2	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	5	2	2	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Major cardiovascular diseases (390-448)	10,579	8	2	6	12	54	202	575	1,357	2,649	3,544	2,169	11,815	12	8	4	6	40	107	226	635	1,729	3,808	5,239
White	9,630	3	1	4	11	41	147	483	1,201	2,402	3,298	2,038	10,709	11	4	3	4	22	72	173	511	1,482	3,484	4,942
All other	949	5	1	2	1	13	55	92	156	247	246	131	1,106	1	4	1	2	18	35	53	124	247	324	297
Black	925	5	1	2	1	13	55	90	152	237	239	130	1,077	1	3	1	2	18	34	53	123	243	313	286
Diseases of heart (390-398,402,404-429)	8,642	6	1	5	11	40	175	503	1,180	2,224	2,801	1,695	9,141	7	6	3	4	29	76	168	519	1,406	2,916	4,006
White	7,888	3	1	3	10	30	130	431	1,052	2,022	2,614	1,591	8,299	6	2	3	2	17	49	132	421	1,205	2,674	3,787
All other	754	3	-	2	1	10	45	72	128	202	187	104	842	1	4	-	2	12	27	36	98	201	242	219
Black	738	3	-	2	1	10	45	71	126	195	182	103	820	1	3	-	2	12	26	36	98	198	233	211
Rheumatic fever and rheumatic heart disease (390-398)	45	-	-	-	-	-	3	3	10	16	9	4	74	-	-	-	-	-	3	4	10	12	31	14
White	42	-	-	-	-	-	3	2	8	16	9	4	70	-	-	-	-	-	1	4	9	11	31	14
All other	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	2	-	1	1	-	-
Black	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	2	-	1	1	-	-
Hypertensive heart disease (402)	193	-	-	-	-	2	10	22	20	55	51	32	265	-	-	-	-	2	13	8	18	42	85	97
White	140	-	-	-	-	1	5	9	14	36	46	28	199	-	-	-	-	-	3	2	11	27	72	84
All other	53	-	-	-	-	1	5	13	6	19	5	4	66	-	-	-	-	2	10	6	7	15	13	13
Black	52	-	-	-	-	1	5	13	6	18	5	4	65	-	-	-	-	2	10	6	7	15	13	12
Hypertensive heart and renal disease (404)	18	-	-	-	-	1	-	-	4	5	6	2	31	-	-	-	-	-	-	1	-	7	14	9
White	13	-	-	-	-	1	-	-	2	2	6	2	24	-	-	-	-	-	-	-	-	4	11	9
All other	5	-	-	-	-	-	-	-	2	3	-	-	7	-	-	-	-	-	-	1	-	3	3	-
Black	5	-	-	-	-	-	-	-	2	3	-	-	6	-	-	-	-	-	-	1	-	3	2	-
Ischemic heart disease (410-414)	6,337	-	1	-	4	15	108	381	892	1,676	2,083	1,177	6,375	-	-	2	1	9	30	111	351	1,009	2,085	2,776
White	5,864	-	1	-	4	13	90	343	812	1,549	1,947	1,105	5,839	-	-	2	1	6	24	94	292	873	1,917	2,629
All other	473	-	-	-	-	2	18	38	80	127	136	72	536	-	-	-	-	3	6	17	59	136	168	147
Black	463	-	-	-	-	2	18	37	78	125	132	71	526	-	-	-	-	3	6	17	59	135	164	142
Acute myocardial infarction (410)	3,446	-	1	-	3	9	68	243	559	929	1,111	523	3,026	-	-	-	1	6	22	76	233	573	1,026	1,088
White	3,233	-	1	-	3	9	62	231	515	874	1,051	487	2,765	-	-	-	1	4	16	67	196	507	950	1,023
All other	213	-	-	-	-	-	6	12	44	55	60	36	261	-	-	-	-	2	6	9	37	66	76	65
Black	206	-	-	-	-	-	6	11	42	54	58	35	258	-	-	-	-	2	6	9	37	66	75	63

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 145 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	1	2	2	-	2	15	-	-	-	-	-	-	-	-	2	9	4
White	7	-	-	-	-	-	-	1	2	2	-	2	15	-	-	-	-	-	-	-	-	2	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	2	-	-	3	1	15	-	-	-	-	-	-	-	-	1	5	9
White	6	-	-	-	-	-	-	2	-	-	3	1	15	-	-	-	-	-	-	-	-	1	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,878	-	-	-	1	6	40	135	331	745	969	651	3,319	-	-	2	-	3	8	35	118	433	1,045	1,675
White	2,618	-	-	-	1	4	28	109	295	673	893	615	3,044	-	-	2	-	2	8	27	96	363	953	1,593
All other	260	-	-	-	-	2	12	26	36	72	76	36	275	-	-	-	-	1	-	8	22	70	92	82
Black	257	-	-	-	-	2	12	26	36	71	74	36	268	-	-	-	-	1	-	8	22	69	89	79
Other diseases of endocardium (424)	128	-	-	-	-	1	1	2	12	23	41	48	171	-	-	-	-	1	1	1	10	15	62	81
White	123	-	-	-	-	1	-	1	11	21	41	48	161	-	-	-	-	1	1	1	7	13	60	78
All other	5	-	-	-	-	-	1	1	1	2	-	-	10	-	-	-	-	-	-	-	3	2	2	3
Black	5	-	-	-	-	-	1	1	1	2	-	-	10	-	-	-	-	-	-	-	3	2	2	3
All other forms of heart disease (415-423,425-429)	1,921	6	-	5	7	21	53	95	242	449	611	432	2,225	7	6	1	3	17	29	43	130	321	639	1,029
White	1,706	3	-	3	6	14	32	76	205	398	565	404	2,006	6	2	1	1	10	20	31	102	277	583	973
All other	215	3	-	2	1	7	21	19	37	51	46	28	219	1	4	-	2	7	9	12	28	44	56	56
Black	210	3	-	2	1	7	21	19	37	47	45	28	209	1	3	-	2	7	8	12	28	42	52	54
Hypertension with or without renal disease (401,403)	83	1	-	-	1	1	-	3	18	15	30	14	121	-	-	-	-	-	-	2	11	18	51	39
White	69	-	-	-	1	1	-	2	15	14	23	13	90	-	-	-	-	-	-	1	7	15	34	33
All other	14	1	-	-	-	-	-	1	3	1	7	1	31	-	-	-	-	-	-	1	4	3	17	6
Black	14	1	-	-	-	-	-	1	3	1	7	1	31	-	-	-	-	-	-	1	4	3	17	6
Cerebrovascular diseases (430-438)	1,368	-	1	1	-	9	21	50	117	292	537	340	2,050	4	2	1	1	10	28	48	96	219	698	943
White	1,219	-	-	1	-	6	13	37	95	254	492	321	1,872	4	2	-	1	5	22	33	77	193	650	885
All other	149	-	1	-	-	3	8	13	22	38	45	19	178	-	-	1	-	5	6	15	19	26	48	58
Black	145	-	1	-	-	3	8	12	22	37	43	19	173	-	-	1	-	5	6	15	18	26	46	56
Intracerebral and other intracranial hemorrhage (431-432)	233	-	-	-	-	-	10	23	35	63	66	36	284	-	-	1	-	3	9	21	38	48	94	70
White	196	-	-	-	-	-	6	13	28	57	60	32	251	-	-	-	-	1	8	16	32	41	90	63
All other	37	-	-	-	-	-	4	10	7	6	6	4	33	-	-	1	-	2	1	5	6	7	4	7
Black	35	-	-	-	-	-	4	9	7	5	6	4	33	-	-	1	-	2	1	5	6	7	4	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	170	-	-	-	-	1	1	6	9	40	78	35	243	-	-	-	-	-	1	4	11	19	95	113
White	151	-	-	-	-	1	1	5	7	36	69	32	217	-	-	-	-	-	1	1	7	17	90	101
All other	19	-	-	-	-	-	-	1	2	4	9	3	26	-	-	-	-	-	-	3	4	2	5	12
Black	19	-	-	-	-	-	-	1	2	4	9	3	26	-	-	-	-	-	-	3	4	2	5	12
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	2	4	1	10	-	-	-	-	-	1	-	-	1	4	4
White	7	-	-	-	-	-	-	-	-	2	4	1	9	-	-	-	-	-	1	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	958	-	1	1	-	8	10	21	73	187	389	268	1,513	4	2	-	1	7	17	23	47	151	505	756
White	865	-	-	1	-	5	6	19	60	159	359	256	1,395	4	2	-	1	4	12	16	38	134	467	717
All other	93	-	1	-	-	3	4	2	13	28	30	12	118	-	-	-	-	3	5	7	9	17	38	39
Black	91	-	1	-	-	3	4	2	13	28	28	12	113	-	-	-	-	3	5	7	8	17	36	37
Atherosclerosis (440)	146	-	-	-	-	-	-	7	9	20	49	61	244	-	-	-	-	-	-	2	-	12	63	167
White	138	-	-	-	-	-	-	4	9	20	46	59	229	-	-	-	-	-	-	2	-	11	56	160
All other	8	-	-	-	-	-	-	3	-	-	3	2	15	-	-	-	-	-	-	-	-	1	7	7
Black	8	-	-	-	-	-	-	3	-	-	3	2	14	-	-	-	-	-	-	-	-	1	7	6
Other diseases of arteries, arterioles, and capillaries (441-448)	340	1	-	-	-	4	6	12	33	98	127	59	259	1	-	-	1	1	3	6	9	74	80	84
White	316	-	-	-	-	4	4	9	30	92	123	54	219	1	-	-	1	-	1	5	6	58	70	77
All other	24	1	-	-	-	-	2	3	3	6	4	5	40	-	-	-	-	1	2	1	3	16	10	7
Black	20	1	-	-	-	-	2	3	1	4	4	5	39	-	-	-	-	1	2	1	3	15	10	7
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	2	-	1	1	4	-	-	-	-	-	-	-	-	1	2	1
White	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	858	5	2	1	3	4	14	16	52	131	295	335	1,029	3	1	2	4	4	7	13	35	73	268	619
White	783	1	2	1	3	4	9	11	43	117	275	317	965	-	1	2	4	3	5	10	30	64	253	593
All other	75	4	-	-	-	-	5	5	9	14	20	18	64	3	-	-	-	1	2	3	5	9	15	26
Black	72	4	-	-	-	-	5	5	9	14	17	18	62	2	-	-	-	1	2	3	5	9	15	25

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 146 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																							
Pneumonia (480-486)	838	5	1	1	3	3	14	15	51	128	289	328	1,011	3	1	2	4	4	6	13	35	70	268	605
White	764	1	1	1	3	3	9	11	42	114	269	310	948	–	1	2	4	3	4	10	30	61	253	580
All other	74	4	–	–	–	–	5	4	9	14	20	18	63	3	–	–	–	1	2	3	5	9	15	25
Black	71	4	–	–	–	–	5	4	9	14	17	18	61	2	–	–	–	1	2	3	5	9	15	24
Influenza (487)	20	–	1	–	–	1	–	1	1	3	6	7	18	–	–	–	–	–	1	–	–	3	–	14
White	19	–	1	–	–	1	–	–	1	3	6	7	17	–	–	–	–	–	1	–	–	3	–	13
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,202	–	–	5	3	3	9	30	146	381	452	173	934	1	–	–	1	3	7	29	120	291	331	151
White	1,126	–	–	3	1	3	6	22	136	362	428	165	880	1	–	–	1	1	6	27	106	278	316	144
All other	76	–	–	2	2	–	3	8	10	19	24	8	54	–	–	–	–	2	1	2	14	13	15	7
Black	75	–	–	2	2	–	2	8	10	19	24	8	51	–	–	–	–	2	1	2	13	12	14	7
Bronchitis, chronic and unspecified (490-491)	32	–	–	–	–	–	–	1	5	7	11	8	29	1	–	–	–	–	2	–	4	4	10	8
White	28	–	–	–	–	–	–	–	4	7	9	8	28	1	–	–	–	–	2	–	3	4	10	8
All other	4	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	4	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	192	–	–	–	–	–	2	7	23	65	67	28	145	–	–	–	–	–	–	5	19	51	58	12
White	187	–	–	–	–	–	1	7	23	64	65	27	139	–	–	–	–	–	–	4	18	50	56	11
All other	5	–	–	–	–	–	1	–	–	1	2	1	6	–	–	–	–	–	–	1	1	1	2	1
Black	5	–	–	–	–	–	1	–	–	1	2	1	6	–	–	–	–	–	–	1	1	1	2	1
Asthma (493)	40	–	–	5	3	3	5	6	5	6	5	2	48	–	–	–	1	3	4	5	5	11	11	8
White	29	–	–	3	1	3	3	2	4	6	5	2	39	–	–	–	1	1	3	5	2	10	9	8
All other	11	–	–	2	2	–	2	4	1	–	–	–	9	–	–	–	–	2	1	–	3	1	2	–
Black	10	–	–	2	2	–	1	4	1	–	–	–	9	–	–	–	–	2	1	–	3	1	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	938	–	–	–	–	–	2	16	113	303	369	135	712	–	–	–	–	–	1	19	92	225	252	123
White	882	–	–	–	–	–	2	13	105	285	349	128	674	–	–	–	–	–	1	18	83	214	241	117
All other	56	–	–	–	–	–	–	3	8	18	20	7	38	–	–	–	–	–	–	1	9	11	11	6
Black	56	–	–	–	–	–	–	3	8	18	20	7	35	–	–	–	–	–	–	1	8	10	10	6
Ulcer of stomach and duodenum (531-533)	69	–	–	–	–	1	3	6	10	14	23	12	73	–	–	–	–	–	–	3	1	9	17	43
White	62	–	–	–	–	1	1	5	9	11	23	12	65	–	–	–	–	–	–	3	1	7	15	39
All other	7	–	–	–	–	–	2	1	1	3	–	–	8	–	–	–	–	–	–	–	–	2	2	4
Black	7	–	–	–	–	–	2	1	1	3	–	–	7	–	–	–	–	–	–	–	–	2	2	3
Appendicitis (540-543)	4	–	–	–	–	–	–	1	–	2	1	–	6	–	–	–	–	–	1	–	1	2	2	–
White	3	–	–	–	–	–	–	1	–	1	1	–	5	–	–	–	–	–	1	–	1	1	2	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	68	1	1	–	–	2	1	3	3	15	22	20	108	–	–	–	–	–	5	1	4	12	32	54
White	57	–	1	–	–	–	–	3	3	11	20	19	101	–	–	–	–	–	5	1	3	12	28	52
All other	11	1	–	–	–	2	1	–	–	4	2	1	7	–	–	–	–	–	–	–	1	–	4	2
Black	11	1	–	–	–	2	1	–	–	4	2	1	6	–	–	–	–	–	–	–	1	–	3	2
Chronic liver disease and cirrhosis (571)	264	–	–	–	–	11	32	42	67	66	41	5	172	–	–	–	–	3	12	21	33	57	35	11
White	235	–	–	–	–	8	24	35	58	65	40	5	148	–	–	–	–	2	6	15	29	51	34	11
All other	29	–	–	–	–	3	8	7	9	1	1	–	24	–	–	–	–	1	6	6	4	6	1	–
Black	27	–	–	–	–	2	8	7	8	1	1	–	23	–	–	–	–	1	6	6	3	6	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	27	–	–	–	–	–	–	1	1	6	7	12	41	–	–	–	–	–	1	1	2	5	15	17
White	26	–	–	–	–	–	–	1	1	6	6	12	39	–	–	–	–	–	1	1	2	4	15	16
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	277	1	–	–	–	4	5	9	19	61	115	63	275	1	–	–	–	1	3	2	18	32	101	117
White	240	1	–	–	–	2	5	5	16	52	101	58	231	–	–	–	–	1	1	–	14	23	86	106
All other	37	–	–	–	–	2	–	4	3	9	14	5	44	1	–	–	–	–	2	2	4	9	15	11
Black	37	–	–	–	–	2	–	4	3	9	14	5	44	1	–	–	–	–	2	2	4	9	15	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	–	–	–	–	1	1	2	–	5	–	–	–	–	1	–	–	–	1	–	3
White	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	1	–	–	–	1	–	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 147 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	25	-	-	-	-	1	1	2	-	5	12	4	18	-	-	-	-	-	-	-	-	5	8	5
White	23	-	-	-	-	1	1	1	-	5	11	4	15	-	-	-	-	-	-	-	-	4	7	4
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	248	1	-	-	-	3	4	7	18	55	101	59	252	1	-	-	-	-	3	2	18	26	93	109
White	214	1	-	-	-	1	4	4	15	46	89	54	211	-	-	-	-	-	1	-	14	18	79	99
All other	34	-	-	-	-	2	-	3	3	9	12	5	41	1	-	-	-	-	2	2	4	8	14	10
Black	34	-	-	-	-	2	-	3	3	9	12	5	41	1	-	-	-	-	2	2	4	8	14	10
Infections of kidney (590)	9	-	-	-	-	-	-	1	-	3	1	4	22	-	-	-	1	-	1	2	-	1	8	9
White	8	-	-	-	-	-	-	1	-	3	1	3	19	-	-	-	1	-	1	2	-	1	7	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	1	2	6	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	-	2	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	146	104	10	2	7	5	1	4	1	3	4	5	107	58	5	4	5	3	5	2	4	4	11	6
White	129	92	8	2	7	5	1	2	1	2	4	5	92	48	4	3	5	3	5	1	3	4	10	6
All other	17	12	2	-	-	-	-	2	-	1	-	-	15	10	1	1	-	-	-	1	1	-	1	-
Black	17	12	2	-	-	-	-	2	-	1	-	-	14	10	1	1	-	-	-	1	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	188	183	5	-	-	-	-	-	-	-	-	-	142	142	-	-	-	-	-	-	-	-	-	-
White	103	100	3	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
All other	85	83	2	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
Black	82	80	2	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	47	47	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	141	136	5	-	-	-	-	-	-	-	-	-	118	118	-	-	-	-	-	-	-	-	-	-
White	73	70	3	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
All other	68	66	2	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
Black	65	63	2	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	286	114	1	-	5	15	14	11	18	39	37	32	235	66	3	1	4	5	6	10	15	30	47	48
White	197	78	1	-	2	7	10	8	11	29	26	25	154	36	2	1	2	3	2	7	9	22	33	37
All other	89	36	-	-	3	8	4	3	7	10	11	7	81	30	1	-	2	2	4	3	6	8	14	11
Black	88	35	-	-	3	8	4	3	7	10	11	7	81	30	1	-	2	2	4	3	6	8	14	11
All other diseases (Residual)	1,843	32	6	14	16	56	99	105	192	388	558	377	2,381	14	14	20	17	30	60	74	142	334	732	943
White	1,615	25	6	11	15	40	71	76	158	345	522	346	2,138	9	12	16	13	24	41	54	115	300	680	873
All other	228	7	-	3	1	16	28	29	34	43	36	31	243	5	2	4	4	6	19	20	27	34	52	70
Black	226	7	-	3	1	16	27	29	34	43	35	31	235	5	2	4	4	5	19	18	26	32	51	69
Accidents and adverse effects (E800-E949)	1,434	12	32	56	300	259	194	123	104	127	149	78	731	12	17	22	91	79	61	41	36	62	143	166
White	1,264	6	26	45	268	233	166	102	87	117	138	76	656	10	14	18	85	66	53	33	32	56	134	155
All other	170	6	6	11	32	26	28	21	17	10	11	2	75	2	3	4	6	13	8	8	4	6	9	11
Black	165	6	6	11	30	25	27	21	17	9	11	2	68	2	3	4	6	12	7	5	3	5	9	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 148 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	713	3	8	22	231	162	102	51	40	42	39	13	310	2	8	11	80	49	43	26	16	25	39	11
White	653	2	7	18	214	149	91	45	36	40	38	13	282	2	6	11	75	43	37	22	14	22	39	11
All other	60	1	1	4	17	13	11	6	4	2	1	-	28	-	2	-	5	6	6	4	2	3	-	-
Black	56	1	1	4	15	12	10	6	4	2	1	-	23	-	2	-	5	5	6	2	1	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	721	9	24	34	69	97	92	72	64	85	110	65	421	10	9	11	11	30	18	15	20	37	104	155
White	611	4	19	27	54	84	75	57	51	77	100	63	374	8	8	7	10	23	16	11	18	34	95	144
All other	110	5	5	7	15	13	17	15	13	8	10	2	47	2	1	4	1	7	2	4	2	3	9	11
Black	109	5	5	7	15	13	17	15	13	7	10	2	45	2	1	4	1	7	1	3	2	3	9	11
Suicide (E950-E959)	586	...	...	1	85	138	109	66	56	63	57	11	128	...	...	-	15	18	30	26	15	12	10	2
White	549	...	...	1	76	127	107	63	51	59	54	11	120	...	...	-	13	17	27	25	15	12	10	1
All other	37	...	...	-	9	11	2	3	5	4	3	-	8	...	...	-	2	1	3	1	-	-	-	1
Black	35	...	...	-	8	10	2	3	5	4	3	-	6	...	...	-	2	-	2	1	-	-	-	1
Homicide and legal intervention (E960-E978)	445	4	7	12	145	140	66	31	23	9	8	-	115	1	5	8	31	27	15	11	4	6	5	2
White	142	2	2	2	25	44	29	15	11	5	7	-	58	-	2	4	11	14	9	7	3	4	3	1
All other	303	2	5	10	120	96	37	16	12	4	1	-	57	1	3	4	20	13	6	4	1	2	2	1
Black	301	2	5	10	120	94	37	16	12	4	1	-	57	1	3	4	20	13	6	4	1	2	2	1
All other external causes (E980-E999)	32	2	-	-	5	10	8	3	1	2	-	1	4	-	-	1	-	-	2	-	1	-	-	-
White	25	2	-	-	3	9	7	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
All other	7	-	-	-	2	1	1	1	1	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	7	-	-	-	2	1	1	1	1	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-
MONTANA																								
All causes	3,759	41	11	29	94	112	150	216	443	949	1,118	596	3,255	40	8	9	33	37	73	127	265	642	965	1,056
White	3,543	31	6	25	75	98	133	194	412	907	1,082	580	3,109	29	6	8	28	32	64	108	245	606	942	1,041
All other	216	10	5	4	19	14	17	22	31	42	36	16	146	11	2	1	5	5	9	19	20	36	23	15
Black	5	1	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	-	-	-	-	-	-	1	1	2	12	5	30	-	-	-	-	-	-	1	1	3	11	14
White	21	-	-	-	-	-	-	1	1	2	12	5	30	-	-	-	-	-	-	1	1	3	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 149 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	24	-	-	-	1	6	4	3	4	1	4	1	11	-	-	-	-	-	4	-	1	2	-	4
White	23	-	-	-	1	6	3	3	4	1	4	1	11	-	-	-	-	-	4	-	1	2	-	4
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	896	-	-	4	3	7	20	56	166	312	251	77	747	-	1	-	1	7	19	52	133	225	205	104
White	858	-	-	4	3	6	19	52	150	305	244	75	717	-	1	-	1	7	18	47	125	216	202	100
All other	38	-	-	-	-	1	1	4	16	7	7	2	30	-	-	-	-	-	1	5	8	9	3	4
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	1	-	1	2	4	2	-	6	-	-	-	-	-	-	-	1	3	2	-
White	9	-	-	-	-	-	-	1	2	4	2	-	6	-	-	-	-	-	-	-	1	3	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	203	-	-	-	-	-	6	15	46	66	57	13	188	-	-	-	-	1	4	9	22	51	60	41
White	198	-	-	-	-	-	5	15	44	65	56	13	179	-	-	-	-	1	4	8	19	49	59	39
All other	5	-	-	-	-	-	1	-	2	1	1	-	9	-	-	-	-	-	-	1	3	2	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	289	-	-	-	-	-	2	14	62	119	72	20	177	-	-	-	-	1	-	14	42	72	37	11
White	274	-	-	-	-	-	2	12	55	117	70	18	170	-	-	-	-	1	-	13	40	69	36	11
All other	15	-	-	-	-	-	-	2	7	2	2	2	7	-	-	-	-	-	-	1	2	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	120	-	-	-	-	-	9	10	25	34	23	19
White	1	-	-	-	-	-	-	-	-	-	1	-	115	-	-	-	-	-	8	9	23	33	23	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	115	-	-	-	-	-	-	-	9	34	48	24	68	-	-	-	-	1	2	7	15	15	19	9
White	113	-	-	-	-	-	-	-	9	34	46	24	67	-	-	-	-	1	2	7	15	15	19	8
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	54	-	-	-	-	-	1	3	7	20	18	5	16	-	-	-	-	-	-	1	3	2	5	5
White	50	-	-	-	-	-	1	3	5	19	17	5	16	-	-	-	-	-	-	1	3	2	5	5
All other	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	125	-	-	1	3	3	7	17	23	36	28	7	91	-	-	-	-	3	3	7	14	25	29	10
White	117	-	-	1	3	3	7	15	19	35	27	7	88	-	-	-	-	3	3	6	13	24	29	10
All other	8	-	-	-	-	-	-	2	4	1	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	-	2	-	1	2	3	5	11	8	6	33	-	1	-	1	-	-	2	5	9	10	5
White	37	-	-	2	-	1	2	3	5	10	8	6	31	-	1	-	1	-	-	2	5	8	10	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	61	-	-	1	-	2	2	3	12	22	17	2	48	-	-	-	-	1	1	2	6	14	20	4
White	59	-	-	1	-	2	2	3	11	21	17	2	45	-	-	-	-	1	1	1	6	13	19	4
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	1	1	-	2	2	2	-	16	-	-	-	1	-	-	1	2	-	7	5
White	7	-	-	-	-	-	1	-	2	2	2	-	15	-	-	-	1	-	-	-	2	-	7	5
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 150 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	81	-	-	-	-	4	3	5	9	25	26	9	101	-	-	-	-	-	2	7	11	25	36	20
White	75	-	-	-	-	4	3	3	8	23	25	9	89	-	-	-	-	-	2	5	6	23	34	19
All other	6	-	-	-	-	-	-	2	1	2	1	-	12	-	-	-	-	-	-	2	5	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	2	2	3	5	-	-	-	-	-	-	-	-	2	1	2
White	7	-	-	-	-	-	-	-	-	2	2	3	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	1	-	1	2
White	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,406	-	1	1	1	7	17	65	163	389	485	277	1,277	-	-	-	4	3	5	26	56	205	407	571
White	1,352	-	1	1	-	7	16	62	154	366	471	274	1,238	-	-	-	4	2	5	24	51	191	395	566
All other	54	-	-	-	1	-	1	3	9	23	14	3	39	-	-	-	-	1	-	2	5	14	12	5
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,084	-	1	1	1	6	15	51	144	312	358	195	859	-	-	-	2	2	3	15	43	129	268	397
White	1,041	-	1	1	-	6	14	49	137	293	348	192	841	-	-	-	2	2	3	14	40	123	261	396
All other	43	-	-	-	1	-	1	2	7	19	10	3	18	-	-	-	-	-	-	1	3	6	7	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	-	4	-	3	-	14	-	-	-	-	-	-	1	-	4	4	5
White	7	-	-	-	-	-	-	-	4	-	3	-	13	-	-	-	-	-	-	1	-	4	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	12	-	-	-	-	-	-	2	3	-	3	4	28	-	-	-	-	-	-	-	2	5	5	16
White	12	-	-	-	-	-	-	2	3	-	3	4	28	-	-	-	-	-	-	-	2	5	5	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	4
White	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	719	-	-	-	-	4	13	42	101	213	232	114	497	-	-	-	-	1	2	12	23	79	164	216
White	691	-	-	-	-	4	12	41	96	200	226	112	487	-	-	-	-	1	2	11	22	74	161	216
All other	28	-	-	-	-	-	1	1	5	13	6	2	10	-	-	-	-	-	-	1	1	5	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute myocardial infarction (410)	383	-	-	-	-	3	8	26	60	121	119	46	229	-	-	-	-	-	-	8	16	45	83	77
White	368	-	-	-	-	3	8	25	57	114	116	45	223	-	-	-	-	-	-	7	16	42	81	77
All other	15	-	-	-	-	-	-	1	3	7	3	1	6	-	-	-	-	-	-	1	-	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	333	-	-	-	-	1	5	16	41	90	112	68	266	-	-	-	-	1	2	4	7	34	79	139
White	320	-	-	-	-	1	4	16	39	84	109	67	262	-	-	-	-	1	2	4	6	32	78	139
All other	13	-	-	-	-	-	1	-	2	6	3	1	4	-	-	-	-	-	-	-	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	24	-	-	-	1	-	-	-	1	7	7	8	38	-	-	-	-	-	-	1	1	8	12	16
White	22	-	-	-	-	-	-	-	1	6	7	8	38	-	-	-	-	-	-	1	1	8	12	16
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 151 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	320	-	1	1	-	2	2	7	35	91	113	68	278	-	-	-	2	1	1	1	17	33	83	140
White	307	-	1	1	-	2	2	6	33	86	109	67	271	-	-	-	2	1	1	1	15	32	80	139
All other	13	-	-	-	-	-	-	1	2	5	4	1	7	-	-	-	-	-	-	-	2	1	3	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	18	-	-	-	-	-	-	2	1	3	4	8	15	-	-	-	-	-	-	-	1	3	5	6
White	18	-	-	-	-	-	-	2	1	3	4	8	12	-	-	-	-	-	-	-	-	1	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	193	-	-	-	-	1	-	9	11	40	82	50	308	-	-	-	2	1	2	8	9	50	105	131
White	184	-	-	-	-	1	-	8	9	37	79	50	293	-	-	-	2	-	2	8	8	45	100	128
All other	9	-	-	-	-	-	-	1	2	3	3	-	15	-	-	-	-	1	-	-	1	5	5	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	30	-	-	-	-	1	-	6	3	5	14	1	40	-	-	-	-	-	1	2	2	7	13	15
White	30	-	-	-	-	1	-	6	3	5	14	1	38	-	-	-	-	-	1	2	2	6	12	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	-	-	-	-	-	-	1	-	2	3	9	27	-	-	-	1	-	-	1	-	2	9	14
White	14	-	-	-	-	-	-	1	-	1	3	9	26	-	-	-	1	-	-	1	-	1	9	14
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	148	-	-	-	-	-	-	2	8	33	65	40	240	-	-	-	1	1	1	5	7	41	83	101
White	140	-	-	-	-	-	-	1	6	31	62	40	228	-	-	-	1	-	1	5	6	38	79	98
All other	8	-	-	-	-	-	-	1	2	2	3	-	12	-	-	-	-	1	-	-	1	3	4	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	52	-	-	-	-	-	1	2	3	16	14	16	54	-	-	-	-	-	-	2	3	9	16	24
White	51	-	-	-	-	-	1	2	3	15	14	16	52	-	-	-	-	-	-	2	3	8	16	23
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	59	-	-	-	-	-	1	1	4	18	27	8	41	-	-	-	-	-	-	1	-	14	13	13
White	58	-	-	-	-	-	1	1	4	18	26	8	40	-	-	-	-	-	-	-	-	14	13	13
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	124	1	2	-	1	-	2	-	6	13	39	60	121	1	-	-	2	2	1	2	-	5	31	77
White	117	1	1	-	1	-	1	-	6	12	38	57	117	1	-	-	2	2	1	2	-	4	30	75
All other	7	-	1	-	-	-	1	-	-	1	1	3	4	-	-	-	-	-	-	-	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	123	1	2	-	1	-	2	-	6	13	39	59	115	1	-	-	2	2	1	1	-	5	31	72
White	116	1	1	-	1	-	1	-	6	12	38	56	112	1	-	-	2	2	1	1	-	4	30	71
All other	7	-	1	-	-	-	1	-	-	1	1	3	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	1	-	-	-	5
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	1	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	240	-	-	-	-	-	-	5	17	77	104	37	194	-	-	-	-	-	-	7	20	67	78	24
White	232	-	-	-	-	-	-	4	17	76	101	34	194	-	-	-	-	-	-	7	20	67	78	24
All other	8	-	-	-	-	-	-	1	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	-	-	7	4	-	10	-	-	-	-	-	-	-	1	1	5	3
White	11	-	-	-	-	-	-	-	-	7	4	-	10	-	-	-	-	-	-	-	1	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	41	-	-	-	-	-	-	1	3	16	16	5	22	-	-	-	-	-	-	1	-	10	8	3
White	39	-	-	-	-	-	-	1	3	16	16	3	22	-	-	-	-	-	-	1	-	10	8	3
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 152 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	4	-	-	-	-	-	-	2	-	1	1	-	14	-	-	-	-	-	-	-	4	2	6	2
White	3	-	-	-	-	-	-	1	-	1	1	-	14	-	-	-	-	-	-	-	4	2	6	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	184	-	-	-	-	-	-	2	14	53	83	32	148	-	-	-	-	-	-	6	15	54	57	16
White	179	-	-	-	-	-	-	2	14	52	80	31	148	-	-	-	-	-	-	6	15	54	57	16
All other	5	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	1	-	3	5	4	15	-	-	-	-	-	-	1	-	3	6	5
White	13	-	-	-	-	-	-	1	-	3	5	4	14	-	-	-	-	-	-	-	-	3	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	1	-	1	-	-	-	-	2	1	4	22	-	-	-	-	1	1	-	-	4	5	11
White	8	-	1	-	1	-	-	-	-	1	1	4	20	-	-	-	-	1	1	-	-	3	4	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	44	-	-	-	-	1	4	9	12	6	11	1	29	-	-	-	-	-	3	6	8	3	8	1
White	38	-	-	-	-	1	3	7	10	6	10	1	21	-	-	-	-	-	2	1	7	3	7	1
All other	6	-	-	-	-	-	1	2	2	-	1	-	8	-	-	-	-	-	1	5	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	-	-	-	1	3	4	2	2	-	-	-	-	-	-	-	-	-	1	1
White	9	-	-	-	-	-	-	-	1	3	3	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	26	-	-	-	-	-	1	-	1	5	12	7	31	1	-	-	-	-	2	-	2	5	11	10
White	23	-	-	-	-	-	-	-	1	5	11	6	27	-	-	-	-	-	2	-	2	3	11	9
All other	3	-	-	-	-	-	1	-	-	-	1	1	4	1	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	1	-	1	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	-	-	-	-	-	1	-	1	5	10	7	27	1	-	-	-	-	1	-	1	4	10	10
White	22	-	-	-	-	-	-	-	1	5	10	6	23	-	-	-	-	-	1	-	1	2	10	9
All other	2	-	-	-	-	-	1	-	-	-	-	1	4	1	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	-	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 153 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies [2] (740-759)	18	11	-	-	3	-	-	1	1	1	-	1	16	11	-	-	-	-	1	-	-	-	3	1
White	16	9	-	-	3	-	-	1	1	1	-	1	13	8	-	-	-	-	1	-	-	-	3	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	14	14	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	57	13	-	1	1	1	8	2	3	8	9	11	61	9	-	-	1	-	2	4	3	6	11	25
White	50	9	-	1	-	1	7	2	3	8	8	11	57	6	-	-	1	-	2	3	3	6	11	25
All other	7	4	-	-	1	-	1	-	-	-	1	-	4	3	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	308	2	-	6	4	9	7	18	16	60	107	79	388	3	2	3	2	3	11	10	17	61	119	157
White	292	2	-	6	2	8	5	14	16	58	103	78	371	3	-	2	2	3	9	9	16	55	117	155
All other	16	-	-	-	2	1	2	4	-	2	4	1	17	-	2	1	-	-	2	1	1	6	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	275	-	6	13	49	44	57	28	21	19	29	9	118	3	5	5	18	14	9	2	4	17	21	20
White	230	-	3	9	40	36	50	24	20	14	27	7	104	1	5	5	14	11	5	2	4	16	21	20
All other	45	-	3	4	9	8	7	4	1	5	2	2	14	2	-	-	4	3	4	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	128	-	2	2	37	24	30	8	12	7	5	1	53	-	3	2	11	11	7	1	2	10	5	1
White	104	-	1	2	30	18	25	6	11	6	4	1	45	-	3	2	10	8	4	1	2	9	5	1
All other	24	-	1	-	7	6	5	2	1	1	1	-	8	-	-	-	1	3	3	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	147	-	4	11	12	20	27	20	9	12	24	8	65	3	2	3	7	3	2	1	2	7	16	19
White	126	-	2	7	10	18	25	18	9	8	23	6	59	1	2	3	4	3	1	1	2	7	16	19
All other	21	-	2	4	2	2	2	2	-	4	1	2	6	2	-	-	3	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	129	...	...	-	25	22	20	15	17	18	10	2	32	...	...	1	3	3	8	6	3	6	2	-
White	121	...	...	-	22	20	20	14	15	18	10	2	30	...	...	1	2	2	8	6	3	6	2	-
All other	8	...	...	-	3	2	-	1	2	-	-	-	2	...	...	-	1	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	28	-	1	1	5	9	5	4	-	1	-	2	9	-	-	-	-	3	4	-	1	1	-	-
White	21	-	-	1	2	8	4	3	-	1	-	2	8	-	-	-	-	3	3	-	1	1	-	-
All other	7	-	1	-	3	1	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	1	-	1	1	2	1	-	1	-	3	-	-	-	1	1	-	-	1	-	-	-
White	7	-	-	1	-	1	1	2	1	-	1	-	3	-	-	-	1	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 154 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,333	98	24	33	142	175	229	357	844	1,729	2,232	1,468	7,392	84	16	25	57	71	125	226	504	1,177	2,130	2,976
White	7,030	78	21	31	123	153	204	336	794	1,670	2,172	1,446	7,166	73	14	24	55	62	111	207	475	1,128	2,080	2,936
All other	303	20	3	2	19	22	25	21	50	59	60	22	226	11	2	1	2	9	14	19	29	49	50	40
Black	237	14	3	2	14	16	19	15	44	42	50	18	188	10	2	1	2	7	9	15	23	43	40	36
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	38	-	-	-	-	-	-	1	7	9	14	7	46	-	-	1	1	-	1	1	5	8	14	15
White	37	-	-	-	-	-	-	1	6	9	14	7	43	-	-	1	1	-	1	1	4	7	13	15
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	-	3	-	2	2	1	-	2	-	-	-	-	-	-	1	-	1	-	-
White	8	-	-	-	-	-	3	-	2	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis. (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	56	1	-	-	3	14	19	6	3	6	3	1	18	-	-	-	-	-	2	1	3	6	4	2
White	49	1	-	-	2	13	17	4	3	6	3	-	18	-	-	-	-	-	2	1	3	6	4	2
All other	7	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	1	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,657	-	-	6	11	17	39	96	258	526	493	211	1,529	-	2	1	7	18	41	92	217	409	449	293
White	1,590	-	-	5	10	16	38	92	241	504	478	206	1,488	-	1	1	7	17	40	87	209	396	442	288
All other	67	-	-	1	1	1	1	4	17	22	15	5	41	-	1	-	-	1	1	5	8	13	7	5
Black	51	-	-	1	-	-	-	2	16	16	13	3	36	-	1	-	-	1	1	4	8	12	5	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 155 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	-	-	-	-	1	1	3	6	10	8	5	13	-	-	-	-	-	-	1	1	2	6	3
White	32	-	-	-	-	1	1	3	5	9	8	5	13	-	-	-	-	-	-	1	1	2	6	3
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	436	-	-	-	-	4	13	19	65	147	132	56	389	-	-	-	1	2	5	12	39	87	137	106
White	413	-	-	-	-	4	12	18	56	143	125	55	381	-	-	-	1	1	5	10	38	86	134	106
All other	23	-	-	-	-	-	1	1	9	4	7	1	8	-	-	-	-	1	-	2	1	1	3	-
Black	17	-	-	-	-	-	-	-	8	3	6	-	8	-	-	-	-	1	-	2	1	1	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	528	-	-	-	1	-	4	43	106	204	133	37	282	-	-	-	-	-	3	18	57	108	76	20
White	505	-	-	-	1	-	4	40	101	192	131	36	272	-	-	-	-	-	3	18	53	103	76	19
All other	23	-	-	-	-	-	-	3	5	12	2	1	10	-	-	-	-	-	-	-	4	5	-	1
Black	19	-	-	-	-	-	-	2	5	9	2	1	10	-	-	-	-	-	-	-	4	5	-	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	276	-	-	-	-	5	18	30	52	66	63	42
White	1	-	-	-	-	-	-	-	-	-	-	1	267	-	-	-	-	5	17	29	50	64	62	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	1	1	2	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	1	1	2	2	1	2
Malignant neoplasms of genital organs (179-187)	220	-	-	-	3	1	2	1	10	52	98	53	159	-	-	-	-	3	1	11	19	48	46	31
White	214	-	-	-	3	-	2	1	9	51	97	51	150	-	-	-	-	3	1	9	18	44	45	30
All other	6	-	-	-	-	1	-	-	1	1	1	2	9	-	-	-	-	-	-	2	1	4	1	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	1	3	1	-
Malignant neoplasms of urinary organs (188-189)	82	-	-	-	-	-	1	5	8	27	25	16	53	-	-	-	-	-	2	-	7	13	13	18
White	80	-	-	-	-	-	1	5	8	25	25	16	52	-	-	-	-	-	2	-	7	13	12	18
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	180	-	-	3	2	9	12	16	33	44	42	19	181	-	2	-	2	3	5	8	22	50	56	33
White	173	-	-	3	1	9	12	16	32	43	39	18	179	-	1	-	2	3	5	8	22	49	56	33
All other	7	-	-	-	1	-	-	-	1	1	3	1	2	-	1	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	-	2	1	2	-	1	-	-	-	-	-	-	1	-	-
Leukemia (204-208)	64	-	-	2	2	-	2	4	9	12	23	10	54	-	-	1	1	1	2	5	7	9	18	10
White	61	-	-	1	2	-	2	4	9	11	22	10	53	-	-	1	1	1	2	5	7	9	18	9
All other	3	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	112	-	-	1	3	2	4	5	21	30	32	14	122	-	-	-	3	4	5	7	13	26	34	30
White	111	-	-	1	3	2	4	5	21	30	31	14	121	-	-	-	3	4	5	7	13	26	33	30
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	-	-	-	-	-	-	-	3	4	9	3	26	-	-	-	-	1	-	-	1	8	4	12
White	19	-	-	-	-	-	-	-	3	4	9	3	26	-	-	-	-	1	-	-	1	8	4	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	133	-	-	-	-	1	5	12	16	36	44	19	153	-	-	1	-	2	5	10	16	28	51	40
White	128	-	-	-	-	1	5	11	14	35	44	18	142	-	-	1	-	2	4	8	15	25	49	38
All other	5	-	-	-	-	-	-	1	2	1	-	1	11	-	-	-	-	-	1	2	1	3	2	2
Black	5	-	-	-	-	-	-	1	2	1	-	1	7	-	-	-	-	-	1	-	-	3	1	2
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	-	-	-	-	1	1	9
White	1	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	-	-	-	-	1	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	1	-	-	-	-	1	5	15	-	-	-	1	-	-	-	-	2	5	7
White	6	-	-	-	-	-	-	-	-	-	1	5	14	-	-	-	-	-	-	-	-	2	5	7
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	1	-	-	1	-	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	1	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,100	4	1	4	3	15	44	127	331	752	1,039	780	3,563	3	2	2	-	8	23	50	153	437	1,075	1,809
White	2,999	4	1	4	2	13	39	118	314	727	1,007	770	3,470	3	2	2	-	7	21	44	142	415	1,048	1,785
All other	101	-	-	-	1	2	5	9	17	25	32	10	93	-	-	-	-	1	2	6	11	22	27	24
Black	86	-	-	-	1	2	4	9	16	19	27	8	80	-	-	-	-	1	1	6	10	19	22	21

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 156 of 289)
[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,495	4	1	3	3	11	35	108	282	632	813	603	2,641	3	2	2	–	3	18	42	120	341	805	1,304
White	2,420	4	1	3	2	9	30	103	267	615	791	595	2,566	3	2	2	–	3	16	36	112	323	785	1,283
All other	75	–	–	–	1	2	5	5	15	17	22	8	75	–	–	–	–	–	2	6	8	18	20	21
Black	65	–	–	–	1	2	4	5	15	14	18	6	67	–	–	–	–	–	1	6	8	15	18	19
Rheumatic fever and rheumatic heart disease (390-398)	12	–	–	–	–	–	–	1	2	4	1	4	26	–	–	–	–	–	–	2	4	6	9	5
White	12	–	–	–	–	–	–	1	2	4	1	4	25	–	–	–	–	–	–	1	4	6	9	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hypertensive heart disease (402)	32	–	–	–	–	–	–	2	3	8	14	5	55	–	–	–	–	–	–	1	4	5	16	29
White	26	–	–	–	–	–	–	2	2	6	11	5	49	–	–	–	–	–	–	1	3	3	14	28
All other	6	–	–	–	–	–	–	–	1	2	3	–	6	–	–	–	–	–	–	–	1	2	2	1
Black	6	–	–	–	–	–	–	–	1	2	3	–	6	–	–	–	–	–	–	–	1	2	2	1
Hypertensive heart and renal disease (404)	4	–	–	–	–	–	–	–	–	–	–	4	8	–	–	–	–	–	–	–	–	–	1	7
White	4	–	–	–	–	–	–	–	–	–	–	4	8	–	–	–	–	–	–	–	–	–	1	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,689	1	1	–	–	4	22	75	186	446	561	393	1,581	–	–	–	–	1	7	26	74	226	488	759
White	1,639	1	1	–	–	2	20	72	175	435	546	387	1,536	–	–	–	–	1	6	21	69	217	473	749
All other	50	–	–	–	–	2	2	3	11	11	15	6	45	–	–	–	–	–	1	5	5	9	15	10
Black	42	–	–	–	–	2	2	3	11	8	12	4	39	–	–	–	–	–	–	5	5	8	13	8
Acute myocardial infarction (410)	839	–	1	–	–	2	10	44	102	238	289	153	661	–	–	–	–	–	2	13	43	114	244	245
White	820	–	1	–	–	2	9	42	98	233	284	151	647	–	–	–	–	–	2	13	41	111	239	241
All other	19	–	–	–	–	–	1	2	4	5	5	2	14	–	–	–	–	–	–	–	2	3	5	4
Black	15	–	–	–	–	–	1	2	4	2	4	2	12	–	–	–	–	–	–	–	2	2	4	4
Other acute and subacute forms of ischemic heart disease (411)	5	–	–	–	–	–	–	1	–	1	3	–	3	–	–	–	–	–	–	1	–	–	1	1
White	5	–	–	–	–	–	–	1	–	1	3	–	3	–	–	–	–	–	–	1	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	–	1	–	2
White	3	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	–	1	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	842	1	–	–	–	2	12	30	83	207	267	240	914	–	–	–	–	1	5	12	31	111	243	511
White	811	1	–	–	–	–	11	29	76	201	257	236	883	–	–	–	–	1	4	7	28	105	233	505
All other	31	–	–	–	–	2	1	1	7	6	10	4	31	–	–	–	–	–	1	5	3	6	10	6
Black	27	–	–	–	–	2	1	1	7	6	8	2	27	–	–	–	–	–	–	5	3	6	9	4
Other diseases of endocardium (424)	37	–	–	–	–	–	–	–	4	6	14	13	57	–	–	–	–	–	1	1	–	9	21	25
White	37	–	–	–	–	–	–	–	4	6	14	13	56	–	–	–	–	–	1	1	–	8	21	25
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other forms of heart disease (415-423,425-429)	721	3	–	3	3	7	13	30	87	168	223	184	914	3	2	2	–	2	10	12	38	95	270	479
White	702	3	–	3	2	7	10	28	84	164	219	182	892	3	2	2	–	2	9	12	36	89	267	469
All other	19	–	–	–	1	–	3	2	3	4	4	2	22	–	–	–	–	–	1	–	2	6	3	10
Black	17	–	–	–	1	–	2	2	3	4	3	2	20	–	–	–	–	–	1	–	2	4	3	10
Hypertension with or without renal disease (401,403)	30	–	–	–	–	–	–	–	4	6	15	5	45	–	–	–	–	–	–	–	1	11	13	20
White	27	–	–	–	–	–	–	–	4	6	12	5	42	–	–	–	–	–	–	–	1	10	13	18
All other	3	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	3	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	1	–	2
Cerebrovascular diseases (430-438)	400	–	–	1	–	3	8	15	28	78	146	121	686	–	–	–	–	4	4	6	26	67	211	368
White	381	–	–	1	–	3	8	11	26	72	141	119	677	–	–	–	–	4	4	6	23	66	206	368
All other	19	–	–	–	–	–	–	4	2	6	5	2	9	–	–	–	–	–	–	–	3	1	5	–
Black	14	–	–	–	–	–	–	4	1	3	4	2	6	–	–	–	–	–	–	–	2	1	3	–
Intracerebral and other intracranial hemorrhage (431-432)	50	–	–	1	–	–	3	6	7	11	16	6	64	–	–	–	–	1	2	2	5	17	19	18
White	43	–	–	1	–	–	3	4	6	9	14	6	61	–	–	–	–	1	2	2	4	17	17	18
All other	7	–	–	–	–	–	–	2	1	2	2	–	3	–	–	–	–	–	–	–	1	–	2	–
Black	7	–	–	–	–	–	–	2	1	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	–	–	–	–	–	–	–	1	11	12	9	56	–	–	–	–	–	–	–	1	3	24	28
White	32	–	–	–	–	–	–	–	1	10	12	9	56	–	–	–	–	–	–	–	1	3	24	28
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 157 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	313	-	-	-	-	3	4	9	20	56	117	104	565	-	-	-	-	3	2	4	20	47	168	321
White	302	-	-	-	-	3	4	7	19	53	114	102	559	-	-	-	-	3	2	4	18	46	165	321
All other	11	-	-	-	-	-	-	2	1	3	3	2	6	-	-	-	-	-	-	-	2	1	3	-
Black	7	-	-	-	-	-	-	2	-	1	2	2	5	-	-	-	-	-	-	-	2	1	2	-
Atherosclerosis (440)	77	-	-	-	-	-	-	-	4	6	33	34	116	-	-	-	-	-	-	2	1	6	25	82
White	75	-	-	-	-	-	-	-	4	6	31	34	114	-	-	-	-	-	-	2	1	5	24	82
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	98	-	-	-	-	1	1	4	13	30	32	17	75	-	-	-	-	1	1	-	5	12	21	35
White	96	-	-	-	-	1	1	4	13	28	32	17	71	-	-	-	-	-	1	-	5	11	20	34
All other	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	308	3	2	2	1	-	3	5	21	40	103	128	354	1	-	-	1	1	3	2	6	31	96	213
White	298	2	1	2	1	-	3	5	19	37	102	126	349	1	-	-	1	1	2	2	6	31	94	211
All other	10	1	1	-	-	-	-	-	2	3	1	2	5	-	-	-	-	-	1	-	-	-	2	2
Black	6	-	1	-	-	-	-	-	-	2	1	2	4	-	-	-	-	-	-	-	-	-	2	2
Pneumonia (480-486)	287	3	2	2	1	-	3	5	19	37	96	119	337	1	-	-	1	1	3	2	6	30	92	201
White	277	2	1	2	1	-	3	5	17	34	95	117	332	1	-	-	1	1	2	2	6	30	90	199
All other	10	1	1	-	-	-	-	-	2	3	1	2	5	-	-	-	-	-	1	-	-	-	2	2
Black	6	-	1	-	-	-	-	-	-	2	1	2	4	-	-	-	-	-	-	-	-	-	2	2
Influenza (487)	21	-	-	-	-	-	-	-	2	3	7	9	17	-	-	-	-	-	-	-	-	1	4	12
White	21	-	-	-	-	-	-	-	2	3	7	9	17	-	-	-	-	-	-	-	-	1	4	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	408	-	-	1	1	-	2	9	34	125	176	60	266	1	-	-	-	-	3	-	10	28	71	106	47
White	400	-	-	1	-	-	2	9	32	123	173	60	255	-	-	-	-	-	2	-	7	27	68	105	46
All other	8	-	-	-	1	-	-	-	2	2	3	-	11	1	-	-	-	-	1	-	3	1	3	1	1
Black	6	-	-	-	1	-	-	-	2	1	2	-	10	1	-	-	-	-	-	-	3	1	3	1	1
Bronchitis, chronic and unspecified (490-491)	17	-	-	-	-	-	-	2	1	6	7	1	19	-	-	-	-	-	-	1	2	6	6	4
White	17	-	-	-	-	-	-	2	1	6	7	1	19	-	-	-	-	-	-	1	2	6	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	65	-	-	-	-	-	1	-	7	24	23	10	47	-	-	-	-	-	-	2	8	13	18	6
White	65	-	-	-	-	-	1	-	7	24	23	10	46	-	-	-	-	-	-	2	8	12	18	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	22	-	-	1	1	-	-	-	1	8	9	2	34	-	-	-	-	3	-	2	5	8	11	5
White	20	-	-	1	-	-	-	-	-	8	9	2	31	-	-	-	-	2	-	-	5	8	11	5
All other	2	-	-	-	1	-	-	-	1	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	304	-	-	-	-	-	1	7	25	87	137	47	166	1	-	-	-	-	-	5	13	44	71	32
White	298	-	-	-	-	-	1	7	24	85	134	47	159	-	-	-	-	-	-	4	12	42	70	31
All other	6	-	-	-	-	-	-	-	1	2	3	-	7	1	-	-	-	-	-	1	1	2	1	1
Black	4	-	-	-	-	-	-	-	1	1	2	-	7	1	-	-	-	-	-	1	1	2	1	1
Ulcer of stomach and duodenum (531-533)	17	-	-	-	-	-	-	2	-	1	10	4	34	-	-	-	-	-	-	-	-	3	8	23
White	16	-	-	-	-	-	-	2	-	1	9	4	34	-	-	-	-	-	-	-	-	3	8	23
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	1	-	-	-	-	-	1	3	9	5	31	-	-	-	-	-	-	-	2	2	3	7	17
White	18	1	-	-	-	-	-	1	3	8	5	31	-	-	-	-	-	-	-	2	2	3	7	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 158 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	61	-	-	-	-	2	10	7	18	12	9	3	44	-	-	-	-	1	2	7	14	7	10	3
White	55	-	-	-	-	2	8	6	15	12	9	3	37	-	-	-	-	-	1	5	12	7	9	3
All other	6	-	-	-	-	-	2	1	3	-	-	-	7	-	-	-	-	1	1	2	2	-	1	-
Black	4	-	-	-	-	-	1	-	3	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	1	-	3	2	5	5	14	-	-	-	-	-	-	-	-	2	6	6
White	16	-	-	-	-	-	1	-	3	2	5	5	14	-	-	-	-	-	-	-	-	2	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	81	-	-	-	-	1	2	1	6	12	33	26	73	-	-	-	-	-	-	1	4	14	27	27
White	75	-	-	-	-	1	2	1	5	11	31	24	70	-	-	-	-	-	-	1	4	13	26	26
All other	6	-	-	-	-	-	-	-	1	1	2	2	3	-	-	-	-	-	-	-	-	1	1	1
Black	5	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	-	1	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-	-	-	-	-	-	-	-	2
White	6	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	74	-	-	-	-	1	2	1	5	12	30	23	70	-	-	-	-	-	-	1	4	14	27	24
White	69	-	-	-	-	1	2	1	4	11	29	21	68	-	-	-	-	-	-	1	4	13	26	24
All other	5	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	34	16	5	1	1	1	1	3	3	1	1	1	50	29	5	4	4	1	-	1	1	2	2	1
White	27	12	4	-	1	1	1	3	2	1	1	1	49	29	5	4	3	1	-	1	1	2	2	1
All other	7	4	1	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	7	4	1	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	31	31	-	-	-	-	-	-	-	-	-	-	24	23	-	-	1	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	19	18	-	-	1	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 159 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	26	26	-	-	-	-	-	-	-	-	-	-	20	19	-	-	1	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	15	14	-	-	1	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	140	27	2	-	-	1	5	4	18	24	35	24	201	21	1	-	1	1	1	6	4	28	42	96
White	131	21	2	-	-	1	3	4	18	24	34	24	196	17	1	-	1	1	-	6	4	28	42	96
All other	9	6	-	-	-	-	2	-	-	-	1	-	5	4	-	-	-	-	1	-	-	-	-	-
Black	6	4	-	-	-	1	-	-	-	-	1	-	4	3	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	580	6	1	4	4	11	16	34	61	109	192	142	648	5	2	2	3	4	17	21	36	87	182	289
White	562	5	1	4	4	9	13	33	59	104	189	141	623	4	1	2	3	4	13	21	32	83	175	285
All other	18	1	-	-	-	2	3	1	2	5	3	1	25	1	1	-	-	-	4	-	4	4	7	4
Black	10	1	-	-	-	1	1	-	1	2	3	1	18	1	1	-	-	-	2	-	1	3	6	4
Accidents and adverse effects (E800-E949)	380	7	11	13	67	64	41	27	35	39	44	31	226	1	4	13	30	18	16	12	10	24	35	63
White	367	5	10	13	65	61	39	25	34	39	44	31	220	1	4	13	30	18	15	12	9	22	34	62
All other	13	2	1	-	2	3	2	2	1	-	-	-	6	-	-	-	-	-	1	-	1	2	1	1
Black	6	1	1	-	1	1	2	-	-	-	-	-	5	-	-	-	-	-	1	-	1	1	1	1
Motor vehicle accidents (E810-E825)	201	-	4	7	51	49	26	11	21	16	13	3	99	-	2	9	28	12	10	10	5	9	9	5
White	197	-	4	7	50	47	26	10	21	16	13	3	99	-	2	9	28	12	10	10	5	9	9	5
All other	4	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	179	7	7	6	16	15	15	16	14	23	31	28	127	1	2	4	2	6	6	2	5	15	26	58
White	170	5	6	6	15	14	13	15	13	23	31	28	121	1	2	4	2	6	5	2	4	13	25	57
All other	9	2	1	-	1	1	2	1	1	-	-	-	6	-	-	-	-	-	1	-	1	2	1	1
Black	5	1	1	-	-	1	2	-	-	-	-	-	5	-	-	-	-	-	1	-	1	1	1	1
Suicide (E950-E959)	157	...	...	1	28	36	22	17	17	22	6	8	34	...	...	-	5	5	10	6	1	3	3	1
White	147	...	...	1	26	31	20	17	17	22	5	8	34	...	...	-	5	5	10	6	1	3	3	1
All other	10	...	...	-	2	5	2	-	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	7	...	...	-	-	4	2	-	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	40	2	1	-	13	9	9	3	3	-	-	-	16	-	-	1	3	5	3	1	2	1	-	-
White	16	-	1	-	3	4	3	2	3	-	-	-	9	-	-	-	3	1	1	1	2	1	-	-
All other	24	2	-	-	10	5	6	1	-	-	-	-	7	-	-	1	-	4	2	-	-	-	-	-
Black	21	-	-	-	9	5	6	1	-	-	-	-	7	-	-	1	-	4	2	-	-	-	-	-
All other external causes (E980-E999)	30	-	1	1	9	2	7	2	3	3	-	1	2	-	-	-	-	1	-	1	-	-	-	-
White	26	-	1	1	8	-	7	2	2	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	4	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	3	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA																								
All causes	5,724	124	28	25	144	260	374	493	934	1,622	1,267	445	4,239	78	15	17	50	107	147	239	544	1,086	1,160	795
White	5,270	98	22	21	110	232	327	431	855	1,549	1,196	423	3,924	55	10	15	42	87	129	202	494	1,041	1,100	748
All other	454	26	6	4	34	28	47	62	79	73	71	22	315	23	5	2	8	20	18	37	50	45	60	47
Black	333	25	5	3	27	18	36	51	61	51	40	14	230	19	4	1	4	13	14	25	36	32	46	36
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 160 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	62	-	1	-	-	1	3	6	6	20	19	6	50	2	-	-	-	-	-	3	2	12	16	15
White	55	-	-	-	-	1	2	4	5	20	17	6	47	2	-	-	-	-	-	2	2	11	15	15
All other	7	-	1	-	-	-	1	2	1	-	2	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	5	-	1	-	-	-	-	2	1	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	3	-	1	-	-	-	5	-	-	-	-	1	-	-	1	3	-	-
White	3	-	-	-	-	-	2	-	1	-	-	-	5	-	-	-	-	1	-	-	1	3	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	130	1	-	-	1	43	46	19	9	6	4	1	20	1	-	1	-	4	4	3	1	4	1	1
White	117	-	-	-	1	41	42	17	7	5	3	1	16	1	-	1	-	3	3	1	1	4	1	1
All other	13	1	-	-	-	2	4	2	2	1	1	-	4	-	-	-	-	1	1	2	-	-	-	-
Black	12	1	-	-	-	2	4	2	2	1	-	-	4	-	-	-	-	1	1	2	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,317	1	2	3	1	17	38	114	293	506	281	61	1,072	-	2	2	1	9	39	82	255	370	238	74
White	1,222	1	2	3	-	16	35	90	273	478	267	57	1,016	-	2	2	1	9	32	74	236	364	228	68
All other	95	-	-	-	1	1	3	24	20	28	14	4	56	-	-	-	-	-	7	8	19	6	10	6
Black	73	-	-	-	1	1	1	22	16	20	9	3	37	-	-	-	-	-	6	3	14	3	8	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	33	-	-	-	-	-	1	6	11	7	6	2	14	-	-	-	-	-	1	2	2	6	2	1
White	29	-	-	-	-	-	1	4	9	7	6	2	13	-	-	-	-	-	1	1	2	6	2	1
All other	4	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	250	-	1	-	-	1	6	22	53	105	50	12	220	-	-	-	1	-	1	14	31	81	66	26
White	225	-	1	-	-	-	6	15	50	97	46	10	207	-	-	-	1	-	1	12	28	80	62	23
All other	25	-	-	-	-	1	-	7	3	8	4	2	13	-	-	-	-	-	-	2	3	1	4	3
Black	14	-	-	-	-	1	-	6	1	3	2	1	8	-	-	-	-	-	-	2	2	-	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	501	-	-	-	-	-	11	44	125	211	93	17	341	-	-	-	-	-	7	19	110	134	57	14
White	469	-	-	-	-	-	10	34	117	203	88	17	331	-	-	-	-	-	7	18	103	133	57	13
All other	32	-	-	-	-	-	1	10	8	8	5	-	10	-	-	-	-	-	-	1	7	1	-	1
Black	30	-	-	-	-	-	-	10	8	8	4	-	8	-	-	-	-	-	-	1	6	-	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	165	-	-	-	-	2	11	22	42	56	25	7
White	-	-	-	-	-	-	-	-	-	-	-	-	159	-	-	-	-	2	9	20	41	55	25	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	2	2	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	1	-	-
Malignant neoplasms of genital organs (179-187)	143	-	-	-	-	1	-	2	14	48	56	22	84	-	-	-	-	4	6	11	15	24	19	5
White	135	-	-	-	-	1	-	2	12	44	54	22	79	-	-	-	-	4	6	11	13	23	17	5
All other	8	-	-	-	-	-	-	-	2	4	2	-	5	-	-	-	-	-	-	-	2	1	2	-
Black	6	-	-	-	-	-	-	-	2	2	2	-	4	-	-	-	-	-	-	-	2	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 161 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	60	-	-	-	-	-	-	4	12	23	19	2	31	-	1	1	-	-	2	-	11	6	7	3
White	57	-	-	-	-	-	-	3	12	21	19	2	27	-	1	1	-	-	1	-	9	5	7	3
All other	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	1	-	2	1	-	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	209	-	1	-	1	9	14	24	54	73	31	2	140	-	1	-	-	2	8	12	29	41	37	10
White	193	-	1	-	-	9	13	21	50	68	29	2	133	-	1	-	-	2	6	11	28	41	35	9
All other	16	-	-	-	1	-	1	3	4	5	2	-	7	-	-	-	-	-	2	1	1	-	2	1
Black	14	-	-	-	1	-	1	3	4	4	1	-	6	-	-	-	-	-	2	-	1	-	2	1
Leukemia (204-208)	49	1	-	1	-	5	2	4	9	14	11	2	33	-	-	1	-	-	2	2	8	7	9	4
White	47	1	-	1	-	5	2	3	9	14	11	1	27	-	-	1	-	-	-	1	7	6	8	4
All other	2	-	-	-	-	-	-	1	-	-	-	1	6	-	-	-	-	-	2	1	1	1	1	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	1	-	1	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	-	-	2	-	1	4	8	15	25	15	2	44	-	-	-	-	1	1	-	7	15	16	4
White	67	-	-	2	-	1	3	8	14	24	14	1	40	-	-	-	-	1	1	-	5	15	15	3
All other	5	-	-	-	-	-	1	-	1	1	1	1	4	-	-	-	-	-	-	-	2	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	2	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	1	1	-	-	-	-	3	4	2	1	19	1	-	-	-	1	1	2	2	2	6	4
White	11	-	-	1	-	-	-	-	3	4	2	1	19	1	-	-	-	1	1	2	2	2	6	4
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	91	-	-	-	1	3	6	5	13	31	24	8	94	-	-	-	-	3	2	9	17	26	25	12
White	85	-	-	-	1	2	6	5	13	29	22	7	78	-	-	-	-	3	2	4	11	24	24	10
All other	6	-	-	-	-	1	-	-	-	2	2	1	16	-	-	-	-	-	-	5	6	2	1	2
Black	3	-	-	-	-	1	-	-	-	-	1	1	10	-	-	-	-	-	-	3	4	1	-	2
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	2	-	2	3	14	-	-	-	-	-	-	-	1	-	6	7
White	7	-	-	-	-	-	-	-	2	-	2	2	12	-	-	-	-	-	-	-	1	-	6	5
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Anemias (280-285)	6	1	-	-	-	-	2	-	-	-	2	1	10	-	-	-	-	-	1	1	2	1	1	4
White	4	-	-	-	-	-	1	-	-	-	2	1	9	-	-	-	-	-	1	2	1	1	1	4
All other	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	3	2	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
White	3	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,140	5	-	-	5	12	72	173	384	675	573	240	1,710	-	2	1	2	15	20	62	151	396	575	486
White	1,998	4	-	-	4	12	64	158	345	648	535	227	1,585	-	1	1	1	8	17	49	136	371	544	457
All other	142	1	-	-	1	-	8	15	39	27	38	13	125	-	1	-	1	7	3	13	15	25	31	29
Black	95	1	-	-	1	-	7	12	28	19	18	9	94	-	1	-	-	5	2	9	10	19	25	23
Diseases of heart (390-398,402,404-429)	1,831	4	-	-	5	9	64	154	343	578	475	198	1,376	-	2	1	2	12	12	47	118	317	466	399
White	1,718	3	-	-	4	9	57	144	311	556	447	186	1,285	-	1	1	1	6	11	40	107	299	443	376
All other	113	1	-	-	1	-	7	10	32	22	28	12	91	-	1	-	1	6	1	7	11	18	23	23
Black	74	1	-	-	1	-	6	7	22	14	14	9	68	-	1	-	-	4	1	4	8	13	19	18
Rheumatic fever and rheumatic heart disease (390-398)	11	-	-	-	-	-	2	3	1	2	2	1	16	-	-	-	-	-	-	2	1	6	5	2
White	10	-	-	-	-	-	1	3	1	2	2	1	16	-	-	-	-	-	-	2	1	6	5	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	89	-	-	-	-	-	3	11	26	33	15	1	82	-	-	-	-	-	-	3	13	24	32	10
White	83	-	-	-	-	-	3	10	24	31	14	1	74	-	-	-	-	-	-	3	10	21	30	10
All other	6	-	-	-	-	-	-	1	2	2	1	-	8	-	-	-	-	-	-	-	3	3	2	-
Black	5	-	-	-	-	-	-	1	1	2	1	-	6	-	-	-	-	-	-	-	2	2	2	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Ischemic heart disease (410-414)	896	-	-	-	-	5	37	79	174	288	227	86	621	-	-	-	-	1	6	17	61	149	199	188
White	848	-	-	-	-	5	35	77	161	274	216	80	584	-	-	-	-	-	6	14	55	142	184	183
All other	48	-	-	-	-	-	2	2	13	14	11	6	37	-	-	-	-	1	-	3	6	7	15	5
Black	28	-	-	-	-	-	2	-	7	10	5	4	31	-	-	-	-	1	-	2	5	5	13	5
Acute myocardial infarction (410)	413	-	-	-	-	3	17	45	92	132	99	25	226	-	-	-	-	1	3	7	28	71	69	47
White	391	-	-	-	-	3	17	44	86	122	95	24	207	-	-	-	-	-	3	6	24	66	62	46
All other	22	-	-	-	-	-	-	1	6	10	4	1	19	-	-	-	-	1	-	1	4	5	7	1
Black	14	-	-	-	-	-	-	-	3	8	2	1	15	-	-	-	-	1	-	1	4	3	5	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 162 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	478	-	-	-	-	2	20	34	81	152	128	61	391	-	-	-	-	-	3	9	33	78	128	140
White	452	-	-	-	-	2	18	33	74	148	121	56	373	-	-	-	-	-	3	7	31	76	120	136
All other	26	-	-	-	-	-	2	1	7	4	7	5	18	-	-	-	-	-	-	2	2	2	8	4
Black	14	-	-	-	-	-	2	-	4	2	3	3	16	-	-	-	-	-	-	1	1	2	8	4
Other diseases of endocardium (424)	31	-	-	-	-	-	-	-	-	9	17	5	29	-	-	-	-	-	-	1	-	6	11	11
White	29	-	-	-	-	-	-	-	-	7	17	5	29	-	-	-	-	-	-	1	-	6	11	11
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	803	4	-	-	5	4	22	61	142	245	214	105	625	-	2	1	2	11	6	24	43	132	218	186
White	747	3	-	-	4	4	18	54	125	241	198	99	581	-	1	1	1	6	5	20	41	124	213	169
All other	56	1	-	-	1	-	4	7	17	4	16	6	44	-	1	-	1	5	1	4	2	8	5	17
Black	39	1	-	-	1	-	3	6	14	1	8	5	29	-	1	-	-	3	1	2	1	6	3	12
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	2	1	5	4	2	20	-	-	-	-	-	1	1	2	1	9	6
White	13	-	-	-	-	-	-	1	1	5	4	2	17	-	-	-	-	-	-	1	1	1	8	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Cerebrovascular diseases (430-438)	220	1	-	-	-	3	8	16	33	64	68	27	258	-	-	-	-	3	6	12	23	64	81	69
White	193	1	-	-	-	3	7	12	26	59	58	27	232	-	-	-	-	2	5	7	20	59	76	63
All other	27	-	-	-	-	-	1	4	7	5	10	-	26	-	-	-	-	1	1	5	3	5	5	6
Black	20	-	-	-	-	-	1	4	6	5	4	-	19	-	-	-	-	1	1	4	1	4	3	5
Intracerebral and other intracranial hemorrhage (431-432)	46	-	-	-	-	1	3	10	11	12	9	-	56	-	-	-	-	1	1	5	7	24	14	4
White	39	-	-	-	-	1	2	8	8	12	8	-	44	-	-	-	-	1	1	2	4	21	13	2
All other	7	-	-	-	-	-	1	2	3	-	1	-	12	-	-	-	-	-	-	3	3	3	1	2
Black	5	-	-	-	-	-	1	2	2	-	-	-	8	-	-	-	-	-	-	2	1	2	1	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	-	3	9	4	3	15	-	-	-	-	-	-	-	1	2	5	7
White	18	-	-	-	-	-	-	-	3	8	4	3	15	-	-	-	-	-	-	-	1	2	5	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	155	1	-	-	-	2	5	6	19	43	55	24	184	-	-	-	-	2	5	7	15	38	60	57
White	136	1	-	-	-	2	5	4	15	39	46	24	170	-	-	-	-	1	4	5	15	36	56	53
All other	19	-	-	-	-	-	-	2	4	4	9	-	14	-	-	-	-	1	1	2	-	2	4	4
Black	14	-	-	-	-	-	-	2	4	4	4	-	11	-	-	-	-	1	1	2	-	2	2	3
Atherosclerosis (440)	25	-	-	-	-	-	-	-	-	7	7	11	23	-	-	-	-	-	-	-	1	3	12	7
White	24	-	-	-	-	-	-	-	-	7	7	10	20	-	-	-	-	-	-	-	1	2	10	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Other diseases of arteries, arterioles, and capillaries (441-448)	50	-	-	-	-	-	-	1	7	21	19	2	33	-	-	-	-	-	-	1	2	7	11	7	5
White	50	-	-	-	-	-	-	1	7	21	19	2	31	-	-	-	-	-	-	1	1	7	10	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	139	1	-	1	1	4	4	5	10	34	39	40	104	2	-	1	-	2	3	3	9	15	36	33
White	132	1	-	1	1	4	4	5	9	32	36	39	98	2	-	-	-	2	2	3	7	15	34	33
All other	7	-	-	-	-	-	-	-	1	2	3	1	6	-	-	1	-	-	1	-	2	-	2	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	1	-	-	1	-	2	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 163 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	137	1	-	1	1	3	4	5	10	33	39	40	104	2	-	1	-	2	3	3	9	15	36	33
White	130	1	-	1	1	3	4	5	9	31	36	39	98	2	-	-	-	2	2	3	7	15	34	33
All other	7	-	-	-	-	-	-	-	1	2	3	1	6	-	-	1	-	-	1	-	2	-	2	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	1	-	-	1	-	2	-	1	-
Influenza (487)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	359	-	-	1	-	1	3	12	53	132	124	32	271	1	-	-	1	-	1	13	27	109	77	42
White	345	-	-	1	-	1	2	10	50	130	118	32	261	1	-	-	1	-	1	12	25	106	74	41
All other	14	-	-	-	-	-	1	2	3	2	6	-	10	-	-	-	-	-	-	1	2	3	3	1
Black	11	-	-	-	-	-	1	2	2	1	5	-	8	-	-	-	-	-	-	1	2	2	2	1
Bronchitis, chronic and unspecified (490-491)	8	-	-	-	-	-	-	-	2	5	1	-	8	1	-	-	1	-	-	-	1	2	2	1
White	7	-	-	-	-	-	-	-	2	4	1	-	8	1	-	-	1	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	65	-	-	-	-	-	-	-	8	25	21	11	53	-	-	-	-	-	-	1	6	21	15	10
White	64	-	-	-	-	-	-	-	8	25	20	11	52	-	-	-	-	-	-	1	5	21	15	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	6	-	-	1	-	1	1	-	-	2	1	-	9	-	-	-	-	-	-	3	2	1	3	-
White	6	-	-	1	-	1	1	-	-	2	1	-	8	-	-	-	-	-	-	2	2	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	280	-	-	-	-	-	2	12	43	100	101	21	201	-	-	-	-	-	1	9	18	85	57	31
White	268	-	-	-	-	-	1	10	40	99	96	21	193	-	-	-	-	-	1	9	17	82	54	30
All other	12	-	-	-	-	-	1	2	3	1	5	-	8	-	-	-	-	-	-	-	1	3	3	1
Black	9	-	-	-	-	-	1	2	2	-	4	-	6	-	-	-	-	-	-	-	1	2	2	1
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	1	2	1	1	8	1	13	-	-	-	-	-	1	-	1	4	5	2
White	13	-	-	-	-	-	1	1	1	1	8	1	13	-	-	-	-	-	1	-	1	4	5	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	2	-	-	-	1	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	2	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	1	-	-	-	-	-	-	-	2	4	5	16	-	-	-	-	-	-	1	2	4	6	3
White	12	1	-	-	-	-	-	-	-	2	4	5	16	-	-	-	-	-	-	1	2	4	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	104	-	-	-	1	3	19	27	23	22	9	-	68	-	-	-	1	1	11	6	17	17	10	5
White	94	-	-	-	1	3	16	24	21	21	8	-	65	-	-	-	1	1	10	5	16	17	10	5
All other	10	-	-	-	-	-	3	3	2	1	1	-	3	-	-	-	-	-	1	1	1	-	-	-
Black	7	-	-	-	-	-	3	2	1	-	1	-	3	-	-	-	-	-	1	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2
White	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	77	1	1	1	-	1	3	4	5	21	34	6	57	1	-	-	-	1	1	1	6	13	18	16
White	69	1	1	1	-	-	1	3	3	19	34	6	47	1	-	-	-	1	1	1	5	11	14	13
All other	8	-	-	-	-	1	2	1	2	2	-	-	10	-	-	-	-	-	-	-	1	2	4	3
Black	8	-	-	-	-	1	2	1	2	2	-	-	8	-	-	-	-	-	-	-	-	2	3	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 164 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	75	1	1	1	-	1	2	4	5	21	34	5	55	1	-	-	-	1	1	1	6	12	17	16
White	67	1	1	1	-	-	-	3	3	19	34	5	46	1	-	-	-	1	1	1	5	10	14	13
All other	8	-	-	-	-	1	2	1	2	2	-	-	9	-	-	-	-	-	-	-	1	2	3	3
Black	8	-	-	-	-	1	2	1	2	2	-	-	8	-	-	-	-	-	-	-	-	2	3	3
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	39	26	2	-	-	2	3	1	-	4	1	-	22	17	1	1	-	1	-	1	-	1	-	-
White	33	22	1	-	-	1	3	1	-	4	1	-	16	11	1	1	-	1	-	1	-	1	-	-
All other	6	4	1	-	-	1	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	5	3	1	-	-	1	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	35	34	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	28	27	1	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	30	29	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	26	25	1	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	66	40	1	-	-	4	3	2	1	5	4	3	40	16	-	-	1	3	1	1	1	4	9	4
White	56	31	1	-	-	4	2	2	1	5	4	3	29	9	-	-	1	3	1	-	1	4	7	3
All other	10	9	-	-	-	-	1	-	-	-	-	-	11	7	-	-	-	-	-	1	-	-	2	1
Black	9	9	-	-	-	-	-	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	375	3	1	2	4	5	30	40	69	99	94	28	345	2	1	2	5	10	16	19	32	83	109	66
White	343	1	1	2	3	4	24	33	63	95	90	27	326	2	1	2	4	9	16	17	29	79	104	63
All other	32	2	-	-	1	1	6	7	6	4	4	1	19	-	-	-	1	1	-	2	3	4	5	3
Black	28	2	-	-	1	1	6	5	5	3	4	1	16	-	-	-	1	1	-	2	3	2	5	2
Accidents and adverse effects (E800-E949)	333	4	14	14	55	78	49	41	26	24	22	5	153	9	8	6	20	28	21	12	6	12	15	16
White	296	3	11	10	48	72	42	38	24	21	22	5	135	7	5	6	19	21	19	11	5	11	15	16
All other	37	1	3	4	7	6	7	3	2	3	-	-	18	2	3	-	1	7	2	1	1	1	-	-
Black	23	1	2	3	5	1	5	1	2	2	-	-	9	1	2	-	-	3	1	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 165 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	184	-	3	8	42	45	26	22	19	11	8	-	88	2	1	5	17	21	13	8	4	10	5	2
White	164	-	-	6	37	41	24	20	17	11	8	-	82	2	1	5	16	17	13	8	4	9	5	2
All other	20	-	3	2	5	4	2	2	2	-	-	-	6	-	-	-	1	4	-	-	-	1	-	-
Black	12	-	2	1	3	1	2	1	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	149	4	11	6	13	33	23	19	7	13	14	5	65	7	7	1	3	7	8	4	2	2	10	14
White	132	3	11	4	11	31	18	18	7	10	14	5	53	5	4	1	3	4	6	3	1	2	10	14
All other	17	1	-	2	2	2	5	1	-	3	-	-	12	2	3	-	-	3	2	1	1	-	-	-
Black	11	1	-	2	2	-	3	-	-	2	-	-	7	1	2	-	-	2	1	1	-	-	-	-
Suicide (E950-E959)	249	...	...	1	34	50	54	33	29	30	15	2	70	...	...	-	7	17	18	11	7	5	4	1
White	234	...	...	1	29	46	51	33	28	29	15	2	65	...	...	-	5	15	18	11	7	5	3	1
All other	15	...	...	-	5	4	3	-	1	1	-	-	5	...	...	-	2	2	-	-	-	-	1	-
Black	9	...	...	-	2	2	2	-	1	1	-	-	2	...	...	-	-	2	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	123	3	3	1	39	31	27	7	5	5	1	1	41	1	1	-	10	9	6	8	4	2	-	-
White	87	3	3	1	21	21	21	5	5	5	1	1	32	1	-	-	8	7	4	6	4	2	-	-
All other	36	-	-	-	18	10	6	2	-	-	-	-	9	-	1	-	2	2	2	2	-	-	-	-
Black	28	-	-	-	16	7	4	1	-	-	-	-	7	-	1	-	2	1	1	2	-	-	-	-
All other external causes (E980-E999)	17	-	-	-	2	4	8	2	-	1	-	-	4	-	-	-	-	1	1	-	-	1	-	-
White	15	-	-	-	1	3	8	2	-	1	-	-	4	-	-	-	-	1	1	-	-	1	-	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	4,192	60	13	14	88	113	159	289	602	1,057	1,212	585	4,221	39	9	6	30	50	82	172	386	764	1,279	1,404
White	4,168	57	13	14	85	112	157	287	596	1,053	1,209	585	4,204	39	9	6	28	50	79	172	385	762	1,276	1,398
All other	24	3	-	-	3	1	2	2	6	4	3	-	17	-	-	-	2	-	3	-	1	2	3	6
Black	17	1	-	-	1	1	2	2	4	3	3	-	10	-	-	-	2	-	1	-	1	-	2	4
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	28	-	-	-	1	-	-	-	1	8	16	2	29	-	-	-	-	-	-	-	3	4	10	12
White	28	-	-	-	1	-	-	-	1	8	16	2	29	-	-	-	-	-	-	-	3	4	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 166 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	37	1	-	-	1	10	10	5	4	3	3	-	18	1	-	-	1	1	2	2	1	2	3	5
White	35	1	-	-	1	10	9	4	4	3	3	-	18	1	-	-	1	1	2	2	1	2	3	5
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,174	1	1	3	5	11	36	89	243	348	333	104	1,069	-	2	2	4	15	32	89	200	280	307	138
White	1,172	1	1	3	5	11	36	89	241	348	333	104	1,065	-	2	2	4	15	30	89	199	280	307	137
All other	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	2	-	1	-	-	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	-	-	-	-	1	-	4	1	6	8	-	15	-	-	-	-	-	-	1	4	4	3	3
White	20	-	-	-	-	1	-	4	1	6	8	-	15	-	-	-	-	-	-	1	4	4	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	255	-	-	-	1	-	9	13	49	74	82	27	239	-	-	-	-	2	-	6	38	64	74	55
White	255	-	-	-	1	-	9	13	49	74	82	27	238	-	-	-	-	2	-	6	37	64	74	55
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	417	-	-	-	-	-	7	36	115	130	107	22	227	-	-	-	-	-	3	25	60	73	56	10
White	415	-	-	-	-	-	7	36	113	130	107	22	227	-	-	-	-	-	3	25	60	73	56	10
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	203	-	-	-	-	5	17	22	40	45	47	27
White	-	-	-	-	-	-	-	-	-	-	-	-	202	-	-	-	-	5	16	22	40	45	47	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	148	-	-	-	-	1	-	2	12	41	61	31	113	-	-	-	1	3	5	14	16	37	27	10
White	148	-	-	-	-	1	-	2	12	41	61	31	111	-	-	-	1	3	4	14	16	37	27	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of urinary organs (188-189)	58	-	-	-	-	-	1	3	15	16	15	8	31	-	-	-	-	-	-	1	6	6	16	2
White	58	-	-	-	-	-	1	3	15	16	15	8	31	-	-	-	-	-	-	1	6	6	16	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	168	1	1	-	2	2	12	20	33	53	33	11	136	-	1	1	1	4	5	13	27	28	44	12
White	168	1	1	-	2	2	12	20	33	53	33	11	136	-	1	1	1	4	5	13	27	28	44	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	39	-	-	2	1	5	3	3	2	11	9	3	41	-	1	1	2	1	1	2	3	9	12	9
White	39	-	-	2	1	5	3	3	2	11	9	3	41	-	1	1	2	1	1	2	3	9	12	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	69	-	-	1	1	2	4	8	16	17	18	2	64	-	-	-	-	-	1	5	6	14	28	10
White	69	-	-	1	1	2	4	8	16	17	18	2	64	-	-	-	-	-	1	5	6	14	28	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	1	1	-	1	-	3	2	11	-	-	-	-	-	1	1	-	1	4	4
White	8	-	-	-	-	1	1	-	1	-	3	2	11	-	-	-	-	-	1	1	-	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 167 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	87	-	-	-	1	-	3	6	16	31	22	8	118	-	-	-	-	1	-	5	10	27	38	37
White	87	-	-	-	1	-	3	6	16	31	22	8	118	-	-	-	-	1	-	5	10	27	38	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	1	3	10	-	-	-	-	-	-	-	1	1	3	5
White	4	-	-	-	-	-	-	-	-	-	1	3	10	-	-	-	-	-	-	-	1	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	-	-	-	-	2	5	2	6	-	-	-	-	-	-	-	1	-	3	2
White	9	-	-	-	-	-	-	-	-	2	5	2	6	-	-	-	-	-	-	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,646	-	-	-	3	7	36	106	229	448	541	276	1,882	-	-	-	2	1	19	33	99	276	614	838
White	1,643	-	-	-	3	7	36	106	229	447	539	276	1,873	-	-	-	2	1	18	33	99	275	611	834
All other	3	-	-	-	-	-	-	-	-	1	2	-	9	-	-	-	-	-	1	-	-	1	3	4
Black	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	-	2	3
Diseases of heart (390-398,402,404-429)	1,345	-	-	-	1	5	30	97	202	367	434	209	1,378	-	-	-	2	1	8	26	77	215	456	593
White	1,343	-	-	-	1	5	30	97	202	367	432	209	1,369	-	-	-	2	1	7	26	77	214	453	589
All other	2	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	-	1	-	-	1	3	4
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	2	3
Rheumatic fever and rheumatic heart disease (390-398)	11	-	-	-	-	-	-	1	1	4	1	4	20	-	-	-	-	-	2	-	4	5	8	1
White	11	-	-	-	-	-	-	1	1	4	1	4	20	-	-	-	-	-	2	-	4	5	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	17	-	-	-	-	-	2	2	3	4	6	-	46	-	-	-	-	-	-	2	3	4	14	23
White	17	-	-	-	-	-	2	2	3	4	6	-	45	-	-	-	-	-	-	2	3	4	14	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-	-	-	-	-	1	1	4
White	4	-	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-	-	-	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	888	-	-	-	-	4	13	57	130	257	293	134	834	-	-	-	-	1	3	13	41	130	296	350
White	886	-	-	-	-	4	13	57	130	257	291	134	829	-	-	-	-	1	3	13	41	129	294	348
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	1	2	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
Acute myocardial infarction (410)	462	-	-	-	-	3	6	35	81	140	143	54	387	-	-	-	-	1	1	8	21	75	150	131
White	461	-	-	-	-	3	6	35	81	140	142	54	385	-	-	-	-	1	1	8	21	74	150	130
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
White	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	423	-	-	-	-	1	6	22	48	117	149	80	442	-	-	-	-	-	2	5	20	54	144	217
White	422	-	-	-	-	1	6	22	48	117	148	80	439	-	-	-	-	-	2	5	20	54	142	216
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Other diseases of endocardium (424)	32	-	-	-	-	-	-	-	6	9	12	5	47	-	-	-	-	-	-	-	2	5	13	27
White	32	-	-	-	-	-	-	-	6	9	12	5	47	-	-	-	-	-	-	-	2	5	13	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 168 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	393	-	-	-	1	1	15	37	62	93	122	62	425	-	-	-	2	-	3	11	27	70	124	188
White	393	-	-	-	1	1	15	37	62	93	122	62	422	-	-	-	2	-	2	11	27	70	123	187
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	15	-	-	-	-	-	-	1	-	1	8	5	27	-	-	-	-	-	3	-	-	3	8	13
White	15	-	-	-	-	-	-	1	-	1	8	5	27	-	-	-	-	-	3	-	-	3	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	189	-	-	-	2	2	6	4	14	48	72	41	368	-	-	-	-	-	7	7	15	47	124	168
White	188	-	-	-	2	2	6	4	14	47	72	41	368	-	-	-	-	-	7	7	15	47	124	168
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	31	-	-	-	1	1	2	1	3	12	9	2	48	-	-	-	-	-	2	2	5	9	24	6
White	31	-	-	-	1	1	2	1	3	12	9	2	48	-	-	-	-	-	2	2	5	9	24	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	1	-	-	1	1	6	7	3	42	-	-	-	-	-	-	-	2	6	15	19
White	19	-	-	-	1	-	-	1	1	6	7	3	42	-	-	-	-	-	-	-	2	6	15	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	138	-	-	-	-	1	4	2	10	29	56	36	276	-	-	-	-	-	5	5	8	32	84	142
White	137	-	-	-	-	1	4	2	10	28	56	36	276	-	-	-	-	-	5	5	8	32	84	142
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	22	-	-	-	-	-	-	-	3	6	6	7	59	-	-	-	-	-	-	-	2	4	10	43
White	22	-	-	-	-	-	-	-	3	6	6	7	59	-	-	-	-	-	-	-	2	4	10	43
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	75	-	-	-	-	-	-	4	10	26	21	14	50	-	-	-	-	-	1	-	5	7	16	21
White	75	-	-	-	-	-	-	4	10	26	21	14	50	-	-	-	-	-	1	-	5	7	16	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	117	1	-	-	-	2	2	-	4	18	44	46	157	-	1	-	-	-	1	1	8	19	43	84
White	117	1	-	-	-	2	2	-	4	18	44	46	157	-	1	-	-	-	1	1	8	19	43	84
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	116	1	-	-	-	2	2	-	4	18	44	45	156	-	1	-	-	-	1	1	8	19	43	83
White	116	1	-	-	-	2	2	-	4	18	44	45	156	-	1	-	-	-	1	1	8	19	43	83
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	208	-	-	-	-	-	-	4	24	62	60	38	194	-	-	-	-	-	1	1	9	14	59	79	31
White	205	-	-	-	-	-	-	4	22	62	79	38	194	-	-	-	-	-	1	1	9	14	59	79	31
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	1	1	-	2	-	9	-	-	-	-	-	-	1	1	3	1	3
White	4	-	-	-	-	-	-	1	1	-	2	-	9	-	-	-	-	-	-	1	1	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	-	-	5	15	12	5	32	-	-	-	-	-	-	-	2	10	14	6
White	37	-	-	-	-	-	-	-	5	15	12	5	32	-	-	-	-	-	-	-	2	10	14	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 169 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																							
Asthma (493)	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	1	-	2	1	1	5	-
White	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	1	-	2	1	1	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	165	-	-	-	-	-	-	3	18	45	66	33	143	-	-	-	-	-	1	6	10	45	59	22
White	162	-	-	-	-	-	-	3	16	45	65	33	143	-	-	-	-	-	1	6	10	45	59	22
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	2	2	2	6	1	11	-	-	-	-	-	-	-	2	3	3	3
White	13	-	-	-	-	-	-	2	2	2	6	1	11	-	-	-	-	-	-	-	2	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	1	-	-	-	-	-	-	2	2	4	4	17	-	-	-	-	-	-	-	-	2	2	13
White	13	1	-	-	-	-	-	-	2	2	4	4	17	-	-	-	-	-	-	-	-	2	2	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	61	-	-	-	-	1	5	12	11	25	6	1	33	-	-	-	-	-	2	2	8	11	9	1
White	61	-	-	-	-	1	5	12	11	25	6	1	33	-	-	-	-	-	2	2	8	11	9	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	-	3	2	1	7	-	-	-	-	-	-	-	-	-	4	3
White	6	-	-	-	-	-	-	-	-	3	2	1	7	-	-	-	-	-	-	-	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	1	1	-	1	-	1	3	4	8	10	11	38	-	-	-	-	-	1	-	2	7	14	14
White	39	1	1	-	1	-	1	2	4	8	10	11	38	-	-	-	-	-	1	-	2	7	14	14
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired4										7	9	11	34	-	-	-	-	-	1	-	2	7	12	12
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	1	-	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	2	1	***	***	***	***	***	***	***	***	***	***	***	***
White	4	-	-	-	-	-	-	-	-	1	2	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 170 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																							
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	28	16	1	3	1	-	1	3	1	1	-	1	19	14	1	-	1	-	-	-	-	1	-	2
White	26	14	1	3	1	-	1	3	1	1	-	1	19	14	1	-	1	-	-	-	-	1	-	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	20	20	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	19	19	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	29	16	1	-	1	2	1	3	1	1	1	2	24	4	-	-	2	-	1	-	-	4	4	9
White	27	15	1	-	1	2	1	3	1	-	1	2	24	4	-	-	2	-	1	-	-	4	4	9
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	317	2	1	-	2	3	19	20	31	63	108	68	413	2	1	-	2	2	9	15	24	57	124	177
White	315	2	1	-	2	3	19	20	30	62	108	68	412	2	1	-	2	2	9	15	24	57	124	176
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	198	1	6	5	42	38	19	14	22	20	20	11	94	-	1	4	12	14	8	6	7	5	14	23
White	193	1	6	5	40	37	18	14	21	20	20	11	94	-	1	4	12	14	8	6	7	5	14	23
All other	5	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	102	-	2	2	36	23	10	4	13	8	3	1	51	-	1	3	11	14	2	5	3	2	8	2
White	98	-	2	2	34	23	9	4	12	8	3	1	51	-	1	3	11	14	2	5	3	2	8	2
All other	4	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	96	1	4	3	6	15	9	10	9	12	17	10	43	-	-	1	1	-	6	1	4	3	6	21
White	95	1	4	3	6	14	9	10	9	12	17	10	43	-	-	1	1	-	6	1	4	3	6	21
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	104	...	...	1	25	25	21	16	5	7	2	2	26	...	...	-	3	7	3	8	3	2	-	-
White	103	...	...	1	24	25	21	16	5	7	2	2	26	...	...	-	3	7	3	8	3	2	-	-
All other	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	-	-	1	3	8	2	2	1	1	-	-	16	1	3	-	3	5	-	1	1	2	-	-
White	17	-	-	1	3	8	2	2	1	-	-	-	13	1	3	-	1	5	-	1	1	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	2	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	13	-	2	-	1	5	2	1	-	2	-	-	5	-	-	-	-	3	1	-	-	1	-	-
White	13	-	2	-	1	5	2	1	-	2	-	-	5	-	-	-	-	3	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 171 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	35,545	577	96	111	509	1,380	2,184	2,349	4,772	9,132	9,550	4,872	34,947	477	70	76	225	614	1,026	1,495	3,214	7,024	10,447	10,272
White	30,127	319	60	72	337	923	1,363	1,716	3,875	8,090	8,812	4,555	30,456	273	47	55	152	331	628	1,082	2,593	6,134	9,546	9,608
All other	5,418	258	36	39	172	457	821	633	897	1,042	738	317	4,491	204	23	21	73	283	398	413	621	890	901	664
Black	5,138	244	34	36	163	444	801	594	849	985	682	298	4,284	190	22	20	65	280	383	394	590	846	860	634
Shigellosis and amebiasis (004,006)	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	1	-	-	-	-	-	-	-	1	-	8	3	-	-	-	-	-	1	-	-	1	3
White	2	1	-	-	-	-	-	-	-	-	1	-	6	1	-	-	-	-	-	1	-	-	1	3
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	41	-	-	-	1	3	6	5	11	6	6	3	33	-	-	-	-	3	8	-	4	5	7	6
White	24	-	-	-	1	1	2	1	8	4	5	2	16	-	-	-	-	-	1	-	5	6	4	
All other	17	-	-	-	-	2	4	4	3	2	1	1	17	-	-	-	-	3	7	-	4	-	1	2
Black	15	-	-	-	-	2	4	4	2	1	1	1	15	-	-	-	-	3	7	-	3	-	1	1
Tuberculosis of respiratory system (010-012)	31	-	-	-	-	3	3	5	10	4	5	1	23	-	-	-	-	2	3	-	3	4	6	5
White	20	-	-	-	-	1	2	1	7	3	5	1	13	-	-	-	-	-	-	-	-	4	6	3
All other	11	-	-	-	-	2	1	4	3	1	-	-	10	-	-	-	-	2	3	-	3	-	-	2
Black	9	-	-	-	-	2	1	4	2	-	-	-	8	-	-	-	-	2	3	-	2	-	-	1
Other tuberculosis (013-018)	10	-	-	-	1	-	3	-	1	2	1	2	10	-	-	-	-	1	5	-	1	1	1	1
White	4	-	-	-	1	-	-	-	1	1	-	1	3	-	-	-	-	-	1	-	-	1	-	1
All other	6	-	-	-	-	-	3	-	-	1	1	1	7	-	-	-	-	1	4	-	1	-	1	-
Black	6	-	-	-	-	-	3	-	-	1	1	1	7	-	-	-	-	1	4	-	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	455	1	-	-	2	6	26	21	33	101	158	107	664	9	2	-	1	6	16	17	31	90	248	244
White	380	-	-	-	-	3	19	13	24	79	140	102	554	3	1	-	-	1	9	7	20	74	225	214
All other	75	1	-	-	2	3	7	8	9	22	18	5	110	6	1	-	1	5	7	10	11	16	23	30
Black	72	1	-	-	2	3	7	8	9	21	16	5	106	6	1	-	1	5	7	9	11	16	21	29
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Viral hepatitis (070)	39	-	-	-	-	1	8	7	6	11	4	2	31	-	-	-	-	1	3	5	10	8	2	2
White	31	-	-	-	-	-	7	4	6	9	3	2	20	-	-	-	-	1	1	2	5	7	2	2
All other	8	-	-	-	-	1	1	3	-	2	1	-	11	-	-	-	-	-	2	3	5	1	-	-
Black	7	-	-	-	-	1	1	2	-	2	1	-	7	-	-	-	-	-	2	1	3	1	-	-
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,509	11	6	7	22	409	676	218	79	50	22	7	585	10	11	5	12	204	192	57	30	29	15	20
White	747	4	3	2	7	218	305	100	42	42	18	5	241	5	4	2	6	77	63	16	15	20	14	19
All other	762	7	3	5	15	191	371	118	37	8	4	2	344	5	7	3	6	127	129	41	15	9	1	1
Black	756	7	3	5	14	190	370	118	37	8	3	-	344	5	7	3	6	127	129	41	15	9	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,245	2	8	14	37	111	237	629	1,755	3,146	2,496	808	8,934	-	7	12	25	76	329	681	1,459	2,593	2,522	1,230
White	8,074	2	6	12	31	93	185	480	1,464	2,764	2,293	744	7,905	-	6	9	17	59	252	560	1,225	2,320	2,320	1,137
All other	1,171	-	2	2	6	18	52	149	291	382	203	64	1,029	-	1	3	8	17	77	121	234	273	202	93
Black	1,104	-	1	2	5	18	46	136	277	365	189	63	980	-	1	3	5	17	72	114	219	263	197	89

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 172 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																							
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	180	-	-	-	-	-	9	25	51	54	33	8	121	-	-	-	-	1	4	11	20	33	31	21
White	145	-	-	-	-	-	5	16	41	48	27	8	103	-	-	-	-	1	1	6	15	30	30	20
All other	35	-	-	-	-	-	4	9	10	6	6	-	18	-	-	-	-	-	3	5	5	3	1	1
Black	33	-	-	-	-	-	4	8	10	5	6	-	18	-	-	-	-	-	3	5	5	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,508	1	1	-	4	18	61	175	457	870	691	229	2,197	-	-	1	2	6	25	107	259	598	730	469
White	2,185	1	-	-	3	12	45	125	380	772	639	208	1,921	-	-	-	1	4	15	84	202	522	663	430
All other	323	-	1	-	1	6	16	50	77	98	52	21	276	-	-	1	1	2	10	23	57	76	67	39
Black	299	-	1	-	1	6	13	43	74	92	48	20	257	-	-	1	-	2	9	21	51	73	65	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,936	-	-	-	3	2	48	213	701	1,115	702	152	1,921	-	-	-	1	7	50	148	395	658	522	140
White	2,532	-	-	-	2	2	39	161	585	958	646	139	1,735	-	-	-	-	5	44	125	347	590	492	132
All other	404	-	-	-	1	-	9	52	116	157	56	13	186	-	-	-	1	2	6	23	48	68	30	8
Black	386	-	-	-	1	-	9	49	110	153	51	13	180	-	-	-	1	2	6	21	45	67	30	8
Malignant neoplasm of breast (174-175)	15	-	-	-	-	-	-	-	1	3	8	3	1,778	-	-	-	-	16	124	210	369	463	395	201
White	13	-	-	-	-	-	-	-	1	2	7	3	1,576	-	-	-	-	12	100	175	311	427	362	189
All other	2	-	-	-	-	-	-	-	-	1	1	-	202	-	-	-	-	4	24	35	58	36	33	12
Black	2	-	-	-	-	-	-	-	-	1	1	-	192	-	-	-	-	4	21	34	53	36	32	12
Malignant neoplasms of genital organs (179-187)	1,104	-	-	-	-	6	11	10	79	334	463	200	890	-	-	-	2	17	48	87	158	281	206	91
White	941	-	-	-	-	5	10	7	56	276	407	180	756	-	-	-	2	15	34	66	131	238	187	83
All other	163	-	-	-	-	1	1	3	23	58	56	20	134	-	-	-	-	2	14	21	27	43	19	8
Black	160	-	-	-	-	1	1	3	22	57	55	20	130	-	-	-	-	2	14	19	27	41	19	8
Malignant neoplasms of urinary organs (188-189)	494	-	-	-	1	2	8	20	97	153	143	70	256	-	-	-	-	1	5	12	34	72	93	39
White	459	-	-	-	1	2	6	14	87	147	135	67	235	-	-	-	-	1	4	9	29	69	88	35
All other	35	-	-	-	-	-	2	6	10	6	8	3	21	-	-	-	-	-	1	3	5	3	5	4
Black	32	-	-	-	-	-	1	6	10	5	7	3	21	-	-	-	-	-	1	3	5	3	5	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,157	1	4	9	14	33	38	116	229	357	266	90	988	-	5	5	12	15	35	63	124	289	297	143
White	1,049	1	3	7	12	32	33	96	198	327	255	85	887	-	4	4	9	13	28	55	103	265	275	131
All other	108	-	1	2	2	1	5	20	31	30	11	5	101	-	1	1	3	2	7	8	21	24	22	12
Black	101	-	-	2	1	1	5	19	29	29	10	5	94	-	1	1	1	2	7	8	20	20	22	12
Leukemia (204-208)	314	-	3	5	9	17	14	30	50	91	68	27	281	-	2	5	3	3	14	22	27	69	83	53
White	285	-	3	5	8	13	10	25	45	85	64	27	262	-	2	4	3	3	12	19	24	67	77	51
All other	29	-	-	-	1	4	4	5	5	6	4	-	19	-	-	1	-	-	2	3	3	2	6	2
Black	25	-	-	-	1	4	2	4	4	6	4	-	19	-	-	1	-	-	2	3	3	2	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	537	-	-	-	6	33	48	40	90	169	122	29	502	-	-	1	5	10	24	21	73	130	165	73
White	465	-	-	-	5	27	37	36	71	149	113	27	430	-	-	1	2	5	14	21	63	112	146	66
All other	72	-	-	-	1	6	11	4	19	20	9	2	72	-	-	-	3	5	10	-	10	18	19	7
Black	66	-	-	-	1	6	11	4	18	17	7	2	69	-	-	-	3	5	9	-	10	18	17	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	136	1	2	-	1	3	7	10	27	37	40	8	171	1	1	-	2	3	4	12	19	41	54	34
White	114	-	2	-	1	2	6	5	19	35	36	8	153	1	1	-	1	3	4	11	13	37	51	31
All other	22	1	-	-	-	1	1	5	8	2	4	-	18	-	-	-	1	-	-	1	6	4	3	3
Black	21	1	-	-	-	1	1	5	8	2	3	-	18	-	-	-	1	-	-	1	6	4	3	3
Diabetes mellitus (250)	893	-	-	-	-	11	26	60	157	278	262	99	1,095	-	-	-	2	8	18	53	149	311	344	210
White	769	-	-	-	-	9	18	44	120	256	233	89	889	-	-	-	1	4	14	32	99	260	298	181
All other	124	-	-	-	-	2	8	16	37	22	29	10	206	-	-	-	1	4	4	21	50	51	46	29
Black	121	-	-	-	-	2	8	15	36	22	28	10	200	-	-	-	1	4	4	20	50	50	44	27
Nutritional deficiencies (260-269)	34	-	-	-	1	-	-	1	3	6	12	11	67	-	-	-	-	2	1	-	1	9	11	43
White	27	-	-	-	1	-	-	1	1	4	11	9	62	-	-	-	-	2	1	-	1	6	11	41
All other	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	-	3	-	2
Black	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	-	3	-	2
Anemias (280-285)	67	-	-	-	1	2	3	5	4	16	18	18	100	-	-	-	2	4	3	1	7	17	34	32
White	54	-	-	-	-	-	1	2	3	14	16	18	76	-	-	-	1	3	-	1	4	10	27	30
All other	13	-	-	-	1	2	2	3	1	2	2	-	24	-	-	-	1	1	3	-	3	7	7	2
Black	12	-	-	-	1	2	2	3	1	1	2	-	22	-	-	-	1	1	3	-	2	7	6	2
Meningitis (320-322)	13	3	-	-	-	3	3	-	3	1	-	-	14	-	-	1	-	1	1	-	-	2	7	2
White	7	1	-	-	-	1	2	-	3	-	-	-	13	-	-	1	-	1	1	-	-	2	7	1
All other	6	2	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	2	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	13,681	9	7	9	21	81	288	784	1,833	3,866	4,442	2,539	15,052	15	2	4	14	65	124	316	901	2,529	5,030	6,049
White	12,380	4	4	5	14	54	205	621	1,507	3,453	4,121	2,390	13,490	7	2	3	11	34	74	206	708	2,185	4,583	5,674
All other	1,501	5	3	4	7	27	83	163	326	413	321	149	1,562	8	-	1	3	31	50	110	193	344	447	375
Black	1,384	4	2	3	7	26	80	146	301	381	295	139	1,487	8	-	1	3	31	48	107	183	321	424	361

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 173 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	11,509	7	6	7	17	61	228	690	1,571	3,253	3,569	2,098	11,857	9	2	2	6	38	71	223	682	2,018	3,940	4,863
White	10,322	3	3	3	12	44	173	558	1,304	2,922	3,318	1,980	10,746	4	2	1	5	26	43	152	549	1,763	3,823	4,575
All other	1,187	4	3	4	5	17	55	132	267	331	251	118	1,111	5	–	1	1	12	28	71	133	255	317	288
Black	1,098	4	2	3	5	16	53	118	247	306	233	111	1,060	5	–	1	1	12	27	69	126	243	298	278
Rheumatic fever and rheumatic heart disease (390-398)	76	–	–	1	3	1	1	3	13	22	24	8	180	–	–	–	–	–	3	10	18	49	71	29
White	70	–	–	1	3	1	–	2	11	20	24	8	170	–	–	–	–	–	2	9	18	44	69	28
All other	6	–	–	–	–	–	1	1	2	2	–	–	10	–	–	–	–	–	1	1	–	5	2	1
Black	6	–	–	–	–	–	1	1	2	2	–	–	9	–	–	–	–	–	1	1	–	4	2	1
Hypertensive heart disease (402)	315	–	–	–	–	2	13	27	68	80	87	38	389	–	–	–	–	–	2	10	29	77	147	124
White	236	–	–	–	–	2	9	14	47	60	71	33	316	–	–	–	–	–	1	6	18	55	126	110
All other	79	–	–	–	–	–	4	13	21	20	16	5	73	–	–	–	–	–	1	4	11	22	21	14
Black	76	–	–	–	–	–	4	13	20	19	15	5	70	–	–	–	–	–	1	4	11	21	19	14
Hypertensive heart and renal disease (404)	33	–	–	–	–	–	1	–	3	5	15	9	45	–	–	–	–	–	2	2	3	11	10	17
White	25	–	–	–	–	–	–	–	1	4	12	8	32	–	–	–	–	–	1	–	–	8	8	15
All other	8	–	–	–	–	–	1	–	2	1	3	1	13	–	–	–	–	–	1	2	3	3	2	2
Black	8	–	–	–	–	–	1	–	2	1	3	1	13	–	–	–	–	–	1	2	3	3	2	2
Ischemic heart disease (410-414)	8,263	–	–	2	3	24	126	461	1,105	2,385	2,617	1,540	8,279	–	–	–	1	10	26	121	462	1,384	2,830	3,442
White	7,578	–	–	1	1	20	103	391	944	2,197	2,457	1,464	7,591	–	–	–	1	6	19	90	382	1,229	2,612	3,249
All other	685	–	–	1	2	4	23	70	161	188	160	76	688	–	–	–	–	4	7	31	80	155	218	193
Black	619	–	–	–	2	4	21	61	145	169	147	70	649	–	–	–	–	4	7	30	74	145	203	186
Acute myocardial infarction (410)	4,097	–	–	1	2	14	68	258	618	1,285	1,241	610	3,818	–	–	–	–	6	15	73	288	781	1,367	1,285
White	3,723	–	–	–	1	12	56	219	521	1,179	1,159	576	3,440	–	–	–	–	5	10	55	233	691	1,243	1,200
All other	374	–	–	1	1	2	12	39	97	106	82	34	378	–	–	–	–	1	5	18	55	90	124	85
Black	325	–	–	–	1	2	10	33	86	92	73	28	352	–	–	–	–	1	5	18	52	83	113	80
Other acute and subacute forms of ischemic heart disease (411)	33	–	–	–	–	2	–	3	4	14	8	2	25	–	–	–	–	–	–	–	2	4	10	9
White	27	–	–	–	–	1	–	1	4	12	7	2	22	–	–	–	–	–	–	–	1	3	9	9
All other	6	–	–	–	–	1	–	2	–	2	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	6	–	–	–	–	1	–	2	–	2	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Angina pectoris (413)	13	–	–	–	–	–	–	1	1	1	5	5	24	–	–	–	–	–	–	–	1	3	11	9
White	12	–	–	–	–	–	–	1	–	1	5	5	22	–	–	–	–	–	–	–	–	3	11	8
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,120	–	–	1	1	8	58	199	482	1,085	1,363	923	4,412	–	–	–	1	4	11	48	171	596	1,442	2,139
White	3,816	–	–	1	–	7	47	170	419	1,005	1,286	881	4,107	–	–	–	1	1	9	35	148	532	1,349	2,032
All other	304	–	–	–	1	1	11	29	63	80	77	42	305	–	–	–	–	3	2	13	23	64	93	107
Black	288	–	–	–	1	1	11	26	59	75	73	42	293	–	–	–	–	3	2	12	20	62	89	105
Other diseases of endocardium (424)	239	–	–	–	2	6	10	12	26	40	87	56	293	–	–	1	1	3	5	3	16	40	91	133
White	224	–	–	–	2	4	8	9	25	37	86	53	269	–	–	1	1	3	3	1	12	38	82	128
All other	15	–	–	–	–	2	2	3	1	3	1	3	24	–	–	–	–	–	2	2	4	2	9	5
Black	14	–	–	–	–	2	2	2	1	3	1	3	23	–	–	–	–	–	2	2	4	2	9	4
All other forms of heart disease (415-423,425-429)	2,583	7	6	4	9	28	77	187	356	721	739	447	2,671	9	2	1	4	25	33	77	154	457	791	1,118
White	2,189	3	3	1	6	17	53	142	276	604	668	414	2,368	4	2	–	3	17	17	46	119	389	726	1,045
All other	394	4	3	3	3	11	24	45	80	117	71	33	303	5	–	1	1	8	16	31	35	68	65	73
Black	375	4	2	3	3	10	24	41	77	112	67	32	296	5	–	1	1	8	15	30	34	68	63	71
Hypertension with or without renal disease (401,403)	119	–	–	–	1	2	5	10	14	35	35	17	142	–	–	–	–	–	7	7	15	28	51	34
White	97	–	–	–	–	2	2	6	10	29	32	16	114	–	–	–	–	–	5	3	14	21	42	29
All other	22	–	–	–	1	–	3	4	4	6	3	1	28	–	–	–	–	–	2	4	1	7	9	5
Black	21	–	–	–	1	–	2	4	4	6	3	1	27	–	–	–	–	–	2	4	1	6	9	5
Cerebrovascular diseases (430-438)	1,578	2	1	2	3	13	46	72	163	367	590	319	2,443	6	–	2	7	19	42	74	179	386	825	903
White	1,341	1	1	2	2	5	24	46	119	310	536	295	2,087	3	–	2	5	5	24	46	124	318	727	833
All other	237	1	–	–	1	8	22	26	44	57	54	24	356	3	–	–	2	14	18	28	55	68	98	70
Black	216	–	–	–	1	8	22	23	40	52	49	21	335	3	–	–	2	14	17	27	52	60	94	66
Intracerebral and other intracranial hemorrhage (431-432)	289	–	1	–	2	10	21	27	53	62	73	40	396	–	–	–	2	6	9	24	53	89	138	75
White	222	–	1	–	2	4	8	15	35	50	69	38	322	–	–	–	2	–	3	11	40	79	123	64
All other	67	–	–	–	–	6	13	12	18	12	4	2	74	–	–	–	–	6	6	13	13	10	15	11
Black	57	–	–	–	–	6	13	10	16	9	2	1	67	–	–	–	–	6	6	12	12	9	13	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	226	–	–	–	–	–	5	10	27	63	67	54	333	2	–	–	–	–	4	4	21	43	116	143
White	200	–	–	–	–	–	1	7	21	57	63	51	289	1	–	–	–	–	–	3	13	33	104	135
All other	26	–	–	–	–	–	4	3	6	6	4	3	44	1	–	–	–	–	4	1	8	10	12	8
Black	26	–	–	–	–	–	4	3	6	6	4	3	44	1	–	–	–	–	4	1	8	10	12	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 174 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																							
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	2	3	2	10	-	-	-	-	-	-	1	-	3	3	3
White	7	-	-	-	-	-	-	-	-	2	3	2	10	-	-	-	-	-	-	1	-	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,056	2	-	2	1	3	20	35	83	240	447	223	1,704	4	-	2	5	13	29	45	105	251	568	682
White	912	1	-	2	-	1	15	24	63	201	401	204	1,466	2	-	2	3	5	21	31	71	203	497	631
All other	144	1	-	-	1	2	5	11	20	39	46	19	238	2	-	-	2	8	8	14	34	48	71	51
Black	133	-	-	-	1	2	5	10	18	37	43	17	224	2	-	-	2	8	7	14	32	41	69	49
Atherosclerosis (440)	197	-	-	-	-	-	-	1	21	50	79	46	247	-	-	-	-	-	-	1	-	3	25	72	146
White	178	-	-	-	-	-	-	1	18	44	72	43	236	-	-	-	-	-	-	1	-	2	24	69	140
All other	19	-	-	-	-	-	-	-	3	6	7	3	11	-	-	-	-	-	-	-	-	1	1	3	6
Black	14	-	-	-	-	-	-	-	3	4	4	3	10	-	-	-	-	-	-	-	-	1	-	3	6
Other diseases of arteries, arterioles, and capillaries (441-448)	478	-	-	-	-	5	9	11	64	161	169	59	363	-	-	-	-	1	8	3	12	22	72	142	103
White	442	-	-	-	-	3	6	10	56	148	163	56	307	-	-	-	-	1	3	1	5	19	59	122	97
All other	36	-	-	-	-	2	3	1	8	13	6	3	56	-	-	-	-	-	5	2	7	3	13	20	6
Black	35	-	-	-	-	2	3	1	7	13	6	3	55	-	-	-	-	-	5	2	7	3	12	20	6
Acute bronchitis and bronchiolitis (466)	7	-	-	-	-	1	-	-	1	2	2	1	13	-	-	-	-	-	-	-	1	1	2	1	8
White	6	-	-	-	-	1	-	-	-	2	2	1	12	-	-	-	-	-	-	-	1	2	1	1	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,022	5	2	-	4	25	42	28	53	179	357	327	1,238	7	1	1	4	14	27	21	41	140	335	646
White	888	1	2	-	2	12	22	20	40	155	324	310	1,130	5	1	1	3	7	16	13	31	120	314	618
All other	134	4	-	-	2	13	20	8	13	24	33	17	108	2	-	-	1	7	11	8	10	20	21	28
Black	126	4	-	-	2	13	20	8	13	24	28	14	103	2	-	-	1	7	11	8	10	19	19	26
Pneumonia (480-486)	1,018	5	2	-	4	25	42	28	53	179	357	323	1,227	7	1	1	4	13	27	20	41	140	332	640
White	884	1	2	-	2	12	22	20	40	155	324	306	1,121	5	1	1	3	6	16	12	31	120	311	614
All other	134	4	-	-	2	13	20	8	13	24	33	17	106	2	-	-	1	7	11	8	10	20	21	26
Black	126	4	-	-	2	13	20	8	13	24	28	14	101	2	-	-	1	7	11	8	10	19	19	24
Influenza (487)	4	-	-	-	-	-	-	-	-	-	-	4	11	-	-	-	-	1	-	1	-	-	3	6
White	4	-	-	-	-	-	-	-	-	-	-	4	9	-	-	-	-	1	-	1	-	-	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,273	-	-	3	4	5	13	32	129	401	492	193	1,096	-	-	1	5	7	12	31	109	327	402	202
White	1,152	-	-	1	3	1	12	21	101	364	466	183	1,011	-	-	-	4	4	6	21	96	301	381	198
All other	121	-	-	2	1	4	1	11	28	37	26	10	85	-	-	1	1	3	6	10	13	26	21	4
Black	119	-	-	2	1	4	1	10	28	37	26	9	81	-	-	1	1	3	6	10	12	24	20	4
Bronchitis, chronic and unspecified (490-491)	54	-	-	-	-	1	1	3	5	13	20	11	42	-	-	-	-	-	-	1	3	11	17	10
White	49	-	-	-	-	1	1	2	3	12	20	10	41	-	-	-	-	-	-	1	3	10	17	10
All other	5	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	260	-	-	-	-	-	1	8	24	88	101	38	203	-	-	-	-	-	-	4	20	69	77	33
White	242	-	-	-	-	-	1	6	22	82	94	37	194	-	-	-	-	-	-	3	17	67	75	32
All other	18	-	-	-	-	-	-	2	2	6	7	1	9	-	-	-	-	-	-	1	3	2	2	1
Black	17	-	-	-	-	-	-	1	2	6	7	1	9	-	-	-	-	-	-	1	3	2	2	1
Asthma (493)	48	-	-	3	4	3	8	6	7	7	8	2	81	-	-	1	5	7	10	10	10	18	15	5
White	32	-	-	1	3	-	8	3	2	5	8	2	57	-	-	-	4	4	5	5	8	12	14	5
All other	16	-	-	2	1	3	-	3	5	2	-	-	24	-	-	1	1	3	5	5	2	6	1	-
Black	16	-	-	2	1	3	-	3	5	2	-	-	22	-	-	1	1	3	5	5	2	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	911	-	-	-	-	1	3	15	93	293	363	142	770	-	-	-	-	-	2	16	76	229	293	154
White	829	-	-	-	-	-	2	10	74	265	344	134	719	-	-	-	-	-	1	12	68	212	275	151
All other	82	-	-	-	-	1	1	5	19	28	19	8	51	-	-	-	-	-	1	4	8	17	18	3
Black	81	-	-	-	-	1	1	5	19	28	19	7	49	-	-	-	-	-	1	4	7	17	17	3
Ulcer of stomach and duodenum (531-533)	104	-	-	-	-	1	3	5	15	21	38	21	73	-	-	-	-	1	3	2	5	15	27	20
White	87	-	-	-	-	-	2	4	10	19	34	18	69	-	-	-	-	-	3	2	4	15	25	20
All other	17	-	-	-	-	1	1	1	5	2	4	3	4	-	-	-	-	1	-	-	1	-	2	-
Black	16	-	-	-	-	1	1	1	4	2	4	3	4	-	-	-	-	1	-	-	1	-	2	-
Appendicitis (540-543)	6	1	-	-	-	-	-	1	-	2	1	1	4	-	-	-	-	-	-	1	-	-	2	1
White	5	1	-	-	-	-	-	1	-	2	1	1	3	-	-	-	-	-	-	1	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	73	3	-	-	-	-	3	4	9	16	24	14	146	-	-	-	-	-	1	5	7	23	52	58
White	58	-	-	-	-	-	2	2	5	14	21	14	134	-	-	-	-	-	-	4	6	21	48	55
All other	15	3	-	-	-	-	1	2	4	2	3	-	12	-	-	-	-	-	1	1	1	2	4	3
Black	15	3	-	-	-	-	1	2	4	2	3	-	12	-	-	-	-	-	1	1	1	2	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 175 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																							
Chronic liver disease and cirrhosis (571)	580	-	-	-	-	28	107	94	127	151	63	9	304	-	-	1	-	12	28	40	62	92	57	11
White	483	-	-	-	-	22	80	70	106	136	60	9	250	-	-	-	-	5	19	29	48	83	54	11
All other	97	-	-	-	-	6	27	24	21	15	3	-	54	-	-	1	-	7	9	11	14	9	3	-
Black	96	-	-	-	-	6	27	24	20	15	3	-	54	-	-	1	-	7	9	11	14	9	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	40	-	-	-	-	-	1	1	4	11	13	10	66	-	-	-	-	-	-	1	4	12	21	28
White	36	-	-	-	-	-	1	1	4	8	13	9	62	-	-	-	-	-	-	1	3	12	19	27
All other	4	-	-	-	-	-	-	-	-	3	-	1	4	-	-	-	-	-	-	-	1	-	2	1
Black	4	-	-	-	-	-	-	-	-	3	-	1	3	-	-	-	-	-	-	-	1	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	412	5	-	-	1	8	16	16	37	101	126	102	434	1	-	-	-	6	6	9	31	88	138	155
White	338	5	-	-	1	1	8	8	24	85	113	93	347	1	-	-	-	4	2	8	25	61	114	133
All other	74	-	-	-	-	7	8	8	13	16	13	9	87	1	-	-	-	2	4	1	6	27	24	22
Black	73	-	-	-	-	7	8	8	12	16	13	9	83	1	-	-	-	2	4	1	6	25	24	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	1	-	3	2	1	9	-	-	-	-	-	-	1	-	1	-	7
White	6	-	-	-	-	-	-	1	-	2	2	1	7	-	-	-	-	-	-	1	-	1	-	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	-	-	-	-	1	2	4	12	7	4	25	-	-	-	-	-	-	-	2	5	10	8
White	25	-	-	-	-	-	1	1	3	10	6	4	15	-	-	-	-	-	-	-	1	3	5	6
All other	5	-	-	-	-	-	-	1	1	2	1	-	10	-	-	-	-	-	-	-	1	2	5	2
Black	5	-	-	-	-	-	-	1	1	2	1	-	9	-	-	-	-	-	-	-	1	1	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	375	5	-	-	1	8	15	13	33	86	117	97	400	1	-	-	-	6	6	8	29	82	128	140
White	307	5	-	-	1	1	7	6	21	73	105	88	325	-	-	-	-	4	2	7	24	57	109	122
All other	68	-	-	-	-	7	8	7	12	13	12	9	75	1	-	-	-	2	4	1	5	25	19	18
Black	67	-	-	-	-	7	8	7	11	13	12	9	72	1	-	-	-	2	4	1	5	24	19	16
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	2	1	14	-	-	-	-	1	-	-	-	1	5	7
White	3	-	-	-	-	-	-	-	-	-	2	1	14	-	-	-	-	1	-	-	-	1	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	-	1	5	9	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	1	5	9	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	2	5	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	1	3	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	1	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	1	2	4	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	1	3	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	178	103	13	8	5	4	9	4	6	13	11	2	160	93	13	5	4	4	4	6	10	8	9	4
White	138	74	9	6	3	4	8	4	5	12	11	2	125	67	12	4	2	3	4	5	9	6	9	4
All other	40	29	4	2	2	-	1	-	1	1	-	-	35	26	1	1	2	1	-	1	1	2	-	-
Black	37	26	4	2	2	-	1	-	1	1	-	-	30	21	1	1	2	1	-	1	1	2	-	-
Certain conditions originating in the perinatal period (760-779)	312	310	2	-	-	-	-	-	-	-	-	-	234	232	1	1	-	-	-	-	-	-	-	-
White	161	161	-	-	-	-	-	-	-	-	-	-	134	134	-	-	-	-	-	-	-	-	-	-
All other	151	149	2	-	-	-	-	-	-	-	-	-	100	98	1	1	-	-	-	-	-	-	-	-
Black	144	142	2	-	-	-	-	-	-	-	-	-	94	92	1	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	75	75	-	-	-	-	-	-	-	-	-	-	63	62	1	-	-	-	-	-	-	-	-	-
White	36	36	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	39	39	-	-	-	-	-	-	-	-	-	-	33	32	1	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	30	29	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 176 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	237	235	2	-	-	-	-	-	-	-	-	-	171	170	-	1	-	-	-	-	-	-	-	-
White	125	125	-	-	-	-	-	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
All other	112	110	2	-	-	-	-	-	-	-	-	-	67	66	-	1	-	-	-	-	-	-	-	-
Black	108	106	2	-	-	-	-	-	-	-	-	-	64	63	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	595	79	8	1	40	130	159	64	36	25	27	25	365	65	7	4	18	47	36	33	33	23	44	54
White	417	39	7	-	30	100	97	45	27	23	24	24	260	25	4	2	12	32	25	23	27	19	38	52
All other	178	40	1	1	10	30	62	19	9	2	3	1	105	40	3	2	6	15	11	10	6	4	6	2
Black	174	38	1	1	10	29	61	19	9	2	3	1	101	39	3	2	5	15	11	9	6	4	5	2
All other diseases (Residual)	2,524	32	7	14	33	99	188	159	263	536	743	448	3,060	27	8	13	12	49	103	125	226	530	930	1,037
White	2,120	18	3	11	20	68	110	112	212	469	687	410	2,683	16	6	9	7	30	68	81	186	451	854	975
All other	404	14	4	3	13	31	78	47	51	67	56	38	377	11	2	4	5	19	35	44	40	79	76	62
Black	384	13	4	3	12	29	76	45	49	64	51	36	361	10	2	4	5	17	34	44	40	74	72	59
Accidents and adverse effects (E800-E949)	1,310	5	32	49	191	251	209	107	110	117	146	91	737	9	16	25	80	48	60	48	54	108	133	155
White	1,056	3	21	32	140	204	159	82	88	105	134	87	623	6	9	21	62	33	36	35	48	96	123	153
All other	254	2	11	17	51	47	50	25	22	12	12	4	114	3	7	4	18	15	24	13	6	12	10	2
Black	236	2	11	15	47	44	46	23	21	11	11	4	100	2	6	3	14	15	20	10	6	12	10	2
Motor vehicle accidents (E810-E825)	565	1	11	28	116	123	89	49	50	41	42	14	292	2	5	9	60	32	35	31	24	47	39	8
White	474	1	6	21	93	105	71	40	42	39	41	14	243	1	3	9	47	25	21	23	22	46	38	8
All other	91	-	5	7	23	18	18	9	8	2	1	-	49	1	2	-	13	7	14	8	2	1	1	-
Black	84	-	5	7	20	16	18	7	8	2	1	-	39	1	2	-	9	7	11	5	2	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	745	4	21	21	75	128	120	58	60	76	104	77	445	7	11	16	20	16	25	17	30	61	94	147
White	582	2	15	11	47	99	88	42	46	66	93	73	380	5	6	12	15	8	15	12	26	50	85	145
All other	163	2	6	10	28	29	32	16	14	10	11	4	65	2	5	4	5	8	10	5	4	11	9	2
Black	152	2	6	8	27	28	28	16	13	9	10	4	61	1	4	3	5	8	9	5	4	11	9	2
Suicide (E950-E959)	412	...	...	1	47	108	88	52	46	26	30	14	101	...	...	-	10	17	21	15	14	12	7	5
White	368	...	...	1	40	89	82	46	42	25	30	13	95	...	...	-	9	15	19	14	14	12	7	5
All other	44	...	...	-	7	19	6	6	4	1	-	1	6	...	...	-	1	2	2	1	-	-	-	-
Black	38	...	...	-	6	16	5	5	4	1	-	1	6	...	...	-	1	2	2	1	-	-	-	-
Homicide and legal intervention (E960-E978)	325	3	7	3	96	80	63	36	20	9	6	2	124	4	1	3	30	29	18	12	6	9	7	5
White	159	3	3	1	41	34	27	26	10	7	5	2	67	3	1	3	15	9	7	7	5	8	5	4
All other	166	-	4	2	55	46	36	10	10	2	1	-	57	1	-	-	15	20	11	5	1	1	2	1
Black	159	-	4	2	54	44	34	9	9	2	1	-	54	1	-	-	15	19	10	5	-	1	2	1
All other external causes (E980-E999)	28	-	-	1	1	8	3	6	5	2	2	-	9	-	-	-	-	3	3	1	-	-	2	-
White	21	-	-	1	1	4	3	4	4	2	2	-	5	-	-	-	-	2	-	1	-	-	2	-
All other	7	-	-	-	-	4	-	2	1	-	-	-	4	-	-	-	-	1	3	-	-	-	-	-
Black	7	-	-	-	-	4	-	2	1	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-
NEW MEXICO																								
All causes	6,176	132	32	53	216	329	413	416	786	1,380	1,587	825	5,094	93	20	29	80	107	194	236	497	986	1,441	1,406
White	5,565	103	22	42	166	263	346	352	709	1,292	1,497	768	4,687	71	18	25	68	82	167	211	446	902	1,355	1,337
All other	611	29	10	11	50	66	67	64	77	88	90	57	407	22	2	4	12	25	27	25	51	84	86	69
Black	116	10	1	-	8	4	5	8	19	19	22	19	86	3	-	1	-	2	3	5	13	23	21	15
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	-	-	2	2	8	-	-	-	-	-	-	-	-	3	3	2
White	3	-	-	-	-	-	-	-	-	-	2	1	7	-	-	-	-	-	-	-	-	3	2	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	1	2	1
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 177 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	30	-	-	-	-	2	1	3	2	2	14	6	43	1	-	-	-	-	1	2	3	13	11	12
White	28	-	-	-	-	2	1	2	2	2	13	6	40	1	-	-	-	-	1	2	2	11	11	12
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	-	1	1	3	2	1	2	-	10	-	-	-	-	2	1	-	1	4	1	1
White	10	-	-	-	-	1	1	3	2	1	2	-	7	-	-	-	-	-	1	-	1	4	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	100	1	-	1	1	31	34	12	8	5	4	3	17	-	-	3	-	3	2	2	3	2	-	2
White	92	1	-	1	1	29	32	10	8	5	2	3	14	-	-	2	-	2	1	2	3	2	-	2
All other	8	-	-	-	-	2	2	2	-	-	2	-	3	-	-	1	-	1	1	-	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,234	-	2	8	5	14	37	79	249	386	340	114	1,118	-	2	5	6	11	58	100	221	295	298	122
White	1,164	-	2	5	3	13	37	72	234	366	323	109	1,043	-	2	5	6	11	54	90	204	273	284	114
All other	70	-	-	3	2	1	-	7	15	20	17	5	75	-	-	-	-	-	4	10	17	22	14	8
Black	16	-	-	-	-	-	-	-	7	6	3	-	23	-	-	-	-	-	-	4	7	7	3	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	-	-	-	-	-	2	4	6	6	5	2	14	-	-	-	-	-	3	1	3	4	3	-
White	22	-	-	-	-	-	2	2	6	5	5	2	13	-	-	-	-	-	2	1	3	4	3	-
All other	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	313	-	-	-	-	2	15	17	71	87	88	33	262	-	1	1	1	3	13	18	42	67	81	35
White	289	-	-	-	-	2	15	16	63	81	81	31	239	-	1	1	1	3	13	15	38	59	75	33
All other	24	-	-	-	-	-	-	1	8	6	7	2	23	-	-	-	-	-	-	3	4	8	6	2
Black	5	-	-	-	-	-	-	-	3	1	1	-	7	-	-	-	-	-	-	1	1	3	2	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	374	-	-	-	1	-	2	22	85	144	95	25	220	-	-	-	-	-	2	16	61	69	62	10
White	363	-	-	-	1	-	2	22	84	136	93	25	210	-	-	-	-	-	2	14	58	66	60	10
All other	11	-	-	-	-	-	-	-	1	8	2	-	10	-	-	-	-	-	-	2	3	3	2	-
Black	6	-	-	-	-	-	-	-	1	5	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	195	-	-	-	-	1	23	33	42	42	40	14
White	-	-	-	-	-	-	-	-	-	-	-	-	183	-	-	-	-	1	21	32	38	41	39	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	2	1	4	1	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	3	1	-	1
Malignant neoplasms of genital organs (179-187)	159	-	-	-	1	1	1	4	15	48	60	29	128	-	-	-	-	2	7	11	29	40	24	15
White	147	-	-	-	-	-	1	4	14	45	56	27	119	-	-	-	-	2	6	11	26	37	22	15
All other	12	-	-	-	1	1	-	-	1	3	4	2	9	-	-	-	-	-	1	-	3	3	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 178 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	59	-	-	-	-	1	1	5	9	17	20	6	29	-	-	-	-	-	1	1	3	8	9	7
White	56	-	-	-	-	1	1	4	8	17	19	6	26	-	-	-	-	-	1	1	3	5	9	7
All other	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	185	-	1	5	3	8	10	15	32	56	42	13	160	-	1	2	3	4	3	11	26	42	48	20
White	172	-	1	2	2	8	10	13	30	55	39	12	146	-	1	2	3	4	3	9	23	39	45	17
All other	13	-	-	3	1	-	-	2	2	1	3	1	14	-	-	-	-	-	-	2	3	3	3	3
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	1	-	2	1	1
Leukemia (204-208)	59	-	-	3	-	1	4	8	11	14	15	3	43	-	-	2	1	1	4	4	2	8	14	7
White	58	-	-	3	-	1	4	8	10	14	15	3	43	-	-	2	1	1	4	4	2	8	14	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	60	-	1	-	-	1	2	4	20	14	15	3	67	-	-	-	1	-	2	5	13	15	17	14
White	57	-	1	-	-	1	2	3	19	13	15	3	64	-	-	-	1	-	2	3	13	14	17	14
All other	3	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	-	1	-	3	-	3	2	4	7	3	32	-	-	-	-	-	3	1	3	5	15	5
White	21	-	-	1	-	2	-	2	2	4	7	3	29	-	-	-	-	-	3	1	3	4	13	5
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Diabetes mellitus (250)	149	-	-	-	-	1	9	15	30	45	31	18	208	-	-	-	1	1	7	11	31	60	63	34
White	128	-	-	-	-	1	7	13	26	37	28	16	184	-	-	-	1	-	6	9	27	51	57	33
All other	21	-	-	-	-	-	2	2	4	8	3	2	24	-	-	-	-	1	1	2	4	9	6	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	1	-	1	-	1	1	-
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	2	-	-	4	8	20	-	-	-	-	-	-	-	1	2	4	13
White	12	-	-	-	-	-	-	2	-	-	4	6	15	-	-	-	-	-	-	-	1	1	3	10
All other	2	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	1	1	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	11	-	-	-	1	-	1	-	2	4	-	3	11	-	-	-	-	-	-	1	3	1	2	4
White	10	-	-	-	1	-	1	-	2	4	-	2	10	-	-	-	-	-	-	1	3	1	2	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	1	-	-	-	1	6	1	-	-	2	-	-	1	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	1	-	-	1	1	-	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,060	1	1	1	4	9	41	91	269	574	710	359	1,907	-	-	2	4	5	19	37	116	332	632	760
White	1,932	1	-	1	3	6	38	83	244	548	676	332	1,799	-	-	2	3	5	18	33	103	305	597	733
All other	128	-	1	-	1	3	3	8	25	26	34	27	108	-	-	-	1	-	1	4	13	27	35	27
Black	36	-	-	-	-	-	-	2	8	8	8	10	33	-	-	-	-	-	-	-	5	7	12	9
Diseases of heart (390-398,402,404-429)	1,658	1	1	1	4	7	34	77	233	469	553	278	1,436	-	-	2	3	3	12	28	93	253	476	566
White	1,550	1	-	1	3	5	33	72	211	444	528	252	1,357	-	-	2	3	3	11	24	82	238	447	547
All other	108	-	1	-	1	2	1	5	22	25	25	26	79	-	-	-	-	-	1	4	11	15	29	19
Black	32	-	-	-	-	-	-	1	7	8	6	10	25	-	-	-	-	-	-	-	5	3	10	7
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	1	1	1	1	3	6	3	1	34	-	-	-	-	-	-	2	8	8	10	6
White	10	-	-	-	1	-	-	1	1	4	2	1	32	-	-	-	-	-	-	1	7	8	10	6
All other	7	-	-	-	-	1	1	-	2	2	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	32	-	-	1	-	-	-	2	5	9	13	2	47	-	-	-	-	-	-	2	6	8	17	14
White	27	-	-	1	-	-	-	1	3	9	11	2	44	-	-	-	-	-	-	2	5	8	15	14
All other	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	1	1	2	9	-	-	-	-	-	-	1	1	1	6	-
White	4	-	-	-	-	-	-	-	-	1	1	2	6	-	-	-	-	-	-	1	-	1	4	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	910	-	-	-	-	3	20	42	113	270	314	148	660	-	-	-	2	-	5	9	35	124	237	248
White	868	-	-	-	-	2	20	40	107	260	303	136	626	-	-	-	2	-	4	8	32	118	223	239
All other	42	-	-	-	-	1	-	2	6	10	11	12	34	-	-	-	-	-	1	1	3	6	14	9
Black	15	-	-	-	-	-	-	-	2	4	4	5	13	-	-	-	-	-	-	-	2	1	6	4
Acute myocardial infarction (410)	440	-	-	-	-	1	10	22	62	127	148	70	300	-	-	-	1	-	3	7	22	70	118	79
White	419	-	-	-	-	1	10	20	59	120	143	66	281	-	-	-	1	-	3	6	19	67	111	74
All other	21	-	-	-	-	-	-	2	3	7	5	4	19	-	-	-	-	-	-	1	3	3	7	5
Black	6	-	-	-	-	-	-	-	1	3	2	-	9	-	-	-	-	-	-	-	2	-	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 179 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	465	-	-	-	-	2	10	20	51	140	166	76	357	-	-	-	1	-	2	2	13	53	119	167
White	444	-	-	-	-	1	10	20	48	137	160	68	342	-	-	-	1	-	1	2	13	50	112	163
All other	21	-	-	-	-	1	-	-	3	3	6	8	15	-	-	-	-	-	1	-	-	3	7	4
Black	9	-	-	-	-	-	-	-	1	1	2	5	4	-	-	-	-	-	-	-	-	1	2	1
Other diseases of endocardium (424)	26	-	-	-	-	-	2	1	2	2	17	2	29	-	-	-	-	1	3	-	1	5	6	13
White	24	-	-	-	-	-	2	-	2	2	16	2	29	-	-	-	-	1	3	-	1	5	6	13
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	668	1	1	-	3	3	11	31	109	181	205	123	657	-	-	2	1	2	4	14	42	107	200	285
White	617	1	-	-	2	3	11	30	98	168	195	109	620	-	-	2	1	2	4	12	37	98	189	275
All other	51	-	1	-	1	-	-	1	11	13	10	14	37	-	-	-	-	-	-	2	5	9	11	10
Black	14	-	-	-	-	-	-	-	4	4	1	5	9	-	-	-	-	-	-	-	2	2	2	3
Hypertension with or without renal disease (401,403)	5	-	-	-	-	-	-	-	-	1	3	1	24	-	-	-	-	-	-	-	1	6	7	10
White	5	-	-	-	-	-	-	-	-	1	3	1	21	-	-	-	-	-	-	-	1	4	6	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Cerebrovascular diseases (430-438)	285	-	-	-	-	2	7	13	29	67	107	60	355	-	-	-	1	2	7	7	19	56	127	136
White	266	-	-	-	-	1	5	10	26	66	99	59	332	-	-	-	-	2	7	7	17	48	122	129
All other	19	-	-	-	-	1	2	3	3	1	8	1	23	-	-	-	1	-	-	-	2	8	5	7
Black	4	-	-	-	-	-	-	1	1	-	2	-	5	-	-	-	-	-	-	-	-	2	1	2
Intracerebral and other intracranial hemorrhage (431-432)	60	-	-	-	-	1	3	6	12	20	14	4	43	-	-	-	-	-	2	1	5	14	11	10
White	56	-	-	-	-	-	2	6	12	19	13	4	38	-	-	-	-	-	2	1	5	12	10	8
All other	4	-	-	-	-	1	1	-	-	1	1	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	-	-	-	-	-	1	-	2	4	9	5	27	-	-	-	-	-	1	1	2	3	11	9
White	20	-	-	-	-	-	1	-	1	4	9	5	25	-	-	-	-	-	1	1	1	3	11	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	204	-	-	-	-	1	3	7	15	43	84	51	284	-	-	-	1	2	4	5	12	38	105	117
White	190	-	-	-	-	1	2	4	13	43	77	50	268	-	-	-	-	2	4	5	11	32	101	113
All other	14	-	-	-	-	-	1	3	2	-	7	1	16	-	-	-	1	-	-	-	1	6	4	4
Black	4	-	-	-	-	-	-	1	1	-	2	-	5	-	-	-	-	-	-	-	-	2	1	2
Atherosclerosis (440)	47	-	-	-	-	-	-	-	4	12	17	14	53	-	-	-	-	-	-	-	1	7	11	34
White	46	-	-	-	-	-	-	-	4	12	16	14	52	-	-	-	-	-	-	-	1	6	11	34
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	65	-	-	-	-	-	-	1	3	25	30	6	39	-	-	-	-	-	-	2	2	10	11	14
White	65	-	-	-	-	-	-	1	3	25	30	6	37	-	-	-	-	-	-	2	2	9	11	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	175	2	1	-	-	3	7	6	10	22	64	60	190	1	-	-	1	-	5	5	3	19	53	103
White	150	2	1	-	-	1	4	4	8	18	57	55	172	-	-	-	1	-	3	3	2	18	49	96
All other	25	-	-	-	-	2	3	2	2	4	7	5	18	1	-	-	-	-	2	2	1	1	4	7
Black	7	-	-	-	-	-	1	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 180 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	174	2	1	-	-	3	7	6	9	22	64	60	187	1	-	-	1	-	4	5	3	19	52	102
White	149	2	1	-	-	1	4	4	7	18	57	55	170	-	-	-	1	-	3	3	2	18	48	95
All other	25	-	-	-	-	2	3	2	2	4	7	5	17	1	-	-	-	-	1	2	1	1	4	7
Black	7	-	-	-	-	-	1	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	1	-
Influenza (487)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	370	1	-	1	1	-	2	8	44	111	139	63	249	-	-	1	1	-	3	10	19	68	96	51
White	363	1	-	1	1	-	2	8	44	108	136	62	243	-	-	1	1	-	3	9	19	66	95	49
All other	7	-	-	-	-	-	-	-	-	3	3	1	6	-	-	-	-	-	-	1	-	2	1	2
Black	5	-	-	-	-	-	-	-	-	2	3	-	3	-	-	-	-	-	-	-	-	2	1	-
Bronchitis, chronic and unspecified (490-491)	17	-	-	-	-	-	-	1	1	2	7	6	5	-	-	-	-	-	-	-	-	2	2	1
White	16	-	-	-	-	-	-	1	1	2	7	5	5	-	-	-	-	-	-	-	-	2	2	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	98	-	-	-	-	-	-	1	19	32	37	9	50	-	-	-	-	-	-	1	3	16	20	10
White	95	-	-	-	-	-	-	1	19	30	36	9	49	-	-	-	-	-	-	1	3	15	20	10
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	10	-	-	1	1	-	1	-	1	3	3	-	25	-	-	1	1	-	3	-	2	11	3	4
White	10	-	-	1	1	-	1	-	1	3	3	-	25	-	-	1	1	-	3	-	2	11	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	245	1	-	-	-	-	1	6	23	74	92	48	169	-	-	-	-	-	-	9	14	39	71	35
White	242	1	-	-	-	-	1	6	23	73	90	48	164	-	-	-	-	-	-	8	14	38	70	34
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	1	-	1	1	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	2	1	5	3	2	16	-	-	-	-	-	2	1	-	2	5	6
White	12	-	-	-	-	-	-	1	1	5	3	2	16	-	-	-	-	-	2	1	-	2	5	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	-	-	-	-	-	-	2	1	2	5	4	22	-	-	-	-	-	1	1	-	2	8	10
White	12	-	-	-	-	-	-	2	1	2	4	3	20	-	-	-	-	-	1	1	-	2	7	9
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	139	-	-	-	-	11	24	28	40	26	9	1	81	-	-	-	-	4	14	12	19	23	8	1
White	121	-	-	-	-	9	20	25	33	24	9	1	64	-	-	-	-	2	10	9	15	21	6	1
All other	18	-	-	-	-	2	4	3	7	2	-	-	17	-	-	-	-	2	4	3	4	2	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	-	-	-	2	-	5	2	15	-	-	-	-	-	1	-	-	4	3	7
White	8	-	-	-	-	-	-	-	1	-	5	2	12	-	-	-	-	-	1	-	-	2	3	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	45	-	1	-	-	-	2	1	2	5	23	11	41	-	-	-	-	-	-	1	2	8	17	13
White	42	-	1	-	-	-	2	-	2	4	23	10	33	-	-	-	-	-	-	1	2	6	13	11
All other	3	-	-	-	-	-	-	1	-	1	-	1	8	-	-	-	-	-	-	-	-	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 181 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	43	-	1	-	-	-	2	1	2	5	21	11	38	-	-	-	-	-	-	1	2	6	16	13
White	40	-	1	-	-	-	2	-	2	4	21	10	31	-	-	-	-	-	-	1	2	4	13	11
All other	3	-	-	-	-	-	-	1	-	1	-	1	7	-	-	-	-	-	-	-	-	2	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Infections of kidney (590)	3	-	-	-	-	-	1	-	-	-	2	-	8	-	-	-	-	-	1	-	1	1	2	3
White	2	-	-	-	-	-	1	-	-	-	1	-	7	-	-	-	-	-	1	-	1	-	2	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	67	42	3	3	3	1	3	2	3	2	2	3	45	29	1	2	1	1	1	1	5	2	1	1
White	54	31	2	2	3	1	3	2	3	2	2	3	40	24	1	2	1	1	1	1	5	2	1	1
All other	13	11	1	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	54	53	-	-	1	-	-	-	-	-	-	-	33	32	1	-	-	-	-	-	-	-	-	-
White	43	43	-	-	-	-	-	-	-	-	-	-	26	25	1	-	-	-	-	-	-	-	-	-
All other	11	10	-	-	1	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	8	7	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	35	34	-	-	1	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	20	19	1	-	-	-	-	-	-	-	-	-
All other	9	8	-	-	1	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	7	6	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	65	26	-	2	2	1	4	5	4	2	4	14	69	22	1	-	1	5	3	1	2	4	6	22
White	52	21	-	2	1	1	2	4	2	2	4	13	55	14	-	-	1	5	2	1	2	2	5	21
All other	13	5	-	-	1	-	2	1	2	-	-	1	14	8	1	-	-	-	1	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	553	2	4	6	6	12	43	49	47	118	156	109	602	4	4	7	7	9	23	31	44	104	174	195
White	479	1	2	5	5	8	31	37	40	107	143	99	553	4	3	6	6	8	18	29	37	97	164	181
All other	74	1	2	1	1	4	12	12	7	11	13	10	49	-	1	1	1	1	5	2	7	7	10	14
Black	14	1	-	-	-	-	-	2	1	2	4	4	7	-	-	1	-	-	1	-	-	3	1	1
Accidents and adverse effects (E800-E949)	633	3	18	20	98	130	135	59	48	47	39	34	238	2	8	8	40	32	27	10	14	23	36	37
White	495	1	12	16	76	101	108	43	36	35	31	34	204	2	8	6	33	22	23	9	10	20	33	37
All other	138	2	6	4	22	29	27	16	12	12	8	-	34	-	-	2	7	10	4	1	4	3	3	-
Black	8	-	1	-	1	-	3	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 182 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	321	–	8	13	70	77	64	34	24	13	12	4	110	–	4	4	36	21	18	3	9	6	7	2
White	242	–	5	11	53	55	51	25	17	9	10	4	87	–	4	3	30	12	16	2	6	6	6	2
All other	79	–	3	2	17	22	13	9	7	4	2	–	23	–	–	1	6	9	2	1	3	–	1	–
Black	5	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	312	3	10	7	28	53	71	25	24	34	27	30	128	2	4	4	4	11	9	7	5	17	29	35
White	253	1	7	5	23	46	57	18	19	26	21	30	117	2	4	3	3	10	7	7	4	14	27	35
All other	59	2	3	2	5	7	14	7	5	8	6	–	11	–	–	1	1	1	2	–	1	3	2	–
Black	3	–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Suicide (E950-E959)	229	...	...	5	49	59	36	29	16	14	16	3	54	...	...	–	8	15	12	7	4	4	3	–
White	195	...	...	4	37	48	31	27	14	13	16	3	51	...	...	–	7	14	11	7	4	4	3	–
All other	34	...	...	1	12	11	5	2	2	1	–	–	3	...	...	–	1	1	1	–	–	–	–	–
Black	2	...	...	–	2	–	–	–	–	–	–	–	1	...	...	–	–	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	137	1	2	4	41	46	23	12	3	3	2	–	40	1	3	1	7	14	10	–	1	1	–	1
White	107	1	2	3	32	36	17	8	3	3	2	–	29	1	3	1	6	8	7	–	1	1	–	–
All other	30	–	–	1	9	10	6	4	–	–	–	–	11	–	–	–	1	6	3	–	–	–	–	1
Black	8	–	–	–	4	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other external causes (E980-E999)	22	–	–	–	4	4	8	3	1	1	–	–	7	–	–	–	–	4	–	1	–	2	–	–
White	18	–	–	–	3	3	7	3	1	1	–	–	6	–	–	–	–	3	–	1	–	2	–	–
All other	4	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW YORK																								
All causes	84,685	1,550	281	287	1,910	4,023	6,529	6,422	11,233	19,428	21,060	11,947	82,864	1,203	227	230	584	1,481	2,579	3,680	7,547	15,608	23,736	25,986
White	69,966	908	173	208	1,144	2,649	4,281	4,518	9,057	16,718	19,201	11,098	70,823	697	138	166	384	876	1,533	2,591	5,894	13,098	21,256	24,187
All other	14,719	642	108	79	766	1,374	2,248	1,904	2,176	2,710	1,859	849	12,041	506	89	64	200	605	1,046	1,089	1,653	2,510	2,480	1,799
Black	13,672	607	103	72	737	1,321	2,158	1,795	2,004	2,484	1,654	734	11,297	482	85	59	186	581	1,007	1,030	1,559	2,343	2,298	1,667
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	12	5	1	–	–	–	–	–	1	1	2	2	23	7	1	–	–	–	2	–	–	1	6	6
White	10	3	1	–	–	–	–	–	1	1	2	2	17	3	–	–	–	–	2	–	–	1	6	5
All other	2	2	–	–	–	–	–	–	–	–	–	–	6	4	1	–	–	–	–	–	–	–	–	1
Black	2	2	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	199	1	–	1	–	19	74	38	25	19	13	9	94	–	–	–	6	16	20	13	8	11	16	4
White	76	1	–	1	–	5	26	11	8	9	10	5	34	–	–	–	3	5	5	3	2	5	9	2
All other	123	–	–	–	–	14	48	27	17	10	3	4	60	–	–	–	3	11	15	10	6	6	7	2
Black	116	–	–	–	–	14	48	26	17	9	1	1	55	–	–	–	3	11	15	10	5	6	4	1
Tuberculosis of respiratory system (010-012)	161	–	–	1	–	15	54	33	24	17	9	8	73	–	–	–	5	9	17	11	7	7	13	4
White	55	–	–	1	–	3	16	7	8	8	7	5	28	–	–	–	2	5	4	2	1	4	8	2
All other	106	–	–	–	–	12	38	26	16	9	2	3	45	–	–	–	3	4	13	9	6	3	5	2
Black	101	–	–	–	–	12	38	26	16	8	–	1	40	–	–	–	3	4	13	9	5	3	2	1
Other tuberculosis (013-018)	38	1	–	–	–	4	20	5	1	2	4	1	21	–	–	–	1	7	3	2	1	4	3	–
White	21	1	–	–	–	2	10	4	–	1	3	–	6	–	–	–	1	–	1	1	1	1	1	–
All other	17	–	–	–	–	2	10	1	1	1	1	1	15	–	–	–	–	7	2	1	–	3	2	–
Black	15	–	–	–	–	2	10	–	1	1	1	–	15	–	–	–	–	7	2	1	–	3	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	7	2	1	–	1	–	1	1	–	1	–	–	3	–	1	–	2	–	–	–	–	–	–	–
White	6	2	1	–	–	–	1	1	–	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Septicemia (038)	717	12	4	2	2	22	63	52	81	138	191	150	851	9	2	4	2	12	28	26	60	131	262	315
White	583	6	4	1	2	18	36	31	62	115	166	142	711	5	2	3	1	8	14	15	44	108	227	284
All other	134	6	–	1	–	4	27	21	19	23	25	8	140	4	–	1	1	4	14	11	16	23	35	31
Black	129	6	–	–	–	3	27	21	17	22	25	8	131	4	–	1	1	4	14	11	16	22	31	27
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	2	2	1	1	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	2	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 183 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	89	1	–	–	–	10	26	18	6	15	11	2	39	–	–	–	–	4	4	7	9	7	5	3
White	65	–	–	–	–	9	15	13	4	14	8	2	28	–	–	–	–	2	2	4	7	6	4	3
All other	24	1	–	–	–	1	11	5	2	1	3	–	11	–	–	–	–	2	2	3	2	1	1	–
Black	17	–	–	–	–	1	11	2	1	–	2	–	9	–	–	–	–	2	1	3	2	1	–	–
Syphilis (090-097)	4	1	–	–	–	–	–	2	1	–	–	–	9	5	–	–	–	–	–	1	1	–	–	2
White	3	1	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	6	5	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	6	5	–	–	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	5,129	27	32	17	47	1,246	2,350	907	320	110	52	20	1,340	26	26	21	35	406	481	157	75	54	32	27
White	3,248	9	15	6	24	845	1,440	566	207	70	47	18	683	12	12	14	16	212	216	65	41	42	27	26
All other	1,881	18	17	11	23	401	910	341	113	40	5	2	657	14	14	7	19	194	265	92	34	12	5	1
Black	1,853	18	17	11	23	397	893	339	111	39	5	–	651	14	14	7	19	194	264	92	33	9	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,375	6	19	39	76	235	614	1,516	3,741	6,173	5,160	1,796	19,125	1	16	34	65	192	726	1,589	3,294	5,434	5,198	2,576
White	16,578	3	12	34	57	176	470	1,149	3,101	5,292	4,643	1,641	16,573	1	11	26	51	142	537	1,247	2,735	4,727	4,708	2,388
All other	2,797	3	7	5	19	59	144	367	640	881	517	155	2,552	–	5	8	14	50	189	342	559	707	490	188
Black	2,531	2	7	5	17	56	130	332	578	803	469	132	2,334	–	4	5	12	44	174	313	516	649	444	173
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	433	–	–	–	1	5	28	58	117	125	73	26	222	–	–	–	1	4	7	27	34	57	56	36
White	317	–	–	–	1	4	9	33	88	89	68	25	175	–	–	–	–	3	4	16	24	44	50	34
All other	116	–	–	–	–	1	19	25	29	36	5	1	47	–	–	–	1	1	3	11	10	13	6	2
Black	105	–	–	–	–	1	17	22	24	35	5	1	44	–	–	–	1	1	3	10	9	12	6	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,235	1	–	1	7	30	133	389	1,034	1,678	1,443	519	4,879	–	1	1	5	23	88	242	645	1,314	1,590	970
White	4,422	–	–	1	5	17	96	271	846	1,421	1,296	469	4,160	–	–	–	3	17	55	186	504	1,086	1,417	892
All other	813	1	–	–	2	13	37	118	188	257	147	50	719	–	1	1	2	6	33	56	141	228	173	78
Black	698	–	–	–	2	11	27	102	170	224	121	41	646	–	1	–	1	4	30	48	129	203	158	72
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,323	1	–	1	2	14	142	578	1,461	2,292	1,476	356	4,115	–	–	1	–	16	103	348	861	1,384	1,116	286
White	5,415	–	–	1	1	11	109	430	1,214	1,980	1,341	328	3,645	–	–	1	–	10	75	287	740	1,241	1,029	262
All other	908	1	–	–	1	3	33	148	247	312	135	28	470	–	–	–	–	6	28	61	121	143	87	24
Black	827	1	–	–	1	3	33	140	224	283	121	21	423	–	–	–	–	5	26	56	111	128	78	19
Malignant neoplasm of breast (174-175)	23	–	–	–	–	–	1	3	3	6	4	6	3,646	–	–	–	2	42	241	473	775	975	756	382
White	19	–	–	–	–	–	1	2	2	6	3	5	3,144	–	–	–	2	30	183	363	652	861	696	357
All other	4	–	–	–	–	–	–	1	1	–	1	1	502	–	–	–	–	12	58	110	123	114	60	25
Black	4	–	–	–	–	–	–	1	1	–	1	1	473	–	–	–	–	11	53	101	116	110	59	23
Malignant neoplasms of genital organs (179-187)	2,355	–	–	–	1	14	2	24	211	677	958	468	2,036	–	–	–	2	30	116	211	372	585	497	223
White	1,973	–	–	–	1	14	2	18	157	542	820	419	1,739	–	–	–	2	22	82	171	298	501	454	209
All other	382	–	–	–	–	–	–	6	54	135	138	49	297	–	–	–	–	8	34	40	74	84	43	14
Black	375	–	–	–	–	–	–	6	52	135	136	46	278	–	–	–	–	8	31	36	68	82	39	14
Malignant neoplasms of urinary organs (188-189)	1,012	–	2	1	1	2	13	75	182	307	307	122	586	–	–	3	2	6	2	24	92	143	192	122
White	923	–	1	1	–	–	10	67	164	281	284	115	526	–	–	2	1	5	2	18	84	124	173	117
All other	89	–	1	–	1	2	3	8	18	26	23	7	60	–	–	1	1	1	–	6	8	19	19	5
Black	80	–	1	–	1	2	3	7	16	21	22	7	55	–	–	1	1	1	–	6	8	16	17	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,084	1	12	15	28	56	135	213	438	596	441	149	1,935	1	9	12	29	34	90	167	287	524	490	292
White	1,826	1	8	13	25	44	109	178	371	533	406	138	1,683	1	7	10	22	25	76	135	237	466	438	286
All other	258	–	4	2	3	12	26	35	67	63	35	11	252	–	2	2	7	9	14	32	50	58	52	26
Black	236	–	4	2	3	12	25	32	60	57	32	9	228	–	2	2	6	8	14	31	47	51	43	24
Leukemia (204-208)	693	3	5	12	23	37	35	44	87	181	200	66	608	–	6	14	12	13	31	39	76	134	175	108
White	621	2	3	11	17	27	32	39	78	166	185	61	546	–	4	10	12	12	24	29	67	120	163	105
All other	72	1	2	1	6	10	3	5	9	15	15	5	62	–	2	4	–	1	7	10	9	14	12	3
Black	67	1	2	1	5	10	3	3	9	15	15	3	53	–	1	2	–	–	5	10	8	14	10	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,217	–	–	9	13	77	125	132	208	311	258	84	1,098	–	–	3	12	24	48	58	152	318	326	157
White	1,062	–	–	7	7	59	102	111	181	274	240	81	955	–	–	3	9	18	36	42	129	284	288	146
All other	155	–	–	2	6	18	23	21	27	37	18	3	143	–	–	–	3	6	12	16	23	34	38	11
Black	139	–	–	2	5	17	22	19	22	33	16	3	134	–	–	–	3	6	12	15	20	33	34	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	266	2	6	6	5	12	12	22	33	65	68	35	302	1	2	4	1	6	13	13	32	68	89	73
White	229	1	4	4	5	8	11	17	29	55	63	32	259	1	1	3	–	5	8	11	24	57	79	70
All other	37	1	2	2	–	4	1	5	4	10	5	3	43	–	1	1	1	1	5	2	8	11	10	3
Black	35	1	1	1	–	4	1	5	4	10	5	3	39	–	1	1	1	1	5	2	8	11	7	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 184 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,282	-	-	-	3	34	69	114	215	386	331	130	1,603	-	-	-	3	16	32	81	204	452	464	351
White	1,024	-	-	-	2	23	45	77	152	320	286	119	1,242	-	-	-	2	11	26	47	149	341	369	297
All other	258	-	-	-	1	11	24	37	63	66	45	11	361	-	-	-	1	5	6	34	55	111	95	54
Black	241	-	-	-	1	11	22	35	59	62	41	10	351	-	-	-	1	5	6	34	54	109	89	53
Nutritional deficiencies (260-269)	34	2	-	-	-	-	1	2	1	1	14	13	59	-	-	-	-	-	-	2	4	2	17	34
White	33	1	-	-	-	-	1	2	1	1	14	13	52	-	-	-	-	-	-	2	3	-	16	31
All other	1	1	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	1	2	1	3
Black	1	1	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	1	2	1	3
Anemias (280-285)	90	1	2	-	2	4	8	4	6	13	26	24	136	1	1	2	5	11	8	10	4	16	36	42
White	67	1	-	-	1	1	2	2	6	10	23	21	105	1	1	-	1	4	3	6	3	15	32	39
All other	23	-	2	-	1	3	6	2	-	3	3	3	31	-	-	2	4	7	5	4	1	1	4	3
Black	20	-	2	-	1	3	5	2	-	2	2	3	29	-	-	2	4	6	5	4	1	-	4	3
Meningitis (320-322)	59	9	3	-	4	7	8	7	11	4	4	2	50	4	2	3	1	4	8	2	2	12	9	3
White	32	4	2	-	3	2	6	7	3	3	-		27	3	2	3	-	-	2	2	2	7	5	1
All other	27	5	1	-	1	5	6	1	4	1	1	2	23	1	-	-	1	4	6	-	-	5	4	2
Black	27	5	1	-	1	5	6	1	4	1	1	2	23	1	-	-	1	4	6	-	-	5	4	2
Major cardiovascular diseases (390-448)	34,748	40	13	10	53	219	869	1,944	4,668	9,032	10,897	6,999	40,976	33	13	15	38	126	410	875	2,520	6,638	13,148	17,158
White	30,519	21	9	5	36	139	636	1,416	3,822	7,865	10,031	6,536	35,949	21	11	11	25	78	235	560	1,829	5,439	11,728	16,010
All other	4,229	19	4	5	17	80	233	528	846	1,167	866	463	5,027	12	2	4	13	48	175	315	691	1,199	1,420	1,148
Black	3,828	15	3	4	17	77	216	494	778	1,059	763	402	4,727	11	2	4	13	47	163	298	661	1,132	1,323	1,073
Diseases of heart (390-398,402,404-429)	29,878	34	9	10	44	171	730	1,673	4,107	7,798	9,306	5,993	33,890	29	11	12	25	91	302	652	2,094	5,459	10,873	14,340
White	26,393	19	6	5	32	110	557	1,260	3,396	6,836	8,573	5,596	29,864	20	9	8	15	54	182	426	1,537	4,497	9,722	13,392
All other	3,485	15	3	5	12	61	173	413	711	962	733	397	4,026	9	2	4	10	37	120	226	557	962	1,151	948
Black	3,159	12	2	4	12	60	160	386	657	879	643	344	3,794	8	2	4	10	37	112	215	533	911	1,075	887
Rheumatic fever and rheumatic heart disease (390-398)	131	-	-	1	-	2	8	14	29	33	30	14	347	-	-	-	2	2	17	17	40	90	120	59
White	123	-	-	1	-	2	6	13	27	32	29	13	324	-	-	-	-	2	12	15	39	84	113	59
All other	8	-	-	-	-	-	2	1	2	1	1	1	23	-	-	-	2	-	5	2	1	6	7	-
Black	6	-	-	-	-	-	2	1	2	-	-	1	20	-	-	-	2	-	3	2	1	6	6	-
Hypertensive heart disease (402)	966	-	1	1	1	12	53	128	208	252	219	91	1,208	-	-	-	-	11	42	62	152	240	359	342
White	644	-	1	-	-	5	31	59	122	182	173	71	824	-	-	-	-	4	13	21	71	146	273	296
All other	322	-	-	1	1	7	22	69	86	70	46	20	384	-	-	-	-	7	29	41	81	94	86	46
Black	311	-	-	1	1	7	22	69	83	67	43	18	375	-	-	-	-	7	29	40	78	93	83	45
Hypertensive heart and renal disease (404)	64	-	-	-	-	2	3	5	8	15	18	13	84	-	-	-	-	-	3	4	6	20	23	28
White	49	-	-	-	-	2	3	1	4	10	18	11	63	-	-	-	-	-	1	2	2	12	19	27
All other	15	-	-	-	-	-	-	4	4	5	-	2	21	-	-	-	-	-	2	2	4	8	4	1
Black	15	-	-	-	-	-	-	4	4	5	-	2	21	-	-	-	-	-	2	2	4	8	4	1
Ischemic heart disease (410-414)	23,065	1	-	-	6	51	414	1,159	3,019	6,058	7,451	4,903	26,005	-	-	1	5	20	114	397	1,466	4,124	8,444	11,433
White	20,851	1	-	-	4	35	351	943	2,589	5,405	6,930	4,590	23,179	-	-	-	2	14	80	276	1,110	3,435	7,595	10,666
All other	2,214	-	-	-	2	16	63	216	430	653	521	313	2,826	-	-	1	3	6	34	121	356	689	849	767
Black	1,965	-	-	-	2	16	54	197	388	587	451	270	2,645	-	-	1	3	6	30	116	338	646	788	717
Acute myocardial infarction (410)	9,425	1	-	-	3	24	197	549	1,428	2,669	2,950	1,603	9,424	-	-	-	2	11	57	189	679	1,848	3,294	3,343
White	8,563	1	-	-	3	16	168	456	1,226	2,417	2,781	1,494	8,445	-	-	-	1	7	37	144	539	1,588	2,992	3,136
All other	862	-	-	-	-	8	29	93	202	252	169	109	979	-	-	-	1	4	20	45	140	260	302	207
Black	752	-	-	-	-	8	27	81	179	225	138	94	912	-	-	-	1	4	19	43	135	236	277	197
Other acute and subacute forms of ischemic heart disease (411)	134	-	-	-	-	-	8	20	26	37	28	15	84	-	-	-	-	-	1	3	15	12	30	23
White	129	-	-	-	-	-	8	19	24	36	28	14	80	-	-	-	-	-	1	3	13	11	29	23
All other	5	-	-	-	-	-	-	1	2	1	-	1	4	-	-	-	-	-	-	-	2	1	1	-
Black	5	-	-	-	-	-	-	1	2	1	-	1	4	-	-	-	-	-	-	-	2	1	1	-
Angina pectoris (413)	18	-	-	-	-	-	-	-	-	5	8	5	29	-	-	-	-	-	-	1	-	5	9	14
White	17	-	-	-	-	-	-	-	-	4	8	5	22	-	-	-	-	-	-	-	-	4	6	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	1	-	1	3	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	1	-	-	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,488	-	-	-	3	27	209	590	1,565	3,347	4,465	3,280	16,468	-	-	1	3	9	56	204	772	2,259	5,111	8,053
White	12,142	-	-	-	1	19	175	468	1,339	2,948	4,113	3,077	14,632	-	-	-	1	7	42	129	558	1,832	4,568	7,495
All other	1,346	-	-	-	2	8	34	122	226	399	352	203	1,836	-	-	1	2	2	14	75	214	427	543	558
Black	1,207	-	-	-	2	8	27	115	207	360	313	175	1,724	-	-	1	2	2	11	72	201	409	507	519
Other diseases of endocardium (424)	419	1	-	-	1	7	18	21	34	95	155	87	543	1	2	-	-	6	12	16	27	86	176	217
White	381	-	-	-	1	7	12	14	26	90	145	86	501	1	2	-	-	3	6	11	20	79	169	210
All other	38	1	-	-	-	-	6	7	8	5	10	1	42	-	-	-	-	3	6	5	7	7	7	7
Black	33	1	-	-	-	-	6	7	7	4	7	1	38	-	-	-	-	3	6	4	7	6	6	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 185 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	5,233	32	8	8	36	97	234	346	809	1,345	1,433	885	5,703	28	9	11	18	52	114	156	403	899	1,751	2,281
White	4,345	18	5	4	27	59	154	230	628	1,117	1,278	825	4,973	19	7	8	13	31	70	101	295	741	1,553	2,134
All other	888	14	3	4	9	38	80	116	181	228	155	60	730	9	2	3	5	21	44	55	108	158	198	127
Black	829	11	2	3	9	37	76	108	173	216	142	52	695	8	2	3	5	21	42	51	105	152	188	118
Hypertension with or without renal disease (401,403)	354	–	–	–	1	3	16	29	47	92	96	70	454	–	–	–	–	3	7	23	47	104	156	114
White	240	–	–	–	–	1	4	15	27	57	77	59	300	–	–	–	–	1	1	9	19	67	113	90
All other	114	–	–	–	1	2	12	14	20	35	19	11	154	–	–	–	–	2	6	14	28	37	43	24
Black	108	–	–	–	1	2	11	13	19	33	19	10	149	–	–	–	–	2	6	14	28	35	41	23
Cerebrovascular diseases (430-438)	3,260	5	3	–	5	30	104	206	346	780	1,093	687	5,311	4	2	2	10	27	92	167	318	825	1,709	2,155
White	2,745	2	2	–	3	20	63	117	254	640	996	648	4,592	1	2	2	7	19	47	104	228	665	1,510	2,007
All other	515	3	1	–	2	10	41	89	92	140	97	39	719	3	–	–	3	8	45	63	90	160	199	148
Black	456	2	1	–	2	8	38	84	81	121	86	33	661	3	–	–	3	7	41	57	85	148	182	135
Intracerebral and other intracranial hemorrhage (431-432)	680	2	3	–	1	14	44	76	102	180	180	78	774	1	–	1	3	9	26	45	85	170	252	182
White	532	1	2	–	1	11	27	35	77	142	166	70	623	–	–	1	1	5	10	26	59	134	222	165
All other	148	1	1	–	–	3	17	41	25	38	14	8	151	1	–	–	2	4	16	19	26	36	30	17
Black	121	–	1	–	–	3	15	39	20	30	7	6	131	1	–	–	2	3	15	16	25	31	25	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	435	–	–	–	1	1	6	13	39	121	152	102	751	1	1	1	1	2	5	7	30	90	224	389
White	389	–	–	–	1	–	3	6	32	104	146	97	700	–	1	1	1	1	5	6	24	74	214	373
All other	46	–	–	–	–	1	3	7	7	17	6	5	51	1	–	–	–	1	–	1	6	16	10	16
Black	40	–	–	–	–	1	3	6	5	15	6	4	48	1	–	–	–	1	–	1	6	15	10	14
Cerebral embolism (434.1)	24	–	–	–	–	–	2	–	3	9	7	3	30	–	–	–	–	–	–	1	2	8	6	13
White	20	–	–	–	–	–	1	–	2	7	7	3	27	–	–	–	–	–	–	1	2	6	5	13
All other	4	–	–	–	–	–	1	–	1	2	–	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	4	–	–	–	–	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,121	3	–	–	3	15	52	117	202	470	754	504	3,756	2	1	–	6	16	61	114	201	557	1,227	1,571
White	1,804	1	–	–	1	9	32	76	143	387	677	478	3,242	1	1	–	5	13	32	71	143	451	1,069	1,456
All other	317	2	–	–	2	6	20	41	59	83	77	26	514	1	–	–	1	3	29	43	58	106	158	115
Black	291	2	–	–	2	4	19	39	55	74	73	23	480	1	–	–	1	3	26	40	54	100	147	108
Atherosclerosis (440)	324	–	–	–	–	–	2	4	27	56	114	121	595	–	–	–	–	–	–	6	15	50	170	354
White	297	–	–	–	–	–	1	2	23	51	106	114	555	–	–	–	–	–	–	6	10	41	160	338
All other	27	–	–	–	–	–	1	2	4	5	8	7	40	–	–	–	–	–	–	–	5	9	10	16
Black	27	–	–	–	–	–	1	2	4	5	8	7	40	–	–	–	–	–	–	–	5	9	10	16
Other diseases of arteries, arterioles, and capillaries (441-448)	932	1	1	–	3	15	17	32	141	306	288	128	726	–	–	1	3	5	9	27	46	200	240	195
White	844	–	1	–	1	8	11	22	122	281	279	119	638	–	–	1	3	4	5	15	35	169	223	183
All other	88	1	–	–	2	7	6	10	19	25	9	9	88	–	–	–	–	1	4	12	11	31	17	12
Black	78	1	–	–	2	7	6	9	17	21	7	8	83	–	–	–	–	1	4	12	10	29	15	12
Acute bronchitis and bronchiolitis (466)	13	4	1	–	–	–	2	–	–	–	1	5	27	3	–	1	–	2	–	–	–	1	6	14
White	10	2	–	–	–	–	2	–	–	–	1	5	22	1	–	1	–	–	–	–	–	1	6	13
All other	3	2	1	–	–	–	–	–	–	–	–	–	5	2	–	–	–	2	–	–	–	–	–	1
Black	2	1	1	–	–	–	–	–	–	–	–	–	4	2	–	–	–	2	–	–	–	–	–	–
Pneumonia and influenza (480-487)	3,114	19	9	3	15	66	160	147	227	524	1,012	932	3,713	34	4	4	9	38	70	89	136	389	980	1,960
White	2,585	8	4	3	8	42	85	81	157	432	915	850	3,254	14	2	3	7	25	31	56	96	318	867	1,835
All other	529	11	5	–	7	24	75	66	70	92	97	82	459	20	2	1	2	13	39	33	40	71	113	125
Black	501	11	5	–	7	24	74	65	69	83	89	74	433	19	2	1	2	13	39	33	37	69	107	111
Pneumonia (480-486)	3,102	19	9	3	14	65	159	147	226	521	1,010	929	3,685	33	4	4	9	38	70	89	135	385	973	1,945
White	2,574	8	4	3	7	41	84	81	156	429	914	847	3,226	13	2	3	7	25	31	56	95	314	860	1,820
All other	528	11	5	–	7	24	75	66	70	92	96	82	459	20	2	1	2	13	39	33	40	71	113	125
Black	500	11	5	–	7	24	74	65	69	83	88	74	433	19	2	1	2	13	39	33	37	69	107	111
Influenza (487)	12	–	–	–	1	1	1	–	1	3	2	3	28	1	–	–	–	–	–	–	1	4	7	15
White	11	–	–	–	1	1	1	–	1	3	1	3	28	1	–	–	–	–	–	–	1	4	7	15
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,912	4	3	7	10	25	31	74	318	866	1,088	486	2,750	1	1	6	9	14	26	94	311	756	988	543
White	2,638	3	2	3	7	12	19	56	269	784	1,017	466	2,525	–	1	4	4	9	16	65	269	698	937	521
All other	274	1	1	4	3	13	12	18	49	82	71	20	225	1	–	2	5	5	10	29	42	58	51	22
Black	245	1	1	4	2	12	12	17	43	76	62	15	211	1	–	2	5	5	10	28	42	50	49	19
Bronchitis, chronic and unspecified (490-491)	115	3	1	–	–	1	1	5	12	27	40	25	106	1	–	–	–	–	3	–	9	26	40	27
White	109	2	1	–	–	1	1	4	11	26	38	25	96	–	–	–	–	–	3	–	8	23	36	26
All other	6	1	–	–	–	–	–	1	1	1	2	–	10	1	–	–	–	–	–	–	1	3	4	1
Black	4	1	–	–	–	–	–	–	1	1	1	–	8	1	–	–	–	–	–	–	1	2	4	–
Emphysema (492)	497	–	–	–	–	2	3	8	68	160	197	59	438	–	–	–	–	–	2	12	60	139	154	70
White	461	–	–	–	–	1	2	6	62	149	182	59	420	–	–	–	–	–	1	10	58	133	149	68
All other	36	–	–	–	–	1	1	2	6	11	15	–	18	–	–	–	–	–	1	2	2	6	5	2
Black	30	–	–	–	–	1	1	2	5	9	12	–	14	–	–	–	–	–	1	1	2	4	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 186 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	169	1	2	7	10	22	20	29	24	34	16	4	249	-	1	6	9	13	18	42	49	44	50	17
White	110	1	1	3	7	10	11	20	16	23	14	4	168	-	1	4	4	8	10	22	31	32	41	15
All other	59	-	1	4	3	12	9	9	8	11	2	-	81	-	-	2	5	5	8	20	18	12	9	2
Black	55	-	1	4	2	11	9	9	6	11	2	-	81	-	-	2	5	5	8	20	18	12	9	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,131	-	-	-	-	-	7	32	214	645	835	398	1,957	-	-	-	-	1	3	40	193	547	744	429
White	1,958	-	-	-	-	-	5	26	180	586	783	378	1,841	-	-	-	-	1	2	33	172	510	711	412
All other	173	-	-	-	-	-	2	6	34	59	52	20	116	-	-	-	-	-	1	7	21	37	33	17
Black	156	-	-	-	-	-	2	6	31	55	47	15	108	-	-	-	-	-	1	7	21	32	32	15
Ulcer of stomach and duodenum (531-533)	272	-	-	-	-	2	10	25	34	59	83	59	246	-	-	-	1	2	3	10	23	34	83	90
White	232	-	-	-	-	-	7	11	29	52	79	54	211	-	-	-	-	1	3	6	15	28	72	86
All other	40	-	-	-	-	2	3	14	5	7	4	5	35	-	-	-	1	1	-	4	8	6	11	4
Black	34	-	-	-	-	2	3	12	4	7	4	2	33	-	-	-	1	1	-	4	8	4	11	4
Appendicitis (540-543)	12	1	-	-	2	-	2	-	2	4	1	-	14	-	-	1	-	-	1	2	1	3	2	4
White	10	1	-	-	2	-	-	-	2	4	1	-	13	-	-	1	-	-	1	2	1	2	2	4
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	113	5	2	-	1	1	4	7	9	23	34	27	225	4	1	-	-	1	3	5	6	35	73	97
White	91	4	-	-	1	1	3	1	6	17	33	25	202	1	1	-	-	1	3	3	6	25	67	95
All other	22	1	2	-	-	-	1	6	3	6	1	2	23	3	-	-	-	-	-	2	-	10	6	2
Black	22	1	2	-	-	-	1	6	3	6	1	2	23	3	-	-	-	-	-	2	-	10	6	2
Chronic liver disease and cirrhosis (571)	1,262	-	-	-	-	29	235	259	306	291	112	29	667	1	-	1	-	15	68	94	135	182	140	31
White	1,012	-	-	-	-	24	173	190	251	242	103	28	511	1	-	1	-	8	38	60	102	143	128	30
All other	250	-	-	-	-	5	62	69	55	49	9	1	156	-	-	-	-	7	30	34	33	39	12	1
Black	237	-	-	-	-	3	58	66	54	47	8	1	146	-	-	-	-	7	29	31	30	36	12	1
Cholelithiasis and other disorders of gallbladder (574-575)	58	-	-	-	-	-	1	-	5	18	22	12	92	-	-	-	-	-	2	3	4	16	29	38
White	50	-	-	-	-	-	-	-	4	17	19	10	79	-	-	-	-	-	1	3	3	12	25	35
All other	8	-	-	-	-	-	1	-	1	1	3	2	13	-	-	-	-	-	1	-	1	4	4	3
Black	5	-	-	-	-	-	1	-	-	1	2	1	12	-	-	-	-	-	1	-	1	4	4	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	717	13	-	2	-	17	51	29	69	156	224	156	733	11	-	1	5	12	20	20	47	148	211	258
White	571	7	-	-	-	8	21	13	46	130	203	143	607	11	-	1	2	6	10	10	32	117	188	230
All other	146	6	-	2	-	9	30	16	23	26	21	13	126	-	-	-	3	6	10	10	15	31	23	28
Black	137	5	-	2	-	9	30	15	21	26	17	12	123	-	-	-	3	6	10	9	15	31	23	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	-	-	-	-	1	1	1	-	2	6	2	16	-	-	-	-	-	1	1	1	5	4	4
White	9	-	-	-	-	-	1	-	-	-	6	2	10	-	-	-	-	-	-	1	1	1	3	4
All other	4	-	-	-	-	1	-	1	-	2	-	-	6	-	-	-	-	-	1	-	-	4	1	-
Black	4	-	-	-	-	1	-	1	-	2	-	-	6	-	-	-	-	-	1	-	-	4	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	1	-	-	-	-	4	1	6	4	13	6	52	-	-	-	2	1	3	1	3	13	13	16
White	29	-	-	-	-	-	2	1	4	3	13	6	39	-	-	-	1	-	1	-	2	9	11	15
All other	6	1	-	-	-	-	2	-	2	1	-	-	13	-	-	-	1	1	2	1	1	4	2	1
Black	5	-	-	-	-	-	2	-	2	1	-	-	12	-	-	-	1	1	2	-	1	4	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	669	12	-	2	-	16	46	27	63	150	205	148	665	11	-	1	3	11	16	18	43	130	194	238
White	533	7	-	-	-	8	18	12	42	127	184	135	558	11	-	1	1	6	9	9	29	107	174	211
All other	136	5	-	2	-	8	28	15	21	23	21	13	107	-	-	-	2	5	7	9	14	23	20	27
Black	128	5	-	2	-	8	28	14	19	23	17	12	105	-	-	-	2	5	7	9	14	23	20	25
Infections of kidney (590)	20	-	-	-	1	1	2	5	1	5	1	4	36	-	-	-	2	1	2	4	1	5	11	10
White	14	-	-	-	-	1	1	3	1	3	1	4	29	-	-	-	1	-	1	4	-	4	10	9
All other	6	-	-	-	1	-	1	2	-	2	-	-	7	-	-	-	1	1	1	-	1	1	1	1
Black	6	-	-	-	1	-	1	2	-	2	-	-	6	-	-	-	1	1	1	-	1	-	1	1
Hyperplasia of prostate (600)	25	-	-	-	-	-	-	-	1	3	7	14	...	...	...	...	...	...	...	...	...	...	...	...
White	21	-	-	-	-	-	-	-	1	2	6	12	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	31	...	...	-	7	15	8	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	4	5	4	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	3	10	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	3	10	4	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 187 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	2	3	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	-	2	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	-	5	13	5	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	3	5	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	2	8	3	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	2	8	3	-	...	...	...	...
Congenital anomalies (740-759)	458	281	28	12	22	17	21	20	16	22	12	7	402	231	31	19	17	12	15	14	14	13	25	11
White	324	187	21	11	14	13	16	15	11	19	11	6	304	169	15	15	12	9	12	14	12	12	23	11
All other	134	94	7	1	8	4	5	5	5	3	1	1	98	62	16	4	5	3	3	-	2	1	2	-
Black	120	82	6	1	8	4	5	4	5	3	1	1	84	52	15	4	4	2	3	-	1	1	2	-
Certain conditions originating in the perinatal period (760-779)	837	835	2	-	-	-	-	-	-	-	-	-	616	613	2	-	-	1	-	-	-	-	-	-
White	477	476	1	-	-	-	-	-	-	-	-	-	345	344	1	-	-	-	-	-	-	-	-	-
All other	360	359	1	-	-	-	-	-	-	-	-	-	271	269	1	-	-	1	-	-	-	-	-	-
Black	352	351	1	-	-	-	-	-	-	-	-	-	264	263	-	-	-	1	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	149	149	-	-	-	-	-	-	-	-	-	-	114	114	-	-	-	-	-	-	-	-	-	-
White	86	86	-	-	-	-	-	-	-	-	-	-	67	67	-	-	-	-	-	-	-	-	-	-
All other	63	63	-	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Black	63	63	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	688	686	2	-	-	-	-	-	-	-	-	-	502	499	2	-	-	1	-	-	-	-	-	-
White	391	390	1	-	-	-	-	-	-	-	-	-	278	277	1	-	-	-	-	-	-	-	-	-
All other	297	296	1	-	-	-	-	-	-	-	-	-	224	222	1	-	-	1	-	-	-	-	-	-
Black	289	288	1	-	-	-	-	-	-	-	-	-	218	217	-	-	-	1	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	731	183	24	8	43	102	124	75	52	56	40	20	464	135	10	5	16	36	56	46	27	49	36	48
White	493	109	14	5	30	68	82	46	40	44	34	17	318	62	8	4	10	21	33	35	23	41	35	46
All other	238	74	10	3	13	34	42	29	12	12	6	3	146	73	2	1	6	15	23	11	4	8	1	2
Black	228	71	9	3	12	32	40	29	12	11	6	3	139	69	2	1	6	15	23	10	4	7	1	1
All other diseases (Residual)	5,148	58	31	25	70	230	541	490	611	1,008	1,264	819	5,653	56	33	30	49	135	241	291	430	879	1,545	1,964
White	4,154	38	21	17	55	149	330	317	469	862	1,128	767	4,766	33	25	21	31	71	121	202	331	723	1,394	1,814
All other	994	20	10	8	15	81	211	173	142	146	136	52	887	23	8	9	18	64	120	89	99	156	151	150
Black	934	17	10	7	15	75	206	167	135	139	118	45	851	23	8	9	18	64	119	87	93	149	141	140
Accidents and adverse effects (E800-E949)	3,392	23	78	132	554	696	615	310	276	267	273	166	1,769	16	64	61	190	188	175	146	129	213	283	304
White	2,621	14	50	102	447	537	417	224	211	218	249	152	1,397	8	38	45	153	128	101	96	106	181	257	284
All other	771	9	28	30	107	159	198	86	65	49	24	14	372	8	26	16	37	60	74	50	23	32	26	20
Black	716	8	27	28	97	146	184	82	61	46	21	14	330	6	25	14	29	51	71	48	20	24	23	19
Motor vehicle accidents (E810-E825)	1,502	3	13	76	387	316	206	131	119	104	107	40	724	-	15	33	160	94	63	74	66	98	86	35
White	1,237	2	10	65	325	258	147	103	99	90	101	37	607	-	10	26	138	75	53	55	52	85	79	34
All other	265	1	3	11	62	58	59	28	20	14	6	3	117	-	5	7	22	19	10	19	14	13	7	1
Black	231	1	3	10	55	49	51	26	18	11	4	3	93	-	5	5	16	13	10	18	11	8	6	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,890	20	65	56	167	380	409	179	157	163	166	126	1,045	16	49	28	30	94	112	72	63	115	197	269
White	1,384	12	40	37	122	279	270	121	112	128	148	115	790	8	28	19	15	53	48	41	54	96	178	250
All other	506	8	25	19	45	101	139	58	45	35	18	11	255	8	21	9	15	41	64	31	9	19	19	19
Black	485	7	24	18	42	97	133	56	43	35	17	11	237	6	20	9	13	38	61	30	9	16	17	18
Suicide (E950-E959)	1,254	...	...	7	192	278	237	179	131	112	91	27	330	...	...	2	25	69	71	47	46	35	23	12
White	1,088	...	...	6	158	221	210	161	117	102	87	26	281	...	...	2	18	51	58	43	45	31	22	11
All other	166	...	...	1	34	57	27	18	14	10	4	1	49	...	...	-	7	18	13	4	1	4	1	1
Black	138	...	...	1	27	52	23	14	10	7	3	1	32	...	...	-	5	14	9	2	-	1	1	-
Homicide and legal intervention (E960-E978)	2,189	13	21	14	792	710	350	156	61	47	22	2	432	11	16	12	91	133	73	32	22	19	16	7
White	1,001	6	11	8	283	322	199	93	37	26	14	2	219	6	5	5	39	63	43	22	11	10	10	5
All other	1,188	7	10	6	509	388	151	63	24	21	8	-	213	5	11	7	52	70	30	10	11	9	6	2
Black	1,142	7	10	5	501	375	142	55	18	21	7	-	207	5	11	7	51	68	29	9	10	9	6	2
All other external causes (E980-E999)	147	2	1	2	15	41	48	19	5	9	4	-	48	-	1	2	3	13	12	6	2	5	3	1
White	101	-	1	2	9	25	31	15	5	8	4	-	37	-	1	2	1	10	7	6	2	4	3	1
All other	46	2	-	-	6	16	17	4	-	1	-	-	11	-	-	-	2	3	5	-	-	1	-	-
Black	45	2	-	-	6	16	17	3	-	1	-	-	11	-	-	-	2	3	5	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 188 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	30,736	632	125	146	753	1,212	1,638	2,384	4,737	8,053	7,550	3,499	28,144	474	83	101	266	476	824	1,328	2,864	5,672	8,350	7,701
White	22,910	334	75	85	453	708	974	1,585	3,532	6,262	6,022	2,875	21,581	219	54	58	169	267	478	867	2,096	4,251	6,646	6,473
All other	7,826	298	50	61	300	504	664	799	1,205	1,791	1,528	624	6,563	255	29	43	97	209	346	461	768	1,421	1,704	1,228
Black	7,535	289	45	56	283	479	640	765	1,160	1,730	1,487	599	6,319	234	29	40	93	199	325	442	733	1,374	1,656	1,192
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	1	-	-	-	-	-	-	-	-	2	8	1	1	-	-	-	-	-	-	1	4	1
White	4	1	1	-	-	-	-	-	-	-	-	2	7	-	1	-	-	-	-	-	-	1	4	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	24	-	-	-	-	-	2	2	5	6	6	3	16	-	-	-	-	1	1	-	3	5	2	4
White	8	-	-	-	-	-	-	-	3	1	2	2	5	-	-	-	-	-	-	-	1	-	2	2
All other	16	-	-	-	-	-	2	2	2	5	4	1	11	-	-	-	-	1	1	-	2	5	-	2
Black	14	-	-	-	-	-	2	2	-	5	4	1	11	-	-	-	-	1	1	-	2	5	-	2
Tuberculosis of respiratory system (010-012)	17	-	-	-	-	-	1	2	3	5	4	2	12	-	-	-	-	1	1	-	3	4	1	2
White	7	-	-	-	-	-	-	-	3	1	1	2	4	-	-	-	-	-	-	-	1	-	1	2
All other	10	-	-	-	-	-	1	2	-	4	3	-	8	-	-	-	-	1	1	-	2	4	-	-
Black	10	-	-	-	-	-	1	2	-	4	3	-	8	-	-	-	-	1	1	-	2	4	-	-
Other tuberculosis (013-018)	7	-	-	-	-	-	1	-	2	1	2	1	4	-	-	-	-	-	-	-	-	1	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	6	-	-	-	-	-	1	-	2	1	1	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	2	-	1	-	-	-	-	1	-	-	6	-	2	2	-	-	1	-	1	-	-	-
White	4	-	2	-	1	-	-	-	-	1	-	-	4	-	1	2	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	257	5	3	-	1	4	9	11	26	69	90	39	348	4	1	1	2	3	7	13	23	67	101	126
White	180	1	1	-	-	3	6	4	15	47	72	31	249	2	-	-	1	1	4	9	13	38	77	104
All other	77	4	2	-	1	1	3	7	11	22	18	8	99	2	1	1	1	2	3	4	10	29	24	22
Black	72	4	2	-	1	1	3	7	10	20	17	7	96	2	1	1	1	2	3	3	9	29	24	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	30	-	-	-	1	-	4	5	7	10	2	1	20	-	-	-	-	-	2	3	3	8	4	-
White	24	-	-	-	1	-	2	5	7	6	2	1	15	-	-	-	-	-	-	2	3	7	3	-
All other	6	-	-	-	-	-	2	-	-	4	-	-	5	-	-	-	-	-	2	1	-	1	1	-
Black	5	-	-	-	-	-	2	-	-	3	-	-	5	-	-	-	-	-	2	1	-	1	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	553	4	6	-	12	181	202	64	40	29	7	8	186	4	2	1	9	44	45	12	15	26	16	12
White	245	1	5	-	3	73	79	37	21	14	7	5	75	1	1	1	4	7	8	3	7	20	12	11
All other	308	3	1	-	9	108	123	27	19	15	-	3	111	3	1	-	5	37	37	9	8	6	4	1
Black	302	3	1	-	9	105	122	26	19	14	-	3	109	3	1	-	5	36	37	9	8	5	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,328	1	8	21	26	62	202	625	1,514	2,554	1,781	534	6,038	1	7	12	14	81	280	559	1,147	1,733	1,514	690
White	5,589	1	6	14	20	43	138	430	1,182	1,958	1,378	419	4,788	-	4	8	7	53	201	432	940	1,366	1,216	561
All other	1,739	-	2	7	6	19	64	195	332	596	403	115	1,250	1	3	4	7	28	79	127	207	367	298	129
Black	1,689	-	2	7	6	18	63	191	322	577	391	112	1,194	1	3	4	7	28	73	119	193	354	290	122

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 189 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	151	-	-	-	-	-	13	21	37	57	20	3	88	-	-	-	-	1	3	6	16	21	24	17
White	108	-	-	-	-	-	6	9	27	46	17	3	73	-	-	-	-	1	2	4	9	16	24	17
All other	43	-	-	-	-	-	7	12	10	11	3	-	15	-	-	-	-	-	1	2	7	5	-	-
Black	41	-	-	-	-	-	6	12	10	10	3	-	15	-	-	-	-	-	1	2	7	5	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,565	-	-	-	3	14	45	156	311	544	372	120	1,383	-	-	-	2	8	39	85	197	395	425	232
White	1,146	-	-	-	2	9	27	103	232	399	283	91	1,018	-	-	-	1	4	27	62	141	274	333	176
All other	419	-	-	-	1	5	18	53	79	145	89	29	365	-	-	-	1	4	12	23	56	121	92	56
Black	411	-	-	-	1	5	18	51	78	143	87	28	351	-	-	-	1	4	11	22	54	117	90	52
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,817	-	-	-	1	2	58	253	722	1,085	588	108	1,192	-	-	-	1	2	34	101	302	422	264	66
White	2,239	-	-	-	1	2	36	179	587	867	481	86	1,025	-	-	-	-	2	23	85	260	372	226	57
All other	578	-	-	-	-	-	22	74	135	218	107	22	167	-	-	-	1	-	11	16	42	50	38	9
Black	563	-	-	-	-	-	22	74	133	208	105	21	158	-	-	-	1	-	11	16	38	47	36	9
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	1	2	-	-	1,132	-	-	-	1	26	106	169	244	300	207	79
White	2	-	-	-	-	-	-	-	-	2	-	-	901	-	-	-	-	15	74	131	210	232	172	67
All other	1	-	-	-	-	-	-	-	1	-	-	-	231	-	-	-	1	11	32	38	34	68	35	12
Black	1	-	-	-	-	-	-	-	1	-	-	-	220	-	-	-	1	11	29	36	32	65	34	12
Malignant neoplasms of genital organs (179-187)	978	-	-	-	1	2	4	8	91	285	417	170	672	-	-	-	1	15	38	64	130	186	176	62
White	632	-	-	-	1	2	3	3	48	174	277	124	493	-	-	-	-	8	28	46	103	139	126	43
All other	346	-	-	-	-	-	1	5	43	111	140	46	179	-	-	-	1	7	10	18	27	47	50	19
Black	338	-	-	-	-	-	1	5	41	110	136	45	170	-	-	-	1	7	8	16	25	46	50	17
Malignant neoplasms of urinary organs (188-189)	354	-	-	1	1	2	8	24	73	119	90	36	194	-	-	-	-	1	3	10	26	64	58	32
White	289	-	-	-	-	-	4	18	59	100	75	33	146	-	-	-	-	1	3	8	21	44	44	25
All other	65	-	-	1	1	2	4	6	14	19	15	3	48	-	-	-	-	-	-	2	5	20	14	7
Black	62	-	-	1	1	2	4	6	12	18	15	3	45	-	-	-	-	-	-	1	5	19	14	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	856	-	7	12	11	21	46	111	173	274	154	47	748	-	4	9	6	17	37	73	139	186	178	99
White	687	-	6	10	10	16	39	80	139	219	130	38	619	-	2	7	6	14	28	61	120	156	140	85
All other	169	-	1	2	1	5	7	31	34	55	24	9	129	-	2	2	-	3	9	12	19	30	38	14
Black	158	-	1	2	1	4	7	29	33	51	21	9	125	-	2	2	-	3	9	11	17	30	37	14
Leukemia (204-208)	232	1	1	8	7	8	10	17	28	76	54	22	211	-	3	3	1	6	8	20	30	39	58	43
White	192	1	-	4	5	6	8	14	24	65	45	20	174	-	2	1	-	4	6	13	28	35	48	37
All other	40	-	1	4	2	2	2	3	4	11	9	2	37	-	1	2	1	2	2	7	2	4	10	6
Black	39	-	1	4	2	2	2	3	4	11	8	2	34	-	1	2	1	2	2	6	1	4	9	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	372	-	-	-	2	13	18	35	78	112	86	28	418	1	-	-	2	5	12	31	63	120	124	60
White	294	-	-	-	1	8	15	24	66	86	70	24	339	-	-	-	-	4	10	22	48	98	103	54
All other	78	-	-	-	1	5	3	11	12	26	16	4	79	1	-	-	2	1	2	9	15	22	21	6
Black	76	-	-	-	1	5	3	11	10	26	16	4	76	1	-	-	2	1	2	9	14	21	20	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	68	1	-	2	-	2	2	4	9	18	16	14	86	-	-	2	4	1	4	1	9	18	27	20
White	56	1	-	1	-	2	2	3	8	12	16	11	66	-	-	2	2	1	3	1	5	12	22	18
All other	12	-	-	1	-	-	-	1	1	6	-	3	20	-	-	-	2	-	1	-	4	6	5	2
Black	10	-	-	-	-	-	-	1	1	6	-	2	18	-	-	-	2	-	1	-	2	6	5	2
Diabetes mellitus (250)	616	-	-	1	4	16	27	57	128	167	172	44	846	-	-	2	5	7	18	59	102	251	262	140
White	413	-	-	1	2	8	17	33	77	122	122	31	505	-	-	2	2	4	12	23	49	155	161	97
All other	203	-	-	-	2	8	10	24	51	45	50	13	341	-	-	-	3	3	6	36	53	96	101	43
Black	196	-	-	-	2	7	10	24	48	43	49	13	324	-	-	-	3	3	6	35	51	89	94	43
Nutritional deficiencies (260-269)	27	-	1	-	-	-	-	1	4	5	7	9	51	-	-	-	-	-	-	-	3	3	21	24
White	19	-	1	-	-	-	-	1	1	4	4	8	42	-	-	-	-	-	-	-	2	3	20	17
All other	8	-	-	-	-	-	-	-	3	1	3	1	9	-	-	-	-	-	-	-	1	-	1	7
Black	8	-	-	-	-	-	-	-	3	1	3	1	9	-	-	-	-	-	-	-	1	-	1	7
Anemias (280-285)	53	-	3	3	2	5	5	4	5	4	15	7	60	-	1	2	-	3	3	2	3	5	18	23
White	29	-	1	2	1	-	2	-	4	2	11	6	40	-	-	1	-	1	1	1	2	4	15	15
All other	24	-	2	1	1	5	3	4	1	2	4	1	20	-	1	1	-	2	2	1	1	1	3	8
Black	22	-	2	1	1	5	2	3	1	2	4	1	20	-	1	1	-	2	2	1	1	1	3	8
Meningitis (320-322)	14	4	2	-	-	1	3	1	1	1	1	-	11	1	-	-	1	-	-	1	2	2	3	1
White	8	2	1	-	-	1	2	-	1	1	-	-	5	-	-	-	1	-	-	-	-	1	2	1
All other	6	2	1	-	-	-	1	1	-	-	1	-	6	1	-	-	-	-	-	1	2	1	1	-
Black	6	2	1	-	-	-	1	1	-	-	1	-	6	1	-	-	-	-	-	1	2	1	1	-
Major cardiovascular diseases (390-448)	12,102	13	10	5	23	82	349	861	1,931	3,502	3,514	1,810	12,744	10	3	4	9	49	151	332	953	2,344	4,351	4,538
White	9,409	10	6	3	15	49	221	570	1,442	2,750	2,837	1,505	9,852	6	2	1	4	21	69	182	611	1,678	3,461	3,817
All other	2,693	3	4	2	8	33	128	291	489	752	677	305	2,892	4	1	3	5	28	82	150	342	666	890	721
Black	2,600	3	3	2	8	32	124	277	471	734	654	291	2,800	4	1	2	4	25	77	144	331	646	863	703

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 190 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	9,639	8	7	4	20	70	284	726	1,642	2,863	2,703	1,310	9,316	7	2	3	8	35	106	244	744	1,787	3,168	3,212
White	7,602	6	3	2	12	40	188	504	1,249	2,288	2,216	1,093	7,285	4	1	–	4	16	47	136	486	1,312	2,540	2,739
All other	2,037	2	4	2	8	30	96	222	393	575	487	217	2,031	3	1	3	4	19	59	108	258	475	628	473
Black	1,959	2	3	2	8	29	93	209	378	559	468	207	1,961	3	1	2	3	16	54	104	251	458	610	459
Rheumatic fever and rheumatic heart disease (390-398)	37	–	–	–	1	2	6	2	7	14	3	2	123	–	–	–	1	2	3	12	22	27	42	14
White	26	–	–	–	–	1	3	2	5	12	2	1	111	–	–	–	1	2	3	11	19	25	37	13
All other	11	–	–	–	1	1	3	–	2	2	1	1	12	–	–	–	–	–	–	1	3	2	5	1
Black	11	–	–	–	1	1	3	–	2	2	1	1	11	–	–	–	–	–	–	1	3	1	5	1
Hypertensive heart disease (402)	255	–	–	–	–	3	13	26	51	71	65	26	371	–	–	–	–	1	6	23	34	72	119	116
White	129	–	–	–	–	1	4	9	15	40	41	19	215	–	–	–	–	–	–	5	11	36	79	84
All other	126	–	–	–	–	2	9	17	36	31	24	7	156	–	–	–	–	1	6	18	23	36	40	32
Black	123	–	–	–	–	2	9	16	36	29	24	7	151	–	–	–	–	1	6	18	23	34	38	31
Hypertensive heart and renal disease (404)	33	–	–	–	–	–	–	1	4	12	9	7	54	–	–	–	–	–	1	–	6	8	19	20
White	16	–	–	–	–	–	–	–	3	5	5	3	29	–	–	–	–	–	–	–	1	2	12	14
All other	17	–	–	–	–	–	–	1	1	7	4	4	25	–	–	–	–	–	1	–	5	6	7	6
Black	17	–	–	–	–	–	–	1	1	7	4	4	23	–	–	–	–	–	1	–	5	5	7	5
Ischemic heart disease (410-414)	6,947	–	–	–	1	30	198	557	1,257	2,123	1,922	857	5,910	–	1	–	–	10	53	142	500	1,216	2,087	1,901
White	5,655	–	–	–	1	21	151	408	1,009	1,749	1,586	729	4,723	–	1	–	–	8	27	89	337	920	1,690	1,651
All other	1,292	–	–	–	–	9	47	149	248	374	336	128	1,187	–	–	–	–	2	26	53	163	296	397	250
Black	1,229	–	–	–	–	8	45	137	233	363	323	119	1,148	–	–	–	–	1	23	50	156	288	386	244
Acute myocardial infarction (410)	3,782	–	–	–	–	18	102	315	676	1,183	1,055	433	3,167	–	1	–	–	5	23	73	302	700	1,194	869
White	3,138	–	–	–	–	12	82	240	555	989	897	363	2,538	–	1	–	–	4	11	51	200	539	971	761
All other	644	–	–	–	–	6	20	75	121	194	158	70	629	–	–	–	–	1	12	22	102	161	223	108
Black	612	–	–	–	–	6	20	68	113	186	154	65	604	–	–	–	–	–	11	20	97	155	216	105
Other acute and subacute forms of ischemic heart disease (411)	29	–	–	–	–	–	1	2	2	10	7	6	28	–	–	–	–	–	–	–	3	7	12	6
White	17	–	–	–	–	–	1	2	–	5	4	4	18	–	–	–	–	–	–	–	2	3	7	6
All other	12	–	–	–	–	–	–	–	2	5	3	2	10	–	–	–	–	–	–	–	1	4	5	–
Black	10	–	–	–	–	–	–	–	–	5	3	2	10	–	–	–	–	–	–	–	1	4	5	–
Angina pectoris (413)	11	–	–	–	–	–	–	–	1	4	4	2	15	–	–	–	–	–	–	–	1	1	7	6
White	10	–	–	–	–	–	–	–	1	4	3	2	14	–	–	–	–	–	–	–	–	1	7	6
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,125	–	–	–	1	12	95	240	578	926	856	416	2,700	–	–	–	–	5	30	69	194	508	874	1,020
White	2,490	–	–	–	1	9	68	166	453	751	682	360	2,153	–	–	–	–	4	16	38	135	377	705	878
All other	635	–	–	–	–	3	27	74	125	175	174	56	547	–	–	–	–	1	14	31	59	131	169	142
Black	607	–	–	–	–	2	25	69	120	172	166	52	533	–	–	–	–	1	12	30	57	129	165	139
Other diseases of endocardium (424)	145	2	–	–	1	2	1	6	13	41	46	33	227	–	–	–	–	–	1	5	16	30	89	86
White	125	1	–	–	1	1	–	4	9	37	44	28	187	–	–	–	–	–	–	5	13	20	69	80
All other	20	1	–	–	–	1	1	2	4	4	2	5	40	–	–	–	–	–	1	–	3	10	20	6
Black	20	1	–	–	–	1	1	2	4	4	2	5	37	–	–	–	–	–	1	–	3	8	19	6
All other forms of heart disease (415-423,425-429)	2,222	6	7	4	17	33	66	134	310	602	658	385	2,631	7	1	3	7	22	42	62	166	434	812	1,075
White	1,651	5	3	2	10	16	30	81	208	445	538	313	2,020	4	–	–	3	6	17	26	105	309	653	897
All other	571	1	4	2	7	17	36	53	102	157	120	72	611	3	1	3	4	16	25	36	61	125	159	178
Black	559	1	3	2	7	17	35	53	102	154	114	71	591	3	1	2	3	14	23	35	61	122	155	172
Hypertension with or without renal disease (401,403)	115	–	–	–	1	2	4	11	10	35	34	18	153	–	–	–	–	1	3	6	13	32	54	44
White	47	–	–	–	1	–	2	2	5	12	13	12	72	–	–	–	–	–	3	–	5	14	25	25
All other	68	–	–	–	–	2	2	9	5	23	21	6	81	–	–	–	–	1	–	6	8	18	29	19
Black	67	–	–	–	–	2	1	9	5	23	21	6	78	–	–	–	–	1	–	6	8	18	26	19
Cerebrovascular diseases (430-438)	1,828	5	3	1	2	9	54	104	211	429	611	399	2,772	3	1	1	1	12	34	76	171	434	957	1,082
White	1,323	4	3	1	2	8	24	47	136	295	475	328	2,111	2	1	1	–	4	15	42	105	286	763	892
All other	505	1	–	–	–	1	30	57	75	134	136	71	661	1	–	–	1	8	19	34	66	148	194	190
Black	493	1	–	–	–	1	30	56	72	133	133	67	644	1	–	–	1	8	19	32	63	146	188	186
Intracerebral and other intracranial hemorrhage (431-432)	297	1	1	–	1	4	30	40	55	82	59	24	330	–	–	–	–	1	11	28	40	79	111	60
White	192	1	1	–	1	4	12	11	33	60	50	19	244	–	–	–	–	–	2	16	27	55	91	53
All other	105	–	–	–	–	–	18	29	22	22	9	5	86	–	–	–	–	1	9	12	13	24	20	7
Black	101	–	–	–	–	–	18	29	19	22	8	5	86	–	–	–	–	1	9	12	13	24	20	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	200	1	–	–	–	2	2	10	19	41	73	52	297	–	–	–	1	–	–	–	15	44	106	131
White	155	–	–	–	–	2	–	6	11	31	62	43	239	–	–	–	–	–	–	–	11	33	90	105
All other	45	1	–	–	–	–	2	4	8	10	11	9	58	–	–	–	1	–	–	–	4	11	16	26
Black	44	1	–	–	–	–	2	4	8	10	11	8	56	–	–	–	1	–	–	–	4	11	16	24

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 191 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	-	1	-	1	3	2	1	12	-	-	-	-	-	-	-	2	1	5	4
White	4	-	-	-	-	-	-	-	1	2	-	1	8	-	-	-	-	-	-	-	1	-	4	3
All other	4	-	-	-	-	-	1	-	-	1	2	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	4	-	-	-	-	-	1	-	-	1	2	-	4	-	-	-	-	-	-	-	1	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,323	3	2	1	1	3	21	54	136	303	477	322	2,133	3	1	1	-	11	23	48	114	310	735	887
White	972	3	2	1	1	2	12	30	91	202	363	265	1,620	2	1	1	-	4	13	26	66	198	578	731
All other	351	-	-	-	-	1	9	24	45	101	114	57	513	1	-	-	-	7	10	22	48	112	157	156
Black	344	-	-	-	-	1	9	23	45	100	112	54	498	1	-	-	-	7	10	20	45	110	151	154
Atherosclerosis (440)	130	-	-	-	-	-	1	2	15	32	43	37	223	-	-	-	-	-	-	-	6	21	69	127
White	96	-	-	-	-	-	1	1	9	25	30	30	166	-	-	-	-	-	-	-	3	14	49	100
All other	34	-	-	-	-	-	-	1	6	7	13	7	57	-	-	-	-	-	-	-	3	7	20	27
Black	33	-	-	-	-	-	-	1	6	7	12	7	56	-	-	-	-	-	-	-	3	6	20	27
Other diseases of arteries, arterioles, and capillaries (441-448)	390	-	-	-	-	1	6	18	53	143	123	46	280	-	-	-	-	1	8	6	19	70	103	73
White	341	-	-	-	-	1	6	16	43	130	103	42	218	-	-	-	-	1	4	4	12	52	84	61
All other	49	-	-	-	-	-	-	2	10	13	20	4	62	-	-	-	-	-	4	2	7	18	19	12
Black	48	-	-	-	-	-	-	2	10	12	20	4	61	-	-	-	-	-	4	2	6	18	19	12
Acute bronchitis and bronchiolitis (466)	11	1	1	-	-	-	3	1	-	-	1	4	12	1	-	2	-	-	-	-	-	1	2	6
White	10	1	-	-	-	-	3	1	-	-	1	4	10	1	-	1	-	-	-	-	-	1	2	5
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	914	6	3	1	8	16	28	34	64	177	320	257	1,006	8	3	3	5	7	10	25	42	98	300	504
White	684	5	2	-	4	7	8	17	38	136	253	214	833	4	2	3	2	5	5	16	32	73	254	436
All other	230	1	1	1	4	9	20	17	26	41	67	43	173	4	1	-	3	2	5	9	10	25	46	68
Black	228	1	1	1	3	9	20	17	26	40	67	43	165	2	1	-	3	2	5	9	10	24	44	65
Pneumonia (480-486)	902	6	3	1	8	16	27	34	63	174	317	253	989	8	3	2	5	7	10	24	40	97	294	498
White	673	5	2	-	4	7	8	17	37	133	250	210	817	4	2	2	2	5	5	15	30	72	249	430
All other	229	1	1	1	4	9	19	17	26	41	67	43	172	4	1	-	3	2	5	9	10	25	45	68
Black	227	1	1	1	3	9	19	17	26	40	67	43	164	2	1	-	3	2	5	9	10	24	43	65
Influenza (487)	12	-	-	-	-	-	1	-	1	3	3	4	17	-	-	1	-	-	-	1	2	1	6	6
White	11	-	-	-	-	-	-	-	1	3	3	4	16	-	-	1	-	-	-	1	2	1	5	6
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,310	-	2	1	2	1	5	37	164	446	498	154	959	1	-	2	2	8	6	32	147	289	311	161
White	1,121	-	1	1	-	1	4	23	127	392	433	139	874	-	-	1	2	4	2	22	131	262	296	154
All other	189	-	1	-	2	-	1	14	37	54	65	15	85	1	-	1	-	4	4	10	16	27	15	7
Black	180	-	-	-	2	-	1	14	35	49	65	14	82	1	-	1	-	4	4	10	16	25	15	6
Bronchitis, chronic and unspecified (490-491)	59	-	-	-	-	-	-	1	5	17	30	6	65	1	-	-	-	-	-	2	10	10	19	23
White	53	-	-	-	-	-	-	-	4	17	28	4	61	-	-	-	-	-	-	1	10	9	18	23
All other	6	-	-	-	-	-	-	1	1	-	2	2	4	1	-	-	-	-	-	1	-	1	1	-
Black	6	-	-	-	-	-	-	1	1	-	2	2	4	1	-	-	-	-	-	1	-	1	1	-
Emphysema (492)	227	-	-	-	-	-	1	12	30	90	79	15	133	-	-	-	-	-	-	4	27	40	49	13
White	202	-	-	-	-	-	1	6	26	83	71	15	127	-	-	-	-	-	-	4	25	37	48	13
All other	25	-	-	-	-	-	-	6	4	7	8	-	6	-	-	-	-	-	-	-	2	3	1	-
Black	25	-	-	-	-	-	-	6	4	7	8	-	6	-	-	-	-	-	-	-	2	3	1	-
Asthma (493)	47	-	2	-	2	1	2	6	9	11	11	3	113	-	-	2	2	8	5	10	17	26	23	20
White	32	-	1	-	-	1	2	2	6	9	8	3	86	-	-	1	2	4	2	4	13	19	22	19
All other	15	-	1	-	2	-	-	4	3	2	3	-	27	-	-	1	-	4	3	6	4	7	1	1
Black	13	-	-	-	2	-	-	4	3	1	3	-	27	-	-	1	-	4	3	6	4	7	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	977	-	-	1	-	-	2	18	120	328	378	130	648	-	-	-	-	-	1	16	93	213	220	105
White	834	-	-	1	-	-	1	15	91	283	326	117	600	-	-	-	-	-	-	13	83	197	208	99
All other	143	-	-	-	-	-	1	3	29	45	52	13	48	-	-	-	-	-	1	3	10	16	12	6
Black	136	-	-	-	-	-	1	3	27	41	52	12	45	-	-	-	-	-	1	3	10	14	12	5
Ulcer of stomach and duodenum (531-533)	74	-	-	-	-	-	1	7	15	21	18	12	92	-	1	-	-	-	1	6	9	21	21	33
White	57	-	-	-	-	-	-	5	10	19	14	9	73	-	1	-	-	-	1	3	7	15	13	33
All other	17	-	-	-	-	-	1	2	5	2	4	3	19	-	-	-	-	-	-	3	2	6	8	-
Black	17	-	-	-	-	-	1	2	5	2	4	3	19	-	-	-	-	-	-	3	2	6	8	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	2	-	-	4	-
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	-	4	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	51	1	-	-	1	-	2	3	5	15	16	8	98	1	1	-	-	1	4	-	4	14	36	37
White	30	1	-	-	1	-	1	1	1	8	14	3	78	1	1	-	-	-	1	-	3	12	25	35
All other	21	-	-	-	-	-	1	2	4	7	2	5	20	-	-	-	-	1	3	-	1	2	11	2
Black	19	-	-	-	-	-	1	2	3	7	1	5	17	-	-	-	-	1	1	-	1	2	10	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 192 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	415	-	-	-	-	16	72	92	128	69	32	6	245	-	-	-	1	8	26	37	50	64	49	9
White	300	-	-	-	-	12	39	62	104	47	30	6	166	-	-	-	-	4	11	22	31	52	38	8
All other	115	-	-	-	-	4	33	30	24	22	2	-	79	-	-	-	1	4	15	15	19	12	11	1
Black	110	-	-	-	-	4	32	28	23	21	2	-	75	-	-	-	1	4	13	15	18	11	11	1
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	1	-	2	3	8	6	4	56	-	-	-	-	-	1	1	2	9	18	25
White	20	-	-	-	-	1	-	1	3	5	6	4	39	-	-	-	-	-	-	-	1	7	14	17
All other	4	-	-	-	-	-	-	1	-	3	-	-	17	-	-	-	-	-	1	1	1	2	4	8
Black	4	-	-	-	-	-	-	1	-	3	-	-	17	-	-	-	-	-	1	1	1	2	4	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	285	2	1	-	-	4	8	16	42	69	80	63	330	1	-	1	3	1	5	11	29	58	123	98
White	175	1	1	-	-	1	1	13	22	43	48	45	201	-	-	1	-	1	-	7	14	33	74	71
All other	110	1	-	-	-	3	7	3	20	26	32	18	129	1	-	-	3	-	5	4	15	25	49	27
Black	108	1	-	-	-	3	7	3	19	26	32	17	126	1	-	-	3	-	5	4	15	25	48	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	1	-	-	-	1	-	2	3	-	-	8	-	-	-	-	-	-	-	1	1	5	1
White	3	-	1	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	-	-	1	-	4	1
All other	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	-	-	-	-	1	2	3	10	7	7	32	-	-	-	1	-	1	1	1	4	14	10
White	16	-	-	-	-	-	1	1	1	6	5	2	21	-	-	-	-	-	-	-	-	2	10	9
All other	14	-	-	-	-	-	-	1	2	4	2	5	11	-	-	-	1	-	1	1	1	2	4	1
Black	14	-	-	-	-	-	-	1	2	4	2	5	11	-	-	-	1	-	1	1	1	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	248	2	-	-	-	4	6	14	37	56	73	56	290	1	-	1	2	1	4	10	27	53	104	87
White	156	1	-	-	-	1	-	12	20	36	43	43	174	-	-	1	-	1	-	7	13	31	60	61
All other	92	1	-	-	-	3	6	2	17	20	30	13	116	1	-	-	2	-	4	3	14	22	44	26
Black	90	1	-	-	-	3	6	2	16	20	30	12	113	1	-	-	2	-	4	3	14	22	43	24
Infections of kidney (590)	10	-	-	-	-	-	-	-	-	4	6	-	22	-	-	-	-	-	-	-	-	3	5	14
White	8	-	-	-	-	-	-	-	-	4	4	-	17	-	-	-	-	-	-	-	-	2	3	12
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	1	2	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	1	2	2
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	1	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	1	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	1	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	4	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	174	113	10	6	5	5	5	10	8	6	5	1	154	88	10	4	5	8	5	9	4	11	7	3
White	117	75	5	2	4	3	3	8	7	6	3	1	105	53	9	3	5	5	4	7	3	11	2	3
All other	57	38	5	4	1	2	2	2	1	-	2	-	49	35	1	1	-	3	1	2	1	-	5	-
Black	52	36	4	4	-	2	1	2	1	-	2	-	41	28	1	1	-	3	1	2	-	-	5	-
Certain conditions originating in the perinatal period (760-779)	323	319	2	1	1	-	-	-	-	-	-	-	245	242	1	2	-	-	-	-	-	-	-	-
White	144	143	-	-	1	-	-	-	-	-	-	-	97	96	-	1	-	-	-	-	-	-	-	-
All other	179	176	2	1	-	-	-	-	-	-	-	-	148	146	1	1	-	-	-	-	-	-	-	-
Black	175	173	2	-	-	-	-	-	-	-	-	-	140	138	1	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	65	64	-	-	1	-	-	-	-	-	-	-	35	34	-	1	-	-	-	-	-	-	-	-
White	42	41	-	-	1	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	19	18	-	1	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	17	16	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 193 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	258	255	2	1	–	–	–	–	–	–	–	–	210	208	1	1	–	–	–	–	–	–	–	–
White	102	102	–	–	–	–	–	–	–	–	–	–	81	80	–	1	–	–	–	–	–	–	–	–
All other	156	153	2	1	–	–	–	–	–	–	–	–	129	128	1	–	–	–	–	–	–	–	–	–
Black	152	150	2	–	–	–	–	–	–	–	–	–	123	122	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	234	108	2	–	6	12	16	12	9	15	26	26	241	79	3	1	7	8	12	10	6	21	36	56
White	149	64	–	–	4	6	7	8	7	11	25	16	155	40	2	–	7	6	6	7	4	11	26	44
All other	85	44	2	–	2	6	9	4	2	4	1	10	86	39	1	1	–	2	6	3	2	10	10	12
Black	82	41	2	–	2	6	9	4	2	4	1	10	82	36	1	1	–	2	6	3	2	10	10	11
All other diseases (Residual)	2,514	25	13	16	33	70	142	170	342	593	714	396	2,990	12	15	14	19	56	92	115	199	506	927	1,035
White	1,861	16	9	10	22	31	68	103	229	475	564	334	2,332	4	10	9	6	27	40	61	141	397	747	890
All other	653	9	4	6	11	39	74	67	113	118	150	62	658	8	5	5	13	29	52	54	58	109	180	145
Black	636	8	4	6	11	37	73	63	111	114	148	61	647	8	5	5	13	29	50	53	56	107	178	143
Accidents and adverse effects (E800-E949)	1,929	19	51	74	323	389	302	203	177	161	149	79	863	17	26	39	117	80	80	46	64	90	168	136
White	1,369	8	31	42	235	266	203	147	134	119	119	63	667	9	17	18	92	61	58	29	54	71	140	118
All other	560	11	20	32	88	123	99	56	43	42	30	16	196	8	9	21	25	19	22	17	10	19	28	18
Black	518	11	18	29	80	118	91	51	40	37	29	14	182	7	9	19	22	15	21	16	9	19	28	17
Motor vehicle accidents (E810-E825)	1,016	3	17	39	245	243	173	103	72	56	48	15	391	3	12	28	101	59	47	21	35	33	43	9
White	763	3	7	26	194	179	122	75	56	45	42	12	311	3	8	16	83	48	35	14	30	27	39	8
All other	253	–	10	13	51	64	51	28	16	11	6	3	80	–	4	12	18	11	12	7	5	6	4	1
Black	224	–	8	12	44	60	45	26	13	8	6	2	71	–	4	11	16	8	11	6	4	6	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	913	16	34	35	78	146	129	100	105	105	101	64	472	14	14	11	16	21	33	25	29	57	125	127
White	606	5	24	16	41	87	81	72	78	74	77	51	356	6	9	2	9	13	23	15	24	44	101	110
All other	307	11	10	19	37	59	48	28	27	31	24	13	116	8	5	9	7	8	10	10	5	13	24	17
Black	294	11	10	17	36	58	46	25	27	29	23	12	111	7	5	8	6	7	10	10	5	13	24	16
Suicide (E950-E959)	667	...	...	6	107	140	112	90	74	73	53	12	177	...	...	–	11	43	38	29	27	18	8	3
White	576	...	...	5	83	115	101	78	69	65	48	12	154	...	...	–	9	35	33	26	26	15	7	3
All other	91	...	...	1	24	25	11	12	5	8	5	–	23	...	...	–	2	8	5	3	1	3	1	–
Black	82	...	...	1	22	21	9	12	5	7	5	–	20	...	...	–	2	6	5	2	1	3	1	–
Homicide and legal intervention (E960-E978)	683	8	4	9	193	197	132	68	32	27	10	2	208	3	5	6	48	66	30	20	13	4	12	1
White	276	3	2	4	53	80	63	32	19	12	6	1	112	2	3	3	22	31	18	13	11	3	6	–
All other	407	5	2	5	140	117	69	36	13	15	4	1	96	1	2	3	26	35	12	7	2	1	6	1
Black	386	5	2	5	136	109	65	33	12	14	4	1	94	1	2	3	26	35	10	7	2	1	6	1
All other external causes (E980-E999)	25	–	–	–	4	8	5	4	2	2	–	–	14	–	1	1	–	–	2	3	4	2	–	–
White	19	–	–	–	3	6	4	3	1	2	–	–	7	–	–	1	–	–	1	–	4	1	–	–
All other	6	–	–	–	1	2	1	1	1	–	–	–	7	–	1	–	–	–	1	3	–	1	–	–
Black	5	–	–	–	–	2	1	1	1	–	–	–	7	–	1	–	–	–	1	3	–	1	–	–
NORTH DAKOTA																								
All causes	2,970	39	5	9	58	59	103	125	342	669	958	603	2,606	33	7	10	12	17	51	77	202	395	786	1,016
White	2,875	35	5	9	50	50	91	110	326	657	944	598	2,519	22	7	8	8	14	44	68	190	374	775	1,009
All other	95	4	–	–	8	9	12	15	16	12	14	5	87	11	–	2	4	3	7	9	12	21	11	7
Black	1	–	–	–	–	1	–	–	–	–	–	–	4	2	–	–	–	–	–	1	–	–	1	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 194 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	8	1	-	-	-	-	-	1	-	2	1	3	13	-	-	-	-	-	-	-	1	2	5	5
White	8	1	-	-	-	-	-	1	-	2	1	3	13	-	-	-	-	-	-	-	1	2	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	12	-	-	-	-	2	1	1	2	3	1	2	9	-	-	-	-	1	-	-	1	4	2	1
White	11	-	-	-	-	1	1	1	2	3	1	2	8	-	-	-	-	1	-	-	1	3	2	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	740	-	1	-	3	7	15	39	124	208	241	102	629	-	-	1	2	4	25	41	97	164	204	91
White	725	-	1	-	3	6	15	37	119	204	238	102	612	-	-	1	2	4	23	38	94	157	202	91
All other	15	-	-	-	-	1	-	2	5	4	3	-	17	-	-	-	-	-	2	3	3	7	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	-	-	-	-	-	1	2	-	5	-	-	9	-	-	-	-	-	1	1	-	-	3	4
White	8	-	-	-	-	-	1	2	-	5	-	-	9	-	-	-	-	-	1	1	-	-	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	201	-	-	-	-	3	2	15	33	57	66	25	163	-	-	-	-	2	3	5	21	39	56	37
White	194	-	-	-	-	2	2	14	32	55	64	25	158	-	-	-	-	2	3	4	21	36	55	37
All other	7	-	-	-	-	1	-	1	1	2	2	-	5	-	-	-	-	-	-	1	-	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	206	-	-	-	-	1	5	11	39	77	56	17	111	-	-	-	-	-	-	9	30	31	34	7
White	203	-	-	-	-	1	5	11	37	77	55	17	105	-	-	-	-	-	-	8	27	30	33	7
All other	3	-	-	-	-	-	-	-	2	-	1	-	6	-	-	-	-	-	-	1	3	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	1	-	-	-	-	-	122	-	-	-	-	-	11	12	20	35	33	11
White	1	-	-	-	-	-	1	-	-	-	-	-	117	-	-	-	-	-	9	11	20	33	33	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	2	1	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	127	-	-	-	-	-	1	1	11	25	61	28	83	-	-	-	-	-	1	4	8	14	22	24	10
White	123	-	-	-	-	-	1	-	10	23	61	28	83	-	-	-	-	-	1	4	8	14	22	24	10
All other	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 195 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	39	-	-	-	-	-	-	2	11	6	14	6	23	-	-	-	-	-	-	-	2	7	10	4
White	39	-	-	-	-	-	-	2	11	6	14	6	22	-	-	-	-	-	-	-	2	6	10	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	74	-	1	-	1	3	4	5	15	19	16	10	51	-	-	1	1	1	3	3	5	14	15	8
White	74	-	1	-	1	3	4	5	15	19	16	10	51	-	-	1	1	1	3	3	5	14	15	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	34	-	-	-	2	-	-	1	2	8	13	8	24	-	-	-	-	-	2	2	2	4	9	5
White	34	-	-	-	2	-	-	1	2	8	13	8	24	-	-	-	-	-	2	2	2	4	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	-	-	-	-	-	1	2	13	11	15	8	43	-	-	-	1	-	1	1	3	12	20	5
White	49	-	-	-	-	-	1	2	12	11	15	8	43	-	-	-	1	-	1	1	3	12	20	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	-	-	-	-	-	-	-	1	2	1	3	13	-	-	-	-	-	-	-	1	3	5	4
White	7	-	-	-	-	-	-	-	1	2	1	3	13	-	-	-	-	-	-	-	1	3	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	76	-	-	-	-	1	1	-	11	26	26	11	86	-	-	-	-	-	1	2	4	23	26	30
White	75	-	-	-	-	1	1	-	11	25	26	11	81	-	-	-	-	-	1	2	4	19	26	29
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	4	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-	7
White	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	1	-	-	4	-	12	-	-	-	-	-	2	-	-	-	5	5
White	5	-	-	-	-	-	-	1	-	-	4	-	12	-	-	-	-	-	2	-	-	-	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,262	1	-	1	3	4	38	47	127	288	459	294	1,171	-	-	-	-	2	3	17	59	129	371	590
White	1,239	1	-	1	3	4	33	42	123	286	454	292	1,148	-	-	-	-	2	3	13	54	125	366	585
All other	23	-	-	-	-	-	5	5	4	2	5	2	23	-	-	-	-	-	-	4	5	4	5	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of heart (390-398,402,404-429)	991	1	-	1	3	4	36	43	113	237	343	210	822	-	-	-	-	1	2	14	48	102	258	397
White	974	1	-	1	3	4	31	39	109	235	343	208	807	-	-	-	-	1	2	11	43	102	254	394
All other	17	-	-	-	-	-	5	4	4	2	-	2	15	-	-	-	-	-	-	3	5	-	4	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	1	-	-	1	-	1	7	-	-	-	-	-	-	1	-	1	2	3
White	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	-	1	-	1	2	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	14	-	-	-	-	-	-	-	2	1	6	5	15	-	-	-	-	-	-	-	2	-	8	5
White	14	-	-	-	-	-	-	-	2	1	6	5	15	-	-	-	-	-	-	-	2	-	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	724	-	-	-	1	1	24	33	87	186	256	136	512	-	-	-	-	-	-	6	35	64	158	249
White	710	-	-	-	1	1	22	29	83	184	256	134	503	-	-	-	-	-	-	4	32	64	155	248
All other	14	-	-	-	-	-	2	4	4	2	-	2	9	-	-	-	-	-	-	2	3	-	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute myocardial infarction (410)	438	-	-	-	-	1	21	22	64	117	144	69	257	-	-	-	-	-	-	3	23	37	87	107
White	428	-	-	-	-	1	19	19	61	117	144	67	252	-	-	-	-	-	-	2	21	37	85	107
All other	10	-	-	-	-	-	2	3	3	-	-	2	5	-	-	-	-	-	-	1	2	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 196 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	280	-	-	-	1	-	3	10	23	69	109	65	255	-	-	-	-	-	-	3	12	27	71	142
White	277	-	-	-	1	-	3	10	22	67	109	65	251	-	-	-	-	-	-	2	11	27	70	141
All other	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other diseases of endocardium (424)	22	-	-	-	-	1	-	-	2	3	12	4	20	-	-	-	-	-	-	-	-	3	7	10
White	22	-	-	-	-	1	-	-	2	3	12	4	20	-	-	-	-	-	-	-	-	3	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	226	1	-	1	2	2	11	10	22	46	68	63	268	-	-	-	-	1	2	7	11	34	83	130
White	224	1	-	1	2	2	9	10	22	46	68	63	262	-	-	-	-	1	2	6	9	34	82	128
All other	2	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	-	-	-	1	2	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	1	-	1	1	3	2	6	-	-	-	-	-	-	-	-	2	2	2
White	7	-	-	-	-	-	1	-	1	1	2	2	5	-	-	-	-	-	-	-	-	1	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	179	-	-	-	-	-	1	3	8	34	79	54	261	-	-	-	-	-	1	2	8	19	88	143
White	178	-	-	-	-	-	1	3	8	34	78	54	256	-	-	-	-	-	1	1	8	18	87	141
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	22	-	-	-	-	-	-	2	3	9	8	-	29	-	-	-	-	-	1	1	2	4	14	7
White	22	-	-	-	-	-	-	2	3	9	8	-	29	-	-	-	-	-	1	1	2	4	14	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	-	-	-	-	-	-	-	1	3	5	8	19	-	-	-	-	-	-	-	-	2	4	13
White	17	-	-	-	-	-	-	-	1	3	5	8	17	-	-	-	-	-	-	-	-	2	4	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	138	-	-	-	-	-	1	1	4	21	66	45	211	-	-	-	-	-	-	1	6	13	69	122
White	137	-	-	-	-	-	1	1	4	21	65	45	208	-	-	-	-	-	-	-	6	12	68	122
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	39	-	-	-	-	-	-	-	1	6	14	18	58	-	-	-	-	-	-	-	-	3	16	39
White	37	-	-	-	-	-	-	-	1	6	12	18	57	-	-	-	-	-	-	-	-	2	16	39
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	45	-	-	-	-	-	-	1	4	10	20	10	24	-	-	-	-	-	1	-	1	3	3	7	9
White	43	-	-	-	-	-	-	-	4	10	19	10	23	-	-	-	-	-	1	-	1	3	2	7	9
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	109	1	-	-	-	-	1	1	1	15	41	49	121	-	-	1	-	-	-	2	4	6	24	84
White	108	-	-	-	-	-	1	1	1	15	41	49	118	-	-	1	-	-	-	1	3	6	23	84
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 197 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	106	1	-	-	-	-	1	1	1	14	40	48	113	-	-	-	-	-	-	2	2	6	22	81
White	105	-	-	-	-	-	1	1	1	14	40	48	110	-	-	-	-	-	-	1	1	6	21	81
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	3	-	-	-	-	-	-	-	-	1	1	1	8	-	-	1	-	-	-	-	2	-	2	3
White	3	-	-	-	-	-	-	-	-	1	1	1	8	-	-	1	-	-	-	-	2	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	149	-	-	-	1	-	1	3	19	38	57	30	73	-	-	-	-	-	-	1	8	19	24	21
White	145	-	-	-	-	-	1	3	18	37	56	30	70	-	-	-	-	-	-	1	7	17	24	21
All other	4	-	-	-	1	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	1	3	1	1	4	-	-	-	-	-	-	-	2	-	1	1
White	5	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	-	1	-	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	27	-	-	-	-	-	-	1	3	3	14	6	11	-	-	-	-	-	-	-	1	5	4	1
White	25	-	-	-	-	-	-	1	2	3	13	6	9	-	-	-	-	-	-	-	1	3	4	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	8	-	-	-	-	-	-	1	3	1	2	1	5	-	-	-	-	-	-	1	-	2	1	1
White	8	-	-	-	-	-	-	1	3	1	2	1	5	-	-	-	-	-	-	1	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	108	-	-	-	1	-	1	1	12	31	40	22	53	-	-	-	-	-	-	-	5	12	18	18
White	107	-	-	-	-	-	1	1	12	31	40	22	53	-	-	-	-	-	-	-	5	12	18	18
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	5	-	-	-	-	-	-	-	1	3	1	-	10	-	-	-	-	-	-	-	-	1	5	4
White	4	-	-	-	-	-	-	-	-	3	1	-	10	-	-	-	-	-	-	-	-	1	5	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	1	-	-	-	-	-	-	-	3	1	4	12	-	-	-	-	-	-	-	-	-	5	7
White	9	1	-	-	-	-	-	-	-	3	1	4	12	-	-	-	-	-	-	-	-	-	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	41	-	-	-	-	1	5	3	17	10	5	-	15	-	-	-	-	-	-	2	2	2	6	3
White	35	-	-	-	-	-	4	1	15	10	5	-	15	-	-	-	-	-	-	2	2	2	6	3
All other	6	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	-	3	2	7	-	-	-	-	-	-	-	-	-	5	2
White	5	-	-	-	-	-	-	-	-	-	3	2	7	-	-	-	-	-	-	-	-	-	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	36	2	-	-	-	-	-	1	2	4	14	13	21	-	-	-	-	-	-	-	2	1	5	13
White	36	2	-	-	-	-	-	1	2	4	14	13	21	-	-	-	-	-	-	-	2	1	5	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 198 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	1	1	1
White	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	2	-	-	-	-	-	1	2	4	13	12	17	-	-	-	-	-	-	-	1	-	4	12
White	34	2	-	-	-	-	-	1	2	4	13	12	17	-	-	-	-	-	-	-	1	-	4	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	16	10	1	2	1	-	1	-	-	-	-	1	17	11	2	-	-	1	1	-	1	1	-	-
White	13	8	1	2	1	-	1	-	-	-	-	-	14	8	2	-	-	1	1	-	1	1	-	-
All other	3	2	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	11	9	1	-	-	1	-	-	-	-	-	-	15	14	-	1	-	-	-	-	-	-	-	-
White	11	9	1	-	-	1	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	-	-	-	1	-	-	-	-	-	-	7	6	-	1	-	-	-	-	-	-	-	-
White	3	2	-	-	-	1	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	8	7	1	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	8	7	1	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	11	-	-	-	-	-	-	-	6	7	14	38	6	-	-	-	-	1	-	1	5	9	16
White	32	10	-	-	-	-	-	-	-	5	5	12	31	5	-	-	-	-	-	-	1	2	7	16
All other	6	1	-	-	-	-	-	-	-	1	2	2	7	1	-	-	-	-	1	-	-	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	221	2	1	-	4	3	10	10	21	40	72	58	250	2	2	2	-	2	7	6	13	25	74	117
White	213	2	1	-	4	2	9	8	19	39	71	58	244	-	2	2	-	2	5	6	13	25	73	116
All other	8	-	-	-	-	1	1	2	2	1	1	-	6	2	-	-	-	-	2	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	149	1	-	5	25	27	20	14	9	13	21	14	57	-	3	3	6	5	7	1	5	6	9	12
White	130	1	-	5	21	24	16	10	8	11	20	14	47	-	3	2	4	2	5	1	3	6	9	12
All other	19	-	-	-	4	3	4	4	1	2	1	-	10	-	-	1	2	3	2	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 199 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	72	-	-	-	19	16	14	7	3	5	7	1	26	-	1	-	6	3	3	1	5	4	2	1
White	57	-	-	-	15	13	10	4	3	5	6	1	19	-	1	-	4	1	2	1	3	4	2	1
All other	15	-	-	-	4	3	4	3	-	-	1	-	7	-	-	-	2	2	1	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	77	1	-	5	6	11	6	7	6	8	14	13	31	-	2	3	-	2	4	-	-	2	7	11
White	73	1	-	5	6	11	6	6	5	6	14	13	28	-	2	2	-	1	3	-	-	2	7	11
All other	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	1	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	58	...	...	1	20	9	10	4	6	5	2	1	16	...	...	1	4	2	3	2	1	2	1	-
White	52	...	...	1	17	8	9	4	6	5	1	1	14	...	...	1	2	2	3	2	1	2	1	-
All other	6	...	...	-	3	1	1	-	-	-	1	-	2	...	...	-	2	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	5	-	-	-	1	3	-	-	-	1	-	-	5	-	-	1	-	-	1	1	2	-	-	-
White	4	-	-	-	1	2	-	-	-	1	-	-	5	-	-	1	-	-	1	1	2	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO																								
All causes	50,409	907	161	206	1,011	1,500	2,121	3,140	7,125	13,448	13,783	7,005	49,781	652	119	114	362	608	1,034	2,002	4,769	10,213	14,888	15,020
White	44,515	624	125	166	752	1,148	1,690	2,611	6,156	12,051	12,688	6,503	44,839	452	85	93	294	452	814	1,682	4,075	9,051	13,718	14,123
All other	5,894	283	36	40	259	352	431	529	969	1,397	1,095	502	4,942	200	34	21	68	156	220	320	694	1,162	1,170	897
Black	5,775	274	35	37	251	345	421	518	955	1,374	1,074	490	4,841	195	33	20	64	148	215	315	677	1,140	1,153	881
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	2	1	-	-	-	1	1	1	-	3	2	13	4	-	-	-	-	-	1	1	2	-	5
White	7	1	-	-	-	-	1	1	1	-	2	1	11	2	-	-	-	-	-	1	1	2	-	5
All other	4	1	1	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	21	-	-	-	-	1	-	2	4	5	7	2	19	-	-	-	-	-	1	-	2	3	6	7
White	16	-	-	-	-	1	-	2	1	5	5	2	16	-	-	-	-	-	1	-	2	3	4	6
All other	5	-	-	-	-	-	-	-	3	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	4	-	-	-	-	-	-	-	3	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Tuberculosis of respiratory system (010-012)	17	-	-	-	-	1	-	1	3	5	6	1	17	-	-	-	-	-	-	-	2	2	6	7
White	14	-	-	-	-	1	-	1	1	5	5	1	14	-	-	-	-	-	-	-	2	2	4	6
All other	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Other tuberculosis (013-018)	4	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	1	-	-	1	-	-
White	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	-	1	1	1	2	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	8	-	1	1	1	2	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	343	2	4	-	1	4	13	16	32	103	104	64	464	2	3	-	-	5	9	11	35	97	163	139
White	291	2	2	-	1	1	8	12	24	87	97	57	409	1	2	-	-	5	7	7	32	85	146	124
All other	52	-	2	-	-	3	5	4	8	16	7	7	55	1	1	-	-	-	2	4	3	12	17	15
Black	49	-	2	-	-	3	5	4	8	14	6	7	54	1	1	-	-	-	2	4	3	12	17	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 200 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	19	1	-	-	-	1	7	2	3	3	2	-	16	-	-	-	-	-	2	2	4	4	2	2
White	14	-	-	-	-	1	5	1	2	3	2	-	14	-	-	-	-	-	2	2	3	4	2	1
All other	5	1	-	-	-	-	2	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	4	1	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	571	10	2	2	11	180	182	78	38	30	29	9	157	7	5	4	6	16	17	16	19	26	24	17
White	444	8	2	1	8	141	137	58	29	24	28	8	117	5	2	4	4	5	10	11	14	24	23	15
All other	127	2	-	1	3	39	45	20	9	6	1	1	40	2	3	-	2	11	7	5	5	2	1	2
Black	125	2	-	1	3	39	45	19	8	6	1	1	40	2	3	-	2	11	7	5	5	2	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,726	3	8	18	57	117	314	885	2,564	4,328	3,397	1,035	11,506	3	11	12	31	107	362	895	2,038	3,427	3,093	1,527
White	11,209	2	8	17	48	100	264	753	2,201	3,833	3,050	933	10,370	2	10	10	23	88	316	777	1,791	3,081	2,861	1,411
All other	1,517	1	-	1	9	17	50	132	363	495	347	102	1,136	1	1	2	8	19	46	118	247	346	232	116
Black	1,484	1	-	1	9	15	45	131	356	484	342	100	1,116	1	1	2	7	17	46	117	243	341	230	113
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	228	-	-	-	-	3	7	30	53	87	37	11	119	-	-	-	-	1	1	6	27	27	40	17
White	193	-	-	-	-	1	3	24	42	76	36	11	100	-	-	-	-	1	1	6	20	24	31	17
All other	35	-	-	-	-	2	4	6	11	11	1	-	19	-	-	-	-	-	-	-	7	3	9	-
Black	31	-	-	-	-	1	3	6	10	10	1	-	19	-	-	-	-	-	-	-	7	3	9	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,892	1	-	1	2	17	87	197	585	960	792	250	2,719	-	-	-	4	14	38	125	395	758	839	546
White	2,525	-	-	1	2	13	69	164	497	839	709	231	2,440	-	-	-	4	11	34	110	330	682	769	500
All other	367	1	-	-	-	4	18	33	88	121	83	19	279	-	-	-	-	3	4	15	65	76	70	46
Black	354	1	-	-	-	3	15	32	87	118	80	18	275	-	-	-	-	3	4	15	63	75	69	46
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,704	-	-	-	1	9	62	353	1,183	1,809	1,079	208	2,600	-	-	-	-	9	29	225	572	989	603	173
White	4,136	-	-	-	1	7	53	289	1,015	1,611	981	179	2,325	-	-	-	-	7	26	184	492	889	570	157
All other	568	-	-	-	-	2	9	64	168	198	98	29	275	-	-	-	-	2	3	41	80	100	33	16
Black	561	-	-	-	-	2	9	64	166	195	97	28	271	-	-	-	-	2	3	41	78	100	32	15
Malignant neoplasm of breast (174-175)	14	-	-	-	-	-	-	2	3	5	3	1	2,023	-	-	-	-	24	136	241	401	511	472	238
White	11	-	-	-	-	-	-	1	3	3	3	1	1,844	-	-	-	-	20	113	206	366	474	439	226
All other	3	-	-	-	-	-	-	1	-	2	-	-	179	-	-	-	-	4	23	35	35	37	33	12
Black	3	-	-	-	-	-	-	1	-	2	-	-	176	-	-	-	-	4	23	34	35	36	33	11
Malignant neoplasms of genital organs (179-187)	1,504	-	-	-	3	8	5	21	107	446	617	297	1,136	-	-	-	2	6	56	114	219	341	282	116
White	1,274	-	-	-	3	8	5	17	87	368	524	262	1,021	-	-	-	2	6	49	105	196	298	260	105
All other	230	-	-	-	-	-	-	4	20	78	93	35	115	-	-	-	-	-	7	9	23	43	22	11
Black	228	-	-	-	-	-	-	4	19	77	93	35	113	-	-	-	-	-	7	9	23	41	22	11
Malignant neoplasms of urinary organs (188-189)	656	-	-	1	1	3	14	36	113	197	219	72	371	-	-	-	1	3	6	14	61	112	110	64
White	609	-	-	1	1	2	8	34	104	183	207	69	332	-	-	-	1	2	4	12	55	99	99	60
All other	47	-	-	-	-	1	6	2	9	14	12	3	39	-	-	-	-	1	2	2	6	13	11	4
Black	47	-	-	-	-	1	6	2	9	14	12	3	39	-	-	-	-	1	2	2	6	13	11	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,518	2	5	9	21	42	81	157	322	457	318	104	1,446	3	8	10	7	26	61	107	223	401	403	197
White	1,358	2	5	8	19	39	73	145	275	416	280	96	1,318	2	7	8	6	23	59	99	202	355	374	183
All other	160	-	-	1	2	3	8	12	47	41	38	8	128	1	1	2	1	3	2	8	21	46	29	14
Black	154	-	-	1	2	3	7	12	45	39	37	8	126	1	1	2	1	2	2	8	21	46	29	13
Leukemia (204-208)	473	-	3	4	11	8	17	26	73	164	129	38	420	-	3	2	8	12	20	25	47	98	128	77
White	444	-	3	4	9	7	17	23	67	153	124	37	380	-	3	2	4	10	17	21	41	89	122	71
All other	29	-	-	-	2	1	-	3	6	11	5	1	40	-	-	-	4	2	3	4	6	9	6	6
Black	28	-	-	-	2	1	-	3	6	10	5	1	38	-	-	-	3	1	3	4	6	9	6	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	737	-	-	3	18	27	41	63	125	203	203	54	672	-	-	-	9	12	15	38	93	190	216	99
White	659	-	-	3	13	23	36	56	111	184	186	47	610	-	-	-	6	8	13	34	89	171	197	92
All other	78	-	-	-	5	4	5	7	14	19	17	7	62	-	-	-	3	4	2	4	4	19	19	7
Black	78	-	-	-	5	4	5	7	14	19	17	7	61	-	-	-	3	4	2	4	4	18	19	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	177	4	2	2	3	7	11	18	14	53	45	18	236	4	1	2	3	5	9	10	20	53	70	59
White	160	3	2	2	2	7	10	14	12	48	43	17	206	3	1	1	2	4	5	9	15	46	63	57
All other	17	1	-	-	1	-	1	4	2	5	2	1	30	1	-	1	1	1	4	1	5	7	7	2
Black	17	1	-	-	1	-	1	4	2	5	2	1	29	1	-	1	-	1	4	1	5	7	7	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 201 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	1,224	-	-	-	4	17	38	96	201	379	363	126	1,618	-	1	-	2	14	27	61	182	463	536	332
White	1,078	-	-	-	4	15	29	78	176	335	325	116	1,377	-	1	-	2	11	24	45	146	392	461	295
All other	146	-	-	-	-	2	9	18	25	44	38	10	241	-	-	-	-	3	3	16	36	71	75	37
Black	144	-	-	-	-	2	9	18	25	43	37	10	236	-	-	-	-	3	3	16	35	70	72	37
Nutritional deficiencies (260-269)	64	1	-	-	-	1	-	-	2	10	27	23	105	-	1	-	-	-	2	2	7	8	30	55
White	62	1	-	-	-	1	-	-	2	10	26	22	95	-	-	-	-	-	2	2	7	8	26	50
All other	2	-	-	-	-	-	-	-	-	-	1	1	10	-	1	-	-	-	-	-	-	-	4	5
Black	2	-	-	-	-	-	-	-	-	-	1	1	10	-	1	-	-	-	-	-	-	-	4	5
Anemias (280-285)	99	-	-	-	3	8	4	3	8	8	30	35	138	-	-	2	3	5	2	3	8	20	41	54
White	76	-	-	-	-	2	2	3	7	6	24	32	123	-	-	-	3	2	1	3	8	18	40	48
All other	23	-	-	-	3	6	2	-	1	2	6	3	15	-	-	2	-	3	1	-	-	2	1	6
Black	22	-	-	-	3	6	2	-	1	2	6	2	15	-	-	2	-	3	1	-	-	2	1	6
Meningitis (320-322)	14	-	-	1	-	1	2	3	2	3	2	-	13	2	1	1	1	-	-	-	1	2	-	5
White	7	-	-	-	-	-	-	3	1	2	1	-	10	1	-	1	1	-	-	-	1	2	-	4
All other	7	-	-	1	-	1	2	-	1	1	1	-	3	1	1	-	-	-	-	-	-	-	-	1
Black	7	-	-	1	-	1	2	-	1	1	1	-	3	1	1	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	20,661	16	8	17	25	132	501	1,147	2,878	5,823	6,449	3,664	22,939	16	4	5	27	71	206	509	1,476	4,050	7,548	9,027
White	18,733	10	8	14	14	103	408	962	2,506	5,273	5,991	3,443	20,869	12	3	3	24	49	142	397	1,218	3,540	6,961	8,520
All other	1,928	6	-	3	11	29	93	185	372	550	458	221	2,070	4	1	2	3	22	64	112	258	510	587	507
Black	1,900	5	-	3	11	29	92	179	367	544	452	218	2,032	4	1	2	3	22	64	111	252	497	578	498
Diseases of heart (390-398,402,404-429)	17,088	11	6	13	18	106	433	1,021	2,547	4,871	5,182	2,879	17,906	13	3	2	15	45	148	390	1,223	3,304	5,916	6,847
White	15,524	7	6	10	8	82	355	868	2,238	4,419	4,827	2,703	16,313	10	2	1	13	27	105	304	1,012	2,892	5,475	6,472
All other	1,564	4	-	3	10	24	78	153	309	452	355	176	1,593	3	1	1	2	18	43	86	211	412	441	375
Black	1,545	3	-	3	10	24	78	148	304	449	351	175	1,568	3	1	1	2	18	43	86	207	401	435	371
Rheumatic fever and rheumatic heart disease (390-398)	92	-	-	-	-	1	6	9	19	28	24	5	224	1	-	-	1	1	8	14	25	51	80	43
White	84	-	-	-	-	-	6	6	17	26	24	5	200	1	-	-	1	1	6	10	22	45	76	38
All other	8	-	-	-	-	1	-	3	2	2	-	-	24	-	-	-	-	-	2	4	3	6	4	5
Black	8	-	-	-	-	1	-	3	2	2	-	-	24	-	-	-	-	-	2	4	3	6	4	5
Hypertensive heart disease (402)	449	-	-	-	2	5	26	50	70	118	114	64	602	-	-	-	-	3	7	22	51	92	213	214
White	324	-	-	-	1	4	15	29	44	83	93	55	478	-	-	-	-	-	-	13	30	61	180	194
All other	125	-	-	-	1	1	11	21	26	35	21	9	124	-	-	-	-	3	7	9	21	31	33	20
Black	124	-	-	-	1	1	11	21	25	35	21	9	123	-	-	-	-	3	7	9	21	30	33	20
Hypertensive heart and renal disease (404)	54	-	-	-	1	-	5	4	8	8	20	8	100	-	-	-	-	3	1	3	5	20	37	31
White	35	-	-	-	-	-	1	-	4	6	16	8	75	-	-	-	-	-	1	-	3	15	29	27
All other	19	-	-	-	1	-	4	4	4	2	4	-	25	-	-	-	-	3	-	3	2	5	8	4
Black	19	-	-	-	1	-	4	4	4	2	4	-	25	-	-	-	-	3	-	3	2	5	8	4
Ischemic heart disease (410-414)	12,129	-	-	1	2	35	283	707	1,827	3,596	3,730	1,947	11,847	-	-	-	-	10	63	239	797	2,294	4,000	4,444
White	11,215	-	-	-	1	33	244	634	1,645	3,311	3,511	1,835	10,927	-	-	-	-	7	46	193	667	2,036	3,752	4,226
All other	914	-	-	1	1	2	39	73	182	285	219	112	920	-	-	-	-	3	17	46	130	258	248	218
Black	900	-	-	1	1	2	39	68	178	282	217	112	905	-	-	-	-	3	17	46	126	249	247	217
Acute myocardial infarction (410)	5,734	-	-	1	-	17	183	417	997	1,773	1,656	690	5,169	-	-	-	-	3	44	125	401	1,156	1,834	1,606
White	5,388	-	-	-	-	17	164	388	930	1,674	1,566	649	4,811	-	-	-	-	3	33	109	355	1,050	1,727	1,534
All other	346	-	-	1	-	-	19	29	67	99	90	41	358	-	-	-	-	-	11	16	46	106	107	72
Black	341	-	-	1	-	-	19	27	65	98	90	41	348	-	-	-	-	-	11	16	45	98	106	72
Other acute and subacute forms of ischemic heart disease (411)	73	-	-	-	-	-	2	7	8	32	19	5	62	-	-	-	-	-	1	2	4	11	18	26
White	67	-	-	-	-	-	1	6	7	30	19	4	61	-	-	-	-	-	1	1	4	11	18	26
All other	6	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	6	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Angina pectoris (413)	25	-	-	-	-	-	-	2	2	5	7	9	41	-	-	-	-	-	-	-	3	7	16	15
White	22	-	-	-	-	-	-	2	1	4	7	8	40	-	-	-	-	-	-	-	2	7	16	15
All other	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,297	-	-	-	2	18	98	281	820	1,786	2,048	1,243	6,575	-	-	-	-	7	18	112	389	1,120	2,132	2,797
White	5,738	-	-	-	1	16	79	238	707	1,603	1,919	1,174	6,015	-	-	-	-	4	12	83	306	968	1,991	2,651
All other	559	-	-	-	1	2	19	43	113	183	129	69	560	-	-	-	-	3	6	29	83	152	141	146
Black	550	-	-	-	1	2	19	40	111	181	127	69	555	-	-	-	-	3	6	29	80	151	141	145
Other diseases of endocardium (424)	244	-	-	1	-	4	4	8	24	55	86	62	378	2	-	-	-	2	7	7	21	40	140	159
White	230	-	-	1	-	4	4	7	19	52	82	61	359	1	-	-	-	1	6	6	17	38	135	155
All other	14	-	-	-	-	-	-	1	5	3	4	1	19	1	-	-	-	1	1	1	4	2	5	4
Black	14	-	-	-	-	-	-	1	5	3	4	1	17	1	-	-	-	1	1	1	4	1	5	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 202 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	4,120	11	6	11	13	61	109	243	599	1,066	1,208	793	4,755	10	3	2	14	26	62	105	324	807	1,446	1,956
White	3,636	7	6	9	6	41	85	192	509	941	1,101	739	4,274	8	2	1	12	18	46	82	273	697	1,303	1,832
All other	484	4	-	2	7	20	24	51	90	125	107	54	481	2	1	1	2	8	16	23	51	110	143	124
Black	480	3	-	2	7	20	24	51	90	125	105	53	474	2	1	1	2	8	16	23	51	110	138	122
Hypertension with or without renal disease (401,403)	189	-	1	1	-	-	3	13	25	51	63	32	259	-	-	-	1	-	1	9	18	52	82	96
White	143	-	1	1	-	-	-	6	17	38	53	27	209	-	-	-	1	-	-	8	12	40	67	81
All other	46	-	-	-	-	-	3	7	8	13	10	5	50	-	-	-	-	-	1	1	6	12	15	15
Black	45	-	-	-	-	-	3	7	8	12	10	5	49	-	-	-	-	-	1	1	6	12	15	14
Cerebrovascular diseases (430-438)	2,389	4	1	3	3	20	52	82	199	582	891	552	3,763	3	1	3	9	21	50	98	189	535	1,248	1,606
White	2,125	2	1	3	2	15	44	63	152	511	808	524	3,419	2	1	2	9	18	33	76	155	470	1,141	1,512
All other	264	2	-	-	1	5	8	19	47	71	83	28	344	1	-	1	-	3	17	22	34	65	107	94
Black	259	2	-	-	1	5	7	19	47	70	81	27	336	1	-	1	-	3	17	21	33	64	105	91
Intracerebral and other intracranial hemorrhage (431-432)	381	1	-	2	-	6	19	34	62	116	95	46	473	-	-	1	3	6	11	25	38	110	168	111
White	325	1	-	2	-	3	14	26	46	105	85	43	432	-	-	1	3	5	5	20	30	107	154	107
All other	56	-	-	-	-	3	5	8	16	11	10	3	41	-	-	-	-	1	6	5	8	3	14	4
Black	54	-	-	-	-	3	4	8	16	10	10	3	40	-	-	-	-	1	6	5	7	3	14	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	328	-	-	-	2	1	4	8	26	81	118	88	463	-	1	-	-	-	2	5	29	57	168	201
White	297	-	-	-	1	1	3	8	21	70	109	84	434	-	1	-	-	-	1	4	25	53	156	194
All other	31	-	-	-	1	-	1	-	5	11	9	4	29	-	-	-	-	-	1	1	4	4	12	7
Black	31	-	-	-	1	-	1	-	5	11	9	4	28	-	-	-	-	-	1	1	4	4	11	7
Cerebral embolism (434.1)	8	-	-	-	-	-	-	-	-	-	7	1	18	-	-	-	-	-	-	1	-	1	4	6	6
White	8	-	-	-	-	-	-	-	-	-	7	1	18	-	-	-	-	-	-	1	-	1	4	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,672	3	1	1	1	13	29	40	111	385	671	417	2,809	3	-	2	6	15	36	68	121	364	906	1,288
White	1,495	1	1	1	1	11	27	29	85	336	607	396	2,535	2	-	1	6	13	26	52	99	306	825	1,205
All other	177	2	-	-	-	2	2	11	26	49	64	21	274	1	-	1	-	2	10	16	22	58	81	83
Black	174	2	-	-	-	2	2	11	26	49	62	20	268	1	-	1	-	2	10	15	22	57	80	80
Atherosclerosis (440)	296	1	-	-	-	-	3	6	15	58	95	118	492	-	-	-	-	-	-	3	4	40	122	323
White	276	1	-	-	-	-	3	6	12	55	91	108	465	-	-	-	-	-	-	2	4	37	114	308
All other	20	-	-	-	-	-	-	-	3	3	4	10	27	-	-	-	-	-	-	1	-	3	8	15
Black	19	-	-	-	-	-	-	-	3	3	4	9	26	-	-	-	-	-	-	1	-	3	8	14
Other diseases of arteries, arterioles, and capillaries (441-448)	699	-	-	-	4	6	10	25	92	261	218	83	519	-	-	-	2	5	7	9	42	119	180	155
White	665	-	-	-	4	6	6	19	87	250	212	81	463	-	-	-	1	4	4	7	35	101	164	147
All other	34	-	-	-	-	-	4	6	5	11	6	2	56	-	-	-	1	1	3	2	7	18	16	8
Black	32	-	-	-	-	-	4	5	5	10	6	2	53	-	-	-	1	1	3	2	6	17	15	8
Acute bronchitis and bronchiolitis (466)	19	4	1	-	-	1	-	-	2	1	5	5	26	1	-	-	-	-	-	1	3	3	9	9
White	16	4	-	-	-	1	-	-	2	1	4	4	26	1	-	-	-	-	-	1	3	3	9	9
All other	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,485	16	7	3	4	21	25	41	80	253	513	522	1,681	11	1	1	1	8	13	27	58	191	486	884
White	1,339	10	6	3	2	15	17	29	68	230	466	493	1,555	5	1	1	1	7	8	21	52	166	452	841
All other	146	6	1	-	2	6	8	12	12	23	47	29	126	6	-	-	-	1	5	6	6	25	34	43
Black	142	6	1	-	2	6	8	12	12	22	46	27	124	6	-	-	-	1	5	6	6	25	33	42
Pneumonia (480-486)	1,459	15	6	3	3	20	25	41	78	247	509	512	1,637	11	1	1	1	8	12	27	56	185	471	864
White	1,315	10	5	3	2	14	17	29	66	224	462	483	1,513	5	1	1	1	7	7	21	50	160	438	822
All other	144	5	1	-	1	6	8	12	12	23	47	29	124	6	-	-	-	1	5	6	6	25	33	42
Black	140	5	1	-	1	6	8	12	12	22	46	27	122	6	-	-	-	1	5	6	6	25	32	41
Influenza (487)	26	1	1	-	1	1	-	-	2	6	4	10	44	-	-	-	-	-	1	-	2	6	15	20
White	24	-	1	-	-	1	-	-	2	6	4	10	42	-	-	-	-	-	1	-	2	6	14	19
All other	2	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,490	-	-	5	4	9	19	64	302	821	906	360	1,921	1	-	1	1	6	10	45	259	613	695	290
White	2,294	-	-	2	1	2	14	51	278	753	852	341	1,819	-	-	1	1	4	7	37	238	578	677	276
All other	196	-	-	3	3	7	5	13	24	68	54	19	102	1	-	-	-	2	3	8	21	35	18	14
Black	194	-	-	2	3	7	5	13	24	68	54	18	99	1	-	-	-	2	3	7	20	34	18	14
Bronchitis, chronic and unspecified (490-491)	109	-	-	-	-	1	1	5	15	39	32	16	85	1	-	1	1	-	2	4	13	19	27	17
White	104	-	-	-	-	-	1	4	14	39	31	15	79	-	-	1	1	-	1	3	12	19	26	16
All other	5	-	-	-	-	1	-	1	1	-	1	1	6	1	-	-	-	-	1	1	1	-	1	1
Black	5	-	-	-	-	1	-	1	1	-	1	1	6	1	-	-	-	-	1	1	1	-	1	1
Emphysema (492)	431	-	-	-	-	-	1	16	52	166	147	49	320	-	-	-	-	-	-	7	52	130	107	24
White	401	-	-	-	-	-	1	11	49	153	139	48	311	-	-	-	-	-	-	7	50	127	104	23
All other	30	-	-	-	-	-	-	5	3	13	8	1	9	-	-	-	-	-	-	-	2	3	3	1
Black	30	-	-	-	-	-	-	5	3	13	8	1	9	-	-	-	-	-	-	-	2	3	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 203 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	76	-	-	5	3	8	10	4	12	17	9	8	121	-	-	-	-	6	3	13	21	27	40	11
White	53	-	-	2	-	2	6	3	9	15	8	8	104	-	-	-	-	4	2	9	17	24	38	10
All other	23	-	-	3	3	6	4	1	3	2	1	-	17	-	-	-	-	2	1	4	4	3	2	1
Black	22	-	-	2	3	6	4	1	3	2	1	-	16	-	-	-	-	2	1	3	4	3	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,874	-	-	-	1	-	7	39	223	599	718	287	1,395	-	-	-	-	-	5	21	173	437	521	238
White	1,736	-	-	-	1	-	6	33	206	546	674	270	1,325	-	-	-	-	-	4	18	159	408	509	227
All other	138	-	-	-	-	-	1	6	17	53	44	17	70	-	-	-	-	-	1	3	14	29	12	11
Black	137	-	-	-	-	-	1	6	17	53	44	16	68	-	-	-	-	-	1	3	13	28	12	11
Ulcer of stomach and duodenum (531-533)	116	1	-	-	-	-	2	7	15	27	41	23	118	-	-	-	-	-	-	1	12	21	39	45
White	102	1	-	-	-	-	2	7	12	23	36	21	114	-	-	-	-	-	-	1	11	20	38	44
All other	14	-	-	-	-	-	-	-	3	4	5	2	4	-	-	-	-	-	-	-	1	1	1	1
Black	12	-	-	-	-	-	-	-	3	4	3	2	4	-	-	-	-	-	-	-	1	1	1	1
Appendicitis (540-543)	7	-	-	-	1	-	2	-	1	-	2	1	8	-	-	-	-	-	-	1	-	1	1	5
White	7	-	-	-	1	-	2	-	1	-	2	1	7	-	-	-	-	-	-	1	-	1	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	94	3	-	2	-	-	1	1	7	21	32	27	185	2	1	-	-	3	1	4	5	23	67	79
White	79	1	-	1	-	-	1	1	3	17	29	26	161	1	-	-	-	1	1	4	4	18	58	74
All other	15	2	-	1	-	-	-	-	4	4	3	1	24	1	1	-	-	2	-	-	1	5	9	5
Black	14	2	-	-	-	-	-	-	4	4	3	1	24	1	1	-	-	2	-	-	1	5	9	5
Chronic liver disease and cirrhosis (571)	581	-	-	-	1	13	81	110	139	151	72	14	351	-	-	-	-	7	30	36	69	103	82	24
White	505	-	-	-	1	10	60	89	122	138	71	14	304	-	-	-	-	4	22	32	58	88	78	22
All other	76	-	-	-	-	3	21	21	17	13	1	-	47	-	-	-	-	3	8	4	11	15	4	2
Black	73	-	-	-	-	2	21	20	17	13	-	-	46	-	-	-	-	3	8	3	11	15	4	2
Cholelithiasis and other disorders of gallbladder (574-575)	59	-	-	-	-	-	1	2	6	13	24	13	66	-	-	-	1	-	1	-	4	9	21	30
White	52	-	-	-	-	-	1	1	4	12	21	13	59	-	-	-	-	-	-	-	3	9	19	28
All other	7	-	-	-	-	-	-	1	2	1	3	-	7	-	-	-	1	-	1	-	1	-	2	2
Black	6	-	-	-	-	-	-	1	1	1	3	-	7	-	-	-	1	-	1	-	1	-	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	532	3	-	2	2	5	15	16	49	109	187	144	526	1	-	-	2	2	3	12	24	106	185	191
White	457	2	-	2	1	2	10	10	40	91	175	124	443	-	-	-	-	2	2	12	17	82	161	167
All other	75	1	-	-	1	3	5	6	9	18	12	20	83	1	-	-	2	-	1	-	7	24	24	24
Black	73	1	-	-	1	3	5	6	9	18	12	18	82	1	-	-	2	-	1	-	7	23	24	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	1	-	-	-	-	1	-	2	3	6	-	-	-	-	-	-	-	-	1	3	2
White	7	-	-	1	-	-	-	-	1	-	2	3	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	1	-	-	2	-	3	-	1	4	10	10	32	-	-	-	1	-	-	1	2	* 8	11	9
White	24	-	-	-	1	-	3	-	1	4	9	6	27	-	-	-	-	-	-	1	2	6	10	8
All other	7	1	-	-	1	-	-	-	-	-	1	4	5	-	-	-	1	-	-	-	-	2	1	1
Black	7	1	-	-	1	-	-	-	-	-	1	4	5	-	-	-	1	-	-	-	-	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	494	2	-	1	-	5	12	16	47	105	175	131	488	1	-	-	1	2	3	11	22	97	171	180
White	426	2	-	1	-	2	7	10	38	87	164	115	411	-	-	-	-	2	2	11	15	75	149	157
All other	68	-	-	-	-	3	5	6	9	18	11	16	77	1	-	-	1	-	1	-	7	22	22	23
Black	66	-	-	-	-	3	5	6	9	18	11	14	76	1	-	-	1	-	1	-	7	21	22	23
Infections of kidney (590)	19	-	-	1	-	-	-	-	1	3	5	9	32	1	1	-	-	-	1	2	2	5	10	10
White	16	-	-	1	-	-	-	-	1	2	4	8	26	1	1	-	-	-	1	1	-	4	9	9
All other	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	1	2	1	1	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	1	2	1	1	1
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	-	10	8	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	-	8	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	5	7	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	4	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 204 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	4	6	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
Congenital anomalies (740-759)	323	166	21	13	11	10	16	11	11	27	23	14	284	157	13	9	11	6	7	7	18	16	22	18
White	271	134	17	10	10	7	13	9	10	26	21	14	237	120	11	7	10	6	7	7	17	15	19	18
All other	52	32	4	3	1	3	3	2	1	1	2	-	47	37	2	2	1	-	-	-	1	1	3	-
Black	52	32	4	3	1	3	3	2	1	1	2	-	45	35	2	2	1	-	-	-	1	1	3	-
Certain conditions originating in the perinatal period (760-779)	433	431	2	-	-	-	-	-	-	-	-	-	297	294	2	-	-	-	-	-	-	-	-	1
White	274	272	2	-	-	-	-	-	-	-	-	-	204	201	2	-	-	-	-	-	-	-	-	1
All other	159	159	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
Black	154	154	-	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	94	93	1	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
White	65	64	1	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	339	338	1	-	-	-	-	-	-	-	-	-	237	234	2	-	-	-	-	-	-	-	-	1
White	209	208	1	-	-	-	-	-	-	-	-	-	161	158	2	-	-	-	-	-	-	-	-	1
All other	130	130	-	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-
Black	125	125	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	947	170	24	11	93	115	117	86	86	101	99	45	654	96	10	10	25	55	55	46	54	83	95	125
White	731	122	15	7	51	83	87	73	77	84	88	44	544	64	8	7	14	37	43	37	48	75	91	120
All other	216	48	9	4	42	32	30	13	9	17	11	1	110	32	2	3	11	18	12	9	6	8	4	5
Black	208	46	9	4	39	32	28	12	9	17	11	1	105	31	2	2	11	17	12	8	5	8	4	5
All other diseases (Residual)	3,544	47	13	19	42	76	158	214	403	836	1,075	661	4,563	30	17	19	18	57	86	158	314	693	1,394	1,777
White	3,120	34	10	14	38	55	118	171	335	749	1,004	592	4,130	23	13	16	13	40	67	136	258	612	1,266	1,686
All other	424	13	3	5	4	21	40	43	68	87	71	69	433	7	4	3	5	17	19	22	56	81	128	91
Black	422	13	3	5	4	21	40	43	68	86	70	69	426	7	3	3	5	16	19	22	56	80	126	89
Accidents and adverse effects (E800-E949)	2,270	20	54	87	426	406	322	180	157	214	251	153	1,363	10	42	36	148	123	95	92	113	162	249	293
White	1,989	13	46	75	378	350	273	155	134	185	237	143	1,233	6	28	33	138	112	74	83	94	150	237	278
All other	281	7	8	12	48	56	49	25	23	29	14	10	130	4	14	3	10	11	21	9	19	12	12	15
Black	267	6	8	11	44	52	49	25	23	28	12	9	120	4	14	3	9	9	18	9	15	12	12	15
Motor vehicle accidents (E810-E825)	1,154	2	14	57	336	274	169	91	67	65	64	15	502	1	10	15	123	78	64	50	50	51	43	17
White	1,028	1	13	49	299	242	156	80	61	54	58	15	467	1	9	15	117	71	56	46	45	49	42	16
All other	126	1	1	8	37	32	13	11	6	11	6	-	35	-	1	-	6	7	8	4	5	2	1	1
Black	117	1	1	7	34	29	13	11	6	10	5	-	29	-	1	-	5	6	5	4	4	2	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,116	18	40	30	90	132	153	89	90	149	187	138	861	9	32	21	25	45	31	42	63	111	206	276
White	961	12	33	26	79	108	117	75	73	131	179	128	766	5	19	18	21	41	18	37	49	101	195	262
All other	155	6	7	4	11	24	36	14	17	18	8	10	95	4	13	3	4	4	13	5	14	10	11	14
Black	150	5	7	4	10	23	36	14	17	18	7	9	91	4	13	3	4	3	13	5	11	10	11	14
Suicide (E950-E959)	996	...	...	13	167	213	183	116	96	115	69	24	241	...	...	3	33	45	55	43	30	18	12	2
White	925	...	...	12	155	191	169	109	89	110	67	23	213	...	...	3	28	37	47	41	28	16	11	2
All other	71	...	...	1	12	22	14	7	7	5	2	1	28	...	...	-	5	8	8	2	2	2	1	-
Black	69	...	...	1	12	22	12	7	7	5	2	1	25	...	...	-	4	7	7	2	2	2	1	-
Homicide and legal intervention (E960-E978)	498	6	11	9	149	153	97	35	17	10	8	2	201	9	5	9	42	62	33	13	9	9	5	5
White	191	3	6	4	33	54	52	15	13	4	6	1	118	4	2	6	27	31	18	10	5	8	3	4
All other	307	3	5	5	116	99	45	20	4	6	2	1	83	5	3	3	15	31	15	3	4	1	2	1
Black	306	3	5	5	115	99	45	20	4	6	2	1	81	5	3	3	15	30	14	3	4	1	2	1
All other external causes (E980-E999)	38	1	2	-	6	7	9	6	5	-	2	-	23	-	-	-	2	4	6	4	2	1	3	1
White	25	1	-	-	3	4	7	4	4	-	2	-	19	-	-	-	1	3	6	4	1	-	3	1
All other	13	-	2	-	3	3	2	2	1	-	-	-	4	-	-	-	1	1	-	-	1	1	-	-
Black	13	-	2	-	3	3	2	2	1	-	-	-	4	-	-	-	1	1	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 205 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,432	262	65	73	376	462	623	1,002	2,074	3,863	4,297	2,318	14,843	198	44	45	118	173	364	605	1,364	2,755	4,376	4,796
White	13,703	196	50	55	293	364	508	849	1,809	3,531	3,904	2,130	13,290	144	36	37	91	141	279	520	1,179	2,444	3,977	4,438
All other	1,729	66	15	18	85	98	115	153	265	332	393	188	1,553	54	8	8	27	32	85	85	185	311	399	358
Black	1,047	49	11	13	49	65	65	83	151	190	245	125	955	41	8	5	11	18	45	52	91	191	259	234
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	11	-	-	-	-	-	1	1	4	2	2	1	6	-	-	-	-	-	-	-	-	2	2	2
White	11	-	-	-	-	-	1	1	4	2	2	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	1	1	3	1	2	1	3	-	-	-	-	-	-	-	-	1	1	1
White	9	-	-	-	-	-	1	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	112	3	-	-	-	1	2	9	11	24	36	26	174	-	2	-	-	-	2	6	15	23	69	57
White	97	3	-	-	-	-	1	7	10	22	30	24	144	-	2	-	-	-	1	4	9	19	56	53
All other	15	-	-	-	-	1	1	2	1	2	6	2	30	-	-	-	-	-	1	2	6	4	13	4
Black	10	-	-	-	-	1	1	1	1	1	3	2	20	-	-	-	-	-	-	2	3	2	10	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	1	-	-	1	2	2	3	5	2	1	13	-	-	-	-	1	2	1	4	4	1	-
White	16	-	1	-	-	1	2	2	3	4	2	1	11	-	-	-	-	1	1	1	3	4	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	201	3	1	-	6	63	64	26	10	12	10	6	38	-	1	-	2	7	4	6	4	6	6	2
White	173	3	1	-	4	52	59	21	9	10	10	4	29	-	1	-	2	7	3	3	2	5	4	2
All other	28	-	-	-	2	11	5	5	1	2	-	2	9	-	-	-	-	-	1	3	2	1	2	-
Black	20	-	-	-	1	8	3	4	1	1	-	2	6	-	-	-	-	-	-	2	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,697	-	6	4	11	29	84	265	686	1,264	1,018	329	3,122	2	2	4	8	37	124	268	529	831	851	465
White	3,331	-	6	3	8	25	70	232	610	1,164	918	294	2,803	1	2	4	5	32	107	234	478	745	770	424
All other	366	-	-	1	3	4	14	33	76	100	100	35	319	1	-	-	3	5	17	34	51	86	81	41
Black	236	-	-	1	3	2	10	19	50	65	62	24	179	1	-	-	1	3	7	18	22	53	48	26

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 206 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	54	-	-	-	-	-	3	4	13	20	13	1	32	-	-	-	-	-	1	2	6	8	6	9
White	48	-	-	-	-	-	3	3	11	18	12	1	30	-	-	-	-	-	-	2	6	7	6	9
All other	6	-	-	-	-	-	-	1	2	2	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	5	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	808	-	-	-	-	3	25	62	146	265	233	74	742	-	-	-	-	2	12	42	101	190	216	178
White	710	-	-	-	-	3	20	53	124	236	207	67	645	-	-	-	-	2	11	33	88	157	192	161
All other	98	-	-	-	-	-	5	9	22	29	26	7	97	-	-	-	-	-	1	9	13	33	24	17
Black	63	-	-	-	-	-	5	4	13	20	15	6	51	-	-	-	-	-	-	6	4	18	13	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,485	-	-	-	1	4	15	116	325	585	360	79	722	2	-	1	-	6	20	66	167	229	173	58
White	1,351	-	-	-	-	2	12	98	286	544	336	73	675	1	-	1	-	6	19	60	154	221	159	54
All other	134	-	-	-	1	2	3	18	39	41	24	6	47	1	-	-	-	-	1	6	13	8	14	4
Black	77	-	-	-	1	1	2	11	27	20	11	4	22	1	-	-	-	-	-	4	7	3	4	3
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	3	1	-	496	-	-	-	1	6	33	84	111	110	102	49
White	5	-	-	-	-	-	-	-	1	3	1	-	451	-	-	-	1	5	28	76	104	100	92	45
All other	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	1	5	8	7	10	10	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	31	-	-	-	-	1	3	4	2	9	9	3
Malignant neoplasms of genital organs (179-187)	456	-	-	-	1	2	2	7	31	130	199	84	311	-	-	-	1	7	28	22	47	74	91	41
White	393	-	-	-	-	2	2	7	28	114	169	71	257	-	-	-	1	7	20	17	37	60	80	35
All other	63	-	-	-	1	-	-	-	3	16	30	13	54	-	-	-	-	-	8	5	10	14	11	6
Black	52	-	-	-	1	-	-	-	2	15	23	11	33	-	-	-	-	-	3	1	5	10	10	4
Malignant neoplasms of urinary organs (188-189)	152	-	1	-	-	-	3	15	23	41	44	25	102	-	-	-	-	-	-	4	8	29	45	16
White	142	-	1	-	-	-	3	15	21	38	40	24	89	-	-	-	-	-	-	3	7	25	38	16
All other	10	-	-	-	-	-	-	-	2	3	4	1	13	-	-	-	-	-	-	1	1	4	7	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	1	1	3	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	399	-	4	2	6	12	19	33	88	126	81	28	390	-	1	2	5	8	22	33	51	105	104	59
White	366	-	4	1	6	10	15	30	83	120	75	22	355	-	1	2	2	7	21	29	49	96	96	52
All other	33	-	-	1	-	2	4	3	5	6	6	6	35	-	-	-	3	1	1	4	2	9	8	7
Black	20	-	-	1	-	1	2	1	4	4	5	2	17	-	-	-	1	1	-	2	-	5	3	5
Leukemia (204-208)	127	-	1	-	2	4	4	6	18	40	37	15	117	-	1	1	-	2	5	6	13	27	39	23
White	121	-	1	-	1	4	4	5	17	39	35	15	109	-	1	1	-	1	5	5	13	26	35	22
All other	6	-	-	-	1	-	-	1	1	1	2	-	8	-	-	-	-	1	-	1	-	1	4	1
Black	6	-	-	-	1	-	-	1	1	1	2	-	5	-	-	-	-	-	-	-	-	1	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	211	-	-	2	1	4	13	22	41	54	50	23	210	-	-	-	1	6	3	9	25	59	75	32
White	195	-	-	2	1	4	11	21	39	52	43	21	192	-	-	-	1	4	3	9	20	53	72	30
All other	16	-	-	-	-	-	2	1	2	2	7	2	18	-	-	-	-	2	-	-	5	6	3	2
Black	10	-	-	-	-	-	1	1	1	1	5	1	12	-	-	-	-	1	-	-	3	4	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	38	-	-	1	-	1	1	4	4	6	17	4	42	-	2	-	1	-	-	4	5	6	10	14
White	35	-	-	1	-	1	1	4	4	6	14	4	41	-	2	-	1	-	-	4	5	6	9	14
All other	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	204	-	-	-	-	1	16	27	33	56	50	20	343	-	-	1	-	5	15	18	49	80	110	65
White	156	-	-	-	-	1	10	20	22	47	37	18	273	-	-	1	-	5	12	14	34	60	91	56
All other	48	-	-	-	-	-	6	7	11	9	13	2	70	-	-	-	-	-	3	4	15	20	19	9
Black	23	-	-	-	-	-	2	3	5	3	9	1	33	-	-	-	-	-	2	2	8	5	10	6
Nutritional deficiencies (260-269)	20	-	-	-	1	-	-	-	1	2	11	5	28	-	-	-	-	1	-	-	1	1	6	19
White	15	-	-	-	1	-	-	-	1	-	10	3	25	-	-	-	-	-	-	-	1	1	4	19
All other	5	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-	-	1	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	1	-
Anemias (280-285)	17	-	-	-	1	1	1	3	2	4	3	2	30	-	-	-	-	-	1	2	1	4	4	7	11
White	14	-	-	-	-	-	-	3	2	4	3	2	25	-	-	-	-	-	1	1	3	3	7	10
All other	3	-	-	-	1	1	1	-	-	-	-	-	5	-	-	-	-	1	1	-	1	1	-	1
Black	2	-	-	-	-	1	1	-	-	-	-	-	4	-	-	-	-	1	1	-	-	1	-	1
Meningitis (320-322)	5	2	-	-	-	-	-	-	1	-	1	1	7	1	-	-	-	-	-	-	-	1	3	2
White	4	1	-	-	-	-	-	-	1	-	1	1	6	1	-	-	-	-	-	-	-	1	3	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	6,517	10	3	4	12	49	125	390	870	1,702	2,062	1,283	7,104	11	2	3	3	17	65	160	453	1,158	2,266	2,965
White	5,852	9	1	3	9	32	96	322	759	1,547	1,876	1,191	6,433	8	1	2	3	15	44	134	390	1,021	2,070	2,744
All other	665	1	2	1	3	17	29	68	111	155	186	92	671	3	1	1	-	2	21	26	63	137	196	221
Black	390	1	2	1	2	11	15	39	60	88	110	61	455	3	1	-	-	-	14	18	36	94	139	150

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 207 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,433	9	3	3	10	43	108	350	797	1,438	1,685	980	5,375	11	1	2	3	14	53	117	359	923	1,709	2,182
White	4,863	8	1	2	7	29	82	288	695	1,304	1,534	906	4,841	8	1	2	3	14	35	101	306	816	1,550	2,004
All other	570	1	2	1	3	14	26	62	102	134	151	74	534	3	-	-	-	-	18	16	53	107	159	178
Black	331	1	2	1	2	9	14	36	55	76	88	47	358	3	-	-	-	-	12	12	29	68	116	118
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	-	-	-	1	3	7	7	3	35	1	-	-	-	1	1	2	9	8	8	5
White	17	-	-	-	-	-	-	1	3	5	6	2	32	1	-	-	-	1	-	2	8	7	8	5
All other	4	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	1	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	51	-	-	-	-	-	1	4	11	14	13	8	96	-	-	-	-	-	-	1	5	12	29	49
White	35	-	-	-	-	-	1	-	9	10	9	6	65	-	-	-	-	-	-	1	2	5	19	36
All other	16	-	-	-	-	-	-	4	2	4	4	2	31	-	-	-	-	-	-	-	3	7	10	11
Black	14	-	-	-	-	-	-	3	2	4	3	2	28	-	-	-	-	-	-	-	3	5	10	10
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	2	2	2	2	13	-	-	-	-	-	-	-	-	3	5	5
White	5	-	-	-	-	-	-	-	2	1	1	1	12	-	-	-	-	-	-	-	-	3	4	5
All other	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	3,916	1	1	1	2	22	74	270	605	1,048	1,245	641	3,515	2	-	-	1	6	25	77	253	634	1,141	1,376
White	3,531	1	-	-	2	17	58	229	530	963	1,137	588	3,189	1	-	-	1	6	17	66	224	568	1,035	1,271
All other	385	-	1	1	-	5	16	41	75	85	108	53	326	1	-	-	-	-	8	11	29	66	106	105
Black	211	-	1	1	-	3	7	23	38	43	63	32	216	1	-	-	-	-	3	7	14	43	80	68
Acute myocardial infarction (410)	1,887	-	-	-	1	10	23	130	308	549	626	239	1,590	1	-	-	1	4	12	38	125	344	556	509
White	1,713	-	-	-	1	9	19	113	267	510	574	219	1,447	1	-	-	1	4	9	34	109	309	504	478
All other	174	-	-	-	-	1	4	17	41	39	52	20	143	-	-	-	-	-	3	4	16	35	52	33
Black	78	-	-	-	-	1	-	10	18	16	27	6	91	-	-	-	-	-	1	2	8	19	36	25
Other acute and subacute forms of ischemic heart disease (411)	379	-	-	-	1	4	15	39	78	97	89	53	329	-	-	-	-	1	1	11	31	48	112	125
White	328	-	-	-	1	2	11	35	66	88	77	45	305	-	-	-	-	1	-	8	27	44	103	122
All other	51	-	-	-	-	2	4	4	12	9	12	8	24	-	-	-	-	-	1	3	4	4	9	3
Black	35	-	-	-	-	1	3	1	8	5	10	7	16	-	-	-	-	-	-	1	2	4	8	1
Angina pectoris (413)	6	-	-	-	-	-	-	-	-	1	1	4	6	-	-	-	-	-	1	-	-	2	2	1
White	6	-	-	-	-	-	-	-	-	1	1	4	5	-	-	-	-	-	1	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,644	1	1	1	-	8	36	101	219	401	529	345	1,590	1	-	-	-	1	11	28	97	240	471	741
White	1,484	1	-	-	-	6	28	81	197	364	485	320	1,432	-	-	-	-	1	7	24	88	214	426	672
All other	160	-	1	1	-	2	8	20	22	37	44	25	158	1	-	-	-	-	4	4	9	26	45	69
Black	98	-	1	1	-	1	4	12	12	22	26	19	108	1	-	-	-	-	2	4	4	19	36	42
Other diseases of endocardium (424)	55	-	-	-	-	1	2	4	3	13	15	17	90	-	1	-	-	-	1	3	3	12	42	28
White	54	-	-	-	-	1	2	4	3	12	15	17	82	-	1	-	-	-	1	3	3	10	38	26
All other	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	-	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1	3	2
All other forms of heart disease (415-423,425-429)	1,382	8	2	2	8	20	31	71	173	354	403	309	1,626	8	-	2	2	7	26	34	89	254	484	719
White	1,221	7	1	2	5	11	21	54	148	313	366	292	1,461	6	-	2	2	7	17	29	69	223	446	659
All other	161	1	1	-	3	9	10	17	25	41	37	17	165	2	-	-	-	-	9	5	20	31	38	60
Black	100	1	1	-	2	6	7	10	15	26	21	11	106	2	-	-	-	-	9	5	11	19	22	38
Hypertension with or without renal disease (401,403)	51	-	-	-	-	-	1	2	6	9	18	15	71	-	1	-	-	-	-	1	4	12	33	20
White	43	-	-	-	-	-	1	2	6	8	14	12	60	-	-	-	-	-	-	1	3	11	29	16
All other	8	-	-	-	-	-	-	-	-	1	4	3	11	-	1	-	-	-	-	-	1	1	4	4
Black	8	-	-	-	-	-	-	-	-	1	4	3	8	-	1	-	-	-	-	-	1	1	3	2
Cerebrovascular diseases (430-438)	760	1	-	1	2	6	13	31	44	187	267	208	1,288	-	-	-	-	3	10	36	71	184	404	580
White	687	1	-	1	2	3	10	25	38	169	243	195	1,184	-	-	-	-	1	7	27	63	160	379	547
All other	73	-	-	-	-	3	3	6	6	18	24	13	104	-	-	-	-	2	3	9	8	24	25	33
Black	44	-	-	-	-	2	1	3	3	10	14	11	75	-	-	-	-	-	2	5	5	21	18	26
Intracerebral and other intracranial hemorrhage (431-432)	90	1	-	-	2	-	2	5	12	27	22	19	127	-	-	-	-	1	3	8	18	29	42	26
White	82	1	-	-	2	-	2	4	11	24	19	19	115	-	-	-	-	-	2	7	16	27	39	24
All other	8	-	-	-	-	-	-	1	1	3	3	-	12	-	-	-	-	1	1	1	2	2	3	2
Black	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	1	-	2	2	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	58	-	-	-	-	1	-	5	5	12	23	12	107	-	-	-	-	1	-	3	2	18	37	46
White	50	-	-	-	-	-	-	3	5	10	20	12	104	-	-	-	-	1	-	3	2	15	37	46
All other	8	-	-	-	-	1	-	2	-	2	3	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	5	-	-	-	-	1	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 208 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	611	-	-	1	-	5	11	21	26	148	222	177	1,052	-	-	-	-	1	7	25	51	136	325	507
White	555	-	-	1	-	3	8	18	22	135	204	164	963	-	-	-	-	-	5	17	45	117	303	476
All other	56	-	-	-	-	2	3	3	4	13	18	13	89	-	-	-	-	1	2	8	6	19	22	31
Black	36	-	-	-	-	1	1	2	2	8	11	11	66	-	-	-	-	-	1	5	3	17	14	26
Atherosclerosis (440)	127	-	-	-	-	-	1	2	9	19	41	55	228	-	-	-	-	-	-	1	1	13	71	142
White	121	-	-	-	-	-	1	2	7	19	38	54	215	-	-	-	-	-	-	1	1	11	64	138
All other	6	-	-	-	-	-	-	-	2	-	3	1	13	-	-	-	-	-	-	-	-	2	7	4
Black	3	-	-	-	-	-	-	-	1	-	2	-	9	-	-	-	-	-	-	-	-	2	4	3
Other diseases of arteries, arterioles, and capillaries (441-448)	146	-	-	-	-	-	2	5	14	49	51	25	142	-	-	1	-	-	2	5	18	26	49	41
White	138	-	-	-	-	-	2	5	13	47	47	24	133	-	-	-	-	-	2	4	17	23	48	39
All other	8	-	-	-	-	-	-	-	1	2	4	1	9	-	-	1	-	-	-	1	1	3	1	2
Black	4	-	-	-	-	-	-	-	1	1	2	-	5	-	-	-	-	-	-	1	1	2	-	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	6	1	-	-	-	-	-	-	-	-	-	5
White	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	-	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	564	4	1	1	3	5	9	12	33	80	201	214	620	4	-	1	-	3	7	7	24	58	177	339
White	510	3	1	1	3	2	7	8	27	76	187	194	580	2	-	1	-	3	6	7	20	54	169	318
All other	54	1	-	-	-	3	2	4	6	4	14	20	40	2	-	-	-	-	1	-	4	4	8	21
Black	33	1	-	-	-	3	2	2	3	2	9	11	23	2	-	-	-	-	1	-	2	3	3	12
Pneumonia (480-486)	559	3	1	1	3	5	9	12	33	78	200	213	611	4	-	1	-	3	7	7	24	57	174	334
White	505	2	1	1	3	2	7	8	27	74	186	193	571	2	-	1	-	3	6	7	20	53	166	313
All other	54	1	-	-	-	3	2	4	6	4	14	20	40	2	-	-	-	-	1	-	4	4	8	21
Black	33	1	-	-	-	3	2	2	3	2	9	11	23	2	-	-	-	-	1	-	2	3	3	12
Influenza (487)	5	1	-	-	-	-	-	-	-	2	1	1	9	-	-	-	-	-	-	-	-	1	3	5
White	5	1	-	-	-	-	-	-	-	2	1	1	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	789	-	-	-	2	1	5	25	93	263	307	92	567	1	-	-	2	1	8	18	77	195	194	71
White	744	-	-	-	1	-	2	24	90	251	288	87	531	1	-	-	2	-	5	18	73	188	182	62
All other	45	-	-	-	1	1	3	1	3	12	19	5	36	-	-	-	-	1	3	-	4	7	12	9
Black	29	-	-	-	1	1	2	1	3	3	15	3	20	-	-	-	-	1	2	-	2	3	7	5
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	2	-	4	5	-	14	-	-	-	-	-	-	1	2	4	3	4
White	10	-	-	-	-	-	-	1	-	4	5	-	14	-	-	-	-	-	-	1	2	4	3	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	113	-	-	-	-	-	-	4	15	41	39	14	85	-	-	-	-	-	1	3	13	37	23	8
White	110	-	-	-	-	-	-	4	15	40	37	14	84	-	-	-	-	-	1	3	12	37	23	8
All other	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	25	-	-	-	2	1	2	3	2	5	9	1	51	-	-	-	2	1	4	4	8	13	14	5
White	23	-	-	-	1	-	2	3	2	5	9	1	46	-	-	-	2	-	2	4	7	12	14	5
All other	2	-	-	-	1	1	-	-	-	-	-	-	5	-	-	-	-	1	2	-	1	1	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	4	-	-	-	-	1	2	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	640	-	-	-	-	-	3	16	76	213	254	77	417	1	-	-	-	-	3	10	54	141	154	54
White	601	-	-	-	-	-	-	16	73	202	237	72	387	1	-	-	-	-	2	10	52	135	142	45
All other	39	-	-	-	-	-	3	-	3	11	17	5	30	-	-	-	-	-	1	-	2	6	12	9
Black	23	-	-	-	-	-	2	-	3	2	13	3	15	-	-	-	-	-	-	-	1	2	7	5
Ulcer of stomach and duodenum (531-533)	40	-	-	-	-	-	-	3	1	10	17	9	54	-	-	-	-	-	-	1	1	9	21	22
White	35	-	-	-	-	-	-	3	1	8	16	7	52	-	-	-	-	-	-	1	1	9	19	22
All other	5	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	2	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	-	-	-	-	1	-	-	2	8	13	5	50	-	-	-	-	-	-	-	-	7	23	20
White	27	-	-	-	-	-	-	-	2	7	13	5	42	-	-	-	-	-	-	-	-	5	20	17
All other	2	-	-	-	-	1	-	-	-	1	-	-	8	-	-	-	-	-	-	-	-	2	3	3
Black	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 209 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	188	1	-	-	1	6	24	39	51	34	27	5	111	1	-	-	-	4	13	10	22	33	22	6
White	153	1	-	-	1	4	17	36	35	29	25	5	90	1	-	-	-	4	10	8	14	30	18	5
All other	35	-	-	-	-	2	7	3	16	5	2	-	21	-	-	-	-	-	3	2	8	3	4	1
Black	15	-	-	-	-	2	4	-	6	3	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	1	1	8	1	34	-	-	-	-	-	1	1	3	2	15	12
White	11	-	-	-	-	-	-	-	1	1	8	1	29	-	-	-	-	-	1	1	3	2	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	167	-	-	-	1	3	4	8	16	39	60	36	215	-	-	-	1	2	3	2	11	42	68	86
White	140	-	-	-	1	2	4	7	11	33	49	33	185	-	-	-	-	2	1	2	8	31	63	78
All other	27	-	-	-	-	1	-	1	5	6	11	3	30	-	-	-	1	-	2	-	3	11	5	8
Black	16	-	-	-	-	1	-	1	1	3	9	1	18	-	-	-	-	-	1	-	1	8	3	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	-	1	-	-	4	5	6	-	-	-	-	-	-	-	-	2	4	-
White	8	-	-	-	-	-	-	1	-	-	2	5	6	-	-	-	-	-	-	-	-	2	4	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	156	-	-	-	1	3	4	7	16	39	55	31	207	-	-	-	1	2	3	2	11	40	63	85
White	131	-	-	-	1	2	4	6	11	33	46	28	177	-	-	-	-	2	1	2	8	29	58	77
All other	25	-	-	-	-	1	-	1	5	6	9	3	30	-	-	-	1	-	2	-	3	11	5	8
Black	14	-	-	-	-	1	-	1	1	3	7	1	18	-	-	-	-	-	1	-	1	8	3	5
Infections of kidney (590)	9	-	1	-	-	-	1	-	1	-	5	1	21	-	-	-	-	-	-	-	1	3	6	11
White	8	-	-	-	-	-	1	-	1	-	5	1	18	-	-	-	-	-	-	-	1	3	5	9
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	2	4	---	---	---	---	---	---	---	---	---	---	---	---
White	6	-	-	-	-	-	-	-	-	1	1	4	---	---	---	---	---	---	---	---	---	---	---	---
All other	1	-	-	-	-	-	-	-	-	-	1	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	1	-	-	-	-	-	-	-	-	-	1	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	2	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	2	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
Congenital anomalies (740-759)	76	48	6	6	2	2	5	1	2	2	2	-	57	35	3	1	1	-	5	3	3	1	4	1
White	66	40	6	5	2	2	4	1	2	2	2	-	50	29	2	1	1	-	5	3	3	1	4	1
All other	10	8	-	1	-	-	1	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-
Black	5	3	-	1	-	-	1	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	101	99	1	1	-	-	-	-	-	-	-	-	65	64	-	1	-	-	-	-	-	-	-	-
White	71	70	-	1	-	-	-	-	-	-	-	-	45	44	-	1	-	-	-	-	-	-	-	-
All other	30	29	1	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	24	23	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	24	-	1	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	20	19	-	1	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 210 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	76	75	1	-	-	-	-	-	-	-	-	-	52	51	-	1	-	-	-	-	-	-	-	-
White	51	51	-	-	-	-	-	-	-	-	-	-	33	32	-	1	-	-	-	-	-	-	-	-
All other	25	24	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	21	20	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	203	63	2	2	11	6	22	9	12	16	36	23	187	50	3	4	3	8	17	6	7	12	28	49
White	173	49	1	2	10	5	22	8	11	13	31	20	157	36	2	3	1	5	14	5	6	12	27	46
All other	30	14	1	-	1	1	-	1	1	3	5	3	30	14	1	1	2	3	3	1	1	-	1	3
Black	21	11	1	-	1	1	-	-	1	1	3	2	23	11	1	1	1	1	3	1	1	-	1	2
All other diseases (Residual)	934	14	8	14	14	22	41	46	119	187	284	185	1,269	11	5	4	8	15	28	46	91	205	387	469
White	820	10	7	10	13	17	28	35	103	170	257	170	1,140	9	3	4	5	11	18	39	73	180	353	445
All other	114	4	1	4	1	5	13	11	16	17	27	15	129	2	2	-	3	4	10	7	18	25	34	24
Black	72	3	1	3	1	2	8	5	9	10	18	12	79	2	2	-	2	3	4	4	9	15	23	15
Accidents and adverse effects (E800-E949)	894	12	30	35	189	136	118	73	81	89	76	55	523	10	21	24	68	37	42	27	50	57	90	96
White	766	5	23	26	158	114	101	64	67	83	75	50	443	8	19	18	55	29	27	25	43	51	79	89
All other	128	7	7	9	31	22	17	9	14	6	1	5	80	2	2	6	13	8	15	2	7	6	11	7
Black	65	5	4	6	10	12	9	2	8	4	1	4	38	1	2	4	4	3	7	1	2	3	7	4
Motor vehicle accidents (E810-E825)	444	3	6	19	136	79	63	43	33	31	23	8	236	1	10	15	60	31	23	16	26	28	21	5
White	387	2	4	16	117	66	57	37	29	30	22	7	198	1	9	10	49	25	15	16	22	27	19	5
All other	57	1	2	3	19	13	6	6	4	1	1	1	38	-	1	5	11	6	8	-	4	1	2	-
Black	24	1	2	1	5	5	3	1	4	-	1	1	14	-	1	3	3	2	4	-	-	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	450	9	24	16	53	57	55	30	48	58	53	47	287	9	11	9	8	6	19	11	24	29	69	91
White	379	3	19	10	41	48	44	27	38	53	53	43	245	7	10	8	6	4	12	9	21	24	60	84
All other	71	6	5	6	12	9	11	3	10	5	-	4	42	2	1	1	2	2	7	2	3	5	9	7
Black	41	4	2	5	5	7	6	1	4	4	-	3	24	1	1	1	1	1	3	1	2	3	6	4
Suicide (E950-E959)	360	...	...	3	55	81	64	32	28	45	45	7	82	...	...	1	7	13	18	11	9	11	8	4
White	331	...	...	1	44	73	61	31	27	45	42	7	78	...	...	1	7	13	16	11	8	10	8	4
All other	29	...	...	2	11	8	3	1	1	-	3	-	4	...	...	-	-	-	2	-	1	1	-	-
Black	16	...	...	1	5	5	2	1	1	-	1	-	1	...	...	-	-	-	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	203	3	5	2	64	51	32	24	8	9	1	1	66	6	3	1	12	19	7	8	1	4	1	2
White	125	2	3	2	34	33	20	17	5	5	1	1	47	3	2	1	9	12	6	5	1	3	1	2
All other	78	1	2	-	30	18	12	7	3	4	-	-	19	3	1	-	3	7	1	3	-	1	-	-
Black	55	1	1	-	24	14	4	5	2	3	-	-	15	3	1	-	2	5	1	2	-	1	-	-
All other external causes (E980-E999)	14	-	-	-	4	2	2	3	1	-	1	1	3	-	-	-	-	1	1	1	-	-	-	-
White	11	-	-	-	4	-	1	3	1	-	1	1	2	-	-	-	-	1	1	-	-	-	-	-
All other	3	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
OREGON																								
All causes	13,042	182	45	53	285	359	578	744	1,528	3,276	3,966	2,026	11,973	127	29	38	90	117	253	485	960	2,376	3,579	3,919
White	12,660	161	38	52	256	326	544	706	1,472	3,197	3,898	2,010	11,685	114	27	33	84	106	236	463	921	2,313	3,515	3,873
All other	382	21	7	1	29	33	34	38	56	79	68	16	288	13	2	5	6	11	17	22	39	63	64	46
Black	184	14	3	1	13	18	17	21	24	35	32	6	133	6	-	-	1	3	7	10	15	37	33	21
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	-	2	1	-	9	-	-	-	-	-	-	-	1	1	4	3
White	1	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	-	-	-	1	1	4	3
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	-	1	2	2
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 211 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	2	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1
White	2	-	2	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	56	-	-	-	-	-	4	2	5	14	17	14	69	-	-	-	-	-	-	1	3	10	23	32
White	51	-	-	-	-	-	2	1	5	12	17	14	68	-	-	-	-	-	-	1	3	10	22	32
All other	5	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	23	-	-	-	-	-	6	3	4	4	6	-	6	-	-	-	-	-	-	-	3	3	-	-
White	23	-	-	-	-	-	6	3	4	4	6	-	5	-	-	-	-	-	-	-	2	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	238	4	1	-	7	58	95	39	20	4	8	2	36	-	-	1	2	5	-	5	2	6	8	7
White	229	4	1	-	5	55	93	38	19	4	8	2	36	-	-	1	2	5	-	5	2	6	8	7
All other	9	-	-	-	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,320	-	5	9	10	25	78	204	528	1,133	1,000	328	2,893	-	6	5	11	25	91	228	456	890	839	342
White	3,241	-	5	9	9	23	74	198	507	1,108	982	326	2,834	-	6	4	11	22	90	219	443	872	827	340
All other	79	-	-	-	1	2	4	6	21	25	18	2	59	-	-	1	-	3	1	9	13	18	12	2
Black	35	-	-	-	-	2	3	2	9	10	8	1	22	-	-	-	-	1	1	2	4	9	4	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	-	-	1	6	9	27	12	3	40	-	-	1	-	-	-	3	8	10	13	5
White	54	-	-	-	-	-	1	5	8	26	11	3	40	-	-	1	-	-	-	3	8	10	13	5
All other	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	719	-	-	-	1	5	19	48	122	256	187	81	639	-	1	-	-	6	9	31	84	192	190	126
White	699	-	-	-	1	4	17	47	116	249	185	80	622	-	1	-	-	5	9	28	81	186	187	125
All other	20	-	-	-	-	1	2	1	6	7	2	1	17	-	-	-	-	1	-	3	3	6	3	1
Black	6	-	-	-	-	1	1	-	2	2	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,125	-	-	-	2	3	17	56	235	431	320	61	755	-	-	-	-	1	15	51	150	280	218	40
White	1,099	-	-	-	2	2	17	54	225	424	314	61	743	-	-	-	-	1	15	50	146	276	216	39
All other	26	-	-	-	-	1	-	2	10	7	6	-	12	-	-	-	-	-	-	1	4	4	2	1
Black	11	-	-	-	-	1	-	1	4	3	2	-	7	-	-	-	-	-	-	-	1	4	1	1
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	2	1	1	487	-	-	-	1	4	34	65	77	132	117	57
White	5	-	-	-	-	-	-	-	1	2	1	1	479	-	-	-	1	4	33	64	75	130	115	57
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	1	1	2	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	2	-	1	-
Malignant neoplasms of genital organs (179-187)	457	-	-	-	-	1	2	8	28	120	205	93	294	-	-	-	2	4	8	31	46	99	61	23
White	447	-	-	-	-	1	2	7	27	115	202	93	284	-	-	-	2	3	8	29	45	95	79	23
All other	10	-	-	-	-	-	-	1	1	5	3	-	10	-	-	-	-	1	-	2	1	4	2	-
Black	8	-	-	-	-	-	-	1	1	3	3	-	3	-	-	-	-	1	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 212 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	176	-	-	-	-	-	3	11	28	51	58	25	82	-	-	1	-	-	-	5	12	24	31	9
White	173	-	-	-	-	-	2	11	27	50	58	25	81	-	-	1	-	-	-	5	11	24	31	9
All other	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	431	-	2	4	3	5	17	47	64	140	113	36	339	-	3	2	6	8	16	29	47	90	97	41
White	421	-	2	4	3	5	16	46	62	137	111	35	330	-	3	1	6	8	16	27	45	88	95	41
All other	10	-	-	-	-	-	1	1	2	3	2	1	9	-	-	1	-	-	-	2	2	2	2	-
Black	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	1	-	2	-	-
Leukemia (204-208)	135	-	3	4	4	4	6	8	13	38	45	10	103	-	2	1	2	1	4	6	10	23	36	18
White	132	-	3	4	3	4	6	8	13	37	44	10	102	-	2	1	2	-	4	6	10	23	36	18
All other	3	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	214	-	-	1	-	7	13	20	28	68	59	18	154	-	-	-	-	1	5	7	22	40	56	23
White	211	-	-	1	-	7	13	20	28	68	56	18	153	-	-	-	-	1	5	7	22	40	55	23
All other	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	-	1	2	-	1	-	6	5	12	17	6	40	-	-	1	-	1	2	1	4	5	16	10
White	50	-	1	2	-	1	-	6	5	12	17	6	39	-	-	1	-	1	2	1	4	5	15	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	249	-	-	-	1	3	10	15	34	67	88	31	279	-	-	-	-	2	8	15	28	71	91	64
White	237	-	-	-	1	3	9	15	34	61	84	30	270	-	-	-	-	2	8	14	27	69	88	62
All other	12	-	-	-	-	-	1	-	-	6	4	1	9	-	-	-	-	-	-	1	1	2	3	2
Black	10	-	-	-	-	-	1	-	-	6	2	1	6	-	-	-	-	-	-	1	-	1	2	2
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	1	3	3	20	-	-	-	-	-	-	1	-	3	4	12
White	7	-	-	-	-	-	-	-	-	1	3	3	20	-	-	-	-	-	-	1	-	3	4	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	24	-	-	1	-	-	-	-	-	6	8	9	28	1	-	-	-	-	1	-	-	5	5	16
White	24	-	-	1	-	-	-	-	-	6	8	9	27	-	-	-	-	-	1	-	-	5	5	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	1	-	1	-	1	-	-	-	-	-	4	-	-	-	-	-	1	-	1	2	-	-
White	3	-	1	-	1	-	1	-	-	-	-	-	4	-	-	-	-	-	1	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,696	2	-	2	7	21	89	242	561	1,240	1,716	1,016	5,009	4	1	3	4	3	28	110	235	792	1,594	2,235
White	4,782	1	-	2	5	19	84	224	547	1,208	1,682	1,010	4,888	4	1	2	3	3	28	103	219	756	1,561	2,208
All other	114	1	-	-	2	2	5	18	14	32	34	6	121	-	-	1	1	-	-	7	16	36	33	27
Black	53	-	-	-	1	1	1	11	6	11	20	2	69	-	-	-	1	-	-	5	6	24	24	9
Diseases of heart (390-398,402,404-429)	3,768	1	-	2	5	18	81	211	471	973	1,275	731	3,433	3	1	3	3	3	20	72	182	582	1,083	1,481
White	3,688	1	-	2	3	16	77	198	459	951	1,256	725	3,359	3	1	2	3	3	20	68	172	555	1,064	1,468
All other	80	-	-	-	2	2	4	13	12	22	19	6	74	-	-	1	-	-	-	4	10	27	19	13
Black	37	-	-	-	1	1	1	8	5	7	12	2	40	-	-	-	-	-	-	3	3	18	14	2
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	1	-	2	1	2	11	6	7	66	-	-	-	-	-	-	1	9	17	24	15
White	28	-	-	-	-	-	2	1	2	11	6	6	64	-	-	-	-	-	-	1	9	17	22	15
All other	2	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	60	-	-	-	-	-	2	3	9	11	24	11	105	-	-	-	-	-	-	-	5	16	30	54
White	58	-	-	-	-	-	2	3	8	11	23	11	96	-	-	-	-	-	-	-	3	13	28	52
All other	2	-	-	-	-	-	-	-	1	-	1	-	9	-	-	-	-	-	-	-	2	3	2	2
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	1	1	2	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	1	2	2	3	14	-	-	-	-	-	-	1	2	3	3	5
White	8	-	-	-	-	-	-	-	1	2	2	3	13	-	-	-	-	-	-	1	2	2	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ischemic heart disease (410-414)	2,870	-	-	-	1	7	59	179	377	764	971	512	2,276	-	-	-	2	1	12	47	117	405	727	965
White	2,805	-	-	-	-	6	55	169	368	744	955	508	2,225	-	-	-	2	1	12	44	109	384	715	958
All other	65	-	-	-	1	1	4	10	9	20	16	4	51	-	-	-	-	-	-	3	8	21	12	7
Black	27	-	-	-	-	-	1	5	4	6	9	2	29	-	-	-	-	-	-	2	2	14	9	2
Acute myocardial infarction (410)	1,149	-	-	-	-	2	17	66	137	326	429	172	942	-	-	-	-	-	-	6	25	61	176	322	352
White	1,120	-	-	-	-	2	15	64	132	315	422	170	931	-	-	-	-	-	-	6	23	60	170	321	351
All other	29	-	-	-	-	-	2	2	5	11	7	2	11	-	-	-	-	-	-	-	2	1	6	1	1
Black	11	-	-	-	-	-	-	-	2	4	4	1	7	-	-	-	-	-	-	1	-	5	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 213 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	-	1	4
White	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	1	-	1	1	5
White	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	1	-	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,716	-	-	-	1	5	42	113	240	437	539	339	1,321	-	-	-	2	1	6	21	56	228	403	604
White	1,680	-	-	-	-	4	40	105	236	428	530	337	1,281	-	-	-	2	1	6	20	49	213	392	598
All other	36	-	-	-	1	1	2	8	4	9	9	2	40	-	-	-	-	-	-	1	7	15	11	6
Black	16	-	-	-	-	-	1	5	2	2	5	1	22	-	-	-	-	-	-	1	2	9	9	1
Other diseases of endocardium (424)	83	-	-	-	-	-	1	2	9	11	37	23	133	-	-	-	-	-	1	5	3	13	48	63
White	82	-	-	-	-	-	1	2	9	10	37	23	132	-	-	-	-	-	1	5	3	13	48	62
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	717	1	-	2	3	11	17	26	73	174	235	175	839	3	1	3	1	2	7	18	46	128	251	379
White	707	1	-	2	3	10	17	23	71	173	233	174	829	3	1	2	1	2	7	17	46	126	248	376
All other	10	-	-	-	-	1	-	3	2	1	2	1	10	-	-	1	-	-	-	1	-	2	3	3
Black	7	-	-	-	-	1	-	3	-	1	2	-	5	-	-	-	-	-	-	1	-	2	2	-
Hypertension with or without renal disease (401,403)	65	-	-	-	-	-	-	1	8	23	20	13	72	-	-	-	-	-	1	-	4	15	18	34
White	62	-	-	-	-	-	-	1	8	23	17	13	71	-	-	-	-	-	1	-	3	15	18	34
All other	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	768	1	-	-	1	2	7	25	58	170	311	193	1,180	1	-	-	1	-	6	36	36	150	402	548
White	744	-	-	-	1	2	6	22	57	162	301	193	1,143	1	-	-	-	-	6	33	33	143	388	539
All other	24	1	-	-	-	-	1	3	1	8	10	-	37	-	-	-	1	-	-	3	3	7	14	9
Black	11	-	-	-	-	-	-	1	-	4	6	-	24	-	-	-	1	-	-	2	2	4	10	5
Intracerebral and other intracranial hemorrhage (431-432)	106	-	-	-	-	-	2	8	17	33	32	14	121	-	-	-	-	-	-	8	10	30	44	29
White	100	-	-	-	-	-	1	5	17	31	32	14	113	-	-	-	-	-	-	7	9	27	41	29
All other	6	-	-	-	-	-	1	3	-	2	-	-	8	-	-	-	-	-	-	1	1	3	3	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	1	-	2	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	84	1	-	-	-	-	-	3	10	14	31	25	138	-	-	-	-	-	-	2	1	13	46	76
White	80	-	-	-	-	-	-	3	10	12	30	25	136	-	-	-	-	-	-	2	1	13	45	75
All other	4	1	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	3	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	577	-	-	-	1	2	5	14	31	123	248	153	916	1	-	-	1	-	6	26	25	106	309	442
White	563	-	-	-	1	2	5	14	30	119	239	153	890	1	-	-	-	-	6	24	23	102	299	435
All other	14	-	-	-	-	-	-	-	1	4	9	-	26	-	-	-	1	-	-	2	2	4	10	7
Black	7	-	-	-	-	-	-	-	-	2	5	-	19	-	-	-	1	-	-	1	2	2	8	5
Atherosclerosis (440)	118	-	-	-	-	-	-	-	6	21	45	46	185	-	-	-	-	-	-	-	7	20	41	117
White	117	-	-	-	-	-	-	-	6	21	44	46	182	-	-	-	-	-	-	-	6	20	41	115
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	177	-	-	-	1	1	1	5	18	53	65	33	139	-	-	-	-	-	1	2	6	25	50	55
White	171	-	-	-	1	1	1	3	17	51	64	33	133	-	-	-	-	-	1	2	5	23	50	52
All other	6	-	-	-	-	-	-	2	1	2	1	-	6	-	-	-	-	-	-	-	1	2	-	3
Black	3	-	-	-	-	-	-	2	1	-	-	-	5	-	-	-	-	-	-	-	1	2	-	2
Acute bronchitis and bronchiolitis (466)	4	3	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	371	3	1	1	1	3	3	9	17	73	129	131	433	-	-	1	-	-	3	5	12	42	138	232
White	363	3	1	1	-	3	2	6	16	73	129	129	424	-	-	1	-	-	2	4	12	41	134	230
All other	8	-	-	-	1	-	1	3	1	-	-	2	9	-	-	-	-	-	1	1	-	1	4	2
Black	2	-	-	-	-	-	1	1	-	-	-	-	5	-	-	-	-	-	-	1	-	1	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 214 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	367	3	1	1	1	3	3	8	17	73	129	128	422	–	–	1	–	–	2	4	12	39	135	229
White	359	3	1	1	–	3	2	5	16	73	129	126	415	–	–	1	–	–	2	4	12	38	131	227
All other	8	–	–	–	1	–	1	3	1	–	–	2	7	–	–	–	–	–	–	–	–	1	4	2
Black	2	–	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2
Influenza (487)	4	–	–	–	–	–	–	1	–	–	–	3	11	–	–	–	–	–	1	1	–	3	3	3
White	4	–	–	–	–	–	–	1	–	–	–	3	9	–	–	–	–	–	–	–	–	3	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	745	–	–	–	2	1	1	11	93	239	312	86	591	–	–	–	–	2	2	15	63	191	229	89
White	736	–	–	–	2	1	1	11	91	237	308	85	589	–	–	–	–	2	2	15	63	190	228	89
All other	9	–	–	–	–	–	–	–	2	2	4	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	32	–	–	–	1	–	–	2	4	2	18	5	26	–	–	–	–	–	–	–	3	5	13	5
White	32	–	–	–	1	–	–	2	4	2	18	5	26	–	–	–	–	–	–	–	3	5	13	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	167	–	–	–	–	1	–	3	25	61	66	11	139	–	–	–	–	–	–	5	15	51	55	13
White	167	–	–	–	–	1	–	3	25	61	66	11	137	–	–	–	–	–	–	5	15	50	54	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	42	–	–	–	1	–	1	2	7	7	17	7	57	–	–	–	–	1	1	2	5	21	16	11
White	41	–	–	–	1	–	1	2	6	7	17	7	57	–	–	–	–	1	1	2	5	21	16	11
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	504	–	–	–	–	–	–	4	57	169	211	63	369	–	–	–	–	1	1	8	40	114	145	60
White	496	–	–	–	–	–	–	4	56	167	207	62	369	–	–	–	–	1	1	8	40	114	145	60
All other	8	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	41	–	–	–	–	–	2	–	3	10	18	8	38	–	–	–	–	–	1	1	2	5	11	18
White	40	–	–	–	–	–	2	–	3	9	18	8	38	–	–	–	–	–	1	1	2	5	11	18
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	–	–	–	–	–	–	–	2	2	9	8	43	–	–	–	–	–	1	–	2	7	13	20
White	21	–	–	–	–	–	–	–	2	2	9	8	42	–	–	–	–	–	1	–	2	7	13	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	178	–	–	–	–	3	24	28	37	61	19	6	85	–	–	–	–	–	8	9	15	30	20	3
White	169	–	–	–	–	3	21	27	34	59	19	6	79	–	–	–	–	–	5	8	15	29	19	3
All other	9	–	–	–	–	–	3	1	3	2	–	–	6	–	–	–	–	–	3	1	–	1	1	–
Black	5	–	–	–	–	–	1	1	2	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	17	–	–	–	–	–	–	–	–	3	9	5	20	–	–	–	–	–	–	1	–	2	6	11
White	17	–	–	–	–	–	–	–	–	3	9	5	20	–	–	–	–	–	–	1	–	2	6	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	86	2	–	–	–	–	1	1	6	15	33	28	77	–	–	1	–	–	–	2	5	10	26	33
White	85	2	–	–	–	–	1	1	6	15	33	27	75	–	–	1	–	–	–	2	4	10	26	32
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 215 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	–	2	–	2	1	7	–	–	–	–	–	–	–	–	1	4	2
White	5	–	–	–	–	–	–	–	2	–	2	1	7	–	–	–	–	–	–	–	–	1	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	79	2	–	–	–	–	1	1	4	14	30	27	70	–	–	1	–	–	–	2	5	9	22	31
White	78	2	–	–	–	–	1	1	4	14	30	26	68	–	–	1	–	–	–	2	4	9	22	30
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Infections of kidney (590)	4	–	–	–	–	–	–	–	1	–	2	1	11	–	–	–	–	–	–	–	2	1	2	6
White	4	–	–	–	–	–	–	–	1	–	2	1	11	–	–	–	–	–	–	–	2	1	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	4	–	–	–	–	–	–	–	–	2	1	1	***	***	***	***	***	***	***	***	***	***	***	***
White	4	–	–	–	–	–	–	–	–	2	1	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	72	39	4	1	2	1	3	2	4	5	7	4	81	37	5	3	4	1	5	7	3	3	10	3
White	66	35	3	1	2	–	3	2	4	5	7	4	76	34	5	3	4	1	4	7	3	2	10	3
All other	6	4	1	–	–	1	–	–	–	–	–	–	5	3	–	–	–	–	1	–	–	1	–	–
Black	3	2	–	–	–	1	–	–	–	–	–	–	3	1	–	–	–	–	1	–	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	63	62	1	–	–	–	–	–	–	–	–	–	35	34	1	–	–	–	–	–	–	–	–	–
White	54	53	1	–	–	–	–	–	–	–	–	–	32	31	1	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	8	8	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
White	5	5	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	57	56	1	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
White	49	48	1	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	317	50	1	1	1	8	7	9	31	69	87	53	292	36	–	1	1	3	3	3	16	28	66	135
White	306	46	–	1	1	8	6	9	28	69	85	53	281	32	–	–	1	2	2	3	15	28	65	133
All other	11	4	1	–	–	–	1	–	3	–	2	–	11	4	–	1	–	1	1	–	1	–	1	2
Black	5	2	–	–	–	–	–	–	2	–	1	–	4	1	–	–	–	1	1	–	–	–	–	1
All other diseases (Residual)	1,061	9	7	8	14	15	42	64	94	202	365	241	1,341	5	3	6	10	14	25	32	58	213	403	572
White	1,031	9	6	8	12	13	41	59	86	196	362	239	1,318	5	3	5	10	12	24	31	56	212	396	564
All other	30	–	1	–	2	2	1	5	8	6	3	2	23	–	–	1	–	2	1	1	2	1	7	8
Black	14	–	–	–	1	1	1	2	3	4	–	2	9	–	–	–	–	–	–	–	2	–	1	6
Accidents and adverse effects (E800-E949)	727	5	19	21	158	124	120	64	41	64	76	35	362	5	10	12	36	41	35	26	23	44	61	69
White	685	4	16	20	149	112	111	63	40	63	73	34	342	4	9	11	32	38	31	24	21	43	61	68
All other	42	1	3	1	9	12	9	1	1	1	3	1	20	1	1	1	4	3	4	2	2	1	–	1
Black	12	–	2	1	1	3	3	–	–	1	1	–	4	–	–	–	–	1	–	1	1	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 216 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	343	1	9	6	110	72	57	25	17	18	25	3	157	1	5	5	25	30	28	12	12	22	15	2
White	327	–	9	5	104	69	55	24	16	18	24	3	146	1	5	5	21	28	25	12	11	21	15	2
All other	16	1	–	1	6	3	2	1	1	–	1	–	11	–	–	–	4	2	3	–	1	1	–	–
Black	2	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	384	4	10	15	48	52	63	39	24	46	51	32	205	4	5	7	11	11	7	14	11	22	46	67
White	358	4	7	15	45	43	56	39	24	45	49	31	196	3	4	6	11	10	6	12	10	22	46	66
All other	26	–	3	–	3	9	7	–	–	1	2	1	9	1	1	1	–	1	1	2	1	–	–	1
Black	10	–	2	–	–	3	3	–	–	1	1	–	2	–	–	–	–	1	–	1	–	–	–	–
Suicide (E950-E959)	346	...	...	2	55	65	70	33	38	42	33	8	107	...	...	2	14	9	27	17	18	10	6	4
White	336	...	...	2	50	63	68	33	37	42	33	8	105	...	...	2	13	9	26	17	18	10	6	4
All other	10	...	...	–	5	2	2	–	1	–	–	–	2	...	...	–	1	–	1	–	–	–	–	–
Black	5	...	...	–	4	1	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	88	2	2	4	23	28	13	9	4	3	–	–	42	4	2	2	6	9	7	4	6	2	–	–
White	65	2	1	4	16	19	10	7	3	3	–	–	34	3	1	2	6	8	4	4	5	1	–	–
All other	23	–	1	–	7	9	3	2	1	–	–	–	8	1	1	–	–	1	3	–	1	1	–	–
Black	18	–	1	–	5	7	2	2	1	–	–	–	5	1	–	–	–	–	3	–	1	–	–	–
All other external causes (E980-E999)	22	1	–	–	3	3	9	3	–	1	1	1	12	–	–	–	1	1	5	1	1	1	2	–
White	21	–	–	–	3	3	9	3	–	1	1	1	10	–	–	–	1	–	4	1	1	1	2	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PENNSYLVANIA																								
All causes	61,225	882	169	194	1,026	1,686	2,442	3,554	8,202	16,468	17,843	8,749	61,432	661	126	125	341	641	1,192	2,178	5,320	12,695	19,530	18,618
White	54,923	591	121	148	780	1,252	1,873	2,914	7,195	15,018	16,798	8,225	55,890	443	93	101	280	490	922	1,749	4,537	11,391	18,233	17,648
All other	6,302	291	48	46	246	434	569	640	1,007	1,450	1,045	524	5,542	218	33	24	61	151	270	429	783	1,304	1,297	970
Black	6,122	285	46	46	234	420	557	610	983	1,412	1,020	507	5,385	214	31	23	54	148	259	411	763	1,280	1,256	944
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	8	–	2	–	–	–	–	–	3	3	–	–	15	–	1	1	–	–	–	–	1	2	4	6
White	6	–	1	–	–	–	–	–	2	3	–	–	15	–	1	1	–	–	–	–	1	2	4	6
All other	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	40	–	–	–	–	1	6	2	4	12	12	3	34	–	–	–	–	1	3	2	3	8	12	5
White	26	–	–	–	–	–	3	–	2	9	9	3	26	–	–	–	–	1	2	2	1	5	10	5
All other	14	–	–	–	–	1	3	2	2	3	3	–	8	–	–	–	–	–	1	–	2	3	2	–
Black	13	–	–	–	–	1	3	1	2	3	3	–	8	–	–	–	–	–	1	–	2	3	2	–
Tuberculosis of respiratory system (010-012)	34	–	–	–	–	1	5	2	3	12	9	2	30	–	–	–	–	1	2	2	3	7	10	5
White	22	–	–	–	–	–	3	–	1	9	7	2	23	–	–	–	–	1	1	2	1	5	8	5
All other	12	–	–	–	–	1	2	2	2	3	2	–	7	–	–	–	–	–	1	–	2	2	2	–
Black	11	–	–	–	–	1	2	1	2	3	2	–	7	–	–	–	–	–	1	–	2	2	2	–
Other tuberculosis (013-018)	6	–	–	–	–	–	1	–	1	–	3	1	4	–	–	–	–	–	1	–	–	1	2	–
White	4	–	–	–	–	–	–	–	1	–	2	1	3	–	–	–	–	–	1	–	–	–	2	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	2	–	–	–	–	–	–	–	–	–	–	6	2	1	–	–	1	–	–	–	1	–	1
White	2	2	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	1	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	767	15	1	–	3	10	22	34	79	180	253	169	1,100	5	1	2	5	14	14	23	51	174	385	426
White	626	8	1	–	1	7	10	23	56	143	223	153	926	2	1	2	3	11	6	14	43	145	325	374
All other	141	7	–	–	2	3	12	11	23	37	30	16	174	3	–	–	2	3	8	9	8	29	60	52
Black	138	7	–	–	2	3	11	11	23	37	29	15	171	3	–	–	2	3	8	9	8	28	59	51
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	–	1	–	–	–	–	–	–	–	–	–	6	–	–	6	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 217 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	40	-	-	-	-	2	9	11	4	10	4	-	30	-	-	-	1	-	1	2	3	9	10	4
White	34	-	-	-	-	2	6	8	4	10	4	-	26	-	-	-	-	-	1	1	3	8	9	4
All other	6	-	-	-	-	-	3	3	-	-	-	-	4	-	-	-	1	-	-	1	-	1	1	-
Black	6	-	-	-	-	-	3	3	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Syphilis (090-097)	6	1	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	-	-	1	3
White	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	4	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	914	10	3	5	15	260	336	127	61	49	37	11	222	1	4	2	6	35	31	17	25	49	31	21
White	594	6	1	2	7	146	226	75	47	41	33	10	154	-	3	2	3	12	17	7	18	42	29	21
All other	320	4	2	3	8	114	110	52	14	8	4	1	68	1	1	-	3	23	14	10	7	7	2	-
Black	319	4	2	3	8	113	110	52	14	8	4	1	67	1	1	-	3	23	14	9	7	7	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	15,542	-	12	15	52	127	344	982	2,851	5,353	4,460	1,345	14,457	1	6	15	40	120	456	1,024	2,300	4,365	4,239	1,891
White	14,085	-	8	14	47	108	296	830	2,533	4,860	4,172	1,216	13,123	1	4	13	37	105	383	874	2,003	3,973	3,969	1,761
All other	1,457	-	4	1	5	19	48	152	318	493	288	129	1,334	-	2	2	3	15	73	150	297	392	270	130
Black	1,416	-	4	1	4	17	45	144	312	479	282	128	1,296	-	2	2	3	14	68	144	288	388	261	126
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	293	-	-	-	2	1	11	32	82	84	69	12	130	-	-	-	-	-	3	5	28	41	37	16
White	252	-	-	-	2	-	8	24	65	75	66	12	113	-	-	-	-	-	2	2	23	37	35	14
All other	41	-	-	-	-	1	3	8	17	9	3	-	17	-	-	-	-	-	1	3	5	4	2	2
Black	39	-	-	-	-	1	3	7	16	9	3	-	16	-	-	-	-	-	1	3	4	4	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,786	-	-	-	2	20	84	216	734	1,308	1,072	350	3,453	-	-	-	1	15	46	153	418	949	1,191	680
White	3,436	-	-	-	2	16	75	188	642	1,199	1,001	313	3,105	-	-	-	1	12	37	127	354	852	1,088	634
All other	350	-	-	-	-	4	9	28	92	109	71	37	348	-	-	-	-	3	9	26	64	97	103	46
Black	333	-	-	-	-	3	6	26	90	103	69	36	335	-	-	-	-	2	7	25	60	97	99	45
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,308	-	-	-	-	7	70	373	1,153	2,058	1,358	288	2,924	-	-	-	1	5	52	205	597	1,070	794	200
White	4,769	-	-	-	-	6	54	306	1,027	1,852	1,270	253	2,625	-	-	-	1	4	43	169	499	971	750	188
All other	539	-	-	-	-	1	16	67	126	206	88	35	299	-	-	-	-	1	9	36	98	99	44	12
Black	526	-	-	-	-	1	16	63	124	202	85	35	294	-	-	-	-	1	9	36	96	98	44	10
Malignant neoplasm of breast (174-175)	17	-	-	-	-	-	-	-	7	5	4	1	2,633	-	-	-	-	25	169	302	517	729	635	256
White	17	-	-	-	-	-	-	-	7	5	4	1	2,383	-	-	-	-	21	145	257	451	662	605	242
All other	-	-	-	-	-	-	-	-	-	-	-	-	250	-	-	-	-	4	24	45	66	67	30	14
Black	-	-	-	-	-	-	-	-	-	-	-	-	242	-	-	-	-	4	23	43	64	66	28	14
Malignant neoplasms of genital organs (179-187)	1,917	-	-	-	1	3	7	16	155	546	807	382	1,555	-	-	-	1	19	67	130	256	527	391	164
White	1,705	-	-	-	1	3	7	15	128	473	732	346	1,424	-	-	-	1	17	51	116	240	487	367	145
All other	212	-	-	-	-	-	-	1	27	73	75	36	131	-	-	-	-	2	16	14	16	40	24	19
Black	212	-	-	-	-	-	-	1	27	73	75	36	128	-	-	-	-	2	14	14	16	40	23	19
Malignant neoplasms of urinary organs (188-189)	806	-	-	-	2	3	19	51	117	266	253	95	451	-	-	1	-	-	10	23	53	129	139	96
White	748	-	-	-	1	2	17	42	108	251	243	84	414	-	-	-	-	-	8	20	47	119	133	87
All other	58	-	-	-	1	1	2	9	9	15	10	11	37	-	-	1	-	-	2	3	6	10	6	9
Black	55	-	-	-	1	1	2	9	9	12	10	11	37	-	-	1	-	-	2	3	6	10	6	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,974	-	5	4	19	46	91	186	399	622	491	111	1,872	-	5	9	14	35	73	124	269	521	544	278
White	1,814	-	3	4	18	40	81	156	367	569	470	106	1,715	-	4	8	14	33	64	109	237	480	504	262
All other	160	-	2	-	1	6	10	30	32	53	21	5	157	-	1	1	-	2	9	15	32	41	40	16
Black	157	-	2	-	1	5	10	29	32	52	21	5	152	-	1	1	-	2	9	12	32	41	38	16
Leukemia (204-208)	568	-	7	8	18	20	25	36	76	176	160	42	545	1	1	5	14	9	17	43	64	127	176	88
White	531	-	5	8	15	18	24	30	71	166	153	41	511	1	-	5	11	6	16	38	59	118	172	85
All other	37	-	2	-	3	2	1	6	5	10	7	1	34	-	1	-	3	3	1	5	5	9	4	3
Black	36	-	2	-	2	2	1	6	5	10	7	1	33	-	1	-	3	3	1	5	5	9	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	873	-	-	3	8	27	37	72	128	288	246	64	894	-	-	-	9	12	19	39	98	272	332	113
White	813	-	-	2	8	23	30	69	118	270	233	60	833	-	-	-	9	12	17	36	93	247	315	104
All other	60	-	-	1	-	4	7	3	10	18	13	4	61	-	-	-	-	-	2	3	5	25	17	9
Black	58	-	-	1	-	4	7	3	9	18	12	4	59	-	-	-	-	-	2	3	5	23	17	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	183	1	2	2	1	11	7	10	24	57	45	23	270	-	3	2	3	3	10	10	15	54	109	61
White	173	1	2	2	1	9	6	8	23	53	45	23	245	-	2	2	2	2	9	8	12	49	100	59
All other	10	-	-	-	-	2	1	2	1	4	-	-	25	-	1	-	1	1	1	2	3	5	9	2
Black	9	-	-	-	-	1	1	2	1	4	-	-	22	-	-	-	1	1	1	1	2	5	9	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 218 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																							
Diabetes mellitus (250)	1,339	-	-	2	3	14	44	92	210	447	400	127	1,873	-	-	2	-	16	26	66	243	495	642	383
White	1,190	-	-	1	3	12	36	68	187	401	368	114	1,638	-	-	2	-	10	20	56	194	422	581	353
All other	149	-	-	1	-	2	8	24	23	46	32	13	235	-	-	-	-	6	6	10	49	73	61	30
Black	148	-	-	1	-	2	8	24	23	45	32	13	231	-	-	-	-	6	6	10	49	70	61	29
Nutritional deficiencies (260-269)	58	-	-	-	1	-	-	1	4	15	20	17	106	1	-	-	-	-	-	1	1	5	37	61
White	48	-	-	-	-	-	-	1	4	13	18	12	97	1	-	-	-	-	-	-	-	5	33	58
All other	10	-	-	-	1	-	-	-	-	2	2	5	9	-	-	-	-	-	-	1	1	-	4	3
Black	10	-	-	-	1	-	-	-	-	2	2	5	9	-	-	-	-	-	-	1	1	-	4	3
Anemias (280-285)	108	1	2	-	4	3	5	5	13	17	31	27	150	-	1	-	1	8	2	5	7	20	38	68
White	93	1	1	-	3	2	4	1	10	16	30	25	130	-	1	-	-	4	-	3	7	17	36	62
All other	15	-	1	-	1	1	1	4	3	1	1	2	20	-	-	-	1	4	2	2	-	3	2	6
Black	15	-	1	-	1	1	1	4	3	1	1	2	20	-	-	-	1	4	2	2	-	3	2	6
Meningitis (320-322)	18	3	-	1	1	-	1	1	3	2	3	3	21	2	1	-	2	-	3	1	2	5	5	-
White	16	2	-	1	1	-	1	1	2	2	3	3	14	1	-	-	1	-	1	1	2	4	4	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	7	1	1	-	1	-	2	-	-	1	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	6	1	1	-	-	-	2	-	-	1	1	-
Major cardiovascular diseases (390-448)	25,331	18	9	9	36	142	554	1,359	3,370	7,154	8,204	4,471	28,462	21	9	8	19	70	217	525	1,701	4,987	9,783	11,117
White	23,352	13	5	5	27	108	446	1,147	2,974	6,582	7,782	4,260	26,325	13	6	6	16	54	153	402	1,429	4,433	9,188	10,622
All other	1,979	5	4	4	9	34	108	212	396	572	422	211	2,137	8	3	2	3	16	64	123	272	554	595	495
Black	1,916	5	3	4	9	32	108	200	388	554	409	202	2,088	8	3	2	3	16	62	121	267	546	575	483
Diseases of heart (390-398,402,404-429)	21,073	18	8	6	30	117	481	1,203	2,953	6,016	6,668	3,569	22,380	20	7	7	15	47	155	408	1,423	3,990	7,723	8,580
White	19,511	13	4	3	23	90	395	1,035	2,630	5,557	6,338	3,421	20,775	12	6	5	12	37	108	320	1,204	3,575	7,283	8,210
All other	1,562	5	4	3	7	27	86	168	323	459	330	148	1,605	8	1	2	3	10	47	88	219	415	440	370
Black	1,519	5	3	3	7	25	86	158	317	449	322	142	1,570	8	1	2	3	10	45	88	214	410	427	360
Rheumatic fever and rheumatic heart disease (390-398)	112	-	-	-	1	1	8	5	15	29	44	9	288	-	-	-	-	7	9	8	36	90	102	36
White	107	-	-	-	1	1	6	5	14	28	43	9	275	-	-	-	-	4	7	7	32	88	101	36
All other	5	-	-	-	-	-	2	-	1	1	1	-	13	-	-	-	-	3	2	1	4	2	1	-
Black	5	-	-	-	-	-	2	-	1	1	1	-	12	-	-	-	-	3	1	1	4	2	1	-
Hypertensive heart disease (402)	345	-	-	-	1	5	21	29	73	90	83	43	539	-	-	-	-	-	7	31	35	102	190	174
White	277	-	-	-	-	3	16	20	54	68	78	38	459	-	-	-	-	-	4	19	22	78	173	163
All other	68	-	-	-	1	2	5	9	19	22	5	5	80	-	-	-	-	-	3	12	13	24	17	11
Black	67	-	-	-	1	1	5	9	19	22	5	5	79	-	-	-	-	-	3	12	13	23	17	11
Hypertensive heart and renal disease (404)	48	-	-	-	-	2	-	-	3	8	17	18	71	-	-	-	-	1	-	1	1	12	21	35
White	41	-	-	-	-	-	-	-	3	5	16	17	62	-	-	-	-	1	-	-	1	10	17	33
All other	7	-	-	-	-	2	-	-	-	3	1	1	9	-	-	-	-	-	-	1	-	2	4	2
Black	7	-	-	-	-	2	-	-	-	3	1	1	9	-	-	-	-	-	-	1	-	2	4	2
Ischemic heart disease (410-414)	14,179	1	-	-	6	41	266	738	1,958	4,244	4,610	2,314	14,019	-	1	-	2	10	69	212	905	2,604	5,021	5,193
White	13,534	1	-	-	6	38	245	680	1,841	4,047	4,448	2,227	13,236	-	1	-	2	8	51	181	794	2,400	4,801	4,996
All other	645	-	-	-	-	3	21	58	117	197	162	87	783	-	-	-	-	2	18	31	111	204	220	197
Black	620	-	-	-	-	2	21	52	113	192	158	82	760	-	-	-	-	2	17	31	108	201	210	191
Acute myocardial infarction (410)	8,085	-	-	-	4	21	183	517	1,275	2,551	2,485	1,048	7,319	-	1	-	1	7	44	132	616	1,611	2,768	2,138
White	7,702	-	-	-	4	20	169	475	1,204	2,427	2,393	1,009	6,896	-	1	-	1	5	33	110	548	1,492	2,655	2,050
All other	383	-	-	-	-	1	14	42	71	124	92	39	423	-	-	-	-	2	11	22	68	119	113	88
Black	365	-	-	-	-	-	14	37	68	120	90	36	404	-	-	-	-	2	10	22	65	117	104	84
Other acute and subacute forms of ischemic heart disease (411)	41	-	-	-	-	-	5	2	5	9	9	11	41	-	-	-	-	-	1	-	4	6	15	15
White	40	-	-	-	-	-	5	2	5	9	9	10	35	-	-	-	-	-	1	-	3	4	12	15
All other	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	1	2	3	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	1	2	3	-
Angina pectoris (413)	33	-	-	-	-	-	1	-	3	7	12	10	40	-	-	-	-	1	-	-	1	7	13	18
White	31	-	-	-	-	-	-	-	3	6	12	10	38	-	-	-	-	1	-	-	1	6	13	17
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,020	1	-	-	2	20	77	219	675	1,677	2,104	1,245	6,619	-	-	-	1	2	24	80	284	980	2,225	3,022
White	5,761	1	-	-	2	18	71	203	629	1,605	2,034	1,198	6,267	-	-	-	1	2	17	71	242	898	2,121	2,914
All other	259	-	-	-	-	2	6	16	46	72	70	47	352	-	-	-	-	-	7	9	42	82	104	108
Black	252	-	-	-	-	2	6	15	45	71	68	45	348	-	-	-	-	-	7	9	42	81	103	106
Other diseases of endocardium (424)	380	-	-	-	1	2	9	20	25	83	144	96	592	-	2	-	-	-	1	5	20	74	228	262
White	363	-	-	-	1	2	5	17	24	79	141	94	568	-	2	-	-	-	-	5	20	65	220	256
All other	17	-	-	-	-	-	4	3	1	4	3	2	24	-	-	-	-	-	1	-	-	9	8	6
Black	17	-	-	-	-	-	4	3	1	4	3	2	24	-	-	-	-	-	1	-	-	9	8	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 219 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	6,009	17	8	6	21	66	177	411	879	1,562	1,770	1,089	6,871	20	4	7	13	29	69	151	426	1,108	2,161	2,880
White	5,189	12	4	3	15	46	123	313	694	1,330	1,612	1,036	6,175	12	3	5	10	24	46	108	335	934	1,971	2,726
All other	820	5	4	3	6	20	54	98	185	232	158	53	696	8	1	2	3	5	23	43	91	174	190	154
Black	803	5	3	3	6	20	54	94	183	227	154	52	686	8	1	2	3	5	23	43	89	173	187	150
Hypertension with or without renal disease (401,403)	173	-	-	-	1	1	6	9	29	49	46	31	260	-	-	-	1	-	2	6	15	56	91	89
White	141	-	-	-	-	1	3	4	18	42	43	29	209	-	-	-	1	-	1	1	11	41	70	84
All other	32	-	-	-	1	-	3	5	11	7	3	2	51	-	-	-	-	-	1	5	4	15	21	5
Black	32	-	-	-	1	-	3	5	11	7	3	2	51	-	-	-	-	-	1	5	4	15	21	5
Cerebrovascular diseases (430-438)	2,950	-	1	3	4	19	57	119	272	753	1,090	632	4,690	1	2	1	3	15	50	95	219	758	1,615	1,931
White	2,639	-	1	2	3	13	39	85	223	666	1,019	588	4,294	1	-	1	3	10	38	71	178	654	1,502	1,836
All other	311	-	-	1	1	6	18	34	49	87	71	44	396	-	2	-	-	5	12	24	41	104	113	95
Black	293	-	-	1	1	6	18	32	47	80	66	42	382	-	2	-	-	5	12	22	41	101	106	93
Intracerebral and other intracranial hemorrhage (431-432)	549	-	-	3	1	8	32	57	82	162	153	51	657	-	-	-	1	7	20	29	73	147	248	132
White	455	-	-	2	1	3	18	30	60	144	147	50	582	-	-	-	1	4	12	17	60	127	235	126
All other	94	-	-	1	-	5	14	27	22	18	6	1	75	-	-	-	-	3	8	12	13	20	13	6
Black	85	-	-	1	-	5	14	26	20	14	4	1	71	-	-	-	-	3	8	11	13	19	11	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	395	-	1	-	-	1	3	8	41	99	157	85	692	1	-	1	-	2	4	3	25	98	245	313
White	363	-	1	-	-	1	3	8	35	90	147	78	639	1	-	1	-	1	3	2	21	85	226	299
All other	32	-	-	-	-	-	-	-	6	9	10	7	53	-	-	-	-	1	1	1	4	13	19	14
Black	29	-	-	-	-	-	-	-	6	9	9	5	50	-	-	-	-	1	1	1	4	13	16	14
Cerebral embolism (434.1)	14	-	-	-	-	-	-	1	2	5	5	1	26	-	-	-	1	-	-	1	2	7	8	7
White	13	-	-	-	-	-	-	1	2	5	4	1	25	-	-	-	1	-	-	-	2	7	8	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,992	-	-	-	3	10	22	53	147	487	775	495	3,315	-	2	-	1	6	26	62	119	506	1,114	1,479
White	1,808	-	-	-	2	9	18	46	126	427	721	459	3,048	-	-	-	1	5	23	52	95	435	1,033	1,404
All other	184	-	-	-	1	1	4	7	21	60	54	36	267	-	2	-	-	1	3	10	24	71	81	75
Black	178	-	-	-	1	1	4	6	21	57	52	36	260	-	2	-	-	1	3	9	24	69	79	73
Atherosclerosis (440)	257	-	-	-	-	-	1	4	11	40	100	101	493	-	-	-	-	-	-	1	8	44	128	312
White	235	-	-	-	-	-	1	3	11	36	92	92	452	-	-	-	-	-	-	1	5	39	115	292
All other	22	-	-	-	-	-	-	1	-	4	8	9	41	-	-	-	-	-	-	-	3	5	13	20
Black	22	-	-	-	-	-	-	1	-	4	8	9	41	-	-	-	-	-	-	-	3	5	13	20
Other diseases of arteries, arterioles, and capillaries (441-448)	878	-	-	-	1	5	9	24	105	296	300	138	639	-	-	-	-	8	10	15	36	139	226	205
White	826	-	-	-	1	4	8	20	92	281	290	130	595	-	-	-	-	7	6	9	31	124	218	200
All other	52	-	-	-	-	1	1	4	13	15	10	8	44	-	-	-	-	1	4	6	5	15	8	5
Black	50	-	-	-	-	1	1	4	13	14	10	7	44	-	-	-	-	1	4	6	5	15	8	5
Acute bronchitis and bronchiolitis (466)	16	-	-	-	-	1	-	1	-	2	6	6	15	-	2	-	-	-	-	1	1	1	3	7
White	13	-	-	-	-	1	-	1	-	2	5	4	14	-	1	-	-	-	-	1	1	1	3	7
All other	3	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,836	14	6	4	12	15	30	39	102	320	665	629	2,089	15	5	3	5	9	18	23	56	193	611	1,151
White	1,699	10	5	4	10	10	24	29	81	301	625	600	1,967	11	4	2	5	7	11	18	45	178	576	1,110
All other	137	4	1	-	2	5	6	10	21	19	40	29	122	4	1	1	-	2	7	5	11	15	35	41
Black	132	4	1	-	2	5	6	10	20	18	38	28	119	4	1	1	-	2	7	5	10	15	35	39
Pneumonia (480-486)	1,813	12	6	4	12	15	29	37	101	316	657	624	2,062	15	5	2	5	9	18	23	56	191	603	1,135
White	1,678	8	5	4	10	10	23	27	81	297	618	595	1,942	11	4	2	5	7	11	18	45	176	568	1,095
All other	135	4	1	-	2	5	6	10	20	19	39	29	120	4	1	-	-	2	7	5	11	15	35	40
Black	130	4	1	-	2	5	6	10	19	18	37	28	118	4	1	-	-	2	7	5	10	15	35	39
Influenza (487)	23	2	-	-	-	-	1	2	1	4	8	5	27	-	-	1	-	-	-	-	-	2	8	16
White	21	2	-	-	-	-	1	2	-	4	7	5	25	-	-	1	-	-	-	-	-	2	8	15
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,605	1	1	4	5	9	16	48	279	791	1,066	385	2,079	1	2	1	3	8	12	40	204	672	771	365
White	2,428	-	-	2	2	5	11	36	251	738	1,015	368	1,960	1	1	1	1	6	10	32	186	626	747	349
All other	177	1	1	2	3	4	5	12	28	53	51	17	119	-	1	-	2	2	2	8	18	46	24	16
Black	175	1	1	2	3	4	5	11	28	52	51	17	114	-	1	-	2	2	2	8	18	45	22	14
Bronchitis, chronic and unspecified (490-491)	71	1	-	1	-	-	1	1	7	16	30	14	76	1	1	-	1	1	-	2	4	17	24	25
White	66	-	-	1	-	-	-	1	7	14	29	14	72	1	1	-	1	1	-	2	3	17	24	22
All other	5	1	-	-	-	-	1	-	-	2	1	-	4	-	-	-	-	-	-	-	1	-	-	3
Black	5	1	-	-	-	-	1	-	-	2	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Emphysema (492)	414	-	-	-	-	-	6	12	50	140	159	47	300	-	-	-	-	-	-	10	34	105	119	32
White	398	-	-	-	-	-	6	11	47	135	154	45	288	-	-	-	-	-	-	9	33	98	116	32
All other	16	-	-	-	-	-	-	1	3	5	5	2	12	-	-	-	-	-	-	1	1	7	3	-
Black	15	-	-	-	-	-	-	1	3	4	5	2	11	-	-	-	-	-	-	1	1	7	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 220 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	68	-	1	3	5	8	4	5	11	14	10	7	143	-	1	1	2	7	6	11	22	37	28	28
White	48	-	-	1	2	4	2	1	10	12	9	7	117	-	-	1	-	5	4	7	17	32	24	27
All other	20	-	1	2	3	4	2	4	1	2	1	-	26	-	1	-	2	2	2	4	5	5	4	1
Black	19	-	1	2	3	4	2	3	1	2	1	-	25	-	1	-	2	2	2	4	5	5	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,052	-	-	-	-	1	5	30	211	621	867	317	1,560	-	-	-	-	-	6	17	144	513	600	280
White	1,916	-	-	-	-	1	3	23	187	577	823	302	1,483	-	-	-	-	-	6	14	133	479	583	268
All other	136	-	-	-	-	-	2	7	24	44	44	15	77	-	-	-	-	-	-	3	11	34	17	12
Black	136	-	-	-	-	-	2	7	24	44	44	15	75	-	-	-	-	-	-	3	11	33	17	11
Ulcer of stomach and duodenum (531-533)	125	-	-	-	1	-	5	2	12	31	43	31	147	-	1	-	-	-	2	4	9	23	62	46
White	117	-	-	-	1	-	4	2	10	29	41	30	138	-	1	-	-	-	2	3	7	21	59	45
All other	8	-	-	-	-	-	1	-	2	2	2	1	9	-	-	-	-	-	-	1	2	2	3	1
Black	8	-	-	-	-	-	1	-	2	2	2	1	8	-	-	-	-	-	-	1	2	1	3	1
Appendicitis (540-543)	10	-	-	-	1	-	1	1	-	4	1	2	9	-	-	1	-	-	-	-	2	3	2	1
White	7	-	-	-	-	-	-	1	-	3	1	2	9	-	-	1	-	-	-	-	2	3	2	1
All other	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	128	1	1	-	1	1	3	5	14	23	46	33	225	-	-	-	1	-	2	3	6	34	63	116
White	111	1	1	-	1	-	2	4	13	19	39	31	203	-	-	-	1	-	2	2	4	28	57	109
All other	17	-	-	-	-	1	1	1	1	4	7	2	22	-	-	-	-	-	-	1	2	6	6	7
Black	16	-	-	-	-	1	1	-	1	4	7	2	22	-	-	-	-	-	-	1	2	6	6	7
Chronic liver disease and cirrhosis (571)	786	-	-	-	-	16	87	135	194	205	130	19	439	-	-	-	2	9	38	58	70	140	108	14
White	693	-	-	-	-	12	70	113	167	191	123	17	390	-	-	-	1	8	25	44	61	132	105	14
All other	93	-	-	-	-	4	17	22	27	14	7	2	49	-	-	-	1	1	13	14	9	8	3	-
Black	90	-	-	-	-	4	16	22	26	14	7	1	48	-	-	-	1	1	13	13	9	8	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	71	-	-	-	-	1	1	4	5	18	28	14	94	-	-	-	-	-	-	1	4	17	30	42
White	69	-	-	-	-	-	1	4	5	18	27	14	89	-	-	-	-	-	-	1	4	15	28	41
All other	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	723	8	1	1	2	5	12	21	78	172	252	171	832	3	-	2	2	3	3	13	42	168	299	297
White	625	6	-	1	2	1	5	15	60	143	234	158	733	1	-	1	-	2	2	6	36	134	275	276
All other	98	2	1	-	-	4	7	6	18	29	18	13	99	2	-	1	2	1	1	7	6	34	24	21
Black	95	2	1	-	-	4	7	6	15	29	18	13	97	2	-	1	2	1	1	7	5	34	23	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	1	1	-	-	1	-	-	-	2	5	4	14	1	-	-	-	1	-	-	-	1	5	6
White	12	1	-	-	-	-	-	-	-	2	5	4	12	-	-	-	-	1	-	-	-	1	5	5
All other	2	-	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	2	-	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	-	-	1	1	2	2	1	5	10	13	10	43	1	-	-	1	-	1	-	-	8	12	20
White	37	-	-	1	1	1	1	-	4	7	12	10	37	1	-	-	-	-	1	-	-	5	12	18
All other	8	-	-	-	-	1	1	1	1	3	1	-	6	-	-	-	1	-	-	-	-	3	-	2
Black	8	-	-	-	-	1	1	1	1	3	1	-	6	-	-	-	1	-	-	-	-	3	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	664	7	-	-	1	2	10	20	73	160	234	157	775	1	-	2	1	2	2	13	42	159	282	271
White	576	5	-	-	1	-	4	15	56	134	217	144	684	-	-	1	-	1	1	6	36	128	258	253
All other	88	2	-	-	-	2	6	5	17	26	17	13	91	1	-	1	1	1	1	7	6	31	24	18
Black	85	2	-	-	-	2	6	5	14	26	17	13	89	1	-	1	1	1	1	7	5	31	23	18
Infections of kidney (590)	11	-	-	-	-	-	-	1	3	1	3	3	33	-	-	-	-	-	1	3	2	4	13	10
White	10	-	-	-	-	-	-	1	3	1	2	3	30	-	-	-	-	-	1	3	1	4	12	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Hyperplasia of prostate (600)	33	-	-	-	-	-	-	-	-	5	15	13	...	...	...	...	...	...	...	...	...	...	...	...
White	32	-	-	-	-	-	-	-	-	5	15	12	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	1	4	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	2	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	2	2	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 221 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	-	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Congenital anomalies (740-759)	257	159	25	7	9	9	8	2	8	15	10	5	256	147	18	12	5	8	12	14	7	14	13	6
White	209	120	21	6	8	9	6	2	8	14	10	5	214	119	16	10	3	7	11	12	6	12	12	6
All other	48	39	4	1	1	-	2	-	-	1	-	-	42	28	2	2	2	1	1	2	1	2	1	-
Black	46	38	3	1	1	-	2	-	-	1	-	-	39	25	2	2	2	1	1	2	1	2	1	-
Certain conditions originating in the perinatal period (760-779)	466	459	5	1	1	-	-	-	-	-	-	-	319	315	4	-	-	-	-	-	-	-	-	-
White	297	293	2	1	1	-	-	-	-	-	-	-	206	203	3	-	-	-	-	-	-	-	-	-
All other	169	166	3	-	-	-	-	-	-	-	-	-	113	112	1	-	-	-	-	-	-	-	-	-
Black	165	162	3	-	-	-	-	-	-	-	-	-	112	111	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	115	112	1	1	1	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
White	86	83	1	1	1	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	351	347	4	-	-	-	-	-	-	-	-	-	262	258	4	-	-	-	-	-	-	-	-	-
White	211	210	1	-	-	-	-	-	-	-	-	-	165	162	3	-	-	-	-	-	-	-	-	-
All other	140	137	3	-	-	-	-	-	-	-	-	-	97	96	1	-	-	-	-	-	-	-	-	-
Black	137	134	3	-	-	-	-	-	-	-	-	-	97	96	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	628	120	7	2	5	25	34	34	66	144	113	77	647	101	8	4	6	12	17	22	33	95	153	196
White	521	80	6	2	3	16	20	24	61	134	102	72	539	58	5	2	4	9	14	19	25	86	135	182
All other	107	40	1	-	2	9	14	10	5	10	11	5	108	43	3	2	2	3	3	3	8	9	18	14
Black	105	39	1	-	2	9	14	10	4	10	11	5	107	43	3	1	2	3	3	3	8	9	18	14
All other diseases (Residual)	4,722	41	11	26	42	67	200	252	483	1,062	1,583	954	5,544	27	11	17	25	61	105	187	383	915	1,750	2,063
White	4,206	30	6	22	36	46	135	191	403	954	1,487	895	4,987	18	9	14	18	38	73	136	315	827	1,611	1,928
All other	516	11	5	4	6	21	65	61	80	108	96	59	557	9	2	3	7	23	32	51	68	88	139	135
Black	503	11	5	4	6	19	64	59	79	106	94	56	541	9	2	3	7	23	32	50	66	84	133	132
Accidents and adverse effects (E800-E949)	2,650	18	68	98	474	493	395	193	199	238	300	174	1,429	10	39	43	164	133	100	64	108	200	321	247
White	2,312	13	51	72	427	435	316	166	176	209	287	160	1,263	9	27	35	147	114	81	51	96	178	293	232
All other	338	5	17	26	47	58	79	27	23	29	13	14	166	1	12	8	17	19	19	13	12	22	28	15
Black	323	5	17	26	41	56	77	26	21	28	13	13	153	1	11	8	11	19	17	10	11	22	28	15
Motor vehicle accidents (E810-E825)	1,175	3	10	42	370	271	135	73	92	79	80	20	548	-	13	25	133	76	51	37	58	72	65	18
White	1,092	3	8	37	340	252	126	70	85	72	79	20	510	-	12	23	124	72	47	29	53	69	64	17
All other	83	-	2	5	30	19	9	3	7	7	1	-	38	-	1	2	9	4	4	8	5	3	1	1
Black	74	-	2	5	26	17	7	3	6	7	1	-	31	-	1	2	6	4	2	6	5	3	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,475	15	58	56	104	222	260	120	107	159	220	154	881	10	26	18	31	57	49	27	50	128	256	229
White	1,220	10	43	35	87	183	190	96	91	137	208	140	753	9	15	12	23	42	34	22	43	109	229	215
All other	255	5	15	21	17	39	70	24	16	22	12	14	128	1	11	6	8	15	15	5	7	19	27	14
Black	249	5	15	21	15	39	70	23	15	21	12	13	122	1	10	6	5	15	15	4	6	19	27	14
Suicide (E950-E959)	1,117	...	...	9	168	255	200	141	100	115	98	31	280	...	...	2	15	67	66	44	30	31	18	7
White	1,023	...	...	8	144	229	187	128	95	112	90	30	264	...	...	2	15	62	63	40	28	31	16	7
All other	94	...	...	1	24	26	13	13	5	3	8	1	16	...	...	-	-	5	3	4	2	-	2	-
Black	84	...	...	1	20	25	13	10	4	3	7	1	11	...	...	-	-	4	2	3	2	-	-	-
Homicide and legal intervention (E960-E978)	600	10	11	6	179	185	105	42	33	17	8	3	182	9	8	2	28	49	34	20	8	10	12	2
White	241	5	8	4	47	67	44	29	19	11	3	3	112	4	7	2	18	26	21	9	5	9	9	2
All other	359	5	3	2	132	118	61	13	14	6	5	-	70	5	1	-	10	23	13	11	3	1	3	-
Black	350	5	3	2	131	115	57	12	14	6	5	-	67	5	1	-	10	22	12	10	3	1	3	-
All other external causes (E980-E999)	84	-	1	2	10	34	17	9	3	5	2	1	48	-	1	-	7	10	15	5	3	1	5	1
White	62	-	1	1	8	27	14	6	1	2	1	1	38	-	-	-	5	9	12	4	2	1	4	1
All other	22	-	-	1	2	7	3	3	2	3	1	-	10	-	1	-	2	1	3	1	1	-	1	-
Black	22	-	-	1	2	7	3	3	2	3	1	-	10	-	1	-	2	1	3	1	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 222 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																							
All causes	4,592	62	14	19	67	116	196	227	586	1,167	1,410	728	4,806	56	5	8	24	49	114	142	401	837	1,424	1,746
White	4,388	46	10	14	57	100	180	210	554	1,123	1,381	713	4,635	45	3	7	21	36	99	132	381	811	1,393	1,707
All other	204	16	4	5	10	16	16	17	32	44	29	15	171	11	2	1	3	13	15	10	20	26	31	39
Black	174	15	4	5	7	14	15	13	26	40	25	10	141	9	1	1	3	13	13	9	17	20	23	32
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	49	1	-	-	-	-	1	1	4	11	14	17	80	-	-	1	-	-	1	-	6	10	33	29
White	48	1	-	-	-	-	1	1	3	11	14	17	78	-	-	1	-	-	-	-	6	10	33	28
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	74	3	3	2	2	19	29	7	5	3	1	-	28	4	-	1	1	9	2	3	2	4	2	-
White	56	3	1	2	1	14	23	4	4	3	1	-	17	2	-	1	1	5	1	1	-	4	2	-
All other	18	-	2	-	1	5	6	3	1	-	-	-	11	2	-	-	-	4	1	2	2	-	-	-
Black	17	-	2	-	1	5	6	3	-	-	-	-	10	1	-	-	-	4	1	2	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,223	-	3	2	3	9	29	74	212	396	373	122	1,147	-	-	-	1	6	39	74	200	300	337	190
White	1,183	-	3	1	3	7	27	71	201	389	365	116	1,106	-	-	-	1	5	39	70	190	288	330	183
All other	40	-	-	1	-	2	2	3	11	7	8	6	41	-	-	-	-	1	-	4	10	12	7	7
Black	29	-	-	1	-	1	1	2	8	6	7	3	33	-	-	-	-	1	-	3	9	9	5	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 223 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	-	-	-	-	1	1	4	7	7	2	1	11	-	-	-	-	-	-	1	1	3	5	1
White	21	-	-	-	-	-	1	4	6	7	2	1	11	-	-	-	-	-	-	1	1	3	5	1
All other	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	302	-	-	-	1	2	8	20	46	98	92	35	293	-	-	-	-	-	3	7	42	79	102	60
White	296	-	-	-	1	2	7	18	45	98	91	34	287	-	-	-	-	-	3	7	41	76	102	58
All other	6	-	-	-	-	-	1	2	1	-	1	1	6	-	-	-	-	-	-	-	1	3	-	2
Black	3	-	-	-	-	-	1	1	-	-	1	-	5	-	-	-	-	-	-	-	1	2	-	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	420	-	-	-	-	1	5	23	102	144	119	26	215	-	-	-	-	-	5	17	49	69	57	18
White	406	-	-	-	-	1	5	22	96	143	115	24	204	-	-	-	-	-	5	16	47	67	52	17
All other	14	-	-	-	-	-	-	1	6	1	4	2	11	-	-	-	-	-	-	1	2	2	5	1
Black	10	-	-	-	-	-	-	1	4	1	3	1	9	-	-	-	-	-	-	1	1	2	4	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	1	-	237	-	-	-	-	4	20	23	48	41	65	36
White	3	-	-	-	-	-	-	-	-	2	1	-	227	-	-	-	-	3	20	21	45	41	65	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	1	-	2	3	-	-	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	-	2	3	-	-	3
Malignant neoplasms of genital organs (179-187)	147	-	-	-	-	1	3	-	11	34	65	33	103	-	-	-	-	1	-	11	17	36	23	15
White	140	-	-	-	-	1	3	-	11	33	62	30	99	-	-	-	-	1	-	11	16	33	23	15
All other	7	-	-	-	-	-	-	-	-	1	3	3	4	-	-	-	-	-	-	-	1	3	-	-
Black	6	-	-	-	-	-	-	-	-	1	3	2	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasms of urinary organs (188-189)	63	-	-	-	-	-	-	7	13	18	22	3	43	-	-	-	-	-	-	2	8	9	15	9
White	62	-	-	-	-	-	-	7	12	18	22	3	43	-	-	-	-	-	-	2	8	9	15	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	143	-	2	-	-	2	5	12	26	54	32	10	135	-	-	-	-	1	5	7	23	37	33	29
White	137	-	2	-	-	2	5	12	24	50	32	10	129	-	-	-	-	1	5	6	22	34	32	29
All other	6	-	-	-	-	-	-	-	2	4	-	-	6	-	-	-	-	-	-	1	1	3	1	-
Black	6	-	-	-	-	-	-	-	2	4	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Leukemia (204-208)	48	-	1	2	2	1	2	1	2	14	15	8	40	-	-	-	1	-	4	3	3	7	12	10
White	47	-	1	1	2	1	2	1	2	14	15	8	39	-	-	-	1	-	4	3	2	7	12	10
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	74	-	-	-	-	1	5	7	5	25	25	6	70	-	-	-	-	-	2	3	9	19	25	12
White	71	-	-	-	-	-	4	7	5	24	25	6	67	-	-	-	-	-	2	3	8	18	24	12
All other	3	-	-	-	-	1	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	-	-	-	-	1	-	1	5	4	5	2	25	-	-	-	-	-	1	3	2	9	6	4
White	18	-	-	-	-	1	-	1	5	4	5	2	25	-	-	-	-	-	1	3	2	9	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	107	-	-	-	-	-	3	4	20	37	35	8	108	-	-	-	-	-	2	-	13	25	43	25
White	100	-	-	-	-	-	3	4	17	34	34	8	106	-	-	-	-	-	2	-	13	24	42	25
All other	7	-	-	-	-	-	-	-	3	3	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	-	2	1	4
White	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	2	-	-	-	1	4	2	15	-	-	-	-	1	1	-	-	2	3	8
White	8	-	-	-	-	1	-	-	-	1	4	2	15	-	-	-	-	1	1	-	-	2	3	8
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,902	-	-	1	2	10	40	75	233	487	660	394	2,175	2	1	-	1	9	23	27	105	310	654	1,043
White	1,840	-	-	1	2	8	37	70	223	465	647	387	2,110	1	-	-	1	6	20	26	99	298	638	1,021
All other	62	-	-	-	-	2	3	5	10	22	13	7	65	1	1	-	-	3	3	1	6	12	16	22
Black	55	-	-	-	-	2	3	3	10	21	11	5	51	1	-	-	-	3	3	1	4	9	12	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 224 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,556	-	-	1	2	8	33	69	196	404	532	311	1,691	2	1	-	1	5	13	17	84	257	524	787
White	1,510	-	-	1	2	7	31	64	191	386	522	306	1,639	1	-	-	1	3	10	17	80	246	512	769
All other	46	-	-	-	-	1	2	5	5	18	10	5	52	1	1	-	-	2	3	-	4	11	12	18
Black	40	-	-	-	-	1	2	3	5	17	9	3	42	1	-	-	-	2	3	-	2	8	10	16
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	-	2	-	2	3	10	-	-	-	-	-	-	-	-	3	4	3
White	7	-	-	-	-	-	-	-	2	-	2	3	10	-	-	-	-	-	-	-	-	3	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	29	-	-	-	-	1	1	3	4	7	9	4	34	-	-	-	-	-	2	-	2	7	13	10
White	28	-	-	-	-	1	1	3	4	6	9	4	32	-	-	-	-	-	1	-	2	6	13	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,064	-	-	-	1	2	14	38	130	276	379	224	1,174	-	-	-	-	1	5	9	54	171	387	547
White	1,029	-	-	-	1	2	13	34	126	262	371	220	1,145	-	-	-	-	-	5	9	50	163	380	538
All other	35	-	-	-	-	-	1	4	4	14	8	4	29	-	-	-	-	1	-	-	4	8	7	9
Black	29	-	-	-	-	-	1	2	4	13	7	2	22	-	-	-	-	1	-	-	2	5	6	8
Acute myocardial infarction (410)	480	-	-	-	1	2	9	21	58	137	177	75	477	-	-	-	-	-	1	1	6	25	109	178	157
White	464	-	-	-	1	2	9	19	57	129	174	73	462	-	-	-	-	-	-	1	6	22	105	174	154
All other	16	-	-	-	-	-	2	1	8	3	2	15	-	-	-	-	-	1	-	-	3	4	4	3
Black	12	-	-	-	-	-	-	1	8	2	1	12	-	-	-	-	-	1	-	-	2	3	3	3
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
White	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
White	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	579	-	-	-	-	-	5	16	72	138	200	148	691	-	-	-	-	-	4	2	28	62	207	388
White	560	-	-	-	-	-	4	14	69	132	195	146	677	-	-	-	-	-	4	2	27	58	204	382
All other	19	-	-	-	-	-	1	2	3	6	5	2	14	-	-	-	-	-	-	-	1	4	3	6
Black	17	-	-	-	-	-	1	2	3	5	5	1	10	-	-	-	-	-	-	-	-	2	3	5
Other diseases of endocardium (424)	18	-	-	-	-	-	-	-	3	4	7	4	30	-	-	-	1	-	-	1	1	2	8	17
White	18	-	-	-	-	-	-	-	3	4	7	4	30	-	-	-	1	-	-	1	1	2	8	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	436	-	-	1	1	5	18	28	57	116	134	76	441	2	1	-	-	4	6	6	27	74	111	210
White	426	-	-	1	1	4	17	27	56	113	132	75	420	1	-	-	-	3	4	6	27	72	106	201
All other	10	-	-	-	-	1	1	1	1	3	2	1	21	1	1	-	-	1	2	-	-	2	5	9
Black	10	-	-	-	-	1	1	1	1	3	2	1	18	1	-	-	-	1	2	-	-	2	4	8
Hypertension with or without renal disease (401,403)	17	-	-	-	-	-	-	1	1	5	6	4	19	-	-	-	-	-	-	-	1	4	8	6
White	16	-	-	-	-	-	-	1	1	4	6	4	19	-	-	-	-	-	-	-	1	4	8	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	214	-	-	-	-	2	4	2	17	44	86	59	353	-	-	-	-	3	9	8	15	35	92	191
White	202	-	-	-	-	1	4	2	12	42	83	58	344	-	-	-	-	3	9	7	14	34	90	187
All other	12	-	-	-	-	1	-	-	5	2	3	1	9	-	-	-	-	-	-	1	1	1	2	4
Black	11	-	-	-	-	1	-	-	5	2	2	1	6	-	-	-	-	-	-	1	1	1	1	2
Intracerebral and other intracranial hemorrhage (431-432)	31	-	-	-	-	-	1	1	5	10	8	6	48	-	-	-	-	-	2	4	2	6	19	15
White	28	-	-	-	-	-	1	1	2	10	8	6	45	-	-	-	-	-	2	3	2	5	18	15
All other	3	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	3	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	-	-	-	-	-	1	1	1	5	16	4	28	-	-	-	-	-	2	-	1	1	9	15
White	27	-	-	-	-	-	1	1	1	4	16	4	28	-	-	-	-	-	2	-	1	1	9	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 225 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	155	-	-	-	-	2	2	-	11	29	62	49	275	-	-	-	-	3	5	4	12	27	63	161
White	147	-	-	-	-	1	2	-	9	28	59	48	269	-	-	-	-	3	5	4	11	27	62	157
All other	8	-	-	-	-	1	-	-	2	1	3	1	6	-	-	-	-	-	-	-	1	-	1	4
Black	7	-	-	-	-	1	-	-	2	1	2	1	3	-	-	-	-	-	-	-	1	-	-	2
Atherosclerosis (440)	31	-	-	-	-	-	1	2	11	3	5	9	54	-	-	-	-	-	-	1	2	5	12	34
White	31	-	-	-	-	-	1	2	11	3	5	9	54	-	-	-	-	-	-	1	2	5	12	34
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	84	-	-	-	-	-	2	1	8	31	31	11	58	-	-	-	-	1	1	1	3	9	18	25
White	81	-	-	-	-	-	1	1	8	30	31	10	54	-	-	-	-	-	1	1	2	9	16	25
All other	3	-	-	-	-	-	1	-	-	1	-	1	4	-	-	-	-	1	-	-	1	-	2	-
Black	3	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	1	-	-	1	-	1	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	152	1	1	1	1	2	4	-	10	17	68	47	199	-	1	-	-	-	2	1	2	18	64	111
White	147	1	1	1	1	1	3	-	10	16	66	47	196	-	1	-	-	-	2	1	2	18	63	109
All other	5	-	-	-	-	1	1	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (480-486)	152	1	1	1	1	2	4	-	10	17	68	47	198	-	1	-	-	-	2	1	2	18	64	110
White	147	1	1	1	1	1	3	-	10	16	66	47	195	-	1	-	-	-	2	1	2	18	63	108
All other	5	-	-	-	-	1	1	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	165	-	-	-	1	-	-	1	16	59	68	20	149	-	-	-	-	-	2	4	20	33	62	28
White	163	-	-	-	1	-	-	1	16	58	67	20	146	-	-	-	-	-	1	4	19	33	61	28
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Bronchitis, chronic and unspecified (490-491)	8	-	-	-	-	-	-	-	2	-	4	2	5	-	-	-	-	-	-	-	1	1	2	1
White	8	-	-	-	-	-	-	-	2	-	4	2	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	19	-	-	-	-	-	-	-	1	10	6	2	17	-	-	-	-	-	-	-	2	7	5	3
White	19	-	-	-	-	-	-	-	1	10	6	2	17	-	-	-	-	-	-	-	2	7	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	1	-	-	-	-	-	2	-	7	-	-	-	-	-	2	-	1	2	1	1
White	3	-	-	-	1	-	-	-	-	-	2	-	6	-	-	-	-	-	1	-	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	135	-	-	-	-	-	-	1	13	49	56	16	120	-	-	-	-	-	-	4	16	23	54	23
White	133	-	-	-	-	-	-	1	13	48	55	16	118	-	-	-	-	-	-	4	15	23	53	23
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	1	-	1	1	1	2	2	12	-	-	-	-	-	-	-	1	2	5	4
White	8	-	-	-	-	1	-	1	1	1	2	2	12	-	-	-	-	-	-	-	1	2	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	1	-	-	-	-	1	1	1	1	3	25	-	-	-	-	-	-	-	-	1	11	13
White	6	-	-	-	-	-	-	1	1	-	1	3	24	-	-	-	-	-	-	-	-	1	11	12
All other	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 226 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	72	-	-	-	-	2	15	13	10	14	16	2	47	-	-	-	-	1	4	9	5	16	8	4
White	68	-	-	-	-	2	14	11	10	13	16	2	43	-	-	-	-	1	2	7	5	16	8	4
All other	4	-	-	-	-	-	1	2	-	1	-	-	4	-	-	-	-	-	2	2	-	-	-	-
Black	3	-	-	-	-	-	1	1	-	1	-	-	4	-	-	-	-	-	2	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	1	-	3	-	6	-	-	-	-	-	-	-	-	-	2	4
White	4	-	-	-	-	-	-	-	1	-	3	-	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	61	1	-	-	-	2	2	1	7	15	20	13	65	-	-	-	-	1	1	2	5	18	17	21
White	55	1	-	-	-	1	-	1	6	14	19	13	64	-	-	-	-	1	-	2	5	18	17	21
All other	6	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	6	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	56	1	-	-	-	2	2	1	7	12	19	12	63	-	-	-	-	1	1	2	5	18	15	21
White	50	1	-	-	-	1	-	1	6	11	18	12	62	-	-	-	-	1	-	2	5	18	15	21
All other	6	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	6	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	22	10	1	3	2	-	2	-	-	2	2	-	20	8	-	3	1	2	-	-	3	1	1	1
White	19	7	1	3	2	-	2	-	-	2	2	-	19	7	-	3	1	2	-	-	3	1	1	1
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	34	32	2	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	22	20	2	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 227 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	31	29	2	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	20	18	2	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	31	10	-	-	-	2	3	-	2	5	4	5	27	6	-	-	-	2	1	-	1	3	6	8
White	29	9	-	-	-	1	3	-	2	5	4	5	24	4	-	-	-	2	-	-	1	3	6	8
All other	2	1	-	-	-	1	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Black	2	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	361	3	-	-	7	17	23	22	38	83	101	67	483	4	-	2	2	7	12	11	29	66	139	211
White	345	3	-	-	7	17	22	20	35	77	98	66	465	4	-	1	2	5	9	10	28	66	135	205
All other	16	-	-	-	-	-	1	2	3	6	3	1	18	-	-	1	-	2	3	1	1	-	4	6
Black	16	-	-	-	-	-	1	2	3	6	3	1	14	-	-	1	-	2	1	1	1	-	3	5
Accidents and adverse effects (E800-E949)	167	-	1	8	28	20	25	12	10	17	24	22	116	1	3	-	10	5	10	4	4	15	26	38
White	160	-	1	5	27	19	25	12	10	16	24	21	110	1	2	-	8	4	10	4	4	14	25	38
All other	7	-	-	3	1	1	-	-	-	1	-	1	6	-	1	-	2	1	-	-	-	1	1	-
Black	6	-	-	3	-	1	-	-	-	1	-	1	6	-	1	-	2	1	-	-	-	1	1	-
Motor vehicle accidents (E810-E825)	68	-	-	6	18	13	13	7	1	3	4	3	25	-	-	-	8	3	4	2	-	2	4	2
White	65	-	-	5	18	12	13	7	1	2	4	3	22	-	-	-	7	2	4	2	-	1	4	2
All other	3	-	-	1	-	1	-	-	-	1	-	-	3	-	-	-	1	1	-	-	-	1	-	-
Black	3	-	-	1	-	1	-	-	-	1	-	-	3	-	-	-	1	1	-	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	99	-	1	2	10	7	12	5	9	14	20	19	91	1	3	-	2	2	6	2	4	13	22	36
White	95	-	1	-	9	7	12	5	9	14	20	18	88	1	2	-	1	2	6	2	4	13	21	36
All other	4	-	-	2	1	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	1	-
Black	3	-	-	2	-	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	1	-
Suicide (E950-E959)	65	...	...	2	8	15	8	9	9	7	5	2	17	...	...	-	2	2	9	3	1	-	-	-
White	58	...	...	1	6	14	8	7	8	7	5	2	17	...	...	-	2	2	9	3	1	-	-	-
All other	7	...	...	1	2	1	-	2	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	7	...	...	1	2	1	-	2	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	31	-	2	-	12	6	6	3	1	1	-	-	13	-	-	1	5	3	2	1	-	1	-	-
White	23	-	1	-	6	5	6	3	1	1	-	-	9	-	-	1	4	1	1	1	-	1	-	-
All other	8	-	1	-	6	1	-	-	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-
Black	6	-	1	-	4	1	-	-	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-
All other external causes (E980-E999)	15	-	-	-	1	6	4	2	1	-	1	-	3	-	-	-	-	1	2	-	-	-	-	-
White	14	-	-	-	1	6	4	2	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA																								
All causes	15,893	349	59	76	493	705	1,066	1,393	2,591	4,138	3,619	1,400	14,073	300	44	57	158	263	505	795	1,543	3,079	4,110	3,219
White	10,840	165	29	44	280	372	579	843	1,800	2,985	2,663	1,079	9,607	115	23	39	105	131	258	441	986	1,992	2,961	2,556
All other	5,053	184	30	32	213	333	487	550	791	1,153	956	321	4,466	185	21	18	53	132	247	354	557	1,087	1,149	663
Black	5,026	184	30	32	212	330	482	547	786	1,148	953	319	4,442	185	21	18	53	132	243	352	552	1,079	1,146	661
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	27	-	-	-	-	-	3	5	7	4	6	2	10	-	-	-	-	1	1	2	1	3	-	2
White	8	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	19	-	-	-	-	-	3	4	5	3	3	1	9	-	-	-	-	1	1	2	1	2	-	2
Black	19	-	-	-	-	-	3	4	5	3	3	1	9	-	-	-	-	1	1	2	1	2	-	2
Tuberculosis of respiratory system (010-012)	19	-	-	-	-	-	1	5	6	3	2	2	5	-	-	-	-	-	-	2	1	1	-	1
White	7	-	-	-	-	-	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	12	-	-	-	-	-	1	4	4	2	-	1	5	-	-	-	-	-	-	2	1	1	-	1
Black	12	-	-	-	-	-	1	4	4	2	-	1	5	-	-	-	-	-	-	2	1	1	-	1
Other tuberculosis (013-018)	8	-	-	-	-	-	2	-	1	1	4	-	5	-	-	-	-	1	1	-	-	2	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	7	-	-	-	-	-	2	-	1	1	3	-	4	-	-	-	-	1	1	-	-	1	-	1
Black	7	-	-	-	-	-	2	-	1	1	3	-	4	-	-	-	-	1	1	-	-	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 228 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	144	4	2	-	-	10	11	7	20	34	30	26	136	6	-	-	-	2	3	6	7	27	39	46
White	74	1	2	-	-	2	5	2	11	19	19	13	90	1	-	-	-	-	2	3	5	18	26	35
All other	70	3	-	-	-	8	6	5	9	15	11	13	46	5	-	-	-	2	1	3	2	9	13	11
Black	70	3	-	-	-	8	6	5	9	15	11	13	45	5	-	-	-	2	1	3	2	9	13	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	22	-	-	-	2	-	7	4	6	2	1	-	8	-	-	-	-	-	2	1	-	2	3	-
White	15	-	-	-	1	-	2	4	6	1	1	-	6	-	-	-	-	-	2	-	-	2	2	-
All other	7	-	-	-	1	-	5	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	7	-	-	-	1	-	5	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	333	-	1	1	13	117	113	47	16	13	11	1	97	4	1	2	3	19	29	11	7	9	7	5
White	150	-	1	-	4	48	51	20	9	9	7	1	40	2	-	2	1	1	7	5	5	8	6	3
All other	183	-	-	1	9	69	62	27	7	4	4	-	57	2	1	-	2	18	22	6	2	1	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,722	1	5	9	15	36	136	356	844	1,247	844	228	3,048	1	4	9	5	38	144	314	573	909	766	285
White	2,558	-	1	6	10	26	85	229	562	891	579	169	2,177	1	3	7	5	24	91	196	428	637	573	212
All other	1,164	1	4	3	5	10	51	127	282	356	265	59	871	-	1	2	-	14	53	118	145	272	193	73
Black	1,159	1	4	3	5	10	51	126	280	355	265	58	866	-	1	2	-	14	53	118	144	270	191	73
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	96	-	-	-	-	-	7	14	26	30	13	6	47	-	-	-	-	-	1	3	10	18	14	1
White	57	-	-	-	-	-	2	5	15	20	11	4	38	-	-	-	-	-	1	2	7	15	12	1
All other	39	-	-	-	-	-	5	9	11	10	2	2	9	-	-	-	-	-	-	1	3	3	2	-
Black	39	-	-	-	-	-	5	9	11	10	2	2	9	-	-	-	-	-	-	1	3	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	826	-	-	-	4	7	28	87	183	288	166	63	728	-	-	-	-	5	23	54	105	217	230	94
White	512	-	-	-	2	6	11	53	105	195	100	40	479	-	-	-	-	4	14	34	67	132	156	72
All other	314	-	-	-	2	1	17	34	78	93	66	23	249						13	71	160	210	134	28
White	1,038	-	-	-	-	3	28	90	261	386	233	37	493	-	-	-	-	1	11	43	137	166	114	21
All other	384	1	1	-	-	-	14	58	122	116	62	10	125	-	-	-	-	1	2	28	23	44	20	7
Black	381	1	1	-	-	-	14	57	121	115	62	10	124	-	-	-	-	1	2	28	23	44	19	7
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	1	-	-	595	-	-	-	-	10	58	97	127	154	107	42
White	2	-	-	-	-	-	-	-	1	1	-	-	411	-	-	-	-	4	32	60	95	115	78	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	184	-	-	-	-	6	26	37	32	39	29	15
Black	-	-	-	-	-	-	-	-	-	-	-	-	184	-	-	-	-	6	26	37	32	39	29	15
Malignant neoplasms of genital organs (179-187)	515	-	-	-	2	3	3	10	57	191	183	66	362	-	1	-	-	8	21	36	75	106	86	29
White	288	-	-	-	2	1	3	5	31	107	93	46	231	-	1	-	-	5	13	21	46	66	61	18
All other	227	-	-	-	-	2	-	5	26	84	90	20	131	-	-	-	-	3	8	15	29	40	25	11
Black	227	-	-	-	-	2	-	5	26	84	90	20	130	-	-	-	-	3	8	15	29	39	25	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 229 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	174	-	-	-	-	-	5	19	37	52	47	14	100	-	-	-	-	-	3	8	11	29	30	19
White	140	-	-	-	-	-	4	17	31	42	34	12	67	-	-	-	-	-	2	4	8	20	24	9
All other	34	-	-	-	-	-	1	2	6	10	13	2	33	-	-	-	-	-	1	4	3	9	6	10
Black	34	-	-	-	-	-	1	2	6	10	13	2	33	-	-	-	-	-	1	4	3	9	6	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	396	-	4	4	6	13	30	48	106	101	68	15	316	-	-	4	3	6	20	28	43	96	77	39
White	310	-	1	3	5	10	27	37	80	81	53	13	246	-	-	3	3	4	14	21	40	67	60	34
All other	86	-	3	1	1	3	3	11	26	20	15	2	70	-	-	1	-	2	6	7	3	29	17	5
Black	85	-	3	1	1	3	3	11	26	20	15	1	70	-	-	1	-	2	6	7	3	29	17	5
Leukemia (204-208)	111	-	-	4	3	4	8	21	17	21	28	5	104	1	3	5	-	5	4	3	17	20	26	20
White	75	-	-	2	1	1	3	15	12	15	21	5	79	1	2	4	-	4	3	2	13	12	20	18
All other	36	-	-	2	2	3	5	6	5	6	7	-	25	-	1	1	-	1	1	1	4	8	6	2
Black	36	-	-	2	2	3	5	6	5	6	7	-	25	-	1	1	-	1	1	1	4	8	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	180	-	-	1	-	6	13	9	34	61	44	12	178	-	-	-	2	2	1	14	25	59	62	13
White	136	-	-	1	-	5	7	7	26	44	34	12	133	-	-	-	2	2	1	9	15	44	48	12
All other	44	-	-	-	-	1	6	2	8	17	10	-	45	-	-	-	-	-	-	5	10	15	14	1
Black	44	-	-	-	-	1	6	2	8	17	10	-	45	-	-	-	-	-	-	5	10	15	14	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	34	1	-	-	-	1	4	6	3	12	5	2	35	-	-	1	-	2	1	2	6	13	5	5
White	23	1	-	-	-	-	3	1	3	10	4	1	24	-	-	1	-	1	-	1	3	10	4	4
All other	11	-	-	-	-	1	1	5	-	2	1	1	11	-	-	-	-	1	1	1	3	3	1	1
Black	11	-	-	-	-	1	1	5	-	2	1	1	11	-	-	-	-	1	1	1	3	3	1	1
Diabetes mellitus (250)	292	-	-	1	1	3	13	38	61	86	64	25	491	-	-	1	-	6	19	30	72	135	144	84
White	174	-	-	-	-	-	10	19	36	50	40	19	243	-	-	1	-	4	10	13	29	58	79	49
All other	118	-	-	1	1	3	3	19	25	36	24	6	248	-	-	-	-	2	9	17	43	77	65	35
Black	117	-	-	1	1	3	3	19	25	36	23	6	247	-	-	-	-	2	9	17	42	77	65	35
Nutritional deficiencies (260-269)	13	-	-	-	-	-	1	-	2	-	7	3	28	-	-	-	1	-	-	1	3	6	7	10
White	4	-	-	-	-	-	-	-	1	-	2	1	17	-	-	-	1	-	-	1	3	1	5	6
All other	9	-	-	-	-	-	1	-	1	-	5	2	11	-	-	-	-	-	-	-	-	5	2	4
Black	9	-	-	-	-	-	1	-	1	-	5	2	11	-	-	-	-	-	-	-	-	5	2	4
Anemias (280-285)	28	-	2	1	1	2	4	-	1	7	9	1	38	-	-	3	1	5	3	2	3	7	8	6
White	10	-	-	-	-	-	-	-	1	2	6	1	21	-	-	1	-	-	1	-	3	4	6	6
All other	18	-	2	1	1	2	4	-	-	5	3	-	17	-	-	2	1	5	2	2	-	3	2	-
Black	18	-	2	1	1	2	4	-	-	5	3	-	17	-	-	2	1	5	2	2	-	3	2	-
Meningitis (320-322)	5	2	-	-	-	-	1	-	-	1	1	-	7	1	-	-	1	-	-	1	-	2	2	-
White	3	1	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	-	2	2	-
All other	2	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,234	16	3	5	19	64	238	535	1,019	1,842	1,745	748	6,398	12	4	4	5	34	100	222	545	1,324	2,178	1,970
White	4,488	10	1	4	8	34	119	333	729	1,356	1,309	585	4,366	3	1	3	2	17	37	101	289	787	1,540	1,586
All other	1,746	6	2	1	11	30	119	202	290	486	436	163	2,032	9	3	1	3	17	63	121	256	537	638	384
Black	1,738	6	2	1	11	29	118	202	287	485	435	162	2,025	9	3	1	3	17	63	121	255	533	637	383
Diseases of heart (390-398,402,404-429)	4,888	10	2	4	15	53	189	440	850	1,477	1,315	533	4,637	9	3	3	2	22	70	175	424	1,004	1,573	1,352
White	3,624	7	1	3	5	27	101	298	635	1,116	1,012	419	3,177	2	1	2	2	11	30	84	234	615	1,117	1,079
All other	1,264	3	1	1	10	26	88	142	215	361	303	114	1,460	7	2	1	-	11	40	91	190	389	456	273
Black	1,257	3	1	1	10	25	88	142	212	360	302	113	1,455	7	2	1	-	11	40	91	189	386	455	273
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	-	3	-	2	3	5	8	-	45	-	-	-	-	1	4	4	8	10	12	6
White	17	-	-	-	-	2	-	2	1	4	8	-	35	-	-	-	-	1	2	1	6	9	11	5
All other	4	-	-	-	-	1	-	-	2	1	-	-	10	-	-	-	-	-	2	3	2	1	1	1
Black	4	-	-	-	-	1	-	-	2	1	-	-	10	-	-	-	-	-	2	3	2	1	1	1
Hypertensive heart disease (402)	130	-	-	-	-	2	9	13	22	33	36	15	183	-	-	-	-	2	6	9	12	41	69	44
White	56	-	-	-	-	1	-	6	8	15	17	9	95	-	-	-	-	1	-	1	3	16	39	35
All other	74	-	-	-	-	1	9	7	14	18	19	6	88	-	-	-	-	1	6	8	9	25	30	9
Black	74	-	-	-	-	1	9	7	14	18	19	6	88	-	-	-	-	1	6	8	9	25	30	9
Hypertensive heart and renal disease (404)	16	-	-	-	-	-	1	-	6	3	3	3	32	-	-	-	-	-	1	4	1	5	16	5
White	5	-	-	-	-	-	-	-	1	1	1	2	13	-	-	-	-	-	-	-	-	3	8	2
All other	11	-	-	-	-	-	1	-	5	2	2	1	19	-	-	-	-	-	1	4	1	2	8	3
Black	11	-	-	-	-	-	1	-	5	2	2	1	19	-	-	-	-	-	1	4	1	2	8	3
Ischemic heart disease (410-414)	3,362	-	-	-	3	19	119	307	620	1,068	890	336	2,790	-	-	-	-	3	22	102	259	641	986	777
White	2,656	-	-	-	-	11	77	228	494	854	721	271	1,977	-	-	-	-	2	10	56	153	406	717	633
All other	706	-	-	-	3	8	42	79	126	214	169	65	813	-	-	-	-	1	12	46	106	235	269	144
Black	700	-	-	-	3	7	42	79	124	213	168	64	811	-	-	-	-	1	12	46	105	234	269	144
Acute myocardial infarction (410)	2,058	-	-	-	1	14	83	216	426	662	486	170	1,587	-	-	-	-	1	14	69	167	404	578	354
White	1,595	-	-	-	-	9	58	155	330	519	390	134	1,098	-	-	-	-	1	6	39	102	264	408	278
All other	463	-	-	-	1	5	25	61	96	143	96	36	489	-	-	-	-	-	8	30	65	140	170	76
Black	460	-	-	-	1	5	25	61	95	143	95	35	487	-	-	-	-	-	8	30	64	139	170	76

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 230 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	117	-	-	-	-	-	9	16	20	33	28	11	100	-	-	-	-	-	-	6	12	25	29	28
White	68	-	-	-	-	-	4	13	15	16	16	4	48	-	-	-	-	-	-	3	8	7	14	16
All other	49	-	-	-	-	-	5	3	5	17	12	7	52	-	-	-	-	-	-	3	4	18	15	12
Black	49	-	-	-	-	-	5	3	5	17	12	7	52	-	-	-	-	-	-	3	4	18	15	12
Angina pectoris (413)	9	-	-	-	-	-	-	-	2	4	1	2	16	-	-	-	-	-	-	1	2	5	5	3
White	7	-	-	-	-	-	-	-	2	3	-	2	12	-	-	-	-	-	-	1	-	5	4	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	2	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	2	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,178	-	-	-	2	5	27	75	172	369	375	153	1,087	-	-	-	-	2	8	26	78	207	374	392
White	986	-	-	-	-	2	15	60	147	316	315	131	819	-	-	-	-	1	4	13	43	130	291	337
All other	192	-	-	-	2	3	12	15	25	53	60	22	268	-	-	-	-	1	4	13	35	77	83	55
Black	189	-	-	-	2	2	12	15	24	52	60	22	268	-	-	-	-	1	4	13	35	77	83	55
Other diseases of endocardium (424)	68	-	-	1	-	1	6	6	5	10	30	9	73	-	-	-	-	1	1	1	4	11	30	25
White	53	-	-	1	-	1	1	5	5	5	27	8	62	-	-	-	-	-	-	1	2	9	27	23
All other	15	-	-	-	-	-	5	1	-	5	3	1	11	-	-	-	-	1	1	-	2	2	3	2
Black	15	-	-	-	-	-	5	1	-	5	3	1	11	-	-	-	-	1	1	-	2	2	3	2
All other forms of heart disease (415-423,425-429)	1,291	10	2	3	12	28	54	112	194	358	348	170	1,514	9	3	3	2	15	36	55	140	296	460	495
White	837	7	1	2	5	12	23	57	126	237	238	129	995	2	1	2	2	7	18	25	70	172	315	381
All other	454	3	1	1	7	16	31	55	68	121	110	41	519	7	2	1	-	8	18	30	70	124	145	114
Black	453	3	1	1	7	16	31	55	67	121	110	41	516	7	2	1	-	8	18	30	70	122	144	114
Hypertension with or without renal disease (401,403)	82	-	-	-	-	1	7	8	13	26	21	6	120	-	-	-	-	2	5	6	9	33	36	29
White	32	-	-	-	-	1	1	4	3	12	8	3	52	-	-	-	-	-	-	1	3	11	19	18
All other	50	-	-	-	-	-	6	4	10	14	13	3	68	-	-	-	-	2	5	5	6	22	17	11
Black	50	-	-	-	-	-	6	4	10	14	13	3	68	-	-	-	-	2	5	5	6	22	17	11
Cerebrovascular diseases (430-438)	1,009	5	1	-	4	9	31	76	127	265	318	173	1,404	3	1	1	3	8	20	39	98	244	477	510
White	629	3	-	-	3	5	13	24	71	164	218	128	963	1	-	1	-	4	6	16	42	135	335	423
All other	380	2	1	-	1	4	18	52	56	101	100	45	441	2	1	-	3	4	14	23	56	109	142	87
Black	379	2	1	-	1	4	17	52	56	101	100	45	439	2	1	-	3	4	14	23	56	108	142	86
Intracerebral and other intracranial hemorrhage (431-432)	177	2	1	-	1	4	17	31	31	37	41	12	186	1	-	1	2	4	7	14	24	43	52	38
White	104	1	-	-	1	2	8	10	16	26	33	7	119	-	-	1	-	2	3	5	12	29	39	28
All other	73	1	1	-	-	2	9	21	15	11	8	5	67	1	-	-	2	2	4	9	12	14	13	10
Black	72	1	1	-	-	2	8	21	15	11	8	5	66	1	-	-	2	2	4	9	12	14	13	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	127	-	-	-	-	-	2	10	17	33	38	27	194	-	-	-	-	-	1	4	10	29	66	84
White	83	-	-	-	-	-	1	3	9	21	26	23	153	-	-	-	-	-	-	2	3	19	52	77
All other	44	-	-	-	-	-	1	7	8	12	12	4	41	-	-	-	-	-	1	2	7	10	14	7
Black	44	-	-	-	-	-	1	7	8	12	12	4	41	-	-	-	-	-	1	2	7	10	14	7
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	3	-	2	3	-	-	-	-	-	-	-	-	-	2	1
White	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	-	2	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	699	3	-	-	3	5	12	35	78	192	239	132	1,021	2	1	-	1	4	12	21	64	172	357	387
White	438	2	-	-	2	3	4	11	45	116	159	96	688	1	-	-	-	2	3	9	27	87	242	317
All other	261	1	-	-	1	2	8	24	33	76	80	36	333	1	1	-	1	2	9	12	37	85	115	70
Black	261	1	-	-	1	2	8	24	33	76	80	36	332	1	1	-	1	2	9	12	37	84	115	70
Atherosclerosis (440)	51	-	-	-	-	-	1	1	3	9	21	16	95	-	-	-	-	-	-	1	2	12	36	44
White	39	-	-	-	-	-	1	-	1	6	16	15	76	-	-	-	-	-	-	-	1	4	31	40
All other	12	-	-	-	-	-	-	1	2	3	5	1	19	-	-	-	-	-	-	1	1	8	5	4
Black	12	-	-	-	-	-	-	1	2	3	5	1	19	-	-	-	-	-	-	1	1	8	5	4
Other diseases of arteries, arterioles, and capillaries (441-448)	204	1	-	1	-	1	10	10	26	65	70	20	142	-	-	-	-	2	5	1	12	31	56	35
White	164	-	-	1	-	1	3	7	19	58	55	20	98	-	-	-	-	2	1	-	9	22	38	26
All other	40	1	-	-	-	-	7	3	7	7	15	-	44	-	-	-	-	-	4	1	3	9	18	9
Black	40	1	-	-	-	-	7	3	7	7	15	-	44	-	-	-	-	-	4	1	3	9	18	9
Acute bronchitis and bronchiolitis (466)	5	2	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	392	13	3	1	3	4	18	20	42	74	136	78	426	8	2	1	3	6	5	13	20	67	140	161
White	270	8	2	1	2	-	5	9	28	52	97	66	313	1	2	-	2	4	2	6	12	45	107	132
All other	122	5	1	-	1	4	13	11	14	22	39	12	113	7	-	1	1	2	3	7	8	22	33	29
Black	122	5	1	-	1	4	13	11	14	22	39	12	113	7	-	1	1	2	3	7	8	22	33	29

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 231 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	389	13	3	1	3	4	18	20	41	73	135	78	421	8	2	1	3	6	5	13	20	66	137	160
White	268	8	2	1	2	–	5	9	27	51	97	66	309	1	2	–	2	4	2	6	12	44	105	131
All other	121	5	1	–	1	4	13	11	14	22	38	12	112	7	–	1	1	2	3	7	8	22	32	29
Black	121	5	1	–	1	4	13	11	14	22	38	12	112	7	–	1	1	2	3	7	8	22	32	29
Influenza (487)	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	–	–	–	1	3	1
White	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	664	1	–	1	–	1	7	26	102	249	218	59	407	–	1	2	1	1	5	18	65	136	127	51
White	553	–	–	–	–	–	3	13	82	209	193	53	358	–	–	1	–	–	5	11	58	121	116	46
All other	111	1	–	1	–	1	4	13	20	40	25	6	49	–	1	1	1	1	–	7	7	15	11	5
Black	110	1	–	1	–	1	4	13	20	40	24	6	49	–	1	1	1	1	–	7	7	15	11	5
Bronchitis, chronic and unspecified (490-491)	26	–	–	1	–	–	–	1	5	7	8	4	21	–	–	–	–	–	–	–	4	5	8	4
White	21	–	–	–	–	–	–	1	5	5	8	2	18	–	–	–	–	–	–	–	4	4	6	4
All other	5	–	–	1	–	–	–	–	–	2	–	2	3	–	–	–	–	–	–	–	–	1	2	–
Black	5	–	–	1	–	–	–	–	–	2	–	2	3	–	–	–	–	–	–	–	–	1	2	–
Emphysema (492)	129	–	–	–	–	–	3	6	27	50	35	8	67	–	–	–	–	–	1	4	9	28	21	4
White	109	–	–	–	–	–	1	6	24	40	30	8	65	–	–	–	–	–	1	3	9	27	21	4
All other	20	–	–	–	–	–	2	–	3	10	5	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	19	–	–	–	–	–	2	–	3	10	4	–	2	–	–	–	–	–	–	1	–	1	–	–
Asthma (493)	18	–	–	–	–	–	2	4	4	4	4	–	40	–	–	2	1	1	4	7	5	8	6	6
White	8	–	–	–	–	–	1	1	1	2	3	–	29	–	–	1	–	–	4	3	3	8	5	5
All other	10	–	–	–	–	–	1	3	3	2	1	–	11	–	–	1	1	1	–	4	2	–	1	1
Black	10	–	–	–	–	–	1	3	3	2	1	–	11	–	–	1	1	1	–	4	2	–	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	491	1	–	–	–	1	2	15	66	188	171	47	279	–	1	–	–	–	–	7	47	95	92	37
White	415	–	–	–	–	–	1	5	52	162	152	43	246	–	–	–	–	–	–	5	42	82	84	33
All other	76	1	–	–	–	1	1	10	14	26	19	4	33	–	1	–	–	–	–	2	5	13	8	4
Black	76	1	–	–	–	1	1	10	14	26	19	4	33	–	1	–	–	–	–	2	5	13	8	4
Ulcer of stomach and duodenum (531-533)	36	–	–	–	–	1	2	2	10	13	4	4	35	–	1	–	–	–	–	1	4	6	9	14
White	22	–	–	–	–	–	–	2	5	10	2	3	30	–	1	–	–	–	–	1	2	5	8	13
All other	14	–	–	–	–	1	2	–	5	3	2	1	5	–	–	–	–	–	–	–	2	1	1	1
Black	14	–	–	–	–	1	2	–	5	3	2	1	5	–	–	–	–	–	–	–	2	1	1	1
Appendicitis (540-543)	5	–	–	–	1	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	1	1
White	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	3	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	2	1	–	–	–	1	1	2	6	12	4	47	1	1	–	1	–	1	1	4	10	15	13
White	18	1	–	–	–	–	1	1	1	1	10	3	28	–	–	–	–	–	1	–	–	9	8	10
All other	11	1	1	–	–	–	–	–	1	5	2	1	19	1	1	–	1	–	–	1	4	1	7	3
Black	11	1	1	–	–	–	–	–	1	5	2	1	19	1	1	–	1	–	–	1	4	1	7	3
Chronic liver disease and cirrhosis (571)	262	–	–	–	–	8	45	55	80	48	24	2	128	1	–	1	–	10	21	19	29	24	16	7
White	199	–	–	–	–	5	24	38	65	43	22	2	80	–	–	1	–	3	9	8	19	20	15	5
All other	63	–	–	–	–	3	21	17	15	5	2	–	48	1	–	–	–	7	12	11	10	4	1	2
Black	63	–	–	–	–	3	21	17	15	5	2	–	47	1	–	–	–	7	12	10	10	4	1	2
Cholelithiasis and other disorders of gallbladder (574-575)	21	–	–	–	–	–	–	–	4	5	11	1	25	–	–	–	–	–	1	2	–	4	11	7
White	19	–	–	–	–	–	–	–	4	5	9	1	21	–	–	–	–	–	–	2	–	3	9	7
All other	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	1	–	–	1	2	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	1	–	–	1	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	116	3	1	–	–	1	4	7	17	31	36	16	135	–	–	1	1	2	2	6	15	33	45	30
White	64	–	1	–	–	–	1	3	7	16	25	11	74	–	–	–	1	1	1	1	6	18	27	19
All other	52	3	–	–	–	1	3	4	10	15	11	5	61	–	–	1	–	1	1	5	9	15	18	11
Black	52	3	–	–	–	1	3	4	10	15	11	5	61	–	–	1	–	1	1	5	9	15	18	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1
White	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 232 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	-	-	-	1	-	6	7	1	24	-	-	1	1	1	-	2	2	9	5	3
White	10	-	-	-	-	-	-	1	-	1	7	1	12	-	-	-	1	1	-	-	1	5	3	1
All other	5	-	-	-	-	-	-	-	-	5	-	-	12	-	-	1	-	-	-	2	1	4	2	2
Black	5	-	-	-	-	-	-	-	-	5	-	-	12	-	-	1	-	-	-	2	1	4	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	3	-	-	-	1	4	6	17	25	28	15	109	-	-	-	-	1	2	3	13	24	40	26
White	52	-	-	-	-	-	1	2	7	15	17	10	60	-	-	-	-	-	1	-	5	13	24	17
All other	47	3	-	-	-	1	3	4	10	10	11	5	49	-	-	-	-	1	1	3	8	11	16	9
Black	47	3	-	-	-	1	3	4	10	10	11	5	49	-	-	-	-	1	1	3	8	11	16	9
Infections of kidney (590)	7	-	-	-	-	-	-	1	-	1	2	3	13	-	-	-	-	-	-	-	1	2	5	5
White	2	-	-	-	-	-	-	-	-	-	1	1	11	-	-	-	-	-	-	-	1	1	4	5
All other	5	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	3	2	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	2	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
Congenital anomalies (740-759)	110	64	7	2	4	11	11	4	3	1	2	1	77	53	6	3	2	4	2	-	3	3	1	-
White	67	38	3	2	3	6	6	2	3	1	2	1	38	25	4	2	2	2	-	-	-	3	-	-
All other	43	26	4	-	1	5	5	2	-	-	-	-	39	28	2	1	-	2	2	-	3	-	1	-
Black	43	26	4	-	1	5	5	2	-	-	-	-	39	28	2	1	-	2	2	-	3	-	1	-
Certain conditions originating in the perinatal period (760-779)	159	159	-	-	-	-	-	-	-	-	-	-	141	141	-	-	-	-	-	-	-	-	-	-
White	67	67	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
All other	92	92	-	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-
Black	92	92	-	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	30	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	129	129	-	-	-	-	-	-	-	-	-	-	120	120	-	-	-	-	-	-	-	-	-	-
White	53	53	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	76	76	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
Black	76	76	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	152	54	1	-	5	8	16	16	9	17	17	9	149	44	3	-	1	3	6	6	9	11	31	35
White	72	28	1	-	2	6	6	9	4	4	5	7	80	19	-	-	1	1	1	3	5	5	20	25
All other	80	26	-	-	3	2	10	7	5	13	12	2	69	25	3	-	-	2	5	3	4	6	11	10
Black	80	26	-	-	3	2	10	7	5	13	12	2	68	25	3	-	-	2	4	3	4	6	11	10
All other diseases (Residual)	1,219	15	4	9	14	27	88	104	197	296	315	149	1,469	16	3	10	14	22	61	71	118	284	457	413
White	833	7	2	8	8	16	53	51	135	206	235	112	1,042	8	2	7	8	8	26	44	71	194	336	338
All other	386	8	2	1	6	11	35	53	62	90	80	37	427	8	1	3	6	14	35	27	47	90	121	75
Black	384	8	2	1	6	11	34	53	62	89	80	37	422	8	1	3	6	14	34	27	45	88	121	75
Accidents and adverse effects (E800-E949)	1,166	7	27	37	248	239	212	100	85	99	82	30	524	6	15	19	80	63	56	39	41	53	85	67
White	708	2	14	17	162	131	119	61	62	57	61	22	359	1	9	13	59	42	36	21	31	31	63	53
All other	458	5	13	20	86	108	93	39	23	42	21	8	165	5	6	6	21	21	20	18	10	22	22	14
Black	452	5	13	20	85	107	91	38	23	41	21	8	163	5	6	6	21	21	19	17	10	22	22	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 233 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	632	3	11	15	179	157	109	56	42	35	18	7	265	1	7	13	73	48	34	21	23	17	23	5
White	395	2	4	8	125	82	61	38	35	21	16	3	184	–	3	9	55	32	23	14	18	10	16	4
All other	237	1	7	7	54	75	48	18	7	14	2	4	81	1	4	4	18	16	11	7	5	7	7	1
Black	232	1	7	7	53	74	46	17	7	14	2	4	79	1	4	4	18	16	10	6	5	7	7	1
All other accidents and adverse effects (E800-E807, E826-E949)	534	4	16	22	69	82	103	44	43	64	64	23	259	5	8	6	7	15	22	18	18	36	62	62
White	313	–	10	9	37	49	58	23	27	36	45	19	175	1	6	4	4	10	13	7	13	21	47	49
All other	221	4	6	13	32	33	45	21	16	28	19	4	84	4	2	2	3	5	9	11	5	15	15	13
Black	220	4	6	13	32	33	45	21	16	27	19	4	84	4	2	2	3	5	9	11	5	15	15	13
Suicide (E950-E959)	351	...	...	4	60	75	68	35	36	40	29	3	69	...	...	–	5	16	10	15	13	7	3	–
White	306	...	...	4	51	62	61	29	32	37	27	3	67	...	...	–	4	16	9	15	13	7	3	–
All other	45	...	...	–	9	13	7	6	4	3	2	–	2	...	...	–	1	–	1	–	–	–	–	–
Black	44	...	...	–	9	12	7	6	4	3	2	–	2	...	...	–	1	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	324	5	2	4	103	94	60	23	21	6	5	–	113	3	3	–	30	27	27	12	4	2	4	1
White	113	1	1	2	25	33	23	15	10	2	–	–	54	2	1	–	17	7	13	8	3	2	1	–
All other	211	4	1	2	78	61	37	8	11	4	5	–	59	1	2	–	13	20	14	4	1	–	3	1
Black	210	4	1	2	78	61	36	8	11	4	5	–	58	1	2	–	13	20	13	4	1	–	3	1
All other external causes (E980-E999)	13	–	–	–	4	3	2	1	2	–	1	–	4	–	–	–	1	–	3	–	–	–	–	–
White	11	–	–	–	4	3	1	1	1	–	1	–	4	–	–	–	1	–	3	–	–	–	–	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SOUTH DAKOTA																								
All causes	3,545	62	10	24	87	79	99	155	392	846	1,046	745	3,099	41	8	15	17	35	58	83	210	472	821	1,339
White	3,276	44	8	21	67	59	72	124	349	795	1,014	723	2,932	29	5	13	10	28	50	64	176	446	795	1,316
All other	269	18	2	3	20	20	27	31	43	51	32	22	167	12	3	2	7	7	8	19	34	26	26	23
Black	7	2	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	17	–	–	–	–	–	–	1	–	7	5	4	14	1	–	–	1	–	–	–	1	2	5	4
White	14	–	–	–	–	–	–	–	–	7	4	3	12	–	–	–	1	–	–	–	–	2	5	4
All other	3	–	–	–	–	–	–	1	–	–	1	1	2	1	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 234 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	17	2	-	-	-	2	3	1	4	3	2	-	5	-	-	-	-	1	-	-	-	1	1	2
White	14	-	-	-	-	2	2	1	4	3	2	-	5	-	-	-	-	1	-	-	-	1	1	2
All other	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	815	-	-	4	3	4	14	37	120	265	267	101	698	-	-	-	1	5	21	38	106	179	195	153
White	775	-	-	4	3	4	12	35	111	249	259	98	662	-	-	-	1	4	19	32	97	174	187	148
All other	40	-	-	-	-	-	2	2	9	16	8	3	36	-	-	-	-	1	2	6	9	5	8	5
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	-	1	2	2	1	4	-	-	-	-	-	-	-	1	1	-	2
White	6	-	-	-	-	-	-	-	1	2	2	1	3	-	-	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	199	-	-	-	-	1	4	13	33	61	63	24	191	-	-	-	-	-	7	11	21	40	51	61
White	188	-	-	-	-	1	3	13	30	59	59	23	184	-	-	-	-	-	6	9	21	38	49	61
All other	11	-	-	-	-	-	1	-	3	2	4	1	7	-	-	-	-	-	1	2	-	2	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	254	-	-	-	-	1	4	9	50	94	74	22	129	-	-	-	-	-	2	7	33	41	30	16
White	240	-	-	-	-	1	4	8	47	86	74	20	120	-	-	-	-	-	1	6	29	40	28	16
All other	14	-	-	-	-	-	-	1	3	8	-	2	9	-	-	-	-	-	1	1	4	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	113	-	-	-	-	1	4	9	18	26	26	29
White	-	-	-	-	-	-	-	-	-	-	-	-	108	-	-	-	-	1	4	8	18	25	25	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	120	-	-	-	-	-	-	-	6	35	48	31	66	-	-	-	-	-	3	5	12	23	18	5
White	118	-	-	-	-	-	-	-	6	34	47	31	62	-	-	-	-	-	3	4	9	23	18	5
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	1	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	61	-	-	-	-	-	-	2	8	18	24	9	27	-	-	-	-	-	-	-	4	7	10	6
White	59	-	-	-	-	-	-	2	7	17	24	9	27	-	-	-	-	-	-	-	4	7	10	6
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	80	-	-	1	1	1	4	7	14	25	22	5	89	-	-	-	-	2	3	6	9	26	22	21
White	74	-	-	1	1	1	4	7	12	23	20	5	81	-	-	-	-	2	3	5	7	25	20	19
All other	6	-	-	-	-	-	-	-	2	2	2	-	8	-	-	-	-	-	-	1	2	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	42	-	-	2	1	-	-	2	3	16	14	4	30	-	-	-	1	2	-	-	3	6	14	4
White	39	-	-	2	1	-	-	1	3	15	13	4	29	-	-	-	1	1	-	-	3	6	14	4
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	1	1	1	2	4	5	14	20	5	49	-	-	-	-	-	2	-	5	9	24	9
White	51	-	-	1	1	1	1	4	5	13	20	5	48	-	-	-	-	-	2	-	5	9	23	9
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	-	-	-	-	-	1	1	3	1	12	-	-	1	-	-	-	-	-	2	-	9
White	6	-	-	-	-	-	-	-	1	1	3	1	12	-	-	1	-	-	-	-	-	2	-	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 235 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	58	-	-	-	-	-	3	4	6	19	18	8	75	-	-	-	-	-	1	1	8	21	26	18
White	51	-	-	-	-	-	1	4	4	17	17	8	65	-	-	-	-	-	1	-	5	19	23	17
All other	7	-	-	-	-	-	2	-	2	2	1	-	10	-	-	-	-	-	-	1	3	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	-	-	-	3
White	5	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,505	-	-	-	2	7	23	53	171	346	487	416	1,466	-	1	2	1	8	6	18	48	175	393	814
White	1,429	-	-	-	1	5	18	46	154	331	472	402	1,429	-	1	2	1	7	5	16	38	166	388	805
All other	76	-	-	-	1	2	5	7	17	15	15	14	37	-	-	-	-	1	1	2	10	9	5	9
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,202	-	-	-	2	2	23	45	149	284	368	329	1,126	-	1	1	-	6	4	14	43	140	313	604
White	1,140	-	-	-	1	1	18	41	134	272	356	317	1,097	-	1	1	-	5	3	12	34	134	309	598
All other	62	-	-	-	1	1	5	4	15	12	12	12	29	-	-	-	-	1	1	2	9	6	4	6
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	-	-	2	2	1	16	-	-	-	-	-	-	1	1	3	8	3
White	5	-	-	-	-	-	-	-	-	2	2	1	15	-	-	-	-	-	-	-	1	3	8	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	12	-	-	-	-	-	-	-	-	1	7	4	16	-	-	-	-	-	-	-	1	1	4	10
White	12	-	-	-	-	-	-	-	-	1	7	4	15	-	-	-	-	-	-	-	-	1	4	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	1	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	887	-	-	-	-	-	17	34	112	221	278	225	748	-	-	1	-	1	3	11	33	112	219	368
White	843	-	-	-	-	-	14	31	100	213	268	217	728	-	-	1	-	-	2	10	26	107	217	365
All other	44	-	-	-	-	-	3	3	12	8	10	8	20	-	-	-	-	1	1	1	7	5	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	524	-	-	-	-	-	10	22	73	140	165	114	429	-	-	-	-	1	2	8	24	75	138	183
White	495	-	-	-	-	-	7	20	66	133	160	109	411	-	-	-	-	-	1	7	18	71	134	180
All other	29	-	-	-	-	-	3	2	7	7	5	5	18	-	-	-	-	1	1	1	6	4	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	-	-	-	2
White	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	356	-	-	-	-	-	7	12	38	79	111	109	316	-	-	1	-	-	1	2	9	37	83	183
White	341	-	-	-	-	-	7	11	33	78	106	106	314	-	-	1	-	-	1	2	8	36	83	183
All other	15	-	-	-	-	-	-	1	5	1	5	3	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	24	-	-	-	-	-	-	2	1	3	10	8	23	-	1	-	-	-	-	1	-	2	5	14
White	24	-	-	-	-	-	-	2	1	3	10	8	23	-	1	-	-	-	-	1	-	2	5	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 236 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	272	-	-	-	2	2	6	9	36	57	70	90	320	-	-	-	-	5	1	1	8	21	77	207
White	254	-	-	-	1	1	4	8	33	53	68	86	314	-	-	-	-	5	1	1	7	20	75	205
All other	18	-	-	-	1	1	2	1	3	4	2	4	6	-	-	-	-	-	-	-	1	1	2	2
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	-	1	1	4	3	6	-	-	-	-	-	-	-	-	-	-	6
White	9	-	-	-	-	-	-	-	1	1	4	3	6	-	-	-	-	-	-	-	-	-	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	188	-	-	-	-	2	-	7	14	34	68	63	270	-	-	1	1	2	1	4	5	28	70	158
White	177	-	-	-	-	2	-	4	12	31	66	62	262	-	-	1	1	2	1	4	4	25	69	155
All other	11	-	-	-	-	-	-	3	2	3	2	1	8	-	-	-	-	-	-	-	1	3	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	19	-	-	-	-	1	-	2	5	2	6	3	22	-	-	1	1	-	-	1	1	5	5	8
White	14	-	-	-	-	1	-	-	4	1	5	3	21	-	-	1	1	-	-	1	1	5	5	7
All other	5	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	-	-	-	-	-	-	1	1	-	7	3	25	-	-	-	-	1	-	-	1	-	5	18
White	11	-	-	-	-	-	-	1	-	-	7	3	24	-	-	-	-	1	-	-	1	-	4	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	157	-	-	-	-	1	-	4	8	32	55	57	222	-	-	-	-	1	1	3	3	23	60	131
White	152	-	-	-	-	1	-	4	7	30	54	56	216	-	-	-	-	1	1	3	2	20	60	129
All other	5	-	-	-	-	-	-	-	1	2	1	1	6	-	-	-	-	-	-	-	1	3	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	32	-	-	-	-	-	-	1	1	4	14	12	36	-	-	-	-	-	-	-	-	-	4	32
White	32	-	-	-	-	-	-	1	1	4	14	12	36	-	-	-	-	-	-	-	-	-	4	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	74	-	-	-	-	3	-	-	6	23	33	9	28	-	-	-	-	-	1	-	-	7	6	14
White	71	-	-	-	-	2	-	-	6	23	32	8	28	-	-	-	-	-	1	-	-	7	6	14
All other	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	140	2	1	1	-	1	2	1	5	16	42	69	172	2	1	-	-	-	1	2	4	11	35	116
White	128	1	1	1	-	1	1	-	2	13	41	67	166	1	1	-	-	-	1	1	3	10	34	115
All other	12	1	-	-	-	-	1	1	3	3	1	2	6	1	-	-	-	-	-	1	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	137	2	-	1	-	1	2	1	5	16	42	67	166	2	-	-	-	-	-	1	2	4	11	34	112
White	125	1	-	1	-	1	1	-	2	13	41	65	160	1	-	-	-	-	-	1	1	3	10	33	111
All other	12	1	-	-	-	-	1	1	3	3	1	2	6	1	-	-	-	-	-	1	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	3	-	1	-	-	-	-	-	-	-	-	2	6	-	1	-	-	-	-	-	-	-	1	4
White	3	-	1	-	-	-	-	-	-	-	-	2	6	-	1	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	215	-	-	-	-	-	-	2	24	72	85	32	105	-	-	-	-	-	5	3	11	25	40	21
White	206	-	-	-	-	-	-	2	23	67	83	31	100	-	-	-	-	-	5	3	10	24	40	18
All other	9	-	-	-	-	-	-	-	1	5	2	1	5	-	-	-	-	-	-	-	1	1	-	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	-	3	1	2	4	-	-	-	-	-	-	-	1	-	1	2
White	6	-	-	-	-	-	-	-	-	3	1	2	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	53	-	-	-	-	-	-	-	7	22	18	6	26	-	-	-	-	-	2	2	3	7	8	4
White	52	-	-	-	-	-	-	-	7	21	18	6	26	-	-	-	-	-	2	2	3	7	8	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 237 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	5	-	-	-	-	-	-	-	1	-	3	1	10	-	-	-	-	-	2	1	-	3	2	2
White	4	-	-	-	-	-	-	-	1	-	2	1	10	-	-	-	-	-	2	1	-	3	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	151	-	-	-	-	-	-	2	16	47	63	23	65	-	-	-	-	-	1	-	7	15	29	13
White	144	-	-	-	-	-	-	2	15	43	62	22	60	-	-	-	-	-	1	-	6	14	29	10
All other	7	-	-	-	-	-	-	-	1	4	1	1	5	-	-	-	-	-	-	-	1	1	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	1	-	-	-	-	-	-	1	2	2	1	12	-	-	-	-	-	-	-	-	2	4	6
White	5	1	-	-	-	-	-	-	1	1	1	1	12	-	-	-	-	-	-	-	-	2	4	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	-	-	-	-	-	-	-	1	3	4	6	12	-	-	-	-	-	-	-	1	-	5	6
White	14	-	-	-	-	-	-	-	1	3	4	6	11	-	-	-	-	-	-	-	1	-	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	38	-	-	-	-	4	3	9	5	11	5	1	20	-	-	-	-	-	4	5	-	5	5	1
White	24	-	-	-	-	2	-	4	4	8	5	1	10	-	-	-	-	-	-	-	-	4	5	1
All other	14	-	-	-	-	2	3	5	1	3	-	-	10	-	-	-	-	-	4	5	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	-	1	2	3	2	3	-	-	-	-	-	-	1	1	-	-	1
White	7	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-	-	1	1	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	-	-	-	1	-	1	1	1	5	12	18	37	1	-	-	-	-	-	2	2	7	10	15
White	37	-	-	-	1	-	-	1	1	5	11	18	32	1	-	-	-	-	-	1	1	5	9	15
All other	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	1	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	36	-	-	-	1	-	1	1	1	4	11	17	35	1	-	-	-	-	-	2	1	7	10	14
White	34	-	-	-	1	-	-	1	1	4	10	17	30	1	-	-	-	-	-	1	-	5	9	14
All other	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	1	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 238 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	22	9	2	-	-	-	1	2	1	4	2	1	15	9	-	2	-	-	1	-	-	-	1	2
White	20	7	2	-	-	-	1	2	1	4	2	1	12	7	-	1	-	-	1	-	-	-	1	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	25	24	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	9	8	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	21	20	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	7	6	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	42	17	1	-	2	2	1	-	1	5	6	7	28	6	-	-	-	1	-	-	3	2	5	11
White	35	13	1	-	2	1	1	-	-	5	6	6	21	3	-	-	-	1	-	-	2	1	5	9
All other	7	4	-	-	-	1	-	-	1	-	-	1	7	3	-	-	-	-	-	-	1	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	268	5	1	4	8	8	10	14	29	54	78	57	256	2	-	-	-	3	7	7	14	31	73	119
White	249	5	1	4	6	7	7	7	25	52	78	57	238	1	-	-	-	2	6	6	9	29	68	117
All other	19	-	-	-	2	1	3	7	4	2	-	-	18	1	-	-	-	1	1	1	5	2	5	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	194	2	4	13	40	31	26	22	12	19	9	16	111	-	5	9	13	9	9	3	7	7	20	29
White	152	1	3	10	33	22	18	16	9	15	9	16	95	-	3	8	7	6	9	2	6	6	19	29
All other	42	1	1	3	7	9	8	6	3	4	-	-	16	-	2	1	6	3	-	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	101	1	1	7	27	20	17	10	4	10	3	1	45	-	-	6	10	6	8	3	3	4	4	1
White	72	-	1	5	21	14	10	8	3	6	3	1	39	-	-	6	6	5	8	2	3	4	4	1
All other	29	1	-	2	6	6	7	2	1	4	-	-	6	-	-	-	4	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	93	1	3	6	13	11	9	12	8	9	6	15	66	-	5	3	3	3	1	-	4	3	16	28
White	80	1	2	5	12	8	8	8	6	9	6	15	56	-	3	2	1	1	1	-	3	2	15	28
All other	13	-	1	1	1	3	1	4	2	-	-	-	10	-	2	1	2	2	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	82	...	...	2	26	13	10	5	6	9	11	-	13	...	...	-	1	3	2	3	3	-	1	-
White	73	...	...	2	19	12	10	5	5	9	11	-	12	...	...	-	-	3	2	3	3	-	1	-
All other	9	...	...	-	7	1	-	-	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	5	5	1	2	-	-	-	1	9	1	1	1	-	3	1	-	1	1	-	-
White	7	-	-	-	2	2	1	1	-	-	-	1	4	-	-	1	-	2	1	-	-	-	-	-
All other	7	-	-	-	3	3	-	1	-	-	-	-	5	1	1	-	-	1	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 239 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	24,191	433	78	124	624	888	1,179	1,774	3,548	5,995	6,459	3,082	22,118	311	65	66	194	339	620	1,008	2,184	4,239	6,781	6,310
White	20,181	254	48	93	428	658	868	1,440	2,986	5,150	5,606	2,647	18,400	156	42	51	150	225	443	779	1,731	3,454	5,795	5,574
All other	4,010	179	30	31	196	230	311	334	562	845	853	435	3,718	155	23	15	44	114	177	229	453	785	986	736
Black	3,972	177	29	31	195	223	307	333	560	837	848	428	3,691	155	23	15	43	113	173	227	447	780	980	734
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	-	-	-	-	-	-	1	1	5	4	-	-	-	-	-	-	-	-	-	1
White	3	1	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	25	-	-	-	-	1	-	3	1	5	11	4	15	-	-	-	-	1	1	-	3	3	3	4
White	20	-	-	-	-	-	-	1	1	4	10	4	8	-	-	-	-	-	-	-	1	2	1	4
All other	5	-	-	-	-	1	-	2	-	1	1	-	7	-	-	-	-	1	1	-	2	1	2	-
Black	5	-	-	-	-	1	-	2	-	1	1	-	7	-	-	-	-	1	1	-	2	1	2	-
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	-	-	2	1	4	11	4	10	-	-	-	-	-	1	-	1	2	3	3
White	18	-	-	-	-	-	-	-	1	3	10	4	6	-	-	-	-	-	-	-	1	1	1	3
All other	4	-	-	-	-	-	-	2	-	1	1	-	4	-	-	-	-	-	1	-	-	1	2	-
Black	4	-	-	-	-	-	-	2	-	1	1	-	4	-	-	-	-	-	1	-	-	1	2	-
Other tuberculosis (013-018)	3	-	-	-	-	1	-	1	-	1	-	-	5	-	-	-	-	1	-	-	2	1	-	1
White	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	1	1	2	1	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	1	-	-	-
White	2	-	1	1	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	1	-	-	-
All other	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	157	4	2	1	3	3	7	7	11	39	52	28	178	5	2	-	-	1	4	10	19	27	49	61
White	122	1	1	1	1	2	5	4	7	32	46	22	133	2	2	-	-	1	-	8	12	21	33	54
All other	35	3	1	-	2	1	2	3	4	7	6	6	45	3	-	-	-	-	4	2	7	6	16	7
Black	35	3	1	-	2	1	2	3	4	7	6	6	44	3	-	-	-	-	4	2	7	6	15	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	24	-	-	-	-	3	3	4	2	9	3	-	16	-	-	-	-	-	1	2	3	7	3	-
White	22	-	-	-	-	2	2	4	2	9	3	-	15	-	-	-	-	-	1	2	2	7	3	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	311	4	1	1	6	93	93	39	20	28	19	7	89	3	2	1	4	8	7	9	11	11	24	9
White	233	3	1	1	4	68	63	31	16	24	16	6	62	-	1	1	2	5	4	5	10	6	21	7
All other	78	1	-	-	2	25	30	8	4	4	3	1	27	3	1	-	2	3	3	4	1	5	3	2
Black	77	1	-	-	2	25	29	8	4	4	3	1	27	3	1	-	2	3	3	4	1	5	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,839	-	4	16	18	57	166	485	1,216	1,902	1,571	404	4,731	1	5	10	10	65	207	432	880	1,313	1,225	583
White	4,907	-	2	15	16	48	134	392	1,011	1,634	1,320	335	3,937	1	4	8	7	50	161	353	717	1,120	1,020	496
All other	932	-	2	1	2	9	32	93	205	268	251	69	794	-	1	2	3	15	46	79	163	193	205	87
Black	924	-	2	1	2	9	32	93	204	264	249	68	786	-	1	2	3	14	45	77	161	192	204	87

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 240 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	-	-	-	-	1	5	11	35	25	18	4	57	-	-	-	-	-	-	3	9	20	15	10
White	83	-	-	-	-	-	4	9	25	23	18	4	47	-	-	-	-	-	-	2	4	18	13	10
All other	16	-	-	-	-	1	1	2	10	2	-	-	10	-	-	-	-	-	-	1	5	2	2	-
Black	16	-	-	-	-	1	1	2	10	2	-	-	10	-	-	-	-	-	-	1	5	2	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,180	-	-	-	-	10	39	101	239	357	338	96	1,138	-	-	-	1	10	27	63	180	279	364	214
White	961	-	-	-	-	8	30	76	189	300	279	79	907	-	-	-	-	8	16	56	134	234	279	180
All other	219	-	-	-	-	2	9	25	50	57	59	17	231	-	-	-	1	2	11	7	46	45	85	34
Black	217	-	-	-	-	2	9	25	50	56	58	17	227	-	-	-	1	2	10	7	45	44	84	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,377	-	-	-	-	3	46	216	590	890	544	88	997	-	-	-	1	3	21	101	253	351	211	56
White	2,054	-	-	-	-	2	39	171	500	792	471	79	851	-	-	-	-	2	19	84	214	304	183	45
All other	323	-	-	-	-	1	7	45	90	98	73	9	146	-	-	-	1	1	2	17	39	47	28	11
Black	319	-	-	-	-	1	7	45	89	96	73	8	145	-	-	-	1	1	2	17	38	47	28	11
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	2	-	-	2	-	827	-	-	-	1	13	84	123	172	207	159	68
White	3	-	-	-	-	-	-	2	-	-	1	-	669	-	-	-	-	7	63	95	143	169	134	58
All other	1	-	-	-	-	-	-	-	-	-	1	-	158	-	-	-	1	6	21	28	29	38	25	10
Black	1	-	-	-	-	-	-	-	-	-	1	-	157	-	-	-	1	6	21	27	29	38	25	10
Malignant neoplasms of genital organs (179-187)	681	-	-	-	-	3	2	8	55	206	300	107	456	-	-	-	-	7	24	50	90	137	112	36
White	511	-	-	-	-	3	2	5	43	149	231	78	366	-	-	-	-	6	21	39	71	112	87	30
All other	170	-	-	-	-	-	-	3	12	57	69	29	90	-	-	-	-	1	3	11	19	25	25	6
Black	169	-	-	-	-	-	-	3	12	57	68	29	89	-	-	-	-	1	3	10	19	25	25	6
Malignant neoplasms of urinary organs (188-189)	253	-	-	-	-	3	8	16	60	68	71	27	168	-	-	-	-	2	1	8	18	50	54	35
White	215	-	-	-	-	1	6	14	52	60	58	24	150	-	-	-	-	2	-	8	15	43	50	32
All other	38	-	-	-	-	2	2	2	8	8	13	3	18	-	-	-	-	-	1	-	3	7	4	3
Black	38	-	-	-	-	2	2	2	8	8	13	3	18	-	-	-	-	-	1	-	3	7	4	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	733	-	4	10	8	21	36	95	162	211	145	41	604	1	3	8	3	19	30	55	98	142	155	90
White	641	-	2	9	6	19	33	85	136	189	127	35	521	1	2	6	3	16	26	47	84	127	138	71
All other	92	-	2	1	2	2	3	10	26	22	18	6	83	-	1	2	-	3	4	8	14	15	17	19
Black	92	-	2	1	2	2	3	10	26	22	18	6	83	-	1	2	-	3	4	8	14	15	17	19
Leukemia (204-208)	219	-	-	6	4	8	12	11	36	52	68	22	177	-	2	2	3	9	8	9	16	38	53	37
White	190	-	-	6	4	7	7	9	32	46	60	19	159	-	2	2	3	8	6	7	15	33	47	36
All other	29	-	-	-	-	1	5	2	4	6	8	3	18	-	-	-	-	1	2	2	1	5	6	1
Black	29	-	-	-	-	1	5	2	4	6	8	3	17	-	-	-	-	-	2	2	1	5	6	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	293	-	-	-	6	8	18	25	39	93	85	19	307	-	-	-	1	2	12	20	44	89	102	37
White	249	-	-	-	6	8	13	21	34	75	75	17	267	-	-	-	1	1	10	15	37	80	89	34
All other	44	-	-	-	-	-	5	4	5	18	10	2	40	-	-	-	-	1	2	5	7	9	13	3
Black	43	-	-	-	-	-	5	4	5	17	10	2	40	-	-	-	-	1	2	5	7	9	13	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	53	-	-	1	-	3	4	2	10	10	13	10	64	-	-	-	-	2	1	2	7	13	23	16
White	38	-	-	-	-	1	4	2	9	6	10	6	49	-	-	-	-	1	1	2	7	8	17	13
All other	15	-	-	1	-	2	-	-	1	4	3	4	15	-	-	-	-	1	-	-	-	5	6	3
Black	15	-	-	1	-	2	-	-	1	4	3	4	15	-	-	-	-	1	-	-	-	5	6	3
Diabetes mellitus (250)	362	-	-	1	1	9	22	24	65	108	99	33	573	-	-	-	2	5	18	38	70	126	206	108
White	300	-	-	1	-	5	17	21	52	90	83	31	438	-	-	-	1	3	14	28	48	87	167	90
All other	62	-	-	-	1	4	5	3	13	18	16	2	135	-	-	-	1	2	4	10	22	39	39	18
Black	62	-	-	-	1	4	5	3	13	18	16	2	134	-	-	-	1	2	4	10	22	39	38	18
Nutritional deficiencies (260-269)	21	3	-	-	-	-	-	-	-	3	9	6	40	1	-	-	-	1	1	-	1	1	13	22
White	14	2	-	-	-	-	-	-	-	1	7	4	35	1	-	-	-	1	1	-	1	1	11	19
All other	7	1	-	-	-	-	-	-	-	2	2	2	5	-	-	-	-	-	-	-	-	-	2	3
Black	7	1	-	-	-	-	-	-	-	2	2	2	5	-	-	-	-	-	-	-	-	-	2	3
Anemias (280-285)	46	1	-	1	3	2	4	3	2	5	13	12	34	-	1	-	1	1	1	1	-	7	12	10
White	28	1	-	-	-	-	1	-	2	3	11	10	26	-	1	-	-	-	-	-	-	5	12	8
All other	18	-	-	1	3	2	3	3	-	2	2	2	8	-	-	-	1	1	1	1	-	2	-	2
Black	18	-	-	1	3	2	3	3	-	2	2	2	8	-	-	-	1	1	1	1	-	2	-	2
Meningitis (320-322)	11	-	-	1	-	2	-	1	-	1	4	2	6	2	-	1	-	-	-	-	-	2	1	-
White	7	-	-	1	-	1	-	-	-	1	3	1	3	1	-	1	-	-	-	-	-	1	-	-
All other	4	-	-	-	-	1	-	1	-	-	1	1	3	1	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	1	-	1	-	-	1	1	3	1	-	-	-	-	-	-	-	1	1	-
Major cardiovascular diseases (390-448)	9,686	10	5	8	27	71	294	662	1,407	2,567	2,977	1,657	10,204	14	3	6	11	40	128	267	703	1,738	3,562	3,732
White	8,211	6	2	4	14	54	216	533	1,195	2,188	2,573	1,426	8,515	9	-	5	8	24	67	180	531	1,350	3,043	3,298
All other	1,475	4	3	4	13	17	78	129	212	379	404	231	1,689	5	3	1	3	16	61	87	172	388	519	434
Black	1,467	4	3	4	13	17	77	129	211	378	402	228	1,678	5	3	1	3	16	59	87	170	386	516	432

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 241 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	7,805	9	4	7	25	57	257	581	1,233	2,114	2,263	1,254	7,690	13	3	3	6	24	84	214	568	1,347	2,719	2,709
White	6,685	6	1	4	12	44	193	475	1,060	1,821	1,972	1,097	6,433	9	–	3	3	16	41	146	430	1,057	2,322	2,406
All other	1,120	3	3	3	13	13	64	106	173	293	291	157	1,257	4	3	–	3	8	43	68	138	290	397	303
Black	1,113	3	3	3	13	13	63	106	172	292	289	155	1,249	4	3	–	3	8	42	68	136	290	394	301
Rheumatic fever and rheumatic heart disease (390-398)	32	–	–	–	–	–	1	1	9	9	6	6	83	–	–	–	–	1	2	5	9	23	34	9
White	30	–	–	–	–	–	1	1	9	7	6	6	74	–	–	–	–	–	2	4	8	20	32	8
All other	2	–	–	–	–	–	–	–	–	2	–	–	9	–	–	–	–	1	–	1	1	3	2	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	9	–	–	–	–	1	–	1	1	3	2	1
Hypertensive heart disease (402)	188	–	–	–	1	4	11	18	35	48	49	22	342	1	–	–	–	1	15	14	31	47	117	116
White	115	–	–	–	–	2	4	10	19	33	33	14	221	–	–	–	–	1	3	9	14	29	75	90
All other	73	–	–	–	1	2	7	8	16	15	16	8	121	1	–	–	–	–	12	5	17	18	42	26
Black	73	–	–	–	1	2	7	8	16	15	16	8	121	1	–	–	–	–	12	5	17	18	42	26
Hypertensive heart and renal disease (404)	22	–	–	–	–	–	1	1	3	6	10	1	44	–	–	–	–	–	–	2	2	10	16	14
White	14	–	–	–	–	–	1	–	2	4	6	1	23	–	–	–	–	–	–	–	–	4	10	9
All other	8	–	–	–	–	–	–	1	1	2	4	–	21	–	–	–	–	–	–	2	2	6	6	5
Black	8	–	–	–	–	–	–	1	1	2	4	–	21	–	–	–	–	–	–	2	2	6	6	5
Ischemic heart disease (410-414)	5,572	–	1	–	9	27	175	415	904	1,528	1,636	876	5,053	–	–	–	2	4	31	145	366	891	1,692	1,722
White	4,963	–	1	–	4	22	143	359	808	1,368	1,474	784	4,396	–	–	–	2	3	22	104	295	740	1,674	1,556
All other	609	–	–	–	5	5	32	56	96	160	162	92	657	–	–	–	–	1	9	41	71	151	218	166
Black	604	–	–	–	5	5	31	56	95	159	161	91	650	–	–	–	–	1	8	41	69	151	216	164
Acute myocardial infarction (410)	3,234	–	–	–	7	17	101	272	577	912	929	418	2,810	–	–	–	2	3	20	92	232	568	1,088	805
White	2,940	–	–	–	4	14	91	245	525	833	850	378	2,475	–	–	–	2	3	17	73	193	481	985	721
All other	294	–	–	–	3	3	10	27	52	79	79	40	335	–	–	–	–	–	3	19	39	87	103	84
Black	290	–	–	–	3	3	10	27	51	78	78	39	332	–	–	–	–	–	3	19	37	87	102	84
Other acute and subacute forms of ischemic heart disease (411)	14	–	–	–	–	–	3	1	2	1	3	4	9	–	–	–	–	–	–	1	1	2	3	2
White	12	–	–	–	–	–	2	1	2	1	2	4	8	–	–	–	–	–	–	1	–	2	3	2
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Angina pectoris (413)	7	–	–	–	–	–	–	–	–	4	3	–	16	–	–	–	–	–	–	1	2	2	4	7
White	7	–	–	–	–	–	–	–	–	4	3	–	14	–	–	–	–	–	–	1	1	2	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,317	–	1	–	2	10	71	142	325	611	701	454	2,218	–	–	–	–	1	11	51	131	319	797	908
White	2,004	–	1	–	–	8	50	113	281	530	619	402	1,899	–	–	–	–	–	5	29	101	255	683	826
All other	313	–	–	–	2	2	21	29	44	81	82	52	319	–	–	–	–	1	6	22	30	64	114	82
Black	312	–	–	–	2	2	20	29	44	81	82	52	315	–	–	–	–	1	5	22	30	64	113	80
Other diseases of endocardium (424)	95	–	–	–	–	1	–	2	7	31	35	19	138	–	–	1	1	–	1	1	6	15	45	68
White	85	–	–	–	–	1	–	1	7	30	31	15	126	–	–	1	–	–	1	1	5	15	40	63
All other	10	–	–	–	–	–	–	1	–	1	4	4	12	–	–	–	1	–	–	–	1	–	5	5
Black	9	–	–	–	–	–	–	1	–	1	4	3	12	–	–	–	1	–	–	–	1	–	5	5
All other forms of heart disease (415-423,425-429)	1,896	9	3	7	15	25	69	144	275	492	527	330	2,030	12	3	2	3	18	35	47	154	361	615	780
White	1,478	6	–	4	8	19	44	104	215	379	422	277	1,593	9	–	2	1	12	13	28	108	249	491	680
All other	418	3	3	3	7	6	25	40	60	113	105	53	437	3	3	–	2	6	22	19	46	112	124	100
Black	417	3	3	3	7	6	25	40	60	113	104	53	436	3	3	–	2	6	22	19	46	112	123	100
Hypertension with or without renal disease (401,403)	57	–	–	–	–	–	3	6	9	16	12	11	109	–	–	–	1	–	2	8	8	25	37	28
White	36	–	–	–	–	–	2	4	3	13	6	8	77	–	–	–	1	–	1	5	5	14	27	24
All other	21	–	–	–	–	–	1	2	6	3	6	3	32	–	–	–	–	–	1	3	3	11	10	4
Black	21	–	–	–	–	–	1	2	6	3	6	3	32	–	–	–	–	–	1	3	3	11	10	4
Cerebrovascular diseases (430-438)	1,402	1	1	1	–	11	29	60	117	308	555	319	2,006	1	–	2	2	15	35	43	107	309	674	818
White	1,121	–	1	–	–	8	17	40	89	239	466	261	1,676	–	–	2	2	8	22	27	79	238	584	714
All other	281	1	–	1	–	3	12	20	28	69	89	58	330	1	–	–	–	7	13	16	28	71	90	104
Black	280	1	–	1	–	3	12	20	28	69	89	57	327	1	–	–	–	7	12	16	28	69	90	104
Intracerebral and other intracranial hemorrhage (431-432)	214	1	–	1	–	7	9	23	30	51	66	26	223	1	–	1	1	7	12	14	23	53	71	40
White	151	–	–	–	–	4	3	12	22	35	56	19	182	–	–	1	1	2	6	7	15	41	70	39
All other	63	1	–	1	–	3	6	11	8	16	10	7	41	1	–	–	–	5	6	7	8	12	1	1
Black	63	1	–	1	–	3	6	11	8	16	10	7	40	1	–	–	–	5	5	7	8	12	1	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	120	–	1	–	–	–	2	3	11	24	49	30	219	–	–	–	1	1	1	2	9	33	80	92
White	100	–	1	–	–	–	1	1	8	21	42	26	181	–	–	–	1	1	–	1	7	28	64	79
All other	20	–	–	–	–	–	1	2	3	3	7	4	38	–	–	–	–	–	1	1	2	5	16	13
Black	20	–	–	–	–	–	1	2	3	3	7	4	38	–	–	–	–	–	1	1	2	5	16	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 242 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	1	-	10	-	-	-	-	-	-	-	1	2	5	2
White	3	-	-	-	-	-	-	-	-	2	1	-	10	-	-	-	-	-	-	-	1	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,065	-	-	-	-	4	18	34	76	231	439	263	1,554	-	-	1	-	7	22	27	74	221	518	684
White	867	-	-	-	-	4	13	27	59	181	367	216	1,303	-	-	1	-	5	16	19	56	167	445	594
All other	198	-	-	-	-	-	5	7	17	50	72	47	251	-	-	-	-	2	6	8	18	54	73	90
Black	197	-	-	-	-	-	5	7	17	50	72	46	249	-	-	-	-	2	6	8	18	52	73	90
Atherosclerosis (440)	151	-	-	-	1	-	-	6	13	33	61	37	220	-	-	-	-	-	-	-	6	23	69	122
White	131	-	-	-	1	-	-	6	11	29	51	33	188	-	-	-	-	-	-	-	5	19	55	109
All other	20	-	-	-	-	-	-	-	2	4	10	4	32	-	-	-	-	-	-	-	1	4	14	13
Black	20	-	-	-	-	-	-	-	2	4	10	4	32	-	-	-	-	-	-	-	1	4	14	13
Other diseases of arteries, arterioles, and capillaries (441-448)	271	-	-	-	1	3	5	9	35	96	86	36	179	-	-	1	2	1	7	2	14	34	63	55
White	238	-	-	-	1	2	4	8	32	86	78	27	141	-	-	-	2	-	3	2	12	22	55	45
All other	33	-	-	-	-	1	1	1	3	10	8	9	38	-	-	1	-	1	4	-	2	12	8	10
Black	33	-	-	-	-	1	1	1	3	10	8	9	38	-	-	1	-	1	4	-	2	12	8	10
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	1	-	1	9	-	-	-	1	-	-	-	-	-	3	5
White	3	-	-	-	-	-	-	-	1	1	-	1	8	-	-	-	-	-	-	-	-	-	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	798	3	2	1	3	8	25	20	54	132	300	250	894	3	4	2	3	4	10	13	42	96	297	420
White	707	3	2	1	3	3	12	18	47	121	270	227	776	-	3	2	2	2	7	12	36	78	255	379
All other	91	-	-	-	-	5	13	2	7	11	30	23	118	3	1	-	1	2	3	1	6	18	42	41
Black	90	-	-	-	-	5	13	2	7	11	30	22	117	3	1	-	1	2	3	1	5	18	42	41
Pneumonia (480-486)	787	3	1	1	3	8	24	20	53	130	297	247	879	3	3	1	3	4	10	13	41	93	294	414
White	696	3	1	1	3	3	11	18	46	119	267	224	763	-	3	1	2	2	7	12	35	75	252	374
All other	91	-	-	-	-	5	13	2	7	11	30	23	116	3	-	-	1	2	3	1	6	18	42	40
Black	90	-	-	-	-	5	13	2	7	11	30	22	115	3	-	-	1	2	3	1	5	18	42	40
Influenza (487)	11	-	1	-	-	-	1	-	1	2	3	3	15	-	1	1	-	-	-	-	1	3	3	6
White	11	-	1	-	-	-	1	-	1	2	3	3	13	-	-	1	-	-	-	-	1	3	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,114	2	1	-	3	6	5	32	156	374	399	136	772	-	2	2	1	2	7	36	123	249	234	116
White	1,020	2	-	-	1	4	3	29	141	344	374	122	709	-	1	-	1	-	6	30	105	226	228	112
All other	94	-	1	-	2	2	2	3	15	30	25	14	63	-	1	2	-	2	1	6	18	23	6	4
Black	93	-	1	-	2	2	2	3	15	30	25	13	62	-	1	2	-	2	1	6	18	22	6	4
Bronchitis, chronic and unspecified (490-491)	35	1	-	-	-	2	-	4	7	10	7	4	43	-	-	1	-	-	-	-	6	12	12	12
White	30	1	-	-	-	1	-	2	6	9	7	4	39	-	-	-	-	-	-	-	5	11	12	11
All other	5	-	-	-	-	1	-	2	1	1	-	-	4	-	-	1	-	-	-	-	1	1	-	1
Black	5	-	-	-	-	1	-	2	1	1	-	-	4	-	-	1	-	-	-	-	1	1	-	1
Emphysema (492)	184	-	-	-	-	-	1	8	29	63	66	17	105	-	-	-	-	-	-	6	18	38	29	14
White	170	-	-	-	-	-	1	7	27	56	64	15	102	-	-	-	-	-	-	6	17	37	29	13
All other	14	-	-	-	-	-	-	1	2	7	2	2	3	-	-	-	-	-	-	-	1	1	-	1
Black	14	-	-	-	-	-	-	1	2	7	2	2	3	-	-	-	-	-	-	-	1	1	-	1
Asthma (493)	47	1	1	-	3	4	4	4	9	13	6	2	66	-	2	1	1	2	4	6	13	16	15	6
White	36	1	-	-	1	3	2	4	6	11	6	2	46	-	1	-	1	-	3	3	5	14	13	6
All other	11	-	1	-	2	1	2	-	3	2	-	-	20	-	1	1	-	2	1	3	8	2	2	-
Black	11	-	1	-	2	1	2	-	3	2	-	-	19	-	1	1	-	2	1	3	8	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	848	-	-	-	-	-	-	16	111	288	320	113	558	-	-	-	-	-	3	24	86	183	178	84
White	784	-	-	-	-	-	-	16	102	268	297	101	522	-	-	-	-	-	3	21	78	164	174	82
All other	64	-	-	-	-	-	-	-	9	20	23	12	36	-	-	-	-	-	-	3	8	19	4	2
Black	63	-	-	-	-	-	-	-	9	20	23	11	36	-	-	-	-	-	-	3	8	19	4	2
Ulcer of stomach and duodenum (531-533)	53	-	-	-	-	-	1	9	8	10	16	9	63	-	-	-	-	1	3	3	6	7	16	27
White	43	-	-	-	-	-	-	6	8	8	14	7	57	-	-	-	-	-	3	2	6	5	16	25
All other	10	-	-	-	-	-	1	3	-	2	2	2	6	-	-	-	-	1	-	1	-	2	-	2
Black	10	-	-	-	-	-	1	3	-	2	2	2	6	-	-	-	-	1	-	1	-	2	-	2
Appendicitis (540-543)	5	-	-	-	-	-	1	-	1	-	2	1	6	-	-	-	-	-	-	-	1	1	2	2
White	5	-	-	-	-	-	1	-	1	-	2	1	6	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	1	-	-	1	-	1	2	6	7	16	11	75	-	-	-	-	-	1	3	7	10	23	31
White	35	1	-	-	1	-	1	1	4	5	13	9	57	-	-	-	-	-	1	1	6	5	19	25
All other	10	-	-	-	-	-	-	1	2	2	3	2	18	-	-	-	-	-	-	2	1	5	4	6
Black	10	-	-	-	-	-	-	1	2	2	3	2	18	-	-	-	-	-	-	2	1	5	4	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 243 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	307	2	1	-	2	11	39	63	84	65	35	5	168	-	-	-	1	6	15	23	31	45	36	11
White	260	-	1	-	1	10	32	48	70	60	33	5	150	-	-	-	1	3	13	20	27	43	32	11
All other	47	2	-	-	1	1	7	15	14	5	2	-	18	-	-	-	-	3	2	3	4	2	4	-
Black	46	2	-	-	1	1	7	14	14	5	2	-	17	-	-	-	-	3	2	3	3	2	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	27	-	-	-	-	-	1	1	1	5	10	9	39	-	-	-	-	-	-	-	3	6	17	13
White	25	-	-	-	-	-	1	1	1	5	9	8	36	-	-	-	-	-	-	-	3	4	16	13
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	198	3	1	-	1	2	6	5	21	42	69	48	222	5	-	1	-	-	4	3	18	54	68	69
White	156	2	1	-	1	1	4	5	15	32	58	37	160	1	-	1	-	-	2	2	8	37	55	54
All other	42	1	-	-	-	1	2	-	6	10	11	11	62	4	-	-	-	-	2	1	10	17	13	15
Black	42	1	-	-	-	1	2	-	6	10	11	11	62	4	-	-	-	-	2	1	10	17	13	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	1	-	-	1	-	-	-	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	-	-	-	1	-	1	1	2	3	13	3	27	-	-	-	-	-	1	1	2	10	6	7
White	17	-	-	-	1	-	1	1	1	1	9	3	18	-	-	-	-	-	-	-	1	7	5	5
All other	7	-	-	-	-	-	-	-	1	2	4	-	9	-	-	-	-	-	1	1	1	3	1	2
Black	7	-	-	-	-	-	-	-	1	2	4	-	9	-	-	-	-	-	1	1	1	3	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	3	1	-	-	2	5	4	19	39	56	45	189	4	-	-	-	-	2	2	16	44	59	62
White	139	2	1	-	-	1	3	4	14	31	49	34	138	1	-	-	-	-	2	2	7	30	47	49
All other	35	1	-	-	-	1	2	-	5	8	7	11	51	3	-	-	-	-	-	-	9	14	12	13
Black	35	1	-	-	-	1	2	-	5	8	7	11	51	3	-	-	-	-	-	-	9	14	12	13
Infections of kidney (590)	6	-	-	-	-	-	-	1	-	-	3	2	26	-	-	-	-	1	-	1	-	1	11	12
White	4	-	-	-	-	-	-	-	-	-	2	2	23	-	-	-	-	1	-	1	-	1	10	11
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	-	1	1
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	2	2	8	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	2	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
Congenital anomalies (740-759)	132	86	8	5	3	4	4	3	5	6	7	1	101	50	6	4	2	7	6	1	5	10	5	5
White	98	62	5	2	2	4	4	3	4	5	6	1	77	35	5	2	2	4	5	1	5	8	5	5
All other	34	24	3	3	1	-	-	-	1	1	1	-	24	15	1	2	-	3	1	-	-	2	-	-
Black	33	23	3	3	1	-	-	-	1	1	1	-	24	15	1	2	-	3	1	-	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	195	192	3	-	-	-	-	-	-	-	-	-	150	149	1	-	-	-	-	-	-	-	-	-
White	98	96	2	-	-	-	-	-	-	-	-	-	70	69	1	-	-	-	-	-	-	-	-	-
All other	97	96	1	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
Black	96	95	1	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	30	2	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
White	23	22	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	9	8	1	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	9	8	1	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 244 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	163	162	1	-	-	-	-	-	-	-	-	-	123	122	1	-	-	-	-	-	-	-	-	-
White	75	74	1	-	-	-	-	-	-	-	-	-	53	52	1	-	-	-	-	-	-	-	-	-
All other	88	88	-	-	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
Black	87	87	-	-	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	468	87	6	-	3	13	30	37	66	98	86	40	405	48	3	1	1	4	13	15	24	72	96	127
White	381	54	6	-	3	8	19	34	55	92	75	34	333	21	1	1	-	4	10	12	20	62	84	118
All other	87	33	-	-	-	5	11	3	11	6	11	6	72	27	2	-	1	-	3	3	4	10	12	9
Black	84	33	-	-	-	3	11	3	11	5	11	6	72	27	2	-	1	-	3	3	4	10	12	9
All other diseases (Residual)	1,756	16	17	11	24	45	84	124	207	385	539	303	2,249	13	10	13	18	28	63	74	138	362	723	807
White	1,467	8	10	7	20	31	59	101	162	321	488	259	1,901	5	5	12	13	15	43	53	107	304	622	722
All other	289	8	7	4	4	14	25	23	45	64	51	44	348	8	5	1	5	13	20	21	31	58	101	85
Black	285	8	7	4	4	14	25	23	45	62	50	43	347	8	5	1	5	13	20	21	31	57	101	85
Accidents and adverse effects (E800-E949)	1,499	13	25	66	317	276	209	130	121	126	138	77	699	8	23	19	101	94	67	34	60	61	117	115
White	1,259	10	14	51	270	232	166	113	108	110	117	68	611	8	16	15	91	76	58	29	54	57	109	98
All other	240	3	11	15	47	44	43	17	13	16	21	9	88	-	7	4	10	18	9	5	6	4	8	17
Black	236	3	10	15	47	41	43	17	13	16	21	9	87	-	7	4	9	18	9	5	6	4	8	17
Motor vehicle accidents (E810-E825)	817	4	9	38	238	176	125	72	51	46	40	17	344	2	8	14	79	70	46	19	36	31	35	4
White	699	4	6	32	208	148	106	61	44	40	35	15	304	2	6	11	73	57	39	16	33	30	34	3
All other	118	-	3	6	30	28	19	11	7	6	5	2	40	-	2	3	6	13	7	3	3	1	1	1
Black	115	-	2	6	30	26	19	11	7	6	5	2	40	-	2	3	6	13	7	3	3	1	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	682	9	16	28	79	100	84	58	70	80	98	60	355	6	15	5	22	24	21	15	24	30	82	111
White	560	6	8	19	62	84	60	52	64	70	82	53	307	6	10	4	18	19	19	13	21	27	75	95
All other	122	3	8	9	17	16	24	6	6	10	16	7	48	-	5	1	4	5	2	2	3	3	7	16
Black	121	3	8	9	17	15	24	6	6	10	16	7	47	-	5	1	3	5	2	2	3	3	7	16
Suicide (E950-E959)	535	. . .	. . .	5	71	132	82	64	60	50	57	14	127	. . .	. . .	1	12	21	31	25	19	8	7	3
White	482	. . .	. . .	5	59	115	70	61	57	46	57	12	114	. . .	. . .	-	10	17	28	24	17	8	7	3
All other	53	. . .	. . .	-	12	17	12	3	3	4	-	2	13	. . .	. . .	1	2	4	3	1	2	-	-	-
Black	52	. . .	. . .	-	12	17	11	3	3	4	-	2	12	. . .	. . .	1	2	4	2	1	2	-	-	-
Homicide and legal intervention (E960-E978)	460	3	1	4	131	140	87	49	20	15	7	3	129	5	2	3	21	37	27	13	8	8	5	-
White	196	2	-	3	28	65	46	28	14	7	2	1	70	2	1	1	10	15	15	11	5	6	4	-
All other	264	1	1	1	103	75	41	21	6	8	5	2	59	3	1	2	11	22	12	2	3	2	1	-
Black	261	1	1	1	102	74	40	21	6	8	5	2	59	3	1	2	11	22	12	2	3	2	1	-
All other external causes (E980-E999)	34	-	-	-	6	7	11	4	3	-	1	-	20	-	-	1	2	7	4	3	1	1	-	1
White	25	-	-	-	4	4	8	4	3	-	1	-	15	-	-	1	1	4	3	3	1	1	-	1
All other	9	-	-	-	2	3	3	-	-	-	-	-	5	-	-	-	1	3	1	-	-	-	-	-
Black	9	-	-	-	2	3	3	-	-	-	-	-	5	-	-	-	1	3	1	-	-	-	-	-
TEXAS																								
All causes	67,703	1,392	350	433	2,362	3,570	4,131	5,124	9,670	15,721	16,588	8,287	59,092	1,056	244	254	720	1,145	1,769	2,870	5,985	11,415	16,673	16,949
White	58,092	1,020	276	359	1,749	2,766	3,299	4,172	8,219	13,859	14,901	7,403	51,221	766	181	194	565	835	1,316	2,301	4,870	9,875	14,828	15,478
All other	9,611	372	74	74	613	804	832	952	1,451	1,862	1,687	884	7,871	290	63	60	155	310	453	569	1,115	1,540	1,845	1,471
Black	9,246	352	72	68	583	762	791	919	1,399	1,794	1,632	868	7,609	276	61	54	140	295	437	541	1,073	1,487	1,797	1,448
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	-	1	-	-	-	1	-	1	2	-	1	12	1	-	-	-	1	-	1	-	3	1	5
White	6	-	1	-	-	-	1	-	1	2	-	1	7	-	-	-	-	-	-	-	-	2	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	1	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	1	-	1	-	1	1	-
Tuberculosis (010-018)	69	-	-	-	-	4	6	6	13	19	16	5	38	-	-	-	2	1	6	2	5	8	11	3
White	51	-	-	-	-	4	4	3	8	15	13	4	26	-	-	-	-	-	3	2	4	5	10	2
All other	18	-	-	-	-	-	2	3	5	4	3	1	12	-	-	-	2	1	3	-	1	3	1	1
Black	16	-	-	-	-	-	2	3	4	3	3	1	11	-	-	-	2	1	3	-	1	2	1	1
Tuberculosis of respiratory system (010-012)	55	-	-	-	-	2	4	4	8	17	15	5	19	-	-	-	1	1	1	1	2	3	8	2
White	37	-	-	-	-	2	2	1	3	13	12	4	14	-	-	-	-	-	-	1	2	2	7	2
All other	18	-	-	-	-	-	2	3	5	4	3	1	5	-	-	-	1	1	1	-	-	1	1	-
Black	16	-	-	-	-	-	2	3	4	3	3	1	5	-	-	-	1	1	1	-	-	1	1	-
Other tuberculosis (013-018)	14	-	-	-	-	2	2	2	5	2	1	-	19	-	-	-	1	-	5	1	3	5	3	1
White	14	-	-	-	-	2	2	2	5	2	1	-	12	-	-	-	-	-	3	1	2	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	1	-	2	-	1	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	2	-	1	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 245 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	1	-	-	-	-	-	-	-	-	4	-	1	-	1	-	2	-	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	583	7	6	-	4	9	32	37	72	134	173	109	702	4	3	2	1	13	15	32	52	125	206	249
White	452	6	4	-	2	7	20	27	54	101	140	91	586	4	1	2	-	8	11	25	39	106	178	212
All other	131	1	2	-	2	2	12	10	18	33	33	18	116	-	2	-	1	5	4	7	13	19	28	37
Black	126	1	2	-	1	2	12	10	17	32	32	17	113	-	2	-	1	4	4	7	13	18	27	37
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	79	-	-	-	3	6	13	11	16	16	14	-	78	-	-	1	2	5	3	6	12	22	21	6
White	71	-	-	-	1	6	12	9	13	16	14	-	65	-	-	-	1	4	3	4	9	20	18	6
All other	8	-	-	-	2	-	1	2	3	-	-	-	13	-	-	1	1	1	-	2	3	2	3	-
Black	6	-	-	-	2	-	1	1	2	-	-	-	11	-	-	1	1	1	-	2	2	2	2	-
Syphilis (090-097)	7	1	-	-	-	2	1	1	-	-	2	-	3	-	-	-	-	-	-	-	-	1	2	-
White	6	1	-	-	-	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	2,253	17	11	10	63	797	802	304	123	62	44	18	322	19	4	6	16	60	48	26	48	33	32	30
White	1,826	11	8	9	37	634	659	252	100	57	39	18	216	14	2	3	6	32	23	18	36	28	29	25
All other	427	6	3	1	26	163	143	52	23	5	5	-	106	5	2	3	10	28	25	8	12	5	3	5
Black	423	6	3	1	26	163	142	49	23	5	5	-	105	5	2	3	9	28	25	8	12	5	3	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	15,641	6	24	60	88	162	480	1,305	3,311	4,969	4,000	1,235	13,427	5	15	34	52	184	600	1,228	2,526	3,804	3,293	1,685
White	13,545	4	18	55	78	140	380	1,067	2,810	4,380	3,540	1,072	11,713	2	12	29	42	152	470	1,040	2,155	3,383	2,925	1,502
All other	2,096	2	6	5	10	22	100	238	501	589	460	163	1,714	3	3	5	10	32	130	188	371	421	368	183
Black	2,019	1	6	4	7	21	97	229	480	568	445	161	1,641	3	3	5	8	27	122	171	359	405	359	179
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	346	-	-	-	1	1	9	52	86	107	74	16	171	-	-	1	-	1	4	19	38	53	31	24
White	299	-	-	-	-	-	8	36	75	100	66	14	150	-	-	-	-	1	3	14	32	48	28	24
All other	47	-	-	-	1	1	1	16	11	7	8	2	21	-	-	1	-	-	1	5	6	5	3	-
Black	43	-	-	-	-	-	1	16	11	6	8	1	21	-	-	1	-	-	1	5	6	5	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,702	1	1	2	10	30	125	318	793	1,143	953	325	3,246	-	-	1	-	24	73	197	495	886	967	603
White	3,168	1	1	2	9	23	96	254	667	986	847	281	2,760	-	-	1	-	19	54	158	413	760	831	524
All other	534	-	-	-	1	7	29	64	126	157	106	44	486	-	-	-	-	5	19	39	82	126	136	79
Black	502	-	-	-	1	7	29	61	120	145	96	43	459	-	-	-	-	4	18	31	78	120	131	77
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,730	-	-	1	3	13	111	507	1,429	2,113	1,288	265	3,090	-	-	-	1	8	73	259	697	1,126	723	203
White	4,953	-	-	1	3	11	78	393	1,199	1,858	1,168	242	2,780	-	-	-	1	6	53	222	604	1,036	677	181
All other	777	-	-	-	-	2	33	114	230	255	120	23	310	-	-	-	-	2	20	37	93	90	46	22
Black	755	-	-	-	-	2	31	109	223	251	116	23	299	-	-	-	-	1	18	37	92	84	45	22
Malignant neoplasm of breast (174-175)	11	-	1	-	-	-	-	-	3	3	4	-	2,250	-	-	-	1	44	214	339	525	529	388	210
White	9	-	1	-	-	-	-	-	2	2	4	-	1,911	-	-	-	-	33	153	290	432	476	336	191
All other	2	-	-	-	-	-	-	-	1	1	-	-	339	-	-	-	1	11	61	49	93	53	52	19
Black	2	-	-	-	-	-	-	-	1	1	-	-	326	-	-	-	1	9	59	46	89	51	52	19
Malignant neoplasms of genital organs (179-187)	1,822	-	-	1	6	11	8	21	150	491	794	340	1,388	-	-	-	3	39	92	157	259	393	302	143
White	1,501	-	-	1	5	11	8	16	122	414	648	276	1,189	-	-	-	2	31	77	129	226	334	262	128
All other	321	-	-	-	1	-	-	5	28	77	146	64	199	-	-	-	1	8	15	28	33	59	40	15
Black	319	-	-	-	-	-	-	5	28	77	145	64	189	-	-	-	1	7	12	26	31	59	40	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 246 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	706	-	1	2	-	2	15	52	154	205	211	64	398	-	-	-	1	-	13	27	62	96	120	79
White	632	-	1	1	-	1	11	50	137	187	190	54	352	-	-	-	-	-	10	24	54	88	107	69
All other	74	-	-	1	-	1	4	2	17	18	21	10	46	-	-	-	1	-	3	3	8	8	13	10
Black	72	-	-	1	-	1	4	2	16	17	21	10	43	-	-	-	-	-	3	3	7	8	12	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,806	3	10	28	31	57	131	210	426	477	329	104	1,545	3	6	15	22	36	82	151	273	368	374	215
White	1,624	3	6	27	28	49	111	193	380	437	299	91	1,382	2	3	14	17	34	77	134	243	333	331	194
All other	182	-	4	1	3	8	20	17	46	40	30	13	163	1	3	1	5	2	5	17	30	35	43	21
Black	176	-	4	1	2	8	19	17	43	39	30	13	157	1	3	1	4	2	5	14	30	35	41	21
Leukemia (204-208)	606	2	11	23	23	22	20	35	106	173	134	57	524	2	9	15	16	17	29	31	57	113	147	88
White	551	-	9	21	20	20	16	33	88	163	128	53	463	-	9	12	15	14	27	29	46	93	137	81
All other	55	2	2	2	3	2	4	2	18	10	6	4	61	2	-	3	1	3	2	2	11	20	10	7
Black	52	1	2	2	3	2	4	2	17	9	6	4	59	2	-	3	1	3	2	2	11	18	10	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	912	-	-	3	14	26	61	110	164	257	213	64	815	-	-	2	8	15	20	48	120	240	241	120
White	808	-	-	2	13	25	52	92	140	233	190	61	726	-	-	2	7	14	16	40	105	215	216	110
All other	104	-	-	1	1	1	9	18	24	24	23	3	89	-	-	-	1	1	4	8	15	25	25	10
Black	98	-	-	-	1	1	9	17	21	23	23	3	88	-	-	-	1	1	4	7	15	25	25	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	151	-	5	2	5	4	8	9	16	36	42	24	166	4	1	2	1	3	3	9	14	29	57	43
White	129	-	5	2	5	4	8	7	13	28	37	20	146	4	1	2	-	3	2	6	8	26	53	41
All other	22	-	-	-	-	-	-	2	3	8	5	4	20	-	-	-	1	-	1	3	6	3	4	2
Black	21	-	-	-	-	-	-	2	3	8	4	4	17	-	-	-	1	-	1	2	5	2	4	2
Diabetes mellitus (250)	1,564	-	1	1	3	21	63	138	306	461	425	144	2,063	-	-	2	8	28	67	113	313	598	585	349
White	1,321	-	1	1	2	19	50	107	255	386	375	125	1,649	-	-	-	5	20	53	81	239	481	471	299
All other	243	-	-	-	1	2	13	31	51	75	50	19	414	-	-	2	3	8	14	32	74	117	114	50
Black	233	-	-	-	1	2	13	30	49	73	45	19	407	-	-	2	3	8	14	32	74	112	112	50
Nutritional deficiencies (260-269)	100	1	-	-	-	2	1	1	5	12	36	42	146	3	1	-	-	-	1	3	3	11	42	82
White	88	1	-	-	-	2	1	1	5	10	31	37	127	2	1	-	-	-	1	2	2	10	38	71
All other	12	-	-	-	-	-	-	-	-	2	5	5	19	1	-	-	-	-	-	1	1	1	4	11
Black	12	-	-	-	-	-	-	-	-	2	5	5	17	1	-	-	-	-	-	1	1	1	4	9
Anemias (280-285)	113	1	2	-	3	8	6	3	8	13	38	31	155	-	2	2	4	3	6	6	12	25	43	52
White	85	-	-	-	-	1	2	2	6	12	34	28	124	-	-	2	-	1	3	4	9	20	38	47
All other	28	1	2	-	3	7	4	1	2	1	4	3	31	-	2	-	4	2	3	2	3	5	5	5
Black	27	1	2	-	2	7	4	1	2	1	4	3	30	-	2	-	4	2	3	2	3	4	5	5
Meningitis (320-322)	26	3	2	1	-	3	2	5	4	3	2	1	29	10	1	2	-	-	1	1	5	3	3	3
White	23	1	2	1	-	2	2	5	4	3	2	1	19	5	1	1	-	-	1	-	3	3	3	2
All other	3	2	-	-	-	1	-	-	-	-	-	-	10	5	-	1	-	-	-	1	2	-	-	1
Black	3	2	-	-	-	1	-	-	-	-	-	-	9	4	-	1	-	-	-	1	2	-	-	1
Major cardiovascular diseases (390-448)	25,045	48	18	12	51	226	741	1,782	3,702	6,489	7,615	4,355	25,880	30	14	13	41	105	298	719	1,778	4,333	8,435	10,108
White	21,873	35	14	11	39	160	561	1,449	3,147	5,707	6,829	3,916	22,520	19	9	9	28	69	198	520	1,346	3,622	7,439	9,255
All other	3,172	13	4	1	12	66	180	333	555	782	786	439	3,360	11	5	4	13	36	100	199	432	711	996	853
Black	3,065	13	3	1	11	61	173	320	539	747	764	432	3,279	10	5	4	13	36	99	194	417	692	967	842
Diseases of heart (390-398,402,404-429)	20,166	40	16	8	35	175	620	1,545	3,188	5,332	5,946	3,257	19,160	23	10	8	28	71	204	524	1,396	3,351	6,256	7,285
White	17,740	29	13	7	26	122	483	1,269	2,752	4,735	5,358	2,943	16,745	15	6	7	18	46	138	380	1,073	2,817	5,545	6,696
All other	2,426	11	3	1	9	53	137	276	436	597	588	314	2,415	8	4	1	10	25	66	144	323	534	711	589
Black	2,344	11	3	1	9	49	132	266	424	568	572	308	2,364	8	4	1	10	25	65	141	313	521	693	583
Rheumatic fever and rheumatic heart disease (390-398)	76	-	-	-	2	4	8	8	11	18	17	8	146	-	-	-	1	4	8	19	21	35	35	23
White	68	-	-	-	2	4	7	5	9	18	15	8	132	-	-	-	-	4	5	15	21	31	33	23
All other	8	-	-	-	-	-	1	3	2	-	2	-	14	-	-	-	1	-	3	4	-	4	2	-
Black	7	-	-	-	-	-	1	3	2	-	1	-	11	-	-	-	1	-	3	4	-	3	-	-
Hypertensive heart disease (402)	655	-	-	-	-	9	27	83	135	170	150	81	821	-	-	-	1	6	18	37	88	164	233	274
White	476	-	-	-	-	5	15	55	100	130	111	60	610	-	-	-	1	4	8	24	57	109	175	232
All other	179	-	-	-	-	4	12	28	35	40	39	21	211	-	-	-	-	2	10	13	31	55	58	42
Black	177	-	-	-	-	4	12	28	34	40	38	21	208	-	-	-	-	2	10	13	30	53	58	42
Hypertensive heart and renal disease (404)	68	-	-	-	-	1	3	5	6	15	25	13	93	-	-	-	-	1	-	1	10	13	32	36
White	49	-	-	-	-	-	2	2	4	8	22	11	71	-	-	-	-	-	-	-	6	9	23	33
All other	19	-	-	-	-	1	1	3	2	7	3	2	22	-	-	-	-	1	-	1	4	4	9	3
Black	18	-	-	-	-	1	1	3	2	7	3	1	22	-	-	-	-	1	-	1	4	4	9	3
Ischemic heart disease (410-414)	13,572	-	2	-	3	63	365	1,028	2,111	3,641	4,200	2,155	12,307	-	-	1	4	21	82	280	848	2,186	4,197	4,685
White	12,193	-	2	-	2	40	294	866	1,858	3,314	3,845	1,969	10,947	-	-	1	4	11	59	206	682	1,885	3,773	4,323
All other	1,379	-	-	-	1	23	71	162	253	327	355	186	1,360	-	-	-	-	10	23	74	166	301	424	362
Black	1,325	-	-	-	1	20	67	154	246	308	346	182	1,328	-	-	-	-	10	23	73	157	294	413	358
Acute myocardial infarction (410)	7,281	-	1	-	1	30	188	569	1,195	2,045	2,216	1,033	6,359	-	-	-	2	18	43	161	521	1,293	2,275	2,046
White	6,578	-	1	-	1	20	160	498	1,071	1,854	2,027	944	5,642	-	-	-	2	11	30	124	431	1,114	2,037	1,893
All other	703	-	-	-	-	10	28	71	124	191	189	89	717	-	-	-	-	7	13	37	90	179	238	153
Black	675	-	-	-	-	8	25	67	122	181	184	87	700	-	-	-	-	7	13	36	84	176	232	152

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 247 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	42	-	-	-	1	1	3	6	10	11	7	3	38	-	-	-	-	-	-	2	6	6	11	13
White	39	-	-	-	-	1	3	6	10	10	7	2	34	-	-	-	-	-	-	1	6	6	9	12
All other	3	-	-	-	1	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	-	-	2	1
Black	3	-	-	-	1	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	-	-	2	1
Angina pectoris (413)	26	-	-	-	-	-	-	1	4	9	10	2	41	-	-	-	-	-	-	-	2	6	14	18
White	22	-	-	-	-	-	-	1	4	9	7	1	36	-	-	-	-	-	-	-	2	5	11	17
All other	4	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	1	3	1
Black	4	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	1	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,223	-	1	-	1	32	174	452	902	1,576	1,967	1,117	5,869	-	-	1	2	3	39	117	319	881	1,897	2,608
White	5,554	-	1	-	1	19	131	361	773	1,441	1,804	1,022	5,235	-	-	1	2	-	29	81	243	760	1,716	2,401
All other	669	-	-	-	-	13	43	91	129	135	163	95	634	-	-	-	-	3	10	36	76	121	181	207
Black	643	-	-	-	-	12	42	87	124	126	159	93	619	-	-	-	-	3	10	36	73	117	176	204
Other diseases of endocardium (424)	294	1	1	3	2	2	7	13	41	63	100	61	357	-	-	1	2	5	9	10	23	52	115	140
White	262	1	1	2	2	2	6	9	33	59	87	60	333	-	-	1	1	5	8	10	21	46	110	131
All other	32	-	-	1	-	-	1	4	8	4	13	1	24	-	-	-	1	-	1	-	2	6	5	9
Black	28	-	-	1	-	-	-	4	8	3	11	1	22	-	-	-	1	-	1	-	2	5	4	9
All other forms of heart disease (415-423,425-429)	5,501	39	13	5	28	96	210	408	884	1,425	1,454	939	5,436	23	10	6	20	34	87	177	406	901	1,644	2,127
White	4,692	28	10	5	20	71	159	332	748	1,206	1,278	835	4,652	15	6	5	12	22	58	125	286	737	1,431	1,954
All other	809	11	3	-	8	25	51	76	136	219	176	104	784	8	4	1	8	12	29	52	120	164	213	173
Black	789	11	3	-	8	24	51	74	132	210	173	103	779	8	4	1	8	12	28	50	120	162	209	171
Hypertension with or without renal disease (401,403)	289	-	-	-	1	3	12	16	34	68	98	57	394	-	1	-	1	-	5	17	25	77	150	118
White	220	-	-	-	-	1	5	11	27	51	80	45	298	-	-	-	1	-	4	5	14	51	120	103
All other	69	-	-	-	1	2	7	5	7	17	18	12	96	-	1	-	-	-	1	12	11	26	30	15
Black	67	-	-	-	-	2	7	5	6	17	18	12	95	-	1	-	-	-	1	12	11	26	29	15
Cerebrovascular diseases (430-438)	3,358	7	1	3	12	32	93	178	359	743	1,141	788	5,072	5	3	4	11	28	71	151	300	728	1,673	2,096
White	2,805	5	1	3	10	23	60	134	262	604	1,001	701	4,343	3	3	1	8	19	43	114	212	600	1,450	1,888
All other	553	2	-	-	2	9	33	44	97	139	140	87	729	2	-	3	3	9	28	37	88	128	223	208
Black	535	2	-	-	2	8	31	42	94	135	135	86	702	1	-	3	3	9	28	35	84	122	214	203
Intracerebral and other intracranial hemorrhage (431-432)	577	2	1	2	6	12	45	79	103	156	116	55	687	-	1	-	4	7	25	53	74	152	239	132
White	461	1	1	2	6	7	27	60	76	126	108	47	573	-	1	-	3	4	14	39	50	131	211	120
All other	116	1	-	-	-	5	18	19	27	30	8	8	114	-	-	-	1	3	11	14	24	21	28	12
Black	108	1	-	-	-	4	18	17	25	28	7	8	106	-	-	-	1	3	11	13	22	19	25	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	351	2	-	-	-	-	6	8	49	77	127	82	506	1	1	1	3	2	5	5	28	61	174	225
White	295	2	-	-	-	-	5	5	35	64	109	75	423	1	1	-	3	1	4	4	15	51	140	203
All other	56	-	-	-	-	-	1	3	14	13	18	7	83	-	-	1	-	1	1	1	13	10	34	22
Black	55	-	-	-	-	-	1	3	14	12	18	7	80	-	-	1	-	1	1	1	13	9	33	21
Cerebral embolism (434.1)	11	-	-	-	-	-	1	-	1	1	2	6	20	-	-	-	-	-	-	-	-	5	8	7
White	11	-	-	-	-	-	1	-	1	1	2	6	18	-	-	-	-	-	-	-	-	4	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,419	3	-	1	6	20	41	91	206	509	896	645	3,859	4	1	3	4	19	41	93	198	510	1,252	1,732
White	2,038	2	-	1	4	16	27	69	150	413	782	573	3,329	2	1	1	2	14	25	71	147	414	1,092	1,558
All other	381	1	-	-	2	4	14	22	56	96	114	72	530	2	-	2	2	5	16	22	51	96	160	174
Black	372	1	-	-	2	4	12	22	55	95	110	71	514	1	-	2	2	5	16	21	49	93	155	170
Atherosclerosis (440)	423	-	-	-	-	1	1	8	28	79	157	148	724	-	-	-	-	1	1	2	18	58	189	455
White	383	-	-	-	-	1	1	6	20	70	147	137	668	-	-	-	-	1	1	1	13	49	173	430
All other	40	-	-	-	-	-	-	2	8	9	10	11	56	-	-	-	-	-	-	1	5	9	16	25
Black	37	-	-	-	-	-	-	1	8	8	9	11	55	-	-	-	-	-	-	1	4	9	16	25
Other diseases of arteries, arterioles, and capillaries (441-448)	809	1	1	1	3	15	15	35	93	267	273	105	530	2	-	1	1	5	17	25	39	119	167	154
White	725	1	-	1	3	13	12	29	86	247	243	90	466	1	-	1	1	3	12	20	34	105	151	138
All other	84	-	1	-	-	2	3	6	7	20	30	15	64	1	-	-	-	2	5	5	5	14	16	16
Black	82	-	-	-	-	2	3	6	7	19	30	15	63	1	-	-	-	2	5	5	5	14	15	16
Acute bronchitis and bronchiolitis (466)	18	5	-	-	-	1	-	-	3	2	5	2	21	1	2	-	-	-	1	-	1	3	5	8
White	16	4	-	-	-	1	-	-	3	2	4	2	17	1	2	-	-	-	1	-	1	2	4	6
All other	2	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	2	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
Pneumonia and influenza (480-487)	1,761	22	13	4	11	33	71	83	137	281	561	544	1,993	22	4	7	5	14	29	37	87	210	577	1,001
White	1,562	11	10	4	9	28	57	70	117	249	510	496	1,813	12	3	6	3	9	20	26	72	189	530	943
All other	199	11	3	-	2	5	14	13	20	32	51	48	180	10	1	1	2	5	9	11	15	21	47	58
Black	195	10	3	-	2	5	14	12	20	32	49	48	173	10	1	1	2	5	9	11	14	20	44	56

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 248 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,747	21	12	4	11	33	71	82	135	280	558	539	1,956	20	4	7	5	14	28	36	85	205	566	986
White	1,549	10	9	4	9	28	57	69	115	248	507	492	1,778	11	3	6	3	9	19	25	70	184	520	928
All other	198	11	3	–	2	5	14	13	20	32	51	47	178	9	1	1	2	5	9	11	15	21	46	58
Black	194	10	3	–	2	5	14	12	20	32	49	47	171	9	1	1	2	5	9	11	14	20	43	56
Influenza (487)	14	1	1	–	–	–	–	1	2	1	3	5	37	2	–	–	–	–	1	1	2	5	11	15
White	13	1	1	–	–	–	–	1	2	1	3	4	35	1	–	–	–	–	1	1	2	5	10	15
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,119	5	3	5	13	14	25	78	357	1,068	1,149	401	2,236	2	1	4	4	8	19	63	263	680	809	383
White	2,851	2	1	2	7	11	14	64	310	977	1,088	374	2,094	–	1	–	4	4	15	53	231	643	770	373
All other	268	3	2	3	6	3	11	14	47	91	61	27	142	2	–	4	–	4	4	10	32	37	39	10
Black	255	3	2	2	6	2	10	14	45	90	57	24	139	2	–	4	–	3	4	10	31	37	39	9
Bronchitis, chronic and unspecified (490-491)	115	3	2	–	1	1	–	3	11	36	36	22	92	2	1	1	–	1	1	1	6	22	28	29
White	103	2	1	–	1	–	–	2	8	33	35	21	85	–	1	–	–	–	–	1	5	22	28	28
All other	12	1	1	–	–	1	–	1	3	3	1	1	7	2	–	1	–	1	1	–	1	–	–	1
Black	10	1	1	–	–	–	–	1	2	3	1	1	7	2	–	1	–	1	1	–	1	–	–	1
Emphysema (492)	690	–	–	–	–	–	2	18	81	257	253	79	366	–	–	–	–	–	1	9	56	130	130	40
White	648	–	–	–	–	–	2	16	73	240	244	73	352	–	–	–	–	–	1	9	51	122	129	40
All other	42	–	–	–	–	–	–	2	8	17	9	6	14	–	–	–	–	–	–	–	5	8	1	–
Black	37	–	–	–	–	–	2	8	16	6	5	14	–	–	–	–	–	–	–	4	8	1	–	
Asthma (493)	140	1	1	4	11	9	14	13	18	31	31	7	195	–	–	3	3	6	13	20	26	46	50	28
White	103	–	–	2	5	8	7	9	10	29	27	6	158	–	–	–	3	3	10	15	17	37	45	28
All other	37	1	1	2	6	1	7	4	8	2	4	1	37	–	–	3	–	3	3	5	9	9	5	–
Black	36	1	1	2	6	1	6	4	8	2	4	1	36	–	–	3	–	2	3	5	9	9	5	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,174	1	–	1	1	4	9	44	247	744	829	293	1,583	–	–	–	1	1	4	33	175	482	601	286
White	1,997	–	–	–	1	3	5	37	219	675	782	274	1,499	–	–	–	1	1	4	28	158	462	568	277
All other	177	1	–	1	–	1	4	7	28	69	47	19	84	–	–	–	–	–	–	5	17	20	33	9
Black	172	1	–	–	–	1	4	7	27	69	46	17	83	–	–	–	–	–	–	5	17	20	33	8
Ulcer of stomach and duodenum (531-533)	201	1	–	–	1	2	8	10	27	50	66	36	185	–	–	–	–	1	2	2	8	37	62	73
White	177	1	–	–	–	2	6	8	22	46	59	33	170	–	–	–	–	1	1	2	6	35	60	65
All other	24	–	–	–	1	–	2	2	5	4	7	3	15	–	–	–	–	–	1	–	2	2	2	8
Black	24	–	–	–	1	–	2	2	5	4	7	3	14	–	–	–	–	–	1	–	2	2	2	7
Appendicitis (540-543)	15	–	–	1	1	–	5	1	1	4	1	1	13	–	–	–	–	1	–	2	4	3	2	1
White	12	–	–	1	–	–	4	1	1	3	1	1	12	–	–	–	–	1	–	1	4	3	2	1
All other	3	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	3	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	146	4	3	1	2	7	2	7	9	25	55	31	240	1	1	1	–	1	3	6	18	30	82	97
White	115	3	2	1	2	6	2	3	6	22	44	24	205	1	1	–	–	1	2	5	13	28	69	85
All other	31	1	1	–	–	1	–	4	3	3	11	7	35	–	–	1	–	–	1	1	5	2	13	12
Black	31	1	1	–	–	1	–	4	3	3	11	7	34	–	–	–	–	–	1	1	5	2	13	12
Chronic liver disease and cirrhosis (571)	1,173	1	–	1	3	33	187	242	295	268	124	18	591	–	1	1	–	26	47	96	141	157	94	28
White	1,051	–	–	1	2	27	163	206	262	251	121	17	524	–	1	1	–	22	37	85	124	137	89	28
All other	122	1	–	–	1	6	24	36	33	17	3	1	67	–	–	–	–	4	10	11	17	20	5	–
Black	117	1	–	–	1	5	22	36	32	16	3	1	65	–	–	–	–	4	10	11	16	19	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	94	–	–	–	1	3	3	3	9	17	34	24	105	1	–	–	–	1	5	2	2	12	31	51
White	87	–	–	–	1	3	3	3	9	16	30	22	91	1	–	–	–	1	5	–	2	8	30	44
All other	7	–	–	–	–	–	–	–	–	1	4	2	14	–	–	–	–	–	–	2	–	4	1	7
Black	7	–	–	–	–	–	–	–	–	1	4	2	14	–	–	–	–	–	–	2	–	4	1	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	408	7	–	–	3	5	13	23	34	80	133	110	417	2	–	–	2	3	2	14	34	68	131	161
White	331	6	–	–	1	2	10	13	25	64	118	92	351	1	–	–	1	2	1	9	26	57	111	143
All other	77	1	–	–	2	3	3	10	9	16	15	18	66	1	–	–	1	1	1	5	8	11	20	18
Black	76	1	–	–	2	3	3	10	9	15	15	18	66	1	–	–	1	1	1	5	8	11	20	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	–	–	–	2	–	–	1	1	2	3	2	6	–	–	–	–	–	–	–	1	–	5	–
White	7	–	–	–	–	–	–	1	1	1	3	1	5	–	–	–	–	–	–	–	1	–	4	–
All other	4	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	4	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 249 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	60	1	-	-	-	2	2	2	5	7	18	23	33	-	-	-	-	-	1	2	1	5	13	11
White	49	1	-	-	-	-	2	2	5	5	15	19	28	-	-	-	-	-	1	1	-	4	11	11
All other	11	-	-	-	-	2	-	-	-	2	3	4	5	-	-	-	-	-	-	1	1	1	2	-
Black	11	-	-	-	-	2	-	-	-	2	3	4	5	-	-	-	-	-	-	1	1	1	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	337	6	-	-	1	3	11	20	28	71	112	85	378	2	-	-	2	3	1	12	32	63	113	150
White	275	5	-	-	1	2	8	10	19	58	100	72	318	1	-	-	1	2	-	8	25	53	96	132
All other	62	1	-	-	-	1	3	10	9	13	12	13	60	1	-	-	1	1	1	4	7	10	17	18
Black	61	1	-	-	-	1	3	10	9	12	12	13	60	1	-	-	1	1	1	4	7	10	17	18
Infections of kidney (590)	27	1	-	-	2	-	-	-	2	3	12	7	75	-	-	-	-	3	-	2	4	5	24	37
White	24	-	-	-	1	-	-	-	2	2	12	7	67	-	-	-	-	3	-	2	2	4	21	35
All other	3	1	-	-	1	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	2	1	3	2
Black	3	1	-	-	1	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	2	1	3	2
Hyperplasia of prostate (600)	27	-	-	-	-	-	-	1	2	6	13	5	...	...	...	...	...	...	...	...	...	...	...	...
White	23	-	-	-	-	-	-	1	1	5	13	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	1	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	1	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	26	...	...	-	9	10	7	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	-	7	8	3	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	2	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	2	2	4	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	-	8	9	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	7	7	3	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	2	3	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	2	3	-	...	...	...	...
Congenital anomalies (740-759)	535	338	43	17	24	18	15	17	13	18	18	14	425	267	28	17	18	14	14	7	11	21	19	9
White	438	279	30	11	21	16	13	13	11	14	16	14	354	219	22	15	14	12	14	4	8	19	18	9
All other	97	59	13	6	3	2	2	4	2	4	2	-	71	48	6	2	4	2	-	3	3	2	1	-
Black	91	54	13	6	3	2	1	4	2	4	2	-	67	45	5	2	4	2	-	3	3	2	1	-
Certain conditions originating in the perinatal period (760-779)	554	543	10	-	1	-	-	-	-	-	-	-	419	414	3	2	-	-	-	-	-	-	-	-
White	371	365	6	-	-	-	-	-	-	-	-	-	290	288	1	1	-	-	-	-	-	-	-	-
All other	183	178	4	-	1	-	-	-	-	-	-	-	129	126	2	1	-	-	-	-	-	-	-	-
Black	174	170	4	-	-	-	-	-	-	-	-	-	125	122	2	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	150	146	3	-	1	-	-	-	-	-	-	-	85	81	2	2	-	-	-	-	-	-	-	-
White	106	104	2	-	-	-	-	-	-	-	-	-	61	60	-	1	-	-	-	-	-	-	-	-
All other	44	42	1	-	1	-	-	-	-	-	-	-	24	21	2	1	-	-	-	-	-	-	-	-
Black	41	40	1	-	-	-	-	-	-	-	-	-	24	21	2	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	404	397	7	-	-	-	-	-	-	-	-	-	334	333	1	-	-	-	-	-	-	-	-	-
White	265	261	4	-	-	-	-	-	-	-	-	-	229	228	1	-	-	-	-	-	-	-	-	-
All other	139	136	3	-	-	-	-	-	-	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
Black	133	130	3	-	-	-	-	-	-	-	-	-	101	101	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	663	222	12	2	14	26	44	34	60	93	92	60	583	144	12	3	10	15	20	17	21	67	116	157
White	553	173	11	2	12	22	33	27	50	86	84	49	461	98	9	3	8	11	12	13	16	50	104	136
All other	110	49	1	-	2	4	11	7	10	7	8	11	122	46	3	-	2	4	8	4	5	17	12	21
Black	106	46	1	-	2	4	11	7	10	7	7	11	117	42	3	-	2	3	8	4	5	17	12	21
All other diseases (Residual)	4,936	93	47	46	72	142	272	292	563	1,070	1,470	868	5,742	62	37	38	60	116	180	217	440	874	1,659	2,059
White	4,306	66	40	37	57	112	216	228	481	952	1,335	781	5,055	50	27	33	47	75	123	176	355	762	1,509	1,898
All other	630	27	7	9	15	30	56	64	82	118	135	87	687	12	10	5	13	41	57	41	85	112	150	161
Black	615	27	7	8	15	30	55	62	80	115	132	84	665	11	10	3	12	40	56	39	81	105	148	160
Accidents and adverse effects (E800-E949)	4,319	42	128	220	931	939	616	358	291	310	281	164	1,917	44	88	89	295	251	203	126	107	178	281	255
White	3,705	33	109	188	803	802	516	304	251	269	250	142	1,669	34	72	72	259	209	163	108	94	162	264	232
All other	614	9	19	32	128	137	100	54	40	41	31	22	248	10	16	17	36	42	40	18	13	16	17	23
Black	575	8	18	30	118	125	93	53	38	39	30	22	226	10	15	15	30	40	37	16	9	16	16	22

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 250 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	2,248	11	57	112	682	527	287	183	136	127	85	32	981	13	37	54	260	181	137	77	57	75	70	20
White	1,949	9	48	96	594	459	245	155	119	111	77	28	861	9	34	45	229	153	113	69	52	69	69	19
All other	299	2	9	16	88	68	42	28	17	16	8	4	120	4	3	9	31	28	24	8	5	6	1	1
Black	274	1	8	15	81	62	37	27	15	15	8	4	108	4	3	9	27	27	22	6	3	6	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	2,071	31	71	108	249	412	329	175	155	183	196	132	936	31	51	35	35	70	66	49	50	103	211	235
White	1,756	24	61	92	209	343	271	149	132	158	173	114	808	25	38	27	30	56	50	39	42	93	195	213
All other	315	7	10	16	40	69	58	26	23	25	23	18	128	6	13	8	5	14	16	10	8	10	16	22
Black	301	7	10	15	37	63	56	26	23	24	22	18	118	6	12	6	3	13	15	10	6	10	16	21
Suicide (E950-E959)	1,797	...	...	17	350	407	323	189	185	150	143	30	452	...	...	6	66	102	84	77	44	45	24	4
White	1,664	...	...	15	310	362	303	179	176	146	141	29	428	...	...	6	64	89	81	73	43	44	24	4
All other	133	...	...	2	40	45	20	10	9	4	2	1	24	...	...	–	2	13	3	4	1	1	–	–
Black	115	...	...	2	35	40	14	10	7	4	2	1	19	...	...	–	1	10	3	4	–	1	–	–
Homicide and legal intervention (E960-E978)	2,182	21	19	32	700	676	372	177	96	55	19	7	583	19	20	21	117	167	96	53	29	26	24	7
White	1,259	16	13	18	350	376	243	117	67	35	15	4	363	10	12	9	70	91	61	39	21	22	18	6
All other	923	5	6	14	350	300	129	60	29	20	4	3	220	9	8	12	47	76	35	14	8	4	6	1
Black	881	4	6	13	342	283	117	58	28	20	4	3	209	9	8	11	43	75	32	13	7	4	6	1
All other external causes (E980-E999)	87	2	1	–	13	20	19	7	9	5	4	–	40	–	3	1	6	9	7	3	3	4	2	2
White	68	1	–	–	9	15	16	5	9	3	3	–	34	–	2	–	5	7	7	3	2	4	2	2
All other	19	1	1	–	4	5	3	2	–	2	1	–	6	–	1	1	1	2	–	–	1	–	–	–
Black	19	1	1	–	4	5	3	2	–	2	1	–	6	–	1	1	1	2	–	–	1	–	–	–
UTAH																								
All causes	5,039	132	30	52	159	219	276	291	573	1,119	1,408	780	4,612	88	37	32	45	87	146	184	415	838	1,318	1,421
White	4,906	123	26	50	153	201	261	279	554	1,102	1,387	770	4,507	81	36	32	40	83	140	173	404	819	1,306	1,392
All other	133	9	4	2	6	18	15	12	19	17	21	10	105	7	1	–	5	4	6	11	11	19	12	29
Black	41	3	2	–	1	4	7	5	8	5	4	2	25	–	–	–	–	1	1	2	4	5	7	5
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	48	–	–	–	–	3	2	4	5	10	14	10	49	–	2	–	–	1	1	1	3	12	16	13
White	47	–	–	–	–	3	1	4	5	10	14	10	48	–	2	–	–	1	1	1	2	12	16	13
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 251 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	7	-	-	-	-	-	1	-	2	3	1	-	3	-	-	-	-	-	-	-	1	2	-	-
White	7	-	-	-	-	-	1	-	2	3	1	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	72	3	1	-	1	22	21	13	4	4	-	3	16	2	-	-	-	6	1	-	2	1	4	-
White	66	3	1	-	1	20	18	12	4	4	-	3	15	2	-	-	-	5	1	-	2	1	4	-
All other	6	-	-	-	-	2	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,053	-	-	2	7	18	51	74	190	321	293	97	920	1	4	5	2	15	52	76	189	244	221	111
White	1,033	-	-	2	7	17	51	72	184	317	287	96	902	1	4	5	2	14	51	73	188	237	219	108
All other	20	-	-	-	-	1	-	2	6	4	6	1	18	-	-	-	-	1	1	3	1	7	2	3
Black	10	-	-	-	-	-	-	1	3	2	3	1	7	-	-	-	-	-	-	-	-	3	2	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	-	-	-	-	1	-	2	3	1	5	1	7	-	-	-	-	1	-	-	1	4	1	-
White	13	-	-	-	-	1	-	2	3	1	5	1	7	-	-	-	-	1	-	-	1	4	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	253	-	-	-	-	4	11	27	51	67	72	21	212	-	-	-	-	-	9	13	32	57	70	31
White	252	-	-	-	-	4	11	27	50	67	72	21	208	-	-	-	-	-	9	13	32	55	69	30
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	223	-	-	-	-	2	3	11	62	85	51	9	127	-	-	-	-	-	5	8	37	38	32	7
White	216	-	-	-	-	2	3	10	59	83	50	9	124	-	-	-	-	-	5	8	37	38	31	5
All other	7	-	-	-	-	-	-	1	3	2	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	1	-	-	197	-	-	-	-	4	13	28	47	50	33	22
White	2	-	-	-	-	-	-	-	1	1	-	-	196	-	-	-	-	4	13	28	46	50	33	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	184	-	-	-	-	1	-	1	9	55	82	36	101	-	-	-	-	4	8	7	26	29	22	5
White	179	-	-	-	-	1	-	1	9	54	79	35	98	-	-	-	-	3	8	7	26	27	22	5
All other	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	1	-	-	-	2	-	-
Black	4	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	49	-	-	-	-	-	-	1	6	20	18	4	27	-	-	-	-	1	-	2	5	8	3	8
White	49	-	-	-	-	-	-	1	6	20	18	4	27	-	-	-	-	1	-	2	5	8	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	182	-	-	1	2	5	26	19	28	50	38	13	139	1	3	2	1	3	10	14	24	29	30	22
White	178	-	-	1	2	5	26	18	27	49	37	13	134	1	3	2	1	3	9	11	24	28	30	22
All other	4	-	-	-	-	-	-	1	1	1	1	-	5	-	-	-	-	-	1	3	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	56	-	-	-	3	2	4	3	11	18	7	8	37	-	1	3	-	2	3	-	6	8	11	3
White	55	-	-	-	3	1	4	3	11	18	7	8	37	-	1	3	-	2	3	-	6	8	11	3
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	91	-	-	1	2	3	7	10	19	24	20	5	73	-	-	-	1	-	4	4	11	21	19	13
White	89	-	-	1	2	3	7	10	18	24	19	5	71	-	-	-	1	-	4	4	11	19	19	13
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	2	-	1	1	1	4	4	9	5	5	20	-	-	-	-	1	1	-	1	5	8	4
White	30	-	2	-	1	-	1	4	4	8	5	5	20	-	-	-	-	1	1	-	1	5	8	4
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 252 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	137	-	-	1	-	2	10	12	17	41	35	19	186	-	-	-	-	6	3	9	19	54	58	37
White	136	-	-	1	-	2	10	12	17	41	34	19	182	-	-	-	-	6	3	8	17	53	58	37
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	-	2	1	3	5	12	-	-	-	-	1	-	-	1	-	7	3
White	11	-	-	-	-	-	-	-	2	1	3	5	12	-	-	-	-	1	-	-	1	-	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	11	-	-	1	-	-	-	-	1	1	3	5	10	-	-	-	-	-	-	-	1	2	3	4
White	11	-	-	1	-	-	-	-	1	1	3	5	10	-	-	-	-	-	-	-	1	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	1	1	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	4	1	1	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,796	3	1	2	1	14	34	82	209	429	628	393	1,879	1	5	4	2	7	11	37	97	300	620	795
White	1,760	2	1	2	-	14	31	79	201	421	621	388	1,845	-	5	4	1	7	11	34	94	294	612	783
All other	36	1	-	-	1	-	3	3	8	8	7	5	34	1	-	-	1	-	-	3	3	6	8	12
Black	11	-	-	-	-	-	3	2	3	3	-	-	11	-	-	-	-	-	-	1	2	2	4	2
Diseases of heart (390-398,402,404-429)	1,455	3	1	2	1	9	30	67	176	364	496	306	1,328	1	5	2	-	5	7	29	74	231	440	534
White	1,428	2	1	2	-	9	28	65	170	358	491	302	1,303	-	5	2	-	5	7	27	72	226	433	526
All other	27	1	-	-	1	-	2	2	6	6	5	4	25	1	-	-	-	-	-	2	2	5	7	8
Black	7	-	-	-	-	-	2	1	2	2	-	-	7	-	-	-	-	-	-	-	1	2	3	1
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	-	1	-	-	3	5	7	2	45	-	-	-	-	1	-	1	3	14	17	9
White	18	-	-	-	-	1	-	-	3	5	7	2	45	-	-	-	-	1	-	1	3	14	17	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	48	-	-	-	-	-	2	4	14	14	9	5	67	-	-	-	-	-	-	-	6	14	14	33
White	46	-	-	-	-	-	1	4	13	14	9	5	67	-	-	-	-	-	-	-	6	14	14	33
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	2	1	1
White	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	924	-	-	-	-	4	17	34	106	239	339	185	682	-	-	-	-	1	4	19	39	119	244	256
White	911	-	-	-	-	4	17	34	103	237	334	182	666	-	-	-	-	1	4	17	39	116	239	250
All other	13	-	-	-	-	-	-	-	3	2	5	3	16	-	-	-	-	-	-	2	-	3	5	6
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Acute myocardial infarction (410)	461	-	-	-	-	3	5	14	59	133	176	71	346	-	-	-	-	1	1	15	29	79	119	102
White	454	-	-	-	-	3	5	14	56	132	175	69	336	-	-	-	-	1	1	13	29	76	116	100
All other	7	-	-	-	-	-	-	-	3	1	1	2	10	-	-	-	-	-	-	2	-	3	3	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	460	-	-	-	-	1	12	20	47	105	162	113	333	-	-	-	-	-	3	4	10	37	125	154
White	454	-	-	-	-	1	12	20	47	104	158	112	327	-	-	-	-	-	3	4	10	37	123	150
All other	6	-	-	-	-	-	-	-	-	1	4	1	6	-	-	-	-	-	-	-	-	-	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	33	-	-	1	-	2	-	-	3	6	17	4	33	-	-	-	-	-	1	2	1	7	12	10
White	33	-	-	1	-	2	-	-	3	6	17	4	33	-	-	-	-	-	1	2	1	7	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 253 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																							
All other forms of heart disease (415-423,425-429)	429	3	1	1	1	2	11	29	50	100	123	108	497	1	5	2	–	3	2	7	25	75	152	225
White	417	2	1	1	–	2	10	27	48	96	123	107	488	–	5	2	–	3	2	7	23	73	150	223
All other	12	1	–	–	1	–	1	2	2	4	–	1	9	1	–	–	–	–	–	–	2	2	2	2
Black	5	–	–	–	–	–	1	1	1	2	–	–	4	–	–	–	–	–	–	–	1	1	1	1
Hypertension with or without renal disease (401,403)	10	–	–	–	–	–	–	–	2	3	5	–	29	–	–	–	–	–	–	–	1	2	13	13
White	10	–	–	–	–	–	–	–	2	3	5	–	29	–	–	–	–	–	–	–	1	2	13	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	243	–	–	–	–	2	4	11	25	45	92	64	441	–	–	1	1	2	3	8	17	59	146	204
White	235	–	–	–	–	2	3	10	24	43	90	63	432	–	–	1	–	2	3	7	16	58	145	200
All other	8	–	–	–	–	–	1	1	1	2	2	1	9	–	–	–	1	–	–	1	1	1	1	4
Black	4	–	–	–	–	–	1	1	1	1	–	–	4	–	–	–	–	–	–	1	1	–	1	1
Intracerebral and other intracranial hemorrhage (431-432)	39	–	–	–	–	–	1	5	9	9	11	4	37	–	–	1	–	–	–	–	7	10	8	11
White	36	–	–	–	–	–	–	4	9	8	11	4	37	–	–	1	–	–	–	–	7	10	8	11
All other	3	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	–	–	–	–	–	1	–	2	4	5	4	35	–	–	–	1	–	–	1	2	4	9	18
White	16	–	–	–	–	–	1	–	2	4	5	4	34	–	–	–	–	–	–	1	2	4	9	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2
White	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	188	–	–	–	–	2	2	6	14	32	76	56	365	–	–	–	–	2	3	7	8	44	128	173
White	183	–	–	–	–	2	2	6	13	31	74	55	357	–	–	–	–	2	3	6	7	43	127	169
All other	5	–	–	–	–	–	–	–	1	1	2	1	8	–	–	–	–	–	–	1	1	1	1	4
Black	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	1	1	–	1	1
Atherosclerosis (440)	30	–	–	–	–	–	–	–	1	5	12	12	39	–	–	–	1	–	–	–	2	–	9	27
White	30	–	–	–	–	–	–	–	1	5	12	12	39	–	–	–	1	–	–	–	2	–	9	27
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	58	–	–	–	–	3	–	4	5	12	23	11	42	–	–	1	–	–	1	–	3	8	12	17
White	57	–	–	–	–	3	–	4	4	12	23	11	42	–	–	1	–	–	1	–	3	8	12	17
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	185	3	1	1	1	4	5	4	9	26	65	66	213	1	1	1	1	2	4	2	8	29	55	109
White	176	3	1	1	1	3	4	3	9	26	61	64	203	1	1	1	1	2	3	2	8	28	55	101
All other	9	–	–	–	–	1	1	1	–	–	4	2	10	–	–	–	–	–	1	–	–	1	–	8
Black	4	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (480-486)	185	3	1	1	1	4	5	4	9	26	65	66	211	1	1	1	1	1	4	2	8	29	54	109
White	176	3	1	1	1	3	4	3	9	26	61	64	201	1	1	1	1	1	3	2	8	28	54	101
All other	9	–	–	–	–	1	1	1	–	–	4	2	10	–	–	–	–	–	1	–	–	1	–	8
Black	4	–	–	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	278	–	–	1	–	–	2	8	19	106	104	38	153	–	–	–	2	2	–	5	19	55	47	23
White	276	–	–	1	–	–	2	7	19	105	104	38	152	–	–	–	2	2	–	5	19	55	47	22
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	8	–	–	–	–	–	–	–	1	3	3	1	7	–	–	–	–	–	–	–	2	1	3	1
White	8	–	–	–	–	–	–	–	1	3	3	1	7	–	–	–	–	–	–	–	2	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	51	–	–	–	–	–	–	1	5	19	19	7	24	–	–	–	–	–	–	–	1	12	6	5
White	49	–	–	–	–	–	–	–	5	18	19	7	24	–	–	–	–	–	–	–	1	12	6	5
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 254 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	14	-	-	1	-	-	1	3	3	2	2	2	18	-	-	-	2	2	-	1	2	5	3	3
White	14	-	-	1	-	-	1	3	3	2	2	2	18	-	-	-	2	2	-	1	2	5	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	205	-	-	-	-	-	1	4	10	82	80	28	104	-	-	-	-	-	-	4	14	37	35	14
White	205	-	-	-	-	-	1	4	10	82	80	28	103	-	-	-	-	-	-	4	14	37	35	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	1	-	2	5	3	24	-	-	-	-	-	-	2	1	4	8	9
White	11	-	-	-	-	-	-	1	-	2	5	3	23	-	-	-	-	-	-	2	-	4	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	1	-	2
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	-	-	-	-	-	-	-	1	6	7	2	35	-	-	-	-	-	-	1	3	7	11	13
White	16	-	-	-	-	-	-	-	1	6	7	2	35	-	-	-	-	-	-	1	3	7	11	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	45	-	-	-	-	-	7	9	13	10	5	1	40	-	-	-	-	2	6	6	5	11	9	1
White	43	-	-	-	-	-	6	9	12	10	5	1	38	-	-	-	-	2	6	6	5	10	8	1
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	-	-	1	1	4	1	3	9	-	-	-	-	-	-	-	-	1	3	5
White	10	-	-	-	-	-	-	1	1	4	1	3	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	-	-	-	-	-	2	1	5	14	21	15	56	1	-	-	-	1	1	-	3	11	21	18
White	55	-	-	-	-	-	2	1	4	14	20	14	52	1	-	-	-	1	1	-	3	9	20	17
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	2	1	-	-	6	-	-	-	-	-	-	1	-	1	1	3	-
White	3	-	-	-	-	-	-	-	2	1	-	-	6	-	-	-	-	-	-	1	-	1	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	55	-	-	-	-	-	2	1	3	13	21	15	50	1	-	-	-	1	-	-	2	10	18	18
White	52	-	-	-	-	-	2	1	2	13	20	14	46	1	-	-	-	1	-	-	2	8	17	17
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	-	-	1	4	3	2
White	1	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	-	-	1	4	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 255 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	54	33	9	1	1	3	1	4	-	1	1	-	35	23	2	3	-	-	3	-	-	-	-	4
White	48	29	7	1	1	3	1	4	-	1	1	-	35	23	2	3	-	-	3	-	-	-	-	4
All other	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	39	38	-	1	-	-	-	-	-	-	-	-	20	19	1	-	-	-	-	-	-	-	-	-
White	36	36	-	-	-	-	-	-	-	-	-	-	18	17	1	-	-	-	-	-	-	-	-	-
All other	3	2	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	34	33	-	1	-	-	-	-	-	-	-	-	18	17	1	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-
All other	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	91	36	-	1	3	3	3	4	4	8	20	9	79	29	1	-	-	2	1	3	-	4	10	29
White	90	36	-	1	3	3	3	4	4	8	19	9	71	26	-	-	-	2	-	3	-	4	10	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	8	3	1	-	-	-	1	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	446	5	3	6	4	18	28	24	47	76	148	87	566	5	2	3	5	10	20	17	34	74	186	210
White	434	3	3	6	4	15	27	23	44	75	148	86	559	4	2	3	5	9	19	14	34	73	186	210
All other	12	2	-	-	-	3	1	1	3	1	-	1	7	1	-	-	-	1	1	3	-	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Accidents and adverse effects (E800-E949)	335	7	9	25	72	68	42	23	19	26	28	16	181	4	17	12	21	14	20	10	18	12	25	28
White	318	7	7	24	70	60	40	22	19	25	28	16	170	4	17	12	17	13	18	10	15	12	25	27
All other	17	-	2	1	2	8	2	1	-	1	-	-	11	-	-	-	4	1	2	-	3	-	-	1
Black	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	172	1	3	9	53	43	18	16	7	11	8	3	97	-	9	10	21	12	16	6	7	6	8	2
White	160	1	2	9	51	35	18	15	7	11	8	3	89	-	9	10	17	11	14	6	6	6	8	2
All other	12	-	1	-	2	8	-	1	-	-	-	-	8	-	-	-	4	1	2	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	163	6	6	16	19	25	24	7	12	15	20	13	84	4	8	2	-	2	4	4	11	6	17	26
White	158	6	5	15	19	25	22	7	12	14	20	13	81	4	8	2	-	2	4	4	9	6	17	25
All other	5	-	1	1	-	-	2	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	232	...	...	2	57	46	53	19	17	19	17	2	54	...	...	2	8	9	16	10	5	4	-	-
White	226	...	...	2	55	45	52	18	17	18	17	2	53	...	...	2	8	9	16	9	5	4	-	-
All other	6	...	...	-	2	1	1	1	-	1	-	-	1	...	...	-	-	-	-	1	-	-	-	-
Black	2	...	...	-	1	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	41	2	3	8	9	9	7	2	1	-	-	-	20	1	2	2	3	3	4	1	2	-	1	-
White	39	2	3	8	9	8	6	2	1	-	-	-	20	1	2	2	3	3	4	1	2	-	1	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	18	1	-	-	2	8	6	1	-	-	-	-	14	-	-	-	1	4	2	4	1	1	1	-
White	16	1	-	-	1	8	5	1	-	-	-	-	14	-	-	-	1	4	2	4	1	1	1	-
All other	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 256 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,209	21	4	10	53	63	101	123	336	514	647	337	2,354	25	4	6	17	31	30	84	175	410	712	860
White	2,202	21	4	10	52	63	101	122	334	512	646	337	2,348	25	4	6	17	29	30	83	174	409	712	859
All other	7	–	–	–	1	–	–	1	2	2	1	–	6	–	–	–	–	2	–	1	1	1	–	1
Black	4	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	12	–	–	–	–	–	–	–	2	3	6	1	11	–	–	–	–	–	–	–	1	1	5	4
White	12	–	–	–	–	–	–	–	2	3	6	1	11	–	–	–	–	–	–	–	1	1	5	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	21	–	–	–	1	4	5	4	3	2	1	1	9	–	–	–	–	–	1	1	–	2	4	1
White	21	–	–	–	1	4	5	4	3	2	1	1	9	–	–	–	–	–	1	1	–	2	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	575	–	1	1	–	6	21	43	129	159	157	58	542	–	–	1	1	5	13	41	79	162	152	88
White	572	–	1	1	–	6	21	42	128	159	156	58	541	–	–	1	1	5	13	41	78	162	152	88
All other	3	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 257 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	-	-	-	-	-	-	-	4	-	1	-	5	-	-	-	-	-	-	-	1	2	1	1
White	5	-	-	-	-	-	-	-	4	-	1	-	5	-	-	-	-	-	-	-	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and pentoneum (150-159)	133	-	-	-	-	1	5	8	33	37	35	14	148	-	-	-	-	1	3	5	17	38	48	36
White	132	-	-	-	-	1	5	8	32	37	35	14	148	-	-	-	-	1	3	5	17	38	48	36
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	191	-	-	-	-	-	1	13	48	63	54	12	97	-	-	-	-	-	-	15	19	48	14	1
White	191	-	-	-	-	-	1	13	48	63	54	12	96	-	-	-	-	-	-	15	18	48	14	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	98	-	-	-	-	3	7	10	15	26	27	10
White	-	-	-	-	-	-	-	-	-	-	-	-	98	-	-	-	-	3	7	10	15	26	27	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	66	-	-	-	-	-	-	2	4	16	28	16	51	-	-	-	-	-	1	4	5	19	13	9
White	66	-	-	-	-	-	-	2	4	16	28	16	51	-	-	-	-	-	1	4	5	19	13	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	39	-	-	-	-	1	1	2	11	9	10	5	21	-	-	-	-	-	1	1	2	-	8	9
White	39	-	-	-	-	1	1	2	11	9	10	5	21	-	-	-	-	-	1	1	2	-	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	78	-	1	1	-	3	6	12	17	18	16	4	67	-	-	-	-	-	1	5	8	15	26	12
White	76	-	1	1	-	3	6	11	17	18	15	4	67	-	-	-	-	-	1	5	8	15	26	12
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	21	-	-	-	-	-	3	2	1	5	7	3	19	-	-	1	1	1	-	-	4	7	2	3
White	21	-	-	-	-	-	3	2	1	5	7	3	19	-	-	1	1	1	-	-	4	7	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	42	-	-	-	-	1	5	4	11	11	6	4	36	-	-	-	-	-	-	1	8	7	13	7
White	42	-	-	-	-	1	5	4	11	11	6	4	36	-	-	-	-	-	-	1	8	7	13	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	-	-	-	2	2	-	1	-	1	9	-	-	-	-	-	-	-	2	1	3	3
White	6	-	-	-	-	-	2	2	-	1	-	1	9	-	-	-	-	-	-	-	2	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	61	-	-	-	-	3	3	6	12	13	17	7	90	-	-	-	-	4	2	4	7	19	27	27
White	61	-	-	-	-	3	3	6	12	13	17	7	89	-	-	-	-	4	2	3	7	19	27	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	-	1	4
White	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	1	1	1	8	-	-	-	-	-	-	-	1	2	2	3
White	3	-	-	-	-	-	-	-	-	1	1	1	8	-	-	-	-	-	-	-	1	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	870	-	-	-	2	3	22	43	117	215	313	155	990	-	-	1	1	3	4	17	37	121	338	470
White	868	-	-	-	2	3	22	43	117	213	313	155	988	-	-	1	1	3	4	17	37	120	336	469
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 258 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	711	-	-	-	1	1	18	39	105	177	245	125	756	-	-	1	1	3	4	14	31	97	244	361
White	709	-	-	-	1	1	18	39	105	175	245	125	754	-	-	1	1	3	4	14	31	96	244	360
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	1	-	-	2	-	1	12	-	-	-	-	-	-	-	4	2	6	-
White	4	-	-	-	-	-	1	-	-	2	-	1	12	-	-	-	-	-	-	-	4	2	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	12	-	-	-	-	-	-	-	2	4	4	2	35	-	-	-	-	-	-	-	2	6	9	18
White	12	-	-	-	-	-	-	-	2	4	4	2	35	-	-	-	-	-	-	-	2	6	9	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	494	-	-	-	-	-	10	29	86	128	165	76	420	-	-	-	-	-	1	7	18	61	147	186
White	492	-	-	-	-	-	10	29	86	126	165	76	418	-	-	-	-	-	1	7	18	60	147	185
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	228	-	-	-	-	-	7	15	40	62	79	25	199	-	-	-	-	-	1	5	13	36	68	76
White	227	-	-	-	-	-	7	15	40	61	79	25	197	-	-	-	-	-	1	5	13	35	68	75
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	1	1	3
White	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	265	-	-	-	-	-	3	14	45	66	86	51	215	-	-	-	-	-	-	2	5	24	77	107
White	264	-	-	-	-	-	3	14	45	65	86	51	215	-	-	-	-	-	-	2	5	24	77	107
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	16	-	-	-	-	-	-	-	-	1	11	4	26	-	-	-	-	-	-	-	-	5	10	11
White	16	-	-	-	-	-	-	-	-	1	11	4	26	-	-	-	-	-	-	-	-	5	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	183	-	-	-	1	1	7	10	17	40	65	42	260	-	-	1	1	3	3	7	7	23	70	145
White	183	-	-	-	1	1	7	10	17	40	65	42	260	-	-	1	1	3	3	7	7	23	70	145
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	-	1	4	2	1	9	-	-	-	-	-	-	-	-	-	4	5
White	8	-	-	-	-	-	-	-	1	4	2	1	9	-	-	-	-	-	-	-	-	-	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	97	-	-	-	1	1	4	2	4	24	44	17	168	-	-	-	-	-	-	2	5	18	60	83
White	97	-	-	-	1	1	4	2	4	24	44	17	168	-	-	-	-	-	-	2	5	18	60	83
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	10	-	-	-	1	-	2	-	1	2	3	1	10	-	-	-	-	-	-	-	-	3	5	2
White	10	-	-	-	1	-	2	-	1	2	3	1	10	-	-	-	-	-	-	-	-	3	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	-	-	-	-	-	-	1	-	4	2	2	18	-	-	-	-	-	-	-	1	2	7	8
White	9	-	-	-	-	-	-	1	-	4	2	2	18	-	-	-	-	-	-	-	1	2	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 259 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	77	-	-	-	-	1	2	1	3	17	39	14	140	-	-	-	-	-	-	2	4	13	48	73
White	77	-	-	-	-	1	2	1	3	17	39	14	140	-	-	-	-	-	-	2	4	13	48	73
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	10	-	-	-	-	-	-	1	1	1	3	4	20	-	-	-	-	-	-	-	-	-	10	10
White	10	-	-	-	-	-	-	1	1	1	3	4	20	-	-	-	-	-	-	-	-	-	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	44	-	-	-	-	1	-	1	6	9	19	8	37	-	-	-	-	-	-	1	1	6	18	11
White	44	-	-	-	-	1	-	1	6	9	19	8	37	-	-	-	-	-	-	1	1	6	18	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	70	-	-	-	-	2	1	-	7	13	24	23	89	-	-	-	-	-	-	-	2	8	16	63
White	70	-	-	-	-	2	1	-	7	13	24	23	89	-	-	-	-	-	-	-	2	8	16	63
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	68	-	-	-	-	2	1	-	7	13	23	22	87	-	-	-	-	-	-	-	2	8	16	61
White	68	-	-	-	-	2	1	-	7	13	23	22	87	-	-	-	-	-	-	-	2	8	16	61
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	117	-	-	-	-	1	-	1	13	35	43	24	104	-	-	-	-	-	-	4	10	26	51	13
White	117	-	-	-	-	1	-	1	13	35	43	24	104	-	-	-	-	-	-	4	10	26	51	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	12	-	-	-	-	1	-	1	-	4	1	5	2	-	-	-	-	-	-	-	-	-	1	1
White	12	-	-	-	-	1	-	1	-	4	1	5	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	5	-	-	-	-	-	-	-	1	2	2	-	12	-	-	-	-	-	-	-	2	2	8	-
White	5	-	-	-	-	-	-	-	1	2	2	-	12	-	-	-	-	-	-	-	2	2	8	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	-	-	-	-	1	3	2	8	-	-	-	-	-	-	-	1	1	4	2
White	6	-	-	-	-	-	-	-	-	1	3	2	8	-	-	-	-	-	-	-	1	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	94	-	-	-	-	-	-	-	12	28	37	17	82	-	-	-	-	-	-	4	7	23	38	10
White	94	-	-	-	-	-	-	-	12	28	37	17	82	-	-	-	-	-	-	4	7	23	38	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	-	-	1	1	3	1	12	-	-	-	-	-	-	-	1	1	2	8
White	6	-	-	-	-	-	-	-	1	1	3	1	12	-	-	-	-	-	-	-	1	1	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	2	-	1	3	7	-	-	-	-	-	-	1	-	-	1	5
White	6	-	-	-	-	-	-	-	2	-	1	3	7	-	-	-	-	-	-	1	-	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 260 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	23	-	-	-	-	-	2	1	8	7	4	1	23	-	-	-	-	-	-	3	6	8	4	2
White	23	-	-	-	-	-	2	1	8	7	4	1	23	-	-	-	-	-	-	3	6	8	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	-	-	-	-	-	2	-	1	3	9	5	25	-	-	-	-	-	1	-	2	6	7	9
White	20	-	-	-	-	-	2	-	1	3	9	5	25	-	-	-	-	-	1	-	2	6	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-
White	3	-	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	-	-	-	-	-	-	-	1	3	8	4	23	-	-	-	-	-	-	-	1	6	7	9
White	16	-	-	-	-	-	-	-	1	3	8	4	23	-	-	-	-	-	-	-	1	6	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	10	7	-	-	-	-	1	-	-	2	-	-	15	9	1	1	1	-	-	1	-	1	-	1
White	10	7	-	-	-	-	1	-	-	2	-	-	15	9	1	1	1	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	9	9	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 261 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	11	2	-	-	-	1	5	-	1	-	-	2	15	2	1	-	1	2	-	-	-	2	3	4
White	11	2	-	-	-	1	5	-	1	-	-	2	14	2	1	-	1	1	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	178	2	1	1	-	2	5	6	19	42	55	45	283	-	-	-	1	2	4	4	22	38	81	131
White	178	2	1	1	-	2	5	6	19	42	55	45	283	-	-	-	1	2	4	4	22	38	81	131
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	111	-	2	6	33	22	10	5	12	9	6	6	64	1	2	2	7	4	3	4	3	8	11	19
White	111	-	2	6	33	22	10	5	12	9	6	6	64	1	2	2	7	4	3	4	3	8	11	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	63	-	1	1	25	16	9	2	5	1	1	2	28	1	1	-	7	1	2	4	3	3	5	1
White	63	-	1	1	25	16	9	2	5	1	1	2	28	1	1	-	7	1	2	4	3	3	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	48	-	1	5	8	6	1	3	7	8	5	4	36	-	1	2	-	3	1	-	-	5	6	18
White	48	-	1	5	8	6	1	3	7	8	5	4	36	-	1	2	-	3	1	-	-	5	6	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	74	...	...	-	13	15	19	7	7	5	6	2	18	...	...	1	2	5	1	2	2	3	2	-
White	74	...	...	-	13	15	19	7	7	5	6	2	17	...	...	1	2	4	1	2	2	3	2	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	15	1	-	1	3	4	2	4	-	-	-	-	8	-	-	-	2	5	1	-	-	-	-	-
White	15	1	-	1	3	4	2	4	-	-	-	-	8	-	-	-	2	5	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	25,452	544	81	114	620	1,007	1,284	1,885	3,917	6,678	6,347	2,964	23,677	421	64	76	225	371	655	1,052	2,434	4,848	6,925	6,596
White	19,372	289	48	74	388	645	867	1,345	2,917	5,175	5,134	2,483	18,689	228	40	48	155	246	418	743	1,784	3,675	5,680	5,667
All other	6,080	255	33	40	232	362	417	540	1,000	1,503	1,213	481	4,988	193	24	28	70	125	237	309	650	1,173	1,245	929
Black	5,930	247	32	39	225	353	399	527	977	1,477	1,176	474	4,844	188	21	28	65	121	224	292	617	1,144	1,224	915
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	1	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	1	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	2	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	15	-	-	-	-	-	1	1	4	4	4	1	11	-	-	-	-	1	-	1	-	3	4	2
White	7	-	-	-	-	-	-	-	2	2	2	1	7	-	-	-	-	1	-	1	-	3	-	2
All other	8	-	-	-	-	-	1	1	2	2	2	-	4	-	-	-	-	-	-	-	-	-	4	-
Black	7	-	-	-	-	-	1	1	2	2	1	-	3	-	-	-	-	-	-	-	-	-	3	-
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	1	1	4	4	4	1	4	-	-	-	-	-	-	-	-	1	2	1
White	7	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	8	-	-	-	-	-	1	1	2	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	7	-	-	-	-	-	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	1	-	2	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	1	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 262 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-	1	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	264	1	3	1	2	7	8	14	31	68	75	54	387	7	2	1	4	5	4	12	33	63	123	133
White	179	-	3	-	-	3	5	8	19	43	58	40	286	5	1	-	4	2	4	8	21	45	90	106
All other	85	1	-	1	2	4	3	6	12	25	17	14	101	2	1	1	-	3	-	4	12	18	33	27
Black	83	1	-	1	2	4	3	6	12	25	16	13	101	2	1	1	-	3	-	4	12	18	33	27
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	20	-	-	-	1	2	4	4	3	2	3	1	9	-	-	-	1	-	-	-	1	2	3	2
White	13	-	-	-	-	1	2	2	2	2	3	1	8	-	-	-	1	-	-	-	1	1	3	2
All other	7	-	-	-	1	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	508	2	2	3	8	161	177	81	31	26	12	5	121	5	3	5	2	26	18	8	13	16	18	7
White	317	1	2	2	4	91	110	52	24	20	9	2	63	4	-	2	-	7	3	4	9	15	13	6
All other	191	1	-	1	4	70	67	29	7	6	3	3	58	1	3	3	2	19	15	4	4	1	5	1
Black	189	1	-	1	4	69	66	29	7	6	3	3	58	1	3	3	2	19	15	4	4	1	5	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,442	-	6	17	32	66	197	534	1,337	2,190	1,588	474	5,565	-	3	8	25	74	258	501	1,075	1,579	1,391	650
White	4,914	-	6	14	20	51	144	396	997	1,685	1,227	373	4,461	-	3	5	17	53	186	394	840	1,271	1,140	552
All other	1,528	-	-	3	12	15	53	138	340	505	361	101	1,104	-	-	3	8	21	72	107	235	308	251	98
Black	1,486	-	-	3	11	14	47	135	331	494	350	101	1,049	-	-	3	7	19	66	96	217	301	246	93
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	127	-	-	-	-	1	5	22	30	44	22	3	64	-	-	-	-	1	-	6	17	22	12	6
White	85	-	-	-	-	1	1	7	19	34	20	3	51	-	-	-	-	1	-	5	13	15	11	6
All other	42	-	-	-	-	-	4	15	11	10	2	-	13	-	-	-	-	-	-	1	4	7	1	-
Black	41	-	-	-	-	-	3	15	11	10	2	-	13	-	-	-	-	-	-	1	4	7	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,402	-	1	-	1	9	50	127	328	462	318	106	1,192	-	-	-	1	9	29	67	190	307	382	207
White	1,034	-	1	-	1	6	36	86	232	340	248	84	883	-	-	-	-	3	21	48	131	227	287	166
All other	368	-	-	-	-	3	14	41	96	122	70	22	309	-	-	-	1	6	8	19	59	80	95	41
Black	352	-	-	-	-	3	12	40	91	116	68	22	296	-	-	-	1	6	7	18	54	77	93	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,332	-	1	-	2	5	41	214	580	879	505	104	1,271	-	-	-	-	2	27	111	302	476	272	81
White	1,815	-	1	-	-	3	32	162	439	687	410	80	1,075	-	-	-	-	2	18	84	250	412	236	73
All other	517	-	-	-	2	2	9	52	141	192	95	24	196	-	-	-	-	-	9	27	52	64	36	8
Black	503	-	-	-	2	1	8	51	137	190	90	24	190	-	-	-	-	-	8	25	50	64	35	8
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	1	3	1	-	-	1,050	-	-	-	-	16	98	169	200	259	207	100
White	4	-	-	-	-	-	-	1	2	1	-	-	842	-	-	-	-	12	72	134	159	212	174	79
All other	1	-	-	-	-	-	-	-	1	-	-	-	208	-	-	-	-	4	26	35	41	47	33	21
Black	1	-	-	-	-	-	-	-	1	-	-	-	196	-	-	-	-	4	25	28	39	47	32	20
Malignant neoplasms of genital organs (179-187)	810	-	-	-	3	4	2	10	70	254	339	128	555	-	-	-	1	14	39	47	131	148	118	57
White	540	-	-	-	3	2	1	9	47	164	222	92	427	-	-	-	-	11	28	36	94	115	95	48
All other	270	-	-	-	-	2	1	1	23	90	117	36	128	-	-	-	1	3	11	11	37	33	23	9
Black	267	-	-	-	-	2	1	1	23	89	115	36	116	-	-	-	1	2	10	10	30	32	23	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 263 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	287	-	-	1	-	-	10	18	51	100	76	31	180	-	1	-	-	1	3	10	21	49	53	42
White	236	-	-	1	-	-	7	17	37	85	62	27	152	-	1	-	-	1	3	8	16	36	46	41
All other	51	-	-	-	-	-	3	1	14	15	14	4	28	-	-	-	-	-	-	2	5	13	7	1
Black	51	-	-	-	-	-	3	1	14	15	14	4	27	-	-	-	-	-	-	2	5	12	7	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	876	-	4	6	17	20	60	91	172	274	179	53	712	-	1	6	10	12	38	58	135	184	183	85
White	703	-	4	4	12	18	46	74	134	224	145	42	588	-	1	3	8	8	31	49	108	148	156	76
All other	173	-	-	2	5	2	14	17	38	50	34	11	124	-	-	3	2	4	7	9	27	36	27	9
Black	167	-	-	2	4	2	12	16	38	49	33	11	119	-	-	3	2	4	5	9	25	36	26	9
Leukemia (204-208)	239	-	-	9	8	10	12	18	31	69	62	20	192	-	1	2	7	9	15	9	26	40	50	33
White	202	-	-	8	4	8	7	16	28	63	50	18	158	-	1	2	5	8	7	9	23	35	41	27
All other	37	-	-	1	4	2	5	2	3	6	12	2	34	-	-	-	2	1	8	-	3	5	9	6
Black	35	-	-	1	4	2	5	2	3	5	11	2	31	-	-	-	1	-	8	-	3	5	9	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	364	-	-	1	1	17	17	33	72	107	87	29	349	-	-	-	6	10	9	24	53	94	114	39
White	295	-	-	1	-	13	14	24	59	87	70	27	285	-	-	-	4	7	6	21	46	71	94	36
All other	69	-	-	-	1	4	3	9	13	20	17	2	64	-	-	-	2	3	3	3	7	23	20	3
Black	69	-	-	-	1	4	3	9	13	20	17	2	61	-	-	-	2	3	3	3	7	21	20	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	95	1	-	4	3	6	4	5	15	23	26	8	85	1	-	2	1	1	1	2	16	21	22	18
White	66	-	-	4	1	3	3	3	7	14	23	8	66	-	-	2	1	-	1	2	13	14	18	15
All other	29	1	-	-	2	3	1	2	8	9	3	-	19	1	-	-	-	1	-	-	3	7	4	3
Black	28	1	-	-	1	3	1	2	8	9	3	-	18	1	-	-	-	1	-	-	2	7	4	3
Diabetes mellitus (250)	387	-	-	-	1	9	15	49	91	112	78	32	494	1	-	-	-	7	14	17	67	136	152	100
White	250	-	-	-	1	6	6	33	49	79	50	26	319	1	-	-	-	4	7	7	37	95	96	72
All other	137	-	-	-	-	3	9	16	42	33	28	6	175	-	-	-	-	3	7	10	30	41	56	28
Black	131	-	-	-	-	3	9	16	39	33	25	6	171	-	-	-	-	3	7	10	29	40	54	28
Nutritional deficiencies (260-269)	32	-	-	-	-	-	-	1	1	10	3	17	34	-	-	-	-	-	-	-	-	5	15	14
White	18	-	-	-	-	-	-	1	-	6	1	10	26	-	-	-	-	-	-	-	-	3	14	9
All other	14	-	-	-	-	-	-	-	1	4	2	7	8	-	-	-	-	-	-	-	-	2	1	5
Black	14	-	-	-	-	-	-	-	1	4	2	7	8	-	-	-	-	-	-	-	-	2	1	5
Anemias (280-285)	54	1	-	-	3	2	7	3	4	8	11	15	51	1	-	-	-	2	3	1	2	9	19	14
White	34	1	-	-	-	-	1	1	2	7	10	12	40	1	-	-	-	-	2	-	1	7	18	11
All other	20	-	-	-	3	2	6	2	2	1	1	3	11	-	-	-	-	2	1	1	1	2	1	3
Black	19	-	-	-	3	2	6	2	2	1	1	2	11	-	-	-	-	2	1	1	1	2	1	3
Meningitis (320-322)	12	3	1	1	-	1	1	-	2	1	1	1	10	-	-	-	-	-	2	1	-	6	-	1
White	6	1	1	1	-	-	1	-	-	-	1	1	6	-	-	-	-	-	2	-	-	3	-	1
All other	6	2	-	-	-	1	-	-	2	1	-	-	4	-	-	-	-	-	-	1	-	3	-	-
Black	6	2	-	-	-	1	-	-	2	1	-	-	4	-	-	-	-	-	-	1	-	3	-	-
Major cardiovascular diseases (390-448)	9,742	16	9	5	19	80	285	656	1,533	2,804	2,665	1,467	10,356	11	5	7	18	51	123	249	714	1,906	3,431	3,837
White	7,685	7	1	1	12	44	200	461	1,152	2,198	2,366	1,241	8,172	8	3	4	8	33	69	151	474	1,338	2,784	3,298
All other	2,057	9	8	4	7	36	85	195	381	606	499	226	2,184	3	2	3	10	18	54	98	240	568	647	539
Black	2,012	8	7	4	6	35	81	191	372	594	488	225	2,141	3	2	3	10	17	52	96	230	556	637	533
Diseases of heart (390-398,402,404-429)	7,945	16	7	2	15	62	244	571	1,332	2,322	2,251	1,120	7,771	10	3	6	15	38	96	186	573	1,476	2,590	2,775
White	6,335	7	1	1	9	35	181	409	1,017	1,845	1,883	945	6,169	7	1	3	7	25	56	118	397	1,068	2,097	2,398
All other	1,610	9	6	1	6	27	63	162	315	477	368	175	1,602	3	2	3	8	13	40	68	186	408	493	377
Black	1,578	8	5	1	5	27	62	160	308	469	358	174	1,572	3	2	3	8	12	39	68	180	398	485	373
Rheumatic fever and rheumatic heart disease (390-398)	25	-	-	-	-	1	1	-	6	5	9	3	62	1	-	-	1	1	2	5	9	12	22	9
White	21	-	-	-	-	-	1	-	6	4	7	3	50	-	-	-	-	1	2	2	8	10	19	8
All other	4	-	-	-	-	1	-	-	-	1	2	-	12	1	-	-	1	-	-	3	1	2	3	1
Black	4	-	-	-	-	1	-	-	-	1	2	-	12	1	-	-	1	-	-	3	1	2	3	1
Hypertensive heart disease (402)	133	-	-	-	-	3	6	11	26	28	41	18	205	-	-	-	-	-	3	3	19	34	65	81
White	80	-	-	-	-	-	3	3	13	17	28	16	129	-	-	-	-	-	1	1	9	19	43	56
All other	53	-	-	-	-	3	3	8	13	11	13	2	76	-	-	-	-	-	2	2	10	15	22	25
Black	53	-	-	-	-	3	3	8	13	11	13	2	74	-	-	-	-	-	2	2	10	15	22	23
Hypertensive heart and renal disease (404)	25	-	-	-	-	-	-	3	2	9	6	5	45	-	-	-	-	1	-	2	3	14	14	11
White	11	-	-	-	-	-	-	-	2	4	3	2	21	-	-	-	-	1	-	-	-	5	8	7
All other	14	-	-	-	-	-	-	3	-	5	3	3	24	-	-	-	-	-	-	2	3	9	6	4
Black	14	-	-	-	-	-	-	3	-	5	3	3	23	-	-	-	-	-	-	2	3	8	6	4
Ischemic heart disease (410-414)	5,121	2	-	-	2	27	158	390	893	1,614	1,425	608	4,201	1	-	1	-	8	33	95	333	869	1,471	1,387
White	4,195	-	-	-	-	22	119	291	711	1,319	1,218	514	3,412	1	-	-	-	7	21	63	229	662	1,220	1,207
All other	926	2	-	-	2	5	39	99	182	295	207	94	789	-	-	1	-	1	12	32	104	207	251	180
Black	909	2	-	-	2	5	39	98	179	289	201	93	778	-	-	1	-	1	12	32	102	203	247	179
Acute myocardial infarction (410)	2,591	-	-	-	-	12	82	202	466	824	730	274	2,088	1	-	1	-	1	22	54	194	490	776	547
White	2,164	-	-	-	-	10	68	147	379	688	633	238	1,688	1	-	-	-	-	16	37	135	377	654	467
All other	427	-	-	-	-	2	14	55	87	136	97	36	400	-	-	1	-	1	6	17	59	113	122	80
Black	418	-	-	-	-	2	14	54	85	133	94	36	395	-	-	1	-	1	6	17	58	110	121	80

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 264 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	331	1	–	–	2	3	25	48	80	87	54	31	215	–	–	–	–	2	3	10	18	43	69	70
White	240	–	–	–	–	3	16	38	57	59	45	22	159	–	–	–	–	2	2	7	9	30	48	61
All other	91	1	–	–	2	–	9	10	23	28	9	9	56	–	–	–	–	–	1	3	9	13	21	9
Black	91	1	–	–	2	–	9	10	23	28	9	9	55	–	–	–	–	–	1	3	8	13	21	9
Angina pectoris (413)	13	–	–	–	–	–	–	–	–	2	8	3	15	–	–	–	–	–	–	–	2	2	7	4
White	12	–	–	–	–	–	–	–	–	2	7	3	13	–	–	–	–	–	–	–	2	1	7	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,186	1	–	–	–	12	51	140	347	701	633	300	1,883	–	–	–	–	5	8	31	119	334	619	766
White	1,779	–	–	–	–	9	35	106	275	570	533	251	1,552	–	–	–	–	5	3	19	83	254	511	676
All other	407	1	–	–	–	3	16	34	72	131	100	49	331	–	–	–	–	–	5	12	36	80	108	90
Black	399	1	–	–	–	3	16	34	71	128	97	48	326	–	–	–	–	–	5	12	36	79	105	89
Other diseases of endocardium (424)	125	–	–	–	1	5	5	2	14	32	44	22	165	–	–	–	–	–	–	3	9	23	60	70
White	104	–	–	–	1	1	4	2	11	27	41	17	145	–	–	–	–	–	–	2	5	21	52	65
All other	21	–	–	–	–	4	1	–	3	5	3	5	20	–	–	–	–	–	–	1	4	2	8	5
Black	21	–	–	–	–	4	1	–	3	5	3	5	20	–	–	–	–	–	–	1	4	2	8	5
All other forms of heart disease (415-423,425-429)	2,516	14	7	2	12	26	74	165	391	634	726	464	3,093	8	3	5	14	28	58	78	200	524	958	1,217
White	1,924	7	1	1	8	12	54	113	274	474	586	393	2,412	6	1	3	7	16	32	50	136	351	755	1,055
All other	592	7	6	1	4	14	20	52	117	160	140	71	681	2	2	2	7	12	26	28	64	173	203	162
Black	577	6	5	1	3	14	19	51	113	158	136	71	665	2	2	2	7	11	25	28	60	168	199	161
Hypertension with or without renal disease (401,403)	78	–	–	–	–	1	4	2	21	17	22	11	133	–	–	–	–	–	1	5	13	32	41	41
White	44	–	–	–	–	–	2	1	11	10	12	8	75	–	–	–	–	–	–	3	4	11	29	28
All other	34	–	–	–	–	1	2	1	10	7	10	3	58	–	–	–	–	–	1	2	9	21	12	13
Black	34	–	–	–	–	1	2	1	10	7	10	3	57	–	–	–	–	–	1	2	8	21	12	13
Cerebrovascular diseases (430-438)	1,278	–	2	3	3	12	31	63	132	334	444	254	2,030	1	–	1	3	9	21	53	114	323	674	830
White	930	–	–	–	2	6	15	39	85	226	342	215	1,593	1	–	1	1	6	9	27	72	206	559	711
All other	348	–	2	3	1	6	16	24	47	108	102	39	437	–	–	–	2	3	12	26	42	117	115	119
Black	337	–	2	3	1	6	14	22	45	104	101	39	425	–	–	–	2	3	11	24	39	115	113	117
Intracerebral and other intracranial hemorrhage (431-432)	252	–	1	1	1	4	16	23	42	66	71	27	281	–	–	1	1	2	6	23	37	68	87	56
White	177	–	–	–	1	3	9	13	24	46	58	23	208	–	–	1	–	1	2	9	25	46	74	50
All other	75	–	1	1	–	1	7	10	18	20	13	4	73	–	–	–	1	1	4	14	12	22	13	6
Black	69	–	1	1	–	1	6	9	17	18	12	4	69	–	–	–	1	1	3	13	11	22	12	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	137	–	–	1	–	1	1	9	14	45	42	24	212	–	–	–	1	1	–	3	16	39	76	76
White	106	–	–	–	–	1	1	6	9	33	34	22	164	–	–	–	–	–	–	2	9	28	63	62
All other	31	–	–	1	–	–	–	3	5	12	8	2	48	–	–	–	1	1	–	1	7	11	13	14
Black	31	–	–	1	–	–	–	3	5	12	8	2	46	–	–	–	1	1	–	1	7	11	13	12
Cerebral embolism (434.1)	3	–	–	–	–	–	–	–	–	2	1	–	14	–	–	–	–	–	–	–	–	6	6	2
White	2	–	–	–	–	–	–	–	–	1	1	–	11	–	–	–	–	–	–	–	–	5	5	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	886	–	1	1	2	7	14	31	76	221	330	203	1,523	1	–	–	1	6	15	27	61	210	505	696
White	645	–	–	–	1	2	5	20	52	146	249	170	1,210	1	–	–	1	5	7	16	38	127	417	598
All other	241	–	1	1	1	5	9	11	24	75	81	33	313	–	–	–	–	1	8	11	23	83	88	98
Black	236	–	1	1	1	5	8	10	23	73	81	33	307	–	–	–	–	1	8	10	21	81	87	98
Atherosclerosis (440)	125	–	–	–	–	–	–	3	9	20	48	45	208	–	–	–	–	–	2	1	3	25	52	125
White	101	–	–	–	–	–	–	2	5	17	40	37	171	–	–	–	–	–	2	1	2	17	41	108
All other	24	–	–	–	–	–	–	1	4	3	8	8	37	–	–	–	–	–	–	–	1	8	11	17
Black	24	–	–	–	–	–	–	1	4	3	8	8	37	–	–	–	–	–	–	–	1	8	11	17
Other diseases of arteries, arterioles, and capillaries (441-448)	316	–	–	–	1	5	6	17	39	111	100	37	214	–	2	–	–	4	3	4	11	50	74	66
White	275	–	–	–	1	3	2	10	34	100	89	36	164	–	2	–	–	2	2	2	9	36	58	53
All other	41	–	–	–	–	2	4	7	5	11	11	1	50	–	–	–	–	2	1	2	2	14	16	13
Black	39	–	–	–	–	1	3	7	5	11	11	1	50	–	–	–	–	2	1	2	2	14	16	13
Acute bronchitis and bronchiolitis (466)	6	–	–	–	–	–	–	–	–	3	2	1	8	–	–	–	–	–	–	–	1	1	3	3
White	4	–	–	–	–	–	–	–	–	2	1	1	8	–	–	–	–	–	–	–	1	1	3	3
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	823	5	2	2	1	12	20	21	73	173	285	227	888	3	2	2	–	8	7	13	31	108	265	449
White	661	3	2	2	–	8	12	15	50	126	240	202	773	2	1	–	–	7	3	9	27	87	232	405
All other	162	2	–	–	1	4	8	6	23	47	45	25	115	1	1	2	–	1	4	4	4	21	33	44
Black	158	2	–	–	1	4	8	6	22	47	42	25	112	1	1	2	–	1	4	3	4	20	32	44

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 265 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	816	5	2	2	1	12	20	20	71	172	283	226	871	3	2	1	-	8	7	13	29	105	261	442
White	654	3	2	2	-	8	12	14	48	125	238	201	757	2	1	-	-	7	3	9	25	84	228	398
All other	162	2	-	-	1	4	8	6	23	47	45	25	114	1	1	1	-	1	4	4	4	21	33	44
Black	158	2	-	-	1	4	8	6	22	47	42	25	111	1	1	1	-	1	4	3	4	20	32	44
Influenza (487)	7	-	-	-	-	-	-	1	2	1	2	1	17	-	-	1	-	-	-	-	2	3	4	7
White	7	-	-	-	-	-	-	1	2	1	2	1	16	-	-	-	-	-	-	-	2	3	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,092	1	2	1	5	3	6	23	130	382	412	126	917	-	-	-	3	3	6	22	121	311	303	148
White	924	-	1	1	2	2	2	15	104	318	362	117	839	-	-	-	1	1	4	20	104	285	286	138
All other	168	1	1	-	3	1	4	8	26	64	50	9	78	-	-	-	2	2	2	2	17	26	17	10
Black	163	1	1	-	3	1	4	8	26	62	48	8	76	-	-	-	2	2	2	2	17	25	16	10
Bronchitis, chronic and unspecified (490-491)	41	1	1	-	1	1	-	-	2	12	13	10	37	-	-	-	-	-	-	-	5	11	11	10
White	37	-	1	-	1	1	-	-	2	12	11	9	32	-	-	-	-	-	-	-	3	11	10	8
All other	4	1	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	2	-	1	2
Black	4	1	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	2	-	-	2
Emphysema (492)	194	-	-	-	-	-	-	6	27	72	73	16	142	-	-	-	-	-	1	5	20	58	49	9
White	179	-	-	-	-	-	-	6	23	66	68	16	131	-	-	-	-	-	-	4	19	53	47	8
All other	15	-	-	-	-	-	-	-	4	6	5	-	11	-	-	-	-	-	1	1	1	5	2	1
Black	13	-	-	-	-	-	-	-	4	5	4	-	11	-	-	-	-	-	1	1	1	5	2	1
Asthma (493)	55	-	1	1	4	2	2	6	16	13	8	2	86	-	-	-	3	3	4	4	16	23	18	15
White	29	-	-	1	1	1	-	2	9	7	6	2	67	-	-	-	1	1	3	3	11	18	16	14
All other	26	-	1	-	3	1	2	4	7	6	2	-	19	-	-	-	2	2	1	1	5	5	2	1
Black	26	-	1	-	3	1	2	4	7	6	2	-	19	-	-	-	2	2	1	1	5	5	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	802	-	-	-	-	-	4	11	85	285	318	98	652	-	-	-	-	-	1	13	80	219	225	114
White	679	-	-	-	-	-	2	7	70	233	277	90	609	-	-	-	-	-	1	13	71	203	213	108
All other	123	-	-	-	-	-	2	4	15	52	41	8	43	-	-	-	-	-	-	-	9	16	12	6
Black	120	-	-	-	-	-	2	4	15	51	40	7	42	-	-	-	-	-	-	-	9	15	12	6
Ulcer of stomach and duodenum (531-533)	54	-	-	-	-	-	2	3	5	15	18	11	54	-	-	-	-	-	1	1	9	9	13	21
White	43	-	-	-	-	-	2	2	4	12	14	9	45	-	-	-	-	-	1	-	7	7	12	18
All other	11	-	-	-	-	-	-	1	1	3	4	2	9	-	-	-	-	-	-	1	2	2	1	3
Black	11	-	-	-	-	-	-	1	1	3	4	2	9	-	-	-	-	-	-	1	2	2	1	3
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	1	-	-	4	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	4	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	2	1	-	1	-	-	2	2	7	14	7	70	-	-	1	-	-	-	-	3	8	24	34
White	23	-	-	-	1	-	-	2	1	5	10	4	59	-	-	1	-	-	-	-	2	7	19	30
All other	13	2	1	-	-	-	-	-	1	2	4	3	11	-	-	-	-	-	-	-	1	1	5	4
Black	13	2	1	-	-	-	-	-	1	2	4	3	11	-	-	-	-	-	-	-	1	1	5	4
Chronic liver disease and cirrhosis (571)	293	1	-	-	-	16	43	54	87	66	20	6	197	-	-	-	-	8	11	32	42	56	37	11
White	227	1	-	-	-	12	27	40	73	53	17	4	151	-	-	-	-	4	6	19	35	43	33	11
All other	66	-	-	-	-	4	16	14	14	13	3	2	46	-	-	-	-	4	5	13	7	13	4	-
Black	65	-	-	-	-	4	16	14	14	13	3	1	45	-	-	-	-	4	5	13	7	12	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	27	-	-	-	-	1	-	-	3	6	9	8	31	-	-	-	-	-	-	-	1	7	7	16
White	23	-	-	-	-	1	-	-	3	5	8	6	27	-	-	-	-	-	-	-	1	4	7	15
All other	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	3	-	1
Black	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	3	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	254	-	-	1	1	3	7	14	32	59	87	50	314	1	-	-	-	4	7	7	23	56	119	96
White	171	-	-	-	-	2	5	12	20	38	59	35	213	1	-	-	-	2	4	2	8	31	89	75
All other	83	-	-	1	1	1	2	2	12	21	28	15	101	-	-	-	-	2	3	5	15	25	30	21
Black	83	-	-	1	1	1	2	2	12	21	28	15	98	-	-	-	-	2	3	5	15	23	30	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 266 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	–	–	–	–	–	–	1	1	6	5	5	13	–	–	–	–	–	1	–	–	4	5	3
White	10	–	–	–	–	–	–	1	–	4	2	3	10	–	–	–	–	–	1	–	–	2	5	2
All other	8	–	–	–	–	–	–	–	1	2	3	2	3	–	–	–	–	–	–	–	–	2	–	1
Black	8	–	–	–	–	–	–	–	1	2	3	2	2	–	–	–	–	–	–	–	–	1	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	234	–	–	1	1	3	7	12	30	53	82	45	299	1	–	–	–	4	6	7	23	52	114	91
White	159	–	–	–	–	2	5	10	19	34	57	32	201	1	–	–	–	2	3	2	8	29	84	71
All other	75	–	–	1	1	1	2	2	11	19	25	13	98	–	–	–	–	2	3	5	15	23	30	20
Black	75	–	–	1	1	1	2	2	11	19	25	13	96	–	–	–	–	2	3	5	15	22	30	19
Infections of kidney (590)	7	–	–	–	–	–	–	1	–	2	1	3	21	–	–	–	–	1	–	–	1	5	7	7
White	5	–	–	–	–	–	–	1	–	1	–	3	17	–	–	–	–	–	–	–	1	4	6	6
All other	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	1	–	–	–	1	1	1
Black	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	1	–	–	–	1	1	1
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	–	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
White	4	–	–	–	–	–	–	–	–	–	1	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Congenital anomalies (740-759)	179	109	6	7	12	8	4	4	8	11	7	3	124	73	8	4	9	1	7	3	5	6	5	3
White	122	65	4	4	11	7	3	3	6	10	6	3	95	51	6	3	9	1	4	3	5	6	4	3
All other	57	44	2	3	1	1	1	1	2	1	1	–	29	22	2	1	–	–	3	–	–	–	1	–
Black	54	42	2	3	1	1	–	1	2	1	1	–	27	21	1	1	–	–	3	–	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	288	286	1	–	–	–	–	–	1	–	–	–	222	222	–	–	–	–	–	–	–	–	–	–
White	138	137	–	–	–	–	–	–	1	–	–	–	103	103	–	–	–	–	–	–	–	–	–	–
All other	150	149	1	–	–	–	–	–	–	–	–	–	119	119	–	–	–	–	–	–	–	–	–	–
Black	147	146	1	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	46	46	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
White	22	22	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	24	24	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	24	24	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	242	240	1	–	–	–	–	–	1	–	–	–	194	194	–	–	–	–	–	–	–	–	–	–
White	116	115	–	–	–	–	–	–	1	–	–	–	84	84	–	–	–	–	–	–	–	–	–	–
All other	126	125	1	–	–	–	–	–	–	–	–	–	110	110	–	–	–	–	–	–	–	–	–	–
Black	123	122	1	–	–	–	–	–	–	–	–	–	107	107	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	259	82	2	1	1	14	14	13	23	38	38	33	269	55	2	2	2	3	5	5	17	30	55	92
White	184	47	1	1	1	9	12	10	16	31	29	27	199	28	1	1	1	2	1	2	12	24	47	79
All other	75	35	1	–	–	5	2	3	7	7	9	6	70	27	1	1	1	1	4	3	5	6	8	13
Black	73	34	1	–	–	5	1	3	7	7	9	6	68	27	–	1	1	1	4	3	5	6	8	12
All other diseases (Residual)	2,043	16	16	11	22	53	99	145	266	460	635	319	2,365	23	9	11	19	31	60	91	173	392	762	792
White	1,580	11	8	9	16	31	58	97	206	355	513	276	1,881	14	5	9	9	21	33	58	123	291	636	681
All other	463	5	8	2	6	22	41	48	60	105	122	43	484	9	4	2	10	10	27	33	50	101	126	111
Black	455	4	8	2	6	22	41	47	60	105	118	41	475	8	3	2	10	10	26	33	48	98	125	111
Accidents and adverse effects (E800-E949)	1,400	13	25	45	282	271	184	133	129	130	110	78	742	13	21	24	91	68	56	46	65	89	132	137
White	1,060	10	19	27	223	220	124	97	91	93	91	65	595	9	14	16	76	57	39	31	46	69	117	121
All other	340	3	6	18	59	51	60	36	38	37	19	13	147	4	7	8	15	11	17	15	19	20	15	16
Black	332	3	6	18	57	48	59	35	38	36	19	13	140	4	7	8	13	11	15	13	19	19	15	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 267 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	645	1	3	18	200	151	81	57	45	45	34	10	320	3	9	15	76	50	38	26	33	30	29	11
White	507	–	3	10	163	125	56	43	35	34	29	9	251	–	7	9	63	41	29	18	21	26	26	11
All other	138	1	–	8	37	26	25	14	10	11	5	1	69	3	2	6	13	9	9	8	12	4	3	–
Black	133	1	–	8	36	23	25	14	10	10	5	1	64	3	2	6	11	9	8	6	12	4	3	–
All other accidents and adverse effects (E800-E807, E826-E949)	755	12	22	27	82	120	103	76	84	85	76	68	422	10	12	9	15	18	18	20	32	59	103	126
White	553	10	16	17	60	95	68	54	56	59	62	56	344	9	7	7	13	16	10	13	25	43	91	110
All other	202	2	6	10	22	25	35	22	28	26	14	12	78	1	5	2	2	2	8	7	7	16	12	16
Black	199	2	6	10	21	25	34	21	28	26	14	12	76	1	5	2	2	2	7	7	7	15	12	16
Suicide (E950-E959)	630	...	...	3	90	147	116	81	82	65	34	12	163	...	...	2	13	33	44	28	16	13	9	5
White	541	...	...	2	70	112	104	75	74	62	30	12	144	...	...	2	11	30	35	25	14	13	9	5
All other	89	...	...	1	20	35	12	6	8	3	4	–	19	...	...	–	2	3	9	3	2	–	–	–
Black	85	...	...	–	19	34	12	5	8	3	4	–	16	...	...	–	2	3	8	2	1	–	–	–
Homicide and legal intervention (E960-E978)	452	4	4	11	131	138	82	39	22	10	6	2	136	1	6	7	32	39	23	11	4	5	5	2
White	148	4	–	6	22	37	39	15	12	8	1	1	62	–	3	3	14	17	11	6	1	2	4	1
All other	304	–	4	5	109	101	43	24	10	2	5	1	74	1	3	4	18	22	12	5	3	3	1	1
Black	297	–	4	5	108	99	41	22	10	2	5	1	70	1	3	4	16	21	11	5	3	3	1	1
All other external causes (E980-E999)	28	–	–	1	5	7	8	4	2	–	1	–	16	2	1	–	4	4	3	1	–	1	–	–
White	23	–	–	–	4	5	7	4	2	–	1	–	13	1	1	–	3	4	2	1	–	1	–	–
All other	5	–	–	1	1	2	1	–	–	–	–	–	3	1	–	–	1	–	1	–	–	–	–	–
Black	4	–	–	1	1	2	–	–	–	–	–	–	3	1	–	–	1	–	1	–	–	–	–	–
WASHINGTON																								
All causes	19,172	316	57	86	470	633	1,027	1,166	2,314	4,843	5,304	2,953	17,901	284	42	62	151	237	452	759	1,606	3,360	5,142	5,804
White	18,048	281	50	78	395	562	924	1,059	2,127	4,624	5,099	2,847	17,091	233	31	51	126	197	396	684	1,491	3,195	4,993	5,692
All other	1,124	35	7	8	75	71	103	107	187	219	205	106	810	51	11	11	25	40	56	75	115	165	149	112
Black	503	17	1	2	40	31	56	58	90	98	78	32	341	27	6	6	6	20	20	27	50	75	60	44
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	1	1	–
White	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	6	–	–	–	1	–	–	–	1	–	3	1	8	–	–	–	–	–	–	–	1	2	2	3
White	5	–	–	–	–	–	–	–	1	–	3	1	4	–	–	–	–	–	–	–	–	1	–	3
All other	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	1	–	2	–	5	–	–	–	–	–	–	–	1	2	1	1
White	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	3	–	–	–	1	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	1	2
White	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	2
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	2	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
White	3	2	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	98	–	1	–	–	2	2	3	12	22	30	26	124	4	–	–	1	–	2	6	9	20	35	47
White	91	–	1	–	–	2	1	2	11	22	26	26	115	3	–	–	1	–	2	5	9	15	33	47
All other	7	–	–	–	–	–	1	1	1	–	4	–	9	1	–	–	–	–	–	1	–	5	2	–
Black	3	–	–	–	–	–	1	–	–	–	2	–	4	–	–	–	–	–	–	–	–	4	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 268 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	25	-	-	-	-	2	8	4	4	3	3	1	12	-	-	-	-	1	1	1	4	2	3	-
White	23	-	-	-	-	2	8	3	3	3	3	1	10	-	-	-	-	1	1	-	3	2	3	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	458	2	-	-	9	110	190	85	24	24	10	4	62	-	-	-	-	8	3	10	6	11	13	11
White	424	2	-	-	8	102	179	76	20	23	10	4	57	-	-	-	-	5	3	9	6	11	12	11
All other	34	-	-	-	1	8	11	9	4	1	-	-	5	-	-	-	-	3	-	1	-	-	1	-
Black	24	-	-	-	1	5	8	6	3	1	-	-	3	-	-	-	-	2	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,794	-	8	6	24	47	141	331	825	1,603	1,332	477	4,397	-	4	11	14	57	172	370	766	1,260	1,176	567
White	4,558	-	8	5	20	42	129	308	775	1,528	1,281	462	4,210	-	3	10	13	51	154	345	724	1,212	1,150	548
All other	236	-	-	1	4	5	12	23	50	75	51	15	187	-	1	1	1	6	18	25	42	48	26	19
Black	109	-	-	-	-	1	4	11	27	40	23	3	75	-	-	-	-	2	5	9	18	25	9	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	87	-	-	-	-	-	1	10	22	29	21	4	60	-	-	-	-	1	-	5	11	15	17	11
White	79	-	-	-	-	-	1	9	19	26	20	4	55	-	-	-	-	-	-	4	9	14	17	11
All other	8	-	-	-	-	-	-	1	3	3	1	-	5	-	-	-	-	1	-	1	2	1	-	-
Black	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,102	-	1	-	2	8	37	71	203	376	307	97	986	-	-	-	2	7	22	44	145	275	305	186
White	1,022	-	1	-	1	7	31	65	179	355	289	94	941	-	-	-	2	4	20	40	139	260	296	180
All other	80	-	-	-	1	1	6	6	24	21	18	3	45	-	-	-	-	3	2	4	6	15	9	6
Black	34	-	-	-	-	-	1	2	11	11	9	-	19	-	-	-	-	-	1	3	3	5	4	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,665	-	1	-	-	2	33	124	352	627	423	103	1,057	-	-	-	2	3	17	88	238	397	252	60
White	1,600	-	1	-	-	2	31	120	337	599	409	101	1,020	-	-	-	1	3	14	82	228	388	247	57
All other	65	-	-	-	-	-	2	4	15	28	14	2	37	-	-	-	1	-	3	6	10	9	5	3
Black	31	-	-	-	-	-	2	3	8	11	6	1	18	-	-	-	-	-	3	3	2	7	2	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	3	-	-	777	-	-	-	-	18	66	109	136	200	162	86
White	2	-	-	-	-	-	-	-	-	2	-	-	750	-	-	-	-	17	60	107	129	193	160	84
All other	2	-	-	-	-	-	-	-	1	1	-	-	27	-	-	-	-	1	6	2	7	7	2	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	11	-	-	-	-	1	1	-	5	3	1	-
Malignant neoplasms of genital organs (179-187)	676	-	-	-	1	3	3	10	41	184	274	160	465	-	-	-	2	5	34	39	79	129	111	66
White	652	-	-	-	-	3	2	9	41	177	265	155	441	-	-	-	2	4	29	35	73	125	109	64
All other	24	-	-	-	1	-	1	1	-	7	9	5	24	-	-	-	-	1	5	4	6	4	2	2
Black	12	-	-	-	-	-	-	1	-	6	4	1	10	-	-	-	-	-	-	1	3	2	2	2
Malignant neoplasms of urinary organs (188-189)	239	-	-	-	-	1	7	22	32	84	65	28	127	-	-	-	-	-	1	5	27	33	35	26
White	231	-	-	-	-	1	6	21	30	80	65	28	122	-	-	-	-	-	1	5	26	32	33	25
All other	8	-	-	-	-	-	1	1	2	4	-	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	6	-	-	-	-	-	1	-	2	3	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	527	-	3	5	7	11	46	53	98	152	110	42	500	-	3	9	3	11	19	50	75	120	142	68
White	506	-	3	4	7	11	44	48	96	149	104	40	475	-	2	8	3	11	18	45	68	117	139	64
All other	21	-	-	1	-	-	2	5	2	3	6	2	25	-	1	1	-	-	1	5	7	3	3	4
Black	9	-	-	-	-	-	-	4	1	1	3	-	6	-	-	-	-	-	-	1	3	2	-	-
Leukemia (204-208)	202	-	3	-	9	12	4	20	29	65	48	12	158	-	1	2	4	7	4	8	23	28	58	23
White	193	-	3	-	7	12	4	18	29	62	47	11	155	-	1	2	4	7	4	8	22	27	57	23
All other	9	-	-	-	2	-	-	2	-	3	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	292	-	-	1	5	10	10	21	47	83	84	31	267	-	-	-	1	5	9	22	32	63	94	41
White	273	-	-	1	5	6	10	18	44	78	82	29	251	-	-	-	1	5	8	19	30	56	92	40
All other	19	-	-	-	-	4	-	3	3	5	2	2	16	-	-	-	-	-	1	3	2	7	2	1
Black	10	-	-	-	-	1	-	1	2	5	-	1	6	-	-	-	-	-	-	1	1	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	36	-	-	1	-	1	2	3	5	8	12	4	47	-	-	-	1	-	3	-	3	11	15	14
White	35	-	-	1	-	1	2	3	5	8	11	4	43	-	-	-	1	-	3	-	2	10	13	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 269 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	344	-	-	-	3	6	21	28	51	99	99	37	425	-	-	-	2	3	12	24	48	126	126	84
White	316	-	-	-	2	6	19	26	45	88	93	37	393	-	-	-	2	3	12	21	43	114	118	80
All other	28	-	-	-	1	-	2	2	6	11	6	-	32	-	-	-	-	-	-	3	5	12	8	4
Black	14	-	-	-	1	-	2	2	4	3	2	-	16	-	-	-	-	-	-	1	3	7	4	1
Nutritional deficiencies (260-269)	15	1	-	-	-	-	-	-	-	1	7	6	48	-	-	-	-	-	-	-	1	3	11	33
White	13	1	-	-	-	-	-	-	-	-	6	6	47	-	-	-	-	-	-	-	1	3	11	32
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	26	1	-	-	-	2	-	1	3	4	5	10	27	-	-	-	-	-	2	-	3	5	2	15
White	24	1	-	-	-	2	-	1	3	4	3	10	25	-	-	-	-	-	1	-	2	5	2	15
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	7	1	-	-	-	-	1	1	1	1	2	-	10	2	-	1	-	-	1	-	-	2	3	1
White	7	1	-	-	-	-	1	1	1	1	2	-	10	2	-	1	-	-	1	-	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,487	6	4	2	9	31	177	396	885	2,069	2,409	1,499	7,592	7	4	10	6	30	70	158	395	1,139	2,412	3,360
White	7,089	6	3	2	8	27	157	358	815	1,973	2,310	1,430	7,326	7	2	8	5	25	62	139	354	1,085	2,335	3,303
All other	398	-	1	-	1	4	20	38	70	96	99	69	266	-	2	2	1	5	8	19	41	54	77	57
Black	173	-	-	-	1	2	10	27	36	42	30	25	119	-	2	2	-	3	5	10	19	24	34	20
Diseases of heart (390-398,402,404-429)	5,860	5	2	2	9	28	148	348	751	1,671	1,812	1,084	5,333	5	3	9	6	21	47	124	296	852	1,712	2,258
White	5,573	5	2	2	8	25	131	315	694	1,604	1,745	1,042	5,155	5	1	7	5	17	42	109	270	812	1,666	2,221
All other	287	-	-	-	1	3	17	33	57	67	67	42	178	-	2	2	1	4	5	15	26	40	46	37
Black	133	-	-	-	1	2	10	23	30	32	23	12	85	-	2	2	-	3	3	9	10	17	25	14
Rheumatic fever and rheumatic heart disease (390-398)	37	-	-	-	-	3	-	-	4	8	16	6	103	1	-	-	-	1	3	7	9	21	34	27
White	34	-	-	-	-	3	-	-	2	8	15	6	96	1	-	-	-	1	3	4	8	20	34	25
All other	3	-	-	-	-	-	-	-	2	-	1	-	7	-	-	-	-	-	-	3	1	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-	-	-	1
Hypertensive heart disease (402)	109	-	-	-	-	-	5	8	13	22	36	25	155	-	-	-	-	1	-	2	8	20	46	78
White	100	-	-	-	-	-	3	8	13	20	32	24	147	-	-	-	-	1	-	2	7	18	45	74
All other	9	-	-	-	-	-	2	-	-	2	4	1	8	-	-	-	-	-	-	-	1	2	1	4
Black	8	-	-	-	-	-	2	-	-	2	3	1	3	-	-	-	-	-	-	-	1	2	-	-
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	-	1	1	2	5	5	15	-	-	-	-	-	-	-	1	5	2	7
White	14	-	-	-	-	-	-	1	1	2	5	5	14	-	-	-	-	-	-	-	1	4	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ischemic heart disease (410-414)	3,825	-	-	-	-	6	79	223	504	1,144	1,218	651	3,167	1	-	-	2	4	12	64	181	568	1,075	1,280
White	3,676	-	-	-	-	6	71	208	476	1,106	1,180	629	3,093	1	-	-	2	3	12	60	163	546	1,045	1,261
All other	149	-	-	-	-	-	8	15	28	38	38	22	94	-	-	-	-	1	-	4	18	22	30	19
Black	58	-	-	-	-	-	4	7	16	16	8	7	41	-	-	-	-	1	-	4	7	6	16	7
Acute myocardial infarction (410)	1,807	-	-	-	-	4	37	127	271	546	543	279	1,399	1	-	-	1	3	9	33	91	290	504	467
White	1,732	-	-	-	-	4	35	119	256	526	523	269	1,355	1	-	-	1	2	9	31	82	277	492	460
All other	75	-	-	-	-	-	2	8	15	20	20	10	44	-	-	-	-	1	-	2	9	13	12	7
Black	20	-	-	-	-	-	1	1	8	5	4	1	18	-	-	-	-	1	-	2	3	3	5	4
Other acute and subacute forms of ischemic heart disease (411)	32	-	-	-	-	-	1	2	8	10	7	4	21	-	-	-	-	-	-	1	3	7	6	4
White	32	-	-	-	-	-	1	2	8	10	7	4	20	-	-	-	-	-	-	1	2	7	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	1	-	1	3	4	13	-	-	-	-	-	-	-	1	1	4	7
White	9	-	-	-	-	-	-	1	-	1	3	4	13	-	-	-	-	-	-	-	1	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,977	-	-	-	-	2	41	93	225	587	665	364	1,754	-	-	-	1	1	3	30	86	270	561	802
White	1,903	-	-	-	-	2	35	86	212	569	647	352	1,705	-	-	-	1	1	3	28	78	261	543	790
All other	74	-	-	-	-	-	6	7	13	18	18	12	49	-	-	-	-	-	-	2	8	9	18	12
Black	38	-	-	-	-	-	3	6	8	11	4	6	23	-	-	-	-	-	-	2	4	3	11	3
Other diseases of endocardium (424)	149	-	-	-	-	1	3	1	11	29	48	56	204	-	-	-	-	-	1	2	8	21	70	102
White	142	-	-	-	-	1	3	1	9	26	47	55	198	-	-	-	-	-	-	1	8	21	68	100
All other	7	-	-	-	-	-	-	-	2	3	1	1	6	-	-	-	-	-	1	1	-	-	2	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	1	-	-	-	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 270 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,726	5	2	2	9	18	61	115	218	466	489	341	1,669	3	3	9	4	15	31	49	89	217	485	764
White	1,607	5	2	2	8	15	54	97	193	442	466	323	1,607	3	1	7	3	12	27	42	83	203	472	754
All other	119	-	-	-	1	3	7	18	25	24	23	18	62	-	2	2	1	3	4	7	6	14	13	10
Black	65	-	-	-	1	2	4	16	14	13	12	3	33	-	2	2	-	2	2	3	2	8	8	4
Hypertension with or without renal disease (401,403)	73	-	-	-	-	-	2	2	6	22	18	23	80	-	-	-	-	-	2	-	5	12	28	33
White	61	-	-	-	-	-	2	2	4	19	16	18	73	-	-	-	-	-	2	-	2	10	26	33
All other	12	-	-	-	-	-	-	-	2	3	2	5	7	-	-	-	-	-	-	-	3	2	2	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	5	-	-	-	-	-	-	-	2	2	1	-
Cerebrovascular diseases (430-438)	1,092	1	2	-	-	1	20	36	87	240	421	284	1,716	2	1	-	-	6	15	30	75	203	545	838
White	1,018	1	1	-	-	1	17	33	80	220	400	265	1,646	2	1	-	-	6	13	27	65	191	518	822
All other	74	-	1	-	-	-	3	3	7	20	21	19	70	-	-	-	-	-	2	3	10	12	27	16
Black	28	-	-	-	-	-	-	3	3	6	5	11	25	-	-	-	-	-	2	1	6	5	7	4
Intracerebral and other intracranial hemorrhage (431-432)	138	-	-	-	-	-	7	9	15	33	55	19	193	-	-	-	-	-	6	6	18	39	82	42
White	125	-	-	-	-	-	5	7	11	31	52	19	182	-	-	-	-	-	5	6	15	37	79	40
All other	13	-	-	-	-	-	2	2	4	2	3	-	11	-	-	-	-	-	1	-	3	2	3	2
Black	2	-	-	-	-	-	-	2	-	-	-	-	5	-	-	-	-	-	1	-	2	1	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	83	-	1	-	-	-	1	2	12	25	25	17	127	1	-	-	-	1	-	1	5	12	44	63
White	74	-	-	-	-	-	1	2	12	23	22	14	123	1	-	-	-	1	-	1	5	12	42	61
All other	9	-	1	-	-	-	-	-	-	2	3	3	4	-	-	-	-	-	-	-	-	-	2	2
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	3	2	-	9	-	-	-	-	-	-	-	-	-	3	6
White	6	-	-	-	-	-	-	-	1	3	2	-	9	-	-	-	-	-	-	-	-	-	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	865	1	1	-	-	1	12	25	59	179	339	248	1,387	1	1	-	-	5	9	23	52	152	416	727
White	813	1	1	-	-	1	11	24	56	163	324	232	1,332	1	1	-	-	5	8	20	45	142	394	715
All other	52	-	-	-	-	-	1	1	3	16	15	16	55	-	-	-	-	-	1	3	7	10	22	12
Black	24	-	-	-	-	-	-	1	3	6	4	10	18	-	-	-	-	-	1	1	4	4	6	2
Atherosclerosis (440)	166	-	-	-	-	-	-	-	1	6	31	65	63	269	-	-	-	-	-	1	2	4	31	58	173
White	160	-	-	-	-	-	-	-	1	6	31	61	61	263	-	-	-	-	-	1	1	4	31	57	169
All other	6	-	-	-	-	-	-	-	-	-	-	4	2	6	-	-	-	-	-	1	-	-	-	1	4
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	296	-	-	-	-	2	7	9	35	105	93	45	194	-	-	1	-	3	5	2	15	41	69	58
White	277	-	-	-	-	1	7	7	31	99	88	44	189	-	-	1	-	2	4	2	13	41	68	58
All other	19	-	-	-	-	1	-	2	4	6	5	1	5	-	-	-	-	1	1	-	2	-	1	-
Black	7	-	-	-	-	-	-	1	3	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	1	-	-	-	1
White	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	589	3	2	2	1	4	13	19	29	91	206	219	759	4	-	-	1	4	8	8	23	59	199	453
White	555	3	2	2	1	3	10	16	26	84	195	213	732	3	-	-	1	3	8	7	20	53	196	441
All other	34	-	-	-	-	1	3	3	3	7	11	6	27	1	-	-	-	1	-	1	3	6	3	12
Black	11	-	-	-	-	-	2	2	1	2	4	-	12	1	-	-	-	1	-	-	1	2	1	6
Pneumonia (480-486)	581	3	2	2	1	3	13	19	29	91	202	216	739	4	-	-	1	4	8	8	21	57	194	442
White	548	3	2	2	1	3	10	16	26	84	191	210	712	3	-	-	1	3	8	7	18	51	191	430
All other	33	-	-	-	-	-	3	3	3	7	11	6	27	1	-	-	-	1	-	1	3	6	3	12
Black	11	-	-	-	-	-	2	2	1	2	4	-	12	1	-	-	-	1	-	-	1	2	1	6
Influenza (487)	8	-	-	-	-	1	-	-	-	-	4	3	20	-	-	-	-	-	-	-	2	2	5	11
White	7	-	-	-	-	-	-	-	-	-	4	3	20	-	-	-	-	-	-	-	2	2	5	11
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,042	-	-	1	1	2	7	20	123	335	392	161	926	-	1	-	2	2	4	22	102	290	353	150
White	1,015	-	-	1	-	2	6	17	118	329	385	157	908	-	1	-	2	1	3	22	100	281	349	149
All other	27	-	-	-	1	-	1	3	5	6	7	4	18	-	-	-	-	1	1	-	2	9	4	1
Black	14	-	-	-	-	-	1	2	3	3	4	1	6	-	-	-	-	-	-	-	1	4	-	1
Bronchitis, chronic and unspecified (490-491)	33	-	-	-	-	-	-	2	6	3	15	7	33	-	-	-	-	-	-	-	2	10	10	11
White	32	-	-	-	-	-	-	1	6	3	15	7	33	-	-	-	-	-	-	-	2	10	10	11
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	169	-	-	-	-	-	1	5	27	56	61	19	125	-	-	-	-	-	-	4	18	38	51	14
White	166	-	-	-	-	-	1	3	26	56	61	19	124	-	-	-	-	-	-	4	18	37	51	14
All other	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 271 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	42	-	-	1	-	2	2	4	5	14	10	4	66	-	1	-	1	2	1	5	10	14	25	7
White	41	-	-	1	-	2	2	4	5	13	10	4	61	-	1	-	1	1	-	5	10	12	24	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	-	-	2	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	798	-	-	-	1	-	4	9	85	262	306	131	702	-	-	-	1	-	3	13	72	228	267	118
White	776	-	-	-	-	-	3	9	81	257	299	127	690	-	-	-	1	-	3	13	70	222	264	117
All other	22	-	-	-	1	-	1	-	4	5	7	4	12	-	-	-	-	-	-	-	2	6	3	1
Black	11	-	-	-	-	-	1	-	3	2	4	1	5	-	-	-	-	-	-	-	1	3	-	1
Ulcer of stomach and duodenum (531-533)	54	-	-	-	-	-	2	1	5	12	19	15	69	-	-	-	-	-	1	3	2	12	21	30
White	53	-	-	-	-	-	2	1	5	12	18	15	67	-	-	-	-	-	1	1	2	12	21	30
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	1	-	-	-	1	-	2	1	8	19	14	81	1	-	-	-	-	-	1	5	13	22	39
White	44	1	-	-	-	1	-	2	1	7	18	14	78	1	-	-	-	-	-	1	5	11	21	39
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	268	1	-	-	-	6	38	49	66	74	31	3	137	-	-	-	-	2	15	15	37	36	25	7
White	243	1	-	-	-	4	34	43	56	71	31	3	117	-	-	-	-	2	9	11	30	33	25	7
All other	25	-	-	-	-	2	4	6	10	3	-	-	20	-	-	-	-	-	6	4	7	3	-	-
Black	5	-	-	-	-	1	2	1	1	-	-	-	7	-	-	-	-	-	3	1	3	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	-	-	-	1	1	2	5	4	19	-	-	-	-	1	1	-	-	5	5	7
White	13	-	-	-	-	-	-	1	1	2	5	4	18	-	-	-	-	1	1	-	-	5	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	91	-	-	-	1	1	2	-	7	21	36	23	95	1	-	1	2	2	-	1	9	12	25	42
White	87	-	-	-	-	1	2	-	7	20	35	22	91	-	-	1	2	2	-	1	9	12	22	42
All other	4	-	-	-	1	-	-	-	-	1	1	1	4	1	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	-	3	2	-	3	-	-	-	-	-	-	-	-	-	-	3
White	5	-	-	-	-	-	-	-	-	3	2	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	-	-	-	1	-	2	-	1	4	6	5	18	-	-	-	1	-	-	-	3	3	6	5
White	17	-	-	-	-	-	2	-	1	4	6	4	18	-	-	-	1	-	-	-	3	3	6	5
All other	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	67	-	-	-	-	1	-	-	6	14	28	18	74	1	-	1	1	2	-	1	6	9	19	34
White	65	-	-	-	-	1	-	-	6	13	27	18	70	-	-	1	1	2	-	1	6	9	16	34
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Infections of kidney (590)	8	-	-	-	-	-	-	-	-	2	3	3	18	-	-	-	-	-	-	1	-	4	7	6
White	8	-	-	-	-	-	-	-	-	2	3	3	17	-	-	-	-	-	-	1	-	4	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	1	4	7	***	***	***	***	***	***	***	***	***	***	***	***
White	10	-	-	-	-	-	-	-	-	1	3	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	2	-	-	-	-	-	-	-	-	-	1	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	1	-	2	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	1	-	2	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 272 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	126	63	6	8	7	4	10	7	5	8	5	3	129	73	7	9	4	5	4	2	3	5	8	9
White	115	58	4	7	6	4	10	6	5	8	4	3	114	63	5	7	4	4	4	2	3	5	8	9
All other	11	5	2	1	1	-	-	1	-	-	1	-	15	10	2	2	-	1	-	-	-	-	-	-
Black	5	3	-	1	1	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	107	105	1	1	-	-	-	-	-	-	-	-	103	101	1	1	-	-	-	-	-	-	-	-
White	89	87	1	1	-	-	-	-	-	-	-	-	81	80	1	-	-	-	-	-	-	-	-	-
All other	18	18	-	-	-	-	-	-	-	-	-	-	22	21	-	1	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	13	12	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	21	20	1	-	-	-	-	-	-	-	-	-	8	7	-	1	-	-	-	-	-	-	-	-
White	20	19	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	86	85	-	1	-	-	-	-	-	-	-	-	95	94	1	-	-	-	-	-	-	-	-	-
White	69	68	-	1	-	-	-	-	-	-	-	-	75	74	1	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	169	108	2	-	2	4	10	4	1	13	12	13	140	68	2	1	4	5	3	3	3	3	13	35
White	154	98	2	-	2	4	9	4	-	11	12	12	118	54	2	1	2	5	3	2	2	1	13	33
All other	15	10	-	-	-	-	1	-	1	2	-	1	22	14	-	-	2	-	-	1	1	2	-	2
Black	4	2	-	-	-	-	1	-	-	1	-	-	9	6	-	-	1	-	-	-	1	-	-	1
All other diseases (Residual)	1,442	11	8	14	21	28	69	57	115	287	504	328	1,904	8	7	8	11	14	47	55	123	271	579	781
White	1,370	10	7	14	19	22	59	52	98	277	492	320	1,831	8	5	6	10	11	41	46	117	255	563	769
All other	72	1	1	-	2	6	10	5	17	10	12	8	73	-	2	2	1	3	6	9	6	16	16	12
Black	37	-	-	-	1	3	6	1	9	5	9	3	28	-	1	1	-	1	1	2	4	5	7	6
Accidents and adverse effects (E800-E949)	1,110	7	22	48	233	195	179	77	87	93	97	70	522	8	14	16	63	54	51	39	41	58	74	103
White	1,017	6	19	43	213	174	162	70	77	89	93	69	476	6	12	15	52	45	45	37	39	53	72	99
All other	93	1	3	5	20	21	17	7	10	4	4	1	46	2	2	1	11	9	6	2	2	5	2	4
Black	32	1	1	1	7	8	7	3	1	1	2	-	18	2	2	1	1	5	3	1	-	1	-	2
Motor vehicle accidents (E810-E825)	539	2	4	27	170	116	74	40	39	31	24	12	229	1	6	10	52	35	25	22	19	25	27	6
White	492	1	4	23	156	106	69	35	33	30	23	12	202	1	6	10	43	28	21	22	18	21	25	6
All other	47	1	-	4	14	10	5	5	6	1	1	-	27	-	-	-	9	7	4	-	1	4	2	-
Black	14	1	-	1	6	3	1	2	-	-	-	-	5	-	-	-	1	3	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	571	5	18	21	63	79	105	37	48	62	73	58	293	7	8	6	11	19	26	17	22	33	47	97
White	525	5	15	20	57	68	93	35	44	59	70	57	274	5	6	5	9	17	24	15	21	32	47	93
All other	46	-	3	1	6	11	12	2	4	3	3	1	19	2	2	1	2	2	2	2	1	1	-	4
Black	18	-	1	-	1	5	6	1	1	1	2	-	13	2	2	1	-	2	2	1	-	1	-	2
Suicide (E950-E959)	550	...	...	2	101	122	90	60	48	56	50	21	142	...	...	1	18	24	35	28	15	7	11	3
White	514	...	...	1	90	111	85	57	44	55	50	21	125	...	...	1	14	21	31	24	13	7	11	3
All other	36	...	...	1	11	11	5	3	4	1	-	-	17	...	...	-	4	3	4	4	2	-	-	-
Black	5	...	...	-	1	3	-	-	1	-	-	-	3	...	...	-	1	1	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	172	3	3	1	50	48	39	11	8	3	4	1	69	5	2	2	15	17	15	7	3	2	-	1
White	105	3	3	1	20	35	24	8	4	3	3	1	48	4	-	-	10	11	10	7	3	2	-	1
All other	67	-	-	-	30	13	15	3	4	-	1	-	21	1	2	2	5	6	5	-	-	-	-	-
Black	53	-	-	-	26	8	11	3	4	-	1	-	11	1	-	1	3	5	1	-	-	-	-	-
All other external causes (E980-E999)	64	-	-	-	7	17	25	6	5	1	2	1	26	1	-	-	6	6	2	4	3	1	1	2
White	59	-	-	-	6	17	24	4	5	1	1	1	22	1	-	-	6	4	1	3	3	1	1	2
All other	5	-	-	-	1	-	1	2	-	-	1	-	4	-	-	-	-	2	1	1	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 273 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,290	110	28	36	210	289	374	666	1,427	2,808	2,930	1,411	9,674	75	16	23	83	103	202	368	937	2,048	2,993	2,826
White	9,902	104	26	33	200	274	356	629	1,376	2,725	2,822	1,356	9,297	71	14	22	79	93	193	350	901	1,971	2,893	2,710
All other	388	6	2	3	10	15	18	37	51	83	108	55	377	4	2	1	4	10	9	18	36	77	100	116
Black	377	6	2	3	10	15	18	34	49	80	107	53	371	3	2	1	4	9	9	17	36	75	100	115
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	-	1	-	1	2	3	1	5	-	-	-	-	-	-	-	1	1	2	1
White	8	-	-	-	-	-	1	-	1	2	3	1	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	-	1	-	1	1	3	1	5	-	-	-	-	-	-	-	1	1	2	1
White	7	-	-	-	-	-	1	-	1	1	3	1	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	76	-	-	-	1	-	-	3	14	18	23	17	103	1	-	1	1	2	1	4	3	21	29	40
White	71	-	-	-	1	-	-	3	13	17	22	15	96	1	-	1	1	2	1	4	3	18	27	38
All other	5	-	-	-	-	-	-	-	1	1	1	2	7	-	-	-	-	-	-	-	-	3	2	2
Black	5	-	-	-	-	-	-	-	1	1	1	2	7	-	-	-	-	-	-	-	-	3	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	-	1	1	-	4	-	1	2	-	-	-	-	-	-	-	1	1	-	-
White	7	-	-	-	-	-	1	1	-	4	-	1	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	67	-	-	-	-	19	17	6	8	5	7	5	29	-	-	-	-	4	3	2	3	6	6	5
White	60	-	-	-	-	18	15	5	7	4	6	5	26	-	-	-	-	3	3	2	2	6	6	4
All other	7	-	-	-	-	1	2	1	1	1	1	-	3	-	-	-	-	1	-	-	1	-	-	1
Black	7	-	-	-	-	1	2	1	1	1	1	-	3	-	-	-	-	1	-	-	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,468	1	-	5	12	13	48	190	466	868	654	211	2,159	-	-	2	10	22	83	154	395	641	598	254
White	2,376	1	-	4	12	13	48	174	450	845	628	201	2,069	-	-	2	10	18	81	146	377	619	573	243
All other	92	-	-	1	-	-	-	16	16	23	26	10	90	-	-	-	-	4	2	8	18	22	25	11
Black	89	-	-	1	-	-	-	15	16	21	26	10	89	-	-	-	-	4	2	8	18	21	25	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 274 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	-	-	1	-	2	6	14	9	6	2	25	-	-	-	1	-	-	1	8	8	7	-
White	40	-	-	-	1	-	2	6	14	9	6	2	23	-	-	-	1	-	-	1	6	8	7	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	554	-	-	-	1	3	15	45	97	190	146	57	481	-	-	-	-	4	6	20	58	149	154	90
White	524	-	-	-	1	3	15	41	91	184	136	53	449	-	-	-	-	3	5	20	51	140	144	86
All other	30	-	-	-	-	-	-	4	6	6	10	4	32	-	-	-	-	1	1	-	7	9	10	4
Black	30	-	-	-	-	-	-	4	6	6	10	4	32	-	-	-	-	1	1	-	7	9	10	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	993	-	-	1	-	1	14	83	226	385	236	47	557	-	-	-	-	1	10	39	125	198	155	29
White	951	-	-	-	-	1	14	78	221	377	225	45	542	-	-	-	-	1	10	37	121	196	149	28
All other	32	-	-	1	-	-	-	5	5	8	11	2	15	-	-	-	-	-	-	2	4	2	6	1
Black	31	-	-	1	-	-	-	5	5	7	11	2	15	-	-	-	-	-	-	2	4	2	6	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	2	2	-	330	-	-	-	-	6	28	43	59	95	68	31
White	4	-	-	-	-	-	-	-	-	2	2	-	319	-	-	-	-	5	27	42	57	93	66	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	1	1	1	2	2	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	1	1	1	2	2	2	2
Malignant neoplasms of genital organs (179-187)	250	-	-	-	-	-	-	4	19	71	106	50	219	-	-	-	2	2	16	19	51	60	51	18
White	241	-	-	-	-	-	-	3	18	68	103	49	207	-	-	-	2	2	16	17	49	56	48	17
All other	9	-	-	-	-	-	-	1	1	3	3	1	12	-	-	-	-	-	-	2	2	4	3	1
Black	9	-	-	-	-	-	-	1	1	3	3	1	12	-	-	-	-	-	-	2	2	4	3	1
Malignant neoplasms of urinary organs (188-189)	127	-	-	1	-	-	2	10	20	47	35	12	72	-	-	-	-	1	-	2	12	16	22	19
White	121	-	-	1	-	-	2	9	19	44	34	12	69	-	-	-	-	-	-	2	12	16	21	18
All other	6	-	-	-	-	-	-	1	1	3	1	-	3	-	-	-	-	1	-	-	-	-	1	1
Black	5	-	-	-	-	-	-	1	1	2	1	-	3	-	-	-	-	1	-	-	-	-	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	309	1	-	2	4	7	9	24	63	103	75	21	272	-	-	-	2	6	13	20	45	66	90	30
White	300	1	-	2	4	7	9	21	61	101	74	20	266	-	-	-	2	6	13	19	44	65	88	29
All other	9	-	-	-	-	-	-	3	2	2	1	1	6	-	-	-	-	-	-	1	1	1	2	1
Black	9	-	-	-	-	-	-	3	2	2	1	1	6	-	-	-	-	-	-	1	1	1	2	1
Leukemia (204-208)	78	-	-	1	3	1	1	7	9	23	20	13	77	-	-	2	3	-	6	3	15	20	15	13
White	76	-	-	1	3	1	1	6	9	23	20	12	74	-	-	2	3	-	6	2	15	19	15	12
All other	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	1	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	113	-	-	-	3	1	5	11	18	38	28	9	126	-	-	-	2	2	4	7	22	29	36	24
White	109	-	-	-	3	1	5	10	17	37	28	8	120	-	-	-	2	1	4	6	22	26	35	24
All other	4	-	-	-	-	-	-	1	1	1	-	1	6	-	-	-	-	1	-	1	-	3	1	-
Black	4	-	-	-	-	-	-	1	1	1	-	1	5	-	-	-	-	1	-	1	-	2	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	-	-	2	-	-	2	4	4	10	8	3	38	-	-	-	-	-	2	2	2	7	12	13
White	33	-	-	2	-	-	2	4	4	10	8	3	37	-	-	-	-	-	2	2	2	7	12	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	207	-	-	-	1	2	8	14	36	58	64	24	299	-	-	-	1	3	7	14	36	82	102	54
White	196	-	-	-	1	1	8	13	34	56	60	23	273	-	-	-	1	2	6	14	35	72	93	50
All other	11	-	-	-	-	1	-	1	2	2	4	1	26	-	-	-	-	1	1	-	1	10	9	4
Black	11	-	-	-	-	1	-	1	2	2	4	1	26	-	-	-	-	1	1	-	1	10	9	4
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	-	-	1	3	7	22	-	-	-	-	-	-	-	-	3	3	16
White	11	-	-	-	-	-	-	-	-	1	3	7	17	-	-	-	-	-	-	-	-	3	3	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	5
Anemias (280-285)	13	-	-	-	-	-	1	-	2	2	6	2	27	-	-	-	-	-	-	1	-	2	14	10
White	11	-	-	-	-	-	1	-	2	2	4	2	27	-	-	-	-	-	-	1	-	2	14	10
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	2	-	-	-	-	-	1	-	-	1	-	4	-	-	-	1	-	-	-	-	1	1	1
White	3	2	-	-	-	-	-	1	-	-	-	-	4	-	-	-	1	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,247	2	-	2	10	19	103	258	577	1,207	1,360	709	4,514	-	3	-	3	11	38	112	286	823	1,555	1,683
White	4,094	2	-	2	9	18	95	244	554	1,173	1,316	681	4,356	-	3	-	2	11	35	105	276	788	1,505	1,631
All other	153	-	-	-	1	1	8	14	23	34	44	28	158	-	-	-	1	-	3	7	10	35	50	52
Black	148	-	-	-	1	1	8	12	22	34	43	27	155	-	-	-	1	-	3	6	10	34	50	51

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 275 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	3,547	2	-	2	9	17	95	231	518	1,005	1,112	556	3,528	-	3	-	2	11	25	88	236	651	1,209	1,303
White	3,421	2	-	2	8	16	90	217	496	975	1,081	534	3,405	-	3	-	1	11	23	83	226	622	1,170	1,266
All other	126	-	-	-	1	1	5	14	22	30	31	22	123	-	-	-	1	-	2	5	10	29	39	37
Black	122	-	-	-	1	1	5	12	21	30	30	22	121	-	-	-	1	-	2	5	10	28	39	36
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	1	1	2	2	7	-	29	-	-	-	-	1	-	3	3	8	9	5
White	12	-	-	-	-	-	1	-	2	2	7	-	29	-	-	-	-	1	-	3	3	8	9	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	75	-	-	-	-	1	8	9	8	17	19	13	100	-	-	-	-	1	-	3	2	17	41	36
White	69	-	-	-	-	1	7	9	7	16	18	11	95	-	-	-	-	1	-	3	1	16	40	34
All other	6	-	-	-	-	-	1	-	1	1	1	2	5	-	-	-	-	-	-	-	1	1	1	2
Black	6	-	-	-	-	-	1	-	1	1	1	2	5	-	-	-	-	-	-	-	1	1	1	2
Hypertensive heart and renal disease (404)	11	-	-	-	-	1	1	-	1	3	2	3	9	-	-	-	-	-	-	-	1	-	4	4
White	10	-	-	-	-	-	1	-	1	3	2	3	8	-	-	-	-	-	-	-	-	-	4	4
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Ischemic heart disease (410-414)	2,294	-	-	-	1	6	53	143	351	676	731	333	2,160	-	-	-	-	2	12	50	154	426	742	774
White	2,217	-	-	-	1	6	51	134	338	655	715	317	2,084	-	-	-	-	2	12	47	150	402	718	753
All other	77	-	-	-	-	-	2	9	13	21	16	16	76	-	-	-	-	-	-	3	4	24	24	21
Black	73	-	-	-	-	-	2	7	12	21	15	16	75	-	-	-	-	-	-	3	4	23	24	21
Acute myocardial infarction (410)	1,234	-	-	-	1	3	35	98	225	380	364	128	1,059	-	-	-	-	1	9	34	95	239	393	288
White	1,191	-	-	-	1	3	35	90	216	368	356	122	1,017	-	-	-	-	1	9	32	93	224	379	279
All other	43	-	-	-	-	-	-	8	9	12	8	6	42	-	-	-	-	-	-	2	2	15	14	9
Black	40	-	-	-	-	-	-	7	8	12	7	6	42	-	-	-	-	-	-	2	2	15	14	9
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	2	4	2	-	10	-	-	-	-	-	-	-	-	3	2	5
White	8	-	-	-	-	-	-	-	2	4	2	-	9	-	-	-	-	-	-	-	-	2	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,048	-	-	-	-	3	18	45	124	291	362	205	1,090	-	-	-	-	1	3	16	59	183	347	481
White	1,014	-	-	-	-	3	16	44	120	282	354	195	1,057	-	-	-	-	1	3	15	57	175	337	469
All other	34	-	-	-	-	-	2	1	4	9	8	10	33	-	-	-	-	-	-	1	2	8	10	12
Black	33	-	-	-	-	-	2	-	4	9	8	10	32	-	-	-	-	-	-	1	2	7	10	12
Other diseases of endocardium (424)	54	-	-	-	-	-	3	3	3	17	19	9	63	-	-	-	-	-	-	-	2	15	21	25
White	53	-	-	-	-	-	3	3	3	16	19	9	62	-	-	-	-	-	-	-	2	14	21	25
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	1,100	2	-	2	8	9	29	75	153	290	334	198	1,167	-	3	-	2	7	13	32	74	185	392	459
White	1,060	2	-	2	7	9	27	71	145	283	320	194	1,127	-	3	-	1	7	11	30	70	182	378	445
All other	40	-	-	-	1	-	2	4	8	7	14	4	40	-	-	-	1	-	2	2	4	3	14	14
Black	40	-	-	-	1	-	2	4	8	7	14	4	39	-	-	-	1	-	2	2	4	3	14	13
Hypertension with or without renal disease (401,403)	40	-	-	-	-	-	1	1	4	12	15	7	65	-	-	-	-	-	-	-	4	25	14	22
White	37	-	-	-	-	-	1	1	4	11	13	7	59	-	-	-	-	-	-	-	4	23	13	19
All other	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	-	2	1	3
Black	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	-	2	1	3
Cerebrovascular diseases (430-438)	446	-	-	-	1	2	7	22	33	115	172	94	740	-	-	-	-	-	12	21	34	119	269	285
White	429	-	-	-	1	2	4	22	32	113	166	89	717	-	-	-	-	-	11	19	34	115	262	276
All other	17	-	-	-	-	-	3	-	1	2	6	5	23	-	-	-	-	-	1	2	-	4	7	9
Black	16	-	-	-	-	-	3	-	1	2	6	4	22	-	-	-	-	-	1	1	-	4	7	9
Intracerebral and other intracranial hemorrhage (431-432)	72	-	-	-	-	-	1	6	12	25	21	7	97	-	-	-	-	-	3	8	8	28	29	21
White	71	-	-	-	-	-	-	6	12	25	21	7	93	-	-	-	-	-	2	6	8	28	28	21
All other	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	1	2	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	53	-	-	-	-	-	1	2	3	13	23	11	83	-	-	-	-	-	-	3	3	12	40	25
White	51	-	-	-	-	-	-	2	3	13	22	11	75	-	-	-	-	-	-	3	3	10	37	22
All other	2	-	-	-	-	-	1	-	-	-	1	-	8	-	-	-	-	-	-	-	-	2	3	3
Black	2	-	-	-	-	-	1	-	-	-	1	-	8	-	-	-	-	-	-	-	-	2	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 276 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	1	1	2
White	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	319	-	-	-	1	2	5	13	18	76	128	76	556	-	-	-	-	-	9	10	23	78	199	237
White	305	-	-	-	1	2	4	13	17	74	123	71	545	-	-	-	-	-	9	10	23	76	196	231
All other	14	-	-	-	-	-	1	-	1	2	5	5	11	-	-	-	-	-	-	-	-	2	3	6
Black	13	-	-	-	-	-	1	-	1	2	5	4	11	-	-	-	-	-	-	-	-	2	3	6
Atherosclerosis (440)	71	-	-	-	-	-	-	1	7	15	22	26	81	-	-	-	-	-	-	-	2	8	26	45
White	67	-	-	-	-	-	-	1	7	14	19	26	78	-	-	-	-	-	-	-	2	8	25	43
All other	4	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-	-	-	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	143	-	-	-	-	-	-	3	15	60	39	26	100	-	-	-	1	-	1	3	10	20	37	28
White	140	-	-	-	-	-	-	3	15	60	37	25	97	-	-	-	1	-	1	3	10	20	35	27
All other	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	2	1
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	2	1
White	4	-	-	-	-	-	-	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	308	-	1	1	1	1	3	6	20	54	125	95	380	-	-	1	-	3	3	5	11	49	113	195
White	298	-	1	1	1	1	3	5	19	50	121	95	371	-	-	1	-	3	3	5	11	49	111	188
All other	10	-	-	-	-	-	-	1	1	4	4	-	9	-	-	-	-	-	-	-	-	-	2	7
Black	9	-	-	-	-	-	-	1	1	3	4	-	9	-	-	-	-	-	-	-	-	-	2	7
Pneumonia (480-486)	303	-	1	1	-	1	3	6	20	54	125	91	371	-	-	1	-	3	3	5	11	48	111	189
White	293	-	1	1	-	1	3	5	19	50	121	91	362	-	-	1	-	3	3	5	11	48	109	182
All other	10	-	-	-	-	-	-	1	1	4	4	-	9	-	-	-	-	-	-	-	-	-	2	7
Black	9	-	-	-	-	-	-	1	1	3	4	-	9	-	-	-	-	-	-	-	-	-	2	7
Influenza (487)	5	-	-	-	1	-	-	-	-	-	-	4	9	-	-	-	-	-	-	-	-	1	2	6
White	5	-	-	-	1	-	-	-	-	-	-	4	9	-	-	-	-	-	-	-	-	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	595	-	-	-	1	-	1	13	66	199	232	83	448	1	-	1	1	-	4	10	59	150	150	72
White	575	-	-	-	1	-	1	12	65	193	223	80	441	1	-	-	1	-	3	9	58	149	149	71
All other	20	-	-	-	-	-	-	1	1	6	9	3	7	-	-	1	-	-	1	1	1	1	1	1
Black	20	-	-	-	-	-	-	1	1	6	9	3	7	-	-	1	-	-	1	1	1	1	1	1
Bronchitis, chronic and unspecified (490-491)	23	-	-	-	-	-	-	-	7	5	9	2	32	1	-	-	-	-	1	1	6	6	10	7
White	23	-	-	-	-	-	-	-	7	5	9	2	29	1	-	-	-	-	-	-	5	6	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Emphysema (492)	77	-	-	-	-	-	-	3	12	30	25	7	49	-	-	-	-	-	-	-	4	18	18	9
White	74	-	-	-	-	-	-	3	12	30	22	7	49	-	-	-	-	-	-	-	4	18	18	9
All other	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	12	-	-	-	1	-	1	-	3	4	2	1	28	-	-	1	1	-	2	-	5	9	8	2
White	12	-	-	-	1	-	1	-	3	4	2	1	27	-	-	-	1	-	2	-	5	9	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	483	-	-	-	-	-	-	10	44	160	196	73	339	-	-	-	-	-	1	9	44	117	114	54
White	466	-	-	-	-	-	-	9	43	154	190	70	336	-	-	-	-	-	1	9	44	116	113	53
All other	17	-	-	-	-	-	-	1	1	6	6	3	3	-	-	-	-	-	-	-	-	1	1	1
Black	17	-	-	-	-	-	-	1	1	6	6	3	3	-	-	-	-	-	-	-	-	1	1	1
Ulcer of stomach and duodenum (531-533)	18	-	-	-	-	-	1	-	4	5	6	2	22	-	-	-	-	-	1	3	-	5	8	5
White	18	-	-	-	-	-	1	-	4	5	6	2	22	-	-	-	-	-	1	3	-	5	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	-	1	-	-	-	-	-	1	7	2	4	34	-	-	-	-	-	-	-	4	3	11	16
White	14	-	1	-	-	-	-	-	1	7	1	4	32	-	-	-	-	-	-	-	4	3	11	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 277 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	109	-	-	-	-	4	15	19	27	29	12	3	59	-	-	-	-	2	3	3	12	22	12	5
White	104	-	-	-	-	3	14	19	26	27	12	3	55	-	-	-	-	1	2	3	12	20	12	5
All other	5	-	-	-	-	1	1	-	1	2	-	-	4	-	-	-	-	1	1	-	-	2	-	-
Black	5	-	-	-	-	1	1	-	1	2	-	-	4	-	-	-	-	1	1	-	-	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	12	-	-	-	-	-	-	1	2	3	3	3	27	-	-	-	-	-	-	2	1	4	6	14
White	12	-	-	-	-	-	-	1	2	3	3	3	25	-	-	-	-	-	-	2	-	4	5	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	109	-	-	-	-	1	2	1	11	30	39	25	110	-	-	-	-	-	2	3	9	21	35	40
White	103	-	-	-	-	1	1	1	10	29	38	23	102	-	-	-	-	-	1	3	9	20	34	35
All other	6	-	-	-	-	-	1	-	1	1	1	2	8	-	-	-	-	-	1	-	-	1	1	5
Black	6	-	-	-	-	-	1	-	1	1	1	2	8	-	-	-	-	-	1	-	-	1	1	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	1	-	3	7	-	-	-	-	-	-	-	1	3	1	2
White	4	-	-	-	-	-	-	-	-	1	-	3	7	-	-	-	-	-	-	-	1	3	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	102	-	-	-	-	1	2	-	11	28	38	22	100	-	-	-	-	-	2	3	8	17	33	37
White	96	-	-	-	-	1	1	-	10	27	37	20	92	-	-	-	-	-	1	3	8	16	32	32
All other	6	-	-	-	-	-	1	-	1	1	1	2	8	-	-	-	-	-	1	-	-	1	1	5
Black	6	-	-	-	-	-	1	-	1	1	1	2	8	-	-	-	-	-	1	-	-	1	1	5
Infections of kidney (590)	4	-	-	-	-	-	1	-	-	1	1	1	11	-	-	-	-	-	-	-	1	3	3	4
White	4	-	-	-	-	-	1	-	-	1	1	1	11	-	-	-	-	-	-	-	1	3	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	45	21	4	1	-	5	1	3	3	2	4	1	37	20	4	1	2	1	1	1	1	2	2	2
White	43	21	4	-	-	5	-	3	3	2	4	1	36	19	4	1	2	1	1	1	1	2	2	2
All other	2	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	46	46	-	-	-	-	-	-	-	-	-	-	36	35	1	-	-	-	-	-	-	-	-	-
White	43	43	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	17	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 278 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	29	29	–	–	–	–	–	–	–	–	–	–	27	26	1	–	–	–	–	–	–	–	–	–
White	29	29	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	91	26	4	–	–	3	5	3	14	14	10	12	86	11	1	–	–	–	4	2	4	11	15	38
White	85	23	4	–	–	3	5	2	14	14	10	10	82	11	1	–	–	–	4	2	4	11	15	34
All other	6	3	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–	4
Black	6	3	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–	4
All other diseases (Residual)	870	7	5	7	11	22	32	45	89	209	290	153	861	4	1	2	6	6	16	28	73	150	260	315
White	842	7	5	7	10	21	29	45	88	203	280	147	827	4	1	2	6	5	16	27	70	149	252	295
All other	28	–	–	–	1	1	3	–	1	6	10	6	34	–	–	–	–	1	–	1	3	1	8	20
Black	27	–	–	–	1	1	3	–	1	6	10	5	34	–	–	–	–	1	–	1	3	1	8	20
Accidents and adverse effects (E800-E949)	611	4	12	14	125	123	75	62	56	52	48	40	274	1	6	13	44	33	16	13	25	34	48	41
White	588	4	10	13	120	120	74	60	54	50	44	39	266	1	5	13	43	32	16	12	24	32	48	40
All other	23	–	2	1	5	3	1	2	2	2	4	1	8	–	1	–	1	1	–	1	1	2	–	1
Black	22	–	2	1	5	3	1	2	1	2	4	1	7	–	1	–	1	–	–	1	1	2	–	1
Motor vehicle accidents (E810-E825)	292	1	3	8	84	76	30	32	23	16	14	5	139	–	1	10	41	29	12	6	13	13	12	2
White	285	1	3	8	82	74	30	32	22	15	13	5	136	–	1	10	40	28	12	5	13	13	12	2
All other	7	–	–	–	2	2	–	–	1	1	1	–	3	–	–	–	1	1	–	1	–	–	–	–
Black	7	–	–	–	2	2	–	–	1	1	1	–	2	–	–	–	1	–	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	319	3	9	6	41	47	45	30	33	36	34	35	135	1	5	3	3	4	4	7	12	21	36	39
White	303	3	7	5	38	46	44	28	32	35	31	34	130	1	4	3	3	4	4	7	11	19	36	38
All other	16	–	2	1	3	1	1	2	1	1	3	1	5	–	1	–	–	–	–	–	1	2	–	1
Black	15	–	2	1	3	1	1	2	–	1	3	1	5	–	1	–	–	–	–	–	1	2	–	1
Suicide (E950-E959)	204	...	...	3	35	40	35	25	17	23	21	5	36	...	...	2	3	6	9	6	5	3	2	–
White	200	...	...	3	35	38	35	25	16	22	21	5	36	...	...	2	3	6	9	6	5	3	2	–
All other	4	...	...	–	–	2	–	–	1	1	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	4	...	...	–	–	2	–	–	1	1	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	88	1	1	1	11	30	21	10	8	4	1	–	36	2	–	–	11	7	7	2	5	1	1	–
White	79	1	1	1	8	25	20	10	8	4	1	–	33	2	–	–	9	7	7	2	5	1	–	–
All other	9	–	–	–	3	5	1	–	–	–	–	–	3	–	–	–	2	–	–	–	–	–	1	–
Black	9	–	–	–	3	5	1	–	–	–	–	–	3	–	–	–	2	–	–	–	–	–	1	–
All other external causes (E980-E999)	12	–	–	–	2	7	1	1	1	–	–	–	9	–	–	–	–	2	2	1	–	2	2	–
White	12	–	–	–	2	7	1	1	1	–	–	–	8	–	–	–	–	1	2	1	–	2	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
WISCONSIN																								
All causes	22,110	359	77	101	444	538	723	1,103	2,648	5,246	6,817	4,053	21,027	240	59	69	143	194	415	653	1,572	3,481	6,456	7,743
White	21,150	286	59	80	361	458	636	986	2,504	5,088	6,694	3,997	20,344	194	41	60	127	160	377	599	1,461	3,355	6,314	7,654
All other	960	73	18	21	83	80	87	117	144	158	123	56	683	46	18	9	16	34	38	54	111	126	142	89
Black	783	62	12	15	72	64	74	98	118	134	91	43	555	40	17	9	14	30	29	42	93	99	109	73
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	1	–	–	–	–	–	–	–	1	1	2	7	–	–	–	–	–	–	–	–	1	2	4
White	4	–	–	–	–	–	–	–	–	1	1	2	7	–	–	–	–	–	–	–	–	1	2	4
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	9	–	–	–	–	–	1	2	1	1	4	–	9	–	–	–	–	1	1	1	1	2	2	1
White	7	–	–	–	–	–	–	2	–	1	4	–	5	–	–	–	–	–	–	–	–	2	2	1
All other	2	–	–	–	–	–	1	–	1	–	–	–	4	–	–	–	–	1	1	1	1	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	3	–	–	–	–	1	–	1	1	–	–	–
Tuberculosis of respiratory system (010-012)	9	–	–	–	–	–	1	2	1	1	4	–	7	–	–	–	–	–	1	1	–	2	2	1
White	7	–	–	–	–	–	–	2	–	1	4	–	5	–	–	–	–	–	–	–	–	2	2	1
All other	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 279 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	144	3	2	1	-	-	4	8	13	24	51	38	180	2	-	-	1	1	1	1	9	25	48	92
White	136	3	2	1	-	-	2	8	13	22	50	35	174	1	-	-	1	1	1	1	8	24	46	91
All other	8	-	-	-	-	-	2	-	-	2	1	3	6	1	-	-	-	-	-	-	1	1	2	1
Black	7	-	-	-	-	-	2	-	-	1	1	3	5	1	-	-	-	-	-	-	1	1	2	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	1	1	2	-	3	2	1	-	5	-	-	-	-	-	-	-	1	-	3	1
White	8	-	-	-	-	1	1	-	3	2	1	-	4	-	-	-	-	-	-	-	1	-	2	1
All other	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	206	4	3	-	6	49	63	29	13	15	14	10	81	2	3	1	3	7	6	6	13	12	16	12
White	186	3	3	-	5	43	56	24	13	15	14	10	72	2	3	1	2	4	6	2	13	12	15	12
All other	20	1	-	-	1	6	7	5	-	-	-	-	9	-	-	-	1	3	-	4	-	-	1	-
Black	20	1	-	-	1	6	7	5	-	-	-	-	8	-	-	-	1	3	-	3	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,538	-	6	15	18	47	114	310	1,013	1,748	1,663	604	4,803	-	3	7	16	37	164	338	774	1,223	1,435	806
White	5,346	-	6	12	16	43	105	277	958	1,699	1,631	599	4,647	-	1	5	12	32	153	325	729	1,184	1,409	797
All other	192	-	-	3	2	4	9	33	55	49	32	5	156	-	2	2	4	5	11	13	45	39	26	9
Black	163	-	-	2	1	3	7	29	47	44	26	4	122	-	2	2	4	4	6	9	35	32	21	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	101	-	-	-	-	1	1	8	30	33	23	5	56	-	-	-	-	2	1	3	11	18	13	8
White	97	-	-	-	-	1	1	7	27	33	23	5	55	-	-	-	-	1	1	3	11	18	13	8
All other	4	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,376	-	-	-	1	8	22	74	252	447	421	151	1,127	-	-	-	1	3	15	36	139	251	416	266
White	1,324	-	-	-	1	5	21	69	239	427	412	150	1,090	-	-	-	1	3	13	34	126	245	405	263
All other	52	-	-	-	-	3	1	5	13	20	9	1	37	-	-	-	-	-	2	2	13	6	11	3
Black	40	-	-	-	-	2	1	4	10	16	7	-	27	-	-	-	-	-	-	2	10	4	9	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,673	-	-	-	2	3	24	113	395	577	460	99	882	-	-	-	-	3	20	73	187	287	244	68
White	1,606	-	-	-	2	3	19	93	370	570	452	97	847	-	-	-	-	1	18	71	170	278	241	68
All other	67	-	-	-	-	-	5	20	25	7	8	2	35	-	-	-	-	2	2	2	17	9	3	-
Black	62	-	-	-	-	-	4	20	22	7	7	2	28	-	-	-	-	1	2	2	15	5	3	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	1	1	918	-	-	-	1	6	60	93	175	212	241	130
White	4	-	-	-	-	-	-	-	1	1	1	1	897	-	-	-	-	6	59	89	170	206	238	129
All other	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	1	-	1	4	5	6	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	1	-	1	3	5	6	2	1
Malignant neoplasms of genital organs (179-187)	782	-	-	-	-	1	4	9	68	185	322	193	542	-	-	1	-	5	19	57	92	147	146	75
White	763	-	-	-	-	1	3	9	66	178	314	192	525	-	-	-	-	5	16	54	89	144	142	75
All other	19	-	-	-	-	-	1	-	2	7	8	1	17	-	-	1	-	-	3	3	3	3	4	-
Black	16	-	-	-	-	-	-	-	1	6	8	1	12	-	-	1	-	-	2	2	1	3	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 280 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	361	-	-	1	-	1	11	18	60	99	126	45	177	-	-	1	-	-	5	13	30	36	49	43
White	353	-	-	1	-	1	11	18	58	95	125	44	171	-	-	1	-	-	4	13	30	31	49	43
All other	8	-	-	-	-	-	-	-	2	4	1	1	6	-	-	-	-	-	1	-	-	5	-	-
Black	7	-	-	-	-	-	-	-	2	4	-	1	4	-	-	-	-	-	-	-	-	4	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	650	-	4	5	6	21	37	50	123	217	139	48	612	-	3	2	7	12	27	38	86	155	168	114
White	628	-	4	5	4	21	35	44	118	213	136	48	587	-	1	1	4	12	27	37	80	150	165	110
All other	22	-	-	-	2	-	2	6	5	4	3	-	25	-	2	1	3	-	-	1	6	5	3	4
Black	17	-	-	-	1	-	2	4	4	4	2	-	21	-	2	1	3	-	-	-	4	5	3	3
Leukemia (204-208)	232	-	2	3	6	7	6	11	28	73	72	24	191	-	-	3	4	2	8	8	21	39	56	50
White	225	-	2	1	6	6	6	10	28	70	72	24	182	-	-	3	4	1	6	7	20	37	54	50
All other	7	-	-	2	-	1	-	1	-	3	-	-	9	-	-	-	-	1	2	1	1	2	2	-
Black	6	-	-	1	-	1	-	1	-	3	-	-	5	-	-	-	-	1	1	-	-	2	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	359	-	-	6	3	5	9	27	56	116	99	38	298	-	-	-	3	4	9	17	33	78	102	52
White	346	-	-	5	3	5	9	27	51	112	96	38	293	-	-	-	3	3	9	17	33	75	102	51
All other	13	-	-	1	-	-	-	-	5	4	3	-	5	-	-	-	-	1	-	-	-	3	-	1
Black	12	-	-	1	-	-	-	-	5	4	2	-	5	-	-	-	-	1	-	-	-	3	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	63	-	-	1	2	3	2	2	9	12	19	13	95	1	1	-	-	3	2	4	10	13	27	34
White	62	-	-	1	2	2	2	2	9	12	19	13	94	1	1	-	-	3	2	4	10	12	27	34
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	441	-	-	-	2	3	19	23	62	137	138	57	582	-	1	-	-	5	11	14	52	134	191	174
White	423	-	-	-	2	2	19	19	57	131	136	57	545	-	1	-	-	4	10	11	45	125	180	169
All other	18	-	-	-	-	1	-	4	5	6	2	-	37	-	-	-	-	1	1	3	7	9	11	5
Black	14	-	-	-	-	1	-	3	4	4	2	-	28	-	-	-	-	1	1	3	6	6	8	3
Nutritional deficiencies (260-269)	26	-	-	-	-	-	-	-	1	1	10	14	53	-	-	-	-	1	1	-	-	6	10	35
White	24	-	-	-	-	-	-	-	1	1	9	13	52	-	-	-	-	1	1	-	-	6	10	34
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	42	1	2	1	-	-	1	-	4	4	10	19	40	-	-	-	-	-	-	-	-	5	9	26
White	38	1	1	1	-	-	1	-	4	3	10	17	40	-	-	-	-	-	-	-	-	5	9	26
All other	4	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	-	-	1	-	-	-	-	-	1	3	1	6	-	1	1	-	1	-	-	-	2	1	-
White	6	-	-	1	-	-	-	-	-	1	3	1	5	-	1	1	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	9,160	16	5	2	11	43	164	406	1,008	2,240	3,208	2,057	9,656	4	4	3	7	23	76	146	408	1,345	3,193	4,447
White	8,887	14	3	1	10	36	143	367	958	2,178	3,147	2,030	9,412	4	2	3	5	20	67	124	371	1,302	3,116	4,398
All other	273	2	2	1	1	7	21	39	50	62	61	27	244	-	2	-	2	3	9	22	37	43	77	49
Black	222	2	2	-	1	7	18	32	39	54	46	21	200	-	1	-	1	3	9	18	35	36	57	40
Diseases of heart (390-398,402,404-429)	7,270	12	5	2	8	35	131	342	862	1,852	2,456	1,565	7,075	4	3	1	6	18	52	103	314	1,055	2,363	3,156
White	7,052	10	3	1	7	28	115	309	819	1,803	2,409	1,548	6,891	4	2	1	4	16	47	84	285	1,019	2,306	3,123
All other	218	2	2	1	1	7	16	33	43	49	47	17	184	-	1	-	2	2	5	19	29	36	57	33
Black	176	2	2	-	1	7	13	27	33	44	35	14	153	-	1	-	1	2	5	16	27	31	43	27
Rheumatic fever and rheumatic heart disease (390-398)	38	-	-	1	-	-	1	3	3	10	11	9	73	-	-	-	-	1	1	3	1	17	23	27
White	36	-	-	-	-	-	1	3	3	9	11	9	70	-	-	-	-	1	1	1	1	17	23	26
All other	2	-	-	1	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	2	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	2	-	-	-	1
Hypertensive heart disease (402)	107	-	-	-	-	2	1	9	12	25	37	21	186	-	-	-	-	-	1	2	11	35	57	80
White	94	-	-	-	-	-	1	4	12	23	34	20	176	-	-	-	-	-	-	1	8	33	55	79
All other	13	-	-	-	-	2	-	5	-	2	3	1	10	-	-	-	-	-	1	1	3	2	2	1
Black	12	-	-	-	-	2	-	4	-	2	3	1	9	-	-	-	-	-	1	1	3	2	1	1
Hypertensive heart and renal disease (404)	10	-	-	-	-	-	1	-	-	-	9	-	23	-	-	-	-	1	1	-	1	1	3	16
White	9	-	-	-	-	-	-	-	-	-	9	-	21	-	-	-	-	1	-	-	-	1	3	16
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Ischemic heart disease (410-414)	5,441	1	1	-	2	11	89	252	678	1,478	1,823	1,106	4,886	-	-	-	-	3	28	60	220	771	1,679	2,125
White	5,303	1	1	-	2	10	82	234	644	1,446	1,789	1,094	4,775	-	-	-	-	3	28	49	204	744	1,642	2,105
All other	138	-	-	-	-	1	7	18	34	32	34	12	111	-	-	-	-	-	-	11	16	27	37	20
Black	105	-	-	-	-	1	4	13	24	27	26	10	88	-	-	-	-	-	-	9	14	22	27	16
Acute myocardial infarction (410)	2,990	-	-	-	1	7	54	165	415	882	1,001	465	2,374	-	-	-	-	1	18	45	141	452	875	842
White	2,935	-	-	-	1	6	49	156	399	873	989	462	2,319	-	-	-	-	1	18	38	132	439	856	835
All other	55	-	-	-	-	1	5	9	16	9	12	3	55	-	-	-	-	-	-	7	9	13	19	7
Black	32	-	-	-	-	1	2	5	10	6	6	2	42	-	-	-	-	-	-	6	7	11	11	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 281 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	13	-	1	-	-	-	1	-	1	4	2	4	3	-	-	-	-	-	-	-	-	-	1	2
White	13	-	1	-	-	-	1	-	1	4	2	4	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	-	-	1	3	5
White	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,435	1	-	-	1	4	34	87	262	592	819	635	2,500	-	-	-	-	2	10	15	79	318	800	1,276
White	2,352	1	-	-	1	4	32	78	244	569	797	626	2,445	-	-	-	-	2	10	11	72	304	783	1,263
All other	83	-	-	-	-	-	2	9	18	23	22	9	55	-	-	-	-	-	-	4	7	14	17	13
Black	73	-	-	-	-	-	2	8	14	21	20	8	46	-	-	-	-	-	-	3	7	11	16	9
Other diseases of endocardium (424)	147	1	-	-	-	3	3	2	13	26	64	35	214	-	-	-	-	-	3	2	5	14	98	92
White	143	1	-	-	-	2	2	2	13	26	62	35	210	-	-	-	-	-	2	2	5	13	96	92
All other	4	-	-	-	-	1	1	-	-	-	2	-	4	-	-	-	-	-	1	-	-	1	2	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	1,527	10	4	1	6	19	36	76	156	313	512	394	1,693	4	3	1	6	13	18	36	76	217	503	816
White	1,467	8	2	1	5	16	29	66	147	299	504	390	1,639	4	2	1	4	11	16	31	67	211	487	805
All other	60	2	2	-	1	3	7	10	9	14	8	4	54	-	1	-	2	2	2	5	9	6	16	11
Black	57	2	2	-	1	3	7	10	9	14	6	3	49	-	1	-	1	2	2	4	9	6	15	9
Hypertension with or without renal disease (401,403)	95	-	-	-	-	-	-	4	9	20	37	25	91	-	-	-	-	-	-	1	5	14	27	44
White	89	-	-	-	-	-	-	2	7	19	36	25	86	-	-	-	-	-	-	1	4	12	25	44
All other	6	-	-	-	-	-	-	2	2	1	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	5	-	-	-	-	-	-	2	2	-	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Cerebrovascular diseases (430-438)	1,309	4	-	-	2	5	27	46	83	250	528	364	2,008	-	1	2	1	5	21	35	72	221	667	983
White	1,268	4	-	-	2	5	23	43	80	240	516	355	1,959	-	-	2	1	4	17	32	66	218	651	968
All other	41	-	-	-	-	-	4	3	3	10	12	9	49	-	1	-	-	1	4	3	6	3	16	15
Black	32	-	-	-	-	-	4	2	3	8	9	6	39	-	-	-	-	1	4	2	6	1	12	13
Intracerebral and other intracranial hemorrhage (431-432)	178	2	-	-	-	1	7	21	20	50	58	19	225	-	1	1	-	1	11	9	25	44	85	48
White	170	2	-	-	-	1	5	19	20	46	58	19	212	-	-	1	-	-	8	8	23	43	81	48
All other	8	-	-	-	-	-	2	2	-	4	-	-	13	-	1	-	-	1	3	1	2	1	4	-
Black	6	-	-	-	-	-	2	2	-	2	-	-	10	-	-	-	-	1	3	-	2	-	4	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	128	-	-	-	-	-	4	1	8	20	61	34	194	-	-	-	1	1	1	-	7	17	68	99
White	124	-	-	-	-	-	3	-	7	20	60	34	190	-	-	-	1	1	1	-	6	17	66	98
All other	4	-	-	-	-	-	1	1	1	-	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	2	-	-	-	-	-	1	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
Cerebral embolism (434.1)	3	-	-	-	-	-	-	1	2	-	-	-	8	-	-	-	-	-	-	-	-	1	1	6
White	3	-	-	-	-	-	-	1	2	-	-	-	8	-	-	-	-	-	-	-	-	1	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,000	2	-	-	2	4	16	23	53	180	409	311	1,581	-	-	1	-	3	9	26	40	159	513	830
White	971	2	-	-	2	4	15	23	51	174	398	302	1,549	-	-	1	-	3	8	24	37	157	503	816
All other	29	-	-	-	-	-	1	-	2	6	11	9	32	-	-	-	-	-	1	2	3	2	10	14
Black	24	-	-	-	-	-	1	-	2	6	9	6	25	-	-	-	-	-	1	2	3	1	6	12
Atherosclerosis (440)	136	-	-	-	-	-	-	1	9	26	46	54	220	-	-	-	-	-	-	-	5	11	49	155
White	135	-	-	-	-	-	-	1	9	26	46	53	217	-	-	-	-	-	-	-	5	11	47	154
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	350	-	-	-	1	3	6	13	45	92	141	49	262	-	-	-	-	-	3	7	12	44	87	109
White	343	-	-	-	1	3	5	12	43	90	140	49	259	-	-	-	-	-	3	7	11	42	87	109
All other	7	-	-	-	-	-	1	1	2	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	6	-	-	-	-	-	1	1	1	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Acute bronchitis and bronchiolitis (466)	8	2	1	-	-	-	-	1	-	1	2	1	8	1	-	-	-	1	-	-	-	-	2	4
White	8	2	1	-	-	-	-	1	-	1	2	1	8	1	-	-	-	1	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	796	8	2	4	3	4	8	17	28	107	283	332	955	2	2	1	1	1	5	3	26	70	256	588
White	771	4	2	3	3	4	6	13	28	103	278	327	941	1	1	1	1	1	4	3	24	67	255	583
All other	25	4	-	1	-	-	2	4	-	4	5	5	14	1	1	-	-	-	1	-	2	3	1	5
Black	19	3	-	1	-	-	1	3	-	2	5	4	14	1	1	-	-	-	1	-	2	3	1	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 282 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	783	7	1	3	2	4	8	17	27	107	279	328	928	2	2	1	1	1	5	3	24	67	251	571
White	759	4	1	2	2	4	6	13	27	103	274	323	914	1	1	1	1	1	4	3	22	64	250	566
All other	24	3	-	1	-	-	2	4	-	4	5	5	14	1	1	-	-	-	1	-	2	3	1	5
Black	18	2	-	1	-	-	1	3	-	2	5	4	14	1	1	-	-	-	1	-	2	3	1	5
Influenza (487)	13	1	1	1	1	-	-	-	1	-	4	4	27	-	-	-	-	-	-	-	2	3	5	17
White	12	-	1	1	1	-	-	-	1	-	4	4	27	-	-	-	-	-	-	-	2	3	5	17
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,076	-	-	-	4	2	6	11	96	296	458	203	694	1	-	1	2	1	3	9	79	199	253	146
White	1,050	-	-	-	4	1	5	10	91	285	454	200	678	1	-	1	2	-	3	8	76	190	251	146
All other	26	-	-	-	-	1	1	1	5	11	4	3	16	-	-	-	-	1	-	1	3	9	2	-
Black	20	-	-	-	-	1	1	1	4	9	2	2	10	-	-	-	-	1	-	1	3	4	1	-
Bronchitis, chronic and unspecified (490-491)	28	-	-	-	-	-	1	-	4	6	10	7	29	1	-	-	-	-	-	-	-	7	9	12
White	28	-	-	-	-	-	1	-	4	6	10	7	29	1	-	-	-	-	-	-	-	7	9	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	234	-	-	-	-	-	-	5	22	74	100	33	108	-	-	-	-	-	-	1	16	39	34	18
White	228	-	-	-	-	-	-	4	20	71	100	33	105	-	-	-	-	-	-	1	16	36	34	18
All other	6	-	-	-	-	-	-	1	2	3	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	4	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	46	-	-	-	4	2	5	2	7	8	12	6	57	-	-	1	2	1	2	1	7	13	17	13
White	44	-	-	-	4	1	4	2	7	8	12	6	54	-	-	1	2	-	2	1	7	12	16	13
All other	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	768	-	-	-	-	-	-	4	63	208	336	157	500	-	-	-	-	-	1	7	56	140	193	103
White	750	-	-	-	-	-	-	4	60	200	332	154	490	-	-	-	-	-	1	6	53	135	192	103
All other	18	-	-	-	-	-	-	-	3	8	4	3	10	-	-	-	-	-	-	1	3	5	1	-
Black	14	-	-	-	-	-	-	-	3	7	2	2	7	-	-	-	-	-	-	1	3	2	1	-
Ulcer of stomach and duodenum (531-533)	63	-	-	-	-	1	-	3	6	11	23	19	60	-	-	-	-	1	3	2	3	9	16	26
White	63	-	-	-	-	1	-	3	6	11	23	19	60	-	-	-	-	1	3	2	3	9	16	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	1	-	1	2	1	2	-	1	-	-	-	-	-	-	-	1	-
White	5	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	-	1	-	1	-	-	1	4	6	26	22	93	-	-	-	-	-	-	4	2	5	28	54
White	59	-	-	-	1	-	-	1	4	6	25	22	92	-	-	-	-	-	-	4	2	5	28	53
All other	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis (571)	225	-	-	-	-	4	21	33	68	67	30	2	134	-	-	-	-	3	7	14	28	41	35	6
White	212	-	-	-	-	3	18	29	65	66	29	2	127	-	-	-	-	2	6	14	26	39	34	6
All other	13	-	-	-	-	1	3	4	3	1	1	-	7	-	-	-	-	1	1	-	2	2	1	-
Black	10	-	-	-	-	1	3	4	2	-	-	-	4	-	-	-	-	1	1	-	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	29	-	-	-	-	1	1	-	3	6	10	8	31	-	-	-	-	-	-	-	3	1	9	18
White	26	-	-	-	-	-	-	-	3	5	10	8	29	-	-	-	-	-	-	-	3	1	8	17
All other	3	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	216	5	1	-	-	2	4	2	10	37	80	75	201	2	-	-	-	1	2	2	6	37	67	84
White	203	5	1	-	-	-	2	2	8	33	78	74	194	2	-	-	-	1	2	2	6	33	66	82
All other	13	-	-	-	-	2	2	-	2	4	2	1	7	-	-	-	-	-	-	-	-	4	1	2
Black	9	-	-	-	-	1	2	-	2	3	-	1	5	-	-	-	-	-	-	-	-	3	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	1	-	-	-	2	1
White	2	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	-	-	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 283 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	-	2	2	2	5	10	-	-	-	-	-	-	1	1	2	5	1
White	11	-	-	-	-	-	-	-	2	2	2	5	10	-	-	-	-	-	-	1	1	2	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	202	4	1	-	-	2	4	2	7	35	77	70	187	2	-	-	-	-	2	1	5	35	60	82
White	190	4	1	-	-	-	2	2	6	31	75	69	180	2	-	-	-	-	2	1	5	31	59	80
All other	12	-	-	-	-	2	2	-	1	4	2	1	7	-	-	-	-	-	-	-	-	4	1	2
Black	8	-	-	-	-	1	2	-	1	3	-	1	5	-	-	-	-	-	-	-	-	3	1	1
Infections of kidney (590)	6	-	-	-	-	-	1	-	-	2	2	1	15	-	-	-	-	-	-	-	1	4	6	4
White	5	-	-	-	-	-	1	-	-	2	1	1	15	-	-	-	-	-	-	-	1	4	6	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	2	3	4	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	2	3	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	140	80	8	7	4	9	8	4	8	6	4	2	104	60	8	6	2	3	-	3	2	8	10	2
White	124	68	7	5	4	9	7	4	8	6	4	2	93	55	5	6	2	3	-	3	1	6	10	2
All other	16	12	1	2	-	-	1	-	-	-	-	-	11	5	3	-	-	-	-	-	1	2	-	-
Black	13	9	1	2	-	-	1	-	-	-	-	-	9	3	3	-	-	-	-	-	1	2	-	-
Certain conditions originating in the perinatal period (760-779)	138	135	3	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
White	108	106	2	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
All other	30	29	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	28	27	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	29	1	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	6	5	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	6	5	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	108	106	2	-	-	-	-	-	-	-	-	-	83	83	-	-	-	-	-	-	-	-	-	-
White	84	82	2	-	-	-	-	-	-	-	-	-	68	68	-	-	-	-	-	-	-	-	-	-
All other	24	24	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	122	71	3	1	3	7	8	1	1	5	10	11	78	39	2	-	1	4	1	-	-	6	7	16
White	99	54	1	1	3	5	6	1	1	5	10	11	59	23	-	-	1	3	1	-	-	6	7	16
All other	23	17	2	-	-	2	2	-	-	-	-	-	19	16	2	-	-	1	-	-	-	-	-	-
Black	19	15	2	-	-	1	1	-	-	-	-	-	18	15	2	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	1,779	17	9	7	18	27	57	91	146	359	567	481	2,261	14	6	7	11	27	49	52	95	263	707	1,030
White	1,710	15	8	6	15	21	52	82	135	346	557	473	2,199	12	5	7	10	22	41	46	94	252	693	1,017
All other	69	2	1	1	3	6	5	9	11	13	10	8	62	2	1	-	1	5	8	6	1	11	14	13
Black	46	-	-	-	2	4	3	7	9	11	5	5	54	1	1	-	-	4	7	6	1	8	13	13
Accidents and adverse effects (E800-E949)	1,105	14	27	50	214	178	123	91	94	100	148	66	612	5	23	37	70	43	50	34	44	62	117	127
White	1,026	11	20	43	203	163	110	82	87	96	146	65	575	5	19	31	70	40	46	30	35	60	113	126
All other	79	3	7	7	11	15	13	9	7	4	2	1	37	-	4	6	-	3	4	4	9	2	4	1
Black	50	2	4	5	5	7	10	6	5	4	2	-	27	-	4	6	-	2	2	1	6	2	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 284 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	554	1	6	23	169	122	62	45	42	37	37	10	269	1	11	22	62	31	34	27	19	31	26	5
White	524	1	5	20	164	114	57	42	40	35	36	10	257	1	10	20	62	30	33	24	15	31	26	5
All other	30	–	1	3	5	8	5	3	2	2	1	–	12	–	1	2	–	1	1	3	4	–	–	–
Black	14	–	–	1	–	3	5	1	1	2	1	–	7	–	1	2	–	–	1	1	2	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	551	13	21	27	45	56	61	46	52	63	111	56	343	4	12	15	8	12	16	7	25	31	91	122
White	502	10	15	23	39	49	53	40	47	61	110	55	318	4	9	11	8	10	13	6	20	29	87	121
All other	49	3	6	4	6	7	8	6	5	2	1	1	25	–	3	4	–	2	3	1	5	2	4	1
Black	36	2	4	4	5	4	5	5	4	2	1	–	20	–	3	4	–	2	1	–	4	2	3	1
Suicide (E950-E959)	478	...	...	5	85	105	88	49	44	48	45	9	95	...	...	1	18	14	26	15	10	6	4	1
White	458	...	...	4	75	103	82	48	44	48	45	9	92	...	...	1	17	13	26	15	9	6	4	1
All other	20	...	...	1	10	2	6	1	–	–	–	–	3	...	...	–	1	1	–	–	1	–	–	–
Black	16	...	...	1	8	–	6	1	–	–	–	–	3	...	...	–	1	1	–	–	1	–	–	–
Homicide and legal intervention (E960-E978)	178	2	4	3	68	45	24	17	9	4	1	1	56	8	3	4	10	11	5	5	3	1	1	5
White	67	–	2	–	16	15	14	9	5	4	1	1	33	4	1	3	4	4	4	5	2	1	1	4
All other	111	2	2	3	52	30	10	8	4	–	–	–	23	4	2	1	6	7	1	–	1	–	–	1
Black	107	2	2	2	52	29	9	7	4	–	–	–	22	4	2	1	6	6	1	–	1	–	–	1
All other external causes (E980-E999)	25	–	–	3	4	7	4	1	4	1	1	–	6	–	–	–	–	2	1	–	2	1	–	–
White	19	–	–	1	2	6	4	1	3	1	1	–	5	–	–	–	–	1	1	–	2	1	–	–
All other	6	–	–	2	2	1	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	5	–	–	2	1	1	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
WYOMING																								
All causes	1,690	28	4	17	60	59	81	100	235	415	453	237	1,469	25	7	6	22	27	54	89	148	248	390	453
White	1,644	28	3	15	52	57	72	95	228	412	448	233	1,438	19	7	6	19	26	50	87	141	244	389	448
All other	46	–	1	2	8	2	9	5	7	3	5	4	33	6	–	–	3	1	4	2	7	4	1	5
Black	14	–	–	1	1	–	2	2	2	2	2	2	4	1	–	–	–	–	–	–	–	1	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	10	1	–	–	–	–	1	–	–	2	5	1	16	1	–	–	–	–	–	1	–	1	6	7
White	10	1	–	–	–	–	1	–	–	2	5	1	15	–	–	–	–	–	–	1	–	1	6	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 285 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	4	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	9	-	-	-	-	3	3	1	-	1	1	-	4	-	-	-	-	1	1	1	-	1	-	-
White	9	-	-	-	-	3	3	1	-	1	1	-	4	-	-	-	-	1	1	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	391	-	-	1	5	3	8	26	80	122	101	45	317	-	-	-	1	1	19	41	55	81	75	44
White	385	-	-	1	4	3	8	25	77	122	100	45	313	-	-	-	1	1	19	41	54	80	75	42
All other	6	-	-	-	1	-	-	1	3	-	1	-	4	-	-	-	-	-	-	-	1	1	-	2
Black	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	98	-	-	-	-	-	3	7	23	27	28	10	76	-	-	-	-	-	1	7	11	24	17	16
White	96	-	-	-	-	-	3	6	22	27	28	10	74	-	-	-	-	-	1	7	10	23	17	16
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	112	-	-	-	-	-	1	10	30	40	26	5	63	-	-	-	-	-	-	8	15	22	15	3
White	110	-	-	-	-	-	1	10	29	40	25	5	63	-	-	-	-	-	-	8	15	22	15	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	68	-	-	-	-	-	12	9	12	14	13	8
White	1	-	-	-	-	-	-	-	-	1	-	-	67	-	-	-	-	-	12	9	12	14	13	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	46	-	-	-	1	-	-	-	4	13	14	14	27	-	-	-	-	-	5	2	4	4	8	4
White	45	-	-	-	-	-	-	-	4	13	14	14	27	-	-	-	-	-	5	2	4	4	8	4
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	26	-	-	-	-	-	2	1	2	9	7	5	7	-	-	-	-	-	-	-	1	4	1	1
White	26	-	-	-	-	-	2	1	2	9	7	5	7	-	-	-	-	-	-	-	1	4	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	63	-	-	1	2	3	2	4	12	17	16	6	42	-	-	-	-	1	1	11	8	6	11	4
White	62	-	-	1	2	3	2	4	11	17	16	6	41	-	-	-	-	1	1	11	8	6	11	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	17	-	-	-	2	-	-	1	3	7	3	1	16	-	-	-	1	-	-	2	1	3	5	4
White	17	-	-	-	2	-	-	1	3	7	3	1	16	-	-	-	1	-	-	2	1	3	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23	-	-	-	-	-	-	2	4	7	6	4	17	-	-	-	-	-	-	2	3	4	5	3
White	23	-	-	-	-	-	-	2	4	7	6	4	17	-	-	-	-	-	-	2	3	4	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	-	-	-	-	-	-	-	1	-	2	-	7	-	-	-	-	-	-	-	-	1	3	3
White	3	-	-	-	-	-	-	-	1	-	2	-	7	-	-	-	-	-	-	-	-	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 286 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	34	-	-	-	-	1	2	1	3	7	15	5	40	-	-	-	-	-	1	3	6	8	10	12
White	32	-	-	-	-	1	2	1	3	7	13	5	37	-	-	-	-	-	1	3	5	7	10	11
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	-	1	2	7	-	-	-	-	-	-	-	-	2	3	2
White	3	-	-	-	-	-	-	-	-	-	1	2	7	-	-	-	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	606	1	-	1	1	2	20	35	85	153	188	120	584	-	-	-	1	1	7	21	46	80	179	249
White	595	1	-	1	1	1	18	34	82	153	187	117	576	-	-	-	1	1	6	20	43	79	179	247
All other	11	-	-	-	-	1	2	1	3	-	1	3	8	-	-	-	-	-	1	1	3	1	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	484	1	-	-	-	1	18	32	73	131	146	82	426	-	-	-	1	-	5	16	32	59	135	178
White	474	1	-	-	-	-	17	31	70	131	145	79	422	-	-	-	1	-	4	16	31	59	135	176
All other	10	-	-	-	-	1	1	1	3	-	1	3	4	-	-	-	-	-	1	-	1	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	-	2	2	-	13	-	-	-	-	-	-	1	2	2	6	2
White	4	-	-	-	-	-	-	-	-	2	2	-	13	-	-	-	-	-	-	1	2	2	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	3	-	-	-	-	-	1	-	-	1	-	1	6	-	-	-	-	-	-	-	-	1	3	2
White	3	-	-	-	-	-	1	-	-	1	-	1	6	-	-	-	-	-	-	-	-	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	345	-	-	-	-	1	10	27	59	101	98	49	240	-	-	-	-	-	2	10	21	37	70	100
White	337	-	-	-	-	-	9	26	57	101	98	46	237	-	-	-	-	-	1	10	20	37	70	99
All other	8	-	-	-	-	1	1	1	2	-	-	3	3	-	-	-	-	-	1	-	1	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	186	-	-	-	-	-	7	14	32	56	48	29	136	-	-	-	-	-	2	7	16	23	41	47
White	183	-	-	-	-	-	7	14	31	56	48	27	134	-	-	-	-	-	1	7	15	23	41	47
All other	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	155	-	-	-	-	-	3	13	27	43	49	20	103	-	-	-	-	-	-	3	5	14	28	53
White	151	-	-	-	-	-	2	12	26	43	49	19	102	-	-	-	-	-	-	3	5	14	28	52
All other	4	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	11	-	-	-	-	-	1	-	-	-	5	5	11	-	-	-	-	-	-	-	-	-	5	6
White	10	-	-	-	-	-	1	-	-	-	4	5	11	-	-	-	-	-	-	-	-	-	5	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 287 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	120	1	-	-	-	-	6	5	13	27	41	27	155	-	-	-	1	-	3	5	9	19	50	68
White	119	1	-	-	-	-	6	5	12	27	41	27	154	-	-	-	1	-	3	5	9	19	50	67
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	1	-	2
White	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	79	-	-	1	1	1	1	1	5	13	29	27	123	-	-	-	-	1	2	5	8	16	33	58
White	79	-	-	1	1	1	1	1	5	13	29	27	120	-	-	-	-	1	2	4	7	15	33	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	6	-	-	-	-	-	-	1	-	2	1	2	21	-	-	-	-	1	-	2	3	3	6	6
White	6	-	-	-	-	-	-	1	-	2	1	2	19	-	-	-	-	1	-	1	3	2	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	-	-	-	1	-	-	-	2	2	1	4	7	-	-	-	-	-	-	-	-	-	2	5
White	10	-	-	-	1	-	-	-	2	2	1	4	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	63	-	-	1	-	1	1	-	3	9	27	21	95	-	-	-	-	-	2	3	5	13	25	47
White	63	-	-	1	-	1	1	-	3	9	27	21	94	-	-	-	-	-	2	3	4	13	25	47
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	14	-	-	-	-	-	-	-	3	1	3	7	13	-	-	-	-	-	-	-	3	-	2	8
White	14	-	-	-	-	-	-	-	3	1	3	7	12	-	-	-	-	-	-	-	2	-	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	25	-	-	-	-	-	1	1	4	7	8	4	19	-	-	-	-	-	-	-	3	4	9	3
White	24	-	-	-	-	-	-	1	4	7	8	4	19	-	-	-	-	-	-	-	3	4	9	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	43	-	-	1	-	-	2	-	1	12	12	14	62	-	-	-	-	1	1	2	3	4	11	40
White	43	-	-	1	-	-	2	-	1	12	12	14	62	-	-	-	-	1	1	2	3	4	11	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	43	-	-	1	-	-	2	-	1	12	12	14	60	-	-	-	-	1	1	2	3	4	10	39
White	43	-	-	1	-	-	2	-	1	12	12	14	60	-	-	-	-	1	1	2	3	4	10	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	158	-	-	1	-	1	2	1	18	57	63	15	84	-	-	-	-	-	-	4	13	35	24	8
White	155	-	-	1	-	1	1	1	18	56	62	15	84	-	-	-	-	-	-	4	13	35	24	8
All other	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	21	-	-	-	-	-	-	-	3	7	10	1	19	-	-	-	-	-	-	-	3	10	3	3
White	21	-	-	-	-	-	-	-	3	7	10	1	19	-	-	-	-	-	-	-	3	10	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.
(Page 288 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	4	-	-	1	-	-	1	-	-	-	2	-	8	-	-	-	-	-	-	-	1	4	3	-
White	3	-	-	1	-	-	-	-	-	-	2	-	8	-	-	-	-	-	-	-	1	4	3	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	129	-	-	-	-	1	1	1	14	48	50	14	55	-	-	-	-	-	-	4	9	20	18	4
White	127	-	-	-	-	1	1	1	14	47	49	14	55	-	-	-	-	-	-	4	9	20	18	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	5	-	-	-	-	-	-	-	1	-	2	2	5	-	-	-	-	-	-	-	-	-	5	-
White	5	-	-	-	-	-	-	-	1	-	2	2	5	-	-	-	-	-	-	-	-	-	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	-	-	1	1	-	3	11	-	-	-	-	-	-	-	-	1	5	5
White	5	-	-	-	-	-	-	-	1	1	-	3	11	-	-	-	-	-	-	-	-	1	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	27	-	-	-	-	2	3	4	6	5	6	1	14	-	-	-	-	1	2	2	2	5	2	-
White	27	-	-	-	-	2	3	4	6	5	6	1	11	-	-	-	-	-	1	2	1	5	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	-	1	1	3	2
White	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	-	-	-	-	-	1	1	-	4	3	2	7	-	-	-	-	-	-	-	1	2	2	2
White	11	-	-	-	-	-	1	1	-	4	3	2	7	-	-	-	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	-	-	-	-	-	1	-	-	4	3	2	6	-	-	-	-	-	-	-	1	1	2	2
White	10	-	-	-	-	-	1	-	-	4	3	2	6	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1991—Con.

(Page 289 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	13	9	1	-	-	-	-	1	-	2	-	-	13	6	-	1	1	-	-	1	1	1	1	1
White	12	9	-	-	-	-	-	1	-	2	-	-	12	5	-	1	1	-	-	1	1	1	1	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	17	11	-	-	-	1	1	-	-	2	1	1	32	11	1	-	-	-	1	1	1	1	5	11
White	17	11	-	-	-	1	1	-	-	2	1	1	30	9	1	-	-	-	1	1	1	1	5	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	116	-	-	-	2	1	4	10	21	23	37	18	146	-	-	1	2	3	5	5	12	18	43	57
White	112	-	-	-	2	1	3	10	20	22	37	17	144	-	-	1	2	3	4	5	12	17	43	57
All other	4	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	138	1	2	12	29	27	23	13	7	14	4	6	76	1	5	3	11	14	12	5	6	5	9	5
White	125	1	2	11	24	27	20	10	7	13	4	6	69	1	5	3	8	14	11	4	5	5	8	5
All other	13	-	-	1	5	-	3	3	-	1	-	-	7	-	-	-	3	-	1	1	1	-	1	-
Black	3	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Motor vehicle accidents (E810-E825)	68	-	1	6	24	11	9	6	1	7	2	1	43	-	2	1	11	10	8	4	3	2	2	-
White	58	-	1	5	20	11	7	4	1	6	2	1	38	-	2	1	8	10	7	3	3	2	2	-
All other	10	-	-	1	4	-	2	2	-	1	-	-	5	-	-	-	3	-	1	1	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	70	1	1	6	5	16	14	7	6	7	2	5	33	1	3	2	-	4	4	1	3	3	7	5
White	67	1	1	6	4	16	13	6	6	7	2	5	31	1	3	2	-	4	4	1	2	3	6	5
All other	3	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Suicide (E950-E959)	74	...	...	-	22	13	9	7	6	7	9	1	13	...	...	-	3	3	3	2	1	1	-	-
White	70	...	...	-	20	12	8	7	6	7	9	1	13	...	...	-	3	3	3	2	1	1	-	-
All other	4	...	...	-	2	1	1	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	10	-	1	1	1	3	2	-	2	-	-	-	8	-	1	1	3	2	1	-	-	-	-	-
White	8	-	1	-	1	3	1	-	2	-	-	-	8	-	1	1	3	2	1	-	-	-	-	-
All other	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1991

(Page 1 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,173,060	39,753	2,201	30,269	24,814	216,005	23,059	28,087	5,979	9,031
Shigellosis and amebiasis (004,006)	15	-	-	2	-	5	-	-	-	-
Certain other intestinal infections (007-009)	470	9	1	5	4	74	7	5	5	5
Tuberculosis (010-018)	1,715	45	4	22	25	199	9	7	7	15
Tuberculosis of respiratory system (010-012)	1,311	39	3	20	18	145	6	4	5	12
Other tuberculosis (013-018)	404	6	1	2	7	54	3	3	2	3
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	200	2	1	1	4	39	2	-	2	1
Septicemia (038)	19,712	394	12	244	279	590	194	373	61	177
Acute poliomyelitis (045)	1	-	-	-	-	-	-	-	-	-
Measles (055)	27	-	-	1	-	8	-	-	-	-
Viral hepatitis (070)	1,845	26	5	36	20	346	24	19	4	14
Syphilis (090-097)	94	3	-	1	-	6	3	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	36,389	327	28	391	157	6,330	423	457	81	580
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	515,134	8,693	460	7,256	5,551	50,319	5,255	7,090	1,554	2,116
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,285	105	10	104	66	862	88	134	31	42
Malignant neoplasms of digestive organs and peritoneum (150-159)	121,877	1,743	101	1,553	1,248	11,954	1,286	1,760	344	564
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	149,195	2,710	143	2,126	1,862	14,051	1,332	1,934	502	494
Malignant neoplasm of breast (174-175)	43,887	684	30	558	391	4,346	510	617	137	185
Malignant neoplasms of genital organs (179-187)	58,998	949	44	847	639	5,747	647	797	156	266
Malignant neoplasms of urinary organs (188-189)	21,199	275	29	312	220	2,004	215	327	66	71
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61,987	1,398	72	1,023	578	6,441	610	893	193	282
Leukemia (204-208)	19,015	333	8	308	202	1,906	202	244	48	71
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30,691	496	23	425	345	3,008	365	384	77	141
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7,007	151	7	111	67	653	58	111	21	33
Diabetes mellitus (250)	48,993	882	58	577	526	3,315	483	514	178	193
Nutritional deficiencies (260-269)	2,993	57	4	39	55	160	59	23	11	7
Anemias (280-285)	4,126	81	2	47	61	263	31	45	11	26
Meningitis (320-322)	891	10	2	15	9	104	7	6	1	8
Major cardiovascular diseases (390-448)	917,952	16,791	610	11,668	10,796	88,484	8,444	11,958	2,423	2,824
Diseases of heart (390-398,402,404-429)	722,167	13,191	483	9,095	8,193	67,760	6,307	9,534	1,913	2,257
Rheumatic fever and rheumatic heart disease (390-398)	5,965	59	16	63	39	679	120	95	12	22
Hypertensive heart disease (402)	21,413	471	7	151	126	2,613	177	241	100	213
Hypertensive heart and renal disease (404)	2,446	40	1	15	32	285	16	26	11	10
Ischemic heart disease (410-414)	486,306	7,033	316	6,429	5,846	46,333	4,340	5,710	1,141	949
Acute myocardial infarction (410)	235,723	4,494	131	2,663	3,805	18,549	2,088	2,264	615	411
Other acute and subacute forms of ischemic heart disease (411)	3,307	26	-	334	2	115	19	4	4	1
Angina pectoris (413)	1,065	18	2	5	17	72	13	29	4	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	246,211	2,495	183	3,427	2,022	27,597	2,220	3,413	518	535
Other diseases of endocardium (424)	13,755	188	21	201	110	1,448	156	188	29	41
All other forms of heart disease (415-423,425-429)	192,282	5,400	122	2,236	2,040	16,402	1,498	3,274	620	1,022
Hypertension with or without renal disease (401,403)	9,538	178	2	93	96	992	136	99	15	46
Cerebrovascular diseases (430-438)	143,705	2,761	88	1,844	2,090	15,436	1,389	1,763	372	402
Intracerebral and other intracranial hemorrhage (431-432)	20,760	396	13	316	246	2,312	218	256	63	95
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16,724	242	6	187	193	1,786	121	213	39	48
Cerebral embolism (434.1)	636	15	-	4	1	74	8	8	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	105,585	2,108	69	1,337	1,650	11,264	1,042	1,286	269	257
Atherosclerosis (440)	17,432	257	16	254	160	2,029	316	211	23	42
Other diseases of arteries, arterioles, and capillaries (441-448)	25,110	404	21	382	257	2,267	296	351	100	77
Acute bronchitis and bronchiolitis (466)	634	11	4	8	4	91	9	6	1	-
Pneumonia and influenza (480-487)	77,914	1,335	52	1,179	905	9,786	957	1,086	180	201
Pneumonia (480-486)	76,777	1,313	50	1,171	892	9,676	940	1,077	176	201
Influenza (487)	1,137	22	2	8	13	110	17	9	4	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	90,720	1,587	87	1,749	1,038	9,715	1,518	1,005	226	171
Bronchitis, chronic and unspecified (490-491)	3,730	72	2	74	36	447	64	40	11	5
Emphysema (492)	16,449	254	9	344	203	2,019	253	164	44	31
Asthma (493)	5,120	60	5	101	49	597	98	40	12	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65,421	1,201	71	1,230	750	6,652	1,103	761	159	116
Ulcer of stomach and duodenum (531-533)	6,127	91	7	83	54	854	83	52	15	14
Appendicitis (540-543)	392	6	-	7	4	50	5	9	4	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6,111	94	3	77	78	537	85	83	14	28
Chronic liver disease and cirrhosis (571)	25,473	371	48	471	194	3,749	326	321	71	182
Cholelithiasis and other disorders of gallbladder (574-575)	2,890	57	2	23	47	257	40	26	14	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,372	466	11	321	323	1,464	122	324	79	131
Acute glomerulonephritis and nephrotic syndrome (580-581)	320	3	-	2	1	19	5	-	2	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,515	20	-	15	24	133	23	17	9	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,537	443	11	304	298	1,312	94	307	68	125
Infections of kidney (590)	1,220	40	1	18	17	177	16	6	4	3
Hyperplasia of prostate (600)	428	5	-	3	6	51	6	3	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	324	6	-	5	2	64	5	3	1	4
Pregnancy with abortive outcome (630-638)	54	-	-	1	-	9	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	270	6	-	4	2	55	4	3	1	4
Congenital anomalies (740-759)	12,674	246	21	224	109	1,742	175	145	34	98
Certain conditions originating in the perinatal period (760-779)	16,799	319	24	215	105	1,958	166	193	73	290
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3,422	83	5	24	34	413	33	25	10	81
Other conditions originating in the perinatal period (760-766,770-779)	13,377	236	19	191	71	1,545	133	168	63	209
Symptoms, signs, and ill-defined conditions (780-799)	24,409	1,035	62	257	600	1,759	221	442	46	220
All other diseases (Residual)	178,062	3,237	164	2,541	1,962	15,283	2,262	2,431	501	797
Accidents and adverse effects (E800-E949)	89,938	2,218	397	1,584	1,202	9,501	1,243	797	221	302
Motor vehicle accidents (E810-E825)	43,852	1,217	106	854	624	4,946	593	320	109	123
All other accidents and adverse effects (E800-E807,E826-E949)	46,086	1,001	291	730	578	4,555	650	477	112	179
Suicide (E950-E959)	30,861	534	74	680	277	3,730	568	334	83	48
Homicide and legal intervention (E960-E978)	26,616	580	45	370	291	4,136	208	190	48	491
All other external causes (E980-E999)	2,527	44	5	38	42	206	45	22	3	39

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1991—Con.

(Page 2 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	137,342	53,321	7,035	7,458	101,464	50,829	27,108	21,820	34,793	38,643
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	22	6	–	4	20	8	4	6	8	6
Tuberculosis (010-018)	112	53	12	4	91	30	8	8	28	49
Tuberculosis of respiratory system (010-012)	99	42	11	2	76	24	4	7	22	39
Other tuberculosis (013-018)	13	11	1	2	15	6	4	1	6	10
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	2	–	–	1	–	–	–	–	–
Meningococcal infection (036)	15	6	1	–	7	4	3	3	1	5
Septicemia (038)	748	651	67	49	1,068	525	177	160	340	529
Acute poliomyelitis (045)	–	1	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	135	32	5	4	49	29	8	9	27	50
Syphilis (090-097)	3	9	–	–	5	1	–	1	–	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	3,151	1,137	140	34	1,220	346	139	149	172	603
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	34,188	11,675	1,688	1,679	23,927	12,121	6,351	4,998	8,470	8,974
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	616	223	36	23	416	182	77	78	129	177
Malignant neoplasms of digestive organs and peritoneum (150-159)	7,888	2,471	505	400	5,991	2,813	1,501	1,194	1,873	2,048
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	10,818	3,671	459	411	6,626	3,732	1,734	1,380	2,989	2,894
Malignant neoplasm of breast (174-175)	2,608	963	114	153	2,249	986	549	427	587	685
Malignant neoplasms of genital organs (179-187)	3,989	1,337	179	225	2,728	1,326	819	626	884	983
Malignant neoplasms of urinary organs (188-189)	1,542	423	50	63	959	556	301	204	292	350
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,483	1,528	191	233	2,711	1,390	650	510	974	1,039
Leukemia (204-208)	1,184	432	58	63	869	443	246	224	303	298
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2,060	627	96	108	1,378	693	474	355	439	500
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	393	197	26	38	373	165	54	58	84	128
Diabetes mellitus (250)	2,912	951	162	181	2,298	1,335	541	521	793	1,321
Nutritional deficiencies (260-269)	121	66	9	14	137	91	45	63	55	85
Anemias (280-285)	260	124	10	16	228	98	59	43	51	91
Meningitis (320-322)	52	28	3	4	27	15	10	7	8	14
Major cardiovascular diseases (390-448)	59,313	21,618	2,836	2,987	43,641	22,165	12,500	9,441	14,836	15,856
Diseases of heart (390-398,402,404-429)	47,107	16,705	2,143	2,219	34,707	17,152	9,542	7,302	11,772	12,483
Rheumatic fever and rheumatic heart disease (390-398)	389	100	27	34	233	128	76	53	77	62
Hypertensive heart disease (402)	1,695	535	72	38	1,048	301	207	129	225	628
Hypertensive heart and renal disease (404)	166	75	7	9	108	67	25	17	41	72
Ischemic heart disease (410-414)	33,689	9,816	1,140	1,544	23,732	12,097	6,512	4,827	7,761	7,944
Acute myocardial infarction (410)	13,944	5,649	538	877	12,382	5,877	3,181	2,503	4,946	4,547
Other acute and subacute forms of ischemic heart disease (411)	102	83	1	2	100	23	7	1	15	75
Angina pectoris (413)	70	29	1	1	51	20	9	3	15	31
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	19,573	4,055	600	664	11,199	6,177	3,315	2,320	2,785	3,291
Other diseases of endocardium (424)	984	257	44	59	588	366	181	147	148	170
All other forms of heart disease (415-423,425-429)	10,184	5,922	853	535	8,998	4,193	2,541	2,129	3,520	3,607
Hypertension with or without renal disease (401,403)	699	259	23	22	482	221	130	86	130	138
Cerebrovascular diseases (430-438)	8,722	3,770	569	554	6,661	3,685	2,102	1,540	2,282	2,456
Intracerebral and other intracranial hemorrhage (431-432)	1,333	548	119	60	972	447	234	183	280	328
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,304	396	39	40	970	366	165	171	237	262
Cerebral embolism (434.1)	50	14	1	4	21	9	11	8	5	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	6,035	2,812	410	450	4,698	2,863	1,692	1,178	1,760	1,861
Atherosclerosis (440)	1,032	402	29	72	667	512	378	248	225	353
Other diseases of arteries, arterioles, and capillaries (441-448)	1,753	482	72	120	1,124	595	348	265	427	426
Acute bronchitis and bronchiolitis (466)	35	12	2	4	34	13	10	7	10	19
Pneumonia and influenza (480-487)	3,327	1,913	304	283	3,916	1,771	1,238	870	1,384	1,061
Pneumonia (480-486)	3,306	1,896	303	269	3,883	1,740	1,196	841	1,345	1,045
Influenza (487)	21	17	1	14	33	31	42	29	39	16
Chronic obstructive pulmonary diseases and allied conditions (490-496)	6,170	2,124	226	442	3,833	2,229	1,192	965	1,684	1,357
Bronchitis, chronic and unspecified (490-491)	242	87	13	18	167	89	54	44	84	89
Emphysema (492)	1,273	394	47	69	831	392	159	124	246	260
Asthma (493)	253	141	44	24	251	112	61	50	73	90
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	4,402	1,502	122	331	2,584	1,636	918	747	1,281	916
Ulcer of stomach and duodenum (531-533)	400	157	22	26	289	128	101	60	75	95
Appendicitis (540-543)	17	11	–	–	25	9	9	5	6	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	308	182	11	28	312	154	91	88	86	122
Chronic liver disease and cirrhosis (571)	1,781	575	73	65	1,279	441	172	142	348	364
Cholelithiasis and other disorders of gallbladder (574-575)	192	74	8	11	129	58	44	29	67	47
Nephritis, nephrotic syndrome, and nephrosis (580-589)	915	635	61	58	1,293	656	180	247	410	472
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	9	–	–	12	8	5	5	5	9
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	107	26	4	3	80	28	21	14	31	23
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	795	600	57	55	1,201	620	154	228	374	440
Infections of kidney (590)	51	27	4	3	52	36	10	13	24	27
Hyperplasia of prostate (600)	22	12	1	2	18	8	5	7	8	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	16	12	–	2	14	5	2	1	1	12
Pregnancy with abortive outcome (630-638)	2	4	–	1	–	–	1	–	–	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	14	8	–	1	14	5	1	1	1	10
Congenital anomalies (740-759)	600	332	46	53	544	261	128	115	184	246
Certain conditions originating in the perinatal period (760-779)	846	660	72	46	1,010	335	91	120	166	349
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	144	131	15	4	235	67	17	13	33	84
Other conditions originating in the perinatal period (760-766,770-779)	702	529	57	42	775	268	74	107	133	265
Symptoms, signs, and ill-defined conditions (780-799)	1,903	636	169	91	848	380	194	349	231	391
All other diseases (Residual)	10,706	4,668	585	652	8,388	4,239	2,221	1,924	2,776	3,107
Accidents and adverse effects (E800-E949)	4,973	2,797	314	489	3,661	2,011	1,095	928	1,678	1,831
Motor vehicle accidents (E810-E825)	2,621	1,470	149	280	1,567	1,014	508	421	822	893
All other accidents and adverse effects (E800-E807,E826-E949)	2,352	1,327	165	209	2,094	997	587	507	856	938
Suicide (E950-E959)	2,097	896	113	161	1,165	697	328	311	503	558
Homicide and legal intervention (E960-E978)	1,479	973	49	21	1,440	391	75	155	246	828
All other external causes (E980-E999)	79	68	16	7	122	74	23	17	33	37

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1991—Con.

(Page 3 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	11,181	37,566	53,690	78,779	35,571	24,764	52,362	6,984	14,971	10,632
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	8	34	16	7	5	14	1	1	2
Tuberculosis (010-018)	6	22	25	41	5	13	24	3	4	4
Tuberculosis of respiratory system (010-012)	1	12	17	24	2	7	19	3	3	4
Other tuberculosis (013-018)	5	10	8	17	3	6	5	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	6	5	1	2	1	–	1	–
Septicemia (038)	72	592	655	541	199	202	445	51	89	118
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	1	–	–	–
Viral hepatitis (070)	4	26	46	32	17	23	32	2	17	7
Syphilis (090-097)	–	–	1	1	3	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	70	713	801	652	295	195	500	34	83	149
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,915	9,608	14,050	19,038	8,520	5,276	12,172	1,605	3,239	2,408
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	144	204	267	125	106	179	16	46	47
Malignant neoplasms of digestive organs and peritoneum (150-159)	663	2,257	3,612	4,523	2,019	1,240	2,681	387	829	471
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	897	2,760	3,696	5,472	2,012	1,567	3,713	447	825	845
Malignant neoplasm of breast (174-175)	217	837	1,347	1,613	792	390	1,019	120	283	170
Malignant neoplasms of genital organs (179-187)	343	1,106	1,510	2,180	1,087	609	1,287	176	386	235
Malignant neoplasms of urinary organs (188-189)	109	387	602	805	423	169	465	69	132	92
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	359	1,250	1,752	2,262	1,049	762	1,581	210	367	348
Leukemia (204-208)	100	325	466	719	417	185	496	71	127	81
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	169	542	861	1,197	596	248	751	109	244	119
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	53	103	218	212	108	58	141	25	43	33
Diabetes mellitus (250)	292	1,012	1,253	2,067	766	419	1,131	178	292	182
Nutritional deficiencies, (260-269)	17	50	77	120	55	36	116	12	12	23
Anemias (280-285)	16	81	127	157	70	53	98	6	21	18
Meningitis (320-322)	5	12	18	40	13	15	27	3	5	6
Major cardiovascular diseases (390-448)	4,701	14,528	21,720	34,261	14,609	11,552	22,981	2,706	6,701	4,283
Diseases of heart (390-398,402,404-429)	3,711	11,530	17,166	27,174	10,675	9,382	18,209	1,975	5,163	3,583
Rheumatic fever and rheumatic heart disease (390-398)	36	94	190	238	97	34	132	21	40	27
Hypertensive heart disease (402)	87	547	292	668	172	316	460	39	81	214
Hypertensive heart and renal disease (404)	13	69	25	75	30	41	51	6	11	4
Ischemic heart disease (410-414)	2,556	6,050	11,507	18,832	7,525	4,805	13,007	1,244	3,277	1,670
Acute myocardial infarction (410)	1,187	3,404	5,364	9,799	3,442	3,255	6,624	633	1,495	738
Other acute and subacute forms of ischemic heart disease (411)	18	39	10	20	14	8	19	3	8	3
Angina pectoris (413)	7	30	34	38	13	7	24	–	6	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,344	2,577	6,099	8,975	4,056	1,535	6,340	608	1,768	924
Other diseases of endocardium (424)	95	196	447	433	303	81	311	65	96	61
All other forms of heart disease (415-423,425-429)	924	4,574	4,705	6,928	2,548	4,105	4,248	600	1,658	1,607
Hypertension with or without renal disease (401,403)	43	156	188	262	200	110	212	35	76	32
Cerebrovascular diseases (430-438)	665	2,195	3,288	5,092	2,856	1,680	3,525	497	1,098	515
Intracerebral and other intracranial hemorrhage (431-432)	89	385	463	732	326	212	553	69	110	130
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	66	206	494	759	250	162	425	41	85	36
Cerebral embolism (434.1)	3	2	26	24	19	9	17	1	5	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	507	1,602	2,305	3,577	2,261	1,297	2,530	386	898	346
Atherosclerosis (440)	110	200	392	821	351	146	397	107	195	49
Other diseases of arteries, arterioles, and capillaries (441-448)	172	447	686	912	527	234	638	92	169	104
Acute bronchitis and bronchiolitis (466)	3	7	15	18	8	7	9	1	4	1
Pneumonia and influenza (480-487)	371	1,191	2,422	2,744	1,552	763	1,908	243	658	245
Pneumonia (480-486)	360	1,182	2,400	2,694	1,494	747	1,871	236	619	243
Influenza (487)	11	9	22	50	58	16	37	7	39	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	518	1,444	2,112	3,060	1,493	862	2,161	437	690	665
Bronchitis, chronic and unspecified (490-491)	18	58	79	131	58	50	60	21	37	19
Emphysema (492)	83	234	407	736	223	122	355	62	115	124
Asthma (493)	16	75	123	174	96	44	89	19	61	16
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	401	1,077	1,503	2,019	1,116	646	1,657	335	477	506
Ulcer of stomach and duodenum (531-533)	34	65	116	232	109	45	146	27	54	31
Appendicitis (540-543)	1	1	7	14	4	7	12	3	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	113	182	220	114	63	182	31	52	29
Chronic liver disease and cirrhosis (571)	135	427	622	1,046	312	183	457	70	115	179
Cholelithiasis and other disorders of gallbladder (574-575)	16	48	78	92	51	29	68	12	30	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	100	493	683	792	310	326	582	55	166	142
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	8	12	16	1	4	10	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	28	33	46	24	27	49	4	9	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	94	457	638	730	285	295	523	51	156	137
Infections of kidney (590)	5	9	23	34	24	25	31	5	3	2
Hyperplasia of prostate (600)	2	7	8	18	12	2	9	1	4	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	4	15	5	4	1	1	2	3
Pregnancy with abortive outcome (630-638)	–	1	–	6	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	4	9	5	4	1	1	2	2
Congenital anomalies (740-759)	47	160	269	442	229	124	301	25	93	52
Certain conditions originating in the perinatal period (760-779)	49	256	302	814	200	215	376	19	62	57
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	36	57	184	38	50	85	2	11	10
Other conditions originating in the perinatal period (760-766,770-779)	36	220	245	630	162	165	291	17	51	47
Symptoms, signs, and ill-defined conditions (780-799)	72	840	443	369	701	234	542	123	348	108
All other diseases (Residual)	1,011	3,422	5,027	6,356	3,632	1,840	4,351	675	1,279	742
Accidents and adverse effects (E800-E949)	430	1,286	1,365	2,950	1,456	1,423	2,229	423	620	573
Motor vehicle accidents (E810-E825)	207	700	599	1,463	594	811	1,080	206	300	338
All other accidents and adverse effects (E800-E807,E826-E949)	223	586	766	1,487	862	612	1,149	217	320	235
Suicide (E950-E959)	166	423	486	1,133	508	322	719	159	192	350
Homicide and legal intervention (E960-E978)	24	558	272	1,123	138	414	555	38	58	187
All other external causes (E980-E999)	5	57	223	124	45	26	40	10	32	24

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1991—Con.

(Page 4 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	8,372	68,795	11,165	166,236	59,369	6,026	100,039	29,330	25,206	123,618	9,519
Shigellosis and amebiasis (004,006)	–	2	–	1	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	10	1	35	13	1	22	2	4	25	2
Tuberculosis (010-018)	–	72	14	295	40	1	39	16	13	73	4
Tuberculosis of respiratory system (010-012)	–	52	8	236	29	1	33	12	9	63	3
Other tuberculosis (013-018)	–	20	6	59	11	–	6	4	4	10	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	2	–	9	10	–	7	–	4	9	2
Septicemia (038)	53	1,080	72	1,550	616	30	797	274	130	1,914	132
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	2	–	7	–	–	–	–	–	8	–
Viral hepatitis (070)	2	65	19	126	51	4	37	29	33	93	3
Syphilis (090-097)	–	3	1	13	2	–	5	–	–	9	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	53	1,998	110	6,487	736	25	728	229	275	1,165	102
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,223	17,489	2,265	38,635	13,414	1,457	24,246	6,501	6,246	30,255	2,394
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	33	282	34	663	236	18	352	80	95	428	34
Malignant neoplasms of digestive organs and peritoneum (150-159)	498	4,580	559	10,109	2,978	383	5,619	1,478	1,379	7,312	611
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	627	4,734	573	10,423	3,998	357	7,274	2,104	1,866	8,297	640
Malignant neoplasm of breast (174-175)	207	1,702	185	3,694	1,149	135	2,053	474	491	2,680	234
Malignant neoplasms of genital organs (179-187)	254	1,931	278	4,407	1,666	214	2,648	738	759	3,488	258
Malignant neoplasms of urinary organs (188-189)	90	718	84	1,600	538	63	1,045	248	257	1,260	103
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	301	2,024	344	4,070	1,610	125	2,980	754	787	3,892	279
Leukemia (204-208)	73	537	94	1,331	447	64	892	225	238	1,120	92
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	140	981	114	2,338	792	98	1,383	400	374	1,778	143
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	296	54	568	159	22	406	77	89	460	41
Diabetes mellitus (250)	213	1,980	353	2,836	1,468	170	2,861	520	529	3,231	218
Nutritional deficiencies (260-269)	13	100	34	88	79	9	166	46	27	164	9
Anemias (280-285)	13	167	18	224	116	19	239	45	55	259	24
Meningitis (320-322)	2	27	7	107	26	5	26	12	7	38	2
Major cardiovascular diseases (390-448)	3,528	28,650	3,939	74,865	25,078	2,627	43,518	13,288	9,949	53,921	4,122
Diseases of heart (390-398,402,404-429)	2,722	23,139	3,066	63,140	19,156	1,948	34,916	10,538	7,244	43,471	3,279
Rheumatic fever and rheumatic heart disease (390-398)	30	252	44	464	162	14	327	55	98	407	15
Hypertensive heart disease (402)	59	705	79	2,168	638	32	1,046	143	166	867	61
Hypertensive heart and renal disease (404)	8	78	13	146	88	2	159	18	21	116	4
Ischemic heart disease (410-414)	1,711	16,461	1,497	48,719	13,034	1,333	23,951	7,236	5,190	28,141	2,275
Acute myocardial infarction (410)	848	7,873	701	18,647	7,018	759	10,851	3,340	2,105	15,439	981
Other acute and subacute forms of ischemic heart disease (411)	–	55	1	216	51	1	135	735	7	76	5
Angina pectoris (413)	8	38	5	48	27	5	64	9	10	73	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	855	8,495	790	29,808	5,938	568	12,901	3,152	3,068	12,553	1,283
Other diseases of endocardium (424)	83	520	47	939	374	47	609	137	223	977	49
All other forms of heart disease (415-423,425-429)	831	5,123	1,386	10,704	4,860	520	8,824	2,949	1,546	12,963	875
Hypertension with or without renal disease (401,403)	42	256	30	798	265	15	448	119	138	435	35
Cerebrovascular diseases (430-438)	560	3,982	639	8,411	4,618	467	6,144	2,008	1,949	7,706	585
Intracerebral and other intracranial hemorrhage (431-432)	74	677	99	1,427	637	62	848	214	228	1,206	86
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	57	553	49	1,175	496	37	798	156	221	1,115	55
Cerebral embolism (434.1)	3	16	1	54	21	4	26	4	6	41	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	426	2,736	490	5,755	3,464	364	4,472	1,634	1,494	5,344	441
Atherosclerosis (440)	80	447	102	906	355	100	798	351	297	751	84
Other diseases of arteries, arterioles, and capillaries (441-448)	124	826	102	1,610	684	97	1,212	272	321	1,558	139
Acute bronchitis and bronchiolitis (466)	2	21	1	38	22	1	44	7	6	30	2
Pneumonia and influenza (480-487)	271	2,244	362	6,772	1,925	246	3,147	1,162	809	3,948	356
Pneumonia (480-486)	269	2,229	358	6,733	1,895	236	3,078	1,148	795	3,898	355
Influenza (487)	2	15	4	39	30	10	69	14	14	50	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	410	2,329	601	5,604	2,273	233	4,401	1,306	1,329	4,685	328
Bronchitis, chronic and unspecified (490-491)	18	94	22	214	126	10	200	24	58	150	13
Emphysema (492)	69	452	140	930	354	39	744	190	308	720	38
Asthma (493)	11	119	36	424	159	13	195	73	97	213	10
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	312	1,664	403	4,036	1,634	171	3,262	1,019	866	3,602	267
Ulcer of stomach and duodenum (531-533)	23	172	28	518	163	18	230	90	77	271	19
Appendicitis (540-543)	2	9	4	27	7	1	13	1	4	21	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	222	32	330	145	25	282	72	65	347	35
Chronic liver disease and cirrhosis (571)	90	874	221	1,902	668	62	933	287	270	1,244	126
Cholelithiasis and other disorders of gallbladder (574-575)	14	101	23	151	82	17	123	38	40	172	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	71	826	84	1,440	618	61	1,070	378	161	1,565	131
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	16	2	29	15	–	14	3	1	28	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	55	3	85	62	6	62	16	11	86	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	65	755	79	1,326	541	55	994	359	149	1,451	124
Infections of kidney (590)	6	16	10	58	32	3	51	28	15	42	2
Hyperplasia of prostate (600)	4	15	5	25	11	–	18	6	5	33	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	11	2	31	5	–	13	3	1	10	–
Pregnancy with abortive outcome (630-638)	–	4	–	9	1	–	2	–	–	3	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	7	2	22	4	–	11	3	1	7	–
Congenital anomalies (740-759)	38	247	104	889	336	40	610	126	162	615	47
Certain conditions originating in the perinatal period (760-779)	43	510	88	1,445	573	37	741	166	105	815	69
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	128	31	266	101	10	158	37	18	178	10
Other conditions originating in the perinatal period (760-766,770-779)	39	382	57	1,179	472	27	583	129	87	637	59
Symptoms, signs, and ill-defined conditions (780-799)	43	960	134	1,158	471	82	1,610	388	626	1,293	62
All other diseases (Residual)	720	5,433	1,139	10,582	5,544	495	8,121	2,098	2,424	10,436	845
Accidents and adverse effects (E800-E949)	293	1,929	945	5,043	2,875	246	3,555	1,409	1,116	4,147	284
Motor vehicle accidents (E810-E825)	156	812	500	2,112	1,469	106	1,619	683	523	1,764	92
All other accidents and adverse effects (E800-E807,E826-E949)	137	1,117	445	2,931	1,406	140	1,936	726	593	2,383	192
Suicide (E950-E959)	137	498	284	1,584	854	76	1,216	440	456	1,405	82
Homicide and legal intervention (E960-E978)	35	404	182	2,593	920	10	700	268	138	780	43
All other external causes (E980-E999)	20	31	29	200	37	3	64	18	36	135	20

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1991—Con.

(Page 5 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	29,170	6,693	49,403	128,239	9,985	4,658	48,445	37,136	20,066	43,086	2,993
Shigellosis and amebiasis (004,006)	-	-	-	4	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	13	18	-	4	5	5	1	11	1
Tuberculosis (010-018)	38	4	44	112	4	-	24	15	13	18	1
Tuberculosis of respiratory system (010-012)	25	3	34	76	3	-	17	9	12	16	-
Other tuberculosis (013-018)	13	1	10	36	1	-	7	6	1	2	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	1	1	-	-	-	-	-	-
Meningococcal infection (036)	4	1	10	8	1	2	5	5	2	3	-
Septicemia (038)	264	34	370	1,289	102	24	635	229	175	317	23
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	26	1	44	159	11	1	27	37	9	16	4
Syphilis (090-097)	2	-	-	10	1	-	1	2	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	425	22	455	2,594	94	29	584	528	94	290	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,569	1,535	11,452	29,519	2,031	1,127	11,709	9,267	4,675	10,295	634
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	143	12	165	524	22	10	194	146	62	157	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,513	389	2,469	7,025	474	285	2,553	2,078	1,028	2,481	157
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,984	388	3,697	8,917	370	291	3,534	2,750	1,568	2,541	160
Malignant neoplasm of breast (174-175)	577	118	902	2,304	197	93	1,012	782	344	926	61
Malignant neoplasms of genital organs (179-187)	853	188	1,208	3,242	290	129	1,327	1,142	479	1,321	71
Malignant neoplasms of urinary organs (188-189)	267	91	449	1,129	77	64	458	370	199	546	31
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	689	176	1,442	3,392	332	149	1,545	1,014	596	1,254	93
Leukemia (204-208)	208	69	437	1,205	93	36	411	407	155	428	24
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	335	104	683	1,781	176	70	675	578	244	641	33
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	21	126	323	51	18	178	84	70	159	8
Diabetes mellitus (250)	770	132	987	3,666	334	150	863	774	508	1,033	64
Nutritional deficiencies (260-269)	40	4	70	245	25	7	67	64	35	78	4
Anemias (280-285)	61	8	91	277	20	12	101	53	39	82	9
Meningitis (320-322)	11	2	18	54	8	4	23	15	9	12	2
Major cardiovascular diseases (390-448)	12,336	2,993	20,981	51,476	3,752	1,917	20,028	15,087	8,712	18,788	1,164
Diseases of heart (390-398,402,404-429)	9,311	2,329	16,234	39,755	2,841	1,514	15,674	11,181	7,045	14,335	896
Rheumatic fever and rheumatic heart disease (390-398)	64	18	122	235	62	18	79	141	37	114	14
Hypertensive heart disease (402)	305	29	546	1,498	115	49	322	259	181	283	9
Hypertensive heart and renal disease (404)	45	5	69	163	7	5	68	28	20	33	2
Ischemic heart disease (410-414)	6,025	1,639	11,137	26,154	1,630	958	9,234	6,999	4,427	10,341	582
Acute myocardial infarction (410)	3,631	959	6,307	13,781	816	455	4,612	3,200	2,294	5,382	319
Other acute and subacute forms of ischemic heart disease (411)	215	2	20	73	3	1	584	55	3	11	2
Angina pectoris (413)	24	6	27	68	3	7	26	22	19	13	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,155	672	4,783	12,232	808	495	4,012	3,722	2,111	4,935	260
Other diseases of endocardium (424)	126	44	265	662	67	42	300	351	109	350	20
All other forms of heart disease (415-423,425-429)	2,746	594	4,095	11,043	960	442	5,671	3,403	2,271	3,214	269
Hypertension with or without renal disease (401,403)	200	16	173	694	37	17	212	152	104	184	7
Cerebrovascular diseases (430-438)	2,356	476	3,668	8,489	702	274	3,291	2,817	1,164	3,313	189
Intracerebral and other intracranial hemorrhage (431-432)	354	44	504	1,276	72	22	524	331	163	398	26
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	316	38	367	868	53	34	352	208	130	321	16
Cerebral embolism (434.1)	8	1	15	31	4	1	16	15	5	11	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,678	393	2,782	6,314	573	217	2,399	2,263	866	2,583	147
Atherosclerosis (440)	139	68	397	1,163	69	31	326	440	151	354	29
Other diseases of arteries, arterioles, and capillaries (441-448)	330	104	509	1,375	103	81	525	497	248	602	43
Acute bronchitis and bronchiolitis (466)	5	4	12	38	1	4	16	6	4	17	-
Pneumonia and influenza (480-487)	783	307	1,805	3,772	414	151	1,696	1,349	702	1,748	100
Pneumonia (480-486)	775	297	1,778	3,721	412	147	1,672	1,321	688	1,708	98
Influenza (487)	8	10	27	51	2	4	24	28	14	40	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,036	328	1,996	5,415	436	228	1,993	1,965	1,061	1,778	225
Bronchitis, chronic and unspecified (490-491)	46	13	82	209	17	11	75	66	50	58	5
Emphysema (492)	187	79	309	1,074	75	19	343	290	130	347	35
Asthma (493)	60	15	116	332	33	15	141	109	41	105	10
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	743	221	1,489	3,800	311	183	1,434	1,500	840	1,268	175
Ulcer of stomach and duodenum (531-533)	64	18	124	387	35	18	111	121	44	121	10
Appendicitis (540-543)	7	2	13	29	6	1	6	3	1	6	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	73	27	126	384	53	13	108	130	51	147	15
Chronic liver disease and cirrhosis (571)	372	54	502	1,790	89	48	463	400	172	349	38
Cholelithiasis and other disorders of gallbladder (574-575)	45	10	73	206	20	3	58	33	37	61	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	234	72	436	826	118	39	573	188	227	421	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	1	5	19	-	1	4	9	5	7	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	38	4	52	95	9	5	30	40	14	21	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	192	67	379	712	109	33	539	139	208	393	16
Infections of kidney (590)	18	4	37	102	12	1	28	27	15	21	2
Hyperplasia of prostate (600)	4	-	15	30	-	-	5	11	5	9	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	-	6	26	1	1	3	3	1	4	-
Pregnancy with abortive outcome (630-638)	1	-	-	3	-	-	-	1	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	-	6	23	1	1	3	2	1	3	-
Congenital anomalies (740-759)	165	32	261	985	106	21	261	247	85	238	14
Certain conditions originating in the perinatal period (760-779)	288	44	397	973	68	16	493	208	103	225	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	7	72	232	12	2	64	28	30	47	-
Other conditions originating in the perinatal period (760-766,770-779)	238	37	325	741	56	14	429	180	73	178	4
Symptoms, signs, and ill-defined conditions (780-799)	291	70	904	1,249	178	32	512	298	189	195	50
All other diseases (Residual)	2,593	527	4,252	10,798	1,059	468	4,342	3,371	1,719	4,058	259
Accidents and adverse effects (E800-E949)	1,708	313	2,431	6,299	565	200	2,108	1,612	897	1,743	223
Motor vehicle accidents (E810-E825)	913	154	1,282	3,259	297	104	970	717	447	822	116
All other accidents and adverse effects (E800-E807,E826-E949)	795	159	1,149	3,040	268	96	1,138	895	450	921	107
Suicide (E950-E959)	426	94	695	2,249	285	91	779	678	254	575	88
Homicide and legal intervention (E960-E978)	431	21	597	2,799	70	25	600	232	133	238	14
All other external causes (E980-E999)	13	7	60	127	34	3	40	89	23	30	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991

(Page 1 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Total, 320 areas	Abilene, TX, MSA	Akron, OH, PMSA	Albany, GA, MSA	Albany-Schenectady-Troy, NY, MSA	Albuquerque, NM, MSA	Alexandria, LA, MSA	Allentown-Bethlehem-Easton, PA-NJ, MSA
All causes	1,607,648	1,055	5,840	856	8,327	3,375	1,245	6,388
Shigellosis and amebiasis (004,006)	12	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	375	-	-	1	3	-	-	2
Tuberculosis (010-018)	1,378	-	3	-	2	2	1	7
Tuberculosis of respiratory system (010-012)	1,059	-	3	-	2	1	1	6
Other tuberculosis (013-018)	319	-	-	-	-	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	-	-	-	-
Meningococcal infection (036)	157	-	-	1	1	-	-	-
Septicemia (038)	15,058	12	44	10	83	24	19	91
Acute poliomyelitis (045)	1	-	-	-	-	-	-	-
Measles (055)	25	-	-	-	-	-	-	1
Viral hepatitis (070)	1,502	1	1	1	3	7	1	4
Syphilis (090-097)	76	-	-	1	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	33,048	8	42	14	84	61	13	42
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	386,353	263	1,404	201	1,984	773	289	1,588
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,308	5	20	4	36	11	5	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	92,250	58	301	41	501	176	68	389
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	111,333	73	411	67	610	189	95	411
Malignant neoplasm of breast (174-175)	33,995	24	118	14	187	82	14	151
Malignant neoplasms of genital organs (179-187)	43,506	21	167	30	186	91	42	169
Malignant neoplasms of urinary organs (188-189)	15,754	6	53	8	80	30	6	80
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	46,005	35	183	25	201	113	33	223
Leukemia (204-208)	14,071	15	57	3	68	36	9	55
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23,131	26	94	9	115	45	17	84
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5,208	2	23	3	30	16	3	27
Diabetes mellitus (250)	36,013	23	173	17	141	109	23	190
Nutritional deficiencies (260-269)	2,046	2	14	-	5	10	2	8
Anemias (280-285)	3,053	1	18	2	9	3	2	13
Meningitis (320-322)	699	-	1	2	3	1	-	2
Major cardiovascular diseases (390-448)	668,499	462	2,410	308	3,967	1,124	521	2,626
Diseases of heart (390-398,402,404-429)	528,672	361	1,903	226	3,227	873	403	2,354
Rheumatic fever and rheumatic heart disease (390-398)	4,601	2	20	2	25	15	3	21
Hypertensive heart disease (402)	17,286	15	38	14	40	26	7	53
Hypertensive heart and renal disease (404)	1,800	2	5	2	12	4	3	5
Ischemic heart disease (410-414)	355,287	236	1,259	137	2,371	473	289	1,480
Acute myocardial infarction (410)	161,846	105	611	76	871	187	196	821
Other acute and subacute forms of ischemic heart disease (411)	2,234	-	9	-	10	1	-	1
Angina pectoris (413)	759	1	6	-	2	-	3	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	190,448	130	633	61	1,488	285	90	653
Other diseases of endocardium (424)	10,263	1	53	5	64	22	7	65
All other forms of heart disease (415-423,425-429)	139,435	105	528	66	715	333	94	730
Hypertension with or without renal disease (401,403)	7,203	5	29	10	38	7	4	27
Cerebrovascular diseases (430-438)	102,333	81	344	64	520	180	92	327
Intracerebral and other intracranial hemorrhage (431-432)	15,567	9	39	5	89	17	13	49
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12,608	6	45	8	63	11	8	29
Cerebral embolism (434.1)	471	1	6	-	3	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	73,687	65	254	51	365	152	71	248
Atherosclerosis (440)	12,098	7	54	-	67	27	5	32
Other diseases of arteries, arterioles, and capillaries (441-448)	18,193	8	80	8	115	37	17	86
Acute bronchitis and bronchiolitis (466)	466	-	4	-	-	-	2	4
Pneumonia and influenza (480-487)	56,722	37	189	33	359	92	51	185
Pneumonia (480-486)	56,114	37	187	33	358	91	51	182
Influenza (487)	608	-	2	-	1	1	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	65,500	51	226	33	338	192	54	225
Bronchitis, chronic and unspecified (490-491)	2,655	-	9	1	9	6	2	3
Emphysema (492)	12,109	9	36	1	59	36	12	37
Asthma (493)	3,854	6	6	5	7	12	1	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	46,882	36	175	26	263	138	39	174
Ulcer of stomach and duodenum (531-533)	4,499	2	12	3	21	6	3	13
Appendicitis (540-543)	278	-	1	-	-	2	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4,394	4	11	3	19	11	7	21
Chronic liver disease and cirrhosis (571)	20,283	7	57	10	85	69	13	59
Cholelithiasis and other disorders of gallbladder (574-575)	2,012	2	6	-	7	6	1	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,350	3	64	7	92	24	15	101
Acute glomerulonephritis and nephrotic syndrome (580-581)	228	-	1	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,108	1	3	1	7	1	1	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14,014	2	60	6	83	23	14	96
Infections of kidney (590)	842	-	3	-	4	2	2	7
Hyperplasia of prostate (600)	300	1	1	-	1	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	263	-	1	1	-	1	-	-
Pregnancy with abortive outcome (630-638)	45	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	218	-	1	-	-	1	-	-
Congenital anomalies (740-759)	9,769	8	33	10	41	25	15	25
Certain conditions originating in the perinatal period (760-779)	13,821	4	51	10	45	31	8	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,771	1	11	1	7	10	1	9
Other conditions originating in the perinatal period (760-766,770-779)	11,050	3	40	9	38	21	7	23
Symptoms, signs, and ill-defined conditions (780-799)	18,347	9	279	26	47	44	6	50
All other diseases (Residual)	131,808	76	533	77	570	388	104	539
Accidents and adverse effects (E800-E949)	61,604	41	143	56	256	213	51	186
Motor vehicle accidents (E810-E825)	29,071	22	64	28	137	84	24	95
All other accidents and adverse effects (E800-E807,E826-E949)	32,533	19	79	28	119	129	27	91
Suicide (E950-E959)	23,049	16	64	7	91	69	21	90
Homicide and legal intervention (E960-E978)	22,814	16	27	17	30	58	13	30
All other external causes (E980-E999)	2,022	4	2	2	6	10	4	8

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 2 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Altoona, PA, MSA	Amarillo, TX, MSA	Anaheim-Santa Ana, CA, PMSA	Anchorage, AK, MSA	Anderson, IN, MSA	Anderson, SC, MSA	Ann Arbor, MI, PMSA	Anniston, AL, MSA
All causes	1,537	1,579	14,449	781	1,280	1,309	1,487	1,148
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	6	1	-	-	-	-
Tuberculosis (010-018)	1	1	9	1	-	1	-	-
Tuberculosis of respiratory system (010-012)	1	-	7	-	-	-	-	-
Other tuberculosis (013-018)	-	1	2	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	3	-	-	-	2	-
Septicemia (038)	14	15	22	3	32	15	14	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	2	-	-	-	-	-
Viral hepatitis (070)	-	1	23	4	-	1	1	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	6	13	284	13	8	14	20	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	328	366	3,584	201	311	316	358	229
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	8	58	4	4	9	1	2
Malignant neoplasms of digestive organs and pentoneum (150-159)	83	75	837	42	79	69	91	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	95	117	970	57	106	103	84	66
Malignant neoplasm of breast (174-175)	25	25	344	17	20	24	36	11
Malignant neoplasms of genital organs (179-187)	43	45	410	20	38	42	55	18
Malignant neoplasms of urinary organs (188-189)	11	12	145	12	8	16	18	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	52	486	35	28	29	41	67
Leukemia (204-208)	16	11	123	5	12	9	14	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	21	211	9	16	15	18	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	3	38	2	5	7	3	5
Diabetes mellitus (250)	46	30	199	19	26	27	41	25
Nutritional deficiencies (260-269)	6	3	5	1	1	1	1	2
Anemias (280-285)	3	3	13	2	2	3	2	4
Meningitis (320-322)	-	2	6	-	-	-	-	1
Major cardiovascular diseases (390-448)	750	651	6,046	200	534	521	621	494
Diseases of heart (390-398,402,404-429)	598	494	4,588	154	424	415	475	405
Rheumatic fever and rheumatic heart disease (390-398)	7	4	56	6	5	2	10	1
Hypertensive heart disease (402)	4	20	114	2	7	14	6	3
Hypertensive heart and renal disease (404)	2	1	15	-	2	1	-	-
Ischemic heart disease (410-414)	446	323	3,453	100	306	293	331	255
Acute myocardial infarction (410)	235	151	1,397	33	140	161	152	208
Other acute and subacute forms of ischemic heart disease (411)	-	22	15	1	2	1	-	1
Angina pectoris (413)	1	2	2	1	-	2	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	210	148	2,039	65	164	129	179	43
Other diseases of endocardium (424)	11	9	98	10	4	6	7	1
All other forms of heart disease (415-423,425-429)	128	137	852	36	100	99	121	145
Hypertension with or without renal disease (401,403)	4	13	67	1	1	13	3	6
Cerebrovascular diseases (430-438)	110	74	1,083	34	84	80	111	66
Intracerebral and other intracranial hemorrhage (431-432)	13	21	142	6	8	9	15	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	3	111	3	11	11	7	6
Cerebral embolism (434.1)	1	-	8	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	76	50	822	25	65	60	89	45
Atherosclerosis (440)	11	46	143	2	11	2	16	8
Other diseases of arteries, arterioles, and capillaries (441-448)	27	24	165	9	14	11	16	9
Acute bronchitis and bronchiolitis (466)	1	-	7	2	-	2	-	-
Pneumonia and influenza (480-487)	48	42	735	7	46	33	46	42
Pneumonia (480-486)	45	41	731	7	46	33	46	42
Influenza (487)	3	1	4	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	66	105	670	31	54	51	59	52
Bronchitis, chronic and unspecified (490-491)	3	-	30	1	4	5	-	3
Emphysema (492)	10	13	121	4	6	7	12	8
Asthma (493)	1	5	32	1	1	4	6	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	87	487	25	43	35	41	40
Ulcer of stomach and duodenum (531-533)	4	4	67	-	6	3	8	3
Appendicitis (540-543)	-	-	3	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	5	43	1	4	7	3	4
Chronic liver disease and cirrhosis (571)	13	21	252	24	17	18	18	15
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	18	1	3	5	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	7	77	3	20	17	12	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	2	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	10	-	2	3	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	6	65	3	18	14	10	11
Infections of kidney (590)	1	-	7	1	-	2	-	-
Hyperplasia of prostate (600)	1	1	2	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	6	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	5	-	-	-	-	-
Congenital anomalies (740-759)	7	11	128	7	6	8	14	5
Certain conditions originating in the perinatal period (760-779)	1	20	136	9	4	6	16	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	24	3	-	-	1	5
Other conditions originating in the perinatal period (760-766,770-779)	-	17	112	6	4	6	15	12
Symptoms, signs, and ill-defined conditions (780-799)	6	8	223	20	4	18	9	17
All other diseases (Residual)	119	143	898	69	115	121	136	95
Accidents and adverse effects (E800-E949)	54	64	536	106	60	83	61	67
Motor vehicle accidents (E810-E825)	29	31	276	47	30	47	31	38
All other accidents and adverse effects (E800-E807,E826-E949)	25	33	260	59	30	36	30	29
Suicide (E950-E959)	18	35	218	27	12	19	31	21
Homicide and legal intervention (E960-E978)	3	18	177	26	7	10	6	13
All other external causes (E980-E999)	2	3	6	-	3	-	1	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 3 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Appleton-Oshkosh-Neenah, WI, MSA	Asheville, NC, MSA	Athens, GA, MSA	Atlanta, GA, MSA	Atlantic City, NJ, MSA	Augusta, GA-SC, MSA	Aurora-Elgin, IL, PMSA	Austin, TX, MSA
All causes	2,417	1,914	1,084	18,941	3,614	3,437	2,416	4,244
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	2
Certain other intestinal infections (007-009)	1	–	1	–	–	–	1	3
Tuberculosis (010-018)	–	1	–	16	2	4	–	5
Tuberculosis of respiratory system (010-012)	–	1	–	12	2	4	–	4
Other tuberculosis (013-018)	–	–	–	4	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	3	–	1	1	1
Septicemia (038)	18	15	13	244	62	51	21	39
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	14	2	1	–	4
Syphilis (090-097)	–	–	–	5	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	15	18	8	776	55	71	23	183
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	611	454	261	4,142	930	705	574	1,051
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	9	6	74	12	20	9	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	159	100	66	877	237	137	140	248
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	154	128	84	1,276	256	228	163	292
Malignant neoplasm of breast (174-175)	56	38	15	397	87	57	52	87
Malignant neoplasms of genital organs (179-187)	70	53	28	466	102	72	70	137
Malignant neoplasms of urinary organs (188-189)	31	21	8	139	43	31	22	42
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	69	53	34	515	123	89	63	127
Leukemia (204-208)	24	13	7	173	29	36	21	37
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	39	13	225	41	35	34	69
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	7	1	68	20	8	9	9
Diabetes mellitus (250)	55	25	24	313	86	56	51	87
Nutritional deficiencies (260-269)	8	7	–	25	3	3	8	12
Anemias (280-285)	7	1	3	45	7	10	6	7
Meningitis (320-322)	1	–	1	12	1	1	1	2
Major cardiovascular diseases (390-448)	1,039	835	459	7,154	1,546	1,404	1,058	1,512
Diseases of heart (390-398,402,404-429)	774	638	369	5,535	1,249	1,140	804	1,140
Rheumatic fever and rheumatic heart disease (390-398)	9	7	6	41	8	4	6	8
Hypertensive heart disease (402)	11	9	18	250	53	23	14	51
Hypertensive heart and renal disease (404)	3	2	–	23	2	10	4	4
Ischemic heart disease (410-414)	569	426	199	3,043	843	728	623	685
Acute myocardial infarction (410)	290	223	120	1,550	344	457	275	309
Other acute and subacute forms of ischemic heart disease (411)	3	1	–	8	1	4	6	–
Angina pectoris (413)	–	1	–	11	3	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	276	201	79	1,474	495	266	342	376
Other diseases of endocardium (424)	27	15	3	97	28	17	9	25
All other forms of heart disease (415-423,425-429)	155	179	143	2,081	315	358	148	367
Hypertension with or without renal disease (401,403)	13	7	7	100	12	20	7	17
Cerebrovascular diseases (430-438)	182	162	53	1,231	223	199	198	294
Intracerebral and other intracranial hemorrhage (431-432)	26	22	7	205	36	37	24	62
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	13	6	112	49	35	38	15
Cerebral embolism (434.1)	1	1	2	6	1	–	2	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	144	126	38	908	137	127	134	215
Atherosclerosis (440)	19	10	20	126	20	17	21	21
Other diseases of arteries, arterioles, and capillaries (441-448)	51	18	10	162	42	28	28	40
Acute bronchitis and bronchiolitis (466)	4	2	–	4	2	–	–	1
Pneumonia and influenza (480-487)	71	64	18	617	107	119	92	120
Pneumonia (480-486)	71	63	18	611	107	119	92	119
Influenza (487)	–	1	–	6	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	115	83	41	726	128	147	73	160
Bronchitis, chronic and unspecified (490-491)	5	5	–	23	1	9	3	5
Emphysema (492)	27	12	9	128	18	22	16	36
Asthma (493)	7	1	1	64	8	8	3	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	76	65	31	511	101	108	51	105
Ulcer of stomach and duodenum (531-533)	6	12	2	58	11	13	7	13
Appendicitis (540-543)	–	–	–	3	1	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	4	3	64	11	11	7	13
Chronic liver disease and cirrhosis (571)	21	17	9	213	52	44	31	75
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	3	20	8	5	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	11	5	226	52	36	27	31
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	2	–	1	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	1	6	5	3	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	10	3	218	47	32	25	26
Infections of kidney (590)	2	–	–	9	–	2	1	–
Hyperplasia of prostate (600)	–	–	–	6	–	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	8	–	–	1	1
Pregnancy with abortive outcome (630-638)	–	–	–	2	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	6	–	–	1	1
Congenital anomalies (740-759)	18	8	6	117	14	22	23	42
Certain conditions originating in the perinatal period (760-779)	14	10	15	265	29	47	22	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	1	5	52	1	5	6	6
Other conditions originating in the perinatal period (760-766,770-779)	10	9	10	213	28	42	16	15
Symptoms, signs, and ill-defined conditions (780-799)	11	11	10	254	62	64	17	33
All other diseases (Residual)	213	206	109	1,748	243	295	198	408
Accidents and adverse effects (E800-E949)	99	69	61	957	113	178	109	244
Motor vehicle accidents (E810-E825)	49	30	34	504	58	95	50	115
All other accidents and adverse effects (E800-E807,E826-E949)	50	39	27	453	55	83	59	129
Suicide (E950-E959)	38	28	19	395	36	46	30	96
Homicide and legal intervention (E960-E978)	6	21	12	407	29	89	19	61
All other external causes (E980-E999)	1	2	–	27	2	3	1	3

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 4 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Bakersfield, CA, MSA	Baltimore, MD, MSA	Bangor, ME, NECMA	Baton Rouge, LA, MSA	Battle Creek, MI, MSA	Beaumont-Port Arthur, TX, MSA	Beaver County, PA, PMSA	Bellingham, WA, MSA
All causes	4,140	21,430	1,243	3,843	1,372	3,554	1,978	1,029
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	6	–	2	1	–	–	–
Tuberculosis (010-018)	3	12	–	6	1	3	1	–
Tuberculosis of respiratory system (010-012)	2	7	–	5	–	3	1	–
Other tuberculosis (013-018)	1	5	–	1	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	1	1	–	–	–
Septicemia (038)	16	388	8	54	10	39	21	2
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	14	1	3	–	5	1	1
Syphilis (090-097)	–	–	–	1	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	54	514	10	78	10	42	14	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	904	5,459	328	904	305	838	521	255
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	94	9	25	3	22	6	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	201	1,309	75	210	72	198	119	75
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	287	1,595	104	272	87	292	152	68
Malignant neoplasm of breast (174-175)	69	464	32	81	23	57	54	24
Malignant neoplasms of genital organs (179-187)	94	623	36	99	37	85	53	38
Malignant neoplasms of urinary organs (188-189)	34	212	13	25	12	27	23	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	117	708	40	92	39	79	68	22
Leukemia (204-208)	37	168	8	38	7	34	14	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	52	286	11	62	25	44	32	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	66	6	8	5	10	7	–
Diabetes mellitus (250)	62	575	35	96	46	100	73	21
Nutritional deficiencies (260-269)	2	28	–	4	1	7	4	3
Anemias (280-285)	10	46	3	6	2	7	3	–
Meningitis (320-322)	3	6	1	4	–	–	–	1
Major cardiovascular diseases (390-448)	1,629	8,149	498	1,553	589	1,489	861	405
Diseases of heart (390-398,402,404-429)	1,326	6,568	404	1,212	462	1,138	710	291
Rheumatic fever and rheumatic heart disease (390-398)	16	60	2	3	2	8	12	2
Hypertensive heart disease (402)	52	339	3	166	9	25	18	7
Hypertensive heart and renal disease (404)	13	39	2	13	1	3	2	1
Ischemic heart disease (410-414)	983	3,197	250	755	331	783	504	203
Acute myocardial infarction (410)	336	1,918	134	308	211	417	285	100
Other acute and subacute forms of ischemic heart disease (411)	–	19	1	1	–	6	–	–
Angina pectoris (413)	2	23	1	4	–	6	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	645	1,237	114	442	120	354	219	102
Other diseases of endocardium (424)	13	113	8	15	9	27	11	13
All other forms of heart disease (415-423,425-429)	249	2,820	139	260	110	292	163	65
Hypertension with or without renal disease (401,403)	8	102	5	8	6	29	6	3
Cerebrovascular diseases (430-438)	230	1,153	64	216	87	258	113	78
Intracerebral and other intracranial hemorrhage (431-432)	43	204	16	48	9	27	9	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	79	2	38	2	26	17	11
Cerebral embolism (434.1)	–	1	–	–	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	164	869	46	130	76	205	87	51
Atherosclerosis (440)	27	76	7	86	19	24	7	14
Other diseases of arteries, arterioles, and capillaries (441-448)	38	250	18	31	15	40	25	19
Acute bronchitis and bronchiolitis (466)	–	3	–	–	–	3	3	–
Pneumonia and influenza (480-487)	219	649	51	115	67	92	68	56
Pneumonia (480-486)	219	646	48	112	65	89	68	56
Influenza (487)	–	3	3	3	2	3	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	236	776	66	112	50	148	72	60
Bronchitis, chronic and unspecified (490-491)	15	31	1	7	2	8	3	2
Emphysema (492)	59	107	8	22	8	31	6	4
Asthma (493)	11	42	2	8	1	16	5	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	151	596	55	75	39	93	58	49
Ulcer of stomach and duodenum (531-533)	10	39	8	8	3	12	3	5
Appendicitis (540-543)	1	1	–	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	58	4	10	4	10	4	5
Chronic liver disease and cirrhosis (571)	79	261	13	39	21	41	12	12
Cholelithiasis and other disorders of gallbladder (574-575)	6	28	1	3	1	5	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	33	314	8	43	13	33	27	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	–	3	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	15	–	–	1	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	295	8	40	12	31	25	5
Infections of kidney (590)	8	5	–	2	2	11	–	1
Hyperplasia of prostate (600)	–	5	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	2	–	2	–	–
Pregnancy with abortive outcome (630-638)	–	1	–	1	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	1	–	–
Congenital anomalies (740-759)	40	115	2	20	8	19	6	8
Certain conditions originating in the perinatal period (760-779)	63	159	12	44	8	40	21	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	26	2	10	1	15	5	1
Other conditions originating in the perinatal period (760-766,770-779)	55	133	10	34	7	25	16	3
Symptoms, signs, and ill-defined conditions (780-799)	24	554	8	38	7	32	13	2
All other diseases (Residual)	293	1,969	99	334	128	284	156	110
Accidents and adverse effects (E800-E949)	277	615	56	192	53	185	58	43
Motor vehicle accidents (E810-E825)	176	292	29	102	23	103	23	23
All other accidents and adverse effects (E800-E807,E826-E949)	101	323	27	90	30	82	35	20
Suicide (E950-E959)	74	233	22	69	18	58	19	22
Homicide and legal intervention (E960-E978)	63	340	3	86	17	38	5	2
All other external causes (E980-E999)	2	41	–	6	1	–	1	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 5 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Benton Harbor, MI, MSA	Bergen-Passaic, NJ, PMSA	Billings, MT, MSA	Biloxi-Gulfport, MS, MSA	Binghamton, NY, MSA	Birmingham, AL, MSA	Bismarck, ND, MSA	Bloomington, IN, MSA
All causes	1,617	11,948	931	1,822	2,583	9,232	622	597
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	1	3	–	1
Tuberculosis (010-018)	1	7	–	1	1	9	–	1
Tuberculosis of respiratory system (010-012)	–	6	–	1	–	8	–	1
Other tuberculosis (013-018)	1	1	–	–	1	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	–	1	–	–
Septicemia (038)	6	175	6	14	18	86	3	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	11	–	4	1	7	1	1
Syphilis (090-097)	–	2	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	7	293	3	19	17	94	3	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	386	3,137	224	409	621	2,049	136	167
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	47	2	9	12	21	1	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	83	836	46	101	160	453	33	37
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	122	799	71	134	186	648	33	43
Malignant neoplasm of breast (174-175)	30	322	16	29	64	196	17	11
Malignant neoplasms of genital organs (179-187)	40	348	23	36	62	201	20	16
Malignant neoplasms of urinary organs (188-189)	15	118	8	18	27	54	5	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43	363	26	44	54	281	14	31
Leukemia (204-208)	20	106	14	19	18	74	4	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	198	18	19	38	121	9	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	55	1	6	9	41	3	2
Diabetes mellitus (250)	42	338	19	17	50	228	24	17
Nutritional deficiencies (260-269)	4	13	–	5	1	18	–	–
Anemias (280-285)	3	20	2	6	5	17	2	1
Meningitis (320-322)	1	5	–	3	–	2	–	–
Major cardiovascular diseases (390-448)	704	5,232	357	828	1,204	3,505	287	244
Diseases of heart (390-398,402,404-429)	517	4,251	227	700	918	2,746	207	194
Rheumatic fever and rheumatic heart disease (390-398)	2	56	2	4	9	18	1	–
Hypertensive heart disease (402)	13	80	7	7	19	108	4	2
Hypertensive heart and renal disease (404)	3	13	1	1	1	4	–	1
Ischemic heart disease (410-414)	380	3,205	144	410	699	1,496	137	136
Acute myocardial infarction (410)	161	1,498	57	240	307	827	68	66
Other acute and subacute forms of ischemic heart disease (411)	–	7	2	2	–	5	–	1
Angina pectoris (413)	3	5	–	1	1	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	216	1,695	85	167	391	662	68	69
Other diseases of endocardium (424)	15	110	12	8	17	52	4	4
All other forms of heart disease (415-423,425-429)	104	787	61	270	173	1,068	61	51
Hypertension with or without renal disease (401,403)	5	35	4	13	20	58	–	1
Cerebrovascular diseases (430-438)	120	732	69	86	191	561	49	33
Intracerebral and other intracranial hemorrhage (431-432)	13	109	7	18	35	90	13	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	89	8	10	40	50	3	3
Cerebral embolism (434.1)	1	6	–	1	1	3	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	79	528	54	57	115	418	32	28
Atherosclerosis (440)	30	62	42	2	33	34	21	6
Other diseases of arteries, arterioles, and capillaries (441-448)	32	152	15	27	42	106	10	10
Acute bronchitis and bronchiolitis (466)	–	1	–	2	1	1	–	–
Pneumonia and influenza (480-487)	48	384	23	54	115	306	18	20
Pneumonia (480-486)	48	381	23	53	112	305	15	19
Influenza (487)	–	3	–	1	3	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74	359	77	93	126	383	30	25
Bronchitis, chronic and unspecified (490-491)	3	16	1	6	6	23	–	–
Emphysema (492)	22	78	12	9	19	59	4	8
Asthma (493)	2	19	1	3	3	23	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	47	246	63	75	98	278	25	17
Ulcer of stomach and duodenum (531-533)	–	26	3	4	15	33	2	1
Appendicitis (540-543)	–	1	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	25	2	6	8	25	4	1
Chronic liver disease and cirrhosis (571)	12	141	11	21	23	79	5	2
Cholelithiasis and other disorders of gallbladder (574-575)	–	13	4	3	–	13	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	127	4	21	19	109	3	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	3	1	2	–	8	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19	122	3	19	19	100	3	6
Infections of kidney (590)	–	3	1	1	1	10	–	–
Hyperplasia of prostate (600)	1	4	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	1	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	1	1	–	–
Congenital anomalies (740-759)	11	55	2	11	13	62	5	3
Certain conditions originating in the perinatal period (760-779)	13	68	4	11	12	69	4	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	21	1	3	5	11	2	–
Other conditions originatng in the perinatal period (760-766,770-779)	9	47	3	8	7	58	2	3
Symptoms, signs, and ill-defined conditions (780-799)	8	150	11	11	14	391	9	2
All other diseases (Residual)	162	845	98	136	207	886	55	39
Accidents and adverse effects (E800-E949)	72	301	44	83	68	461	19	35
Motor vehicle accidents (E810-E825)	33	120	15	41	44	233	6	21
All other accidents and adverse effects (E800-E807,E826-E949)	39	181	29	42	24	228	13	14
Suicide (E950-E959)	22	84	24	38	18	128	10	10
Homicide and legal intervention (E960-E978)	11	63	8	14	9	206	1	2
All other external causes (E980-E999)	1	7	3	–	5	9	–	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 6 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Bloomington-Normal, IL, MSA	Boise City, ID, MSA	Boston-Lawrence-Salem-Lowell-Brockton, MA, NECMA	Boulder-Longmont, CO, PMSA	Bradenton, FL, MSA	Brazoria, TX, PMSA	Bremerton, WA, MSA	Bridgeport-Stamford-Norwalk-Danbury, CT, NECMA
All causes	915	1,346	32,110	1,053	2,850	1,223	1,351	6,818
Shigellosis and amebiasis (004,006)	-	-	1	-	-	-	-	-
Certain other intestinal infections (007-009)	-	2	25	-	-	-	-	-
Tuberculosis (010-018)	-	1	18	-	1	-	2	2
Tuberculosis of respiratory system (010-012)	-	-	13	-	1	-	1	1
Other tuberculosis (013-018)	-	1	5	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	-	1	-	-	-
Septicemia (038)	3	4	402	5	17	5	8	101
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	30	2	3	3	1	9
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	2	9	527	13	36	27	13	122
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	215	321	8,429	258	756	306	331	1,758
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	3	133	3	18	1	7	40
Malignant neoplasms of digestive organs and peritoneum (150-159)	55	61	2,192	58	165	74	74	409
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	55	107	2,185	62	246	98	90	485
Malignant neoplasm of breast (174-175)	27	24	809	30	63	28	27	162
Malignant neoplasms of genital organs (179-187)	21	36	898	37	88	30	50	188
Malignant neoplasms of urinary organs (188-189)	5	16	352	11	36	11	14	82
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	22	35	1,088	34	73	32	34	222
Leukemia (204-208)	8	20	276	5	30	15	15	68
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	19	496	18	37	17	20	102
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	6	136	2	4	2	2	32
Diabetes mellitus (250)	26	19	689	19	38	37	19	128
Nutritional deficiencies (260-269)	1	-	41	1	1	3	3	6
Anemias (280-285)	4	1	77	1	5	6	1	8
Meningitis (320-322)	-	1	11	-	1	-	1	-
Major cardiovascular diseases (390-448)	412	548	12,883	391	1,321	446	552	2,926
Diseases of heart (390-398,402,404-429)	315	433	10,224	294	1,047	360	404	2,363
Rheumatic fever and rheumatic heart disease (390-398)	2	8	120	2	8	1	3	30
Hypertensive heart disease (402)	12	2	185	3	17	12	14	54
Hypertensive heart and renal disease (404)	-	-	19	-	7	5	1	4
Ischemic heart disease (410-414)	210	323	6,784	158	672	241	286	1,456
Acute myocardial infarction (410)	87	145	3,069	78	328	128	176	546
Other acute and subacute forms of ischemic heart disease (411)	1	1	10	-	-	1	1	1
Angina pectoris (413)	2	-	19	-	1	-	-	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	177	3,686	80	343	112	109	904
Other diseases of endocardium (424)	5	14	242	7	13	8	13	54
All other forms of heart disease (415-423,425-429)	86	86	2,874	124	330	93	87	765
Hypertension with or without renal disease (401,403)	4	1	111	-	20	7	5	24
Cerebrovascular diseases (430-438)	59	85	1,920	61	193	67	117	394
Intracerebral and other intracranial hemorrhage (431-432)	5	12	297	8	25	7	13	63
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	3	317	1	22	11	8	42
Cerebral embolism (434.1)	-	1	19	-	2	-	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	43	69	1,287	52	144	49	96	287
Atherosclerosis (440)	20	6	213	21	15	1	5	53
Other diseases of arteries, arterioles, and capillaries (441-446)	14	23	415	15	46	11	21	92
Acute bronchitis and bronchiolitis (466)	1	-	5	-	-	1	-	1
Pneumonia and influenza (480-487)	23	53	1,449	38	67	24	50	246
Pneumonia (480-486)	23	49	1,441	36	66	24	50	246
Influenza (487)	-	4	8	2	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	51	91	1,228	62	140	54	68	211
Bronchitis, chronic and unspecified (490-491)	3	6	46	-	4	-	1	11
Emphysema (492)	8	9	242	9	33	12	12	35
Asthma (493)	3	5	80	7	6	1	5	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37	71	860	46	97	41	50	153
Ulcer of stomach and duodenum (531-533)	4	5	70	4	8	5	3	12
Appendicitis (540-543)	-	-	3	-	3	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	4	98	2	4	4	6	16
Chronic liver disease and cirrhosis (571)	14	16	390	8	39	17	17	75
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	59	2	3	2	-	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	10	412	7	15	7	1	85
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	3	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	24	-	1	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	9	385	7	14	6	-	85
Infections of kidney (590)	1	-	14	1	-	1	-	3
Hyperplasia of prostate (600)	1	-	6	-	-	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	-	-	-	-	3
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	-	-	-	-	2
Congenital anomalies (740-759)	2	13	138	8	6	5	12	33
Certain conditions originating in the perinatal period (760-779)	3	12	186	9	4	8	11	45
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	2	34	1	1	-	2	2
Other conditions originating in the perinatal period (760-766,770-779)	3	10	152	8	3	8	9	43
Symptoms, signs, and ill-defined conditions (780-799)	5	14	275	8	49	13	9	102
All other diseases (Residual)	87	121	2,999	106	218	126	136	564
Accidents and adverse effects (E800-E949)	30	63	843	55	67	89	53	167
Motor vehicle accidents (E810-E825)	14	36	350	31	36	50	29	67
All other accidents and adverse effects (E800-E807,E826-E949)	16	27	493	24	31	39	24	100
Suicide (E950-E959)	10	28	304	39	30	22	35	77
Homicide and legal intervention (E960-E978)	4	2	209	11	13	9	13	71
All other external causes (E980-E999)	-	-	148	1	-	1	2	5

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 7 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Brownsville-Harlingen, TX, MSA	Bryan-College Station, TX, MSA	Buffalo, NY, PMSA	Burlington, NC, MSA	Burlington, VT, NECMA	Canton, OH, MSA	Casper, WY, MSA	Cedar Rapids, IA, MSA
All causes	1,679	568	10,383	1,007	818	3,902	445	1,276
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	2	–	1
Tuberculosis (010-018)	7	–	3	1	–	1	–	2
Tuberculosis of respiratory system (010-012)	7	–	2	–	–	–	–	1
Other tuberculosis (013-018)	–	–	1	1	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	1	–	–
Septicemia (038)	15	8	124	11	4	28	5	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	6	–	1	1	1	1
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	25	12	85	9	7	26	2	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	363	123	2,505	214	218	937	105	310
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	4	45	4	3	22	1	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	93	33	580	38	57	214	27	76
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	92	37	754	60	52	275	31	80
Malignant neoplasm of breast (174-175)	29	8	272	27	19	74	10	25
Malignant neoplasms of genital organs (179-187)	50	8	293	29	22	91	8	47
Malignant neoplasms of urinary organs (188-189)	15	4	115	7	12	49	4	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	35	18	230	31	28	107	13	30
Leukemia (204-208)	16	8	71	9	11	46	5	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26	3	145	9	14	59	6	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	1	39	2	3	14	2	3
Diabetes mellitus (250)	63	19	186	38	21	148	15	23
Nutritional deficiencies (260-269)	1	2	12	1	–	2	1	3
Anemias (280-285)	2	–	16	2	1	6	–	2
Meningitis (320-322)	1	–	5	–	–	–	–	–
Major cardiovascular diseases (390-448)	548	216	5,002	415	321	1,674	165	525
Diseases of heart (390-398,402,404-429)	414	147	4,028	308	254	1,293	128	410
Rheumatic fever and rheumatic heart disease (390-398)	3	1	35	4	2	9	2	3
Hypertensive heart disease (402)	6	3	71	10	2	34	1	34
Hypertensive heart and renal disease (404)	3	1	14	–	–	4	–	1
Ischemic heart disease (410-414)	272	96	3,051	226	159	920	80	253
Acute myocardial infarction (410)	114	54	1,381	120	71	474	40	100
Other acute and subacute forms of ischemic heart disease (411)	1	–	10	1	–	2	1	–
Angina pectoris (413)	2	1	2	–	1	2	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	155	41	1,658	105	87	442	39	153
Other diseases of endocardium (424)	10	1	73	12	11	30	4	13
All other forms of heart disease (415-423,425-429)	120	45	784	56	80	296	41	106
Hypertension with or without renal disease (401,403)	8	7	39	2	4	17	4	7
Cerebrovascular diseases (430-438)	104	47	764	86	44	265	26	78
Intracerebral and other intracranial hemorrhage (431-432)	20	6	110	12	4	31	4	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	2	137	9	4	28	3	7
Cerebral embolism (434.1)	–	–	7	–	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	75	39	510	65	36	206	19	60
Atherosclerosis (440)	11	8	45	9	2	49	–	18
Other diseases of arteries, arterioles, and capillaries (441-448)	11	7	126	10	17	50	7	12
Acute bronchitis and bronchiolitis (466)	–	–	2	–	2	2	–	–
Pneumonia and influenza (480-487)	46	13	379	28	24	143	15	48
Pneumonia (480-486)	46	13	375	27	24	141	15	47
Influenza (487)	–	–	4	1	–	2	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	65	24	394	57	32	209	35	71
Bronchitis, chronic and unspecified (490-491)	2	2	23	1	2	20	1	2
Emphysema (492)	20	7	77	4	6	37	18	4
Asthma (493)	1	1	19	3	1	16	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	14	275	49	23	136	16	62
Ulcer of stomach and duodenum (531-533)	3	2	24	–	3	7	2	5
Appendicitis (540-543)	1	1	1	–	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	31	1	1	16	3	8
Chronic liver disease and cirrhosis (571)	36	9	116	7	6	33	6	11
Cholelithiasis and other disorders of gallbladder (574-575)	5	–	9	2	1	7	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	7	94	15	3	32	1	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	1	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	2	1	1	–	–	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	5	93	13	3	31	–	4
Infections of kidney (590)	1	1	9	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	5	–	–	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	24	6	49	5	4	26	7	4
Certain conditions originating in the perinatal period (760-779)	11	2	81	9	7	25	2	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	–	7	1	2	3	–	1
Other conditions originating in the perinatal period (760-766,770-779)	8	2	74	8	5	22	2	5
Symptoms, signs, and ill-defined conditions (780-799)	126	5	84	8	12	36	8	11
All other diseases (Residual)	157	71	742	123	90	346	37	130
Accidents and adverse effects (E800-E949)	110	26	233	44	30	117	20	52
Motor vehicle accidents (E810-E825)	53	12	87	22	11	62	9	23
All other accidents and adverse effects (E800-E807,E826-E949)	57	14	146	22	19	55	11	29
Suicide (E950-E959)	20	13	75	9	18	37	11	25
Homicide and legal intervention (E960-E978)	32	6	54	6	6	22	2	5
All other external causes (E980-E999)	–	–	16	–	2	3	–	3

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 8 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Champaign-Urbana-Rantoul, IL, MSA	Charleston, SC, MSA	Charleston, WV, MSA	Charlotte-Gastonia-Rock Hill, NC-SC, MSA	Charlottesville, VA, MSA	Chattanooga, TN-GA, MSA	Cheyenne, WY, MSA	Chicago, IL, PMSA
All causes	988	3,547	2,745	9,662	990	4,208	498	54,603
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	2	-	1	-	11
Tuberculosis (010-018)	1	3	-	7	-	1	1	76
Tuberculosis of respiratory system (010-012)	1	3	-	5	-	1	-	65
Other tuberculosis (013-018)	-	-	-	2	-	-	1	11
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	-	3	-	2	-	5
Septicemia (038)	7	41	18	94	17	27	2	672
Acute poliomyelitis (045)	-	-	-	-	-	1	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	4	-	12	2	4	-	33
Syphilis (090-097)	-	-	-	1	-	-	-	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	9	83	15	154	17	47	4	962
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	218	821	670	2,251	246	994	111	12,680
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	18	13	32	4	15	-	253
Malignant neoplasms of digestive organs and peritoneum (150-159)	46	201	148	488	53	218	35	3,273
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	62	249	236	683	69	303	22	3,374
Malignant neoplasm of breast (174-175)	22	74	49	205	19	82	12	1,255
Malignant neoplasms of genital organs (179-187)	25	111	48	262	23	124	11	1,493
Malignant neoplasms of urinary organs (188-189)	5	36	32	109	13	40	10	478
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	32	67	88	239	41	124	12	1,390
Leukemia (204-208)	9	18	25	89	8	28	3	444
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	47	31	144	16	60	6	720
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	4	7	25	3	12	2	188
Diabetes mellitus (250)	35	111	75	221	23	81	10	1,251
Nutritional deficiencies (260-269)	-	6	10	12	-	7	-	73
Anemias (280-285)	2	8	7	15	3	8	4	125
Meningitis (320-322)	-	1	-	6	1	-	-	16
Major cardiovascular diseases (390-448)	431	1,376	1,159	4,043	382	1,882	186	22,723
Diseases of heart (390-398,402,404-429)	325	1,055	919	3,152	272	1,459	139	18,471
Rheumatic fever and rheumatic heart disease (390-398)	4	9	4	28	1	14	7	139
Hypertensive heart disease (402)	6	26	38	79	1	52	3	672
Hypertensive heart and renal disease (404)	2	3	5	12	-	2	-	58
Ischemic heart disease (410-414)	229	713	525	2,139	165	889	80	12,188
Acute myocardial infarction (410)	124	321	268	1,209	80	525	43	6,588
Other acute and subacute forms of ischemic heart disease (411)	2	199	1	1	8	3	-	20
Angina pectoris (413)	2	5	5	4	-	2	-	21
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	101	188	251	925	77	359	37	5,559
Other diseases of endocardium (424)	8	14	12	44	5	25	4	312
All other forms of heart disease (415-423,425-429)	76	290	335	850	100	477	45	5,102
Hypertension with or without renal disease (401,403)	16	10	19	39	7	23	1	231
Cerebrovascular diseases (430-438)	64	250	169	673	85	305	33	3,222
Intracerebral and other intracranial hemorrhage (431-432)	4	49	19	95	6	31	7	580
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	38	21	92	9	17	1	513
Cerebral embolism (434.1)	-	-	-	9	-	1	-	15
All other and late effects of cerebrovascular diseases (430,433,435-438)	56	163	129	477	70	256	25	2,114
Atherosclerosis (440)	11	16	31	56	10	45	8	244
Other diseases of arteries, arterioles, and capillaries (441-448)	15	45	21	123	8	50	5	555
Acute bronchitis and bronchiolitis (466)	-	1	1	5	2	-	-	11
Pneumonia and influenza (480-487)	21	90	85	296	41	160	12	2,115
Pneumonia (480-486)	21	89	85	292	41	159	12	2,108
Influenza (487)	-	1	-	4	-	1	-	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	44	145	123	351	46	184	37	1,772
Bronchitis, chronic and unspecified (490-491)	2	4	5	15	1	5	-	61
Emphysema (492)	7	26	11	57	7	32	5	360
Asthma (493)	1	11	5	25	4	8	3	170
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	34	104	102	254	34	139	29	1,181
Ulcer of stomach and duodenum (531-533)	-	9	5	24	3	19	3	154
Appendicitis (540-543)	-	1	-	1	-	1	-	14
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	5	3	28	2	9	1	142
Chronic liver disease and cirrhosis (571)	12	56	39	111	10	35	6	918
Cholelithiasis and other disorders of gallbladder (574-575)	1	6	1	14	2	6	-	68
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	27	36	75	17	42	3	728
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	1	-	-	-	5
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	2	4	11	1	4	-	46
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	25	31	63	16	38	3	677
Infections of kidney (590)	-	2	-	1	1	2	1	25
Hyperplasia of prostate (600)	-	-	1	-	-	1	1	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	-	12
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	-	12
Congenital anomalies (740-759)	9	28	6	45	5	23	5	321
Certain conditions originating in the perinatal period (760-779)	13	41	5	117	6	24	3	715
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	4	2	18	1	6	1	166
Other conditions originating in the perinatal period (760-766,770-779)	11	37	3	99	5	18	2	549
Symptoms, signs, and ill-defined conditions (780-799)	5	31	25	77	5	31	6	471
All other diseases (Residual)	93	300	256	923	90	319	47	4,647
Accidents and adverse effects (E800-E949)	43	213	139	425	43	174	35	1,870
Motor vehicle accidents (E810-E825)	23	108	66	219	14	92	15	722
All other accidents and adverse effects (E800-E807,E826-E949)	20	105	73	206	29	82	20	1,148
Suicide (E950-E959)	11	62	32	134	15	46	12	567
Homicide and legal intervention (E960-E978)	10	66	26	185	7	63	4	1,160
All other external causes (E980-E999)	1	4	1	4	1	1	2	69

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 9 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Chico, CA, MSA	Cincinnati, OH-KY-IN, PMSA	Clarksville-Hopkinsville, TN-KY, MSA	Cleveland, OH, PMSA	Colorado Springs, CO, MSA	Columbia, MO, MSA	Columbia, SC, MSA	Columbus, GA-AL, MSA
All causes	1,825	12,705	1,178	18,434	2,315	680	3,370	2,208
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	4	–	5	1	1	–	–
Tuberculosis (010-018)	2	3	–	8	1	2	9	4
Tuberculosis of respiratory system (010-012)	2	3	–	6	1	2	6	3
Other tuberculosis (013-018)	–	–	–	2	–	–	3	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	1	–	2	1	–	–	–
Septicemia (038)	7	113	7	152	12	9	46	33
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	3	1	6	4	–	6	–
Syphilis (090-097)	–	1	–	1	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	19	101	10	162	34	7	83	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	397	3,225	256	4,524	510	144	733	478
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	47	4	78	8	2	19	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	89	754	52	1,133	116	24	174	98
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	121	1,007	87	1,289	126	38	230	152
Malignant neoplasm of breast (174-175)	26	279	15	397	51	18	67	46
Malignant neoplasms of genital organs (179-187)	48	326	31	487	58	22	85	56
Malignant neoplasms of urinary organs (188-189)	20	149	12	184	20	5	28	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48	375	27	536	71	13	61	59
Leukemia (204-208)	14	104	7	165	23	5	28	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	184	21	255	37	17	41	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	34	3	74	8	2	9	10
Diabetes mellitus (250)	28	340	16	498	46	24	97	53
Nutritional deficiencies (260-269)	4	21	2	21	9	2	7	4
Anemias (280-285)	4	25	1	47	2	1	6	11
Meningitis (320-322)	2	2	1	7	1	–	1	–
Major cardiovascular diseases (390-448)	758	5,288	472	8,064	805	242	1,316	911
Diseases of heart (390-398,402,404-429)	498	4,263	363	6,671	581	186	1,019	688
Rheumatic fever and rheumatic heart disease (390-398)	6	36	1	79	8	4	10	1
Hypertensive heart disease (402)	12	245	8	176	17	7	23	28
Hypertensive heart and renal disease (404)	2	29	2	32	2	–	8	7
Ischemic heart disease (410-414)	332	2,738	233	4,866	455	119	756	427
Acute myocardial infarction (410)	114	1,060	151	1,452	165	48	471	224
Other acute and subacute forms of ischemic heart disease (411)	–	4	1	5	5	–	3	16
Angina pectoris (413)	1	8	–	6	–	1	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	217	1,666	81	3,403	285	70	282	185
Other diseases of endocardium (424)	20	84	4	121	10	10	15	7
All other forms of heart disease (415-423,425-429)	126	1,131	115	1,397	89	46	207	218
Hypertension with or without renal disease (401,403)	24	59	6	75	10	5	13	13
Cerebrovascular diseases (430-438)	178	762	85	1,024	157	41	214	164
Intracerebral and other intracranial hemorrhage (431-432)	23	98	11	158	18	5	41	35
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	107	6	143	11	7	20	18
Cerebral embolism (434.1)	1	3	–	6	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	137	554	68	717	128	29	152	111
Atherosclerosis (440)	31	64	6	78	24	2	15	18
Other diseases of arteries, arterioles, and capillaries (441-448)	27	140	12	216	33	8	55	28
Acute bronchitis and bronchiolitis (466)	–	9	–	2	–	–	–	1
Pneumonia and influenza (480-487)	106	486	47	528	107	20	107	78
Pneumonia (480-486)	102	483	45	516	103	19	106	78
Influenza (487)	4	3	2	12	4	1	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	97	568	50	716	175	38	122	96
Bronchitis, chronic and unspecified (490-491)	6	23	3	31	13	–	3	3
Emphysema (492)	15	61	10	136	36	4	24	19
Asthma (493)	10	29	2	35	9	3	6	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	66	455	35	514	117	31	89	67
Ulcer of stomach and duodenum (531-533)	8	37	2	43	6	1	10	3
Appendicitis (540-543)	–	1	–	2	1	1	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	40	2	49	8	2	8	5
Chronic liver disease and cirrhosis (571)	29	126	7	206	36	5	41	14
Cholelithiasis and other disorders of gallbladder (574-575)	3	7	3	27	3	3	6	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	137	13	200	12	11	41	29
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	1	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	11	–	10	4	–	9	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	125	13	189	7	11	32	29
Infections of kidney (590)	4	8	1	5	3	–	1	1
Hyperplasia of prostate (600)	1	6	–	3	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	–	3	1	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	3	1	–	–	1
Congenital anomalies (740-759)	6	85	7	85	24	9	23	17
Certain conditions originating in the perinatal period (760-779)	5	106	17	174	20	7	28	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	20	3	35	2	2	6	6
Other conditions originating in the perinatal period (760-766,770-779)	4	86	14	139	18	5	22	19
Symptoms, signs, and ill-defined conditions (780-799)	28	76	41	226	29	9	27	44
All other diseases (Residual)	174	1,125	93	1,432	221	84	356	186
Accidents and adverse effects (E800-E949)	70	434	80	690	136	36	176	98
Motor vehicle accidents (E810-E825)	39	169	44	215	68	17	88	46
All other accidents and adverse effects (E800-E807,E826-E949)	31	265	36	475	68	19	88	52
Suicide (E950-E959)	34	195	21	226	56	14	51	39
Homicide and legal intervention (E960-E978)	11	69	22	234	27	6	53	28
All other external causes (E980-E999)	2	27	3	12	14	–	4	5

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 10 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Columbus, OH, MSA	Corpus Christi, TX, MSA	Cumberland, MD-WV, MSA	Dallas, TX, PMSA	Danville, VA, MSA	Davenport-Rock Island-Moline, IA-IL, MSA	Dayton-Springfield, OH, MSA	Daytona Beach, FL, MSA
All causes	10,801	2,523	1,270	16,288	1,233	3,263	8,431	4,717
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	1	–	–	1	–
Tuberculosis (010-018)	7	4	1	18	1	–	2	1
Tuberculosis of respiratory system (010-012)	7	3	–	13	1	–	1	1
Other tuberculosis (013-018)	–	1	1	5	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	2	–	–	–	–
Septicemia (038)	101	20	14	155	9	14	59	22
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	2	1	31	1	2	5	4
Syphilis (090-097)	1	2	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	125	38	5	558	8	20	70	46
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,618	629	299	3,694	273	805	2,065	1,194
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	14	–	71	2	10	27	16
Malignant neoplasms of digestive organs and peritoneum (150-159)	598	149	74	852	63	183	444	279
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	845	190	86	1,118	83	245	653	396
Malignant neoplasm of breast (174-175)	231	46	19	333	23	64	160	85
Malignant neoplasms of genital organs (179-187)	276	74	36	401	34	93	217	129
Malignant neoplasms of urinary organs (188-189)	113	27	20	123	11	48	84	58
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	289	73	39	414	31	75	295	121
Leukemia (204-208)	93	28	8	158	7	34	74	36
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	144	28	17	224	19	53	111	74
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	8	2	54	3	9	37	11
Diabetes mellitus (250)	319	122	47	408	27	60	218	106
Nutritional deficiencies (260-269)	32	4	1	25	2	5	18	9
Anemias (280-285)	29	1	2	31	–	11	17	4
Meningitis (320-322)	5	2	–	6	–	1	4	–
Major cardiovascular diseases (390-448)	4,357	956	566	6,305	581	1,551	3,663	2,158
Diseases of heart (390-398,402,404-429)	3,440	743	452	4,881	467	1,193	2,891	1,713
Rheumatic fever and rheumatic heart disease (390-398)	24	7	2	34	2	11	22	12
Hypertensive heart disease (402)	114	27	12	375	10	22	98	81
Hypertensive heart and renal disease (404)	17	3	1	14	3	2	12	5
Ischemic heart disease (410-414)	2,110	483	291	2,779	241	883	1,776	1,228
Acute myocardial infarction (410)	1,108	207	148	1,307	123	444	835	494
Other acute and subacute forms of ischemic heart disease (411)	7	6	2	4	15	1	3	1
Angina pectoris (413)	6	–	1	5	–	3	6	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	989	270	140	1,463	103	435	932	730
Other diseases of endocardium (424)	63	12	10	104	10	12	37	26
All other forms of heart disease (415-423,425-429)	1,112	211	136	1,575	201	263	946	361
Hypertension with or without renal disease (401,403)	61	16	3	69	3	18	33	31
Cerebrovascular diseases (430-438)	620	161	81	1,027	89	267	552	302
Intracerebral and other intracranial hemorrhage (431-432)	101	24	8	147	14	34	92	35
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	74	17	11	100	17	20	68	73
Cerebral embolism (434.1)	1	–	–	4	–	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	444	120	62	776	58	213	391	193
Atherosclerosis (440)	99	19	12	140	8	27	75	57
Other diseases of arteries, arterioles, and capillaries (441-448)	137	17	18	188	14	46	112	55
Acute bronchitis and bronchiolitis (466)	8	2	–	7	–	1	5	–
Pneumonia and influenza (480-487)	311	57	35	484	29	113	241	132
Pneumonia (480-486)	307	56	35	482	29	111	234	130
Influenza (487)	4	1	–	2	–	2	7	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	488	99	63	674	60	166	371	238
Bronchitis, chronic and unspecified (490-491)	17	5	3	33	5	2	14	2
Emphysema (492)	93	22	8	128	12	37	59	42
Asthma (493)	19	6	8	47	6	14	13	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	359	66	44	466	37	113	285	188
Ulcer of stomach and duodenum (531-533)	29	9	1	37	–	8	12	14
Appendicitis (540-543)	2	–	–	1	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	5	2	42	3	14	26	11
Chronic liver disease and cirrhosis (571)	100	63	6	211	19	23	72	67
Cholelithiasis and other disorders of gallbladder (574-575)	15	3	2	23	1	3	11	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	106	9	23	76	15	29	93	22
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	2	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	–	–	13	–	1	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	98	9	22	61	15	28	90	21
Infections of kidney (590)	6	4	–	13	–	–	6	1
Hyperplasia of prostate (600)	4	1	–	2	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	6	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	5	–	–	1	–
Congenital anomalies (740-759)	76	28	3	144	4	14	51	17
Certain conditions originating in the perinatal period (760-779)	94	20	7	148	3	15	33	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	11	2	32	–	7	4	3
Other conditions originating in the perinatal period (760-766,770-779)	79	9	5	116	3	8	29	6
Symptoms, signs, and ill-defined conditions (780-799)	336	19	14	107	12	11	220	42
All other diseases (Residual)	995	226	125	1,252	118	235	687	341
Accidents and adverse effects (E800-E949)	357	89	37	761	38	89	265	154
Motor vehicle accidents (E810-E825)	172	52	21	404	25	42	141	90
All other accidents and adverse effects (E800-E807,E826-E949)	185	37	16	357	13	47	124	64
Suicide (E950-E959)	136	42	11	371	14	49	99	70
Homicide and legal intervention (E960-E978)	65	48	3	605	11	11	77	35
All other external causes (E980-E999)	7	9	–	35	1	2	2	3

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 11 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Decatur, AL, MSA	Decatur, IL, MSA	Denver, CO, PMSA	Des Moines, IA, MSA	Detroit, MI, PMSA	Dothan, AL, MSA	Dubuque, IA, MSA	Duluth, MN-WI, MSA
All causes	1,141	1,200	10,797	3,188	38,669	1,085	843	2,731
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	1	6	–	–	–
Tuberculosis (010-018)	1	–	6	–	26	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	4	–	18	–	–	–
Other tuberculosis (013-018)	1	–	2	–	8	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	1	–	–	–
Septicemia (038)	8	12	90	28	309	17	2	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	11	1	17	–	–	2
Syphilis (090-097)	–	–	1	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	6	11	318	27	399	12	6	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	245	277	2,515	795	9,370	262	190	644
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	5	46	15	147	7	4	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	43	66	625	156	2,206	43	36	152
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	71	73	627	262	2,778	70	65	165
Malignant neoplasm of breast (174-175)	16	27	271	60	814	25	18	65
Malignant neoplasms of genital organs (179-187)	25	39	286	97	1,065	21	22	107
Malignant neoplasms of urinary organs (188-189)	13	13	110	35	376	8	8	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	22	283	75	1,054	53	13	65
Leukemia (204-208)	13	16	98	24	354	15	10	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	16	169	71	576	20	14	46
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	5	23	6	101	1	–	14
Diabetes mellitus (250)	22	21	235	64	1,031	13	21	71
Nutritional deficiencies (260-269)	2	–	21	7	71	1	1	4
Anemias (280-285)	1	1	16	5	97	1	3	9
Meningitis (320-322)	1	–	4	–	25	1	2	–
Major cardiovascular diseases (390-448)	478	554	3,816	1,352	16,780	471	389	1,227
Diseases of heart (390-398,402,404-429)	395	435	2,838	1,072	13,648	370	302	966
Rheumatic fever and rheumatic heart disease (390-398)	1	2	63	10	114	2	3	9
Hypertensive heart disease (402)	3	5	80	35	395	15	4	18
Hypertensive heart and renal disease (404)	–	1	10	1	44	1	1	3
Ischemic heart disease (410-414)	250	254	1,889	488	9,096	244	201	609
Acute myocardial infarction (410)	204	102	856	201	4,617	140	69	324
Other acute and subacute forms of ischemic heart disease (411)	–	1	7	3	16	–	–	1
Angina pectoris (413)	–	1	7	1	17	–	2	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	46	150	1,019	283	4,446	104	130	280
Other diseases of endocardium (424)	2	12	70	24	174	8	3	18
All other forms of heart disease (415-423,425-429)	139	161	726	514	3,825	100	90	309
Hypertension with or without renal disease (401,403)	2	11	68	13	122	3	2	14
Cerebrovascular diseases (430-438)	64	89	592	196	2,360	76	77	180
Intracerebral and other intracranial hemorrhage (431-432)	8	9	111	23	391	7	7	31
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	12	58	10	408	2	8	11
Cerebral embolism (434.1)	–	–	2	–	13	2	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	54	68	421	163	1,548	65	62	138
Atherosclerosis (440)	6	8	183	28	248	10	5	22
Other diseases of arteries, arterioles, and capillaries (441-448)	11	11	135	43	402	12	3	45
Acute bronchitis and bronchiolitis (466)	–	–	5	2	8	1	–	–
Pneumonia and influenza (480-487)	56	38	437	130	1,191	30	47	92
Pneumonia (480-486)	55	37	432	127	1,182	30	47	84
Influenza (487)	1	1	5	3	9	–	–	8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	39	48	706	154	1,366	51	33	125
Bronchitis, chronic and unspecified (490-491)	4	4	24	4	58	5	3	9
Emphysema (492)	7	5	112	31	331	9	8	18
Asthma (493)	2	5	37	8	82	2	2	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	34	533	111	895	35	20	94
Ulcer of stomach and duodenum (531-533)	6	3	36	14	101	2	1	11
Appendicitis (540-543)	1	–	1	1	7	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	6	41	11	90	3	4	9
Chronic liver disease and cirrhosis (571)	8	7	173	25	622	8	8	24
Cholelithiasis and other disorders of gallbladder (574-575)	4	1	16	5	49	–	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	12	62	15	365	13	5	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	3	–	8	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	12	4	18	–	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	12	47	11	339	13	4	20
Infections of kidney (590)	–	–	5	–	12	1	1	1
Hyperplasia of prostate (600)	–	–	1	–	8	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	3	–	6	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	1	–	4	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	2	–	2	–	–	1
Congenital anomalies (740-759)	7	6	72	30	204	7	5	7
Certain conditions originating in the perinatal period (760-779)	5	11	87	27	486	6	4	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	4	15	4	102	2	2	3
Other conditions originating in the perinatal period (760-766,770-779)	2	7	72	23	384	4	2	6
Symptoms, signs, and ill-defined conditions (780-799)	61	17	99	23	170	13	–	36
All other diseases (Residual)	75	96	1,073	241	3,053	82	78	258
Accidents and adverse effects (E800-E949)	72	51	504	146	1,220	57	26	95
Motor vehicle accidents (E810-E825)	38	18	220	56	594	44	9	49
All other accidents and adverse effects (E800-E807,E826-E949)	34	33	284	90	626	13	17	46
Suicide (E950-E959)	17	13	282	59	516	12	11	41
Homicide and legal intervention (E960-E978)	6	8	123	16	867	20	3	5
All other external causes (E980-E999)	–	1	13	3	95	–	1	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 12 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Eau Claire, WI, MSA	El Paso, TX, MSA	Elkhart-Goshen, IN, MSA	Elmira, NY, MSA	Enid, OK, MSA	Erie, PA, MSA	Eugene-Springfield, OR, MSA	Evansville, IN-KY, MSA
All causes	1,177	3,360	1,174	951	523	2,559	2,268	2,713
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	1
Tuberculosis (010-018)	-	8	1	1	-	2	1	1
Tuberculosis of respiratory system (010-012)	-	1	-	1	-	2	1	1
Other tuberculosis (013-018)	-	7	1	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	10	34	10	4	4	25	10	27
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	4	-	1	-	2	3	4
Syphilis (090-097)	-	-	1	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	10	40	7	10	3	10	21	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	278	751	263	247	113	651	588	675
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	12	-	7	1	13	11	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	194	63	58	20	148	109	150
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	59	187	63	77	30	167	174	239
Malignant neoplasm of breast (174-175)	25	74	36	22	6	72	56	49
Malignant neoplasms of genital organs (179-187)	47	103	40	30	15	65	70	74
Malignant neoplasms of urinary organs (188-189)	19	28	10	12	10	27	26	32
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	38	68	22	23	20	97	79	67
Leukemia (204-208)	11	34	9	9	3	20	24	24
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	51	20	9	8	42	39	30
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	10	2	3	1	12	5	10
Diabetes mellitus (250)	31	124	22	18	19	55	51	59
Nutritional deficiencies (260-269)	3	6	1	1	-	9	2	6
Anemias (280-285)	2	20	2	2	-	9	5	4
Meningitis (320-322)	1	2	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	527	1,209	567	429	232	1,103	848	1,171
Diseases of heart (390-398,402,404-429)	419	968	428	345	170	869	623	937
Rheumatic fever and rheumatic heart disease (390-398)	2	12	3	5	-	12	8	6
Hypertensive heart disease (402)	1	54	1	8	2	21	15	9
Hypertensive heart and renal disease (404)	1	-	1	-	1	2	-	2
Ischemic heart disease (410-414)	295	717	279	259	104	648	431	663
Acute myocardial infarction (410)	153	294	152	85	64	364	199	404
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	2	7	3	1	-
Angina pectoris (413)	-	2	-	1	-	3	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	141	421	127	171	33	278	231	256
Other diseases of endocardium (424)	10	18	12	10	3	21	25	16
All other forms of heart disease (415-423,425-429)	110	167	132	63	60	165	144	241
Hypertension with or without renal disease (401,403)	3	14	8	1	3	7	11	10
Cerebrovascular diseases (430-438)	79	180	109	62	41	187	162	183
Intracerebral and other intracranial hemorrhage (431-432)	8	28	15	7	4	24	23	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	17	18	10	3	40	14	13
Cerebral embolism (434.1)	-	-	-	-	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	67	135	76	45	34	121	125	157
Atherosclerosis (440)	8	23	7	8	13	13	32	16
Other diseases of arteries, arterioles, and capillaries (441-448)	18	24	15	13	5	27	20	25
Acute bronchitis and bronchiolitis (466)	-	-	-	1	1	1	-	-
Pneumonia and influenza (480-487)	31	83	27	29	23	85	61	134
Pneumonia (480-486)	30	81	27	29	22	84	61	133
Influenza (487)	1	2	-	-	1	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	61	175	47	64	13	114	133	103
Bronchitis, chronic and unspecified (490-491)	1	7	1	3	-	4	5	5
Emphysema (492)	15	27	17	7	1	10	54	20
Asthma (493)	3	13	1	2	2	3	8	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	128	28	52	10	97	66	70
Ulcer of stomach and duodenum (531-533)	3	9	5	2	2	6	12	7
Appendicitis (540-543)	-	3	-	-	-	2	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	16	3	2	1	5	3	5
Chronic liver disease and cirrhosis (571)	12	79	5	6	1	24	24	23
Cholelithiasis and other disorders of gallbladder (574-575)	3	8	1	-	-	1	5	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	34	11	5	7	31	9	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	3	-	-	-	3	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	31	11	5	7	28	8	23
Infections of kidney (590)	-	4	1	1	-	3	1	1
Hyperplasia of prostate (600)	-	1	-	1	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	-	1	1
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	1	1
Congenital anomalies (740-759)	4	32	8	3	3	16	11	13
Certain conditions originating in the perinatal period (760-779)	7	41	14	3	2	20	7	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	13	6	1	-	6	2	4
Other conditions originating in the perinatal period (760-766,770-779)	6	28	8	2	2	14	5	13
Symptoms, signs, and ill-defined conditions (780-799)	5	24	6	6	5	19	85	15
All other diseases (Residual)	106	323	97	73	48	211	237	231
Accidents and adverse effects (E800-E949)	56	203	51	21	28	97	84	98
Motor vehicle accidents (E810-E825)	24	110	25	11	13	42	39	37
All other accidents and adverse effects (E800-E807,E826-E949)	32	93	26	10	15	55	45	61
Suicide (E950-E959)	12	60	13	14	12	34	46	44
Homicide and legal intervention (E960-E978)	1	51	6	2	3	9	9	18
All other external causes (E980-E999)	1	5	3	1	1	-	5	4

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 13 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Fargo-Moorhead, ND-MN, MSA	Fayetteville, NC, MSA	Fayetteville-Springdale, AR, MSA	Flint, MI, MSA	Florence, AL, MSA	Florence, SC, MSA	Fort Collins-Loveland, CO, MSA	Fort Lauderdale-Hollywood-Pompano Beach, FL, PMSA
All causes	985	1,558	934	3,526	1,331	1,114	1,184	14,792
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	1	1	–	–	5
Tuberculosis (010-018)	1	2	1	1	1	3	–	10
Tuberculosis of respiratory system (010-012)	–	–	1	1	1	2	–	9
Other tuberculosis (013-018)	1	2	–	–	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	–	–	–
Septicemia (038)	11	24	7	18	7	8	7	88
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	3	–	1	–	11
Syphilis (090-097)	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	8	29	13	36	5	13	9	543
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	254	339	219	817	325	244	297	3,797
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	7	–	7	1	3	3	57
Malignant neoplasms of digestive organs and peritoneum (150-159)	79	71	40	192	45	47	87	931
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	54	112	84	263	112	80	70	1,094
Malignant neoplasm of breast (174-175)	23	26	11	63	25	24	28	309
Malignant neoplasms of genital organs (179-187)	28	40	26	93	32	35	32	455
Malignant neoplasms of urinary organs (188-189)	10	8	13	38	10	7	9	177
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24	39	26	78	63	27	34	379
Leukemia (204-208)	12	9	12	25	13	9	10	136
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	27	7	58	24	12	24	259
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	3	3	11	5	1	3	54
Diabetes mellitus (250)	24	42	24	98	24	33	19	326
Nutritional deficiencies (260-269)	1	4	2	2	5	–	1	14
Anemias (280-285)	5	4	–	7	2	6	2	21
Meningitis (320-322)	3	–	–	1	–	–	1	5
Major cardiovascular diseases (390-448)	364	629	335	1,580	605	495	454	6,575
Diseases of heart (390-398,402,404-429)	266	507	255	1,263	501	390	337	5,328
Rheumatic fever and rheumatic heart disease (390-398)	–	5	1	10	1	4	5	52
Hypertensive heart disease (402)	3	28	6	34	4	12	9	110
Hypertensive heart and renal disease (404)	–	3	4	6	1	1	–	16
Ischemic heart disease (410-414)	180	367	173	872	236	237	226	4,134
Acute myocardial infarction (410)	88	116	100	498	157	162	117	1,667
Other acute and subacute forms of ischemic heart disease (411)	1	22	–	1	–	1	3	24
Angina pectoris (413)	–	–	1	4	–	1	–	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	91	229	72	369	79	73	106	2,436
Other diseases of endocardium (424)	4	6	6	9	6	2	12	120
All other forms of heart disease (415-423,425-429)	79	98	65	332	253	134	85	896
Hypertension with or without renal disease (401,403)	–	7	3	10	3	6	3	79
Cerebrovascular diseases (430-438)	69	85	53	235	82	92	91	895
Intracerebral and other intracranial hemorrhage (431-432)	10	9	8	39	13	7	8	140
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	12	7	29	15	19	9	113
Cerebral embolism (434.1)	1	–	–	1	1	–	–	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	50	64	38	166	53	66	74	637
Atherosclerosis (440)	12	8	11	26	4	–	8	73
Other diseases of arteries, arterioles, and capillaries (441-448)	17	22	13	46	15	7	15	200
Acute bronchitis and bronchiolitis (466)	–	–	–	–	2	–	–	2
Pneumonia and influenza (480-487)	62	42	36	87	25	25	54	285
Pneumonia (480-486)	61	42	34	87	25	24	53	285
Influenza (487)	1	–	2	–	–	1	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33	51	44	155	57	38	82	585
Bronchitis, chronic and unspecified (490-491)	1	1	–	6	6	3	3	14
Emphysema (492)	8	2	6	38	12	7	21	136
Asthma (493)	3	6	2	10	–	1	11	31
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21	42	36	101	39	27	47	404
Ulcer of stomach and duodenum (531-533)	3	6	–	11	3	–	4	37
Appendicitis (540-543)	–	–	1	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	4	2	9	1	1	6	40
Chronic liver disease and cirrhosis (571)	10	21	5	43	15	19	13	177
Cholelithiasis and other disorders of gallbladder (574-575)	4	2	2	5	–	2	–	26
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	21	14	38	12	8	7	117
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	1	–	–	–	2
Chronic glomerulonephntis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	1	3	1	1	1	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	18	13	34	11	7	6	*109
Infections of kidney (590)	1	2	–	–	2	–	1	6
Hyperplasia of prostate (600)	–	–	–	–	1	–	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	1	–	2
Pregnancy with abortive outcome (630-638)	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	2
Congenital anomalies (740-759)	8	9	7	22	2	3	13	55
Certain conditions originating in the perinatal period (760-779)	4	31	6	51	6	20	7	101
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	5	1	17	3	1	1	20
Other conditions originating in the perinatal period (760-766,770-779)	4	26	5	34	3	19	6	81
Symptoms, signs, and ill-defined conditions (780-799)	18	24	67	22	10	14	7	71
All other diseases (Residual)	95	92	82	247	101	93	105	1,114
Accidents and adverse effects (E800-E949)	44	91	43	148	85	59	56	392
Motor vehicle accidents (E810-E825)	19	50	27	90	46	35	37	188
All other accidents and adverse effects (E800-E807,E826-E949)	25	41	16	58	39	24	19	204
Suicide (E950-E959)	17	22	7	45	24	13	30	215
Homicide and legal intervention (E960-E978)	1	61	11	61	4	13	3	114
All other external causes (E980-E999)	–	2	2	7	1	1	1	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 14 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Fort Myers-Cape Coral, FL, MSA	Fort Pierce, FL, MSA	Fort Smith, AR-OK, MSA	Fort Walton Beach, FL, MSA	Fort Wayne, IN, MSA	Fort Worth-Arlington, TX, PMSA	Fresno, CA, MSA	Gadsden, AL, MSA
All causes	3,742	2,890	1,705	980	2,935	8,964	4,988	1,190
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	1	–	2	1	1
Tuberculosis (010-018)	3	2	2	1	1	5	3	–
Tuberculosis of respiratory system (010-012)	3	2	1	–	–	4	1	–
Other tuberculosis (013-018)	–	–	1	1	1	1	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	–
Septicemia (038)	14	17	19	9	27	66	31	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	7	4	3	1	2	8	10	–
Syphilis (090-097)	–	–	–	–	–	2	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	58	45	8	6	17	162	80	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,048	872	390	247	675	2,120	1,056	249
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	15	4	9	8	34	18	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	244	203	90	49	159	457	265	53
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	348	281	140	98	195	700	278	80
Malignant neoplasm of breast (174-175)	73	66	33	15	52	155	85	15
Malignant neoplasms of genital organs (179-187)	118	98	33	15	68	235	123	30
Malignant neoplasms of urinary organs (188-189)	51	36	15	11	35	84	34	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	105	103	38	30	98	249	144	37
Leukemia (204-208)	34	30	14	5	17	78	45	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	63	40	23	15	43	128	64	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	7	8	3	11	19	19	6
Diabetes mellitus (250)	82	39	48	19	65	212	102	21
Nutritional deficiencies (260-269)	1	–	2	–	6	16	5	1
Anemias (280-285)	5	6	4	2	6	17	10	1
Meningitis (320-322)	–	1	–	–	1	4	–	1
Major cardiovascular diseases (390-448)	1,601	1,219	790	396	1,342	3,706	1,933	555
Diseases of heart (390-398,402,404-429)	1,306	988	627	338	1,018	2,851	1,507	463
Rheumatic fever and rheumatic heart disease (390-398)	15	9	2	–	2	18	15	–
Hypertensive heart disease (402)	54	15	9	9	15	150	108	4
Hypertensive heart and renal disease (404)	2	1	1	6	2	16	6	–
Ischemic heart disease (410-414)	852	675	486	222	749	1,924	980	256
Acute myocardial infarction (410)	288	264	303	98	317	1,010	392	147
Other acute and subacute forms of ischemic heart disease (411)	–	1	–	–	4	5	25	2
Angina pectoris (413)	–	1	2	–	–	7	6	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	564	409	181	124	428	902	557	106
Other diseases of endocardium (424)	39	19	8	8	24	51	35	6
All other forms of heart disease (415-423,425-429)	344	269	121	93	226	692	363	197
Hypertension with or without renal disease (401,403)	17	8	8	2	14	37	28	2
Cerebrovascular diseases (430-438)	197	167	126	36	223	631	314	77
Intracerebral and other intracranial hemorrhage (431-432)	26	32	16	5	27	92	49	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	46	7	5	21	98	34	21
Cerebral embolism (434.1)	2	–	–	–	–	6	3	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	155	89	103	26	175	435	228	41
Atherosclerosis (440)	35	15	8	3	43	93	35	2
Other diseases of arteries, arterioles, and capillaries (441-448)	46	41	21	17	44	94	49	11
Acute bronchitis and bronchiolitis (466)	–	–	–	–	1	3	5	–
Pneumonia and influenza (480-487)	99	54	51	34	89	229	190	49
Pneumonia (480-486)	97	54	51	34	88	227	187	49
Influenza (487)	2	–	–	–	1	2	3	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	172	129	60	51	134	414	231	59
Bronchitis, chronic and unspecified (490-491)	11	6	–	1	7	20	7	–
Emphysema (492)	29	43	10	3	31	53	50	14
Asthma (493)	1	4	4	2	4	25	14	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	131	76	46	45	92	316	160	42
Ulcer of stomach and duodenum (531-533)	9	9	3	4	7	27	24	2
Appendicitis (540-543)	–	–	1	–	–	2	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	3	6	–	11	24	17	1
Chronic liver disease and cirrhosis (571)	51	42	11	20	18	116	82	10
Cholelithiasis and other disorders of gallbladder (574-575)	6	4	4	1	–	14	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21	8	16	7	40	38	43	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	1	2	3	8	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19	5	15	5	37	29	41	17
Infections of kidney (590)	–	1	–	–	–	6	3	2
Hyperplasia of prostate (600)	–	–	–	–	1	3	4	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	1	–	1	3	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	1	–	1	3	–
Congenital anomalies (740-759)	11	14	10	4	19	89	62	4
Certain conditions originating in the perinatal period (760-779)	16	13	9	5	23	74	58	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	4	2	1	7	13	23	–
Other conditions originating in the perinatal period (760-766,770-779)	14	9	7	4	16	61	35	5
Symptoms, signs, and ill-defined conditions (780-799)	26	18	33	9	28	45	88	9
All other diseases (Residual)	271	198	111	77	215	682	435	88
Accidents and adverse effects (E800-E949)	130	106	73	50	124	415	326	54
Motor vehicle accidents (E810-E825)	75	51	40	26	68	216	223	30
All other accidents and adverse effects (E800-E807,E826-E949)	55	55	33	24	56	199	103	24
Suicide (E950-E959)	62	54	25	22	41	176	67	18
Homicide and legal intervention (E960-E978)	24	25	16	8	31	256	86	13
All other external causes (E980-E999)	5	–	2	2	–	11	6	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 15 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Gainesville, FL, MSA	Galveston-Texas City, TX, PMSA	Gary-Hammond, IN, PMSA	Glens Falls, NY, MSA	Grand Forks, ND, MSA	Grand Rapids, MI, MSA	Great Falls, MT, MSA	Greeley, CO, MSA
All causes	1,504	1,877	5,542	1,143	417	4,943	692	864
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	1	–	1
Tuberculosis (010-018)	–	1	7	–	1	3	–	–
Tuberculosis of respiratory system (010-012)	–	–	7	–	1	1	–	–
Other tuberculosis (013-018)	–	1	–	–	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	–	–	–
Septicemia (038)	11	16	49	7	2	29	2	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	3	2	–	–	4	–	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	25	43	49	13	1	38	4	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	342	479	1,383	278	124	1,200	178	202
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	5	18	4	2	17	2	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	80	126	392	66	28	294	49	50
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	110	162	390	75	34	282	49	52
Malignant neoplasm of breast (174-175)	19	39	100	27	9	124	8	14
Malignant neoplasms of genital organs (179-187)	38	36	153	35	21	132	23	24
Malignant neoplasms of urinary organs (188-189)	14	19	64	11	7	56	10	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	45	43	144	29	10	165	20	31
Leukemia (204-208)	14	18	46	13	7	51	8	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	31	76	18	6	79	9	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	1	15	4	–	21	3	2
Diabetes mellitus (250)	41	64	218	29	10	93	13	18
Nutritional deficiencies (260-269)	3	2	9	2	–	1	2	1
Anemias (280-285)	4	1	17	1	1	8	–	–
Meningitis (320-322)	1	1	1	1	–	2	–	–
Major cardiovascular diseases (390-448)	549	721	2,286	517	161	2,044	261	311
Diseases of heart (390-398,402,404-429)	380	608	1,797	413	116	1,630	180	247
Rheumatic fever and rheumatic heart disease (390-398)	7	3	11	–	1	16	1	3
Hypertensive heart disease (402)	18	8	54	15	3	82	6	12
Hypertensive heart and renal disease (404)	4	1	3	–	–	4	–	–
Ischemic heart disease (410-414)	264	460	1,253	304	71	846	131	171
Acute myocardial infarction (410)	125	205	506	132	34	408	57	88
Other acute and subacute forms of ischemic heart disease (411)	1	–	3	–	1	2	–	–
Angina pectoris (413)	–	–	4	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	138	255	740	172	36	436	74	82
Other diseases of endocardium (424)	9	7	28	13	2	29	3	8
All other forms of heart disease (415-423,425-429)	78	129	448	81	39	653	39	53
Hypertension with or without renal disease (401,403)	18	7	42	3	3	17	4	6
Cerebrovascular diseases (430-438)	127	82	354	69	36	281	59	48
Intracerebral and other intracranial hemorrhage (431-432)	16	20	60	8	5	44	12	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	5	38	5	5	23	3	2
Cerebral embolism (434.1)	–	–	–	1	1	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	101	57	256	57	25	214	44	35
Atherosclerosis (440)	9	11	52	8	4	54	10	3
Other diseases of arteries, arterioles, and capillaries (441-448)	15	13	41	24	2	62	8	7
Acute bronchitis and bronchiolitis (466)	–	–	–	1	–	–	–	1
Pneumonia and influenza (480-487)	49	35	149	45	30	236	25	42
Pneumonia (480-486)	49	34	148	45	30	232	25	42
Influenza (487)	–	1	1	–	–	4	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	67	215	49	13	212	41	61
Bronchitis, chronic and unspecified (490-491)	–	1	3	5	1	19	3	6
Emphysema (492)	15	17	53	6	–	42	6	5
Asthma (493)	3	3	11	1	–	13	3	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	39	46	148	37	12	138	29	42
Ulcer of stomach and duodenum (531-533)	6	5	6	1	1	21	5	5
Appendicitis (540-543)	–	1	1	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	4	16	4	–	18	5	2
Chronic liver disease and cirrhosis (571)	11	44	72	13	3	35	9	7
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	4	3	1	6	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	11	76	10	5	42	1	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	5	1	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	2	3	2	4	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	10	69	6	3	37	1	2
Infections of kidney (590)	2	–	2	–	1	8	1	1
Hyperplasia of prostate (600)	–	–	1	–	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	1
Congenital anomalies (740-759)	11	15	32	1	–	37	5	13
Certain conditions originating in the perinatal period (760-779)	12	25	42	4	2	56	2	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	9	–	–	18	1	–
Other conditions originating in the perinatal period (760-766,770-779)	9	22	33	4	2	38	1	4
Symptoms, signs, and ill-defined conditions (780-799)	50	13	69	5	2	42	8	5
All other diseases (Residual)	159	157	429	90	45	455	73	84
Accidents and adverse effects (E800-E949)	71	97	224	43	9	208	30	51
Motor vehicle accidents (E810-E825)	39	49	97	25	4	98	13	30
All other accidents and adverse effects (E800-E807,E826-E949)	32	48	127	18	5	110	17	21
Suicide (E950-E959)	42	33	64	17	4	78	19	26
Homicide and legal intervention (E960-E978)	24	36	96	5	1	34	4	–
All other external causes (E980-E999)	4	2	6	–	–	8	1	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 16 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Green Bay, WI, MSA	Greensboro--Winston-Salem--High Point, NC, MSA	Greenville-Spartanburg, SC, MSA	Hagerstown, MD, MSA	Hamilton-Middletown, OH, PMSA	Harrisburg-Lebanon-Carlisle, PA, MSA	Hartford-New Britain-Middletown, CT, NECMA	Hickory-Morganton, NC, MSA
All causes	1,360	8,415	5,532	1,125	2,165	5,401	9,510	1,932
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	4	–	–	–	–	3	1
Tuberculosis (010-018)	–	3	3	–	1	4	3	–
Tuberculosis of respiratory system (010-012)	–	3	2	–	1	3	2	–
Other tuberculosis (013-018)	–	–	1	–	–	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–
Septicemia (038)	5	80	42	7	18	91	114	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	11	9	–	1	1	4	5
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	13	119	63	10	14	47	157	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	329	1,898	1,307	270	529	1,303	2,347	443
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	29	20	1	6	13	43	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	80	423	286	66	118	289	615	112
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	68	570	405	79	159	371	621	125
Malignant neoplasm of breast (174-175)	27	152	114	14	41	105	209	36
Malignant neoplasms of genital organs (179-187)	41	217	172	36	54	162	258	43
Malignant neoplasms of urinary organs (188-189)	23	92	49	18	23	59	95	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	40	233	140	32	80	141	296	52
Leukemia (204-208)	21	64	49	8	18	54	86	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23	118	72	16	30	109	124	32
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	29	13	1	8	31	31	4
Diabetes mellitus (250)	14	197	141	28	57	130	184	54
Nutritional deficiencies (260-269)	1	8	3	1	4	8	7	2
Anemias (280-285)	1	19	8	1	5	9	16	2
Meningitis (320-322)	1	2	4	–	1	3	3	–
Major cardiovascular diseases (390-448)	636	3,599	2,318	514	909	2,464	4,018	777
Diseases of heart (390-398,402,404-429)	469	2,687	1,800	422	716	1,955	3,211	642
Rheumatic fever and rheumatic heart disease (390-398)	5	27	18	2	7	13	30	3
Hypertensive heart disease (402)	5	85	49	10	40	37	102	10
Hypertensive heart and renal disease (404)	–	11	10	4	5	2	11	–
Ischemic heart disease (410-414)	321	1,856	1,129	270	481	1,245	1,889	463
Acute myocardial infarction (410)	220	988	643	147	233	711	808	333
Other acute and subacute forms of ischemic heart disease (411)	1	2	3	3	1	5	1	–
Angina pectoris (413)	–	3	3	–	–	–	7	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	100	863	480	120	247	529	1,073	129
Other diseases of endocardium (424)	12	51	36	8	10	60	72	12
All other forms of heart disease (415-423,425-429)	126	657	558	128	173	598	1,107	154
Hypertension with or without renal disease (401,403)	5	33	30	4	18	19	25	12
Cerebrovascular diseases (430-438)	133	721	402	55	136	370	606	101
Intracerebral and other intracranial hemorrhage (431-432)	12	89	63	10	15	51	92	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	88	49	9	17	39	80	14
Cerebral embolism (434.1)	1	2	3	–	1	4	5	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	90	542	287	36	103	276	429	71
Atherosclerosis (440)	12	65	25	14	9	48	61	5
Other diseases of arteries, arterioles, and capillaries (441-448)	17	93	61	19	30	72	115	17
Acute bronchitis and bronchiolitis (466)	2	3	–	2	–	1	3	1
Pneumonia and influenza (480-487)	54	273	175	55	66	176	402	66
Pneumonia (480-486)	52	270	175	55	66	175	397	64
Influenza (487)	2	3	–	–	–	1	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	50	331	240	59	114	226	340	88
Bronchitis, chronic and unspecified (490-491)	4	19	8	5	9	9	17	7
Emphysema (492)	16	53	50	14	31	39	57	26
Asthma (493)	3	24	10	2	3	8	15	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27	235	172	38	71	170	251	48
Ulcer of stomach and duodenum (531-533)	1	20	15	1	7	13	19	5
Appendicitis (540-543)	–	–	–	–	–	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	26	16	3	10	14	22	3
Chronic liver disease and cirrhosis (571)	10	92	56	6	26	36	120	13
Cholelithiasis and other disorders of gallbladder (574-575)	1	15	5	–	7	11	7	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	81	35	10	26	59	91	30
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	2	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	9	3	–	–	3	4	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	72	31	10	24	55	87	27
Infections of kidney (590)	–	2	6	–	2	2	2	1
Hyperplasia of prostate (600)	1	–	3	–	–	1	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	1	–	–	1	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	1	–	–	–	1	–
Congenital anomalies (740-759)	12	44	22	3	16	25	48	8
Certain conditions originating in the perinatal period (760-779)	11	85	36	8	16	31	73	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	16	5	4	2	8	13	2
Other conditions originating in the perinatal period (760-766,770-779)	11	69	31	4	14	23	60	14
Symptoms, signs, and ill-defined conditions (780-799)	3	96	39	23	18	27	149	11
All other diseases (Residual)	116	767	546	75	174	449	861	198
Accidents and adverse effects (E800-E949)	48	374	243	36	84	164	305	101
Motor vehicle accidents (E810-E825)	18	183	121	23	44	77	108	57
All other accidents and adverse effects (E800-E807,E826-E949)	30	191	122	13	40	87	197	44
Suicide (E950-E959)	25	125	102	10	38	53	117	49
Homicide and legal intervention (E960-E978)	3	106	81	1	12	20	48	29
All other external causes (E980-E999)	3	5	–	1	1	1	11	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 17 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Honolulu, HI, MSA	Houma-Thibodaux, LA, MSA	Houston, TX, PMSA	Huntington-Ashland, WV-KY-OH, MSA	Huntsville, AL, MSA	Indianapolis, IN, MSA	Iowa City, IA, MSA	Jackson, MI, MSA
All causes	4,874	1,387	20,801	3,461	1,689	10,607	452	1,387
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	6	–	–	3	1	–
Tuberculosis (010-018)	8	–	24	3	2	5	–	–
Tuberculosis of respiratory system (010-012)	7	–	20	2	2	4	–	–
Other tuberculosis (013-018)	1	–	4	1	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	2	1	–	1	–	–
Septicemia (038)	50	19	223	34	18	134	1	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	1	32	3	1	11	–	–
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	100	10	891	18	20	126	5	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,159	339	4,677	813	352	2,634	102	350
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	26	8	86	7	5	52	1	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	362	70	1,106	177	81	566	16	73
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	320	98	1,428	256	110	850	26	95
Malignant neoplasm of breast (174-175)	76	33	408	64	34	192	9	24
Malignant neoplasms of genital organs (179-187)	104	27	465	100	36	306	13	49
Malignant neoplasms of urinary organs (188-189)	33	18	177	28	15	113	6	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	131	49	539	99	41	312	17	43
Leukemia (204-208)	44	11	163	25	13	102	5	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	63	25	305	57	17	141	9	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	3	47	9	4	34	2	2
Diabetes mellitus (250)	115	37	572	85	42	231	11	32
Nutritional deficiencies (260-269)	7	1	31	5	4	16	1	2
Anemias (280-285)	7	6	40	7	5	19	3	1
Meningitis (320-322)	3	–	12	2	1	5	1	2
Major cardiovascular diseases (390-448)	2,004	580	7,664	1,571	756	4,208	171	557
Diseases of heart (390-398,402,404-429)	1,501	425	5,954	1,261	612	3,263	130	450
Rheumatic fever and rheumatic heart disease (390-398)	16	2	34	4	6	31	3	5
Hypertensive heart disease (402)	50	10	169	42	18	72	2	12
Hypertensive heart and renal disease (404)	4	3	27	3	4	8	–	–
Ischemic heart disease (410-414)	783	273	3,880	787	277	2,185	105	325
Acute myocardial infarction (410)	366	187	1,711	458	187	909	48	177
Other acute and subacute forms of ischemic heart disease (411)	1	–	8	–	–	2	–	–
Angina pectoris (413)	1	–	5	1	–	8	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	415	86	2,156	328	90	1,266	57	146
Other diseases of endocardium (424)	35	7	102	24	4	70	5	11
All other forms of heart disease (415-423,425-429)	613	130	1,742	401	303	897	15	97
Hypertension with or without renal disease (401,403)	14	1	93	10	7	45	4	1
Cerebrovascular diseases (430-438)	428	112	1,262	233	117	651	26	82
Intracerebral and other intracranial hemorrhage (431-432)	100	11	217	33	14	105	6	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	6	144	20	12	69	2	8
Cerebral embolism (434.1)	1	–	3	1	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	296	95	898	179	91	476	18	61
Atherosclerosis (440)	20	32	147	21	10	125	6	13
Other diseases of arteries, arterioles, and capillaries (441-448)	41	10	208	46	10	124	5	11
Acute bronchitis and bronchiolitis (466)	2	1	5	3	1	5	1	–
Pneumonia and influenza (480-487)	238	44	544	146	51	373	21	81
Pneumonia (480-486)	237	43	541	144	48	367	20	80
Influenza (487)	1	1	3	2	3	6	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	160	46	672	188	56	514	19	80
Bronchitis, chronic and unspecified (490-491)	10	1	21	21	1	20	3	2
Emphysema (492)	39	8	131	42	13	77	6	27
Asthma (493)	27	3	49	6	1	24	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	84	34	471	119	41	393	9	50
Ulcer of stomach and duodenum (531-533)	14	5	52	6	4	34	2	5
Appendicitis (540-543)	–	–	2	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	2	59	13	2	31	1	3
Chronic liver disease and cirrhosis (571)	48	11	356	34	24	92	6	12
Cholelithiasis and other disorders of gallbladder (574-575)	7	3	28	8	1	7	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	41	21	136	37	12	144	3	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	7	1	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	2	13	2	–	8	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	19	116	34	12	135	3	14
Infections of kidney (590)	4	1	10	4	2	13	–	–
Hyperplasia of prostate (600)	1	–	4	2	–	1	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	7	–	–	2	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	7	–	–	2	–	–
Congenital anomalies (740-759)	34	11	183	21	16	67	4	6
Certain conditions originating in the perinatal period (760-779)	50	12	237	23	11	106	2	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	1	50	11	3	17	–	2
Other conditions originating in the perinatal period (760-766,770-779)	39	11	187	12	8	89	2	7
Symptoms, signs, and ill-defined conditions (780-799)	104	8	183	21	32	74	7	6
All other diseases (Residual)	424	105	1,682	239	139	987	47	93
Accidents and adverse effects (E800-E949)	155	80	1,172	117	90	369	22	64
Motor vehicle accidents (E810-E825)	65	41	644	51	45	165	11	33
All other accidents and adverse effects (E800-E807,E826-E949)	90	39	528	66	45	204	11	31
Suicide (E950-E959)	70	24	420	33	24	196	10	31
Homicide and legal intervention (E960-E978)	34	13	809	12	18	129	7	18
All other external causes (E980-E999)	7	2	18	3	1	35	–	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 18 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Jackson, MS, MSA	Jackson, TN, MSA	Jacksonville, FL, MSA	Jacksonville, NC, MSA	Jamestown-Dunkirk, NY, MSA	Janesville-Beloit, WI, MSA	Jersey City, NJ, PMSA	Johnson City-Kingsport-Bristol, TN-VA, MSA
All causes	3,323	824	7,787	602	1,533	1,223	5,372	4,503
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	1	-	2	-	-	1	1	1
Tuberculosis (010-018)	1	-	3	-	-	-	11	3
Tuberculosis of respiratory system (010-012)	1	-	3	-	-	-	6	3
Other tuberculosis (013-018)	-	-	-	-	-	-	5	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	1	-	-	-	-
Septicemia (038)	32	12	59	8	20	8	101	23
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	3	12	1	2	-	4	3
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	43	3	142	10	6	7	340	40
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	775	162	1,921	142	356	289	1,251	1,040
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	3	49	4	7	3	24	18
Malignant neoplasms of digestive organs and peritoneum (150-159)	182	35	427	30	94	68	337	236
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	222	50	661	54	96	84	344	323
Malignant neoplasm of breast (174-175)	52	14	144	12	32	26	103	82
Malignant neoplasms of genital organs (179-187)	91	17	236	11	37	33	136	95
Malignant neoplasms of urinary organs (188-189)	20	8	64	2	18	23	57	39
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	121	27	185	20	38	24	138	146
Leukemia (204-208)	29	4	46	4	14	11	31	47
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	4	109	5	20	17	81	54
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	3	23	3	6	2	19	11
Diabetes mellitus (250)	66	15	185	7	29	33	164	96
Nutritional deficiencies (260-269)	5	2	7	1	-	4	7	6
Anemias (280-285)	6	1	21	2	2	2	21	9
Meningitis (320-322)	4	-	6	-	1	-	5	-
Major cardiovascular diseases (390-448)	1,380	345	3,029	197	726	501	2,076	1,931
Diseases of heart (390-398,402,404-429)	1,118	264	2,355	161	581	359	1,714	1,542
Rheumatic fever and rheumatic heart disease (390-398)	8	3	19	1	4	4	15	12
Hypertensive heart disease (402)	47	7	128	8	14	6	57	50
Hypertensive heart and renal disease (404)	6	3	14	-	4	-	5	5
Ischemic heart disease (410-414)	422	176	1,557	114	445	273	1,116	1,095
Acute myocardial infarction (410)	278	82	656	58	255	122	487	619
Other acute and subacute forms of ischemic heart disease (411)	-	-	3	1	1	1	5	7
Angina pectoris (413)	-	1	2	1	-	-	1	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	144	93	896	54	189	150	623	463
Other diseases of endocardium (424)	10	4	41	5	8	7	41	25
All other forms of heart disease (415-423,425-429)	625	71	596	33	106	69	480	355
Hypertension with or without renal disease (401,403)	16	4	48	-	6	6	27	15
Cerebrovascular diseases (430-438)	197	64	447	28	109	103	257	300
Intracerebral and other intracranial hemorrhage (431-432)	32	6	71	7	12	13	45	43
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	11	42	2	16	9	29	23
Cerebral embolism (434.1)	2	-	2	-	-	-	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	144	47	332	19	81	81	183	231
Atherosclerosis (440)	16	7	88	3	6	20	22	26
Other diseases of arteries, arterioles, and capillaries (441-448)	33	6	91	5	24	13	56	48
Acute bronchitis and bronchiolitis (466)	1	-	2	-	3	-	2	1
Pneumonia and influenza (480-487)	113	23	194	14	56	66	142	214
Pneumonia (480-486)	111	22	194	14	56	64	142	213
Influenza (487)	2	1	-	-	-	2	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	104	35	377	20	77	76	177	175
Bronchitis, chronic and unspecified (490-491)	5	-	10	6	11	-	4	11
Emphysema (492)	11	5	65	2	15	26	34	24
Asthma (493)	4	6	19	1	2	1	11	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	84	24	283	11	49	49	128	136
Ulcer of stomach and duodenum (531-533)	7	1	20	-	5	6	11	15
Appendicitis (540-543)	-	-	3	1	-	1	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	4	24	2	5	4	26	8
Chronic liver disease and cirrhosis (571)	29	9	103	12	12	12	94	66
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	13	-	2	2	8	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	50	6	53	6	28	12	78	40
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	2	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	2	3	1	2	2	1	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	43	4	50	5	26	10	75	35
Infections of kidney (590)	1	-	4	-	-	-	1	3
Hyperplasia of prostate (600)	-	1	1	-	-	-	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	3	1	-	-	2	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	3	1	-	-	1	-
Congenital anomalies (740-759)	24	4	49	5	7	9	25	21
Certain conditions originating in the perinatal period (760-779)	26	3	79	18	2	12	46	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	-	6	8	-	1	18	4
Other conditions originating in the perinatal period (760-766,770-779)	18	3	73	10	2	11	28	9
Symptoms, signs, and ill-defined conditions (780-799)	25	37	88	12	10	4	108	66
All other diseases (Residual)	302	82	704	60	109	108	414	415
Accidents and adverse effects (E800-E949)	169	46	348	56	54	35	137	201
Motor vehicle accidents (E810-E825)	98	20	170	40	28	16	48	90
All other accidents and adverse effects (E800-E807,E826-E949)	71	26	178	16	26	19	89	111
Suicide (E950-E959)	42	15	152	12	11	23	41	67
Homicide and legal intervention (E960-E978)	92	10	154	11	4	4	55	17
All other external causes (E980-E999)	4	2	5	-	-	2	3	3

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 19 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Johnstown, PA, MSA	Joliet, IL, PMSA	Joplin, MO, MSA	Kalamazoo, MI, MSA	Kankakee, IL, MSA	Kansas City, MO-KS, MSA	Kenosha, WI, PMSA	Killeen-Temple, TX, MSA
All causes	2,736	2,586	1,416	1,610	1,019	13,108	1,065	1,574
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	2	–	–
Tuberculosis (010-018)	1	–	2	1	–	5	1	–
Tuberculosis of respiratory system (010-012)	1	–	2	–	–	4	1	–
Other tuberculosis (013-018)	–	–	–	1	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	2	–	–
Septicemia (038)	19	27	7	13	10	158	8	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	1	1	–	10	1	2
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	8	21	13	12	5	180	4	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	668	649	294	403	221	3,103	277	349
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	9	4	10	4	53	2	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	168	156	67	80	49	704	68	98
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	169	194	98	103	71	923	74	108
Malignant neoplasm of breast (174-175)	49	64	16	43	28	283	31	16
Malignant neoplasms of genital organs (179-187)	96	66	27	42	22	350	32	42
Malignant neoplasms of urinary organs (188-189)	25	23	15	17	5	128	7	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	87	71	37	58	27	360	37	36
Leukemia (204-208)	26	25	12	18	10	114	7	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	41	18	32	5	188	19	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	10	4	4	6	47	2	1
Diabetes mellitus (250)	56	56	17	38	19	297	27	31
Nutritional deficiencies (260-269)	1	6	10	5	1	23	2	3
Anemias (280-285)	4	10	1	4	2	26	–	4
Meningitis (320-322)	3	–	1	1	–	5	–	–
Major cardiovascular diseases (390-448)	1,311	1,070	660	677	447	5,384	439	679
Diseases of heart (390-398,402,404-429)	1,059	846	530	516	337	4,201	342	567
Rheumatic fever and rheumatic heart disease (390-398)	18	4	3	7	1	29	2	3
Hypertensive heart disease (402)	20	25	4	12	15	133	12	10
Hypertensive heart and renal disease (404)	7	3	1	1	1	11	–	–
Ischemic heart disease (410-414)	749	613	404	381	222	2,788	217	294
Acute myocardial infarction (410)	411	322	249	154	115	1,264	93	191
Other acute and subacute forms of ischemic heart disease (411)	–	1	–	–	–	4	–	–
Angina pectoris (413)	4	1	–	–	2	2	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	334	289	155	227	105	1,518	124	101
Other diseases of endocardium (424)	15	17	9	13	6	78	14	4
All other forms of heart disease (415-423,425-429)	250	184	109	102	92	1,162	97	256
Hypertension with or without renal disease (401,403)	11	15	4	7	7	64	5	3
Cerebrovascular diseases (430-438)	183	169	98	122	72	843	75	89
Intracerebral and other intracranial hemorrhage (431-432)	26	30	19	20	10	119	21	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	14	10	18	6	79	11	8
Cerebral embolism (434.1)	–	–	–	–	1	3	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	133	125	69	84	55	642	43	66
Atherosclerosis (440)	23	14	13	15	13	126	3	5
Other diseases of arteries, arterioles, and capillaries (441-448)	35	26	15	17	18	150	14	15
Acute bronchitis and bronchiolitis (466)	–	–	1	–	2	2	–	1
Pneumonia and influenza (480-487)	81	107	40	62	44	439	52	43
Pneumonia (480-486)	81	105	38	60	44	427	52	41
Influenza (487)	–	2	2	2	–	12	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	108	100	74	54	52	595	52	72
Bronchitis, chronic and unspecified (490-491)	4	6	1	2	5	17	–	2
Emphysema (492)	18	32	25	12	7	81	9	7
Asthma (493)	4	3	3	2	1	30	4	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	82	59	45	38	39	467	39	59
Ulcer of stomach and duodenum (531-533)	1	14	4	5	2	39	6	7
Appendicitis (540-543)	2	–	–	–	1	3	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	10	9	1	2	53	2	6
Chronic liver disease and cirrhosis (571)	33	31	13	17	11	107	9	15
Cholelithiasis and other disorders of gallbladder (574-575)	5	7	2	2	3	15	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	46	19	8	12	14	143	11	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	3	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	4	–	–	1	11	–	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	42	15	8	12	13	129	11	7
Infections of kidney (590)	–	2	1	–	1	6	–	–
Hyperplasia of prostate (600)	1	–	–	–	1	3	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	3	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	3	–	–	–	–
Congenital anomalies (740-759)	11	27	3	10	4	77	6	13
Certain conditions originating in the perinatal period (760-779)	9	36	5	22	12	82	5	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	8	–	2	4	8	1	4
Other conditions originating in the perinatal period (760-766,770-779)	7	28	5	20	8	74	4	4
Symptoms, signs, and ill-defined conditions (780-799)	11	16	18	9	6	192	2	13
All other diseases (Residual)	239	191	131	159	78	1,126	87	131
Accidents and adverse effects (E800-E949)	69	94	70	53	45	522	47	80
Motor vehicle accidents (E810-E825)	28	44	35	22	17	259	26	39
All other accidents and adverse effects (E800-E807,E826-E949)	41	50	35	31	28	263	21	41
Suicide (E950-E959)	28	46	24	26	16	240	17	33
Homicide and legal intervention (E960-E978)	4	34	3	15	13	208	3	33
All other external causes (E980-E999)	–	–	–	–	1	14	3	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 20 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Knoxville, TN, MSA	Kokomo, IN, MSA	La Crosse, WI, MSA	Lafayette, LA, MSA	Lafayette-West Lafayette, IN, MSA	Lake Charles, LA, MSA	Lake County, IL, PMSA	Lakeland-Winter Haven, FL, MSA
All causes	5,518	893	832	1,432	955	1,495	3,098	4,201
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	1	–
Tuberculosis (010-018)	6	–	–	1	1	–	2	1
Tuberculosis of respiratory system (010-012)	6	–	–	1	–	–	1	–
Other tuberculosis (013-018)	–	–	–	–	1	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	32	9	9	21	8	24	27	23
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	–	–	–	5	3	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	46	4	4	16	4	15	26	67
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,267	214	193	395	236	392	785	1,039
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	2	2	3	4	11	5	21
Malignant neoplasms of digestive organs and peritoneum (150-159)	263	42	40	107	55	88	191	208
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	386	75	51	157	71	132	238	353
Malignant neoplasm of breast (174-175)	101	24	17	23	23	26	82	70
Malignant neoplasms of genital organs (179-187)	133	25	30	32	25	38	77	119
Malignant neoplasms of urinary organs (188-189)	63	12	9	17	8	18	32	51
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	182	17	30	31	28	44	93	106
Leukemia (204-208)	43	5	7	12	9	13	29	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	83	12	7	13	13	22	38	76
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	8	1	6	2	5	13	14
Diabetes mellitus (250)	130	26	11	35	21	47	72	106
Nutritional deficiencies (260-269)	3	1	4	2	1	1	3	3
Anemias (280-285)	7	1	4	3	3	4	2	8
Meningitis (320-322)	4	–	–	–	–	–	1	2
Major cardiovascular diseases (390-448)	2,107	373	376	577	393	601	1,262	1,755
Diseases of heart (390-398,402,404-429)	1,547	307	265	448	293	487	988	1,386
Rheumatic fever and rheumatic heart disease (390-398)	11	2	3	1	1	3	11	15
Hypertensive heart disease (402)	42	8	7	25	4	35	38	39
Hypertensive heart and renal disease (404)	10	–	–	3	–	3	1	5
Ischemic heart disease (410-414)	1,105	203	214	266	218	252	699	935
Acute myocardial infarction (410)	603	102	97	158	106	115	274	414
Other acute and subacute forms of ischemic heart disease (411)	–	–	–	3	–	1	41	1
Angina pectoris (413)	4	–	–	–	–	–	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	498	101	117	105	112	136	383	516
Other diseases of endocardium (424)	28	10	7	8	8	7	19	27
All other forms of heart disease (415-423,425-429)	351	84	34	145	62	187	220	365
Hypertension with or without renal disease (401,403)	20	1	5	5	5	7	11	14
Cerebrovascular diseases (430-438)	409	52	75	92	76	83	200	259
Intracerebral and other intracranial hemorrhage (431-432)	53	6	10	9	5	16	31	37
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	43	7	5	7	6	3	47	42
Cerebral embolism (434.1)	1	–	2	–	–	–	3	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	312	39	58	76	65	64	119	178
Atherosclerosis (440)	70	4	11	15	9	9	17	42
Other diseases of arteries, arterioles, and capillaries (441-448)	61	9	20	17	10	15	46	54
Acute bronchitis and bronchiolitis (466)	1	–	–	1	–	–	2	4
Pneumonia and influenza (480-487)	207	35	45	35	38	43	129	95
Pneumonia (480-486)	204	35	44	35	38	42	128	93
Influenza (487)	3	–	1	–	–	1	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	235	35	35	51	56	52	133	194
Bronchitis, chronic and unspecified (490-491)	9	1	1	3	2	1	7	9
Emphysema (492)	45	12	6	14	8	14	23	27
Asthma (493)	12	–	3	5	3	5	6	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	169	22	25	29	43	32	97	154
Ulcer of stomach and duodenum (531-533)	9	2	2	1	6	4	9	13
Appendicitis (540-543)	2	–	–	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	1	6	4	1	–	17	7
Chronic liver disease and cirrhosis (571)	61	4	8	11	14	13	39	62
Cholelithiasis and other disorders of gallbladder (574-575)	7	2	2	1	4	–	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	31	20	5	16	5	18	23	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	–	–	–	–	1	7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	27	19	4	15	5	18	22	26
Infections of kidney (590)	4	2	–	1	–	2	3	3
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	–
Congenital anomalies (740-759)	22	6	4	10	2	10	19	21
Certain conditions originating in the perinatal period (760-779)	40	12	3	16	6	10	34	38
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	5	–	7	–	3	4	6
Other conditions originating in the perinatal period (760-766,770-779)	33	7	3	9	6	7	30	32
Symptoms, signs, and ill-defined conditions (780-799)	351	10	–	8	8	16	25	127
All other diseases (Residual)	544	83	89	110	84	100	236	314
Accidents and adverse effects (E800-E949)	239	31	21	64	43	84	140	175
Motor vehicle accidents (E810-E825)	128	18	11	35	20	46	70	115
All other accidents and adverse effects (E800-E807,E826-E949)	111	13	10	29	23	38	70	60
Suicide (E950-E959)	71	12	10	27	16	22	60	51
Homicide and legal intervention (E960-E978)	51	1	–	19	2	25	18	38
All other external causes (E980-E999)	7	1	–	–	1	2	8	5

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 21 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lancaster, PA, MSA	Lansing-East Lansing, MI, MSA	Laredo, TX, MSA	Las Cruces, NM, MSA	Las Vegas, NV, MSA	Lawrence, KS, MSA	Lawton, OK, MSA	Lewiston-Auburn, ME, NECMA
All causes	3,642	2,732	696	804	6,201	438	772	1,001
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	2	–	–	1
Tuberculosis (010-018)	5	2	1	2	2	–	–	2
Tuberculosis of respiratory system (010-012)	3	1	1	2	2	–	–	1
Other tuberculosis (013-018)	2	1	–	–	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	41	21	16	5	70	3	7	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	1	4	6	–	–	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	28	25	6	5	108	1	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	928	643	132	180	1,526	121	177	215
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	6	5	4	27	1	5	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	182	165	41	48	303	34	34	51
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	258	146	21	44	531	37	62	58
Malignant neoplasm of breast (174-175)	103	53	13	15	108	8	14	18
Malignant neoplasms of genital organs (179-187)	123	68	12	18	145	13	20	18
Malignant neoplasms of urinary organs (188-189)	30	26	6	11	61	2	5	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	111	114	18	24	219	14	21	34
Leukemia (204-208)	41	27	10	6	56	5	7	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	68	38	6	10	76	7	9	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	9	2	4	19	1	2	2
Diabetes mellitus (250)	129	62	42	33	123	10	5	25
Nutritional deficiencies (260-269)	7	5	1	1	16	3	–	–
Anemias (280-285)	4	8	1	8	12	1	2	1
Meningitis (320-322)	2	–	–	1	3	–	1	1
Major cardiovascular diseases (390-448)	1,585	1,133	252	285	2,358	156	310	451
Diseases of heart (390-398,402,404-429)	1,235	884	203	233	1,960	107	257	358
Rheumatic fever and rheumatic heart disease (390-398)	12	6	2	3	20	1	1	3
Hypertensive heart disease (402)	31	10	3	3	114	4	2	8
Hypertensive heart and renal disease (404)	8	2	3	1	3	–	–	–
Ischemic heart disease (410-414)	781	581	159	105	826	60	171	273
Acute myocardial infarction (410)	343	310	105	46	351	21	68	106
Other acute and subacute forms of ischemic heart disease (411)	1	–	–	–	1	–	31	14
Angina pectoris (413)	–	3	1	3	2	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	437	268	53	56	472	39	74	153
Other diseases of endocardium (424)	29	20	1	5	42	4	6	6
All other forms of heart disease (415-423,425-429)	374	265	35	116	955	38	77	68
Hypertension with or without renal disease (401,403)	12	12	–	3	17	3	4	6
Cerebrovascular diseases (430-438)	252	164	43	33	307	29	41	53
Intracerebral and other intracranial hemorrhage (431-432)	33	24	14	10	74	4	4	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	23	14	1	26	5	11	7
Cerebral embolism (434.1)	1	–	–	–	2	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	201	117	15	22	205	20	26	42
Atherosclerosis (440)	26	35	1	11	28	8	4	19
Other diseases of arteries, arterioles, and capillaries (441-448)	60	38	5	5	46	9	4	15
Acute bronchitis and bronchiolitis (466)	2	1	–	–	1	2	–	1
Pneumonia and influenza (480-487)	109	104	27	11	139	19	40	27
Pneumonia (480-486)	108	101	26	11	138	19	40	27
Influenza (487)	1	3	1	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	135	112	18	43	381	19	49	53
Bronchitis, chronic and unspecified (490-491)	7	3	1	2	12	1	1	2
Emphysema (492)	10	25	3	13	79	–	12	12
Asthma (493)	4	8	2	1	9	1	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	114	76	12	27	281	17	33	37
Ulcer of stomach and duodenum (531-533)	8	9	–	1	10	–	1	4
Appendicitis (540-543)	–	1	–	–	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	10	5	1	13	2	1	4
Chronic liver disease and cirrhosis (571)	28	35	17	10	100	5	13	18
Cholelithiasis and other disorders of gallbladder (574-575)	6	5	4	3	6	1	4	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	42	35	3	5	95	6	9	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	–	–	2	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	32	3	4	93	6	9	16
Infections of kidney (590)	1	4	–	2	2	–	3	1
Hyperplasia of prostate (600)	3	1	–	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	2	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	1	–
Congenital anomalies (740-759)	27	14	11	10	42	–	3	4
Certain conditions originating in the perinatal period (760-779)	29	21	17	12	32	1	9	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	7	6	5	7	–	1	2
Other conditions originating in the perinatal period (760-766,770-779)	21	14	11	7	25	1	8	1
Symptoms, signs, and ill-defined conditions (780-799)	37	19	13	8	61	10	11	8
All other diseases (Residual)	281	242	65	67	450	45	60	101
Accidents and adverse effects (E800-E949)	107	136	41	69	282	21	27	34
Motor vehicle accidents (E810-E825)	54	66	15	34	153	11	17	15
All other accidents and adverse effects (E800-E807,E826-E949)	53	70	26	35	129	10	10	19
Suicide (E950-E959)	45	56	7	21	198	5	16	12
Homicide and legal intervention (E960-E978)	14	19	13	10	126	5	16	1
All other external causes (E980-E999)	–	–	1	2	15	1	–	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 22 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lexington-Fayette, KY, MSA	Lima, OH, MSA	Lincoln, NE, MSA	Little Rock-North Little Rock, AR, MSA	Longview-Marshall, TX, MSA	Lorain-Elyria, OH, PMSA	Los Angeles-Long Beach, CA, PMSA	Louisville, KY-IN, MSA
All causes	2,726	1,327	1,501	4,406	1,582	2,278	61,786	9,200
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	-	-	1	-	1	31	3
Tuberculosis (010-018)	2	-	-	3	1	3	70	7
Tuberculosis of respiratory system (010-012)	2	-	-	2	1	2	53	3
Other tuberculosis (013-018)	-	-	-	1	-	1	17	4
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	12	-
Septicemia (038)	18	10	7	44	24	9	44	105
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	3	-
Viral hepatitis (070)	3	-	2	6	3	-	119	7
Syphilis (090-097)	-	-	-	-	-	1	2	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	18	9	5	39	13	17	2,242	75
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	736	347	324	989	389	578	13,762	2,334
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	3	3	10	4	8	243	40
Malignant neoplasms of digestive organs and peritoneum (150-159)	175	100	81	217	97	115	3,449	528
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	233	103	92	327	102	171	3,625	843
Malignant neoplasm of breast (174-175)	60	39	26	76	34	61	1,233	166
Malignant neoplasms of genital organs (179-187)	71	32	33	94	48	72	1,558	227
Malignant neoplasms of urinary organs (188-189)	28	13	14	46	16	24	580	78
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	93	28	47	104	61	72	1,678	258
Leukemia (204-208)	26	11	9	40	10	23	556	70
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	18	19	75	17	32	840	124
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	4	5	9	3	12	144	27
Diabetes mellitus (250)	61	29	35	111	44	81	1,012	195
Nutritional deficiencies (260-269)	4	2	2	18	2	3	6	14
Anemias (280-285)	4	1	3	10	2	7	73	12
Meningitis (320-322)	1	1	-	1	-	1	26	2
Major cardiovascular diseases (390-448)	1,051	593	662	1,679	669	935	26,713	3,873
Diseases of heart (390-398,402,404-429)	826	453	502	1,175	496	753	21,114	3,063
Rheumatic fever and rheumatic heart disease (390-398)	10	3	8	7	4	10	182	27
Hypertensive heart disease (402)	32	8	14	20	12	27	682	61
Hypertensive heart and renal disease (404)	1	2	3	7	3	3	115	15
Ischemic heart disease (410-414)	537	337	297	806	390	561	13,460	1,952
Acute myocardial infarction (410)	291	132	97	431	227	183	5,510	1,068
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	1	58	35	3
Angina pectoris (413)	3	2	1	2	1	4	16	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	240	203	199	373	161	316	7,899	879
Other diseases of endocardium (424)	13	10	5	22	8	15	291	41
All other forms of heart disease (415-423,425-429)	233	93	175	313	79	137	6,384	967
Hypertension with or without renal disease (401,403)	8	7	8	31	7	11	331	33
Cerebrovascular diseases (430-438)	172	105	111	400	129	127	4,177	613
Intracerebral and other intracranial hemorrhage (431-432)	26	18	21	66	20	12	677	72
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	12	3	43	20	11	524	63
Cerebral embolism (434.1)	1	-	-	-	-	2	15	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	123	75	87	291	89	102	2,961	477
Atherosclerosis (440)	14	15	28	29	12	18	620	52
Other diseases of arteries, arterioles, and capillaries (441-448)	31	13	13	44	25	26	471	112
Acute bronchitis and bronchiolitis (466)	1	-	2	1	-	-	16	2
Pneumonia and influenza (480-487)	109	35	54	142	45	66	2,725	317
Pneumonia (480-486)	106	30	49	142	45	62	2,699	305
Influenza (487)	3	5	5	-	-	4	26	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	118	61	74	194	72	112	2,283	448
Bronchitis, chronic and unspecified (490-491)	5	4	4	9	2	1	123	16
Emphysema (492)	20	11	19	34	11	17	500	71
Asthma (493)	11	6	3	9	4	8	142	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	82	40	48	142	55	86	1,518	342
Ulcer of stomach and duodenum (531-533)	6	3	5	11	4	2	241	20
Appendicitis (540-543)	-	-	-	1	-	-	12	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	4	5	14	10	1	82	22
Chronic liver disease and cirrhosis (571)	41	11	10	57	14	29	1,143	105
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	1	15	2	3	77	16
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	14	16	47	12	29	366	104
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	1	-	-	1	2	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	3	2	1	29	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	14	15	44	10	27	335	92
Infections of kidney (590)	3	1	1	2	-	-	38	7
Hyperplasia of prostate (600)	-	-	-	2	-	-	10	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	1	-	1	25	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	3	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	1	-	-	22	-
Congenital anomalies (740-759)	18	9	9	29	9	15	634	52
Certain conditions originating in the perinatal period (760-779)	16	12	9	31	6	28	702	61
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	1	10	1	6	173	15
Other conditions originating in the perinatal period (760-766,770-779)	14	11	8	21	5	22	529	46
Symptoms, signs, and ill-defined conditions (780-799)	25	10	56	212	13	38	369	97
All other diseases (Residual)	276	111	133	384	129	185	3,227	789
Accidents and adverse effects (E800-E949)	110	46	51	198	76	64	2,552	299
Motor vehicle accidents (E810-E825)	53	27	21	102	46	28	1,333	132
All other accidents and adverse effects (E800-E807,E826-E949)	57	19	30	96	30	36	1,219	167
Suicide (E950-E959)	43	4	22	51	21	43	973	131
Homicide and legal intervention (E960-E978)	19	10	4	96	19	13	2,013	67
All other external causes (E980-E999)	1	-	3	8	-	1	38	6

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 23 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lubbock, TX, MSA	Lynchburg, VA, MSA	Macon-Warner Robins, GA, MSA	Madison, WI, MSA	Manchester-Nashua, NH, NECMA	Mansfield, OH, MSA	McAllen-Edinburg-Mission, TX, MSA	Medford, OR, MSA
All causes	1,586	1,437	2,563	2,239	2,344	1,140	1,995	1,402
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	–	–	–	1	–	–	–	–
Tuberculosis (010-018)	1	–	3	1	–	–	4	1
Tuberculosis of respiratory system (010-012)	–	–	1	1	–	–	3	1
Other tuberculosis (013-018)	1	–	2	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	1	–	–
Septicemia (038)	17	15	38	10	18	5	36	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	2	2	2	2	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	18	8	22	34	12	3	22	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	340	345	570	523	635	296	413	391
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	10	10	4	9	3	10	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	84	79	137	120	133	71	106	91
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	81	105	156	115	192	98	93	127
Malignant neoplasm of breast (174-175)	29	28	39	53	54	18	26	35
Malignant neoplasms of genital organs (179-187)	32	38	70	68	65	30	65	49
Malignant neoplasms of urinary organs (188-189)	23	19	18	29	25	14	22	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	47	37	74	73	89	36	54	42
Leukemia (204-208)	14	7	28	24	30	9	15	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	22	38	37	38	17	22	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	3	9	11	6	6	3	5
Diabetes mellitus (250)	34	32	57	47	44	39	99	24
Nutritional deficiencies (260-269)	5	5	6	1	4	–	9	4
Anemias (280-285)	3	2	2	5	3	3	3	5
Meningitis (320-322)	–	1	2	1	–	–	4	–
Major cardiovascular diseases (390-448)	698	604	1,028	903	1,011	514	749	537
Diseases of heart (390-398,402,404-429)	535	467	762	660	770	414	567	374
Rheumatic fever and rheumatic heart disease (390-398)	–	3	4	8	9	4	1	4
Hypertensive heart disease (402)	9	9	25	17	24	8	16	5
Hypertensive heart and renal disease (404)	2	6	3	1	2	2	5	–
Ischemic heart disease (410-414)	366	272	449	470	410	307	368	259
Acute myocardial infarction (410)	223	162	205	238	179	136	179	103
Other acute and subacute forms of ischemic heart disease (411)	2	8	–	–	–	–	–	1
Angina pectoris (413)	1	–	1	–	1	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	140	102	243	232	230	171	188	155
Other diseases of endocardium (424)	6	6	13	23	23	3	7	15
All other forms of heart disease (415-423,425-429)	152	171	268	141	302	90	170	91
Hypertension with or without renal disease (401,403)	14	7	21	11	12	8	42	6
Cerebrovascular diseases (430-438)	111	108	194	186	165	72	115	126
Intracerebral and other intracranial hemorrhage (431-432)	16	16	22	18	22	12	23	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	14	7	25	26	–	16	12
Cerebral embolism (434.1)	–	–	1	–	1	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	84	78	164	143	116	60	76	104
Atherosclerosis (440)	13	3	32	12	36	11	12	12
Other diseases of arteries, arterioles, and capillaries (441-448)	25	19	19	34	28	9	13	19
Acute bronchitis and bronchiolitis (466)	–	–	2	1	–	–	–	–
Pneumonia and influenza (480-487)	44	56	73	90	74	30	80	38
Pneumonia (480-486)	39	56	70	89	74	28	80	37
Influenza (487)	5	–	3	1	–	2	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	90	65	100	106	104	48	87	58
Bronchitis, chronic and unspecified (490-491)	3	2	9	2	–	1	5	3
Emphysema (492)	28	7	20	21	17	11	12	6
Asthma (493)	7	8	6	12	3	2	3	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	48	65	71	84	34	67	44
Ulcer of stomach and duodenum (531-533)	5	3	4	9	6	2	7	5
Appendicitis (540-543)	2	–	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	6	7	8	6	7	6
Chronic liver disease and cirrhosis (571)	13	17	33	20	31	8	39	12
Cholelithiasis and other disorders of gallbladder (574-575)	3	–	3	2	5	2	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	7	42	22	23	8	22	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	2	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	2	–	1	1	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	6	40	22	20	7	22	7
Infections of kidney (590)	–	2	2	–	4	1	–	1
Hyperplasia of prostate (600)	1	–	1	1	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	3	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	3	–
Congenital anomalies (740-759)	14	10	15	17	11	8	26	6
Certain conditions originating in the perinatal period (760-779)	11	8	57	27	12	9	16	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	–	14	7	2	1	9	–
Other conditions originating in the perinatal period (760-766,770-779)	5	8	43	20	10	8	7	1
Symptoms, signs, and ill-defined conditions (780-799)	5	10	17	8	16	9	8	79
All other diseases (Residual)	148	136	246	233	182	64	172	122
Accidents and adverse effects (E800-E949)	68	56	124	103	74	55	123	56
Motor vehicle accidents (E810-E825)	30	31	52	51	34	26	70	32
All other accidents and adverse effects (E800-E807,E826-E949)	38	25	72	52	40	29	53	24
Suicide (E950-E959)	26	29	44	45	41	16	27	27
Homicide and legal intervention (E960-E978)	24	20	54	4	11	2	25	1
All other external causes (E980-E999)	1	1	3	5	6	2	1	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 24 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Melbourne-Titusville-Palm Bay, FL, MSA	Memphis, TN-AR-MS, MSA	Merced, CA, MSA	Miami-Hialeah, FL, PMSA	Middlesex-Somerset-Hunterdon, NJ, PMSA	Midland, TX, MSA	Milwaukee, WI, PMSA	Minneapolis-St. Paul, MN-WI, MSA
All causes	3,635	8,554	1,129	17,897	7,427	646	12,465	16,391
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	5	–	1	2	–	3	3
Tuberculosis (010-018)	4	9	2	29	7	–	12	4
Tuberculosis of respiratory system (010-012)	4	5	2	25	7	–	10	2
Other tuberculosis (013-018)	–	4	–	4	–	–	2	2
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	3	–	–	–	1
Septicemia (038)	16	89	4	113	112	4	125	100
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	7	2	13	8	2	5	8
Syphilis (090-097)	–	–	–	2	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	43	119	6	942	147	9	114	204
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,082	2,007	242	3,977	2,040	151	3,035	3,990
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	31	4	73	30	2	60	75
Malignant neoplasms of digestive organs and peritoneum (150-159)	231	494	55	1,061	495	32	714	866
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	375	600	85	1,024	560	52	772	1,018
Malignant neoplasm of breast (174-175)	84	161	20	356	207	14	294	377
Malignant neoplasms of genital organs (179-187)	114	218	20	492	222	21	346	474
Malignant neoplasms of urinary organs (188-189)	51	83	15	156	80	5	142	207
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	114	223	23	438	259	10	399	516
Leukemia (204-208)	38	75	8	137	71	7	111	161
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	55	122	12	240	116	8	197	296
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	32	5	67	31	3	55	46
Diabetes mellitus (250)	72	137	25	447	194	14	294	368
Nutritional deficiencies (260-269)	1	8	4	16	11	–	18	21
Anemias (280-285)	5	24	3	53	16	–	20	34
Meningitis (320-322)	2	5	2	4	2	1	6	10
Major cardiovascular diseases (390-448)	1,485	3,553	417	7,465	2,910	282	5,257	6,241
Diseases of heart (390-398,402,404-429)	1,187	2,776	305	6,094	2,296	261	4,055	4,511
Rheumatic fever and rheumatic heart disease (390-398)	17	18	3	40	29	–	31	49
Hypertensive heart disease (402)	38	158	14	290	70	4	133	91
Hypertensive heart and renal disease (404)	3	15	4	16	5	–	14	18
Ischemic heart disease (410-414)	804	1,690	221	4,563	1,713	219	2,886	3,159
Acute myocardial infarction (410)	415	726	105	1,789	794	100	1,141	1,246
Other acute and subacute forms of ischemic heart disease (411)	–	4	–	12	3	1	1	7
Angina pectoris (413)	–	2	–	10	3	–	5	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	389	958	116	2,752	913	118	1,739	1,900
Other diseases of endocardium (424)	22	39	13	118	48	3	95	141
All other forms of heart disease (415-423,425-429)	303	856	50	1,067	431	35	896	1,053
Hypertension with or without renal disease (401,403)	16	33	5	100	25	2	37	126
Cerebrovascular diseases (430-438)	199	627	75	977	379	15	922	1,221
Intracerebral and other intracranial hemorrhage (431-432)	33	100	10	176	68	3	118	147
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	80	4	176	42	1	110	105
Cerebral embolism (434.1)	3	2	–	2	1	–	1	9
All other and late effects of cerebrovascular diseases (430,433,435-438)	129	445	61	623	268	11	693	960
Atherosclerosis (440)	20	29	14	102	115	1	86	137
Other diseases of arteries, arterioles, and capillaries (441-448)	63	88	18	192	95	3	157	246
Acute bronchitis and bronchiolitis (466)	–	5	–	6	2	–	3	3
Pneumonia and influenza (480-487)	117	278	66	427	252	17	566	696
Pneumonia (480-486)	117	277	65	426	249	17	556	685
Influenza (487)	–	1	1	1	3	–	10	11
Chronic obstructive pulmonary diseases and allied conditions (490-496)	194	298	53	590	276	38	460	719
Bronchitis, chronic and unspecified (490-491)	5	7	–	20	10	4	15	21
Emphysema (492)	38	54	16	132	58	4	66	124
Asthma (493)	4	29	1	44	10	3	27	40
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	147	208	36	394	198	27	352	534
Ulcer of stomach and duodenum (531-533)	9	21	8	57	19	3	21	39
Appendicitis (540-543)	1	1	1	2	2	–	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	17	8	47	31	2	43	52
Chronic liver disease and cirrhosis (571)	47	86	17	213	95	5	113	178
Cholelithiasis and other disorders of gallbladder (574-575)	4	10	1	23	18	–	19	18
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	62	18	162	70	3	136	163
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	4	2	–	4	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	8	1	14	3	–	13	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	52	17	144	65	3	119	152
Infections of kidney (590)	1	5	–	12	4	–	8	9
Hyperplasia of prostate (600)	1	2	–	3	–	–	4	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	–	4	1	–	2	3
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	3	–	3	1	–	1	3
Congenital anomalies (740-759)	16	52	15	107	29	5	72	115
Certain conditions originating in the perinatal period (760-779)	29	131	17	124	63	6	74	132
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	14	2	18	11	1	18	21
Other conditions originating in the perinatal period (760-766,770-779)	25	117	15	106	52	5	56	111
Symptoms, signs, and ill-defined conditions (780-799)	23	76	9	111	99	2	82	392
All other diseases (Residual)	241	777	102	1,505	675	51	1,146	1,701
Accidents and adverse effects (E800-E949)	127	388	82	677	220	26	425	705
Motor vehicle accidents (E810-E825)	61	206	48	333	102	12	155	236
All other accidents and adverse effects (E800-E807,E826-E949)	66	182	34	344	118	14	270	469
Suicide (E950-E959)	61	117	12	310	61	12	160	295
Homicide and legal intervention (E960-E978)	21	219	7	383	29	10	174	108
All other external causes (E980-E999)	1	9	1	2	1	–	11	30

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 25 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Mobile, AL, MSA	Modesto, CA, MSA	Monmouth-Ocean, NJ, PMSA	Monroe, LA, MSA	Montgomery, AL, MSA	Muncie, IN, MSA	Muskegon, MI, MSA	Naples, FL, MSA
All causes	4,578	2,846	10,627	1,223	2,764	1,065	1,376	1,537
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	2	–	1	–	2	–
Tuberculosis (010-018)	10	2	5	4	1	–	2	1
Tuberculosis of respiratory system (010-012)	6	2	4	3	1	–	1	1
Other tuberculosis (013-018)	4	–	1	1	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	–	–	–	–	–
Septicemia (038)	49	7	171	18	28	12	10	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	1	–	–	–	–	–
Viral hepatitis (070)	2	7	7	1	1	–	1	1
Syphilis (090-097)	1	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	69	30	155	18	29	4	7	30
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,057	620	2,875	286	641	256	316	467
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	6	47	1	8	1	–	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	220	132	773	59	137	59	70	108
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	375	189	785	94	212	77	88	130
Malignant neoplasm of breast (174-175)	77	41	288	23	63	16	30	39
Malignant neoplasms of genital organs (179-187)	125	81	294	39	67	31	31	50
Malignant neoplasms of urinary organs (188-189)	35	21	114	5	21	11	9	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	113	90	348	39	81	30	43	62
Leukemia (204-208)	34	23	91	7	27	13	20	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	37	135	19	25	18	25	33
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	10	55	7	6	2	1	6
Diabetes mellitus (250)	105	44	318	67	67	37	42	23
Nutritional deficiencies (260-269)	2	5	18	3	2	3	–	1
Anemias (280-285)	16	2	27	8	2	1	1	–
Meningitis (320-322)	3	2	2	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,879	1,126	4,597	488	1,166	441	606	604
Diseases of heart (390-398,402,404-429)	1,438	861	3,727	391	921	351	442	468
Rheumatic fever and rheumatic heart disease (390-398)	6	8	39	2	1	2	4	5
Hypertensive heart disease (402)	70	35	75	7	98	7	7	17
Hypertensive heart and renal disease (404)	5	4	10	2	5	1	1	–
Ischemic heart disease (410-414)	770	644	2,847	261	443	256	375	354
Acute myocardial infarction (410)	400	295	1,274	108	252	99	160	141
Other acute and subacute forms of ischemic heart disease (411)	1	1	6	–	2	–	–	1
Angina pectoris (413)	2	1	11	–	4	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	367	347	1,556	153	185	157	215	212
Other diseases of endocardium (424)	26	32	68	6	10	7	8	10
All other forms of heart disease (415-423,425-429)	561	138	688	113	364	78	47	82
Hypertension with or without renal disease (401,403)	21	13	35	12	17	4	9	4
Cerebrovascular diseases (430-438)	270	194	640	67	199	70	111	89
Intracerebral and other intracranial hemorrhage (431-432)	46	31	109	11	30	6	19	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	15	102	3	13	16	16	17
Cerebral embolism (434.1)	3	2	3	–	1	–	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	192	146	426	53	155	48	74	59
Atherosclerosis (440)	97	22	70	9	4	8	28	24
Other diseases of arteries, arterioles, and capillaries (441-448)	53	36	125	9	25	8	16	19
Acute bronchitis and bronchiolitis (466)	2	2	1	–	–	1	–	–
Pneumonia and influenza (480-487)	101	203	331	25	83	48	43	35
Pneumonia (480-486)	99	198	330	24	82	48	39	35
Influenza (487)	2	5	1	1	1	–	4	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	231	149	380	49	109	60	62	83
Bronchitis, chronic and unspecified (490-491)	5	9	15	7	4	2	2	5
Emphysema (492)	28	14	97	9	19	12	16	18
Asthma (493)	13	5	10	2	3	2	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	185	121	258	31	83	44	42	58
Ulcer of stomach and duodenum (531-533)	5	19	27	1	11	1	4	3
Appendicitis (540-543)	–	1	–	–	1	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	7	34	3	3	3	2	2
Chronic liver disease and cirrhosis (571)	44	47	133	10	25	8	14	21
Cholelithiasis and other disorders of gallbladder (574-575)	3	6	14	4	5	1	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	54	18	159	15	26	8	12	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	6	9	1	1	1	–	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	52	12	149	14	25	7	12	5
Infections of kidney (590)	5	7	1	–	2	–	–	1
Hyperplasia of prostate (600)	1	–	1	–	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	2	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	2	–	1	–
Congenital anomalies (740-759)	22	27	49	8	21	4	14	11
Certain conditions originating in the perinatal period (760-779)	38	23	45	16	41	4	15	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	9	6	5	19	1	7	1
Other conditions originating in the perinatal period (760-766,770-779)	32	14	39	11	22	3	8	8
Symptoms, signs, and ill-defined conditions (780-799)	51	14	94	12	65	10	6	5
All other diseases (Residual)	418	233	748	101	200	98	121	81
Accidents and adverse effects (E800-E949)	226	169	273	44	149	39	69	80
Motor vehicle accidents (E810-E825)	136	98	130	14	78	22	32	42
All other accidents and adverse effects (E800-E807,E826-E949)	90	71	143	30	71	17	37	38
Suicide (E950-E959)	58	35	67	14	33	14	16	35
Homicide and legal intervention (E960-E978)	87	26	34	20	41	7	7	13
All other external causes (E980-E999)	6	2	2	1	3	3	–	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 26 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Nashville, TN, MSA	Nassau-Suffolk, NY, PMSA	New Bedford-Fall River-Attleboro, MA, NECMA	New Haven-Waterbury-Meriden, CT, NECMA	New London-Norwich, CT, NECMA	New Orleans, LA, MSA	New York, NY, PMSA	Newark, NJ, PMSA
All causes	8,133	21,589	4,467	7,411	1,961	11,669	82,598	16,705
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	–	5	1	1	–	1	20	4
Tuberculosis (010-018)	9	7	–	2	–	19	261	30
Tuberculosis of respiratory system (010-012)	8	5	–	1	–	15	208	20
Other tuberculosis (013-018)	1	2	–	1	–	4	53	10
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	3	–	–	–	2	4	–
Septicemia (038)	52	233	47	104	13	176	684	294
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	6	3
Viral hepatitis (070)	10	8	1	3	2	20	91	21
Syphilis (090-097)	–	2	–	1	–	1	8	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	96	372	61	125	25	312	5,465	862
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,863	5,695	1,176	1,836	551	2,620	17,365	4,132
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	72	16	25	14	47	324	72
Malignant neoplasms of digestive organs and peritoneum (150-159)	398	1,476	337	443	136	608	4,813	1,109
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	616	1,578	308	497	161	869	4,324	1,011
Malignant neoplasm of breast (174-175)	166	570	118	160	48	226	1,733	435
Malignant neoplasms of genital organs (179-187)	204	639	100	219	60	259	2,012	505
Malignant neoplasms of urinary organs (188-189)	51	238	41	96	25	117	630	153
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	222	608	148	237	65	275	1,853	445
Leukemia (204-208)	80	195	36	55	16	77	565	136
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	101	319	72	104	26	142	1,111	266
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	78	14	32	6	39	243	64
Diabetes mellitus (250)	175	354	132	140	34	458	1,411	476
Nutritional deficiencies (260-269)	13	5	5	3	1	38	23	23
Anemias (280-285)	13	26	9	14	2	30	113	46
Meningitis (320-322)	2	7	–	2	–	6	80	7
Major cardiovascular diseases (390-448)	3,427	10,038	1,989	3,193	818	4,464	36,671	6,490
Diseases of heart (390-398,402,404-429)	2,716	8,467	1,553	2,560	640	3,532	32,071	5,231
Rheumatic fever and rheumatic heart disease (390-398)	26	86	12	23	4	16	179	61
Hypertensive heart disease (402)	124	313	18	50	21	188	1,399	184
Hypertensive heart and renal disease (404)	13	15	2	6	2	18	62	22
Ischemic heart disease (410-414)	1,707	6,610	1,101	1,501	410	2,149	25,413	3,636
Acute myocardial infarction (410)	975	2,129	568	572	152	1,116	9,022	1,932
Other acute and subacute forms of ischemic heart disease (411)	6	12	2	3	–	48	36	11
Angina pectoris (413)	4	6	1	12	3	11	20	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	722	4,463	530	914	255	974	16,335	1,686
Other diseases of endocardium (424)	41	135	30	39	8	51	337	117
All other forms of heart disease (415-423,425-429)	805	1,308	390	941	195	1,110	4,681	1,211
Hypertension with or without renal disease (401,403)	25	59	15	38	9	42	510	50
Cerebrovascular diseases (430-438)	569	1,203	329	451	142	686	3,160	974
Intracerebral and other intracranial hemorrhage (431-432)	72	200	32	62	16	90	649	184
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	50	233	69	43	29	86	316	140
Cerebral embolism (434.1)	4	10	3	1	–	2	21	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	443	760	225	345	97	508	2,194	645
Atherosclerosis (440)	42	78	46	52	12	71	342	57
Other diseases of arteries, arterioles, and capillaries (441-448)	75	231	46	92	15	133	568	178
Acute bronchitis and bronchiolitis (466)	4	8	2	1	–	3	12	7
Pneumonia and influenza (480-487)	314	685	153	250	69	221	3,561	555
Pneumonia (480-486)	310	682	152	246	69	218	3,553	552
Influenza (487)	4	3	1	4	–	3	8	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	303	775	165	258	87	383	2,010	531
Bronchitis, chronic and unspecified (490-491)	14	18	6	7	2	30	72	27
Emphysema (492)	50	162	27	35	12	90	302	97
Asthma (493)	18	27	12	10	–	28	292	39
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	221	568	120	206	73	235	1,344	368
Ulcer of stomach and duodenum (531-533)	17	62	11	14	2	24	262	44
Appendicitis (540-543)	3	7	1	3	–	–	12	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	36	17	21	8	32	125	51
Chronic liver disease and cirrhosis (571)	93	228	61	76	30	146	1,071	206
Cholelithiasis and other disorders of gallbladder (574-575)	11	24	5	9	2	11	74	24
Nephritis, nephrotic syndrome, and nephrosis (580-589)	78	200	58	98	27	146	608	195
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	3	1	–	–	4	16	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	8	2	7	4	10	46	17
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	62	189	55	91	23	132	546	174
Infections of kidney (590)	7	7	2	1	–	4	22	2
Hyperplasia of prostate (600)	1	2	1	1	–	–	10	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	–	–	–	3	25	5
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	8	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	–	–	–	3	17	4
Congenital anomalies (740-759)	47	99	26	33	11	74	454	79
Certain conditions originating in the perinatal period (760-779)	61	151	18	50	15	124	921	151
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	20	4	4	2	25	190	42
Other conditions originating in the perinatal period (760-766,770-779)	49	131	14	46	13	99	731	109
Symptoms, signs, and ill-defined conditions (780-799)	69	202	24	114	41	216	578	273
All other diseases (Residual)	774	1,308	293	671	135	1,010	4,754	1,380
Accidents and adverse effects (E800-E949)	347	594	110	213	60	463	2,580	473
Motor vehicle accidents (E810-E825)	162	351	54	94	32	215	878	169
All other accidents and adverse effects (E800-E807,E826-E949)	185	243	56	119	28	248	1,702	304
Suicide (E950-E959)	158	207	35	81	17	172	736	93
Homicide and legal intervention (E960-E978)	128	125	17	56	4	440	2,225	164
All other external causes (E980-E999)	17	35	33	5	1	11	113	12

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 27 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Niagara Falls, NY, PMSA	Norfolk-Virginia Beach-Newport News, VA, MSA	Oakland, CA, PMSA	Ocala, FL, MSA	Odessa, TX, MSA	Oklahoma City, OK, MSA	Olympia, WA, MSA	Omaha, NE-IA, MSA
All causes	2,255	10,004	15,758	2,284	878	7,823	1,167	4,679
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	2	3	-	-	-	1	-
Tuberculosis (010-018)	1	1	15	1	-	2	-	3
Tuberculosis of respiratory system (010-012)	1	1	12	1	-	2	-	3
Other tuberculosis (013-018)	-	-	3	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	3	1	1	-	1	-	-
Septicemia (038)	25	138	75	15	3	85	4	36
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	6	20	4	3	5	1	6
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	21	166	428	22	4	112	7	45
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	548	2,532	3,817	624	241	1,778	317	1,073
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	55	80	12	4	21	3	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	134	566	940	121	45	411	62	257
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	183	800	1,075	226	75	569	104	321
Malignant neoplasm of breast (174-175)	45	206	330	43	20	144	32	89
Malignant neoplasms of genital organs (179-187)	61	277	398	82	25	186	34	114
Malignant neoplasms of urinary organs (188-189)	21	101	134	24	7	81	8	42
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	36	317	482	60	38	187	38	110
Leukemia (204-208)	22	77	135	20	10	59	16	38
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	133	243	36	17	120	20	88
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	32	53	9	4	15	1	10
Diabetes mellitus (250)	44	208	254	61	20	131	31	99
Nutritional deficiencies (260-269)	1	15	11	3	2	13	1	1
Anemias (280-285)	1	22	20	5	-	13	5	8
Meningitis (320-322)	2	6	8	2	-	3	1	4
Major cardiovascular diseases (390-448)	1,066	3,879	6,223	1,002	291	3,391	454	2,062
Diseases of heart (390-398,402,404-429)	869	3,039	4,596	729	234	2,656	342	1,635
Rheumatic fever and rheumatic heart disease (390-398)	7	9	49	4	3	25	2	10
Hypertensive heart disease (402)	23	90	302	37	8	51	8	41
Hypertensive heart and renal disease (404)	2	14	19	6	2	3	1	2
Ischemic heart disease (410-414)	696	1,832	2,976	509	168	1,748	221	1,050
Acute myocardial infarction (410)	363	803	1,092	217	72	701	100	372
Other acute and subacute forms of ischemic heart disease (411)	4	169	3	9	1	358	-	4
Angina pectoris (413)	-	5	5	2	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	329	855	1,876	281	95	688	121	674
Other diseases of endocardium (424)	10	43	108	10	5	47	13	23
All other forms of heart disease (415-423,425-429)	131	1,051	1,142	163	48	782	97	509
Hypertension with or without renal disease (401,403)	3	43	63	12	3	40	5	26
Cerebrovascular diseases (430-438)	151	630	1,243	220	40	535	87	298
Intracerebral and other intracranial hemorrhage (431-432)	18	120	204	18	4	61	16	45
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	50	78	132	77	2	43	12	37
Cerebral embolism (434.1)	-	3	3	-	-	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	83	429	904	125	34	429	58	215
Atherosclerosis (440)	13	55	159	11	5	87	7	48
Other diseases of arteries, arterioles, and capillaries (441-448)	30	112	162	30	9	73	13	55
Acute bronchitis and bronchiolitis (466)	2	2	8	-	-	2	-	1
Pneumonia and influenza (480-487)	72	321	654	34	28	295	44	187
Pneumonia (480-486)	72	318	652	34	28	293	43	185
Influenza (487)	-	3	2	-	-	2	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	111	386	699	103	48	346	58	222
Bronchitis, chronic and unspecified (490-491)	5	14	32	3	-	7	2	12
Emphysema (492)	28	66	133	29	12	53	7	35
Asthma (493)	2	20	54	7	4	22	-	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	76	286	480	64	32	264	49	157
Ulcer of stomach and duodenum (531-533)	8	22	66	5	5	35	3	16
Appendicitis (540-543)	2	2	2	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	19	45	6	3	12	2	23
Chronic liver disease and cirrhosis (571)	26	112	250	26	11	87	14	46
Cholelithiasis and other disorders of gallbladder (574-575)	2	8	12	4	2	9	2	9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	105	135	7	4	88	7	57
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	6	11	1	-	4	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	99	123	6	4	84	6	53
Infections of kidney (590)	-	10	17	-	-	8	2	1
Hyperplasia of prostate (600)	-	1	6	-	1	2	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	3	1	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	2	1	-	-	-	-
Congenital anomalies (740-759)	5	70	106	10	6	45	6	32
Certain conditions originating in the perinatal period (760-779)	9	193	100	11	4	69	7	34
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	32	20	2	1	17	-	8
Other conditions originating in the perinatal period (760-766,770-779)	9	161	80	9	3	52	7	26
Symptoms, signs, and ill-defined conditions (780-799)	23	92	140	14	47	89	11	42
All other diseases (Residual)	143	899	1,361	161	72	612	110	366
Accidents and adverse effects (E800-E949)	66	372	656	105	42	348	51	161
Motor vehicle accidents (E810-E825)	28	133	269	67	17	160	25	68
All other accidents and adverse effects (E800-E807,E826-E949)	38	239	387	38	25	188	26	93
Suicide (E950-E959)	17	165	247	38	20	135	23	70
Homicide and legal intervention (E960-E978)	9	202	312	10	17	83	2	37
All other external causes (E980-E999)	5	11	10	-	-	9	2	25

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 28 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Orange County, NY, PMSA	Orlando, FL, MSA	Owensboro, KY, MSA	Oxnard-Ventura, CA, PMSA	Panama City, FL, MSA	Parkersburg-Marietta, WV-OH, MSA	Pascagoula, MS, MSA	Pensacola, FL, MSA
All causes	2,434	7,765	766	3,954	1,084	1,494	918	2,946
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	3	–	4	–	–	–	1
Tuberculosis (010-018)	1	7	2	–	3	4	–	4
Tuberculosis of respiratory system (010-012)	1	6	2	–	3	4	–	4
Other tuberculosis (013-018)	–	1	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	–	–	–	–	1
Septicemia (038)	32	37	5	15	10	12	8	24
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	12	–	9	2	2	3	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	54	204	8	37	11	9	7	42
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	611	2,073	201	1,064	269	360	233	698
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	27	4	16	2	5	8	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	147	432	42	261	50	77	50	140
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	193	680	74	298	112	121	76	253
Malignant neoplasm of breast (174-175)	45	181	17	81	21	28	19	53
Malignant neoplasms of genital organs (179-187)	59	234	17	108	25	41	18	80
Malignant neoplasms of urinary organs (188-189)	23	91	7	46	8	8	8	29
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	79	238	15	143	24	36	34	63
Leukemia (204-208)	23	67	13	44	6	18	10	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	123	12	67	21	26	10	43
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	21	3	16	3	8	2	8
Diabetes mellitus (250)	54	166	24	62	16	43	17	67
Nutritional deficiencies (260-269)	1	8	–	6	2	2	–	2
Anemias (280-285)	2	17	–	5	2	4	2	3
Meningitis (320-322)	–	6	–	4	–	–	–	3
Major cardiovascular diseases (390-448)	1,094	3,056	334	1,512	377	656	383	1,207
Diseases of heart (390-398,402,404-429)	914	2,446	241	1,152	299	518	316	887
Rheumatic fever and rheumatic heart disease (390-398)	7	9	2	12	2	5	2	4
Hypertensive heart disease (402)	18	89	2	36	1	4	21	43
Hypertensive heart and renal disease (404)	2	9	2	4	1	1	2	3
Ischemic heart disease (410-414)	713	1,664	162	803	200	319	156	576
Acute myocardial infarction (410)	300	777	74	298	94	189	71	248
Other acute and subacute forms of ischemic heart disease (411)	7	22	–	–	–	1	–	1
Angina pectoris (413)	–	7	–	1	–	2	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	406	858	88	504	106	127	83	326
Other diseases of endocardium (424)	21	55	3	40	7	7	5	28
All other forms of heart disease (415-423,425-429)	153	620	70	257	88	182	130	233
Hypertension with or without renal disease (401,403)	15	29	8	16	4	7	6	20
Cerebrovascular diseases (430-438)	110	451	68	269	55	95	45	218
Intracerebral and other intracranial hemorrhage (431-432)	11	73	9	39	7	6	5	30
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	48	7	24	6	4	7	32
Cerebral embolism (434.1)	–	3	1	2	1	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	85	327	51	204	41	84	32	155
Atherosclerosis (440)	26	47	7	36	6	12	7	38
Other diseases of arteries, arterioles, and capillaries (441-448)	29	83	10	39	13	24	9	44
Acute bronchitis and bronchiolitis (466)	1	3	–	1	–	–	–	–
Pneumonia and influenza (480-487)	68	203	29	157	26	62	35	82
Pneumonia (480-486)	68	201	29	154	26	61	34	82
Influenza (487)	–	2	–	3	–	1	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	110	371	31	166	74	65	44	137
Bronchitis, chronic and unspecified (490-491)	1	14	4	10	5	1	3	8
Emphysema (492)	21	75	6	54	22	5	7	19
Asthma (493)	5	15	1	6	2	1	–	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	83	267	20	96	45	58	34	106
Ulcer of stomach and duodenum (531-533)	3	27	2	14	7	1	2	8
Appendicitis (540-543)	–	1	–	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	17	4	12	5	1	4	12
Chronic liver disease and cirrhosis (571)	37	123	5	71	18	11	9	44
Cholelithiasis and other disorders of gallbladder (574-575)	2	10	–	5	–	2	–	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	26	47	5	30	7	13	2	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	7	–	–	1	–	–	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	40	5	30	6	13	2	13
Infections of kidney (590)	–	2	–	3	1	1	–	1
Hyperplasia of prostate (600)	1	1	1	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	–	–
Congenital anomalies (740-759)	12	55	5	38	9	10	6	15
Certain conditions originating in the perinatal period (760-779)	24	57	3	41	12	3	5	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	16	–	14	3	2	–	7
Other conditions originating in the perinatal period (760-766,770-779)	21	41	3	27	9	1	5	25
Symptoms, signs, and ill-defined conditions (780-799)	21	73	1	35	64	7	6	23
All other diseases (Residual)	137	603	60	323	81	134	73	281
Accidents and adverse effects (E800-E949)	90	337	24	187	51	55	41	143
Motor vehicle accidents (E810-E825)	49	163	7	94	24	24	23	70
All other accidents and adverse effects (E800-E807,E826-E949)	41	174	17	93	27	31	18	73
Suicide (E950-E959)	22	131	13	74	17	24	16	48
Homicide and legal intervention (E960-E978)	13	86	4	54	14	5	17	29
All other external causes (E980-E999)	1	6	2	8	2	–	2	5

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 29 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Peoria, IL, MSA	Philadelphia, PA-NJ, PMSA	Phoenix, AZ, MSA	Pine Bluff, AR, MSA	Pittsburgh, PA, PMSA	Pittsfield, MA, NECMA	Portland, ME, NECMA	Portland, OR, PMSA
All causes	3,133	46,938	16,182	868	23,114	1,476	2,116	10,276
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	7	2	–	5	1	3	4
Tuberculosis (010-018)	1	31	12	2	14	1	–	9
Tuberculosis of respiratory system (010-012)	–	27	11	2	13	–	–	6
Other tuberculosis (013-018)	1	4	1	–	1	1	–	3
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	6	1	–	1	–	–	4
Septicemia (038)	29	981	121	12	288	12	16	61
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	6	–	–	–	–	–	–
Viral hepatitis (070)	1	45	25	–	8	1	1	11
Syphilis (090-097)	–	3	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	12	791	240	7	137	9	20	182
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	770	11,843	4,050	210	5,854	342	566	2,449
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	202	59	3	68	6	17	36
Malignant neoplasms of digestive organs and peritoneum (150-159)	169	2,884	860	45	1,411	93	123	531
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	227	3,345	1,171	72	1,731	92	179	725
Malignant neoplasm of breast (174-175)	85	1,077	316	17	501	34	37	217
Malignant neoplasms of genital organs (179-187)	82	1,295	466	26	638	28	67	279
Malignant neoplasms of urinary organs (188-189)	22	479	170	5	215	18	10	103
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	89	1,531	574	19	693	42	85	294
Leukemia (204-208)	30	400	188	13	247	10	18	90
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	54	630	246	10	350	19	30	174
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	158	71	2	73	5	10	35
Diabetes mellitus (250)	76	1,089	299	17	610	35	55	215
Nutritional deficiencies (260-269)	6	59	18	1	28	2	3	6
Anemias (280-285)	5	115	33	5	49	9	2	18
Meningitis (320-322)	4	18	10	–	6	–	–	2
Major cardiovascular diseases (390-448)	1,337	19,038	6,197	367	10,321	659	869	4,110
Diseases of heart (390-398,402,404-429)	996	15,103	4,872	281	8,536	520	685	2,921
Rheumatic fever and rheumatic heart disease (390-398)	5	132	24	1	85	3	9	48
Hypertensive heart disease (402)	12	428	85	6	190	14	23	94
Hypertensive heart and renal disease (404)	2	49	10	2	19	1	2	16
Ischemic heart disease (410-414)	689	8,842	3,478	191	5,871	356	468	2,056
Acute myocardial infarction (410)	381	4,849	1,432	119	2,885	184	184	772
Other acute and subacute forms of ischemic heart disease (411)	–	40	190	1	6	–	1	3
Angina pectoris (413)	2	23	–	–	14	1	–	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	306	3,930	1,856	71	2,966	171	283	1,277
Other diseases of endocardium (424)	29	345	118	3	163	23	19	98
All other forms of heart disease (415-423,425-429)	259	5,307	1,157	78	2,208	123	164	609
Hypertension with or without renal disease (401,403)	16	193	50	4	81	8	6	53
Cerebrovascular diseases (430-438)	261	2,898	966	69	1,322	99	129	860
Intracerebral and other intracranial hemorrhage (431-432)	32	524	157	7	220	11	17	93
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	439	99	1	244	7	18	88
Cerebral embolism (434.1)	–	10	1	–	4	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	196	1,925	709	61	854	81	94	678
Atherosclerosis (440)	17	277	103	6	106	11	25	137
Other diseases of arteries, arterioles, and capillaries (441-448)	47	567	206	7	276	21	24	139
Acute bronchitis and bronchiolitis (466)	2	12	3	–	4	1	1	4
Pneumonia and influenza (480-487)	120	1,440	650	26	793	79	57	334
Pneumonia (480-486)	120	1,431	647	26	785	74	57	327
Influenza (487)	–	9	3	–	8	5	–	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	155	1,654	914	49	869	62	106	494
Bronchitis, chronic and unspecified (490-491)	7	48	42	5	23	2	4	21
Emphysema (492)	46	246	194	13	160	10	18	110
Asthma (493)	5	96	57	5	27	1	2	45
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	97	1,264	621	26	659	49	82	318
Ulcer of stomach and duodenum (531-533)	13	100	37	5	60	4	1	28
Appendicitis (540-543)	–	10	5	–	5	1	–	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	136	42	2	69	7	11	25
Chronic liver disease and cirrhosis (571)	26	486	217	7	274	11	21	133
Cholelithiasis and other disorders of gallbladder (574-575)	1	40	12	3	39	1	2	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	52	570	156	11	302	12	15	65
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	7	1	–	4	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	36	9	1	18	–	1	7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	48	527	146	10	280	10	14	58
Infections of kidney (590)	4	17	7	–	5	1	1	8
Hyperplasia of prostate (600)	2	9	–	–	7	–	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	8	2	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	2	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	6	2	–	–	–	1	–
Congenital anomalies (740-759)	16	240	131	3	81	9	8	76
Certain conditions originating in the perinatal period (760-779)	17	432	124	4	140	3	9	57
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	77	16	1	35	–	2	6
Other conditions originating in the perinatal period (760-766,770-779)	16	355	108	3	105	3	7	51
Symptoms, signs, and ill-defined conditions (780-799)	29	756	133	6	135	7	14	232
All other diseases (Residual)	261	4,087	1,384	71	1,929	147	217	1,020
Accidents and adverse effects (E800-E949)	116	1,616	711	37	646	42	69	402
Motor vehicle accidents (E810-E825)	60	558	369	20	234	21	29	159
All other accidents and adverse effects (E800-E807,E826-E949)	56	1,058	342	17	412	21	40	243
Suicide (E950-E959)	34	477	344	8	258	8	34	181
Homicide and legal intervention (E960-E978)	18	565	216	12	84	3	4	78
All other external causes (E980-E999)	2	93	15	1	19	2	–	20

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 30 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Portsmouth-Dover-Rochester, NH, NECMA	Poughkeepsie, NY, MSA	Providence-Pawtucket-Woonsocket, RI, NECMA	Provo-Orem, UT, MSA	Pueblo, CO, MSA	Racine, WI, PMSA	Raleigh-Durham, NC, MSA	Rapid City, SD, MSA
All causes	2,261	2,020	8,696	1,174	1,257	1,407	4,837	551
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	2	-	1	-	1	-
Tuberculosis (010-018)	-	-	4	-	1	1	3	-
Tuberculosis of respiratory system (010-012)	-	-	3	-	-	1	3	-
Other tuberculosis (013-018)	-	-	1	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	1	-	-	-	-
Meningococcal infection (036)	-	-	1	-	-	-	-	1
Septicemia (038)	14	17	124	21	15	4	53	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	4	3	-	3	-	4	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	26	33	92	9	9	12	130	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	625	512	2,207	197	275	351	1,166	127
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	4	33	1	3	5	16	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	131	143	556	55	78	81	235	32
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	165	151	592	33	77	96	342	35
Malignant neoplasm of breast (174-175)	65	40	229	20	17	29	100	10
Malignant neoplasms of genital organs (179-187)	79	48	233	28	32	43	154	9
Malignant neoplasms of urinary organs (188-189)	26	25	93	6	14	9	47	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	84	53	258	22	27	49	167	18
Leukemia (204-208)	21	22	81	13	9	14	35	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	46	26	132	19	18	25	70	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	7	42	5	6	4	11	-
Diabetes mellitus (250)	54	28	200	47	31	32	138	16
Nutritional deficiencies (260-269)	4	1	9	1	1	1	9	-
Anemias (280-285)	4	4	22	-	1	4	6	-
Meningitis (320-322)	1	-	2	-	-	-	1	-
Major cardiovascular diseases (390-448)	933	906	3,754	468	488	599	1,844	215
Diseases of heart (390-398,402,404-429)	721	732	3,024	365	360	481	1,362	169
Rheumatic fever and rheumatic heart disease (390-398)	10	9	14	11	11	1	13	7
Hypertensive heart disease (402)	19	11	54	9	6	14	31	4
Hypertensive heart and renal disease (404)	2	-	4	-	3	-	3	1
Ischemic heart disease (410-414)	466	555	2,080	197	245	330	910	119
Acute myocardial infarction (410)	245	249	888	107	122	167	401	50
Other acute and subacute forms of ischemic heart disease (411)	1	-	5	-	-	1	2	-
Angina pectoris (413)	3	-	5	-	2	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	217	306	1,182	90	121	162	507	69
Other diseases of endocardium (424)	22	12	46	11	4	17	39	3
All other forms of heart disease (415-423,425-429)	202	145	826	137	91	119	366	35
Hypertension with or without renal disease (401,403)	12	9	32	7	11	12	28	1
Cerebrovascular diseases (430-438)	147	129	509	76	84	86	372	33
Intracerebral and other intracranial hemorrhage (431-432)	16	25	71	11	11	16	61	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	17	49	3	13	8	38	3
Cerebral embolism (434.1)	-	1	2	1	-	1	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	117	86	387	61	60	61	271	28
Atherosclerosis (440)	19	11	58	10	15	13	29	1
Other diseases of arteries, arterioles, and capillaries (441-448)	34	25	131	10	18	7	53	11
Acute bronchitis and bronchiolitis (466)	-	-	2	-	-	1	2	-
Pneumonia and influenza (480-487)	72	81	320	51	45	46	131	15
Pneumonia (480-486)	72	80	319	51	43	45	129	15
Influenza (487)	-	1	1	-	2	1	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	94	98	289	57	82	74	178	39
Bronchitis, chronic and unspecified (490-491)	4	4	13	-	4	3	11	-
Emphysema (492)	18	17	33	13	8	29	29	20
Asthma (493)	2	7	10	5	7	5	18	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	70	70	233	39	63	37	120	17
Ulcer of stomach and duodenum (531-533)	6	3	19	5	5	10	8	2
Appendicitis (540-543)	-	2	3	1	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	4	31	10	4	6	11	2
Chronic liver disease and cirrhosis (571)	23	21	110	8	25	13	37	8
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	9	7	3	-	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	23	119	12	3	12	52	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	4	1	-	1	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	22	113	11	2	11	49	3
Infections of kidney (590)	-	1	2	1	-	-	3	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	-	-
Congenital anomalies (740-759)	19	6	40	14	9	10	39	6
Certain conditions originating in the perinatal period (760-779)	9	9	61	13	6	11	56	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	8	1	3	1	6	-
Other conditions originating in the perinatal period (760-766,770-779)	8	6	53	12	3	10	50	8
Symptoms, signs, and ill-defined conditions (780-799)	15	6	49	17	28	11	32	4
All other diseases (Residual)	189	146	788	124	118	126	500	45
Accidents and adverse effects (E800-E949)	80	73	258	74	60	50	229	34
Motor vehicle accidents (E810-E825)	46	40	86	45	26	26	113	13
All other accidents and adverse effects (E800-E807,E826-E949)	34	33	172	29	34	24	116	21
Suicide (E950-E959)	37	23	77	26	18	17	102	14
Homicide and legal intervention (E960-E978)	6	10	41	1	13	11	83	5
All other external causes (E980-E999)	9	1	15	4	7	1	2	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 31 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Reading, PA, MSA	Redding, CA, MSA	Reno, NV, MSA	Richland-Kennewick-Pasco, WA, MSA	Richmond-Petersburg, VA, MSA	Riverside-San Bernardino, CA, PMSA	Roanoke, VA, MSA	Rochester, MN, MSA
All causes	3,425	1,382	2,020	1,038	7,676	19,557	2,402	834
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	1	2	2	–	–
Tuberculosis (010-018)	–	1	1	1	7	25	1	–
Tuberculosis of respiratory system (010-012)	–	1	1	1	4	20	–	–
Other tuberculosis (013-018)	–	–	–	–	3	5	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	3	–	–
Septicemia (038)	49	4	21	5	118	24	56	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	2	–	–
Viral hepatitis (070)	5	–	2	2	3	31	–	1
Syphilis (090-097)	1	–	–	–	1	1	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	29	10	30	8	110	342	27	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	815	339	467	248	1,885	4,416	507	179
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	5	10	3	15	73	9	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	216	58	97	46	409	1,011	110	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	197	115	173	86	596	1,352	130	35
Malignant neoplasm of breast (174-175)	72	38	32	20	151	357	50	20
Malignant neoplasms of genital organs (179-187)	94	42	41	32	206	505	55	23
Malignant neoplasms of urinary organs (188-189)	39	14	14	14	72	174	19	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	99	37	69	28	264	542	77	19
Leukemia (204-208)	30	11	11	7	65	164	24	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	19	20	12	107	238	33	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	2	4	3	35	49	9	2
Diabetes mellitus (250)	94	12	27	25	113	308	29	18
Nutritional deficiencies (260-269)	3	4	5	2	11	4	4	3
Anemias (280-285)	3	4	1	2	24	18	4	–
Meningitis (320-322)	1	–	2	1	3	14	1	–
Major cardiovascular diseases (390-448)	1,514	556	812	450	3,067	8,308	1,097	217
Diseases of heart (390-398,402,404-429)	1,203	409	688	330	2,378	6,500	871	167
Rheumatic fever and rheumatic heart disease (390-398)	8	7	3	8	13	41	1	4
Hypertensive heart disease (402)	34	9	43	8	46	186	13	3
Hypertensive heart and renal disease (404)	4	2	–	1	11	13	3	–
Ischemic heart disease (410-414)	773	240	396	222	1,354	5,181	488	129
Acute myocardial infarction (410)	474	116	132	108	647	2,006	216	65
Other acute and subacute forms of ischemic heart disease (411)	2	2	–	–	69	5	34	–
Angina pectoris (413)	3	–	–	–	6	6	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	294	122	264	114	632	3,164	236	64
Other diseases of endocardium (424)	26	12	9	2	46	93	15	4
All other forms of heart disease (415-423,425-429)	358	139	237	89	908	986	351	27
Hypertension with or without renal disease (401,403)	19	6	7	6	44	73	10	1
Cerebrovascular diseases (430-438)	243	114	86	91	510	1,306	171	37
Intracerebral and other intracranial hemorrhage (431-432)	39	19	15	6	97	187	20	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	19	2	3	46	169	17	3
Cerebral embolism (434.1)	2	1	–	–	4	6	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	169	75	69	82	363	944	134	28
Atherosclerosis (440)	21	10	11	4	52	202	18	3
Other diseases of arteries, arterioles, and capillaries (441-448)	28	17	20	19	83	227	27	9
Acute bronchitis and bronchiolitis (466)	2	1	–	–	3	16	1	–
Pneumonia and influenza (480-487)	139	76	55	20	235	776	95	24
Pneumonia (480-486)	135	75	55	20	232	763	94	24
Influenza (487)	4	1	–	–	3	13	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	140	83	162	64	304	1,048	87	26
Bronchitis, chronic and unspecified (490-491)	7	9	–	2	11	46	2	2
Emphysema (492)	19	11	23	12	39	203	16	3
Asthma (493)	14	3	2	6	31	62	9	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	100	60	137	44	223	737	60	21
Ulcer of stomach and duodenum (531-533)	8	5	8	3	17	90	8	4
Appendicitis (540-543)	–	–	1	–	1	6	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	3	7	1	21	61	3	2
Chronic liver disease and cirrhosis (571)	26	13	43	9	71	348	15	4
Cholelithiasis and other disorders of gallbladder (574-575)	10	2	1	1	10	21	3	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	10	22	6	94	119	24	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	1	–	1	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	2	–	8	14	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	10	20	5	86	104	22	2
Infections of kidney (590)	1	–	–	–	6	17	–	1
Hyperplasia of prostate (600)	–	1	–	–	1	7	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	6	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	–	–	5	–	–
Congenital anomalies (740-759)	16	10	9	11	41	140	13	9
Certain conditions originating in the perinatal period (760-779)	22	5	12	13	86	261	17	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	2	1	1	1	36	4	1
Other conditions originating in the perinatal period (760-766,770-779)	21	3	11	12	85	225	13	–
Symptoms, signs, and ill-defined conditions (780-799)	34	9	25	15	93	162	19	6
All other diseases (Residual)	257	131	136	76	731	1,201	240	86
Accidents and adverse effects (E800-E949)	123	58	80	48	299	984	98	28
Motor vehicle accidents (E810-E825)	55	32	42	27	112	586	40	15
All other accidents and adverse effects (E800-E807,E826-E949)	68	26	38	21	187	398	58	13
Suicide (E950-E959)	53	34	62	16	127	346	27	7
Homicide and legal intervention (E960-E978)	13	9	21	6	151	387	18	–
All other external causes (E980-E999)	5	–	3	1	6	14	–	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 32 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Rochester, NY, MSA	Rockford, IL, MSA	Sacramento, CA, MSA	Saginaw-Bay City-Midland, MI, MSA	St. Cloud, MN, MSA	St. Joseph, MO, MSA	St. Louis, MO-IL, MSA	Salem, OR, MSA
All causes	8,444	2,448	11,112	3,384	1,216	961	22,708	2,476
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	3	-	-	-	7	-
Tuberculosis (010-018)	3	-	14	1	-	-	8	1
Tuberculosis of respiratory system (010-012)	3	-	10	1	-	-	7	-
Other tuberculosis (013-018)	-	-	4	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	4	-	-	-	2	-
Septicemia (038)	113	10	43	14	8	7	194	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	1	-	-	-	-	-
Viral hepatitis (070)	4	-	8	1	1	-	9	3
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	113	15	202	20	4	8	239	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,110	617	2,686	806	294	222	5,488	593
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	36	11	44	8	6	4	88	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	551	143	571	201	60	52	1,318	120
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	581	170	820	231	68	67	1,680	171
Malignant neoplasm of breast (174-175)	189	62	249	55	33	16	477	39
Malignant neoplasms of genital organs (179-187)	229	58	295	106	36	21	532	81
Malignant neoplasms of urinary organs (188-189)	119	27	109	40	15	7	195	25
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	208	81	358	88	46	34	658	81
Leukemia (204-208)	69	33	89	32	11	5	223	23
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	128	32	151	45	19	16	317	44
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	10	46	8	2	4	73	8
Diabetes mellitus (250)	141	53	152	102	19	31	524	48
Nutritional deficiencies (260-269)	9	6	13	4	-	2	34	2
Anemias (280-285)	11	7	8	3	-	1	55	2
Meningitis (320-322)	3	-	5	1	1	-	12	2
Major cardiovascular diseases (390-448)	3,481	1,029	4,220	1,568	527	440	9,637	1,075
Diseases of heart (390-398,402,404-429)	2,751	773	3,171	1,203	389	342	7,747	767
Rheumatic fever and rheumatic heart disease (390-398)	27	9	27	6	4	3	56	11
Hypertensive heart disease (402)	57	19	120	22	14	3	268	24
Hypertensive heart and renal disease (404)	10	3	11	2	1	1	34	1
Ischemic heart disease (410-414)	2,004	555	2,241	918	279	243	5,799	552
Acute myocardial infarction (410)	1,260	256	886	386	128	136	2,691	249
Other acute and subacute forms of ischemic heart disease (411)	40	-	1	2	-	-	6	1
Angina pectoris (413)	5	1	3	3	-	-	8	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	699	298	1,351	527	151	107	3,094	299
Other diseases of endocardium (424)	52	17	80	18	10	5	140	19
All other forms of heart disease (415-423,425-429)	601	170	692	237	81	87	1,450	160
Hypertension with or without renal disease (401,403)	32	16	49	17	1	3	99	14
Cerebrovascular diseases (430-438)	550	180	743	243	102	75	1,408	237
Intracerebral and other intracranial hemorrhage (431-432)	74	18	122	26	8	9	247	31
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	83	22	57	38	10	5	209	59
Cerebral embolism (434.1)	2	-	5	2	1	-	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	391	140	559	177	83	61	946	147
Atherosclerosis (440)	32	25	92	68	19	12	125	26
Other diseases of arteries, arterioles, and capillaries (441-448)	116	35	165	37	16	8	258	31
Acute bronchitis and bronchiolitis (466)	2	-	2	4	-	-	2	-
Pneumonia and influenza (480-487)	400	106	527	78	58	29	844	62
Pneumonia (480-486)	396	99	523	77	54	28	839	60
Influenza (487)	4	7	4	1	4	1	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	355	105	628	129	45	44	829	121
Bronchitis, chronic and unspecified (490-491)	16	6	20	6	-	1	23	8
Emphysema (492)	58	28	104	31	8	8	150	19
Asthma (493)	12	4	44	6	4	4	36	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	269	67	460	86	33	31	620	86
Ulcer of stomach and duodenum (531-533)	33	7	50	10	2	2	55	8
Appendicitis (540-543)	-	-	5	-	-	1	3	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	25	10	32	12	3	3	76	7
Chronic liver disease and cirrhosis (571)	73	18	147	39	10	12	212	18
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	11	3	4	4	24	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	93	20	91	44	11	6	265	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	1	1	-	-	5	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	10	7	-	-	28	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	90	19	80	36	11	6	232	13
Infections of kidney (590)	5	3	13	3	-	-	9	1
Hyperplasia of prostate (600)	1	-	4	-	-	-	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	1	-	-	-	-
Congenital anomalies (740-759)	55	11	67	21	7	7	122	16
Certain conditions originating in the perinatal period (760-779)	67	18	90	40	5	4	208	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	7	13	6	1	2	49	3
Other conditions originating in the perinatal period (760-766,770-779)	62	11	77	34	4	2	159	5
Symptoms, signs, and ill-defined conditions (780-799)	41	14	213	12	16	7	262	53
All other diseases (Residual)	813	244	942	236	109	76	1,883	232
Accidents and adverse effects (E800-E949)	259	94	504	135	68	39	901	119
Motor vehicle accidents (E810-E825)	123	47	262	69	32	16	358	62
All other accidents and adverse effects (E800-E807,E826-E949)	136	47	242	66	36	23	543	57
Suicide (E950-E959)	113	30	221	47	16	9	303	40
Homicide and legal intervention (E960-E978)	74	18	136	39	4	3	408	7
All other external causes (E980-E999)	4	3	24	3	2	-	17	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 33 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Salinas-Seaside-Monterey, CA, MSA	Salt Lake City-Ogden, UT, MSA	San Angelo, TX, MSA	San Antonio, TX, MSA	San Diego, CA, MSA	San Francisco, CA, PMSA	San Jose, CA, PMSA	Santa Barbara-Santa Maria-Lompoc, CA, MSA
All causes	2,227	5,925	823	9,351	17,248	14,995	8,253	2,658
Shigellosis and amebiasis (004,006)	–	–	–	–	–	1	1	–
Certain other intestinal infections (007-009)	1	–	–	3	3	4	4	–
Tuberculosis (010-018)	–	3	1	5	14	13	5	4
Tuberculosis of respiratory system (010-012)	–	2	1	2	8	8	4	3
Other tuberculosis (013-018)	–	1	–	3	6	5	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	2	1	2	2
Septicemia (038)	19	55	6	145	74	70	41	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	7	–	11	26	30	8	6
Syphilis (090-097)	–	1	–	1	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	42	67	5	186	522	1,406	178	50
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	508	1,260	190	2,093	4,285	3,451	1,978	649
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	13	4	25	67	72	39	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	132	291	39	557	943	872	493	159
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	140	234	62	569	1,191	914	509	171
Malignant neoplasm of breast (174-175)	32	131	18	160	374	321	176	47
Malignant neoplasms of genital organs (179-187)	66	181	28	221	547	364	218	86
Malignant neoplasms of urinary organs (188-189)	24	53	8	79	173	139	60	32
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	62	213	18	239	552	459	289	78
Leukemia (204-208)	17	48	3	92	168	105	80	26
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	96	10	151	270	205	114	40
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	33	1	26	52	44	25	12
Diabetes mellitus (250)	31	197	21	289	214	191	140	38
Nutritional deficiencies (260-269)	7	20	–	20	14	17	9	5
Anemias (280-285)	2	17	4	22	16	21	21	4
Meningitis (320-322)	3	4	–	6	3	10	5	1
Major cardiovascular diseases (390-448)	830	2,210	322	3,614	6,840	5,662	3,362	1,100
Diseases of heart (390-398,402,404-429)	590	1,652	234	2,845	5,213	4,175	2,493	827
Rheumatic fever and rheumatic heart disease (390-398)	5	35	2	17	46	45	40	9
Hypertensive heart disease (402)	16	88	6	148	197	244	109	55
Hypertensive heart and renal disease (404)	–	7	3	14	20	16	8	2
Ischemic heart disease (410-414)	377	944	158	1,710	3,676	2,619	1,662	489
Acute myocardial infarction (410)	148	434	108	864	1,514	1,157	666	208
Other acute and subacute forms of ischemic heart disease (411)	1	1	–	–	2	3	5	–
Angina pectoris (413)	–	3	–	1	9	4	4	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	228	506	50	845	2,151	1,455	987	278
Other diseases of endocardium (424)	23	37	1	48	140	116	61	18
All other forms of heart disease (415-423,425-429)	169	541	64	908	1,134	1,135	613	254
Hypertension with or without renal disease (401,403)	13	24	7	39	79	58	40	6
Cerebrovascular diseases (430-438)	184	422	71	565	1,220	1,123	659	217
Intracerebral and other intracranial hemorrhage (431-432)	29	46	7	109	174	174	76	25
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	43	3	55	164	159	59	27
Cerebral embolism (434.1)	1	2	–	3	4	8	4	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	135	331	61	398	878	782	520	165
Atherosclerosis (440)	15	43	5	70	145	132	81	17
Other diseases of arteries, arterioles, and capillaries (441-448)	28	69	5	95	183	174	89	33
Acute bronchitis and bronchiolitis (466)	–	1	–	2	6	5	3	1
Pneumonia and influenza (480-487)	86	222	33	310	727	730	406	111
Pneumonia (480-486)	85	222	33	309	719	726	402	109
Influenza (487)	1	–	–	1	8	4	4	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	106	262	44	351	795	567	347	110
Bronchitis, chronic and unspecified (490-491)	4	12	2	10	46	25	11	3
Emphysema (492)	21	46	7	57	150	154	66	36
Asthma (493)	7	19	1	19	48	51	8	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	74	185	34	265	551	337	262	64
Ulcer of stomach and duodenum (531-533)	16	22	2	24	51	36	34	6
Appendicitis (540-543)	2	3	–	4	2	4	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	30	–	29	53	39	24	7
Chronic liver disease and cirrhosis (571)	42	60	12	169	275	268	151	34
Cholelithiasis and other disorders of gallbladder (574-575)	3	9	2	17	19	17	8	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	73	8	57	99	112	59	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	3	5	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	6	1	6	8	8	7	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	67	7	50	88	99	51	16
Infections of kidney (590)	1	7	–	11	13	6	8	4
Hyperplasia of prostate (600)	–	–	–	1	6	2	4	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	7	2	4	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	1	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	6	1	3	–
Congenital anomalies (740-759)	14	53	6	65	124	66	56	14
Certain conditions originating in the perinatal period (760-779)	32	35	4	71	133	58	82	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	1	9	23	9	13	8
Other conditions originating in the perinatal period (760-766,770-779)	28	31	3	62	110	49	69	13
Symptoms, signs, and ill-defined conditions (780-799)	17	97	25	76	102	64	70	15
All other diseases (Residual)	224	625	81	908	1,407	1,170	686	245
Accidents and adverse effects (E800-E949)	130	294	26	378	704	507	292	116
Motor vehicle accidents (E810-E825)	78	151	14	179	377	176	147	55
All other accidents and adverse effects (E800-E807,E826-E949)	52	143	12	199	327	331	145	61
Suicide (E950-E959)	48	188	18	190	351	249	158	53
Homicide and legal intervention (E960-E978)	29	48	12	263	287	144	78	21
All other external causes (E980-E999)	–	22	–	4	21	28	2	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 34 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Santa Cruz, CA, PMSA	Santa Fe, NM, MSA	Santa Rosa-Petaluma, CA, PMSA	Sarasota, FL, MSA	Savannah, GA, MSA	Scranton--Wilkes-Barre, PA, MSA	Seattle, WA, PMSA	Sharon, PA, MSA
All causes	1,673	747	3,399	4,132	2,238	8,743	13,483	1,354
*Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	1	1	1	–	2	–
Tuberculosis (010-018)	–	2	1	2	7	2	4	1
Tuberculosis of respiratory system (010-012)	–	1	1	1	6	2	2	1
Other tuberculosis (013-018)	–	1	–	1	1	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	1	4	–
Septicemia (038)	10	3	9	14	20	93	110	16
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	1	3	4	–	3	12	–
Syphilis (090-097)	–	–	–	–	1	1	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	26	18	93	45	38	49	335	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	374	173	810	1,097	508	2,032	3,442	338
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	3	6	27	5	35	57	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	91	50	199	253	120	533	818	85
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	94	33	219	316	166	500	970	98
Malignant neoplasm of breast (174-175)	37	21	60	88	38	175	314	33
Malignant neoplasms of genital organs (179-187)	45	22	104	136	56	244	410	32
Malignant neoplasms of urinary organs (188-189)	14	4	27	57	18	92	119	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42	16	111	111	67	290	377	42
Leukemia (204-208)	18	6	26	39	17	65	155	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24	18	58	70	21	98	222	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	4	10	14	4	26	36	5
Diabetes mellitus (250)	19	22	46	72	40	297	277	40
Nutritional deficiencies (260-269)	1	4	1	2	2	13	22	2
Anemias (280-285)	2	–	4	6	4	16	13	3
Meningitis (320-322)	1	1	–	1	2	2	7	–
Major cardiovascular diseases (390-448)	670	227	1,414	1,828	875	4,193	5,232	605
Diseases of heart (390-398,402,404-429)	499	168	992	1,354	631	3,479	3,889	505
Rheumatic fever and rheumatic heart disease (390-398)	11	5	13	15	4	33	48	1
Hypertensive heart disease (402)	25	5	24	31	15	40	94	3
Hypertensive heart and renal disease (404)	4	1	5	1	3	13	8	3
Ischemic heart disease (410-414)	322	85	673	983	416	2,098	2,242	388
Acute myocardial infarction (410)	108	39	229	376	247	1,138	944	227
Other acute and subacute forms of ischemic heart disease (411)	1	–	1	–	1	4	3	1
Angina pectoris (413)	–	–	–	1	3	12	7	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	213	46	443	606	165	944	1,288	160
Other diseases of endocardium (424)	12	–	53	40	7	98	131	12
All other forms of heart disease (415-423,425-429)	125	72	224	284	186	1,197	1,366	98
Hypertension with or without renal disease (401,403)	5	5	17	25	12	35	56	4
Cerebrovascular diseases (430-438)	114	41	308	322	191	511	991	68
Intracerebral and other intracranial hemorrhage (431-432)	16	5	34	35	27	78	110	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	5	31	39	45	65	66	12
Cerebral embolism (434.1)	1	1	3	3	–	3	5	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	81	30	240	245	119	365	810	44
Atherosclerosis (440)	25	6	52	59	26	74	130	17
Other diseases of arteries, arterioles, and capillaries (441-448)	27	7	45	68	15	94	166	11
Acute bronchitis and bronchiolitis (466)	1	–	2	2	1	2	1	–
Pneumonia and influenza (480-487)	91	25	161	100	68	229	521	52
Pneumonia (480-486)	87	24	160	98	68	224	515	52
Influenza (487)	4	1	1	2	–	5	6	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	103	30	148	189	74	307	662	61
Bronchitis, chronic and unspecified (490-491)	4	2	8	6	4	15	19	4
Emphysema (492)	14	8	36	29	13	57	90	9
Asthma (493)	6	1	12	5	4	13	36	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	79	19	92	149	53	222	517	46
Ulcer of stomach and duodenum (531-533)	5	4	12	12	6	21	39	3
Appendicitis (540-543)	1	–	2	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	2	12	11	14	30	40	5
Chronic liver disease and cirrhosis (571)	35	14	64	50	35	106	141	18
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	8	5	5	10	10	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	3	20	31	24	83	79	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	6	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	1	4	–	9	17	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	3	18	26	24	68	61	8
Infections of kidney (590)	1	1	1	–	–	3	7	–
Hyperplasia of prostate (600)	–	–	–	–	1	–	4	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	12	6	20	9	15	26	86	3
Certain conditions originating in the perinatal period (760-779)	10	2	10	16	35	23	86	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	1	2	2	4	7	11	2
Other conditions originating in the perinatal period (760-766,770-779)	7	1	8	14	31	16	75	7
Symptoms, signs, and ill-defined conditions (780-799)	13	8	9	76	39	61	94	7
All other diseases (Residual)	142	85	308	381	242	767	1,262	106
Accidents and adverse effects (E800-E949)	76	79	128	85	88	242	566	44
Motor vehicle accidents (E810-E825)	42	44	71	34	37	118	253	17
All other accidents and adverse effects (E800-E807,E826-E949)	36	35	57	51	51	124	313	27
Suicide (E950-E959)	28	23	70	51	20	84	264	9
Homicide and legal intervention (E960-E978)	13	8	22	22	68	14	76	6
All other external causes (E980-E999)	1	1	10	5	1	7	48	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 35 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Sheboygan, WI, MSA	Sherman-Denison, TX, MSA	Shreveport, LA, MSA	Sioux City, IA-NE, MSA	Sioux Falls, SD, MSA	South Bend-Mishawaka, IN, MSA	Spokane, WA, MSA	Springfield, IL, MSA
All causes	928	1,039	3,160	1,069	943	2,249	3,180	1,763
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	1	–	–	1
Tuberculosis (010-018)	–	–	2	–	–	1	–	2
Tuberculosis of respiratory system (010-012)	–	–	2	–	–	1	–	2
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	5	9	36	13	5	14	22	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	6	–	–	–	2	–
Syphilis (090-097)	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	3	6	25	6	4	14	34	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	220	225	765	258	244	545	748	449
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	6	17	4	2	15	13	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	56	47	167	61	49	138	161	110
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	57	80	245	63	64	153	226	127
Malignant neoplasm of breast (174-175)	20	16	59	26	23	49	51	36
Malignant neoplasms of genital organs (179-187)	29	26	101	35	36	63	88	46
Malignant neoplasms of urinary organs (188-189)	11	7	30	11	16	38	28	25
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	21	22	88	23	26	49	93	60
Leukemia (204-208)	10	8	24	8	8	12	30	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	13	34	27	20	28	58	23
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	3	4	2	4	7	4	3
Diabetes mellitus (250)	23	30	170	27	14	69	76	28
Nutritional deficiencies (260-269)	–	–	6	2	–	9	6	1
Anemias (280-285)	4	2	2	–	–	6	3	2
Meningitis (320-322)	–	–	2	–	–	–	–	–
Major cardiovascular diseases (390-448)	410	522	1,246	460	375	962	1,347	750
Diseases of heart (390-398,402,404-429)	327	413	1,070	360	292	730	970	601
Rheumatic fever and rheumatic heart disease (390-398)	1	3	10	6	1	5	20	5
Hypertensive heart disease (402)	8	7	75	16	2	18	15	12
Hypertensive heart and renal disease (404)	1	–	6	2	1	4	7	2
Ischemic heart disease (410-414)	252	325	672	256	220	532	645	379
Acute myocardial infarction (410)	149	198	296	121	79	277	287	185
Other acute and subacute forms of ischemic heart disease (411)	–	–	1	–	2	1	43	1
Angina pectoris (413)	1	1	2	–	2	2	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	102	126	373	135	137	252	314	189
Other diseases of endocardium (424)	3	4	9	10	7	22	32	18
All other forms of heart disease (415-423,425-429)	62	74	298	70	61	149	251	185
Hypertension with or without renal disease (401,403)	4	4	13	8	1	14	8	11
Cerebrovascular diseases (430-438)	65	78	127	63	63	169	238	100
Intracerebral and other intracranial hemorrhage (431-432)	6	13	18	7	5	24	22	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	9	23	4	3	14	15	5
Cerebral embolism (434.1)	1	1	–	–	1	1	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	55	55	86	52	54	130	199	83
Atherosclerosis (440)	6	11	4	11	8	23	82	15
Other diseases of arteries, arterioles, and capillaries (441-448)	8	16	32	18	11	26	49	23
Acute bronchitis and bronchiolitis (466)	1	3	3	–	–	–	–	1
Pneumonia and influenza (480-487)	38	47	72	36	58	97	140	64
Pneumonia (480-486)	37	46	71	36	57	95	138	64
Influenza (487)	1	1	1	–	1	2	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	32	39	133	68	49	76	198	66
Bronchitis, chronic and unspecified (490-491)	2	1	11	4	1	1	4	4
Emphysema (492)	6	7	20	7	10	13	35	14
Asthma (493)	1	2	4	2	2	7	6	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	29	98	55	36	55	153	42
Ulcer of stomach and duodenum (531-533)	3	3	10	3	1	4	10	6
Appendicitis (540-543)	–	–	1	1	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	3	9	4	7	7	19	5
Chronic liver disease and cirrhosis (571)	10	7	23	8	5	17	36	17
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	7	–	1	4	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	26	9	11	28	13	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	2	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	3	26	9	11	26	10	21
Infections of kidney (590)	–	–	1	–	1	–	3	1
Hyperplasia of prostate (600)	–	–	–	–	–	1	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	3	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	3	–	–	–	1	–
Congenital anomalies (740-759)	9	1	13	9	5	17	22	10
Certain conditions originating in the perinatal period (760-779)	4	4	22	3	8	16	18	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	1	4	–	2	1	6	2
Other conditions originating in the perinatal period (760-766,770-779)	4	3	18	3	6	15	12	8
Symptoms, signs, and ill-defined conditions (780-799)	3	13	16	9	10	18	18	23
All other diseases (Residual)	108	74	273	91	78	205	270	166
Accidents and adverse effects (E800-E949)	28	31	151	37	37	87	113	70
Motor vehicle accidents (E810-E825)	10	12	62	15	17	40	50	28
All other accidents and adverse effects (E800-E807,E826-E949)	18	19	89	22	20	47	63	42
Suicide (E950-E959)	11	10	58	15	22	28	50	19
Homicide and legal intervention (E960-E978)	1	3	68	8	2	16	20	13
All other external causes (E980-E999)	–	–	6	–	1	–	5	3

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 36 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Springfield, MO, MSA	Springfield, MA, NECMA	State College, PA, MSA	Steubenville-Weirton, OH-WV, MSA	Stockton, CA, MSA	Syracuse, NY, MSA	Tacoma, WA, PMSA	Tallahassee, FL, MSA
All causes	2,129	5,559	723	1,671	3,895	5,417	4,275	1,539
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	-	1	1	1	1	-
Tuberculosis (010-018)	4	3	-	2	5	4	3	-
Tuberculosis of respiratory system (010-012)	2	2	-	2	3	2	2	-
Other tuberculosis (013-018)	2	1	-	-	2	2	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	17	60	15	17	15	43	22	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	1	1	-	10	3	6	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	27	80	6	4	57	55	34	35
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	499	1,434	155	461	875	1,328	996	383
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	25	1	3	25	11	22	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	112	337	43	122	199	362	215	82
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	149	396	41	154	252	375	297	106
Malignant neoplasm of breast (174-175)	36	148	13	38	65	105	97	38
Malignant neoplasms of genital organs (179-187)	53	153	16	45	98	150	111	45
Malignant neoplasms of urinary organs (188-189)	16	76	10	16	41	57	45	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	65	154	21	47	117	155	116	43
Leukemia (204-208)	22	48	4	10	33	45	40	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	97	6	26	45	68	53	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	20	3	10	11	23	15	6
Diabetes mellitus (250)	44	144	19	47	86	97	89	36
Nutritional deficiencies (260-269)	5	15	1	-	3	11	7	2
Anemias (280-285)	2	14	3	2	5	8	9	4
Meningitis (320-322)	2	2	-	-	1	1	1	-
Major cardiovascular diseases (390-448)	947	2,220	323	746	1,583	2,370	1,846	551
Diseases of heart (390-398,402,404-429)	725	1,777	257	612	1,178	1,796	1,359	389
Rheumatic fever and rheumatic heart disease (390-398)	6	21	7	4	10	24	17	3
Hypertensive heart disease (402)	9	27	1	6	29	45	56	37
Hypertensive heart and renal disease (404)	1	2	1	3	5	2	3	6
Ischemic heart disease (410-414)	495	1,155	166	418	913	1,165	789	233
Acute myocardial infarction (410)	317	576	101	179	281	444	335	112
Other acute and subacute forms of ischemic heart disease (411)	1	-	2	1	1	2	-	-
Angina pectoris (413)	3	8	-	1	-	2	6	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	174	571	63	237	631	717	448	121
Other diseases of endocardium (424)	25	47	7	6	20	47	42	19
All other forms of heart disease (415-423,425-429)	189	525	75	175	201	513	452	91
Hypertension with or without renal disease (401,403)	6	16	-	3	15	18	12	14
Cerebrovascular diseases (430-438)	169	344	45	99	316	439	327	108
Intracerebral and other intracranial hemorrhage (431-432)	24	47	5	9	47	69	50	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	40	5	20	36	44	23	7
Cerebral embolism (434.1)	-	1	-	-	-	2	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	127	256	35	70	233	324	252	87
Atherosclerosis (440)	17	32	8	7	27	40	95	5
Other diseases of arteries, arterioles, and capillaries (441-448)	30	51	13	25	47	77	53	35
Acute bronchitis and bronchiolitis (466)	1	3	-	-	3	1	2	-
Pneumonia and influenza (480-487)	62	273	24	48	172	243	95	39
Pneumonia (480-486)	61	270	22	47	170	238	93	39
Influenza (487)	1	3	2	1	2	5	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	108	234	37	85	167	245	253	64
Bronchitis, chronic and unspecified (490-491)	5	5	1	4	6	10	7	4
Emphysema (492)	9	44	3	18	25	32	31	14
Asthma (493)	8	15	2	2	15	8	10	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	86	170	31	61	121	195	205	43
Ulcer of stomach and duodenum (531-533)	7	6	6	3	10	17	11	5
Appendicitis (540-543)	-	1	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	24	-	6	8	19	14	1
Chronic liver disease and cirrhosis (571)	21	58	5	17	71	51	56	25
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	-	-	4	4	5	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21	66	4	20	44	57	17	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	-	3	2	2	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	63	4	17	41	55	11	4
Infections of kidney (590)	3	2	-	3	9	2	3	1
Hyperplasia of prostate (600)	-	-	-	-	1	1	3	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	1	-
Congenital anomalies (740-759)	9	27	2	4	28	29	36	6
Certain conditions originating in the perinatal period (760-779)	6	41	3	9	22	36	23	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	6	-	3	3	11	1	2
Other conditions originating in the perinatal period (760-766,770-779)	5	35	3	6	19	25	22	6
Symptoms, signs, and ill-defined conditions (780-799)	14	42	3	9	37	48	39	58
All other diseases (Residual)	188	534	64	95	324	462	352	160
Accidents and adverse effects (E800-E949)	89	155	33	61	213	182	169	82
Motor vehicle accidents (E810-E825)	53	72	23	24	127	87	79	54
All other accidents and adverse effects (E800-E807,E826-E949)	36	83	10	37	86	95	90	28
Suicide (E950-E959)	28	59	15	16	60	55	94	24
Homicide and legal intervention (E960-E978)	6	23	1	3	66	20	60	25
All other external causes (E980-E999)	2	12	-	1	3	-	13	1

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 37 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Tampa-St. Petersburg-Clearwater, FL, MSA	Terre Haute, IN, MSA	Texarkana, TX-Texarkana, AR, MSA	Toledo, OH, MSA	Topeka, KS, MSA	Trenton, NJ, PMSA	Tucson, AZ, MSA	Tulsa, OK, MSA
All causes	25,217	1,395	1,225	5,569	1,490	2,953	5,768	5,992
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	-	-	1	1	-	2	1
Tuberculosis (010-018)	15	-	2	-	2	4	3	1
Tuberculosis of respiratory system (010-012)	12	-	1	-	2	3	3	1
Other tuberculosis (013-018)	3	-	1	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	-	-	-
Septicemia (038)	127	26	10	36	15	47	49	47
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	1	1	3	1	5	6	8
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	343	6	11	42	14	66	91	59
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,286	321	291	1,332	341	719	1,363	1,376
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	116	5	6	24	3	13	13	20
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,451	87	58	302	73	186	329	288
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,031	102	98	391	111	185	403	462
Malignant neoplasm of breast (174-175)	439	24	22	111	30	69	109	104
Malignant neoplasms of genital organs (179-187)	762	28	37	149	31	82	163	144
Malignant neoplasms of urinary organs (188-189)	283	16	7	59	16	35	55	49
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	619	27	37	170	42	83	162	163
Leukemia (204-208)	236	14	12	55	13	30	48	51
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	349	18	14	71	22	36	81	95
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	1	3	27	4	21	17	17
Diabetes mellitus (250)	480	29	30	155	36	94	101	109
Nutritional deficiencies (260-269)	30	4	1	7	3	3	9	9
Anemias (280-285)	38	2	3	12	2	6	6	11
Meningitis (320-322)	6	-	-	3	2	2	-	2
Major cardiovascular diseases (390-448)	11,241	666	508	2,616	628	1,193	2,313	2,614
Diseases of heart (390-398,402,404-429)	8,938	488	391	2,078	485	973	1,789	2,083
Rheumatic fever and rheumatic heart disease (390-398)	77	4	1	19	5	10	10	11
Hypertensive heart disease (402)	307	9	15	94	13	51	42	27
Hypertensive heart and renal disease (404)	23	-	-	9	-	6	4	5
Ischemic heart disease (410-414)	6,414	344	260	1,372	308	640	1,199	1,503
Acute myocardial infarction (410)	2,562	135	156	672	128	314	445	606
Other acute and subacute forms of ischemic heart disease (411)	9	1	-	4	1	16	6	29
Angina pectoris (413)	19	-	1	2	1	1	2	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,824	208	103	694	178	309	746	864
Other diseases of endocardium (424)	186	9	7	30	13	19	41	23
All other forms of heart disease (415-423,425-429)	1,931	122	108	554	146	247	493	514
Hypertension with or without renal disease (401,403)	103	8	3	19	3	18	17	20
Cerebrovascular diseases (430-438)	1,695	133	97	404	119	148	362	405
Intracerebral and other intracranial hemorrhage (431-432)	233	11	12	49	17	23	56	33
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	272	21	8	71	2	18	32	35
Cerebral embolism (434.1)	16	-	-	2	1	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,174	101	77	282	99	106	273	337
Atherosclerosis (440)	194	19	7	52	4	14	72	52
Other diseases of arteries, arterioles, and capillaries (441-448)	311	18	10	63	17	40	73	54
Acute bronchitis and bronchiolitis (466)	11	1	-	2	-	-	1	-
Pneumonia and influenza (480-487)	667	43	52	126	65	107	217	209
Pneumonia (480-486)	662	42	52	125	65	107	216	204
Influenza (487)	5	1	-	1	-	-	1	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,188	55	54	258	84	107	348	284
Bronchitis, chronic and unspecified (490-491)	58	1	2	16	2	7	22	4
Emphysema (492)	198	8	7	64	7	15	50	49
Asthma (493)	48	5	3	12	1	8	21	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	884	41	42	166	74	77	255	218
Ulcer of stomach and duodenum (531-533)	63	3	1	14	3	9	15	18
Appendicitis (540-543)	-	-	-	2	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	55	7	4	11	6	7	17	14
Chronic liver disease and cirrhosis (571)	329	14	11	53	11	39	94	68
Cholelithiasis and other disorders of gallbladder (574-575)	33	2	1	2	-	8	3	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	147	20	12	41	14	24	70	72
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	3	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	1	4	1	2	5	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	119	20	11	37	13	19	64	67
Infections of kidney (590)	8	-	3	3	-	3	5	7
Hyperplasia of prostate (600)	8	-	-	3	-	2	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	1	-	1	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	-	-	-	1
Congenital anomalies (740-759)	80	8	5	49	9	17	34	28
Certain conditions originating in the perinatal period (760-779)	139	8	5	53	10	25	38	41
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	1	2	15	1	9	1	11
Other conditions originating in the perinatal period (760-766,770-779)	117	7	3	38	9	16	37	30
Symptoms, signs, and ill-defined conditions (780-799)	639	6	45	44	24	33	32	96
All other diseases (Residual)	1,948	89	94	358	135	264	505	464
Accidents and adverse effects (E800-E949)	700	48	52	203	41	114	249	263
Motor vehicle accidents (E810-E825)	371	21	29	99	13	42	105	124
All other accidents and adverse effects (E800-E807,E826-E949)	329	27	23	104	28	72	144	139
Suicide (E950-E959)	333	23	12	69	23	19	124	95
Homicide and legal intervention (E960-E978)	198	10	13	39	15	13	45	65
All other external causes (E980-E999)	15	2	1	3	1	-	10	5

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 38 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Tuscaloosa, AL, MSA	Tyler, TX, MSA	Utica-Rome, NY, MSA	Vallejo-Fairfield-Napa, CA, PMSA	Vancouver, WA, PMSA	Victoria, TX, MSA	Vineland-Millville-Bridgeton, NJ, PMSA	Visalia-Tulare-Porterville, CA, MSA
All causes	1,260	1,435	3,258	3,311	1,671	552	1,314	2,524
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	2	–	–	–	2
Tuberculosis (010-018)	2	1	2	3	–	–	1	3
Tuberculosis of respiratory system (010-012)	2	1	2	2	–	–	1	2
Other tuberculosis (013-018)	–	–	–	1	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	1	–	–	–	–
Septicemia (038)	23	12	54	11	10	12	14	17
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	4	–	4	5	–	–	2
Syphilis (090-097)	1	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	7	9	23	71	20	3	17	26
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	335	359	858	809	448	138	337	528
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	5	16	12	6	2	4	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	66	78	208	199	107	29	76	112
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	112	111	228	238	147	56	109	163
Malignant neoplasm of breast (174-175)	27	30	90	72	29	7	23	37
Malignant neoplasms of genital organs (179-187)	45	46	107	87	50	18	36	76
Malignant neoplasms of urinary organs (188-189)	3	14	38	30	21	7	15	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	45	40	84	99	47	10	43	63
Leukemia (204-208)	11	12	39	31	15	2	14	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23	23	48	41	26	7	17	34
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	4	9	8	1	–	9	8
Diabetes mellitus (250)	19	38	45	53	27	28	40	57
Nutritional deficiencies (260-269)	2	4	4	6	–	–	6	3
Anemias (280-285)	3	7	5	–	1	1	4	1
Meningitis (320-322)	–	–	1	–	3	–	1	1
Major cardiovascular diseases (390-448)	498	594	1,516	1,287	680	207	540	1,032
Diseases of heart (390-398,402,404-429)	386	454	1,217	960	533	148	442	791
Rheumatic fever and rheumatic heart disease (390-398)	1	–	12	18	8	1	5	8
Hypertensive heart disease (402)	27	11	20	38	17	15	15	29
Hypertensive heart and renal disease (404)	–	2	3	2	2	–	1	–
Ischemic heart disease (410-414)	154	320	863	646	334	99	263	579
Acute myocardial infarction (410)	93	150	369	267	113	60	151	210
Other acute and subacute forms of ischemic heart disease (411)	–	–	13	1	–	–	1	–
Angina pectoris (413)	–	–	1	1	1	–	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	61	170	480	377	220	39	110	367
Other diseases of endocardium (424)	3	11	29	24	20	1	10	20
All other forms of heart disease (415-423,425-429)	201	110	290	232	152	32	148	155
Hypertension with or without renal disease (401,403)	6	7	9	9	4	4	12	13
Cerebrovascular diseases (430-438)	91	112	211	263	113	44	64	174
Intracerebral and other intracranial hemorrhage (431-432)	11	13	29	41	16	10	12	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	21	33	20	6	1	6	13
Cerebral embolism (434.1)	–	–	1	1	1	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	75	78	148	201	90	33	46	139
Atherosclerosis (440)	4	9	35	18	9	6	10	32
Other diseases of arteries, arterioles, and capillaries (441-448)	11	12	44	37	21	5	12	22
Acute bronchitis and bronchiolitis (466)	–	2	1	3	–	–	1	1
Pneumonia and influenza (480-487)	36	50	136	154	63	15	45	155
Pneumonia (480-486)	35	49	136	154	63	15	45	153
Influenza (487)	1	1	–	–	–	–	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	43	79	109	191	86	16	37	126
Bronchitis, chronic and unspecified (490-491)	6	3	8	4	2	–	1	4
Emphysema (492)	6	11	12	48	21	5	5	29
Asthma (493)	–	5	7	12	11	2	4	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	60	82	127	52	9	27	80
Ulcer of stomach and duodenum (531-533)	1	7	14	9	4	1	3	7
Appendicitis (540-543)	2	2	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	12	10	3	1	5	12
Chronic liver disease and cirrhosis (571)	16	11	30	60	15	7	15	58
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	1	6	2	1	3	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	7	23	25	3	4	30	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	1	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	2	1	–	–	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	4	20	24	3	4	27	15
Infections of kidney (590)	3	3	–	2	–	–	–	2
Hyperplasia of prostate (600)	–	–	1	1	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	1	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	1	–	–	–	–	–
Congenital anomalies (740-759)	11	13	12	23	18	12	4	23
Certain conditions originating in the perinatal period (760-779)	16	4	10	23	7	3	10	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	2	1	4	2	1	5	6
Other conditions originating in the perinatal period (760-766,770-779)	13	2	9	19	5	2	5	8
Symptoms, signs, and ill-defined conditions (780-799)	25	7	24	21	15	2	16	22
All other diseases (Residual)	84	100	216	288	136	58	104	187
Accidents and adverse effects (E800-E949)	78	77	107	128	85	31	50	138
Motor vehicle accidents (E810-E825)	47	48	46	61	42	20	30	78
All other accidents and adverse effects (E800-E807,E826-E949)	31	29	61	67	43	11	20	60
Suicide (E950-E959)	14	16	31	63	32	6	13	41
Homicide and legal intervention (E960-E978)	15	16	12	45	3	6	7	39
All other external causes (E980-E999)	1	1	1	4	3	–	–	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 39 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Waco, TX, MSA	Washington, DC-MD-VA, MSA	Waterloo-Cedar Falls, IA, MSA	Wausau, WI, MSA	West Palm Beach-Boca Raton-Delray Beach, FL, MSA	Wheeling, WV-OH, MSA	Wichita, KS, MSA	Wichita Falls, TX, MSA
All causes	1,806	25,000	1,338	849	10,351	1,936	3,899	1,242
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	6	–	–	1	1	1	–
Tuberculosis (010-018)	–	28	1	–	9	–	2	–
Tuberculosis of respiratory system (010-012)	–	22	–	–	9	–	1	–
Other tuberculosis (013-018)	–	6	1	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	2	–	–	1	–	–
Septicemia (038)	19	391	10	5	53	12	22	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	29	1	1	10	1	1	1
Syphilis (090-097)	–	1	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	13	871	6	3	289	6	44	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	409	6,329	346	206	2,678	469	909	271
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	106	3	2	38	4	16	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	87	1,522	80	55	647	106	202	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	119	1,675	91	50	754	149	282	94
Malignant neoplasm of breast (174-175)	38	616	27	13	220	45	73	27
Malignant neoplasms of genital organs (179-187)	50	745	47	24	318	42	111	29
Malignant neoplasms of urinary organs (188-189)	15	226	22	13	117	23	34	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	820	37	27	280	60	88	32
Leukemia (204-208)	22	232	14	10	103	16	35	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	387	25	12	201	24	68	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	98	–	1	32	12	9	2
Diabetes mellitus (250)	51	552	29	21	182	52	92	23
Nutritional deficiencies (260-269)	3	26	4	2	2	2	9	3
Anemias (280-285)	4	69	4	3	17	1	10	1
Meningitis (320-322)	–	12	1	–	4	1	3	–
Major cardiovascular diseases (390-448)	792	8,819	588	348	4,735	885	1,605	539
Diseases of heart (390-398,402,404-429)	622	6,858	430	256	3,820	694	1,244	385
Rheumatic fever and rheumatic heart disease (390-398)	1	60	2	5	31	7	6	–
Hypertensive heart disease (402)	20	376	3	9	89	9	22	5
Hypertensive heart and renal disease (404)	1	32	3	–	7	2	5	2
Ischemic heart disease (410-414)	470	3,507	324	152	2,881	524	841	239
Acute myocardial infarction (410)	329	1,596	162	84	1,024	237	451	121
Other acute and subacute forms of ischemic heart disease (411)	–	34	–	–	6	–	2	–
Angina pectoris (413)	–	8	–	1	3	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	141	1,869	162	67	1,848	287	388	118
Other diseases of endocardium (424)	9	120	8	8	84	6	31	4
All other forms of heart disease (415-423,425-429)	121	2,763	90	82	728	146	339	135
Hypertension with or without renal disease (401,403)	9	111	9	8	58	8	21	6
Cerebrovascular diseases (430-438)	123	1,437	118	64	656	140	246	117
Intracerebral and other intracranial hemorrhage (431-432)	15	261	12	12	106	12	21	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	167	10	8	104	12	30	16
Cerebral embolism (434.1)	1	6	–	–	2	1	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	100	1,003	96	44	444	115	193	83
Atherosclerosis (440)	11	173	14	4	67	8	53	15
Other diseases of arteries, arterioles, and capillaries (441-448)	27	240	17	16	134	35	41	16
Acute bronchitis and bronchiolitis (466)	–	–	1	1	2	–	–	–
Pneumonia and influenza (480-487)	53	723	23	29	221	78	142	28
Pneumonia (480-486)	52	717	23	29	215	77	136	27
Influenza (487)	1	6	–	–	6	1	6	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	80	788	67	32	375	87	178	67
Bronchitis, chronic and unspecified (490-491)	1	30	3	1	17	8	6	1
Emphysema (492)	17	141	7	4	106	8	35	23
Asthma (493)	1	53	5	–	13	1	8	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	564	52	27	239	70	129	42
Ulcer of stomach and duodenum (531-533)	7	45	9	1	34	5	11	–
Appendicitis (540-543)	1	1	–	–	2	–	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	81	1	2	17	4	13	4
Chronic liver disease and cirrhosis (571)	21	365	15	8	126	12	37	11
Cholelithiasis and other disorders of gallbladder (574-575)	2	30	1	1	8	6	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	317	14	14	83	19	37	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	–	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	15	–	–	7	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	298	14	14	75	17	35	3
Infections of kidney (590)	1	6	–	1	1	–	2	1
Hyperplasia of prostate (600)	–	2	–	–	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	6	–	–	–	1	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	6	–	–	–	1	1	–
Congenital anomalies (740-759)	8	171	5	4	44	8	34	7
Certain conditions originating in the perinatal period (760-779)	10	425	5	6	61	9	44	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	99	1	–	12	1	5	2
Other conditions originating in the perinatal period (760-766,770-779)	9	326	4	6	49	8	39	17
Symptoms, signs, and ill-defined conditions (780-799)	10	503	9	3	55	18	59	8
All other diseases (Residual)	151	2,261	124	99	749	151	337	138
Accidents and adverse effects (E800-E949)	95	986	51	47	341	67	194	64
Motor vehicle accidents (E810-E825)	48	482	22	25	166	24	75	22
All other accidents and adverse effects (E800-E807,E826-E949)	47	504	29	22	175	43	119	42
Suicide (E950-E959)	23	283	13	10	130	20	56	14
Homicide and legal intervention (E960-E978)	28	717	5	1	83	7	37	17
All other external causes (E980-E999)	1	57	3	–	6	1	4	–

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 40 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas								
	Williamsport, PA, MSA	Wilmington, DE-NJ-MD,PMSA	Wilmington, NC, MSA	Worcester-Fitchburg-Leominster, MA,NECMA	Yakima, WA, MSA	York, PA, MSA	Youngstown-Warren, OH, MSA	Yuba City, CA, MSA	Yuma, AZ, MSA
All causes	1,090	4,838	1,014	6,341	1,611	3,608	5,250	1,058	934
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	–	4	1	5	–	1	2	–	–
Tuberculosis (010-018)	–	5	–	1	2	1	1	1	–
Tuberculosis of respiratory system (010-012)	–	2	–	1	1	1	1	1	–
Other tuberculosis (013-018)	–	3	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	2	1	1	–	–	–
Septicemia (038)	4	54	4	87	4	28	58	4	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	4	3	7	1	1	1	1	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	6	59	18	70	10	30	25	9	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	245	1,293	257	1,637	373	922	1,245	265	234
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	22	5	13	6	12	13	2	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	285	58	411	82	213	297	56	38
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	66	410	88	458	125	252	372	98	78
Malignant neoplasm of breast (174-175)	19	111	25	161	32	76	93	15	13
Malignant neoplasms of genital organs (179-187)	30	121	28	199	50	110	139	32	25
Malignant neoplasms of urinary organs (188-189)	12	57	10	66	17	46	46	8	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39	185	25	191	33	114	166	33	36
Leukemia (204-208)	4	46	6	47	11	37	48	7	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	56	12	91	17	62	71	14	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	17	–	21	3	15	18	4	5
Diabetes mellitus (250)	33	150	23	146	32	91	206	17	29
Nutritional deficiencies (260-269)	3	10	–	8	3	3	15	3	1
Anemias (280-285)	1	10	7	11	2	5	12	3	3
Meningitis (320-322)	–	2	1	3	–	1	1	2	–
Major cardiovascular diseases (390-448)	494	1,938	432	2,548	690	1,621	2,360	430	334
Diseases of heart (390-398,402,404-429)	397	1,546	310	2,072	534	1,270	1,877	318	274
Rheumatic fever and rheumatic heart disease (390-398)	3	12	2	21	3	15	22	4	7
Hypertensive heart disease (402)	3	94	7	40	9	24	28	12	9
Hypertensive heart and renal disease (404)	1	11	2	1	–	1	6	1	–
Ischemic heart disease (410-414)	243	876	197	1,466	415	849	1,336	216	211
Acute myocardial infarction (410)	139	450	61	706	242	539	783	112	127
Other acute and subacute forms of ischemic heart disease (411)	–	2	3	1	–	3	8	1	8
Angina pectoris (413)	–	4	1	2	–	2	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	104	420	132	757	173	305	544	102	76
Other diseases of endocardium (424)	16	23	6	61	17	34	20	6	2
All other forms of heart disease (415-423,425-429)	131	530	96	483	90	347	465	79	45
Hypertension with or without renal disease (401,403)	1	11	3	26	10	12	30	4	3
Cerebrovascular diseases (430-438)	68	272	96	338	118	270	312	83	40
Intracerebral and other intracranial hemorrhage (431-432)	8	48	13	45	10	33	42	15	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	26	30	42	17	27	40	15	2
Cerebral embolism (434.1)	–	1	–	–	–	2	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	55	197	53	251	91	208	230	53	31
Atherosclerosis (440)	9	28	6	28	16	16	78	5	9
Other diseases of arteries, arterioles, and capillaries (441-448)	19	81	17	84	12	53	63	20	8
Acute bronchitis and bronchiolitis (466)	–	1	1	3	2	–	1	2	–
Pneumonia and influenza (480-487)	36	135	29	301	54	106	150	42	40
Pneumonia (480-486)	35	131	27	300	53	104	145	42	40
Influenza (487)	1	4	2	1	1	2	5	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	63	171	38	252	84	130	218	40	61
Bronchitis, chronic and unspecified (490-491)	1	8	1	13	5	2	8	2	1
Emphysema (492)	7	33	11	39	13	28	23	10	12
Asthma (493)	8	9	2	13	1	8	7	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	47	121	24	187	65	92	180	28	45
Ulcer of stomach and duodenum (531-533)	1	15	3	22	5	3	9	10	5
Appendicitis (540-543)	–	2	–	1	1	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	11	–	24	6	13	16	3	–
Chronic liver disease and cirrhosis (571)	9	55	14	64	17	26	39	19	22
Cholelithiasis and other disorders of gallbladder (574-575)	1	9	1	9	1	2	8	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	67	8	80	8	43	65	13	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	2	–	1	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	10	–	3	3	4	4	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	55	8	75	5	38	60	13	9
Infections of kidney (590)	–	3	–	3	2	–	2	1	1
Hyperplasia of prostate (600)	–	1	–	1	–	6	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	3	29	4	29	20	11	23	6	7
Certain conditions originating in the perinatal period (760-779)	4	53	2	43	10	22	32	7	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	7	–	14	1	4	10	2	–
Other conditions originating in the perinatal period (760-766,770-779)	2	46	2	29	9	18	22	5	6
Symptoms, signs, and ill-defined conditions (780-799)	4	47	19	75	40	20	40	10	4
All other diseases (Residual)	81	397	81	643	132	320	405	70	62
Accidents and adverse effects (E800-E949)	54	179	45	157	75	132	165	53	61
Motor vehicle accidents (E810-E825)	21	80	14	78	46	67	78	27	37
All other accidents and adverse effects (E800-E807,E826-E949)	33	99	31	79	29	65	87	26	24
Suicide (E950-E959)	12	71	13	51	21	41	57	25	24
Homicide and legal intervention (E960-E978)	4	42	8	15	11	13	74	11	7
All other external causes (E980-E999)	1	2	2	22	1	–	–	6	2

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 41 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Consolidated Metropolitan Statistical Areas						
	Boston-Lawrence-Salem, MA-NH	Buffalo-Niagara Falls, NY	Chicago-Gary-Lake County, IL-IN-WI	Cincinnati-Hamilton, OH-KY-IN	Cleveland-Akron-Lorain, OH	Dallas-Fort Worth, TX	Denver-Boulder, CO
All causes	32,084	13,405	69,282	14,878	26,547	25,242	11,844
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	24	3	15	4	6	3	1
Tuberculosis (010-018)	18	5	86	4	14	23	6
Tuberculosis of respiratory system (010-012)	13	4	74	4	11	17	4
Other tuberculosis (013-018)	5	1	12	–	3	6	2
Whooping cough (033)	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	7	2	2	2	1
Septicemia (038)	402	154	805	131	205	221	95
Acute poliomyelitis (045)	–	1	–	–	–	–	–
Measles (055)	–	5	–	–	–	–	–
Viral hepatitis (070)	30	7	41	4	7	39	13
Syphilis (090-097)	1	1	5	1	2	3	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	524	147	1,088	115	221	720	329
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,422	3,173	16,347	3,751	6,506	5,814	2,773
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	132	55	296	53	106	105	49
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,191	728	4,220	872	1,549	1,309	683
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,184	958	4,434	1,166	1,871	1,818	689
Malignant neoplasm of breast (174-175)	807	346	1,584	319	576	488	301
Malignant neoplasms of genital organs (179-187)	897	386	1,891	379	726	636	323
Malignant neoplasms of urinary organs (188-189)	351	141	626	172	261	207	121
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,088	276	1,797	455	791	663	317
Leukemia (204-208)	276	96	571	121	245	236	103
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	496	187	928	214	381	352	187
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	136	52	237	42	109	73	25
Diabetes mellitus (250)	688	240	1,675	397	751	620	254
Nutritional deficiencies (260-269)	41	13	101	25	38	41	22
Anemias (280-285)	77	17	160	30	72	48	17
Meningitis (320-322)	10	8	19	3	9	10	4
Major cardiovascular diseases (390-448)	12,882	6,187	28,829	6,197	11,408	10,011	4,206
Diseases of heart (390-398,402,404-429)	10,223	4,993	23,242	4,980	9,326	7,732	3,131
Rheumatic fever and rheumatic heart disease (390-398)	120	43	173	43	109	52	65
Hypertensive heart disease (402)	185	97	815	285	241	525	83
Hypertensive heart and renal disease (404)	19	17	69	34	40	30	10
Ischemic heart disease (410-414)	6,784	3,796	15,589	3,219	6,685	4,703	2,047
Acute myocardial infarction (410)	3,069	1,772	8,055	1,293	2,246	2,317	934
Other acute and subacute forms of ischemic heart disease (411)	10	14	71	5	72	9	7
Angina pectoris (413)	19	2	27	8	16	12	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,686	2,008	7,436	1,913	4,351	2,365	1,099
Other diseases of endocardium (424)	242	83	399	94	189	155	77
All other forms of heart disease (415-423,425-429)	2,873	957	6,197	1,305	2,062	2,267	849
Hypertension with or without renal disease (401,403)	111	42	311	77	115	106	68
Cerebrovascular diseases (430-438)	1,920	930	4,218	897	1,495	1,658	653
Intracerebral and other intracranial hemorrhage (431-432)	297	133	746	112	209	239	119
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	317	188	661	124	199	198	59
Cerebral embolism (434.1)	19	7	20	4	14	10	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,287	602	2,791	657	1,073	1,211	473
Atherosclerosis (440)	213	61	350	73	150	233	204
Other diseases of arteries, arterioles, and capillaries (441-448)	415	161	708	170	322	282	150
Acute bronchitis and bronchiolitis (466)	5	4	13	9	6	10	5
Pneumonia and influenza (480-487)	1,448	467	2,643	552	783	713	475
Pneumonia (480-486)	1,440	463	2,632	549	765	709	468
Influenza (487)	8	4	11	3	18	4	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,228	524	2,344	681	1,054	1,088	768
Bronchitis, chronic and unspecified (490-491)	46	30	80	32	41	53	24
Emphysema (492)	242	107	493	92	189	181	121
Asthma (493)	80	21	197	32	49	72	44
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	860	366	1,574	525	775	782	579
Ulcer of stomach and duodenum (531-533)	70	34	196	44	57	64	40
Appendicitis (540-543)	3	3	18	1	3	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	98	38	194	50	61	66	43
Chronic liver disease and cirrhosis (571)	390	148	1,100	152	292	327	181
Cholelithiasis and other disorders of gallbladder (574-575)	59	13	88	14	36	37	18
Nephritis, nephrotic syndrome, and nephrosis (580-589)	412	128	885	163	293	114	69
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	11	3	3	3	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	4	54	11	14	21	12
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	385	124	820	149	276	90	54
Infections of kidney (590)	14	10	33	11	8	19	6
Hyperplasia of prostate (600)	6	5	6	6	4	5	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	13	2	5	7	3
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	13	2	4	6	2
Congenital anomalies (740-759)	137	105	424	104	132	230	80
Certain conditions originating in the perinatal period (760-779)	181	267	842	127	253	217	94
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	48	193	24	52	43	14
Other conditions originating in the perinatal period (760-766,770-779)	147	219	649	103	201	174	80
Symptoms, signs, and ill-defined conditions (780-799)	273	138	598	93	543	152	107
All other diseases (Residual)	2,997	962	5,786	1,303	2,149	1,932	1,178
Accidents and adverse effects (E800-E949)	843	342	2,483	518	897	1,176	559
Motor vehicle accidents (E810-E825)	350	119	1,009	213	307	620	251
All other accidents and adverse effects (E800-E807,E826-E949)	493	223	1,474	305	590	556	308
Suicide (E950-E959)	304	100	784	233	333	547	321
Homicide and legal intervention (E960-E978)	208	78	1,330	81	273	861	134
All other external causes (E980-E999)	148	25	87	28	15	46	14

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 42 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Consolidated Metropolitan Statistical Areas						
	Detroit-Ann Arbor, MI	Hartford-New Britain-Middletown, CT	Houston-Galveston-Brazoria, TX	Los Angeles-Anaheim-Riverside, CA	Miami-Fort Lauderdale, FL	Milwaukee-Racine, WI	New York-Northern New Jersey-Long Island, NY-NJ-CT
All causes	40,131	9,501	23,889	99,663	32,670	13,864	165,359
Shigellosis and amebiasis (004,006)	–	–	–	1	–	–	3
Certain other intestinal infections (007-009)	6	3	6	43	6	3	33
Tuberculosis (010-018)	26	3	25	104	39	13	331
Tuberculosis of respiratory system (010-012)	18	2	20	80	34	11	258
Other tuberculosis (013-018)	8	1	5	24	5	2	73
Whooping cough (033)	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–
Meningococcal infection (036)	3	–	2	18	3	–	8
Septicemia (038)	323	114	243	104	201	129	1,903
Acute poliomyelitis (045)	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–
Viral hepatitis (070)	18	4	38	182	24	5	161
Syphilis (090-097)	–	–	1	3	3	–	13
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	419	157	961	2,893	1,484	126	7,793
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,724	2,346	5,462	22,823	7,771	3,386	38,831
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	148	43	92	390	130	65	666
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,296	615	1,306	5,558	1,992	795	10,389
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,862	621	1,688	6,245	2,118	868	10,078
Malignant neoplasm of breast (174-175)	848	208	475	2,015	664	323	3,849
Malignant neoplasms of genital organs (179-187)	1,119	258	531	2,581	947	389	4,401
Malignant neoplasms of urinary organs (188-189)	394	95	207	944	331	151	1,493
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,095	296	614	2,847	817	448	4,312
Leukemia (204-208)	368	86	196	887	273	125	1,285
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	594	124	353	1,356	499	222	2,358
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	104	31	50	247	121	59	589
Diabetes mellitus (250)	1,072	184	673	1,581	773	326	3,436
Nutritional deficiencies (260-269)	72	7	36	21	30	19	107
Anemias (280-285)	99	16	47	109	74	24	279
Meningitis (320-322)	25	3	13	50	9	6	108
Major cardiovascular diseases (390-448)	17,398	4,015	8,830	42,566	14,036	5,855	72,010
Diseases of heart (390-398,402,404-429)	14,120	3,208	6,922	33,341	11,418	4,535	61,013
Rheumatic fever and rheumatic heart disease (390-398)	124	30	38	291	92	32	502
Hypertensive heart disease (402)	401	102	189	1,018	400	147	2,248
Hypertensive heart and renal disease (404)	44	11	33	147	32	14	138
Ischemic heart disease (410-414)	9,425	1,888	4,581	22,889	8,695	3,215	46,696
Acute myocardial infarction (410)	4,768	808	2,044	9,208	3,456	1,308	17,977
Other acute and subacute forms of ischemic heart disease (411)	16	1	9	55	36	2	88
Angina pectoris (413)	17	7	5	25	17	5	58
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,624	1,072	2,523	13,601	5,186	1,900	28,573
Other diseases of endocardium (424)	181	72	117	522	238	112	931
All other forms of heart disease (415-423,425-429)	3,945	1,105	1,964	8,474	1,961	1,015	10,498
Hypertension with or without renal disease (401,403)	125	25	107	487	179	49	780
Cerebrovascular diseases (430-438)	2,471	606	1,410	6,835	1,872	1,008	7,867
Intracerebral and other intracranial hemorrhage (431-432)	406	92	244	1,045	316	134	1,438
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	415	80	160	828	289	118	1,007
Cerebral embolism (434.1)	13	5	3	31	7	2	48
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,637	429	1,003	4,931	1,260	754	5,374
Atherosclerosis (440)	264	61	159	1,001	175	99	825
Other diseases of arteries, arterioles, and capillaries (441-448)	418	115	232	902	392	164	1,525
Acute bronchitis and bronchiolitis (466)	8	3	6	40	8	4	35
Pneumonia and influenza (480-487)	1,237	402	603	4,388	712	612	6,220
Pneumonia (480-486)	1,228	397	599	4,342	711	601	6,199
Influenza (487)	9	5	4	46	1	11	21
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,425	340	792	4,166	1,175	534	4,826
Bronchitis, chronic and unspecified (490-491)	58	17	22	209	34	18	173
Emphysema (492)	343	57	160	878	268	95	884
Asthma (493)	88	15	59	241	75	32	425
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	936	251	557	2,838	798	389	3,344
Ulcer of stomach and duodenum (531-533)	109	19	62	412	94	31	466
Appendicitis (540-543)	7	2	3	21	3	2	25
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	93	22	67	198	87	49	347
Chronic liver disease and cirrhosis (571)	640	120	417	1,814	390	126	2,080
Cholelithiasis and other disorders of gallbladder (574-575)	51	7	30	121	49	19	184
Nephritis, nephrotic syndrome, and nephrosis (580-589)	377	91	154	591	279	148	1,547
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	–	7	5	6	4	30
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	4	15	53	20	14	87
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	349	87	132	533	253	130	1,430
Infections of kidney (590)	12	1	11	65	18	8	43
Hyperplasia of prostate (600)	9	2	4	20	4	4	24
Complications of pregnancy, childbirth, and the puerperium (630-676)	7	1	7	36	6	2	38
Pregnancy with abortive outcome (630-638)	5	–	–	5	1	1	11
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	7	31	5	1	27
Congenital anomalies (740-759)	216	48	201	933	161	81	828
Certain conditions originating in the perinatal period (760-779)	490	70	263	1,116	219	82	1,480
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	101	12	49	242	36	18	307
Other conditions originating in the perinatal period (760-766,770-779)	389	58	214	874	183	64	1,173
Symptoms, signs, and ill-defined conditions (780-799)	179	149	209	789	180	93	1,623
All other diseases (Residual)	3,186	860	1,965	5,641	2,618	1,269	10,815
Accidents and adverse effects (E800-E949)	1,281	305	1,358	4,259	1,069	475	4,830
Motor vehicle accidents (E810-E825)	625	108	743	2,289	521	181	1,914
All other accidents and adverse effects (E800-E807,E826-E949)	656	197	615	1,970	548	294	2,916
Suicide (E950-E959)	547	117	475	1,611	525	177	1,388
Homicide and legal intervention (E960-E978)	872	48	854	2,631	496	185	2,776
All other external causes (E980-E999)	96	11	21	66	3	12	179

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1991—Con.

(Page 43 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Consolidated Metropolitan Statistical Areas					
	Philadelphia-Wilmington-Trenton, PA-NJ-DE-MD	Pittsburgh-Beaver Valley, PA	Portland-Vancouver, OR-WA	Providence-Pawtucket-Fall River, RI-MA	San Francisco-Oakland-San Jose, CA	Seattle-Tacoma, WA
All causes	56,004	25,086	11,939	13,147	47,364	17,750
Shigellosis and amebiasis (004,006)	-	-	-	-	2	-
Certain other intestinal infections (007-009)	11	5	4	3	15	3
Tuberculosis (010-018)	41	15	9	4	37	7
Tuberculosis of respiratory system (010-012)	33	14	6	3	27	4
Other tuberculosis (013-018)	8	1	3	1	10	3
Whooping cough (033)	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-
Meningococcal infection (036)	8	1	4	1	5	4
Septicemia (038)	1,096	309	71	171	215	132
Acute poliomyelitis (045)	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-
Viral hepatitis (070)	54	9	16	4	67	18
Syphilis (090-097)	3	1	-	-	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066, 071-088,098-139)	932	151	202	151	2,198	369
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,188	6,375	2,896	3,381	11,236	4,438
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	241	74	42	49	218	79
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,431	1,530	638	893	2,793	1,033
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,049	1,883	872	900	3,047	1,267
Malignant neoplasm of breast (174-175)	1,278	555	245	347	996	411
Malignant neoplasms of genital organs (179-187)	1,532	691	329	331	1,216	521
Malignant neoplasms of urinary organs (188-189)	586	238	124	134	404	164
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,842	761	341	406	1,482	493
Leukemia (204-208)	490	261	105	117	395	195
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	739	382	200	204	685	275
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	205	80	36	56	150	51
Diabetes mellitus (250)	1,373	683	242	332	703	366
Nutritional deficiencies (260-269)	78	32	6	14	45	29
Anemias (280-285)	135	52	19	31	88	22
Meningitis (320-322)	22	6	5	2	24	8
Major cardiovascular diseases (390-448)	22,703	11,181	4,790	5,741	18,617	7,078
Diseases of heart (390-398,402,404-429)	18,059	9,246	3,454	4,575	13,714	5,248
Rheumatic fever and rheumatic heart disease (390-398)	159	97	56	26	176	65
Hypertensive heart disease (402)	588	208	111	72	742	150
Hypertensive heart and renal disease (404)	67	21	18	6	54	11
Ischemic heart disease (410-414)	10,619	6,375	2,390	3,180	8,897	3,031
Acute myocardial infarction (410)	5,762	3,170	885	1,455	3,519	1,279
Other acute and subacute forms of ischemic heart disease (411)	59	6	3	7	14	3
Angina pectoris (413)	29	14	5	6	14	13
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,769	3,185	1,497	1,712	5,350	1,736
Other diseases of endocardium (424)	397	174	118	76	374	173
All other forms of heart disease (415-423,425-429)	6,229	2,371	761	1,215	3,471	1,818
Hypertension with or without renal disease (401,403)	234	87	57	47	192	68
Cerebrovascular diseases (430-438)	3,381	1,434	973	838	3,710	1,318
Intracerebral and other intracranial hemorrhage (431-432)	607	229	109	103	545	160
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	488	261	94	118	417	89
Cerebral embolism (434.1)	12	4	2	5	20	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,274	940	768	612	2,728	1,062
Atherosclerosis (440)	329	113	146	104	467	225
Other diseases of arteries, arterioles, and capillaries (441-448)	700	301	160	177	534	219
Acute bronchitis and bronchiolitis (466)	13	7	4	4	22	3
Pneumonia and influenza (480-487)	1,726	861	396	473	2,196	616
Pneumonia (480-486)	1,713	853	389	471	2,181	608
Influenza (487)	13	8	7	2	15	8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,968	941	580	453	2,054	915
Bronchitis, chronic and unspecified (490-491)	63	26	23	19	84	26
Emphysema (492)	299	166	131	60	451	121
Asthma (493)	117	32	56	22	143	46
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,489	717	370	352	1,376	722
Ulcer of stomach and duodenum (531-533)	127	63	32	30	162	50
Appendicitis (540-543)	13	6	2	4	11	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	159	73	28	48	132	54
Chronic liver disease and cirrhosis (571)	595	286	148	171	828	197
Cholelithiasis and other disorders of gallbladder (574-575)	60	42	10	14	52	15
Nephritis, nephrotic syndrome, and nephrosis (580-589)	691	329	68	177	369	96
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	5	-	3	8	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	50	19	7	6	30	22
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	628	305	61	168	331	72
Infections of kidney (590)	23	5	8	4	35	10
Hyperplasia of prostate (600)	13	7	4	1	13	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	10	-	-	1	9	1
Pregnancy with abortive outcome (630-638)	4	-	-	-	3	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	6	-	-	1	6	1
Congenital anomalies (740-759)	289	87	93	64	282	122
Certain conditions originating in the perinatal period (760-779)	510	158	63	74	277	106
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	94	39	7	11	47	10
Other conditions originating in the perinatal period (760-766,770-779)	416	119	56	63	230	96
Symptoms, signs, and ill-defined conditions (780-799)	849	148	246	72	316	133
All other diseases (Residual)	4,849	2,085	1,153	1,080	3,952	1,611
Accidents and adverse effects (E800-E949)	1,959	702	487	368	1,788	733
Motor vehicle accidents (E810-E825)	710	257	201	140	766	332
All other accidents and adverse effects (E800-E807,E826-E949)	1,249	445	286	228	1,022	401
Suicide (E950-E959)	580	277	213	112	815	358
Homicide and legal intervention (E960-E978)	627	89	81	58	613	136
All other external causes (E980-E999)	94	20	23	48	55	61

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991

(Page 1 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	2,169,518	1,713	93	58,592	514,657	121,781	149,119	43,849	58,944	21,180	18,945	100,839	48,951	916,342	720,862	5,951	23,810	485,438	205,663
Urban places	1,218,186	1,192	65	41,603	282,738	68,409	80,651	24,945	32,230	11,326	10,173	55,004	27,534	508,402	400,181	3,395	15,196	266,601	114,989
Balance of area	951,332	521	28	16,989	231,919	53,372	68,468	18,904	26,714	9,854	8,772	45,835	21,417	407,940	320,681	2,556	8,614	218,837	90,674
Metropolitan counties	1,607,648	1,378	76	50,180	386,353	92,250	111,333	33,995	43,506	15,754	14,071	75,444	36,013	668,499	528,672	4,601	19,086	355,287	149,698
Urban places	1,103,859	1,114	63	39,659	257,631	62,552	73,344	22,862	29,239	10,309	9,250	50,075	24,914	457,573	361,562	3,088	14,117	241,144	103,213
Balance of area	503,789	264	13	10,521	128,722	29,698	37,989	11,133	14,267	5,445	4,821	25,369	11,099	210,926	167,110	1,513	4,969	114,143	46,485
Nonmetropolitan counties	561,870	335	17	8,412	128,304	29,531	37,786	9,854	15,438	5,426	4,874	25,395	12,938	247,843	192,190	1,350	4,724	130,151	55,965
Urban places	114,327	78	2	1,944	25,107	5,857	7,307	2,083	2,991	1,017	923	4,929	2,620	50,829	38,619	307	1,079	25,457	11,776
Balance of area	447,543	257	15	6,468	103,197	23,674	30,479	7,771	12,447	4,409	3,951	20,466	10,318	197,014	153,571	1,043	3,645	104,694	44,189
Alabama	40,063	47	3	777	8,812	1,768	2,733	696	961	281	348	2,025	892	16,845	13,175	54	525	7,025	5,571
Urban places	17,911	23	2	436	3,992	849	1,174	385	445	141	149	849	400	7,423	5,755	25	312	2,947	2,471
Balance of area	22,152	24	1	341	4,820	919	1,559	311	516	140	199	1,176	492	9,422	7,420	29	213	4,078	3,100
Metropolitan counties	25,940	29	2	552	5,850	1,191	1,886	500	617	188	223	1,245	578	10,628	8,390	37	376	4,488	3,489
Urban places	15,014	19	2	384	3,402	745	1,021	335	375	111	123	692	345	6,138	4,762	21	281	2,437	2,023
Balance of area	10,926	10	-	168	2,448	446	865	165	242	77	100	553	233	4,490	3,628	16	95	2,051	1,466
Nonmetropolitan counties	14,123	18	1	225	2,962	577	847	196	344	93	125	780	314	6,217	4,785	17	149	2,537	2,082
Urban places	2,897	4	-	52	590	104	153	50	70	30	26	157	55	1,285	993	4	31	510	448
Balance of area	11,226	14	1	173	2,372	473	694	146	274	63	99	623	259	4,932	3,792	13	118	2,027	1,634
Autauga	283	-	-	5	63	10	24	5	6	3	1	14	7	121	96	-	2	65	29
Prattville, part	161	-	-	2	34	4	11	3	5	1	-	10	5	71	61	-	1	41	19
Prattville, total	162	-	-	2	34	4	11	3	5	1	-	10	5	71	61	-	1	41	19
Balance of county	122	-	-	3	29	6	13	2	1	2	1	4	2	50	35	-	1	24	10
Baldwin	986	1	-	16	232	41	85	20	33	8	7	38	20	436	341	-	15	184	142
Barbour	299	-	-	3	71	15	17	4	8	6	3	18	8	140	110	-	4	34	72
Eufaula	143	-	-	2	35	5	9	2	4	4	3	8	4	56	45	-	3	9	33
Balance of county	156	-	-	1	36	10	8	2	4	2	-	10	4	84	65	-	1	25	39
Bibb	180	1	-	3	34	9	9	1	3	1	2	9	3	84	64	2	-	39	23
Blount	387	-	-	5	83	16	24	6	9	-	3	25	5	168	137	1	2	89	45
Bullock	119	-	-	5	24	7	7	1	5	-	-	4	2	54	44	-	1	32	11
Butler	297	-	-	2	57	8	18	7	5	2	1	16	4	146	115	1	1	49	64
Calhoun	1,148	-	-	23	229	30	66	11	18	15	7	82	25	494	405	1	3	255	146
Anniston	464	-	-	16	98	14	25	7	8	8	3	33	10	183	150	-	2	82	66
Balance of county	684	-	-	7	131	16	41	4	10	7	4	49	15	311	255	1	1	173	80
Chambers	454	1	-	6	99	20	34	8	12	1	3	21	10	216	157	-	4	71	82
Cherokee	212	1	-	2	49	12	17	1	6	-	2	11	6	82	64	-	2	45	17
Chilton	352	-	-	8	67	18	15	2	5	5	2	19	3	149	113	-	4	66	43
Choctaw	131	-	-	3	24	1	6	2	5	1	4	5	2	55	49	-	-	34	15
Clarke	302	2	-	8	73	16	17	5	9	1	4	21	12	117	99	-	2	58	39
Clay	134	-	-	1	32	5	9	-	7	1	-	10	1	63	56	-	1	30	25
Cleburne	130	-	-	1	24	2	2	3	2	1	2	12	2	55	39	1	1	17	20
Coffee	340	-	-	3	86	16	28	8	11	4	3	16	6	147	120	-	1	84	35
Enterprise, part	139	-	-	-	40	6	16	5	4	3	-	6	2	57	45	-	1	28	16
Enterprise, total	140	-	-	-	41	6	16	5	4	3	-	7	2	57	45	-	1	28	16
Balance of county	201	-	-	3	46	10	12	3	7	1	3	10	4	90	75	-	-	56	19
Colbert	555	-	-	3	135	19	51	9	15	3	3	35	12	260	212	-	-	137	75
Sheffield	137	-	-	1	33	5	12	4	6	1	-	5	2	62	54	-	-	35	19
Balance of county	418	-	-	2	102	14	39	5	9	2	3	30	10	198	158	-	-	102	56
Conecuh	164	-	-	3	32	1	10	1	6	2	1	11	5	73	61	2	1	49	9
Coosa	121	-	-	1	31	9	10	1	2	1	2	6	4	52	38	-	2	24	12
Covington	506	-	-	3	108	29	25	5	11	4	4	30	11	217	171	-	2	79	90
Andalusia	157	-	-	3	31	7	9	1	2	1	1	10	2	71	61	-	1	28	32
Balance of county	349	-	-	-	77	22	16	4	9	3	3	20	9	146	110	-	1	51	58
Crenshaw	168	-	-	2	44	10	10	5	4	-	5	10	8	67	45	-	2	20	23
Cullman	657	-	-	5	144	25	43	11	22	2	9	32	10	260	181	1	1	95	84
Cullman	199	-	-	3	40	6	10	5	5	1	3	10	1	81	62	1	-	29	32
Balance of county	458	-	-	2	104	19	33	6	17	1	6	22	9	179	119	-	1	66	52
Dale	371	-	-	10	94	17	21	9	9	4	2	32	6	150	128	1	6	81	40
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ozark	147	-	-	7	33	9	6	3	2	2	-	11	2	63	54	-	4	38	12
Balance of county	223	-	-	3	60	8	15	6	7	2	2	20	4	87	74	1	2	43	28
Dallas	542	1	-	13	118	23	31	3	19	5	5	32	19	231	167	3	20	67	77
Selma	355	1	-	9	75	15	20	3	10	4	4	19	13	159	113	1	13	47	52
Balance of county	187	-	-	4	43	8	11	-	9	1	1	13	6	72	54	2	7	20	25
De Kalb	551	2	-	5	106	13	34	6	11	5	4	33	20	267	223	-	8	81	134
Fort Payne	123	-	-	1	20	3	8	1	2	2	-	4	6	58	47	-	-	21	26
Balance of county	428	2	-	4	86	10	26	5	9	3	4	29	14	209	176	-	8	60	108
Elmore	505	1	-	7	111	17	43	10	10	4	5	22	13	213	182	-	6	78	98
Prattville, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	504	1	-	7	111	17	43	10	10	4	5	22	13	213	182	-	6	78	98
Escambia	423	-	-	8	99	21	31	5	15	2	3	22	11	163	125	1	4	70	50
Etowah	1,190	-	-	22	249	53	80	15	30	9	12	50	21	555	463	-	4	256	203
Gadsden	723	-	-	15	154	35	45	13	21	7	7	26	14	334	277	-	2	148	127
Balance of county	467	-	-	7	95	18	35	2	9	2	5	24	7	221	186	-	2	108	76
Fayette	226	-	-	3	49	8	14	4	4	3	3	13	6	93	73	-	2	40	31
Franklin	348	1	-	6	69	14	18	6	3	1	4	23	6	168	141	2	-	78	61
Geneva	290	1	-	3	67	11	28	3	7	2	2	14	8	105	80	-	5	55	20
Greene	137	1	-	3	18	4	8	-	3	-	1	2	4	68	55	-	-	17	38
Hale	185	-	-	-	38	8	10	4	5	1	1	9	4	104	72	-	4	26	42
Henry	171	-	-	7	30	3	16	2	3	2	1	3	1	85	56	-	1	37	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 2 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	9,524	143,481	17,420	25,055	77,860	90,650	6,117	25,429	21,360	323	12,599	16,781	24,342	204,522	43,536	45,811	30,810	26,513	2,517
Urban places	5,789	79,335	9,516	13,581	44,879	49,077	3,492	15,979	11,986	222	7,502	11,147	14,087	116,347	18,899	25,050	16,491	19,868	1,626
Balance of area	3,735	64,146	7,904	11,474	32,981	41,573	2,625	9,450	9,374	101	5,097	5,634	10,255	88,175	24,637	20,761	14,319	6,645	891
Metropolitan counties	7,203	102,333	12,098	18,193	56,722	65,500	4,499	20,283	15,350	263	9,769	13,821	18,347	151,106	29,071	32,533	23,049	22,814	2,022
Urban places	5,232	70,331	8,311	12,137	40,244	43,704	3,151	14,927	10,712	207	6,889	10,472	12,803	104,548	17,000	22,578	15,085	19,066	1,521
Balance of area	1,971	32,002	3,787	6,056	16,478	21,796	1,348	5,356	4,638	56	2,880	3,349	5,544	46,558	12,071	9,957	7,964	3,748	501
Nonmetropolitan counties	2,321	41,148	5,322	6,862	21,138	25,150	1,618	5,146	6,010	60	2,830	2,960	5,995	53,416	14,465	13,278	7,761	3,699	495
Urban places	557	9,004	1,205	1,444	4,635	5,373	341	1,052	1,274	15	613	675	1,284	11,799	1,899	2,474	1,406	802	105
Balance of area	1,764	32,144	4,117	5,418	16,503	19,777	1,277	4,094	4,736	45	2,217	2,285	4,711	41,617	12,566	10,804	6,355	2,897	390
Alabama	181	2,809	263	417	1,341	1,621	96	371	470	5	238	322	1,037	3,807	1,225	981	539	588	46
Urban places	114	1,246	138	170	625	698	44	173	220	2	108	171	476	1,796	367	384	210	339	22
Balance of area	67	1,563	125	247	716	923	52	198	250	3	130	151	561	2,011	858	597	329	249	24
Metropolitan counties	131	1,655	182	270	798	1,098	71	247	285	5	160	216	701	2,540	747	620	359	430	24
Urban places	101	1,014	119	142	497	580	39	149	179	2	90	152	411	1,488	309	323	181	306	18
Balance of area	30	641	63	128	301	518	32	98	106	3	70	64	290	1,052	438	297	178	124	6
Nonmetropolitan counties	50	1,154	81	147	543	523	25	124	185	-	78	106	336	1,267	478	361	180	158	22
Urban places	13	232	19	28	128	118	5	24	41	-	18	19	65	308	58	61	29	33	4
Balance of area	37	922	62	119	415	405	20	100	144	-	60	87	271	959	420	300	151	125	18
Autauga	1	19	-	5	7	5	-	1	4	-	2	5	5	27	18	8	4	-	1
Prattville, part	1	7	-	2	3	4	-	-	2	-	-	3	4	16	10	4	2	-	1
Prattville, total	1	7	-	2	3	4	-	-	2	-	-	3	4	16	11	4	2	-	1
Balance of county	-	12	-	3	4	1	-	1	2	-	2	2	1	11	8	4	2	-	-
Baldwin	5	64	13	13	23	52	-	4	10	-	4	3	11	101	30	20	19	4	-
Barbour	2	25	1	2	8	7	1	1	3	-	2	2	6	23	5	12	4	3	-
Eufaula	-	10	-	1	5	7	-	1	2	-	-	2	2	17	2	4	3	1	-
Balance of county	2	15	1	1	3	-	1	-	1	-	2	-	4	6	3	8	1	2	-
Bibb	2	16	1	1	6	5	1	-	3	-	1	1	2	20	8	5	-	3	-
Blount	1	22	1	7	12	19	3	-	2	-	2	1	4	50	18	9	3	3	-
Bullock	1	9	-	-	3	1	1	-	4	-	1	3	-	12	2	4	1	2	-
Butler	-	28	-	3	13	14	-	3	2	-	1	1	6	13	13	12	2	8	-
Calhoun	6	66	8	9	42	52	3	15	11	-	5	17	17	113	38	29	21	13	1
Anniston	4	25	2	2	11	19	1	6	5	-	3	9	9	52	17	14	5	5	1
Balance of county	2	41	6	7	31	33	2	9	6	-	2	8	8	61	21	15	16	8	-
Chambers	1	50	-	8	15	18	-	6	3	-	1	6	3	31	18	7	6	8	-
Cherokee	1	15	-	2	3	7	-	2	2	-	1	1	16	16	7	6	11	-	-
Chilton	-	32	-	4	13	14	3	2	5	-	2	2	12	35	20	9	3	2	3
Choctaw	-	4	-	2	2	6	-	1	4	-	1	-	5	14	8	4	1	1	-
Clarke	-	9	4	5	7	13	-	4	2	-	3	3	3	27	17	6	2	3	-
Clay	-	6	1	-	4	8	-	-	-	-	-	-	1	12	3	7	1	1	-
Cleburne	1	12	2	1	9	3	2	-	-	-	1	1	5	17	3	3	4	-	-
Coffee	1	21	1	4	19	18	-	1	8	-	3	1	2	28	11	5	2	-	-
Enterprise, part	-	10	1	1	6	6	-	-	3	-	3	1	2	12	3	3	1	-	-
Enterprise, total	-	10	1	1	6	6	-	-	3	-	3	1	2	12	3	3	1	-	-
Balance of county	1	11	-	3	13	12	-	1	5	-	-	-	-	16	8	2	1	-	-
Colbert	3	41	-	4	5	27	-	7	8	-	2	4	8	42	17	13	10	1	1
Sheffield	-	7	-	1	1	8	-	2	3	-	1	-	2	13	4	5	-	-	-
Balance of county	3	34	-	3	4	19	-	5	5	-	1	4	6	29	13	8	10	1	1
Conecuh	-	9	-	3	4	5	-	2	1	-	2	1	3	13	7	6	3	3	1
Coosa	-	11	-	3	7	4	-	1	2	-	-	1	1	5	5	1	5	1	-
Covington	1	36	1	8	25	18	2	7	8	-	4	2	12	52	11	16	5	5	-
Andalusia	-	9	-	1	9	6	2	1	3	-	-	1	3	15	2	4	3	1	-
Balance of county	1	27	1	7	16	12	-	6	5	-	4	1	9	37	9	12	2	4	-
Crenshaw	-	18	-	4	6	16	-	1	1	-	-	2	2	9	4	4	-	2	-
Cullman	-	61	9	9	14	26	2	3	11	-	3	4	51	73	21	12	16	2	-
Cullman	-	13	2	4	3	10	-	2	3	-	-	-	18	24	5	3	6	-	-
Balance of county	-	48	7	5	11	16	2	1	8	-	3	4	33	49	16	9	10	2	-
Dale	-	18	2	2	13	21	-	2	6	-	2	1	7	26	17	8	4	4	-
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	-	7	1	1	9	7	-	1	1	-	-	-	3	10	7	2	1	1	-
Balance of county	-	11	1	1	4	14	-	1	5	-	2	1	4	16	10	6	3	3	-
Dallas	7	52	2	3	24	11	2	4	9	-	4	-	9	62	15	11	5	4	-
Selma	4	38	2	2	17	7	1	1	4	-	4	-	6	43	5	4	3	3	-
Balance of county	3	14	-	1	7	4	1	3	5	-	-	-	3	19	10	7	2	1	-
De Kalb	2	35	5	2	18	17	-	4	4	-	1	3	4	57	15	17	7	4	-
Fort Payne	1	9	-	1	3	3	-	1	2	-	1	-	-	23	2	3	-	-	-
Balance of county	1	26	5	1	15	14	-	3	2	-	-	3	4	34	13	14	7	4	-
Elmore	1	26	1	3	15	27	3	2	4	1	6	4	14	38	16	18	8	4	-
Prattville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	1	26	1	3	15	27	3	2	4	1	6	4	14	38	15	18	8	4	-
Escambia	-	36	1	1	14	16	1	7	5	-	3	3	4	48	17	8	7	8	1
Etowah	2	77	2	11	49	59	2	10	17	-	4	5	9	101	30	24	18	13	2
Gadsden	1	49	2	5	36	37	2	8	13	-	1	3	6	59	11	8	10	10	2
Balance of county	1	28	-	6	13	22	-	2	4	-	3	2	3	42	19	16	8	3	-
Fayette	1	14	-	5	9	9	-	1	2	-	3	1	8	24	12	2	1	2	1
Franklin	3	18	-	6	7	19	-	2	2	-	-	4	3	37	10	9	2	1	2
Geneva	-	22	-	3	9	23	-	4	3	-	1	1	7	36	8	8	4	2	-
Greene	-	12	1	-	6	3	-	-	1	-	-	3	4	16	4	4	-	2	-
Hale	-	28	4	-	4	7	1	2	1	-	1	1	1	10	5	4	-	2	-
Henry	1	23	3	2	1	7	-	2	4	-	2	1	2	16	3	3	1	4	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 3 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic dis-eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neopla-sms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of respirato-ry and intra-tho-racic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of urinary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	714	–	–	19	168	26	49	16	12	4	13	48	7	321	242	1	10	163	68
Dothan, part	479	–	–	12	112	18	27	12	9	4	9	33	4	218	168	1	5	115	47
Dothan, total	479	–	–	12	112	18	27	12	9	4	9	33	4	218	168	1	5	115	47
Balance of county	235	–	–	7	56	8	22	4	3	–	4	15	3	103	74	–	5	48	21
Jackson	515	–	–	17	112	20	40	7	11	3	8	23	11	225	189	–	3	116	70
Scottsboro	176	–	–	6	37	4	12	4	4	–	4	9	2	74	66	–	2	35	29
Balance of county	339	–	–	11	75	16	28	3	7	3	4	14	9	151	123	–	1	81	41
Jefferson	6,976	8	–	168	1,584	354	482	164	169	45	52	318	170	2,614	2,005	11	91	1,061	842
Bessemer	524	–	–	8	104	20	39	11	17	1	2	14	18	197	156	1	8	73	74
Birmingham	3,365	6	–	90	734	186	198	77	77	19	28	149	95	1,246	944	4	62	457	421
Fairfield	162	–	–	4	38	10	9	4	7	–	2	6	4	64	48	–	2	20	26
Homewood	173	1	–	11	45	7	14	5	7	1	2	9	3	60	45	–	1	28	16
Hoover, part	221	–	–	6	58	12	23	8	3	–	1	11	3	84	69	–	1	42	26
Hoover, total	228	–	–	6	59	13	23	8	3	–	1	11	3	87	71	–	1	44	26
Hueytown	168	–	–	2	44	8	13	3	7	2	–	11	2	57	44	–	2	28	14
Mountain Brook	156	–	–	4	44	11	13	6	3	2	–	9	1	58	42	1	–	25	16
Vestavia Hills	175	–	–	2	49	13	9	9	5	–	2	11	3	71	46	1	–	33	12
Balance of county	2,032	1	–	41	468	87	164	41	43	20	15	98	41	777	611	4	15	355	237
Lamar	170	–	–	5	35	10	10	4	4	2	–	5	6	71	54	–	3	36	15
Lauderdale	776	1	–	10	190	26	61	16	17	7	10	53	12	345	289	1	5	99	184
Florence	402	–	–	4	97	14	27	11	10	2	5	28	5	190	159	1	3	54	101
Balance of county	374	1	–	6	93	12	34	5	7	5	5	25	7	155	130	–	2	45	83
Lawrence	264	1	–	3	51	11	13	2	5	2	3	15	7	116	100	–	–	77	23
Lee	639	–	–	15	134	22	38	3	9	7	6	49	9	283	219	1	6	142	70
Auburn	163	–	–	3	31	4	7	1	1	2	2	14	1	73	60	–	–	36	24
Opelika	246	–	–	6	49	9	12	2	3	2	4	17	5	115	82	1	3	51	27
Phenix City, part	6	–	–	–	2	1	1	–	–	–	–	–	–	3	2	–	–	1	1
Balance of county	224	–	–	6	52	8	18	–	5	3	–	18	3	92	75	–	3	54	18
Limestone	421	1	–	8	94	16	31	10	12	3	1	21	7	192	143	1	1	87	54
Athens	159	1	–	4	32	7	8	6	5	1	–	5	3	75	58	1	–	31	26
Balance of county	262	–	–	4	62	9	23	4	7	2	1	16	4	117	85	–	1	56	28
Lowndes	122	–	–	2	29	7	5	–	4	–	1	12	4	50	43	–	1	9	33
Macon	277	–	–	10	55	14	18	10	9	–	–	4	7	118	80	–	1	65	14
Tuskegee	134	–	–	4	25	6	6	4	7	–	–	2	5	62	43	–	1	35	7
Balance of county	143	–	–	6	30	8	12	6	2	–	–	2	2	56	37	–	–	30	7
Madison	1,689	2	–	39	352	81	110	34	36	15	13	63	42	756	612	6	22	277	307
Huntsville	1,254	2	–	34	272	61	85	32	23	12	10	49	33	547	440	5	18	202	215
Balance of county	435	–	–	5	80	20	25	2	13	3	3	14	9	209	172	1	4	75	92
Marengo	252	–	–	4	52	12	18	3	8	–	2	9	12	116	73	–	10	33	30
Marion	313	–	–	1	68	15	15	2	2	1	6	27	8	150	119	–	2	70	47
Marshall	769	3	–	14	150	19	46	7	14	1	7	56	12	362	282	1	11	118	152
Albertville	168	1	–	3	27	3	7	2	3	–	2	10	1	84	73	–	2	28	43
Balance of county	601	2	–	11	123	16	39	5	11	1	5	46	11	278	209	1	9	90	109
Mobile	3,592	9	1	105	825	179	290	57	92	27	27	153	85	1,443	1,097	6	60	586	445
Mobile	2,129	6	1	74	485	103	175	36	48	21	12	90	54	890	673	3	42	366	262
Prichard	424	1	–	11	87	25	21	6	9	1	4	21	10	169	113	1	8	45	59
Balance of county	1,039	2	–	20	253	51	94	15	35	5	11	42	21	384	311	2	10	175	124
Monroe	257	–	–	6	61	12	16	5	11	2	4	11	1	109	92	–	–	38	54
Montgomery	1,976	–	–	47	467	110	145	48	51	14	21	78	47	832	643	1	95	300	247
Montgomery	1,827	–	–	42	432	101	132	46	48	13	20	72	44	770	599	1	90	281	227
Balance of county	149	–	–	5	35	9	13	2	3	1	1	6	3	62	44	–	5	19	20
Morgan	877	–	–	12	194	32	58	14	20	11	10	49	15	362	295	1	3	173	118
Decatur	463	–	–	6	101	21	34	11	7	6	5	17	8	198	162	1	2	102	57
Balance of county	414	–	–	6	93	11	24	3	13	5	5	32	7	164	133	–	1	71	61
Perry	153	–	–	2	30	7	6	1	3	2	2	9	3	63	54	–	6	14	34
Pickens	221	1	–	4	38	10	9	7	2	–	–	10	3	97	78	1	1	34	42
Pike	309	–	–	5	51	11	9	5	10	4	–	12	5	152	107	–	6	43	58
Troy	159	–	–	2	24	6	2	2	5	3	–	6	2	87	60	–	2	27	31
Balance of county	150	–	–	3	27	5	7	3	5	1	–	6	3	65	47	–	4	16	27
Randolph	266	–	–	–	48	8	11	5	8	–	4	12	4	136	99	–	4	62	33
Russell	522	3	–	9	106	20	30	11	17	5	4	19	12	221	153	–	6	107	40
Phenix City, part	354	2	–	6	66	11	19	6	12	5	2	11	9	148	100	–	2	67	31
Phenix City, total	360	2	–	6	68	12	20	6	12	5	2	11	9	151	102	–	2	68	32
Balance of county	168	1	–	3	40	9	11	5	5	–	2	8	3	73	53	–	4	40	9
St. Clair	445	1	–	6	94	21	26	8	8	2	4	25	10	187	159	–	–	101	58
Shelby	607	–	–	5	116	27	45	6	7	4	6	21	23	182	137	3	2	76	56
Hoover, part	7	–	–	–	1	1	–	–	–	–	–	–	–	3	2	–	–	2	–
Balance of county	600	–	–	5	115	26	45	6	7	4	6	21	23	179	135	3	2	74	56
Sumter	172	–	1	1	38	6	15	2	4	1	3	7	11	57	43	–	7	15	21
Talladega	764	2	–	11	167	32	35	15	18	6	4	57	13	314	242	–	6	136	100
Sylacauga	161	–	–	2	41	6	6	6	6	2	–	15	2	67	53	–	–	40	13
Talladega	220	1	–	3	43	9	10	4	3	2	3	12	4	87	66	–	3	27	36
Balance of county	383	1	–	6	83	17	19	5	9	2	1	30	7	160	123	–	3	69	51
Tallapoosa	471	–	–	6	91	20	27	4	9	6	4	21	5	198	149	–	4	101	44
Alexander City	189	–	–	1	38	7	10	2	6	3	–	10	2	76	57	–	–	37	20
Balance of county	282	–	–	5	53	13	17	2	3	3	4	11	3	122	92	–	4	64	24
Tuscaloosa	1,260	2	1	31	335	66	112	27	45	3	11	71	19	498	386	1	27	154	204
Northport	196	–	–	5	48	12	13	3	9	1	–	10	3	85	69	–	5	31	33
Tuscaloosa	708	1	1	19	194	35	57	18	29	2	7	46	9	286	217	1	16	84	116
Balance of county	356	1	–	7	93	19	42	6	7	–	4	15	7	127	100	–	6	39	55

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 4 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Houston	3	58	8	10	17	30	2	6	7	–	5	5	6	65	27	5	8	16	–
Dothan, part	3	35	4	8	12	22	2	3	3	–	5	3	6	43	16	3	6	9	–
Dothan, total	3	35	4	8	12	22	2	3	3	–	5	3	6	43	16	3	6	9	–
Balance of county	–	23	4	2	5	8	–	3	4	–	–	2	–	22	11	2	2	7	–
Jackson	–	33	3	–	20	16	–	6	6	–	2	7	19	35	12	14	9	3	1
Scottsboro	–	7	1	–	7	5	–	3	2	–	–	2	10	12	3	8	2	2	1
Balance of county	–	26	2	–	13	11	–	3	4	–	2	5	9	23	9	6	7	1	–
Jefferson	53	454	27	75	233	268	26	64	90	1	46	56	288	782	131	169	90	179	9
Bessemer	3	31	1	6	27	32	2	4	5	–	7	4	21	52	11	12	5	15	–
Birmingham	33	225	13	31	102	98	12	30	50	–	22	41	174	361	56	82	38	123	5
Fairfield	3	10	1	2	2	7	–	1	5	–	1	–	5	20	1	4	2	4	–
Homewood	–	11	–	4	4	10	–	2	4	–	1	–	8	15	2	5	2	–	–
Hoover, part	3	11	1	–	11	11	1	2	4	–	–	1	6	25	3	1	2	2	1
Hoover, total	3	12	1	–	12	11	1	2	5	–	–	1	7	25	3	1	2	2	1
Hueytown	–	10	1	2	16	5	–	1	1	–	1	–	3	27	2	1	3	3	–
Mountain Brook	1	12	–	3	5	7	–	1	3	–	1	–	3	19	2	4	4	–	–
Vestavia Hills	2	18	3	2	8	9	1	1	1	–	–	3	2	20	–	1	3	1	–
Balance of county	8	126	7	25	58	89	10	22	17	1	13	7	66	243	54	59	31	31	3
Lamar	–	14	1	2	10	5	–	1	2	–	–	1	3	15	10	2	3	1	–
Lauderdale	–	41	4	11	20	30	3	8	4	–	–	2	2	77	29	26	14	3	–
Florence	–	25	3	3	13	18	2	4	1	–	–	1	–	44	10	7	5	1	–
Balance of county	–	16	1	8	7	12	1	4	3	–	–	1	2	33	19	19	9	2	–
Lawrence	–	12	1	3	10	9	2	2	3	–	3	–	16	19	10	5	6	1	–
Lee	3	45	4	12	34	22	–	6	9	–	9	6	17	50	17	14	6	7	1
Auburn	2	6	1	4	14	5	–	–	–	–	1	–	4	15	6	5	1	3	1
Opelika	1	23	2	7	9	11	–	3	3	–	4	3	8	21	3	2	2	2	–
Phenix City, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	15	1	1	11	6	–	3	6	–	4	3	5	14	7	7	3	2	–
Limestone	2	38	6	3	9	16	1	3	8	–	2	1	4	37	17	9	5	7	–
Athens	–	12	4	1	5	7	–	2	4	–	–	–	–	18	3	4	–	1	–
Balance of county	2	26	2	2	4	9	1	1	4	–	2	1	4	19	14	5	5	6	–
Lowndes	–	5	–	2	6	4	–	1	2	–	2	2	9	6	3	1	–	1	–
Macon	2	33	1	2	11	8	1	1	1	–	–	4	7	24	4	11	2	11	2
Tuskegee	–	18	1	–	5	3	1	1	1	–	–	3	–	11	–	3	–	9	1
Balance of county	2	15	–	2	6	5	–	–	–	–	–	1	7	13	4	8	2	2	1
Madison	7	117	10	10	51	56	4	24	12	–	16	11	32	159	45	45	24	18	1
Huntsville	6	88	7	6	43	38	3	22	6	–	10	8	24	126	22	31	16	16	1
Balance of county	1	29	3	4	8	18	1	2	6	–	6	3	8	33	23	14	8	2	–
Marengo	1	36	4	2	7	8	–	–	4	–	–	2	6	23	4	10	–	4	–
Marion	1	26	2	2	11	9	1	6	4	–	1	1	4	24	11	10	2	2	–
Marshall	2	59	10	9	32	24	3	6	13	–	4	4	17	63	27	15	12	6	2
Albertville	–	9	2	–	9	5	–	2	4	–	2	–	4	9	8	5	1	3	–
Balance of county	2	50	8	9	23	19	3	4	9	–	2	4	13	54	19	10	11	3	2
Mobile	16	206	84	40	78	179	5	40	44	1	18	35	40	380	106	70	39	83	6
Mobile	7	131	52	27	41	99	2	20	25	1	7	18	25	219	46	41	25	46	4
Prichard	6	30	17	3	16	22	1	5	6	–	2	8	2	46	9	6	4	18	1
Balance of county	3	45	15	10	21	58	2	15	13	–	9	9	13	115	51	23	10	19	1
Monroe	–	15	–	2	11	11	–	3	6	–	–	1	4	18	12	3	6	3	2
Montgomery	15	154	3	17	61	77	8	22	18	1	13	32	46	156	44	45	21	37	2
Montgomery	15	139	2	15	59	68	8	22	17	1	13	31	43	145	38	41	18	33	2
Balance of county	–	15	1	2	2	9	–	–	1	–	–	1	3	11	6	4	3	4	–
Morgan	2	52	5	8	46	30	4	6	10	–	4	5	45	71	28	29	11	5	–
Decatur	2	27	3	4	24	15	1	3	7	–	3	4	27	40	5	15	3	3	–
Balance of county	–	25	2	4	22	15	3	3	3	–	1	1	18	31	23	14	8	2	–
Perry	–	7	–	2	5	6	–	–	1	–	–	–	15	14	10	3	–	1	–
Pickens	1	13	2	3	23	2	–	–	2	–	1	3	5	21	13	2	1	5	–
Pike	2	38	1	4	17	15	–	2	4	–	–	2	5	25	9	9	2	6	–
Troy	2	22	1	2	7	9	–	1	3	–	–	1	2	12	3	3	1	2	–
Balance of county	–	16	–	2	10	6	–	1	1	–	–	1	3	13	6	6	1	4	–
Randolph	–	31	1	5	8	9	1	3	4	–	1	7	1	21	10	6	3	4	–
Russell	6	52	3	7	19	18	1	3	4	–	3	2	27	49	12	16	10	7	–
Phenix City, part	5	39	1	3	15	14	–	2	3	–	2	1	17	36	9	10	10	4	–
Phenix City, total	5	40	1	3	15	14	–	2	3	–	2	1	17	36	10	10	10	4	–
Balance of county	1	13	2	4	4	4	1	1	1	–	1	1	10	13	3	6	–	3	–
St. Clair	1	19	3	5	11	27	2	3	3	–	4	4	7	40	20	11	7	8	–
Shelby	2	33	2	8	12	28	–	4	8	–	6	4	83	55	31	22	14	14	–
Hoover, part	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Balance of county	2	32	2	8	11	28	–	4	7	–	6	4	82	55	31	22	14	14	–
Sumter	6	8	–	–	5	4	–	1	1	–	2	2	15	19	6	6	1	2	–
Talladega	4	62	2	4	28	39	–	13	5	–	7	10	14	70	24	26	15	4	2
Sylacauga	–	12	–	2	11	11	–	1	1	–	–	1	4	12	2	3	1	2	–
Talladega	2	19	–	–	7	15	–	3	1	–	2	4	1	32	6	5	3	2	1
Balance of county	2	31	2	2	10	13	–	9	3	–	5	5	9	26	16	18	11	–	1
Tallapoosa	1	41	2	5	29	17	2	5	12	–	1	2	6	55	16	9	10	6	1
Alexander City	1	14	2	2	11	8	1	2	5	–	1	1	1	32	4	2	2	2	–
Balance of county	–	27	–	3	18	9	1	3	7	–	–	1	5	23	12	7	8	4	1
Tuscaloosa	6	91	4	11	36	43	1	16	14	1	11	16	25	103	47	31	14	15	1
Northport	–	16	–	–	7	6	–	2	1	–	1	3	4	18	6	3	3	1	–
Tuscaloosa	6	49	4	10	20	17	–	6	9	–	8	11	16	56	17	19	9	10	–
Balance of county	–	26	–	1	9	20	1	8	4	1	2	2	5	29	24	9	2	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 5 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic dis-eases [1]	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neoplas-ms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of res-pirato-ry and intra-thoro-cic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of unnary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	817	–	–	7	172	35	71	12	8	3	9	34	20	354	308	3	17	169	119
Jasper	193	–	–	3	38	9	14	1	3	–	2	9	4	84	70	–	5	38	27
Balance of county	624	–	–	4	134	26	57	11	5	3	7	25	16	270	238	3	12	131	92
Washington	158	–	–	3	32	6	11	2	6	–	–	7	8	66	56	–	–	41	15
Wilcox	174	–	–	2	27	8	8	2	1	2	–	6	5	73	48	–	4	29	15
Winston	261	–	–	2	57	14	11	4	6	–	2	20	4	124	97	–	–	51	46
Alaska	2,200	4	–	48	503	109	152	33	48	31	14	116	55	597	470	18	6	301	145
Urban places	1,111	1	–	29	266	53	79	22	27	14	7	64	26	309	235	8	2	159	66
Balance of area	1,089	3	–	19	237	56	73	11	21	17	7	52	29	288	235	10	4	142	79
Metropolitan census areas [2]	781	1	–	21	201	42	57	17	20	12	5	48	19	200	154	6	2	100	46
Urban places	781	1	–	21	201	42	57	17	20	12	5	48	19	200	154	6	2	100	46
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,419	3	–	27	302	67	95	16	28	19	9	68	36	397	316	12	4	201	99
Urban places	330	–	–	8	65	11	22	5	7	2	2	16	7	109	81	2	–	59	20
Balance of area	1,089	3	–	19	237	56	73	11	21	17	7	52	29	288	235	10	4	142	79
Aleutian Islands	32	1	–	1	4	–	4	–	–	–	–	–	–	9	9	–	–	6	3
Anchorage, coext. with Anchorage city	781	1	–	21	201	42	57	17	20	12	5	48	19	200	154	6	2	100	46
Bethel	78	–	–	–	12	5	2	–	1	2	–	2	–	17	12	1	–	3	8
Bristol Bay borough	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dillingham	31	–	–	–	3	1	1	–	1	–	–	–	1	10	10	–	–	4	6
Fairbanks North Star borough	275	–	–	7	59	11	22	4	8	2	1	11	4	88	65	1	–	45	19
Fairbanks	221	–	–	6	46	7	17	4	6	2	–	10	3	71	52	–	–	37	15
Balance of area	54	–	–	1	13	4	5	–	2	–	1	1	1	17	13	1	–	8	4
Haines borough	12	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	2	–
Juneau, coext. with Juneau city	109	–	–	2	19	4	5	1	1	–	2	6	4	38	29	2	–	22	5
Kenai Peninsula borough	154	–	–	2	42	7	11	3	6	4	3	8	8	45	40	–	–	31	9
Ketchikan Gateway borough	90	–	–	2	20	4	6	–	1	2	–	7	3	22	15	–	–	10	5
Kobuk	41	–	–	2	5	2	1	–	–	1	–	1	–	12	12	1	2	5	4
Kodiak Island borough	48	–	–	–	10	–	3	1	1	1	–	4	–	13	10	–	–	5	5
Matanuska-Susitna borough	172	–	–	3	46	9	16	1	3	5	1	11	5	53	41	1	1	32	7
Nome	63	1	–	2	4	3	1	–	–	–	–	–	1	19	15	2	–	8	5
North Slope borough	36	–	–	1	6	1	1	–	–	–	1	3	1	7	7	–	–	4	3
Prince of Wales-Outer Ketchikan	24	–	–	2	4	1	1	1	1	–	–	–	1	5	5	–	–	1	4
Sitka borough	37	–	–	–	14	6	–	2	2	–	1	3	1	11	6	1	–	4	1
Skagway-Yakutat-Angoon	21	–	–	1	8	1	3	1	–	–	–	3	1	6	6	–	–	4	2
Southeast Fairbanks	15	–	–	–	4	2	1	–	–	–	–	1	1	3	1	–	–	–	1
Valdez-Cordova	51	–	–	–	16	4	8	1	1	–	–	2	1	10	10	–	–	9	1
Wade Hampton	33	1	–	1	5	2	1	–	–	1	–	1	–	8	3	–	–	1	2
Wrangell-Petersburg	48	–	–	1	9	2	4	1	–	–	–	2	4	14	14	1	1	4	8
Yukon-Koyukuk	47	–	–	–	11	2	3	–	2	1	–	3	–	4	4	2	–	1	1
Arizona	29,548	24	–	672	7,165	1,542	2,097	556	819	311	303	1,537	572	11,271	8,790	63	172	6,151	2,404
Urban places	18,637	16	–	471	4,509	977	1,299	377	503	194	196	963	366	7,102	5,522	35	117	3,875	1,495
Balance of area	10,911	8	–	201	2,656	565	798	179	316	117	107	574	206	4,169	3,268	28	55	2,276	909
Metropolitan counties	22,884	15	–	554	5,647	1,227	1,652	438	654	244	241	1,191	429	8,844	6,935	41	150	4,888	1,656
Urban places	17,182	12	–	453	4,145	895	1,204	343	471	179	177	876	331	6,537	5,110	29	112	3,600	1,369
Balance of area	5,702	3	–	101	1,502	332	448	95	183	65	64	315	98	2,307	1,825	12	38	1,288	487
Nonmetropolitan counties	6,664	9	–	118	1,518	315	445	118	165	67	62	346	143	2,427	1,855	22	22	1,263	548
Urban places	1,455	4	–	18	364	82	95	34	32	15	19	87	35	565	412	6	5	275	126
Balance of area	5,209	5	–	100	1,154	233	350	84	133	52	43	259	108	1,862	1,443	16	17	988	422
Apache	392	3	–	5	44	11	5	5	8	5	2	8	9	91	70	1	1	22	46
Cochise	804	–	–	9	182	41	53	13	17	5	10	43	19	306	248	–	1	149	98
Douglas	118	–	–	1	23	6	7	1	–	1	2	6	3	40	34	–	–	15	19
Sierra Vista	183	–	–	1	50	11	11	4	8	2	2	12	5	64	51	–	–	24	27
Balance of county	503	–	–	7	109	24	35	8	9	2	6	25	11	202	163	–	1	110	52
Coconino	419	–	–	8	88	20	17	11	12	3	6	19	9	109	82	–	–	48	34
Flagstaff	168	–	–	2	33	7	9	7	1	–	3	6	4	54	39	–	–	25	14
Balance of county	251	–	–	6	55	13	8	4	11	3	3	13	5	55	43	–	–	23	20
Gila	497	1	–	8	113	24	40	2	12	6	5	24	16	208	156	3	3	102	48
Graham	233	1	–	6	45	10	8	2	4	4	2	15	5	88	60	1	2	36	21
Greenlee	64	–	–	1	18	4	2	3	2	–	1	6	1	25	20	–	–	11	9
Maricopa	16,182	12	–	389	4,050	860	1,171	316	466	170	188	879	299	6,197	4,872	24	95	3,478	1,275
Chandler	379	–	–	7	71	19	20	5	6	3	4	14	8	136	104	–	1	71	32
Glendale	991	2	–	22	237	45	56	22	28	11	12	63	25	370	304	–	6	227	71
Mesa	2,185	1	–	37	560	130	145	36	76	24	29	120	35	860	677	5	15	501	156
Paradise Valley	33	–	–	–	7	1	–	2	1	–	–	3	1	17	13	–	1	10	2
Peoria	505	–	–	6	140	35	42	11	17	3	3	29	10	199	154	–	2	117	35
Phoenix	6,958	5	–	231	1,681	338	529	137	172	70	83	352	133	2,518	1,990	12	41	1,390	547
Scottsdale	1,219	1	–	26	334	56	104	39	40	12	10	73	16	495	374	1	6	262	105
Tempe	679	1	–	13	159	32	38	14	13	7	8	47	15	245	187	1	1	129	56
Balance of county	3,233	2	–	47	861	204	237	50	113	40	39	178	56	1,357	1,069	5	22	771	271
Mohave	1,252	2	–	15	338	66	129	22	31	12	9	69	21	499	379	4	4	296	75
Lake Havasu City	301	2	–	1	107	26	40	6	9	3	5	18	7	113	72	2	1	50	19
Balance of county	951	–	–	14	231	40	89	16	22	9	4	51	14	386	307	2	3	246	56
Navajo	468	–	–	11	99	23	18	13	15	5	3	22	6	136	108	3	–	69	36
Pima	5,768	3	–	148	1,363	329	403	109	163	55	48	256	101	2,313	1,789	10	46	1,199	534
Tucson	3,767	2	–	102	841	219	230	71	106	39	27	149	73	1,530	1,172	7	31	790	344
Balance of county	2,001	1	–	46	522	110	173	38	57	16	21	107	28	783	617	3	15	409	190

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 6 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	1	33	1	11	38	41	2	8	6	–	4	4	9	86	33	17	14	2	–
Jasper	–	11	1	2	11	7	1	1	3	–	1	–	–	26	4	4	5	1	–
Balance of county	1	22	–	9	27	34	1	7	3	–	3	4	9	60	29	13	9	1	–
Washington	–	10	–	–	8	5	–	2	1	–	1	–	2	12	6	6	2	4	–
Wilcox	–	18	4	3	6	2	–	3	7	–	4	2	2	14	9	10	4	4	–
Winston	1	20	2	4	13	6	–	2	3	–	–	1	9	15	6	10	4	4	1
Alaska	2	88	17	20	52	86	6	50	11	–	24	25	61	197	102	258	73	43	5
Urban places	2	49	12	11	18	47	3	30	6	–	9	17	31	113	57	87	34	28	–
Balance of area	–	39	5	9	34	39	3	20	5	–	15	8	30	84	45	171	39	15	5
Metropolitan census areas [2]	1	34	2	9	7	31	–	24	3	–	7	9	20	79	47	59	27	26	–
Urban places	1	34	2	9	7	31	–	24	3	–	7	9	20	79	47	59	27	26	–
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1	54	15	11	45	55	6	26	8	–	17	16	41	118	55	199	46	17	5
Urban places	1	15	10	2	11	16	3	6	3	–	2	8	11	34	10	28	7	2	–
Balance of area	–	39	5	9	34	39	3	20	5	–	15	8	30	84	45	171	39	15	5
Aleutian Islands	–	–	–	–	1	1	–	1	1	–	–	1	2	3	1	4	1	1	–
Anchorage, coext. with Anchorage city	1	34	2	9	7	31	–	24	3	–	7	9	20	79	47	59	27	26	–
Bethel	–	4	1	–	4	7	–	1	–	–	1	–	1	4	3	18	8	1	1
Bristol Bay borough	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dillingham	–	–	–	–	1	1	–	–	–	–	1	–	1	2	2	9	–	–	–
Fairbanks North Star borough	1	12	8	2	6	9	2	6	3	–	3	7	11	24	9	30	6	1	–
Fairbanks	1	9	8	1	6	8	2	6	2	–	2	6	7	21	7	22	5	1	–
Balance of area	–	3	–	1	–	1	–	–	1	–	1	1	4	3	2	8	1	–	–
Haines borough	–	–	1	–	–	–	–	1	–	–	–	–	–	2	2	3	1	–	–
Juneau, coext. with Juneau city	–	6	2	1	5	8	1	–	1	–	–	2	4	13	3	6	2	1	–
Kenai Peninsula borough	–	4	–	1	4	6	1	4	1	–	1	–	4	8	5	17	4	2	–
Ketchikan Gateway borough	–	4	2	1	4	5	–	4	–	–	1	1	2	5	3	14	3	1	–
Kobuk	–	–	–	–	3	2	–	1	–	–	–	–	1	4	–	10	1	–	–
Kodiak Island borough	–	2	–	1	4	–	1	–	–	–	2	1	–	3	3	11	–	–	–
Matanuska-Susitna borough	–	9	–	3	5	5	1	2	1	–	3	1	4	9	15	12	4	3	–
Nome	–	3	–	1	–	2	–	1	–	–	–	–	5	12	3	6	5	1	1
North Slope borough	–	–	–	–	–	2	–	–	–	–	–	–	2	2	1	12	1	1	–
Prince of Wales-Outer Ketchikan	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	6	2	1	–
Sitka borough	–	3	1	1	1	2	–	1	–	–	–	–	–	3	–	4	–	–	–
Skagway-Yakutat-Angoon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–
Southeast Fairbanks	–	2	–	–	–	–	–	2	–	–	–	–	–	–	1	4	–	–	–
Valdez-Cordova	–	–	–	–	–	2	–	1	1	–	1	1	–	5	1	6	4	1	1
Wade Hampton	–	5	–	–	3	1	–	–	–	–	2	2	1	4	1	3	1	–	–
Wrangell-Petersburg	–	–	–	–	1	2	–	1	–	–	2	–	–	4	–	8	1	–	1
Yukon-Koyukuk	–	–	–	–	2	–	–	–	–	–	–	–	3	8	2	12	1	3	1
Arizona	93	1,788	248	352	1,163	1,693	80	475	319	4	220	214	254	2,865	814	695	662	347	39
Urban places	66	1,109	173	232	740	1,068	48	270	207	2	164	160	138	1,852	427	414	436	223	24
Balance of area	27	679	75	120	423	625	32	205	112	2	56	54	116	1,013	387	281	226	124	15
Metropolitan counties	70	1,368	184	287	907	1,323	57	333	235	2	172	168	169	2,221	511	510	492	268	27
Urban places	61	1,000	147	219	682	994	41	244	186	2	152	149	125	1,714	393	382	402	217	21
Balance of area	9	368	37	68	225	329	16	89	49	–	20	19	44	507	118	128	90	51	6
Nonmetropolitan counties	23	420	64	65	256	370	23	142	84	2	48	46	85	644	303	185	170	79	12
Urban places	5	109	26	13	58	74	7	26	21	–	12	11	13	138	34	32	34	6	3
Balance of area	18	311	38	52	198	296	16	116	63	2	36	35	72	506	269	153	136	73	9
Apache	1	14	3	3	19	7	1	12	2	–	4	3	13	53	60	32	16	18	–
Cochise	3	46	1	8	33	48	5	12	16	–	6	5	10	86	19	17	22	7	2
Douglas	1	5	–	–	7	5	1	2	5	–	–	1	3	22	1	2	–	2	–
Sierra Vista	–	11	–	2	4	10	2	2	–	–	3	1	2	22	6	3	6	1	1
Balance of county	2	30	1	6	22	33	2	8	11	–	3	3	5	42	12	12	16	4	1
Coconino	2	21	4	–	21	15	3	12	8	1	3	6	4	60	34	17	15	4	2
Flagstaff	–	12	3	–	8	7	3	4	4	–	–	5	2	17	8	9	7	1	–
Balance of county	2	9	1	–	13	8	–	8	4	1	3	1	2	43	26	8	8	3	2
Gila	1	42	6	3	18	26	1	10	6	–	4	5	6	42	17	8	4	4	–
Graham	–	18	4	6	13	8	2	5	4	–	3	1	1	27	8	11	3	–	2
Greenlee	–	2	1	2	1	3	–	–	–	–	–	–	–	8	4	2	–	1	–
Maricopa	50	966	103	206	650	914	37	217	156	2	131	124	133	1,585	369	342	344	216	15
Chandler	–	20	6	6	17	17	–	5	2	–	6	8	3	51	16	9	14	9	–
Glendale	2	50	4	10	35	59	2	18	8	–	19	11	12	98	22	21	17	12	1
Mesa	9	130	13	31	102	145	7	20	19	–	24	22	9	180	41	49	55	18	1
Paradise Valley	–	1	–	3	1	1	–	–	–	–	–	–	–	4	–	–	–	2	–
Peoria	1	36	–	8	24	30	1	8	6	–	3	3	4	52	7	5	5	2	–
Phoenix	24	372	43	89	276	387	15	101	68	2	57	59	63	718	192	155	162	127	8
Scottsdale	9	86	13	13	45	62	–	18	17	–	5	5	7	108	14	22	35	8	1
Tempe	2	46	4	6	33	31	2	6	10	–	5	7	6	85	16	14	21	9	1
Balance of county	3	225	20	40	117	182	10	41	26	–	12	9	29	289	61	67	35	29	3
Mohave	3	76	29	12	32	90	2	23	13	–	6	4	14	80	47	27	29	9	1
Lake Havasu City	1	16	20	4	7	20	–	6	3	–	2	1	1	17	5	5	4	–	–
Balance of county	2	60	9	8	25	70	2	17	10	–	4	3	13	63	42	22	25	9	1
Navajo	2	20	–	6	20	11	1	20	9	1	8	5	9	55	28	25	16	7	1
Pima	17	362	72	73	217	348	15	94	70	–	34	38	32	564	105	144	124	45	10
Tucson	12	236	59	51	130	230	10	58	53	–	29	32	19	384	68	93	77	27	9
Balance of county	5	126	13	22	87	118	5	36	17	–	5	6	13	180	37	51	47	18	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 7 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	1,055	–	–	29	226	43	71	17	21	14	7	53	32	345	244	3	2	157	82
Casa Grande	164	–	–	4	31	4	5	1	4	2	–	15	4	55	31	–	–	18	13
Balance of county	891	–	–	25	195	39	66	16	17	12	7	38	28	290	213	3	2	139	69
Santa Cruz	181	2	–	5	43	12	5	3	4	2	2	15	4	76	59	3	–	45	11
Nogales	111	2	–	2	29	8	3	1	2	1	2	12	3	48	35	2	–	26	7
Balance of county	70	–	–	3	14	4	2	2	2	1	–	3	1	28	24	1	–	19	4
Yavapai	1,299	–	–	21	322	61	97	27	39	11	15	72	21	544	429	4	9	328	88
Prescott	410	–	–	7	91	20	20	14	8	6	5	18	9	191	150	2	4	117	27
Balance of county	889	–	–	14	231	41	77	13	31	5	10	54	12	353	279	2	5	211	61
Yuma [2]	934	–	–	17	234	38	78	13	25	19	5	56	29	334	274	7	9	211	47
Yuma	466	–	–	9	115	20	40	6	12	10	1	26	15	167	135	3	8	103	21
Balance of county	468	–	–	8	119	18	38	7	13	9	4	30	14	167	139	4	1	108	26
Arkansas	25,048	28	–	475	5,607	1,251	1,886	402	629	221	211	1,007	527	10,867	8,207	40	166	5,798	2,203
Urban places	9,762	12	–	215	2,145	484	701	163	229	95	89	384	241	4,098	3,062	15	76	2,172	799
Balance of area	15,286	16	–	260	3,462	767	1,185	239	400	126	122	623	286	6,769	5,145	25	90	3,626	1,404
Metropolitan counties	8,492	8	–	179	1,929	418	655	146	203	83	77	347	212	3,395	2,513	11	65	1,767	670
Urban places	6,009	8	–	144	1,340	296	452	105	133	59	55	240	158	2,426	1,796	10	49	1,283	454
Balance of area	2,483	–	–	35	589	122	203	41	70	24	22	107	54	969	717	1	16	484	216
Nonmetropolitan counties	16,556	20	–	296	3,678	833	1,231	256	426	138	134	660	315	7,472	5,694	29	101	4,031	1,533
Urban places	3,753	4	–	71	805	188	249	58	96	36	34	144	83	1,672	1,266	5	27	889	345
Balance of area	12,803	16	–	225	2,873	645	982	198	330	102	100	516	232	5,800	4,428	24	74	3,142	1,188
Arkansas	265	1	–	5	59	16	21	4	5	2	3	8	4	136	85	1	1	65	18
Stuttgart	117	–	–	2	28	8	8	2	2	2	1	5	2	54	39	–	1	30	8
Balance of county	148	1	–	3	31	8	13	2	3	–	2	3	2	82	46	1	–	35	10
Ashley	253	–	–	5	58	5	24	5	6	4	3	11	1	101	80	1	1	53	25
Baxter	518	–	–	6	117	28	38	14	14	6	1	16	15	238	169	1	4	129	35
Benton	1,000	1	–	16	235	65	56	20	22	9	9	54	14	439	353	4	6	266	77
Rogers	283	–	–	3	64	15	14	4	8	4	4	15	5	132	104	–	3	79	22
Springdale, part	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	715	1	–	13	170	50	42	15	14	5	5	39	9	307	249	4	3	187	55
Boone	308	–	–	9	75	19	29	3	6	1	4	13	3	141	117	1	1	81	34
Bradley	182	–	–	2	33	4	13	3	4	–	2	7	–	96	75	–	1	62	12
Calhoun	77	–	–	3	23	4	8	1	4	–	1	5	2	28	22	–	–	21	1
Carroll	240	–	–	3	60	16	11	5	7	–	1	20	1	104	84	1	1	49	33
Chicot	188	1	–	4	31	7	7	5	4	–	1	7	5	80	55	–	2	38	15
Clark	230	1	–	3	36	8	12	1	6	1	1	7	6	104	79	–	–	64	15
Arkadelphia	100	–	–	–	14	3	4	1	2	–	–	4	2	48	34	–	–	31	3
Balance of county	130	1	–	3	22	5	8	–	4	1	1	3	4	56	45	–	–	33	12
Clay	257	–	–	1	58	9	25	6	4	4	2	8	8	128	105	2	1	82	20
Cleburne	247	–	–	4	69	13	31	3	8	5	2	7	3	112	73	–	–	37	36
Cleveland	70	–	–	1	19	4	3	1	6	–	1	4	3	33	30	–	–	24	6
Columbia	299	2	–	7	69	24	22	3	5	–	1	14	5	135	99	–	12	66	21
Magnolia	144	1	–	4	27	8	9	2	2	–	1	5	4	69	54	–	4	39	11
Balance of county	155	1	–	3	42	16	13	1	3	–	–	9	1	66	45	–	8	27	10
Conway	214	–	–	8	46	10	16	5	9	1	3	2	6	91	71	–	1	48	22
Craighead	656	–	–	16	130	25	47	10	16	4	5	23	14	296	217	2	2	138	75
Jonesboro	419	–	–	11	84	16	28	6	12	4	5	13	10	180	127	1	1	75	50
Balance of county	237	–	–	5	46	9	19	4	4	–	–	10	4	116	90	1	1	63	25
Crawford	393	–	–	5	98	20	35	9	8	4	4	18	12	172	142	–	3	114	25
Van Buren	195	–	–	3	43	10	15	4	3	1	3	7	7	93	76	–	3	55	18
Balance of county	198	–	–	2	55	10	20	5	5	3	1	11	5	79	66	–	–	59	7
Crittenden	478	–	–	13	108	29	29	8	16	4	–	22	11	192	155	–	4	110	41
West Memphis	275	–	–	9	61	14	19	6	9	2	–	11	6	103	78	–	1	54	23
Balance of county	203	–	–	4	47	15	10	2	7	2	–	11	5	89	77	–	3	56	18
Cross	235	–	–	7	41	12	14	2	9	–	–	4	4	106	78	–	2	61	15
Dallas	128	–	–	4	27	8	9	1	6	1	1	1	4	63	47	–	–	42	5
Desha	208	–	–	2	43	12	14	–	6	2	2	7	3	107	83	–	2	62	19
Drew	173	–	–	4	41	8	18	3	5	–	1	6	3	76	54	–	3	36	15
Faulkner	480	–	–	5	91	19	36	4	11	2	4	15	7	174	114	1	3	72	38
Conway	242	–	–	1	37	10	15	–	4	–	–	8	6	94	62	1	1	42	18
Balance of county	238	–	–	4	54	9	21	4	7	2	4	7	1	80	52	–	2	30	20
Franklin	177	–	–	3	26	3	11	2	4	1	1	4	3	91	79	–	–	66	13
Fulton	131	–	–	5	29	4	9	4	3	2	2	5	2	56	49	–	2	31	16
Garland	1,086	3	–	20	246	49	82	13	34	15	5	48	17	431	342	2	3	222	115
Hot Springs	693	2	–	15	154	32	53	10	21	5	1	32	15	274	220	–	3	142	75
Balance of county	393	1	–	5	92	17	29	3	13	10	4	16	2	157	122	2	–	80	40
Grant	120	–	–	2	24	5	11	–	1	2	1	4	4	58	45	–	1	35	9
Greene	377	1	–	11	79	23	32	3	7	2	2	10	3	177	131	1	1	98	31
Paragould	250	–	–	6	52	17	21	1	6	2	1	4	2	118	87	1	–	67	19
Balance of county	127	1	–	5	27	6	11	2	1	–	1	6	1	59	44	–	1	31	12
Hempstead	238	–	–	5	50	9	19	2	4	3	3	10	6	122	88	–	–	62	26
Hope	135	–	–	5	31	6	11	1	2	2	2	7	2	68	50	–	–	34	16
Balance of county	103	–	–	–	19	3	8	1	2	1	1	3	4	54	38	–	–	28	10
Hot Spring	271	–	–	7	54	16	16	5	8	2	2	5	7	121	80	–	–	56	24
Malvern	151	–	–	4	21	3	6	3	4	1	1	3	5	73	46	–	–	30	16
Balance of county	120	–	–	3	33	13	10	2	4	1	1	2	2	48	34	–	–	26	8
Howard	186	1	–	6	39	9	11	–	10	1	2	6	4	94	69	2	5	36	26
Independence	330	–	–	7	68	15	22	4	8	3	4	12	7	157	116	–	–	75	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 8 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	5	76	9	11	47	62	3	30	13	–	7	7	22	100	57	18	34	20	3
Casa Grande	1	20	2	1	14	4	–	3	3	–	3	1	3	19	6	4	8	1	1
Balance of county	4	56	7	10	33	58	3	27	10	–	4	6	19	81	51	14	26	19	2
Santa Cruz	1	14	1	1	7	6	1	4	3	–	2	3	2	11	2	3	5	2	–
Nogales	1	11	1	–	4	1	1	3	2	–	2	2	1	7	2	–	2	–	–
Balance of county	–	3	–	1	3	5	–	1	1	–	–	1	1	4	–	3	3	2	–
Yavapai	5	91	6	13	45	94	4	14	10	–	5	7	4	122	27	25	26	7	1
Prescott	1	34	–	6	14	27	–	6	4	–	2	–	1	34	6	9	7	1	1
Balance of county	4	57	6	7	31	67	4	8	6	–	3	7	3	88	21	16	19	6	–
Yuma [3]	3	40	9	8	40	61	5	22	9	–	7	6	4	72	37	24	24	7	2
Yuma	2	23	5	2	19	32	4	10	3	–	4	2	2	34	17	14	16	3	–
Balance of county	1	17	4	6	21	29	1	12	6	–	3	4	2	38	20	10	8	4	2
Arkansas	97	2,132	166	265	906	1,043	54	203	317	3	117	122	595	2,336	639	589	283	295	42
Urban places	44	829	61	102	340	426	27	89	117	–	53	60	264	1,013	176	211	102	159	14
Balance of area	53	1,303	105	163	566	617	27	114	200	3	64	62	331	1,323	463	378	181	136	28
Metropolitan counties	48	697	50	87	270	372	18	82	93	1	50	55	329	840	214	185	96	149	15
Urban places	34	504	36	56	199	269	15	56	64	–	35	43	209	617	119	117	62	119	9
Balance of area	14	193	14	31	71	103	3	26	29	1	15	12	120	223	95	68	34	30	6
Nonmetropolitan counties	49	1,435	116	178	636	671	36	121	224	2	67	67	266	1,496	425	404	187	146	27
Urban places	10	325	25	46	141	157	12	33	53	–	18	17	55	396	57	94	40	40	5
Balance of area	39	1,110	91	132	495	514	24	88	171	2	49	50	211	1,100	368	310	147	106	22
Arkansas	–	22	26	3	9	6	–	–	7	–	–	2	1	15	10	8	2	–	–
Stuttgart	–	12	1	2	7	2	–	–	3	–	–	–	1	8	4	5	1	–	–
Balance of county	–	10	25	1	2	4	–	–	4	–	–	2	–	7	6	3	1	–	–
Ashley	1	17	1	2	6	10	1	4	2	–	–	4	12	23	8	8	4	6	–
Baxter	–	52	9	8	25	22	–	3	3	–	2	–	1	60	7	11	6	2	–
Benton	2	70	5	9	42	46	6	8	21	–	3	9	11	93	23	19	8	6	–
Rogers	–	23	2	3	13	15	–	4	5	–	–	2	1	28	4	4	–	3	–
Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	2	47	3	6	29	31	6	4	16	–	3	7	10	64	19	15	8	3	–
Boone	–	21	1	2	17	13	–	3	2	–	2	–	3	20	10	3	5	2	–
Bradley	1	19	1	–	5	6	1	1	3	–	2	2	1	19	4	5	1	1	–
Calhoun	–	6	–	–	1	6	–	–	2	–	–	–	–	2	5	4	–	1	–
Carroll	1	15	2	2	10	4	–	3	4	–	–	–	–	27	8	7	7	1	1
Chicot	1	23	–	1	5	5	–	2	3	–	2	–	27	14	2	3	2	2	–
Clark	–	14	9	2	8	12	–	2	2	–	–	1	6	33	3	9	2	2	–
Arkadelphia	–	6	7	1	4	8	–	2	–	–	–	–	1	17	1	3	–	–	–
Balance of county	–	8	2	1	4	4	–	–	2	–	–	1	5	16	2	6	2	2	–
Clay	–	20	1	2	7	12	–	3	2	–	2	–	1	23	4	6	2	–	–
Cleburne	2	33	3	1	8	9	2	4	7	–	1	–	1	20	3	4	–	–	–
Cleveland	–	2	–	1	–	5	–	–	–	–	–	–	–	5	3	–	1	–	–
Columbia	–	32	–	4	9	7	2	4	3	–	1	2	2	25	6	9	5	5	1
Magnolia	–	14	–	1	6	1	2	1	2	–	1	1	–	16	2	4	2	1	–
Balance of county	–	18	–	3	3	6	–	3	1	–	–	1	2	9	4	5	3	4	1
Conway	1	17	1	1	8	6	1	–	3	–	–	–	3	23	7	7	3	2	–
Craighead	1	65	3	10	21	30	2	10	12	–	6	3	6	63	14	14	9	10	–
Jonesboro	1	41	2	9	14	21	2	6	10	–	6	2	2	46	5	10	5	5	–
Balance of county	–	24	1	1	7	9	–	4	2	–	–	1	4	17	9	4	4	5	–
Crawford	1	23	–	6	16	9	1	3	4	–	4	4	7	35	6	9	4	4	–
Van Buren	1	13	–	3	8	6	1	2	1	–	1	2	2	22	–	3	1	–	–
Balance of county	–	10	–	3	8	3	–	1	3	–	3	2	5	13	6	6	3	4	–
Crittenden	2	32	–	3	9	15	–	1	3	–	2	6	5	55	17	21	4	15	1
West Memphis	1	23	–	1	6	10	–	–	2	–	1	5	3	33	11	9	2	13	1
Balance of county	1	9	–	2	3	5	–	1	1	–	1	1	2	22	6	12	2	2	–
Cross	–	27	1	–	12	7	–	1	2	–	–	1	11	20	10	8	2	1	2
Dallas	–	15	1	–	7	4	–	–	2	–	1	–	2	10	2	–	1	1	–
Desha	4	18	2	–	9	13	–	–	–	–	1	2	3	10	6	3	2	3	1
Drew	–	15	7	–	5	9	–	–	1	–	2	1	1	13	13	1	–	3	–
Faulkner	2	52	2	4	10	13	1	9	4	–	3	2	78	41	17	13	7	5	–
Conway	–	29	1	2	4	9	1	5	2	–	2	1	34	25	8	7	4	2	–
Balance of county	2	23	1	2	6	4	–	4	2	–	1	1	44	16	9	6	3	3	–
Franklin	–	8	1	3	7	6	–	–	5	–	1	–	8	13	3	7	3	–	1
Fulton	–	5	1	1	4	9	1	–	2	1	2	–	1	16	1	2	–	–	–
Garland	3	61	9	16	44	45	3	9	10	–	6	5	45	120	20	25	22	9	6
Hot Springs	1	38	5	10	30	27	3	5	7	–	2	3	28	82	8	16	14	5	3
Balance of county	2	23	4	6	14	18	–	4	3	–	4	2	17	38	12	9	8	4	3
Grant	–	11	–	2	5	7	–	–	1	–	–	–	–	10	4	1	2	1	1
Greene	2	41	1	2	12	14	–	2	7	–	3	–	2	33	10	12	9	2	–
Paragould	1	27	1	2	9	12	–	2	5	–	1	–	2	26	3	7	5	–	–
Balance of county	1	14	–	–	3	2	–	–	2	–	2	–	–	7	7	5	4	2	–
Hempstead	–	25	3	6	7	5	1	–	5	–	–	2	4	19	6	4	–	2	–
Hope	–	17	1	–	4	2	–	–	1	–	–	1	3	11	3	2	–	2	–
Balance of county	–	8	2	6	3	3	1	–	4	–	–	1	1	8	3	2	–	–	–
Hot Spring	1	34	3	3	13	19	–	2	2	–	–	3	2	24	7	7	2	1	–
Malvern	–	22	3	2	9	9	–	2	1	–	–	2	2	16	1	5	1	–	–
Balance of county	1	12	–	1	4	10	–	–	1	–	–	1	–	8	6	2	1	1	–
Howard	2	20	–	3	5	6	–	2	2	–	–	–	1	20	1	2	–	3	–
Independence	1	35	–	5	11	18	–	2	2	–	1	1	2	31	4	8	6	3	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 9 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	171	–	–	6	34	7	13	1	1	2	1	9	5	80	60	–	1	45	14
Jackson	246	–	–	6	43	10	10	4	7	–	2	10	5	116	88	–	3	63	22
Jefferson	868	2	–	19	210	45	72	17	26	5	13	32	17	367	281	1	8	191	81
Pine Bluff	692	2	–	16	166	38	53	16	21	4	11	23	13	299	225	1	7	150	67
Balance of county	176	–	–	3	44	7	19	1	5	1	2	9	4	68	56	–	1	41	14
Johnson	221	1	–	2	48	9	14	4	3	1	2	15	7	89	76	–	1	60	15
Lafayette	127	1	–	1	25	5	6	1	–	3	2	8	2	63	37	–	–	31	6
Lawrence	209	–	–	5	44	10	17	2	5	3	1	6	5	98	77	–	–	51	26
Lee	194	–	–	6	43	8	17	3	7	2	2	4	4	89	75	–	6	43	26
Lincoln	130	–	–	1	23	5	8	–	5	–	–	5	2	60	46	–	–	29	17
Little River	123	–	–	2	35	7	14	2	4	3	–	5	–	39	31	–	–	20	11
Logan	269	1	–	3	56	12	23	5	6	1	3	6	11	122	100	1	–	80	19
Lonoke	378	–	–	3	72	22	20	6	6	4	2	12	10	169	93	1	–	56	36
Madison	126	–	–	1	34	9	11	1	7	1	1	4	3	56	43	–	1	28	14
Marion	159	–	–	–	38	9	9	4	4	–	1	11	2	69	49	2	–	27	20
Miller	418	–	–	10	90	22	26	9	13	2	1	17	9	179	132	–	6	87	39
Texarkana [4]	307	–	–	9	64	14	21	5	9	2	1	12	9	135	95	–	6	65	24
Balance of county	111	–	–	1	26	8	5	4	4	–	–	5	–	44	37	–	–	22	15
Mississippi	545	1	–	11	99	19	33	14	12	2	5	14	17	236	189	2	7	126	54
Blytheville	226	–	–	2	44	8	15	4	8	2	2	5	6	99	83	1	5	57	20
Balance of county	319	1	–	9	55	11	18	10	4	–	3	9	11	137	106	1	2	69	34
Monroe	174	–	–	3	35	8	11	2	4	2	2	6	2	77	52	–	1	41	10
Montgomery	87	–	–	1	22	6	6	1	3	–	1	5	1	34	17	–	–	12	5
Nevada	128	–	–	2	42	8	13	2	1	4	1	13	1	40	28	1	1	21	5
Newton	73	–	–	–	16	4	7	1	1	–	1	2	1	35	31	–	–	16	15
Ouachita	406	1	–	3	83	20	22	10	11	3	3	14	3	210	160	–	6	112	42
Camden	228	–	–	2	46	12	14	6	4	1	2	7	1	121	94	–	4	68	22
Balance of county	178	1	–	1	37	8	8	4	7	2	1	7	2	89	66	–	2	44	20
Perry	90	–	–	1	15	1	5	1	1	1	1	5	1	40	29	–	–	21	8
Phillips	402	2	–	6	92	25	27	6	14	4	2	14	17	172	139	–	3	115	21
West Helena	133	1	–	–	36	10	11	2	4	1	2	6	4	49	43	–	–	39	4
Balance of county	269	1	–	6	56	15	16	4	10	3	–	8	13	123	96	–	3	76	17
Pike	117	–	–	2	28	2	12	2	4	–	–	8	2	51	38	–	1	28	9
Poinsett	304	–	–	6	74	13	32	2	6	3	3	15	2	132	111	–	1	73	37
Polk	223	–	–	1	53	15	14	4	6	–	3	11	6	105	83	1	1	57	24
Pope	387	–	–	6	96	24	32	6	9	3	3	19	7	179	141	1	2	102	36
Russellville	197	–	–	5	48	11	16	3	5	2	2	9	4	90	69	1	1	53	14
Balance of county	190	–	–	1	48	13	16	3	4	1	1	10	3	89	72	–	1	49	22
Prairie	98	–	–	2	20	8	6	2	2	–	1	1	–	52	42	–	2	25	15
Pulaski	3,089	3	–	75	717	149	231	57	69	36	31	144	79	1,156	831	5	24	577	225
Jacksonville	202	–	–	5	43	10	15	–	4	2	3	9	6	70	52	–	–	40	12
Little Rock	1,802	2	–	54	416	83	133	39	38	22	15	86	38	688	487	1	16	347	123
North Little Rock	704	1	–	10	164	36	56	10	18	9	9	26	25	264	198	3	5	127	63
Sherwood	79	–	–	2	20	5	8	1	1	–	–	5	2	29	25	1	–	20	4
Balance of county	302	–	–	4	74	15	19	7	8	3	4	18	8	105	69	–	3	43	23
Randolph	177	–	–	2	48	8	20	2	–	3	1	14	3	73	60	–	–	41	19
St. Francis	345	–	–	11	71	12	16	7	11	6	3	16	15	149	117	–	3	91	23
Forrest City	191	–	–	6	42	9	6	4	6	3	3	11	10	85	68	–	1	53	14
Balance of county	154	–	–	5	29	3	10	3	5	3	–	5	5	64	49	–	2	38	9
Saline	459	–	–	7	109	27	40	9	8	4	3	18	15	180	137	–	–	101	36
Benton	184	–	–	3	39	11	12	3	2	3	2	6	6	82	61	–	–	53	8
Balance of county	275	–	–	4	70	16	28	6	6	1	1	12	9	98	76	–	–	48	28
Scott	121	–	–	1	38	8	18	2	3	2	1	4	1	60	49	–	–	37	12
Searcy	98	–	–	1	25	6	13	2	2	1	–	1	1	49	42	2	–	34	6
Sebastian	995	2	–	21	215	45	82	16	20	9	7	36	28	471	373	2	7	286	78
Fort Smith	754	2	–	16	156	35	59	14	12	6	3	27	22	360	279	2	5	219	53
Balance of county	241	–	–	5	59	10	23	2	8	3	4	9	6	111	94	–	2	67	25
Sevier	169	–	–	3	37	9	11	3	3	2	2	7	2	81	65	–	–	55	10
Sharp	203	–	–	3	51	8	20	5	10	1	1	6	2	104	88	–	1	74	13
Stone	103	–	–	4	23	4	11	1	3	–	1	3	1	46	34	–	1	17	16
Union	594	–	–	8	140	35	42	12	11	7	7	26	13	249	176	1	6	113	56
El Dorado	338	–	–	4	82	22	23	7	7	7	3	13	7	146	102	1	4	64	33
Balance of county	256	–	–	4	58	13	19	5	4	–	4	13	6	103	74	–	2	49	23
Van Buren	190	–	–	1	46	13	15	1	6	1	2	8	1	99	76	–	–	40	36
Washington	934	1	–	21	219	40	84	11	26	13	12	33	24	335	255	1	10	173	71
Fayetteville	315	1	–	12	61	16	19	4	6	2	4	10	8	113	82	–	2	60	20
Springdale, part	258	–	–	4	70	14	27	3	6	6	4	10	10	96	76	1	3	51	21
Springdale, total	260	–	–	4	71	14	27	4	6	6	4	10	10	96	76	1	3	51	21
Balance of county	361	–	–	5	88	10	38	4	14	5	4	13	6	126	97	–	5	62	30
White	524	–	–	4	136	34	48	7	14	6	8	19	9	215	149	–	1	103	45
Searcy	146	–	–	2	31	8	10	1	3	–	4	5	4	66	46	–	–	28	18
Balance of county	378	–	–	2	105	26	38	6	11	6	4	14	5	149	103	–	1	75	27
Woodruff	139	2	–	3	28	10	9	3	2	–	–	4	2	70	47	–	–	36	11
Yell	220	–	–	2	52	12	15	3	7	–	1	14	2	112	74	–	–	59	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 10 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	1	19	–	–	9	7	–	1	1	–	1	–	1	15	7	2	2	–	–
Jackson	3	23	–	2	8	9	2	1	1	–	–	2	5	24	9	8	1	5	1
Jefferson	4	69	6	7	26	49	5	7	11	–	3	4	6	84	20	17	8	12	1
Pine Bluff	2	61	5	6	18	36	4	5	10	–	2	3	5	67	13	14	7	11	1
Balance of county	2	8	1	1	8	13	1	2	1	–	1	1	1	17	7	3	1	1	–
Johnson	–	13	–	–	10	9	1	3	4	–	–	–	10	22	5	3	5	2	–
Lafayette	–	19	3	4	5	1	–	–	–	–	1	–	4	11	3	4	2	3	1
Lawrence	–	14	1	6	11	8	–	3	3	–	–	–	2	18	7	4	1	–	–
Lee	–	11	–	3	6	6	–	2	5	–	–	1	2	21	2	2	1	3	1
Lincoln	2	10	1	1	5	4	–	1	3	–	–	–	2	17	7	3	2	–	–
Little River	–	7	–	1	7	1	–	1	1	–	–	–	20	7	6	–	3	1	–
Logan	1	17	2	2	10	13	–	1	2	–	–	–	2	28	7	8	5	–	–
Lonoke	5	63	3	5	14	19	–	3	7	1	3	1	5	36	18	7	4	4	2
Madison	–	10	–	3	3	9	–	–	2	–	1	2	1	7	2	2	2	1	–
Marion	–	11	3	6	6	8	–	2	3	–	–	–	1	18	3	8	–	1	–
Miller	1	39	2	5	17	24	–	1	5	–	1	–	8	38	17	7	4	7	1
Texarkana [4]	1	32	2	5	13	15	–	1	3	–	1	–	5	30	10	6	2	4	–
Balance of county	–	7	–	–	4	9	–	–	2	–	–	–	3	8	7	1	2	3	1
Mississippi	2	36	2	7	21	26	–	3	10	–	3	4	10	54	14	17	11	7	1
Blytheville	2	11	–	3	9	10	–	2	4	–	1	2	5	25	1	8	4	4	–
Balance of county	–	25	2	4	12	16	–	1	6	–	2	2	5	29	13	9	7	3	1
Monroe	1	21	1	2	11	10	–	1	2	–	–	–	5	10	3	9	3	2	1
Montgomery	1	15	–	1	3	6	–	3	–	–	–	–	1	12	2	1	1	–	–
Nevada	–	11	–	1	9	5	–	1	3	–	–	–	9	7	5	2	2	–	–
Newton	–	4	–	–	2	3	–	–	–	–	1	–	2	6	1	5	1	–	–
Ouachita	2	43	–	5	14	9	1	1	5	1	1	2	4	40	11	9	2	4	2
Camden	2	23	–	2	8	6	1	–	2	–	1	1	2	23	5	4	1	3	1
Balance of county	–	20	–	3	6	3	–	1	3	1	–	1	2	17	6	5	1	1	1
Perry	–	10	–	1	6	7	1	–	1	–	2	–	1	7	3	2	3	–	–
Phillips	1	30	–	2	7	11	1	3	5	–	1	2	7	34	11	17	2	12	–
West Helena	–	5	–	1	2	6	1	2	–	–	–	1	1	14	4	5	–	7	–
Balance of county	1	25	–	1	5	5	–	1	5	–	1	1	6	20	7	12	2	5	–
Pike	–	9	1	3	4	5	–	1	1	–	1	–	–	15	1	6	–	–	–
Poinsett	–	19	–	2	15	10	–	1	5	–	–	3	–	26	8	10	5	5	2
Polk	2	18	–	2	7	10	–	2	3	–	–	–	2	24	3	7	–	–	–
Pope	2	31	1	4	11	11	–	5	4	–	2	–	1	32	12	15	5	1	–
Russellville	1	16	1	3	4	5	–	2	2	–	2	–	1	17	6	8	3	–	–
Balance of county	1	15	–	1	7	6	–	3	2	–	–	–	–	15	6	7	2	1	–
Prairie	–	9	1	–	4	4	–	2	2	–	1	–	–	6	2	3	–	–	–
Pulaski	23	253	20	29	108	137	7	43	29	–	22	27	123	320	56	65	33	84	5
Jacksonville	–	15	3	–	12	9	1	–	1	–	6	2	7	20	3	8	6	3	–
Little Rock	17	156	13	15	66	80	4	21	20	–	10	17	76	179	23	33	19	52	4
North Little Rock	4	50	3	9	17	30	1	14	7	–	4	5	23	84	16	13	4	22	–
Sherwood	1	3	–	–	2	5	–	–	–	–	1	–	–	13	2	1	–	2	–
Balance of county	1	29	1	5	11	13	1	8	1	–	1	3	17	24	12	10	4	5	1
Randolph	–	11	–	2	12	2	1	2	5	–	2	2	3	10	3	6	1	1	1
St. Francis	1	28	–	3	14	16	2	1	2	–	2	2	4	29	8	10	2	7	–
Forrest City	–	17	–	–	6	8	1	–	1	–	1	–	4	20	–	3	–	4	–
Balance of county	1	11	–	3	8	8	1	1	1	–	1	2	–	9	8	7	2	3	–
Saline	1	32	4	6	10	25	3	2	7	–	1	1	6	60	11	11	7	3	1
Benton	–	16	2	3	3	14	2	–	2	–	–	1	5	22	1	2	1	1	–
Balance of county	1	16	2	3	7	11	1	2	5	–	1	–	1	38	10	9	6	2	1
Scott	1	8	–	2	7	–	–	–	1	–	–	1	1	7	1	1	1	1	–
Searcy	–	6	–	1	5	4	1	–	–	–	–	1	1	5	1	2	1	1	–
Sebastian	6	81	2	9	24	37	1	8	9	–	4	4	24	79	25	19	18	4	2
Fort Smith	5	70	2	4	24	27	1	4	7	–	4	3	14	65	16	16	12	3	2
Balance of county	1	11	–	5	–	10	–	4	2	–	–	1	10	14	9	3	6	1	–
Sevier	–	15	–	1	16	5	1	–	2	–	–	1	–	7	9	2	3	–	–
Sharp	–	13	–	3	5	7	–	–	3	–	1	1	–	21	4	1	–	–	–
Stone	1	9	2	–	7	6	–	1	1	–	–	–	–	9	2	2	–	–	1
Union	2	62	3	6	17	27	3	8	11	–	4	4	1	58	22	9	5	14	1
El Dorado	2	36	2	4	9	17	2	4	6	–	3	2	–	32	7	7	4	5	1
Balance of county	–	26	1	2	8	10	1	4	5	–	1	2	1	26	15	2	1	9	–
Van Buren	2	18	1	2	10	5	–	1	2	–	1	–	–	14	–	4	4	2	–
Washington	3	53	11	13	36	44	–	5	14	–	7	6	67	92	27	16	7	11	2
Fayetteville	–	25	3	3	18	16	–	2	2	–	1	2	15	39	12	4	2	6	1
Springdale, part	2	11	2	5	8	12	–	2	7	–	2	2	20	18	4	1	2	–	–
Springdale, total	2	11	2	5	8	12	–	2	7	–	2	2	20	19	4	1	2	–	–
Balance of county	1	17	6	5	10	16	–	1	5	–	4	2	32	35	11	11	3	5	1
White	1	56	2	7	19	26	2	3	9	–	3	1	6	42	27	17	3	2	–
Searcy	–	17	–	3	7	8	–	1	4	–	–	–	2	14	3	3	–	1	–
Balance of county	1	39	2	4	12	18	2	2	5	–	3	1	4	28	24	14	3	1	–
Woodruff	–	19	1	3	4	7	–	–	2	–	1	–	–	16	–	2	–	2	–
Yell	–	37	–	1	4	13	–	2	3	–	–	–	1	13	10	4	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	215,284	199	6	7,397	50,144	11,912	14,016	4,332	5,729	2,002	1,884	10,269	3,307	88,100	67,448	669	2,882	46,102	17,795
Urban places	173,039	175	5	6,485	39,754	9,555	10,965	3,464	4,550	1,598	1,487	8,135	2,725	71,216	54,590	551	2,389	36,823	14,827
Balance of area	42,245	24	1	912	10,390	2,357	3,051	868	1,179	404	397	2,134	582	16,884	12,858	118	493	9,279	2,968
Metropolitan counties	204,167	195	5	7,238	47,419	11,324	13,204	4,109	5,405	1,891	1,781	9,705	3,152	83,651	64,063	631	2,719	43,686	17,027
Urban places	170,066	173	5	6,420	39,070	9,411	10,767	3,396	4,475	1,570	1,463	7,988	2,688	69,962	53,644	536	2,330	36,158	14,620
Balance of area	34,101	22	–	818	8,349	1,913	2,437	713	930	321	318	1,717	464	13,689	10,419	95	389	7,528	2,407
Nonmetropolitan counties	11,117	4	1	159	2,725	588	812	223	324	111	103	564	155	4,449	3,385	38	163	2,416	768
Urban places	2,973	2	–	65	684	144	198	68	75	28	24	147	37	1,254	946	15	59	665	207
Balance of area	8,144	2	1	94	2,041	444	614	155	249	83	79	417	118	3,195	2,439	23	104	1,751	561
Alameda	9,867	10	–	352	2,328	585	651	197	247	85	74	489	175	3,946	2,920	28	210	1,916	766
Alameda	591	1	–	13	122	21	35	15	13	3	6	29	9	268	198	2	15	138	43
Albany	124	–	–	5	34	12	7	5	1	3	1	5	3	45	29	1	2	17	9
Berkeley	788	1	–	41	172	30	47	17	31	8	2	37	12	318	214	1	16	122	75
Fremont	878	1	–	20	237	52	63	23	20	7	10	62	16	330	250	3	12	183	52
Hayward	1,199	–	–	35	268	71	78	24	34	8	4	49	25	503	373	7	18	261	87
Livermore	337	1	–	13	95	27	26	10	7	3	4	18	6	119	95	–	4	73	18
Newark	164	–	–	6	36	11	9	4	2	1	2	7	3	70	57	1	1	43	12
Oakland	3,564	4	–	173	785	209	221	56	90	23	26	160	69	1,372	1,009	10	99	620	280
Piedmont	85	–	–	1	24	7	4	–	6	1	–	6	–	36	29	–	1	22	6
Pleasanton	201	–	–	4	66	17	26	5	4	1	2	11	2	70	49	–	2	33	14
San Leandro	918	1	–	14	234	56	62	18	17	12	7	62	15	395	306	2	15	204	85
Union City	309	–	–	8	72	19	21	5	9	6	3	9	7	123	90	–	8	57	25
Balance of county	709	1	–	19	183	53	52	15	13	9	7	34	8	297	221	1	17	143	60
Alpine	7	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–
Amador	296	–	–	3	90	19	28	5	15	2	5	16	7	112	82	2	2	59	19
Butte	1,625	2	–	34	397	89	121	26	48	20	14	79	28	758	498	6	14	332	146
Chico	527	1	–	14	108	28	23	7	15	5	5	25	13	212	129	2	5	93	29
Paradise	438	1	–	6	97	23	32	7	11	6	3	15	4	189	136	1	3	93	39
Balance of county	660	–	–	14	192	38	66	12	22	9	6	39	11	357	233	3	6	146	78
Calaveras	318	–	–	3	76	16	21	7	14	1	4	13	3	114	95	–	2	70	23
Colusa	113	–	–	1	20	6	7	1	1	–	1	4	2	48	40	–	2	27	11
Contra Costa	5,891	5	1	175	1,489	355	424	133	151	49	61	316	79	2,277	1,676	21	111	1,060	484
Antioch	393	–	–	8	86	22	29	4	7	3	5	16	3	160	120	3	5	79	33
Concord	748	–	–	27	199	41	60	17	21	10	10	40	13	258	196	2	16	127	51
El Cerrito	233	–	–	4	63	15	15	3	11	3	4	12	4	91	67	1	3	41	22
Lafayette	172	–	–	5	47	13	11	4	4	–	5	10	2	76	62	1	5	41	15
Martinez	286	–	1	6	70	16	19	8	4	1	–	22	3	108	74	2	5	49	18
Moraga Town	102	–	–	2	33	9	9	2	5	2	–	6	–	49	37	1	4	24	8
Pinole	117	–	–	5	31	10	9	3	3	1	1	4	3	42	34	1	4	19	10
Pittsburg	465	–	–	21	96	22	33	8	10	1	7	15	7	164	120	–	14	70	36
Pleasant Hill	200	–	–	9	55	10	25	3	2	3	–	12	4	86	67	2	1	45	19
Richmond	821	4	–	33	192	47	56	14	24	6	7	38	22	295	229	1	23	136	69
San Pablo	334	1	–	9	72	10	21	11	10	5	2	13	5	141	113	4	6	72	31
Walnut Creek	861	–	–	11	223	57	51	21	28	8	8	50	4	379	243	2	5	160	76
Balance of county	1,159	–	–	35	322	83	86	35	22	6	12	78	9	428	314	1	20	197	96
Del Norte	205	–	–	2	48	9	22	3	5	1	–	8	5	72	60	–	3	40	17
El Dorado	932	1	–	16	248	49	73	28	34	10	5	49	7	317	233	7	4	162	60
South Lake Tahoe	137	–	–	3	34	3	14	5	6	1	1	4	1	32	24	–	–	19	5
Balance of county	795	1	–	13	214	46	59	23	28	9	4	45	6	285	209	7	4	143	55
Fresno	4,988	3	–	122	1,056	265	278	85	123	34	45	226	102	1,933	1,507	15	114	980	398
Clovis	381	–	–	8	88	18	24	11	12	4	4	15	4	151	118	–	10	65	43
Fresno	3,311	2	–	92	685	168	192	51	80	21	26	147	59	1,284	998	14	76	643	265
Reedley	149	1	–	3	24	8	4	1	3	1	1	6	2	73	56	–	2	41	13
Sanger	186	–	–	1	46	8	10	7	5	–	4	12	6	71	52	–	4	38	10
Selma	182	–	–	3	39	12	8	2	6	1	2	8	8	67	56	–	7	36	13
Balance of county	779	–	–	15	174	51	40	13	17	7	8	38	23	287	227	1	15	157	54
Glenn	221	–	–	2	52	10	15	4	6	3	4	10	9	92	73	–	2	49	22
Humboldt	1,092	–	–	13	259	45	86	15	30	13	15	55	18	417	315	5	13	214	83
Arcata	112	–	–	–	23	4	5	1	2	2	1	8	3	49	39	1	2	29	7
Eureka	445	–	–	11	115	23	37	8	12	6	7	22	6	165	125	2	9	80	34
Balance of county	535	–	–	2	121	18	44	6	16	5	7	25	9	203	151	2	2	105	42
Imperial	802	1	–	16	174	50	42	18	25	7	6	26	9	314	231	2	10	177	42
Brawley	129	1	–	1	27	7	7	2	6	1	1	3	–	51	39	–	3	30	6
Calexico	101	–	–	1	21	6	4	1	3	3	1	3	1	40	25	–	–	20	5
El Centro	242	–	–	10	56	16	12	8	4	2	3	11	–	88	59	2	5	37	15
Balance of county	330	–	–	4	70	21	19	7	12	1	1	9	8	135	108	–	2	90	16
Inyo	205	–	–	–	46	6	12	7	8	2	1	10	2	89	58	–	1	41	16
Kern	4,140	3	–	80	904	201	287	69	94	34	37	182	62	1,629	1,326	16	65	983	262
Bakersfield	2,434	3	–	51	515	102	166	41	58	21	15	112	40	993	809	11	37	596	165
Delano	181	–	–	2	35	9	12	2	2	1	4	5	2	75	65	1	5	47	12
Ridgecrest	221	–	–	2	64	15	18	7	12	5	1	6	6	85	58	–	–	45	13
Balance of county	1,304	–	–	25	290	75	91	19	22	7	17	59	14	476	394	4	23	295	72
Kings	638	–	–	7	144	38	39	12	10	2	5	38	18	281	206	1	14	140	51
Hanford	355	–	–	4	77	20	23	6	5	–	3	20	9	176	129	–	9	86	34
Balance of county	283	–	–	3	67	18	16	6	5	2	2	18	9	105	77	1	5	54	17
Lake	768	–	1	10	180	44	63	9	22	8	7	27	6	305	235	2	33	170	30
Lassen	207	–	–	2	43	6	11	3	9	3	2	9	4	81	63	–	2	45	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California	984	15,386	2,020	2,262	9,734	9,706	848	3,730	1,460	64	1,717	1,951	1,775	17,592	5,009	4,508	3,716	4,117	204
Urban places	807	12,461	1,616	1,742	7,926	7,506	676	3,051	1,170	48	1,444	1,667	1,406	13,874	3,670	3,576	2,896	3,610	159
Balance of area	177	2,925	404	520	1,808	2,200	172	679	290	16	273	284	369	3,718	1,339	932	820	507	45
Metropolitan counties	942	14,587	1,940	2,119	9,269	9,043	798	3,555	1,383	57	1,659	1,913	1,694	16,542	4,675	4,213	3,481	4,036	189
Urban places	792	12,217	1,597	1,712	7,798	7,348	662	2,996	1,148	46	1,416	1,657	1,384	13,613	3,592	3,497	2,849	3,587	155
Balance of area	150	2,370	343	407	1,471	1,695	136	559	235	11	243	256	310	2,929	1,083	716	632	449	34
Nonmetropolitan counties	42	799	80	143	465	663	50	175	77	7	58	38	81	1,050	334	295	235	81	15
Urban places	15	244	19	30	128	158	14	55	22	2	28	10	22	261	78	79	47	23	4
Balance of area	27	555	61	113	337	505	36	120	55	5	30	28	59	789	256	216	188	58	11
Alameda	39	777	108	102	404	427	37	165	93	2	60	71	82	947	154	248	144	214	8
Alameda	6	49	3	12	35	33	1	12	2	–	4	1	2	55	4	15	8	6	–
Albany	2	12	–	2	4	7	2	1	–	–	–	–	–	14	3	2	3	1	–
Berkeley	2	83	12	7	40	32	3	9	7	–	2	5	8	87	4	17	18	12	–
Fremont	7	63	5	5	24	49	1	19	7	1	6	6	4	97	18	19	19	4	–
Hayward	3	89	27	11	49	70	8	23	8	–	7	6	12	98	20	28	22	16	1
Livermore	2	14	2	6	10	8	2	2	3	–	4	4	8	31	16	6	5	4	–
Newark	–	10	2	1	7	7	–	5	4	–	–	2	1	13	4	5	1	–	–
Oakland	13	295	24	31	138	109	16	59	37	–	21	33	34	341	60	119	36	155	3
Piedmont	–	4	1	2	5	3	–	1	–	–	–	–	–	13	–	1	1	–	–
Pleasanton	1	14	3	3	15	10	–	1	5	–	1	2	2	16	2	–	3	1	1
San Leandro	2	66	10	11	33	40	2	17	6	–	5	5	6	93	12	21	11	5	3
Union City	–	26	6	1	15	19	1	4	4	–	5	3	1	27	5	4	6	5	–
Balance of county	1	52	13	10	29	40	1	12	10	1	5	4	4	62	6	11	11	5	–
Alpine	–	1	–	1	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–
Amador	1	25	1	3	19	14	–	3	2	–	1	–	–	25	9	3	8	–	–
Butte	24	178	31	27	106	97	8	29	6	–	6	5	28	204	39	31	34	11	2
Chico	2	59	14	8	29	27	3	10	2	–	1	2	9	52	13	8	16	5	2
Paradise	10	39	1	3	32	20	2	4	–	–	2	–	2	58	6	10	5	–	–
Balance of county	12	80	16	16	45	50	3	15	4	–	3	3	17	94	20	13	13	6	–
Calaveras	1	17	–	1	21	34	1	4	2	–	–	1	3	30	13	3	6	3	1
Colusa	1	4	1	2	3	9	1	1	1	–	–	–	2	11	8	2	3	1	–
Contra Costa	24	466	51	60	250	272	29	85	42	1	46	29	58	596	115	139	103	98	2
Antioch	3	34	3	–	11	18	2	9	4	–	1	–	5	40	16	9	12	8	1
Concord	–	49	4	9	28	31	5	19	3	1	7	10	8	86	13	16	19	5	–
El Cerrito	1	14	6	3	13	15	–	4	2	–	3	1	–	17	2	6	6	1	1
Lafayette	–	13	1	–	8	5	–	2	1	–	–	1	2	13	4	3	3	–	–
Martinez	2	23	3	6	8	14	2	5	–	–	4	–	1	44	6	9	5	–	–
Moraga Town	–	11	–	1	2	4	1	–	–	–	–	–	–	6	1	3	1	–	–
Pinole	–	7	–	1	8	6	–	2	2	–	2	–	–	10	–	3	3	–	–
Pittsburg	4	31	6	3	23	28	1	9	6	–	5	1	5	44	17	24	8	6	–
Pleasant Hill	2	14	2	1	4	8	1	3	–	–	–	–	2	17	4	3	3	1	–
Richmond	3	49	5	9	28	38	5	5	5	–	7	7	17	72	8	26	10	47	–
San Pablo	1	23	2	2	14	18	1	7	5	–	2	1	1	28	3	6	5	15	–
Walnut Creek	3	109	13	11	52	37	5	5	5	–	5	–	3	96	12	12	9	3	–
Balance of county	5	89	6	14	51	50	6	15	9	–	10	8	14	123	29	19	19	12	–
Del Norte	–	10	1	1	14	11	1	2	3	–	2	–	4	19	7	8	2	3	2
El Dorado	5	49	12	18	39	50	3	15	8	–	5	4	9	104	38	23	32	12	1
South Lake Tahoe	–	4	1	3	2	7	–	4	1	–	3	3	–	14	14	5	8	6	–
Balance of county	5	45	11	15	37	43	3	11	7	–	2	1	9	90	24	18	24	6	1
Fresno	28	314	35	49	190	231	24	82	43	3	62	58	88	506	223	103	67	86	6
Clovis	3	25	2	3	15	26	1	5	–	–	3	3	7	48	8	4	8	2	–
Fresno	17	214	24	31	125	149	19	55	34	1	47	39	60	349	122	73	44	66	6
Reedley	2	13	–	2	9	3	1	2	1	1	3	3	1	12	7	1	1	1	–
Sanger	–	13	1	5	7	7	–	3	–	–	4	1	3	19	11	4	–	3	–
Selma	–	8	2	1	6	9	–	2	1	–	–	2	3	19	16	2	4	1	–
Balance of county	6	41	6	7	28	37	3	15	7	1	5	10	14	59	59	19	10	13	–
Glenn	2	10	4	3	11	8	–	3	–	–	2	–	5	21	5	6	3	2	–
Humboldt	3	78	7	14	38	76	6	31	6	1	4	4	11	111	26	44	17	9	1
Arcata	–	8	2	–	2	5	1	8	–	–	1	1	2	11	2	2	1	1	–
Eureka	1	32	2	5	21	32	4	14	3	1	–	–	5	41	4	15	4	3	1
Balance of county	2	38	3	9	15	39	1	9	3	–	3	3	4	59	20	27	12	5	–
Imperial	6	69	3	5	33	52	3	11	6	–	5	5	9	80	20	30	22	11	1
Brawley	–	11	1	–	6	8	1	2	2	–	–	–	2	12	6	5	3	2	–
Calexico	3	12	–	–	3	6	–	3	2	–	–	1	–	11	1	7	1	2	1
El Centro	2	26	1	–	14	9	1	1	–	–	5	1	6	29	1	10	7	4	–
Balance of county	1	20	1	5	10	29	1	5	2	–	–	3	1	28	12	8	11	3	–
Inyo	1	24	2	4	13	9	1	4	1	–	1	1	3	21	3	6	5	–	–
Kern	8	230	27	38	219	236	10	79	33	–	40	63	24	342	176	101	74	63	2
Bakersfield	3	148	9	24	132	137	2	47	17	–	20	39	13	206	82	56	42	38	1
Delano	3	5	1	1	9	7	–	5	2	–	4	4	–	13	10	7	2	3	1
Ridgecrest	–	19	6	2	7	12	1	2	1	–	4	1	1	20	4	4	6	1	–
Balance of county	2	58	11	11	71	80	7	25	13	–	12	19	10	103	80	34	24	21	–
Kings	6	54	6	9	24	27	2	8	5	4	10	6	1	45	18	18	10	8	2
Hanford	5	33	4	5	12	15	1	3	4	–	5	2	–	23	7	8	3	4	2
Balance of county	1	21	2	4	12	12	1	5	1	4	5	4	1	22	11	10	7	4	–
Lake	1	58	2	9	36	55	6	23	5	–	1	2	9	72	18	12	16	6	5
Lassen	–	12	–	6	10	17	2	1	1	–	–	–	3	22	11	6	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 13 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	61,786	70	2	2,452	13,762	3,449	3,625	1,233	1,558	580	556	2,761	1,012	26,713	21,114	182	797	13,460	6,675
Alhambra	679	1	-	17	123	33	32	17	11	3	5	22	10	357	281	4	4	195	78
Arcadia	483	-	-	4	123	35	32	9	18	5	3	21	6	245	184	1	2	135	46
Artesia	122	-	-	-	19	6	5	1	2	-	-	5	3	60	54	2	1	40	11
Azusa	299	-	-	3	81	19	19	5	9	5	3	21	11	110	92	-	5	53	34
Baldwin Park	319	-	-	10	62	22	12	7	5	2	4	10	7	132	98	-	4	59	35
Bell	162	-	-	3	42	11	10	4	3	1	4	9	5	73	60	-	1	42	17
Bellflower	543	-	-	12	124	30	37	9	18	3	3	24	7	242	196	2	7	126	61
Bell Gardens	165	-	-	5	30	5	13	2	2	1	1	6	5	59	49	1	3	30	15
Beverly Hills	388	-	-	13	116	38	23	14	6	3	5	27	5	175	129	3	6	84	36
Burbank	830	-	-	23	196	53	46	15	23	7	7	45	9	387	295	2	11	194	88
Carson	562	2	-	18	135	29	48	7	15	7	9	20	17	249	198	6	5	132	55
Cerritos	175	2	-	7	56	17	12	5	6	4	3	9	4	75	60	-	2	35	23
Claremont	231	-	-	5	47	8	11	9	10	2	-	7	3	113	86	1	3	55	27
Commerce	88	-	-	3	13	3	1	2	1	-	1	5	2	42	35	-	1	23	11
Compton	836	1	-	18	156	43	51	9	15	8	1	29	16	312	242	2	16	142	82
Covina	479	-	-	8	114	22	38	13	10	6	4	21	9	223	173	1	13	111	48
Cudahy	79	-	-	4	13	3	2	-	1	2	-	5	3	29	23	2	-	15	6
Culver City	367	-	-	10	97	24	29	8	13	3	7	13	4	159	123	1	1	85	36
Downey	732	1	-	12	191	52	52	12	30	4	2	39	14	319	250	4	8	169	69
Duarte	200	-	-	3	39	9	7	6	6	3	-	8	-	104	86	-	1	59	26
El Monte	556	1	-	11	117	40	33	10	8	2	4	20	9	221	189	1	6	106	76
El Segundo	109	-	-	1	25	4	9	1	4	1	-	6	2	57	45	2	4	26	13
Gardena	554	1	-	16	110	32	31	8	7	4	4	24	6	260	206	2	6	136	62
Glendale	1,341	-	-	54	310	86	70	43	30	9	15	57	8	639	490	5	8	322	155
Glendora	404	-	-	4	106	22	33	12	9	7	3	20	4	184	150	5	4	92	49
Hawaiian Gardens	63	-	-	5	15	2	3	3	-	1	-	6	-	22	19	-	1	13	5
Hawthorne	506	1	-	15	107	23	41	4	12	6	3	18	3	194	140	3	5	77	55
Hermosa Beach	66	-	-	2	12	3	2	-	2	-	-	5	-	38	27	1	-	17	9
Huntington Park	332	-	-	12	60	16	17	5	7	3	4	8	4	132	99	1	4	73	21
Inglewood	771	-	-	23	165	43	46	9	17	6	7	37	23	298	240	1	13	148	78
La Canada Flintridge	128	-	-	2	43	9	9	5	5	4	2	9	1	48	36	-	-	23	13
Lakewood	550	-	-	8	143	36	44	11	16	7	3	26	3	248	210	1	5	140	64
La Mirada	289	1	-	4	74	12	25	10	10	2	3	12	8	129	100	2	3	63	32
Lancaster	710	1	-	12	178	41	58	12	20	11	5	31	14	245	211	1	12	128	70
La Puente	453	1	-	12	108	26	32	8	14	2	4	22	18	163	132	1	9	81	41
La Verne	254	-	-	4	51	11	16	6	6	3	2	7	4	134	110	1	1	83	25
Lawndale	141	-	-	3	34	7	13	1	6	2	1	4	2	58	39	-	-	25	14
Lomita	148	-	-	1	44	7	14	1	4	7	2	9	5	62	44	-	2	34	8
Long Beach	3,712	4	-	190	766	163	229	72	87	31	34	150	42	1,646	1,298	10	61	833	394
Los Angeles	27,101	41	2	1,431	5,767	1,479	1,452	493	673	224	229	1,217	466	11,513	9,123	64	391	5,636	3,032
Lynwood	310	-	-	5	63	19	14	6	5	2	3	14	5	137	103	1	5	56	41
Manhattan Beach	187	-	-	4	64	16	13	6	10	2	2	15	2	61	47	-	-	30	17
Maywood	117	-	-	5	16	4	5	1	1	1	2	2	6	44	35	-	-	26	9
Monrovia	277	-	-	4	76	18	18	4	9	3	7	17	2	132	109	2	1	70	36
Montebello	426	1	-	13	98	28	19	9	13	4	9	16	13	193	159	2	5	93	59
Monterey Park	398	-	-	4	97	28	20	9	13	5	5	17	12	186	145	1	3	105	36
Norwalk	583	-	-	13	121	28	41	8	14	5	5	20	13	238	186	-	7	126	53
Palmdale	414	-	-	9	103	26	30	7	16	7	1	16	3	144	123	1	6	76	40
Palos Verdes Estates	79	-	-	1	25	7	3	5	5	-	-	5	-	34	27	-	-	14	13
Paramount	250	-	-	5	56	14	12	7	5	3	1	14	2	94	72	-	1	51	20
Pasadena	1,285	1	-	50	283	62	67	27	40	14	10	63	14	612	474	4	16	303	151
Pico Rivera	377	1	-	1	88	21	24	3	9	3	6	22	6	185	147	3	-	95	49
Pomona	822	1	-	21	138	38	43	10	8	8	3	28	10	371	313	4	9	222	78
Rancho Palos Verdes	253	-	-	5	75	12	18	12	11	5	4	13	3	126	100	1	5	61	33
Redondo Beach	341	-	-	12	98	18	25	15	12	6	5	17	4	151	122	2	3	72	45
Rosemead	371	-	-	14	73	23	19	10	6	2	4	9	7	165	137	-	4	88	45
San Dimas	222	-	-	3	60	15	15	6	8	3	2	11	3	90	76	-	2	55	19
San Fernando	176	-	-	9	39	17	9	2	3	-	2	6	3	64	49	2	-	25	22
San Gabriel	449	-	-	11	107	27	28	9	12	8	3	20	3	211	158	2	2	101	53
San Marino	95	-	-	3	26	8	4	2	4	2	1	5	-	41	29	-	2	21	6
Santa Fe Springs	132	-	-	1	33	6	6	2	5	1	2	11	4	56	48	-	1	32	15
Santa Monica	927	1	-	38	205	48	50	21	23	10	7	46	10	454	348	3	19	221	105
Sierra Madre	110	-	-	1	28	5	5	3	7	2	1	5	2	53	40	1	2	30	7
South El Monte	89	-	-	1	13	2	3	-	1	1	-	6	2	46	40	1	-	24	15
South Gate	507	1	-	9	126	36	30	14	9	6	6	25	7	207	164	1	7	100	56
South Pasadena	169	-	-	6	42	14	4	5	7	1	2	9	-	79	52	-	1	33	18
Temple City	274	-	-	4	56	12	10	9	9	2	4	10	2	144	119	1	2	92	24
Torrance	1,126	-	-	25	267	60	79	25	30	16	16	41	23	464	362	4	7	250	101
West Covina	578	-	-	7	155	42	47	16	12	8	6	24	10	236	191	-	15	111	65
Whittier	1,219	1	-	17	298	74	87	19	26	17	18	57	29	551	438	5	15	293	125
Balance of county	3,276	5	-	163	821	197	220	93	84	32	32	163	50	1,388	1,079	8	28	744	299
Madera	737	2	-	16	162	33	45	11	18	11	6	38	15	301	244	1	21	170	52
Madera	439	1	-	12	81	17	23	5	10	5	2	19	11	186	157	1	15	108	33
Balance of county	298	1	-	4	81	16	22	6	8	6	4	19	4	115	87	-	6	62	19
Marin	1,813	-	-	74	478	124	106	54	62	28	14	90	21	727	514	6	17	368	123
Larkspur	56	-	-	6	13	5	1	-	2	-	1	4	2	20	14	1	1	9	3
Mill Valley	221	-	-	7	55	19	9	6	7	5	-	9	2	99	68	-	3	42	23
Novato	361	-	-	8	96	24	24	12	12	3	1	20	4	137	96	1	1	70	24
San Anselmo	101	-	-	2	26	5	9	3	2	1	1	5	-	45	35	2	1	24	8
San Rafael	559	-	-	25	143	34	35	13	21	8	6	26	10	215	157	2	6	115	34
Balance of county	515	-	-	26	145	37	28	20	18	11	5	26	3	211	144	-	5	108	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 14 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	331	4,177	620	471	2,725	2,283	241	1,143	366	25	634	702	369	3,711	1,333	1,219	973	2,013	38
Alhambra	6	50	16	4	48	20	3	8	3	–	5	7	5	36	8	9	7	11	1
Arcadia	–	51	3	7	33	25	2	9	1	–	1	–	1	21	4	3	5	–	–
Artesia	1	4	–	1	10	7	1	2	1	–	2	–	–	7	4	–	2	4	–
Azusa	2	11	–	5	15	14	2	9	1	–	4	4	4	19	7	7	3	5	–
Baldwin Park	1	26	5	2	15	10	–	9	1	–	9	2	2	19	16	8	5	11	1
Bell	2	8	1	2	7	7	1	5	1	1	8	2	–	7	8	2	2	8	–
Bellflower	2	37	2	5	28	30	2	10	1	–	3	4	2	31	12	12	9	14	–
Bell Gardens	1	9	–	–	8	11	–	5	–	–	6	4	1	7	5	3	2	14	–
Beverly Hills	2	36	8	–	14	15	3	4	1	–	–	2	–	22	4	6	6	2	–
Burbank	1	63	18	10	37	36	2	10	4	–	6	5	6	58	16	14	15	6	–
Carson	1	42	4	4	18	20	–	5	4	–	4	5	5	32	8	13	9	17	1
Cerritos	1	10	2	2	8	2	–	1	1	–	1	1	1	8	2	1	4	1	–
Claremont	1	21	5	–	19	8	1	1	1	–	2	1	–	16	5	5	1	3	–
Commerce	–	4	–	3	4	–	–	5	1	–	1	1	–	7	1	5	–	3	–
Compton	5	59	1	5	27	18	4	24	6	1	16	25	13	46	35	15	8	95	–
Covina	2	38	6	4	13	14	1	8	3	–	5	6	4	32	19	5	11	4	–
Cudahy	2	4	–	–	–	–	1	4	–	–	3	1	2	7	3	1	–	8	–
Culver City	1	32	2	1	11	14	–	4	4	1	5	–	2	26	8	7	9	6	–
Downey	8	45	13	3	32	38	2	22	2	–	5	6	4	43	9	12	9	11	–
Duarte	–	13	2	3	15	6	3	3	3	–	1	1	1	14	–	1	1	5	–
El Monte	2	28	1	1	21	36	1	8	2	1	10	13	7	41	17	10	10	19	1
El Segundo	–	9	2	1	8	7	–	1	–	–	–	–	1	6	–	–	1	–	–
Gardena	3	39	7	5	21	22	3	13	5	–	5	4	4	35	10	11	8	20	–
Glendale	10	95	36	8	77	50	2	9	6	1	8	7	3	99	16	18	23	10	1
Glendora	3	27	3	1	26	20	3	6	2	–	4	1	3	18	7	7	6	2	1
Hawaiian Gardens	–	3	–	–	3	–	–	1	–	–	–	2	–	2	1	4	1	7	–
Hawthorne	–	36	10	8	24	34	5	16	5	–	3	11	3	35	14	10	10	16	–
Hermosa Beach	–	9	–	2	1	1	–	2	–	–	–	–	–	4	–	3	3	–	–
Huntington Park	2	26	3	2	14	13	1	10	1	–	5	3	2	28	15	7	5	20	–
Inglewood	9	39	4	6	30	18	3	10	2	2	10	13	10	47	18	21	11	66	1
La Canada Flintridge	–	10	2	–	7	10	–	4	–	–	–	–	–	9	1	1	2	–	–
Lakewood	1	29	2	6	18	32	2	12	3	–	7	7	4	33	13	5	3	9	–
La Mirada	1	23	1	4	11	19	1	3	3	–	–	4	1	13	5	4	5	4	–
Lancaster	1	25	3	5	21	51	1	11	10	1	8	9	8	35	42	30	21	12	–
La Puente	–	26	1	4	21	17	–	13	1	1	9	7	–	29	15	9	7	22	–
La Verne	2	18	–	4	10	14	1	1	–	–	–	1	–	15	8	4	5	2	–
Lawndale	1	11	6	1	5	6	1	3	–	–	2	2	3	6	6	1	6	3	–
Lomita	1	13	2	2	9	6	–	–	1	–	1	1	1	6	3	3	4	1	–
Long Beach	22	245	51	30	171	162	14	54	21	1	40	40	30	244	63	55	56	113	–
Los Angeles	160	1,603	239	188	1,154	835	110	531	156	9	266	355	145	1,623	583	552	410	1,134	18
Lynwood	4	27	1	2	8	11	1	5	2	–	8	7	3	16	5	10	1	22	1
Manhattan Beach	–	12	1	1	10	9	1	3	1	–	3	3	1	13	4	3	4	1	–
Maywood	–	8	1	–	5	4	–	7	–	–	7	2	2	6	3	4	1	5	–
Monrovia	–	17	–	6	6	18	2	6	–	–	4	2	2	9	6	1	4	3	–
Montebello	4	24	2	4	22	10	1	14	2	–	5	4	2	26	4	4	4	10	–
Monterey Park	2	33	4	2	21	14	3	7	1	1	5	3	2	14	3	7	9	9	–
Norwalk	2	35	7	8	32	35	4	6	4	–	8	5	7	39	14	13	13	18	–
Palmdale	1	17	1	2	12	17	1	10	3	–	5	10	4	29	22	24	9	9	–
Palos Verdes Estates	–	6	–	1	7	3	–	–	–	–	–	–	–	5	2	1	1	–	–
Paramount	6	9	4	3	6	10	–	9	4	–	4	5	4	18	5	8	8	12	–
Pasadena	9	98	16	15	74	42	3	16	5	1	11	11	7	90	25	18	8	13	1
Pico Rivera	1	31	5	1	16	9	2	6	3	–	–	3	–	18	8	12	6	12	1
Pomona	6	41	2	9	37	50	3	19	4	–	14	15	8	48	29	18	9	27	–
Rancho Palos Verdes	–	20	1	5	7	9	–	1	–	–	–	1	–	11	3	4	7	1	–
Redondo Beach	–	21	2	6	12	15	–	3	3	1	1	6	1	16	4	4	7	3	–
Rosemead	1	25	1	1	23	16	5	12	4	–	3	2	3	20	7	7	6	4	–
San Dimas	2	9	–	3	15	7	–	3	2	–	4	4	4	9	6	3	5	4	–
San Fernando	–	11	2	2	5	1	–	3	5	–	3	6	2	10	9	6	4	7	–
San Gabriel	3	39	9	2	29	24	3	10	6	–	3	1	1	17	3	4	12	4	–
San Marino	–	10	2	–	5	4	2	1	1	–	1	–	–	3	4	2	1	1	–
Santa Fe Springs	–	7	–	1	3	8	–	4	2	–	1	3	1	6	1	5	2	2	–
Santa Monica	4	76	19	7	45	29	5	14	9	–	–	3	3	61	8	12	19	10	1
Sierra Madre	–	7	4	2	5	3	–	2	–	–	2	1	–	8	2	1	2	–	–
South El Monte	–	4	2	–	2	3	–	6	1	–	2	2	1	6	3	1	–	–	–
South Gate	2	33	5	3	19	19	5	13	3	1	13	8	1	24	14	9	6	22	–
South Pasadena	–	22	3	2	11	9	–	3	–	–	1	–	2	7	–	2	3	3	1
Temple City	2	15	6	2	12	14	1	3	–	–	1	3	1	18	3	9	2	1	–
Torrance	1	82	12	7	68	68	4	18	7	–	5	5	3	74	20	32	26	15	2
West Covina	2	34	4	5	32	23	1	9	7	–	6	4	2	34	10	12	8	20	2
Whittier	4	91	13	5	56	55	8	21	9	–	12	4	6	73	14	23	20	22	–
Balance of county	18	236	30	25	106	96	10	53	21	2	37	22	18	197	81	76	61	65	4
Madera	2	42	4	9	24	51	1	19	5	1	6	3	3	44	42	10	20	10	2
Madera	1	20	3	5	18	24	–	14	5	1	6	2	2	25	29	5	11	6	–
Balance of county	1	22	1	4	6	27	1	5	–	–	–	1	1	19	13	5	9	4	2
Marin	5	144	40	24	97	68	2	25	15	–	10	5	12	179	30	24	33	8	5
Larkspur	–	4	1	1	1	3	–	–	–	–	1	–	–	5	1	1	3	–	–
Mill Valley	–	23	4	4	11	5	–	3	2	–	–	1	1	19	5	5	4	–	2
Novato	2	26	10	3	17	9	1	7	2	–	3	2	3	42	11	7	10	2	–
San Anselmo	–	4	2	4	7	4	–	–	–	–	–	–	–	11	2	2	1	1	–
San Rafael	3	37	12	6	38	24	1	9	8	–	3	2	4	58	6	5	4	2	2
Balance of county	–	50	11	6	23	23	–	6	3	–	3	–	4	44	5	4	11	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 15 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic dis-eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neopla-sms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of respirato-ry and intra-thoracic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of urinary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	144	–	–	–	31	9	9	4	3	1	1	4	1	72	52	–	1	41	10
Mendocino	790	–	–	19	179	22	61	22	20	8	6	40	12	314	231	6	21	169	35
Ukiah	298	–	–	7	61	6	22	7	6	2	–	18	1	130	96	3	7	69	17
Balance of county	492	–	–	12	118	16	39	15	14	6	6	22	11	184	135	3	14	100	18
Merced	1,129	2	–	12	242	55	85	20	20	15	8	39	25	417	305	3	18	221	63
Atwater	144	–	–	–	36	8	12	5	2	–	1	8	3	49	38	1	3	23	11
Los Banos	125	–	–	1	24	4	7	3	3	3	–	4	3	45	33	–	3	26	4
Merced	460	2	–	7	97	21	31	8	8	8	6	15	8	168	111	1	6	80	24
Balance of county	400	–	–	4	85	22	35	4	7	4	1	12	11	155	123	1	6	92	24
Modoc	99	–	–	2	24	4	5	2	4	2	–	7	1	40	30	3	2	15	10
Mono	48	–	–	–	11	3	3	–	1	–	–	4	–	13	8	–	–	5	3
Monterey	2,227	–	–	64	508	132	140	32	66	24	17	97	31	830	590	5	16	377	192
Marina	74	–	–	4	20	7	6	2	2	–	–	3	–	29	21	–	3	10	8
Monterey	251	–	–	12	60	20	14	2	8	1	2	13	3	97	69	–	1	48	20
Pacific Grove	172	–	–	4	39	8	10	2	5	4	1	9	1	76	46	–	–	26	20
Salinas	812	–	–	20	187	45	54	16	26	8	8	30	14	274	199	–	5	130	64
Seaside	178	–	–	5	33	7	13	2	3	3	1	4	7	58	39	–	–	28	11
Balance of county	740	–	–	19	169	45	43	8	22	8	5	38	6	286	216	5	7	135	69
Napa	1,119	1	–	23	256	63	71	22	34	11	8	47	16	510	383	6	14	271	92
Napa	703	–	–	14	179	42	49	16	24	9	5	34	12	297	216	5	8	145	58
Balance of county	416	1	–	9	77	21	22	6	10	2	3	13	4	213	167	1	6	126	34
Nevada	729	–	–	13	208	57	57	15	18	11	10	40	6	284	211	2	3	158	48
Orange	14,449	9	–	340	3,584	837	970	344	410	145	123	755	199	6,046	4,588	56	129	3,453	950
Anaheim	1,729	3	–	28	410	83	122	40	45	21	15	84	18	759	577	7	13	433	124
Brea	195	–	–	4	37	10	10	2	2	1	–	12	3	97	75	–	1	59	15
Buena Park	412	–	–	3	106	32	34	3	9	5	3	20	4	162	112	2	3	92	15
Costa Mesa	529	–	–	18	121	35	36	11	11	1	3	24	9	211	168	–	3	120	45
Cypress	230	–	–	8	66	18	20	5	5	2	1	15	6	91	72	4	3	52	13
Fountain Valley	282	–	–	6	74	14	21	8	10	4	1	16	6	109	86	–	3	56	27
Fullerton	743	1	–	13	168	30	55	15	16	4	4	44	8	332	239	5	5	190	39
Garden Grove	996	1	–	27	225	55	70	20	24	8	7	41	21	442	337	3	9	232	93
Huntington Beach	1,024	–	–	27	272	50	75	30	31	14	13	59	13	405	317	6	5	242	64
Irvine	304	–	–	3	101	24	27	17	10	4	2	17	3	114	91	2	2	66	21
Laguna Beach	237	–	–	35	61	12	20	9	10	2	1	7	2	78	65	1	3	52	9
La Habra	374	–	–	5	72	18	19	9	7	3	3	13	7	172	137	–	7	98	32
La Palma	61	–	–	2	16	3	5	1	4	–	–	3	–	26	21	–	2	13	6
Los Alamitos	172	–	–	2	43	11	10	4	3	1	4	10	1	75	61	–	1	51	9
Newport Beach	516	–	–	12	146	29	33	10	23	3	9	39	2	214	140	1	3	89	47
Orange	692	1	–	18	178	42	46	24	22	6	–	38	15	258	201	4	4	154	39
Placentia	227	–	–	–	61	19	11	6	5	3	3	14	4	87	58	–	2	49	7
San Clemente	266	–	–	10	74	21	11	10	12	1	1	18	2	111	74	3	4	56	11
San Juan Capistrano	216	–	–	3	69	17	21	4	10	2	–	15	4	82	51	–	3	38	10
Santa Ana	1,458	2	–	42	314	72	75	28	34	18	14	73	20	559	446	3	12	334	97
Seal Beach	471	–	–	3	101	26	24	10	17	5	3	16	7	248	206	–	1	175	30
Stanton	163	–	–	3	37	14	11	–	4	1	2	5	3	69	56	–	4	37	15
Tustin	285	–	–	6	63	17	25	4	3	2	1	11	5	114	92	–	3	73	16
Westminster	526	1	–	10	131	25	38	10	12	4	4	38	10	213	154	2	3	115	34
Yorba Linda	219	–	–	7	62	9	18	8	6	–	2	19	3	84	66	1	1	50	14
Balance of county	2,122	–	–	45	576	151	133	56	75	30	27	104	23	934	686	12	29	527	118
Placer	1,367	1	–	24	358	77	91	37	46	23	11	73	14	513	387	3	10	288	86
Roseville	426	1	–	9	116	31	23	15	10	10	3	24	6	156	119	–	2	88	29
Balance of county	941	–	–	15	242	46	68	22	36	13	8	49	8	357	268	3	8	200	57
Plumas	201	–	–	–	64	19	22	2	5	2	2	12	3	76	55	2	–	35	18
Riverside	9,731	12	–	229	2,224	512	673	183	258	83	92	423	125	4,214	3,336	18	93	2,591	634
Banning	293	–	–	5	64	13	22	8	7	–	1	13	5	149	127	1	4	97	25
Corona	474	–	–	10	80	21	27	4	7	4	3	14	11	221	163	2	3	130	28
Hemet	1,466	3	–	14	341	87	95	19	46	20	16	58	13	697	552	3	16	453	80
Indio	269	–	–	8	51	15	17	2	5	–	3	9	4	112	96	–	4	71	21
Norco	130	–	–	1	35	4	12	3	4	1	1	10	3	44	38	–	3	29	6
Palm Desert	347	2	–	12	98	28	29	7	9	1	1	23	5	136	97	3	3	65	26
Palm Springs	603	1	–	54	126	33	29	15	17	4	4	24	4	252	193	1	6	134	52
Riverside	1,904	1	–	31	417	103	123	37	52	14	15	73	31	840	657	4	20	526	107
Balance of county	4,245	5	–	94	1,012	208	319	88	111	39	48	199	49	1,763	1,413	4	34	1,086	289
Sacramento	7,805	11	–	205	1,877	390	586	171	206	65	66	393	115	2,968	2,235	14	101	1,561	559
Folsom	178	–	–	2	50	7	17	7	5	2	2	10	4	69	55	1	3	38	13
Sacramento	5,088	9	–	164	1,162	256	357	102	141	39	44	223	74	1,939	1,462	7	71	999	385
Balance of county	2,539	2	–	39	665	127	212	62	60	24	20	160	37	960	718	6	27	524	161
San Benito	222	–	–	5	65	19	13	6	8	4	–	15	2	83	65	–	1	49	15
Hollister	178	–	–	4	51	16	12	6	6	2	–	9	1	66	52	–	–	41	11
Balance of county	44	–	–	1	14	3	1	–	2	2	–	6	1	17	13	–	1	8	4
San Bernardino	9,826	13	1	175	2,192	499	679	174	247	91	72	430	183	4,094	3,164	23	106	2,590	445
Barstow	242	–	–	2	49	10	17	3	6	3	2	8	6	97	77	–	3	62	12
Chino	392	–	–	21	113	23	29	16	11	3	–	31	9	135	111	–	1	97	13
Colton	267	–	–	4	56	9	16	4	8	1	1	17	7	117	98	1	1	81	15
Fontana	674	–	–	14	142	29	42	17	16	5	8	25	13	255	199	–	9	159	31
Loma Linda	144	2	–	2	31	9	2	6	5	3	1	5	4	74	57	–	1	50	6
Montclair	190	–	–	3	29	8	9	1	4	–	3	4	4	81	65	–	2	59	4
Ontario	726	2	–	9	185	44	59	16	21	4	9	32	7	262	199	2	6	165	26
Rancho Cucamonga	227	1	–	6	48	9	14	2	5	3	3	12	3	87	61	–	3	49	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 16 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	1	12	2	5	2	8	1	–	1	–	–	–	3	12	8	2	3	–	–
Mendocino	5	55	9	14	30	44	3	12	7	–	4	1	5	91	23	19	21	6	–
Ukiah	2	24	2	6	10	24	2	5	2	–	2	–	1	34	7	5	6	1	–
Balance of county	3	31	7	8	20	20	1	7	5	–	2	1	4	57	16	14	15	5	–
Merced	5	75	14	18	66	53	8	17	18	–	15	17	9	126	48	34	12	7	1
Atwater	–	10	–	1	9	9	–	–	3	–	–	3	2	13	9	6	1	–	1
Los Banos	1	8	1	2	6	4	2	2	1	–	3	1	–	15	7	4	1	6	–
Merced	2	35	9	11	33	19	4	5	10	–	6	8	4	60	12	12	5	–	–
Balance of county	2	22	4	4	18	21	2	10	4	–	6	5	3	38	20	12	5	1	–
Modoc	–	5	2	3	4	6	1	–	1	–	1	–	–	10	4	2	3	–	–
Mono	–	4	–	1	1	1	–	–	–	–	–	–	–	5	14	2	1	–	–
Monterey	13	184	15	28	86	106	16	42	13	1	14	32	17	260	78	52	48	29	–
Manna	2	6	–	–	3	2	1	–	–	–	1	–	–	10	2	2	–	–	–
Monterey	–	22	1	5	10	15	2	6	2	–	2	–	2	30	1	2	6	1	–
Pacific Grove	–	25	2	3	9	11	–	3	–	–	1	1	–	21	–	3	3	–	–
Salinas	5	56	6	8	32	40	7	15	5	–	4	18	8	102	34	25	18	9	–
Seaside	1	14	2	2	2	7	1	7	2	–	2	8	2	19	8	4	5	8	–
Balance of county	5	61	4	10	30	31	5	11	4	1	4	5	5	78	33	16	16	11	–
Napa	3	99	11	14	69	69	3	17	7	–	3	4	9	82	17	13	17	3	–
Napa	1	64	6	10	43	39	1	13	5	–	2	4	7	55	8	9	14	1	–
Balance of county	2	35	5	4	26	30	2	4	2	–	1	–	2	27	9	4	3	2	–
Nevada	1	57	7	8	33	41	–	8	4	1	2	1	2	82	14	12	14	3	1
Orange	67	1,083	143	165	735	670	67	252	77	6	128	136	223	1,040	276	260	218	177	6
Anaheim	13	130	25	14	81	88	2	29	5	2	20	17	40	105	41	35	25	21	–
Brea	–	12	6	4	8	14	1	4	2	–	–	1	1	9	5	6	2	1	–
Buena Park	3	34	5	8	26	22	3	13	1	–	2	3	5	30	10	6	11	4	1
Costa Mesa	–	35	2	6	25	31	2	10	1	–	6	5	5	46	12	13	7	7	–
Cypress	1	16	–	2	12	10	1	1	–	–	1	4	3	13	4	2	5	3	–
Fountain Valley	1	22	–	–	15	18	–	6	2	–	1	–	4	24	4	6	5	2	–
Fullerton	12	48	18	15	45	36	5	16	2	–	3	7	11	56	12	10	9	9	–
Garden Grove	9	79	3	14	43	58	3	22	10	–	5	5	19	66	7	16	12	13	1
Huntington Beach	2	73	4	9	46	63	9	16	9	–	13	5	15	67	17	17	21	8	1
Irvine	–	19	1	3	11	7	–	3	4	–	7	4	5	17	7	8	7	3	–
Laguna Beach	–	11	2	–	11	10	2	–	3	–	–	2	8	13	4	2	4	2	–
La Habra	–	21	7	7	24	16	6	9	1	–	4	2	6	23	6	12	5	4	–
La Palma	–	4	1	–	5	3	1	–	1	–	–	–	–	5	–	2	–	–	–
Los Alamitos	–	9	3	2	11	5	1	1	–	–	1	1	1	22	1	4	3	–	–
Newport Beach	3	50	9	12	28	17	2	11	1	–	2	1	5	56	4	4	8	3	–
Orange	2	38	9	8	46	25	3	14	3	–	5	11	13	59	19	10	7	7	–
Placentia	1	21	5	2	14	13	1	5	–	–	1	3	4	21	5	3	2	3	–
San Clemente	–	34	1	2	11	14	1	3	–	–	1	4	1	19	7	3	3	2	–
San Juan Capistrano	1	26	2	2	10	11	–	2	1	–	1	4	–	13	5	2	7	2	–
Santa Ana	3	94	4	12	81	50	10	33	10	3	26	27	29	94	47	39	23	48	1
Seal Beach	1	32	2	7	37	20	–	3	3	–	1	1	4	31	1	7	4	–	–
Stanton	–	9	3	1	12	6	–	4	–	–	2	–	1	10	3	6	2	5	–
Tustin	–	18	4	–	10	15	1	7	5	–	5	7	6	20	6	6	5	4	–
Westminster	3	42	9	5	20	25	5	13	6	1	4	3	8	34	11	12	10	9	–
Yorba Linda	–	11	2	5	11	7	1	4	2	–	–	5	1	17	3	5	5	2	–
Balance of county	12	195	16	25	92	86	7	23	5	–	17	14	28	170	35	24	26	15	2
Placer	8	97	10	11	84	71	4	13	13	–	4	8	8	137	28	49	29	9	–
Roseville	3	27	2	5	21	26	3	4	3	–	1	1	1	43	7	12	10	6	–
Balance of county	5	70	8	6	63	45	1	9	10	–	3	7	7	94	21	37	19	3	–
Plumas	1	17	1	2	7	7	1	2	1	–	–	–	1	15	5	9	5	5	–
Riverside	20	659	95	104	395	524	34	157	62	3	62	114	83	699	286	177	161	168	2
Banning	1	15	1	5	8	13	2	2	1	–	1	2	6	24	4	1	2	4	–
Corona	1	39	14	4	19	22	–	10	3	–	3	13	8	26	15	13	7	12	1
Hemet	4	106	20	15	66	114	8	15	8	–	4	4	3	116	22	20	14	4	–
Indio	1	12	1	2	7	20	1	5	3	–	4	4	1	18	14	8	5	4	–
Norco	–	5	–	1	12	4	–	2	1	–	2	1	–	10	4	4	5	2	–
Palm Desert	–	33	1	5	13	23	2	9	1	–	–	–	–	31	6	6	3	–	–
Palm Springs	1	48	4	6	16	28	3	15	5	–	3	2	3	48	18	10	12	3	–
Riverside	4	149	14	16	102	77	6	31	9	–	14	33	22	124	46	38	37	45	–
Balance of county	8	252	40	50	152	223	12	68	31	3	31	55	40	302	157	77	76	94	1
Sacramento	29	524	61	119	338	439	40	95	63	–	52	71	187	758	163	150	141	111	21
Folsom	1	10	–	3	13	9	1	3	–	–	1	1	1	16	1	2	4	–	1
Sacramento	20	329	50	78	213	272	29	64	47	–	39	53	140	500	102	98	86	83	14
Balance of county	8	185	11	38	112	158	10	28	16	–	12	17	46	242	60	50	51	28	6
San Benito	1	16	–	1	12	7	1	1	1	–	4	3	2	16	9	10	1	–	–
Hollister	–	13	–	1	12	3	1	1	1	–	4	2	2	13	8	8	1	–	–
Balance of county	1	3	–	–	–	4	–	–	–	–	–	1	–	3	1	2	–	–	–
San Bernardino	53	647	107	123	381	524	56	191	57	3	78	147	79	715	300	221	185	219	12
Barstow	3	13	3	1	15	16	1	4	4	1	1	4	3	19	8	6	4	2	–
Chino	1	18	2	3	9	17	2	9	3	–	7	6	5	23	15	10	6	2	–
Colton	–	14	2	3	8	14	1	15	1	–	2	9	4	8	5	2	4	10	–
Fontana	1	44	8	3	25	45	1	16	2	–	7	14	6	42	32	24	15	21	–
Loma Linda	–	13	4	–	12	2	–	–	1	–	1	3	1	7	–	2	2	–	–
Montclair	–	11	2	3	6	10	1	4	2	–	3	1	3	24	6	3	4	6	–
Ontario	3	49	3	8	35	28	3	8	6	1	11	23	4	61	29	18	8	26	–
Rancho Cucamonga	–	23	1	2	8	8	–	2	–	–	4	7	5	23	10	4	6	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 17 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	507	–	–	7	121	28	29	11	14	5	6	28	7	263	200	2	8	144	46
Rialto	504	1	–	8	104	31	25	11	8	5	5	19	16	220	179	3	5	139	32
San Bernardino	1,567	6	1	41	310	69	104	23	39	14	7	54	30	618	481	4	17	383	77
Upland	424	–	–	4	100	18	34	9	9	7	4	19	11	191	150	1	7	116	26
Victorville	439	–	–	7	106	25	37	6	14	5	4	15	7	177	128	1	4	112	11
Balance of county	3,523	1	–	47	798	187	262	49	87	33	19	161	59	1,517	1,159	9	39	974	137
San Diego	17,248	14	1	627	4,285	943	1,191	374	547	173	168	889	214	6,840	5,213	46	217	3,676	1,274
Carlsbad	374	2	–	7	107	26	30	5	13	4	5	24	7	144	105	1	6	71	27
Chula Vista	985	–	–	24	248	55	73	15	28	12	13	52	10	421	345	2	9	250	84
Coronado	198	–	–	5	54	8	13	9	9	1	1	13	4	79	50	–	7	33	10
El Cajon	1,104	–	–	20	281	65	82	31	33	12	7	51	17	440	323	–	4	243	76
Escondido	1,049	1	–	12	266	55	82	32	29	17	5	46	19	431	314	3	12	228	71
Imperial Beach	154	–	–	3	32	4	10	7	6	–	1	4	3	63	53	–	4	33	16
La Mesa	643	–	–	11	168	28	51	13	19	9	11	37	5	270	214	2	10	143	59
Lemon Grove	228	–	–	7	57	10	17	3	11	2	3	11	3	93	70	2	2	48	18
National City	356	–	–	6	85	15	23	8	12	4	3	20	5	152	120	1	5	80	34
Oceanside	966	–	–	27	264	64	62	18	41	14	10	55	8	374	306	1	9	208	88
San Diego	7,419	9	1	417	1,734	399	469	143	224	66	63	370	92	2,909	2,186	23	103	1,532	528
San Marcos	424	–	–	10	110	16	35	14	19	1	6	19	8	187	141	1	5	97	38
Vista	639	1	–	10	162	41	44	14	15	4	6	38	3	239	180	3	6	137	34
Balance of county	2,709	1	–	68	717	157	200	62	88	27	34	149	30	1,038	806	7	35	573	191
San Francisco, coext. with San Francisco city	8,370	13	–	1,289	1,711	448	457	134	180	59	51	382	112	2,980	2,267	19	189	1,266	793
San Joaquin	3,895	5	–	83	875	199	252	65	98	41	33	187	86	1,583	1,178	10	34	913	221
Lodi	570	1	–	16	122	23	36	7	19	6	8	23	15	262	165	1	2	133	29
Manteca	322	–	–	3	71	12	23	9	7	1	2	17	3	145	118	1	5	92	20
Stockton	2,315	2	–	52	511	121	139	36	53	31	18	113	54	920	711	6	23	541	141
Tracy	279	1	–	9	68	17	23	6	9	1	1	11	6	98	76	1	2	65	8
Balance of county	409	1	–	3	103	26	31	7	10	2	4	23	8	158	108	1	2	82	23
San Luis Obispo	1,700	–	–	27	459	98	130	43	56	11	19	102	15	727	553	8	19	411	115
Arroyo Grande	191	–	–	2	59	7	18	6	7	1	4	16	–	79	59	–	2	46	11
Atascadero	160	–	–	5	46	8	18	9	3	1	–	7	1	70	53	2	2	34	15
San Luis Obispo	323	–	–	8	67	14	17	9	11	3	2	11	4	154	113	4	5	85	19
Balance of county	1,026	–	–	12	287	69	77	19	35	6	13	68	10	424	328	2	10	246	70
San Mateo	4,812	–	–	149	1,262	300	351	133	122	52	40	264	58	1,955	1,394	20	54	985	335
Belmont	148	–	–	3	38	14	13	3	1	1	2	4	1	68	57	–	6	41	10
Burlingame	285	–	–	4	74	19	18	5	7	3	3	19	1	125	85	2	4	63	16
Daly City	581	–	–	24	150	34	51	18	15	4	2	26	6	232	161	–	8	124	29
Foster City	159	–	–	8	40	11	13	4	3	–	3	6	4	65	48	–	1	36	11
Hillsborough	91	–	–	3	21	3	9	3	1	1	2	2	2	39	24	–	1	14	9
Menlo Park	325	–	–	10	81	16	23	9	10	2	2	19	3	113	78	1	2	51	24
Millbrae	203	–	–	6	56	14	13	5	8	3	2	11	2	89	63	1	3	47	12
Pacifica	209	–	–	6	66	13	18	14	7	1	4	9	3	91	62	1	–	45	16
Redwood City	605	–	–	13	152	34	47	12	15	5	3	36	10	242	184	5	5	129	45
San Bruno	268	–	–	15	75	21	15	6	5	10	2	16	1	108	78	3	1	58	16
San Carlos	253	–	–	7	74	21	16	6	8	3	3	17	1	112	77	1	6	54	16
San Mateo	811	–	–	18	212	49	56	25	23	6	7	46	14	334	230	4	8	173	45
South San Francisco	381	–	–	10	102	28	31	11	6	7	2	17	5	149	113	1	4	79	29
Balance of county	493	–	–	22	121	23	28	12	13	6	3	36	5	188	134	1	5	71	57
Santa Barbara	2,658	4	–	65	649	159	171	47	86	32	26	128	38	1,100	827	9	57	489	272
Carpinteria	107	–	–	6	24	9	8	1	2	2	–	2	1	43	33	–	1	21	11
Lompoc	264	–	–	2	72	21	20	3	11	4	2	11	4	106	77	2	6	52	17
Santa Barbara	1,272	2	–	44	288	67	70	17	45	17	11	61	18	552	423	5	20	241	157
Santa Maria	658	1	–	7	175	42	52	17	16	4	5	39	9	264	198	1	25	120	52
Balance of county	357	1	–	6	90	20	21	9	12	5	8	15	6	135	96	1	5	55	35
Santa Clara	8,253	5	–	234	1,978	493	509	176	218	60	80	442	140	3,362	2,493	40	117	1,662	674
Campbell	261	–	–	4	65	10	18	5	5	–	5	22	7	104	84	2	3	55	24
Cupertino	264	1	–	4	73	21	15	5	8	1	4	19	7	112	77	2	3	54	18
Gilroy	188	–	–	1	38	6	9	2	6	5	1	9	3	76	60	–	5	48	7
Los Altos	254	–	–	4	66	24	13	4	10	3	1	11	3	125	80	1	6	51	22
Los Gatos	283	–	–	6	62	13	16	3	6	2	1	21	5	132	99	2	5	65	27
Milpitas	161	–	–	8	35	13	7	3	4	2	2	4	3	70	58	–	5	42	11
Morgan Hill	164	–	–	4	41	10	12	7	2	–	3	7	3	55	40	1	1	25	13
Mountain View	382	–	–	13	89	26	15	15	8	2	5	18	3	153	115	5	5	70	35
Palo Alto	468	1	–	10	125	34	31	10	13	2	5	30	8	192	129	2	9	65	53
San Jose	4,174	2	–	140	949	220	257	88	105	30	35	214	68	1,649	1,241	21	53	843	324
Santa Clara	579	1	–	17	136	39	39	8	15	3	5	27	9	247	185	1	2	137	45
Saratoga	217	–	–	5	69	17	16	8	9	2	1	16	3	91	65	2	5	48	10
Sunnyvale	750	–	–	14	202	50	58	13	24	8	11	38	18	309	226	1	13	138	74
Balance of county	108	–	–	4	28	10	3	5	3	–	1	6	–	47	34	–	2	21	11
Santa Cruz	1,673	–	–	39	374	91	94	37	45	14	18	75	19	670	499	11	29	322	137
Santa Cruz	695	–	–	17	145	33	37	14	14	4	9	34	7	290	215	5	10	146	54
Watsonville	407	–	–	7	87	18	27	7	14	4	4	13	7	156	129	2	11	83	33
Balance of county	571	–	–	15	142	40	30	16	17	6	5	28	5	224	155	4	8	93	50
Shasta	1,382	1	–	14	339	58	115	38	42	14	11	61	12	556	409	7	11	240	151
Redding	799	1	–	10	208	36	59	31	23	11	7	41	8	321	229	6	3	142	78
Balance of county	583	–	–	4	131	22	56	7	19	3	4	20	4	235	180	1	8	98	73
Sierra	32	–	–	–	10	2	3	2	1	–	–	2	–	12	10	–	1	8	1
Siskiyou	433	–	–	5	106	18	30	7	11	8	5	27	3	161	134	2	7	86	39

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 18 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Redlands	2	47	5	9	17	17	1	5	3	–	2	3	5	30	8	7	7	4	–
Rialto	4	33	3	1	21	19	2	7	3	–	3	9	1	42	13	12	7	16	–
San Bernardino	11	96	7	23	82	85	11	36	10	1	14	32	11	117	36	33	27	64	2
Upland	2	30	6	3	15	17	1	9	2	–	3	5	4	33	5	8	8	8	–
Victorville	4	27	10	8	8	34	3	5	4	–	5	4	3	32	14	10	9	7	4
Balance of county	22	229	51	56	120	212	29	71	16	–	15	27	24	254	119	82	78	48	6
San Diego	79	1,220	145	183	727	795	51	275	99	7	124	133	102	1,591	377	327	351	287	21
Carlsbad	–	28	2	9	23	15	–	8	2	–	1	6	1	33	4	5	5	4	–
Chula Vista	7	52	8	9	45	49	2	22	6	1	9	6	2	87	15	12	21	5	–
Coronado	6	21	2	–	7	12	1	–	3	–	–	–	1	24	1	4	3	–	–
El Cajon	4	89	11	13	49	65	1	19	4	2	7	6	4	92	27	29	22	16	3
Escondido	3	89	13	12	48	49	3	16	10	–	11	5	5	102	25	19	17	9	1
Imperial Beach	–	7	–	3	8	8	–	1	–	–	5	1	1	12	3	4	5	5	–
La Mesa	5	39	6	6	30	39	3	8	1	–	3	1	2	70	9	6	11	6	–
Lemon Grove	–	18	1	4	8	22	2	5	–	–	1	1	2	10	3	5	5	4	–
National City	2	27	1	2	21	5	–	4	1	–	3	3	–	42	7	7	5	10	–
Oceanside	4	45	7	12	35	43	7	11	5	1	6	15	3	93	17	24	16	15	2
San Diego	39	549	54	81	306	321	23	124	47	1	46	54	51	631	152	139	175	177	10
San Marcos	–	33	8	5	22	20	1	6	–	–	3	1	1	35	8	5	3	3	1
Vista	2	44	10	3	24	38	2	6	6	–	5	12	7	79	11	13	13	7	1
Balance of county	7	179	22	24	101	109	6	45	14	2	24	22	22	281	95	55	50	26	3
San Francisco, coext. with San Francisco city	31	559	47	76	371	278	19	151	66	1	31	22	34	722	90	227	145	87	21
San Joaquin	15	316	27	47	172	167	10	71	44	–	28	22	37	370	127	86	60	66	3
Lodi	1	78	7	11	36	18	2	5	4	–	3	3	1	55	15	5	4	3	–
Manteca	2	16	2	7	14	13	–	3	2	–	3	3	4	32	9	5	8	4	–
Stockton	10	161	16	22	87	96	7	53	31	–	20	15	23	225	64	60	41	53	1
Tracy	1	20	–	1	8	19	1	5	4	–	1	1	4	26	17	4	5	1	1
Balance of county	1	41	2	6	27	21	–	5	3	–	1	–	5	32	22	12	2	5	1
San Luis Obispo	4	132	17	21	65	88	12	16	12	–	10	4	2	157	32	41	30	3	–
Arroyo Grande	–	16	–	4	10	10	–	1	1	–	2	–	–	23	1	3	–	–	–
Atascadero	–	13	2	2	6	8	–	–	2	–	2	1	1	6	3	3	6	–	–
San Luis Obispo	1	36	2	2	14	14	3	3	–	–	1	–	1	33	9	8	4	–	–
Balance of county	3	67	13	13	35	56	9	12	9	–	5	3	–	95	19	27	20	3	–
San Mateo	22	420	45	74	262	221	15	92	31	1	25	31	18	434	56	80	71	49	2
Belmont	–	10	1	–	7	3	–	6	3	–	–	–	1	11	2	4	1	–	–
Burlingame	–	33	2	5	17	19	1	4	2	–	–	–	1	30	3	2	–	2	–
Daly City	4	48	4	15	29	20	5	17	5	–	4	3	4	38	10	14	9	10	1
Foster City	–	11	3	3	1	7	2	3	2	–	–	2	2	12	1	3	5	2	–
Hillsborough	–	11	1	3	5	3	–	1	–	–	–	1	1	12	–	1	2	–	–
Menlo Park	–	23	8	4	23	24	1	3	3	–	3	3	1	41	3	5	5	2	1
Millbrae	–	23	2	1	10	8	–	2	1	–	3	–	–	21	1	1	3	–	–
Pacifica	1	22	3	3	6	5	–	1	1	–	–	1	–	15	3	6	3	2	–
Redwood City	3	48	4	3	49	28	1	14	3	–	5	5	2	55	4	11	7	4	–
San Bruno	1	25	1	3	16	13	1	6	1	–	–	–	1	23	–	3	4	1	–
San Carlos	1	23	4	7	14	8	–	2	2	–	–	2	1	19	3	4	2	2	–
San Mateo	7	78	7	12	47	42	2	17	4	–	5	5	1	76	6	12	13	3	–
South San Francisco	2	26	2	6	19	20	2	9	–	–	3	6	1	32	9	5	3	6	–
Balance of county	3	39	3	9	19	21	–	7	4	1	2	3	2	49	11	9	14	15	–
Santa Barbara	6	217	17	33	111	110	6	34	18	–	14	21	15	282	55	61	53	21	1
Carpinteria	–	8	1	1	2	8	1	3	–	–	1	–	–	13	1	2	2	–	–
Lompoc	–	25	2	2	2	9	–	5	–	–	2	4	3	34	9	4	7	1	–
Santa Barbara	5	100	8	16	60	49	4	11	12	–	4	6	5	123	17	38	30	9	–
Santa Maria	1	55	3	7	34	31	1	9	3	–	6	9	6	68	15	7	8	5	–
Balance of county	–	29	3	7	13	13	–	6	3	–	1	2	1	44	13	10	6	6	1
Santa Clara	40	659	81	89	406	347	34	151	59	4	56	82	70	795	147	145	158	78	2
Campbell	3	13	–	4	5	11	1	5	6	–	2	1	1	31	3	5	9	1	–
Cupertino	–	31	2	2	14	13	1	3	2	–	1	1	1	17	4	2	5	3	–
Gilroy	–	11	3	2	17	4	1	2	3	–	2	8	4	14	5	6	3	–	1
Los Altos	3	33	5	4	14	6	–	3	1	–	1	1	–	24	1	3	1	1	–
Los Gatos	–	27	4	2	18	6	2	4	2	–	1	2	3	28	3	3	6	–	–
Milpitas	–	12	–	–	5	7	1	4	–	–	–	3	–	12	5	4	4	–	–
Morgan Hill	1	9	1	4	8	10	1	5	2	–	2	–	1	20	2	3	6	1	–
Mountain View	–	30	5	3	24	13	3	8	3	1	2	6	3	39	6	6	6	4	–
Palo Alto	4	40	17	2	30	22	6	2	2	–	1	1	3	49	–	7	7	2	–
San Jose	23	319	22	44	198	176	16	80	28	2	36	49	45	420	97	76	81	61	1
Santa Clara	2	50	7	3	21	33	2	17	4	1	3	5	4	48	9	14	7	1	–
Saratoga	–	13	9	4	4	5	–	3	3	–	1	1	1	23	1	2	5	–	–
Sunnyvale	4	61	4	14	41	36	–	12	3	–	4	4	2	65	9	11	16	4	–
Balance of county	–	10	2	1	7	5	–	3	–	–	–	–	2	5	2	3	2	–	–
Santa Cruz	5	114	25	27	91	103	5	35	19	–	12	10	13	163	42	36	28	13	1
Santa Cruz	–	54	9	12	32	48	2	13	6	–	6	2	8	77	9	16	11	6	–
Watsonville	1	19	3	4	30	17	1	15	6	–	2	5	1	39	18	10	4	2	–
Balance of county	4	41	13	11	29	38	2	7	7	–	4	3	4	47	15	10	13	5	1
Shasta	6	114	10	17	76	83	5	13	10	–	10	5	9	148	32	26	34	9	–
Redding	3	76	5	8	40	42	4	7	8	–	6	4	5	82	18	13	18	4	–
Balance of county	3	38	5	9	36	41	1	6	2	–	4	1	4	66	14	13	16	5	–
Sierra	–	2	–	–	3	–	–	1	–	–	–	–	1	2	2	–	1	–	–
Siskiyou	1	20	2	4	10	32	–	7	5	–	2	2	7	48	12	15	15	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 19 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	2,192	2	-	66	553	136	167	50	53	19	23	105	37	777	577	12	26	375	164
Benicia	162	-	-	3	44	14	11	5	5	3	-	6	2	62	45	1	-	28	16
Fairfield	416	1	-	12	113	19	32	17	14	2	3	26	5	138	105	2	4	63	36
Suisun City	113	-	-	5	25	6	12	1	2	1	-	3	1	42	29	1	-	25	3
Vacaville	426	-	-	19	101	24	42	5	7	3	2	18	7	144	111	2	3	72	34
Vallejo	939	1	-	25	235	62	64	20	23	9	17	40	18	344	248	5	15	165	63
Balance of county	136	-	-	2	35	11	6	2	2	1	1	12	4	47	39	1	4	22	12
Sonoma	3,399	1	-	106	810	199	219	60	104	27	26	175	46	1,414	992	13	29	673	277
Petaluma	391	-	-	12	90	24	20	3	13	8	5	17	7	177	128	1	3	93	31
Rohnert Park	204	-	-	6	52	14	14	3	6	2	1	12	3	88	61	1	4	39	17
Santa Rosa	1,489	1	-	27	373	92	107	26	50	12	12	74	18	643	442	5	17	307	113
Balance of county	1,315	-	-	61	295	69	78	28	35	5	8	72	18	506	361	6	5	234	116
Stanislaus	2,846	2	-	47	620	132	189	41	81	21	23	133	44	1,126	861	8	39	644	170
Ceres	203	1	-	1	56	12	17	5	7	1	5	9	4	66	49	1	-	40	8
Modesto	1,567	1	-	30	337	71	101	29	49	12	8	67	18	639	477	3	18	340	116
Turlock	444	-	-	12	95	22	28	3	11	4	5	22	8	194	154	1	10	128	15
Balance of county	612	-	-	4	132	27	43	4	14	4	5	35	14	227	181	3	11	136	31
Sutter	547	-	-	6	141	34	49	10	16	5	3	24	8	223	159	3	6	106	44
Yuba City	433	-	-	5	103	25	37	8	11	3	1	18	7	187	136	3	5	93	35
Balance of county	114	-	-	1	38	9	12	2	5	2	2	6	1	36	23	-	1	13	9
Tehama	569	1	-	8	144	29	47	11	21	6	2	28	7	218	164	-	-	125	39
Trinity	109	-	-	1	25	3	10	2	2	-	-	8	-	51	40	-	-	24	16
Tulare	2,524	3	-	47	528	112	163	37	76	17	21	102	57	1,032	791	8	29	579	175
Porterville	503	-	-	4	91	18	32	1	12	4	5	19	7	226	174	-	5	137	32
Tulare	385	1	-	5	75	20	24	6	3	1	5	16	12	173	137	1	6	99	31
Visalia	701	1	-	16	157	35	47	12	25	5	3	30	11	294	215	6	9	136	64
Balance of county	935	1	-	22	205	39	60	18	36	7	8	37	27	339	265	1	9	207	48
Tuolumne	432	-	-	4	105	23	31	12	11	5	2	21	7	169	129	2	3	87	37
Ventura	3,954	-	-	65	1,064	261	298	81	108	46	44	226	62	1,512	1,152	12	40	803	297
Camarillo	504	-	-	8	153	39	36	11	15	6	7	39	3	185	142	3	3	89	47
Oxnard	834	-	-	18	200	50	52	17	22	10	10	39	20	292	222	-	12	156	54
Port Hueneme	117	-	-	1	31	11	5	3	4	1	-	7	1	46	32	1	1	19	11
San Buenaventura (Ventura)	728	-	-	12	194	54	51	16	17	12	6	38	13	280	206	3	7	148	48
Santa Paula	243	-	-	-	49	11	16	1	5	3	2	11	6	111	83	1	2	58	22
Simi Valley	441	-	-	12	132	29	48	11	8	6	5	25	7	155	123	-	3	89	31
Thousand Oaks	587	-	-	6	167	39	42	16	14	7	8	41	8	235	170	3	6	126	35
Balance of county	500	-	-	8	138	28	48	6	23	1	6	26	4	208	174	1	6	118	49
Yolo	1,008	1	-	16	203	55	70	13	9	11	7	38	16	422	316	3	16	230	67
Davis	211	-	-	2	50	16	10	4	3	3	2	12	1	75	55	1	3	30	21
Woodland	372	-	-	6	68	16	24	4	3	2	2	17	7	177	128	1	6	102	19
Balance of county	425	1	-	8	85	23	36	5	3	6	3	9	8	170	133	1	7	98	27
Yuba	511	1	-	8	124	22	49	5	16	3	4	25	9	207	159	1	7	110	41
Colorado	22,588	8	3	639	5,207	1,266	1,322	506	648	212	195	1,058	476	8,230	6,137	119	189	4,202	1,627
Urban places	15,686	6	2	516	3,563	901	881	341	424	149	137	730	328	5,698	4,213	81	126	2,835	1,171
Balance of area	6,902	2	1	123	1,644	365	441	165	224	63	58	328	148	2,532	1,924	38	63	1,367	456
Metropolitan counties	17,470	8	2	560	4,057	1,014	1,014	411	469	171	152	826	368	6,265	4,657	92	142	3,144	1,279
Urban places	14,746	6	2	505	3,326	843	818	332	392	135	124	682	311	5,331	3,940	73	122	2,644	1,101
Balance of area	2,724	2	-	55	731	171	196	79	77	36	28	144	57	934	717	19	20	500	178
Nonmetropolitan counties	5,118	-	1	79	1,150	252	308	95	179	41	43	232	108	1,965	1,480	27	47	1,058	348
Urban places	940	-	-	11	237	58	63	9	32	14	13	48	17	367	273	8	4	191	70
Balance of area	4,178	-	1	68	913	194	245	86	147	27	30	184	91	1,598	1,207	19	43	867	278
Adams	1,543	1	-	39	355	80	111	32	37	13	9	73	46	525	403	12	13	272	106
Arvada, part	13	-	-	1	6	3	1	1	-	-	-	1	1	2	-	-	-	-	-
Aurora, part	165	-	-	3	43	9	16	1	3	1	-	13	4	54	41	4	4	18	15
Brighton, part	150	-	-	6	29	6	8	2	3	1	3	6	8	58	44	1	3	35	5
Brighton, total	153	-	-	6	30	7	8	2	3	1	3	6	8	60	46	1	3	36	6
Broomfield, part	15	-	-	1	4	1	2	-	-	-	-	1	1	4	2	-	-	1	1
Commerce City	181	-	-	2	41	9	14	6	3	1	2	6	5	55	47	1	-	32	14
Northglenn	174	-	-	4	41	11	13	4	4	1	1	7	2	61	49	1	3	28	17
Thornton	267	-	-	6	56	11	16	8	7	2	-	12	9	99	72	1	1	50	20
Westminster, part	202	-	-	4	49	10	17	6	6	3	1	6	6	52	44	-	-	36	8
Westminster, total	243	-	-	5	59	12	17	9	7	5	3	8	8	65	54	-	-	42	12
Balance of county	376	1	-	12	86	20	24	4	11	4	2	21	10	140	104	4	2	72	26
Alamosa	89	-	-	2	15	2	3	3	5	1	-	1	3	33	26	3	1	18	4
Arapahoe	1,953	1	-	41	485	103	119	60	51	25	23	104	41	696	523	7	20	374	122
Aurora, part	916	1	-	22	211	42	45	29	20	10	11	54	20	330	255	2	12	179	62
Aurora, total	1,081	1	-	25	254	51	61	30	23	11	11	67	24	384	296	6	16	197	77
Englewood	394	-	-	8	94	26	22	9	13	3	3	18	5	150	118	2	3	88	25
Littleton, part	358	-	-	5	95	21	26	7	10	6	5	20	8	129	93	2	4	71	16
Littleton, total	364	-	-	5	95	21	26	7	10	6	5	20	8	133	96	3	4	72	17
Balance of county	285	-	-	6	85	14	26	15	8	6	4	12	8	87	57	1	1	36	19
Archuleta	30	-	-	-	7	1	4	-	-	-	2	-	-	10	8	-	-	5	3
Baca	49	-	-	-	11	2	2	2	1	2	1	1	1	24	19	-	-	17	2
Bent	63	-	-	2	9	1	2	1	1	1	-	3	5	28	18	-	1	15	2
Boulder	1,053	-	-	20	258	58	62	30	37	11	5	55	19	391	294	2	3	158	131
Boulder	423	-	-	10	97	23	16	11	15	6	3	23	4	147	99	-	-	61	38
Broomfield, part	79	-	-	2	23	3	5	1	3	-	-	11	1	24	17	-	1	10	6
Broomfield, total	103	-	-	3	29	4	7	1	3	-	1	13	2	33	24	-	1	15	8
Longmont	333	-	-	3	83	22	22	14	9	3	-	13	11	139	113	-	1	53	59
Balance of county	218	-	-	5	55	10	19	4	10	2	2	8	3	81	65	2	1	34	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 20 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	6	164	7	23	85	122	6	43	18	-	20	19	12	242	44	54	46	42	4
Benicia	1	13	3	-	5	13	-	4	2	-	1	-	-	16	4	2	2	2	-
Fairfield	-	27	1	5	17	32	2	7	4	-	6	-	3	46	6	11	4	9	-
Suisun City	1	11	-	1	6	5	-	1	-	-	-	2	-	11	3	2	5	5	-
Vacaville	1	29	1	2	15	27	2	6	2	-	4	3	4	53	13	14	11	1	-
Vallejo	3	78	1	14	32	43	2	21	8	-	7	13	4	105	14	22	18	24	3
Balance of county	-	6	1	1	10	2	-	4	2	-	2	1	1	11	4	3	6	1	1
Sonoma	17	308	52	45	161	148	12	64	20	-	20	10	9	348	71	57	70	22	10
Petaluma	1	36	7	5	23	15	4	5	3	-	3	-	1	30	9	4	5	1	2
Rohnert Park	2	19	4	2	6	7	-	6	-	-	-	-	1	21	5	4	4	-	1
Santa Rosa	7	150	18	26	64	63	3	26	6	-	6	4	3	157	23	21	34	10	7
Balance of county	7	103	23	12	68	63	5	27	11	-	11	6	4	140	34	28	27	11	-
Stanislaus	13	194	22	36	203	149	19	47	18	-	27	23	14	275	98	71	35	26	2
Ceres	1	11	2	3	19	10	1	4	2	-	1	2	-	14	6	6	6	3	1
Modesto	10	117	9	26	111	92	7	24	8	-	15	17	10	155	51	42	15	14	1
Turlock	1	29	7	3	33	13	3	7	3	-	5	3	1	36	12	6	10	3	-
Balance of county	1	37	4	4	40	34	8	12	5	-	6	1	3	70	29	17	4	6	-
Sutter	3	46	2	13	20	19	4	13	8	-	1	2	6	43	12	20	13	7	1
Yuba City	2	38	-	11	18	12	4	9	5	-	-	1	6	36	5	17	12	5	1
Balance of county	1	8	2	2	2	7	-	4	3	-	1	1	-	7	7	3	1	2	-
Tehama	4	37	5	8	29	42	4	13	4	-	1	2	2	49	19	15	9	2	-
Trinity	-	4	3	4	4	5	-	1	-	-	-	-	1	14	3	2	2	-	-
Tulare	13	174	32	22	155	126	7	58	15	-	23	14	22	219	78	60	41	39	-
Porterville	2	40	4	6	48	25	2	10	2	-	6	6	3	34	12	10	8	9	-
Tulare	2	25	5	4	11	19	1	8	5	-	4	2	6	29	15	7	7	5	-
Visalia	6	51	15	7	35	36	2	12	3	-	3	3	7	75	14	13	14	5	-
Balance of county	3	58	8	5	61	46	2	28	5	-	10	3	6	81	37	30	12	20	-
Tuolumne	-	34	1	5	19	19	3	4	4	-	1	3	1	47	9	18	13	6	-
Ventura	16	269	36	39	157	166	14	71	30	-	38	41	35	376	94	93	74	54	8
Camarillo	4	30	3	6	23	24	1	3	3	-	4	1	2	56	10	13	11	3	1
Oxnard	3	49	6	12	38	37	2	22	6	-	8	15	11	87	28	17	17	14	2
Port Hueneme	-	12	-	2	2	8	-	6	-	-	1	1	1	10	4	2	3	-	-
San Buenaventura (Ventura)	1	62	7	4	30	38	3	9	11	-	4	6	6	73	11	14	13	10	1
Santa Paula	-	23	5	-	10	13	2	4	2	-	-	3	3	18	7	6	3	5	1
Simi Valley	-	20	9	3	5	8	3	11	2	-	11	5	3	36	13	13	10	13	2
Thousand Oaks	4	51	2	8	31	21	-	9	1	-	6	2	5	60	9	17	7	3	-
Balance of county	4	22	4	4	18	17	3	7	5	-	4	8	4	36	12	11	10	6	1
Yolo	7	73	9	17	66	68	3	24	7	-	6	7	9	82	33	20	19	4	2
Davis	1	17	1	1	28	11	1	1	1	-	1	2	4	18	6	5	5	-	-
Woodland	4	34	3	8	23	25	-	7	2	-	3	2	2	27	12	5	4	-	2
Balance of county	2	22	5	8	15	32	2	16	4	-	2	3	3	37	15	10	10	4	-
Yuba	1	37	3	7	22	21	6	6	5	-	5	5	4	46	15	6	12	4	5
Colorado	133	1,365	313	282	945	1,506	82	320	120	5	158	153	222	2,508	586	608	563	206	43
Urban places	88	947	245	205	678	1,065	53	241	88	5	113	113	141	1,772	328	399	384	166	27
Balance of area	45	418	68	77	267	441	29	79	32	-	45	40	81	736	258	209	179	40	16
Metropolitan counties	98	1,033	254	223	723	1,168	60	262	93	5	139	133	176	1,925	412	450	451	177	36
Urban places	81	883	234	193	633	999	50	234	78	5	111	112	137	1,662	310	378	370	160	26
Balance of area	17	150	20	30	90	169	10	28	15	-	28	21	39	263	102	72	81	17	10
Nonmetropolitan counties	35	332	59	59	222	338	22	58	27	-	19	20	46	583	174	158	112	29	7
Urban places	7	64	11	12	45	66	3	7	10	-	2	1	4	110	18	21	14	6	1
Balance of area	28	268	48	47	177	272	19	51	17	-	17	19	42	473	156	137	98	23	6
Adams	12	70	17	23	45	109	4	31	10	2	13	14	19	184	38	43	50	14	1
Arvada, part	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Aurora, part	-	10	1	2	3	10	-	5	1	-	2	3	4	18	-	4	6	5	-
Brighton, part	3	8	1	2	12	8	-	1	1	-	1	-	1	15	5	3	2	-	-
Brighton, total	3	8	1	2	12	8	-	1	1	-	1	-	1	15	5	3	2	-	-
Broomfield, part	-	1	-	1	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-
Commerce City	3	3	1	1	9	17	1	4	1	-	-	-	1	21	9	5	6	4	-
Northglenn	-	7	2	3	2	15	1	4	1	1	3	2	2	20	5	3	7	-	-
Thornton	1	16	5	5	5	14	-	6	2	-	3	3	4	32	5	9	11	2	1
Westminster, part	1	2	2	3	3	15	2	6	3	1	2	3	3	30	8	9	5	1	-
Westminster, total	1	4	3	3	4	19	2	7	3	1	4	4	3	32	10	9	7	1	-
Balance of county	4	22	4	6	11	29	-	5	1	-	2	3	4	45	4	10	12	1	-
Alamosa	2	5	-	-	3	7	1	2	-	-	2	-	1	12	3	3	2	-	-
Arapahoe	12	117	19	25	92	136	8	24	8	-	7	22	20	214	42	40	57	15	4
Aurora, part	4	53	7	11	30	66	3	12	3	-	5	15	11	107	18	19	31	9	3
Aurora, total	4	63	8	13	33	76	3	17	4	-	7	18	15	125	18	23	37	14	3
Englewood	3	21	3	5	26	30	1	2	2	-	1	3	3	44	9	6	7	3	-
Littleton, part	2	22	6	6	25	24	1	6	2	-	1	-	2	30	6	10	12	2	-
Littleton, total	2	22	6	7	25	24	1	6	2	-	1	1	2	31	6	10	12	2	-
Balance of county	3	21	3	3	11	16	3	4	1	-	-	4	4	33	9	5	7	1	1
Archuleta	-	2	-	-	2	1	-	-	-	-	-	-	2	3	-	3	2	-	-
Baca	-	4	1	-	1	1	-	1	1	-	-	-	-	4	3	2	-	-	-
Bent	-	9	-	1	4	5	-	1	-	-	-	-	-	5	-	4	-	-	-
Boulder	-	61	21	15	38	62	4	8	7	-	8	9	8	115	31	24	39	11	1
Boulder	-	31	10	7	22	23	3	1	3	-	2	3	4	66	10	8	16	4	-
Broomfield, part	-	3	-	4	1	6	-	-	1	-	1	3	1	8	2	1	4	1	-
Broomfield, total	-	4	-	5	2	7	-	-	1	-	1	3	1	10	4	1	4	2	-
Longmont	-	16	9	1	8	21	1	5	2	-	1	1	2	26	9	8	9	3	1
Balance of county	-	11	2	3	7	12	-	2	1	-	4	2	1	15	10	7	10	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 21 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	140	–	–	1	19	6	6	3	–	–	1	3	5	72	56	1	10	32	13
Cheyenne	21	–	–	–	4	–	1	1	1	–	–	1	2	10	6	–	–	5	1
Clear Creek	32	–	–	–	8	1	2	2	2	–	1	–	1	10	7	–	–	6	1
Conejos	68	–	–	2	14	3	–	2	4	1	–	4	7	20	17	–	1	14	2
Costilla	22	–	–	–	5	–	2	–	–	–	–	3	–	7	5	–	–	5	–
Crowley	38	–	–	–	7	–	3	3	–	–	–	1	–	15	12	–	–	8	4
Custer	21	–	–	–	8	3	3	–	2	–	–	–	1	6	5	1	–	4	–
Delta	275	–	–	1	62	8	22	4	10	1	4	13	3	114	79	1	3	58	17
Denver, coext. with Denver city	4,728	3	1	271	1,023	287	242	101	123	35	37	198	106	1,671	1,254	30	32	778	414
Dolores	14	–	–	–	4	–	1	–	–	–	–	3	–	7	6	–	1	3	2
Douglas	173	–	–	3	38	6	11	5	3	4	1	8	2	69	53	1	–	44	8
Littleton, part	6	–	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–	1	1
Balance of county	167	–	–	3	38	6	11	5	3	4	1	8	2	65	50	–	–	43	7
Eagle	43	–	–	–	10	3	1	–	1	–	1	4	–	8	5	–	–	5	–
Elbert	62	–	–	2	18	7	3	3	1	–	1	3	2	21	16	–	1	11	4
El Paso	2,315	1	1	52	510	116	126	51	58	20	23	116	46	805	581	8	19	455	99
Colorado Springs	1,971	1	1	49	424	98	106	40	46	18	19	97	34	698	491	5	16	387	83
Balance of county	344	–	–	3	86	18	20	11	12	2	4	19	12	107	90	3	3	68	16
Fremont	384	–	–	2	92	14	27	10	9	2	6	24	6	152	111	3	3	74	31
Canon City	239	–	–	1	55	11	14	3	4	2	5	16	4	101	72	2	1	46	23
Balance of county	145	–	–	1	37	3	13	7	5	–	1	8	2	51	39	1	2	28	8
Garfield	202	–	1	6	46	5	9	6	7	1	–	18	6	57	47	–	2	34	11
Gilpin	20	–	–	–	2	–	1	–	–	–	–	1	1	9	6	–	–	5	1
Grand	37	–	–	–	7	1	3	–	–	–	–	3	1	13	11	–	–	7	4
Gunnison	45	–	–	1	12	3	3	–	1	–	2	3	1	14	10	–	1	5	4
Hinsdale	3	–	–	–	2	1	–	–	–	–	–	1	–	1	1	–	–	1	–
Huerfano	74	–	–	1	17	1	6	2	3	1	–	4	1	30	26	1	–	22	3
Jackson	8	–	–	–	1	–	–	–	–	1	–	–	–	3	1	–	–	–	1
Jefferson	2,400	1	–	67	614	149	144	73	72	33	28	115	40	855	605	13	25	421	146
Arvada, part	467	–	–	14	118	25	32	7	19	5	5	25	5	155	110	4	7	71	28
Arvada, total	480	–	–	15	124	28	33	8	19	5	5	26	6	157	110	4	7	71	28
Broomfield, part	9	–	–	–	2	–	–	–	–	–	1	1	–	5	5	–	–	4	1
Golden	132	–	–	4	38	5	14	4	7	1	1	6	3	42	32	1	1	22	8
Lakewood	977	–	–	29	233	54	58	30	25	14	10	42	16	352	236	4	5	161	66
Westminster, part	41	–	–	1	10	2	–	3	1	2	2	–	2	13	10	–	–	6	4
Wheat Ridge	311	–	–	12	74	22	12	8	10	4	4	14	7	130	92	2	5	64	21
Balance of county	463	1	–	7	139	41	28	21	10	7	5	27	7	158	120	2	7	93	18
Kiowa	24	–	–	–	5	3	–	–	2	–	–	–	1	11	7	–	–	6	1
Kit Carson	64	–	–	2	17	6	5	–	3	–	–	3	–	18	12	1	–	7	4
Lake	29	–	–	1	8	–	2	–	1	–	1	4	1	9	7	–	–	2	5
La Plata	217	–	–	3	43	11	8	3	11	3	2	5	6	87	58	1	3	42	12
Durango	119	–	–	2	23	4	5	1	8	1	2	2	2	45	27	1	1	18	7
Balance of county	98	–	–	1	20	7	3	2	3	2	–	3	4	42	31	–	2	24	5
Larimer	1,184	–	–	16	297	87	70	28	32	9	10	61	19	454	337	5	9	226	97
Fort Collins	552	–	–	9	123	35	29	10	17	4	4	24	12	210	154	1	6	110	37
Loveland	314	–	–	4	79	22	17	8	7	3	2	20	5	129	97	–	1	64	32
Balance of county	318	–	–	3	95	30	24	10	8	2	4	17	2	115	86	4	2	52	28
Las Animas	179	–	–	5	28	7	2	4	8	1	1	5	4	83	66	2	6	48	10
Lincoln	62	–	–	–	12	3	2	2	3	–	1	1	1	21	12	–	–	10	2
Logan	183	–	–	4	44	14	9	3	8	3	2	5	2	74	56	–	–	47	9
Sterling	140	–	–	3	35	12	7	2	6	3	2	3	2	55	42	–	–	36	6
Balance of county	43	–	–	1	9	2	2	1	2	–	–	2	–	19	14	–	–	11	3
Mesa	861	–	–	13	237	58	71	10	34	11	9	44	15	312	255	8	5	182	60
Grand Junction	442	–	–	5	124	31	37	3	14	8	4	27	9	166	132	5	2	91	34
Balance of county	419	–	–	8	113	27	34	7	20	3	5	17	6	146	123	3	3	91	26
Mineral	7	–	–	–	3	1	1	–	1	–	–	–	–	2	2	–	–	1	1
Moffat	82	–	–	3	17	2	5	1	4	2	–	3	1	29	22	–	1	14	7
Montezuma	148	–	–	6	35	7	15	1	4	–	1	7	3	38	29	–	–	21	8
Montrose	251	–	–	1	57	16	12	3	12	1	1	12	5	95	68	2	1	50	15
Morgan	234	–	–	6	50	17	10	4	7	2	–	10	6	94	73	1	–	55	17
Otero	245	–	–	3	47	8	17	3	6	1	2	10	8	110	80	–	1	58	21
Ouray	17	–	–	–	4	1	2	–	–	–	–	1	–	4	3	–	–	3	–
Park	29	–	–	–	6	–	2	1	–	–	1	2	–	11	8	–	–	7	1
Phillips	59	–	–	1	11	–	4	4	1	–	1	1	–	27	18	1	–	9	8
Pitkin	30	–	–	3	7	1	1	4	–	–	–	1	1	7	4	–	–	–	4
Prowers	113	–	–	3	28	4	9	1	7	3	1	3	2	40	29	–	1	21	7
Pueblo	1,257	1	–	28	275	78	77	17	32	14	9	48	31	488	360	11	9	245	95
Pueblo	1,108	1	–	23	242	76	64	14	29	11	8	40	25	438	323	10	8	217	88
Balance of county	149	–	–	5	33	2	13	3	3	3	1	8	6	50	37	1	1	28	7
Rio Blanco	30	–	–	2	1	–	–	–	–	–	–	1	–	10	7	–	1	4	2
Rio Grande	123	–	–	–	28	8	5	2	6	–	1	6	1	51	33	–	–	20	13
Routt	54	–	–	–	8	1	3	1	2	–	–	1	–	17	12	–	–	7	5
Saguache	34	–	–	–	6	2	2	–	–	–	–	2	–	20	15	–	2	11	2
San Juan	4	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–
San Miguel	11	–	–	–	2	–	1	1	–	–	–	–	–	4	3	–	–	3	–
Sedgwick	35	–	–	–	8	2	2	1	2	–	–	1	1	12	10	–	–	8	2
Summit	21	–	–	–	5	1	2	–	1	–	–	1	–	6	5	–	–	5	–
Teller	64	–	–	3	17	8	2	–	2	1	–	4	–	21	15	–	–	12	3
Washington	67	–	–	–	15	3	2	2	3	2	–	3	2	37	28	–	–	23	5
Weld	864	–	–	23	202	50	52	14	24	7	7	48	18	311	247	3	12	171	61
Brighton, part	3	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–	1	1
Greeley	457	–	–	12	87	19	21	8	12	1	2	24	11	178	137	1	9	96	31
Balance of county	404	–	–	11	114	30	31	6	12	6	5	24	7	131	108	2	3	74	29
Yuma	101	–	–	–	20	6	7	2	3	–	–	2	2	50	44	1	2	27	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 22 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	–	13	3	–	3	8	3	2	–	–	1	–	–	6	8	8	4	–	–
Cheyenne	–	3	1	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–
Clear Creek	1	2	–	–	–	2	–	1	–	–	–	1	1	3	1	2	1	1	–
Conejos	1	2	–	–	7	4	1	–	–	–	–	–	1	5	3	1	1	2	–
Costilla	–	2	–	–	1	–	–	3	–	–	–	–	–	6	–	–	–	–	–
Crowley	–	2	–	1	2	6	–	1	–	–	–	–	–	5	2	–	–	–	–
Custer	–	1	–	–	–	1	1	–	–	–	–	–	–	–	2	1	1	–	–
Delta	1	22	6	6	18	23	1	2	2	–	–	2	2	31	6	5	1	2	–
Denver, coext. with Denver city	33	258	57	59	182	279	18	84	28	1	33	35	38	551	77	146	100	78	3
Dolores	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Douglas	3	12	–	1	4	11	–	1	1	–	2	3	2	15	8	3	11	–	–
Littleton, part	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Balance of county	3	12	–	–	4	11	–	1	1	–	2	2	2	14	8	3	11	–	–
Eagle	–	2	–	1	2	2	–	–	–	–	–	–	1	6	6	4	4	–	–
Elbert	–	2	3	–	–	3	–	1	–	–	1	–	1	5	2	4	2	–	–
El Paso	10	157	24	33	107	175	6	36	12	1	24	20	29	257	68	68	56	27	14
Colorado Springs	10	144	24	29	95	159	5	30	10	1	16	16	20	218	55	59	46	24	10
Balance of county	–	13	–	4	12	16	1	6	2	–	8	4	9	39	13	9	10	3	4
Fremont	3	29	6	3	15	33	1	2	2	–	–	–	8	49	2	12	7	–	1
Canon City	3	22	3	1	7	20	1	1	2	–	–	–	3	28	1	9	5	–	1
Balance of county	–	7	3	2	8	13	–	1	–	–	–	–	5	21	1	3	2	–	–
Garfield	2	7	–	1	10	13	2	2	1	–	2	–	–	34	10	5	4	2	1
Gilpin	1	2	–	–	–	1	–	1	–	–	–	–	–	2	1	–	2	1	–
Grand	–	–	–	2	–	2	–	2	–	–	–	1	–	1	4	2	4	–	–
Gunnison	–	2	1	1	1	3	–	2	–	–	–	–	1	4	2	3	1	–	–
Hinsdale	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huerfano	–	4	–	–	4	6	–	3	–	–	–	–	–	6	1	3	1	1	–
Jackson	–	2	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Jefferson	8	125	90	27	114	171	6	33	15	–	17	13	20	242	55	52	64	16	5
Arvada, part	1	30	8	6	20	39	1	8	3	–	3	5	5	50	10	10	16	3	2
Arvada, total	1	31	9	6	20	39	1	8	3	–	3	5	5	51	11	10	17	3	2
Broomfield, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Golden	–	7	3	–	4	12	1	2	–	–	2	–	–	10	3	4	5	2	–
Lakewood	4	49	51	12	58	71	3	15	7	–	5	3	8	103	18	23	28	5	–
Westminster, part	–	2	1	–	1	4	–	1	–	–	2	1	–	2	2	–	2	–	–
Wheat Ridge	1	16	18	3	18	17	–	4	1	–	1	1	5	32	2	5	1	1	–
Balance of county	2	21	9	6	12	28	1	3	4	–	4	3	2	45	19	10	12	5	3
Kiowa	–	2	2	–	–	1	–	1	–	–	–	–	–	4	1	–	–	–	–
Kit Carson	–	3	3	–	1	7	–	1	–	–	–	–	2	10	4	2	–	–	–
Lake	–	2	–	–	–	3	–	–	–	–	–	–	–	3	1	–	2	1	–
La Plata	5	15	4	5	9	8	2	4	4	–	1	2	–	25	10	7	6	–	–
Durango	3	10	2	3	8	5	1	3	3	–	–	–	–	16	5	4	2	–	–
Balance of county	2	5	2	2	1	3	1	1	1	–	1	2	–	9	5	3	4	–	–
Larimer	3	91	8	15	54	82	4	13	7	–	13	7	7	121	37	19	30	3	1
Fort Collins	1	45	5	5	25	38	2	7	3	–	8	5	1	77	11	4	15	1	1
Loveland	1	23	2	6	12	26	2	4	1	–	3	2	1	20	12	4	9	1	–
Balance of county	1	23	1	4	17	18	–	2	3	–	2	–	5	24	14	11	6	1	–
Las Animas	1	10	4	2	8	8	1	3	1	–	1	–	3	25	4	4	1	–	–
Lincoln	1	7	1	–	1	4	–	1	–	–	–	2	–	14	4	–	2	–	–
Logan	–	11	3	4	10	14	–	2	1	–	2	1	1	20	5	2	1	–	–
Sterling	–	6	3	4	8	11	–	2	–	–	1	1	1	18	2	–	1	–	–
Balance of county	–	5	–	–	2	3	–	–	1	–	1	–	–	2	3	2	–	–	–
Mesa	1	43	5	8	36	50	1	4	7	–	4	2	3	106	24	24	15	8	–
Grand Junction	1	26	3	4	22	30	1	1	5	–	1	–	–	48	10	8	6	6	–
Balance of county	–	17	2	4	14	20	–	3	2	–	3	2	3	58	14	16	9	2	–
Mineral	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Moffat	1	4	–	2	5	3	–	–	–	–	–	1	2	9	5	5	2	–	–
Montezuma	1	6	1	1	12	14	2	1	1	–	–	–	2	15	3	5	9	1	1
Montrose	4	18	2	3	10	14	–	2	1	–	1	1	4	37	7	9	7	–	–
Morgan	1	16	1	3	9	19	–	4	–	–	2	1	1	30	7	2	3	–	–
Otero	3	20	2	5	15	16	1	2	2	–	–	–	1	25	5	5	2	2	1
Ouray	–	1	–	–	1	1	1	1	–	–	–	–	–	2	1	1	–	–	1
Park	–	2	–	1	–	2	–	–	–	–	–	–	–	4	3	–	3	–	–
Phillips	1	4	2	2	3	3	–	–	–	–	–	–	–	6	5	3	–	–	–
Pitkin	1	2	–	–	–	1	–	1	–	–	–	1	1	2	–	2	3	1	–
Prowers	1	6	3	1	9	6	1	–	2	–	–	–	1	13	3	–	1	4	–
Pueblo	11	84	15	18	45	82	5	25	3	–	9	6	28	133	26	34	18	13	7
Pueblo	9	76	15	15	41	74	4	24	2	–	8	5	20	120	19	30	17	10	5
Balance of county	2	8	–	3	4	8	1	1	1	–	1	1	8	13	7	4	1	3	2
Rio Blanco	–	2	–	1	1	4	1	–	1	–	–	–	1	3	2	2	2	–	–
Rio Grande	1	16	–	1	6	12	1	2	–	–	–	2	1	11	3	4	1	–	–
Routt	–	3	1	1	1	5	–	–	–	–	–	3	–	6	4	4	4	2	–
Saguache	–	5	–	–	1	1	–	–	–	–	–	–	1	3	–	1	1	–	–
San Juan	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
San Miguel	–	1	–	–	–	–	–	2	–	–	–	–	–	–	2	1	–	–	–
Sedgwick	1	1	–	–	2	1	–	–	–	–	–	–	2	3	4	1	1	–	–
Summit	–	1	–	–	1	–	–	–	–	–	–	–	–	1	3	4	–	–	1
Teller	–	3	1	2	5	4	1	1	–	–	–	–	1	2	3	2	4	–	–
Washington	1	4	3	1	–	2	–	–	–	–	1	–	–	7	1	1	1	–	–
Weld	6	48	3	7	42	61	5	7	2	1	13	4	5	93	30	21	26	–	–
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greeley	4	29	2	6	30	30	1	3	1	1	8	2	1	58	12	8	14	–	–
Balance of county	2	19	1	1	12	31	4	4	1	–	5	2	4	35	18	13	12	–	–
Yuma	–	6	–	–	2	8	–	–	–	–	–	–	–	8	2	3	4	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 23 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	28,029	7	1	840	7,044	1,746	1,925	618	791	317	249	1,398	521	11,974	9,563	95	267	5,744	3,457
Urban places	19,972	6	1	681	4,876	1,204	1,342	430	541	218	161	980	389	8,581	6,897	72	199	4,129	2,497
Balance of area	8,057	1	–	159	2,168	542	583	188	250	99	88	418	132	3,393	2,666	23	68	1,615	960
Metropolitan counties	25,700	7	1	783	6,492	1,603	1,764	579	725	298	225	1,298	486	10,955	8,774	87	250	5,256	3,181
Urban places	19,633	6	1	674	4,805	1,182	1,315	427	536	216	160	969	379	8,434	6,783	70	196	4,075	2,442
Balance of area	6,067	1	–	109	1,687	421	449	152	189	82	65	329	107	2,521	1,991	17	54	1,181	739
Nonmetropolitan counties	2,329	–	–	57	552	143	161	39	66	19	24	100	35	1,019	789	8	17	488	276
Urban places	339	–	–	7	71	22	27	3	5	2	1	11	10	147	114	2	3	54	55
Balance of area	1,990	–	–	50	481	121	134	36	61	17	23	89	25	872	675	6	14	434	221
Fairfield	6,818	2	–	232	1,758	409	485	162	188	82	68	364	128	2,926	2,363	30	58	1,456	819
Bridgeport	1,379	–	–	64	303	62	104	23	28	10	17	59	38	581	482	4	17	330	131
Danbury	493	–	–	19	130	31	29	15	10	6	5	34	12	199	156	4	3	101	48
Darien town#	124	–	–	1	44	13	8	6	4	2	5	6	2	48	38	–	–	17	21
Fairfield town#	523	–	–	7	125	30	36	12	18	8	4	17	14	256	211	3	3	142	63
Greenwich town#	460	–	–	19	104	32	26	9	11	5	4	17	6	205	149	2	5	83	59
Norwalk	666	1	–	28	184	38	49	21	24	10	5	37	17	280	238	1	12	126	99
Shelton	297	1	–	8	72	18	21	4	10	2	2	15	3	141	116	1	2	81	32
Stamford	861	–	–	35	217	46	58	31	22	8	6	46	18	384	309	5	2	160	142
Stratford town#	544	–	–	17	130	30	39	10	12	4	3	32	7	246	207	3	5	142	57
Trumbull town#	293	–	–	4	88	26	16	6	12	6	1	21	3	119	101	2	1	68	30
Westport town#	177	–	–	2	63	15	20	3	5	4	2	14	2	67	47	1	1	27	18
Balance of county	1,001	–	–	28	298	68	79	22	32	17	14	66	6	400	309	4	7	179	119
Hartford	7,557	2	–	246	1,833	483	477	171	202	75	71	354	139	3,180	2,535	26	94	1,487	928
Bristol	509	–	–	11	110	29	36	6	12	4	2	21	5	233	185	1	10	131	43
East Hartford town#	452	–	–	7	126	27	39	4	13	6	8	29	10	189	152	3	5	99	45
Enfield town#	307	–	–	6	79	21	18	3	11	3	3	20	9	134	115	–	5	79	31
Hartford	1,228	–	–	85	265	69	69	19	39	14	8	47	22	452	360	6	29	167	158
Manchester town#	521	–	–	5	127	42	35	15	5	5	3	22	8	234	185	3	1	110	71
New Britain	844	2	–	40	191	58	48	12	15	10	10	38	16	363	291	2	5	171	113
Newington town#	249	–	–	7	58	18	14	7	6	5	1	7	5	104	84	–	2	48	34
Plainville town#	140	–	–	2	35	6	10	5	3	2	–	9	4	58	48	1	2	30	15
Rocky Hill town#	151	–	–	3	34	9	8	1	3	1	–	12	3	58	46	–	2	32	12
Southington town#	285	–	–	8	72	25	17	6	4	1	3	16	5	128	94	1	4	52	37
West Hartford town#	755	–	–	23	181	39	40	22	22	6	10	42	9	334	260	1	11	157	91
Wethersfield town#	321	–	–	8	82	22	25	12	9	1	6	7	6	140	117	4	3	74	36
Windsor town#	254	–	–	7	60	12	19	9	7	4	1	8	4	103	82	–	1	40	41
Windsor Locks town#	115	–	–	4	31	9	10	1	4	–	–	7	3	48	42	–	2	24	16
Balance of county	1,426	–	–	30	382	97	89	49	49	13	16	69	30	602	474	4	12	273	185
Litchfield	1,454	–	–	35	340	91	103	26	37	13	15	55	27	655	510	6	12	312	180
Torrington	339	–	–	7	71	22	27	3	5	2	1	11	10	147	114	2	3	54	55
Balance of county	1,115	–	–	28	269	69	76	23	32	11	14	44	17	508	396	4	9	258	125
Middlesex	1,197	–	–	19	306	78	83	16	34	12	7	76	31	523	423	2	12	240	169
Middletown	338	–	–	12	84	21	23	3	9	1	3	24	8	159	122	–	6	70	46
Balance of county	859	–	–	7	222	57	60	13	25	11	4	52	23	364	301	2	6	170	123
New Haven	7,411	2	1	233	1,836	443	497	160	219	96	55	366	140	3,193	2,560	23	56	1,501	980
Ansonia	212	1	–	6	55	16	13	3	9	2	2	10	4	93	71	–	2	51	18
Branford town#	211	–	–	4	67	21	20	5	4	3	2	12	2	86	66	1	2	33	30
Derby	154	–	–	2	35	7	10	7	4	–	3	4	2	72	59	1	2	42	14
East Haven town#	224	–	1	7	64	15	18	5	11	1	2	12	3	98	84	–	3	42	39
Hamden town#	519	–	–	17	138	30	27	18	18	8	4	33	11	226	167	4	1	99	63
Meriden	568	–	–	4	137	35	37	8	18	8	5	26	9	250	206	4	4	123	75
Milford	456	–	–	11	138	30	38	22	16	7	1	24	7	183	149	–	4	87	58
Naugatuck	222	–	–	5	51	9	13	3	5	4	3	14	6	104	82	1	–	53	28
New Haven	1,295	1	–	86	279	58	94	15	24	17	7	64	24	523	433	2	9	208	214
North Haven town#	188	–	–	4	51	9	15	4	5	2	2	14	4	75	59	–	2	30	27
Orange town#	123	–	–	1	33	8	11	4	2	3	1	4	2	67	54	1	1	26	26
Wallingford town#	315	–	–	3	86	20	29	8	13	4	–	12	4	136	106	2	2	68	34
Waterbury	1,171	–	–	47	250	61	60	20	40	13	6	50	25	536	421	3	9	285	124
West Haven	542	–	–	19	122	33	27	9	16	3	5	29	17	232	200	2	3	111	84
Balance of county	1,211	–	–	17	330	91	85	29	34	21	12	58	20	512	403	2	12	243	146
New London	1,961	–	–	40	551	136	161	48	60	25	16	105	34	818	640	4	23	410	203
Groton	257	–	–	5	65	9	25	9	9	4	1	8	6	105	84	1	2	53	28
New London	256	–	–	10	70	20	18	6	8	5	2	11	2	105	85	–	2	50	33
Norwich	411	–	–	6	114	35	29	11	9	1	2	27	6	180	147	–	7	96	44
Balance of county	1,037	–	–	19	302	72	89	22	34	15	11	59	20	428	324	3	12	211	98
Tolland	756	1	–	13	208	54	61	22	22	8	8	33	14	315	253	2	7	162	82
Vernon town#	223	–	–	5	55	18	14	5	7	3	–	8	6	100	73	–	2	57	14
Balance of county	533	1	–	8	153	36	47	17	15	5	8	25	8	215	180	2	5	105	68
Windham	875	–	–	22	212	52	58	13	29	6	9	45	8	364	279	2	5	176	96
Willimantic [5]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	875	–	–	22	212	52	58	13	29	6	9	45	8	364	279	2	5	176	96
Delaware	5,928	6	–	145	1,520	341	491	126	151	69	50	292	175	2,421	1,926	12	110	1,142	662
Urban places	1,337	2	–	55	338	78	110	24	35	13	12	66	55	507	391	2	32	221	136
Balance of area	4,591	4	–	90	1,182	263	381	102	116	56	38	226	120	1,914	1,535	10	78	921	526
Metropolitan counties	3,671	3	–	102	985	218	302	86	93	42	38	206	105	1,448	1,144	9	89	608	438
Urban places	1,122	2	–	44	287	64	96	18	31	12	11	55	47	417	325	2	28	171	124
Balance of area	2,549	1	–	58	698	154	206	68	62	30	27	151	58	1,031	819	7	61	437	314
Nonmetropolitan counties	2,257	3	–	43	535	123	189	40	58	27	12	86	70	973	782	3	21	534	224
Urban places	215	–	–	11	51	14	14	6	4	1	1	11	8	90	66	–	4	50	12
Balance of area	2,042	3	–	32	484	109	175	34	54	26	11	75	62	883	716	3	17	484	212

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 24 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	100	1,752	212	347	1,082	1,005	53	324	318	4	142	192	447	2,719	335	482	330	186	23
Urban places	69	1,227	137	251	744	669	31	245	248	3	93	146	319	1,976	212	354	211	170	17
Balance of area	31	525	75	96	338	336	22	79	70	1	49	46	128	743	123	128	119	16	6
Metropolitan counties	96	1,593	178	314	967	896	47	301	301	4	125	183	406	2,508	301	444	292	179	22
Urban places	69	1,199	137	246	729	654	31	239	245	3	90	145	311	1,936	209	349	206	170	17
Balance of area	27	394	41	68	238	242	16	62	56	1	35	38	95	572	92	95	86	9	5
Nonmetropolitan counties	4	159	34	33	115	109	6	23	17	–	17	9	41	211	34	38	38	7	1
Urban places	–	28	–	5	15	15	–	6	3	–	3	1	8	40	3	5	5	–	–
Balance of area	4	131	34	28	100	94	6	17	14	–	14	8	33	171	31	33	33	7	1
Fairfield	24	394	53	92	246	211	12	75	85	3	33	45	102	640	67	100	77	71	5
Bridgeport	5	72	7	15	46	37	3	25	18	1	8	17	22	130	11	16	14	44	1
Danbury	1	29	7	6	16	16	1	6	5	–	5	3	10	51	4	11	2	3	–
Darien town#	–	9	–	1	7	2	1	2	–	–	–	–	4	12	–	–	1	–	–
Fairfield town#	4	29	2	10	20	22	–	2	9	–	2	–	3	50	2	7	2	2	–
Greenwich town#	4	38	5	9	21	19	1	7	2	–	–	1	6	50	4	11	4	–	–
Norwalk	1	28	2	11	22	29	–	7	6	–	2	7	4	47	5	8	9	9	1
Shelton	1	14	4	6	15	12	–	2	5	–	1	–	4	22	5	2	2	2	–
Stamford	1	49	14	11	31	14	2	7	15	1	–	5	14	81	5	14	11	6	1
Stratford town#	2	32	2	3	18	10	–	8	11	1	3	6	4	55	9	8	8	3	–
Trumbull town#	1	14	2	1	7	3	1	2	4	–	2	2	10	39	3	4	2	–	–
Westport town#	1	13	1	5	4	10	–	–	3	–	–	–	1	16	2	4	2	1	–
Balance of county	3	67	7	14	39	37	3	7	7	–	10	4	20	87	17	15	20	1	2
Hartford	18	479	54	94	317	266	15	104	71	1	43	59	118	773	80	168	92	40	10
Bristol	1	39	4	4	19	23	1	9	6	–	3	2	7	52	10	8	9	1	–
East Hartford town#	–	27	3	7	10	15	–	13	2	–	–	4	12	41	7	5	10	1	–
Enfield town#	–	16	1	2	8	10	–	5	9	–	2	2	5	23	4	4	6	1	–
Hartford	2	73	9	8	45	37	3	15	14	–	9	28	32	129	12	36	16	21	7
Manchester town#	3	37	1	8	23	26	1	12	3	–	3	4	6	53	3	11	2	–	–
New Britain	3	47	9	13	36	29	3	14	8	–	4	5	10	75	9	24	8	6	1
Newington town#	1	9	2	8	13	5	2	3	1	–	4	–	2	35	2	7	1	–	–
Plainville town#	1	6	2	1	6	2	1	4	2	–	1	1	4	12	2	3	2	1	–
Rocky Hill town#	–	10	–	2	12	7	–	–	2	–	2	2	1	16	2	4	2	3	–
Southington town#	1	28	–	5	15	7	–	3	6	–	1	1	4	22	3	5	2	2	1
West Hartford town#	–	52	13	9	42	20	–	6	4	–	3	2	8	91	7	21	4	–	–
Wethersfield town#	1	17	–	5	17	14	–	–	2	–	–	3	2	31	–	7	7	1	1
Windsor town#	–	14	2	5	11	12	–	4	4	–	–	1	3	33	2	6	4	–	–
Windsor Locks town#	–	5	–	1	2	7	–	2	1	–	2	–	1	12	–	2	–	–	–
Balance of county	5	99	8	16	58	52	4	14	7	1	9	4	21	148	17	25	19	3	–
Litchfield	2	115	8	20	59	60	4	16	10	–	11	6	23	140	15	21	26	5	1
Torrington	–	28	–	5	15	15	–	6	3	–	3	1	8	40	3	5	5	–	–
Balance of county	2	87	8	15	44	45	4	10	7	–	8	5	15	100	12	16	21	5	1
Middlesex	2	84	2	12	47	44	4	8	11	–	3	5	14	125	17	17	17	5	1
Middletown	1	32	–	4	14	15	–	2	1	–	–	1	4	26	4	2	4	2	–
Balance of county	1	52	2	8	33	29	4	6	10	–	3	4	10	99	13	15	13	3	1
New Haven	38	451	52	92	250	258	14	76	98	–	33	50	114	758	94	119	81	56	5
Ansonia	1	15	2	4	4	8	–	4	2	–	–	1	2	24	4	4	–	–	–
Branford town#	2	16	1	1	5	6	1	4	3	–	–	6	1	18	3	3	2	–	–
Derby	–	11	–	2	5	7	–	3	1	–	1	1	2	14	2	3	4	–	–
East Haven town#	–	10	1	3	5	4	–	4	4	–	1	2	2	24	2	2	–	1	–
Hamden town#	5	39	5	10	17	15	–	4	6	–	4	–	5	61	3	6	5	1	–
Meriden	2	32	1	9	31	30	–	8	7	–	–	4	6	55	12	7	6	1	1
Milford	–	26	3	5	15	16	3	8	7	–	3	–	4	43	8	4	3	3	–
Naugatuck	1	18	1	2	2	6	1	2	4	–	3	1	1	24	4	1	6	–	1
New Haven	5	74	6	5	42	23	–	7	24	–	4	15	43	140	9	28	12	35	–
North Haven town#	–	11	–	5	6	7	–	2	2	–	3	–	2	26	3	2	1	–	–
Orange town#	2	9	1	1	3	1	–	1	–	–	–	–	2	9	1	1	2	–	–
Wallingford town#	1	20	3	6	15	11	1	–	5	–	1	–	3	34	3	6	7	–	–
Waterbury	9	77	15	14	38	48	3	11	15	–	5	7	15	110	19	21	11	9	1
West Haven	2	24	2	4	19	26	1	6	6	–	4	2	11	49	5	13	4	5	1
Balance of county	8	69	11	21	43	50	4	12	12	–	4	11	15	127	16	18	18	1	1
New London	9	142	12	15	69	87	2	30	27	–	11	15	41	154	32	28	17	4	1
Groton	–	19	–	2	12	12	–	2	3	–	–	4	3	25	4	8	2	1	–
New London	2	17	–	1	10	8	1	5	4	–	1	2	11	18	3	3	1	2	–
Norwich	2	24	1	6	8	13	–	6	7	–	3	2	11	40	5	5	4	1	–
Balance of county	5	82	11	6	39	54	1	17	13	–	7	7	16	71	20	12	10	–	1
Tolland	5	43	5	9	38	30	–	8	9	–	2	9	17	58	11	12	8	3	–
Vernon town#	–	18	3	6	12	10	–	2	2	–	–	1	4	18	2	2	2	2	–
Balance of county	5	25	2	3	26	20	–	6	7	–	2	8	13	40	9	10	6	1	–
Windham	2	44	26	13	56	49	2	7	7	–	6	3	18	71	19	17	12	2	–
Willimantic [5]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	44	26	13	56	49	2	7	7	–	6	3	18	71	19	17	12	2	–
Delaware	15	355	26	99	181	228	14	67	79	1	36	63	49	584	106	118	79	52	4
Urban places	7	80	11	18	40	36	2	17	23	–	9	23	13	141	19	29	8	19	1
Balance of area	8	275	15	81	141	192	12	50	56	1	27	40	36	443	87	89	71	33	3
Metropolitan counties	9	214	19	62	104	122	12	45	55	–	22	46	37	371	52	72	55	34	1
Urban places	6	61	9	16	35	28	2	14	21	–	8	19	11	120	18	25	6	18	–
Balance of area	3	153	10	46	69	94	10	31	34	–	14	27	26	251	34	47	49	16	1
Nonmetropolitan counties	6	141	7	37	77	106	2	22	24	1	14	17	12	213	54	46	24	18	3
Urban places	1	19	2	2	5	8	–	3	2	–	1	4	2	21	1	4	2	1	1
Balance of area	5	122	5	35	72	98	2	19	22	1	13	13	10	192	53	42	22	17	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 25 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	698	3	-	26	213	49	72	17	23	9	3	40	23	381	309	2	6	223	78
Dover	215	-	-	11	51	14	14	6	4	1	1	11	8	90	66	-	4	50	12
Balance of county	683	3	-	15	162	35	58	11	19	8	2	29	15	291	243	2	2	173	66
New Castle	3,671	3	-	102	985	218	302	86	93	42	38	206	105	1,448	1,144	9	89	608	438
Newark	142	-	-	3	37	5	12	4	3	4	2	7	4	52	40	1	2	21	16
Wilmington	980	2	-	41	250	59	84	14	28	8	9	48	43	365	285	1	26	150	108
Balance of county	2,549	1	-	58	698	154	206	68	62	30	27	151	58	1,031	819	7	61	437	314
Sussex	1,359	-	-	17	322	74	117	23	35	18	9	46	47	592	473	1	15	311	146
District of Columbia	7,075	14	1	599	1,547	433	380	144	182	48	40	320	174	2,335	1,865	14	212	689	950
Florida	136,293	111	3	4,087	34,569	7,976	10,879	2,641	4,064	1,551	1,182	6,276	2,881	58,284	46,227	379	1,767	33,122	10,959
Urban places	67,051	54	3	2,459	16,142	3,853	4,882	1,251	1,948	727	550	2,931	1,407	28,978	23,076	188	908	16,557	5,423
Balance of area	69,242	57	-	1,628	18,427	4,123	5,997	1,390	2,116	824	632	3,345	1,474	29,306	23,151	191	859	16,565	5,536
Metropolitan counties	121,850	97	3	3,828	30,850	7,162	9,594	2,406	3,634	1,350	1,070	5,634	2,564	52,154	41,452	344	1,585	29,720	9,803
Urban places	66,020	53	3	2,418	15,872	3,782	4,790	1,229	1,930	716	544	2,881	1,389	28,567	22,766	186	895	16,362	5,323
Balance of area	55,830	44	-	1,410	14,978	3,380	4,804	1,177	1,704	634	526	2,753	1,175	23,587	18,686	158	690	13,358	4,480
Nonmetropolitan counties	14,443	14	-	259	3,719	814	1,285	235	430	201	112	642	317	6,130	4,775	35	182	3,402	1,156
Urban places	1,031	1	-	41	270	71	92	22	18	11	6	50	18	411	310	2	13	195	100
Balance of area	13,412	13	-	218	3,449	743	1,193	213	412	190	106	592	299	5,719	4,465	33	169	3,207	1,056
Alachua	1,262	-	-	33	284	67	90	16	31	13	13	54	29	456	311	6	20	217	68
Gainesville	613	-	-	20	110	30	30	7	15	5	4	19	13	221	139	3	9	94	33
Balance of county	649	-	-	13	174	37	60	9	16	8	9	35	16	235	172	3	11	123	35
Baker	159	-	-	2	39	9	11	2	5	-	3	9	4	59	43	-	2	22	19
Bay	1,084	3	-	23	269	50	112	21	25	8	6	47	16	377	299	2	2	200	95
Panama City	479	2	-	12	112	20	49	3	15	3	-	22	4	179	138	2	1	88	47
Balance of county	605	1	-	11	157	30	63	18	10	5	6	25	12	198	161	-	1	112	48
Bradford	242	-	-	4	58	13	20	3	7	1	1	13	12	93	69	1	2	47	19
Brevard	3,635	4	-	65	1,082	231	375	84	114	51	38	189	72	1,485	1,187	17	41	804	325
Cocoa	203	-	-	6	53	15	18	3	9	2	-	6	4	84	65	2	4	46	13
Cocoa Beach	164	-	-	1	49	18	14	3	5	1	3	5	3	73	52	2	2	33	15
Melbourne	628	-	-	11	164	35	48	12	17	10	6	36	16	275	227	4	2	154	67
Palm Bay	427	-	-	7	148	34	37	14	16	8	5	34	8	161	131	1	5	77	48
Rockledge	169	-	-	4	54	11	22	3	8	3	1	6	6	61	49	-	3	41	5
Titusville	409	-	-	14	121	14	51	14	11	4	5	22	8	150	115	-	2	92	21
Balance of county	1,635	4	-	22	493	104	185	35	48	23	18	80	27	681	548	8	23	361	156
Broward	14,792	10	1	647	3,797	931	1,094	309	455	177	136	695	326	6,575	5,328	52	126	4,134	1,016
Cooper City	96	-	-	2	27	4	9	1	6	3	-	4	2	42	36	2	-	29	5
Coral Springs	391	-	-	16	108	25	26	12	13	3	7	22	8	169	142	2	4	117	19
Dania	182	-	-	3	42	9	13	6	7	1	2	4	8	83	64	-	1	46	17
Davie	279	-	-	19	83	21	24	2	5	6	5	20	6	119	101	-	-	73	28
Deerfield Beach	774	-	-	22	222	53	61	16	29	14	8	41	13	371	309	4	5	264	36
Fort Lauderdale	2,485	-	-	229	564	127	195	41	65	24	16	96	52	996	776	7	27	590	152
Hallandale, part	752	1	-	26	176	41	49	14	18	11	7	36	16	358	291	3	3	246	39
Hallandale, total	752	1	-	26	176	41	49	14	18	11	7	36	16	358	291	3	3	246	39
Hollywood	1,773	4	-	51	425	102	139	28	51	20	16	69	31	838	670	4	13	518	135
Lauderdale Lakes	429	-	-	13	100	30	19	7	15	2	3	24	6	230	192	4	1	152	35
Lauderhill	541	-	-	22	150	43	40	14	18	5	6	24	10	243	200	1	4	161	34
Lighthouse Point	166	-	-	1	44	13	10	3	5	3	3	7	5	80	59	-	1	45	13
Margate	614	1	-	8	169	41	45	16	17	7	8	35	7	292	233	2	3	186	42
Miramar	303	-	-	13	94	18	35	6	10	4	3	18	3	125	108	-	6	75	27
North Lauderdale	130	-	-	4	47	15	15	4	4	3	-	6	3	42	33	-	2	26	5
Oakland Park	161	-	-	8	31	9	9	4	1	-	1	7	4	74	65	1	5	46	13
Pembroke Pines	614	1	-	19	176	39	53	14	16	8	9	37	13	253	219	4	4	166	45
Plantation	578	1	-	19	159	45	46	25	17	4	2	20	13	248	202	1	4	162	35
Pompano Beach	1,307	2	-	68	320	83	75	28	37	20	12	65	36	570	458	4	13	346	95
Sunrise	713	-	1	18	186	58	57	12	22	7	1	29	28	347	296	2	3	238	53
Tamarac	820	-	-	10	247	60	53	22	42	15	11	44	15	384	313	6	2	257	48
Wilton Manors	138	-	-	7	28	9	9	-	4	-	1	5	5	62	46	1	3	29	13
Balance of county	1,546	-	-	69	399	86	112	34	53	17	15	82	42	649	515	4	22	362	127
Calhoun	147	-	-	-	33	6	14	-	6	1	1	5	5	49	38	-	5	25	8
Charlotte	1,614	1	-	29	441	93	159	27	52	31	14	65	30	707	574	7	17	409	141
Citrus	1,378	1	-	11	403	91	135	22	47	15	13	80	16	678	540	3	23	412	102
Clay	734	-	-	12	175	34	68	14	17	3	6	33	18	301	248	4	11	178	55
Collier	1,537	1	-	43	467	108	130	39	50	19	21	100	23	604	468	5	17	354	92
Naples	412	-	-	9	146	41	35	10	19	3	8	30	7	154	121	2	4	95	20
Balance of county	1,125	1	-	34	321	67	95	29	31	16	13	70	16	450	347	3	13	259	72
Columbia	393	-	-	6	94	29	30	6	6	6	3	14	13	161	137	-	4	92	41
Dade	17,897	29	2	1,072	3,977	1,061	1,024	356	492	156	137	751	447	7,465	6,094	40	306	4,563	1,185
Coral Gables	366	1	-	20	86	18	21	10	13	1	3	20	4	148	115	1	4	85	25
Hallandale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hialeah	1,571	5	-	57	340	85	102	35	25	17	16	60	42	668	557	3	21	439	94
Homestead	259	-	-	11	59	12	18	3	10	2	2	12	6	92	70	-	1	57	12
Miami	4,695	10	2	418	1,043	275	270	92	135	41	30	200	129	1,837	1,501	6	112	1,079	304
Miami Beach	1,711	-	-	75	350	119	71	32	48	16	10	54	20	896	762	6	28	600	128
Miami Springs	130	-	-	2	29	5	5	3	3	2	-	11	3	58	49	-	3	37	9
North Miami	651	1	-	22	115	32	34	9	15	4	3	18	12	328	282	-	6	217	59
North Miami Beach	1,044	-	-	22	229	64	49	17	18	15	14	52	26	568	481	4	12	386	79
Opa-locka	142	-	-	14	30	4	10	2	3	1	1	9	5	39	31	-	1	27	3
South Miami	60	-	-	13	9	2	3	-	2	1	1	-	3	21	16	-	1	11	4
Balance of county	7,068	12	-	418	1,687	445	441	153	220	56	57	315	197	2,810	2,230	20	117	1,625	468
De Soto	299	-	-	3	75	13	22	3	12	5	4	16	3	140	109	-	2	92	15
Dixie	100	-	-	1	27	6	11	3	1	-	2	4	2	39	30	-	-	20	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 26 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	3	51	3	15	26	35	-	11	7	-	6	10	7	92	18	22	8	9	1
Dover	1	19	2	2	5	8	-	3	2	-	1	4	2	21	1	4	2	1	1
Balance of county	2	32	1	13	21	27	-	8	5	-	5	6	5	71	17	18	6	8	-
New Castle	9	214	19	62	104	122	12	45	55	-	22	46	37	371	52	72	55	34	1
Newark	-	9	2	1	8	5	-	1	3	-	-	-	1	17	3	5	2	1	-
Wilmington	6	52	7	15	27	23	2	13	18	-	8	19	10	103	15	20	4	17	-
Balance of county	3	153	10	46	69	94	10	31	34	-	14	27	26	251	34	47	49	16	1
Sussex	3	90	4	22	51	71	2	11	17	1	8	7	5	121	36	24	16	9	2
District of Columbia	40	339	41	50	187	135	9	154	105	4	28	167	181	758	66	134	34	417	26
Florida	692	8,588	1,032	1,745	3,341	6,079	389	1,776	925	17	594	839	1,825	12,124	2,517	2,286	2,095	1,471	80
Urban places	351	4,199	520	832	1,669	2,805	179	881	475	12	312	494	894	6,183	1,087	1,149	1,033	806	29
Balance of area	341	4,389	512	913	1,672	3,274	210	895	450	5	282	345	931	5,941	1,430	1,137	1,062	665	51
Metropolitan counties	622	7,613	910	1,557	2,960	5,311	350	1,594	812	14	550	775	1,621	10,883	2,175	2,046	1,876	1,319	68
Urban places	346	4,125	513	817	1,646	2,753	176	871	467	12	308	484	887	6,076	1,066	1,128	1,015	801	28
Balance of area	276	3,488	397	740	1,314	2,558	174	723	345	2	242	291	734	4,807	1,109	918	861	518	40
Nonmetropolitan counties	70	975	122	188	381	768	39	182	113	3	44	64	204	1,241	342	240	219	152	12
Urban places	5	74	7	15	23	52	3	10	8	-	4	10	7	107	21	21	18	5	1
Balance of area	65	901	115	173	358	716	36	172	105	3	40	54	197	1,134	321	219	201	147	11
Alachua	17	110	7	11	43	48	6	9	10	-	9	11	44	160	34	29	35	18	4
Gainesville	7	63	5	7	23	27	3	2	2	-	3	8	28	86	17	17	19	12	2
Balance of county	10	47	2	4	20	21	3	7	8	-	6	3	16	74	17	12	16	6	2
Baker	1	10	1	4	6	13	-	2	4	-	1	1	4	13	4	-	4	3	-
Bay	4	55	6	13	26	74	7	18	7	1	9	12	64	94	24	27	17	14	2
Panama City	3	30	3	5	14	32	2	10	2	1	4	5	20	43	10	14	8	5	-
Balance of county	1	25	3	8	12	42	5	8	5	-	5	7	44	51	14	13	9	9	2
Bradford	1	17	2	4	6	9	-	2	2	-	2	1	6	26	5	3	7	6	-
Brevard	16	199	20	63	117	194	9	47	9	1	16	29	23	272	61	66	61	21	1
Cocoa	-	16	1	2	7	7	-	5	1	-	1	3	2	12	5	1	5	7	-
Cocoa Beach	2	18	-	1	1	12	-	6	1	-	-	-	-	8	3	3	3	1	-
Melbourne	2	26	4	16	28	34	1	6	-	1	2	6	2	56	8	9	6	3	-
Palm Bay	2	21	2	5	11	11	3	6	2	-	-	4	3	35	10	10	7	1	-
Rockledge	1	9	1	1	6	15	-	-	-	-	1	3	-	10	2	5	1	1	-
Titusville	2	23	2	8	9	19	1	2	1	-	4	4	6	40	12	9	8	1	-
Balance of county	7	86	10	30	55	96	4	22	4	-	8	9	10	111	21	29	31	7	1
Broward	79	895	73	200	285	585	37	177	117	2	55	101	71	1,284	188	204	215	114	1
Cooper City	-	5	1	-	4	2	-	2	-	-	1	-	1	2	4	4	3	-	-
Coral Springs	2	20	2	3	3	16	1	4	-	1	2	3	3	31	11	8	6	1	-
Dania	2	9	1	7	6	6	1	3	2	-	-	2	2	14	3	-	2	5	-
Davie	2	11	1	4	3	6	-	3	3	-	3	3	2	15	5	5	2	2	-
Deerfield Beach	7	45	3	7	13	28	1	4	9	-	1	2	1	67	9	3	7	1	-
Fort Lauderdale	13	164	15	28	59	92	7	42	13	-	10	34	11	221	37	44	55	19	-
Hallandale, part	3	43	4	17	20	29	2	16	6	-	2	1	1	73	4	11	8	2	-
Hallandale, total	3	43	4	17	20	29	2	16	6	-	2	1	1	73	4	11	8	2	-
Hollywood	6	122	12	28	24	77	4	28	14	1	7	7	5	168	32	18	23	16	-
Lauderdale Lakes	1	27	4	6	4	21	1	-	3	-	1	1	1	39	1	5	3	-	-
Lauderhill	8	26	1	8	6	13	2	5	5	-	2	5	1	50	4	7	11	5	-
Lighthouse Point	1	18	-	2	5	6	1	-	-	-	-	-	-	13	1	2	6	2	-
Margate	1	46	4	8	14	24	-	4	7	-	1	3	4	60	6	7	4	3	-
Miramar	1	11	2	3	3	14	-	6	2	-	3	5	4	12	1	5	7	6	-
North Lauderdale	-	7	-	2	1	3	-	2	1	-	1	3	1	9	3	6	2	2	-
Oakland Park	-	4	2	3	1	8	-	1	1	-	-	3	1	14	3	1	8	3	-
Pembroke Pines	6	25	2	1	9	28	6	5	7	-	3	4	2	58	9	7	10	4	-
Plantation	5	31	1	9	16	24	-	6	6	-	2	4	3	50	8	8	9	2	-
Pompano Beach	7	87	5	13	37	55	3	13	11	-	5	10	4	117	15	20	7	13	1
Sunrise	-	36	4	11	13	27	2	5	5	-	2	-	1	54	6	7	11	-	-
Tamarac	2	53	1	15	12	32	2	8	11	-	-	1	5	76	5	5	6	1	-
Wilton Manors	-	11	2	3	6	3	-	4	1	-	1	1	1	13	-	3	1	2	-
Balance of county	12	94	6	22	26	71	4	16	10	-	8	9	17	128	21	28	24	25	-
Calhoun	1	8	2	-	3	9	-	4	-	-	-	1	8	21	6	2	2	4	-
Charlotte	13	89	4	27	93	73	4	16	12	1	3	3	9	134	19	19	16	4	-
Citrus	7	97	17	17	13	71	1	19	7	-	6	5	11	84	19	12	18	3	-
Clay	5	35	6	7	18	44	3	8	4	-	8	6	5	78	18	12	17	6	1
Collier	4	89	24	19	35	83	3	21	7	-	11	9	5	97	42	38	35	13	-
Naples	1	23	6	3	6	19	-	6	1	-	1	-	1	37	10	4	9	2	-
Balance of county	3	66	18	16	29	64	3	15	6	-	10	9	4	60	32	34	26	11	-
Columbia	4	19	-	1	4	24	-	6	3	-	-	1	4	32	10	10	12	13	-
Dade	100	977	102	192	427	590	57	213	162	4	107	124	111	1,738	333	344	310	383	2
Coral Gables	2	22	5	4	16	13	-	3	6	-	1	1	-	39	7	6	11	4	-
Hallandale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hialeah	10	66	11	24	45	56	2	37	20	-	10	6	9	143	43	20	37	31	-
Homestead	1	15	2	4	9	19	1	4	1	-	2	-	3	17	7	6	7	15	-
Miami	30	233	26	47	110	156	13	76	50	2	42	50	28	511	101	94	91	131	1
Miami Beach	9	92	13	20	45	45	9	15	13	-	2	4	9	147	14	37	20	10	-
Miami Springs	-	9	-	-	5	7	-	3	-	-	-	1	1	16	-	2	2	-	1
North Miami	-	36	3	7	23	25	-	4	6	-	4	4	3	69	7	12	8	8	-
North Miami Beach	4	63	11	9	19	30	3	4	7	1	4	-	3	86	10	13	14	5	-
Opa-locka	-	7	-	1	3	6	-	3	-	-	2	4	3	16	2	4	-	11	-
South Miami	-	5	-	-	1	1	-	-	-	-	-	1	1	4	-	1	3	2	-
Balance of county	44	429	31	76	151	232	29	64	59	1	40	53	51	690	142	149	117	166	-
De Soto	2	20	5	4	8	17	-	3	2	-	1	2	4	21	6	6	3	5	-
Dixie	-	8	1	-	2	3	-	1	1	-	-	-	2	16	1	3	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 27 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	5,833	3	-	180	1,405	312	484	107	176	57	29	240	137	2,277	1,755	12	120	1,132	491
Jacksonville	5,470	3	-	171	1,302	287	450	94	172	52	27	220	133	2,144	1,649	11	114	1,061	463
Jacksonville Beach	177	-	-	4	44	11	14	4	2	2	2	9	3	74	64	-	5	44	15
Balance of county	186	-	-	5	59	14	20	9	2	3	-	11	1	59	42	1	1	27	13
Escambia	2,328	3	-	62	557	106	206	45	63	27	14	96	53	944	681	4	37	428	212
Pensacola	774	1	-	25	175	36	61	19	21	4	5	29	16	319	231	1	11	153	66
Balance of county	1,554	2	-	37	382	70	145	26	42	23	9	67	37	625	450	3	26	275	146
Flagler	323	-	-	3	104	26	33	7	12	5	1	20	12	115	91	1	3	68	19
Franklin	115	-	-	1	20	5	7	1	2	1	-	4	5	52	39	-	2	28	9
Gadsden	383	-	-	5	89	21	24	10	10	5	4	15	9	145	104	-	15	64	25
Gilchrist	92	-	-	2	13	1	6	-	3	-	-	3	6	46	29	-	-	22	7
Glades	70	-	-	-	20	4	8	-	5	-	-	3	1	30	25	1	1	18	5
Gulf	151	-	-	2	32	6	10	2	2	2	2	8	4	60	49	1	2	34	12
Hamilton	100	1	-	3	31	5	10	4	6	1	1	4	1	38	29	-	1	23	5
Hardee	185	-	-	1	37	5	17	3	2	2	-	8	3	82	70	-	1	59	10
Hendry	238	-	-	6	62	18	17	5	7	2	1	12	13	79	68	-	4	43	21
Hernando	1,402	2	-	21	409	91	124	28	57	15	13	81	39	620	483	2	11	381	89
Highlands	1,041	-	-	9	274	58	88	14	34	14	14	52	26	472	360	-	6	295	59
Hillsborough	7,169	4	-	207	1,791	396	588	120	196	78	74	339	156	2,898	2,311	18	97	1,647	549
Plant City	230	-	-	9	44	8	16	6	6	-	-	8	8	90	59	1	4	34	20
Tampa	3,244	2	-	110	741	184	239	43	75	37	34	129	70	1,337	1,077	8	49	766	254
Temple Terrace	98	-	-	4	25	5	5	2	6	1	1	5	4	42	29	-	-	18	11
Balance of county	3,597	2	-	84	981	199	328	69	109	40	39	197	74	1,429	1,146	9	44	829	264
Holmes	179	-	-	2	47	10	14	5	5	3	3	7	4	68	51	-	4	37	10
Indian River	1,086	-	-	13	309	74	109	22	33	12	8	51	14	474	352	4	14	191	143
Vero Beach	309	-	-	3	89	27	32	6	8	1	2	13	6	135	98	1	6	50	41
Balance of county	777	-	-	10	220	47	77	16	25	11	6	38	8	339	254	3	8	141	102
Jackson	451	2	-	6	91	15	39	3	10	7	5	12	10	187	146	3	5	96	42
Jefferson	118	-	-	3	25	6	9	2	-	1	1	6	4	38	24	-	3	15	6
Lafayette	39	-	-	-	9	2	2	1	1	-	1	2	1	15	11	-	-	9	2
Lake	2,211	3	-	34	609	134	187	47	73	37	12	119	47	969	720	7	27	509	177
Leesburg	301	1	-	4	80	21	28	8	3	1	2	17	4	128	95	-	5	61	29
Balance of county	1,910	2	-	30	529	113	159	39	70	36	10	102	43	841	625	7	22	448	148
Lee	3,742	3	-	81	1,048	244	348	73	118	51	34	180	82	1,601	1,306	15	56	852	383
Cape Coral	753	1	-	6	231	55	82	18	29	8	8	31	16	325	282	3	13	171	95
Fort Myers	601	-	-	35	126	25	39	7	12	5	4	34	12	249	198	3	10	127	58
Balance of county	2,388	2	-	40	691	164	227	48	77	38	22	115	54	1,027	826	9	33	554	230
Leon	1,156	-	-	42	294	61	82	28	35	12	15	61	27	406	285	3	28	169	85
Tallahassee	818	-	-	35	212	48	54	23	26	9	9	43	21	273	194	3	21	105	65
Balance of county	338	-	-	7	82	13	28	5	9	3	6	18	6	133	91	-	7	64	20
Levy	292	1	-	5	76	15	28	4	10	5	3	11	11	113	83	-	5	61	17
Liberty	52	-	-	-	11	-	4	1	3	1	-	2	2	21	15	1	-	12	2
Madison	165	-	-	5	36	7	12	1	7	2	-	7	4	62	44	-	3	27	14
Manatee	2,850	1	-	57	756	165	246	63	88	36	30	128	38	1,321	1,047	8	24	672	343
Bradenton	822	1	-	24	169	37	42	19	24	10	7	30	9	417	333	2	10	191	130
Balance of county	2,028	-	-	33	587	128	204	44	64	26	23	98	29	904	714	6	14	481	213
Marion	2,284	1	-	42	624	121	226	43	82	24	20	108	61	1,002	729	4	43	509	173
Ocala	629	1	-	13	148	37	49	9	24	4	5	20	23	286	200	1	11	135	53
Balance of county	1,655	-	-	29	476	84	177	34	58	20	15	88	38	716	529	3	32	374	120
Martin	1,289	-	-	28	388	98	120	35	43	15	9	68	13	537	422	3	7	288	124
Monroe	737	-	-	49	200	51	69	16	17	9	4	34	9	251	200	-	8	144	48
Key West	266	-	-	33	63	13	22	6	3	5	1	13	2	89	70	-	2	48	20
Balance of county	471	-	-	16	137	38	47	10	14	4	3	21	7	162	130	-	6	96	28
Nassau	354	-	-	9	96	22	29	8	11	-	1	25	9	133	102	1	2	69	30
Okaloosa	980	1	-	17	247	49	98	15	15	11	5	54	19	396	338	-	15	222	101
Fort Walton Beach	230	-	-	2	58	13	22	3	3	3	-	14	7	88	73	-	4	45	24
Balance of county	750	1	-	15	189	36	76	12	12	8	5	40	12	308	265	-	11	177	77
Okeechobee	293	1	-	2	75	12	38	2	10	5	-	8	4	120	100	-	8	68	24
Orange	4,987	6	-	183	1,346	292	426	124	152	55	39	258	104	1,933	1,530	7	69	1,018	436
Orlando	1,812	3	-	85	451	101	149	39	45	18	13	86	33	693	536	-	24	339	173
Winter Park	415	-	-	12	104	20	22	14	18	6	2	22	8	174	128	1	1	92	34
Balance of county	2,760	3	-	86	791	171	255	71	89	31	24	150	63	1,066	866	6	44	587	229
Osceola	883	-	-	25	193	43	74	13	22	7	7	27	23	386	322	2	9	244	67
Kissimmee	215	-	-	6	33	8	10	3	2	3	-	7	7	99	84	-	3	62	19
Balance of county	668	-	-	19	160	35	64	10	20	4	7	20	16	287	238	2	6	182	48
Palm Beach	10,351	9	-	353	2,678	647	754	220	318	117	103	519	182	4,735	3,820	31	96	2,881	812
Belle Glade	158	1	-	33	22	7	6	-	3	1	-	5	3	45	32	-	2	23	7
Boca Raton	953	-	-	16	250	55	53	20	41	9	15	57	16	455	369	-	6	272	91
Boynton Beach	768	-	-	15	197	41	65	17	27	9	11	27	8	361	287	2	5	230	50
Delray Beach	896	-	-	30	240	60	66	12	35	13	9	45	13	421	329	2	5	249	73
Lake Worth	601	1	-	20	120	34	30	9	15	5	2	25	10	271	223	1	4	173	45
North Palm Beach	147	-	-	2	40	8	19	1	5	3	-	4	-	80	63	3	3	45	12
Palm Beach Gardens	261	-	-	5	80	21	20	8	5	4	3	19	6	102	76	-	3	49	24
Riviera Beach	332	-	-	20	77	21	22	5	10	3	2	14	10	141	108	2	12	74	20
West Palm Beach	1,207	3	-	78	273	69	76	22	30	13	9	54	28	524	424	1	16	314	93
Balance of county	5,028	4	-	134	1,379	331	397	126	147	57	52	269	88	2,335	1,909	20	40	1,452	397
Pasco	4,361	1	-	59	1,123	256	377	81	138	59	47	165	89	1,940	1,561	8	52	1,166	335
New Port Richey	523	-	-	5	124	30	42	13	11	5	5	18	10	239	193	-	12	141	40
Balance of county	3,838	1	-	54	999	226	335	68	127	54	42	147	79	1,701	1,368	8	40	1,025	295

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 28 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	36	346	71	69	148	276	15	73	41	3	34	65	54	603	120	141	117	137	4
Jacksonville	34	327	66	68	131	256	15	66	39	3	34	63	52	567	114	133	108	134	2
Jacksonville Beach	1	4	4	1	6	9	–	3	2	–	–	2	1	17	2	4	5	–	1
Balance of county	1	15	1	–	11	11	–	4	–	–	–	–	1	19	4	4	4	3	1
Escambia	15	178	35	35	71	103	6	35	15	–	8	28	18	258	49	54	34	27	3
Pensacola	2	63	15	8	19	33	3	12	8	–	5	10	7	87	15	23	7	7	2
Balance of county	13	115	20	27	52	70	3	23	7	–	3	18	11	171	34	31	27	20	1
Flagler	–	18	–	6	8	16	–	5	5	–	1	1	8	28	6	4	4	3	–
Franklin	1	11	–	1	4	4	–	–	–	–	2	–	7	13	4	–	2	1	–
Gadsden	–	32	5	4	11	8	2	6	4	–	2	1	12	48	21	5	7	8	–
Gilchrist	–	13	2	2	4	2	–	–	1	–	–	2	4	4	3	1	1	3	–
Glades	1	3	–	1	2	2	–	–	–	–	2	–	1	5	3	3	1	–	–
Gulf	–	10	–	1	4	7	1	2	1	–	2	1	9	12	4	3	5	2	–
Hamilton	1	6	–	2	4	2	–	1	1	–	–	–	–	10	1	3	2	2	–
Hardee	1	9	–	2	6	14	–	5	–	–	–	3	1	11	6	9	4	3	–
Hendry	1	7	1	2	–	12	3	3	4	–	1	6	5	17	16	2	–	7	2
Hernando	4	96	11	26	23	59	2	15	10	–	3	1	4	141	16	11	21	3	2
Highlands	4	84	11	13	21	70	3	9	9	–	1	1	5	84	17	12	16	12	–
Hillsborough	29	440	44	74	193	348	15	108	44	–	41	85	105	627	179	135	117	114	2
Plant City	1	24	1	5	14	21	–	2	2	–	–	–	6	18	2	5	5	4	–
Tampa	13	196	28	23	81	141	5	50	26	–	16	52	65	317	58	67	47	59	–
Temple Terrace	2	8	1	2	3	5	1	–	–	–	–	–	3	11	–	–	–	–	–
Balance of county	13	212	14	44	95	181	9	56	16	–	25	33	31	281	119	63	65	51	2
Holmes	1	12	1	3	10	10	–	3	–	–	–	1	9	9	5	6	2	3	–
Indian River	4	96	7	15	24	65	3	16	7	–	6	5	3	84	25	10	20	7	1
Vero Beach	3	27	1	6	10	17	2	2	2	–	2	3	–	23	6	2	6	1	–
Balance of county	1	69	6	9	14	48	1	14	5	–	4	2	3	61	19	8	14	6	1
Jackson	4	26	7	4	13	20	3	3	3	–	–	5	22	53	12	10	5	6	–
Jefferson	–	10	1	3	8	9	–	1	2	–	–	1	3	13	5	3	1	2	–
Lafayette	–	4	–	–	–	2	–	–	–	–	–	–	–	3	2	3	3	1	–
Lake	10	171	39	29	49	125	7	24	15	1	3	2	9	194	38	38	29	13	2
Leesburg	–	26	3	4	5	21	–	5	1	–	1	1	1	31	7	6	4	1	–
Balance of county	10	145	36	25	44	104	7	19	14	1	2	1	8	163	31	32	25	12	2
Lee	17	197	35	46	99	172	9	51	21	1	11	16	26	300	75	55	62	24	5
Cape Coral	2	25	7	9	20	27	2	11	6	1	3	3	4	48	15	15	11	6	2
Fort Myers	5	37	4	5	24	17	2	8	2	–	3	5	8	59	11	10	17	12	1
Balance of county	10	135	24	32	55	128	5	32	13	–	5	8	14	193	49	30	34	6	2
Leon	14	76	–	31	28	56	3	19	2	–	4	7	46	131	33	23	17	17	1
Tallahassee	5	52	–	22	20	37	2	14	1	–	4	4	33	101	18	15	13	15	–
Balance of county	9	24	–	9	8	19	1	5	1	–	–	3	13	30	15	8	4	2	1
Levy	–	24	2	4	8	10	1	–	5	–	–	1	10	31	8	7	2	2	1
Liberty	–	5	–	1	2	4	–	1	–	–	–	–	1	7	–	–	2	1	–
Madison	1	13	2	2	3	7	1	4	–	–	–	2	2	22	5	4	5	2	1
Manatee	20	193	15	46	67	140	8	39	15	–	6	4	49	239	36	31	30	13	–
Bradenton	8	57	7	12	23	43	2	10	5	–	1	1	9	71	9	15	8	5	–
Balance of county	12	136	8	34	44	97	6	29	10	–	5	3	40	168	27	16	22	8	–
Marion	12	220	11	30	34	103	5	26	7	1	10	11	14	190	67	38	38	10	–
Ocala	3	72	2	9	8	29	2	5	1	1	2	4	1	60	18	11	12	4	–
Balance of county	9	148	9	21	26	74	3	21	6	–	8	7	13	130	49	27	26	6	–
Martin	4	84	9	18	19	63	–	24	5	–	7	6	5	115	22	28	22	7	–
Monroe	3	36	6	6	12	28	2	21	4	–	3	5	2	78	22	21	16	11	3
Key West	1	13	3	2	3	7	1	3	3	–	–	3	–	36	6	10	5	1	1
Balance of county	2	23	3	4	9	21	1	18	1	–	3	2	2	42	16	11	11	10	2
Nassau	1	19	5	6	10	16	–	9	1	–	1	3	–	32	12	11	9	3	–
Okaloosa	2	36	3	17	34	51	4	20	7	1	4	5	9	83	26	24	22	8	2
Fort Walton Beach	–	9	1	5	9	12	1	7	1	–	2	2	2	18	9	6	6	–	–
Balance of county	2	27	2	12	25	39	3	13	6	1	2	3	7	65	17	18	16	8	2
Okeechobee	1	14	1	4	13	15	1	2	–	–	–	1	2	29	11	6	4	7	–
Orange	16	303	33	51	136	216	22	84	35	–	38	38	48	431	104	111	89	57	6
Orlando	9	120	12	16	61	79	7	28	13	–	20	16	17	163	43	38	31	29	2
Winter Park	–	35	7	4	15	25	2	7	1	–	1	2	4	38	5	10	6	1	–
Balance of county	7	148	14	31	60	112	13	49	21	–	17	20	27	230	56	63	52	27	4
Osceola	4	51	2	7	22	59	2	12	4	–	8	8	6	79	20	17	13	6	–
Kissimmee	–	13	1	1	4	16	–	5	2	–	3	4	4	19	4	4	4	1	–
Balance of county	4	38	1	6	18	43	2	7	2	–	5	4	2	60	16	13	9	5	–
Palm Beach	58	656	67	134	221	375	34	126	83	–	44	61	55	835	166	175	130	83	6
Belle Glade	1	12	–	–	5	4	1	–	1	–	1	1	2	13	8	9	3	6	–
Boca Raton	3	60	8	15	26	37	4	6	7	–	4	3	2	83	17	13	11	3	–
Boynton Beach	8	48	5	13	15	28	2	15	8	–	2	4	4	68	13	14	11	3	–
Delray Beach	8	65	5	14	28	31	1	10	6	–	2	2	3	72	9	15	7	6	–
Lake Worth	1	36	5	6	15	27	5	6	9	–	4	4	4	67	13	8	11	6	–
North Palm Beach	1	11	1	4	3	1	2	2	–	–	–	–	–	10	1	2	1	2	1
Palm Beach Gardens	2	21	–	3	8	11	–	4	3	–	3	1	2	20	4	5	7	–	–
Riviera Beach	2	28	–	3	4	9	–	5	1	–	1	10	–	29	4	4	2	15	–
West Palm Beach	3	77	8	12	30	43	3	16	9	–	8	12	8	96	15	28	17	15	1
Balance of county	29	298	35	64	87	184	16	62	39	–	19	24	30	377	82	77	60	27	4
Pasco	11	260	33	75	125	224	8	62	24	–	11	11	95	419	55	42	52	19	2
New Port Richey	2	28	8	8	12	39	–	10	1	–	1	1	5	58	5	3	7	2	1
Balance of county	9	232	25	67	113	185	8	52	23	–	10	10	90	361	50	39	45	17	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 29 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	12,285	8	-	219	2,963	708	942	210	371	131	102	499	196	5,783	4,583	49	170	3,220	1,144
Clearwater	1,715	-	-	33	399	99	112	31	54	14	16	73	28	812	624	6	21	453	144
Dunedin	579	-	-	9	146	34	49	12	16	12	2	21	5	280	204	1	2	145	56
Gulfport	230	-	-	2	55	15	17	1	7	3	1	11	-	115	99	1	3	58	37
Largo	1,076	-	-	14	281	66	96	15	39	17	5	43	20	496	368	4	12	280	72
Pinellas Park	555	-	-	9	133	33	48	7	17	6	3	19	14	272	232	5	6	163	58
St. Petersburg	3,916	6	-	96	829	193	259	58	115	30	31	143	64	1,869	1,533	15	82	1,022	414
Tarpon Springs	267	-	-	2	67	12	20	6	9	3	5	12	7	115	87	2	4	62	19
Balance of county	3,947	2	-	54	1,053	256	341	80	114	46	39	177	58	1,824	1,436	15	40	1,037	344
Polk	4,201	1	-	91	1,039	208	353	70	119	51	35	203	106	1,755	1,386	15	44	935	392
Bartow	175	-	-	8	45	5	13	3	7	-	2	15	5	69	56	-	3	39	14
Haines City	156	-	-	2	42	11	13	7	4	2	-	5	4	61	48	1	1	33	13
Lakeland	962	-	-	19	219	40	66	15	19	15	16	48	18	385	303	5	6	193	99
Winter Haven	427	-	-	12	102	21	35	8	17	3	2	16	13	187	138	1	3	105	29
Balance of county	2,481	1	-	50	631	131	226	37	72	31	15	119	66	1,053	841	8	31	565	237
Putnam	738	1	-	8	174	32	60	12	22	10	4	34	18	283	230	4	5	184	37
Palatka	155	-	-	1	38	10	10	2	4	4	1	7	6	59	47	1	-	36	10
Balance of county	583	1	-	7	136	22	50	10	18	6	3	27	12	224	183	3	5	148	27
St. Johns	866	-	-	15	245	59	80	15	32	4	10	45	21	318	250	2	9	178	61
St. Augustine	214	-	-	4	39	13	12	2	6	1	1	4	3	91	68	1	1	43	23
Balance of county	652	-	-	11	206	46	68	13	26	3	9	41	18	227	182	1	8	135	38
St. Lucie	1,601	2	-	38	484	105	161	31	55	21	21	90	26	682	566	6	9	387	164
Fort Pierce	514	-	-	26	140	33	39	5	22	6	4	31	10	211	179	4	5	105	65
Port St. Lucie	491	1	-	5	159	33	56	9	13	10	5	33	10	206	164	-	3	131	30
Balance of county	596	1	-	7	185	39	66	17	20	5	12	26	6	265	223	2	1	151	69
Santa Rosa	618	1	-	9	141	34	47	8	17	2	4	29	14	263	206	-	9	148	49
Sarasota	4,132	2	-	64	1,097	253	316	88	136	57	39	208	72	1,828	1,354	15	32	983	324
Sarasota	902	-	-	23	220	57	69	15	32	13	4	30	13	405	287	6	10	189	82
Venice	458	-	-	1	115	28	37	7	13	9	2	19	13	211	151	-	1	113	37
Balance of county	2,772	2	-	40	762	168	210	66	91	35	33	159	46	1,212	916	9	21	681	205
Seminole	1,895	1	-	50	534	97	180	44	60	29	21	103	39	737	594	-	20	402	172
Altamonte Springs	257	-	-	4	69	14	25	4	6	2	3	15	4	102	83	-	-	59	24
Casselberry	173	-	-	6	53	12	14	4	4	2	3	14	3	63	50	-	2	29	19
Longwood	146	-	-	4	32	6	10	3	6	1	-	6	2	60	50	-	-	30	20
Sanford	341	-	-	12	97	12	36	3	18	2	8	18	11	131	105	-	5	69	31
Winter Springs	121	-	-	1	47	6	16	6	3	5	3	8	2	47	39	-	1	29	9
Balance of county	857	1	-	23	236	47	79	24	23	17	4	42	17	334	267	-	12	186	69
Sumter	446	1	-	7	101	20	46	5	12	4	1	13	11	229	185	2	11	117	55
Suwannee	346	2	-	5	72	15	23	6	7	6	5	10	14	152	104	-	4	78	22
Taylor	181	-	-	4	36	9	17	2	3	2	1	2	8	70	55	-	4	40	11
Union	96	-	-	21	17	4	7	-	2	1	1	2	-	30	22	-	2	13	7
Volusia	4,717	1	-	72	1,194	279	396	85	129	58	36	211	106	2,158	1,713	12	86	1,228	387
Daytona Beach	936	-	-	23	221	50	76	17	25	6	7	40	23	410	319	3	14	222	80
De Land	329	-	-	2	62	13	27	2	8	-	2	10	8	179	151	-	12	117	22
New Smyrna Beach	301	-	-	4	77	21	20	4	10	4	6	12	6	139	108	1	6	68	33
Ormond Beach	519	-	-	10	143	31	47	11	14	12	3	25	13	216	164	-	10	119	35
Port Orange	392	-	-	3	100	18	36	11	7	8	3	17	9	179	147	-	6	107	34
South Daytona	155	-	-	3	49	6	20	6	3	4	1	9	4	68	54	1	3	36	14
Balance of county	2,085	1	-	27	542	140	170	34	62	24	14	98	43	967	770	7	35	559	169
Wakulla	119	-	-	4	33	12	11	1	5	1	-	3	3	34	26	-	-	17	9
Walton	294	-	-	8	61	15	23	6	4	7	3	3	7	133	114	-	5	74	35
Washington	195	-	-	4	32	6	9	-	4	3	1	9	2	74	62	1	1	48	12
Georgia	52,802	54	9	1,819	11,593	2,461	3,645	939	1,333	420	437	2,358	952	21,371	16,518	100	612	9,730	6,076
Urban places	18,779	28	5	951	3,810	857	1,127	293	481	139	146	767	349	7,386	5,594	29	316	3,021	2,228
Balance of area	34,023	26	4	868	7,783	1,604	2,518	646	852	281	291	1,591	603	13,985	10,924	71	296	6,709	3,848
Metropolitan counties	30,755	32	7	1,371	6,806	1,474	2,115	592	769	237	275	1,344	550	11,874	9,165	63	418	5,279	3,405
Urban places	14,440	24	5	847	2,926	677	862	235	360	108	107	577	266	5,508	4,169	22	259	2,246	1,642
Balance of area	16,315	8	2	524	3,880	797	1,253	357	409	129	168	767	284	6,366	4,996	41	159	3,033	1,763
Nonmetropolitan counties	22,047	22	2	448	4,787	987	1,530	347	564	183	162	1,014	402	9,497	7,353	37	194	4,451	2,671
Urban places	4,339	4	-	104	884	180	265	58	121	31	39	190	83	1,878	1,425	7	57	775	586
Balance of area	17,708	18	2	344	3,903	807	1,265	289	443	152	123	824	319	7,619	5,928	30	137	3,676	2,085
Appling	129	-	-	1	22	3	8	1	5	1	-	4	3	63	47	1	1	30	15
Atkinson	70	-	-	1	15	2	6	-	1	-	-	6	7	28	21	-	-	15	6
Bacon	92	1	-	1	19	7	7	1	1	-	-	3	2	41	36	-	1	30	5
Baker	34	-	-	1	6	1	-	-	2	1	-	2	-	16	10	-	-	4	6
Baldwin	319	-	-	12	65	8	20	-	4	-	6	27	4	137	109	1	7	59	42
Milledgeville	140	-	-	7	32	4	12	-	2	-	2	12	1	56	47	-	3	21	23
Balance of county	179	-	-	5	33	4	8	-	2	-	4	15	3	81	62	1	4	38	19
Banks	86	-	-	1	19	2	4	-	3	-	1	9	1	40	34	1	1	16	16
Barrow	248	-	-	3	64	13	18	3	13	1	3	13	3	95	74	-	2	31	41
Bartow	456	-	-	11	102	22	36	10	9	4	1	20	6	201	153	1	3	92	57
Ben Hill	182	-	-	5	43	9	14	2	2	2	3	11	1	70	53	-	2	25	26
Fitzgerald, part	121	-	-	4	25	5	9	-	2	1	1	7	1	47	34	-	1	15	18
Fitzgerald, total	121	-	-	4	25	5	9	-	2	1	1	7	1	47	34	-	1	15	18
Balance of county	61	-	-	1	18	4	5	2	-	1	2	4	-	23	19	-	1	10	8
Berrien	158	-	-	1	38	5	18	1	7	1	-	6	2	68	54	-	1	37	16
Bibb	1,680	3	-	43	358	94	97	20	51	9	16	71	37	677	497	3	20	311	163
Macon, part	1,427	3	-	38	295	82	78	15	42	8	14	56	31	582	428	3	15	262	148
Macon, total	1,428	3	-	38	296	83	78	15	42	8	14	56	31	582	428	3	15	262	148
Balance of county	253	-	-	5	63	12	19	5	9	1	2	15	6	95	69	-	5	49	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 30 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Pinellas	59	899	106	136	326	557	38	144	69	–	25	42	435	1,004	121	141	143	62	9
Clearwater	10	138	14	26	55	66	1	15	9	–	3	7	54	164	22	18	21	6	2
Dunedin	2	60	7	7	10	32	1	6	3	–	1	–	20	45	3	7	9	2	–
Gulfport	–	13	1	2	4	13	–	5	–	–	1	1	11	18	2	2	1	–	–
Largo	5	93	10	20	22	51	5	6	6	–	4	3	39	95	11	9	9	5	–
Pinellas Park	3	34	1	2	15	26	1	4	5	–	–	3	10	39	8	6	9	1	–
St. Petersburg	17	251	33	35	109	174	13	56	22	–	8	18	166	316	35	49	48	36	2
Tarpon Springs	–	22	3	3	11	16	1	2	2	–	1	1	6	25	2	2	5	2	–
Balance of county	22	288	37	41	100	179	16	50	22	–	7	9	129	302	38	48	41	10	5
Polk	14	259	42	54	95	194	13	62	34	–	21	38	127	356	115	60	51	38	5
Bartow	3	8	1	5 1	5	3			–	–	2	3	1	14	2	3	2	5	–
Lakeland	4	55	8	15	19	43	2	17	10	–	6	16	55	89	18	22	13	9	2
Winter Haven	3	35	7	4	13	18	2	9	1	–	3	5	8	32	10	4	6	2	–
Balance of county	4	154	22	32	54	124	8	30	18	–	10	12	57	207	78	30	29	20	3
Putnam	5	35	2	11	18	44	2	16	7	1	6	5	29	66	26	13	10	11	–
Palatka	1	8	–	3	5	7	–	–	2	–	1	3	6	17	2	3	3	2	–
Balance of county	4	27	2	8	13	37	2	16	5	1	5	2	23	49	24	10	7	9	–
St. Johns	6	47	6	9	18	41	2	13	7	–	6	5	29	95	20	14	9	8	–
St. Augustine	2	16	3	2	6	4	–	4	2	–	2	3	9	30	5	5	4	3	–
Balance of county	4	31	3	7	12	37	2	9	5	–	4	2	20	65	15	9	5	5	–
St. Lucie	4	83	6	23	35	66	9	18	3	–	7	7	13	105	29	27	32	18	–
Fort Pierce	1	25	–	6	12	25	3	10	2	–	3	3	7	32	8	12	2	8	–
Port St. Lucie	1	33	2	6	9	13	2	4	1	–	4	3	3	36	12	5	15	3	–
Balance of county	2	25	4	11	14	28	4	4	–	–	–	1	3	37	9	10	15	7	–
Santa Rosa	5	40	3	9	11	34	2	9	2	–	7	4	5	58	21	19	14	2	2
Sarasota	25	322	59	68	100	189	12	50	31	–	9	16	76	423	34	51	51	22	5
Sarasota	6	85	9	18	13	37	–	14	5	–	3	3	24	98	11	12	12	7	2
Venice	2	30	19	9	19	21	2	4	3	–	–	–	9	48	2	5	2	2	1
Balance of county	17	207	31	41	68	131	10	32	23	–	6	13	43	277	21	34	37	13	2
Seminole	9	97	12	25	45	96	3	27	8	–	9	11	19	179	39	46	29	23	–
Altamonte Springs	5	10	2	2	1	16	–	4	3	–	1	1	2	29	5	5	4	7	–
Casselberry	–	12	–	1	2	7	–	4	–	–	1	2	3	16	4	5	3	1	–
Longwood	1	3	2	4	4	10	–	2	1	–	–	1	–	16	5	6	2	1	–
Sanford	1	18	2	5	15	14	1	6	–	–	3	1	7	28	4	7	–	4	–
Winter Springs	1	6	–	1	1	4	–	–	–	–	–	2	2	8	1	4	2	–	–
Balance of county	1	48	6	12	22	45	2	11	4	–	4	4	5	82	20	19	18	10	–
Sumter	2	34	3	5	14	12	2	8	5	–	1	–	4	24	9	5	7	5	1
Suwannee	2	37	3	6	4	22	2	2	4	–	1	–	1	36	13	8	3	4	1
Taylor	–	10	1	4	6	17	–	1	3	–	–	1	3	15	5	4	4	4	–
Union	–	5	1	2	1	3	1	1	1	–	–	3	3	6	6	–	1	2	–
Volusia	31	302	57	55	132	238	14	67	22	–	17	9	42	383	90	64	70	35	3
Daytona Beach	6	64	11	10	26	45	–	15	5	–	3	4	11	93	12	14	17	13	1
De Land	5	16	4	3	14	13	1	–	1	–	1	–	4	22	10	6	5	1	–
New Smyrna Beach	1	19	6	5	6	20	–	8	2	–	–	–	3	23	6	4	2	1	–
Ormond Beach	5	34	5	8	12	30	5	6	2	–	4	–	2	51	9	3	8	5	–
Port Orange	–	22	–	10	14	15	1	6	3	–	3	–	1	41	4	10	3	–	–
South Daytona	3	10	1	–	1	3	1	3	–	–	1	–	2	13	1	2	3	1	–
Balance of county	11	137	30	19	59	112	6	29	9	–	5	5	19	140	48	25	32	14	2
Wakulla	–	7	1	–	1	10	–	–	1	–	2	–	6	14	6	2	2	1	–
Walton	–	15	1	3	8	13	1	1	1	–	1	5	1	29	12	5	6	2	–
Washington	–	9	–	3	5	13	1	2	5	–	1	–	12	23	7	6	6	2	–
Georgia	257	3,723	396	477	1,891	2,112	153	575	623	12	328	654	649	5,318	1,466	1,316	893	949	65
Urban places	112	1,362	151	167	654	670	56	205	259	3	130	291	290	2,114	333	468	233	516	28
Balance of area	145	2,361	245	310	1,237	1,442	97	370	364	9	198	363	359	3,204	1,133	848	660	433	37
Metropolitan counties	170	2,044	234	261	982	1,220	90	352	364	10	195	446	418	3,265	775	746	563	649	40
Urban places	98	1,005	118	118	462	513	40	172	199	3	102	237	231	1,658	237	362	183	443	22
Balance of area	72	1,039	116	143	520	707	50	180	165	7	93	209	187	1,607	538	384	380	206	18
Nonmetropolitan counties	87	1,679	162	216	909	892	63	223	259	2	133	208	231	2,053	691	570	330	300	25
Urban places	14	357	33	49	192	157	16	33	60	–	28	54	59	456	96	106	50	73	6
Balance of area	73	1,322	129	167	717	735	47	190	199	2	105	154	172	1,597	595	464	280	227	19
Appling	1	14	–	1	6	4	1	–	3	–	1	–	1	12	3	2	2	5	–
Atkinson	–	4	3	–	1	4	–	1	–	–	2	2	1	5	1	–	–	2	–
Bacon	–	5	–	–	3	1	–	2	1	–	–	2	1	7	3	3	3	2	–
Baker	–	5	–	1	3	1	–	–	–	–	–	–	–	5	–	1	1	–	–
Baldwin	–	22	2	4	12	17	–	3	6	–	2	3	1	27	8	16	4	2	–
Milledgeville	–	6	1	2	4	6	–	1	5	–	2	2	–	12	4	7	1	–	–
Balance of county	–	16	1	2	8	11	–	2	1	–	–	1	1	15	4	9	3	2	–
Banks	–	6	–	–	1	2	–	1	–	–	2	1	–	5	7	2	3	1	–
Barrow	5	14	1	1	9	16	2	3	2	–	3	1	1	22	8	5	7	4	–
Bartow	2	38	2	6	15	25	4	8	5	–	2	1	–	44	11	15	3	3	–
Ben Hill	–	10	3	4	12	4	1	3	3	–	–	–	5	19	7	4	4	–	1
Fitzgerald, part	–	8	1	4	8	3	1	2	3	–	–	–	4	14	5	1	3	–	–
Fitzgerald, total	–	8	1	4	8	3	1	2	3	–	–	–	4	14	5	1	3	–	–
Balance of county	–	2	2	–	4	1	–	1	–	–	–	–	1	5	2	3	1	–	1
Berrien	1	9	1	3	7	9	–	–	6	–	–	1	–	11	4	6	4	1	–
Bibb	17	125	28	10	48	60	2	28	33	–	10	37	3	196	31	48	30	35	1
Macon, part	15	106	27	6	38	53	2	24	31	–	10	34	3	162	24	43	22	32	–
Macon, total	15	106	27	6	38	53	2	24	31	–	10	34	3	162	24	43	22	32	–
Balance of county	2	19	1	4	10	7	–	4	2	–	–	3	–	34	7	5	8	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	112	-	-	2	24	6	9	2	2	1	-	4	3	44	32	-	-	21	11
Brantley	86	-	-	3	21	4	6	1	1	5	2	2	-	34	23	-	-	16	7
Brooks	230	-	-	7	37	4	14	3	6	4	1	5	3	118	102	1	2	58	41
Bryan	105	1	-	3	27	7	4	1	6	1	1	7	4	35	26	-	-	14	12
Bulloch	321	-	-	7	65	10	23	5	9	3	3	12	5	153	105	1	2	63	39
Statesboro	153	-	-	3	30	3	13	3	3	-	1	7	2	74	47	-	-	25	22
Balance of county	168	-	-	4	35	7	10	2	6	3	2	5	3	79	58	1	2	38	17
Burke	192	-	-	2	50	14	10	3	6	2	2	13	4	73	60	-	2	43	15
Butts	131	-	-	-	29	5	10	4	4	-	-	6	4	46	37	-	2	19	16
Calhoun	72	-	-	1	9	1	4	-	2	1	-	1	2	46	27	-	1	22	4
Camden	128	1	-	3	37	8	14	2	5	-	2	6	1	32	28	-	1	14	13
Candler	106	-	-	3	25	7	10	-	5	1	-	2	2	45	28	-	-	15	13
Carroll	581	-	-	13	122	25	41	14	17	1	5	19	6	237	173	1	7	101	64
Carrollton	151	-	-	6	27	7	7	3	2	-	3	5	2	69	55	-	4	29	22
Balance of county	430	-	-	7	95	18	34	11	15	1	2	14	4	168	118	1	3	72	42
Catoosa	360	-	-	8	84	11	36	9	6	-	2	20	9	157	129	1	5	68	55
Charlton	76	-	-	3	16	6	3	1	2	-	-	4	5	31	21	-	-	9	12
Chatham	2,082	7	1	57	463	108	152	36	52	17	13	85	38	823	593	4	18	389	182
Savannah	1,692	7	-	49	365	93	112	24	43	16	10	67	33	672	482	3	16	312	151
Balance of county	390	-	1	8	98	15	40	12	9	1	3	18	5	151	111	1	2	77	31
Chattahoochee	40	-	-	4	9	1	3	-	3	1	1	-	1	9	6	-	2	2	2
Chattooga	233	-	-	2	60	13	21	1	8	1	2	14	1	108	77	-	-	53	24
Cherokee	509	-	-	14	110	19	32	7	17	7	4	24	7	202	150	1	4	87	58
Clarke	523	-	-	14	125	33	38	6	14	4	3	27	13	214	164	2	8	79	75
Athens	329	-	-	7	81	21	26	3	9	3	2	17	11	134	110	2	8	45	55
Balance of county	194	-	-	7	44	12	12	3	5	1	1	10	2	80	54	-	-	34	20
Clay	47	-	-	-	9	-	5	-	2	-	-	2	1	28	15	-	-	15	-
Clayton	968	-	-	35	243	48	93	22	17	9	9	45	26	349	276	1	5	162	108
College Park, part	33	-	-	4	9	4	-	2	-	-	-	3	-	6	6	-	-	3	3
Forest Park	171	-	-	3	34	5	13	3	-	1	2	10	5	70	53	-	1	37	15
Balance of county	764	-	-	28	200	39	80	17	17	8	7	32	21	273	217	1	4	122	90
Clinch	67	-	-	-	12	2	5	1	1	-	-	3	-	25	21	-	2	6	13
Cobb	2,221	1	-	79	516	100	154	40	66	19	22	115	36	924	713	5	20	406	282
Marietta	409	-	-	12	80	11	26	8	10	1	2	22	8	169	129	1	8	74	46
Smyrna	212	-	-	14	45	6	12	3	8	3	4	9	4	88	68	1	1	45	21
Balance of county	1,600	1	-	53	391	83	116	29	48	15	16	84	24	667	516	3	11	287	215
Coffee	255	1	-	4	42	6	12	2	10	-	2	10	7	119	94	-	1	62	31
Douglas	115	1	-	2	24	6	7	1	7	-	-	3	2	51	39	-	1	23	15
Balance of county	140	-	-	2	18	-	5	1	3	-	2	7	5	68	55	-	-	39	16
Colquitt	406	1	-	12	79	10	26	7	9	3	6	18	14	172	139	1	3	87	48
Moultrie	211	1	-	7	38	3	13	4	4	2	3	9	9	89	71	1	1	50	19
Balance of county	195	-	-	5	41	7	13	3	5	1	3	9	5	83	68	-	2	37	29
Columbia	332	1	-	15	68	17	18	4	6	4	3	16	2	133	116	1	2	81	32
Cook	129	-	-	2	29	4	12	3	3	-	-	7	3	65	47	1	1	23	22
Coweta	443	-	-	6	96	25	18	12	7	3	3	28	3	203	135	-	-	92	43
Newnan	152	-	-	3	33	7	8	4	3	1	1	9	-	73	41	-	-	28	13
Balance of county	291	-	-	3	63	18	10	8	4	2	2	19	3	130	94	-	-	64	30
Crawford	74	-	-	-	16	2	5	2	2	-	1	4	1	32	28	1	-	21	6
Crisp	252	-	-	7	34	9	10	4	2	1	3	5	13	111	82	-	5	46	31
Cordele	190	-	-	5	25	7	6	4	1	1	3	3	10	87	61	-	4	35	22
Balance of county	62	-	-	2	9	2	4	-	1	-	-	2	3	24	21	-	1	11	9
Dade	104	-	-	3	36	9	18	1	5	1	-	2	1	38	26	-	1	13	12
Dawson	63	-	-	-	13	3	2	2	3	-	-	3	-	23	18	-	-	13	5
Decatur	306	-	-	6	74	13	26	2	8	2	5	18	15	112	80	-	2	42	36
Bainbridge	169	-	-	3	39	7	15	-	4	1	4	8	8	61	47	-	2	21	24
Balance of county	137	-	-	3	35	6	11	2	4	1	1	10	7	51	33	-	-	21	12
De Kalb	3,753	4	-	269	809	149	249	96	92	29	35	159	61	1,358	1,038	14	41	497	486
Atlanta, part	634	-	-	75	127	25	47	9	12	3	5	26	12	220	159	2	6	48	103
Decatur	606	2	-	52	116	27	28	12	20	5	3	21	9	212	159	1	11	68	79
Balance of county	2,513	2	-	142	566	97	174	75	60	21	27	112	40	926	720	11	24	381	304
Dodge	180	1	-	1	38	5	14	6	-	2	-	11	4	85	71	-	2	51	18
Dooly	116	-	-	6	24	7	6	1	3	-	-	7	3	41	34	-	-	25	9
Dougherty	790	-	-	26	187	37	64	12	29	7	3	35	17	284	213	2	15	129	67
Albany	702	-	-	23	166	33	57	11	23	7	3	32	11	255	192	1	12	118	61
Balance of county	88	-	-	3	21	4	7	1	6	-	-	3	6	29	21	1	3	11	6
Douglas	461	-	-	11	124	24	49	10	8	3	7	23	8	164	143	-	1	102	40
Early	152	-	-	-	30	10	5	2	4	1	3	5	1	74	49	-	1	37	11
Echols	22	-	-	-	6	2	2	-	1	-	-	1	1	5	5	-	-	5	-
Effingham	156	-	-	2	45	12	14	2	4	1	4	8	2	52	38	-	-	27	11
Elbert	220	-	-	4	46	14	12	2	4	2	5	7	5	87	72	-	4	44	24
Emanuel	269	-	-	8	64	13	27	6	7	2	1	8	2	109	79	-	2	41	36
Evans	85	-	-	4	15	3	6	1	2	-	-	3	3	35	23	-	-	18	5
Fannin	168	-	-	1	42	7	18	3	5	2	1	6	1	57	47	1	-	33	13
Fayette	283	1	-	9	80	20	23	8	7	3	6	13	3	98	81	-	1	50	30
Floyd	836	1	-	20	205	40	68	16	21	7	6	47	7	364	297	2	3	206	86
Rome	453	-	-	12	93	22	27	4	12	3	4	21	3	198	158	2	3	109	44
Balance of county	383	1	-	8	112	18	41	12	9	4	2	26	4	166	139	-	-	97	42
Forsyth	296	-	-	6	51	15	14	3	6	2	2	9	5	139	112	2	3	76	31
Franklin	185	-	-	1	31	9	8	2	2	4	-	6	5	87	72	-	5	46	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 32 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	1	9	–	2	4	3	2	3	3	–	–	–	–	13	7	1	3	–	–
Brantley	–	11	–	–	3	2	–	–	1	–	–	1	1	10	6	2	1	1	–
Brooks	–	13	2	1	6	5	1	–	3	–	2	3	3	15	6	10	5	6	–
Bryan	–	8	–	1	1	7	–	2	–	–	2	2	–	8	3	4	3	3	–
Bulloch	–	40	4	4	10	12	1	1	5	–	–	2	6	33	6	7	4	3	1
Statesboro	–	22	3	2	8	8	–	1	3	–	–	–	2	13	2	2	2	2	1
Balance of county	–	18	1	2	2	4	1	–	2	–	–	2	4	20	4	5	2	1	–
Burke	–	6	7	–	6	5	–	3	2	–	2	2	2	16	8	9	4	3	1
Butts	1	6	–	2	4	5	–	1	1	1	–	1	1	21	5	5	5	2	–
Calhoun	1	17	–	1	2	2	–	1	–	–	–	–	–	5	1	3	–	–	–
Camden	–	3	1	–	–	5	–	2	4	–	5	3	3	13	11	2	4	1	1
Candler	–	15	1	1	3	10	1	1	1	–	–	–	1	7	1	3	2	1	–
Carroll	–	57	3	4	21	32	2	3	6	–	4	7	8	63	26	15	10	5	1
Carrollton	–	14	–	–	4	7	1	1	2	–	1	2	1	22	2	2	1	–	1
Balance of county	–	43	3	4	17	25	1	2	4	–	3	5	7	41	24	13	9	5	–
Catoosa	1	21	4	2	13	24	3	1	1	–	2	1	1	31	4	12	7	2	–
Charlton	1	6	2	1	2	4	–	1	2	–	–	1	–	6	3	2	–	–	–
Chatham	12	179	25	14	62	72	6	34	22	–	15	33	37	247	31	47	19	67	1
Savannah	10	148	21	11	54	54	5	30	19	–	13	28	31	196	24	36	13	62	1
Balance of county	2	31	4	3	8	18	1	4	3	–	2	5	6	51	7	11	6	5	–
Chattahoochee	1	2	–	–	–	1	–	–	–	–	2	1	2	4	4	3	–	–	–
Chattooga	4	23	2	2	9	10	1	3	1	–	–	1	1	21	5	7	2	1	–
Cherokee	2	38	10	2	24	21	1	5	2	–	1	8	8	53	23	10	17	2	1
Clarke	6	25	14	5	10	17	1	2	4	–	4	7	7	62	18	11	8	6	–
Athens	6	8	8	2	9	5	1	–	3	–	3	6	5	46	7	5	1	5	–
Balance of county	–	17	6	3	1	12	–	2	1	–	1	1	2	16	11	6	7	1	–
Clay	–	12	–	1	3	–	–	1	–	–	–	–	–	4	–	–	–	1	–
Clayton	3	57	4	9	37	38	2	12	12	–	9	21	9	73	28	22	29	21	2
College Park, part	–	–	–	–	–	1	–	1	–	–	–	–	–	3	–	2	1	5	1
Forest Park	–	13	1	3	8	8	1	1	6	–	3	5	2	10	3	5	3	4	–
Balance of county	3	44	3	6	29	29	1	10	6	–	6	16	7	60	25	15	25	12	1
Clinch	1	2	–	1	4	5	1	1	3	–	2	–	1	6	5	–	–	2	–
Cobb	12	160	17	22	55	94	5	23	15	–	8	30	18	220	60	49	56	29	3
Marietta	3	31	2	4	12	17	2	5	4	–	1	11	2	38	12	12	10	12	2
Smyrna	–	16	2	2	5	8	1	2	–	–	1	4	2	23	3	6	2	4	–
Balance of county	9	113	13	16	38	69	2	16	11	–	6	15	14	159	45	31	44	13	1
Coffee	2	19	3	1	14	7	–	1	5	–	4	2	1	26	9	6	4	3	–
Douglas	–	11	–	1	8	1	–	–	4	–	2	2	–	14	1	2	–	1	–
Balance of county	2	8	3	–	6	6	–	1	1	–	2	–	1	12	8	4	4	2	–
Colquitt	1	27	2	3	21	21	–	3	4	–	2	3	7	34	10	8	8	6	1
Moultrie	1	14	1	2	14	10	–	2	2	–	2	2	3	17	5	4	2	4	–
Balance of county	–	13	1	1	7	11	–	1	2	–	–	1	4	17	5	4	6	2	1
Columbia	–	14	–	3	7	21	3	3	8	–	–	5	2	28	13	11	7	5	–
Cook	1	15	1	1	2	1	–	1	2	–	–	1	–	14	3	3	2	1	–
Coweta	1	38	25	4	14	19	–	4	8	–	1	3	3	43	18	10	3	7	2
Newnan	–	19	12	1	5	9	–	2	2	–	1	2	–	13	2	2	2	3	–
Balance of county	1	19	13	3	9	10	–	2	6	–	–	1	3	30	16	8	1	4	2
Crawford	1	2	–	1	2	1	–	1	–	–	–	2	1	9	3	1	2	2	1
Crisp	2	23	2	2	14	8	1	3	2	–	2	3	4	33	7	3	2	5	–
Cordele	2	21	1	2	11	4	1	2	2	–	2	2	3	23	5	3	–	5	–
Balance of county	–	2	1	–	3	4	–	1	–	–	–	1	1	10	2	–	2	–	–
Dade	1	8	–	3	4	3	2	1	2	–	–	1	–	11	–	–	2	–	–
Dawson	–	3	–	2	4	4	–	1	1	–	–	–	–	7	4	1	2	3	–
Decatur	–	31	–	1	7	16	2	3	6	–	1	4	1	32	8	6	6	7	–
Bainbridge	–	13	–	1	4	5	1	1	4	–	1	1	1	26	4	4	2	4	–
Balance of county	–	18	–	–	3	11	1	2	2	–	–	3	–	6	4	2	4	3	–
De Kalb	26	251	16	27	137	133	9	40	44	2	23	68	40	397	97	74	78	100	10
Atlanta, part	5	47	4	5	18	18	–	6	6	–	3	11	4	78	10	5	6	30	5
Decatur	10	37	2	4	19	16	4	4	9	1	7	19	10	64	11	14	7	30	–
Balance of county	11	167	10	18	100	99	5	30	29	1	13	38	26	255	76	55	65	40	5
Dodge	1	12	–	1	13	8	–	–	–	–	–	1	2	14	7	3	3	–	–
Dooly	–	5	2	–	7	4	–	1	2	–	1	–	–	18	3	2	2	2	–
Dougherty	6	57	–	8	32	29	2	10	5	1	9	8	25	82	24	26	4	17	2
Albany	5	50	–	8	29	26	2	8	4	1	9	7	23	73	19	24	4	16	2
Balance of county	1	7	–	–	3	3	–	2	1	–	–	1	2	9	5	2	–	1	–
Douglas	–	15	4	2	15	25	2	3	8	–	2	5	6	46	23	9	8	2	–
Early	–	21	3	1	7	5	–	3	2	–	2	3	4	7	6	5	–	3	–
Echols	–	–	–	–	1	2	–	–	–	–	–	–	–	2	2	2	–	1	–
Effingham	–	12	1	1	6	2	–	1	2	–	–	2	2	28	6	4	1	1	–
Elbert	1	12	–	2	13	14	1	2	2	–	4	3	3	20	4	7	1	3	1
Emanuel	–	23	5	2	17	9	–	2	1	–	3	3	5	25	6	9	3	3	–
Evans	1	11	–	–	2	3	–	1	2	–	1	3	–	7	3	3	2	1	–
Fannin	–	5	1	4	11	7	2	2	8	–	–	–	7	19	5	4	2	–	–
Fayette	2	11	1	3	12	12	–	3	4	–	4	–	2	30	14	4	5	2	–
Floyd	4	52	6	5	42	31	4	9	5	–	3	9	4	72	17	14	9	16	4
Rome	3	29	4	4	27	27	2	7	4	–	1	7	1	45	6	4	4	10	2
Balance of county	1	23	2	1	15	4	2	2	1	–	2	2	3	27	11	10	5	6	2
Forsyth	1	22	1	3	5	14	1	3	2	–	2	2	3	29	15	8	7	4	–
Franklin	1	13	–	1	7	11	–	1	1	–	–	3	1	19	7	5	6	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 33 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	5,964	8	4	513	1,151	256	330	104	143	40	49	229	95	2,116	1,630	13	164	777	676
Atlanta, part	4,187	7	4	437	743	180	203	67	91	25	30	147	69	1,437	1,097	3	131	470	493
Atlanta, total	4,821	7	4	512	870	205	250	76	103	28	35	173	81	1,657	1,256	5	137	518	596
College Park, part	184	–	–	12	41	9	10	4	5	1	5	7	–	57	48	–	6	22	20
College Park, total	217	–	–	16	50	13	10	6	5	1	5	10	–	63	54	–	6	25	23
East Point	284	1	–	17	69	17	23	5	11	1	2	10	6	106	80	1	5	30	44
Roswell	228	–	–	6	52	10	17	4	7	2	2	10	5	92	64	2	–	38	24
Balance of county	1,081	–	–	41	246	40	77	24	29	11	10	55	15	424	341	7	22	217	95
Gilmer	145	–	–	1	35	6	12	1	4	6	1	5	3	65	51	–	–	37	14
Glascock	53	–	–	–	12	3	3	2	2	–	–	2	–	24	16	–	–	10	6
Glynn	607	2	–	19	159	31	55	12	21	4	5	31	6	226	183	1	3	93	86
Brunswick	235	1	–	6	57	8	20	4	12	2	2	9	2	94	74	–	1	37	36
Balance of county	372	1	–	13	102	23	35	8	9	2	3	22	4	132	109	1	2	56	50
Gordon	311	–	–	2	88	11	33	8	11	6	2	17	1	118	96	–	4	51	41
Grady	214	–	–	4	41	12	13	2	4	–	1	9	4	100	81	–	3	54	24
Greene	152	1	–	5	27	7	4	2	6	1	–	7	4	64	55	–	3	33	19
Gwinnett	1,440	–	–	37	354	80	112	43	33	9	15	62	26	526	396	2	7	244	143
Habersham	215	–	–	2	55	14	16	4	5	2	2	12	6	96	65	–	–	45	20
Hall	756	–	–	15	168	34	44	12	23	9	3	43	7	306	230	3	8	127	92
Gainesville	207	–	–	4	34	7	7	2	8	2	1	7	2	101	74	1	5	35	33
Balance of county	549	–	–	11	134	27	37	10	15	7	2	36	5	205	156	2	3	92	59
Hancock	100	–	–	–	15	5	3	1	–	1	–	5	3	47	42	–	–	18	24
Haralson	233	–	–	4	53	8	21	3	8	3	1	9	3	101	78	1	2	57	18
Harris	155	2	–	–	45	8	11	1	7	2	2	14	4	56	47	–	1	25	21
Hart	199	1	2	7	35	6	17	2	3	1	–	6	6	89	75	–	1	50	24
Heard	83	–	–	1	13	3	3	1	–	–	2	4	–	40	33	–	–	18	15
Henry	419	–	–	16	91	24	27	7	11	4	2	16	8	175	146	1	9	96	40
Houston	558	–	–	10	126	23	32	15	12	4	8	32	11	223	171	1	4	80	86
Warner Robins	321	–	–	4	65	14	15	11	7	3	3	12	6	126	101	1	1	44	55
Balance of county	237	–	–	6	61	9	17	4	5	1	5	20	5	97	70	–	3	36	31
Irwin	105	–	–	3	22	4	4	2	5	2	1	4	1	46	39	–	2	16	21
Fitzgerald, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	105	–	–	3	22	4	4	2	5	2	1	4	1	46	39	–	2	16	21
Jackson	294	–	–	2	67	15	29	2	6	1	2	12	7	126	112	3	2	71	36
Jasper	92	–	–	–	22	5	5	2	5	1	1	3	3	41	32	2	–	22	8
Jeff Davis	133	1	–	2	40	8	13	2	2	1	–	14	6	51	40	–	–	30	10
Jefferson	202	–	–	6	44	11	11	2	4	2	4	10	4	84	65	–	–	47	18
Jenkins	102	–	–	4	20	2	7	2	3	1	1	4	1	41	34	1	2	27	4
Johnson	100	–	–	2	23	6	4	1	3	2	1	6	2	46	31	–	1	22	8
Jones	131	–	–	3	31	6	10	–	3	2	–	10	8	45	35	–	–	29	6
Macon, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	130	–	–	3	30	5	10	–	3	2	–	10	8	45	35	–	–	29	6
Lamar	146	2	–	1	34	3	12	3	5	1	–	10	5	71	53	1	1	17	34
Lanier	55	–	–	–	12	3	1	1	–	–	1	6	1	26	23	–	–	10	13
Laurens	414	–	–	11	88	18	30	4	13	–	3	20	4	167	140	–	11	92	37
Dublin	197	–	–	6	39	9	14	1	9	–	1	5	1	81	64	–	10	37	17
Balance of county	217	–	–	5	49	9	16	3	4	–	2	15	3	86	76	–	1	55	20
Lee	66	–	1	1	14	4	3	2	1	1	–	3	–	24	13	–	1	8	4
Liberty	184	–	–	12	45	12	16	2	4	2	–	9	1	59	39	–	1	17	21
Hinesville	57	–	–	3	14	2	6	–	2	2	–	2	–	14	8	–	–	5	3
Balance of county	127	–	–	9	31	10	10	2	2	–	–	7	1	45	31	–	1	12	18
Lincoln	84	–	–	2	19	5	6	2	1	3	–	2	5	38	32	–	–	15	17
Long	34	–	–	–	13	2	4	–	2	2	–	3	–	15	12	–	–	3	9
Lowndes	612	1	–	19	143	23	42	9	23	2	7	37	8	262	221	–	4	76	141
Valdosta	378	1	–	13	89	14	25	4	14	2	4	26	6	164	138	–	2	48	88
Balance of county	234	–	–	6	54	9	17	5	9	–	3	11	2	98	83	–	2	28	53
Lumpkin	107	–	–	3	23	6	5	1	3	1	1	6	1	49	43	1	–	31	11
McDuffie	196	–	–	4	32	6	7	3	1	1	1	13	1	66	49	–	–	31	18
McIntosh	86	–	–	1	23	4	10	–	4	1	1	3	2	33	27	–	–	5	22
Macon	158	–	–	5	29	7	8	4	3	2	1	4	5	65	38	–	–	25	13
Madison	170	–	–	5	43	10	14	3	5	2	1	8	2	77	58	1	4	32	21
Marion	58	–	–	1	10	3	3	–	2	–	–	2	2	25	19	–	–	12	7
Meriwether	250	–	–	6	49	14	12	3	7	4	3	6	3	114	91	–	2	62	27
Miller	80	–	–	2	17	2	11	1	–	–	1	2	2	32	18	–	–	15	3
Mitchell	235	–	–	2	48	8	19	3	5	2	1	10	3	104	81	–	1	61	19
Monroe	161	1	–	2	27	7	6	2	4	1	–	7	3	82	69	–	1	55	13
Montgomery	70	–	–	3	17	2	3	4	2	1	2	3	1	25	19	–	–	8	11
Vidalia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	70	–	–	3	17	2	3	4	2	1	2	3	1	25	19	–	–	8	11
Morgan	139	–	–	5	22	6	11	1	1	1	–	2	1	72	54	–	3	37	14
Murray	180	–	–	2	49	4	22	3	4	3	2	11	3	61	52	–	–	38	14
Muscogee	1,646	1	–	52	363	77	119	35	36	15	9	72	40	681	529	1	27	318	183
Columbus	1,608	1	–	51	355	74	116	35	35	15	9	71	39	667	516	1	26	311	178
Balance of county	38	–	–	1	8	3	3	–	1	–	–	1	1	14	13	–	1	7	5
Newton	369	–	–	9	79	15	30	4	9	2	3	16	8	157	118	–	3	72	43
Covington	141	–	–	2	33	7	10	1	4	2	1	8	1	56	47	–	1	29	17
Balance of county	228	–	–	7	46	8	20	3	5	–	2	8	7	101	71	–	2	43	26
Oconee	97	–	–	1	26	8	3	4	3	1	1	6	2	42	35	–	4	17	14
Oglethorpe	82	–	–	4	23	4	1	3	4	1	1	9	–	30	24	1	–	10	13
Paulding	243	–	–	4	70	21	22	5	5	1	2	14	2	84	68	–	2	40	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 34 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Fulton	32	376	27	51	203	187	23	70	82	2	35	74	130	740	90	156	88	192	5
Atlanta, part	29	267	13	31	143	119	11	47	57	-	21	49	107	540	58	126	52	157	3
Atlanta, total	34	314	17	36	161	137	11	53	63	-	24	60	111	618	68	131	58	187	8
College Park, part	-	8	-	1	3	2	1	2	4	-	3	7	2	23	4	3	3	17	-
College Park, total	-	8	-	1	3	3	1	3	4	-	3	7	2	28	4	5	4	22	1
East Point	1	18	3	4	9	11	1	6	5	-	2	2	3	38	-	2	2	4	-
Roswell	1	24	-	3	7	12	1	4	3	-	1	-	2	25	6	4	8	-	-
Balance of county	1	59	11	12	41	43	9	11	13	2	8	16	16	114	22	21	23	14	2
Gilmer	1	12	1	-	8	8	-	2	-	-	-	-	1	9	9	-	2	1	1
Glascock	-	7	-	1	7	2	-	-	1	-	2	-	-	2	-	2	-	1	-
Glynn	2	35	1	5	16	30	-	5	5	-	9	3	9	51	23	21	10	12	1
Brunswick	1	17	-	2	7	8	-	2	2	-	3	3	4	17	8	11	4	6	-
Balance of county	1	18	1	3	9	22	-	3	3	-	6	-	5	34	15	10	6	6	1
Gordon	1	17	-	4	22	15	1	4	3	-	2	1	3	29	7	8	4	3	-
Grady	-	16	1	2	10	6	1	2	5	-	2	1	3	19	12	1	2	1	-
Greene	2	5	-	2	5	7	-	1	3	-	2	-	-	16	7	4	3	3	-
Gwinnett	4	101	8	17	41	66	2	17	15	2	13	25	11	134	54	42	53	19	3
Habersham	1	28	1	1	5	10	1	1	-	-	2	1	1	14	8	7	5	1	-
Hall	2	58	5	11	28	34	1	9	7	-	4	3	10	79	23	25	20	17	-
Gainesville	1	20	1	5	7	11	1	3	4	-	-	1	3	16	5	6	1	8	-
Balance of county	1	38	4	6	21	23	-	6	3	-	4	2	7	63	18	19	19	9	-
Hancock	-	4	1	-	6	4	-	2	2	-	-	4	-	5	6	1	-	5	-
Haralson	-	15	4	4	9	10	-	3	3	-	2	1	2	22	11	7	2	-	-
Harris	1	7	-	1	5	3	1	2	4	-	-	-	1	13	10	4	4	1	-
Hart	-	9	-	5	10	9	-	1	2	-	-	1	1	26	-	5	3	1	-
Heard	-	6	-	1	5	3	-	-	-	-	-	1	-	7	7	4	2	-	-
Henry	3	23	1	2	13	19	1	6	3	-	3	3	7	39	14	11	7	3	-
Houston	3	41	1	7	16	30	-	4	4	-	3	12	11	55	11	16	10	14	2
Warner Robins	2	18	-	5	12	21	-	1	2	-	2	9	6	39	6	9	5	6	2
Balance of county	1	23	1	2	4	9	-	3	2	-	1	3	5	16	5	7	5	8	-
Irwin	-	6	-	1	3	6	-	2	1	-	-	-	3	10	2	2	3	1	-
Fitzgerald, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	6	-	1	3	6	-	2	1	-	-	-	3	10	2	2	3	1	-
Jackson	1	11	-	2	6	14	1	3	1	-	1	7	2	32	10	7	4	4	-
Jasper	-	7	-	2	3	3	-	1	2	-	-	-	1	9	4	1	-	2	-
Jeff Davis	1	6	-	4	4	3	-	1	1	-	-	2	2	10	4	1	3	1	1
Jefferson	1	18	-	-	6	6	-	1	6	-	-	3	-	27	4	7	-	4	-
Jenkins	1	6	-	-	1	8	-	1	-	-	2	-	-	16	2	5	-	1	-
Johnson	-	12	2	1	4	1	1	-	1	1	-	-	-	12	3	-	-	2	2
Jones	-	8	1	1	3	3	1	1	2	-	1	3	1	14	7	5	2	1	-
Macon, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	8	1	1	3	3	1	1	2	-	1	3	1	14	7	5	2	1	-
Lamar	-	14	-	4	11	2	-	-	-	-	1	-	1	8	4	2	3	1	-
Lanier	-	1	-	2	3	1	1	1	2	-	-	1	-	4	1	1	1	-	-
Laurens	1	22	1	3	27	19	4	3	6	-	3	9	2	34	13	11	7	3	3
Dublin	-	15	1	1	13	10	2	-	1	-	1	6	1	20	4	6	4	1	1
Balance of county	1	7	-	2	14	9	2	3	5	-	2	3	1	14	9	5	3	2	2
Lee	4	7	-	-	1	4	1	-	2	-	1	2	1	5	4	2	3	-	-
Liberty	1	16	1	2	7	8	2	-	3	-	1	8	3	12	8	9	2	3	1
Hinesville	-	6	-	-	3	2	1	-	2	-	1	6	-	4	2	2	1	1	1
Balance of county	1	10	1	2	4	6	1	-	1	-	-	2	3	8	6	7	1	2	-
Lincoln	-	5	-	1	2	1	-	-	1	-	-	-	1	4	6	2	1	2	-
Long	-	3	-	-	-	-	-	-	1	-	-	-	-	2	-	3	-	-	-
Lowndes	-	31	2	8	18	22	1	1	9	-	2	5	12	51	6	14	18	20	-
Valdosta	-	21	1	4	12	11	1	1	7	-	1	3	7	32	3	7	7	13	-
Balance of county	-	10	1	4	6	11	-	-	2	-	1	2	5	19	3	7	11	7	-
Lumpkin	-	5	-	1	11	3	-	1	2	-	-	-	-	9	2	3	-	-	-
McDuffie	2	13	1	1	15	10	1	1	1	-	1	2	34	13	4	4	4	3	-
McIntosh	-	6	-	-	1	4	-	1	-	-	1	3	1	5	4	2	2	3	-
Macon	-	18	8	1	9	4	-	1	-	-	1	1	2	17	7	7	1	4	-
Madison	-	14	2	3	2	8	-	1	-	-	-	1	1	16	4	6	4	-	-
Marion	-	3	3	-	-	6	-	2	-	-	-	-	1	5	4	1	1	-	-
Meriwether	3	13	4	3	7	3	-	3	2	-	1	3	2	23	13	9	3	9	-
Miller	-	9	5	-	1	4	1	-	1	-	-	-	4	5	4	5	-	2	-
Mitchell	-	20	1	2	10	5	2	3	5	-	1	4	5	19	8	6	4	6	-
Monroe	1	10	1	1	9	3	-	2	1	-	-	2	-	12	4	6	5	2	-
Montgomery	1	5	-	-	2	4	1	2	1	-	-	-	3	7	-	2	1	1	-
Vidalia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	5	-	-	2	4	1	2	1	-	-	-	3	7	-	2	1	1	-
Morgan	-	9	7	2	2	6	-	2	2	-	-	3	1	12	1	3	4	3	-
Murray	-	8	-	1	7	12	1	1	-	-	1	1	2	23	11	3	3	-	-
Muscogee	6	110	15	21	59	77	2	11	25	1	12	22	15	169	30	33	29	19	5
Columbus	6	110	14	21	57	77	2	11	25	1	12	22	15	165	25	32	28	18	5
Balance of county	-	-	1	-	2	-	-	-	-	-	-	-	-	4	5	1	1	1	-
Newton	2	32	3	2	15	9	4	5	6	-	4	6	4	33	7	11	6	5	1
Covington	1	5	2	1	9	5	2	1	3	-	3	2	2	13	1	4	2	2	-
Balance of county	1	27	1	1	6	4	2	4	3	-	1	4	2	20	6	7	4	3	1
Oconee	-	3	4	-	-	2	-	3	-	-	1	-	-	10	2	3	3	2	-
Oglethorpe	2	3	-	1	3	2	-	1	1	-	-	-	2	9	5	-	2	-	-
Paulding	-	15	-	1	8	12	2	3	3	1	1	5	1	19	12	11	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 35 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	194	-	-	4	55	14	17	4	4	3	4	9	1	83	59	-	4	29	26
Pickens	184	-	-	3	41	8	9	9	1	2	2	10	2	74	66	1	3	41	21
Pierce	124	-	-	1	27	7	12	1	2	-	2	3	3	60	41	1	1	22	17
Pike	101	-	-	-	32	9	8	3	5	-	-	7	2	37	28	-	-	17	11
Polk	361	-	-	4	75	14	27	7	7	2	3	15	6	168	130	-	3	92	35
Pulaski	109	-	-	2	26	8	8	-	2	1	1	6	1	40	27	-	-	20	7
Putnam	107	-	-	4	27	6	10	2	2	1	-	6	2	46	40	-	-	32	8
Quitman	32	1	-	3	9	3	1	1	-	-	-	4	-	14	8	-	1	4	3
Rabun	131	-	-	2	26	2	9	3	3	1	2	6	4	59	44	1	1	18	24
Randolph	116	-	-	5	26	7	7	2	4	-	2	4	3	53	39	-	2	25	12
Richmond	1,799	3	-	74	375	74	119	27	44	15	23	73	34	712	592	1	27	404	160
Augusta	828	2	-	30	156	32	40	9	24	9	8	34	14	341	274	-	11	183	80
Balance of county	971	1	-	44	219	42	79	18	20	6	15	39	20	371	318	1	16	221	80
Rockdale	353	1	-	9	70	19	26	4	8	2	1	10	7	137	110	1	2	71	36
Schley	35	-	-	-	12	2	5	1	2	-	-	2	-	9	7	-	1	6	-
Screven	132	-	-	1	33	7	10	4	1	-	2	9	2	69	52	-	-	34	18
Seminole	111	-	-	-	20	2	6	2	3	-	-	7	4	59	46	-	3	23	20
Spalding	537	1	1	11	122	31	45	11	11	4	3	17	5	242	193	1	2	131	59
Griffin	291	1	1	8	60	19	21	5	6	2	1	6	2	145	115	-	-	79	36
Balance of county	246	-	-	3	62	12	24	6	5	2	2	11	3	97	78	1	2	52	23
Stephens	221	1	-	2	44	12	15	5	2	-	1	9	4	93	73	1	3	40	29
Stewart	87	-	-	3	14	6	5	1	2	-	-	-	2	43	29	1	-	13	15
Sumter	330	-	-	3	74	15	13	4	14	1	5	22	5	130	107	1	3	52	51
Americus	221	-	-	1	46	11	5	3	8	-	3	16	3	93	71	1	-	35	35
Balance of county	109	-	-	2	28	4	8	1	6	1	2	6	2	37	36	-	3	17	16
Talbot	68	-	-	4	16	4	5	-	2	1	-	4	1	33	25	-	-	12	13
Taliaferro	26	-	-	-	4	1	1	-	-	-	-	2	1	14	11	-	1	7	3
Tattnall	214	-	-	6	36	8	9	-	2	3	1	13	2	115	94	1	-	66	27
Taylor	84	-	-	3	11	1	6	-	2	-	-	2	3	31	24	-	-	18	6
Telfair	155	-	-	2	33	11	8	1	3	3	-	7	2	75	64	-	3	43	18
Terrell	121	-	-	1	26	6	6	3	4	2	1	4	-	55	42	-	1	24	17
Thomas	428	-	-	13	103	22	28	12	14	4	3	20	15	171	120	-	2	72	46
Thomasville	233	-	-	8	61	15	14	7	9	3	2	11	8	92	65	-	2	36	27
Balance of county	195	-	-	5	42	7	14	5	5	1	1	9	7	79	55	-	-	36	19
Tift	318	-	-	2	50	13	21	4	4	3	1	4	8	153	107	-	3	78	26
Tifton	181	-	-	-	26	7	10	3	1	3	-	2	3	94	64	-	2	46	16
Balance of county	137	-	-	2	24	6	11	1	3	-	1	2	5	59	43	-	1	32	10
Toombs	243	-	-	4	54	10	26	3	5	1	-	9	3	101	81	-	-	17	64
Vidalia, part	104	-	-	-	23	6	10	-	2	-	-	5	2	46	38	-	-	6	32
Vidalia, total	104	-	-	-	23	6	10	-	2	-	-	5	2	46	38	-	-	6	32
Balance of county	139	-	-	4	31	4	16	3	3	1	-	4	1	55	43	-	-	11	32
Towns	84	-	-	1	16	4	4	1	1	-	-	6	1	42	33	-	1	14	18
Treutlen	53	-	-	-	12	2	4	1	2	-	-	3	1	30	26	-	-	8	18
Troup	615	1	-	11	122	33	42	5	16	4	3	19	11	274	215	1	11	127	76
La Grange	320	-	-	4	58	15	15	3	8	2	2	13	4	143	111	-	6	58	47
Balance of county	295	1	-	7	64	18	27	2	8	2	1	6	7	131	104	1	5	69	29
Turner	108	-	-	3	26	6	8	2	4	1	-	5	1	49	31	-	-	22	9
Twiggs	96	-	-	1	16	1	4	-	2	1	2	6	1	40	31	-	2	21	8
Union	150	-	-	3	30	8	6	1	3	2	2	8	3	62	51	-	1	34	16
Upson	325	-	-	5	58	13	17	6	11	2	1	8	4	178	127	-	4	74	49
Walker	596	1	-	6	157	38	46	10	18	9	8	28	11	254	195	2	1	118	74
Walton	303	-	-	6	83	13	24	14	9	1	7	15	6	139	115	-	5	90	20
Ware	400	-	-	10	93	22	25	13	8	5	2	18	10	184	132	3	11	87	31
Waycross	255	-	-	6	56	13	14	9	6	2	2	10	8	120	81	2	8	55	16
Balance of county	145	-	-	4	37	9	11	4	2	3	-	8	2	64	51	1	3	32	15
Warren	59	-	-	-	15	3	4	3	1	1	-	3	-	23	19	-	-	10	9
Washington	183	-	-	4	38	4	14	6	3	2	1	8	5	82	67	-	3	50	14
Wayne	199	-	-	3	39	6	15	7	5	2	1	3	5	86	70	-	3	39	28
Webster	25	-	-	-	5	1	-	-	1	-	-	3	-	10	9	-	-	4	5
Wheeler	61	-	-	1	15	3	4	-	2	1	1	4	-	26	19	-	-	8	11
White	111	-	-	3	23	6	6	3	5	-	-	3	1	51	45	-	-	31	14
Whitfield	564	1	-	9	120	25	45	7	10	9	4	20	8	231	183	2	6	120	55
Dalton	248	-	-	4	48	9	16	3	5	5	1	9	6	104	78	-	2	49	27
Balance of county	316	1	-	5	72	16	29	4	5	4	3	11	2	127	105	2	4	71	28
Wilcox	76	-	-	1	18	4	9	1	-	-	1	3	3	32	26	-	1	21	4
Wilkes	131	-	-	3	31	11	8	3	3	-	1	5	7	45	29	-	1	18	10
Wilkinson	104	-	-	1	18	7	5	-	1	-	3	2	3	46	31	-	1	20	10
Worth	173	-	-	4	34	4	13	2	5	2	1	7	1	82	64	-	2	38	24
Hawaii	6,810	12	-	201	1,659	505	450	111	175	49	56	313	160	2,733	2,048	23	80	1,086	859
Urban places	4,935	6	-	151	1,184	376	318	85	115	33	42	215	109	2,039	1,526	13	56	803	654
Balance of area	1,875	6	-	50	475	129	132	26	60	16	14	98	51	694	522	10	24	283	205
Metropolitan counties	4,874	8	-	155	1,159	362	320	76	104	33	44	220	115	2,004	1,501	16	54	783	648
Urban places	4,344	6	-	145	1,045	336	280	73	97	30	40	189	96	1,793	1,339	12	48	695	584
Balance of area	530	2	-	10	114	26	40	3	7	3	4	31	19	211	162	4	6	88	64
Nonmetropolitan counties	1,936	4	-	46	500	143	130	35	71	16	12	93	45	729	547	7	26	303	211
Urban places	591	-	-	6	139	40	38	12	18	3	2	26	13	246	187	1	8	108	70
Balance of area	1,345	4	-	40	361	103	92	23	53	13	10	67	32	483	360	6	18	195	141

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 36 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	1	20	2	1	6	7	1	–	3	–	1	5	2	14	3	3	2	4	–
Pickens	–	7	1	–	4	11	–	4	1	–	–	5	2	17	10	5	2	3	–
Pierce	2	10	4	3	4	3	–	3	1	–	–	1	2	11	2	3	3	–	–
Pike	1	8	–	–	3	7	–	–	1	–	–	2	1	9	3	3	1	–	–
Polk	4	27	1	6	20	17	2	3	3	–	–	3	–	29	11	11	5	3	1
Pulaski	1	10	–	2	5	4	–	1	–	–	1	1	3	11	7	2	2	3	–
Putnam	–	5	–	1	2	3	–	2	2	–	–	4	–	5	5	1	2	2	–
Quitman	–	3	1	2	1	–	–	–	–	–	–	–	–	2	–	1	–	1	–
Rabun	2	11	2	–	3	7	1	4	3	–	–	1	–	15	3	–	1	2	–
Randolph	–	9	2	3	4	4	–	2	2	–	–	1	2	7	3	4	–	–	–
Richmond	6	103	3	8	52	76	4	30	20	–	11	27	14	192	48	38	25	62	2
Augusta	4	56	3	4	22	39	3	12	11	–	6	17	6	90	18	19	9	32	1
Balance of county	2	47	–	4	30	37	1	18	9	–	5	10	8	102	30	19	16	30	1
Rockdale	1	19	2	5	9	24	1	6	5	–	3	5	1	42	15	6	9	3	–
Schley	–	1	1	–	2	1	–	–	1	–	–	1	–	4	4	–	–	1	–
Screven	–	15	2	–	5	2	–	1	–	–	1	2	1	14	–	1	–	–	–
Seminole	1	11	–	1	3	5	–	–	1	–	–	–	3	8	2	5	–	1	–
Spalding	2	37	4	6	10	26	3	7	7	–	1	5	7	45	10	13	11	10	–
Griffin	–	24	4	2	3	12	1	5	5	–	1	2	6	19	4	9	3	4	–
Balance of county	2	13	–	4	7	14	2	2	2	–	–	3	1	26	6	4	8	6	–
Stephens	–	16	1	3	20	9	–	2	2	–	3	4	–	26	6	2	2	1	–
Stewart	2	11	1	–	2	3	–	1	1	–	1	2	2	5	2	5	1	–	–
Sumter	–	16	3	4	13	9	1	2	2	–	2	6	5	47	9	14	3	5	–
Americus	–	15	3	4	7	6	1	2	2	–	–	3	2	34	6	10	1	4	–
Balance of county	–	1	–	–	6	3	–	–	–	–	2	3	3	13	3	4	2	1	–
Talbot	–	7	1	–	1	2	–	–	–	–	1	–	2	6	2	–	–	–	–
Taliaferro	–	2	–	1	–	2	–	–	1	–	–	–	–	2	1	–	–	1	–
Tattnall	–	20	1	–	3	9	–	5	3	–	4	4	1	16	5	2	–	3	–
Taylor	–	5	1	1	7	3	1	–	2	–	1	2	1	8	4	3	1	3	–
Telfair	2	8	–	1	5	7	1	4	3	–	–	2	1	8	6	2	1	3	–
Terrell	–	13	–	–	4	5	–	–	5	–	–	2	–	12	4	3	–	4	–
Thomas	3	39	2	7	11	14	3	3	4	–	1	–	8	43	15	14	5	5	–
Thomasville	1	21	2	3	3	5	3	1	–	–	1	–	5	30	4	7	2	3	–
Balance of county	2	18	–	4	8	9	–	2	4	–	–	–	3	13	11	7	3	2	–
Tift	–	38	3	5	4	16	–	2	4	–	1	4	7	36	12	7	7	5	–
Tifton	–	26	1	3	1	10	–	1	2	–	–	4	5	21	6	3	3	2	–
Balance of county	–	12	2	2	3	6	–	1	2	–	1	–	2	15	6	4	4	3	–
Toombs	1	19	–	–	14	8	–	4	3	–	2	5	7	18	3	7	6	4	–
Vidalia, part	–	8	–	–	8	1	–	–	1	–	–	4	5	6	–	4	1	3	–
Vidalia, total	–	8	–	–	8	1	–	–	1	–	–	4	5	6	–	4	1	3	–
Balance of county	1	11	–	–	6	7	–	4	2	–	2	1	2	12	3	3	5	1	–
Towns	–	4	4	1	4	4	–	2	2	–	–	–	1	8	2	1	–	–	–
Treutlen	–	4	–	–	1	1	–	–	–	–	–	–	–	2	1	3	–	2	–
Troup	4	48	–	7	39	17	2	2	3	–	10	5	3	71	12	10	12	9	1
La Grange	2	26	–	4	21	6	1	–	3	–	7	5	3	40	8	7	5	5	–
Balance of county	2	22	–	3	18	11	1	2	–	–	3	–	–	31	4	3	7	4	1
Turner	1	17	–	–	2	3	–	1	–	–	1	1	1	11	1	4	2	2	–
Twiggs	1	8	–	–	5	1	–	2	2	–	–	1	–	16	5	5	1	–	–
Union	–	9	–	2	15	8	–	3	–	–	2	–	–	13	4	4	2	1	–
Upson	–	42	3	6	7	15	1	5	4	–	–	1	2	33	4	4	3	1	–
Walker	3	40	7	9	23	34	2	5	3	–	4	5	4	52	17	14	4	–	–
Walton	3	16	2	3	6	6	–	2	7	–	4	3	2	18	11	7	2	1	–
Ware	3	29	16	4	13	15	1	3	7	–	4	1	6	31	10	8	3	1	–
Waycross	1	23	13	2	8	7	–	2	5	–	3	–	5	21	6	7	1	–	–
Balance of county	2	6	3	2	5	8	1	1	2	–	1	1	1	10	4	1	2	1	–
Warren	–	2	–	2	8	4	1	1	–	–	1	1	–	3	1	1	–	–	–
Washington	2	11	2	–	8	3	–	4	2	1	1	1	3	11	4	8	3	5	–
Wayne	–	12	2	2	3	8	1	3	2	–	–	1	1	27	6	7	4	3	–
Webster	–	–	–	1	2	1	–	–	–	–	–	2	–	3	1	1	–	–	–
Wheeler	1	6	–	–	1	3	1	–	2	–	–	2	1	3	1	4	–	–	1
White	–	5	–	1	3	6	1	–	–	–	2	–	–	14	2	1	3	1	–
Whitfield	2	40	–	6	31	24	1	8	4	–	4	4	8	58	24	13	12	3	1
Dalton	2	21	–	3	14	9	–	4	2	–	–	1	4	29	10	7	5	1	–
Balance of county	–	19	–	3	17	15	1	4	2	–	4	3	4	29	14	6	7	2	1
Wilcox	–	6	–	–	3	7	–	2	1	–	–	–	–	4	3	–	1	1	–
Wilkes	1	14	–	1	5	7	–	2	2	–	2	1	–	18	3	2	1	2	–
Wilkinson	3	11	1	–	2	8	–	2	2	–	–	1	1	5	4	7	2	2	–
Worth	1	16	–	1	12	8	1	4	–	–	–	1	2	13	5	2	2	2	–
Hawaii	24	563	29	69	300	227	19	68	61	–	48	67	150	649	140	144	107	50	15
Urban places	11	434	22	46	246	155	14	49	46	–	33	46	100	486	62	100	71	31	7
Balance of area	13	129	7	23	54	72	5	19	15	–	15	21	50	163	78	44	36	19	8
Metropolitan counties	14	428	20	41	238	160	14	48	41	–	34	50	104	478	65	90	70	34	7
Urban places	9	389	18	38	218	139	12	45	37	–	28	43	91	431	45	78	61	25	6
Balance of area	5	39	2	3	20	21	2	3	4	–	6	7	13	47	20	12	9	9	1
Nonmetropolitan counties	10	135	9	28	62	67	5	20	20	–	14	17	46	171	75	54	37	16	8
Urban places	2	45	4	8	28	16	2	4	9	–	5	3	9	55	17	22	10	6	1
Balance of area	8	90	5	20	34	51	3	16	11	–	9	14	37	116	58	32	27	10	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 37 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	898	3	–	18	220	61	59	13	33	9	5	40	20	357	252	5	12	133	102
Hilo#	339	–	–	4	76	25	23	4	8	3	1	12	7	145	110	1	5	65	39
Balance of county	559	3	–	14	144	36	36	9	25	6	4	28	13	212	142	4	7	68	63
Honolulu	4,874	8	–	155	1,159	362	320	76	104	33	44	220	115	2,004	1,501	16	54	783	648
Aiea#	204	1	–	9	60	26	12	2	8	1	1	10	5	87	58	1	2	26	29
Ewa Beach#	115	–	–	1	24	8	9	–	2	–	–	5	4	40	29	–	1	15	13
Honolulu#	2,784	3	–	101	657	203	174	51	73	18	26	112	63	1,176	863	7	37	450	369
Kailua#	287	–	–	7	82	24	29	5	3	4	2	15	8	108	87	1	4	46	36
Kaneohe#	311	1	–	8	82	21	23	8	2	3	7	18	3	127	103	1	1	50	51
Mililani Town#	78	–	–	3	21	7	6	1	1	2	1	3	2	31	23	–	1	14	8
Mokapu#	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl City#	161	–	–	5	39	18	10	1	1	1	–	8	4	71	56	–	1	24	31
Schofield Barracks#	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Wahiawa#	159	1	–	3	34	15	9	1	3	–	1	5	3	67	49	1	1	30	17
Waipahu#	227	–	–	8	46	14	8	4	4	1	2	13	4	85	70	1	–	40	29
Balance of county	530	2	–	10	114	26	40	3	7	3	4	31	19	211	162	4	6	88	64
Kalawao	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	1	–	2
Kauai	365	1	–	11	98	30	24	5	14	2	5	18	6	136	111	2	8	70	31
Maui	670	–	–	17	182	52	47	17	24	5	2	35	19	233	181	–	5	100	76
Kahului#	136	–	–	–	34	9	8	3	4	–	1	9	5	60	46	–	1	29	16
Wailuku#	116	–	–	2	29	6	7	5	6	–	–	5	1	41	31	–	2	14	15
Balance of county	418	–	–	15	119	37	32	9	14	5	1	21	13	132	104	–	2	57	45
Idaho	7,719	5	–	94	1,713	409	414	150	228	62	72	378	194	3,128	2,338	36	45	1,633	624
Urban places	3,401	1	–	46	714	166	183	77	89	29	28	142	85	1,397	1,030	22	16	718	274
Balance of area	4,318	4	–	48	999	243	231	73	139	33	44	236	109	1,731	1,308	14	29	915	350
Metropolitan counties	1,346	1	–	16	321	61	107	24	36	16	20	57	19	548	433	8	2	323	100
Urban places	1,066	1	–	13	250	48	85	21	23	14	16	43	16	439	342	8	–	257	77
Balance of area	280	–	–	3	71	13	22	3	13	2	4	14	3	109	91	–	2	66	23
Nonmetropolitan counties	6,373	4	–	78	1,392	348	307	126	192	46	52	321	175	2,580	1,905	28	43	1,310	524
Urban places	2,335	–	–	33	464	118	98	56	66	15	12	99	69	958	688	14	16	461	197
Balance of area	4,038	4	–	45	928	230	209	70	126	31	40	222	106	1,622	1,217	14	27	849	327
Ada	1,346	1	–	16	321	61	107	24	36	16	20	57	19	548	433	8	2	323	100
Boise City	1,066	1	–	13	250	48	85	21	23	14	16	43	16	439	342	8	–	257	77
Balance of county	280	–	–	3	71	13	22	3	13	2	4	14	3	109	91	–	2	66	23
Adams	34	–	–	–	11	3	4	–	1	–	–	3	3	13	9	–	–	6	3
Bannock	407	–	–	5	87	14	18	8	11	3	1	32	11	174	135	2	2	91	40
Pocatello	319	–	–	4	68	12	13	8	9	2	–	24	8	136	104	2	1	72	29
Balance of county	88	–	–	1	19	2	5	–	2	1	1	8	3	38	31	–	1	19	11
Bear Lake	59	–	–	–	21	7	1	2	6	1	–	4	–	25	19	–	–	17	2
Benewah	87	–	–	1	18	6	5	2	1	1	–	3	1	36	26	–	1	14	11
Bingham	267	–	–	3	54	12	9	6	7	1	3	16	16	103	83	–	–	63	20
Blackfoot	110	–	–	1	23	3	6	3	2	–	2	7	11	43	33	–	–	26	7
Balance of county	157	–	–	2	31	9	3	3	5	1	1	9	5	60	50	–	–	37	13
Blaine	59	–	–	1	10	3	2	2	1	–	1	1	4	22	13	–	–	8	5
Boise	25	–	–	–	6	3	1	–	–	1	1	–	–	9	8	–	–	8	–
Bonner	235	–	–	2	53	10	21	6	3	2	–	11	6	102	72	1	6	54	11
Bonneville	407	–	–	8	87	23	11	15	11	2	1	24	22	126	88	3	6	46	33
Idaho Falls	317	–	–	8	69	18	9	12	8	2	1	19	13	99	72	3	5	35	29
Balance of county	90	–	–	–	18	5	2	3	3	–	–	5	9	27	16	–	1	11	4
Boundary	62	–	–	1	17	4	4	–	1	–	2	6	–	28	21	–	–	15	6
Butte	28	–	–	–	8	3	1	–	2	1	1	–	–	16	14	–	1	13	–
Camas	9	1	–	–	1	–	1	–	–	–	–	–	–	7	5	1	–	2	2
Canyon	751	–	–	6	144	40	25	11	28	9	5	26	17	338	258	5	10	175	68
Caldwell	174	–	–	1	35	11	8	4	6	–	2	4	6	77	58	1	2	39	16
Nampa	334	–	–	4	60	19	8	6	10	5	1	11	5	153	120	3	3	80	34
Balance of county	243	–	–	1	49	10	9	1	12	4	2	11	6	108	80	1	5	56	18
Caribou	51	–	–	–	9	3	1	1	1	–	–	3	2	16	12	–	–	6	6
Cassia	147	–	–	6	28	9	5	3	4	–	–	7	4	50	38	2	3	15	18
Clark	4	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Clearwater	89	–	–	–	24	4	6	1	4	2	–	7	1	31	21	–	–	17	4
Custer	39	–	–	–	10	2	3	–	1	–	1	3	1	13	9	–	–	6	3
Elmore	135	–	–	1	36	6	8	1	5	2	4	10	5	52	39	–	–	29	10
Franklin	85	–	–	–	12	6	2	–	2	–	–	2	7	37	25	–	1	11	13
Fremont	80	–	–	–	17	9	–	1	1	–	1	5	2	35	27	–	–	23	4
Gem	133	–	–	3	34	9	8	4	2	1	–	10	1	59	43	1	2	25	15
Gooding	119	–	–	3	26	6	4	4	–	3	1	8	4	49	38	1	1	30	6
Idaho	134	–	–	1	27	6	8	2	3	–	1	7	5	47	40	–	–	22	18
Jefferson	84	–	–	3	11	1	–	3	3	–	–	4	2	36	25	–	–	20	5
Jerome	133	–	–	3	34	7	11	4	3	–	2	7	2	66	53	1	–	36	16
Kootenai	626	1	–	10	146	35	44	15	18	3	4	27	12	251	179	2	–	134	43
Coeur d'Alene	316	–	–	6	67	18	20	8	6	2	1	12	8	130	93	2	–	70	21
Balance of county	310	1	–	4	79	17	24	7	12	1	3	15	4	121	86	–	–	64	22
Latah	202	–	–	1	46	14	8	6	7	2	2	7	5	87	53	–	2	38	13
Moscow	112	–	–	1	20	5	4	1	6	1	1	2	1	55	30	–	2	20	8
Balance of county	90	–	–	–	26	9	4	5	1	1	1	5	4	32	23	–	–	18	5
Lemhi	62	–	–	–	15	2	7	–	4	–	–	2	1	28	18	–	1	10	7
Lewis	33	–	–	–	8	2	4	–	1	–	–	1	–	20	13	–	–	9	4
Lincoln	34	–	–	1	2	2	–	–	–	–	–	–	1	20	11	1	–	7	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 38 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Hawaii	6	82	5	12	25	23	4	6	11	–	7	10	11	81	42	27	23	6	4
Hilo#	2	26	4	3	16	7	2	–	7	–	3	2	4	34	8	15	6	2	1
Balance of county	4	56	1	9	9	16	2	6	4	–	4	8	7	47	34	12	17	4	3
Honolulu	14	428	20	41	238	160	14	48	41	–	34	50	104	478	65	90	70	34	7
Aiea#	1	27	1	–	5	3	1	–	2	–	1	–	6	18	–	3	3	–	–
Ewa Beach#	–	11	–	–	9	6	–	1	1	–	2	3	8	10	1	3	1	1	–
Honolulu#	6	264	12	31	152	88	11	25	23	–	14	18	49	279	23	44	38	16	4
Kailua#	–	19	1	1	5	14	–	7	3	–	1	3	5	27	2	7	5	3	–
Kaneohe#	–	21	2	1	17	11	–	3	1	–	3	2	6	33	4	3	6	–	1
Mililani Town#	–	8	–	–	4	–	–	1	–	–	1	2	2	4	3	2	1	1	–
Mokapu#	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	2	–	–	1
Pearl City#	1	12	–	2	6	6	–	1	1	–	–	2	4	14	1	5	2	–	–
Schofield Barracks#	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	3	1	–
Wahiawa#	1	15	1	1	9	2	–	4	3	–	3	3	5	17	3	2	–	–	–
Waipahu#	–	12	1	2	11	9	–	3	3	–	2	4	6	28	7	6	2	3	–
Balance of county	5	39	2	3	20	21	2	3	4	–	6	7	13	47	20	12	9	9	1
Kalawao	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kauai	2	16	2	5	10	16	1	4	3	–	3	4	9	31	14	9	4	3	2
Maui	2	37	2	11	27	28	–	10	6	–	4	3	26	59	19	18	10	7	2
Kahului#	–	10	–	4	5	5	–	2	2	–	2	–	2	10	4	4	–	1	–
Wailuku#	–	9	–	1	7	4	–	2	–	–	–	1	3	11	5	3	4	3	–
Balance of county	2	18	2	6	15	19	–	6	4	–	2	2	21	38	10	11	6	3	2
Idaho	23	569	68	130	296	458	25	70	64	2	66	52	94	805	252	208	165	20	8
Urban places	11	263	33	60	158	196	11	34	32	1	34	31	45	383	78	76	68	6	5
Balance of area	12	306	35	70	138	262	14	36	32	1	32	21	49	422	174	132	97	14	3
Metropolitan counties	1	85	6	23	53	91	5	16	10	–	13	12	14	134	36	27	28	2	–
Urban places	1	73	4	19	46	75	4	12	7	–	10	10	10	108	29	15	19	2	–
Balance of area	–	12	2	4	7	16	1	4	3	–	3	2	4	26	7	12	9	–	–
Nonmetropolitan counties	22	484	62	107	243	367	20	54	54	2	53	40	80	671	216	181	137	18	8
Urban places	10	190	29	41	112	121	7	22	25	1	24	21	35	275	49	61	49	4	5
Balance of area	12	294	33	66	131	246	13	32	29	1	29	19	45	396	167	120	88	14	3
Ada	1	85	6	23	53	91	5	16	10	–	13	12	14	134	36	27	28	2	–
Boise City	1	73	4	19	46	75	4	12	7	–	10	10	10	108	29	15	19	2	–
Balance of county	–	12	2	4	7	16	1	4	3	–	3	2	4	26	7	12	9	–	–
Adams	–	2	–	2	–	1	–	–	1	–	1	–	–	2	2	–	–	–	–
Bannock	2	30	1	6	16	23	–	8	1	–	4	1	2	44	9	7	12	–	3
Pocatello	1	25	1	5	13	17	–	7	1	–	3	1	1	38	2	6	11	–	3
Balance of county	1	5	–	1	3	6	–	1	–	–	1	–	1	6	7	1	1	–	–
Bear Lake	–	4	1	1	2	3	–	–	1	–	–	–	1	3	2	–	1	–	–
Benewah	–	8	–	2	3	4	–	–	1	–	–	1	1	5	5	7	3	1	–
Bingham	1	14	2	3	8	19	–	3	2	–	1	2	2	24	12	9	3	3	3
Blackfoot	1	5	2	2	3	7	–	–	1	–	–	2	–	9	3	2	2	1	2
Balance of county	–	9	–	1	5	12	–	3	1	–	1	–	2	15	9	7	1	2	1
Blaine	1	8	–	–	2	2	–	1	–	–	–	–	1	8	4	2	2	–	–
Boise	–	1	–	–	–	3	1	–	–	–	–	–	–	2	1	3	–	–	–
Bonner	1	20	4	5	9	14	–	1	4	–	–	1	4	20	7	8	3	1	–
Bonneville	2	25	4	7	7	19	1	2	4	–	3	5	23	51	13	19	16	1	–
Idaho Falls	2	20	2	3	6	17	–	1	4	–	2	4	20	41	7	14	11	1	–
Balance of county	–	5	2	4	1	2	1	1	–	–	1	1	3	10	6	5	5	–	–
Boundary	–	6	–	1	1	2	–	–	1	–	–	–	–	8	1	1	1	1	–
Butte	–	1	–	1	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Camas	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Canyon	5	57	6	12	36	29	2	8	7	1	11	3	8	89	20	20	8	4	–
Caldwell	1	12	1	5	4	6	–	4	–	–	2	1	2	24	2	9	1	–	–
Nampa	3	23	2	5	24	10	1	2	6	1	4	2	2	41	8	8	2	1	–
Balance of county	1	22	3	2	8	13	1	2	1	–	5	–	4	24	10	3	5	3	–
Caribou	–	3	–	1	1	8	–	2	–	–	–	1	1	4	3	1	1	1	1
Cassia	1	9	1	1	5	14	–	2	1	–	2	4	–	18	8	3	1	–	1
Clark	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Clearwater	–	8	–	2	3	9	–	–	–	–	–	–	–	14	2	3	2	–	–
Custer	–	3	–	1	1	2	–	1	–	–	2	–	–	6	2	1	–	–	–
Elmore	–	9	2	2	4	4	1	–	1	–	–	2	4	12	2	2	9	–	–
Franklin	–	8	3	1	3	4	–	–	1	–	1	–	–	12	2	4	2	–	–
Fremont	–	6	–	2	1	5	–	1	1	–	–	2	1	7	4	2	2	–	–
Gem	1	10	4	1	7	9	–	2	–	–	1	1	3	4	5	2	2	–	–
Gooding	–	10	1	–	4	8	1	–	–	–	–	–	–	14	1	7	2	–	–
Idaho	–	5	–	2	6	9	–	1	–	–	1	2	3	12	7	11	2	–	–
Jefferson	–	8	2	1	3	5	1	–	–	–	1	–	1	10	3	5	3	–	–
Jerome	1	8	–	4	3	5	2	–	2	–	1	–	–	8	3	2	2	–	–
Kootenai	–	52	2	18	25	43	2	4	7	–	4	5	5	58	18	15	18	2	–
Coeur d'Alene	–	27	1	9	19	20	2	2	6	–	1	3	4	28	4	6	9	1	–
Balance of county	–	25	1	9	6	23	–	2	1	–	3	2	1	30	14	9	9	1	–
Latah	–	20	11	3	8	9	–	2	1	–	2	2	6	19	9	2	2	1	–
Moscow	–	15	8	2	5	5	–	1	1	–	1	2	2	13	4	1	–	–	–
Balance of county	–	5	3	1	3	4	–	1	–	–	1	–	4	6	5	1	2	1	–
Lemhi	–	7	–	3	4	3	–	1	–	–	–	–	1	5	–	2	2	–	–
Lewis	–	5	1	1	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Lincoln	1	4	–	4	2	2	–	–	–	–	–	–	–	4	1	–	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 39 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	102	-	-	-	17	7	1	2	3	1	-	3	-	40	-27	-	-	12	15
Rexburg	55	-	-	-	8	3	1	2	1	-	-	1	-	26	17	-	-	8	9
Balance of county	47	-	-	-	9	4	-	-	2	1	-	2	-	14	10	-	-	4	6
Minidoka	139	-	-	2	42	11	8	2	12	-	1	8	2	47	36	1	-	26	9
Nez Perce	342	-	-	6	72	20	20	6	11	-	1	14	8	135	86	1	1	51	33
Lewiston	292	-	-	5	64	17	19	5	10	-	-	13	8	121	76	1	1	42	32
Balance of county	50	-	-	1	8	3	1	1	1	-	1	1	-	14	10	-	-	9	1
Oneida	28	-	-	-	5	3	-	-	-	-	-	2	2	7	7	-	-	2	5
Owyhee	68	-	-	-	14	2	4	1	1	1	1	4	1	32	27	-	-	21	6
Payette	160	-	-	-	32	8	9	2	2	-	2	9	6	68	55	1	1	34	19
Power	57	-	-	1	14	4	4	-	1	1	1	3	-	18	15	-	-	13	2
Shoshone	149	1	-	-	37	7	12	2	6	-	2	8	3	69	53	1	-	38	14
Teton	22	-	-	-	4	-	-	-	1	-	-	3	2	6	4	-	-	2	2
Twin Falls	520	-	-	6	109	25	17	11	16	7	10	23	12	191	142	3	4	116	19
Twin Falls	306	-	-	3	50	12	10	7	8	3	4	6	9	118	85	2	2	69	12
Balance of county	214	-	-	3	59	13	7	4	8	4	6	17	3	73	57	1	2	47	7
Valley	62	-	-	3	17	2	6	2	2	2	1	2	2	24	20	1	-	12	7
Washington	104	1	-	1	25	7	4	-	6	-	2	6	2	47	38	-	1	33	4
Illinois	104,123	93	5	2,414	24,412	6,060	6,788	2,284	2,761	985	944	4,590	2,358	44,907	35,664	252	1,178	24,457	9,777
Urban places	72,466	82	3	1,987	16,720	4,239	4,570	1,640	1,917	643	616	3,095	1,657	30,688	24,484	171	908	16,286	7,119
Balance of area	31,657	11	2	427	7,692	1,821	2,218	644	844	342	328	1,495	701	14,219	11,180	81	270	8,171	2,658
Metropolitan counties	81,964	87	5	2,120	19,321	4,873	5,310	1,886	2,171	733	734	3,614	1,864	34,499	27,548	210	968	18,562	7,808
Urban places	66,402	80	3	1,882	15,407	3,919	4,185	1,527	1,768	571	571	2,866	1,526	27,861	22,281	159	841	14,740	6,541
Balance of area	15,562	7	2	238	3,914	954	1,125	359	403	162	163	748	338	6,638	5,267	51	127	3,822	1,267
Nonmetropolitan counties	22,159	6	-	294	5,091	1,187	1,478	398	590	252	210	976	494	10,408	8,116	42	210	5,895	1,969
Urban places	6,064	2	-	105	1,313	320	385	113	149	72	45	229	131	2,827	2,203	12	67	1,546	578
Balance of area	16,095	4	-	189	3,778	867	1,093	285	441	180	165	747	363	7,581	5,913	30	143	4,349	1,391
Adams	788	-	-	8	190	49	50	20	33	6	6	26	30	330	258	1	10	163	84
Quincy	581	-	-	7	136	34	39	15	21	5	5	17	23	244	192	-	10	118	64
Balance of county	207	-	-	1	54	15	11	5	12	1	1	9	7	86	66	1	-	45	20
Alexander	144	1	-	1	34	6	12	3	5	-	-	8	2	72	60	-	1	42	17
Bond	157	-	-	3	42	9	12	7	5	2	1	6	4	69	54	-	2	40	12
Boone	281	-	-	3	74	25	17	4	7	1	5	15	5	121	99	-	2	72	25
Belvidere	179	-	-	2	44	14	11	2	5	-	2	10	4	80	62	-	1	45	16
Balance of county	102	-	-	1	30	11	6	2	2	1	3	5	1	41	37	-	1	27	9
Brown	65	-	-	2	13	2	3	1	2	-	1	4	1	37	34	-	1	24	9
Bureau	419	-	-	10	101	26	26	9	16	4	2	18	6	212	163	1	4	123	35
Calhoun	71	-	-	1	17	1	7	-	1	3	-	5	2	35	26	-	1	20	5
Carroll	204	-	-	3	52	14	12	5	3	5	4	9	1	103	67	-	2	55	10
Cass	175	-	-	4	37	7	16	3	4	1	2	4	1	88	69	-	2	41	26
Champaign	988	1	-	17	218	46	62	22	25	5	9	49	35	431	325	4	8	229	84
Champaign	354	-	-	13	83	18	20	8	12	2	3	20	12	148	105	2	-	73	30
Rantoul	70	-	-	1	19	5	6	2	1	-	1	4	1	21	16	-	-	13	3
Urbana	246	-	-	1	50	12	15	6	4	-	3	10	11	114	88	-	4	62	22
Balance of county	318	1	-	2	66	11	21	6	8	3	2	15	11	148	116	2	4	81	29
Christian	394	-	-	3	79	18	17	9	11	2	2	20	7	188	134	-	3	104	27
Taylorville	162	-	-	1	26	6	5	2	5	-	-	8	3	73	53	-	1	42	10
Balance of county	232	-	-	2	53	12	12	7	6	2	2	12	4	115	81	-	2	62	17
Clark	186	-	-	-	36	12	9	1	1	3	2	8	3	87	70	-	3	56	11
Clay	183	-	-	-	42	10	11	4	3	2	3	9	1	95	73	1	1	60	11
Clinton	302	-	-	2	66	24	12	5	3	2	4	16	4	151	130	-	2	103	25
Centralia, part	37	-	-	-	10	2	3	2	1	-	1	1	-	19	16	-	-	14	2
Balance of county	265	-	-	2	56	22	9	3	2	2	3	15	4	132	114	-	2	89	23
Coles	536	-	-	8	102	25	24	11	6	9	9	18	11	271	174	-	7	124	43
Charleston	172	-	-	3	34	10	8	5	2	2	3	4	4	73	52	-	3	31	18
Mattoon	255	-	-	4	37	10	9	4	1	5	3	5	5	152	90	-	1	71	18
Balance of county	109	-	-	1	31	5	7	2	3	2	3	9	2	46	32	-	3	22	7
Cook	48,616	71	4	1,569	11,120	2,912	2,973	1,076	1,308	408	388	2,055	1,149	20,194	16,485	123	702	10,638	5,022
Alsip	109	-	-	5	22	6	6	2	1	1	1	5	5	47	41	-	-	33	8
Arlington Heights, part	631	-	-	14	161	33	47	16	20	5	7	33	13	275	225	2	2	156	65
Arlington Heights, total	631	-	-	14	161	33	47	16	20	5	7	33	13	275	225	2	2	156	65
Bartlett, part	36	-	-	-	5	-	2	1	1	-	-	1	-	21	17	-	1	11	5
Bellwood	131	-	-	2	36	5	16	3	2	4	1	5	2	53	48	-	-	29	19
Bensenville, part	7	-	-	-	3	1	-	-	1	-	-	1	-	2	1	-	-	1	-
Berwyn	534	1	-	10	143	38	35	15	18	3	5	29	13	234	189	2	3	135	49
Blue Island	217	-	-	6	53	16	16	1	4	3	4	9	9	100	90	2	4	58	26
Bridgeview	165	-	-	4	45	10	15	4	5	-	1	10	3	65	58	-	-	42	16
Brookfield	202	-	-	5	50	12	10	12	5	2	1	8	7	97	73	2	-	58	13
Buffalo Grove, part	97	-	-	2	27	9	6	2	1	2	-	7	2	34	28	-	-	19	9
Buffalo Grove, total	137	-	-	2	39	10	10	3	2	2	1	11	3	44	38	-	-	26	12
Burbank	245	1	-	2	74	24	30	3	6	3	2	6	5	97	80	1	3	61	15
Calumet City	365	-	-	6	84	20	21	9	9	4	4	17	9	175	145	-	5	96	44
Chicago, part	28,219	62	3	1,190	6,060	1,608	1,650	567	763	195	187	1,090	700	11,248	9,268	62	482	5,570	3,154
Chicago, total	28,219	62	3	1,190	6,060	1,608	1,650	567	763	195	187	1,090	700	11,248	9,268	62	482	5,570	3,154
Chicago Heights	362	-	-	5	86	26	28	5	9	2	2	14	9	161	127	-	10	87	30
Chicago Ridge	121	-	-	1	25	10	5	1	2	2	1	4	3	57	46	-	-	33	13
Cicero	728	-	-	12	153	47	39	9	15	9	5	29	20	333	267	3	12	165	87
Country Club Hills	64	-	-	-	18	3	7	3	1	1	2	1	2	25	17	-	-	13	4
Crestwood	114	-	-	3	24	3	10	-	3	1	-	7	-	46	38	1	2	24	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 40 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	–	13	–	–	2	9	1	–	–	–	3	1	2	12	9	5	1	–	–
Rexburg	–	9	–	–	1	2	1	–	–	–	3	1	1	4	2	5	1	–	–
Balance of county	–	4	–	–	1	7	–	–	–	–	–	–	1	8	7	–	–	–	–
Minidoka	–	9	–	2	5	2	1	3	1	–	1	–	–	16	11	5	1	–	–
Nez Perce	1	33	9	6	9	20	–	3	4	–	4	3	4	50	5	9	10	–	–
Lewiston	1	30	9	5	8	13	–	2	4	–	3	3	2	42	4	5	8	–	–
Balance of county	–	3	–	1	1	7	–	1	–	–	1	–	2	8	1	4	2	–	–
Oneida	–	–	–	–	–	–	–	–	1	–	–	–	–	10	2	–	1	–	–
Owyhee	2	3	–	–	–	5	–	–	1	–	–	–	–	5	6	1	2	1	–
Payette	–	11	1	1	9	10	1	–	1	–	1	–	1	14	6	5	4	2	–
Power	–	2	–	1	3	1	–	1	1	–	–	1	–	8	7	1	1	–	–
Shoshone	–	14	1	1	1	5	–	2	2	–	–	–	3	20	–	2	4	–	–
Teton	–	2	–	–	–	–	–	–	2	–	1	–	1	5	–	1	–	–	–
Twin Falls	2	36	5	6	43	44	5	6	3	1	7	2	1	53	20	8	9	–	–
Twin Falls	1	24	3	5	29	24	3	3	2	–	5	2	1	35	13	5	4	–	–
Balance of county	1	12	2	1	14	20	2	3	1	1	2	–	–	18	7	3	5	–	–
Valley	–	4	–	–	1	1	1	–	1	–	–	1	1	4	1	4	1	–	–
Washington	1	4	1	3	5	7	–	–	1	–	1	–	–	7	3	2	2	–	–
Illinois	491	6,870	685	1,197	3,956	3,936	292	1,318	1,332	14	571	1,053	881	9,987	1,667	2,155	1,189	1,462	121
Urban places	348	4,660	389	807	2,854	2,628	215	1,058	952	14	402	854	624	7,119	937	1,509	766	1,316	81
Balance of area	143	2,210	296	390	1,102	1,308	77	260	380	–	169	199	257	2,868	730	646	423	146	40
Metropolitan counties	380	5,190	471	910	3,119	2,947	233	1,183	1,063	13	491	952	680	7,957	1,237	1,739	947	1,413	94
Urban places	305	4,201	348	726	2,577	2,322	191	1,013	883	13	375	831	572	6,510	869	1,403	705	1,305	74
Balance of area	75	989	123	184	542	625	42	170	180	–	116	121	108	1,447	368	336	242	108	20
Nonmetropolitan counties	111	1,680	214	287	837	989	59	135	269	1	80	101	201	2,030	430	416	242	49	27
Urban places	43	459	41	81	277	306	24	45	69	1	27	23	52	609	68	106	61	11	7
Balance of area	68	1,221	173	206	560	683	35	90	200	–	53	78	149	1,421	362	310	181	38	20
Adams	10	46	3	13	46	41	2	8	15	–	5	1	6	75	7	11	11	–	2
Quincy	9	32	1	10	34	32	2	5	10	–	5	1	5	56	3	9	7	–	2
Balance of county	1	14	2	3	12	9	–	3	5	–	–	–	1	19	4	2	4	–	–
Alexander	–	10	1	1	4	8	1	–	2	–	–	–	1	8	5	–	1	3	1
Bond	1	9	2	3	7	3	–	2	1	–	1	2	–	14	5	3	1	–	–
Boone	1	16	2	3	5	11	–	1	5	–	–	1	1	36	7	6	4	–	1
Belvidere	1	12	2	3	3	7	–	1	5	–	–	1	1	19	3	5	3	–	1
Balance of county	–	4	–	–	2	4	–	–	–	–	–	–	–	17	4	1	1	–	–
Brown	–	2	–	1	1	2	–	–	–	–	–	–	1	6	–	1	1	–	–
Bureau	–	28	16	5	9	11	2	3	4	–	1	5	4	29	7	6	7	2	–
Calhoun	–	8	–	1	2	2	–	1	–	–	1	1	1	5	1	1	1	–	–
Carroll	1	30	4	1	7	10	–	–	4	–	–	–	2	13	3	4	2	–	–
Cass	2	15	–	2	3	4	–	–	1	–	1	–	3	24	5	3	1	–	–
Champaign	16	64	11	15	21	44	–	12	15	–	9	13	5	102	23	20	11	10	1
Champaign	6	21	6	10	8	17	–	5	5	–	1	4	3	35	4	7	5	4	–
Rantoul	1	4	–	–	2	–	–	2	–	–	2	4	–	10	3	2	2	1	–
Urbana	2	19	4	1	5	11	–	–	4	–	4	1	1	33	4	2	1	3	1
Balance of county	7	20	1	4	6	16	–	5	6	–	2	4	1	24	12	9	3	2	–
Christian	2	42	4	6	17	19	1	2	4	–	3	4	4	42	4	11	5	–	1
Taylorville	1	14	2	3	13	5	–	–	3	–	1	1	2	23	1	7	2	–	1
Balance of county	1	28	2	3	4	14	1	2	1	–	2	3	2	19	3	4	3	–	–
Clark	–	12	2	3	6	10	–	–	4	–	–	1	2	27	3	6	1	–	–
Clay	–	20	2	–	5	10	–	1	1	–	–	1	2	19	2	4	–	–	–
Clinton	–	13	–	8	10	6	2	3	3	–	1	2	1	27	12	7	5	–	–
Centralia, part	–	2	–	1	1	–	1	–	–	–	–	1	–	4	–	1	–	–	–
Balance of county	–	11	–	7	9	6	1	3	3	–	1	1	1	23	12	6	5	–	–
Coles	7	82	2	6	19	20	3	6	8	–	4	2	8	46	12	7	7	2	–
Charleston	3	15	1	2	11	5	1	1	5	–	1	1	5	20	3	3	2	–	–
Mattoon	2	57	–	3	7	7	2	4	2	–	1	1	2	20	4	3	3	1	–
Balance of county	2	10	1	1	1	8	–	1	1	–	2	–	1	6	5	1	2	1	–
Cook	214	2,799	206	490	1,862	1,534	136	853	652	11	275	655	450	4,770	600	1,030	485	1,131	65
Alsip	–	5	–	1	1	6	–	2	2	–	2	4	1	6	1	3	2	–	–
Arlington Heights, part	1	35	6	8	40	12	3	4	9	–	6	6	2	58	7	10	6	5	–
Arlington Heights, total	1	35	6	8	40	12	3	4	9	–	6	6	2	58	7	10	6	5	–
Bartlett, part	1	2	–	1	–	1	–	–	–	–	–	1	1	5	–	2	–	–	–
Bellwood	1	3	1	–	2	4	1	2	3	–	2	1	1	10	2	3	2	5	–
Bensenville, part	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Berwyn	1	37	3	4	22	25	5	7	9	–	–	1	–	49	1	8	3	2	1
Blue Island	–	9	1	–	2	4	2	5	4	–	1	6	1	8	2	7	2	5	–
Bridgeview	1	6	–	–	9	8	–	2	1	–	2	2	1	19	3	1	–	–	–
Brookfield	1	20	3	–	7	5	–	2	4	–	–	–	1	18	1	2	1	2	–
Buffalo Grove, part	1	4	–	1	2	5	–	4	2	–	–	–	1	14	1	2	1	–	–
Buffalo Grove, total	1	4	–	1	3	5	–	5	3	–	1	4	1	17	1	5	4	–	–
Burbank	1	10	2	4	11	9	–	5	3	–	2	2	2	21	1	5	4	1	–
Calumet City	3	19	–	8	4	16	1	10	3	–	4	4	3	30	4	4	2	6	–
Chicago, part	131	1,529	83	237	1,045	809	78	586	402	9	166	482	341	2,693	336	711	283	978	37
Chicago, total	131	1,529	83	237	1,045	809	78	586	402	9	166	482	341	2,693	336	711	283	978	37
Chicago Heights	4	26	–	4	9	17	–	4	8	–	2	6	1	34	2	7	4	7	–
Chicago Ridge	2	8	–	1	6	11	1	–	–	–	–	–	3	13	–	–	1	–	–
Cicero	2	49	8	7	20	31	3	11	4	–	4	7	12	67	10	16	9	14	2
Country Club Hills	–	5	1	2	3	1	–	1	–	–	1	3	–	8	–	–	1	1	–
Crestwood	–	6	–	2	10	2	1	1	2	–	–	–	1	20	1	2	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 41 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	4	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	1
Des Plaines	753	1	–	14	189	50	45	19	23	11	6	35	15	330	252	2	12	185	53
Dolton	176	–	–	2	51	11	15	7	8	–	2	8	3	83	68	–	1	48	19
Elgin, part	67	–	–	1	19	5	5	1	1	2	–	5	1	28	17	–	–	12	5
Elk Grove Village, part	163	–	–	2	57	13	14	5	6	4	6	9	3	61	50	–	1	38	11
Elk Grove Village, total	163	–	–	2	57	13	14	5	6	4	6	9	3	61	50	–	1	38	11
Elmwood Park	286	–	–	3	64	18	21	3	7	–	4	11	12	135	108	–	3	78	27
Evanston	637	1	–	17	157	39	33	21	19	8	4	33	11	280	222	–	9	155	58
Evergreen Park	307	–	–	3	55	13	14	3	6	4	2	13	9	143	110	2	1	84	23
Forest Park	163	–	–	3	39	13	6	7	3	2	1	7	2	69	59	1	1	38	19
Franklin Park	189	–	–	1	44	12	10	4	2	2	3	11	6	94	69	1	1	51	16
Glenview	326	–	–	4	78	24	20	11	3	1	2	17	8	150	116	1	2	87	26
Glenwood	105	–	–	1	21	7	6	3	–	–	–	5	1	62	55	–	3	41	11
Hanover Park, part	61	–	–	1	18	4	4	3	–	–	1	6	3	23	21	–	1	12	8
Hanover Park, total	88	1	–	2	25	6	6	3	–	–	1	9	3	34	28	–	1	19	8
Harvey	290	–	–	10	60	13	14	4	7	5	4	13	4	127	106	–	7	62	37
Hazel Crest	110	–	–	3	26	4	9	3	4	–	1	5	4	51	47	–	1	40	6
Hickory Hills	102	–	–	–	25	8	9	–	2	1	2	3	2	40	36	2	3	23	8
Hinsdale, part	18	–	–	–	5	2	1	1	1	–	–	–	–	8	5	–	–	3	2
Hoffman Estates	207	–	–	2	58	14	19	2	9	1	1	12	7	76	61	–	–	41	20
Homewood	223	–	–	3	38	14	10	3	–	–	–	11	11	103	82	–	2	45	35
Justice	103	–	–	3	25	8	8	1	1	2	–	5	3	45	41	–	2	29	10
La Grange	167	–	–	–	42	11	10	5	4	2	2	8	5	76	55	–	1	41	13
La Grange Park	193	–	–	6	41	10	7	6	8	1	–	9	4	83	52	1	–	35	16
Lansing	255	–	–	6	68	11	24	11	5	1	1	15	6	117	100	2	1	76	21
Lincolnwood	98	–	–	1	25	4	7	3	3	3	1	4	1	45	31	–	3	23	5
Markham	113	–	–	3	30	4	9	4	5	3	–	5	3	38	33	–	2	19	12
Matteson	98	–	–	4	20	5	4	2	5	2	1	1	3	39	30	–	2	23	5
Maywood	224	–	–	8	50	18	12	5	6	2	3	4	4	91	79	–	5	49	25
Melrose Park	203	–	–	3	55	7	22	7	4	2	3	10	4	92	75	–	–	56	19
Midlothian	101	–	–	3	24	9	1	3	4	–	1	6	2	50	44	–	1	33	10
Morton Grove	225	1	–	4	64	18	16	8	2	3	1	16	4	89	64	4	2	43	15
Mount Prospect	370	–	–	6	102	16	25	12	17	4	3	25	4	156	125	4	2	84	35
Niles	400	–	–	6	77	21	20	5	10	–	4	17	8	191	158	1	4	130	23
Norridge	226	–	–	5	52	16	13	8	5	4	1	5	4	116	91	1	3	68	19
Northbrook	364	–	–	10	92	24	19	9	13	4	3	20	6	143	114	2	3	84	25
Northlake	167	–	–	6	40	8	14	6	5	–	2	5	3	75	65	–	2	53	10
Oak Forest	164	–	–	4	46	13	8	4	8	1	–	12	1	61	50	–	2	31	17
Oak Lawn	676	–	–	16	169	52	40	18	20	5	12	22	13	322	275	1	6	202	66
Oak Park	427	–	–	11	112	20	23	17	18	6	10	18	12	184	144	1	5	97	41
Orland Park	258	–	–	3	69	22	19	6	3	–	2	17	10	114	94	1	3	61	29
Palatine	325	1	–	8	87	22	19	10	9	2	3	22	7	127	100	–	2	74	24
Palos Heights	156	–	–	8	33	7	10	3	1	2	–	10	2	67	55	–	1	38	16
Palos Hills	173	–	–	5	50	13	11	8	9	1	2	6	3	79	68	–	1	53	14
Park Forest, part	159	–	–	1	37	15	10	5	1	1	–	5	1	65	53	–	–	41	12
Park Forest, total	165	–	–	1	38	16	10	5	1	1	–	5	1	69	57	–	–	44	13
Park Ridge	408	–	–	9	86	20	22	12	10	2	4	16	8	203	159	–	4	116	39
Prospect Heights	71	–	–	1	15	5	4	1	1	–	–	4	–	33	28	–	2	17	9
Riverdale	117	–	–	4	29	7	10	1	2	2	–	7	3	50	44	–	3	29	12
River Forest	89	–	–	1	22	5	5	1	2	–	1	8	1	37	29	–	–	21	8
River Grove	110	–	–	4	26	8	5	3	2	–	2	6	4	50	40	1	–	31	8
Rolling Meadows	119	–	–	1	31	6	10	1	7	1	–	6	–	60	47	–	1	35	11
Roselle, part	28	–	–	–	10	2	1	2	–	–	2	3	–	8	6	–	–	2	4
Sauk Village	21	–	–	–	5	2	–	3	–	–	–	–	1	9	6	–	–	4	2
Schaumburg, part	391	–	–	4	108	19	28	20	10	6	4	21	7	168	129	2	7	92	28
Schaumburg, total	396	–	–	5	108	19	28	20	10	6	4	21	7	171	132	2	7	95	28
Schiller Park	63	–	–	1	24	11	7	1	4	–	–	1	2	19	18	1	2	12	3
Skokie	628	–	–	9	169	53	35	14	19	13	8	27	19	277	221	2	5	164	50
South Holland	239	–	–	3	66	17	18	3	8	2	1	17	4	99	82	–	6	52	24
Streamwood	109	–	–	1	40	11	15	1	4	3	1	5	3	28	24	–	–	19	5
Summit	7	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	1	1
Tinley Park, part	260	–	–	1	59	12	22	7	2	6	2	8	4	116	97	1	3	73	20
Tinley Park, total	261	–	–	1	59	12	22	7	2	6	2	8	4	116	97	1	3	73	20
Westchester	214	–	–	4	67	20	18	4	7	7	4	7	2	98	79	–	5	59	15
Western Springs	94	–	–	2	25	7	5	2	3	1	1	6	1	46	32	–	2	25	5
Wheeling, part	172	–	–	4	40	9	15	4	2	1	2	7	4	79	68	2	1	48	17
Wheeling, total	172	–	–	4	40	9	15	4	2	1	2	7	4	79	68	2	1	48	17
Wilmette	230	–	–	2	58	13	13	7	8	3	2	12	5	102	78	–	–	63	15
Winnetka	79	–	–	–	17	5	4	2	–	–	3	3	–	30	21	–	–	13	8
Worth	107	–	–	–	31	5	9	2	3	2	2	8	5	38	31	–	1	24	7
Balance of county	2,881	3	1	51	709	186	178	66	81	30	32	136	59	1,238	1,004	12	36	660	296
Crawford	254	–	–	2	48	16	14	2	6	1	2	7	4	136	107	–	–	76	31
Cumberland	80	–	–	1	15	2	4	3	1	–	–	5	3	37	22	1	–	19	2
De Kalb	575	–	–	4	119	29	32	14	8	7	3	26	13	279	212	2	13	159	38
De Kalb	167	–	–	1	27	6	8	1	2	2	2	6	2	87	68	1	3	54	10
Balance of county	408	–	–	3	92	23	24	13	6	5	1	20	11	192	144	1	10	105	28
De Witt	197	–	–	1	53	17	18	3	3	–	3	9	2	99	75	–	2	41	32
Douglas	199	–	–	–	49	9	16	–	5	2	1	16	5	91	71	1	2	47	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—*Con.*

(Page 42 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers **042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix*]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Des Plaines	2	59	4	13	32	28	–	13	7	–	2	3	3	87	9	11	7	1	1
Dolton	1	12	–	2	5	6	–	–	2	–	–	1	1	9	4	5	2	2	–
Elgin, part	–	6	1	4	1	–	–	–	–	–	3	1	–	7	2	2	–	2	–
Elk Grove Village, part	–	9	–	2	4	7	–	4	3	–	1	2	1	13	3	–	2	–	–
Elk Grove Village, total	–	9	–	2	4	7	–	4	3	–	1	2	1	13	3	–	2	–	–
Elmwood Park	2	19	4	2	17	8	1	1	3	–	2	1	1	29	5	2	2	–	–
Evanston	4	39	6	9	31	25	1	6	7	–	3	9	2	64	2	8	6	6	1
Evergreen Park	2	26	2	3	23	15	1	1	2	–	–	1	–	48	1	3	1	1	–
Forest Park	1	7	–	2	4	6	–	1	4	–	1	3	2	20	1	1	5	–	–
Franklin Park	–	21	2	2	6	4	–	3	6	–	–	2	2	17	2	2	–	–	–
Glenview	2	28	3	1	15	9	–	4	5	1	–	2	1	36	4	3	5	1	–
Glenwood	1	4	–	2	3	3	–	1	–	–	–	1	–	9	1	–	–	2	–
Hanover Park, part	–	2	–	–	–	2	–	1	–	–	2	1	–	5	1	–	2	2	–
Hanover Park, total	–	4	–	2	–	3	–	1	–	–	2	1	–	7	2	2	3	2	–
Harvey	–	18	–	3	8	7	1	1	5	–	4	5	3	37	8	1	1	8	–
Hazel Crest	–	3	–	1	4	1	2	–	1	–	–	3	–	11	2	1	–	1	–
Hickory Hills	–	3	–	1	5	10	–	1	1	–	–	–	1	8	–	3	4	2	–
Hinsdale, part	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–
Hoffman Estates	1	10	1	3	6	8	–	2	–	–	2	4	1	25	4	1	4	7	–
Homewood	–	16	–	5	10	7	1	2	3	–	1	2	1	36	1	2	2	–	–
Justice	–	3	1	–	5	3	–	3	–	–	–	2	1	8	2	3	–	–	–
La Grange	1	16	2	2	6	6	1	1	–	–	–	3	–	20	–	5	1	1	–
La Grange Park	2	19	3	7	11	6	1	1	3	–	–	3	–	30	2	2	–	–	–
Lansing	1	11	–	5	8	10	–	2	4	–	1	–	1	23	4	1	2	2	–
Lincolnwood	–	11	1	2	4	2	1	1	3	–	–	–	–	9	1	2	2	1	–
Markham	–	4	–	1	5	5	–	5	1	–	–	4	1	10	2	1	4	1	–
Matteson	–	8	–	1	6	5	–	1	–	–	1	1	–	14	1	–	–	3	–
Maywood	1	9	1	1	4	7	–	2	4	–	1	5	6	22	3	10	1	6	–
Melrose Park	1	12	–	4	5	7	–	3	4	–	–	–	–	19	2	6	3	–	–
Midlothian	–	5	–	1	1	7	2	–	1	–	–	2	1	4	1	1	2	–	–
Morton Grove	1	15	2	7	15	1	–	5	3	–	1	1	–	24	4	6	3	–	–
Mount Prospect	1	24	2	4	11	13	2	4	11	–	1	4	1	40	6	3	4	–	2
Niles	2	22	2	7	34	13	–	5	6	–	3	1	–	47	2	5	2	–	–
Norridge	1	19	3	2	11	10	1	1	2	–	–	–	–	18	1	1	4	–	–
Northbrook	–	23	1	5	29	16	–	3	8	–	–	2	2	38	5	5	1	2	2
Northlake	–	8	1	1	9	5	–	4	–	–	–	1	–	17	1	3	3	–	–
Oak Forest	2	8	1	–	9	4	–	5	4	–	3	–	2	15	4	3	2	1	–
Oak Lawn	3	33	2	9	21	21	3	11	8	–	1	1	–	59	13	8	7	1	2
Oak Park	3	28	4	5	14	17	1	4	5	–	2	5	4	39	2	9	2	3	1
Orland Park	1	12	2	5	2	13	–	6	3	–	1	1	2	22	6	2	3	–	1
Palatine	3	23	–	1	6	16	–	3	1	1	7	3	4	33	8	6	5	2	–
Palos Heights	–	9	1	2	8	4	2	1	1	–	1	–	1	19	4	3	2	–	–
Palos Hills	1	7	1	2	4	3	–	2	1	–	–	1	2	15	2	4	1	1	–
Park Forest, part	1	9	–	2	4	6	–	6	5	–	1	2	1	24	3	2	1	–	–
Park Forest, total	1	9	–	2	4	7	–	6	5	–	1	2	1	24	3	2	1	–	–
Park Ridge	1	36	2	5	26	9	2	4	8	–	1	1	1	40	2	2	5	–	1
Prospect Heights	–	5	–	–	1	2	–	3	–	–	–	2	–	7	4	2	1	–	–
Riverdale	–	4	1	1	7	4	–	1	1	–	–	–	3	7	1	4	2	1	–
River Forest	2	4	–	2	3	5	–	3	2	–	–	–	–	12	1	2	–	–	–
River Grove	2	8	–	–	2	4	–	1	1	–	–	–	–	13	2	1	2	–	–
Rolling Meadows	–	10	–	3	4	2	–	–	1	–	2	2	1	9	1	1	2	2	–
Roselle, part	–	2	–	–	2	–	–	1	–	–	–	1	1	3	–	1	1	–	–
Sauk Village	–	2	–	1	–	1	–	–	–	–	–	–	–	4	1	–	–	–	–
Schaumburg, part	2	29	2	6	20	12	–	3	5	–	2	3	–	40	11	5	3	–	–
Schaumburg, total	2	29	2	6	20	12	–	3	5	–	2	3	–	41	11	5	3	–	–
Schiller Park	–	1	–	–	2	3	–	2	–	–	–	–	–	6	2	–	1	1	–
Skokie	2	44	1	9	32	14	1	4	8	–	–	1	4	78	1	3	6	–	2
South Holland	–	12	2	3	16	8	–	4	3	–	–	–	–	27	3	3	2	1	–
Streamwood	–	4	–	–	3	10	1	2	1	–	–	2	–	10	2	2	3	–	1
Summit	–	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tinley Park, part	–	14	2	3	13	12	5	2	4	–	1	1	2	29	3	5	2	1	–
Tinley Park, total	–	14	2	3	14	12	5	2	4	–	1	1	2	29	3	5	2	1	–
Westchester	1	17	1	–	6	8	–	1	–	–	1	–	–	21	2	1	2	1	–
Western Springs	–	12	1	1	4	3	–	–	1	–	–	–	–	9	–	3	–	–	–
Wheeling, part	–	9	–	2	7	3	–	2	3	–	1	1	1	16	4	5	1	1	–
Wheeling, total	–	9	–	2	7	3	–	2	3	–	1	1	1	16	4	5	1	1	–
Wilmette	–	16	3	5	14	8	3	–	2	–	1	–	2	25	4	2	2	–	–
Winnetka	–	7	–	2	11	4	–	–	–	–	1	–	1	11	1	2	1	–	–
Worth	1	3	1	2	5	4	–	3	3	–	–	1	–	12	1	2	–	1	1
Balance of county	11	161	29	33	84	104	8	51	26	–	28	29	14	285	53	64	28	36	10
Crawford	–	25	2	2	8	9	–	3	10	–	1	2	–	17	–	9	4	1	–
Cumberland	–	9	3	3	2	4	1	–	–	–	1	–	–	9	4	2	–	1	–
De Kalb	2	45	6	14	22	23	4	5	4	–	2	4	2	63	7	9	12	3	–
De Kalb	1	11	2	5	8	8	3	2	–	–	2	1	1	17	1	2	5	–	–
Balance of county	1	34	4	9	14	15	1	3	4	–	–	3	1	46	6	7	7	3	–
De Witt	3	16	2	3	4	9	1	–	1	–	–	–	3	17	3	2	1	1	–
Douglas	1	15	4	–	6	11	1	–	3	–	1	–	2	23	3	2	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 43 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	4,678	5	-	96	1,228	276	318	146	143	53	45	247	68	1,956	1,549	13	21	1,218	297
Addison	170	-	-	5	44	7	12	7	5	1	2	10	4	59	49	-	3	28	18
Aurora, part	16	-	-	-	6	1	4	-	-	-	-	1	-	4	4	-	-	2	2
Bartlett, part	27	-	-	-	8	1	-	2	2	-	-	3	-	10	7	-	-	6	1
Bartlett, total	63	-	-	-	13	1	2	3	3	-	-	4	-	31	24	-	1	17	6
Batavia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	146	1	-	2	35	8	12	2	3	5	1	4	1	64	51	1	1	43	6
Bensenville, total	153	1	-	2	38	9	12	2	4	5	1	5	1	66	52	1	1	44	6
Bloomingdale	150	-	-	7	24	1	8	2	4	3	-	6	1	67	53	-	1	42	10
Bolingbrook, part	9	-	-	1	3	-	1	-	1	-	1	-	-	2	1	-	-	-	1
Carol Stream	120	-	-	2	31	5	7	4	3	5	-	7	-	51	42	1	-	34	7
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	101	1	-	1	33	10	11	4	2	-	3	3	-	41	35	-	-	30	5
Downers Grove	365	1	-	7	99	18	27	12	11	3	2	26	7	147	115	-	2	93	20
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	376	-	-	6	106	30	21	12	14	3	4	22	1	180	138	3	1	105	29
Glendale Heights	84	-	-	-	23	5	7	3	4	1	-	3	2	35	27	-	-	20	7
Glen Ellyn	140	-	-	6	40	9	8	6	7	1	2	7	-	58	46	-	-	41	5
Hanover Park, part	27	1	-	1	7	2	2	-	-	-	-	3	-	11	7	-	-	7	-
Hinsdale, part	117	-	-	1	33	8	10	4	3	3	1	4	5	46	31	-	1	23	7
Hinsdale, total	135	-	-	1	38	10	11	5	4	3	1	4	5	54	36	-	1	26	9
Lisle	100	-	-	3	27	12	8	1	3	1	1	1	2	37	27	-	1	21	5
Lombard	383	-	-	6	100	20	27	12	13	5	4	19	8	167	127	1	3	90	33
Naperville, part	365	1	-	9	81	19	20	12	7	1	3	19	3	157	123	1	2	101	19
Naperville, total	379	1	-	9	85	21	20	12	7	1	3	21	3	160	126	1	2	104	19
Roselle, part	82	-	-	2	21	6	7	5	-	-	-	3	1	37	29	-	-	20	9
Roselle, total	110	-	-	2	31	8	8	7	-	-	2	6	1	45	35	-	-	22	13
St. Charles, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Schaumburg, part	5	-	-	1	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
Villa Park	182	-	-	3	44	6	10	6	10	3	1	8	-	85	69	-	1	55	13
West Chicago	89	-	-	1	23	5	5	2	1	3	-	7	2	31	23	-	-	15	8
Westmont	174	-	-	5	34	6	10	3	5	1	1	8	7	78	68	-	2	48	18
Wheaton	357	-	-	6	90	19	16	14	11	4	3	23	6	155	112	1	1	93	17
Wood Dale	84	-	-	2	30	2	11	2	3	2	3	7	3	28	25	1	-	17	7
Woodridge	6	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	4	-
Balance of county	1,002	-	-	19	286	76	74	31	31	8	13	53	15	398	333	4	2	277	50
Edgar	270	-	-	1	45	8	8	3	6	3	2	15	3	162	110	-	1	88	21
Edwards	100	-	-	-	19	4	7	2	1	1	1	3	5	53	46	-	1	35	10
Effingham	283	-	-	2	68	19	19	3	9	4	1	13	3	127	86	2	3	68	13
Effingham	146	-	-	1	26	6	7	-	4	2	1	6	2	65	38	1	-	31	6
Balance of county	137	-	-	1	42	13	12	3	5	2	-	7	1	62	48	1	3	37	7
Fayette	231	-	-	3	69	25	18	2	7	1	6	10	7	111	83	-	1	68	14
Ford	194	-	-	3	40	6	12	1	6	2	2	11	8	113	84	-	3	57	24
Franklin	605	-	-	6	127	24	50	7	18	4	2	22	25	288	243	2	7	187	47
Fulton	474	-	-	11	112	31	37	7	11	1	3	22	24	209	173	-	4	134	35
Canton	221	-	-	6	52	13	18	2	6	1	2	10	13	94	79	-	1	59	19
Balance of county	253	-	-	5	60	18	19	5	5	-	1	12	11	115	94	-	3	75	16
Gallatin	103	-	-	1	32	7	13	2	5	1	1	3	1	46	34	-	-	26	8
Greene	199	-	-	1	34	8	10	2	7	-	-	7	6	92	69	-	4	47	18
Grundy	286	-	-	3	83	16	26	6	15	2	4	14	5	108	89	-	1	72	16
Hamilton	121	-	-	-	25	4	7	3	2	1	1	7	2	65	54	-	1	36	17
Hancock	241	-	-	1	65	17	16	6	9	4	2	11	2	111	73	-	1	59	13
Hardin	66	-	-	-	12	1	4	1	-	2	-	4	4	25	21	-	1	10	10
Henderson	89	-	-	-	17	1	7	1	3	-	2	3	2	44	34	1	-	28	5
Henry	554	-	-	6	135	32	37	12	13	8	14	19	13	270	197	1	5	145	46
Kewanee	191	-	-	2	40	11	10	5	4	3	3	4	5	93	62	-	3	43	16
Balance of county	363	-	-	4	95	21	27	7	9	5	11	15	8	177	135	1	2	102	30
Iroquois	334	-	-	1	90	21	17	6	15	3	1	27	11	154	124	1	2	92	29
Jackson	483	-	-	9	105	18	40	8	15	1	4	19	10	229	177	1	3	137	36
Carbondale	140	-	-	4	34	4	12	2	5	-	2	9	2	55	43	-	2	32	9
Balance of county	343	-	-	5	71	14	28	6	10	1	2	10	8	174	134	1	1	105	27
Jasper	138	-	-	2	35	14	8	-	4	3	1	5	-	63	51	-	1	43	7
Jefferson	420	2	-	3	98	35	24	7	12	1	4	15	15	180	147	2	4	109	32
Mount Vernon	247	1	-	3	54	20	13	6	6	-	2	7	10	102	80	2	2	60	16
Balance of county	173	1	-	-	44	15	11	1	6	1	2	8	5	78	67	-	2	49	16
Jersey	213	-	-	1	50	12	10	4	7	1	1	15	5	91	71	-	-	56	15
Jo Daviess	196	-	-	2	45	11	14	4	3	3	3	7	3	95	69	1	1	47	20
Johnson	118	-	-	-	23	5	9	1	2	-	-	6	2	55	42	-	-	34	8
Kane	2,177	-	1	43	514	126	150	47	62	20	19	90	46	953	720	5	18	558	139
Aurora, part	719	-	-	14	156	31	49	14	24	5	3	30	17	314	242	1	9	182	50
Aurora, total	735	-	-	14	162	32	53	14	24	5	3	31	17	318	246	1	9	184	52
Batavia, part	115	-	-	-	23	11	4	-	2	-	1	5	2	66	54	-	1	46	7
Batavia, total	115	-	-	-	23	11	4	-	2	-	1	5	2	66	54	-	1	46	7
Carpentersville	106	-	-	-	35	7	14	3	2	1	2	6	3	32	27	-	2	18	7
Elgin, part	487	-	-	13	109	30	33	9	13	2	5	17	9	213	156	2	4	115	35
Elgin, total	554	-	-	14	128	35	38	10	14	4	5	22	10	241	173	2	4	127	40
St. Charles, part	167	-	-	4	52	13	13	5	9	4	2	6	2	76	54	1	-	44	9
St. Charles, total	168	-	-	4	52	13	13	5	9	4	2	6	2	77	54	1	-	44	9
Balance of county	583	-	1	12	139	34	37	16	12	8	6	26	13	252	187	1	2	153	31
Kankakee	1,019	-	-	15	221	49	71	28	22	5	10	36	19	447	337	1	16	222	98
Bourbonnais	104	-	-	2	22	2	2	6	4	-	1	7	3	41	34	-	-	17	17
Bradley	95	-	-	-	29	5	10	3	1	1	2	7	2	43	30	-	-	21	9
Kankakee	411	-	-	8	83	18	25	12	9	3	4	12	7	181	138	-	9	91	38
Balance of county	409	-	-	5	87	24	34	7	8	1	3	10	7	182	135	1	7	93	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 44 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	15	323	22	47	197	189	15	43	57	1	38	53	18	449	90	81	64	27	3
Addison	-	9	1	-	6	7	-	3	2	1	2	4	1	21	5	2	3	1	-
Aurora, part	-	-	-	-	-	1	-	-	-	-	1	2	-	2	-	-	-	-	-
Bartlett, part	-	2	-	1	2	1	-	1	1	-	-	-	1	2	1	-	-	-	-
Bartlett, total	1	4	-	2	2	2	-	1	1	-	-	1	2	7	1	2	-	-	-
Batavia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	-	8	2	3	7	3	-	-	2	-	1	3	-	15	2	5	2	3	-
Bensenville, total	-	9	2	3	7	3	-	-	2	-	1	5	-	15	2	5	2	3	-
Bloomingdale	-	13	-	1	16	2	-	4	5	-	1	1	1	17	3	1	-	-	-
Bolingbrook, part	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Carol Stream	-	8	-	1	3	3	1	-	1	-	3	4	-	13	3	1	3	1	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	-	5	-	1	4	3	-	-	1	-	-	-	-	11	1	1	2	2	-
Downers Grove	2	23	2	5	13	16	3	2	2	-	2	2	3	45	6	7	2	1	-
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	4	32	3	3	14	12	-	1	6	-	2	3	2	28	5	4	5	1	-
Glendale Heights	-	7	-	1	3	4	1	2	-	-	2	3	-	4	2	1	1	1	-
Glen Ellyn	-	11	1	-	6	7	1	1	1	-	-	-	-	13	2	3	-	2	-
Hanover Park, part	-	2	-	2	-	1	-	-	-	-	-	-	-	2	1	2	1	-	-
Hinsdale, part	1	9	3	2	6	3	1	-	-	-	-	-	1	12	3	4	2	-	-
Hinsdale, total	2	11	3	2	6	3	1	-	-	-	-	1	1	13	3	5	3	1	-
Lisle	-	9	-	1	9	6	-	1	-	-	1	2	-	7	1	1	3	-	-
Lombard	-	32	2	6	13	22	2	1	5	-	5	7	1	32	8	3	1	1	1
Naperville, part	2	28	2	2	19	15	1	3	5	-	2	4	-	43	10	5	4	3	-
Naperville, total	2	28	2	2	20	19	1	3	5	-	2	4	-	44	11	5	4	3	-
Roselle, part	1	7	-	-	1	3	-	1	1	-	1	1	-	6	6	-	1	-	-
Roselle, total	1	9	-	-	3	3	-	2	1	-	1	2	1	9	6	1	2	-	-
St. Charles, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Villa Park	-	11	1	4	8	5	-	2	1	-	2	1	1	18	1	6	4	1	-
West Chicago	-	7	1	-	3	3	-	-	1	-	-	4	-	5	5	6	4	1	-
Westmont	1	6	1	2	6	6	-	6	3	-	2	2	1	16	2	2	4	-	-
Wheaton	1	37	3	2	15	18	1	2	8	-	4	2	-	33	6	7	2	2	-
Wood Dale	-	2	-	1	1	2	-	2	-	-	1	-	-	9	1	4	1	-	-
Woodridge	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	3	54	-	8	41	45	4	11	12	-	6	8	6	92	16	16	18	7	2
Edgar	2	45	2	3	11	8	1	1	2	-	1	-	1	16	8	4	5	-	1
Edwards	2	3	-	2	7	6	-	-	2	-	-	-	2	4	2	-	-	-	-
Effingham	2	28	9	2	15	13	1	3	6	-	2	-	1	25	6	7	4	-	-
Effingham	-	20	5	2	11	10	1	2	3	-	-	-	1	18	2	4	-	-	-
Balance of county	2	8	4	-	4	3	-	1	3	-	2	-	-	7	4	3	4	-	-
Fayette	-	18	4	6	8	6	-	-	5	-	-	-	2	12	3	3	1	1	-
Ford	3	10	10	6	4	3	-	-	2	-	2	-	-	10	4	3	1	1	-
Franklin	3	29	4	9	19	38	2	5	7	-	1	5	5	45	12	8	7	3	2
Fulton	2	30	-	4	20	19	2	1	8	-	-	-	5	36	11	6	9	1	-
Canton	1	11	-	3	13	9	-	-	4	-	-	-	2	19	2	1	5	1	-
Balance of county	1	19	-	1	7	10	2	1	4	-	-	-	3	17	9	5	4	-	-
Gallatin	-	9	1	2	2	5	-	2	2	-	-	1	1	6	1	3	-	-	-
Greene	2	15	3	3	12	9	-	1	-	-	1	-	2	28	5	5	2	1	-
Grundy	-	15	1	3	16	8	-	5	4	-	6	-	3	27	6	6	5	1	-
Hamilton	-	9	-	2	2	10	2	-	1	-	-	-	-	11	1	-	2	-	-
Hancock	5	24	8	1	11	6	2	2	5	-	-	1	1	23	7	3	1	-	-
Hardin	-	2	-	2	4	7	-	-	-	-	1	-	-	11	-	1	1	-	-
Henderson	-	9	-	1	1	8	-	-	-	-	-	-	-	6	6	1	3	-	1
Henry	4	51	7	11	16	26	-	2	4	-	2	1	3	47	11	9	9	-	-
Kewanee	2	22	-	7	5	10	-	1	1	-	1	-	1	24	4	2	2	-	-
Balance of county	2	29	7	4	11	16	-	1	3	-	1	1	2	23	7	7	7	-	-
Iroquois	1	25	1	3	7	17	-	3	4	-	1	-	3	24	13	5	1	-	-
Jackson	-	44	2	6	16	14	-	2	6	1	2	7	4	47	12	8	5	4	2
Carbondale	-	9	-	3	5	3	-	1	2	1	-	5	-	16	6	1	2	3	-
Balance of county	-	35	2	3	11	11	-	1	4	-	2	2	4	31	6	7	3	1	2
Jasper	-	9	-	3	4	6	-	-	1	-	1	1	6	8	3	5	2	1	-
Jefferson	1	25	-	7	18	25	1	6	4	-	-	1	6	40	8	8	3	2	-
Mount Vernon	1	18	-	3	14	20	-	5	1	-	-	1	4	22	2	6	1	1	-
Balance of county	-	7	-	4	4	5	1	1	3	-	-	-	2	18	6	2	2	1	-
Jersey	2	13	3	2	5	15	1	1	4	-	-	-	7	18	7	7	1	-	-
Jo Daviess	1	22	1	2	5	5	1	3	2	-	1	1	2	12	7	5	5	-	2
Johnson	-	11	-	2	6	6	-	-	1	-	-	-	5	16	2	2	-	-	-
Kane	4	184	21	24	87	71	6	27	23	1	22	22	15	207	42	52	25	19	1
Aurora, part	-	54	9	9	31	32	4	11	8	1	3	7	4	72	14	9	11	11	-
Aurora, total	-	54	9	9	31	33	4	11	8	1	4	9	4	74	14	9	11	11	-
Batavia, part	1	9	2	-	7	-	-	-	2	-	-	1	3	6	1	4	-	-	-
Batavia, total	1	9	2	-	7	-	-	-	2	-	-	1	3	6	1	4	-	-	-
Carpentersville	-	4	1	-	4	2	1	3	1	-	3	3	-	6	2	8	2	1	-
Elgin, part	2	50	2	3	18	16	1	7	5	-	5	3	6	43	11	18	4	5	1
Elgin, total	2	56	3	7	19	16	1	7	5	-	8	4	6	50	13	20	4	7	1
St. Charles, part	-	18	1	3	3	4	-	2	1	-	1	1	-	16	2	2	1	-	-
St. Charles, total	-	18	1	4	3	4	-	2	1	-	1	1	-	16	2	2	1	-	-
Balance of county	1	49	6	9	24	17	-	4	6	-	10	7	2	64	12	11	7	2	-
Kankakee	7	72	13	18	44	52	2	11	14	-	4	12	6	97	17	28	16	13	1
Bourbonnais	1	4	-	2	10	6	-	-	1	-	1	3	-	10	3	2	-	-	-
Bradley	-	10	-	3	1	5	-	1	1	-	-	1	-	6	2	2	2	-	-
Kankakee	1	32	4	6	14	22	1	7	5	-	3	6	3	39	3	14	7	7	1
Balance of county	5	26	9	7	19	19	1	3	7	-	-	2	3	42	9	10	7	6	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 45 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	239	-	-	3	60	14	13	5	8	2	2	16	5	105	84	1	-	65	18
Knox	607	-	-	8	116	23	43	7	13	6	2	22	12	300	237	3	9	162	63
Galesburg	392	-	-	6	78	15	30	6	6	2	1	18	6	188	153	3	5	104	41
Balance of county	215	-	-	2	38	8	13	1	7	4	1	4	6	112	84	-	4	58	22
Lake	3,098	2	-	57	785	191	238	82	77	32	29	136	72	1,262	988	11	39	699	239
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	40	-	-	-	12	1	4	1	1	-	1	4	1	10	10	-	-	7	3
Deerfield, part	119	-	-	1	33	8	11	3	5	-	-	6	2	46	32	-	1	24	7
Deerfield, total	123	-	-	1	33	8	11	3	5	-	-	6	2	49	34	-	1	25	8
Highland Park	197	-	-	6	58	15	11	7	7	1	6	11	1	78	63	-	4	42	17
Lake Forest	108	-	-	1	41	9	7	7	4	3	1	10	4	38	29	2	-	18	9
Libertyville	197	-	-	1	31	10	9	1	5	1	-	5	9	99	73	1	4	56	12
Mundelein	97	-	-	1	26	8	7	4	2	1	-	4	2	46	35	-	1	28	6
North Chicago	151	-	-	5	31	6	10	-	3	2	2	8	3	59	45	-	5	23	17
Round Lake Beach	86	1	-	-	28	6	9	4	3	1	1	4	4	24	18	-	1	13	4
Waukegan	540	1	-	12	122	36	30	15	12	4	3	22	20	224	173	1	9	123	40
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zion	150	-	-	2	33	5	13	1	2	1	2	9	2	64	55	1	3	31	20
Balance of county	1,413	-	-	28	370	87	127	39	33	18	13	53	24	574	455	6	11	334	104
La Salle	1,147	-	-	15	295	64	87	25	37	12	12	58	22	553	424	4	5	359	56
La Salle	129	-	-	5	37	9	10	2	5	1	1	9	3	58	39	-	1	36	2
Ottawa	203	-	-	4	44	10	15	6	4	1	1	7	5	102	81	1	1	72	7
Peru	105	-	-	-	30	9	12	1	1	2	1	4	-	55	42	-	-	36	6
Streator, part	225	-	-	4	50	9	16	6	7	1	1	10	-	124	94	1	2	74	17
Streator, total	226	-	-	4	50	9	16	6	7	1	1	10	-	125	94	1	2	74	17
Balance of county	485	-	-	2	134	27	34	10	20	7	8	28	14	214	168	2	1	141	24
Lawrence	249	-	-	11	43	5	16	2	8	1	5	6	3	113	89	1	1	73	14
Lee	343	-	-	3	81	18	26	4	9	9	2	13	7	153	127	-	9	77	41
Dixon	177	-	-	3	42	7	14	2	6	6	1	6	3	82	69	-	6	39	24
Balance of county	166	-	-	-	39	11	12	2	3	3	1	7	4	71	58	-	3	38	17
Livingston	433	-	-	2	89	16	23	15	9	9	7	10	10	217	165	-	6	119	40
Pontiac	149	-	-	2	30	8	8	9	-	1	1	3	2	78	60	-	2	40	18
Streator, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	283	-	-	-	59	8	15	6	9	8	6	7	8	138	105	-	4	79	22
Logan	341	-	-	7	79	14	26	8	8	3	5	15	4	152	121	1	3	67	50
Lincoln	214	-	-	3	51	11	17	5	4	2	2	10	2	92	76	1	2	42	31
Balance of county	127	-	-	4	28	3	9	3	4	1	3	5	2	60	45	-	1	25	19
McDonough	300	-	-	1	67	14	21	3	6	4	3	16	2	153	121	-	1	102	18
Macomb	161	-	-	1	34	6	13	1	4	2	1	7	1	89	68	-	1	56	11
Balance of county	139	-	-	-	33	8	8	2	2	2	2	9	1	64	53	-	-	46	7
McHenry	1,309	-	-	18	332	85	83	33	42	17	11	61	34	573	437	3	7	332	95
Crystal Lake	167	-	-	4	41	12	10	5	6	2	1	5	9	73	47	-	-	32	15
McHenry	228	-	-	2	56	21	15	5	5	1	1	8	5	98	78	1	-	60	17
Woodstock	161	-	-	5	34	11	6	5	4	2	2	4	3	72	51	-	-	41	10
Balance of county	753	-	-	7	201	41	52	18	27	12	7	44	17	330	261	2	7	199	53
McLean	915	-	-	5	215	55	55	27	21	5	8	44	26	412	315	2	12	210	91
Bloomington	462	-	-	3	111	26	30	8	12	4	5	26	11	214	168	2	7	108	51
Normal	160	-	-	-	42	7	11	10	3	-	2	9	4	73	53	-	2	31	20
Balance of county	293	-	-	2	62	22	14	9	6	1	1	9	11	125	94	-	3	71	20
Macon	1,200	-	-	24	277	66	73	27	39	13	16	43	21	554	435	2	6	254	173
Decatur	1,003	-	-	19	229	51	64	24	30	13	14	33	18	464	370	1	5	213	151
Balance of county	197	-	-	5	48	15	9	3	9	-	2	10	3	90	65	1	1	41	22
Macoupin	612	-	-	8	155	35	47	10	19	4	9	31	10	264	200	1	5	127	67
Madison	2,396	-	-	40	603	151	189	47	51	20	26	119	53	1,030	808	10	13	607	178
Alton	421	-	-	11	102	34	31	5	7	5	4	16	14	172	131	3	3	92	33
Collinsville, part	220	-	-	4	61	12	15	6	8	2	8	10	4	97	79	-	2	62	15
Collinsville, total	240	-	-	4	70	17	17	6	9	2	9	10	4	105	87	-	2	69	16
Edwardsville	194	-	-	2	51	19	15	1	4	-	2	10	3	88	57	-	-	40	17
Granite City	374	-	-	8	99	18	34	8	5	4	6	24	7	150	119	2	2	87	28
Wood River	136	-	-	1	34	11	6	3	3	3	2	6	1	59	48	-	-	37	11
Balance of county	1,051	-	-	14	256	57	88	24	24	6	4	53	24	464	374	5	6	289	74
Marion	517	-	-	6	102	14	28	8	15	9	5	23	14	254	215	1	5	179	30
Centralia, part	200	-	-	3	35	3	13	1	8	2	1	7	4	101	83	-	2	65	16
Centralia, total	237	-	-	3	45	5	16	3	9	2	2	8	4	120	99	-	2	79	18
Balance of county	317	-	-	3	67	11	15	7	7	7	4	16	10	153	132	1	3	114	14
Marshall	147	-	-	1	38	11	9	4	5	2	1	6	3	65	60	-	1	50	9
Mason	181	1	-	5	57	13	15	5	6	4	6	8	2	75	58	-	1	33	24
Massac	189	1	-	6	44	19	12	3	3	1	1	5	2	76	65	-	1	55	9
Menard	103	-	-	1	29	9	7	1	3	3	-	6	2	48	35	1	1	22	11
Mercer	159	-	-	1	39	8	8	2	4	1	2	14	6	74	59	-	3	27	29
Monroe	207	-	-	3	50	12	14	3	5	4	4	8	5	90	68	2	2	52	12
Montgomery	355	-	-	3	73	16	19	8	10	4	5	11	5	174	137	-	-	99	38
Morgan	406	-	-	8	90	25	21	8	11	4	2	19	3	182	144	-	10	114	20
Jacksonville	301	-	-	6	63	19	11	8	7	3	2	13	2	135	106	-	8	81	17
Balance of county	105	-	-	2	27	6	10	-	4	1	-	6	1	47	38	-	2	33	3
Moultrie	204	-	-	4	44	9	16	3	5	-	3	8	5	86	62	1	3	46	12
Ogle	403	-	-	7	121	29	39	9	8	3	8	25	4	174	134	-	2	93	39
Peoria	1,731	-	-	24	406	98	118	46	36	16	14	78	41	726	520	4	8	365	143
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	1,091	-	-	18	255	64	81	28	23	8	7	44	25	457	321	2	4	222	93
Balance of county	640	-	-	6	151	34	37	18	13	8	7	34	16	269	199	2	4	143	50

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 46 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	3	14	–	4	5	2	1	4	4	–	1	–	2	27	8	7	5	–	–
Knox	2	44	8	9	29	30	2	2	5	–	3	–	5	58	10	20	5	1	1
Galesburg	1	25	1	8	13	25	2	2	5	–	2	–	5	38	5	12	4	–	1
Balance of county	1	19	7	1	16	5	–	–	–	–	1	–	–	20	5	8	1	1	–
Lake	11	200	17	46	129	133	9	39	23	–	19	34	25	283	70	70	60	18	8
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	–	–	–	–	1	–	–	1	1	–	1	4	–	3	–	3	3	–	–
Deerfield, part	–	14	–	–	7	5	1	–	–	–	1	–	1	14	1	3	3	–	1
Deerfield, total	–	15	–	–	7	5	1	–	–	–	1	–	1	15	1	3	3	–	1
Highland Park	2	11	–	2	9	10	1	2	2	–	–	1	–	17	3	2	5	1	1
Lake Forest	–	6	3	–	5	3	–	1	–	–	–	–	–	14	1	–	–	–	–
Libertyville	–	20	3	3	8	13	1	3	–	–	–	1	–	23	5	–	2	1	–
Mundelein	–	10	–	1	3	2	–	1	–	–	1	3	1	6	3	2	–	–	–
North Chicago	1	10	1	2	14	2	1	1	3	–	1	1	4	14	4	2	2	4	–
Round Lake Beach	–	3	–	3	4	5	–	2	–	–	–	3	1	6	3	1	3	–	1
Waukegan	3	34	2	12	17	26	1	9	4	–	–	5	5	53	11	21	4	3	2
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	–	7	1	1	12	6	–	–	1	–	–	1	3	17	2	5	2	–	–
Balance of county	5	85	7	22	49	61	4	19	12	–	15	15	10	116	37	31	36	9	3
La Salle	6	92	14	17	33	37	–	11	13	–	4	6	12	95	19	17	10	4	1
La Salle	–	11	3	5	4	6	–	2	–	–	–	–	–	13	–	1	–	–	–
Ottawa	2	14	2	3	4	11	–	2	6	–	1	1	–	14	1	5	2	1	–
Peru	–	11	–	2	3	1	–	–	–	–	–	–	2	12	–	1	1	–	–
Streator, part	3	22	5	–	6	3	–	–	1	–	–	2	1	22	4	3	4	1	–
Streator, total	3	23	5	–	6	3	–	–	1	–	–	2	1	22	4	3	4	1	–
Balance of county	1	34	4	7	16	16	–	7	6	–	3	3	9	34	14	7	3	2	1
Lawrence	–	21	–	3	19	16	–	1	3	–	1	2	–	30	2	4	1	–	–
Lee	6	13	3	4	17	18	–	1	4	–	2	2	3	38	5	5	3	1	–
Dixon	4	5	1	3	9	9	–	1	1	–	1	1	3	21	–	1	–	–	–
Balance of county	2	8	2	1	8	9	–	–	3	–	1	1	–	17	5	4	3	1	–
Livingston	2	39	6	5	12	19	1	4	4	–	4	1	1	42	10	7	9	1	–
Pontiac	1	13	1	3	5	13	1	2	2	–	1	–	–	8	–	1	3	1	–
Streator, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	25	5	2	7	6	–	2	2	–	3	1	1	34	10	6	6	–	–
Logan	2	23	3	3	20	16	1	4	1	–	1	1	4	36	4	9	2	–	–
Lincoln	1	13	1	1	15	12	1	3	1	–	–	–	2	24	3	4	1	–	–
Balance of county	1	10	2	2	5	4	–	1	–	–	1	1	2	12	1	5	1	–	–
McDonough	–	28	2	2	7	16	–	1	3	–	1	1	2	37	3	6	–	–	–
Macomb	–	18	1	2	5	5	–	1	1	–	1	1	–	20	–	2	–	–	–
Balance of county	–	10	1	–	2	11	–	–	2	–	–	–	2	17	3	4	–	–	–
McHenry	2	100	16	18	56	49	3	22	19	–	8	7	3	95	32	37	18	2	1
Crystal Lake	–	18	3	5	7	9	–	4	1	–	1	1	–	11	1	3	1	–	1
McHenry	1	17	2	–	12	8	1	2	5	–	1	3	–	21	7	5	2	–	–
Woodstock	1	14	3	3	8	7	1	5	1	–	2	2	–	7	4	7	3	–	–
Balance of county	–	51	8	10	29	25	1	11	12	–	4	1	3	56	20	22	12	2	–
McLean	4	59	20	14	23	51	4	14	8	–	2	3	5	103	14	16	10	4	–
Bloomington	1	32	10	3	14	28	3	9	3	–	1	2	2	43	4	8	4	2	–
Normal	1	10	4	5	6	7	–	–	3	–	–	1	1	15	3	3	–	2	–
Balance of county	2	17	6	6	3	16	1	5	2	–	1	–	2	45	7	5	6	–	–
Macon	11	89	8	11	38	48	3	7	12	–	6	11	17	109	18	33	13	8	1
Decatur	8	71	4	11	29	41	3	7	11	–	4	10	15	94	12	30	8	8	1
Balance of county	3	18	4	–	9	7	–	–	1	–	2	1	2	15	6	3	5	–	–
Macoupin	2	47	5	10	28	23	3	5	9	–	2	–	6	58	16	9	12	3	1
Madison	6	172	22	22	71	107	7	15	41	–	12	23	13	224	42	63	36	13	3
Alton	1	29	5	6	10	27	–	4	6	–	2	7	2	43	2	11	5	2	1
Collinsville, part	–	15	–	3	3	9	–	–	5	–	3	–	–	20	6	2	3	3	–
Collinsville, total	–	15	–	3	3	9	–	–	5	–	3	–	–	22	6	2	4	3	–
Edwardsville	1	24	5	1	7	6	–	–	3	–	2	2	–	21	3	3	2	1	–
Granite City	1	23	3	4	14	22	–	4	8	–	1	2	4	37	5	7	5	1	–
Wood River	–	8	–	3	2	10	1	1	1	–	–	1	–	17	1	5	2	–	–
Balance of county	3	73	9	5	35	33	6	6	18	–	4	11	7	86	25	35	19	6	2
Marion	1	31	3	4	20	29	1	2	6	–	1	2	4	41	13	13	6	2	1
Centralia, part	1	12	2	3	9	7	–	–	5	–	1	–	3	16	5	4	5	1	1
Centralia, total	1	14	2	4	10	7	1	–	5	–	1	1	3	20	5	5	5	1	1
Balance of county	–	19	1	1	11	22	1	2	1	–	–	2	1	25	8	9	1	1	–
Marshall	–	5	–	–	2	7	–	2	2	–	–	–	1	14	8	2	2	–	–
Mason	1	13	2	1	4	2	–	–	3	–	1	1	1	17	4	5	2	–	1
Massac	1	7	3	–	4	14	–	1	1	–	1	–	4	26	3	4	1	–	1
Menard	1	6	3	3	6	4	1	–	–	–	–	2	–	7	2	1	–	–	–
Mercer	1	10	2	2	2	5	–	1	7	–	–	–	1	9	7	5	2	–	–
Monroe	–	14	6	2	4	6	–	–	2	–	3	–	2	33	3	3	2	1	–
Montgomery	1	28	3	5	9	21	2	5	7	–	–	2	3	30	6	8	5	1	1
Morgan	3	33	1	1	24	18	3	2	4	–	3	3	3	37	13	10	2	–	1
Jacksonville	2	26	1	–	22	14	3	1	2	–	3	3	3	29	6	6	2	–	1
Balance of county	1	7	–	1	2	4	–	1	2	–	–	–	–	8	7	4	–	–	–
Moultrie	2	15	4	3	16	8	–	–	4	–	1	1	–	23	2	7	2	–	1
Ogle	4	28	1	7	8	10	1	3	7	–	1	1	1	46	11	6	2	–	–
Peoria	14	155	9	28	79	96	8	14	23	–	9	11	16	170	29	37	24	16	2
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	5	108	7	16	46	55	6	11	17	–	7	8	11	108	10	25	19	13	–
Balance of county	9	47	2	12	33	41	2	3	6	–	2	3	5	62	19	12	5	3	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 47 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	261	-	-	1	67	16	23	4	5	3	1	15	6	121	99	1	1	69	28
Piatt	174	-	-	4	46	16	8	3	6	1	4	8	5	70	55	-	-	42	13
Pike	233	-	-	1	38	5	10	2	8	3	1	9	8	111	81	1	1	53	26
Pope	57	-	-	-	19	4	4	-	2	1	1	7	6	19	15	-	1	13	1
Pulaski	92	-	-	2	18	3	5	3	4	-	-	3	4	44	32	-	-	26	6
Putnam	49	-	-	2	10	2	2	1	1	1	1	2	4	19	17	-	1	15	1
Randolph	363	-	-	3	86	23	26	8	7	3	6	13	4	179	146	2	3	108	33
Richland	179	-	-	1	41	9	11	7	2	3	3	6	5	87	67	-	1	52	14
Rock Island	1,534	-	-	16	359	85	115	23	38	17	13	68	26	732	590	5	6	415	164
East Moline	210	-	-	2	53	12	20	3	8	3	1	6	3	101	82	-	1	55	26
Moline	425	-	-	2	105	18	31	11	12	6	7	20	3	211	173	3	1	125	44
Rock Island	520	-	-	6	120	33	38	6	10	5	2	26	14	228	173	-	2	118	53
Balance of county	379	-	-	6	81	22	26	3	8	3	3	16	6	192	162	2	2	117	41
St. Clair	2,589	5	-	60	603	159	179	52	55	24	30	104	70	1,062	793	4	33	523	233
Belleville	540	-	-	15	122	30	31	12	10	6	7	26	9	246	181	1	6	123	51
Cahokia	159	-	-	1	39	6	16	2	4	-	4	7	2	68	57	-	3	37	17
Collinsville, part	20	-	-	-	9	5	2	-	1	-	1	-	-	8	8	-	-	7	1
East St. Louis	543	4	-	8	106	31	31	9	13	1	3	18	25	193	139	1	12	71	55
Fairview Heights	146	-	-	5	45	11	14	7	2	3	3	5	-	60	46	-	1	34	11
O'Fallon	119	-	-	3	25	8	5	2	4	-	1	5	-	54	38	-	-	28	10
Balance of county	1,062	1	-	28	257	68	80	20	21	14	11	43	34	433	324	2	11	223	88
Saline	416	-	-	10	88	17	29	5	12	6	3	16	6	221	177	1	9	127	40
Harrisburg	160	-	-	4	27	6	7	2	4	2	2	4	2	93	80	-	4	57	19
Balance of county	256	-	-	6	61	11	22	3	8	4	1	12	4	128	97	1	5	70	21
Sangamon	1,660	2	-	25	420	101	120	35	43	22	17	82	26	702	566	4	13	357	192
Springfield	1,148	1	-	19	285	75	74	24	31	16	9	56	17	483	381	2	6	236	137
Balance of county	512	1	-	6	135	26	46	11	12	6	8	26	9	219	185	2	7	121	55
Schuyler	112	-	-	2	29	8	7	2	3	2	1	6	2	63	52	-	7	30	15
Scott	54	-	-	2	13	2	3	2	1	1	-	4	-	30	24	-	2	16	6
Shelby	229	-	-	3	46	11	16	3	5	3	2	6	4	105	70	-	2	58	10
Stark	86	-	-	2	23	4	6	1	3	-	3	6	1	36	26	-	1	20	5
Stephenson	468	-	-	3	115	24	27	11	18	10	5	20	17	193	151	2	2	94	53
Freeport	294	-	-	3	72	15	17	7	13	6	3	11	11	120	94	1	1	57	35
Balance of county	174	-	-	-	43	9	10	4	5	4	2	9	6	73	57	1	1	37	18
Tazewell	1,119	-	-	16	288	57	84	32	36	6	10	63	30	485	383	1	5	254	123
East Peoria	207	-	-	3	52	7	21	6	6	2	3	7	7	91	68	-	2	47	19
Morton	151	-	-	2	33	4	5	6	5	-	-	13	3	65	53	-	2	30	21
Pekin, part	335	-	-	6	85	18	20	10	13	1	4	19	6	157	127	-	-	88	39
Pekin, total	335	-	-	6	85	18	20	10	13	1	4	19	6	157	127	-	-	88	39
Washington	101	-	-	-	23	7	6	2	3	-	1	4	2	46	32	-	-	17	15
Balance of county	325	-	-	5	95	21	32	8	9	3	2	20	12	126	103	1	1	72	29
Union	257	-	-	1	55	10	17	6	4	2	2	14	5	127	94	-	2	65	27
Vermilion	977	1	-	22	248	58	84	12	24	16	8	46	17	432	365	1	2	230	132
Danville	489	1	-	13	130	34	46	6	8	11	3	22	7	216	188	-	1	110	77
Balance of county	488	-	-	9	118	24	38	6	16	5	5	24	10	216	177	1	1	120	55
Wabash	131	-	-	2	35	7	8	5	4	1	1	9	5	43	34	1	-	22	11
Warren	223	-	-	6	42	10	12	2	10	2	1	5	3	112	88	-	1	75	12
Monmouth	122	-	-	4	23	6	8	2	4	1	-	2	-	62	47	-	1	36	10
Balance of county	101	-	-	2	19	4	4	-	6	1	1	3	3	50	41	-	-	39	2
Washington	169	-	-	-	33	12	10	3	2	2	-	4	9	94	85	-	-	75	10
Wayne	223	-	-	6	61	6	21	4	5	6	3	16	2	102	81	-	1	53	27
White	248	-	-	5	58	14	18	4	5	2	2	13	1	115	101	-	3	76	22
Whiteside	602	-	-	12	122	31	23	15	19	11	3	20	19	271	212	3	3	141	65
Rock Falls	112	-	-	1	14	5	3	1	2	-	-	3	5	52	40	1	-	24	15
Sterling	186	-	-	5	36	8	6	6	6	2	2	6	6	82	68	-	-	44	24
Balance of county	304	-	-	6	72	18	14	8	11	9	1	11	8	137	104	2	3	73	26
Will	2,300	-	-	48	566	140	168	58	51	21	21	107	51	962	757	4	27	541	185
Bolingbrook, part	109	-	-	5	26	6	8	3	2	-	1	6	2	32	20	-	3	15	2
Bolingbrook, total	118	-	-	6	29	6	9	3	3	-	2	6	2	34	21	-	3	15	3
Joliet	931	-	-	21	210	62	61	22	16	8	8	33	22	414	316	3	14	225	74
Naperville, part	14	-	-	-	4	2	-	-	-	-	-	2	-	3	3	-	-	3	-
Park Forest, part	6	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	3	1
Romeoville	66	-	-	3	15	1	7	4	1	-	2	-	2	27	22	-	1	16	5
Tinley Park, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1,173	-	-	19	310	68	92	29	32	13	10	66	25	482	392	1	9	279	103
Williamson	671	-	-	11	175	51	49	10	16	15	4	30	18	298	237	1	10	154	72
Herrin	166	-	-	4	48	23	12	1	5	2	-	5	5	68	52	-	4	32	16
Marion	187	-	-	4	43	8	8	4	3	8	2	10	3	84	68	-	3	43	22
Balance of county	318	-	-	3	84	20	29	5	8	5	2	15	10	146	117	1	3	79	34
Winnebago	2,167	-	-	22	543	118	153	58	51	26	28	109	48	908	674	9	20	483	162
Loves Park	115	-	-	-	31	7	8	4	3	4	-	5	1	54	41	1	1	27	12
Rockford	1,542	-	-	20	380	80	104	41	40	14	23	78	35	656	481	6	15	342	118
Balance of county	510	-	-	2	132	31	41	13	8	8	5	26	12	198	152	2	4	114	32
Woodford	283	1	-	3	76	14	25	7	10	-	6	14	5	126	93	-	1	70	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 48 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	1	16	1	4	15	9	1	2	-	-	1	2	1	24	1	5	3	2	-
Piatt	1	8	2	4	9	5	-	1	2	-	-	2	-	15	5	8	2	-	-
Pike	3	14	9	4	6	5	3	2	4	-	2	3	11	29	4	4	1	-	1
Pope	-	4	-	-	1	3	-	-	2	-	-	-	1	4	-	2	-	-	-
Pulaski	-	7	1	4	8	3	-	-	1	-	1	-	2	5	1	3	-	-	-
Putnam	-	2	-	-	2	1	1	-	-	-	-	2	-	3	2	1	1	-	1
Randolph	3	22	6	2	11	13	-	2	2	-	-	3	3	30	12	9	5	1	-
Richland	-	15	1	4	12	-	-	-	2	-	-	-	-	20	2	5	4	-	-
Rock Island	9	103	8	22	48	82	1	14	21	-	8	9	5	137	20	23	23	9	1
East Moline	-	10	2	7	8	8	-	2	5	-	2	2	1	16	1	4	2	-	-
Moline	3	30	3	2	12	21	-	5	4	-	2	1	2	36	5	10	4	1	1
Rock Island	6	35	2	12	21	34	1	6	6	-	2	4	2	48	4	7	11	6	-
Balance of county	-	28	1	1	7	19	-	1	6	-	2	2	-	37	10	2	6	2	-
St. Clair	14	210	20	25	106	106	3	24	47	-	17	26	21	221	49	58	35	75	1
Belleville	3	42	12	8	30	17	-	3	8	-	3	2	1	56	10	12	5	1	-
Cahokia	-	5	3	3	2	8	-	3	5	-	1	3	1	11	6	1	4	4	-
Collinsville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
East St. Louis	3	49	-	2	10	16	2	8	13	-	7	10	9	46	13	19	1	53	-
Fairview Heights	2	10	-	2	7	7	-	-	2	-	-	-	-	13	1	3	3	-	-
O'Fallon	-	15	-	1	5	6	-	1	6	-	-	1	-	11	1	3	3	-	-
Balance of county	6	89	5	9	52	52	1	9	13	-	6	10	10	82	18	20	18	17	1
Saline	2	30	6	6	11	25	-	1	3	-	2	-	3	32	4	7	-	2	1
Harrisburg	2	8	1	2	2	14	-	1	2	-	1	-	1	10	1	1	-	1	-
Balance of county	-	22	5	4	9	11	-	-	1	-	1	-	2	22	3	6	-	1	1
Sangamon	10	94	12	20	58	62	5	17	23	-	10	8	23	177	26	41	19	13	3
Springfield	8	72	10	12	47	44	5	11	16	-	7	7	9	129	13	29	11	12	3
Balance of county	2	22	2	8	11	18	-	6	7	-	3	1	14	48	13	12	8	1	-
Schuyler	-	10	-	1	-	4	-	-	1	-	-	2	1	4	2	2	-	-	-
Scott	-	5	-	1	1	2	-	-	1	-	-	-	-	4	-	1	-	-	-
Shelby	1	30	3	1	6	16	1	1	2	-	1	5	8	20	1	8	2	-	-
Stark	-	8	2	-	3	8	-	-	-	-	-	-	2	10	1	-	-	-	-
Stephenson	3	26	6	7	17	26	-	2	9	-	4	2	2	47	7	9	12	1	2
Freeport	2	16	4	4	12	17	-	2	6	-	3	-	2	34	2	6	3	-	1
Balance of county	1	10	2	3	5	9	-	-	3	-	1	2	-	13	5	3	9	1	1
Tazewell	2	81	5	14	33	50	4	11	21	-	6	5	9	111	23	17	8	2	-
East Peoria	1	14	2	6	3	10	-	5	3	-	1	2	2	19	4	2	2	1	-
Morton	-	12	-	-	8	12	-	1	3	-	-	-	3	17	-	3	1	-	-
Pekin, part	-	26	1	3	10	13	1	1	6	-	1	1	3	32	3	6	3	1	-
Pekin, total	-	26	1	3	10	13	1	1	6	-	1	1	3	32	3	6	3	1	-
Washington	-	11	1	2	1	6	1	1	2	-	1	-	-	13	3	1	1	-	-
Balance of county	1	18	1	3	11	9	2	3	7	-	3	2	1	30	13	5	1	-	-
Union	-	24	2	7	9	11	-	-	2	-	1	-	3	28	6	4	5	-	-
Vermilion	2	53	3	9	40	51	1	6	14	-	1	6	4	94	13	11	14	1	1
Danville	1	23	1	3	24	26	1	2	1	-	1	2	2	50	4	4	5	-	-
Balance of county	1	30	2	6	16	25	-	4	13	-	-	4	2	44	9	7	9	1	1
Wabash	1	6	-	2	8	7	-	1	2	-	1	-	2	19	3	3	-	-	-
Warren	2	17	2	3	19	6	1	-	1	-	-	-	-	19	6	6	2	-	-
Monmouth	2	9	1	3	9	3	1	-	1	-	-	-	-	11	4	4	-	-	-
Balance of county	-	8	1	-	10	3	-	-	-	-	-	-	-	8	2	2	2	-	-
Washington	-	8	-	1	5	6	-	-	-	-	-	1	2	8	7	1	3	-	-
Wayne	1	19	-	1	6	5	2	2	-	-	1	2	2	19	9	1	3	-	-
White	-	8	3	3	10	18	-	2	-	-	-	1	1	22	7	6	2	-	-
Whiteside	1	44	5	9	25	35	4	3	10	-	3	4	7	63	12	10	2	-	-
Rock Falls	1	10	-	1	3	8	-	2	3	-	-	-	-	19	2	3	-	-	-
Sterling	-	10	2	2	4	13	3	1	-	-	2	-	3	24	3	2	2	-	-
Balance of county	-	24	3	6	18	14	1	-	7	-	1	4	4	20	7	5	-	-	-
Will	15	154	13	23	91	92	14	26	15	-	21	36	13	209	38	44	41	33	-
Bolingbrook, part	2	8	-	2	8	7	-	1	1	-	1	4	3	3	8	3	4	1	-
Bolingbrook, total	2	9	-	2	9	7	-	1	1	-	1	4	3	5	8	3	4	1	-
Joliet	6	77	6	9	43	30	8	8	9	-	7	12	5	91	5	11	15	20	-
Naperville, part	-	-	-	-	1	4	-	-	-	-	-	-	-	1	1	-	-	-	-
Park Forest, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Romeoville	-	4	1	-	-	8	-	1	-	-	2	-	1	3	2	1	1	-	-
Tinley Park, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	7	65	6	12	38	42	6	16	5	-	11	20	4	111	22	29	21	12	-
Williamson	3	46	4	8	19	34	3	5	8	-	2	3	8	57	7	15	7	1	-
Herrin	1	12	1	2	8	8	-	2	2	-	-	2	1	14	2	2	-	-	-
Marion	1	13	2	-	4	12	3	1	-	-	-	-	2	19	2	8	2	-	-
Balance of county	1	21	1	6	7	14	-	2	6	-	2	1	5	24	3	5	5	1	-
Winnebago	15	164	23	32	101	94	7	17	15	-	11	17	13	244	40	41	26	18	2
Loves Park	-	11	1	1	6	1	1	1	-	-	-	2	-	6	3	5	3	1	-
Rockford	13	118	18	26	70	62	5	14	9	-	7	15	10	188	18	26	9	16	2
Balance of county	2	35	4	5	25	31	1	2	6	-	4	-	3	50	19	10	14	1	-
Woodford	-	25	3	5	8	9	1	1	8	-	1	1	4	27	8	2	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 49 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	50,148	31	1	905	12,027	2,791	3,706	969	1,315	554	437	2,255	1,312	21,713	16,796	134	374	11,786	4,502
Urban places	28,520	22	1	602	6,807	1,592	2,134	553	767	287	232	1,242	784	12,072	9,328	69	217	6,480	2,562
Balance of area	21,628	9	–	303	5,220	1,199	1,572	416	548	267	205	1,013	528	9,641	7,468	65	157	5,306	1,940
Metropolitan counties	33,092	18	1	676	8,113	1,923	2,508	630	897	373	287	1,495	852	13,924	10,803	80	244	7,561	2,918
Urban places	23,882	15	1	525	5,792	1,378	1,809	453	652	250	201	1,049	644	9,967	7,738	56	176	5,389	2,117
Balance of area	9,210	3	–	151	2,321	545	699	177	245	123	86	446	208	3,957	3,065	24	68	2,172	801
Nonmetropolitan counties	17,056	13	–	229	3,914	868	1,198	339	418	181	150	760	460	7,789	5,993	54	130	4,225	1,584
Urban places	4,638	7	–	77	1,015	214	325	100	115	37	31	193	140	2,105	1,590	13	41	1,091	445
Balance of area	12,418	6	–	152	2,899	654	873	239	303	144	119	567	320	5,684	4,403	41	89	3,134	1,139
Adams	238	–	–	2	58	18	10	4	14	3	2	7	3	114	77	1	–	58	18
Allen	2,394	1	–	42	551	137	163	46	51	30	12	112	50	1,090	823	1	13	603	206
Fort Wayne	1,846	1	–	35	412	104	122	34	42	19	8	83	40	850	653	–	10	483	160
Balance of county	548	–	–	7	139	33	41	12	9	11	4	29	10	240	170	1	3	120	46
Bartholomew	485	–	–	13	105	19	32	9	14	7	4	20	10	212	162	1	2	111	48
Columbus	322	–	–	10	61	10	20	4	10	1	4	12	7	140	106	1	1	72	32
Balance of county	163	–	–	3	44	9	12	5	4	6	–	8	3	72	56	–	1	39	16
Benton	107	–	–	1	15	2	5	2	2	–	–	4	10	48	27	–	–	21	6
Blackford	167	–	–	3	44	8	16	4	4	4	1	7	3	88	63	–	2	40	21
Boone	336	–	–	8	79	15	28	3	7	4	1	21	3	156	123	2	2	67	52
Lebanon	141	–	–	4	35	6	8	1	5	2	1	12	1	66	52	2	2	28	20
Balance of county	195	–	–	4	44	9	20	2	2	2	–	9	2	90	71	–	–	39	32
Brown	94	–	–	1	19	5	7	1	2	–	1	3	1	47	36	–	–	26	10
Carroll	146	–	–	2	24	4	12	2	1	2	2	1	6	61	45	1	–	36	8
Cass	417	–	–	6	113	21	40	11	11	9	4	17	13	168	135	1	4	106	24
Logansport	247	–	–	3	70	16	23	9	7	4	3	8	8	99	78	1	3	61	13
Balance of county	170	–	–	3	43	5	17	2	4	5	1	9	5	69	57	–	1	45	11
Clark	857	–	–	12	215	45	75	13	12	10	6	54	17	387	286	1	1	232	52
Clarksville	227	–	–	2	46	8	14	2	3	5	–	14	8	113	81	–	–	68	13
Jeffersonville	309	–	–	3	92	21	34	4	5	4	2	22	6	133	107	1	1	86	19
Balance of county	321	–	–	7	77	16	27	7	4	1	4	18	3	141	98	–	–	78	20
Clay	277	–	–	2	59	21	17	4	6	1	3	7	6	141	89	–	2	64	23
Clinton	350	–	–	5	76	19	24	4	7	1	7	14	5	174	132	1	–	99	32
Frankfort	178	–	–	3	41	14	15	1	3	–	2	6	2	88	72	1	–	55	16
Balance of county	172	–	–	2	35	5	9	3	4	1	5	8	3	86	60	–	–	44	16
Crawford	111	–	–	4	21	3	4	3	–	2	3	6	4	48	40	–	3	31	6
Daviess	288	–	–	2	67	9	27	8	6	2	4	11	14	120	75	–	2	44	29
Washington	140	–	–	1	32	7	10	4	2	1	1	7	7	59	29	–	–	19	10
Balance of county	148	–	–	1	35	2	17	4	4	1	3	4	7	61	46	–	2	25	19
Dearborn	370	–	–	5	92	17	36	5	7	6	4	17	9	145	113	1	7	78	27
Decatur	249	–	–	6	56	11	14	2	12	5	3	9	12	120	105	–	2	77	26
De Kalb	302	–	–	1	70	14	15	3	11	3	3	21	6	139	109	–	2	85	22
Delaware	1,065	–	–	16	256	59	77	16	31	11	13	49	37	441	351	2	8	256	85
Muncie	756	–	–	11	183	46	54	12	22	6	11	32	27	307	243	2	4	181	56
Balance of county	309	–	–	5	73	13	23	4	9	5	2	17	10	134	108	–	4	75	29
Dubois	319	–	–	4	78	15	27	7	8	1	3	17	3	150	115	1	1	78	35
Elkhart	1,174	1	1	17	263	63	63	36	40	10	9	42	22	567	428	3	2	279	144
Elkhart	477	1	1	6	96	26	22	12	11	4	1	20	9	220	151	–	1	114	36
Goshen	203	–	–	4	30	7	5	4	6	1	3	4	5	121	100	1	–	41	58
Balance of county	494	–	–	7	137	30	36	20	23	5	5	18	8	226	177	2	1	124	50
Fayette	256	–	–	4	72	15	23	7	6	6	2	13	9	88	59	1	3	37	18
Connersville	187	–	–	3	52	9	19	6	4	4	1	9	7	65	45	1	1	29	14
Balance of county	69	–	–	1	20	6	4	1	2	2	1	4	2	23	14	–	2	8	4
Floyd	612	–	–	15	168	41	60	14	16	2	8	27	12	257	209	4	4	168	33
New Albany	487	–	–	14	128	31	44	11	13	1	6	22	9	215	175	3	3	142	27
Balance of county	125	–	–	1	40	10	16	3	3	1	2	5	3	42	34	1	1	26	6
Fountain	202	–	–	3	53	13	15	4	2	3	2	14	2	89	68	1	–	54	13
Franklin	149	–	–	3	42	11	15	2	1	4	1	8	7	63	53	–	–	42	11
Fulton	178	1	–	1	36	11	12	2	1	1	2	7	8	85	68	–	2	49	17
Gibson	365	–	–	4	73	15	23	2	7	3	3	20	12	168	135	1	3	92	39
Grant	733	2	–	13	165	32	50	11	24	4	4	40	26	347	281	3	7	220	51
Marion	483	1	–	6	106	21	32	8	18	2	1	24	16	234	187	2	5	144	36
Balance of county	250	1	–	7	59	11	18	3	6	2	3	16	10	113	94	1	2	76	15
Greene	334	–	–	4	83	16	30	3	10	1	7	16	11	158	123	–	9	66	48
Hamilton	683	–	–	11	176	38	56	12	18	8	8	36	15	262	205	1	1	131	72
Carmel	221	–	–	5	54	11	21	5	3	3	1	10	4	88	70	–	1	53	16
Noblesville	155	–	–	2	39	9	10	2	8	1	3	6	2	59	40	–	–	18	22
Balance of county	307	–	–	4	83	18	25	5	7	4	4	20	9	115	95	1	–	60	34
Hancock	322	–	–	6	88	12	24	7	7	11	2	25	10	110	76	–	2	56	18
Greenfield	157	–	–	3	37	1	13	2	2	4	2	13	5	54	38	–	1	27	10
Balance of county	165	–	–	3	51	11	11	5	5	7	–	12	5	56	38	–	1	29	8
Harrison	260	–	–	4	55	11	13	6	6	4	1	14	5	124	101	2	3	67	29
Hendricks	554	–	–	19	135	34	44	5	22	3	8	19	9	224	176	1	4	119	52
Henry	496	2	–	6	108	21	30	10	14	6	3	24	12	216	169	3	2	128	36
New Castle	250	2	–	2	42	9	11	4	5	1	1	11	7	110	86	2	1	66	17
Balance of county	246	–	–	4	66	12	19	6	9	5	2	13	5	106	83	1	1	62	19
Howard	736	–	–	12	186	39	64	17	24	10	5	27	23	292	242	1	8	156	77
Kokomo	561	–	–	10	143	27	53	12	17	7	3	24	21	228	198	1	7	129	61
Balance of county	175	–	–	2	43	12	11	5	7	3	2	3	2	64	44	–	1	27	16
Huntington	331	–	–	2	79	21	21	8	5	4	3	17	8	172	129	–	2	95	32
Huntington	180	–	–	2	41	11	11	5	4	1	2	7	6	92	69	–	2	46	21
Balance of county	151	–	–	–	38	10	10	3	1	3	1	10	2	80	60	–	–	49	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 50 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana	223	3,603	508	583	1,733	2,182	132	425	652	5	281	343	380	4,798	1,047	1,024	703	379	75
Urban places	146	1,988	306	304	1,006	1,302	70	280	381	3	159	236	231	2,826	434	558	390	299	57
Balance of area	77	1,615	202	279	727	880	62	145	271	2	122	107	149	1,972	613	466	313	80	18
Metropolitan counties	157	2,273	338	353	1,137	1,458	86	307	423	2	193	259	268	3,211	613	669	496	327	59
Urban places	126	1,594	257	252	820	1,070	62	246	316	2	139	214	202	2,353	363	475	345	282	49
Balance of area	31	679	81	101	317	388	24	61	107	–	54	45	66	858	250	194	151	45	10
Nonmetropolitan counties	66	1,330	170	230	596	724	46	118	229	3	88	84	112	1,587	434	355	207	52	16
Urban places	20	394	49	52	186	232	8	34	65	1	20	22	29	473	71	83	45	17	8
Balance of area	46	936	121	178	410	492	38	84	164	2	68	62	83	1,114	363	272	162	35	8
Adams	1	26	4	6	12	3	1	1	3	–	2	2	1	22	5	6	3	–	–
Allen	12	178	38	39	75	107	7	14	32	–	18	21	23	207	46	46	35	29	–
Fort Wayne	10	130	28	29	59	84	5	11	24	–	8	21	22	156	28	36	28	26	–
Balance of county	2	48	10	10	16	23	2	3	8	–	10	–	1	51	18	10	7	3	–
Bartholomew	2	33	5	10	15	22	–	1	10	–	3	4	2	64	10	10	2	2	–
Columbus	1	22	4	7	12	15	–	–	6	–	2	3	1	49	6	6	2	2	–
Balance of county	1	11	1	3	3	7	–	1	4	–	1	1	1	15	4	4	–	–	–
Benton	–	9	10	2	2	5	–	1	1	–	–	–	–	18	–	5	1	–	–
Blackford	–	20	–	5	5	9	–	3	2	–	–	–	–	7	1	–	2	–	–
Boone	–	27	–	6	20	15	1	2	4	–	1	3	4	22	4	6	7	1	–
Lebanon	–	10	–	4	8	8	1	–	2	–	–	2	1	5	2	2	4	–	–
Balance of county	–	17	–	2	12	7	–	2	2	–	1	1	3	17	2	4	3	1	–
Brown	–	8	1	2	3	5	–	2	1	–	–	2	–	7	3	2	1	–	–
Carroll	–	11	2	3	2	4	–	–	1	–	3	–	–	24	8	7	2	2	–
Cass	1	24	2	6	20	22	1	2	2	–	2	2	2	38	14	6	3	3	–
Logansport	1	15	1	4	11	16	–	2	–	–	1	1	1	23	3	4	2	3	–
Balance of county	–	9	1	2	9	6	1	–	2	–	1	1	1	15	11	2	1	–	–
Clark	3	81	9	8	24	38	–	7	15	–	3	4	11	72	21	11	18	2	–
Clarksville	3	21	4	4	8	9	–	–	3	–	1	2	1	26	2	1	5	–	–
Jeffersonville	–	23	1	2	14	14	–	4	5	–	1	2	1	18	4	5	5	2	–
Balance of county	–	37	4	2	2	15	–	3	7	–	1	–	9	28	15	5	8	–	–
Clay	3	41	2	6	7	12	1	2	2	–	–	1	1	24	5	5	7	2	–
Clinton	2	33	2	5	18	11	–	3	3	–	2	1	–	29	5	12	6	–	–
Frankfort	1	12	2	1	13	7	–	1	1	–	–	1	–	12	1	5	3	–	–
Balance of county	1	21	–	4	5	4	–	2	2	–	2	–	–	17	4	7	3	–	–
Crawford	–	5	1	2	4	3	1	1	5	–	2	–	–	12	2	4	–	–	–
Daviess	–	37	6	2	7	21	1	1	5	–	–	1	2	32	5	7	1	–	2
Washington	–	24	5	1	3	11	–	–	2	–	–	–	1	18	2	3	1	–	–
Balance of county	–	13	1	1	4	10	1	1	3	–	–	1	1	14	3	4	–	–	2
Dearborn	–	27	2	3	21	24	3	6	3	–	2	1	–	33	8	8	7	1	2
Decatur	–	9	2	4	3	8	–	2	5	–	–	–	1	20	4	6	2	4	–
De Kalb	–	24	3	3	8	15	–	3	4	–	1	2	5	24	12	9	3	–	–
Delaware	4	70	8	8	48	60	1	8	8	–	4	4	10	109	22	17	14	7	3
Muncie	4	49	6	5	36	44	1	6	6	–	3	3	7	77	13	14	9	6	3
Balance of county	–	21	2	3	12	16	–	2	2	–	1	1	3	32	9	3	5	1	–
Dubois	3	28	1	3	10	10	1	6	5	1	–	5	2	31	2	5	6	–	–
Elkhart	8	109	7	15	27	47	5	5	11	–	8	14	6	107	25	26	13	6	3
Elkhart	2	57	2	8	11	20	3	3	5	–	4	10	4	58	9	8	4	3	2
Goshen	4	13	1	3	5	2	–	–	2	–	2	1	1	17	6	2	5	–	–
Balance of county	2	39	4	4	11	25	2	2	4	–	2	3	1	32	10	16	4	3	1
Fayette	3	18	3	5	3	16	1	2	5	–	2	3	4	28	6	9	3	1	–
Connersville	3	11	2	4	1	12	–	2	4	–	2	2	3	21	4	5	3	1	–
Balance of county	–	7	1	1	2	4	1	–	1	–	–	1	1	7	2	4	–	–	–
Floyd	1	40	5	2	16	36	1	9	4	–	1	4	7	50	13	13	4	2	–
New Albany	1	34	5	–	14	27	1	8	4	–	–	3	5	40	6	10	2	1	–
Balance of county	–	6	–	2	2	9	–	1	–	–	1	1	2	10	7	3	2	1	–
Fountain	1	16	1	3	6	6	1	1	2	–	1	–	–	21	6	6	5	–	–
Franklin	–	7	1	2	5	2	–	3	–	–	1	2	–	12	3	4	2	–	–
Fulton	2	11	3	1	–	7	1	2	2	–	1	2	2	17	3	2	7	1	–
Gibson	2	24	2	5	12	14	2	2	8	–	3	2	3	42	6	10	4	–	–
Grant	3	51	5	7	30	36	2	4	10	–	3	2	4	56	6	14	9	4	–
Marion	3	35	4	5	24	24	1	2	8	–	–	2	1	40	3	8	5	2	–
Balance of county	–	16	1	2	6	12	1	2	2	–	3	–	3	16	3	6	4	2	–
Greene	–	29	2	4	7	18	1	–	3	–	1	3	–	23	4	11	3	4	–
Hamilton	4	45	5	3	20	36	4	2	13	–	5	6	3	84	13	17	9	4	3
Carmel	1	13	3	1	6	12	1	–	6	–	3	2	2	25	7	2	4	–	–
Noblesville	2	17	–	–	3	13	2	–	1	–	1	1	–	19	2	8	2	–	1
Balance of county	1	15	2	2	11	11	1	2	6	–	1	3	1	40	4	7	3	4	2
Hancock	1	22	5	6	8	29	–	2	3	–	–	2	–	41	7	8	8	–	–
Greenfield	1	9	3	3	4	17	–	1	1	–	–	2	–	25	3	4	1	–	–
Balance of county	–	13	2	3	4	12	–	1	2	–	–	–	–	16	4	4	7	–	–
Harrison	1	21	–	1	13	2	1	–	3	–	2	–	2	30	11	6	2	–	–
Hendricks	4	34	5	5	20	21	1	–	7	–	4	4	3	68	11	11	16	–	1
Henry	–	36	5	6	18	28	2	3	8	–	2	1	2	54	11	12	9	1	1
New Castle	–	19	1	4	9	16	–	2	5	–	1	1	2	37	3	4	5	1	1
Balance of county	–	17	4	2	9	12	2	1	3	–	1	–	–	17	8	8	4	–	–
Howard	1	37	4	8	34	30	2	3	18	–	5	12	8	75	15	10	10	–	1
Kokomo	1	21	3	5	24	25	1	2	9	–	4	10	6	54	10	5	8	–	1
Balance of county	–	16	1	3	10	5	1	1	9	–	1	2	2	21	5	5	2	–	–
Huntington	3	35	3	2	9	14	2	1	1	–	–	5	2	22	10	2	2	–	–
Huntington	1	20	1	1	4	11	–	1	1	–	–	2	1	14	4	1	–	–	–
Balance of county	2	15	2	1	5	3	2	–	–	–	–	3	1	8	6	1	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 51 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	338	-	-	6	91	20	31	11	6	3	2	18	10	138	107	3	-	75	29
Seymour	147	-	-	3	33	8	10	6	2	1	2	4	7	66	52	1	-	36	15
Balance of county	191	-	-	3	58	12	21	5	4	2	-	14	3	72	55	2	-	39	14
Jasper	219	-	-	1	62	16	18	7	7	4	1	9	2	103	85	3	-	63	19
Jay	227	-	-	4	58	18	10	6	8	3	2	11	7	108	80	1	1	61	17
Jefferson	319	-	-	5	72	19	21	4	4	2	1	21	6	140	112	-	5	83	24
Madison	167	-	-	1	35	10	8	2	2	2	1	10	2	79	61	-	4	45	12
Balance of county	152	-	-	4	37	9	13	2	2	-	-	11	4	61	51	-	1	38	12
Jennings	225	-	-	4	56	13	18	1	5	1	3	15	4	82	66	1	-	41	24
Johnson	712	-	-	6	178	41	56	14	24	9	4	30	14	311	245	2	3	179	61
Franklin	222	-	-	2	43	8	15	3	9	1	1	6	4	104	76	-	-	53	23
Greenwood	273	-	-	2	60	11	18	7	6	4	2	12	7	117	92	-	2	68	22
Balance of county	217	-	-	2	75	22	23	4	9	4	1	12	3	90	77	2	1	58	16
Knox	481	4	-	8	90	20	25	9	10	5	3	18	9	231	149	2	2	107	38
Vincennes	249	2	-	4	44	8	17	6	2	2	-	9	7	115	72	-	2	45	25
Balance of county	232	2	-	4	46	12	8	3	8	3	3	9	2	116	77	2	-	62	13
Kosciusko	486	-	-	13	132	25	37	11	18	8	1	32	17	209	154	-	1	106	47
Warsaw	127	-	-	3	33	5	11	2	4	3	-	8	8	53	37	-	-	21	16
Balance of county	359	-	-	10	99	20	26	9	14	5	1	24	9	156	117	-	1	85	31
Lagrange	191	-	-	3	40	11	12	2	4	2	2	7	4	81	64	1	-	45	18
Lake	4,640	7	-	81	1,164	338	329	82	127	55	40	193	185	1,905	1,499	8	43	1,052	396
Crown Point	273	-	-	2	72	20	22	4	7	2	4	13	7	115	83	1	-	49	33
East Chicago	362	1	-	11	86	21	21	10	6	5	5	18	19	139	106	1	4	75	26
Gary	1,345	3	-	28	323	90	88	22	40	14	16	53	62	512	398	2	19	273	104
Griffith	106	-	-	2	23	7	8	2	3	-	-	3	3	58	50	1	1	31	17
Hammond	838	2	-	8	219	59	71	15	26	16	2	30	33	352	285	-	8	209	68
Highland	178	-	-	2	48	15	11	2	7	3	2	8	3	83	62	-	3	41	18
Hobart	256	1	-	5	68	19	23	3	7	1	4	11	8	118	97	-	2	72	23
Lake Station	107	-	-	3	29	13	6	3	3	-	-	4	4	40	31	1	-	21	9
Merrillville	314	-	-	5	77	26	19	8	9	4	1	10	12	135	111	-	-	73	38
Munster	186	-	-	3	38	12	13	3	-	1	-	9	13	86	66	-	1	60	5
Schererville	81	-	-	5	25	8	5	-	5	3	-	4	3	29	22	-	-	20	2
Balance of county	594	-	-	7	156	48	42	10	14	6	6	30	18	238	188	2	5	128	53
La Porte	1,027	1	-	19	246	56	81	23	32	10	7	37	30	448	345	3	3	226	113
La Porte	277	1	-	7	69	15	18	9	10	4	2	11	8	118	86	1	-	56	29
Michigan City	419	-	-	10	91	18	33	10	12	2	2	14	10	185	142	2	3	82	55
Balance of county	331	-	-	2	86	23	30	4	10	4	3	12	12	145	117	-	-	88	29
Lawrence	473	1	-	6	111	34	33	8	9	5	2	20	13	228	171	-	2	119	50
Bedford	203	1	-	2	48	12	12	5	4	2	1	12	5	104	77	-	2	55	20
Balance of county	270	-	-	4	63	22	21	3	5	3	1	8	8	124	94	-	-	64	30
Madison	1,280	-	-	40	311	79	106	20	38	8	12	48	26	534	424	5	9	306	104
Anderson	766	-	-	24	198	50	70	14	20	5	10	29	16	322	249	2	6	176	65
Elwood, part	112	-	-	3	26	7	7	1	7	-	1	3	7	40	37	-	-	31	6
Elwood, total	112	-	-	3	26	7	7	1	7	-	1	3	7	40	37	-	-	31	6
Balance of county	402	-	-	13	87	22	29	5	11	3	1	16	3	172	138	3	3	99	33
Marion	7,159	4	-	211	1,797	388	578	141	208	69	74	339	155	2,776	2,162	18	60	1,437	647
Beech Grove	139	-	-	4	34	5	9	3	8	1	2	6	1	63	55	-	-	35	20
Indianapolis	6,782	4	-	204	1,713	369	553	137	195	66	70	323	146	2,614	2,026	17	58	1,345	606
Lawrence	18	-	-	-	3	1	1	-	-	1	-	-	-	6	6	-	-	4	2
Speedway	105	-	-	1	23	4	10	1	3	-	2	3	6	41	33	1	1	23	8
Balance of county	115	-	-	2	24	9	5	-	2	1	-	7	2	52	42	-	1	30	11
Marshall	369	-	-	3	85	19	30	7	3	5	5	16	8	175	136	2	2	85	47
Martin	109	-	-	2	28	6	8	2	6	1	2	3	3	47	35	-	2	27	6
Miami	298	-	-	2	58	11	21	7	4	2	3	10	2	153	126	1	5	91	29
Peru	164	-	-	2	30	4	12	3	1	1	2	7	-	89	75	-	3	50	22
Balance of county	134	-	-	-	28	7	9	4	3	1	1	3	2	64	51	1	2	41	7
Monroe	597	1	-	15	167	37	43	11	16	8	9	43	17	244	194	-	3	136	55
Bloomington	360	-	-	10	83	20	17	4	12	1	5	24	9	164	128	-	2	90	36
Balance of county	237	1	-	5	84	17	26	7	4	7	4	19	8	80	66	-	1	46	19
Montgomery	360	-	-	3	71	16	25	4	7	1	3	15	8	174	127	2	-	92	33
Crawfordsville	188	-	-	1	37	10	11	1	5	-	2	8	6	97	69	-	-	47	22
Balance of county	172	-	-	2	34	6	14	3	2	1	1	7	2	77	58	2	-	45	11
Morgan	435	1	-	7	103	22	42	3	10	3	4	19	13	185	142	2	2	107	31
Martinsville	162	-	-	3	32	6	15	2	4	1	1	3	4	76	59	1	-	44	14
Balance of county	273	1	-	4	71	16	27	1	6	2	3	16	9	109	83	1	2	63	17
Newton	140	-	-	1	38	11	13	3	3	2	1	5	2	64	48	1	-	36	11
Noble	298	-	-	2	67	16	14	13	7	7	2	8	11	141	109	-	1	77	31
Ohio	37	-	-	1	6	1	2	-	-	1	-	2	-	19	12	-	-	9	3
Orange	226	-	-	2	43	9	8	4	6	3	2	11	1	115	84	-	1	68	15
Owen	172	-	-	5	39	8	15	2	2	3	-	9	2	68	55	-	1	48	6
Parke	192	-	-	3	53	8	15	4	7	3	1	15	4	90	80	1	19	41	19
Perry	183	-	-	-	36	9	7	3	4	5	1	7	3	94	59	-	1	40	18
Pike	121	-	-	2	33	8	11	1	2	-	1	10	2	57	41	3	1	24	13
Porter	902	-	-	21	219	54	61	18	26	9	6	45	33	381	298	3	14	201	80
Portage	211	-	-	4	52	8	18	2	7	6	-	11	9	80	63	3	2	35	23
Valparaiso	288	-	-	4	72	24	19	6	7	2	4	10	16	113	84	-	4	55	25
Balance of county	403	-	-	13	95	22	24	10	12	1	2	24	8	188	151	-	8	111	32
Posey	238	-	-	4	61	13	20	7	7	4	4	6	3	100	86	-	-	61	25
Pulaski	142	-	-	-	30	6	13	5	3	-	-	3	4	71	55	-	1	38	16
Putnam	274	-	-	3	60	14	18	11	5	4	1	7	6	130	102	-	1	71	30
Randolph	299	-	-	2	83	20	19	12	13	3	5	11	6	134	117	4	2	90	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 52 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Jackson	1	25	–	5	8	20	–	5	2	–	4	3	2	31	6	8	4	–	–
Seymour	1	12	–	1	4	5	–	3	–	–	3	–	–	17	–	5	1	–	–
Balance of county	–	13	–	4	4	15	–	2	2	–	1	3	2	14	6	3	3	–	–
Jasper	2	12	3	1	5	3	–	–	2	–	–	–	2	21	12	3	3	–	–
Jay	–	17	6	5	6	7	2	1	3	–	1	–	2	19	6	–	3	–	–
Jefferson	2	23	–	3	25	15	–	3	3	–	–	–	–	32	7	8	1	1	1
Madison	2	14	–	2	14	8	–	2	1	–	–	–	–	14	2	6	1	1	1
Balance of county	–	9	–	1	11	7	–	1	2	–	–	–	–	18	5	2	–	–	–
Jennings	1	12	–	3	12	10	–	1	2	–	–	5	2	31	8	3	5	–	–
Johnson	1	49	11	5	33	41	1	7	7	–	3	6	4	70	8	9	11	2	1
Franklin	1	21	5	1	13	14	–	1	1	–	–	4	2	27	2	1	4	–	–
Greenwood	–	18	6	1	14	21	–	3	5	–	1	1	2	25	5	6	3	1	–
Balance of county	–	10	–	3	6	6	1	3	1	–	2	1	–	18	1	2	4	1	1
Knox	4	70	4	4	25	24	–	4	10	–	1	1	5	42	15	10	2	–	–
Vincennes	3	37	2	1	16	15	–	2	3	–	1	1	2	26	5	5	1	–	–
Balance of county	1	33	2	3	9	9	–	2	7	–	–	–	3	16	10	5	1	–	–
Kosciusko	2	43	2	8	8	17	3	3	7	–	3	3	5	39	14	8	4	–	1
Warsaw	–	16	–	–	4	3	2	2	3	–	–	–	1	11	2	1	1	–	–
Balance of county	2	27	2	8	4	14	1	1	4	–	3	3	4	28	12	7	3	–	1
Lagrange	–	12	–	5	4	13	2	2	6	–	1	–	–	20	8	4	3	–	–
Lake	34	301	38	33	110	171	4	68	66	–	27	35	62	411	75	109	58	96	6
Crown Point	3	25	3	1	9	14	–	–	3	–	2	1	3	32	8	3	2	–	–
East Chicago	4	26	1	2	14	8	–	11	9	–	–	7	4	27	5	6	4	11	–
Gary	14	76	11	13	25	49	1	23	20	–	10	15	23	111	17	44	12	61	6
Griffith	–	5	3	–	2	2	–	1	1	–	2	1	1	7	–	1	1	1	–
Hammond	5	51	4	7	15	41	1	14	5	–	4	1	10	82	7	25	11	8	–
Highland	2	17	–	2	–	4	–	4	3	–	1	2	2	15	3	3	4	1	–
Hobart	2	16	2	1	7	9	–	2	2	–	3	–	2	14	5	4	6	2	–
Lake Station	1	6	2	–	2	7	–	–	1	–	1	–	3	5	5	1	4	2	–
Merrillville	–	19	4	1	11	11	–	–	11	–	1	1	4	34	5	3	3	1	–
Munster	–	16	1	3	6	5	–	4	1	–	–	–	3	22	1	3	1	–	–
Schererville	1	4	2	–	3	1	–	4	1	–	–	1	–	4	1	1	2	1	–
Balance of county	2	40	5	3	16	20	2	5	9	–	3	6	7	58	18	15	8	8	–
La Porte	2	77	10	14	29	49	4	8	13	1	5	8	9	85	28	17	18	6	3
La Porte	–	24	3	5	10	10	1	3	4	–	2	1	–	32	5	1	4	–	1
Michigan City	–	33	6	4	11	19	1	3	6	1	3	2	7	36	10	10	7	5	2
Balance of county	2	20	1	5	8	20	2	2	3	–	–	5	2	17	13	6	7	1	–
Lawrence	2	41	4	10	23	11	–	–	5	–	1	–	2	43	9	7	11	2	–
Bedford	1	21	1	4	7	6	–	–	1	–	–	–	1	18	4	3	2	1	–
Balance of county	1	20	3	6	16	5	–	–	4	–	1	–	1	25	5	4	9	1	–
Madison	1	84	11	14	46	54	6	17	20	–	6	4	4	130	30	30	12	7	3
Anderson	–	55	9	9	25	33	3	10	10	–	4	3	2	70	13	21	6	4	2
Elwood, part	–	2	1	–	4	3	–	–	2	–	–	–	–	16	4	2	3	2	–
Elwood, total	–	2	1	–	4	3	–	–	2	–	–	–	–	16	4	2	3	2	–
Balance of county	1	27	1	5	17	18	3	7	8	–	2	1	2	44	13	7	3	1	1
Marion	32	419	79	84	232	326	24	72	103	2	48	81	57	766	98	130	129	118	30
Beech Grove	–	7	1	–	6	7	–	3	2	–	–	–	–	9	1	5	2	2	–
Indianapolis	31	399	77	81	218	302	23	68	99	2	45	81	57	728	96	122	120	112	28
Lawrence	–	–	–	–	2	–	–	–	–	–	–	–	–	3	–	–	1	2	1
Speedway	1	5	–	2	3	7	1	–	1	–	–	–	–	16	–	2	2	1	1
Balance of county	–	8	1	1	3	10	–	1	1	–	3	–	–	10	1	1	4	1	–
Marshall	3	29	2	5	11	7	1	3	6	–	2	2	1	41	10	9	3	2	–
Martin	–	8	–	4	4	6	–	–	1	–	–	–	–	11	3	2	2	–	–
Miami	–	20	5	2	9	14	–	1	7	–	2	1	3	27	9	4	4	–	2
Peru	–	11	3	–	7	5	–	–	5	–	–	–	2	15	4	1	2	–	2
Balance of county	–	9	2	2	2	9	–	1	2	–	2	1	1	12	5	3	2	–	–
Monroe	1	33	6	10	20	25	1	2	7	–	3	3	2	43	21	14	10	2	–
Bloomington	1	25	4	6	14	13	–	1	5	–	2	1	1	29	11	8	8	1	–
Balance of county	–	8	2	4	6	12	1	1	2	–	1	2	1	14	10	6	2	1	–
Montgomery	–	36	5	6	17	20	–	2	5	–	2	1	4	37	4	9	2	1	–
Crawfordsville	–	21	4	3	8	9	–	2	4	–	–	–	2	18	1	3	–	–	–
Balance of county	–	15	1	3	9	11	–	–	1	–	2	1	2	19	3	6	2	1	–
Morgan	2	22	8	11	12	20	3	6	5	–	2	2	3	34	13	14	8	4	–
Martinsville	–	11	5	1	5	11	1	1	1	–	1	1	–	17	2	3	3	1	–
Balance of county	2	11	3	10	7	9	2	5	4	–	1	1	3	17	11	11	5	3	–
Newton	1	13	2	–	3	4	–	1	2	–	2	–	1	13	5	3	1	–	–
Noble	2	26	1	3	9	16	1	4	3	1	1	1	3	22	10	4	2	–	–
Ohio	–	5	1	1	4	1	–	–	–	–	–	–	–	3	–	1	1	–	1
Orange	–	26	3	2	8	10	1	1	9	–	–	1	1	18	6	5	2	2	1
Owen	–	11	1	1	7	6	1	1	1	–	–	–	3	24	6	5	2	1	1
Parke	–	6	1	3	6	4	1	–	1	–	4	–	1	11	7	3	4	–	–
Perry	–	15	15	5	8	4	–	5	2	–	–	–	1	13	5	6	6	–	–
Pike	–	13	2	1	2	2	–	1	2	–	–	–	1	8	5	3	2	1	–
Porter	8	53	14	8	39	44	2	4	10	–	5	7	7	84	22	18	6	–	–
Portage	2	10	2	3	7	10	1	2	2	–	–	1	3	23	8	6	2	–	–
Valparaiso	2	20	4	3	18	14	1	1	5	–	2	2	1	31	4	4	–	–	–
Balance of county	4	23	8	2	14	20	–	1	3	–	3	4	3	30	9	8	4	–	–
Posey	1	13	–	–	11	4	–	–	2	–	–	2	–	29	7	8	4	2	1
Pulaski	1	11	1	3	5	3	–	1	3	–	–	1	2	14	5	1	2	–	–
Putnam	1	18	3	6	12	19	–	–	4	–	3	–	1	22	6	4	2	2	–
Randolph	2	10	3	2	17	9	2	1	1	–	1	1	4	25	6	5	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 53 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	240	–	–	3	43	11	14	1	2	2	2	11	10	110	82	–	1	49	32
Rush	190	–	–	3	41	12	10	5	5	–	2	7	6	97	79	–	2	67	10
St. Joseph	2,249	1	–	28	545	138	153	49	63	38	12	92	69	962	730	5	22	532	171
Mishawaka	408	–	–	4	97	19	37	5	13	6	–	17	13	186	145	2	5	115	23
South Bend	1,207	–	–	16	286	77	76	30	36	19	7	41	41	508	375	1	13	262	99
Balance of county	634	1	–	8	162	42	40	14	14	13	5	34	15	268	210	2	4	155	49
Scott	211	–	–	3	51	13	18	4	5	3	–	8	5	89	75	1	–	52	22
Shelby	406	–	–	7	78	16	22	7	10	6	1	16	12	184	134	5	6	89	34
Shelbyville	191	–	–	4	30	9	7	4	2	1	–	7	4	98	70	5	1	49	15
Balance of county	215	–	–	3	48	7	15	3	8	5	1	9	8	86	64	–	5	40	19
Spencer	178	–	–	1	38	10	13	2	3	1	2	7	10	87	70	–	1	43	26
Starke	258	–	–	3	55	14	12	2	9	2	3	13	3	118	88	2	–	62	24
Steuben	231	–	–	4	60	12	19	8	6	–	2	13	–	97	76	1	1	49	25
Sullivan	263	–	–	2	51	12	15	7	2	1	3	11	6	119	95	–	2	58	35
Switzerland	72	1	–	1	14	4	5	–	2	1	–	2	2	31	25	–	1	20	4
Tippecanoe	955	1	–	12	236	55	71	23	25	8	9	45	21	393	293	1	4	218	70
Lafayette	514	–	–	7	141	36	45	13	12	2	3	30	9	185	132	1	–	97	34
West Lafayette	137	1	–	3	34	5	9	2	6	1	3	8	1	57	44	–	–	38	6
Balance of county	304	–	–	2	61	14	17	8	7	5	3	7	11	151	117	–	4	83	30
Tipton	157	–	–	1	28	3	11	7	1	2	–	4	3	81	65	1	–	47	17
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	157	–	–	1	28	3	11	7	1	2	–	4	3	81	65	1	–	47	17
Union	63	–	–	–	12	3	3	1	1	–	3	1	4	28	18	–	2	9	7
Vanderburgh	1,758	1	–	35	440	95	158	34	46	20	11	76	35	761	612	6	9	423	174
Evansville	1,605	1	–	34	392	89	140	30	42	18	9	64	32	694	563	6	9	383	165
Balance of county	153	–	–	1	48	6	18	4	4	2	2	12	3	67	49	–	–	40	9
Vermillion	207	–	–	1	55	14	19	3	4	5	1	9	8	98	83	–	2	60	21
Vigo	1,118	–	–	31	262	66	85	20	22	15	11	43	23	525	399	4	7	280	108
Terre Haute	796	–	–	23	170	43	56	16	13	9	6	27	15	378	282	1	5	192	84
Balance of county	322	–	–	8	92	23	29	4	9	6	5	16	8	147	117	3	2	88	24
Wabash	381	–	–	5	82	16	27	6	16	4	3	10	15	152	105	–	2	76	27
Wabash	183	–	–	5	40	5	16	3	8	3	–	5	9	69	48	–	1	31	16
Balance of county	198	–	–	–	42	11	11	3	8	1	3	5	6	83	57	–	1	45	11
Warren	85	–	–	1	23	6	7	2	1	1	3	3	2	34	27	–	–	20	7
Warrick	305	–	–	4	77	24	21	4	10	4	5	9	10	134	103	–	1	71	31
Washington	251	1	–	–	47	7	17	2	5	3	4	9	7	128	106	3	–	81	22
Wayne	753	–	–	9	169	34	52	22	16	4	6	35	26	350	290	2	19	193	76
Richmond	527	–	–	9	110	22	36	12	12	3	4	21	18	243	199	1	13	131	54
Balance of county	226	–	–	–	59	12	16	10	4	1	2	14	8	107	91	1	6	62	22
Wells	205	–	–	2	42	10	7	5	7	1	2	10	5	102	71	2	–	54	15
White	247	–	–	2	56	7	18	3	8	2	2	16	8	113	87	–	2	59	26
Whitley	239	–	–	3	54	8	17	3	6	2	2	16	9	113	86	1	2	61	22
Iowa	27,353	8	–	346	6,360	1,499	1,732	557	821	305	248	1,198	546	12,614	9,663	74	230	6,590	2,769
Urban places	11,214	5	–	177	2,648	592	817	221	296	142	99	481	214	4,986	3,855	32	134	2,384	1,305
Balance of area	16,139	3	–	169	3,712	907	915	336	525	163	149	717	332	7,628	5,808	42	96	4,206	1,464
Metropolitan counties	9,946	3	–	150	2,456	525	721	202	312	134	89	473	207	4,330	3,362	32	115	2,103	1,112
Urban places	7,698	3	–	127	1,874	398	571	159	223	106	65	352	157	3,376	2,617	24	99	1,605	889
Balance of area	2,248	–	–	23	582	127	150	43	89	28	24	121	50	954	745	8	16	498	223
Nonmetropolitan counties	17,407	5	–	196	3,904	974	1,011	355	509	171	159	725	339	8,284	6,301	42	115	4,487	1,657
Urban places	3,516	2	–	50	774	194	246	62	73	36	34	129	57	1,610	1,238	8	35	779	416
Balance of area	13,891	3	–	146	3,130	780	765	293	436	135	125	596	282	6,674	5,063	34	80	3,708	1,241
Adair	111	–	–	1	25	9	7	2	1	–	1	5	1	49	40	–	–	29	11
Adams	63	–	–	–	12	5	2	–	2	–	–	3	–	38	29	–	1	28	–
Allamakee	164	–	–	1	31	7	8	5	4	–	2	5	3	84	64	1	–	52	11
Appanoose	197	–	–	4	43	9	12	5	6	2	1	8	–	106	83	1	–	68	14
Audubon	98	–	–	–	15	6	1	2	2	1	–	3	1	47	35	–	–	26	9
Benton	222	–	–	3	58	16	15	5	7	4	1	10	1	93	69	–	3	60	6
Black Hawk	1,124	1	–	19	295	63	83	24	37	18	12	58	28	481	352	1	5	263	83
Cedar Falls	245	–	–	3	65	18	12	7	10	3	2	13	3	105	76	–	–	59	17
Waterloo	732	1	–	15	184	34	61	14	21	10	8	36	19	323	236	1	4	178	53
Balance of county	147	–	–	1	46	11	10	3	6	5	2	9	6	53	40	–	1	26	13
Boone	280	–	–	2	63	20	24	6	5	2	1	5	5	149	109	1	1	90	17
Boone	155	–	–	–	29	12	10	1	2	1	1	2	2	89	63	–	–	51	12
Balance of county	125	–	–	2	34	8	14	5	3	1	–	3	3	60	46	1	1	39	5
Bremer	214	–	–	–	51	17	8	3	10	4	2	7	1	107	78	1	1	61	15
Buchanan	179	–	–	3	54	14	13	4	9	1	3	10	6	70	60	–	–	46	14
Buena Vista	200	–	–	2	42	10	13	2	5	1	2	9	3	115	95	–	3	68	24
Butler	176	–	–	3	32	12	6	3	3	–	2	6	1	94	70	–	2	50	18
Calhoun	171	–	–	3	36	8	12	4	6	2	1	3	3	86	57	1	–	44	12
Carroll	218	–	–	2	51	14	11	5	6	2	1	12	–	101	74	1	1	53	19
Cass	214	–	–	3	64	13	17	3	14	1	4	12	6	92	58	–	1	39	18
Cedar	149	–	–	2	37	8	9	6	3	1	1	9	2	48	38	–	–	33	5
Cerro Gordo	458	–	–	8	121	27	45	10	11	4	2	22	8	200	151	1	1	104	45
Mason City	287	–	–	2	83	19	34	6	6	3	1	14	4	119	88	–	1	64	23
Balance of county	171	–	–	6	38	8	11	4	5	1	1	8	4	81	63	1	–	40	22
Cherokee	166	–	–	1	31	6	7	8	5	1	1	3	4	92	72	–	2	55	15
Chickasaw	159	–	–	2	39	9	5	7	7	1	1	9	3	82	72	1	–	58	13
Clarke	113	–	–	1	20	2	6	2	2	–	1	7	1	61	52	1	–	36	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 54 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Ripley	1	20	4	3	14	6	–	–	3	–	2	3	2	26	11	3	2	2	–
Rush	1	7	6	4	3	8	–	1	2	–	2	–	–	17	2	4	4	–	–
St. Joseph	14	169	23	26	97	76	4	17	28	–	17	16	18	240	40	47	28	16	–
Mishawaka	3	33	2	3	14	18	–	5	7	–	3	1	–	39	6	11	3	1	–
South Bend	8	95	13	17	57	36	3	9	16	–	8	10	11	143	17	24	11	11	–
Balance of county	3	41	8	6	26	22	1	3	5	–	6	5	7	58	17	12	14	4	–
Scott	–	13	–	1	7	13	1	2	5	–	–	3	2	19	5	4	–	2	–
Shelby	1	33	12	4	28	26	–	1	2	–	4	2	–	34	11	9	8	–	–
Shelbyville	–	17	7	4	13	12	–	1	1	–	2	–	–	17	4	3	2	–	–
Balance of county	1	16	5	–	15	14	–	–	1	–	2	2	–	17	7	6	6	–	–
Spencer	–	13	1	3	1	7	1	2	2	–	1	3	–	13	7	2	2	–	1
Starke	3	22	1	4	19	17	1	3	4	–	–	1	2	15	9	4	3	1	–
Steuben	3	16	1	1	4	11	–	2	5	–	1	–	1	22	12	6	4	2	–
Sullivan	–	22	–	2	15	16	2	2	6	–	4	–	2	26	9	2	1	–	–
Switzerland	–	6	–	–	3	2	1	–	–	–	–	2	–	9	3	2	1	–	–
Tippecanoe	5	76	9	10	38	56	6	14	5	–	2	6	8	95	20	23	16	2	1
Lafayette	3	44	3	3	20	30	4	9	3	–	2	6	6	55	12	14	9	1	1
West Lafayette	1	8	2	2	6	7	1	3	2	–	–	–	–	12	2	4	3	1	–
Balance of county	1	24	4	5	12	19	1	2	–	–	–	–	2	28	6	5	4	–	–
Tipton	–	15	–	1	1	5	–	1	2	–	1	–	2	23	3	3	2	1	–
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	15	–	1	1	5	–	1	2	–	1	–	2	23	3	3	2	1	–
Union	1	6	2	1	3	4	1	–	–	–	–	–	2	5	1	–	3	–	–
Vanderburgh	7	110	14	18	74	75	6	20	17	–	12	10	8	170	17	37	27	12	1
Evansville	7	98	13	13	70	70	5	20	17	–	11	8	8	158	15	34	24	11	1
Balance of county	–	12	1	5	4	5	1	–	–	–	1	2	–	12	2	3	3	1	–
Vermillion	–	12	–	3	8	5	–	3	–	–	3	–	2	12	5	6	1	–	–
Vigo	5	92	17	12	36	43	2	12	18	–	8	7	5	82	16	22	16	8	2
Terre Haute	5	68	14	9	25	36	2	11	12	–	7	7	4	62	11	14	12	5	2
Balance of county	–	24	3	3	11	7	–	1	6	–	1	–	1	20	5	8	4	3	–
Wabash	–	38	4	5	17	15	2	2	5	–	7	–	6	49	12	8	4	–	–
Wabash	–	17	1	3	11	9	1	2	–	–	5	–	3	20	7	1	1	–	–
Balance of county	–	21	3	2	6	6	1	–	5	–	2	–	3	29	5	7	3	–	–
Warren	–	5	1	1	–	1	–	1	1	–	–	–	2	10	5	3	2	–	–
Warrick	1	27	1	2	13	8	–	2	–	–	1	–	5	33	9	2	5	1	1
Washington	2	16	–	4	10	9	–	2	–	–	–	–	2	19	11	8	5	1	1
Wayne	5	40	9	6	23	38	2	6	12	–	3	6	2	71	9	17	7	2	1
Richmond	3	30	9	2	17	31	2	5	11	–	–	6	1	52	5	11	4	1	1
Balance of county	2	10	–	4	6	7	–	1	1	–	3	–	1	19	4	6	3	1	–
Wells	–	29	–	2	3	3	–	–	1	–	2	–	–	31	7	5	2	–	–
White	1	16	6	3	8	11	–	3	1	–	2	1	5	12	12	9	2	2	–
Whitley	2	21	2	2	6	12	–	1	4	–	–	–	–	21	10	1	3	2	–
Iowa	130	2,093	385	343	1,230	1,198	106	172	184	2	137	101	197	2,613	503	600	335	76	25
Urban places	53	837	101	140	482	549	45	85	69	1	60	49	78	1,133	163	257	143	55	15
Balance of area	77	1,256	284	203	748	649	61	87	115	1	77	52	119	1,480	340	343	192	21	10
Metropolitan counties	48	706	98	116	377	493	44	82	60	1	63	54	63	961	152	229	157	49	15
Urban places	37	560	69	93	293	385	34	68	41	–	45	38	50	758	102	181	110	41	15
Balance of area	11	146	29	23	84	108	10	14	19	1	18	16	13	203	50	48	47	8	–
Nonmetropolitan counties	82	1,387	287	227	853	705	62	90	124	1	74	47	134	1,652	351	371	178	27	10
Urban places	16	277	32	47	189	164	11	17	28	1	15	11	28	375	61	76	33	14	–
Balance of area	66	1,110	255	180	664	541	51	73	96	–	59	36	106	1,277	290	295	145	13	10
Adair	1	4	2	2	11	2	1	2	–	–	–	–	2	5	2	6	3	–	1
Adams	2	7	–	–	2	2	–	2	–	–	–	–	–	3	2	2	–	–	–
Allamakee	1	15	3	1	6	2	–	–	1	–	1	–	3	26	2	3	1	–	–
Appanoose	2	12	5	4	14	4	–	3	4	–	1	3	1	10	–	2	2	–	–
Audubon	–	8	2	2	4	9	–	–	–	–	–	–	2	12	4	2	2	–	–
Benton	1	23	–	–	13	11	1	2	1	–	–	–	1	21	8	4	3	–	2
Black Hawk	9	98	8	14	19	59	9	12	11	–	5	5	9	111	16	24	12	5	3
Cedar Falls	2	23	2	2	4	14	4	2	4	–	–	–	2	28	4	2	4	–	1
Waterloo	6	66	5	10	12	33	5	9	5	–	3	3	5	74	8	21	6	4	2
Balance of county	1	9	1	2	3	12	–	1	2	–	2	2	2	9	4	1	2	1	–
Boone	2	31	4	3	16	10	–	1	3	–	–	1	–	18	1	7	4	–	–
Boone	–	21	2	3	9	6	–	–	1	–	–	1	–	12	–	4	2	–	–
Balance of county	2	10	2	–	7	4	–	1	2	–	–	–	–	6	1	3	2	–	–
Bremer	–	20	6	3	4	8	–	3	3	–	–	–	–	25	6	5	1	–	–
Buchanan	–	9	–	1	11	8	1	–	–	–	–	–	3	16	2	2	3	–	–
Buena Vista	–	13	6	1	6	7	–	2	1	–	–	–	2	14	4	–	2	–	–
Butler	1	17	2	4	5	9	–	1	1	–	1	1	1	22	3	1	1	–	–
Calhoun	–	14	12	3	9	5	2	–	1	–	–	1	1	13	3	6	2	–	–
Carroll	4	16	3	4	15	12	1	3	–	–	1	–	2	16	7	3	3	–	1
Cass	–	24	8	2	4	11	1	1	2	–	–	1	2	16	2	6	2	1	–
Cedar	–	7	2	1	15	8	1	1	–	–	1	2	5	15	7	–	4	1	–
Cerro Gordo	2	37	5	5	17	22	1	5	3	–	2	1	1	45	6	12	5	1	–
Mason City	2	23	2	4	14	14	–	3	2	–	2	–	1	28	3	8	4	–	–
Balance of county	–	14	3	1	3	8	1	2	1	–	–	1	–	17	3	4	1	1	–
Cherokee	–	12	7	1	7	4	1	1	1	–	1	–	–	10	5	4	4	–	–
Chickasaw	–	7	1	2	4	5	–	1	2	–	1	–	1	8	6	4	1	–	–
Clarke	–	7	–	2	6	4	–	–	1	–	2	–	–	9	3	3	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 55 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	184	-	-	-	41	12	9	4	2	3	-	11	4	89	71	-	-	56	15
Spencer	127	-	-	-	27	6	7	3	2	-	-	9	4	60	48	-	-	40	8
Balance of county	57	-	-	-	14	6	2	1	-	3	-	2	-	29	23	-	-	16	7
Clayton	238	-	-	1	49	13	9	5	6	2	5	9	3	111	77	1	2	60	14
Clinton	540	-	-	4	144	32	43	14	11	5	10	29	8	253	190	2	3	131	54
Clinton	345	-	-	4	87	23	23	8	7	4	8	14	7	169	132	1	2	89	40
Balance of county	195	-	-	-	57	9	20	6	4	1	2	15	1	84	58	1	1	42	14
Crawford	156	-	-	2	45	12	15	1	4	4	3	6	5	67	57	-	-	36	21
Dallas	280	-	-	3	55	13	19	4	7	2	2	8	7	121	94	-	-	62	32
Davis	102	-	-	2	13	4	2	1	4	-	-	2	-	66	54	1	-	46	7
Decatur	135	1	-	-	30	5	9	2	7	1	2	4	3	57	43	-	-	19	24
Delaware	144	-	-	1	33	11	9	1	4	1	1	6	5	64	44	-	1	35	8
Des Moines	474	-	-	13	115	35	33	8	9	4	7	19	7	208	170	2	2	113	53
Burlington	339	-	-	11	79	23	24	5	6	4	4	13	2	149	124	2	1	78	43
Balance of county	135	-	-	2	36	12	9	3	3	-	3	6	5	59	46	-	1	35	10
Dickinson	163	-	-	2	38	5	15	4	4	2	4	4	4	89	66	-	2	58	6
Dubuque	843	-	-	8	190	36	65	18	22	8	10	31	21	389	302	3	5	201	93
Dubuque	656	-	-	8	149	29	51	16	16	7	8	22	14	298	230	2	4	149	75
Balance of county	187	-	-	-	41	7	14	2	6	1	2	9	7	91	72	1	1	52	18
Emmet	130	-	-	1	26	6	4	3	4	3	-	6	7	65	52	-	1	41	10
Fayette	265	-	-	2	65	14	18	6	8	4	3	12	4	127	98	-	-	61	37
Floyd	214	-	-	3	46	13	10	6	8	-	2	7	1	108	74	1	1	59	13
Franklin	129	-	-	2	27	5	7	2	1	1	3	8	2	64	49	1	-	27	21
Fremont	104	-	-	-	27	9	4	1	7	1	1	4	-	42	34	-	1	27	6
Greene	143	-	-	1	28	7	6	1	4	-	1	9	3	85	61	-	-	55	6
Grundy	134	-	-	-	34	5	8	3	7	1	1	9	3	66	45	-	3	32	10
Guthrie	133	-	-	1	24	6	5	3	4	1	2	3	4	80	39	-	-	31	8
Hamilton	186	-	-	3	42	13	5	3	3	3	4	11	8	91	76	-	-	55	21
Hancock	115	-	-	1	28	9	6	2	1	2	2	6	1	57	42	1	-	36	5
Hardin	240	-	-	2	43	14	8	3	4	3	1	10	5	125	93	1	-	74	18
Harrison	203	-	-	4	44	12	13	-	6	-	1	12	5	98	91	1	-	47	43
Henry	215	-	-	2	40	9	8	2	5	4	2	10	1	109	91	-	2	67	22
Howard	118	-	-	1	31	8	8	-	5	3	1	6	3	50	42	-	-	36	6
Humboldt	129	-	-	1	30	5	8	2	3	3	2	7	1	69	53	-	-	26	27
Ida	117	-	-	-	28	7	7	2	5	5	-	2	4	54	49	1	-	47	1
Iowa	155	-	-	3	32	11	5	3	5	3	-	5	6	75	44	-	1	38	5
Jackson	243	-	-	2	55	13	12	6	11	3	5	5	6	110	78	-	2	59	17
Jasper	375	-	-	9	106	21	38	13	12	3	1	18	6	155	133	1	2	89	41
Newton	208	-	-	5	67	12	27	8	6	3	-	11	5	82	69	-	2	47	20
Balance of county	167	-	-	4	39	9	11	5	6	-	1	7	1	73	64	1	-	42	21
Jefferson	173	-	-	-	35	7	10	6	4	1	1	6	5	81	51	-	-	45	6
Johnson	452	-	-	7	102	16	26	9	13	6	5	27	11	171	130	3	2	105	20
Iowa City	258	-	-	4	59	8	17	3	8	4	3	16	7	104	81	2	2	63	14
Balance of county	194	-	-	3	43	8	9	6	5	2	2	11	4	67	49	1	-	42	6
Jones	202	-	-	2	46	9	14	3	7	2	-	11	3	108	76	1	2	57	16
Keokuk	138	-	-	1	31	10	7	1	6	1	1	5	3	62	49	-	-	42	7
Kossuth	207	-	-	1	48	12	11	3	8	1	1	12	3	104	78	-	-	58	20
Lee	455	-	-	5	108	31	37	8	9	7	3	13	7	206	162	2	1	85	74
Fort Madison	161	-	-	1	32	10	12	-	4	3	2	1	-	91	75	-	-	41	34
Keokuk	163	-	-	2	49	15	16	6	3	3	-	6	4	59	40	-	1	17	22
Balance of county	131	-	-	2	27	6	9	2	2	1	1	6	3	56	47	2	-	27	18
Linn	1,276	2	-	21	310	76	80	25	47	17	10	55	23	525	410	3	35	253	119
Cedar Rapids	904	1	-	18	207	53	56	13	25	13	5	42	17	373	286	3	30	182	71
Marion	161	1	-	1	32	6	11	2	7	-	2	4	2	73	58	-	-	29	29
Balance of county	211	-	-	2	71	17	13	10	15	4	3	9	4	79	66	-	5	42	19
Louisa	100	-	-	2	27	8	5	4	1	2	1	6	1	50	37	-	-	18	19
Lucas	122	-	-	-	28	8	9	2	4	-	-	5	3	61	43	-	-	35	8
Lyon	141	-	-	3	45	6	14	5	10	4	-	6	4	58	46	-	-	40	6
Madison	150	-	-	1	32	8	10	3	6	1	-	4	3	70	50	-	3	35	12
Mahaska	225	-	-	1	42	11	11	5	8	1	-	6	5	118	88	2	4	65	17
Oskaloosa	150	-	-	1	22	4	5	3	4	1	-	5	4	86	66	1	-	51	14
Balance of county	75	-	-	-	20	7	6	2	4	-	-	1	1	32	22	1	4	14	3
Marion	302	-	-	3	67	18	19	3	7	2	4	14	9	120	86	-	-	66	20
Marshall	506	2	-	10	98	20	27	8	17	7	2	17	11	213	152	1	16	80	55
Marshalltown	373	2	-	8	66	13	19	6	14	5	2	7	8	160	114	1	13	63	37
Balance of county	133	-	-	2	32	7	8	2	3	2	-	10	3	53	38	-	3	17	18
Mills	129	-	-	2	29	9	6	2	5	1	-	6	2	54	44	-	-	40	4
Mitchell	136	-	-	1	24	3	10	-	3	-	2	6	3	75	53	-	1	35	17
Monona	147	-	-	2	32	14	7	-	5	2	-	4	3	70	53	-	1	32	20
Monroe	110	-	-	-	20	5	8	2	3	-	1	1	3	58	48	1	2	41	4
Montgomery	178	-	-	2	39	11	7	3	5	2	3	8	3	81	56	-	-	46	10
Muscatine	391	-	-	7	73	17	21	8	8	-	2	17	8	180	137	-	10	68	59
Muscatine	255	-	-	4	46	8	15	3	7	-	2	11	6	118	86	-	7	38	41
Balance of county	136	-	-	3	27	9	6	5	1	-	-	6	2	62	51	-	3	30	18
O'Brien	205	-	-	-	44	15	7	3	8	5	2	4	5	91	72	-	-	56	16
Osceola	90	-	-	-	22	6	3	4	4	1	2	2	1	53	48	-	-	20	28
Page	236	-	-	1	44	6	12	4	5	3	3	11	9	103	86	1	1	58	26
Palo Alto	144	-	-	2	38	11	7	4	6	1	1	8	2	77	53	-	1	41	11
Plymouth	225	-	-	2	58	17	12	10	8	2	1	8	5	110	81	-	1	69	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 56 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	2	11	3	2	8	11	–	2	1	–	–	–	4	17	6	1	–	–	–
Spencer	2	8	2	–	5	7	–	2	1	–	–	–	4	15	1	1	–	–	–
Balance of county	–	3	1	2	3	4	–	–	–	–	–	–	–	2	5	–	–	–	–
Clayton	1	22	6	5	12	3	–	3	1	–	1	1	1	34	6	6	5	–	1
Clinton	–	49	4	10	25	29	4	1	6	–	1	2	1	42	11	7	2	–	–
Clinton	–	30	–	7	14	19	3	–	4	–	1	1	–	31	3	2	–	–	–
Balance of county	–	19	4	3	11	10	1	1	2	–	–	1	1	11	8	5	2	–	–
Crawford	–	7	2	1	3	5	1	1	1	–	1	–	1	16	4	2	2	–	–
Dallas	2	15	8	2	17	14	2	–	4	–	–	3	3	25	9	4	10	3	–
Davis	–	7	5	–	6	1	–	1	–	–	–	–	–	8	2	3	–	–	–
Decatur	–	11	1	2	7	7	1	–	–	–	–	–	1	16	3	6	2	–	1
Delaware	–	17	1	2	10	5	–	2	–	–	–	–	2	8	4	5	5	–	–
Des Moines	2	24	3	9	20	24	–	4	2	1	–	1	13	34	10	12	8	2	–
Burlington	–	17	2	6	15	20	–	1	2	1	–	1	9	27	7	8	5	2	–
Balance of county	2	7	1	3	5	4	–	3	–	–	–	–	4	7	3	4	3	–	–
Dickinson	–	18	3	2	4	5	1	–	2	–	–	–	–	12	3	2	1	–	–
Dubuque	2	77	5	3	47	33	1	8	5	–	5	4	–	91	9	17	11	3	1
Dubuque	2	61	4	1	43	28	–	4	3	–	4	3	–	75	5	11	7	3	1
Balance of county	–	16	1	2	4	5	1	4	2	–	1	1	–	16	4	6	4	–	–
Emmet	1	11	1	–	4	5	–	–	1	–	–	–	–	13	5	2	1	–	–
Fayette	–	20	6	3	17	6	2	2	2	–	1	2	2	17	7	4	4	–	1
Floyd	1	22	8	3	13	9	–	1	1	–	–	1	–	21	3	4	3	–	–
Franklin	–	10	3	2	6	4	–	1	–	–	1	–	1	16	1	3	–	1	–
Fremont	–	6	2	–	7	3	–	–	2	–	–	–	–	17	1	4	1	–	–
Greene	–	18	4	2	2	4	–	1	–	–	2	–	–	11	–	6	–	–	–
Grundy	1	15	2	3	5	5	1	1	1	–	–	–	–	10	3	4	1	–	–
Guthrie	1	11	28	1	2	5	–	1	–	–	2	1	–	9	1	3	–	–	–
Hamilton	1	10	3	1	4	8	2	1	1	–	1	–	1	17	1	1	5	–	–
Hancock	1	10	1	3	8	4	–	1	–	–	–	–	–	10	2	1	2	–	–
Hardin	4	23	2	3	14	8	–	1	3	–	1	1	–	27	3	6	–	–	1
Harrison	–	5	–	2	5	8	3	1	–	–	–	1	1	17	7	6	3	–	–
Henry	–	16	1	1	8	9	–	1	3	–	1	–	2	26	11	–	2	–	–
Howard	–	7	–	1	7	2	–	–	3	–	–	–	1	15	1	3	1	–	–
Humboldt	–	11	5	–	5	4	–	–	–	–	–	1	1	14	1	2	–	–	–
Ida	1	3	–	1	5	8	1	–	–	–	–	–	1	14	–	1	1	–	–
Iowa	–	25	3	3	7	1	1	2	–	–	–	–	2	17	2	3	4	–	–
Jackson	1	22	8	1	18	9	2	1	1	–	2	–	2	22	8	2	3	–	–
Jasper	–	11	9	2	15	13	2	1	6	–	2	1	1	37	1	13	7	–	–
Newton	–	7	6	–	6	9	1	1	5	–	2	–	–	18	–	2	5	–	–
Balance of county	–	4	3	2	9	4	1	–	1	–	–	1	1	19	1	11	2	–	–
Jefferson	2	17	8	3	8	11	1	–	1	–	2	–	6	13	6	2	1	1	–
Johnson	4	26	6	5	21	19	2	6	3	–	4	2	7	58	11	11	10	7	–
Iowa City	2	17	1	3	9	12	1	3	2	–	1	1	3	30	6	4	6	6	–
Balance of county	2	9	5	2	12	7	1	3	1	–	3	1	4	28	5	7	4	1	–
Jones	3	18	4	7	10	6	2	3	–	–	–	–	–	17	2	1	1	–	1
Keokuk	–	12	–	1	6	8	–	–	1	–	1	1	3	16	2	2	1	–	–
Kossuth	2	16	7	1	5	16	–	2	1	–	2	–	1	18	1	5	–	–	–
Lee	2	31	2	9	24	16	–	–	4	–	2	2	4	45	16	5	6	5	–
Fort Madison	–	10	1	5	4	4	–	–	1	–	–	1	2	16	5	1	3	–	–
Keokuk	2	15	–	2	7	8	–	–	1	–	–	1	2	15	7	1	2	5	–
Balance of county	–	6	1	2	13	4	–	–	2	–	2	–	–	14	4	3	1	–	–
Linn	7	78	18	12	48	71	5	11	5	–	4	6	11	149	23	29	25	5	3
Cedar Rapids	5	60	15	7	38	53	5	9	4	–	3	3	7	110	14	17	18	4	3
Marion	–	12	2	1	5	11	–	1	1	–	–	–	3	19	4	5	2	1	–
Balance of county	2	6	1	4	5	7	–	1	–	–	1	3	1	20	5	7	5	–	–
Louisa	1	7	1	4	5	4	–	–	1	–	1	–	–	6	1	1	1	–	–
Lucas	1	13	3	1	3	3	–	1	2	–	–	–	2	10	2	5	1	1	–
Lyon	–	10	1	1	3	5	–	–	2	–	1	–	–	15	2	2	1	–	–
Madison	1	11	5	3	7	7	–	–	3	–	–	–	2	17	4	4	–	–	–
Mahaska	–	23	4	3	8	7	2	–	–	–	1	–	2	20	6	12	–	1	–
Oskaloosa	–	17	1	2	5	6	2	–	–	–	–	–	–	12	4	7	–	1	–
Balance of county	–	6	3	1	3	1	–	–	–	–	1	–	2	8	2	5	–	–	–
Marion	–	28	2	4	18	16	–	1	5	–	2	1	1	44	4	9	2	–	–
Marshall	3	43	10	5	18	23	2	3	4	–	3	2	3	83	17	10	4	–	–
Marshalltown	3	32	7	4	13	19	1	2	3	–	1	1	1	71	7	7	3	–	–
Balance of county	–	11	3	1	5	4	1	1	1	–	2	1	2	12	10	3	1	–	–
Mills	–	8	–	2	7	12	1	–	1	–	–	–	1	13	3	3	1	–	–
Mitchell	3	14	3	2	7	5	–	–	1	–	1	–	1	15	–	1	2	–	–
Monona	2	12	–	3	16	4	1	–	1	–	–	1	1	12	2	2	–	–	–
Monroe	1	8	–	1	6	4	1	1	2	–	–	–	–	11	1	3	–	–	–
Montgomery	–	18	1	6	11	7	2	–	–	–	1	3	–	19	3	7	–	–	–
Muscatine	2	32	5	4	34	13	2	2	1	–	2	4	4	34	10	13	4	–	–
Muscatine	1	27	3	1	27	10	2	1	1	–	2	3	2	17	6	8	2	–	–
Balance of county	1	5	2	3	7	3	–	1	–	–	–	1	2	17	4	5	2	–	–
O'Brien	2	15	–	2	11	6	1	2	–	–	1	2	1	26	3	8	3	1	–
Osceola	–	5	–	–	6	5	–	–	–	–	–	–	–	2	–	–	1	–	–
Page	–	15	–	2	11	17	1	–	3	–	1	–	10	26	3	3	3	1	–
Palo Alto	2	15	5	2	5	3	1	–	–	–	–	–	–	9	5	2	–	–	–
Plymouth	2	23	3	1	9	12	1	1	–	–	2	1	2	15	2	2	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 57 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases ‡	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	132	–	–	–	31	10	6	9	1	–	–	5	–	66	45	–	3	34	8
Polk	2,626	–	–	48	676	132	226	52	81	29	20	136	50	1,112	889	9	35	360	485
Ankeny	88	–	–	2	14	3	6	2	2	1	–	–	3	35	31	1	3	17	10
Des Moines	1,650	–	–	33	473	92	161	41	50	18	16	95	35	788	630	5	23	248	354
Urbandale	104	–	–	2	38	9	15	1	2	2	1	8	1	36	27	–	3	12	12
West Des Moines	220	–	–	5	54	11	13	4	12	2	1	11	3	103	79	–	1	30	48
Balance of county	364	–	–	6	97	17	31	4	15	6	2	22	8	150	122	3	5	53	61
Pottawattamie	755	–	–	6	177	41	49	12	17	13	11	34	17	364	303	–	1	192	110
Council Bluffs	551	–	–	5	131	31	36	11	10	13	7	23	12	259	219	–	1	138	80
Balance of county	204	–	–	1	46	10	13	1	7	–	4	11	5	105	84	–	–	54	30
Poweshiek	171	–	–	3	40	10	8	1	6	3	2	10	5	71	49	–	–	35	14
Ringgold	74	–	–	–	16	1	5	3	2	2	–	3	5	39	34	–	1	14	19
Sac	145	–	–	–	36	14	9	2	4	1	1	5	3	75	58	1	1	46	10
Scott	1,175	–	–	14	311	66	93	29	42	23	7	51	21	549	406	5	13	323	65
Bettendorf	196	–	–	3	58	12	18	3	9	7	1	8	3	88	63	3	1	53	6
Davenport	847	–	–	10	210	43	64	19	27	16	4	37	18	406	299	2	11	236	50
Balance of county	132	–	–	1	43	11	11	7	6	–	2	6	–	55	44	–	1	34	9
Shelby	153	–	–	–	34	10	7	4	5	1	–	7	3	77	60	–	1	26	33
Sioux	218	–	–	3	53	15	6	7	11	4	1	9	9	91	69	2	–	50	17
Story	454	–	–	7	96	20	19	13	13	3	7	21	6	192	155	2	1	111	41
Ames	200	–	–	2	44	10	9	4	5	1	4	11	1	75	56	–	–	47	9
Balance of county	254	–	–	5	52	10	10	9	8	2	3	10	5	117	99	2	1	64	32
Tama	215	–	–	2	52	13	15	2	9	1	4	8	7	92	72	–	4	52	16
Taylor	115	–	–	3	24	4	7	2	5	2	1	3	5	57	40	–	1	32	7
Union	165	–	–	2	45	10	12	4	7	1	–	11	2	87	73	–	4	55	14
Van Buren	108	–	–	1	17	6	4	–	4	2	–	1	3	59	44	2	2	38	2
Wapello	489	–	–	8	118	32	35	11	5	3	9	23	11	210	162	2	8	110	42
Ottumwa	385	–	–	6	89	26	27	8	4	2	7	15	8	165	129	2	7	87	33
Balance of county	104	–	–	2	29	6	8	3	1	1	2	8	3	45	33	–	1	23	9
Warren	282	–	–	6	64	11	17	4	9	4	2	17	7	119	89	1	1	66	21
Indianola	107	–	–	1	18	4	3	2	3	3	–	3	3	51	40	–	–	32	8
Balance of county	175	–	–	5	46	7	14	2	6	1	2	14	4	68	49	1	1	34	13
Washington	243	–	–	2	46	6	11	9	7	–	3	10	7	131	107	–	3	75	29
Wayne	103	1	–	–	25	3	2	–	7	2	3	8	2	58	37	1	1	26	9
Webster	489	–	–	6	82	18	28	2	5	7	5	17	2	245	196	1	2	92	101
Fort Dodge	368	–	–	4	54	13	18	1	3	6	3	10	2	188	148	1	1	66	80
Balance of county	121	–	–	2	28	5	10	1	2	1	2	7	–	57	48	–	1	26	21
Winnebago	152	–	–	2	32	6	6	5	8	1	–	6	1	84	62	1	–	56	5
Winneshiek	176	–	–	4	37	7	11	5	4	2	4	4	3	77	56	1	–	41	14
Woodbury	919	–	–	18	225	54	55	22	27	10	8	49	21	392	309	6	17	217	69
Sioux City	779	–	–	17	182	45	47	21	21	7	7	34	17	334	262	5	16	179	62
Balance of county	140	–	–	1	43	9	8	1	6	3	1	15	4	58	47	1	1	38	7
Worth	96	–	–	–	26	7	2	4	3	–	–	10	5	46	23	–	1	17	5
Wright	175	1	–	1	26	9	7	1	4	2	–	3	2	83	66	–	1	45	20
Kansas	22,505	8	1	352	5,145	1,213	1,444	425	635	205	226	997	529	9,740	7,517	59	148	4,984	2,326
Urban places	11,942	5	1	219	2,789	674	838	241	317	99	104	516	294	4,984	3,810	31	73	2,506	1,200
Balance of area	10,563	3	–	133	2,356	539	606	184	318	106	122	481	235	4,756	3,707	28	75	2,478	1,126
Metropolitan counties	10,178	5	1	200	2,462	585	755	200	277	98	92	455	246	4,106	3,158	24	73	2,032	1,029
Urban places	8,245	4	1	174	1,941	459	604	157	220	73	71	357	205	3,350	2,575	19	58	1,642	856
Balance of area	1,933	1	–	26	521	126	151	43	57	25	21	98	41	756	583	5	15	390	173
Nonmetropolitan counties	12,327	3	–	152	2,683	628	689	225	358	107	134	542	283	5,634	4,359	35	75	2,952	1,297
Urban places	3,697	1	–	45	848	215	234	84	97	26	33	159	89	1,634	1,235	12	15	864	344
Balance of area	8,630	2	–	107	1,835	413	455	141	261	81	101	383	194	4,000	3,124	23	60	2,088	953
Allen	180	–	–	5	39	5	17	3	3	3	1	7	8	72	63	–	–	29	34
Anderson	89	–	–	2	17	1	2	3	5	–	2	4	3	43	40	–	2	19	19
Atchison	179	–	–	5	45	14	6	7	8	2	1	7	4	88	66	1	–	52	13
Atchison	137	–	–	3	35	10	6	6	6	1	1	5	4	62	46	–	–	36	10
Balance of county	42	–	–	2	10	4	–	1	2	1	–	2	–	26	20	1	–	16	3
Barber	88	–	–	2	20	5	4	2	3	1	–	5	–	39	31	–	–	21	10
Barton	266	–	–	2	50	8	18	5	5	4	–	10	9	126	91	–	3	69	19
Great Bend	128	–	–	2	19	3	9	–	2	1	–	4	3	67	50	–	1	40	9
Balance of county	138	–	–	–	31	5	9	5	3	3	–	6	6	59	41	–	2	29	10
Bourbon	207	–	–	1	46	9	15	2	6	–	2	12	1	96	79	2	2	57	18
Brown	142	–	–	1	28	3	7	3	8	3	1	3	3	77	60	1	2	45	12
Butler	433	–	–	3	98	21	35	6	13	3	3	17	9	192	143	2	2	107	32
El Dorado	152	–	–	2	37	8	14	1	5	1	–	8	8	69	48	1	–	38	9
Balance of county	281	–	–	1	61	13	21	5	8	2	3	9	1	123	95	1	2	69	23
Chase	40	–	–	2	9	2	3	1	1	1	1	–	1	17	16	–	1	7	8
Chautauqua	60	–	–	–	10	1	4	2	2	–	–	1	–	28	21	–	–	15	6
Cherokee	330	–	–	9	64	11	19	6	9	6	3	10	3	161	134	–	4	85	45
Cheyenne	74	–	–	–	13	–	3	3	3	–	2	2	3	47	38	1	1	26	10
Clark	40	–	–	1	6	–	3	1	–	–	–	2	–	21	19	–	–	6	13
Clay	120	–	–	4	27	8	4	1	4	1	3	6	2	49	38	–	1	26	11
Cloud	169	–	–	5	45	16	9	4	5	1	3	7	9	95	79	–	3	57	19
Coffey	101	–	–	–	19	5	6	2	–	1	1	4	4	52	35	–	–	26	9
Comanche	34	1	–	–	10	4	1	–	4	–	–	1	1	11	6	–	–	6	–
Cowley	429	–	–	5	89	19	28	8	7	4	6	17	14	187	138	–	3	96	39
Arkansas City	191	–	–	3	35	6	10	4	3	3	4	5	9	80	59	–	2	36	21
Winfield	150	–	–	2	33	11	11	2	2	1	1	5	4	69	46	–	1	34	11
Balance of county	88	–	–	–	21	2	7	2	2	–	1	7	1	38	33	–	–	26	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 58 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	1	15	3	2	6	8	2	1	2	–	–	–	–	8	3	1	3	1	–
Polk	10	158	17	38	98	120	8	23	10	–	27	22	17	226	46	82	46	12	3
Ankeny	–	2	1	1	5	5	1	–	–	–	1	4	1	9	4	3	1	–	–
Des Moines	5	112	13	28	69	87	4	19	8	–	17	12	14	155	31	58	32	12	3
Urbandale	1	7	1	–	4	4	–	1	–	–	–	–	2	11	–	3	2	–	–
West Des Moines	3	15	2	4	8	7	2	2	1	–	1	1	–	17	5	6	5	–	–
Balance of county	1	22	–	5	12	17	1	1	1	–	8	5	–	34	6	12	6	–	–
Pottawattamie	1	45	7	8	30	30	4	3	6	1	6	3	3	59	8	20	10	4	4
Council Bluffs	1	28	4	7	20	20	3	3	3	–	6	3	3	47	6	18	6	2	4
Balance of county	–	17	3	1	10	10	1	–	3	1	–	–	–	12	2	2	4	2	–
Poweshiek	–	15	1	6	9	7	–	–	2	–	2	–	3	18	3	6	1	–	1
Ringgold	–	4	1	–	3	1	–	–	1	–	1	–	–	4	1	1	2	–	–
Sac	–	9	5	3	4	5	2	–	–	–	–	–	–	16	1	3	–	–	–
Scott	5	113	12	13	49	58	7	7	4	–	4	5	3	97	11	15	17	2	1
Bettendorf	2	20	2	1	8	11	1	–	1	–	–	–	1	20	–	2	–	–	–
Davenport	2	85	9	11	39	40	5	7	2	–	3	4	2	67	5	12	14	2	1
Balance of county	1	8	1	1	2	7	1	–	1	–	1	1	–	10	6	1	3	–	–
Shelby	–	14	2	1	8	7	–	2	3	–	1	–	–	11	2	3	2	–	–
Sioux	1	14	4	3	12	8	–	1	1	–	–	2	5	20	6	4	1	2	–
Story	4	23	7	3	19	16	–	4	3	–	7	2	5	61	13	17	5	1	–
Ames	3	13	1	2	10	7	–	3	1	–	4	1	2	34	4	10	1	1	–
Balance of county	1	10	6	1	9	9	–	1	2	–	3	1	3	27	9	7	4	–	–
Tama	1	14	3	2	11	12	1	–	2	–	–	–	–	25	6	4	1	–	–
Taylor	–	14	–	3	4	5	–	1	1	–	–	–	1	11	–	2	1	–	–
Union	1	8	3	2	4	3	1	2	1	–	1	1	–	6	5	3	2	–	–
Van Buren	2	8	1	4	6	6	1	1	1	–	1	2	–	4	4	1	1	–	–
Wapello	3	36	2	7	30	29	2	–	3	–	1	–	5	51	10	8	2	1	–
Ottumwa	1	27	2	6	26	23	2	–	3	–	–	–	4	44	6	6	2	1	–
Balance of county	2	9	–	1	4	6	–	–	–	–	1	–	1	7	4	2	–	–	–
Warren	1	23	3	3	15	20	4	2	1	–	3	2	3	27	1	4	3	1	–
Indianola	–	7	1	3	9	5	2	2	–	–	1	2	1	9	1	2	–	–	–
Balance of county	1	16	2	–	6	15	2	–	1	–	2	–	2	18	–	2	3	1	–
Washington	1	19	–	4	14	6	1	1	2	–	1	–	1	21	3	5	1	1	–
Wayne	1	13	4	3	–	3	–	–	–	–	1	–	–	8	2	2	1	–	–
Webster	2	35	3	9	39	15	–	5	4	–	4	1	3	48	11	13	6	5	–
Fort Dodge	2	30	3	5	34	12	–	4	3	–	3	1	1	35	8	11	4	4	–
Balance of county	–	5	–	4	5	3	–	1	1	–	1	–	2	13	3	2	2	1	–
Winnebago	1	18	3	–	11	4	–	–	2	–	1	–	–	8	2	5	–	–	–
Winneshiek	–	18	3	–	9	8	1	–	3	–	–	–	1	21	3	4	5	–	–
Woodbury	7	53	8	15	29	61	2	7	8	–	5	2	7	93	12	18	12	7	–
Sioux City	6	45	7	14	20	55	1	6	7	–	5	2	6	87	9	17	7	7	–
Balance of county	1	8	1	1	9	6	1	1	1	–	–	–	1	6	3	1	5	–	–
Worth	2	19	1	1	4	4	–	1	1	–	–	–	–	6	1	1	1	–	–
Wright	–	12	1	4	10	8	2	–	1	–	3	–	1	23	6	7	1	–	–
Kansas	87	1,593	254	289	889	984	65	151	261	1	140	131	347	2,302	440	529	310	159	21
Urban places	54	834	126	160	447	557	32	99	136	1	89	88	219	1,225	184	251	182	126	14
Balance of area	33	759	128	129	442	427	33	52	125	–	51	43	128	1,077	256	278	128	33	7
Metropolitan counties	47	677	106	118	354	476	25	79	113	1	75	78	199	1,029	184	249	165	120	11
Urban places	37	557	84	97	287	380	21	73	95	1	63	66	173	853	129	183	132	106	8
Balance of area	10	120	22	21	67	96	4	6	18	–	12	12	26	176	55	66	33	14	3
Nonmetropolitan counties	40	916	148	171	535	508	40	72	148	–	65	53	148	1,273	256	280	145	39	10
Urban places	17	277	42	63	160	177	11	26	41	–	26	22	46	372	55	68	50	20	6
Balance of area	23	639	106	108	375	331	29	46	107	–	39	31	102	901	201	212	95	19	4
Allen	1	5	1	2	8	6	–	–	5	–	–	1	5	23	3	3	1	1	–
Anderson	–	3	–	–	3	4	2	2	–	–	1	1	–	7	3	1	–	–	–
Atchison	2	16	3	1	2	7	1	1	1	–	1	–	1	17	4	1	–	1	–
Atchison	1	13	2	–	2	5	1	1	1	–	1	–	1	15	4	1	–	1	–
Balance of county	1	3	1	1	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Barber	–	7	–	1	2	1	–	1	5	–	–	–	1	7	4	4	2	–	–
Barton	2	21	5	7	8	17	2	1	4	–	–	1	1	28	7	9	1	–	–
Great Bend	2	11	2	2	5	9	–	1	2	–	–	1	1	13	2	3	–	–	–
Balance of county	–	10	3	5	3	8	2	–	2	–	–	–	–	15	5	6	1	–	–
Bourbon	–	15	2	–	3	8	1	2	3	–	1	–	7	23	9	4	2	–	–
Brown	–	9	6	2	7	3	–	1	3	–	1	1	2	9	1	3	2	–	–
Butler	3	30	14	2	18	26	3	4	1	–	6	3	2	27	6	21	10	4	–
El Dorado	1	17	3	–	6	10	2	2	–	–	1	–	1	11	–	1	2	–	–
Balance of county	2	13	11	2	12	16	1	2	1	–	5	3	1	16	6	20	8	4	–
Chase	–	–	1	–	4	3	–	–	–	–	–	–	1	2	–	1	–	–	–
Chautauqua	–	6	1	–	5	2	–	–	3	–	–	1	–	7	3	1	–	–	–
Cherokee	3	16	4	4	10	16	1	7	2	–	1	2	3	28	9	8	5	1	–
Cheyenne	1	5	3	–	3	2	1	1	–	–	–	–	–	2	–	2	–	–	–
Clark	–	2	–	–	1	3	–	–	–	–	–	–	1	4	3	–	–	–	–
Clay	1	7	1	2	6	3	–	1	1	–	1	–	6	15	–	3	2	–	–
Cloud	–	13	1	2	5	4	–	1	–	–	–	–	1	13	2	8	1	–	–
Coffey	–	12	2	3	5	2	–	–	1	–	–	–	–	8	6	4	–	–	–
Comanche	–	3	2	–	5	1	–	–	–	–	–	–	–	4	1	–	–	–	–
Cowley	1	37	2	9	20	12	1	2	6	–	5	1	12	46	5	14	8	1	1
Arkansas City	–	13	2	6	8	5	–	2	2	–	1	–	8	22	4	7	4	–	1
Winfield	1	19	–	3	8	5	–	–	3	–	4	1	1	16	–	2	2	–	–
Balance of county	–	5	–	–	4	2	1	–	1	–	–	–	3	8	1	5	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 59 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	481	-	-	4	105	26	27	6	16	4	3	23	5	241	196	2	-	142	52
Pittsburg	237	-	-	2	49	16	9	5	3	2	2	12	3	115	96	2	-	72	22
Balance of county	244	-	-	2	56	10	18	1	13	2	1	11	2	126	100	-	-	70	30
Decatur	58	-	-	1	9	2	3	-	-	1	-	3	2	21	18	-	1	12	5
Dickinson	231	-	-	-	56	14	11	1	7	2	3	18	3	102	76	1	3	66	6
Doniphan	89	-	-	2	18	5	3	-	6	-	1	3	3	42	33	-	-	27	6
Douglas	438	-	-	4	121	34	37	8	13	2	5	22	10	156	107	1	4	60	42
Lawrence	322	-	-	4	88	25	30	5	9	1	4	14	4	124	84	1	3	45	35
Balance of county	116	-	-	-	33	9	7	3	4	1	1	8	6	32	23	-	1	15	7
Edwards	47	-	-	1	5	2	2	-	1	-	-	-	-	24	21	-	-	14	7
Elk	56	-	-	1	14	4	2	-	-	3	-	5	1	28	22	-	-	13	9
Ellis	194	-	-	2	49	7	13	4	7	1	2	15	4	89	65	1	2	44	18
Hays	119	-	-	1	34	4	11	3	5	1	1	9	3	52	38	1	1	22	14
Balance of county	75	-	-	1	15	3	2	1	2	-	1	6	1	37	27	-	1	22	4
Ellsworth	96	-	-	2	17	2	3	2	3	1	4	2	3	46	34	-	-	15	19
Finney	213	-	-	1	49	10	14	5	7	1	1	11	3	91	67	1	-	51	15
Garden City	171	-	-	1	42	10	13	3	6	1	-	9	2	73	52	-	-	41	11
Balance of county	42	-	-	-	7	-	1	2	1	-	1	2	1	18	15	1	-	10	4
Ford	242	-	-	2	57	8	19	6	6	1	4	13	5	80	66	1	-	48	17
Dodge City	162	-	-	2	41	7	13	4	3	1	3	10	4	53	43	1	-	30	12
Balance of county	80	-	-	-	16	1	6	2	3	-	1	3	1	27	23	-	-	18	5
Franklin	227	-	-	3	65	18	19	4	6	2	2	14	4	105	84	2	3	59	20
Ottawa	130	-	-	1	35	7	13	2	4	1	-	8	3	63	47	-	-	34	13
Balance of county	97	-	-	2	30	11	6	2	2	1	2	6	1	42	37	2	3	25	7
Geary	190	-	-	4	49	15	13	4	5	1	2	9	6	66	52	-	3	26	23
Junction City	149	-	-	4	41	14	10	4	4	-	1	8	5	54	42	-	2	21	19
Balance of county	41	-	-	-	8	1	3	-	1	1	1	1	1	12	10	-	1	5	4
Gove	30	-	-	-	10	2	2	-	1	-	1	4	1	9	8	-	-	6	2
Graham	33	-	-	-	8	4	1	-	1	-	-	2	1	17	11	-	-	11	-
Grant	46	-	-	-	17	6	6	-	2	-	-	3	4	13	11	-	-	6	5
Gray	39	-	-	-	5	-	1	-	-	-	-	4	2	14	10	-	-	5	5
Greeley	19	-	-	1	3	-	1	-	1	-	-	1	3	1	1	-	-	1	-
Greenwood	114	-	-	1	23	5	4	1	5	2	2	4	2	65	52	-	-	43	9
Hamilton	27	-	-	-	4	2	-	1	1	-	-	-	-	12	10	-	-	7	3
Harper	91	-	-	2	14	2	5	2	2	1	1	1	3	46	40	-	-	29	11
Harvey	297	1	-	1	59	16	11	4	7	5	1	15	10	155	127	-	4	87	36
Newton	178	-	-	1	35	10	7	2	4	2	1	9	3	101	85	-	4	58	23
Balance of county	119	1	-	-	24	6	4	2	3	3	-	6	7	54	42	-	-	29	13
Haskell	25	-	-	-	2	-	1	-	-	-	-	1	1	12	12	1	-	11	-
Hodgeman	26	-	-	1	11	-	4	1	-	1	2	3	1	7	5	-	-	4	1
Jackson	125	-	-	2	27	8	9	3	2	-	1	4	1	61	48	-	3	28	17
Jefferson	166	1	-	3	36	13	8	4	3	1	1	6	3	78	60	-	-	29	31
Jewell	62	-	-	-	14	2	4	2	4	1	-	1	4	22	17	-	-	13	4
Johnson	1,987	-	-	38	519	117	150	48	58	26	23	97	34	837	637	9	15	416	197
Leawood	113	-	-	1	31	7	6	3	7	1	-	7	2	46	39	1	3	25	10
Lenexa	150	-	-	5	33	6	12	4	3	1	5	2	2	70	47	1	-	27	19
Merriam	87	-	-	4	23	6	4	2	2	3	-	6	2	37	27	-	1	22	4
Olathe	310	-	-	9	67	14	20	11	7	2	1	12	8	134	102	-	2	68	32
Overland Park	636	-	-	7	159	34	48	11	18	5	5	38	10	262	202	4	6	135	57
Prairie Village	163	-	-	3	55	15	19	1	4	6	4	6	3	67	53	1	1	34	17
Shawnee	210	-	-	2	59	11	18	8	6	2	4	10	3	93	70	-	1	38	31
Balance of county	318	-	-	7	92	24	23	8	11	6	4	16	4	128	97	2	1	67	27
Kearny	28	-	-	1	4	1	1	1	-	-	1	-	4	7	7	-	-	4	3
Kingman	99	-	-	-	23	3	3	-	7	1	1	8	4	48	40	-	-	28	12
Kiowa	48	-	-	-	12	4	3	-	1	1	2	1	-	23	19	-	-	14	5
Labette	272	-	-	2	58	15	9	6	8	3	2	15	5	129	98	-	1	71	26
Parsons	169	-	-	-	39	11	3	4	4	3	2	12	4	74	59	-	-	46	13
Balance of county	103	-	-	2	19	4	6	2	4	-	-	3	1	55	39	-	1	25	13
Lane	32	-	-	-	7	-	1	-	1	1	1	3	-	16	12	-	-	3	9
Leavenworth	504	-	-	10	131	46	36	3	10	5	1	30	16	187	146	-	4	84	58
Leavenworth	323	-	-	5	81	29	20	2	5	2	1	22	11	133	105	-	3	57	45
Balance of county	181	-	-	5	50	17	16	1	5	3	-	8	5	54	41	-	1	27	13
Lincoln	54	-	-	-	11	2	3	1	2	-	1	2	-	26	20	-	-	8	12
Linn	124	-	-	2	25	7	7	-	4	3	-	4	5	57	47	1	1	27	18
Logan	42	-	-	-	12	3	1	-	3	1	1	3	1	12	11	-	-	11	-
Lyon	284	-	-	6	57	13	19	4	8	3	1	9	4	157	130	1	2	65	62
Emporia	216	-	-	5	48	10	17	3	7	3	-	8	4	121	102	1	2	51	48
Balance of county	68	-	-	1	9	3	2	1	1	-	1	1	-	36	28	-	-	14	14
McPherson	269	-	-	3	46	10	12	10	5	1	3	5	7	127	92	2	5	64	21
McPherson	103	-	-	-	20	6	6	5	1	-	1	1	3	43	26	-	-	18	8
Balance of county	166	-	-	3	26	4	6	5	4	1	2	4	4	84	66	2	5	46	13
Marion	186	-	-	2	38	13	5	4	4	2	2	8	3	83	60	-	1	39	20
Marshall	171	-	-	1	41	10	7	3	7	1	4	9	7	68	56	-	-	42	14
Meade	54	-	-	-	16	3	4	2	3	-	-	4	-	18	15	1	1	3	10
Miami	229	-	-	2	61	15	14	7	6	2	3	14	6	103	80	1	-	60	19
Mitchell	87	-	-	1	14	4	4	-	3	-	-	3	3	39	29	-	-	18	11
Montgomery	470	-	-	4	116	25	38	11	17	5	5	15	15	211	162	1	2	123	36
Coffeyville	196	-	-	2	50	11	17	7	7	1	2	5	6	92	73	-	-	54	19
Independence	130	-	-	-	24	5	9	3	5	-	1	1	7	63	41	1	1	35	4
Balance of county	144	-	-	2	42	9	12	1	5	4	2	9	2	56	48	-	1	34	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 60 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	–	34	3	8	10	23	1	3	7	–	3	3	1	50	7	7	10	–	1
Pittsburg	–	13	2	4	5	13	1	1	1	–	2	1	–	29	3	4	7	–	1
Balance of county	–	21	1	4	5	10	–	2	6	–	1	2	1	21	4	3	3	–	–
Decatur	–	2	1	–	3	1	–	1	2	–	–	–	–	13	–	5	–	–	–
Dickinson	–	21	2	3	12	10	–	–	–	–	–	–	5	25	5	6	5	2	–
Doniphan	–	7	2	–	6	2	–	1	2	–	1	–	2	9	–	1	–	–	–
Douglas	3	29	8	9	19	19	–	5	6	–	–	1	10	55	11	10	5	5	1
Lawrence	3	21	8	8	15	12	–	5	3	–	–	1	7	40	7	4	4	3	1
Balance of county	–	8	–	1	4	7	–	–	3	–	–	–	3	15	4	6	1	2	–
Edwards	–	–	2	1	3	3	–	–	–	–	1	1	–	5	1	2	–	–	1
Elk	–	4	1	1	3	1	–	–	–	–	1	–	1	4	–	2	–	–	–
Ellis	2	15	5	2	4	9	1	3	1	–	–	2	–	18	4	6	2	–	–
Hays	2	9	2	1	1	6	–	1	1	–	–	1	–	12	3	3	1	–	–
Balance of county	–	6	3	1	3	3	1	2	–	–	–	1	–	6	1	3	1	–	–
Ellsworth	–	10	1	1	6	5	–	1	3	–	–	–	–	9	1	2	–	1	–
Finney	–	19	2	3	6	11	1	–	2	–	5	2	2	19	6	6	4	5	–
Garden City	–	17	1	3	4	10	1	–	2	–	4	1	1	17	3	5	2	3	–
Balance of county	–	2	1	–	2	1	–	–	–	–	1	1	1	2	3	1	2	2	–
Ford	2	10	–	2	17	13	–	3	1	–	3	4	2	35	9	6	2	3	–
Dodge City	2	6	–	2	13	8	–	2	1	–	3	4	1	16	6	3	2	3	–
Balance of county	–	4	–	–	4	5	–	1	–	–	–	–	1	19	3	3	–	–	–
Franklin	–	16	1	4	9	7	–	–	2	–	1	–	1	17	5	4	3	–	1
Ottawa	–	12	1	3	6	3	–	–	1	–	–	–	1	13	3	–	–	–	1
Balance of county	–	4	–	1	3	4	–	–	1	–	1	–	–	4	2	4	3	–	–
Geary	1	6	4	3	8	10	1	2	3	–	–	1	2	19	10	4	3	2	–
Junction City	1	4	4	3	7	9	1	1	3	–	–	1	2	14	3	2	1	1	–
Balance of county	–	2	–	–	1	1	–	1	–	–	–	–	–	5	7	2	2	1	–
Gove	–	1	–	–	4	–	1	–	–	–	–	–	1	2	1	1	–	–	–
Graham	1	3	–	2	1	2	–	1	–	–	–	–	1	1	1	–	–	–	–
Grant	–	2	–	–	2	4	–	–	–	–	–	1	1	1	–	3	–	–	–
Gray	–	4	–	–	5	2	–	–	2	–	–	–	–	5	2	2	–	–	–
Greeley	–	–	–	–	–	3	–	–	–	–	1	–	–	6	1	–	–	–	–
Greenwood	–	10	1	2	3	6	–	–	1	–	2	–	–	8	–	1	2	–	–
Hamilton	–	1	–	1	–	1	–	–	–	–	–	1	1	5	–	2	–	–	1
Harper	–	5	–	1	5	6	–	–	–	–	–	1	–	9	2	2	1	–	–
Harvey	1	19	2	6	15	3	1	–	2	–	2	–	5	27	8	6	2	–	–
Newton	1	11	1	3	8	2	–	–	1	–	2	–	1	16	3	3	2	–	–
Balance of county	–	8	1	3	7	1	1	–	1	–	–	–	4	11	5	3	–	–	–
Haskell	–	–	–	–	1	1	–	1	–	–	1	2	–	–	3	1	–	–	–
Hodgeman	–	2	–	–	1	–	–	–	–	–	–	–	–	3	1	–	1	–	–
Jackson	1	8	3	1	2	5	1	–	3	–	1	–	5	12	1	3	1	–	–
Jefferson	1	14	2	1	6	12	–	2	1	–	1	–	2	11	4	3	3	–	–
Jewell	–	2	1	2	4	1	1	–	1	–	2	–	2	8	2	–	1	–	–
Johnson	10	136	28	26	51	87	3	6	22	–	15	11	19	223	32	39	35	13	3
Leawood	–	2	2	3	1	7	1	1	2	–	–	–	3	11	–	3	2	2	–
Lenexa	3	17	2	1	3	6	–	–	1	–	2	1	1	14	2	4	4	1	1
Merriam	–	4	2	4	4	3	–	1	1	–	1	–	–	7	1	1	2	–	–
Olathe	1	22	7	2	9	9	1	1	4	–	1	2	4	46	3	7	3	1	1
Overland Park	1	44	7	8	20	36	–	2	6	–	5	1	5	75	12	17	13	6	–
Prairie Village	–	10	1	3	5	7	–	–	2	–	1	2	1	13	2	–	–	2	–
Shawnee	2	18	3	–	3	4	–	–	3	–	3	3	2	23	3	3	5	1	–
Balance of county	3	19	4	5	6	15	1	1	3	–	2	2	3	34	9	4	6	–	1
Kearny	–	–	–	–	3	–	–	–	–	–	–	–	–	5	2	1	1	–	–
Kingman	–	7	–	1	6	2	2	1	–	–	2	–	–	7	2	2	–	–	–
Kiowa	1	3	–	–	2	2	–	–	–	–	–	–	–	5	3	1	–	–	–
Labette	–	25	4	2	16	11	–	3	9	–	2	–	–	25	3	6	3	–	–
Parsons	–	12	1	2	13	6	–	3	7	–	2	–	–	15	3	1	2	–	–
Balance of county	–	13	3	–	3	5	–	–	2	–	–	–	–	10	–	5	1	–	–
Lane	–	4	–	–	2	1	–	–	1	–	1	–	–	3	1	–	–	–	–
Leavenworth	5	30	1	5	13	30	3	3	5	–	2	1	4	54	14	13	11	5	2
Leavenworth	3	21	–	4	9	16	3	3	4	–	1	1	1	33	6	8	5	3	–
Balance of county	2	9	1	1	4	14	–	–	1	–	1	–	3	21	8	5	6	2	2
Lincoln	–	5	–	1	4	2	–	–	–	–	–	–	–	7	3	1	–	–	–
Linn	1	6	–	3	10	2	–	–	1	–	–	–	3	5	9	2	1	2	–
Logan	–	–	–	1	1	2	1	–	1	–	–	–	–	11	–	1	–	–	–
Lyon	1	17	6	3	11	6	1	–	2	–	1	3	2	13	6	8	6	1	–
Emporia	1	9	6	3	9	4	1	–	2	–	–	3	1	7	4	4	3	–	–
Balance of county	–	8	–	–	2	2	–	–	–	–	1	–	1	6	2	4	3	1	–
McPherson	–	29	1	5	18	13	–	2	–	–	1	4	3	34	3	6	2	–	–
McPherson	–	15	–	2	8	8	–	1	–	–	1	1	3	11	–	3	1	–	–
Balance of county	–	14	1	3	10	5	–	1	–	–	–	3	–	23	3	3	1	–	–
Marion	–	20	1	2	11	9	–	2	2	–	–	–	4	25	3	4	–	–	–
Marshall	–	9	3	–	14	4	–	–	4	–	1	1	3	20	4	3	–	–	–
Meade	–	2	1	–	1	3	–	–	–	–	–	–	–	12	2	1	1	–	–
Miami	1	16	3	3	7	12	–	2	3	–	1	–	2	14	7	6	3	–	–
Mitchell	–	8	1	1	8	5	1	–	4	–	–	1	1	7	–	2	1	–	–
Montgomery	3	35	2	9	17	19	2	3	3	–	2	2	5	43	10	11	2	5	–
Coffeyville	1	11	2	5	7	9	1	2	1	–	–	1	2	13	3	3	1	3	–
Independence	2	17	–	3	3	5	1	–	2	–	2	1	1	15	2	1	1	2	–
Balance of county	–	7	–	1	7	5	–	1	–	–	–	–	2	15	5	7	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 61 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	79	-	-	2	19	6	4	-	6	-	-	3	1	31	25	1	-	20	4
Morton	28	-	-	1	8	5	1	1	-	-	-	1	-	12	9	-	1	6	2
Nemaha	139	-	-	1	29	6	4	2	7	-	1	9	3	73	47	1	3	31	12
Neosho	204	-	-	4	40	14	10	3	1	1	1	10	6	85	65	1	1	30	33
Chanute	123	-	-	2	26	12	6	2	1	-	1	4	3	51	39	1	-	20	18
Balance of county	81	-	-	2	14	2	4	1	-	1	-	6	3	34	26	-	1	10	15
Ness	45	-	-	1	7	4	2	-	-	-	-	1	2	29	21	-	-	9	12
Norton	77	-	-	1	18	5	3	1	4	2	2	1	-	39	28	1	-	25	2
Osage	192	-	-	2	46	12	14	4	3	3	2	8	4	93	70	1	2	46	21
Osborne	75	-	-	1	18	4	5	2	5	-	-	2	3	35	25	-	-	19	6
Ottawa	82	-	-	-	15	2	3	-	2	1	3	4	-	45	36	-	-	17	19
Pawnee	73	-	-	2	15	2	3	2	4	-	-	4	-	29	22	-	1	15	6
Phillips	98	-	-	2	27	5	5	3	5	2	1	6	1	39	24	-	-	17	7
Pottawatomie	142	-	-	1	33	5	12	2	6	1	1	6	1	70	50	1	1	37	11
Manhattan, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Balance of county	140	-	-	1	33	5	12	2	6	1	1	6	1	68	48	1	1	35	11
Pratt	124	-	-	3	29	10	5	3	4	2	2	3	3	47	35	-	-	22	13
Rawlins	45	-	-	-	7	3	3	1	-	-	-	-	-	22	17	-	-	10	7
Reno	643	1	-	8	157	29	43	14	25	3	8	35	15	286	214	2	2	159	51
Hutchinson	436	1	-	6	109	25	30	11	17	3	5	18	11	184	136	1	-	102	33
Balance of county	207	-	-	2	48	4	13	3	8	-	3	17	4	102	78	1	2	57	18
Republic	108	-	-	-	17	3	4	3	1	-	1	5	1	62	44	-	-	35	9
Rice	145	-	-	-	33	8	7	3	3	1	1	10	1	59	45	-	1	33	11
Riley	271	-	-	7	50	19	15	2	4	1	2	7	8	120	83	-	2	74	7
Manhattan, part	209	-	-	4	42	16	13	2	4	1	2	4	3	96	69	-	1	61	7
Manhattan, total	211	-	-	4	42	16	13	2	4	1	2	4	3	98	71	-	1	63	7
Balance of county	62	-	-	3	8	3	2	-	-	-	-	3	5	24	14	-	1	13	-
Rooks	72	-	-	-	15	4	3	2	3	-	1	2	1	37	32	-	1	23	8
Rush	50	-	-	1	11	1	4	-	1	2	2	1	2	22	18	-	-	16	2
Russell	113	-	-	1	25	9	7	2	-	1	2	4	5	60	48	-	-	35	13
Saline	458	-	-	2	107	27	22	13	13	3	4	25	6	193	145	3	3	97	42
Salina	417	-	-	2	101	25	22	13	12	3	3	23	6	175	133	3	3	89	38
Balance of county	41	-	-	-	6	2	-	-	1	-	1	2	-	18	12	-	-	8	4
Scott	56	-	-	2	10	1	1	2	1	1	2	2	1	21	19	-	1	8	10
Sedgwick	3,169	1	1	64	752	165	236	63	91	26	31	140	73	1,258	974	4	21	647	302
Wichita	2,760	1	1	61	640	142	200	55	78	20	26	119	67	1,104	846	3	15	567	261
Balance of county	409	-	-	3	112	23	36	8	13	6	5	21	6	154	128	1	6	80	41
Seward	133	-	-	3	30	6	7	4	1	-	3	9	2	49	39	1	1	23	14
Liberal	122	-	-	3	25	6	6	1	1	-	3	8	2	45	36	1	1	20	14
Balance of county	11	-	-	-	5	-	1	3	-	-	-	1	-	4	3	-	-	3	-
Shawnee	1,490	2	-	31	341	73	111	30	31	16	13	67	36	628	485	5	13	308	159
Topeka	1,310	2	-	27	282	59	94	25	26	15	8	55	32	554	432	5	11	276	140
Balance of county	180	-	-	4	59	14	17	5	5	1	5	12	4	74	53	-	2	32	19
Sheridan	37	-	-	-	11	3	4	-	2	-	1	1	2	18	17	-	-	14	3
Sherman	72	-	-	1	12	2	4	-	1	2	1	2	1	36	30	-	-	15	15
Smith	73	-	-	-	11	3	3	1	1	1	-	2	5	35	22	1	-	13	8
Stafford	76	-	-	-	16	1	5	3	2	-	2	3	3	32	23	1	-	17	5
Stanton	28	-	-	-	3	-	1	-	-	1	-	1	-	12	11	-	-	4	7
Stevens	28	-	-	-	6	3	-	-	-	1	-	2	1	6	5	-	1	3	1
Sumner	283	-	-	-	54	15	13	5	1	2	6	12	8	137	106	-	1	65	40
Thomas	82	-	-	1	23	9	3	1	3	1	-	6	-	39	30	1	-	19	10
Trego	67	-	-	2	13	5	5	-	2	-	-	1	4	31	26	-	-	18	8
Wabaunsee	62	-	-	1	15	6	3	-	3	1	-	2	1	30	17	-	-	9	8
Wallace	16	-	-	1	3	-	1	-	1	-	-	1	-	8	6	-	-	3	3
Washington	111	-	-	-	23	2	10	1	4	2	-	4	1	65	47	-	1	33	13
Wichita	28	-	-	1	10	1	2	1	2	-	1	3	-	9	8	-	-	7	1
Wilson	137	-	-	1	21	6	4	2	4	-	3	2	1	69	58	-	2	44	12
Woodson	60	-	-	-	12	1	3	1	1	-	1	5	2	27	21	-	-	9	12
Wyandotte	1,631	1	-	47	380	98	125	31	48	13	12	53	52	590	459	2	10	263	184
Kansas City	1,531	1	-	43	351	93	112	27	46	12	12	49	50	556	435	2	8	252	173
Balance of county	100	-	-	4	29	5	13	4	2	1	-	4	2	34	24	-	2	11	11
Kentucky	35,346	28	-	561	8,537	1,862	3,025	581	905	299	304	1,561	812	15,070	11,941	78	273	7,877	3,713
Urban places	12,423	10	-	225	3,075	707	1,057	224	314	98	108	567	286	5,226	4,025	28	118	2,550	1,329
Balance of area	22,923	18	-	336	5,462	1,155	1,968	357	591	201	196	994	526	9,844	7,916	50	155	5,327	2,384
Metropolitan counties	15,432	13	-	287	3,944	911	1,365	301	399	141	133	694	372	6,373	5,008	39	142	3,223	1,604
Urban places	9,540	8	-	185	2,380	547	833	173	243	80	83	421	228	3,965	3,078	21	92	1,934	1,031
Balance of area	5,892	5	-	102	1,564	364	532	128	156	61	50	273	144	2,408	1,930	18	50	1,289	573
Nonmetropolitan counties	19,914	15	-	274	4,593	951	1,660	280	506	158	171	867	440	8,697	6,933	39	131	4,654	2,109
Urban places	2,883	2	-	40	695	160	224	51	71	18	25	146	58	1,261	947	7	26	616	298
Balance of area	17,031	13	-	234	3,898	791	1,436	229	435	140	146	721	382	7,436	5,986	32	105	4,038	1,811
Adair	168	-	-	4	36	4	12	2	5	2	2	9	4	75	64	-	-	46	18
Allen	177	2	-	1	32	10	10	1	3	3	-	5	4	75	62	1	1	38	22
Anderson	118	-	-	-	31	5	11	2	1	3	-	9	2	50	34	-	-	22	12
Ballard	105	-	-	1	31	8	13	1	5	1	1	2	-	40	34	-	-	22	12
Barren	378	2	-	10	82	17	35	6	6	4	1	13	6	171	129	-	4	93	32
Glasgow	214	1	-	7	41	9	15	4	4	3	1	5	4	96	68	-	3	47	18
Balance of county	164	1	-	3	41	8	20	2	2	1	-	8	2	75	61	-	1	46	14
Bath	117	-	-	3	17	2	6	-	3	1	1	4	4	61	53	-	-	13	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 62 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	1	5	-	-	7	2	-	1	1	-	-	-	1	10	-	1	3	-	-
Morton	-	2	-	1	1	2	-	-	-	-	-	-	-	1	1	2	-	-	-
Nemaha	-	19	2	5	7	5	-	-	1	-	-	1	1	12	2	2	1	1	-
Neosho	1	17	2	-	9	4	1	2	4	-	-	-	6	34	3	4	-	1	1
Chanute	1	10	1	-	9	2	1	2	2	-	-	-	5	16	1	3	-	-	-
Balance of county	-	7	1	-	-	2	-	-	2	-	-	-	1	18	2	1	-	1	1
Ness	-	5	-	3	1	-	-	-	-	-	-	-	-	5	-	-	-	-	-
Norton	-	6	4	1	2	1	-	-	-	-	-	1	1	10	-	3	1	-	-
Osage	-	19	-	4	12	3	1	-	2	-	1	-	3	13	3	7	2	-	-
Osborne	-	6	3	1	1	1	-	1	1	-	1	-	-	8	1	3	1	-	-
Ottawa	2	6	-	1	1	4	2	-	1	-	1	-	-	8	3	2	-	-	-
Pawnee	-	6	-	1	5	3	1	-	2	-	-	1	1	8	2	2	2	-	-
Phillips	1	4	7	3	6	6	-	-	1	-	2	-	-	12	-	-	2	-	-
Pottawatomie	1	15	3	1	7	5	1	1	1	-	-	-	1	11	4	4	2	-	-
Manhattan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	15	3	1	7	5	1	1	1	-	-	-	1	11	4	4	2	-	-
Pratt	-	9	1	2	2	7	-	-	-	-	1	2	4	13	6	4	3	-	-
Rawlins	-	3	2	-	2	-	-	-	1	-	1	-	-	11	-	1	-	-	-
Reno	4	55	5	8	30	21	1	6	4	-	2	3	8	73	4	9	12	2	1
Hutchinson	3	34	5	6	20	18	-	6	3	-	1	2	7	52	1	9	4	1	1
Balance of county	1	21	-	2	10	3	1	-	1	-	1	1	1	21	3	-	8	1	-
Republic	-	14	1	3	4	4	1	1	-	-	-	-	4	10	1	3	-	-	-
Rice	1	9	1	3	5	3	-	1	2	-	1	1	1	33	2	1	2	-	-
Riley	-	29	4	4	9	12	-	1	2	-	4	2	3	27	7	8	9	1	1
Manhattan, part	-	20	3	4	8	11	-	-	1	-	3	2	1	18	6	3	9	1	1
Manhattan, total	-	20	3	4	8	11	-	-	1	-	3	2	1	18	6	3	9	1	1
Balance of county	-	9	1	-	1	1	-	1	1	-	1	-	2	9	1	5	-	-	-
Rooks	-	3	-	2	4	-	-	-	1	-	-	-	-	8	2	2	-	1	1
Rush	-	3	1	-	1	2	-	1	-	-	-	-	-	6	1	2	1	-	-
Russell	1	7	-	4	-	5	-	1	3	-	-	-	1	7	2	2	1	-	-
Saline	-	30	6	12	24	34	2	1	7	-	1	1	6	48	6	10	9	1	-
Salina	-	26	5	11	20	32	2	1	6	-	1	1	6	43	4	9	8	-	-
Balance of county	-	4	1	1	4	2	-	-	1	-	-	-	-	5	2	1	1	1	-
Scott	-	2	-	-	2	5	-	-	3	-	-	-	-	8	1	2	1	-	-
Sedgwick	17	197	37	33	109	149	7	33	34	1	26	41	52	334	61	92	44	33	4
Wichita	15	178	35	30	90	128	6	33	31	1	23	36	45	296	48	75	38	32	4
Balance of county	2	19	2	3	19	21	1	-	3	-	3	5	7	38	13	17	6	1	-
Seward	-	7	3	-	4	9	1	2	-	-	1	2	4	15	1	2	2	5	1
Liberal	-	6	3	-	4	9	1	2	-	-	1	1	4	15	-	2	2	5	1
Balance of county	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Shawnee	3	119	4	17	65	84	3	11	14	-	9	10	24	152	13	28	23	15	1
Topeka	3	100	4	15	61	77	3	11	12	-	9	9	22	138	11	24	22	13	1
Balance of county	-	19	-	2	4	7	-	-	2	-	-	1	2	14	2	4	1	2	-
Sheridan	-	1	-	-	1	-	-	-	-	-	1	-	-	2	2	-	-	-	-
Sherman	-	5	1	-	2	5	-	-	-	-	-	-	1	12	1	1	-	-	-
Smith	1	9	1	2	8	1	-	-	-	-	1	1	2	4	3	-	2	-	-
Stafford	-	7	-	2	3	1	-	1	-	-	1	-	3	10	1	3	2	-	-
Stanton	-	1	-	-	2	2	-	-	1	-	-	-	-	5	2	1	-	-	-
Stevens	-	1	-	-	2	-	-	-	2	-	-	-	-	5	5	-	-	1	-
Sumner	1	15	12	3	7	16	1	-	10	-	1	1	3	32	3	7	3	-	-
Thomas	-	9	-	-	-	8	1	1	-	-	-	-	3	5	1	-	-	-	-
Trego	-	3	1	1	3	-	-	-	-	-	-	-	-	7	2	3	2	-	-
Wabaunsee	-	11	-	2	1	2	-	1	3	-	-	-	-	5	1	1	1	-	-
Wallace	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Washington	-	16	1	1	4	4	1	-	-	-	1	-	-	10	1	1	-	-	-
Wichita	-	-	1	-	1	2	-	-	-	-	-	-	-	5	-	-	-	-	-
Wilson	-	10	-	1	10	11	3	1	2	-	-	-	-	10	4	3	1	-	-
Woodson	1	3	1	1	2	4	-	-	1	-	-	-	-	10	1	-	-	1	-
Wyandotte	4	101	9	17	57	66	5	15	26	-	14	11	81	143	32	34	32	45	-
Kansas City	4	92	9	16	53	63	5	14	25	-	14	10	80	130	31	33	30	42	-
Balance of county	-	9	-	1	4	3	-	1	1	-	-	1	1	13	1	1	2	3	-
Kentucky	130	2,342	232	425	1,425	1,715	73	352	420	2	200	194	248	3,245	821	862	490	251	40
Urban places	74	866	85	176	501	558	29	148	147	1	64	81	105	1,255	165	254	187	96	10
Balance of area	56	1,476	147	249	924	1,157	44	204	273	1	136	113	143	1,990	656	608	303	155	30
Metropolitan counties	66	1,012	86	201	595	713	37	184	161	1	97	107	136	1,509	230	315	233	105	20
Urban places	50	646	61	130	364	414	26	122	108	1	57	65	90	983	113	193	148	80	10
Balance of area	16	366	25	71	231	299	11	62	53	-	40	42	46	526	117	122	85	25	10
Nonmetropolitan counties	64	1,330	146	224	830	1,002	36	168	259	1	103	87	112	1,736	591	547	257	146	20
Urban places	24	220	24	46	137	144	3	26	39	-	7	16	15	272	52	61	39	16	-
Balance of area	40	1,110	122	178	693	858	33	142	220	1	96	71	97	1,464	539	486	218	130	20
Adair	-	9	1	1	9	5	-	1	2	-	1	-	-	12	4	9	4	2	-
Allen	-	12	1	-	14	6	1	1	4	-	-	2	2	17	8	3	3	2	-
Anderson	-	13	-	3	2	4	-	2	1	-	2	-	2	14	4	2	1	1	-
Ballard	-	6	-	-	11	6	-	1	2	-	1	-	1	9	1	1	-	-	-
Barren	2	31	4	5	18	27	1	4	7	-	-	1	2	20	6	10	11	-	-
Glasgow	1	22	2	3	15	15	1	3	4	-	-	1	-	13	2	5	6	-	-
Balance of county	1	9	2	2	3	12	-	1	3	-	-	-	2	7	4	5	5	-	-
Bath	-	8	-	-	6	5	-	2	2	-	2	-	-	9	2	3	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 63 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Bell	374	-	-	4	94	18	31	3	15	2	1	24	7	155	128	-	-	78	50
Middlesborough	161	-	-	-	40	6	13	-	4	1	-	16	3	61	50	-	-	33	17
Balance of county	213	-	-	4	54	12	18	3	11	1	1	8	4	94	78	-	-	45	33
Boone	374	-	-	6	101	20	27	16	14	7	3	14	6	160	121	1	4	89	27
Florence	204	-	-	3	50	10	10	10	9	3	1	7	2	95	68	-	-	52	16
Balance of county	170	-	-	3	51	10	17	6	5	4	2	7	4	65	53	1	4	37	11
Bourbon	175	-	-	2	49	15	14	6	5	-	-	9	4	71	56	2	1	42	11
Boyd	550	1	-	10	131	22	44	12	15	4	4	30	21	238	180	-	2	118	60
Ashland	355	1	-	8	83	14	27	10	8	1	3	20	13	162	117	-	2	73	42
Balance of county	195	-	-	2	48	8	17	2	7	3	1	10	8	76	63	-	-	45	18
Boyle	252	-	-	7	62	24	19	2	5	2	1	9	6	98	82	2	1	52	27
Danville	166	-	-	4	46	18	12	2	3	1	1	9	4	59	48	2	-	26	20
Balance of county	86	-	-	3	16	6	7	-	2	1	-	-	2	39	34	-	1	26	7
Bracken	90	-	-	1	20	7	6	1	2	1	-	3	7	40	33	-	2	23	8
Breathitt	163	-	-	2	24	5	11	1	3	-	1	3	8	59	55	1	-	34	20
Breckinridge	202	-	-	-	50	11	18	1	4	1	2	13	4	102	75	-	2	58	15
Bullitt	276	-	-	4	74	22	25	5	3	2	3	14	10	104	83	-	2	42	39
Butler	121	-	-	1	26	7	6	-	5	1	1	6	3	56	46	-	1	35	10
Caldwell	181	-	-	3	45	13	19	-	3	2	3	5	6	85	65	-	3	44	18
Calloway	326	-	-	5	57	11	13	6	7	2	2	16	4	148	121	-	5	59	57
Murray	165	-	-	4	28	6	6	4	4	-	1	7	2	80	62	-	3	29	30
Balance of county	161	-	-	1	29	5	7	2	3	2	1	9	2	68	59	-	2	30	27
Campbell	765	1	-	11	196	52	64	13	18	8	9	32	28	334	268	2	6	225	35
Fort Thomas	158	-	-	4	36	14	9	1	3	1	2	6	7	68	57	-	1	48	8
Newport	216	-	-	3	63	14	26	2	6	2	2	11	6	85	67	-	1	56	10
Balance of county	391	1	-	4	97	24	29	10	9	5	5	15	15	181	144	2	4	121	17
Carlisle	64	-	-	-	18	4	3	2	3	1	1	4	3	29	24	-	1	15	8
Carroll	118	-	-	3	25	7	6	1	1	-	2	8	1	52	44	1	1	30	12
Carter	252	-	-	6	73	17	21	5	9	1	3	17	5	97	72	1	-	42	29
Casey	175	-	-	5	35	6	15	2	2	1	-	9	2	70	49	-	1	26	22
Christian	550	-	-	9	115	23	42	7	15	4	4	20	9	225	178	-	6	117	55
Hopkinsville	379	-	-	6	69	15	26	5	9	2	2	10	7	162	126	-	3	75	48
Balance of county	171	-	-	3	46	8	16	2	6	2	2	10	2	63	52	-	3	42	7
Clark	272	-	-	4	70	24	26	6	6	-	1	7	6	106	89	-	2	61	26
Winchester	180	-	-	4	44	15	16	3	3	-	-	7	6	74	62	-	2	44	16
Balance of county	92	-	-	-	26	9	10	3	3	-	1	-	-	32	27	-	-	17	10
Clay	198	-	-	-	44	9	19	2	6	1	2	5	5	73	58	-	1	32	25
Clinton	91	-	-	1	19	9	4	1	2	-	1	2	-	37	25	-	-	24	1
Crittenden	107	-	-	1	24	5	8	2	4	4	-	1	2	50	41	-	-	35	6
Cumberland	105	-	-	2	18	5	2	3	3	-	1	4	3	57	51	-	-	39	12
Daviess	766	2	-	13	201	42	74	17	17	7	13	31	24	334	241	2	4	162	73
Owensboro	574	-	-	9	145	32	56	15	11	4	6	21	17	267	192	2	4	130	56
Balance of county	192	2	-	4	56	10	18	2	6	3	7	10	7	67	49	-	-	32	17
Edmonson	112	-	-	2	30	3	8	3	6	2	2	6	4	50	36	-	-	26	10
Elliott	58	-	-	1	13	2	1	3	2	-	3	2	5	20	17	-	-	8	9
Estill	159	-	-	1	39	11	9	1	4	-	3	11	5	71	57	-	2	34	21
Fayette, coext. with Lexington-Fayette	1,682	2	-	25	466	106	145	38	46	15	21	95	40	620	482	7	22	299	154
Fleming	145	1	-	5	29	6	11	2	3	2	-	5	-	78	60	-	-	44	16
Floyd	451	-	-	8	97	20	36	6	10	2	2	21	15	179	147	-	3	104	40
Franklin	411	-	-	5	130	30	45	8	15	3	2	27	8	166	129	2	2	83	42
Frankfort	308	-	-	4	94	22	27	5	12	3	1	24	7	128	94	2	2	63	27
Balance of county	103	-	-	1	36	8	18	3	3	-	1	3	1	38	35	-	-	20	15
Fulton	132	-	-	2	30	6	11	4	3	1	-	5	1	53	43	-	1	26	16
Gallatin	50	1	-	-	15	2	8	-	2	-	1	2	4	14	11	-	-	10	1
Garrard	132	-	-	2	32	9	6	1	7	2	3	4	7	56	44	1	-	35	8
Grant	152	-	-	3	34	10	14	2	2	-	1	5	7	61	56	-	2	30	24
Graves	407	1	-	1	87	16	28	5	13	2	9	14	9	199	158	1	1	118	38
Mayfield	167	1	-	-	33	8	9	2	5	-	3	6	5	83	64	-	-	50	14
Balance of county	240	-	-	1	54	8	19	3	8	2	6	8	4	116	94	1	1	68	24
Grayson	208	1	-	3	48	9	19	4	5	2	3	6	-	95	77	-	1	59	17
Green	107	-	-	2	22	6	8	1	5	1	-	1	-	54	44	-	1	30	13
Greenup	352	-	-	3	98	15	33	8	14	8	3	17	10	162	129	-	7	67	55
Hancock	67	-	-	-	16	4	4	1	3	-	1	3	1	31	27	-	-	19	8
Hardin	512	-	-	7	125	22	48	13	14	2	7	19	6	223	169	2	7	99	61
Elizabethtown	172	-	-	1	39	7	14	4	3	-	3	8	4	83	59	-	4	36	19
Radcliff	75	-	-	2	23	4	14	3	1	-	-	1	-	25	18	1	-	10	7
Balance of county	265	-	-	4	63	11	20	6	10	2	4	10	2	115	92	1	3	53	35
Harlan	350	1	-	5	77	18	32	3	7	2	1	14	11	139	116	-	4	87	25
Harrison	194	-	-	-	32	8	10	2	5	1	2	4	5	106	72	-	1	51	20
Hart	184	-	-	1	41	10	14	4	4	1	2	6	6	79	60	-	-	39	21
Henderson	412	-	-	1	97	18	40	4	11	4	4	16	11	176	136	-	1	108	27
Henderson	324	-	-	1	75	14	28	2	10	4	3	14	9	144	109	-	1	86	22
Balance of county	88	-	-	-	22	4	12	2	1	-	1	2	2	32	27	-	-	22	5
Henry	138	-	-	2	32	6	11	1	5	3	-	6	4	60	47	-	1	29	17
Hickman	87	-	-	1	20	5	5	1	3	-	2	4	1	41	33	2	-	23	8
Hopkins	532	-	-	7	129	24	49	8	6	8	5	29	11	224	183	2	14	94	73
Madisonville	243	-	-	1	57	10	23	4	1	1	3	15	2	116	91	-	9	47	35
Balance of county	289	-	-	6	72	14	26	4	5	7	2	14	9	108	92	2	5	47	38
Jackson	120	-	-	1	36	5	17	4	3	1	1	5	3	43	31	-	-	21	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 64 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	3	20	1	3	9	20	1	4	3	-	1	2	6	33	12	15	4	4	-
Middlesborough	3	6	-	2	6	11	-	2	1	-	1	1	2	18	2	9	4	-	-
Balance of county	-	14	1	1	3	9	1	2	2	-	-	1	4	15	10	6	-	4	-
Boone	2	28	1	8	13	12	2	7	4	-	1	6	-	37	6	7	4	1	1
Florence	2	20	1	4	7	7	1	4	4	-	-	3	-	19	3	4	2	-	-
Balance of county	-	8	-	4	6	5	1	3	-	-	1	3	-	18	3	3	2	1	1
Bourbon	1	13	1	-	7	10	-	2	3	-	-	-	-	14	5	4	1	3	-
Boyd	2	44	1	11	24	23	2	8	10	-	5	2	1	47	9	11	4	1	2
Ashland	2	33	-	10	14	14	1	5	6	-	-	2	1	32	4	5	3	1	-
Balance of county	-	11	1	1	10	9	1	3	4	-	5	-	-	15	5	6	1	-	2
Boyle	1	12	-	3	8	18	-	-	7	-	2	-	-	27	4	4	5	4	-
Danville	1	8	-	2	5	12	-	-	7	-	-	-	-	22	1	2	2	2	-
Balance of county	-	4	-	1	3	6	-	-	-	-	2	-	-	5	3	2	3	2	-
Bracken	-	7	-	-	-	3	-	-	-	-	1	-	-	13	3	1	1	-	-
Breathitt	-	3	-	1	9	10	-	1	4	-	4	-	1	14	12	10	2	3	-
Breckinridge	-	24	3	-	3	6	-	-	2	-	-	-	2	11	11	6	2	3	-
Bullitt	2	18	1	-	11	12	-	4	1	-	3	7	5	19	9	9	3	1	-
Butler	-	7	1	2	2	5	-	1	2	-	1	-	-	13	1	6	3	1	-
Caldwell	-	13	4	3	6	4	-	2	3	-	-	-	-	14	9	2	2	-	-
Calloway	1	22	-	4	21	18	1	-	2	-	3	-	1	36	14	10	4	2	-
Murray	1	13	-	4	13	4	-	-	1	-	1	-	-	18	5	4	4	1	-
Balance of county	-	9	-	-	8	14	1	-	1	-	2	-	1	18	9	6	-	1	-
Campbell	7	46	7	6	22	30	1	11	3	-	4	4	2	73	12	14	14	2	3
Fort Thomas	1	8	1	1	3	8	-	1	2	-	1	1	-	18	3	3	2	-	1
Newport	2	11	4	1	6	8	-	5	-	-	1	1	1	19	5	3	8	1	1
Balance of county	4	27	2	4	13	14	1	5	1	-	2	2	1	36	4	8	4	1	1
Carlisle	-	3	1	1	2	3	-	1	-	-	-	-	-	4	1	3	-	-	-
Carroll	-	8	-	-	4	5	-	-	1	-	-	-	1	11	4	8	1	2	-
Carter	-	20	-	5	5	13	-	3	4	-	1	1	-	26	6	7	4	1	-
Casey	-	17	2	2	7	12	-	2	6	-	2	2	1	23	4	1	1	2	-
Christian	4	31	4	8	21	24	-	3	4	-	3	4	11	54	24	21	11	9	3
Hopkinsville	3	26	3	4	15	21	-	3	4	-	2	-	9	44	6	14	9	7	1
Balance of county	1	5	1	4	6	3	-	-	-	-	1	4	2	10	18	7	2	2	2
Clark	1	9	3	4	11	10	-	7	4	-	2	2	3	26	11	3	5	2	-
Winchester	1	6	2	3	5	3	-	5	3	-	1	1	2	20	5	2	3	2	-
Balance of county	-	3	1	1	6	7	-	2	1	-	1	1	1	6	6	1	2	-	-
Clay	-	15	-	-	7	5	1	1	1	-	-	3	2	15	13	15	3	10	-
Clinton	-	12	-	-	11	5	-	-	3	-	-	-	-	9	1	2	2	-	1
Crittenden	-	5	2	2	5	4	-	1	-	-	1	-	-	5	5	4	4	-	1
Cumberland	1	4	-	1	3	2	-	-	3	-	1	-	-	9	2	3	1	1	-
Daviess	8	68	7	10	29	31	2	5	5	-	5	3	1	68	7	17	13	4	2
Owensboro	7	55	5	8	24	24	2	4	3	-	3	-	1	49	3	11	9	2	1
Balance of county	1	13	2	2	5	7	-	1	2	-	2	3	-	19	4	6	4	2	1
Edmonson	1	13	-	-	7	2	-	-	-	-	-	-	-	7	6	4	-	-	-
Elliott	-	3	-	-	3	1	-	-	1	-	1	-	-	5	2	4	1	-	1
Estill	-	11	1	2	4	6	-	2	2	-	1	1	1	18	3	4	-	1	-
Fayette, coext. with Lexington-Fayette	5	106	7	20	68	66	5	30	16	-	10	12	16	202	23	41	27	12	1
Fleming	-	15	-	3	2	5	-	-	4	-	-	-	1	12	1	5	2	-	-
Floyd	2	25	-	5	14	22	3	3	8	-	3	1	1	43	23	16	8	5	2
Franklin	1	31	-	5	23	16	1	2	4	-	1	2	2	32	5	8	4	2	-
Frankfort	1	29	-	4	20	9	1	2	4	-	-	2	1	23	4	5	2	2	-
Balance of county	-	2	-	1	3	7	-	-	-	-	1	-	1	9	1	3	2	-	-
Fulton	-	8	1	1	6	12	-	2	2	-	-	-	-	19	1	1	2	1	-
Gallatin	-	1	1	1	1	4	-	1	1	-	2	1	-	4	1	-	-	1	-
Garrard	-	8	-	4	4	3	-	2	1	-	-	1	1	13	7	2	1	-	-
Grant	1	1	-	3	4	8	-	2	3	-	2	-	2	13	3	7	2	-	1
Graves	1	30	6	4	13	20	-	5	9	-	1	2	-	30	8	10	10	2	-
Mayfield	1	14	1	3	5	7	-	3	4	-	-	-	-	13	3	4	4	2	-
Balance of county	-	16	5	1	8	13	-	2	5	-	1	2	-	17	5	6	6	-	-
Grayson	2	14	-	2	8	11	1	1	1	-	2	1	1	19	8	1	5	2	-
Green	1	8	1	-	7	2	-	-	-	-	-	1	-	10	5	1	3	-	-
Greenup	2	26	3	2	19	20	-	2	5	-	3	1	4	17	3	4	1	-	-
Hancock	-	4	-	-	4	2	-	1	-	-	1	-	-	6	1	3	-	-	1
Hardin	4	36	5	9	28	22	1	3	6	-	5	14	4	36	16	9	5	2	-
Elizabethtown	3	18	-	3	12	10	-	-	2	-	-	1	2	13	3	1	1	-	-
Radcliff	-	4	1	2	3	-	-	-	1	-	1	2	1	10	2	2	1	2	-
Balance of county	1	14	4	4	13	12	1	3	3	-	4	11	1	13	11	6	3	-	-
Harlan	-	19	2	2	19	14	2	4	6	-	5	2	4	33	10	12	3	3	-
Harrison	3	20	9	2	13	4	-	3	5	-	-	-	1	16	4	2	1	-	2
Hart	-	18	1	-	6	19	-	1	3	-	-	1	-	13	5	7	1	1	-
Henderson	1	33	1	5	36	16	1	1	5	1	-	5	2	30	4	14	8	3	1
Henderson	1	28	1	5	26	11	1	1	4	1	-	2	2	23	3	13	5	2	1
Balance of county	-	5	-	-	10	5	-	-	1	-	-	3	-	7	1	1	3	1	-
Henry	2	9	-	2	12	4	-	1	1	-	2	-	3	11	2	3	1	-	-
Hickman	2	5	-	1	7	4	-	-	1	-	-	-	-	5	2	1	2	2	-
Hopkins	1	31	2	7	14	31	-	2	4	-	4	6	3	56	15	15	9	2	-
Madisonville	-	18	2	5	6	15	-	1	3	-	-	4	1	25	4	5	2	1	-
Balance of county	1	13	-	2	8	16	-	1	1	-	4	2	2	31	11	10	7	1	-
Jackson	-	8	1	3	8	7	-	2	-	-	-	-	1	6	5	5	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 65 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,738	6	–	149	1,694	370	628	116	179	56	52	293	141	2,808	2,232	19	66	1,323	824
Jeffersontown	41	–	–	–	12	3	4	2	–	1	–	2	–	21	19	–	1	10	8
Louisville	4,501	5	–	99	1,105	248	412	65	121	39	35	185	95	1,891	1,483	8	45	863	567
St. Matthews	19	–	–	–	2	–	2	–	–	–	–	–	–	8	6	–	–	3	3
Shively	14	–	–	–	4	1	1	–	–	–	–	2	–	7	6	1	–	4	1
Balance of county	2,163	1	–	50	571	118	209	49	58	16	17	104	46	881	718	10	20	443	245
Jessamine	221	–	–	2	53	13	11	2	8	6	1	12	5	95	76	1	4	50	21
Nicholasville	128	–	–	2	31	6	7	2	5	2	1	8	3	56	46	1	3	31	11
Balance of county	93	–	–	–	22	7	4	–	3	4	–	4	2	39	30	–	1	19	10
Johnson	232	1	–	–	55	12	21	1	7	1	2	11	6	114	99	–	3	55	41
Kenton	1,214	–	–	30	300	96	92	26	22	8	9	47	36	491	390	3	11	273	103
Covington	539	–	–	16	127	44	39	11	9	2	5	17	19	214	169	2	5	112	50
Erlanger	95	–	–	4	29	6	11	5	2	1	–	4	2	38	29	–	–	23	6
Balance of county	580	–	–	10	144	46	42	10	11	5	4	26	15	239	192	1	6	138	47
Knott	153	–	–	2	29	5	13	1	3	–	–	7	3	65	56	–	–	46	10
Knox	269	–	–	3	48	9	18	3	5	2	1	10	6	136	115	–	10	70	35
Larue	120	–	–	1	28	5	12	3	4	2	–	2	3	45	38	1	1	18	18
Laurel	367	1	–	9	110	21	30	10	11	5	10	23	5	146	114	2	2	78	32
Lawrence	129	–	–	1	36	6	10	3	6	2	2	7	1	57	47	–	2	30	15
Lee	77	–	–	–	15	2	5	–	2	1	–	5	1	36	29	–	–	21	8
Leslie	109	–	–	1	21	2	11	–	3	1	–	4	4	49	42	1	–	22	19
Letcher	276	–	–	1	65	13	30	6	3	2	2	9	3	119	106	–	2	67	37
Lewis	153	–	–	–	32	5	13	1	5	1	1	6	8	63	49	–	–	33	16
Lincoln	224	–	–	4	42	8	17	2	6	–	4	5	5	117	92	1	1	44	46
Livingston	113	–	–	2	21	7	9	2	2	–	–	1	1	56	42	–	2	37	3
Logan	284	–	–	6	59	14	20	5	4	2	2	12	6	123	96	–	1	71	24
Lyon	59	–	–	1	15	3	5	–	1	2	–	4	1	26	20	–	1	11	8
McCracken	689	–	–	12	173	39	46	15	21	7	6	39	11	293	225	2	2	175	46
Paducah	430	–	–	10	111	26	27	10	15	4	5	24	6	185	142	–	2	109	31
Balance of county	259	–	–	2	62	13	19	5	6	3	1	15	5	108	83	2	–	66	15
McCreary	175	1	–	2	34	4	17	2	5	–	1	5	10	81	66	1	1	36	28
McLean	108	–	–	–	23	4	9	–	4	2	–	4	3	52	38	1	–	26	11
Madison	455	–	–	6	130	23	46	8	18	2	7	26	8	173	138	–	3	92	43
Richmond	177	–	–	1	45	11	15	4	3	1	3	8	3	70	58	–	–	36	22
Balance of county	278	–	–	5	85	12	31	4	15	1	4	18	5	103	80	–	3	56	21
Magoffin	121	–	–	1	34	3	10	2	7	3	3	6	4	49	44	–	–	24	20
Marion	151	–	–	5	44	10	20	–	1	1	2	10	4	57	45	–	–	29	16
Marshall	315	–	–	6	67	16	29	3	5	1	2	11	5	141	114	–	–	86	28
Martin	118	–	–	–	31	5	12	1	3	1	–	9	5	46	37	1	–	27	9
Mason	200	–	–	4	48	9	14	3	6	3	4	9	6	102	94	1	3	61	29
Meade	137	–	–	4	29	5	11	2	3	1	–	7	2	65	54	–	1	27	26
Menifee	48	–	–	–	15	6	4	1	1	–	–	3	–	16	12	–	–	7	5
Mercer	229	–	–	5	52	8	20	4	2	2	3	13	2	95	69	–	1	52	16
Metcalfe	120	–	–	4	17	4	6	1	2	1	1	2	3	65	58	1	2	35	20
Monroe	147	–	–	–	32	2	13	2	5	1	1	8	4	74	62	–	3	44	15
Montgomery	170	–	–	1	40	7	14	4	4	–	1	10	2	65	47	–	–	24	23
Morgan	108	–	–	2	30	5	13	4	3	–	–	5	1	47	39	–	1	29	9
Muhlenberg	396	–	–	10	97	16	42	4	11	4	5	15	7	185	146	2	1	92	51
Nelson	239	–	–	2	50	11	21	2	3	–	1	12	2	114	87	1	3	67	16
Nicholas	79	–	–	2	21	1	11	3	3	–	1	2	1	28	23	–	–	15	8
Ohio	252	–	–	2	48	12	19	–	5	3	–	9	6	133	109	–	2	81	26
Oldham	181	–	–	2	53	14	16	6	5	2	–	10	2	68	61	1	–	44	16
Owen	100	–	–	2	16	3	6	–	–	–	1	6	2	57	46	–	1	38	7
Owsley	62	–	–	–	17	1	4	–	5	–	2	5	1	21	17	–	–	12	5
Pendleton	113	–	–	–	31	7	12	2	3	–	–	7	4	47	42	1	–	26	15
Perry	292	1	–	7	64	12	22	6	8	3	1	12	5	134	122	1	1	97	23
Pike	640	–	–	5	135	23	61	6	13	5	6	21	20	283	221	2	4	161	54
Powell	83	–	–	–	30	10	10	2	1	1	–	6	2	17	13	–	–	12	1
Pulaski	509	–	–	6	127	22	49	8	13	5	5	25	12	197	144	–	5	103	36
Somerset	146	–	–	2	33	7	9	4	1	1	1	10	7	67	48	–	1	31	16
Balance of county	363	–	–	4	94	15	40	4	12	4	4	15	5	130	96	–	4	72	20
Robertson	29	–	–	–	7	4	2	1	–	–	–	–	–	9	8	–	–	8	–
Rockcastle	161	–	–	1	33	7	14	1	4	1	–	6	1	65	54	–	–	38	16
Rowan	145	–	–	3	24	3	8	3	2	2	–	6	5	71	49	–	–	30	19
Russell	170	1	–	–	38	11	10	1	5	1	2	8	–	63	47	–	1	35	11
Scott	209	–	–	3	59	8	24	5	1	4	3	14	4	83	63	–	3	42	18
Georgetown	131	–	–	1	39	5	14	2	1	3	2	12	2	53	40	–	2	25	13
Balance of county	78	–	–	2	20	3	10	3	–	1	1	2	2	30	23	–	1	17	5
Shelby	276	1	–	4	75	25	26	6	6	2	–	10	8	125	91	–	–	76	15
Simpson	162	–	–	4	35	10	11	3	3	–	1	7	3	87	70	1	–	35	34
Spencer	65	–	–	1	16	2	7	–	1	–	–	6	1	27	17	–	–	11	6
Taylor	208	–	–	2	43	9	18	4	2	4	1	5	2	96	78	–	1	52	25
Todd	124	–	–	1	26	5	9	1	4	–	1	6	2	56	49	–	–	31	18
Trigg	128	–	–	1	39	15	14	2	1	1	–	6	5	58	48	–	–	38	10
Trimble	64	–	–	–	11	2	2	2	4	–	–	1	1	30	25	–	1	14	10
Union	153	–	–	1	42	8	15	5	2	1	2	9	3	71	54	1	3	37	13
Warren	706	–	–	11	160	38	61	9	18	5	7	22	16	317	228	2	2	166	58
Bowling Green	459	–	–	4	105	26	40	5	15	3	3	13	11	208	145	2	2	99	42
Balance of county	247	–	–	7	55	12	21	4	3	2	4	9	5	109	83	–	–	67	16
Washington	103	–	–	2	20	7	4	1	2	1	1	4	5	43	29	–	–	21	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 66 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Jefferson	25	426	34	91	229	340	18	81	79	-	39	44	68	685	70	120	99	62	6
Jeffersontown	-	1	-	1	-	1	-	1	1	-	-	-	-	4	-	1	-	-	-
Louisville	23	292	29	64	150	205	15	53	54	-	33	36	51	462	44	83	63	53	4
St. Matthews	-	2	-	-	2	2	-	-	1	-	-	-	-	1	-	2	1	-	-
Shively	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Balance of county	2	130	5	26	77	132	3	27	23	-	6	8	17	216	26	34	34	9	2
Jessamine	-	17	-	2	6	11	1	2	-	-	1	1	2	23	9	7	3	-	-
Nicholasville	-	9	-	1	3	7	-	1	-	-	1	1	-	14	6	2	1	-	-
Balance of county	-	8	-	1	3	4	1	1	-	-	-	-	2	9	3	5	2	-	-
Johnson	-	12	1	2	8	13	1	2	1	-	-	1	1	14	3	8	2	2	-
Kenton	4	73	10	14	53	54	5	14	11	-	11	12	13	112	19	26	24	2	1
Covington	2	34	5	4	32	24	-	9	8	-	3	3	6	56	5	9	8	-	-
Erlanger	-	6	1	2	1	4	1	-	-	-	1	3	1	7	1	-	3	-	-
Balance of county	2	33	4	8	20	26	4	5	3	-	7	6	6	49	13	17	13	2	1
Knott	-	6	-	3	6	12	-	1	2	-	1	1	1	15	9	2	-	4	-
Knox	-	19	2	-	7	20	-	-	3	-	2	1	4	22	7	4	3	3	-
Larue	1	4	-	2	12	7	-	-	2	-	-	1	-	11	2	6	2	-	-
Laurel	-	27	1	4	9	13	1	3	3	-	-	1	2	27	12	11	4	8	2
Lawrence	3	6	-	1	4	7	3	1	1	-	-	-	-	8	3	5	1	1	-
Lee	-	7	-	-	1	5	-	1	2	-	-	-	2	9	1	-	1	3	-
Leslie	-	6	1	-	5	6	-	-	2	-	-	-	1	8	4	4	2	2	-
Letcher	-	12	1	-	8	16	-	6	6	-	3	1	2	25	8	6	6	1	-
Lewis	-	11	-	3	5	8	-	1	3	-	-	-	1	15	8	4	3	1	1
Lincoln	-	17	1	7	11	9	1	1	-	-	-	-	1	15	5	8	3	2	-
Livingston	-	9	2	3	9	1	-	1	1	-	-	-	1	10	3	6	-	1	-
Logan	-	23	3	1	14	17	-	2	6	-	-	3	1	24	7	8	5	1	2
Lyon	-	5	1	-	2	-	-	1	1	-	-	-	-	8	-	3	1	-	-
McCracken	1	51	7	9	38	34	-	12	4	-	1	1	5	65	8	18	10	4	-
Paducah	1	31	5	6	25	16	-	8	1	-	-	1	2	41	6	12	4	2	-
Balance of county	-	20	2	3	13	18	-	4	3	-	1	-	3	24	2	6	6	2	-
McCreary	-	9	2	4	2	13	-	1	2	-	1	-	3	11	5	8	-	1	-
McLean	-	12	1	1	5	4	-	2	2	-	2	-	-	5	7	1	1	1	-
Madison	-	25	1	9	16	21	1	2	8	-	2	4	2	57	9	11	1	4	-
Richmond	-	9	-	3	5	6	1	1	7	-	1	1	2	22	4	6	1	1	-
Balance of county	-	16	1	6	11	15	-	1	1	-	1	3	-	35	5	5	-	3	-
Magoffin	-	5	-	-	5	10	-	1	-	-	1	-	1	7	2	4	1	1	-
Marion	1	8	1	2	6	6	-	2	1	-	1	-	-	18	3	1	2	1	-
Marshall	1	22	1	3	9	21	-	3	2	-	3	3	4	24	6	14	7	-	-
Martin	1	7	1	-	7	2	-	1	-	-	2	2	-	7	5	5	4	1	-
Mason	1	5	-	2	4	5	-	1	2	-	1	-	1	16	3	3	4	-	-
Meade	1	8	2	-	4	7	-	3	1	-	3	1	-	10	4	2	1	1	-
Menifee	-	3	1	-	4	2	-	-	1	-	1	-	-	5	1	2	-	1	-
Mercer	2	17	3	4	9	14	-	2	6	-	-	3	-	21	12	2	5	1	-
Metcalfe	-	5	-	2	4	10	-	-	1	-	-	-	1	5	4	3	1	2	-
Monroe	-	7	3	2	9	5	-	1	2	-	-	1	1	11	3	4	-	-	-
Montgomery	1	14	1	2	16	13	-	1	2	1	-	2	-	16	7	3	1	-	-
Morgan	-	7	-	1	5	7	1	-	1	-	1	1	1	8	2	1	-	-	-
Muhlenberg	1	31	2	5	13	15	-	3	5	-	2	3	2	34	3	14	2	-	1
Nelson	-	18	4	5	7	13	-	5	4	-	3	1	-	24	3	6	2	3	-
Nicholas	1	3	1	-	1	8	-	1	2	-	-	-	-	6	5	2	2	-	-
Ohio	1	17	3	3	11	10	1	3	-	-	1	-	-	27	6	3	1	-	-
Oldham	-	4	-	3	9	11	-	3	1	-	2	-	1	18	3	5	3	-	-
Owen	1	7	1	2	3	3	-	-	-	-	1	-	-	7	5	4	-	-	-
Owsley	1	2	-	1	4	4	-	-	1	-	1	-	-	6	1	-	1	5	-
Pendleton	-	2	2	1	3	3	-	3	-	-	1	1	-	11	5	1	3	-	-
Perry	-	8	-	4	11	16	1	4	2	-	-	-	1	25	7	6	3	4	1
Pike	1	47	6	8	23	33	1	8	10	-	2	2	3	50	28	22	9	5	1
Powell	-	1	-	3	3	7	-	-	2	-	3	1	-	9	4	2	1	2	-
Pulaski	-	34	13	6	16	33	3	3	8	-	3	1	1	62	18	12	5	1	1
Somerset	-	9	7	3	3	11	-	1	-	-	1	1	-	14	3	2	1	-	-
Balance of county	-	25	6	3	13	22	3	2	8	-	2	-	1	48	15	10	4	1	1
Robertson	-	-	1	-	1	3	-	-	-	-	-	-	-	6	1	2	-	-	-
Rockcastle	-	8	1	2	8	7	-	2	5	-	-	2	-	17	7	7	4	2	-
Rowan	-	20	-	2	5	9	2	1	2	-	-	-	-	15	2	3	3	-	-
Russell	-	11	2	3	13	9	-	-	2	-	2	1	3	24	4	7	3	-	-
Scott	1	15	2	2	11	11	-	-	5	-	2	1	2	17	4	1	4	2	-
Georgetown	1	8	2	2	8	9	-	-	2	-	1	-	-	11	2	-	3	-	-
Balance of county	-	7	-	-	3	2	-	-	3	-	1	1	2	6	2	1	1	2	-
Shelby	1	23	3	7	15	9	-	1	1	-	2	2	3	20	5	3	2	-	-
Simpson	-	13	3	1	1	2	1	-	2	-	-	-	-	11	8	3	2	3	-
Spencer	2	8	-	-	6	1	-	-	2	-	-	-	-	2	3	4	1	-	1
Taylor	-	14	2	2	15	10	2	2	4	-	-	-	1	14	10	2	3	2	-
Todd	-	6	1	-	3	7	-	-	1	-	-	1	2	14	6	4	1	-	-
Trigg	-	6	1	3	5	3	2	1	2	-	1	-	-	7	1	3	-	-	-
Trimble	-	4	-	1	3	5	-	-	1	-	-	-	1	7	3	2	-	-	-
Union	-	16	1	-	5	7	-	1	2	-	-	-	2	10	2	4	1	2	-
Warren	14	59	8	8	29	39	-	7	8	-	2	2	8	60	21	12	11	3	-
Bowling Green	12	39	6	6	19	28	-	5	4	-	2	2	4	40	13	4	7	3	-
Balance of county	2	20	2	2	10	11	-	2	4	-	-	-	4	20	8	8	4	-	-
Washington	-	11	-	3	7	4	1	1	1	-	-	-	-	8	6	3	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 67 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	186	-	-	8	50	4	20	2	8	3	2	11	2	71	52	-	1	41	10
Webster	164	-	-	1	45	11	15	2	7	1	3	6	5	67	53	-	-	39	14
Whitley	327	1	-	4	80	16	30	5	9	4	1	15	8	130	110	1	-	78	31
Wolfe	60	-	-	2	9	-	4	-	2	-	-	3	2	22	15	-	-	12	3
Woodford	167	-	-	3	39	9	13	3	5	3	-	6	2	76	60	-	1	43	16
Louisiana	38,283	49	4	1,162	8,881	2,012	2,856	688	987	348	302	1,688	1,312	15,780	12,440	63	703	7,912	3,762
Urban places	18,726	27	3	737	4,259	965	1,377	370	478	150	141	778	723	7,478	5,922	31	474	3,603	1,814
Balance of area	19,557	22	1	425	4,622	1,047	1,479	318	509	198	161	910	589	8,302	6,518	32	229	4,309	1,948
Metropolitan parishes [6]	25,454	33	3	900	5,990	1,377	1,962	485	637	236	191	1,102	933	10,030	7,968	40	564	4,917	2,447
Urban places	15,999	22	3	665	3,674	853	1,187	324	412	125	118	655	645	6,210	4,955	22	445	2,984	1,504
Balance of area	9,455	11	-	235	2,316	524	775	161	225	111	73	447	288	3,820	3,013	18	119	1,933	943
Nonmetropolitan parishes [6]	12,829	16	1	262	2,891	635	894	203	350	112	111	586	379	5,750	4,472	23	139	2,995	1,315
Urban places	2,727	5	-	72	585	112	190	46	66	25	23	123	78	1,268	967	9	29	619	310
Balance of area	10,102	11	1	190	2,306	523	704	157	284	87	88	463	301	4,482	3,505	14	110	2,376	1,005
Acadia	555	1	-	6	140	31	41	12	13	8	5	30	19	254	196	4	2	133	57
Crowley	174	-	-	4	48	9	11	5	5	3	-	15	7	78	58	4	-	39	15
Eunice, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	380	1	-	2	92	22	30	7	8	5	5	15	12	176	138	-	2	94	42
Allen	222	-	-	3	59	9	17	4	8	1	1	19	3	106	84	-	2	57	25
Ascension	396	1	-	4	87	23	32	6	7	4	3	12	15	157	126	-	5	86	35
Assumption	183	-	-	5	52	16	16	4	3	1	2	10	2	87	68	-	3	43	22
Avoyelles	435	-	-	5	105	21	31	8	13	4	3	25	17	206	159	-	7	127	25
Beauregard	271	1	-	6	60	9	24	5	3	6	2	11	6	117	83	-	1	57	25
De Ridder, part	94	1	-	3	16	2	8	3	-	1	1	1	2	42	29	-	1	22	6
De Ridder, total	94	1	-	3	16	2	8	3	-	1	1	1	2	42	29	-	1	22	6
Balance of parish	177	-	-	3	44	7	16	2	3	5	1	10	4	75	54	-	-	35	19
Bienville	206	1	1	4	47	12	12	3	9	1	2	8	10	95	67	-	3	40	24
Bossier	636	2	-	9	157	26	50	14	22	8	6	31	37	256	224	2	15	131	76
Bossier City	405	2	-	7	99	21	35	8	9	2	4	20	27	158	143	1	10	80	52
Shreveport, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of parish	230	-	-	2	58	5	15	6	13	6	2	11	10	97	81	1	5	51	24
Caddo	2,524	-	-	59	608	141	195	45	79	22	18	108	133	990	846	8	66	541	231
Shreveport, part	2,192	-	-	50	517	122	167	39	66	16	16	91	119	870	748	7	60	480	201
Shreveport, total	2,193	-	-	50	517	122	167	39	66	16	16	91	119	871	748	7	60	480	201
Balance of parish	332	-	-	9	91	19	28	6	13	6	2	17	14	120	98	1	6	61	30
Calcasieu	1,495	-	-	44	392	88	132	26	38	18	13	77	47	601	487	3	38	252	194
Lake Charles	780	-	-	31	202	47	68	10	22	9	6	40	18	315	247	1	20	114	112
Sulphur	179	-	-	2	43	14	14	4	4	1	2	4	9	76	67	1	1	48	17
Balance of parish	536	-	-	11	147	27	50	12	12	8	5	33	20	210	173	1	17	90	65
Caldwell	115	-	-	6	23	5	8	2	3	-	2	3	2	49	39	-	1	29	9
Cameron	61	1	-	2	9	2	4	-	-	1	-	2	2	28	25	-	-	22	3
Catahoula	136	-	-	2	26	5	7	-	3	-	2	9	2	69	50	-	2	32	16
Claiborne	236	-	-	5	51	12	16	7	7	1	2	6	6	94	79	-	1	52	26
Concordia	209	-	-	5	48	9	16	1	9	3	1	9	2	88	65	-	2	43	20
De Soto	264	2	-	2	63	15	17	7	9	2	3	10	9	118	76	-	8	56	12
East Baton Rouge	2,772	5	1	119	645	148	184	59	77	17	28	132	65	1,145	882	1	161	534	186
Baker	99	-	-	3	27	8	7	2	2	2	-	6	4	42	35	-	4	21	10
Baton Rouge	2,264	5	1	100	515	117	150	51	60	11	22	104	55	940	733	1	144	436	152
Balance of parish	409	-	-	16	103	23	27	6	15	4	6	22	6	163	114	-	13	77	24
East Carroll	128	-	-	3	27	9	10	2	2	1	1	2	6	58	45	-	-	41	4
East Feliciana	196	-	-	6	36	9	13	-	3	3	-	8	7	90	73	-	5	30	38
Evangeline	364	-	-	9	62	24	18	2	3	4	1	10	8	174	144	-	4	92	48
Franklin	268	1	-	10	55	10	18	7	9	1	1	9	6	127	85	1	-	63	21
Grant	176	-	-	2	39	13	11	2	4	2	1	6	4	86	73	-	6	52	15
Iberia	565	-	-	16	170	37	56	12	18	3	10	34	22	217	161	4	14	76	67
New Iberia	324	-	-	11	87	19	30	4	10	1	5	18	12	135	97	2	9	45	41
Balance of parish	241	-	-	5	83	18	26	8	8	2	5	16	10	82	64	2	5	31	26
Iberville	284	1	-	6	63	9	20	4	10	2	2	16	10	110	75	1	3	51	20
Jackson	194	-	-	1	51	5	11	5	7	2	3	18	12	79	63	-	1	39	23
Jefferson	3,619	8	-	111	879	195	304	65	86	46	23	160	128	1,429	1,115	6	22	778	309
Gretna	365	-	-	13	89	24	31	8	6	4	3	13	17	127	101	-	2	75	24
Harahan	55	-	-	2	22	4	9	2	3	-	1	3	2	18	14	-	-	8	6
Kenner	427	-	-	16	99	18	31	9	16	4	2	19	21	154	120	1	4	75	40
Westwego	129	-	-	8	39	8	15	2	4	1	1	8	1	52	44	-	-	29	15
Balance of parish	2,643	8	-	72	630	141	218	44	57	37	16	117	87	1,078	836	5	16	591	224
Jefferson Davis	302	-	-	8	69	10	26	4	7	2	4	16	11	139	108	-	5	58	45
Jennings	147	-	-	5	29	2	11	2	5	1	1	7	2	75	54	-	2	33	19
Balance of parish	155	-	-	3	40	8	15	2	2	1	3	9	9	64	54	-	3	25	26
Lafayette	1,097	1	-	30	295	77	121	16	22	14	12	33	24	437	336	1	22	189	124
Lafayette	777	-	-	22	204	51	87	11	19	9	7	20	23	313	243	1	19	137	86
Balance of parish	320	1	-	8	91	26	34	5	3	5	5	13	1	124	93	-	3	52	38
Lafourche	652	-	-	9	145	39	48	8	10	7	6	27	24	282	216	2	3	142	69
Thibodaux	199	-	-	-	37	11	13	2	2	1	2	6	12	86	63	-	-	40	23
Balance of parish	453	-	-	9	108	28	35	6	8	6	4	21	12	196	153	2	3	102	46
La Salle	156	-	-	-	31	10	10	-	-	2	1	8	3	79	67	-	-	57	10
Lincoln	334	-	-	10	73	12	23	6	9	2	5	16	9	146	97	-	2	75	20
Ruston	157	-	-	6	34	6	13	2	5	1	3	4	6	59	46	-	-	37	9
Balance of parish	177	-	-	4	39	6	10	4	4	1	2	12	3	87	51	-	2	38	11
Livingston	502	-	-	12	124	27	43	12	9	3	5	25	15	168	139	1	8	85	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 68 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	–	14	3	2	4	13	–	3	4	–	–	1	1	16	5	3	2	3	–
Webster	–	11	2	1	11	7	1	2	1	–	–	–	–	11	6	4	2	1	–
Whitley	–	15	2	3	9	25	–	4	–	–	4	1	4	27	9	17	2	1	1
Wolfe	–	6	–	1	2	6	–	1	3	–	–	–	1	4	5	–	2	1	–
Woodford	–	12	1	3	6	10	–	–	–	–	3	–	2	21	1	1	3	–	–
Louisiana	135	2,433	354	418	1,042	1,338	93	355	465	12	245	346	397	3,590	869	918	558	831	36
Urban places	81	1,096	189	190	459	641	44	196	231	6	119	194	199	1,847	304	412	252	580	15
Balance of area	54	1,337	165	228	583	697	49	159	234	6	126	152	198	1,743	565	506	306	251	21
Metropolitan parishes [6]	92	1,475	231	264	606	880	56	266	300	9	161	252	320	2,463	539	590	407	684	32
Urban places	72	875	146	162	369	539	32	174	185	6	98	175	183	1,600	270	382	224	548	15
Balance of area	20	600	85	102	237	341	24	92	115	3	63	77	137	863	269	228	183	136	17
Nonmetropolitan parishes [6]	43	958	123	154	436	458	37	89	165	3	84	94	77	1,127	330	328	151	147	4
Urban places	9	221	43	28	90	102	12	22	46	–	21	19	16	247	34	50	28	32	–
Balance of area	34	737	80	126	346	356	25	67	119	3	63	75	61	880	296	278	123	115	4
Acadia	7	34	10	7	13	19	2	4	6	1	2	8	4	41	12	13	5	5	–
Crowley	2	12	5	1	4	7	–	1	4	–	–	2	2	10	1	4	–	2	–
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of parish	5	22	5	6	9	12	2	3	2	1	2	6	2	31	10	9	5	3	–
Allen	–	18	1	3	5	9	–	1	–	–	1	1	1	26	2	3	2	–	–
Ascension	–	24	4	3	12	13	2	1	6	–	1	5	2	45	17	13	7	8	–
Assumption	1	14	3	1	1	1	–	2	3	–	1	2	1	15	2	6	–	3	–
Avoyelles	1	34	4	8	11	15	1	2	4	–	1	5	1	32	10	12	5	3	–
Beauregard	–	24	6	4	16	5	–	–	3	–	2	1	2	36	7	5	2	2	–
De Ridder, part	–	7	4	2	8	2	–	–	2	–	2	–	–	11	2	1	–	2	–
De Ridder, total	–	7	4	2	8	2	–	–	2	–	2	–	–	11	2	1	–	2	–
Balance of parish	–	17	2	2	8	3	–	–	1	–	–	1	2	25	5	4	2	–	–
Bienville	2	22	4	–	7	3	–	3	1	–	–	–	1	15	6	8	4	–	–
Bossier	2	22	–	8	11	30	–	5	6	1	3	4	5	53	19	12	18	6	2
Bossier City	2	11	–	2	7	21	–	2	6	1	3	3	3	40	7	4	10	4	1
Shreveport, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	10	–	6	4	9	–	3	–	–	–	1	2	13	12	8	8	2	1
Caddo	11	105	4	24	61	103	10	18	20	2	10	18	11	255	43	77	40	62	4
Shreveport, part	9	89	3	21	51	89	8	17	17	1	9	15	9	225	34	65	34	60	2
Shreveport, total	9	90	3	21	51	89	8	17	17	1	9	15	9	225	34	65	34	60	2
Balance of parish	2	16	1	3	10	14	2	1	3	1	1	3	2	30	9	12	6	2	2
Calcasieu	7	83	9	15	43	52	4	13	18	–	10	10	16	112	46	38	22	25	2
Lake Charles	5	47	6	10	21	30	1	5	8	–	4	7	8	62	20	21	9	17	1
Sulphur	–	9	–	–	6	5	1	2	–	–	1	1	–	18	6	6	3	–	–
Balance of parish	2	27	3	5	16	17	2	6	10	–	5	2	8	32	20	11	10	8	1
Caldwell	1	7	–	2	7	3	–	–	2	–	–	–	1	10	5	5	2	–	–
Cameron	–	3	–	–	2	–	–	–	1	–	–	–	1	8	1	3	2	–	1
Catahoula	–	18	–	1	6	5	–	1	2	–	1	–	–	15	2	4	1	–	–
Claiborne	–	10	1	4	14	6	1	1	4	–	2	–	1	21	10	10	3	7	–
Concordia	2	18	2	1	15	9	–	3	3	–	1	1	1	16	8	5	3	1	–
De Soto	–	33	9	–	–	12	–	5	3	–	1	4	1	21	5	13	3	2	–
East Baton Rouge	7	155	77	24	83	72	3	30	30	2	16	36	18	260	55	61	51	71	4
Baker	–	6	1	–	5	5	–	–	1	–	–	1	1	6	2	2	–	–	–
Baton Rouge	5	121	63	18	64	52	3	29	25	1	12	32	16	221	42	48	37	63	3
Balance of parish	2	28	13	6	14	15	–	1	4	1	4	3	1	33	11	11	14	8	1
East Carroll	–	11	–	2	3	2	–	–	3	1	–	2	–	8	4	5	1	5	–
East Feliciana	–	14	1	2	8	7	–	1	5	–	–	5	4	14	4	8	1	–	–
Evangeline	2	18	1	9	16	16	2	2	6	–	5	1	2	37	7	10	7	–	–
Franklin	–	36	1	5	13	8	–	2	5	–	–	3	3	22	3	4	3	3	–
Grant	1	11	–	1	5	8	–	–	1	–	2	1	–	17	4	3	2	2	–
Iberia	–	37	13	6	11	17	2	5	4	–	10	3	2	52	12	8	9	4	1
New Iberia	–	24	11	3	9	14	–	4	3	–	4	2	2	30	3	3	4	1	–
Balance of parish	–	13	2	3	2	3	2	1	1	–	6	1	–	22	9	5	5	3	1
Iberville	2	27	4	2	18	9	–	3	6	–	1	1	4	28	6	6	2	9	1
Jackson	3	11	1	1	8	2	1	1	4	–	2	–	–	23	6	4	–	–	–
Jefferson	8	245	25	36	69	144	9	43	47	1	28	35	68	326	72	72	74	73	3
Gretna	3	16	2	5	3	15	1	5	4	–	2	1	4	39	11	9	15	9	1
Harahan	–	2	1	1	1	3	–	–	1	–	–	–	2	2	1	–	–	1	–
Kenner	1	26	3	4	4	15	1	4	3	1	6	5	14	33	18	9	12	12	–
Westwego	–	7	–	1	–	4	–	1	–	–	–	2	–	13	3	3	–	3	–
Balance of parish	4	194	19	25	61	107	7	33	39	–	20	27	48	239	39	51	47	48	2
Jefferson Davis	2	22	4	3	7	12	–	5	3	–	5	3	3	21	2	6	6	2	–
Jennings	1	15	4	1	2	7	–	2	1	–	3	2	1	8	1	4	3	2	–
Balance of parish	1	7	–	2	5	5	–	3	2	–	2	1	2	13	1	2	3	–	–
Lafayette	4	72	11	14	29	40	1	8	14	–	8	15	5	106	21	25	23	15	–
Lafayette	4	47	7	12	22	30	1	5	6	–	7	9	5	77	13	15	15	10	–
Balance of parish	–	25	4	2	7	10	–	3	8	–	1	6	–	29	8	10	8	5	–
Lafourche	1	53	8	4	21	23	1	4	11	–	5	5	4	57	25	17	10	7	2
Thibodaux	–	20	2	1	8	11	–	3	5	–	2	3	3	20	5	1	1	2	–
Balance of parish	1	33	6	3	13	12	1	1	6	–	3	2	1	37	20	16	9	5	2
La Salle	–	7	2	3	6	8	–	1	5	–	2	1	–	13	5	1	–	1	–
Lincoln	–	43	1	5	10	16	6	1	4	–	3	–	2	33	10	6	2	3	–
Ruston	–	11	–	2	8	6	4	1	2	–	1	–	1	21	3	2	2	1	–
Balance of parish	–	32	1	3	2	10	2	–	2	–	2	–	1	12	7	4	–	2	–
Livingston	–	23	4	2	17	25	1	5	5	–	3	2	18	51	25	12	11	6	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 69 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	171	–	–	3	29	5	11	3	7	–	–	3	3	96	72	–	2	28	42
Tallulah	132	–	–	3	21	3	8	3	4	–	–	3	2	77	57	–	1	19	37
Balance of parish	39	–	–	–	8	2	3	–	3	–	–	–	1	19	15	–	1	9	5
Morehouse	343	–	–	7	73	22	21	7	2	6	1	14	10	146	99	1	4	60	34
Bastrop	201	–	–	5	44	14	14	3	1	2	1	9	6	89	62	1	4	36	21
Balance of parish	142	–	–	2	29	8	7	4	1	4	–	5	4	57	37	–	–	24	13
Natchitoches	367	–	–	6	70	14	22	6	8	3	2	15	8	183	140	–	5	105	30
Natchitoches	153	–	–	2	31	6	7	4	2	2	1	9	4	77	55	–	4	41	10
Balance of parish	214	–	–	4	39	8	15	2	6	1	1	6	4	106	85	–	1	64	20
Orleans, coext. with New Orleans city	5,806	9	1	345	1,232	295	381	125	130	48	39	214	259	2,111	1,668	5	163	979	521
Ouachita	1,223	4	–	37	286	59	94	23	39	5	7	59	67	488	391	2	9	261	119
Monroe	643	3	–	22	138	29	36	13	21	4	3	32	35	265	212	–	5	134	73
West Monroe	242	1	–	5	60	12	22	4	10	–	2	10	18	90	72	1	1	50	20
Balance of parish	338	–	–	10	88	18	36	6	8	1	2	17	14	133	107	1	3	77	26
Plaquemines	228	–	–	5	59	13	20	2	6	–	3	15	8	96	81	–	4	60	17
Pointe Coupee	250	–	–	6	61	21	12	3	8	2	6	9	6	113	86	1	1	68	16
Rapides	1,245	1	1	33	289	68	95	14	42	6	9	55	23	521	403	3	10	289	101
Alexandria	607	1	1	19	144	33	46	13	23	1	4	24	10	245	186	–	5	139	42
Pineville	158	–	–	3	34	12	12	–	3	1	–	6	3	63	53	2	1	34	16
Balance of parish	480	–	–	11	111	23	37	1	16	4	5	25	10	213	164	1	4	116	43
Red River	104	–	–	1	19	4	1	2	2	3	1	6	2	64	59	–	1	9	49
Richland	238	–	–	6	58	13	22	5	5	3	1	9	4	102	83	–	3	53	27
Sabine	269	1	–	3	51	7	19	2	4	1	3	15	8	129	97	1	3	56	37
St. Bernard	651	–	–	15	156	34	59	10	14	8	9	22	19	259	221	2	8	138	73
St. Charles	277	1	–	7	61	19	17	2	7	–	1	15	15	112	91	–	5	70	16
St. Helena	92	–	–	–	13	6	2	1	2	–	2	–	5	46	37	–	1	30	6
St. James	168	1	–	2	34	6	10	5	4	1	3	5	5	75	49	1	1	36	11
St. John the Baptist	271	–	–	11	41	12	12	3	1	–	2	11	10	118	96	1	4	60	31
St. Landry	766	1	–	20	171	41	51	13	24	6	7	29	22	329	283	1	12	159	111
Eunice, part	127	1	–	2	27	6	9	1	4	1	–	6	4	58	48	–	1	29	18
Eunice, total	128	1	–	2	27	6	9	1	4	1	–	6	4	58	48	–	1	29	18
Opelousas	244	–	–	6	51	8	14	5	7	2	3	12	7	105	90	–	3	56	31
Balance of parish	395	–	–	12	93	27	28	7	13	3	4	11	11	166	145	1	8	74	62
St. Martin	335	–	–	7	100	30	36	7	10	3	–	14	11	140	112	–	6	77	29
St. Mary	481	1	–	2	114	30	36	4	12	7	4	21	29	185	143	1	4	98	40
Morgan City	145	1	–	–	25	3	10	–	3	5	2	2	10	59	38	–	1	29	8
Balance of parish	336	–	–	2	89	27	26	4	9	2	2	19	19	126	105	1	3	69	32
St. Tammany	1,045	1	–	22	251	53	96	21	21	15	3	42	27	435	341	2	4	124	211
Slidell	314	1	–	7	74	12	35	3	2	6	1	15	6	127	99	1	1	41	56
Balance of parish	731	–	–	15	177	41	61	18	19	9	2	27	21	308	242	1	3	83	155
Tangipahoa	910	–	–	15	189	37	64	13	23	5	2	45	20	446	372	1	3	298	70
Hammond	243	–	–	4	38	9	11	1	4	1	–	12	5	145	130	–	–	101	29
Balance of parish	667	–	–	11	151	28	53	12	19	4	2	33	15	301	242	1	3	197	41
Tensas	95	–	–	1	20	5	3	1	3	2	3	3	2	47	40	–	1	25	14
Terrebonne	735	–	–	23	194	31	50	25	17	11	5	55	13	298	209	–	10	131	68
Houma	357	–	–	10	99	15	28	18	10	5	3	20	6	157	107	–	5	64	38
Balance of parish	378	–	–	13	95	16	22	7	7	6	2	35	7	141	102	–	5	67	30
Union	276	–	–	5	61	13	19	4	9	2	2	12	17	99	76	1	9	53	13
Vermilion	484	2	–	20	98	16	27	11	19	5	5	15	16	223	182	3	5	112	62
Abbeville	136	1	–	11	25	2	12	3	4	1	–	3	4	56	47	1	1	22	23
Balance of parish	348	1	–	9	73	14	15	8	15	4	5	12	12	167	135	2	4	90	39
Vernon	336	–	–	4	70	11	25	4	8	3	–	19	10	141	109	1	–	87	21
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	336	–	–	4	70	11	25	4	8	3	–	19	10	141	109	1	–	87	21
Washington	513	1	–	18	114	22	33	10	16	5	3	25	12	229	164	1	4	123	36
Bogalusa	255	1	–	7	51	10	13	6	7	2	1	12	6	123	86	1	2	68	15
Balance of parish	258	–	–	11	63	12	20	4	9	3	2	13	6	106	78	–	2	55	21
Webster	478	–	–	10	130	26	42	6	21	3	8	24	6	215	177	–	2	125	50
Minden	194	–	–	3	58	13	19	4	5	2	5	10	1	90	70	–	–	42	28
Balance of parish	284	–	–	7	72	13	23	2	16	1	3	14	5	125	107	–	2	83	22
West Baton Rouge	173	–	–	3	48	12	13	4	6	1	2	10	1	83	65	1	5	50	9
West Carroll	146	1	–	–	33	11	12	–	4	–	–	6	5	65	52	–	–	31	21
West Feliciana	78	–	–	1	14	6	2	1	4	–	–	1	–	35	31	–	–	10	21
Winn	176	–	–	5	51	12	15	3	7	3	1	10	3	70	58	–	2	44	12
Maine	11,226	6	–	155	2,937	675	894	221	338	108	104	597	297	4,692	3,702	36	99	2,551	1,016
Urban places	3,133	1	–	53	745	180	214	62	81	18	21	169	94	1,333	1,030	12	33	700	285
Balance of area	8,093	5	–	102	2,192	495	680	159	257	90	83	428	203	3,359	2,672	24	66	1,851	731
Metropolitan counties	4,360	2	–	73	1,109	249	341	87	121	34	34	243	115	1,818	1,447	14	38	991	404
Urban places	2,147	–	–	39	500	117	153	42	45	11	13	119	59	929	722	8	23	496	195
Balance of area	2,213	2	–	34	609	132	188	45	76	23	21	124	56	889	725	6	15	495	209
Nonmetropolitan counties	6,866	4	–	82	1,828	426	553	134	217	74	70	354	182	2,874	2,255	22	61	1,560	612
Urban places	986	1	–	14	245	63	61	20	36	7	8	50	35	404	308	4	10	204	90
Balance of area	5,880	3	–	68	1,583	363	492	114	181	67	62	304	147	2,470	1,947	18	51	1,356	522
Androscoggin	1,001	2	–	14	215	51	58	18	18	11	8	51	25	451	358	3	8	273	74
Auburn	264	–	–	2	49	15	13	4	5	2	1	9	7	131	111	2	1	80	28
Lewiston	470	–	–	7	94	20	23	7	8	5	2	29	16	222	164	–	6	127	31
Balance of county	267	2	–	5	72	16	22	7	5	4	5	13	2	98	83	1	1	66	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 70 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	1	18	1	4	6	3	1	–	3	–	1	1	–	17	2	1	3	2	–
Tallulah	1	16	1	2	4	3	1	–	3	–	1	–	–	13	–	1	1	2	–
Balance of parish	–	2	–	2	2	–	–	–	–	–	–	1	–	4	2	–	2	–	–
Morehouse	1	38	3	5	16	20	2	2	9	–	–	4	3	33	4	11	–	3	–
Bastrop	1	23	2	1	10	7	2	1	6	–	–	2	2	14	2	8	–	3	–
Balance of parish	–	15	1	4	6	13	–	1	3	–	–	2	1	19	2	3	–	–	–
Natchitoches	2	28	5	8	13	7	–	7	5	–	1	–	1	36	11	13	2	4	–
Natchitoches	1	14	3	4	2	2	–	2	4	–	1	–	–	19	2	4	2	1	–
Balance of parish	1	14	2	4	11	5	–	5	1	–	–	–	1	17	9	9	–	3	–
Orleans, coext. with New Orleans city	29	315	31	68	110	165	12	76	80	2	31	72	102	608	68	124	60	334	5
Ouachita	12	67	9	9	25	49	1	10	15	–	8	16	12	126	14	30	14	20	1
Monroe	6	38	5	4	12	26	–	5	8	–	3	12	7	66	7	15	3	15	1
West Monroe	5	11	2	–	9	5	–	1	5	–	4	2	1	28	3	6	3	1	–
Balance of parish	1	18	2	5	4	18	1	4	2	–	1	2	4	32	4	9	8	4	–
Plaquemines	1	7	–	7	2	9	–	1	1	–	1	2	–	16	11	11	1	5	–
Pointe Coupee	–	24	1	2	3	8	1	3	1	–	1	2	1	21	7	5	5	6	–
Rapides	4	92	5	17	51	54	3	13	15	–	15	8	6	123	24	27	21	13	4
Alexandria	1	50	3	5	25	25	2	6	7	–	6	7	3	68	8	14	7	8	1
Pineville	2	5	–	3	8	11	–	3	3	–	4	–	1	12	4	2	5	2	–
Balance of parish	1	37	2	9	18	18	1	4	5	–	5	1	2	43	12	11	9	3	3
Red River	–	4	1	–	2	3	–	1	–	–	–	1	–	8	1	2	–	–	–
Richland	1	14	1	3	10	8	–	–	5	–	1	–	2	26	9	3	3	1	–
Sabine	–	26	3	3	9	10	1	2	2	–	1	1	4	25	6	9	4	3	–
St. Bernard	1	31	–	6	8	20	–	4	6	–	3	3	31	80	14	18	9	6	–
St. Charles	–	17	2	2	6	9	–	2	1	–	4	1	3	30	15	3	3	3	1
St. Helena	–	7	1	1	2	2	–	–	2	–	–	3	1	9	5	1	1	2	–
St. James	1	19	3	3	6	1	1	2	2	–	2	1	2	18	5	6	1	4	–
St. John the Baptist	1	14	4	3	3	12	1	5	3	–	1	6	3	26	10	3	6	11	1
St. Landry	–	34	4	8	33	35	2	3	11	–	7	7	3	56	22	17	17	10	–
Eunice, part	–	5	2	3	2	5	–	–	4	–	1	2	3	14	–	1	3	–	–
Eunice, total	–	5	2	3	2	5	–	–	4	–	1	2	3	14	1	1	3	–	–
Opelousas	–	13	1	1	15	11	1	3	2	–	3	3	–	21	3	4	3	6	–
Balance of parish	–	16	1	4	16	19	1	–	5	–	3	2	–	21	19	12	11	4	–
St. Martin	1	20	4	3	6	11	–	3	2	1	2	1	3	22	14	4	4	4	–
St. Mary	1	30	3	8	12	23	3	2	6	–	2	2	3	47	14	17	11	8	–
Morgan City	–	16	3	2	3	9	2	–	2	–	–	1	1	15	2	5	7	3	–
Balance of parish	1	14	–	6	9	14	1	2	4	–	2	1	2	32	12	12	4	5	–
St. Tammany	3	64	9	18	25	33	2	16	9	–	7	7	9	103	36	28	20	13	1
Slidell	–	22	3	3	5	15	–	5	3	–	2	2	2	34	13	8	7	3	–
Balance of parish	3	42	6	15	20	18	2	11	6	–	5	5	7	69	23	20	13	10	1
Tangipahoa	–	58	6	10	25	40	3	6	9	–	8	10	6	61	25	22	7	17	1
Hammond	–	11	2	2	6	8	1	–	4	–	3	1	–	18	3	2	2	3	–
Balance of parish	–	47	4	8	19	32	2	6	5	–	5	9	6	43	22	20	5	14	1
Tensas	–	7	–	–	4	3	–	1	1	–	–	–	–	13	–	1	1	1	–
Terrebonne	–	59	24	6	23	23	4	7	10	–	6	7	4	65	16	22	14	6	–
Houma	–	32	14	4	8	12	2	5	3	–	2	1	2	28	5	10	3	4	–
Balance of parish	–	27	10	2	15	11	2	2	7	–	4	6	2	37	11	12	11	2	–
Union	4	14	3	2	8	11	2	1	2	–	–	1	1	39	8	12	4	5	–
Vermilion	–	35	1	5	5	14	2	3	11	–	4	3	–	42	18	14	8	1	–
Abbeville	–	6	1	2	–	4	–	1	4	–	2	3	–	13	4	7	–	1	–
Balance of parish	–	29	–	3	5	10	2	2	7	–	2	–	–	29	14	7	8	–	–
Vernon	2	19	9	2	13	15	1	–	4	1	5	7	2	22	17	12	8	4	–
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	2	19	9	2	13	15	1	–	4	1	5	7	2	22	17	12	8	4	–
Washington	4	50	8	3	13	20	–	5	6	–	3	–	5	56	13	10	3	5	–
Bogalusa	3	29	3	2	5	13	–	3	4	–	–	–	3	30	4	1	1	3	–
Balance of parish	1	21	5	1	8	7	–	2	2	–	3	–	2	26	9	9	2	2	–
Webster	–	32	1	5	29	13	2	6	5	–	2	3	3	26	11	4	4	9	–
Minden	–	19	1	–	12	4	1	4	1	–	–	1	1	10	3	3	–	2	–
Balance of parish	–	13	–	5	17	9	1	2	4	–	2	2	2	16	8	1	4	7	–
West Baton Rouge	1	14	1	2	3	2	2	3	2	–	–	1	–	15	5	4	–	1	–
West Carroll	–	8	1	4	11	5	–	1	–	–	1	2	5	9	2	3	1	2	–
West Feliciana	–	4	–	–	3	7	–	–	2	–	2	–	–	9	2	1	–	2	–
Winn	1	10	–	1	9	9	1	–	–	–	–	2	–	14	4	5	2	1	–
Maine	44	663	110	173	376	529	34	136	103	1	49	50	77	1,178	196	204	177	24	5
Urban places	14	197	43	49	123	157	6	33	26	1	13	14	21	373	26	59	43	11	1
Balance of area	30	466	67	124	253	372	28	103	77	–	36	36	56	805	170	145	134	13	4
Metropolitan counties	17	246	51	57	135	225	13	52	39	1	14	24	30	474	73	86	68	8	1
Urban places	11	132	33	31	69	111	4	25	20	1	7	11	15	268	16	40	25	7	1
Balance of area	6	114	18	26	66	114	9	27	19	–	7	13	15	206	57	46	43	1	–
Nonmetropolitan counties	27	417	59	116	241	304	21	84	64	–	35	26	47	704	123	118	109	16	4
Urban places	3	65	10	18	54	46	2	8	6	–	6	3	6	105	10	19	18	4	–
Balance of area	24	352	49	98	187	258	19	76	58	–	29	23	41	599	113	99	91	12	4
Androscoggin	6	53	19	15	27	53	4	18	16	–	4	3	8	113	15	19	12	1	1
Auburn	–	14	3	3	9	7	1	5	4	–	–	1	2	36	3	3	3	1	–
Lewiston	4	31	13	10	9	29	1	7	5	–	3	–	4	55	3	9	5	–	1
Balance of county	2	8	3	2	9	17	2	6	7	–	1	2	2	22	9	7	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 71 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	756	–	–	5	182	42	61	16	20	4	12	27	22	321	237	2	4	170	61
Presque Isle	91	–	–	1	20	4	7	–	6	–	1	2	5	34	29	1	–	22	6
Balance of county	665	–	–	4	162	38	54	16	14	4	11	25	17	287	208	1	4	148	55
Cumberland	2,116	–	–	40	566	123	179	37	67	10	18	132	55	869	685	9	25	468	183
Portland	730	–	–	19	170	39	56	13	17	1	5	39	17	302	235	4	8	162	61
South Portland	210	–	–	2	65	13	24	4	9	–	1	14	3	83	59	1	2	41	15
Westbrook	133	–	–	4	41	9	13	5	–	–	2	12	4	46	33	–	4	19	10
Balance of county	1,043	–	–	15	290	62	86	15	41	9	10	67	31	438	358	4	11	246	97
Franklin	243	–	–	3	59	15	20	1	5	5	1	12	12	97	76	–	1	56	19
Hancock	495	–	–	11	143	33	36	15	19	5	8	27	11	197	153	1	5	103	44
Kennebec	1,046	2	–	11	279	61	89	25	33	5	12	54	40	416	317	4	14	226	73
Augusta	253	1	–	2	56	17	10	6	8	–	2	13	10	100	74	1	7	45	21
Waterville	196	–	–	4	52	12	16	8	5	2	1	8	12	70	51	1	–	38	12
Balance of county	597	1	–	5	171	32	63	11	20	3	9	33	18	246	192	2	7	143	40
Knox	411	–	–	6	95	18	31	8	13	6	3	16	7	181	147	3	5	100	39
Lincoln	337	–	–	3	92	20	27	5	13	2	4	21	11	133	101	–	5	68	28
Oxford	544	–	–	5	136	36	35	11	21	3	4	26	10	251	196	3	3	142	48
Penobscot	1,243	–	–	19	328	75	104	32	36	13	8	60	35	498	404	2	5	250	147
Bangor	340	–	–	5	81	21	24	9	6	3	2	16	12	145	120	1	2	67	50
Balance of county	903	–	–	14	247	54	80	23	30	10	6	44	23	353	284	1	3	183	97
Piscataquis	208	–	–	1	55	12	14	3	8	3	4	11	4	79	61	–	2	34	25
Sagadahoc	267	1	–	3	81	22	22	5	4	4	2	22	3	103	84	1	1	61	21
Bath	103	–	–	1	31	9	6	1	2	2	1	10	1	39	31	–	–	22	9
Balance of county	164	1	–	2	50	13	16	4	2	2	1	12	2	64	53	1	1	39	12
Somerset	506	1	–	4	132	25	54	6	12	9	2	24	15	216	188	–	1	140	47
Waldo	326	–	–	4	82	14	25	7	11	5	3	17	9	140	114	1	2	67	44
Washington	372	–	–	5	105	29	34	11	5	5	2	19	6	165	133	–	5	90	38
York	1,355	–	–	21	387	99	105	21	53	18	13	78	32	575	448	7	13	303	125
Biddeford	222	–	–	4	50	10	13	2	7	3	3	12	5	107	86	–	1	54	31
Saco	121	–	–	2	36	11	9	3	8	–	–	5	2	54	37	1	2	23	11
Balance of county	1,012	–	–	15	301	78	83	16	38	15	10	61	25	414	325	6	10	226	83
Maryland	38,427	22	–	1,447	9,759	2,309	2,811	842	1,143	387	319	1,948	1,009	14,783	11,739	97	612	6,207	4,823
Urban places	13,540	11	–	725	3,209	795	957	252	381	117	96	611	387	4,960	4,003	36	245	1,907	1,815
Balance of area	24,887	11	–	722	6,550	1,514	1,854	590	762	270	223	1,337	622	9,823	7,736	61	367	4,300	3,008
Metropolitan counties	34,881	21	–	1,372	8,849	2,103	2,512	766	1,028	363	299	1,778	927	13,288	10,598	94	563	5,602	4,339
Urban places	13,054	11	–	710	3,093	765	919	242	366	114	95	592	380	4,763	3,861	35	235	1,844	1,747
Balance of area	21,827	10	–	662	5,756	1,338	1,593	524	662	249	204	1,186	547	8,525	6,737	59	328	3,758	2,592
Nonmetropolitan counties	3,546	1	–	75	910	206	299	76	115	24	20	170	82	1,495	1,141	3	49	605	484
Urban places	486	–	–	15	116	30	38	10	15	3	1	19	7	197	142	1	10	63	68
Balance of area	3,060	1	–	60	794	176	261	66	100	21	19	151	75	1,298	999	2	39	542	416
Allegany	1,002	1	–	17	232	57	69	16	25	16	5	44	40	442	351	2	12	223	114
Cumberland	424	1	–	7	104	22	41	5	7	6	1	22	15	177	138	–	4	87	47
Balance of county	578	–	–	10	128	35	28	11	18	10	4	22	25	265	213	2	8	136	67
Anne Arundel	2,735	1	–	68	734	155	224	61	77	26	25	166	82	1,076	858	11	70	429	348
Annapolis	352	1	–	14	95	30	28	4	12	2	1	18	9	144	108	1	12	52	43
Balance of county	2,383	–	–	54	639	125	196	57	65	24	24	148	73	932	750	10	58	377	305
Baltimore	6,306	3	–	183	1,757	424	502	156	186	79	53	357	143	2,541	2,022	20	76	1,092	834
Baltimore city	9,301	8	–	602	2,143	529	671	164	259	69	59	392	286	3,289	2,693	22	183	1,158	1,330
Calvert	332	–	–	8	95	20	27	9	11	7	5	16	6	130	105	–	4	55	46
Caroline	301	–	–	10	74	15	25	8	13	1	–	12	4	126	93	–	5	55	33
Carroll	850	–	–	21	207	56	43	20	28	7	8	45	22	348	294	2	11	164	117
Cecil	533	–	–	12	140	26	44	12	13	5	4	36	25	230	197	3	3	125	66
Charles	536	1	–	10	146	26	54	4	20	6	3	33	16	191	153	1	12	69	71
Dorchester	365	–	–	8	105	26	34	12	12	1	2	18	3	146	105	1	4	52	48
Cambridge	159	–	–	3	38	10	9	6	8	–	–	5	1	68	47	–	–	22	25
Balance of county	206	–	–	5	67	16	25	6	4	1	2	13	2	78	58	1	4	30	23
Frederick	979	–	–	17	242	63	72	22	27	8	8	42	17	399	318	2	4	140	172
Frederick	372	–	–	6	98	17	30	12	9	4	3	23	6	150	115	–	1	45	69
Balance of county	607	–	–	11	144	46	42	10	18	4	5	19	11	249	203	2	3	95	103
Garrett	231	–	–	5	50	11	14	5	8	–	2	10	8	102	79	–	4	47	28
Harford	1,074	–	–	19	291	62	75	36	37	17	8	56	18	450	368	2	30	173	163
Aberdeen	96	–	–	2	30	8	9	3	1	3	1	5	2	43	37	–	3	18	16
Balance of county	978	–	–	17	261	54	66	33	36	14	7	51	16	407	331	2	27	155	147
Howard	886	–	–	24	259	72	56	22	23	11	14	61	18	324	243	2	4	142	95
Kent	235	–	–	5	59	18	19	4	6	3	1	8	8	101	78	–	3	42	33
Montgomery	4,602	3	–	141	1,173	263	287	113	148	46	58	258	94	1,796	1,349	14	36	941	358
Gaithersburg	243	1	–	5	55	12	8	10	4	2	3	16	5	100	72	1	1	45	25
Rockville	599	–	–	24	141	41	33	8	17	4	7	31	14	227	166	2	6	117	41
Takoma Park, part	88	–	–	3	16	4	3	1	2	2	–	4	–	35	31	–	2	17	12
Takoma Park, total	112	–	–	3	22	5	4	3	2	2	–	6	1	43	38	–	2	21	15
Balance of county	3,672	2	–	109	961	206	243	94	125	38	48	207	75	1,434	1,080	11	27	762	280
Prince George's	4,342	4	–	227	1,092	273	285	112	125	45	40	212	126	1,437	1,135	10	100	582	443
Bowie	213	–	–	6	62	20	7	5	7	3	6	14	6	89	74	3	5	45	21
College Park	124	–	–	1	46	11	10	5	7	1	2	10	4	40	32	1	2	15	14
Greenbelt	108	–	–	4	26	8	6	2	3	–	–	7	4	35	29	1	1	16	11
Hyattsville	400	–	–	18	102	23	28	13	17	4	2	15	9	140	113	2	6	67	38
Laurel	138	–	–	8	31	9	5	2	–	2	3	10	1	41	38	–	–	24	14
New Carrollton	46	–	–	1	10	3	2	–	2	2	1	–	6	8	5	–	–	4	1
Takoma Park, part	24	–	–	–	6	1	1	2	–	–	–	2	1	8	7	–	–	4	3
Balance of county	3,289	4	–	189	809	198	226	83	89	33	26	154	95	1,076	837	3	86	407	341

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 72 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maine—Con.																			
Aroostook	4	57	5	18	24	30	–	11	10	–	4	7	8	93	12	10	14	1	2
Presque Isle	–	3	–	2	6	3	–	1	1	–	1	–	–	15	–	2	1	1	–
Balance of county	4	54	5	16	18	27	–	10	9	–	3	7	8	78	12	8	13	–	2
Cumberland	6	129	25	24	57	106	1	21	15	1	8	9	14	247	29	40	34	4	–
Portland	2	45	11	9	24	32	–	7	5	–	3	6	6	110	4	16	6	3	–
South Portland	1	18	2	3	4	21	–	–	1	–	1	1	–	22	1	2	3	1	–
Westbrook	1	7	2	3	3	6	–	3	2	1	–	–	2	14	1	2	4	–	–
Balance of county	2	59	10	9	26	47	1	11	7	–	4	2	6	101	23	20	21	–	–
Franklin	–	11	6	4	7	17	–	2	3	–	1	–	1	25	8	3	5	–	–
Hancock	2	30	2	10	14	15	3	2	5	–	1	1	5	56	10	11	6	3	1
Kennebec	5	66	9	19	45	54	3	16	7	–	3	2	10	103	9	19	22	4	1
Augusta	1	19	1	5	14	14	1	3	1	–	1	–	4	31	2	7	5	1	–
Waterville	1	12	1	5	15	9	–	3	1	–	–	1	1	20	–	2	4	2	–
Balance of county	3	35	7	9	16	31	2	10	5	–	2	1	5	52	7	10	13	1	1
Knox	2	26	5	1	14	15	1	4	3	–	–	–	1	62	2	14	5	1	–
Lincoln	1	21	3	7	14	11	2	2	2	–	2	–	5	45	6	7	2	–	–
Oxford	4	36	3	12	24	24	3	5	5	–	2	3	1	45	13	7	9	1	–
Penobscot	5	64	7	18	51	66	8	13	8	–	2	12	8	114	29	27	22	3	–
Bangor	3	17	2	3	20	16	2	3	3	–	–	3	1	31	4	8	4	2	–
Balance of county	2	47	5	15	31	50	6	10	5	–	2	9	7	83	25	19	18	1	–
Piscataquis	1	12	3	2	12	9	–	6	2	–	–	1	–	28	6	1	3	1	–
Sagadahoc	–	17	1	1	14	10	1	3	3	–	3	3	–	20	6	9	4	–	–
Bath	–	7	1	–	8	3	–	–	2	–	1	1	–	9	3	4	–	–	–
Balance of county	–	10	–	1	6	7	1	3	1	–	2	2	–	11	3	5	4	–	–
Somerset	1	21	3	3	13	26	3	9	6	–	4	5	2	39	15	6	10	–	–
Waldo	1	17	1	7	15	18	–	3	–	–	4	1	2	32	6	7	3	–	–
Washington	2	21	2	7	8	10	1	2	4	–	1	1	6	37	10	7	2	2	–
York	4	82	16	25	37	65	4	19	14	–	10	2	6	119	20	17	24	3	–
Biddeford	–	11	6	4	8	13	1	1	1	–	3	–	1	16	4	3	5	–	–
Saco	1	13	1	2	3	4	–	–	–	–	–	1	–	14	1	1	3	–	–
Balance of county	3	58	9	19	26	48	3	18	13	–	7	1	5	89	15	13	16	3	–
Maryland	158	2,216	206	464	1,193	1,446	70	435	514	3	207	372	854	3,906	708	608	429	600	62
Urban places	63	697	47	150	452	459	24	181	235	1	72	142	433	1,403	156	229	122	304	35
Balance of area	95	1,519	159	314	741	987	46	254	279	2	135	230	421	2,503	552	379	307	296	27
Metropolitan counties	144	1,973	164	409	1,079	1,276	64	402	479	3	196	341	818	3,554	627	560	384	584	57
Urban places	59	665	38	140	433	425	23	175	233	1	72	137	429	1,344	147	223	119	301	35
Balance of area	85	1,308	126	269	646	851	41	227	246	2	124	204	389	2,210	480	337	265	283	22
Nonmetropolitan counties	14	243	42	55	114	170	6	33	35	–	11	31	36	352	81	48	45	16	5
Urban places	4	32	9	10	19	34	1	6	2	–	–	5	4	59	9	6	3	3	–
Balance of area	10	211	33	45	95	136	5	27	33	–	11	26	32	293	72	42	42	13	5
Allegany	2	67	6	16	25	47	1	3	20	–	3	6	12	111	19	14	7	2	–
Cumberland	2	25	3	9	10	24	–	2	12	–	2	3	2	49	7	7	1	1	–
Balance of county	–	42	3	7	15	23	1	1	8	–	1	3	10	62	12	7	6	1	–
Anne Arundel	20	152	15	31	77	111	6	38	32	–	17	14	59	282	49	38	37	13	1
Annapolis	3	27	–	6	11	13	1	2	3	–	–	1	13	31	7	3	3	1	–
Balance of county	17	125	15	25	66	98	5	36	29	–	17	13	46	251	42	35	34	12	1
Baltimore	28	384	25	82	194	254	11	52	69	–	25	24	100	655	91	87	59	51	7
Baltimore city	43	437	24	92	286	289	16	138	176	1	52	96	349	960	78	159	81	261	31
Calvert	1	19	1	4	12	14	–	4	3	–	–	4	3	26	14	7	2	4	–
Caroline	1	21	4	7	8	13	1	2	2	–	1	4	4	30	11	3	4	4	–
Carroll	1	34	5	14	29	32	4	9	9	–	5	4	13	92	23	12	16	4	–
Cecil	1	22	4	6	9	26	1	4	6	–	5	5	7	27	18	8	5	4	1
Charles	1	26	9	2	13	25	1	6	7	–	4	5	10	48	26	6	12	8	1
Dorchester	4	19	9	9	14	22	1	1	4	–	1	4	2	38	6	3	6	1	–
Cambridge	1	12	4	4	7	11	1	1	2	–	–	1	1	22	1	–	1	1	–
Balance of county	3	7	5	5	7	11	–	–	2	–	1	3	1	16	5	3	5	–	–
Frederick	3	68	3	7	58	37	2	10	12	–	11	8	14	84	25	24	15	4	–
Frederick	3	29	–	3	26	12	1	2	9	–	3	4	7	29	6	7	5	1	–
Balance of county	–	39	3	4	32	25	1	8	3	–	8	4	7	55	19	17	10	3	–
Garrett	1	16	4	2	7	13	–	5	–	–	1	–	2	24	4	5	5	–	–
Harford	6	58	4	14	25	50	–	10	16	–	4	10	22	102	22	11	17	6	1
Aberdeen	–	4	1	1	1	2	–	1	3	–	–	–	2	6	1	2	–	1	–
Balance of county	6	54	3	13	24	48	–	9	13	–	4	10	20	96	21	9	17	5	1
Howard	4	61	2	14	27	27	1	7	10	–	11	7	10	102	23	10	20	5	1
Kent	1	16	2	4	8	11	–	3	2	–	2	1	2	15	9	3	2	–	4
Montgomery	12	335	38	62	160	158	10	42	53	–	25	55	75	538	98	90	40	46	5
Gaithersburg	–	25	1	2	8	8	2	1	1	–	2	8	6	26	5	1	3	5	1
Rockville	2	45	1	13	28	19	1	6	10	–	3	6	7	83	10	13	3	4	–
Takoma Park, part	–	3	–	1	5	4	–	1	–	–	–	2	2	10	3	3	2	2	–
Takoma Park, total	–	4	–	1	6	4	–	2	–	–	–	2	2	14	3	3	3	4	–
Balance of county	10	262	36	46	119	127	7	34	42	–	20	39	60	419	80	73	32	35	4
Prince George's	18	228	13	43	98	134	9	66	54	2	30	91	120	422	112	75	60	175	8
Bowie	2	10	2	1	8	3	–	3	1	–	2	2	1	17	2	3	6	1	1
College Park	–	5	–	3	2	5	–	–	3	–	–	2	3	10	2	2	4	–	–
Greenbelt	–	5	–	1	3	4	–	1	1	–	–	3	4	13	3	2	2	3	–
Hyattsville	1	25	–	1	9	11	2	10	8	–	4	3	7	42	8	9	4	13	1
Laurel	–	3	–	–	4	5	–	3	2	–	2	2	10	16	5	3	3	2	–
New Carrollton	–	–	1	2	2	2	–	3	–	–	–	1	2	4	2	1	–	4	–
Takoma Park, part	–	1	–	–	1	–	–	1	–	–	–	–	–	4	–	–	1	2	–
Balance of county	15	179	10	35	69	104	7	45	39	2	22	78	93	316	90	55	40	150	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 73 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	278	–	–	6	68	11	24	5	13	3	1	11	6	121	90	1	4	39	46
St. Mary's	468	1	–	14	118	26	37	7	13	6	5	24	10	167	118	–	–	71	47
Somerset	305	–	–	4	83	16	33	7	7	3	1	16	9	138	104	–	2	64	38
Talbot	393	–	–	4	104	22	26	13	14	3	3	23	8	184	149	1	8	74	66
Washington	1,125	–	–	17	270	66	79	14	36	18	8	49	28	514	422	2	14	270	136
Hagerstown	526	–	–	9	128	27	37	6	19	10	6	23	12	237	203	2	9	130	62
Balance of county	599	–	–	8	142	39	42	8	17	8	2	26	16	277	219	–	5	140	74
Wicomico	787	–	–	18	202	49	73	9	23	4	4	40	19	311	241	1	17	111	112
Salisbury	327	–	–	12	78	20	29	4	7	3	1	14	6	129	95	1	10	41	43
Balance of county	460	–	–	6	124	29	44	5	16	1	3	26	13	182	146	–	7	70	69
Worcester	461	–	–	7	115	23	38	11	19	3	2	19	13	220	174	–	6	89	79
Massachusetts	53,075	25	1	1,510	13,805	3,574	3,634	1,327	1,484	593	451	2,742	1,240	21,617	17,115	185	329	11,472	5,129
Urban places	39,375	19	1	1,220	10,059	2,645	2,668	971	1,044	417	333	1,981	904	16,068	12,772	149	233	8,567	3,823
Balance of area	13,700	6	–	290	3,746	929	966	356	440	176	118	761	336	5,549	4,343	36	96	2,905	1,306
Metropolitan counties	49,953	23	1	1,435	13,018	3,370	3,439	1,270	1,378	553	417	2,591	1,146	20,299	16,146	177	309	10,862	4,798
Urban places	38,921	19	1	1,206	9,949	2,624	2,640	960	1,030	413	328	1,954	892	15,877	12,636	147	232	8,479	3,778
Balance of area	11,032	4	–	229	3,069	746	799	310	348	140	89	637	254	4,422	3,510	30	77	2,383	1,020
Nonmetropolitan counties	3,122	2	–	75	787	204	195	57	106	40	34	151	94	1,318	969	8	20	610	331
Urban places	454	–	–	14	110	21	28	11	14	4	5	27	12	191	136	2	1	88	45
Balance of area	2,668	2	–	61	677	183	167	46	92	36	29	124	82	1,127	833	6	19	522	286
Barnstable	2,289	2	–	59	591	148	142	48	75	27	26	125	69	980	710	4	13	466	227
Barnstable town#	454	–	–	14	110	21	28	11	14	4	5	27	12	191	136	2	1	88	45
Balance of county	1,835	2	–	45	481	127	114	37	61	23	21	98	57	789	574	2	12	378	182
Berkshire	1,476	1	–	23	342	93	92	34	28	18	10	67	35	659	520	3	15	356	146
North Adams	182	–	–	1	39	8	15	4	3	2	1	6	5	94	74	1	3	54	16
Pittsfield	513	–	–	5	127	41	29	8	11	7	5	26	10	231	189	1	5	127	56
Balance of county	781	1	–	17	176	44	48	22	14	9	4	35	20	334	257	1	7	175	74
Bristol	4,467	–	–	110	1,176	337	308	118	100	41	36	236	132	1,989	1,553	12	20	1,101	420
Attleboro	298	–	–	7	87	20	24	8	7	2	3	23	5	125	101	1	2	70	28
Fairhaven town#	209	–	–	5	58	18	13	9	3	5	3	7	5	94	79	–	1	60	18
Fall River	1,021	–	–	22	274	83	72	22	24	8	10	55	26	474	367	2	3	251	111
New Bedford	1,122	–	–	37	254	86	63	27	19	11	8	40	39	506	369	4	5	276	84
North Attleborough town#	158	–	–	7	45	15	6	6	6	2	2	8	5	62	47	–	1	33	13
Somerset town#	169	–	–	1	43	14	10	3	4	3	–	9	8	85	67	–	2	41	24
Taunton	456	–	–	9	116	25	32	11	10	3	3	32	11	199	156	–	2	102	52
Balance of county	1,034	–	–	22	299	76	88	32	27	7	7	62	33	444	367	5	4	268	90
Dukes	122	–	–	–	28	5	9	3	7	1	1	2	2	50	42	3	–	21	18
Essex	6,034	–	1	122	1,527	389	440	144	162	58	54	280	120	2,670	2,135	25	40	1,422	648
Amesbury town#	144	–	–	–	35	11	9	3	1	3	1	7	4	70	54	–	–	39	15
Andover town#	202	–	–	4	46	12	11	9	4	3	2	5	7	91	77	1	1	44	31
Beverly	406	–	–	15	106	32	32	11	8	3	4	16	7	177	131	2	7	87	35
Danvers town#	256	–	–	4	50	14	14	7	5	2	2	6	4	128	96	1	–	66	29
Gloucester	271	–	–	5	84	21	30	3	11	6	4	9	3	94	73	2	4	40	27
Haverhill	477	–	–	4	110	25	37	7	14	3	–	24	5	216	170	4	2	107	57
Lawrence	579	–	–	18	127	34	35	15	14	8	3	18	15	267	212	2	5	123	82
Lynn	850	–	–	18	205	56	60	18	20	6	9	36	14	379	310	3	3	227	77
Lynnfield town#	76	–	–	3	24	5	6	2	3	1	1	6	2	24	17	–	–	15	2
Marblehead town#	159	–	–	4	42	9	12	3	6	1	1	10	3	67	53	1	1	37	14
Methuen town#	389	–	–	7	95	27	25	13	11	3	5	11	5	203	176	2	4	114	56
Newburyport	160	–	–	3	32	5	14	–	2	1	1	9	7	85	72	1	1	37	33
Peabody	385	–	1	4	122	27	34	16	14	3	7	21	7	165	140	1	2	92	45
Salem	362	–	–	9	101	21	33	12	11	1	1	22	8	141	116	1	2	92	21
Saugus town#	229	–	–	6	61	18	18	4	4	2	4	11	4	100	77	2	1	52	22
Swampscott town#	159	–	–	3	39	8	9	3	5	2	3	9	4	77	61	–	–	53	8
Balance of county	930	–	–	15	248	64	61	18	29	10	6	60	21	386	300	2	7	197	94
Franklin	654	–	–	14	156	48	37	6	23	12	7	23	22	261	201	1	6	113	81
Hampden	4,472	3	–	128	1,146	262	315	119	119	64	43	224	121	1,777	1,438	16	27	955	440
Agawam town#	227	–	–	4	59	16	22	5	3	3	1	9	6	92	78	1	1	55	21
Chicopee	600	1	–	13	166	41	41	15	20	9	7	33	16	247	201	2	3	145	51
Holyoke	573	2	–	12	137	27	31	15	15	8	6	35	16	232	198	1	4	138	55
Longmeadow town#	148	–	–	2	32	8	8	3	3	2	1	7	2	70	53	2	1	32	18
Springfield	1,568	–	–	62	386	94	110	42	42	18	13	67	42	594	466	7	9	291	159
Westfield	311	–	–	10	83	20	19	6	9	7	7	15	8	121	96	–	1	71	24
West Springfield town#	309	–	–	7	85	20	22	10	5	6	3	19	7	117	91	3	2	61	25
Balance of county	736	–	–	18	198	36	62	23	22	11	5	39	24	304	255	–	6	162	87
Hampshire	1,087	–	–	16	288	75	81	29	34	12	5	52	23	443	339	5	2	200	132
Amherst town#	108	–	–	2	27	3	8	3	4	1	2	6	1	48	37	1	–	23	13
Easthampton town#	125	–	–	7	33	12	10	1	1	2	1	6	1	53	36	–	–	30	6
Northampton	303	–	–	3	72	20	18	9	8	4	–	13	6	120	93	1	–	43	49
Balance of county	551	–	–	4	156	40	45	16	21	5	2	27	15	222	173	3	2	104	64
Middlesex	11,198	11	–	263	2,993	771	762	303	329	124	101	603	243	4,510	3,511	42	52	2,356	1,061
Arlington town#	415	1	–	6	118	31	32	12	10	3	2	28	3	173	129	5	4	87	33
Belmont town#	253	1	–	4	69	11	21	9	7	3	1	17	2	104	82	–	1	59	22
Billerica town#	207	–	–	3	59	8	23	3	6	2	1	16	4	87	65	2	1	35	27
Burlington town#	114	–	–	3	22	4	6	1	3	1	–	7	3	47	34	–	–	22	12
Cambridge	709	–	–	39	174	50	37	17	18	6	7	39	17	266	220	1	5	143	71
Chelmsford town#	199	–	–	4	49	14	19	4	4	1	–	7	3	83	64	2	2	35	25
Dracut town#	164	–	–	2	45	8	15	4	5	3	1	9	2	75	60	1	–	38	21
Everett	391	–	–	12	104	27	28	11	6	–	4	28	9	171	144	–	1	94	49
Framingham town#	540	1	–	9	139	37	31	16	13	6	6	30	10	217	183	2	5	136	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 74 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	–	27	1	3	11	13	1	7	2	–	1	4	1	22	6	6	3	–	–
St. Mary's	–	43	–	6	22	21	2	3	7	–	3	5	7	46	17	9	9	6	1
Somerset	1	27	1	5	4	13	–	2	4	–	–	1	4	33	3	2	4	1	–
Talbot	1	25	5	4	14	14	1	3	4	–	1	5	1	34	5	7	4	–	–
Washington	4	55	14	19	55	59	1	6	10	–	3	8	23	83	23	13	10	1	1
Hagerstown	3	21	5	5	29	24	–	1	4	–	2	4	14	44	8	8	1	–	1
Balance of county	1	34	9	14	26	35	1	5	6	–	1	4	9	39	15	5	9	1	–
Wicomico	3	42	12	13	24	47	1	8	6	–	1	6	9	100	14	12	6	3	–
Salisbury	3	20	5	6	12	23	–	5	–	–	–	4	3	37	8	6	2	2	–
Balance of county	–	22	7	7	12	24	1	3	6	–	1	2	6	63	6	6	4	1	–
Worcester	2	34	5	5	13	16	–	6	6	–	1	5	5	32	12	4	5	1	–
Massachusetts	183	3,267	387	665	2,388	2,095	116	606	665	2	236	300	444	5,643	614	787	489	269	223
Urban places	133	2,424	267	472	1,814	1,493	82	493	521	1	176	235	347	4,211	403	550	341	253	184
Balance of area	50	843	120	193	574	602	34	113	144	1	60	65	97	1,432	211	237	148	16	39
Metropolitan counties	176	3,030	330	617	2,255	1,941	113	584	628	2	229	291	423	5,317	575	732	457	267	217
Urban places	131	2,388	260	462	1,795	1,467	82	489	516	1	175	234	345	4,158	399	542	339	253	182
Balance of area	45	642	70	155	460	474	31	95	112	1	54	57	78	1,159	176	190	118	14	35
Nonmetropolitan counties	7	237	57	48	133	154	3	22	37	–	7	9	21	326	39	55	32	2	6
Urban places	2	36	7	10	19	26	–	4	5	–	1	1	2	53	4	8	2	–	2
Balance of area	5	201	50	38	114	128	3	18	32	–	6	8	19	273	35	47	30	2	4
Barnstable	7	170	55	38	93	114	2	13	24	–	4	7	11	234	24	35	21	2	4
Barnstable town#	2	36	7	10	19	26	–	4	5	–	1	1	2	53	4	8	2	–	2
Balance of county	5	134	48	28	74	88	2	9	19	–	3	6	9	181	20	27	19	2	2
Berkshire	8	99	11	21	79	62	4	11	12	–	9	3	7	174	21	21	8	3	2
North Adams	–	15	2	3	6	6	–	1	2	–	2	–	2	18	2	4	–	–	–
Pittsfield	2	34	–	6	28	18	–	3	6	–	2	1	4	54	9	6	5	3	1
Balance of county	6	50	9	12	45	38	4	7	4	–	5	2	1	102	10	11	3	–	1
Bristol	15	329	46	46	153	165	11	61	58	–	26	18	24	349	54	56	35	17	33
Attleboro	–	17	–	7	12	11	1	4	2	–	3	2	3	21	8	3	1	1	2
Fairhaven town#	–	14	–	1	5	7	–	3	2	–	1	–	1	20	5	1	–	–	2
Fall River	3	87	11	6	24	31	1	17	15	–	5	2	4	93	5	10	4	5	9
New Bedford	7	97	19	14	44	46	3	15	17	–	6	2	6	88	12	21	9	6	11
North Attleborough town#	2	11	–	2	5	11	–	1	4	–	–	3	1	10	2	–	–	1	1
Somerset town#	–	10	6	2	4	4	–	1	3	–	1	–	1	11	1	–	3	1	2
Taunton	1	35	3	4	34	18	2	5	3	–	2	5	2	26	7	6	8	1	2
Balance of county	2	58	7	10	25	37	4	15	12	–	8	4	6	80	14	15	10	2	4
Dukes	–	6	–	2	2	8	–	1	6	–	–	–	–	20	2	2	1	–	–
Essex	23	380	47	85	260	246	18	67	67	–	18	28	53	552	62	94	62	35	32
Amesbury town#	–	14	1	1	8	6	–	1	4	–	–	–	–	11	1	1	2	–	1
Andover town#	–	10	–	4	6	8	1	2	1	–	1	–	2	26	2	1	2	1	1
Beverly	3	31	7	5	25	18	2	3	4	–	3	1	3	29	1	5	5	2	–
Danvers town#	–	27	1	4	18	12	–	–	4	–	2	–	2	25	2	3	–	1	1
Gloucester	–	14	4	3	15	8	–	1	4	–	1	1	1	36	4	10	2	–	2
Haverhill	2	26	13	5	28	21	5	4	6	–	1	2	2	50	9	6	5	2	1
Lawrence	1	45	2	7	23	27	2	4	9	–	2	4	14	32	3	11	7	8	6
Lynn	4	50	3	12	34	34	1	14	4	–	2	8	7	79	10	15	9	10	7
Lynnfield town#	–	5	1	1	3	2	–	–	2	–	–	–	1	8	4	1	1	–	1
Marblehead town#	–	13	1	–	6	9	–	3	2	–	–	1	–	15	1	4	1	–	1
Methuen town#	1	22	1	3	12	15	–	4	3	–	2	2	7	20	3	4	3	2	2
Newburyport	1	10	2	–	1	3	–	2	3	–	1	1	1	15	1	3	1	–	1
Peabody	2	20	–	3	15	4	1	7	3	–	–	3	1	33	1	9	4	5	–
Salem	1	16	–	8	16	14	3	9	4	–	3	2	3	37	3	3	3	1	2
Saugus town#	–	19	2	2	9	8	–	1	4	–	–	–	–	26	5	3	–	2	–
Swampscott town#	1	8	3	4	5	9	–	1	–	–	–	–	2	14	2	–	3	–	–
Balance of county	7	50	6	23	36	48	3	11	10	–	–	3	7	96	10	15	14	1	6
Franklin	–	53	1	6	35	28	1	8	7	–	2	2	9	70	12	16	9	–	2
Hampden	12	261	26	40	230	179	5	48	58	–	22	36	30	502	59	59	39	21	9
Agawam town#	–	13	–	1	15	6	1	2	2	–	2	–	4	26	4	1	3	–	–
Chicopee	3	35	1	7	23	26	2	8	7	–	3	2	5	65	3	5	5	1	2
Holyoke	–	27	3	4	30	27	–	14	8	–	2	5	3	64	2	10	4	4	1
Longmeadow town#	–	13	–	4	7	–	–	1	6	–	2	–	–	24	1	–	1	–	–
Springfield	4	99	12	13	84	66	2	13	21	–	8	18	10	180	27	21	14	15	5
Westfield	–	17	5	3	25	9	–	2	2	–	2	3	1	29	9	3	4	–	–
West Springfield town#	–	22	2	2	15	14	–	3	4	–	1	3	3	43	–	4	2	1	–
Balance of county	5	35	3	6	31	31	–	5	8	–	2	5	4	71	13	15	6	–	1
Hampshire	4	83	6	11	43	55	1	10	8	–	5	5	12	116	13	24	20	2	3
Amherst town#	–	11	–	–	3	4	–	4	–	–	–	2	2	8	1	2	3	–	1
Easthampton town#	1	14	1	1	4	5	–	1	–	–	–	1	–	12	2	–	5	–	1
Northampton	1	20	2	4	19	17	–	3	3	–	–	–	2	39	4	8	6	1	–
Balance of county	2	38	3	6	17	29	1	2	5	–	5	2	8	57	6	14	6	1	1
Middlesex	37	741	78	143	510	432	28	145	141	2	51	66	71	1,272	116	164	102	25	53
Arlington town#	1	36	1	6	21	13	–	7	2	–	2	2	1	53	–	6	6	–	1
Belmont town#	–	20	–	2	20	8	–	1	2	–	–	3	–	34	–	3	1	–	1
Billerica town#	2	13	1	6	7	14	–	2	2	–	1	2	2	15	2	3	2	–	2
Burlington town#	2	9	1	1	6	6	–	1	3	–	1	1	2	13	3	1	1	–	1
Cambridge	3	32	1	10	30	26	3	12	5	–	1	2	4	95	6	10	9	5	5
Chelmsford town#	2	16	–	1	10	11	1	2	2	–	2	2	–	21	7	–	2	–	–
Dracut town#	1	11	–	3	1	4	–	4	–	–	–	–	2	20	2	4	3	–	–
Everett	1	21	1	4	10	17	–	4	9	–	–	4	2	35	5	4	3	1	1
Framingham town#	–	29	2	3	37	13	2	9	8	–	1	4	5	70	–	11	2	–	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 75 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	128	–	–	2	43	8	16	5	6	3	–	5	–	52	46	1	–	25	20
Lexington town#	247	–	–	8	68	21	15	9	9	1	3	10	4	94	74	–	1	49	24
Lowell	964	1	–	17	230	66	56	19	35	8	11	35	19	382	293	4	7	163	119
Malden	537	–	–	11	146	35	41	14	13	7	5	31	15	229	181	1	1	135	44
Marlborough	240	–	–	3	57	10	19	5	7	4	1	11	8	92	77	1	1	41	34
Medford	607	–	–	15	151	38	36	16	24	3	–	34	20	261	195	3	–	151	41
Melrose	265	1	–	4	69	19	15	8	9	4	1	13	6	121	94	–	1	62	31
Natick town#	257	–	–	6	79	22	17	8	9	3	3	17	5	105	82	–	–	55	27
Newton	654	1	–	12	171	55	31	22	19	9	10	25	16	273	209	–	8	135	66
Reading town#	185	–	–	3	53	13	11	5	6	3	1	14	3	89	73	1	–	54	18
Somerville	634	1	–	25	172	50	51	13	14	5	3	36	14	265	220	3	1	142	74
Stoneham town#	210	–	–	5	63	17	14	1	13	5	2	11	6	84	64	1	–	44	19
Tewksbury town#	185	–	–	2	59	16	17	8	3	1	4	10	3	65	52	–	–	40	12
Wakefield town#	219	–	–	6	57	20	12	9	7	2	3	4	7	88	74	2	–	57	15
Waltham	517	–	–	13	144	38	39	12	12	3	4	36	13	205	152	2	1	101	48
Watertown town#	345	–	–	11	84	23	19	11	8	8	1	14	11	125	90	1	1	70	18
Wilmington town#	128	–	–	1	37	10	9	2	5	1	3	7	2	48	41	–	–	27	14
Winchester town#	148	–	–	3	31	10	10	1	1	–	1	8	2	65	50	–	3	34	13
Woburn	291	3	–	5	87	17	30	8	12	4	3	13	5	117	90	2	2	67	19
Balance of county	1,445	1	–	29	413	93	92	50	45	25	20	88	31	527	373	7	6	255	105
Nantucket	57	–	–	2	12	3	7	–	1	–	–	1	1	27	16	–	1	10	5
Norfolk	5,311	1	–	137	1,455	402	329	152	173	66	57	276	111	2,123	1,676	21	43	1,154	458
Braintree town#	342	–	–	11	75	22	12	11	11	3	3	13	15	130	91	1	3	67	20
Brookline town#	476	–	–	19	145	48	31	15	11	7	6	27	7	169	143	3	3	90	47
Dedham town#	235	–	–	6	54	19	16	4	6	1	1	7	4	96	80	4	2	57	17
Holbrook town#	92	–	–	2	25	11	5	–	4	1	–	4	2	39	34	1	1	25	7
Milton town#	282	–	–	7	74	20	13	10	14	3	3	11	6	113	96	3	2	65	26
Needham town#	251	–	–	6	77	21	14	7	13	–	4	18	3	103	80	1	5	60	14
Norwood town#	267	–	–	2	79	22	16	15	7	6	–	13	5	119	94	–	–	70	24
Quincy	948	–	–	21	248	70	61	26	24	10	9	48	18	375	291	4	12	202	73
Randolph town#	297	–	–	9	82	23	25	11	8	3	–	12	7	116	94	–	1	60	33
Stoughton town#	218	–	–	7	62	15	7	6	11	3	3	17	7	101	85	–	2	61	22
Wellesley town#	178	–	–	4	55	19	12	4	7	2	4	7	3	65	49	–	1	33	15
Westwood town#	119	–	–	4	30	11	6	–	3	2	3	5	1	53	41	1	–	32	8
Weymouth town#	485	–	–	14	134	32	44	10	13	4	6	25	15	195	134	1	3	95	35
Balance of county	1,121	1	–	25	315	69	67	33	41	21	15	69	18	449	364	2	8	237	117
Plymouth	3,462	2	–	85	986	249	258	91	100	44	26	218	59	1,429	1,166	7	37	765	357
Abington town#	122	–	–	2	23	3	9	–	3	1	–	7	4	60	46	–	1	25	20
Brockton	875	1	–	33	203	53	55	18	24	9	4	40	13	363	298	2	12	198	86
Plymouth town#	356	–	–	8	99	20	22	11	4	8	5	29	7	156	129	1	3	86	39
Rockland town#	138	–	–	2	44	13	14	3	6	–	2	6	6	52	37	1	1	23	12
Scituate town#	157	–	–	3	53	14	15	4	4	3	1	12	3	66	49	–	1	31	17
Whitman town#	105	–	–	2	44	11	16	4	7	1	2	3	2	31	26	–	4	17	5
Balance of county	1,709	1	–	35	520	135	127	51	52	22	12	121	24	701	581	3	15	385	178
Suffolk	6,105	4	–	380	1,468	381	396	119	134	60	38	340	156	2,151	1,736	25	32	1,087	592
Boston	5,091	4	–	338	1,185	320	305	97	116	46	29	272	127	1,771	1,413	23	26	868	496
Chelsea	313	–	–	16	83	16	32	3	8	4	–	20	8	117	100	–	–	67	33
Revere	502	–	–	17	152	34	44	11	7	8	8	40	13	189	166	2	5	112	47
Winthrop town#	199	–	–	9	48	11	15	8	3	2	1	8	8	74	57	–	1	40	16
Worcester	6,341	1	–	171	1,637	411	458	161	199	66	47	295	146	2,548	2,072	21	41	1,466	544
Clinton town#	126	–	–	1	29	7	9	2	2	–	1	8	4	53	45	–	1	31	13
Fitchburg	416	–	–	7	104	22	33	11	14	3	3	18	14	174	131	2	2	85	42
Gardner	209	–	–	2	56	24	14	6	6	1	–	5	6	95	75	–	1	59	15
Leominster	350	–	–	9	102	27	23	14	10	6	2	20	4	129	105	1	2	77	25
Milford town#	186	–	–	7	66	15	15	4	8	5	1	18	3	63	53	–	–	35	18
Shrewsbury town#	206	–	–	4	43	9	8	4	8	3	2	9	2	97	72	2	–	53	17
Webster town#	190	–	–	3	50	13	13	6	4	4	2	8	9	79	69	–	1	54	14
Worcester	1,933	1	–	74	443	105	134	49	50	14	18	73	36	803	682	9	12	472	189
Balance of county	2,725	–	–	64	744	189	209	65	97	30	18	136	68	1,055	840	7	22	600	211
Michigan	79,980	41	1	1,273	19,252	4,570	5,503	1,641	2,195	814	747	3,782	2,097	34,820	27,608	244	755	19,149	7,460
Urban places	46,236	37	1	905	10,924	2,608	3,185	945	1,246	452	399	2,089	1,235	19,937	16,003	135	522	10,494	4,852
Balance of area	33,744	4	–	368	8,328	1,962	2,318	696	949	362	348	1,693	862	14,883	11,605	109	233	8,655	2,608
Metropolitan counties	62,103	38	1	1,078	14,954	3,527	4,279	1,295	1,718	622	587	2,926	1,627	26,859	21,490	182	666	14,436	6,206
Urban places	44,562	36	1	884	10,523	2,505	3,068	906	1,197	436	388	2,023	1,193	19,194	15,448	130	515	10,045	4,758
Balance of area	17,541	2	–	194	4,431	1,022	1,211	389	521	186	199	903	434	7,665	6,042	52	151	4,391	1,448
Nonmetropolitan counties	17,877	3	–	195	4,298	1,043	1,224	346	477	192	160	856	470	7,961	6,118	62	89	4,713	1,254
Urban places	1,674	1	–	21	401	103	117	39	49	16	11	66	42	743	555	5	7	449	94
Balance of area	16,203	2	–	174	3,897	940	1,107	307	428	176	149	790	428	7,218	5,563	57	82	4,264	1,160
Alcona	159	–	–	3	34	9	13	1	4	1	3	3	3	79	63	–	3	48	12
Alger	114	–	–	2	27	5	9	1	6	1	1	4	2	64	51	–	–	44	7
Allegan	711	–	–	9	163	43	40	13	18	9	2	38	22	309	236	3	3	172	58
Holland, part	66	–	–	1	19	3	6	2	4	–	–	4	–	31	26	1	–	23	2
Balance of county	645	–	–	8	144	40	34	11	14	9	2	34	22	278	210	2	3	149	56
Alpena	302	–	–	4	92	26	24	11	9	2	3	17	2	130	102	–	1	79	22
Alpena	145	–	–	3	41	14	9	4	5	1	2	6	2	68	53	–	–	41	12
Balance of county	157	–	–	1	51	12	15	7	4	1	1	11	–	62	49	–	1	38	10
Antrim	202	–	–	–	52	8	20	4	5	3	1	11	3	95	78	1	–	59	18
Arenac	185	–	–	1	45	16	16	1	5	2	1	4	1	83	70	1	1	57	11
Baraga	110	–	–	–	26	6	6	1	3	2	2	6	6	51	42	1	1	38	2
Barry	366	–	–	4	79	18	18	11	9	5	3	15	4	164	127	2	4	94	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 76 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Hudson town#	–	5	–	1	2	4	–	3	1	–	1	2	1	14	2	1	–	–	–
Lexington town#	2	15	1	2	16	11	–	1	2	–	–	–	–	40	1	–	2	–	–
Lowell	–	66	14	9	35	37	3	28	16	–	6	12	11	119	10	9	8	7	14
Malden	4	35	4	5	20	22	2	4	11	–	2	3	3	47	3	8	5	3	3
Marlborough	1	10	1	3	14	11	1	6	7	–	5	–	2	27	2	4	–	–	1
Medford	5	50	3	8	32	19	3	6	5	–	3	3	4	62	3	7	7	1	5
Melrose	1	20	2	4	9	13	–	4	4	–	–	–	2	25	2	4	1	–	–
Natick town#	–	21	–	2	14	5	2	3	3	–	–	1	2	26	4	2	–	–	–
Newton	–	50	6	8	35	24	2	5	3	–	2	–	2	84	6	13	3	1	1
Reading town#	1	11	2	2	4	5	–	2	3	–	1	1	1	12	2	3	2	–	1
Somerville	1	35	6	3	19	20	1	3	9	1	1	4	5	66	7	8	6	3	4
Stoneham town#	1	15	2	2	11	4	1	1	3	–	–	1	1	19	3	3	3	1	1
Tewksbury town#	1	7	3	2	7	10	–	1	4	–	5	4	–	14	4	2	4	–	1
Wakefield town#	–	11	3	–	11	8	1	4	7	–	–	–	1	20	1	4	3	1	–
Waltham	2	38	6	7	26	17	–	6	5	–	1	4	8	54	7	10	4	–	–
Watertown town#	–	22	2	11	21	15	2	6	6	–	1	1	–	52	2	8	–	–	–
Wilmington town#	–	3	–	4	4	9	–	3	–	–	–	–	–	17	3	2	–	1	1
Winchester town#	–	11	3	1	10	2	1	1	1	–	4	1	–	21	1	2	2	–	1
Woburn	–	16	4	7	9	10	–	5	4	–	1	–	3	34	1	1	3	–	3
Balance of county	6	113	9	26	69	74	3	11	14	1	10	9	7	163	27	31	20	1	4
Nantucket	–	8	1	2	3	4	–	–	–	–	1	–	1	2	1	2	1	–	–
Norfolk	20	325	37	65	248	221	10	48	80	–	20	15	36	589	55	81	53	8	20
Braintree town#	1	35	–	3	26	16	–	2	6	–	3	–	1	44	5	3	2	2	1
Brookline town#	2	16	5	3	29	15	–	3	8	–	2	1	1	54	3	11	9	–	–
Dedham town#	2	7	2	5	6	10	2	4	4	–	1	–	2	35	4	4	2	–	1
Holbrook town#	–	4	–	1	2	7	–	–	2	–	–	–	2	7	1	2	1	–	–
Milton town#	–	15	1	1	19	18	1	1	5	–	–	1	1	31	1	4	–	–	–
Needham town#	1	17	3	2	7	12	–	1	2	–	1	–	2	30	2	–	4	–	1
Norwood town#	–	22	2	1	7	9	–	2	7	–	1	–	3	23	3	4	1	–	2
Quincy	5	55	6	18	47	48	2	13	16	–	3	3	7	105	7	17	9	2	7
Randolph town#	–	18	2	2	22	8	–	3	5	–	–	–	7	24	4	7	2	1	–
Stoughton town#	–	14	–	2	7	4	1	3	2	–	–	2	1	18	1	–	–	2	–
Wellesley town#	–	10	2	4	9	7	–	–	1	–	1	–	–	26	3	1	3	–	–
Westwood town#	1	7	3	1	5	5	–	1	2	–	–	–	1	16	–	1	–	–	–
Weymouth town#	4	49	–	8	22	18	3	7	5	–	2	2	1	51	3	6	5	–	2
Balance of county	4	56	11	14	40	44	1	8	15	–	6	6	7	125	18	21	15	1	6
Plymouth	9	184	24	46	130	127	8	36	30	–	20	23	38	307	56	58	37	21	10
Abington town#	1	9	3	1	9	5	–	–	–	–	1	–	1	12	–	2	2	1	–
Brockton	1	47	5	12	37	29	2	12	9	–	5	14	20	79	13	16	9	12	5
Plymouth town#	2	17	5	3	10	15	1	8	–	–	3	1	2	31	6	5	2	2	–
Rockland town#	–	11	1	3	–	9	–	1	2	–	–	1	2	11	2	2	3	1	–
Scituate town#	–	12	1	4	6	2	–	–	2	–	2	1	–	11	–	4	3	–	1
Whitman town#	–	3	–	2	4	6	–	2	–	–	–	1	–	9	1	1	1	1	–
Balance of county	5	85	9	21	64	61	5	13	17	–	9	5	13	154	34	28	17	4	4
Suffolk	22	290	27	76	301	202	6	94	94	–	29	54	77	729	61	96	50	120	33
Boston	19	255	25	59	261	159	5	75	79	–	25	47	71	622	53	88	44	111	26
Chelsea	2	7	–	8	7	17	1	9	5	–	1	3	4	30	5	–	3	2	2
Revere	1	14	2	6	23	20	–	8	7	–	3	4	2	45	2	7	3	5	2
Winthrop town#	–	14	–	3	10	6	–	2	3	–	–	–	–	32	1	1	–	2	3
Worcester	26	338	28	84	301	252	22	64	80	–	29	43	75	727	78	79	51	15	22
Clinton town#	–	7	–	1	3	6	1	3	–	–	–	–	3	16	–	3	2	2	–
Fitchburg	3	34	–	6	16	13	2	11	7	–	–	2	5	48	5	5	3	–	–
Gardner	3	13	–	4	3	9	2	1	2	–	2	1	5	20	1	–	2	1	1
Leominster	2	17	–	5	12	15	1	6	1	–	2	3	8	46	5	2	2	1	2
Milford town#	–	8	–	2	10	4	–	2	4	–	1	–	2	17	3	2	1	–	1
Shrewsbury town#	2	15	3	5	14	11	–	1	5	–	1	–	2	23	1	2	–	–	–
Webster town#	1	7	–	2	12	3	3	4	2	–	4	–	1	17	2	–	1	–	–
Worcester	7	80	12	22	98	79	3	13	32	–	10	16	24	229	17	25	13	7	10
Balance of county	8	157	13	37	133	112	10	23	27	–	9	21	25	311	44	40	27	4	8
Michigan	261	5,179	824	948	2,784	3,128	228	1,060	800	16	442	823	378	7,385	1,513	1,524	1,142	1,150	123
Urban places	159	2,892	378	505	1,554	1,716	145	695	447	11	258	614	263	4,306	656	819	599	1,012	102
Balance of area	102	2,287	446	443	1,230	1,412	83	365	353	5	184	209	115	3,079	857	705	543	138	21
Metropolitan counties	209	3,916	552	692	2,043	2,353	177	868	607	13	361	737	310	5,761	1,091	1,128	886	1,094	117
Urban places	155	2,766	344	481	1,475	1,634	142	683	432	11	251	606	256	4,128	630	791	581	1,010	101
Balance of area	54	1,150	208	211	568	719	35	185	175	2	110	131	54	1,633	461	337	305	84	16
Nonmetropolitan counties	52	1,263	272	256	741	775	51	192	193	3	81	86	68	1,624	422	396	256	56	6
Urban places	4	126	34	24	79	82	3	12	15	–	7	8	7	178	26	28	18	2	1
Balance of area	48	1,137	238	232	662	693	48	180	178	3	74	78	61	1,446	396	368	238	54	5
Alcona	–	9	4	3	6	7	–	3	2	–	–	–	–	14	5	3	–	–	–
Alger	1	11	–	1	3	2	–	–	1	–	–	–	–	10	1	1	1	–	–
Allegan	3	40	18	12	31	34	2	12	10	1	1	5	1	69	18	13	9	2	–
Holland, part	–	3	2	–	3	3	–	–	–	–	–	–	–	6	2	1	–	–	–
Balance of county	3	37	16	12	28	31	2	12	10	1	1	5	1	63	16	12	9	2	–
Alpena	–	22	2	4	6	10	1	4	1	–	1	2	–	29	6	8	3	2	1
Alpena	–	12	1	2	4	5	–	2	1	–	–	1	–	8	3	3	2	1	1
Balance of county	–	10	1	2	2	5	1	2	–	–	1	1	–	21	3	5	1	1	–
Antrim	–	15	2	–	10	8	–	1	3	–	1	–	–	13	5	8	3	–	–
Arenac	–	10	2	1	7	6	1	2	1	–	–	2	–	25	5	4	2	–	–
Baraga	–	8	–	1	5	5	–	3	–	–	–	–	–	7	3	3	1	–	–
Barry	2	24	4	7	20	17	2	3	4	–	1	1	1	35	13	11	7	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 77 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	1,011	-	-	10	258	57	75	18	30	16	12	50	27	474	381	-	6	320	55
Bangor township#	123	-	-	2	29	7	11	3	2	2	-	4	3	62	47	-	-	41	6
Bay City	424	-	-	3	101	23	25	6	15	7	4	21	11	209	175	-	3	143	29
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	464	-	-	5	128	27	39	9	13	7	8	25	13	203	159	-	3	136	20
Benzie	150	-	-	1	43	10	13	-	8	4	1	7	4	62	49	1	-	37	11
Berrien	1,617	1	-	14	386	83	122	30	40	15	20	76	42	704	517	2	16	380	119
Benton Harbor	145	-	-	5	34	6	14	3	3	1	-	7	5	48	33	-	-	26	7
Niles	206	-	-	-	41	8	15	2	7	1	1	7	2	96	72	1	5	55	11
Balance of county	1,266	1	-	9	311	69	93	25	30	13	19	62	35	560	412	1	11	299	101
Branch	395	-	-	6	84	20	26	9	5	1	4	19	14	172	146	1	5	118	22
Calhoun	1,372	1	-	22	305	72	87	23	37	12	7	67	46	589	462	2	10	331	119
Albion	100	1	-	4	29	5	7	-	7	1	-	9	2	39	34	-	-	25	9
Battle Creek	632	-	-	8	134	33	37	15	11	4	6	28	18	279	205	2	4	147	52
Balance of county	640	-	-	10	142	34	43	8	19	7	1	30	26	271	223	-	6	159	58
Cass	427	-	-	4	102	22	25	14	14	2	3	22	12	182	148	-	4	118	26
Charlevoix	183	-	-	1	51	11	7	5	9	-	3	16	3	70	54	2	-	39	13
Cheboygan	238	-	-	2	70	17	16	5	8	4	2	18	6	93	77	1	-	58	18
Chippewa	255	-	-	1	63	17	18	3	9	2	4	10	8	110	84	-	1	64	19
Sault Ste. Marie	126	-	-	1	29	10	9	2	4	1	-	3	5	55	38	-	-	29	9
Balance of county	129	-	-	-	34	7	9	1	5	1	4	7	3	55	46	-	1	35	10
Clare	316	-	-	2	74	11	32	3	6	1	4	17	10	160	137	-	3	100	34
Clinton	374	-	-	6	79	18	15	9	13	4	3	17	8	167	123	1	-	91	31
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	374	-	-	6	79	18	15	9	13	4	3	17	8	167	123	1	-	91	31
Crawford	125	-	-	1	26	8	9	3	3	1	1	1	4	47	29	1	-	25	3
Delta	382	-	-	3	112	29	28	12	17	5	5	16	14	168	116	2	3	92	19
Escanaba	187	-	-	1	51	13	11	6	10	1	4	6	4	84	55	-	1	46	8
Balance of county	195	-	-	2	61	16	17	6	7	4	1	10	10	84	61	2	2	46	11
Dickinson	310	-	-	3	68	14	15	9	6	5	2	17	5	147	104	5	3	75	21
Eaton	628	-	-	8	164	49	33	16	13	8	3	42	18	266	213	1	2	165	45
Lansing, part	6	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	2	-
Balance of county	622	-	-	8	163	48	33	16	13	8	3	42	18	264	211	1	2	163	45
Emmet	313	-	-	5	72	19	22	5	4	2	3	17	6	119	91	-	2	64	25
Genesee	3,526	1	-	58	817	192	263	63	93	38	25	143	98	1,580	1,263	10	40	872	341
Burton	248	-	-	4	65	17	24	1	10	3	2	8	3	113	91	2	1	66	22
Flint	1,367	1	-	28	301	73	96	24	42	14	5	47	44	564	454	2	20	290	142
Flint township#	284	-	-	3	68	11	26	6	5	-	5	15	2	137	117	1	4	84	28
Genesee township#	142	-	-	3	37	9	14	1	4	1	1	7	7	68	56	-	2	37	17
Mount Morris township#	190	-	-	3	53	17	14	4	6	3	2	7	5	72	58	-	1	40	17
Balance of county	1,295	-	-	17	293	65	89	27	26	17	10	59	37	626	487	5	12	355	115
Gladwin	246	-	-	2	71	16	25	4	8	3	2	13	4	112	91	2	3	72	14
Gogebic	288	-	-	2	72	25	17	3	7	3	3	14	6	132	100	1	-	79	20
Grand Traverse	516	-	-	9	121	28	28	13	8	8	4	32	11	199	147	2	-	108	37
Traverse City	171	-	-	2	42	10	13	4	1	2	2	10	3	64	48	1	-	35	12
Balance of county	345	-	-	7	79	18	15	9	7	6	2	22	8	135	99	1	-	73	25
Gratiot	368	-	-	4	64	13	15	4	7	4	3	18	6	205	161	2	-	129	30
Hillsdale	362	1	-	8	85	21	20	6	9	2	4	23	12	142	106	1	1	83	21
Houghton	394	-	-	1	82	21	24	7	13	6	3	8	6	186	130	5	5	108	12
Huron	413	-	-	1	87	19	15	6	19	3	6	19	6	220	174	-	-	141	33
Ingham	1,730	2	-	32	400	98	98	28	42	14	21	99	36	700	548	4	10	325	209
East Lansing	115	-	-	1	33	14	3	-	3	1	3	9	2	50	42	1	-	21	20
Lansing, part	979	1	-	22	237	47	66	21	23	7	11	62	23	376	290	1	7	164	118
Lansing, total	985	1	-	22	238	48	66	21	23	7	11	62	23	378	292	1	7	166	118
Meridian township#	212	1	-	4	45	14	8	2	6	2	2	11	3	91	67	1	-	41	25
Balance of county	424	-	-	5	85	23	21	5	10	4	5	17	8	183	149	1	3	99	46
Ionia	417	-	-	4	88	24	16	6	11	5	2	24	21	167	130	1	-	103	26
Iosco	322	-	-	4	80	25	25	3	14	3	1	9	8	137	107	2	3	81	21
Iron	207	-	-	-	55	14	17	-	8	1	1	14	5	90	67	1	-	32	34
Isabella	327	-	-	2	84	17	24	6	11	2	3	21	14	138	98	-	2	84	12
Mount Pleasant	137	-	-	2	33	8	9	3	4	1	-	8	2	65	42	-	-	40	2
Balance of county	190	-	-	-	51	9	15	3	7	1	3	13	12	73	56	-	2	44	10
Jackson	1,387	-	-	16	350	73	95	24	49	15	19	75	32	557	450	5	12	325	108
Jackson	451	-	-	1	104	19	29	9	14	5	4	24	14	188	143	3	6	100	34
Balance of county	936	-	-	15	246	54	66	15	35	10	15	51	18	369	307	2	6	225	74
Kalamazoo	1,610	1	1	26	403	80	103	43	42	17	18	100	38	677	516	7	13	381	115
Kalamazoo	710	1	1	15	164	26	41	18	21	7	11	40	20	299	229	1	3	171	54
Kalamazoo township#	151	-	-	5	41	10	10	2	1	2	3	13	2	57	36	-	2	30	4
Portage	197	-	-	3	53	14	13	7	2	4	2	11	4	82	69	2	1	47	19
Balance of county	552	-	-	3	145	30	39	16	18	4	2	36	12	239	182	4	7	133	38
Kalkaska	121	1	-	2	27	4	10	5	1	1	-	6	5	55	40	-	-	32	8
Kent	3,772	3	-	64	919	216	217	88	108	42	37	211	69	1,569	1,261	10	78	597	576
East Grand Rapids	50	-	-	1	17	5	4	2	2	-	-	4	-	18	13	-	-	3	10
Grand Rapids	1,933	3	-	40	436	101	102	48	39	22	21	103	33	811	631	3	38	293	297
Grandville	115	-	-	3	25	7	2	3	6	2	1	4	3	43	34	-	4	13	17
Kentwood	164	-	-	4	42	5	13	5	5	2	1	11	1	59	52	-	4	21	27
Walker	110	-	-	2	24	8	6	1	-	-	1	8	2	58	51	2	-	38	11
Wyoming	388	-	-	4	101	28	30	6	16	2	2	17	11	164	139	1	12	67	59
Balance of county	1,012	-	-	10	274	62	60	23	40	14	11	64	19	416	341	4	20	162	155
Keweenaw	32	-	-	-	4	1	1	-	1	-	-	1	-	17	15	-	1	12	2
Lake	136	-	-	-	46	10	15	1	9	3	1	7	3	57	46	-	1	40	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 78 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	5	54	22	12	17	43	3	16	13	–	7	11	3	59	24	18	21	6	1
Bangor township#	1	9	4	1	1	6	–	2	2	–	–	–	–	9	1	2	3	1	–
Bay City	1	18	10	5	10	17	3	8	5	–	6	4	2	20	10	8	6	1	–
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	3	27	8	6	6	20	–	6	6	–	1	7	1	30	13	8	12	4	1
Benzie	2	7	4	–	5	11	–	–	4	–	–	–	3	11	2	3	–	1	–
Berrien	5	120	30	32	48	74	–	12	19	–	11	13	8	179	33	39	22	11	1
Benton Harbor	1	13	–	1	5	6	–	2	3	–	–	6	2	13	2	8	2	4	–
Niles	1	18	1	4	9	15	–	1	2	–	1	1	–	26	4	2	5	–	1
Balance of county	3	89	29	27	34	53	–	9	14	–	10	6	6	140	27	29	15	7	–
Branch	1	14	7	4	14	25	–	5	8	–	2	2	4	38	4	11	6	–	–
Calhoun	6	87	19	15	67	50	3	21	13	–	8	8	7	143	23	30	18	17	1
Albion	–	4	–	1	1	3	–	3	3	–	–	–	1	8	1	4	1	–	–
Battle Creek	5	50	9	10	38	20	2	8	4	–	3	4	5	65	13	13	8	10	–
Balance of county	1	33	10	4	28	27	1	10	6	–	5	4	1	70	9	13	9	7	1
Cass	1	22	1	10	14	23	2	3	8	–	3	–	2	31	24	10	5	1	1
Charlevoix	–	13	–	3	9	6	–	4	2	–	–	1	–	21	4	6	4	1	–
Cheboygan	1	10	1	4	11	11	–	4	4	–	1	1	–	22	5	2	4	2	–
Chippewa	1	21	–	4	6	9	–	3	2	–	2	1	1	35	4	4	4	2	–
Sault Ste. Marie	1	13	–	3	5	3	–	1	2	–	2	–	–	18	2	1	1	1	–
Balance of county	–	8	–	1	1	6	–	2	–	–	–	1	1	17	2	3	3	1	–
Clare	–	20	1	2	10	16	–	5	1	–	1	2	–	24	1	6	4	–	–
Clinton	1	32	7	4	15	15	–	7	4	–	2	3	2	41	9	12	3	1	–
Lansing, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	32	7	4	15	15	–	7	4	–	2	3	2	41	9	12	3	1	–
Crawford	–	12	5	1	8	6	–	3	1	–	2	1	1	19	3	2	–	1	–
Delta	1	36	11	4	14	13	1	–	3	–	5	2	–	31	7	5	4	–	–
Escanaba	1	19	8	1	9	6	–	–	2	–	1	1	–	22	2	2	2	–	–
Balance of county	–	17	3	3	5	7	1	–	1	–	4	1	–	9	5	3	2	–	–
Dickinson	1	36	1	5	8	16	2	5	4	–	3	1	3	26	5	11	2	1	–
Eaton	–	35	8	10	20	21	5	6	7	–	1	4	4	63	19	14	7	1	–
Lansing, part	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	35	8	10	20	19	5	6	7	–	1	4	4	62	19	14	7	1	–
Emmet	–	23	2	3	21	16	1	10	8	–	3	5	1	24	5	6	11	–	–
Genesee	10	235	26	46	87	155	11	43	38	–	22	51	22	282	90	58	45	61	7
Burton	1	21	–	–	4	13	2	–	3	–	–	4	2	17	9	6	2	1	–
Flint	4	84	7	15	32	61	4	22	18	–	11	35	14	108	35	26	12	49	2
Flint township#	1	11	4	4	8	16	–	1	4	–	–	2	–	26	5	4	6	1	1
Genesee township#	–	7	1	4	3	7	2	1	–	–	2	1	1	6	1	1	–	1	1
Mount Morris township#	1	11	1	1	3	9	1	1	1	–	1	–	2	17	10	6	1	4	1
Balance of county	3	101	13	22	37	49	2	18	12	–	8	9	3	108	30	15	24	5	2
Gladwin	2	13	4	2	9	12	–	3	–	–	–	1	2	15	3	5	7	–	–
Gogebic	–	24	3	5	11	7	1	1	3	–	1	1	1	33	6	8	3	–	–
Grand Traverse	–	39	3	10	15	27	–	5	4	1	3	8	4	74	13	13	8	1	–
Traverse City	–	11	–	5	5	11	–	4	1	–	–	2	1	23	5	4	4	–	–
Balance of county	–	28	3	5	10	16	–	1	3	1	3	6	3	51	8	9	4	1	–
Gratiot	–	38	1	5	24	16	1	1	5	–	4	1	–	23	8	1	5	–	–
Hillsdale	1	25	3	7	17	21	2	1	3	–	4	1	–	34	8	13	8	2	–
Houghton	1	43	5	7	33	12	–	3	5	–	3	–	1	43	6	9	2	1	1
Huron	3	37	–	6	11	20	3	7	2	–	1	3	–	35	5	9	1	2	–
Ingham	11	97	20	24	69	76	4	22	24	–	11	14	13	182	38	44	46	17	–
East Lansing	–	5	–	3	7	4	–	1	1	–	–	1	1	9	2	1	2	–	–
Lansing, part	5	54	12	15	25	51	2	10	19	–	6	12	12	88	20	26	34	15	–
Lansing, total	5	54	12	15	25	53	2	10	19	–	6	12	12	89	20	26	34	15	–
Meridian township#	–	18	3	3	16	7	1	4	1	–	2	–	–	28	3	6	–	–	–
Balance of county	6	20	5	3	21	14	1	7	3	–	3	1	–	57	13	11	10	2	–
Ionia	1	26	7	3	15	16	–	4	6	–	5	5	3	43	15	15	7	3	–
Iosco	–	19	7	4	13	18	1	6	3	–	1	1	1	35	5	4	4	1	–
Iron	–	16	7	–	10	5	1	2	2	–	1	1	–	21	2	7	4	1	–
Isabella	–	29	4	7	17	8	2	3	9	–	1	2	4	23	9	3	7	1	–
Mount Pleasant	–	17	4	2	11	3	–	–	6	–	1	1	2	7	–	1	3	–	–
Balance of county	–	12	–	5	6	5	2	3	3	–	–	1	2	16	9	2	4	1	–
Jackson	1	82	13	11	81	80	5	12	15	–	6	9	6	104	33	31	31	18	1
Jackson	1	34	4	6	30	27	4	7	5	–	–	4	2	28	7	10	7	13	–
Balance of county	–	48	9	5	51	53	1	5	10	–	6	5	4	76	26	21	24	5	1
Kalamazoo	7	122	15	17	62	54	5	17	12	3	10	22	9	176	22	31	26	15	–
Kalamazoo	3	56	3	8	28	21	1	8	6	3	3	13	5	86	4	12	7	13	–
Kalamazoo township#	4	13	3	1	6	5	1	–	2	–	1	1	–	22	3	2	2	1	–
Portage	–	11	–	2	6	8	1	2	2	–	2	1	2	19	7	2	3	–	–
Balance of county	–	42	9	6	22	20	2	7	2	–	4	7	2	49	8	15	14	1	–
Kalkaska	1	8	4	2	3	5	1	2	1	–	–	–	2	12	2	–	2	1	–
Kent	12	209	36	51	154	163	15	26	28	1	30	43	37	402	68	87	57	29	8
East Grand Rapids	–	4	–	1	1	–	1	2	1	–	–	1	–	4	2	1	1	–	–
Grand Rapids	8	128	22	22	88	91	8	14	17	1	14	18	24	217	32	45	18	17	6
Grandville	–	6	2	1	7	3	–	1	1	–	–	2	1	15	2	7	2	–	–
Kentwood	–	4	–	3	8	6	–	2	2	–	1	3	2	18	3	5	6	2	–
Walker	–	6	–	1	6	4	1	–	–	–	–	1	–	9	–	–	2	1	–
Wyoming	1	16	1	7	12	16	–	5	1	–	8	5	5	32	7	8	7	2	–
Balance of county	3	45	11	16	32	43	5	2	6	–	7	13	5	107	22	21	21	7	2
Keweenaw	–	1	–	1	3	2	–	–	–	–	–	–	1	4	–	1	–	–	–
Lake	–	5	2	4	4	7	–	2	1	–	1	–	2	7	2	2	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 79 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	531	-	-	2	134	33	40	12	16	3	7	23	14	220	166	-	3	124	39
Leelanau	163	-	-	3	45	11	11	7	7	2	1	6	4	64	47	1	3	32	11
Lenawee	739	-	-	9	194	32	65	17	23	6	6	45	23	318	247	1	4	193	49
Adrian	217	-	-	6	48	8	14	5	8	1	-	12	11	100	79	-	-	70	9
Balance of county	522	-	-	3	146	24	51	12	15	5	6	33	12	218	168	1	4	123	40
Livingston	679	-	-	7	171	37	49	18	19	6	3	39	15	315	243	4	3	180	56
Luce	64	-	-	2	12	-	3	-	2	1	1	5	2	24	19	-	-	12	7
Mackinac	127	-	-	1	37	14	7	3	6	2	2	3	2	48	36	-	-	33	3
Macomb	5,973	-	-	84	1,576	373	458	139	165	64	57	320	155	2,735	2,177	17	44	1,753	363
Clinton township#	509	-	-	3	144	27	37	12	17	13	5	33	12	243	192	2	2	157	31
East Detroit	370	-	-	7	112	32	26	10	14	4	2	24	9	159	124	3	4	93	24
Fraser	145	-	-	3	34	10	7	2	5	-	1	9	3	72	59	-	-	48	11
Harrison township#	134	-	-	4	40	3	20	1	4	1	2	9	-	59	50	-	-	44	6
Mount Clemens	378	-	-	8	81	13	25	7	8	4	3	21	15	172	140	2	3	113	22
Roseville	470	-	-	4	145	36	43	15	14	9	4	24	17	197	150	1	2	119	28
St. Clair Shores	767	-	-	12	214	55	61	12	26	5	11	44	26	356	282	3	8	219	52
Shelby township#	237	-	-	6	68	14	19	7	4	3	2	19	10	96	77	-	2	64	11
Sterling Heights	733	-	-	11	190	51	43	22	20	8	6	40	19	328	271	2	8	202	59
Warren	1,482	-	-	18	363	90	120	38	30	11	15	59	30	709	553	3	12	465	73
Balance of county	748	-	-	8	185	42	57	13	23	6	6	38	14	344	279	1	3	229	46
Manistee	271	-	-	3	65	22	21	8	6	1	1	6	8	143	94	-	2	67	25
Marquette	545	1	-	8	116	36	38	11	9	3	4	15	5	269	197	2	2	152	41
Marquette	188	1	-	2	44	14	14	3	4	2	1	6	-	89	71	-	-	64	7
Balance of county	357	-	-	6	72	22	24	8	5	1	3	9	5	180	126	2	2	88	34
Mason	290	-	-	2	68	20	18	4	7	4	4	11	6	139	106	2	1	84	19
Mecosta	338	-	-	5	71	13	26	5	8	2	2	15	9	148	122	1	1	87	33
Big Rapids	97	-	-	-	20	3	4	4	4	2	-	3	1	37	30	-	1	21	8
Balance of county	241	-	-	5	51	10	22	1	4	-	2	12	8	111	92	1	-	66	25
Menominee	291	-	-	1	68	18	20	5	8	3	3	11	11	131	96	-	2	63	31
Menominee	76	-	-	-	19	5	8	3	-	1	1	1	3	30	21	-	1	15	5
Balance of county	215	-	-	1	49	13	12	2	8	2	2	10	8	101	75	-	1	48	26
Midland	488	-	-	9	120	27	43	8	13	4	5	20	14	222	164	-	4	119	41
Midland, part	273	-	-	5	56	16	16	4	7	2	2	9	11	128	91	-	3	61	27
Midland, total	273	-	-	5	56	16	16	4	7	2	2	9	11	128	91	-	3	61	27
Balance of county	215	-	-	4	64	11	27	4	6	2	3	11	3	94	73	-	1	58	14
Missaukee	108	-	-	-	22	5	7	-	1	1	1	7	3	44	35	1	-	30	4
Monroe	1,035	-	-	12	251	56	81	23	28	13	13	37	33	448	369	11	10	268	80
Monroe	262	-	-	5	53	11	17	4	6	5	3	7	6	125	96	4	2	73	17
Balance of county	773	-	-	7	198	45	64	19	22	8	10	30	27	323	273	7	8	195	63
Montcalm	482	-	-	5	124	30	45	7	11	5	5	21	9	204	159	2	2	117	38
Montmorency	131	-	-	1	32	13	7	3	6	-	-	3	3	59	50	-	-	35	15
Muskegon	1,376	2	-	20	316	70	88	30	31	9	20	68	42	606	442	4	8	375	55
Muskegon	452	1	-	8	89	28	21	6	9	1	6	18	20	212	151	2	2	132	15
Muskegon Heights	133	1	-	3	31	7	8	3	4	-	3	6	3	46	40	-	1	36	3
Norton Shores	147	-	-	2	41	7	14	7	5	-	-	8	5	68	46	-	-	41	5
Balance of county	644	-	-	7	155	28	45	14	13	8	11	36	14	280	205	2	5	166	32
Newaygo	358	-	-	10	95	23	25	13	8	7	2	17	5	158	126	1	1	97	27
Oakland	7,956	2	-	118	2,041	452	567	187	228	83	95	429	193	3,539	2,808	26	79	2,047	656
Avon township#	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berkley	144	-	-	1	47	5	17	3	5	3	2	12	1	59	43	-	1	30	12
Beverly Hills	82	-	-	1	14	4	4	3	2	1	-	-	1	44	38	-	-	31	7
Birmingham	201	1	-	2	52	9	7	11	6	3	2	14	-	96	74	2	2	52	18
Bloomfield township#	231	-	-	2	63	14	14	6	9	5	1	14	4	102	76	2	2	53	19
Clawson	142	-	-	2	32	7	11	2	3	1	1	7	4	65	50	1	1	43	5
Farmington	134	-	-	-	24	9	5	4	2	1	1	2	2	64	49	1	1	38	9
Farmington Hills	520	-	-	5	138	36	36	13	17	6	6	24	10	255	215	3	5	140	67
Ferndale	297	-	-	7	75	18	20	5	11	4	5	12	11	129	103	-	1	83	19
Hazel Park	172	-	-	2	51	10	20	6	3	3	1	8	10	57	45	-	1	32	12
Madison Heights	270	-	-	6	72	23	25	2	7	2	-	13	7	122	103	1	2	79	21
Novi	183	-	-	3	35	8	10	3	4	2	4	4	7	82	69	1	2	52	14
Oak Park	240	-	-	4	51	10	14	5	6	3	2	11	10	103	79	1	3	57	18
Pontiac	677	1	-	12	132	24	52	8	10	4	6	28	23	268	210	2	5	149	54
Royal Oak	567	-	-	8	139	26	38	10	17	4	8	36	10	273	237	2	10	173	52
Southfield	801	-	-	10	208	55	48	15	30	8	9	43	23	389	292	2	9	214	67
Troy	386	-	-	7	105	25	25	12	8	3	5	27	5	169	133	-	5	102	26
West Bloomfield township#	307	-	-	6	90	20	20	12	8	6	4	20	5	133	101	3	3	69	26
Balance of county	2,602	-	-	40	713	149	201	67	80	24	38	154	60	1,129	891	5	26	650	210
Oceana	215	-	-	1	46	15	13	4	6	-	1	7	4	94	80	1	1	70	8
Ogemaw	269	-	-	3	57	15	24	2	4	3	1	8	8	146	108	-	-	89	19
Ontonagon	132	-	-	2	28	4	7	4	2	-	3	8	3	61	40	1	-	27	12
Osceola	215	-	-	3	56	17	18	6	5	2	1	7	3	99	81	1	-	70	10
Oscoda	108	-	-	1	28	4	8	-	4	1	1	10	1	47	37	-	1	26	10
Otsego	179	-	-	1	39	4	12	4	6	2	1	10	2	85	60	1	2	42	15
Ottawa	1,171	-	-	8	281	78	65	36	24	14	14	50	24	475	369	6	8	249	106
Georgetown township#	165	-	-	1	36	5	10	8	-	4	3	6	2	80	67	3	1	42	21
Grand Haven	147	-	-	2	37	6	10	8	6	1	1	5	4	56	39	-	1	23	15
Holland, part	200	-	-	-	48	13	13	1	6	3	3	9	3	80	59	2	1	41	15
Holland, total	266	-	-	1	67	16	19	3	10	3	3	13	3	111	85	3	1	64	17
Balance of county	659	-	-	5	160	54	32	19	12	6	7	30	15	259	204	1	5	143	55

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 80 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Lapeer	4	40	6	4	21	27	–	9	7	–	6	11	3	39	13	13	10	1	1
Leelanau	1	12	3	1	3	4	1	5	1	1	3	1	–	20	3	2	2	1	–
Lenawee	–	52	10	9	35	35	1	2	8	–	–	5	2	70	15	13	8	1	–
Adrian	–	14	5	2	11	10	1	1	3	–	–	–	1	19	1	5	–	–	–
Balance of county	–	38	5	7	24	25	–	1	5	–	–	5	1	51	14	8	8	1	–
Livingston	1	57	6	8	16	27	–	7	6	–	7	5	–	54	23	15	6	3	2
Luce	–	5	–	–	3	4	–	2	2	–	1	–	–	7	1	3	1	–	–
Mackinac	–	8	–	4	8	9	–	–	1	–	–	–	1	11	2	4	1	2	–
Macomb	15	402	90	51	239	214	17	81	46	–	22	42	13	495	60	86	73	29	6
Clinton township#	–	33	13	5	11	16	2	9	2	–	–	3	1	39	6	10	6	1	1
East Detroit	1	21	9	4	15	8	1	5	2	–	2	3	–	37	1	3	5	1	–
Fraser	–	8	4	1	4	8	–	–	2	–	2	2	–	10	1	1	2	1	–
Harrison township#	–	5	3	1	3	3	–	5	2	–	–	2	–	11	2	–	2	1	–
Mount Clemens	2	22	4	4	17	19	–	8	3	–	–	5	1	35	3	4	5	2	–
Roseville	–	37	8	2	17	13	1	4	2	–	4	3	–	44	4	7	2	5	1
St. Clair Shores	5	54	8	7	27	24	4	7	8	–	3	5	2	55	5	9	5	4	1
Shelby township#	1	14	1	3	7	9	–	5	–	–	–	2	2	18	1	7	6	–	–
Sterling Heights	3	48	3	3	32	29	2	6	6	–	1	3	2	72	8	8	8	5	3
Warren	2	115	26	13	64	62	4	27	13	–	7	6	4	119	9	20	22	5	–
Balance of county	1	45	11	8	42	23	3	5	6	–	3	8	1	55	20	17	10	4	–
Manistee	–	26	17	6	6	9	1	1	1	–	–	–	–	23	4	5	2	–	–
Marquette	2	53	10	7	28	18	–	6	1	–	3	3	1	54	8	13	10	1	–
Marquette	1	11	4	2	8	8	–	2	–	–	–	1	1	23	4	2	3	–	–
Balance of county	1	42	6	5	20	10	–	4	1	–	3	2	–	31	4	11	7	1	–
Mason	5	20	3	5	8	11	1	2	7	–	–	–	1	32	3	4	6	–	–
Mecosta	–	20	2	4	18	19	1	1	1	–	2	2	3	29	8	14	7	–	–
Big Rapids	–	7	–	–	8	10	1	–	–	–	1	1	–	14	1	2	1	–	–
Balance of county	–	13	2	4	10	9	–	1	1	–	1	1	3	15	7	12	6	–	–
Menominee	1	17	14	3	18	14	–	2	2	–	3	1	–	26	3	8	3	–	–
Menominee	–	2	6	1	7	3	–	1	–	–	1	–	–	10	1	1	–	–	–
Balance of county	1	15	8	2	11	11	–	1	2	–	2	1	–	16	2	7	3	–	–
Midland	1	38	15	4	12	20	1	3	2	–	6	1	3	48	14	7	4	1	1
Midland, part	1	24	10	2	10	15	1	2	2	–	3	–	1	31	3	5	–	–	–
Midland, total	1	24	10	2	10	15	1	2	2	–	3	–	1	31	3	5	–	–	–
Balance of county	–	14	5	2	2	5	–	1	–	–	3	1	2	17	11	2	4	1	1
Missaukee	–	8	–	1	5	5	3	2	–	–	1	1	2	9	3	2	5	1	–
Monroe	3	59	3	14	23	51	2	12	9	–	6	3	4	83	42	24	26	6	–
Monroe	1	22	1	5	10	7	1	1	3	–	2	–	2	31	3	4	8	1	–
Balance of county	2	37	2	9	13	44	1	11	6	–	4	3	2	52	39	20	18	5	–
Montcalm	–	28	5	12	23	22	4	2	3	–	1	1	2	54	9	9	5	5	–
Montmorency	–	5	1	3	9	3	1	2	2	–	–	1	–	5	6	4	1	2	–
Muskegon	9	111	28	16	43	62	4	14	12	1	14	15	6	127	32	37	16	7	–
Muskegon	5	34	14	8	15	24	1	6	4	–	3	7	1	36	9	9	3	4	–
Muskegon Heights	–	5	–	1	1	4	1	2	2	–	3	5	3	15	1	10	–	2	–
Norton Shores	–	15	5	2	2	4	1	2	–	–	1	–	–	11	5	3	2	–	–
Balance of county	4	57	9	5	25	30	1	4	6	1	7	3	2	65	17	15	11	1	–
Newaygo	1	25	4	2	20	13	–	5	4	–	–	2	1	22	5	12	5	1	–
Oakland	25	568	45	93	195	312	26	105	60	2	46	70	24	723	158	121	129	71	21
Avon township#	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Berkley	–	11	2	3	2	9	1	1	1	–	–	1	–	11	1	6	3	–	–
Beverly Hills	–	6	–	–	2	4	1	3	–	–	1	–	2	8	1	–	–	–	–
Birmingham	1	19	1	1	8	3	–	2	3	–	2	–	3	19	3	1	4	2	–
Bloomfield township#	–	20	2	4	8	7	1	3	3	–	1	2	–	25	7	1	1	1	–
Clawson	–	14	–	1	4	11	1	–	1	–	2	2	–	11	2	2	2	1	–
Farmington	1	14	–	–	3	9	–	4	2	–	–	–	–	15	5	2	4	–	–
Farmington Hills	–	31	6	3	13	20	3	1	2	–	1	4	1	41	8	5	10	3	–
Ferndale	1	21	2	2	7	15	1	4	6	–	1	2	–	24	8	3	2	2	–
Hazel Park	–	8	–	4	4	8	1	5	2	–	1	–	1	14	5	3	4	4	–
Madison Heights	–	15	–	4	8	16	1	4	2	–	1	2	–	17	3	2	5	2	–
Novi	1	11	–	1	7	12	–	3	2	–	–	–	1	17	3	3	4	4	–
Oak Park	–	16	3	5	4	10	–	2	4	–	3	1	1	26	4	3	7	5	2
Pontiac	7	43	3	5	14	23	2	11	4	1	5	27	5	84	13	19	9	19	5
Royal Oak	–	27	1	8	10	25	4	11	1	–	2	4	1	50	4	10	10	4	1
Southfield	2	82	4	9	25	21	3	8	4	–	4	7	–	65	4	9	9	7	5
Troy	2	26	3	5	13	15	2	7	2	–	1	1	1	28	10	12	4	1	3
West Bloomfield township#	–	25	2	5	6	7	1	4	3	–	5	1	2	33	–	4	5	2	–
Balance of county	10	179	16	33	57	97	4	32	18	1	16	16	6	235	77	36	46	14	5
Oceana	–	11	2	1	20	8	–	1	4	–	1	1	1	17	6	9	1	1	–
Ogemaw	–	24	13	1	11	10	3	1	1	–	1	–	–	15	5	5	2	1	–
Ontonagon	–	9	8	4	4	9	2	1	1	–	–	–	1	15	1	2	2	–	–
Osceola	1	7	2	8	11	8	1	2	3	–	1	–	1	11	7	4	4	1	–
Oscoda	–	5	1	4	5	4	–	4	–	–	–	–	1	7	3	6	1	–	–
Otsego	–	19	5	1	8	6	–	1	–	–	–	–	1	22	3	7	4	–	–
Ottawa	5	72	18	11	82	49	6	9	14	–	7	13	5	119	30	23	21	5	–
Georgetown township#	1	9	1	2	12	5	–	–	1	–	1	–	–	14	4	3	5	1	–
Grand Haven	2	12	2	1	10	5	1	2	1	–	2	1	1	18	1	4	2	–	–
Holland, part	–	16	4	1	17	9	3	3	3	–	2	3	1	16	2	4	5	1	–
Holland, total	–	19	6	1	20	12	3	3	3	–	2	3	1	22	4	5	5	1	–
Balance of county	2	35	11	7	43	30	2	4	9	–	2	9	3	71	23	12	9	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 81 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	133	–	–	1	33	6	5	2	7	2	2	9	7	62	50	–	1	38	11
Roscommon	293	–	–	5	71	14	28	3	5	3	5	13	5	129	103	1	1	83	18
Saginaw	1,885	1	–	16	428	117	113	29	63	20	15	71	61	872	658	6	14	479	159
Saginaw	687	–	–	6	154	47	40	11	19	6	6	25	22	287	222	2	6	166	48
Saginaw township#	340	1	–	5	80	24	15	5	13	6	4	13	14	155	106	1	–	80	25
Balance of county	858	–	–	5	194	46	58	13	31	8	5	33	25	430	330	3	8	233	86
St. Clair	1,251	1	–	12	312	85	80	26	35	13	16	57	25	574	457	1	22	368	66
Port Huron	409	–	–	8	96	24	26	6	16	4	3	17	7	190	149	–	11	118	20
Balance of county	842	1	–	4	216	61	54	20	19	9	13	40	18	384	308	1	11	250	46
St. Joseph	558	–	–	5	125	30	41	9	7	9	3	26	30	227	188	–	3	159	26
Sanilac	388	–	–	7	96	27	22	11	9	5	5	17	16	170	134	2	3	94	35
Schoolcraft	103	–	–	3	24	4	9	1	3	1	1	5	2	42	31	–	–	23	8
Shiawassee	560	–	–	3	137	36	26	14	14	9	8	30	21	253	172	1	2	130	39
Owosso	144	–	–	1	25	7	9	1	2	2	1	3	7	63	48	–	2	35	11
Balance of county	416	–	–	2	112	29	17	13	12	7	7	27	14	190	124	1	–	95	28
Tuscola	503	–	–	3	116	27	39	5	12	8	4	21	13	235	186	1	2	158	25
Van Buren	657	–	–	13	177	35	51	16	11	8	10	46	23	280	205	–	3	149	53
Washtenaw	1,487	–	–	37	358	91	84	36	55	18	14	60	41	621	475	10	6	331	128
Ann Arbor	495	–	–	13	129	40	26	18	17	4	4	20	9	211	152	2	3	97	50
Ypsilanti	192	–	–	10	30	8	5	4	7	–	1	5	5	80	64	–	1	40	23
Ypsilanti township#	207	–	–	6	53	11	18	4	3	3	2	12	10	78	63	1	–	54	8
Balance of county	593	–	–	8	146	32	35	10	28	11	7	23	17	252	196	7	2	140	47
Wayne	21,244	23	–	497	4,885	1,170	1,503	409	574	194	163	872	596	8,949	7,428	55	278	4,356	2,739
Allen Park	346	–	–	5	71	23	15	5	3	3	4	18	7	180	143	3	3	101	36
Canton township#	203	–	–	4	54	8	18	7	5	–	2	14	6	72	64	–	6	38	20
Dearborn	907	–	–	11	219	67	48	22	28	8	6	40	22	445	371	3	11	256	101
Dearborn Heights	588	–	–	11	172	44	47	11	19	9	3	39	17	269	222	2	5	151	64
Detroit	11,610	19	–	365	2,393	589	755	184	316	87	73	389	344	4,673	3,850	27	195	1,941	1,687
Ecorse	151	–	–	4	31	10	9	5	1	1	1	4	9	52	46	1	2	27	16
Garden City	253	–	–	1	77	13	27	4	4	3	6	20	12	104	89	–	2	60	27
Grosse Pointe Farms	92	–	–	1	42	15	7	5	3	1	2	9	3	31	26	1	1	14	10
Grosse Pointe Park	75	–	–	2	18	5	2	1	2	–	–	8	2	30	22	1	–	12	9
Grosse Pointe Woods	182	–	–	2	56	17	15	5	5	5	1	8	7	79	61	–	–	45	16
Hamtramck	292	1	–	4	57	17	18	4	6	3	1	8	12	140	120	–	1	78	41
Harper Woods	195	–	–	–	52	11	12	8	6	5	2	8	5	98	77	–	1	56	20
Highland Park	322	–	–	13	51	8	23	3	9	3	1	4	10	135	112	–	2	60	50
Inkster	313	–	–	5	77	15	25	8	11	1	2	15	8	118	98	–	2	47	49
Lincoln Park	428	–	–	4	100	18	40	6	6	5	5	20	10	205	174	–	4	120	50
Livonia	865	–	–	12	235	57	67	25	17	10	13	46	20	398	339	4	6	250	79
Melvindale	123	–	–	3	37	9	11	4	3	3	1	6	2	47	39	–	1	25	13
Plymouth township#	114	–	–	2	37	6	14	3	3	2	–	9	3	41	33	1	1	23	8
Redford township#	543	–	–	4	148	35	53	11	16	5	4	24	9	253	212	1	4	142	65
River Rouge	114	1	–	1	31	9	11	1	3	3	–	4	6	50	39	1	2	20	16
Riverview	156	–	–	3	37	6	14	7	2	2	1	5	4	82	64	1	–	52	11
Romulus	195	1	–	6	47	14	13	6	3	1	1	9	5	72	62	–	3	36	23
Southgate	255	–	–	4	73	16	23	2	9	5	4	14	7	114	104	–	2	69	33
Taylor	542	–	–	9	137	25	54	10	16	7	2	23	17	217	184	2	5	115	62
Trenton	206	–	–	1	46	11	16	4	3	2	1	9	8	100	87	2	1	63	21
Wayne	217	–	–	2	47	8	19	5	3	2	2	8	6	98	85	–	–	65	20
Westland	742	–	–	6	195	41	55	18	21	8	9	43	4	332	281	2	10	180	89
Woodhaven	50	–	–	1	20	3	5	2	5	2	–	3	4	18	16	–	1	11	4
Wyandotte	353	1	–	2	96	16	36	6	11	1	4	22	9	159	128	1	1	98	28
Balance of county	812	–	–	9	229	54	51	27	35	7	12	43	18	337	280	2	6	201	71
Wexford	265	–	–	3	67	21	19	7	6	6	1	7	6	120	93	4	2	68	19
Cadillac	120	–	–	2	30	8	11	2	3	2	–	4	4	57	44	3	2	30	9
Balance of county	145	–	–	1	37	13	8	5	3	4	1	3	2	63	49	1	–	38	10
Minnesota	35,309	5	2	515	8,389	1,995	1,999	793	1,078	418	377	1,729	758	14,613	10,680	93	206	7,536	2,845
Urban places	18,590	5	1	349	4,444	999	1,130	426	543	214	180	952	429	7,254	5,260	59	128	3,621	1,452
Balance of area	16,719	–	1	166	3,945	996	869	367	535	204	197	777	329	7,359	5,420	34	78	3,915	1,393
Metropolitan counties	20,447	5	1	367	4,983	1,105	1,250	486	615	246	201	1,080	468	7,944	5,807	65	147	4,016	1,579
Urban places	15,616	5	1	310	3,778	827	963	366	451	190	154	827	378	5,972	4,362	49	118	2,996	1,199
Balance of area	4,831	–	–	57	1,205	278	287	120	164	56	47	253	90	1,972	1,445	16	29	1,020	380
Nonmetropolitan counties	14,862	–	1	148	3,406	890	749	307	463	172	176	649	290	6,669	4,873	28	59	3,520	1,266
Urban places	2,974	–	–	39	666	172	167	60	92	24	26	125	51	1,282	898	10	10	625	253
Balance of area	11,888	–	1	109	2,740	718	582	247	371	148	150	524	239	5,387	3,975	18	49	2,895	1,013
Aitkin	163	–	–	5	34	10	11	3	2	1	4	3	–	78	64	–	1	55	8
Anoka	1,023	–	–	13	254	61	74	15	31	13	3	57	24	409	314	3	1	224	86
Anoka	158	–	–	3	37	9	9	–	7	3	–	9	6	65	48	–	–	30	18
Blaine, part	120	–	–	–	32	8	6	1	6	1	1	9	1	43	37	–	–	26	11
Blaine, total	120	–	–	–	32	8	6	1	6	1	1	9	1	43	37	–	–	26	11
Columbia Heights	171	–	–	1	37	9	9	3	4	3	–	9	4	73	60	–	1	47	12
Coon Rapids	197	–	–	2	50	10	17	2	7	3	–	11	8	69	50	1	–	40	9
Fridley	162	–	–	–	43	13	16	4	2	1	–	7	2	70	51	1	–	25	25
Ramsey	19	–	–	2	6	–	1	1	1	–	–	3	–	8	4	–	–	4	–
Balance of county	196	–	–	5	49	12	16	4	4	2	2	9	3	81	64	1	–	52	11
Becker	305	–	–	4	73	12	12	10	14	3	7	15	3	137	104	2	1	77	24
Beltrami	297	–	–	2	60	18	9	8	11	3	2	9	14	108	77	–	1	60	16
Bemidji	119	–	–	1	27	9	5	2	4	2	–	5	7	39	28	–	–	22	6
Balance of county	178	–	–	1	33	9	4	6	7	1	2	4	7	69	49	–	1	38	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 82 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	–	7	2	3	5	5	1	3	1	–	–	–	–	8	2	2	3	–	–
Roscommon	1	18	4	3	17	14	1	6	1	–	1	–	–	23	11	4	4	–	1
Saginaw	11	151	31	21	49	66	6	20	29	1	8	28	6	167	31	41	22	32	1
Saginaw	5	37	12	11	18	20	4	7	13	1	5	22	2	58	10	22	8	27	1
Saginaw township#	1	42	2	4	11	13	1	3	3	–	2	3	1	37	4	5	1	1	–
Balance of county	5	72	17	6	20	33	1	10	13	–	1	3	3	72	17	14	13	4	–
St. Clair	4	92	3	18	20	55	1	17	20	–	9	6	1	127	25	21	21	3	1
Port Huron	1	33	1	6	4	21	–	7	3	–	3	2	1	42	5	10	6	3	1
Balance of county	3	59	2	12	16	34	1	10	17	–	6	4	–	85	20	11	15	–	–
St. Joseph	1	29	2	7	19	19	2	11	11	–	4	4	1	54	24	6	13	3	–
Sanilac	1	31	2	2	13	13	2	4	8	–	1	2	2	27	10	9	6	1	1
Schoolcraft	1	9	–	1	4	4	–	2	3	–	1	–	1	11	1	2	3	–	–
Shiawassee	4	50	20	7	15	31	1	2	6	–	1	3	3	42	18	13	8	2	1
Owosso	–	10	3	2	6	13	1	1	–	–	1	1	1	14	4	5	1	–	–
Balance of county	4	40	17	5	9	18	–	1	6	–	–	2	2	28	14	8	7	2	1
Tuscola	4	30	7	8	12	16	–	5	4	–	2	5	2	46	26	8	8	2	–
Van Buren	3	45	16	11	8	30	1	7	5	–	2	4	2	55	21	16	9	4	–
Washtenaw	3	111	16	16	46	59	8	18	12	1	14	16	9	148	31	30	31	6	1
Ann Arbor	–	44	9	6	12	18	3	10	2	–	7	9	3	36	10	7	13	3	–
Ypsilanti	1	12	–	3	7	11	–	3	1	1	3	2	4	20	7	3	3	2	–
Ypsilanti township#	1	12	1	1	6	8	1	1	2	–	1	1	2	24	5	5	3	–	1
Balance of county	1	43	6	6	21	22	4	4	7	–	3	4	–	68	9	15	12	1	–
Wayne	70	1,142	95	214	677	680	55	391	217	4	108	349	125	2,000	273	346	251	754	64
Allen Park	2	27	–	8	15	15	3	4	4	–	1	–	–	30	2	4	4	–	1
Canton township#	–	6	1	1	6	7	2	5	6	–	1	2	1	14	4	7	9	3	–
Dearborn	3	55	3	13	33	24	2	13	14	–	2	7	1	75	11	18	7	2	1
Dearborn Heights	3	34	2	8	16	22	1	5	4	–	1	–	1	44	4	11	6	3	1
Detroit	49	624	41	109	348	304	31	251	114	4	68	276	97	1,141	146	211	126	660	39
Ecorse	–	5	1	–	9	8	1	7	3	–	1	7	–	9	1	2	3	2	2
Garden City	1	9	2	3	10	7	–	4	3	–	–	3	–	20	4	3	4	1	–
Grosse Pointe Farms	–	5	–	–	–	–	–	1	1	–	1	–	–	9	–	2	1	–	–
Grosse Pointe Park	–	8	–	–	–	2	–	–	–	–	–	1	–	13	1	3	1	2	–
Grosse Pointe Woods	–	13	1	4	4	3	–	4	1	–	1	–	–	20	–	2	2	–	1
Hamtramck	1	15	2	2	9	11	1	7	3	–	5	2	1	18	4	3	3	9	2
Harper Woods	–	18	1	2	8	9	–	3	2	–	–	–	–	13	–	2	3	–	–
Highland Park	3	20	–	–	15	14	1	2	3	–	–	6	3	40	3	1	2	22	1
Inkster	1	14	3	2	6	2	–	14	2	–	–	5	2	46	6	8	2	12	–
Lincoln Park	–	23	2	6	14	28	2	6	2	–	2	1	2	25	4	7	10	3	3
Livonia	1	47	4	7	41	28	–	10	12	–	3	5	1	62	11	14	10	1	2
Melvindale	1	6	–	1	4	1	–	2	1	–	–	1	–	16	3	1	3	–	2
Plymouth township#	–	7	–	1	4	3	–	–	1	–	1	–	–	15	4	–	2	1	–
Redford township#	–	25	4	12	19	23	3	7	6	–	3	3	–	43	7	4	6	3	2
River Rouge	2	6	1	2	1	4	–	3	1	–	–	–	1	11	1	1	1	1	–
Riverview	–	14	2	2	6	9	–	3	–	–	–	–	–	10	1	1	–	–	–
Romulus	–	9	–	1	6	8	–	4	3	–	4	3	–	21	7	2	2	3	1
Southgate	–	7	1	2	6	13	–	1	1	–	3	2	–	22	4	2	2	1	–
Taylor	1	21	4	7	20	30	1	7	4	–	3	8	4	44	14	4	10	10	3
Trenton	–	10	2	1	5	10	2	4	–	–	–	1	–	23	1	3	2	–	–
Wayne	–	12	–	1	12	9	2	1	1	–	–	4	3	23	2	5	1	1	–
Westland	–	35	8	8	23	35	2	9	7	–	2	4	3	82	10	9	13	6	–
Woodhaven	–	2	–	–	–	1	–	1	1	–	–	–	–	1	–	1	1	–	1
Wyandotte	1	25	2	3	11	16	–	2	7	–	1	3	1	30	2	7	3	1	2
Balance of county	1	40	8	8	26	34	1	11	10	–	5	5	4	80	16	8	12	7	–
Wexford	3	14	4	6	12	15	–	–	1	–	1	–	1	23	10	3	3	–	–
Cadillac	1	7	1	4	2	7	–	–	–	–	–	–	1	14	1	1	1	–	–
Balance of county	2	7	3	2	10	8	–	–	1	–	1	–	–	9	9	2	2	–	–
Minnesota	197	2,854	347	535	1,554	1,493	106	293	307	5	197	195	702	4,007	598	874	511	136	49
Urban places	129	1,418	172	275	786	829	45	180	155	3	114	136	452	2,268	227	476	303	107	27
Balance of area	68	1,436	175	260	768	664	61	113	152	2	83	59	250	1,739	371	398	208	29	22
Metropolitan counties	137	1,506	183	311	859	885	56	211	188	4	132	145	455	2,361	322	554	357	115	35
Urban places	114	1,132	131	233	660	699	39	161	138	3	101	122	375	1,874	183	423	269	99	26
Balance of area	23	374	52	78	199	186	17	50	50	1	31	23	80	487	139	131	88	16	9
Nonmetropolitan counties	60	1,348	164	224	695	608	50	82	119	1	65	50	247	1,646	276	320	154	21	14
Urban places	15	286	41	42	126	130	6	19	17	–	13	14	77	394	44	53	34	8	1
Balance of area	45	1,062	123	182	569	478	44	63	102	1	52	36	170	1,252	232	267	120	13	13
Aitkin	–	12	–	2	11	8	1	1	2	–	–	–	–	16	2	2	3	–	–
Anoka	6	50	22	17	27	57	3	14	11	–	4	17	17	80	23	35	30	1	4
Anoka	1	12	2	2	4	11	–	–	2	–	–	5	3	12	1	5	4	–	–
Blaine, part	1	2	–	3	1	9	–	–	2	–	2	1	3	11	4	3	8	–	–
Blaine, total	1	2	–	3	1	9	–	–	2	–	2	1	3	11	4	3	8	–	–
Columbia Heights	2	6	2	3	7	8	1	4	2	–	–	1	3	21	2	4	2	–	1
Coon Rapids	–	10	6	3	7	12	–	–	2	–	–	4	3	12	9	8	10	–	1
Fridley	1	10	5	3	6	6	2	6	2	–	1	3	–	13	1	6	1	–	–
Ramsey	–	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1
Balance of county	1	7	6	3	2	11	–	4	1	–	1	3	5	11	5	8	5	1	1
Becker	–	29	3	1	12	11	–	2	3	–	1	1	1	41	3	8	5	–	–
Beltrami	3	24	2	2	13	7	1	3	5	–	1	3	9	48	9	10	3	1	–
Bemidji	1	7	2	1	4	3	–	–	2	–	–	1	7	23	2	2	1	–	–
Balance of county	2	17	–	1	9	4	1	3	3	–	1	2	2	25	7	8	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 83 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	288	–	–	3	72	14	12	5	16	–	5	20	3	134	105	2	4	79	20
St. Cloud, part	38	–	–	1	9	1	2	1	2	–	–	3	–	17	14	–	–	11	3
Balance of county	250	–	–	2	63	13	10	4	14	–	5	17	3	117	91	2	4	68	17
Big Stone	97	–	–	1	29	8	9	1	2	3	1	5	4	37	21	–	–	15	6
Blue Earth	422	–	–	2	103	27	33	4	13	5	3	18	15	194	130	–	1	93	36
Mankato, part	226	–	–	1	67	21	23	3	5	4	–	11	5	99	61	–	1	44	16
Mankato, total	226	–	–	1	67	21	23	3	5	4	–	11	5	99	61	–	1	44	16
Balance of county	196	–	–	1	36	6	10	1	8	1	3	7	10	95	69	–	–	49	20
Brown	285	–	–	3	52	10	13	7	6	1	4	11	3	140	104	–	–	79	25
New Ulm	121	–	–	1	23	3	6	3	2	1	2	6	2	57	40	–	–	31	9
Balance of county	164	–	–	2	29	7	7	4	4	–	2	5	1	83	64	–	–	48	16
Carlton	305	–	–	2	71	23	22	4	9	–	1	12	6	140	98	–	2	61	33
Cloquet	130	–	–	1	31	11	12	2	3	–	1	2	2	61	38	–	–	26	12
Balance of county	175	–	–	1	40	12	10	2	6	–	–	10	4	79	58	–	2	35	21
Carver	265	–	–	2	78	17	14	6	13	5	2	21	3	117	90	1	–	76	13
Cass	281	–	–	7	71	22	21	4	4	2	1	17	7	108	82	–	–	63	19
Chippewa	165	–	–	3	39	11	10	7	5	–	1	5	5	67	50	–	3	38	9
Chisago	234	–	–	7	46	12	11	3	12	1	1	6	3	99	67	1	–	44	22
Clay	353	1	–	11	80	27	19	9	6	2	3	14	10	123	89	–	2	62	25
Moorhead	229	1	–	6	55	14	15	4	6	2	3	11	8	82	61	–	2	40	19
Balance of county	124	–	–	5	25	13	4	5	–	–	–	3	2	41	28	–	–	22	6
Clearwater	106	–	–	–	29	7	7	1	7	–	1	6	5	43	32	–	–	27	5
Cook	41	–	–	–	15	5	4	1	2	–	–	3	–	17	11	–	–	9	2
Cottonwood	152	–	–	1	32	11	5	–	4	1	5	6	5	82	67	–	1	55	11
Crow Wing	525	–	–	4	131	27	41	18	17	4	5	19	9	230	187	2	2	111	72
Brainerd	239	–	–	3	53	9	17	10	5	2	1	9	5	108	84	1	2	44	37
Balance of county	286	–	–	1	78	18	24	8	12	2	4	10	4	122	103	1	–	67	35
Dakota	1,192	–	–	21	321	55	91	33	30	17	16	79	42	444	325	4	6	241	74
Apple Valley	105	–	–	4	26	2	8	5	1	3	–	7	4	38	31	–	2	19	10
Burnsville	152	–	–	2	44	7	14	5	6	2	4	6	7	48	38	–	–	28	10
Eagan	74	–	–	5	22	5	5	1	–	1	3	7	2	19	14	–	–	13	1
Hastings, part	115	–	–	–	26	7	8	3	1	–	2	5	5	48	32	–	–	22	10
Hastings, total	116	–	–	–	26	7	8	3	1	–	2	5	6	48	32	–	–	22	10
Inver Grove Heights	134	–	–	1	31	7	5	4	4	1	1	9	7	54	43	–	1	34	8
Lakeville	44	–	–	–	15	3	1	4	1	2	–	4	–	15	11	1	1	3	6
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	179	–	–	4	46	7	10	4	7	3	–	15	6	69	52	1	1	40	10
West St. Paul	229	–	–	4	62	8	23	5	6	4	3	13	5	95	65	1	–	55	9
Balance of county	160	–	–	1	49	9	17	2	4	1	3	13	6	58	39	1	1	27	10
Dodge	155	–	–	3	36	11	5	3	4	3	4	6	2	59	46	–	1	35	10
Douglas	308	–	–	5	66	17	13	7	8	5	3	13	3	147	113	–	–	76	37
Faribault	218	–	–	1	53	12	13	8	7	1	2	10	4	102	78	–	–	58	20
Fillmore	281	–	–	1	68	21	6	6	11	10	2	12	7	143	95	–	–	67	28
Freeborn	384	–	–	5	89	27	23	5	13	2	3	16	6	170	115	1	1	85	28
Albert Lea	277	–	–	5	65	21	16	4	11	2	2	9	5	124	79	1	1	61	16
Balance of county	107	–	–	–	24	6	7	1	2	–	1	7	1	46	36	–	–	24	12
Goodhue	480	–	–	4	111	30	22	11	13	5	5	25	9	197	129	1	3	89	36
Red Wing	206	–	–	3	43	14	7	2	8	1	1	10	3	79	55	1	3	38	13
Balance of county	274	–	–	1	68	16	15	9	5	4	4	15	6	118	74	–	–	51	23
Grant	92	–	–	–	28	6	7	4	3	3	2	3	2	42	30	–	–	20	10
Hennepin	7,881	3	–	202	1,866	427	461	177	220	104	79	398	175	2,917	2,087	27	78	1,431	551
Bloomington	590	–	–	8	154	33	32	15	21	8	7	38	12	223	155	–	6	110	39
Brooklyn Center	179	–	–	2	64	18	21	3	5	3	3	11	6	66	48	1	2	33	12
Brooklyn Park	149	–	–	3	51	13	17	4	7	2	2	6	5	47	36	–	2	29	5
Crystal	154	–	–	1	54	9	19	9	5	4	2	6	6	44	26	1	3	11	11
Eden Prairie	95	–	–	1	26	5	8	2	4	2	–	5	3	30	20	–	1	15	4
Edina	420	–	–	5	110	21	19	11	18	6	7	28	9	174	125	–	4	88	33
Golden Valley	189	1	–	2	43	11	9	5	5	2	–	11	8	69	50	1	2	32	15
Hopkins	188	–	–	1	49	14	8	5	8	2	1	11	4	76	47	–	1	34	12
Maple Grove	64	–	–	–	23	3	7	4	2	–	3	4	1	19	15	–	1	9	5
Minneapolis	3,716	2	–	147	780	167	206	75	90	36	36	170	75	1,345	990	15	35	683	257
Minnetonka	229	–	–	3	67	12	16	5	17	4	1	12	5	84	65	1	3	46	15
New Hope	289	–	–	2	47	13	8	2	5	5	1	13	9	113	75	–	2	39	34
Plymouth	155	–	–	3	41	15	8	2	4	1	3	8	2	52	42	2	2	30	8
Richfield	289	–	–	5	79	18	20	8	9	4	2	18	5	120	88	2	1	65	20
Robbinsdale	191	–	–	2	41	10	12	5	4	2	2	6	4	82	54	1	3	37	13
St. Louis Park	479	–	–	4	101	28	24	11	4	9	3	22	15	200	129	3	5	87	34
Balance of county	505	–	–	13	136	37	27	11	12	14	6	29	6	173	122	–	5	83	34
Houston	183	–	–	–	44	10	11	3	7	2	2	9	1	82	63	–	–	47	16
Hubbard	150	–	–	2	35	8	11	1	4	3	4	4	1	74	53	–	1	41	11
Isanti	195	–	–	2	49	18	5	2	7	4	2	11	2	89	55	–	–	44	11
Itasca	437	–	–	4	100	18	24	8	14	10	5	21	5	190	146	1	4	115	26
Jackson	133	–	1	2	33	7	7	2	4	3	2	8	2	57	38	–	–	32	6
Kanabec	115	–	–	3	35	6	9	5	5	3	3	4	2	46	29	–	–	20	9
Kandiyohi	355	–	–	3	91	15	18	12	14	4	5	23	4	149	110	1	1	90	18
Willmar	175	–	–	2	48	8	8	9	8	1	2	12	2	70	49	–	–	42	7
Balance of county	180	–	–	1	43	7	10	3	6	3	3	11	2	79	61	1	1	48	11
Kittson	83	–	–	–	9	1	3	2	1	–	1	1	2	43	39	–	1	24	14
Koochiching	167	–	–	2	42	12	8	4	5	3	2	8	2	75	55	–	1	40	14
Lac qui Parle	116	–	–	1	28	7	6	4	1	3	–	7	5	42	32	–	1	17	14
Lake	109	–	–	–	25	8	4	1	8	2	1	1	4	47	37	–	2	22	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 84 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	–	22	2	5	16	6	–	1	5	–	1	1	3	22	6	12	3	–	–
St. Cloud, part	–	2	–	1	1	3	–	–	–	–	–	–	–	–	–	6	1	–	–
Balance of county	–	20	2	4	15	3	–	1	5	–	1	1	3	22	6	6	2	–	–
Big Stone	1	11	1	3	7	5	–	–	–	–	–	–	1	5	2	5	–	–	1
Blue Earth	5	46	7	6	20	11	2	2	–	–	4	–	1	46	3	9	8	2	–
Mankato, part	3	28	5	2	6	7	–	1	–	–	2	–	–	22	2	7	6	1	–
Mankato, total	3	28	5	2	6	7	–	1	–	–	2	–	–	22	2	7	6	1	–
Balance of county	2	18	2	4	14	4	2	1	–	–	2	–	1	24	1	2	2	1	–
Brown	4	23	5	4	11	18	–	2	4	–	3	1	2	31	7	5	3	–	–
New Ulm	3	11	3	–	4	6	–	1	1	–	1	1	1	18	4	1	–	–	–
Balance of county	1	12	2	4	7	12	–	1	3	–	2	–	1	13	3	4	3	–	–
Carlton	–	30	8	6	12	14	2	–	2	–	2	1	1	35	6	6	4	1	–
Cloquet	–	16	5	2	5	6	–	–	1	–	–	1	1	15	2	2	1	1	–
Balance of county	–	14	3	4	7	8	2	–	1	–	2	–	–	20	4	4	3	–	–
Carver	2	20	2	3	4	6	2	3	3	–	1	3	–	25	8	3	4	3	–
Cass	1	17	4	4	16	18	1	1	3	–	1	–	1	28	15	3	1	–	–
Chippewa	1	15	1	–	17	4	1	–	1	–	1	–	2	20	2	2	1	–	–
Chisago	1	23	2	6	20	10	–	–	4	–	3	2	5	27	2	2	4	–	–
Clay	–	21	5	8	24	10	1	4	4	–	2	2	10	47	7	13	4	–	–
Moorhead	–	14	4	3	12	4	–	3	3	–	1	2	6	34	3	6	3	–	–
Balance of county	–	7	1	5	12	6	1	1	1	–	1	–	4	13	4	7	1	–	–
Clearwater	–	9	1	1	4	7	–	2	1	–	–	1	–	11	–	3	–	–	–
Cook	–	6	–	–	3	–	–	–	–	–	–	–	1	3	–	2	–	–	–
Cottonwood	2	12	1	–	4	2	1	–	2	–	2	–	2	13	4	1	1	–	–
Crow Wing	–	35	3	5	16	31	1	1	3	–	2	1	10	45	12	17	9	1	2
Brainerd	–	21	2	1	11	15	1	1	1	–	2	1	4	18	6	6	4	–	–
Balance of county	–	14	1	4	5	16	–	–	2	–	–	–	6	27	6	11	5	1	2
Dakota	6	94	5	14	33	49	–	10	5	–	9	9	33	139	23	25	22	5	2
Apple Valley	1	3	–	3	4	5	–	1	–	–	1	–	2	15	–	5	–	–	–
Burnsville	–	9	1	–	3	2	–	1	–	–	2	3	4	19	6	4	6	1	–
Eagan	–	5	–	–	1	3	–	1	–	–	1	3	3	10	3	–	1	–	–
Hastings, part	1	14	–	1	5	6	–	–	–	–	1	–	7	13	1	3	–	–	–
Hastings, total	1	14	–	1	5	6	–	–	–	–	1	–	7	13	1	3	–	–	–
Inver Grove Heights	1	9	–	1	5	5	–	1	–	–	1	2	5	14	1	2	3	1	1
Lakeville	–	3	1	–	–	1	–	–	–	–	–	–	1	4	2	1	4	1	–
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	1	14	–	2	7	8	–	3	3	–	1	1	2	17	2	4	4	1	1
West St. Paul	1	23	3	3	5	14	–	2	2	–	1	–	6	27	3	2	1	–	–
Balance of county	1	14	–	4	3	5	–	1	–	–	1	–	3	20	5	4	3	1	–
Dodge	–	8	1	4	7	15	1	1	1	–	1	–	2	16	6	4	1	–	–
Douglas	4	24	2	4	19	14	–	4	2	–	–	2	–	30	5	7	3	1	–
Faribault	–	17	1	6	8	6	2	1	4	–	1	–	–	26	2	7	1	–	–
Fillmore	3	35	8	2	10	10	–	1	1	–	2	–	9	15	5	5	4	–	–
Freeborn	1	43	7	4	9	17	2	–	1	1	2	3	5	52	9	9	2	1	1
Albert Lea	1	36	6	2	5	14	1	–	1	–	1	2	4	39	4	3	2	1	1
Balance of county	–	7	1	2	4	3	1	–	–	1	1	1	1	13	5	6	–	–	–
Goodhue	4	46	7	11	23	30	2	4	3	–	1	3	10	61	9	11	2	–	–
Red Wing	3	17	1	3	10	17	1	3	1	–	–	2	3	32	3	5	1	–	–
Balance of county	1	29	6	8	13	13	1	1	2	–	1	1	7	29	6	6	1	–	–
Grant	–	6	1	5	3	2	–	–	–	–	–	1	–	10	2	1	1	–	–
Hennepin	76	594	56	104	334	362	19	92	78	–	54	58	170	992	80	259	132	72	16
Bloomington	2	55	4	7	22	30	1	8	6	–	8	2	6	73	4	15	13	2	3
Brooklyn Center	1	14	1	2	3	4	–	–	–	–	1	2	3	12	4	6	2	4	–
Brooklyn Park	–	9	–	2	2	5	1	–	–	–	3	1	3	15	5	4	3	–	1
Crystal	2	11	3	2	5	12	–	3	2	–	–	1	1	16	2	4	3	–	–
Eden Prairie	1	7	1	1	1	3	–	3	–	–	4	1	2	10	4	1	5	1	–
Edina	6	35	6	2	16	17	2	5	5	–	1	–	5	48	3	12	5	1	2
Golden Valley	3	10	4	2	7	9	–	–	4	–	2	–	2	31	–	8	2	–	1
Hopkins	4	19	1	5	11	6	–	–	2	–	1	1	3	27	–	6	1	–	–
Maple Grove	–	4	–	–	–	1	–	–	1	–	2	4	2	8	–	1	2	–	–
Minneapolis	37	254	19	45	160	180	11	46	39	–	22	34	99	483	28	135	66	58	6
Minnetonka	3	12	1	3	4	6	1	4	2	–	1	2	1	27	4	9	6	3	–
New Hope	2	34	1	1	22	15	1	4	3	–	1	–	18	40	1	10	2	1	–
Plymouth	1	6	1	2	9	10	–	4	1	–	1	–	2	14	3	8	4	–	1
Richfield	1	22	3	6	15	12	–	3	–	–	–	3	5	31	3	7	1	–	–
Robbinsdale	3	17	–	8	11	12	–	4	2	–	1	–	1	21	2	5	3	–	–
St. Louis Park	6	46	10	9	29	22	1	4	6	–	3	5	6	63	5	8	6	–	1
Balance of county	4	39	1	7	17	18	1	4	5	–	3	2	11	73	12	20	8	2	1
Houston	–	18	–	1	7	7	–	1	3	–	2	–	–	33	–	2	1	–	–
Hubbard	–	14	5	2	16	6	–	2	–	–	–	–	1	7	1	5	–	–	–
Isanti	2	28	2	2	9	8	1	2	4	–	–	–	–	12	12	3	–	1	1
Itasca	4	30	3	7	19	30	4	–	2	–	3	–	11	36	11	16	5	1	–
Jackson	–	11	4	4	7	6	–	3	–	–	–	3	4	11	2	1	1	–	–
Kanabec	1	12	1	3	4	5	–	2	–	–	2	–	1	7	2	3	3	–	–
Kandiyohi	1	31	3	4	8	7	3	3	2	–	1	–	8	45	7	14	8	2	–
Willmar	–	16	2	3	5	5	–	1	1	–	1	–	5	20	4	5	4	2	–
Balance of county	1	15	1	1	3	2	3	2	1	–	–	–	3	25	3	9	4	–	–
Kittson	–	3	–	1	9	6	–	–	1	–	2	–	1	6	2	2	–	–	–
Koochiching	–	18	1	1	5	8	1	3	–	–	2	–	–	13	6	5	2	1	–
Lac qui Parle	2	7	–	1	4	9	1	1	5	–	–	–	–	14	1	4	1	–	–
Lake	–	6	2	2	1	4	–	2	2	–	–	–	1	17	2	2	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 85 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	44	–	–	1	8	3	1	–	1	–	1	2	3	23	19	–	–	16	3
Le Sueur	194	–	–	2	43	10	7	3	5	1	5	12	3	90	73	–	1	55	17
Lincoln	95	–	–	1	32	6	10	3	4	2	3	4	2	38	27	–	–	24	3
Lyon	221	–	–	–	46	12	12	3	6	3	–	10	6	108	76	–	–	54	22
Marshall	74	–	–	–	15	2	6	–	3	1	–	3	–	39	26	–	–	18	8
Balance of county	147	–	–	–	31	10	6	3	3	2	–	7	6	69	50	–	–	36	14
McLeod	275	–	–	2	71	20	13	9	10	3	3	13	3	113	79	–	–	59	20
Mahnomen	50	–	–	–	10	1	1	2	3	–	–	3	3	21	16	–	–	14	2
Marshall	125	–	–	1	29	8	8	1	7	–	2	3	5	49	31	–	–	23	8
Martin	244	–	–	1	63	18	16	3	7	3	2	14	4	114	82	1	1	63	17
Fairmont	130	–	–	1	30	9	7	2	4	1	–	7	2	56	42	–	–	31	11
Balance of county	114	–	–	–	33	9	9	1	3	2	2	7	2	58	40	1	1	32	6
Meeker	227	–	–	3	52	19	5	5	7	2	4	10	3	105	69	2	–	52	15
Mille Lacs	214	–	–	5	44	14	9	6	3	3	3	6	3	103	69	–	–	48	21
Morrison	290	–	–	2	56	17	10	3	5	2	4	15	6	137	100	1	5	51	43
Mower	380	–	–	3	82	17	17	8	15	1	4	20	11	122	79	1	1	50	27
Austin	269	–	–	3	60	10	17	6	7	1	4	15	5	89	58	1	–	33	24
Balance of county	111	–	–	–	22	7	–	2	8	–	–	5	6	33	21	–	1	17	3
Murray	100	–	–	1	21	8	2	2	–	1	–	8	2	45	34	–	2	21	11
Nicollet	196	–	–	–	50	16	12	6	5	–	1	10	2	88	68	–	2	45	21
Mankato, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	196	–	–	–	50	16	12	6	5	–	1	10	2	88	68	–	2	45	21
Nobles	203	–	–	1	47	12	10	–	8	3	5	9	3	92	64	1	–	49	14
Worthington	105	–	–	1	21	3	6	–	3	1	5	3	1	40	30	1	–	21	8
Balance of county	98	–	–	–	26	9	4	–	5	2	–	6	2	52	34	–	–	28	6
Norman	114	–	–	1	18	4	5	1	–	2	1	5	3	69	52	–	1	38	13
Olmsted	634	–	1	13	179	42	35	20	23	7	13	39	18	217	167	4	3	129	31
Rochester	505	–	1	12	146	32	25	14	20	7	13	35	14	165	126	2	3	95	26
Balance of county	129	–	–	1	33	10	10	6	3	–	–	4	4	52	41	2	–	34	5
Otter Tail	557	–	–	5	115	32	21	16	15	6	5	20	9	270	214	1	2	159	52
Fergus Falls	160	–	–	1	30	8	4	6	5	2	1	4	4	77	59	1	–	45	13
Balance of county	397	–	–	4	85	24	17	10	10	4	4	16	5	193	155	–	2	114	39
Pennington	152	–	–	1	33	8	8	5	6	3	–	3	6	69	44	–	1	32	11
Pine	214	–	–	2	46	8	15	5	8	1	2	7	4	105	76	1	–	56	19
Pipestone	132	–	–	3	24	7	6	3	1	1	1	5	1	67	46	–	–	38	8
Polk	412	–	–	2	91	22	20	5	14	9	9	12	11	183	135	1	2	104	28
Pope	123	–	–	2	29	10	1	3	5	5	–	5	2	44	36	–	–	28	8
Ramsey	3,806	1	–	48	946	196	243	95	103	49	41	219	81	1,455	1,050	10	18	735	287
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	256	–	–	2	58	10	13	5	5	9	2	14	3	102	70	1	1	50	18
Mounds View	51	–	–	–	15	1	4	2	3	1	–	4	1	13	9	–	–	8	1
New Brighton	149	–	–	1	37	13	8	7	4	1	–	4	3	55	41	–	–	32	9
North St. Paul	80	–	–	2	28	5	9	–	3	1	1	9	1	28	21	–	–	11	10
Roseville	354	–	–	4	88	19	20	10	15	3	4	17	6	136	87	2	1	61	23
St. Paul	2,376	1	–	35	574	116	159	54	58	28	26	133	55	932	682	6	14	478	184
Shoreview	75	–	–	2	25	7	2	3	2	–	2	9	1	20	16	–	–	11	5
White Bear Lake, part	190	–	–	1	44	11	11	2	4	1	1	14	8	77	59	–	2	38	19
White Bear Lake, total	192	–	–	1	44	11	11	2	4	1	1	14	8	79	61	–	2	39	20
Balance of county	275	–	–	1	77	14	17	12	9	5	5	15	3	92	65	1	–	46	18
Red Lake	49	–	–	–	9	1	3	1	2	–	–	2	1	19	13	–	–	9	4
Redwood	242	–	–	–	49	13	11	1	10	1	2	11	6	123	87	1	1	65	20
Renville	191	–	–	3	48	17	5	5	5	1	3	12	1	87	66	–	1	45	20
Rice	396	–	–	6	78	19	12	8	17	5	6	11	9	191	132	2	2	94	34
Faribault	197	–	–	5	30	5	5	1	11	1	3	4	2	100	68	2	1	48	17
Northfield, part	104	–	–	1	24	8	4	5	2	1	–	4	4	46	31	–	–	21	10
Northfield, total	104	–	–	1	24	8	4	5	2	1	–	4	4	46	31	–	–	21	10
Balance of county	95	–	–	–	24	6	3	2	4	3	3	3	3	45	33	–	1	25	7
Rock	94	–	–	3	23	10	4	1	3	1	2	2	–	40	28	1	–	24	3
Roseau	122	–	–	2	34	10	6	2	2	2	1	11	2	46	28	–	1	23	4
St. Louis	2,241	–	–	17	527	125	132	55	88	18	14	95	57	998	787	9	18	491	269
Duluth	1,065	–	–	9	246	55	61	21	38	10	8	53	29	466	362	4	9	215	134
Hibbing	188	–	–	1	50	16	11	7	11	–	1	4	6	83	68	1	1	42	24
Virginia	167	–	–	1	42	13	11	3	7	3	–	5	4	82	63	–	2	43	18
Balance of county	821	–	–	6	189	41	49	24	32	5	5	33	18	367	294	4	6	191	93
Scott	269	–	–	2	58	9	18	6	9	2	3	11	12	106	78	–	–	58	20
Sherburne	264	–	–	5	51	17	15	5	1	4	2	7	7	108	77	–	–	58	19
St. Cloud, part	90	–	–	3	12	4	5	1	–	1	1	–	3	40	28	–	–	20	8
Balance of county	174	–	–	2	39	13	10	4	1	3	1	7	4	68	49	–	–	38	11
Sibley	166	–	–	2	33	9	10	4	2	3	2	3	4	86	66	–	–	49	17
Stearns	664	–	–	5	171	29	41	23	19	11	4	44	9	285	207	2	11	142	52
St. Cloud, part	205	–	–	3	56	7	11	10	2	5	2	19	4	79	61	–	4	45	12
St. Cloud, total	333	–	–	7	77	12	18	12	4	6	3	22	7	136	103	–	4	76	23
Balance of county	459	–	–	2	115	22	30	13	17	6	2	25	5	206	146	2	7	97	40
Steele	246	–	–	3	64	17	11	5	9	1	8	13	2	105	73	1	2	51	19
Owatonna	152	–	–	3	39	13	6	4	3	1	2	10	2	65	42	1	2	28	11
Balance of county	94	–	–	–	25	4	5	1	6	–	6	3	–	40	31	–	–	23	8
Stevens	95	–	–	–	25	8	6	3	3	1	–	4	–	48	38	–	–	27	11
Swift	154	–	–	3	36	12	4	1	3	3	1	12	2	73	56	1	–	35	20
Todd	228	–	–	1	67	15	14	8	10	4	3	13	7	81	58	1	1	34	22
Traverse	57	–	–	–	10	1	1	2	2	1	1	2	1	32	28	1	–	16	11
Wabasha	185	–	–	1	38	10	9	1	5	1	3	9	2	77	58	1	–	41	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 86 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	–	3	–	1	4	–	–	2	–	–	–	–	1	–	–	2	–	–	–
Le Sueur	–	14	2	1	8	11	1	3	1	–	–	2	3	14	2	6	3	2	–
Lincoln	–	9	–	2	3	4	–	–	1	–	–	–	–	12	1	1	–	–	–
Lyon	2	28	1	1	11	11	–	1	1	–	1	–	–	23	8	3	2	–	–
Marshall	–	12	–	1	4	2	–	1	1	–	1	–	–	6	3	1	1	–	–
Balance of county	2	16	1	–	7	9	–	–	–	–	–	–	–	17	5	2	1	–	–
McLeod	–	29	2	3	11	12	1	2	–	–	–	–	3	35	5	12	5	–	–
Mahnomen	1	3	–	1	1	3	–	–	3	–	–	–	–	7	–	1	1	–	–
Marshall	–	13	–	5	10	5	2	1	2	–	1	–	3	12	1	4	–	–	–
Martin	–	25	1	6	11	13	2	2	1	–	–	–	2	23	4	3	1	–	–
Fairmont	–	10	1	3	7	7	2	1	1	–	–	–	1	17	2	2	1	–	–
Balance of county	–	15	–	3	4	6	–	1	–	–	–	–	1	6	2	1	–	–	–
Meeker	–	26	7	3	5	11	–	–	2	–	1	–	5	25	6	6	3	–	–
Mille Lacs	2	25	3	4	16	6	–	4	2	–	–	2	3	17	2	4	1	1	1
Morrison	–	27	3	7	16	7	2	–	2	–	1	–	6	33	11	6	5	–	–
Mower	–	36	–	7	13	14	1	5	2	–	2	2	57	48	4	7	5	2	–
Austin	–	25	–	6	10	7	–	5	2	–	2	1	39	34	3	3	4	2	–
Balance of county	–	11	–	1	3	7	1	–	–	–	–	1	18	14	1	4	1	–	–
Murray	1	7	2	1	4	7	1	1	–	–	–	1	–	15	–	–	1	1	–
Nicollet	1	17	2	–	9	6	–	–	2	–	1	2	–	28	4	2	2	–	–
Mankato, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	17	2	–	9	6	–	–	2	–	1	2	–	28	4	2	2	–	–
Nobles	–	23	1	4	9	14	1	1	–	–	1	–	–	30	1	2	1	–	–
Worthington	–	8	–	2	4	11	1	1	–	–	–	–	–	24	–	1	–	–	–
Balance of county	–	15	1	2	5	3	–	–	–	–	1	–	–	6	1	1	1	–	–
Norman	1	16	–	–	9	2	–	–	1	–	–	–	–	7	2	2	–	–	–
Olmsted	1	37	3	9	24	26	4	4	2	–	9	1	6	94	15	13	7	–	1
Rochester	1	31	1	6	21	22	2	4	2	–	7	–	5	79	11	8	5	–	1
Balance of county	–	6	2	3	3	4	2	–	–	–	2	1	1	15	4	5	2	–	–
Otter Tail	1	45	3	7	34	22	–	3	2	–	4	4	2	62	11	7	5	1	1
Fergus Falls	–	14	1	3	11	4	–	1	–	–	–	3	1	24	2	1	–	1	–
Balance of county	1	31	2	4	23	18	–	2	2	–	4	1	1	38	9	6	5	–	1
Pennington	–	23	–	2	7	2	2	–	1	–	1	–	5	14	3	7	1	–	–
Pine	–	21	3	5	6	6	–	3	3	–	2	2	4	21	2	3	3	1	1
Pipestone	–	10	9	2	3	6	2	–	–	–	–	–	10	12	3	–	–	–	1
Polk	4	33	6	5	26	15	1	–	3	–	3	–	5	48	9	12	2	1	–
Pope	–	6	–	2	13	6	–	–	2	–	–	–	1	17	3	2	2	–	–
Ramsey	24	271	37	73	182	161	10	34	38	2	24	31	133	444	40	86	68	18	4
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	3	21	3	5	17	12	–	–	1	–	3	–	7	40	3	4	4	–	–
Mounds View	–	3	–	1	4	1	–	2	1	–	–	–	3	8	1	1	1	–	–
New Brighton	1	10	1	2	8	4	–	2	2	–	–	2	4	21	3	2	3	1	1
North St. Paul	–	3	–	4	2	2	–	1	–	–	–	–	3	6	3	–	3	1	–
Roseville	2	31	5	11	20	19	1	1	3	–	–	1	16	49	2	6	1	1	–
St. Paul	15	170	25	40	103	103	5	21	25	2	14	22	85	255	23	62	45	11	3
Shoreview	–	3	–	1	3	4	1	–	–	–	1	2	2	10	1	1	2	–	–
White Bear Lake, part	1	12	1	4	8	4	2	1	2	–	4	4	5	21	2	2	2	3	–
White Bear Lake, total	1	12	1	4	8	4	2	1	2	–	4	4	5	21	2	2	2	3	–
Balance of county	2	18	2	5	17	12	1	6	4	–	2	–	8	34	2	8	7	1	–
Red Lake	–	3	–	3	1	3	–	–	–	–	–	1	2	11	–	2	–	–	–
Redwood	–	28	1	7	11	10	–	–	2	–	1	1	4	27	2	6	–	–	–
Renville	–	17	1	3	12	2	–	–	2	–	1	1	2	20	6	3	3	–	–
Rice	3	39	9	8	17	15	–	1	2	–	1	1	3	45	6	10	11	–	–
Faribault	–	22	6	4	9	8	–	–	2	–	1	–	2	28	2	3	5	–	–
Northfield, part	2	10	2	1	6	5	–	–	–	–	–	1	1	12	–	2	2	–	–
Northfield, total	2	10	2	1	6	5	–	–	–	–	–	1	1	12	–	2	2	–	–
Balance of county	1	7	1	3	2	2	–	1	–	–	–	–	–	5	4	5	4	–	–
Rock	–	9	1	2	5	5	1	–	1	–	–	1	1	11	2	1	–	–	–
Roseau	–	14	3	1	4	3	–	2	3	–	1	–	1	15	4	1	4	–	–
St. Louis	11	144	19	37	80	113	11	19	14	1	5	7	33	238	40	38	37	4	2
Duluth	7	74	7	16	41	47	4	12	5	1	2	6	24	125	10	17	19	2	–
Hibbing	1	9	1	4	9	8	2	–	1	–	–	–	1	19	3	4	1	–	–
Virginia	–	12	1	6	2	11	1	2	–	–	–	–	2	16	2	2	–	–	–
Balance of county	3	49	10	11	28	47	4	5	8	–	3	1	6	78	25	15	17	2	2
Scott	1	21	2	4	9	14	2	3	3	–	1	2	11	24	7	9	4	–	2
Sherburne	–	22	4	5	10	11	1	5	1	–	2	1	7	39	5	5	5	1	–
St. Cloud, part	–	10	1	1	7	3	–	2	–	–	–	–	1	17	–	2	–	–	–
Balance of county	–	12	3	4	3	8	1	3	1	–	2	1	6	22	5	3	5	1	–
Sibley	–	16	2	2	12	6	1	–	4	–	–	–	3	9	5	–	1	–	–
Stearns	1	58	13	6	32	28	1	4	5	–	4	3	6	58	21	19	8	3	2
St. Cloud, part	–	14	1	3	9	9	–	1	2	–	2	1	3	19	5	5	4	3	–
St. Cloud, total	–	26	2	5	17	15	–	3	2	–	2	1	4	36	5	13	5	3	–
Balance of county	1	44	12	3	23	19	1	3	3	–	2	2	3	39	16	14	4	–	2
Steele	–	23	4	5	13	8	–	1	1	–	–	–	10	30	4	3	–	–	2
Owatonna	–	17	3	3	7	4	–	1	1	–	–	–	7	19	1	3	–	–	–
Balance of county	–	6	1	2	6	4	–	–	–	–	–	–	3	11	3	–	–	–	2
Stevens	1	8	–	1	5	3	1	–	1	–	–	1	1	9	–	1	–	–	–
Swift	–	16	1	–	6	1	1	–	–	–	–	1	–	21	2	6	1	1	–
Todd	–	18	4	1	11	11	2	–	3	–	2	–	9	29	1	1	3	–	–
Traverse	–	4	–	–	1	–	–	–	–	–	2	–	2	7	–	2	–	–	–
Wabasha	1	15	1	2	11	6	1	1	2	–	1	3	3	27	3	4	5	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 87 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	196	–	–	3	33	9	7	2	3	2	1	9	7	94	70	–	–	53	17
Waseca	184	–	–	–	43	15	8	3	3	3	–	11	4	90	70	–	2	47	21
Washington	654	–	–	11	171	26	56	20	21	6	9	33	11	243	160	2	–	107	51
Cottage Grove	59	–	–	2	18	4	6	2	3	–	–	3	1	18	15	–	–	14	1
Hastings, part	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Oakdale	44	–	–	1	16	2	7	1	2	–	–	4	–	12	11	–	–	8	3
Stillwater	173	–	–	3	34	10	11	6	4	1	1	1	2	81	53	1	–	32	20
White Bear Lake, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1
Woodbury	84	–	–	4	18	2	6	5	1	–	2	2	2	24	12	–	–	7	5
Balance of county	291	–	–	1	85	8	26	6	11	5	6	23	5	106	67	1	–	45	21
Watonwan	138	–	–	3	27	6	6	4	4	1	2	4	–	76	57	–	–	49	8
Wilkin	74	–	–	1	14	5	1	–	2	–	1	5	3	31	24	–	2	18	4
Winona	416	–	–	8	95	23	27	4	18	4	3	16	–	189	147	1	–	101	45
Winona	290	–	–	7	60	18	18	1	8	2	2	11	–	133	108	1	–	72	35
Balance of county	126	–	–	1	35	5	9	3	10	2	1	5	–	56	39	–	–	29	10
Wright	484	–	–	5	114	30	23	12	16	3	4	26	11	200	149	–	6	95	48
Yellow Medicine	157	–	–	–	38	11	8	6	7	2	1	3	7	80	52	1	1	39	11
Mississippi	25,664	14	1	450	5,522	1,289	1,642	413	627	182	202	1,167	432	11,923	9,631	38	365	4,980	4,248
Urban places	8,816	4	1	177	1,863	463	563	141	217	52	60	367	149	4,066	3,257	9	139	1,624	1,485
Balance of area	16,848	10	–	273	3,659	826	1,079	272	410	130	142	800	283	7,857	6,374	29	226	3,356	2,763
Metropolitan counties	6,530	3	1	137	1,536	365	469	108	156	53	61	324	105	2,791	2,290	14	91	1,110	1,075
Urban places	3,735	1	1	84	874	208	278	54	93	32	37	172	66	1,579	1,282	8	52	601	621
Balance of area	2,795	2	–	53	662	157	191	54	63	21	24	152	39	1,212	1,008	6	39	509	454
Nonmetropolitan counties	19,134	11	–	313	3,986	924	1,173	305	471	129	141	843	327	9,132	7,341	24	274	3,870	3,173
Urban places	5,081	3	–	93	989	255	285	87	124	20	23	195	83	2,487	1,975	1	87	1,023	864
Balance of area	14,053	8	–	220	2,997	669	888	218	347	109	118	648	244	6,645	5,366	23	187	2,847	2,309
Adams	458	–	–	9	107	27	24	15	16	3	–	22	5	207	155	–	6	66	83
Natchez	335	–	–	9	75	20	18	10	10	2	–	15	1	151	108	–	6	44	58
Balance of county	123	–	–	–	32	7	6	5	6	1	–	7	4	56	47	–	–	22	25
Alcorn	343	–	–	5	68	22	17	7	4	4	2	12	3	170	129	–	1	44	84
Corinth	173	–	–	4	32	13	8	3	3	–	1	4	1	88	65	–	–	21	44
Balance of county	170	–	–	1	36	9	9	4	1	4	1	8	2	82	64	–	1	23	40
Amite	128	–	–	–	25	6	7	2	–	1	–	9	3	63	48	1	2	21	24
Attala	196	–	–	2	47	15	10	2	4	2	2	12	3	93	77	–	4	36	37
Benton	82	–	–	–	12	2	4	1	1	2	–	2	2	48	41	–	3	20	18
Bolivar	452	1	–	9	86	17	21	5	11	–	3	29	15	192	149	–	12	66	71
Cleveland	155	1	–	1	31	5	7	1	6	–	–	12	5	63	45	–	2	21	22
Balance of county	297	–	–	8	55	12	14	4	5	–	3	17	10	129	104	–	10	45	49
Calhoun	148	–	–	–	32	3	12	3	3	3	1	7	3	68	43	1	–	20	22
Carroll	100	–	–	–	22	7	3	2	3	–	–	7	4	53	50	–	2	28	20
Chickasaw	187	–	–	3	42	7	12	3	5	2	1	12	1	93	81	–	1	62	18
Choctaw	98	–	–	2	29	6	8	1	3	–	1	10	2	45	34	–	2	13	19
Claiborne	121	–	–	2	26	6	5	2	7	1	–	5	1	62	56	–	4	33	19
Clarke	206	–	–	4	40	9	13	3	3	3	1	8	4	90	81	–	1	21	59
Clay	230	–	–	–	46	14	8	5	4	3	–	12	3	119	85	–	2	52	31
Coahoma	376	–	–	10	68	16	24	4	10	2	4	8	9	175	142	–	10	85	47
Clarksdale	273	–	–	8	46	13	14	4	7	–	1	7	5	128	103	–	7	62	34
Balance of county	103	–	–	2	22	3	10	–	3	2	3	1	4	47	39	–	3	23	13
Copiah	339	–	–	7	76	14	21	1	18	3	2	17	5	143	121	1	7	62	51
Covington	158	–	–	2	35	7	13	1	7	1	2	4	4	71	55	–	3	33	19
De Soto	467	1	–	5	119	32	37	8	11	7	3	21	5	200	156	–	7	122	27
Forrest	658	1	–	8	123	34	31	16	16	5	1	20	17	307	232	1	3	81	147
Hattiesburg, part	470	1	–	5	85	23	20	12	12	4	1	13	14	220	165	1	3	56	105
Hattiesburg, total	484	1	–	5	85	23	20	12	12	4	1	13	14	230	175	1	3	64	107
Balance of county	188	–	–	3	38	11	11	4	4	1	–	7	3	87	67	–	–	25	42
Franklin	103	–	–	3	20	3	4	2	3	1	1	6	8	52	45	–	4	17	24
George	141	1	–	4	39	7	13	3	3	1	1	11	4	55	49	–	1	34	14
Greene	93	–	–	6	16	6	4	–	3	–	–	3	–	47	34	1	–	28	5
Grenada	242	–	–	3	47	10	17	4	3	–	3	10	6	127	82	–	5	42	35
Grenada	164	–	–	3	22	6	8	3	1	–	1	3	5	92	58	–	5	29	24
Balance of county	78	–	–	–	25	4	9	1	2	–	2	7	1	35	24	–	–	13	11
Hancock	300	–	–	4	64	19	22	3	5	1	2	12	2	145	120	–	1	70	49
Harrison	1,522	1	–	33	345	82	112	26	31	17	17	60	15	683	580	4	7	340	229
Biloxi	443	–	–	10	101	26	29	4	7	5	3	27	4	190	161	1	–	83	77
Gulfport	484	–	–	11	105	25	35	11	12	5	8	9	3	223	186	1	3	120	62
Balance of county	595	1	–	12	139	31	48	11	12	7	6	24	8	270	233	2	4	137	90
Hinds	2,234	1	1	48	527	130	160	34	72	15	19	97	45	929	747	3	32	314	398
Clinton	173	–	–	4	34	10	7	3	5	–	3	6	5	71	54	–	3	30	21
Jackson, part	1,794	1	1	40	428	105	136	25	54	15	13	80	37	737	589	2	25	239	323
Jackson, total	1,796	1	1	40	429	105	136	25	54	15	14	80	37	738	590	2	25	240	323
Balance of county	267	–	–	4	65	15	17	6	13	–	3	11	3	121	104	1	4	45	54
Holmes	294	–	–	2	46	15	6	5	8	1	4	7	9	127	90	–	1	36	53
Humphreys	127	–	–	2	23	3	7	4	4	–	–	5	1	54	48	–	2	15	31
Issaquena	15	–	–	–	3	–	–	1	–	–	–	2	2	4	2	–	1	–	1
Itawamba	190	–	–	2	53	14	13	6	3	2	2	13	2	86	61	–	–	44	17
Jackson	918	–	–	18	233	50	76	19	18	8	10	52	17	383	316	2	23	156	135
Moss Point	137	–	–	2	34	8	12	2	4	2	1	5	6	49	40	–	4	20	16
Ocean Springs	160	–	–	4	44	12	15	2	3	–	4	8	2	70	61	–	3	27	31
Pascagoula	266	–	–	5	67	12	22	6	2	4	4	17	5	122	97	1	8	55	33
Balance of county	355	–	–	7	88	18	27	9	9	2	1	22	4	142	118	1	8	54	55

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 88 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	–	16	–	8	14	7	1	1	3	–	–	–	1	25	2	3	1	–	1
Waseca	–	16	1	3	4	6	–	2	4	–	–	–	2	25	3	–	1	–	–
Washington	4	62	7	10	31	14	–	8	5	–	10	5	10	72	16	21	20	5	1
Cottage Grove	–	3	–	–	2	–	–	1	1	–	2	–	3	3	2	1	2	2	1
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	–	1	–	–	–	1	–	–	–	–	1	1	1	6	1	2	1	1	–
Stillwater	1	20	4	3	13	4	–	1	1	–	2	1	2	24	3	2	–	–	–
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Woodbury	–	11	–	1	6	4	–	–	1	–	–	1	1	15	1	3	4	–	–
Balance of county	3	27	3	6	10	5	–	6	2	–	5	2	3	24	9	13	13	2	–
Watonwan	1	13	4	1	3	3	–	–	1	–	–	2	1	12	8	–	2	–	–
Wilkin	–	4	2	1	2	2	–	–	–	–	–	–	6	12	1	1	1	–	–
Winona	4	28	3	7	22	13	–	3	3	–	2	1	2	58	7	9	4	–	–
Winona	2	16	2	5	18	9	–	2	2	–	2	1	1	43	4	6	2	–	–
Balance of county	2	12	1	2	4	4	–	1	1	–	–	–	1	15	3	3	2	–	–
Wright	2	39	2	8	24	10	1	8	6	1	3	3	11	48	17	11	9	2	–
Yellow Medicine	–	24	–	4	7	3	–	1	3	–	–	2	–	9	1	4	–	–	2
Mississippi	116	1,765	151	260	792	873	49	195	333	3	139	230	237	2,237	812	660	325	409	28
Urban places	51	622	52	84	294	324	23	76	117	1	51	93	64	869	162	197	94	185	6
Balance of area	65	1,143	99	176	498	549	26	119	216	2	88	137	173	1,368	650	463	231	224	22
Metropolitan counties	37	359	28	77	218	254	14	62	74	–	44	49	43	627	183	144	110	128	7
Urban places	22	213	19	43	122	147	11	39	45	–	23	28	29	381	74	78	48	101	4
Balance of area	15	146	9	34	96	107	3	23	29	–	21	21	14	246	109	66	62	27	3
Nonmetropolitan counties	79	1,406	123	183	574	619	35	133	259	3	95	181	194	1,610	629	516	215	281	21
Urban places	29	409	33	41	172	177	12	37	72	1	28	65	35	488	88	119	46	84	2
Balance of area	50	997	90	142	402	442	23	96	187	2	67	116	159	1,122	541	397	169	197	19
Adams	2	43	4	3	11	13	1	5	4	–	2	13	1	53	8	11	4	4	–
Natchez	1	37	3	2	8	12	1	3	–	–	1	11	1	45	3	9	1	4	–
Balance of county	1	6	1	1	3	1	–	2	4	–	1	2	–	8	5	2	3	–	–
Alcorn	5	28	3	5	12	13	1	3	6	–	–	2	6	19	13	14	6	2	–
Corinth	1	15	3	4	5	6	–	3	4	–	–	1	5	10	3	7	2	2	–
Balance of county	4	13	–	1	7	7	1	–	2	–	–	1	1	9	10	7	4	–	–
Amite	1	13	–	1	2	5	–	2	2	–	2	1	–	11	2	6	2	2	–
Attala	3	8	3	2	8	1	–	1	6	–	2	–	1	16	5	7	2	2	–
Benton	–	6	1	–	1	2	–	1	–	–	–	1	1	7	5	1	1	–	–
Bolivar	12	20	5	6	20	16	–	2	8	–	3	5	4	48	15	12	4	12	–
Cleveland	4	8	3	3	9	8	–	1	6	–	–	2	–	15	3	1	2	7	–
Balance of county	8	12	2	3	11	8	–	1	2	–	3	3	4	33	12	11	2	5	–
Calhoun	–	22	1	2	1	7	1	–	4	–	–	4	–	12	7	3	2	4	–
Carroll	1	1	1	–	–	1	–	1	–	–	–	–	1	6	6	4	2	–	–
Chickasaw	–	10	1	1	6	4	–	2	1	–	–	2	1	13	11	2	–	2	4
Choctaw	–	11	–	–	1	1	–	–	3	–	–	–	2	6	3	3	1	–	–
Claiborne	–	5	–	1	3	2	–	1	–	–	–	–	4	6	6	3	1	4	–
Clarke	1	5	1	2	19	8	–	–	5	–	2	1	–	15	7	2	5	4	–
Clay	1	31	–	2	8	3	1	1	5	–	1	2	–	15	3	10	6	6	1
Coahoma	–	31	–	2	9	13	1	1	7	–	5	4	3	37	13	10	3	8	–
Clarksdale	–	24	–	1	6	11	1	1	7	–	4	3	–	29	7	8	3	6	–
Balance of county	–	7	–	1	3	2	–	–	–	–	1	1	3	8	6	2	–	2	–
Copiah	–	15	–	7	4	12	1	5	4	–	2	2	7	41	5	16	2	7	–
Covington	–	12	–	4	5	4	1	–	1	–	–	–	1	9	10	8	1	6	–
De Soto	2	31	3	8	16	13	1	3	1	–	3	7	1	38	21	13	14	5	1
Forrest	7	52	7	9	31	31	2	2	15	–	5	6	2	69	11	11	9	8	–
Hattiesburg, part	6	37	7	5	26	21	2	1	10	–	4	6	1	52	6	6	3	7	–
Hattiesburg, total	6	37	7	5	26	23	2	1	10	–	4	6	1	54	6	6	3	7	–
Balance of county	1	15	–	4	5	10	–	1	5	–	1	–	1	17	5	5	6	1	–
Franklin	–	5	2	–	–	4	–	–	1	–	–	–	–	7	4	1	1	2	–
George	–	4	–	2	4	7	–	1	1	–	–	–	–	11	10	3	–	1	–
Greene	–	8	5	–	1	3	1	–	1	–	–	–	1	7	6	2	–	2	–
Grenada	–	44	–	1	9	6	–	2	6	–	2	3	1	13	5	7	4	1	–
Grenada	–	34	–	–	9	4	–	2	4	–	1	2	1	7	3	4	4	1	–
Balance of county	–	10	–	1	–	2	–	–	2	–	1	1	–	6	2	3	–	–	–
Hancock	–	19	1	5	8	14	–	4	3	–	2	1	2	20	9	11	9	2	–
Harrison	13	67	1	22	46	79	4	17	18	–	9	10	9	149	32	31	29	12	–
Biloxi	2	20	–	7	15	21	1	7	6	–	1	3	6	50	9	11	5	3	–
Gulfport	5	24	–	8	14	33	2	4	6	–	3	4	2	43	8	7	11	5	–
Balance of county	6	23	1	7	17	25	1	6	6	–	5	3	1	56	15	13	13	4	–
Hinds	6	142	12	22	67	72	6	21	30	–	16	20	16	234	46	47	22	84	2
Clinton	–	14	1	2	10	5	1	1	4	–	1	–	–	22	6	3	4	2	–
Jackson, part	6	113	11	18	50	58	4	19	23	–	13	18	15	192	24	40	17	75	2
Jackson, total	6	113	11	18	50	58	4	19	23	–	13	18	15	192	24	40	17	75	2
Balance of county	–	15	–	2	7	9	1	1	3	–	2	2	1	20	16	4	1	7	–
Holmes	–	34	–	3	3	11	1	2	4	–	1	1	37	17	17	9	1	4	2
Humphreys	–	4	–	2	2	4	–	1	1	–	2	4	–	16	7	5	2	3	–
Issaquena	–	2	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	2	–
Itawamba	–	18	3	4	6	6	–	3	–	–	–	–	3	14	7	1	7	–	–
Jackson	6	45	7	9	35	44	2	9	2	–	6	5	6	82	23	18	16	17	2
Moss Point	–	5	4	–	9	8	1	–	–	–	–	1	1	12	2	3	3	6	–
Ocean Springs	1	6	–	2	2	9	1	–	–	–	1	–	–	17	4	4	–	2	–
Pascagoula	2	18	2	3	13	7	–	4	1	–	2	–	1	21	5	4	3	5	1
Balance of county	3	16	1	4	11	20	–	5	1	–	3	4	4	32	12	7	10	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 89 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	203	–	–	2	51	9	14	4	5	3	4	12	2	94	79	–	2	30	47
Jefferson	96	–	–	1	16	4	2	1	2	2	2	3	2	48	43	–	1	14	28
Jefferson Davis	136	–	–	–	31	5	6	2	6	4	2	6	5	53	44	–	–	8	36
Jones	710	–	–	13	152	35	51	11	15	5	8	27	4	334	273	3	3	158	109
Laurel	317	–	–	7	60	17	17	5	6	1	4	10	3	157	127	–	3	68	56
Balance of county	393	–	–	6	92	18	34	6	9	4	4	17	1	177	146	3	–	90	53
Kemper	121	–	–	–	26	5	8	1	3	2	2	5	–	62	52	–	8	29	15
Lafayette	240	–	–	5	48	11	14	2	2	2	3	14	3	110	84	2	7	42	33
Lamar	198	–	–	6	49	11	17	2	5	3	3	8	3	79	67	–	2	30	35
Hattiesburg, part	14	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	8	2
Balance of county	184	–	–	6	49	11	17	2	5	3	3	8	3	69	57	–	2	22	33
Lauderdale	769	–	–	14	161	42	53	13	18	3	5	27	12	340	283	–	24	143	116
Meridian	488	–	–	9	92	24	29	11	10	1	2	15	7	226	193	–	16	99	78
Balance of county	281	–	–	5	69	18	24	2	8	2	3	12	5	114	90	–	8	44	38
Lawrence	129	2	–	4	25	5	7	5	2	–	1	5	9	49	33	–	3	22	8
Leake	242	–	–	4	45	9	8	4	5	3	3	13	7	122	103	–	5	38	60
Lee	583	1	–	12	98	23	27	6	14	1	6	21	3	308	261	1	2	152	106
Tupelo	306	–	–	7	49	10	12	3	9	1	2	12	2	164	137	–	1	80	56
Balance of county	277	1	–	5	49	13	15	3	5	–	4	9	1	144	124	1	1	72	50
Leflore	482	–	–	5	101	25	26	6	14	2	5	23	15	225	188	–	13	90	85
Greenwood	290	–	–	1	63	17	15	2	10	2	3	14	11	131	109	–	6	56	47
Balance of county	192	–	–	4	38	8	11	4	4	–	2	9	4	94	79	–	7	34	38
Lincoln	339	–	–	5	75	17	25	8	8	1	4	12	14	144	117	1	13	44	59
Brookhaven	169	–	–	3	40	10	13	1	6	1	2	7	5	73	57	–	10	14	33
Balance of county	170	–	–	2	35	7	12	7	2	–	2	5	9	71	60	1	3	30	26
Lowndes	457	–	–	7	118	22	38	11	16	2	4	25	6	207	176	1	11	68	96
Columbus	304	–	–	5	71	13	22	9	10	1	1	15	5	142	120	–	7	47	66
Balance of county	153	–	–	2	47	9	16	2	6	1	3	10	1	65	56	1	4	21	30
Madison	426	–	–	9	86	18	23	9	9	2	3	22	4	187	149	2	12	42	93
Canton	152	–	–	3	31	5	12	1	4	–	–	9	1	67	49	1	4	10	34
Balance of county	274	–	–	6	55	13	11	8	5	2	3	13	3	120	100	1	8	32	59
Marion	251	–	–	6	46	8	15	1	5	3	1	13	2	131	99	1	–	61	37
Marshall	282	–	–	6	61	13	18	4	6	1	–	19	3	124	109	2	5	72	30
Monroe	402	1	–	7	95	17	35	6	12	1	3	21	5	188	143	1	4	41	97
Montgomery	156	–	–	1	33	4	12	1	9	–	1	6	1	84	64	–	3	51	10
Neshoba	269	–	–	5	57	11	14	4	4	2	2	20	4	128	100	2	4	59	35
Newton	239	1	–	1	51	18	12	5	7	3	1	5	10	112	89	–	7	41	41
Noxubee	120	–	–	2	17	5	4	1	3	–	–	4	1	63	51	–	2	39	10
Oktibbeha	280	–	–	4	57	18	12	2	10	2	1	12	6	123	96	–	6	51	39
Starkville	152	–	–	3	29	10	7	1	4	–	–	7	3	69	53	–	3	25	25
Balance of county	128	–	–	1	28	8	5	1	6	2	1	5	3	54	43	–	3	26	14
Panola	325	–	–	3	74	16	28	5	9	2	2	12	3	155	128	1	3	79	45
Pearl River	417	–	–	6	97	18	30	4	4	3	3	35	3	202	168	–	–	115	53
Picayune	145	–	–	1	27	7	7	2	1	2	–	8	1	80	59	–	–	41	18
Balance of county	272	–	–	5	70	11	23	2	3	1	3	27	2	122	109	–	–	74	35
Perry	90	–	–	–	18	1	7	2	4	–	–	4	1	45	35	–	–	24	11
Pike	444	–	–	7	91	20	27	5	14	2	4	19	10	226	180	1	4	57	118
McComb	192	–	–	1	37	9	8	4	7	–	2	7	3	103	81	–	2	25	54
Balance of county	252	–	–	6	54	11	19	1	7	2	2	12	7	123	99	1	2	32	64
Pontotoc	205	–	–	2	44	11	16	2	1	3	–	11	2	102	83	–	–	44	39
Prentiss	220	–	–	9	53	11	21	5	8	–	1	7	–	84	74	–	2	32	40
Quitman	128	–	–	5	32	3	12	4	6	2	1	4	1	62	44	–	1	25	18
Rankin	663	–	–	20	162	34	39	9	10	3	7	60	17	264	222	3	9	66	144
Jackson, part	2	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	1	–
Pearl	124	–	–	5	29	5	10	–	2	1	–	11	3	49	44	2	2	16	24
Balance of county	537	–	–	15	132	29	29	9	8	2	6	49	14	214	177	1	7	49	120
Scott	266	–	–	2	56	13	25	6	3	1	2	6	2	134	104	–	1	40	63
Sharkey	66	–	–	2	15	4	3	1	3	–	2	2	2	30	21	–	1	16	4
Simpson	272	–	–	8	64	14	26	7	3	2	2	10	5	118	86	–	3	57	26
Smith	140	–	–	1	22	5	6	2	5	–	1	3	3	61	47	–	1	30	16
Stone	119	–	–	3	24	5	9	3	2	2	–	3	–	62	54	–	–	38	16
Sunflower	396	1	–	6	68	28	12	4	13	3	3	5	5	221	187	–	10	110	67
Tallahatchie	150	–	–	–	27	6	8	2	1	1	–	9	4	76	66	–	1	25	40
Tate	204	–	–	5	39	11	9	1	3	2	1	12	4	99	74	–	1	33	40
Tippah	260	–	–	5	43	10	9	8	4	–	4	8	5	149	129	1	1	105	22
Tishomingo	266	–	–	1	63	15	23	4	9	–	1	11	2	119	97	1	1	63	32
Tunica	89	–	–	2	20	9	5	1	1	–	–	4	1	46	39	1	1	30	7
Union	226	–	–	2	48	6	18	3	6	2	3	10	2	123	98	–	1	21	76
Walthall	171	–	–	2	33	5	7	3	5	1	1	11	–	81	66	–	2	32	32
Warren	531	1	–	11	123	32	35	8	21	1	2	24	6	257	199	–	8	122	69
Vicksburg	369	1	–	10	85	23	27	7	13	–	1	14	5	173	127	–	5	80	42
Balance of county	162	–	–	1	38	9	8	1	8	1	1	10	1	84	72	–	3	42	27
Washington	770	1	–	17	136	32	52	13	7	5	3	24	9	407	350	–	10	256	84
Greenville	553	–	–	13	100	21	40	7	6	5	1	20	5	303	259	–	7	195	57
Balance of county	217	1	–	4	36	11	12	6	1	–	2	4	4	104	91	–	3	61	27
Wayne	187	–	–	6	37	11	14	1	2	1	–	8	3	99	70	–	4	35	31
Webster	137	–	–	–	30	4	5	3	3	3	2	10	–	62	45	–	–	30	15
Wilkinson	113	–	–	–	24	6	5	–	3	1	4	5	6	51	42	–	4	17	21
Winston	224	–	–	6	44	8	14	6	11	1	1	3	10	116	90	–	3	53	34
Yalobusha	177	–	–	–	36	11	10	2	2	2	–	9	2	87	70	–	2	47	21
Yazoo	352	–	–	7	81	22	22	2	5	4	6	20	3	179	151	–	7	92	52
Yazoo City	212	–	–	3	45	14	13	2	3	–	1	12	2	114	99	–	4	52	43
Balance of county	140	–	–	4	36	8	9	–	2	4	5	8	1	65	52	–	3	40	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 90 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	–	10	–	5	3	–	1	–	4	–	1	1	–	18	14	5	2	5	–
Jefferson	–	5	–	–	–	4	–	1	1	–	–	–	4	6	4	7	1	1	–
Jefferson Davis	1	6	–	2	8	5	1	1	2	1	–	2	–	16	5	3	1	1	1
Jones	2	48	3	8	27	25	2	8	8	1	1	1	5	70	21	20	11	6	1
Laurel	1	25	1	3	13	13	2	2	3	1	1	1	3	31	6	6	5	2	1
Balance of county	1	23	2	5	14	12	–	6	5	–	–	–	2	39	15	14	6	4	–
Kemper	–	10	–	–	1	3	–	1	3	–	–	3	1	8	5	5	1	2	–
Lafayette	1	20	1	4	4	11	–	1	4	–	1	1	1	29	7	3	6	6	–
Lamar	–	10	–	2	7	10	1	1	–	–	–	–	–	21	9	6	4	1	1
Hattiesburg, part	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Balance of county	–	10	–	2	7	8	1	1	–	–	–	–	–	19	9	6	4	1	1
Lauderdale	–	48	2	7	28	31	1	10	9	1	9	12	4	71	17	28	10	11	–
Meridian	–	29	2	2	19	17	1	9	7	–	7	11	2	47	4	19	5	6	–
Balance of county	–	19	–	5	9	14	–	1	2	1	2	1	2	24	13	9	5	5	–
Lawrence	–	13	2	1	–	4	–	–	1	–	2	1	2	11	5	6	2	6	–
Leake	–	16	1	2	9	7	–	2	7	–	2	–	–	21	3	5	2	6	–
Lee	1	38	4	4	18	33	–	4	7	–	5	6	5	42	13	15	7	5	1
Tupelo	1	19	4	3	11	16	–	3	3	–	2	3	3	27	5	6	2	3	–
Balance of county	–	19	–	1	7	17	–	1	4	–	3	3	2	15	8	9	5	2	1
Leflore	5	30	2	–	14	14	2	1	6	–	4	10	5	44	17	8	2	8	1
Greenwood	4	17	1	–	9	10	2	1	4	–	3	3	1	31	9	3	1	6	1
Balance of county	1	13	1	–	5	4	–	–	2	–	1	7	4	13	8	5	1	2	–
Lincoln	1	21	2	3	11	14	1	1	5	–	3	2	1	30	16	8	7	2	–
Brookhaven	–	13	2	1	5	8	1	–	2	–	–	1	–	21	4	3	1	2	–
Balance of county	1	8	–	2	6	6	–	1	3	–	3	1	1	9	12	5	6	–	–
Lowndes	4	23	2	2	10	10	–	1	8	–	1	5	5	36	13	13	4	13	–
Columbus	3	15	2	2	7	6	–	1	6	–	1	3	5	23	6	10	2	11	–
Balance of county	1	8	–	–	3	4	–	–	2	–	–	2	–	13	7	3	2	2	–
Madison	8	25	1	4	20	13	–	3	9	–	3	3	6	31	28	10	8	5	1
Canton	6	10	1	1	4	4	–	1	4	–	–	2	3	14	8	4	4	2	–
Balance of county	2	15	–	3	16	9	–	2	5	–	3	1	3	17	20	6	4	3	1
Marion	–	26	6	–	10	3	–	1	6	–	1	3	–	23	8	8	1	2	–
Marshall	–	13	–	2	6	17	–	2	4	–	–	4	5	16	15	9	1	9	–
Monroe	1	38	3	3	15	11	2	2	8	–	1	2	2	36	12	5	3	6	1
Montgomery	–	17	–	3	3	2	1	1	1	–	–	2	–	11	3	7	3	3	–
Neshoba	1	26	1	–	11	6	–	5	4	–	–	1	4	26	8	6	2	–	2
Newton	1	15	5	2	4	7	–	2	1	–	1	–	1	26	9	7	3	3	–
Noxubee	1	10	–	1	4	3	1	1	2	–	–	3	–	11	6	4	1	1	–
Oktibbeha	6	17	–	4	8	8	–	1	3	–	4	3	2	35	11	8	5	2	–
Starkville	3	11	–	2	6	3	–	–	1	–	1	3	1	19	5	4	4	1	–
Balance of county	3	6	–	2	2	5	–	1	2	–	3	–	1	16	6	4	1	1	–
Panola	–	22	3	2	10	14	1	1	5	–	2	5	3	19	12	10	4	4	–
Pearl River	–	31	3	–	18	10	–	3	3	–	2	1	3	36	11	11	7	4	–
Picayune	–	19	2	–	8	3	–	1	–	–	2	–	1	14	1	5	1	–	–
Balance of county	–	12	1	–	10	7	–	2	3	–	–	1	2	22	10	6	6	4	–
Perry	–	8	–	2	1	2	–	–	1	–	–	4	–	12	2	2	2	–	–
Pike	1	40	1	4	6	13	–	6	4	–	1	3	–	48	6	13	4	6	–
McComb	1	20	–	1	2	5	–	2	2	–	–	3	–	22	3	4	2	3	–
Balance of county	–	20	1	3	4	8	–	4	2	–	1	–	–	26	3	9	2	3	–
Pontotoc	–	12	2	5	9	8	–	3	5	–	–	1	2	11	9	3	1	1	2
Prentiss	–	9	–	1	4	12	–	1	2	–	1	–	22	17	8	4	2	1	–
Quitman	–	15	–	3	1	4	–	–	2	–	1	2	–	9	3	3	–	2	1
Rankin	2	30	3	7	26	19	1	5	11	–	5	3	3	73	24	14	12	3	1
Jackson, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl	–	3	–	2	5	2	1	3	1	–	2	–	1	10	8	2	1	1	1
Balance of county	2	27	3	5	21	17	–	2	10	–	3	3	2	63	16	12	11	2	–
Scott	2	16	12	–	13	6	–	2	4	–	1	3	3	15	9	10	2	4	–
Sharkey	–	7	–	2	–	–	–	–	2	–	1	2	–	7	3	1	–	1	–
Simpson	1	17	9	5	8	10	–	4	1	–	3	2	–	28	7	7	5	1	1
Smith	3	7	4	–	7	11	–	–	2	–	1	2	1	9	14	4	1	1	–
Stone	1	5	–	2	4	4	–	2	1	–	–	1	–	9	1	3	1	4	–
Sunflower	1	28	–	5	10	11	–	6	4	–	4	5	3	24	12	8	2	6	–
Tallahatchie	–	7	–	3	2	1	–	–	4	–	1	1	2	16	6	6	2	2	–
Tate	–	19	1	5	8	5	1	–	3	–	–	3	2	17	7	6	2	3	–
Tippah	–	16	2	2	12	4	1	2	2	–	2	3	1	11	9	8	2	1	–
Tishomingo	–	17	2	3	16	18	–	1	2	–	2	2	1	15	7	13	3	–	1
Tunica	–	5	–	2	4	2	–	1	1	–	1	–	–	3	3	4	–	1	–
Union	–	22	–	3	8	4	1	–	2	–	–	–	3	16	11	4	1	–	1
Walthall	2	10	1	2	4	5	1	1	3	–	2	1	1	17	6	4	4	6	–
Warren	3	48	3	4	15	16	3	8	3	–	2	6	–	43	10	12	6	9	–
Vicksburg	2	37	3	4	12	10	1	6	3	–	1	5	–	34	7	11	2	3	–
Balance of county	1	11	–	–	3	6	2	2	–	–	1	1	–	9	3	1	4	6	–
Washington	1	48	–	8	22	24	1	1	8	–	–	10	6	62	22	15	8	21	–
Greenville	1	35	–	8	16	17	1	1	5	–	–	7	5	42	8	11	5	14	–
Balance of county	–	13	–	–	6	7	–	–	3	–	–	3	1	20	14	4	3	7	–
Wayne	1	19	8	1	2	5	1	2	3	–	2	2	1	9	9	2	1	3	–
Webster	–	17	–	–	4	2	–	2	2	–	–	3	3	17	6	4	–	2	–
Wilkinson	1	6	–	2	4	4	–	–	1	–	–	1	–	12	3	3	3	1	–
Winston	3	23	–	–	3	6	–	2	2	–	1	4	–	13	7	7	1	2	–
Yalobusha	–	15	–	2	9	5	1	2	2	–	–	1	3	12	7	5	4	1	–
Yazoo	1	25	1	1	3	7	–	–	6	–	–	–	11	26	11	7	2	9	–
Yazoo City	1	14	–	–	1	5	–	–	5	–	–	–	6	17	5	2	1	5	–
Balance of county	–	11	1	1	2	2	–	–	1	–	–	–	5	9	6	5	1	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 91 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	50,885	22	-	940	11,803	2,624	3,600	993	1,251	449	469	2,417	1,102	22,394	17,783	119	507	12,712	4,445
Urban places	22,944	11	-	569	5,260	1,182	1,587	475	573	197	199	1,047	537	9,736	7,658	50	289	5,428	1,891
Balance of area	27,941	11	-	371	6,543	1,442	2,013	518	678	252	270	1,370	565	12,658	10,125	69	218	7,284	2,554
Metropolitan counties	30,944	15	-	702	7,287	1,643	2,226	646	762	269	277	1,464	692	13,169	10,539	73	393	7,684	2,389
Urban places	20,073	10	-	527	4,621	1,041	1,399	413	497	171	174	926	486	8,390	6,635	38	276	4,765	1,556
Balance of area	10,871	5	-	175	2,666	602	827	233	265	98	103	538	206	4,779	3,904	35	117	2,919	833
Nonmetropolitan counties	19,941	7	-	238	4,516	981	1,374	347	489	180	192	953	410	9,225	7,244	46	114	5,028	2,056
Urban places	2,871	1	-	42	639	141	188	62	76	26	25	121	51	1,346	1,023	12	13	663	335
Balance of area	17,070	6	-	196	3,877	840	1,186	285	413	154	167	832	359	7,879	6,221	34	101	4,365	1,721
Adair	249	-	-	3	56	12	11	6	9	-	4	14	3	113	88	-	1	48	39
Kirksville	161	-	-	2	41	9	11	5	6	-	2	8	3	69	53	-	-	30	23
Balance of county	88	-	-	1	15	3	-	1	3	-	2	6	-	44	35	-	1	18	16
Andrew	166	-	-	1	39	6	11	2	4	4	2	10	3	78	69	-	1	48	20
Atchison	101	-	-	-	21	4	5	1	2	3	2	4	1	52	37	-	-	25	12
Audrain	290	1	-	2	65	16	16	3	12	4	4	10	6	139	117	-	2	83	32
Mexico	167	-	-	1	38	9	13	3	8	1	1	3	4	75	63	-	1	43	19
Balance of county	123	1	-	1	27	7	3	-	4	3	3	7	2	64	54	-	1	40	13
Barry	301	-	-	2	62	15	17	3	7	3	4	13	6	130	104	-	1	83	20
Barton	137	-	-	4	29	9	15	1	1	-	-	3	2	66	56	-	-	42	14
Bates	180	-	-	4	46	11	9	6	8	1	4	7	6	82	65	-	-	42	23
Benton	221	-	-	3	59	11	18	3	6	3	3	15	10	79	67	-	1	47	19
Bollinger	122	-	-	-	22	8	5	1	2	2	-	4	6	63	47	-	-	39	8
Boone	680	2	-	17	144	24	38	18	22	5	5	32	24	242	186	4	7	119	56
Columbia	446	1	-	12	90	12	24	14	16	3	2	19	19	152	114	1	4	75	34
Balance of county	234	1	-	5	54	12	14	4	6	2	3	13	5	90	72	3	3	44	22
Buchanan	961	-	-	15	222	52	67	16	21	7	5	54	31	440	342	3	4	243	92
St. Joseph	874	-	-	12	205	49	63	14	19	6	4	50	29	399	309	1	4	221	83
Balance of county	87	-	-	3	17	3	4	2	2	1	1	4	2	41	33	2	-	22	9
Butler	490	1	-	7	124	36	49	5	8	3	2	21	17	203	157	-	4	91	62
Poplar Bluff	287	-	-	7	73	19	28	5	7	2	1	11	9	115	87	-	2	44	41
Balance of county	203	1	-	-	51	17	21	-	1	1	1	10	8	88	70	-	2	47	21
Caldwell	121	1	-	1	17	4	5	2	2	1	1	2	1	64	50	-	1	36	13
Callaway	281	-	-	7	65	11	17	7	8	5	2	15	4	108	82	-	-	61	21
Fulton	137	-	-	5	34	3	10	3	5	3	2	8	3	48	32	-	-	25	7
Jefferson City, part	3	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	141	-	-	2	30	7	7	4	3	2	-	7	1	59	49	-	-	35	14
Camden	281	-	-	7	60	9	39	5	10	1	3	13	3	115	84	-	-	63	21
Cape Girardeau	576	-	-	5	128	36	32	16	11	3	3	27	6	303	225	3	1	158	63
Cape Girardeau	354	-	-	3	73	17	22	5	8	2	1	18	5	190	135	2	1	91	41
Balance of county	222	-	-	2	55	19	10	11	3	1	2	9	1	113	90	1	-	67	22
Carroll	135	-	-	1	27	7	5	4	-	4	-	7	3	73	65	-	-	38	27
Carter	79	-	-	-	18	1	8	3	3	1	1	1	2	38	28	-	-	7	21
Cass	498	-	-	11	114	21	35	6	15	7	5	25	11	210	153	-	5	115	33
Belton	120	-	-	2	28	8	7	3	2	2	1	5	1	42	33	-	1	23	9
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	378	-	-	9	86	13	28	3	13	5	4	20	10	168	120	-	4	92	24
Cedar	198	-	-	3	32	11	7	2	6	1	2	3	5	106	80	1	2	48	29
Chariton	134	-	-	3	25	6	6	3	1	-	2	7	4	66	58	-	2	31	25
Christian	240	1	-	1	53	10	20	3	5	1	3	11	5	111	96	1	-	57	38
Clark	94	-	-	1	12	5	3	-	2	-	-	2	-	56	49	1	-	33	15
Clay	1,100	-	-	26	281	65	80	32	29	7	12	56	21	474	396	1	12	271	112
Excelsior Springs, part	110	-	-	1	24	8	5	3	1	1	-	6	2	57	44	-	1	29	14
Excelsior Springs, total	115	-	-	1	25	9	5	3	1	1	-	6	2	58	45	-	2	29	14
Gladstone	181	-	-	5	45	11	13	7	6	2	1	5	1	81	69	-	3	51	15
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	430	-	-	9	122	31	35	17	9	1	8	21	9	167	141	-	1	104	36
Liberty	166	-	-	5	38	5	13	2	8	-	1	9	5	76	61	-	6	39	16
Balance of county	213	-	-	6	52	10	14	3	5	3	2	15	4	93	81	1	1	48	31
Clinton	187	-	-	4	37	5	9	1	9	1	1	11	5	103	84	2	1	54	27
Cole	521	-	-	8	109	21	22	11	13	4	8	30	8	265	203	5	4	148	46
Jefferson City, part	407	-	-	7	88	19	17	9	6	4	6	27	5	211	160	5	4	112	39
Jefferson City, total	410	-	-	7	89	20	17	9	6	4	6	27	5	212	161	5	4	113	39
Balance of county	114	-	-	1	21	2	5	2	7	-	2	3	3	54	43	-	-	36	7
Cooper	185	-	-	2	42	12	7	4	7	2	6	4	2	73	56	-	-	46	10
Crawford	243	-	-	1	59	9	21	5	4	3	2	15	2	115	86	-	2	69	15
Dade	102	-	-	1	31	6	7	2	1	6	3	6	-	41	29	2	-	18	9
Dallas	171	-	-	3	37	8	13	1	5	2	4	4	3	76	48	1	1	32	14
Daviess	139	-	-	-	31	13	9	3	-	2	1	3	1	68	55	1	1	40	13
De Kalb	119	-	-	-	26	7	6	1	3	1	2	6	3	52	44	-	1	33	10
Dent	163	-	-	3	44	8	14	2	9	1	3	7	1	80	57	-	-	46	11
Douglas	152	-	-	-	45	8	12	3	7	-	2	13	3	51	33	1	-	20	12
Dunklin	438	-	-	4	88	19	30	7	9	2	1	20	8	225	186	1	2	131	52
Kennett	134	-	-	1	29	5	8	4	4	1	1	6	4	66	53	1	-	41	11
Balance of county	304	-	-	3	59	14	22	3	5	1	-	14	4	159	133	-	2	90	41
Franklin	728	-	-	8	166	37	53	17	17	4	4	34	8	310	249	1	4	182	62
Gasconade	182	-	-	3	43	7	16	3	5	2	-	10	3	92	68	-	2	53	13
Gentry	121	-	-	-	18	7	5	-	1	-	1	4	3	72	49	-	-	34	15
Greene	1,689	3	-	48	446	102	129	33	48	15	19	100	39	836	629	5	10	438	176
Springfield	1,515	3	-	45	355	79	99	26	37	12	17	85	30	673	500	3	6	347	144
Balance of county	374	-	-	3	91	23	30	7	11	3	2	15	9	163	129	2	4	91	32
Grundy	173	-	-	4	33	5	8	3	7	2	-	8	5	73	51	-	1	40	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 92 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	204	3,418	390	599	1,887	2,136	142	436	552	–	253	330	521	4,892	1,023	1,142	714	560	36
Urban places	122	1,495	178	283	830	974	64	224	234	–	118	187	282	2,331	315	511	331	406	24
Balance of area	82	1,923	212	316	1,057	1,162	78	212	318	–	135	143	239	2,561	708	631	383	154	12
Metropolitan counties	139	1,929	203	359	1,110	1,253	84	301	301	–	162	238	352	3,085	540	689	458	482	24
Urban places	106	1,267	140	242	712	822	59	204	201	–	105	175	257	2,063	280	453	290	398	20
Balance of area	33	662	63	117	398	431	25	97	100	–	57	63	95	1,022	260	236	168	84	4
Nonmetropolitan counties	65	1,489	187	240	777	883	58	135	251	–	91	92	169	1,807	483	453	256	78	12
Urban places	16	228	38	41	118	152	5	20	33	–	13	12	25	268	35	58	41	8	4
Balance of area	49	1,261	149	199	659	731	53	115	218	–	78	80	144	1,539	448	395	215	70	8
Adair	–	15	3	7	14	17	–	–	5	–	1	–	3	22	6	2	3	1	–
Kirksville	–	12	1	3	10	11	–	–	4	–	1	–	3	15	1	1	–	–	–
Balance of county	–	3	2	4	4	6	–	–	1	–	–	–	–	7	5	1	3	1	–
Andrew	–	5	1	3	5	7	1	–	1	–	1	4	1	14	7	3	1	–	–
Atchison	–	12	2	1	3	4	1	–	–	–	–	1	1	12	4	–	1	–	–
Audrain	3	17	2	–	4	17	1	1	1	–	1	2	5	33	3	7	2	–	–
Mexico	2	8	2	–	2	11	–	–	–	–	1	2	4	20	2	5	2	–	–
Balance of county	1	9	–	–	2	6	1	1	1	–	–	–	1	13	1	2	–	–	–
Barry	2	19	1	4	11	18	–	3	2	–	4	1	3	38	8	7	5	1	–
Barton	–	8	–	2	9	5	1	–	1	–	–	–	2	8	4	2	3	1	–
Bates	–	10	5	2	3	9	–	1	1	–	2	1	3	14	3	1	3	1	–
Benton	–	8	2	2	14	10	–	–	2	–	–	1	1	24	10	5	2	1	–
Bollinger	1	14	1	–	3	3	–	–	2	–	–	–	–	13	3	3	3	1	–
Boone	5	41	2	8	20	38	1	5	11	–	9	7	9	95	17	19	14	6	–
Columbia	5	25	2	6	15	23	1	2	8	–	9	5	7	66	8	12	10	6	–
Balance of county	–	16	–	2	5	15	–	3	3	–	–	2	2	29	9	7	4	–	–
Buchanan	3	75	12	8	29	44	2	12	6	–	7	4	7	91	16	23	9	3	–
St. Joseph	3	70	10	7	25	41	2	12	6	–	7	4	7	88	8	20	7	2	–
Balance of county	–	5	2	1	4	3	–	–	–	–	–	–	–	3	8	3	2	1	–
Butler	5	35	3	3	22	31	3	2	2	–	–	2	3	48	9	10	4	1	1
Poplar Bluff	3	21	2	2	15	19	1	1	1	–	–	1	1	28	6	7	1	1	1
Balance of county	2	14	1	1	7	12	2	1	1	–	–	1	2	20	3	3	3	–	–
Caldwell	–	11	1	2	7	3	1	–	5	–	1	–	2	10	5	3	–	–	–
Callaway	2	18	1	5	15	14	–	2	4	–	–	2	1	43	9	3	4	–	–
Fulton	1	11	1	3	10	6	–	–	3	–	–	1	1	22	2	–	2	–	–
Jefferson City, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	7	–	2	5	8	–	1	1	–	–	1	–	21	7	3	2	–	–
Camden	–	23	4	4	8	9	1	2	8	–	1	1	4	16	7	12	5	1	1
Cape Girardeau	–	52	20	6	28	23	1	3	7	–	2	3	1	31	8	15	11	1	–
Cape Girardeau	–	34	18	3	19	13	–	2	4	–	1	2	–	21	6	9	6	–	–
Balance of county	–	18	2	3	9	10	1	1	3	–	1	1	1	10	2	6	5	1	–
Carroll	–	4	2	2	6	6	–	–	2	–	–	–	1	8	2	4	2	–	–
Carter	–	7	–	3	3	2	–	2	1	–	1	–	2	2	5	2	1	–	–
Cass	–	46	2	9	31	27	–	5	6	–	3	2	5	39	16	10	7	1	–
Belton	–	5	–	4	7	8	–	3	–	–	1	1	3	14	6	1	2	1	–
Lee's Summit, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	41	2	5	24	19	–	2	6	–	2	1	2	25	10	9	5	–	–
Cedar	1	19	4	2	10	6	–	1	4	–	1	1	2	14	3	8	2	–	–
Chariton	–	5	2	1	8	6	1	–	3	–	–	1	1	7	2	7	–	–	–
Christian	1	10	–	4	7	10	2	4	4	–	–	1	1	20	11	1	7	1	–
Clark	–	7	–	–	1	2	1	1	–	–	–	–	1	11	3	4	–	–	1
Clay	5	58	6	9	34	50	2	8	12	–	7	4	5	118	22	15	19	2	–
Excelsior Springs, part	1	12	–	–	3	3	–	–	1	–	1	–	–	13	2	2	1	–	–
Excelsior Springs, total	1	12	–	–	3	3	–	1	1	–	1	–	–	14	3	2	1	–	–
Gladstone	2	9	1	–	5	10	–	3	2	–	1	1	1	22	–	–	4	–	–
Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kansas City, part	2	18	2	4	11	21	1	1	4	–	5	2	2	47	13	9	6	1	–
Liberty	–	11	2	2	5	7	1	2	1	–	–	1	1	14	2	4	3	1	–
Balance of county	–	8	1	3	10	9	–	2	4	–	–	–	1	22	5	–	5	–	–
Clinton	1	17	1	–	6	7	1	–	2	–	–	–	–	16	3	–	1	1	1
Cole	4	44	5	9	19	16	1	11	3	–	3	4	–	39	10	13	11	1	–
Jefferson City, part	4	36	4	7	17	14	1	8	3	–	1	3	–	31	3	8	7	–	–
Jefferson City, total	4	36	4	7	17	14	1	9	3	–	1	3	–	31	3	8	7	–	–
Balance of county	–	8	1	2	2	2	–	3	–	–	2	1	–	8	7	5	4	1	–
Cooper	2	13	1	1	6	16	–	5	1	–	1	–	–	24	1	7	5	1	–
Crawford	–	25	1	3	10	3	–	1	4	–	1	–	1	24	4	14	3	1	–
Dade	–	10	1	1	4	5	–	–	1	–	–	–	3	11	–	4	1	–	–
Dallas	–	21	3	4	2	14	1	1	3	–	2	–	1	14	6	5	2	1	–
Daviess	–	11	–	2	7	5	1	2	3	–	–	5	1	6	6	2	1	–	–
De Kalb	1	5	–	2	7	5	1	1	1	–	1	–	5	9	6	2	–	–	–
Dent	–	18	2	3	10	6	–	–	3	–	–	–	–	21	4	3	5	3	–
Douglas	3	15	–	–	5	1	–	1	4	–	–	–	4	26	5	3	3	1	–
Dunklin	–	34	–	5	14	27	–	4	3	–	–	–	3	40	6	7	6	3	–
Kennett	–	12	–	1	2	10	–	1	–	–	–	–	–	14	1	–	3	3	–
Balance of county	–	22	–	4	12	17	–	3	3	–	–	–	3	26	5	7	3	–	–
Franklin	2	49	3	7	34	25	–	7	10	–	4	5	31	73	20	17	9	1	–
Gasconade	–	17	5	2	4	5	–	1	2	–	1	1	1	16	6	3	–	1	–
Gentry	–	18	1	4	1	7	–	–	3	–	–	–	–	10	2	4	1	–	–
Greene	5	159	17	26	55	98	5	17	17	–	9	5	13	193	42	35	21	5	2
Springfield	5	135	12	21	49	79	5	13	16	–	6	5	10	154	27	26	15	3	1
Balance of county	–	24	5	5	6	19	–	4	1	–	3	–	3	39	15	9	6	2	1
Grundy	–	18	2	2	15	6	1	–	3	–	–	–	1	23	4	2	2	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 93 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of unnary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	146	–	–	–	27	5	10	–	3	2	–	7	3	79	72	–	–	55	17
Henry	279	–	–	3	61	12	19	2	9	1	1	17	4	143	118	–	1	96	21
Hickory	108	–	–	1	28	8	7	1	2	3	2	5	4	39	31	–	1	19	11
Holt	68	–	–	–	12	3	3	1	1	1	–	3	1	34	28	–	–	18	10
Howard	110	–	–	2	28	8	9	–	1	–	–	10	5	35	23	1	–	17	5
Howell	406	–	–	5	90	19	35	5	5	1	1	24	2	216	166	1	3	127	35
Iron	185	–	–	1	46	11	13	2	1	3	2	14	4	73	58	–	2	35	21
Jackson	6,219	4	–	197	1,408	291	411	138	165	64	51	288	141	2,548	1,966	15	87	1,350	514
Blue Springs	216	–	–	1	59	12	16	6	8	4	–	13	4	85	69	2	–	41	26
Grandview	177	–	–	8	40	5	10	6	4	3	1	11	5	68	59	–	2	49	8
Independence, part	1,069	1	–	17	252	53	72	24	29	17	10	47	22	476	376	3	17	242	114
Independence, total	1,069	1	–	17	252	53	72	24	29	17	10	47	22	476	376	3	17	242	114
Kansas City, part	3,869	3	–	142	864	190	257	73	103	35	36	170	94	1,526	1,152	9	58	797	288
Kansas City, total	4,452	3	–	155	1,031	233	306	95	116	37	47	197	106	1,745	1,337	9	60	931	337
Lee's Summit, part	363	–	–	16	59	16	13	9	7	1	1	12	4	183	144	1	2	100	41
Lee's Summit, total	363	–	–	16	59	16	13	9	7	1	1	12	4	183	144	1	2	100	41
Raytown	308	–	–	8	79	9	25	12	7	–	3	23	6	137	103	–	7	71	25
Balance of county	217	–	–	5	55	6	18	8	7	4	–	12	6	73	63	–	1	50	12
Jasper	1,006	–	–	16	200	48	66	10	19	11	10	36	14	470	388	3	4	299	82
Carthage	146	–	–	2	26	4	6	3	5	1	2	5	3	68	60	1	1	51	7
Joplin, part	511	–	–	12	103	30	30	4	14	5	5	15	10	237	187	–	1	142	44
Joplin, total	570	–	–	13	116	31	33	6	16	6	5	19	10	259	203	–	2	153	48
Balance of county	349	–	–	2	71	14	30	3	–	5	3	16	1	165	141	2	2	106	31
Jefferson	1,177	–	–	9	286	60	99	26	34	11	13	43	26	527	447	4	11	345	87
Arnold	119	–	–	1	33	9	10	3	1	3	1	6	3	59	53	–	3	39	11
Balance of county	1,058	–	–	8	253	51	89	23	33	8	12	37	23	468	394	4	8	306	76
Johnson	280	–	–	2	67	15	16	4	10	5	2	15	7	154	127	–	–	104	23
Warrensburg	104	–	–	–	22	5	2	2	3	3	–	7	1	69	57	–	–	47	10
Balance of county	176	–	–	2	45	10	14	2	7	2	2	8	6	85	70	–	–	57	13
Knox	62	–	–	1	10	2	2	–	1	–	1	4	1	33	23	–	2	12	9
Laclede	268	–	–	3	75	14	26	6	8	4	1	16	5	120	93	1	1	59	32
Lafayette	373	–	–	7	70	21	23	6	9	–	1	10	8	182	150	–	5	94	51
Lawrence	315	–	–	2	66	13	13	8	9	2	7	14	10	153	118	2	–	92	24
Lewis	109	–	–	2	17	3	3	1	2	1	1	6	3	53	42	–	–	31	11
Lincoln	248	1	–	2	71	17	21	4	8	–	3	18	4	105	76	–	2	56	18
Linn	220	–	–	3	49	13	12	5	4	2	2	11	5	116	90	–	2	64	24
Livingston	201	–	–	3	47	12	11	2	5	3	1	13	7	77	58	–	1	45	12
McDonald	189	–	–	4	46	12	9	5	5	2	–	13	3	86	74	–	–	60	14
Macon	241	–	–	5	55	17	15	4	11	1	3	4	3	112	90	–	4	64	22
Madison	144	–	–	3	38	8	16	3	4	1	3	3	7	62	57	1	2	33	21
Maries	90	–	–	1	10	3	2	1	1	1	1	1	3	51	33	–	–	20	13
Marion	350	–	–	4	75	11	30	8	9	3	5	9	6	181	132	1	1	71	59
Hannibal, part	224	–	–	3	54	9	22	6	8	1	4	4	4	104	71	1	–	45	25
Hannibal, total	224	–	–	3	54	9	22	6	8	1	4	4	4	104	71	1	–	45	25
Balance of county	126	–	–	1	21	2	8	2	1	2	1	5	2	77	61	–	1	26	34
Mercer	62	–	–	2	10	2	3	–	2	–	1	2	1	31	26	–	–	17	9
Miller	212	–	–	3	45	9	14	6	3	–	3	10	6	94	78	1	1	56	20
Mississippi	188	–	–	1	37	11	17	3	1	–	2	3	3	98	79	–	2	52	25
Moniteau	146	–	–	–	34	6	13	2	1	1	1	10	3	81	62	–	1	44	17
Monroe	101	–	–	1	17	5	2	2	4	–	1	3	5	43	32	–	–	23	9
Montgomery	168	–	–	2	37	11	7	2	4	2	2	9	4	88	70	–	2	54	14
Morgan	237	1	–	4	56	11	21	3	3	–	1	17	10	108	73	2	1	57	13
New Madrid	241	1	–	2	46	9	17	3	2	1	2	12	4	115	95	–	1	66	28
Sikeston, part	4	–	–	–	2	–	–	1	–	–	–	1	–	2	2	–	–	2	–
Balance of county	237	1	–	2	44	9	17	2	2	1	2	11	4	113	93	–	1	64	28
Newton	410	2	–	5	94	19	32	6	8	4	2	23	3	190	142	–	1	105	36
Joplin, part	59	–	–	1	13	1	3	2	2	1	–	4	–	22	16	–	1	11	4
Balance of county	351	2	–	4	81	18	29	4	6	3	2	19	3	168	126	–	–	94	32
Nodaway	210	–	–	2	44	5	14	3	7	–	2	13	6	97	77	–	3	49	25
Oregon	139	–	–	3	25	7	6	1	3	1	–	7	3	75	52	1	–	37	14
Osage	129	–	–	4	24	6	7	1	–	2	1	7	2	67	55	2	1	36	16
Ozark	97	–	–	–	32	6	9	3	2	1	2	9	4	33	29	1	2	19	7
Pemiscot	307	–	–	4	71	19	29	5	3	2	3	10	2	144	123	–	–	94	29
Perry	160	–	–	–	42	5	13	4	9	3	1	7	4	104	85	2	4	56	23
Pettis	390	1	–	10	94	22	32	9	9	1	5	16	9	153	111	1	1	68	41
Sedalia	254	1	–	6	64	18	23	6	4	1	3	9	2	96	72	–	–	46	26
Balance of county	136	–	–	4	30	4	9	3	5	–	2	7	7	57	39	1	1	22	15
Phelps	339	–	–	5	70	12	24	8	7	5	2	12	4	148	117	1	4	80	32
Rolla	121	–	–	2	27	4	9	5	4	2	–	3	1	48	35	1	–	20	14
Balance of county	218	–	–	3	43	8	15	3	3	3	2	9	3	100	82	–	4	60	18
Pike	194	–	–	3	39	7	11	3	6	1	2	9	4	79	55	–	1	45	9
Platte	350	–	–	11	94	22	32	10	7	3	3	17	4	139	121	–	3	86	32
Kansas City, part	153	–	–	4	45	12	14	5	4	1	3	6	3	52	44	–	1	30	13
Balance of county	197	–	–	7	49	10	18	5	3	2	–	11	1	87	77	–	2	56	19
Polk	284	–	–	2	70	16	22	8	10	2	3	9	11	121	75	–	–	50	25
Pulaski	248	–	–	7	55	9	13	4	5	3	4	17	5	99	81	2	1	38	40
Putnam	81	–	–	–	12	6	3	–	2	–	–	1	1	40	28	1	–	22	5
Ralls	90	–	–	2	22	6	8	2	1	–	–	5	2	38	32	–	1	19	12
Hannibal, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	90	–	–	2	22	6	8	2	1	–	–	5	2	38	32	–	1	19	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 94 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	-	4	1	2	5	4	1	1	1	-	-	1	1	11	2	5	5	-	-
Henry	1	19	2	3	8	11	1	3	3	-	2	1	-	25	8	3	3	-	-
Hickory	-	4	1	3	2	10	-	2	3	-	-	-	1	11	2	3	2	-	-
Holt	1	5	-	-	7	3	-	1	1	-	1	-	-	6	1	1	-	-	-
Howard	-	8	3	1	7	5	2	1	1	-	-	-	-	20	2	2	-	-	-
Howell	2	41	3	4	12	16	1	5	2	-	2	2	1	33	8	5	2	4	-
Iron	-	8	3	4	16	10	1	-	1	-	-	3	3	14	8	3	2	-	-
Jackson	35	407	69	71	218	282	25	62	61	-	29	51	72	620	113	125	116	138	9
Blue Springs	1	10	3	2	10	12	1	4	2	-	2	1	3	20	6	1	4	-	1
Grandview	1	6	2	-	5	11	-	4	2	-	2	1	3	14	5	4	4	1	-
Independence, part	8	73	8	11	43	58	9	7	11	-	5	3	9	76	23	19	29	8	1
Independence, total	8	73	8	11	43	58	9	7	11	-	5	3	9	76	23	19	29	8	1
Kansas City, part	19	262	50	43	127	158	14	40	39	-	18	45	53	411	58	80	63	127	7
Kansas City, total	22	283	52	51	144	187	15	42	44	-	23	48	55	476	76	92	74	129	7
Lee's Summit, part	1	25	5	8	21	9	-	4	-	-	-	1	4	44	7	9	2	-	-
Lee's Summit, total	1	25	5	8	21	9	-	4	-	-	-	1	4	44	7	9	2	-	-
Raytown	3	23	1	7	7	15	1	-	5	-	1	-	-	37	2	4	6	-	-
Balance of county	2	8	-	-	5	19	-	3	2	-	1	-	-	18	12	8	8	2	-
Jasper	4	61	6	11	30	61	4	11	6	-	1	4	9	111	28	22	19	-	-
Carthage	-	7	-	1	10	7	-	1	1	-	-	2	1	20	2	3	-	-	-
Joplin, part	3	36	4	7	9	35	3	7	3	-	1	-	4	54	10	13	10	-	-
Joplin, total	3	40	6	7	9	37	3	8	3	-	1	-	6	69	11	15	10	-	-
Balance of county	1	18	2	3	11	19	1	3	2	-	-	2	4	37	16	6	9	-	-
Jefferson	3	56	7	14	44	51	2	11	10	-	11	7	8	79	46	24	24	11	1
Arnold	-	4	1	1	6	4	-	1	-	-	1	-	1	4	2	1	3	-	-
Balance of county	3	52	6	13	38	47	2	10	10	-	10	7	7	75	44	23	21	11	1
Johnson	2	21	2	2	4	11	1	2	1	-	2	2	1	10	6	6	2	1	1
Warrensburg	1	9	2	-	-	3	1	-	1	-	-	-	-	3	2	2	-	-	-
Balance of county	1	12	-	2	4	8	-	2	-	-	2	2	1	7	4	4	2	1	1
Knox	1	7	-	2	4	2	-	-	2	-	-	-	-	8	1	-	-	-	-
Laclede	-	25	2	-	12	13	-	1	1	-	-	1	1	23	2	6	3	2	-
Lafayette	1	24	4	3	14	17	1	3	2	-	2	-	1	42	10	10	3	1	-
Lawrence	-	29	2	4	7	11	1	4	-	-	2	2	1	37	6	8	5	-	-
Lewis	-	11	-	-	4	4	3	-	2	-	-	-	-	8	7	5	1	-	-
Lincoln	-	21	6	2	9	11	-	2	3	-	2	3	2	12	7	5	7	1	1
Linn	-	23	-	3	9	9	1	2	1	-	-	-	-	14	4	3	4	-	-
Livingston	-	19	-	-	16	14	1	1	2	-	1	-	2	25	2	3	-	-	-
McDonald	-	12	-	-	7	4	-	1	-	-	-	-	2	15	10	7	1	3	-
Macon	-	14	3	5	16	6	1	2	3	-	1	-	-	27	6	3	1	-	-
Madison	-	4	-	1	4	5	-	-	1	-	-	-	-	16	5	2	-	1	-
Maries	1	15	1	1	3	4	1	-	2	-	-	-	-	9	4	1	1	-	-
Marion	1	38	4	6	8	12	-	1	5	-	2	3	5	26	7	9	5	-	1
Hannibal, part	1	22	4	6	4	11	-	1	4	-	2	1	3	20	2	5	5	-	1
Hannibal, total	1	22	4	6	4	11	-	1	4	-	2	1	3	20	2	5	5	-	1
Balance of county	-	16	-	-	4	1	-	-	1	-	-	2	2	6	5	4	-	-	-
Mercer	-	3	2	-	5	-	-	2	1	-	-	-	-	7	2	-	1	-	-
Miller	-	9	3	4	8	14	-	2	-	-	1	1	1	18	11	4	2	1	1
Mississippi	1	16	1	1	5	10	-	-	4	-	1	2	-	18	5	3	1	-	-
Moniteau	1	14	-	4	1	3	1	1	2	-	1	-	-	7	5	4	1	2	-
Monroe	1	8	1	1	10	2	1	1	-	-	1	-	1	14	2	1	1	1	-
Montgomery	1	13	3	1	6	7	1	1	1	-	1	-	2	9	3	4	-	2	-
Morgan	2	27	4	2	5	18	-	2	5	-	-	3	-	15	3	2	5	-	-
New Madrid	-	19	-	1	9	8	2	1	7	-	4	5	-	23	8	5	-	1	-
Sikeston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	19	-	1	9	8	2	1	7	-	4	5	-	23	8	5	-	1	-
Newton	-	37	7	4	10	13	-	2	2	-	2	1	9	49	7	13	5	3	-
Joplin, part	-	4	2	-	-	2	-	1	-	-	-	-	2	15	1	2	-	-	-
Balance of county	-	33	5	4	10	11	-	1	2	-	2	1	7	34	6	11	5	3	-
Nodaway	-	17	1	2	15	10	1	-	3	-	-	1	-	18	3	3	6	1	-
Oregon	1	19	1	2	2	4	-	1	2	-	4	-	-	9	5	4	-	2	-
Osage	1	10	1	-	3	5	1	1	-	-	1	1	-	10	1	8	1	-	-
Ozark	-	4	-	-	3	5	-	1	2	-	-	-	-	2	4	7	4	-	-
Pemiscot	-	18	-	3	7	14	1	4	6	-	-	2	5	19	6	12	7	3	-
Perry	-	17	-	2	3	6	-	-	-	-	-	1	2	9	4	4	1	-	-
Pettis	2	32	1	7	20	19	1	1	6	-	2	3	2	45	7	6	10	1	-
Sedalia	1	17	1	5	12	19	1	-	5	-	2	1	1	28	3	5	7	1	-
Balance of county	1	15	-	2	8	-	-	1	1	-	-	2	1	17	4	1	3	-	-
Phelps	1	22	2	6	11	22	1	2	5	-	4	1	21	29	5	6	4	1	-
Rolla	-	10	1	2	5	13	1	1	1	-	1	-	6	11	2	2	-	-	-
Balance of county	1	12	1	4	6	9	-	1	4	-	3	1	15	18	3	4	4	1	-
Pike	-	17	4	3	4	14	1	1	5	-	1	1	6	24	4	5	3	-	-
Platte	2	9	3	4	12	16	-	1	4	-	3	1	2	34	9	8	11	1	-
Kansas City, part	1	3	-	4	6	8	-	1	1	-	-	1	-	18	5	3	5	1	-
Balance of county	1	6	3	-	6	8	-	-	3	-	3	-	2	16	4	5	6	-	-
Polk	2	28	11	5	7	11	1	2	5	-	3	-	4	39	1	3	4	-	-
Pulaski	-	13	3	2	12	10	-	2	2	-	5	4	4	20	12	8	3	-	-
Putnam	-	5	7	-	1	5	1	-	1	-	1	-	1	8	2	6	1	-	1
Ralls	-	3	-	3	4	4	-	1	1	-	-	-	1	8	4	1	2	-	-
Hannibal, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	3	-	3	4	4	-	1	1	-	-	-	1	8	4	1	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 95 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	290	–	–	4	65	8	22	4	8	3	4	16	5	118	91	1	–	48	42
Moberly	186	–	–	2	35	4	10	3	4	2	3	9	3	81	63	1	–	31	31
Balance of county	104	–	–	2	30	4	12	1	4	1	1	7	2	37	28	–	–	17	11
Ray	217	–	–	3	45	8	17	2	3	1	3	11	4	114	93	1	3	49	40
Excelsior Springs, part	5	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	1	–	–
Balance of county	212	–	–	3	44	7	17	2	3	1	3	11	4	113	92	1	2	49	40
Reynolds	70	–	–	1	10	–	6	–	1	–	–	3	6	28	24	1	1	14	8
Ripley	138	–	–	3	41	5	16	5	2	3	3	7	5	64	51	–	1	34	16
St. Charles	1,064	–	–	14	256	59	84	19	28	11	15	40	18	472	387	5	19	301	62
St. Charles	394	–	–	5	101	25	33	6	11	7	5	14	10	180	148	–	8	123	17
St. Peters	147	–	–	2	35	5	12	4	3	1	4	6	–	63	50	1	1	41	7
Balance of county	523	–	–	7	120	29	39	9	14	3	6	20	8	229	189	4	10	137	38
St. Clair	142	–	–	1	41	11	12	1	2	4	4	7	3	55	45	–	1	30	14
Ste. Genevieve	137	–	–	–	41	8	8	3	2	3	5	12	1	55	48	–	–	37	11
St. Francois	549	–	–	2	116	34	37	13	8	5	4	15	10	258	210	–	5	162	43
St. Louis	8,524	1	–	149	2,225	516	664	212	213	76	95	449	182	3,697	3,011	21	104	2,378	508
Ballwin	74	–	–	2	23	3	9	2	–	–	1	8	2	23	21	–	–	19	2
Bellefontaine Neighbors	154	–	–	1	36	4	14	4	3	2	–	9	3	67	50	–	–	41	9
Berkeley	111	–	–	1	21	2	8	–	5	2	1	3	3	50	43	–	2	29	12
Bridgeton	153	–	–	3	42	10	11	3	6	–	1	11	2	59	50	1	3	39	7
Clayton	94	–	–	–	32	6	10	4	3	1	1	7	4	32	24	–	1	21	2
Crestwood	91	–	–	1	33	7	7	6	6	1	1	5	2	36	30	–	–	28	2
Creve Coeur	122	–	–	2	25	3	7	5	2	–	2	6	–	69	52	1	–	40	11
Ferguson	226	–	–	3	56	11	17	9	2	3	5	9	3	100	75	–	2	62	11
Florissant	481	–	–	4	115	31	42	7	8	3	6	18	12	221	181	1	4	142	34
Hazelwood	117	–	–	2	29	7	9	3	1	–	4	5	–	49	42	–	2	30	10
Jennings	169	–	–	3	42	9	15	5	5	1	1	6	7	75	64	–	4	48	12
Kirkwood	290	–	–	4	76	16	25	4	11	1	3	16	5	125	101	–	3	83	15
Maplewood	76	–	–	3	21	3	7	4	1	–	1	5	4	26	21	–	1	16	4
Overland	163	–	–	1	36	9	15	1	2	–	2	7	3	82	71	1	2	61	7
Richmond Heights	102	–	–	3	28	8	5	4	3	2	1	5	2	45	40	–	1	29	10
St. Ann	128	–	–	4	33	5	14	1	6	–	1	6	1	54	44	–	1	38	5
University City	379	–	–	8	102	22	29	7	10	4	6	24	14	160	120	2	5	90	23
Webster Groves	257	–	–	7	71	22	19	9	8	3	1	9	6	106	90	1	2	71	16
Balance of county	5,337	1	–	97	1,404	338	401	134	131	53	57	290	109	2,318	1,892	14	71	1,491	316
St. Louis city	5,508	2	–	165	1,183	288	376	92	119	42	31	235	153	2,207	1,783	9	114	1,252	408
Saline	299	–	–	2	53	16	14	4	6	4	1	8	3	156	121	–	–	61	60
Marshall	125	–	–	2	24	10	7	2	3	1	–	1	2	63	48	–	–	25	23
Balance of county	174	–	–	–	29	6	7	2	3	3	1	7	1	93	73	–	–	36	37
Schuyler	54	–	–	–	11	2	4	1	–	1	–	3	5	21	17	–	–	10	7
Scotland	65	–	–	2	6	–	1	1	–	2	–	2	1	35	24	–	–	19	5
Scott	420	–	–	2	90	21	25	10	10	4	4	16	11	205	175	3	7	126	39
Sikeston, part	203	–	–	1	34	9	6	3	6	3	1	6	5	108	91	1	5	60	25
Sikeston, total	207	–	–	1	36	9	6	4	6	3	1	7	5	110	93	1	5	62	25
Balance of county	217	–	–	1	56	12	19	7	4	1	3	10	6	97	84	2	2	66	14
Shannon	67	–	–	–	22	4	10	1	3	1	–	3	–	31	25	–	1	16	8
Shelby	124	–	–	–	38	8	11	2	6	3	1	7	1	57	51	–	11	34	6
Stoddard	361	–	–	5	85	15	30	9	8	2	1	20	6	162	128	–	–	79	49
Stone	199	–	–	4	52	11	17	5	7	–	2	10	4	83	63	–	1	48	14
Sullivan	93	–	–	–	16	7	3	1	2	1	–	2	4	41	38	–	–	21	17
Taney	338	–	–	5	100	23	25	9	10	7	3	23	5	135	111	1	–	87	23
Texas	239	–	–	4	56	8	17	7	10	2	1	11	5	103	77	–	1	65	11
Vernon	235	–	–	2	55	6	18	5	8	1	5	12	5	115	88	1	2	46	39
Warren	189	–	–	–	46	10	11	2	7	–	1	15	5	77	66	–	–	53	13
Washington	207	–	–	3	46	6	17	1	8	2	1	11	4	88	73	–	2	60	11
Wayne	165	–	–	3	43	9	17	2	2	1	–	12	1	63	51	–	–	24	27
Webster	222	–	–	4	55	12	20	5	4	1	3	10	2	90	74	–	1	55	18
Worth	22	–	–	–	6	1	1	–	2	–	–	2	1	6	6	–	–	4	2
Wright	182	–	–	–	52	7	18	3	8	2	2	12	2	81	66	–	1	48	17
Montana	7,014	3	–	89	1,643	391	466	121	183	70	71	341	182	2,683	1,943	21	46	1,216	660
Urban places	2,912	1	–	44	688	164	192	37	78	32	37	148	68	1,122	786	10	22	515	239
Balance of area	4,102	2	–	45	955	227	274	84	105	38	34	193	114	1,561	1,157	11	24	701	421
Metropolitan counties	1,623	–	–	15	402	95	120	24	46	18	22	77	32	618	407	3	14	275	115
Urban places	1,333	–	–	10	338	77	101	21	38	16	21	64	27	512	337	2	10	230	95
Balance of area	290	–	–	5	64	18	19	3	8	2	1	13	5	106	70	1	4	45	20
Nonmetropolitan counties	5,391	3	–	74	1,241	296	346	97	137	52	49	264	150	2,065	1,536	18	32	941	545
Urban places	1,579	1	–	34	350	87	91	16	40	16	16	84	41	610	449	8	12	285	144
Balance of area	3,812	2	–	40	891	209	255	81	97	36	33	180	109	1,455	1,087	10	20	656	401
Beaverhead	70	–	–	–	11	–	4	4	1	–	–	2	3	26	20	–	1	7	12
Big Horn	98	–	–	–	26	11	4	1	2	–	1	7	4	25	15	–	1	7	7
Blaine	70	–	–	1	14	4	7	–	1	2	–	–	3	31	28	–	–	25	3
Broadwater	28	–	–	1	8	3	–	1	1	–	–	3	2	9	5	–	–	4	1
Carbon	110	–	–	1	28	6	7	3	3	2	–	7	3	45	36	–	2	15	19
Carter	14	–	–	–	4	–	–	–	–	–	–	4	–	2	2	–	–	2	–
Cascade	692	–	–	6	178	49	49	8	23	10	8	31	13	261	180	1	6	131	42
Great Falls	601	–	–	4	160	41	43	8	22	9	8	29	13	225	153	1	4	111	37
Balance of county	91	–	–	2	18	8	6	–	1	1	–	2	–	36	27	–	2	20	5
Chouteau	63	1	–	–	10	2	2	–	1	1	1	3	1	28	20	–	1	14	5
Custer	142	–	–	2	36	10	9	5	3	3	1	5	3	52	38	1	–	24	13
Daniels	28	–	–	–	4	2	1	1	–	–	–	–	–	13	12	1	1	6	4
Dawson	97	–	–	2	25	3	6	2	6	–	1	7	4	39	35	–	–	22	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 96 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	4	18	1	4	16	11	–	4	4	–	2	–	5	36	2	13	4	1	–
Moberly	3	10	1	4	12	6	–	3	3	–	1	–	3	24	2	8	2	1	–
Balance of county	1	8	–	–	4	5	–	1	1	–	1	–	2	12	–	5	2	–	–
Ray	1	16	1	3	2	8	–	2	2	–	1	1	1	22	4	3	3	2	–
Excelsior Springs, part	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Balance of county	1	16	1	3	2	8	–	1	2	–	1	1	1	21	3	3	3	2	–
Reynolds	1	3	–	–	5	5	–	–	1	–	–	–	–	6	3	2	2	1	–
Ripley	–	10	1	2	7	2	1	–	1	–	–	–	2	5	4	1	1	1	–
St. Charles	4	62	9	10	40	36	2	16	7	–	12	7	5	85	26	28	33	5	2
St. Charles	–	23	4	5	15	14	2	5	2	–	4	1	2	27	3	8	14	–	1
St. Peters	2	7	2	2	4	3	–	1	–	–	1	1	1	18	10	2	5	1	–
Balance of county	2	32	3	3	21	19	–	10	5	–	7	5	2	40	13	18	14	4	1
St. Clair	–	10	–	–	5	4	3	2	4	–	1	–	–	16	2	3	2	–	–
Ste. Genevieve	–	6	–	1	7	4	–	1	4	–	–	1	–	13	2	–	3	5	–
St. Francois	4	33	4	7	25	25	–	3	8	–	2	2	3	67	12	9	6	1	–
St. Louis	35	513	37	101	331	296	29	77	71	–	37	62	51	842	107	171	103	90	3
Ballwin	1	1	–	–	5	4	–	2	–	–	2	1	1	8	–	–	1	–	–
Bellefontaine Neighbors	2	13	–	2	8	7	–	4	1	–	–	–	1	16	3	4	3	–	–
Berkeley	1	6	–	–	5	4	–	1	1	–	–	2	1	10	4	3	1	4	–
Bridgeton	–	8	1	–	7	8	1	2	3	–	–	–	1	18	4	1	1	–	1
Clayton	–	5	–	3	4	4	–	–	1	–	–	–	–	14	–	1	2	–	–
Crestwood	–	5	–	1	3	1	–	2	–	–	–	–	–	4	3	3	2	–	1
Creve Coeur	–	9	1	7	5	4	–	–	–	–	1	1	–	14	–	1	–	–	–
Ferguson	2	13	4	6	10	6	3	–	3	–	1	1	2	20	–	8	5	5	–
Florissant	3	28	–	9	21	16	1	7	2	–	4	3	–	53	5	7	7	3	–
Hazelwood	1	6	–	–	7	5	1	5	1	–	–	2	–	10	2	2	1	1	–
Jennings	–	10	–	1	3	6	–	2	–	–	2	2	2	11	2	7	2	3	–
Kirkwood	1	22	–	1	12	12	1	1	4	–	2	–	2	34	1	5	4	2	–
Maplewood	–	4	1	–	–	3	–	2	1	–	–	–	1	8	2	2	2	1	–
Overland	–	10	1	–	7	12	–	–	2	–	1	1	2	9	2	2	3	–	–
Richmond Heights	–	2	1	2	4	1	–	1	–	–	1	–	1	14	–	1	–	1	–
St. Ann	1	7	–	2	6	4	1	1	1	–	–	1	1	8	1	6	4	2	–
University City	4	31	1	4	12	8	1	3	4	–	1	7	4	37	3	5	1	9	–
Webster Groves	–	13	1	2	11	8	1	–	3	–	–	3	1	26	1	7	3	3	–
Balance of county	19	320	26	61	201	183	19	44	44	–	22	38	31	528	74	106	61	56	1
St. Louis city	33	306	18	67	199	181	9	58	70	–	25	76	123	572	46	165	55	212	7
Saline	2	28	1	4	13	16	2	4	5	–	2	–	2	22	4	8	6	–	1
Marshall	–	13	–	2	6	9	–	–	1	–	1	–	–	10	–	2	4	–	1
Balance of county	2	15	1	2	7	7	2	4	4	–	1	–	2	12	4	6	2	–	–
Schuyler	–	2	2	–	1	3	–	–	2	–	1	–	–	7	1	–	2	–	–
Scotland	–	7	4	–	4	1	–	–	1	–	–	–	–	9	3	2	1	–	–
Scott	1	24	1	4	9	20	1	3	3	–	5	3	4	36	8	12	4	3	1
Sikeston, part	–	13	1	3	4	7	–	2	3	–	2	1	3	21	3	4	2	2	1
Sikeston, total	–	13	1	3	4	7	–	2	3	–	2	1	3	21	3	4	2	2	1
Balance of county	1	11	–	1	5	13	1	1	–	–	3	2	1	15	5	8	2	1	–
Shannon	–	4	–	2	2	1	–	–	1	–	–	–	1	4	2	2	1	–	–
Shelby	–	2	3	1	3	–	–	1	4	–	–	–	–	11	4	2	2	1	–
Stoddard	–	29	1	4	11	16	1	5	5	–	–	1	1	40	12	4	4	3	–
Stone	1	15	1	3	6	16	–	1	2	–	–	–	1	16	7	2	4	1	–
Sullivan	–	–	2	1	5	6	–	1	2	–	–	1	1	13	1	1	1	–	–
Taney	1	13	–	10	7	10	–	6	4	–	2	3	2	33	10	11	2	3	–
Texas	–	22	2	2	11	10	–	3	2	–	1	–	2	25	8	7	2	–	–
Vernon	1	20	2	4	8	9	2	1	2	–	1	1	2	18	4	7	1	2	–
Warren	–	10	1	–	9	11	–	–	2	–	–	3	6	17	5	3	5	–	–
Washington	1	13	–	1	10	9	2	2	5	–	3	1	3	15	10	4	2	–	–
Wayne	–	8	1	3	4	14	–	1	2	–	–	–	2	15	8	5	2	2	–
Webster	–	10	1	5	14	9	–	1	3	–	2	1	4	18	6	7	3	3	–
Worth	–	–	–	–	2	3	–	–	–	–	–	–	1	2	1	–	–	–	–
Wright	2	5	5	3	8	7	–	1	–	–	–	2	–	15	5	5	2	2	–
Montana	33	501	106	100	245	434	28	73	57	1	34	26	118	797	181	212	161	37	10
Urban places	10	229	53	44	99	190	12	28	17	1	14	11	46	369	53	69	59	15	6
Balance of area	23	272	53	56	146	244	16	45	40	–	20	15	72	428	128	143	102	22	4
Metropolitan counties	8	128	52	23	48	118	8	20	5	–	7	6	19	192	28	46	43	12	4
Urban places	5	112	36	22	43	94	8	16	4	–	6	4	12	167	18	27	33	10	4
Balance of area	3	16	16	1	5	24	–	4	1	–	1	2	7	25	10	19	10	2	–
Nonmetropolitan counties	25	373	54	77	197	316	20	53	52	1	27	20	99	605	153	166	118	25	6
Urban places	5	117	17	22	56	96	4	12	13	1	8	7	34	202	35	42	26	5	2
Balance of area	20	256	37	55	141	220	16	41	39	–	19	13	65	403	118	124	92	20	4
Beaverhead	–	5	–	1	2	8	1	1	–	–	–	–	–	12	1	2	3	–	–
Big Horn	–	9	1	–	4	4	–	2	1	–	–	–	3	11	9	7	1	1	–
Blaine	–	2	–	1	2	4	–	–	2	–	1	–	2	2	3	4	–	1	–
Broadwater	2	2	–	–	–	2	–	–	–	–	–	–	1	2	1	1	1	–	–
Carbon	–	5	2	2	7	6	1	2	–	–	–	1	1	9	5	–	–	1	–
Carter	–	–	–	–	–	1	–	–	–	–	–	–	–	7	–	–	–	–	–
Cascade	4	59	10	8	25	41	5	9	1	–	5	2	8	84	13	17	19	4	1
Great Falls	3	53	8	8	24	32	5	8	1	–	5	2	5	78	10	10	14	4	1
Balance of county	1	6	2	–	1	9	–	1	–	–	–	–	3	6	3	7	5	–	–
Chouteau	–	5	–	3	2	10	–	1	1	–	–	–	2	5	–	2	–	–	–
Custer	–	10	–	4	8	9	–	3	–	–	1	–	–	18	2	4	3	–	1
Daniels	–	–	1	–	–	3	1	2	–	–	–	–	1	4	–	–	–	–	–
Dawson	1	2	–	1	3	3	1	3	2	–	–	–	–	12	1	2	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 97 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	124	–	–	2	31	3	14	–	4	–	1	9	2	54	44	–	1	35	8
Fallon	25	–	–	–	3	–	1	–	–	–	–	2	1	12	10	–	–	7	3
Fergus	168	–	–	2	35	9	8	2	4	2	1	9	1	76	49	2	1	16	30
Flathead	520	1	–	5	127	26	37	6	15	6	6	31	16	208	155	2	3	93	57
Kalispell	194	1	–	4	35	6	6	2	4	4	2	11	8	89	67	1	3	35	28
Balance of county	326	–	–	1	92	20	31	4	11	2	4	20	8	119	88	1	–	58	29
Gallatin	289	–	–	3	62	14	13	7	7	1	2	18	6	117	80	–	1	49	30
Bozeman	154	–	–	2	30	8	6	2	3	–	1	10	3	66	45	–	1	23	21
Balance of county	135	–	–	1	32	6	7	5	4	1	1	8	3	51	35	–	–	26	9
Garfield	10	–	–	–	4	2	2	–	–	–	–	–	–	2	2	–	–	2	–
Glacier	86	1	–	–	11	3	3	–	1	–	1	3	5	35	22	1	–	12	9
Golden Valley	14	–	–	1	4	–	1	–	1	–	1	1	–	5	3	–	–	–	3
Granite	28	–	–	–	6	2	–	1	2	–	–	1	–	8	5	–	–	3	2
Hill	136	–	–	1	30	9	10	2	4	1	1	3	4	56	43	–	–	34	9
Havre	97	–	–	–	19	5	7	2	3	–	1	1	2	41	33	–	–	25	8
Balance of county	39	–	–	1	11	4	3	–	1	1	–	2	2	15	10	–	–	9	1
Jefferson	68	–	–	1	17	4	4	4	3	1	–	1	4	20	17	2	–	12	3
Judith Basin	25	–	–	–	9	2	2	1	2	–	–	2	–	9	8	–	–	5	3
Lake	208	–	–	4	52	14	16	4	5	1	2	10	9	93	64	1	1	35	27
Lewis and Clark	368	–	–	5	87	20	28	3	8	4	6	18	12	135	94	4	2	63	25
Helena	251	–	–	3	55	14	13	3	6	3	6	10	7	88	60	3	2	36	19
Balance of county	117	–	–	2	32	6	15	–	2	1	–	8	5	47	34	1	–	27	6
Liberty	18	–	–	1	9	2	2	3	1	–	–	1	–	5	4	–	–	3	1
Lincoln	134	–	–	–	39	4	15	5	3	–	6	6	7	49	37	–	–	31	6
McCone	26	–	–	–	5	–	2	1	1	–	1	–	–	11	7	–	1	2	4
Madison	67	–	–	1	16	3	6	1	1	–	1	4	–	25	20	–	–	10	10
Meagher	19	–	–	–	4	–	1	1	–	1	–	1	–	3	3	–	–	2	1
Mineral	27	–	–	–	6	1	2	1	–	1	–	1	–	13	7	–	–	5	2
Missoula	506	–	–	9	135	33	40	5	20	8	3	26	11	156	110	1	6	70	33
Missoula	382	–	–	9	102	28	27	4	15	6	2	20	9	119	81	1	4	54	22
Balance of county	124	–	–	–	33	5	13	1	5	2	1	6	2	37	29	–	2	16	11
Musselshell	49	–	–	1	11	2	6	1	–	–	–	2	–	22	17	–	–	14	3
Park	129	–	–	3	26	8	7	4	2	1	1	3	2	51	38	–	–	15	23
Petroleum	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Phillips	54	–	–	–	10	4	1	2	–	–	–	3	–	20	14	–	–	9	5
Pondera	67	–	–	3	17	4	5	1	1	1	1	4	1	25	21	–	–	12	9
Powder River	20	–	–	–	5	1	1	–	1	–	–	2	–	6	4	–	–	4	–
Powell	71	–	–	–	16	2	2	2	5	1	2	2	4	22	20	–	2	16	2
Prairie	17	–	–	–	4	2	1	–	–	–	–	1	–	5	4	–	–	2	2
Ravalli	255	–	–	3	41	11	13	2	7	2	–	6	7	120	88	–	4	48	36
Richland	89	–	–	–	23	6	4	2	7	2	–	2	1	41	34	–	2	19	13
Roosevelt	105	–	–	–	17	7	7	1	–	–	1	1	6	35	25	–	–	20	5
Rosebud	58	–	–	–	8	2	1	4	–	–	–	1	3	19	15	–	–	13	2
Sanders	92	–	–	3	27	4	5	4	1	3	2	8	3	36	29	–	–	14	15
Sheridan	55	–	–	1	17	3	5	1	3	–	–	5	1	17	14	–	–	6	8
Silver Bow	397	–	–	14	82	24	20	3	5	3	4	23	10	160	125	3	1	79	42
Butte-Silver Bow	377	–	–	14	78	23	18	3	5	3	3	23	10	153	119	3	1	77	38
Balance of county	20	–	–	–	4	1	2	–	–	–	1	–	–	7	6	–	–	2	4
Stillwater	58	–	–	1	11	1	4	2	1	2	–	1	3	19	13	–	–	10	3
Sweet Grass	30	–	–	–	3	–	1	–	–	1	1	–	1	13	13	–	–	6	7
Teton	68	–	–	–	13	5	2	1	2	1	–	2	3	22	16	–	1	9	6
Toole	36	–	–	–	10	6	2	–	–	–	–	2	2	11	10	–	–	3	7
Treasure	10	–	–	1	4	1	3	–	–	–	–	–	–	3	2	–	–	2	–
Valley	96	–	–	2	26	9	4	2	2	1	1	7	1	32	22	–	–	11	11
Wheatland	26	–	–	–	9	2	3	1	–	–	–	3	1	9	7	–	–	5	2
Wibaux	21	–	–	–	3	–	2	–	–	–	–	1	–	14	9	–	–	8	1
Yellowstone	931	–	–	9	224	46	71	16	23	8	14	46	19	357	227	2	8	144	73
Billings	732	–	–	6	178	36	58	13	16	7	13	35	14	287	184	1	6	119	58
Balance of county	199	–	–	3	46	10	13	3	7	1	1	11	5	70	43	1	2	25	15
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	14,725	4	–	169	3,186	825	810	277	379	135	118	642	286	6,663	5,136	38	99	3,270	1,729
Urban places	6,692	4	–	92	1,454	365	409	114	164	53	56	293	135	2,920	2,237	19	63	1,410	745
Balance of area	8,033	–	–	77	1,732	460	401	163	215	82	62	349	151	3,743	2,899	19	36	1,860	984
Metropolitan counties	5,575	3	–	96	1,253	304	372	107	138	44	36	252	123	2,428	1,885	18	60	1,194	613
Urban places	4,614	3	–	80	1,017	251	302	84	112	36	31	201	99	2,012	1,560	14	57	987	502
Balance of area	961	–	–	16	236	53	70	23	26	8	5	51	24	416	325	4	3	207	111
Nonmetropolitan counties	9,150	1	–	73	1,933	521	438	170	241	91	82	390	163	4,235	3,251	20	39	2,076	1,116
Urban places	2,078	1	–	12	437	114	107	30	52	17	25	92	36	908	677	5	6	423	243
Balance of area	7,072	–	–	61	1,496	407	331	140	189	74	57	298	127	3,327	2,574	15	33	1,653	873
Adams	290	–	–	2	72	17	16	5	9	4	7	14	4	132	98	–	1	65	32
Hastings	237	–	–	2	59	13	14	3	7	3	7	12	3	107	81	–	1	54	26
Balance of county	53	–	–	–	13	4	2	2	2	1	–	2	1	25	17	–	–	11	6
Antelope	77	–	–	–	12	2	1	1	4	–	–	4	1	46	37	–	–	29	8
Arthur	4	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	–	1	2
Banner	4	–	–	–	2	1	–	–	1	–	–	–	–	1	1	–	–	–	1
Blaine	4	–	–	–	1	–	–	–	–	–	–	1	–	3	3	–	–	3	–
Boone	81	–	–	–	18	5	5	2	2	–	–	4	–	48	38	–	3	25	10
Box Butte	109	–	–	2	20	7	4	1	4	1	2	1	2	52	40	–	–	12	28
Boyd	40	–	–	–	7	2	3	1	–	–	–	1	–	23	18	–	1	11	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 98 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	1	6	–	3	–	3	–	1	2	–	2	1	4	18	–	3	1	–	–
Fallon	–	1	–	1	2	3	–	–	–	–	–	–	–	2	1	1	–	–	–
Fergus	–	18	5	4	7	8	1	–	–	–	–	–	–	15	12	8	3	–	–
Flathead	–	40	9	4	15	27	4	5	5	–	2	–	11	58	15	9	7	4	1
Kalispell	–	15	5	2	7	9	–	3	2	–	2	–	5	21	4	3	1	–	–
Balance of county	–	25	4	2	8	18	4	2	3	–	–	–	6	37	11	6	6	4	1
Gallatin	3	22	6	6	10	14	1	3	1	–	4	–	4	27	16	9	12	–	–
Bozeman	–	13	6	2	6	6	–	2	1	–	2	–	3	17	7	7	2	–	–
Balance of county	3	9	–	4	4	8	1	1	–	–	2	–	1	10	9	2	10	–	–
Garfield	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–
Glacier	1	12	–	–	3	2	–	3	1	–	–	2	1	10	3	6	1	2	–
Golden Valley	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–
Granite	–	2	–	1	1	2	–	–	1	–	–	–	1	6	–	1	2	–	–
Hill	2	9	1	1	7	8	1	2	1	–	–	2	3	9	4	5	3	–	–
Havre	1	5	1	1	5	7	1	1	1	–	–	2	2	7	4	3	2	–	–
Balance of county	1	4	–	–	2	1	–	1	–	–	–	–	1	2	–	2	1	–	–
Jefferson	–	3	–	–	2	1	–	–	2	–	1	1	–	15	1	2	1	–	–
Judith Basin	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	–	–
Lake	1	25	–	3	5	7	1	1	2	–	1	–	2	16	4	6	4	1	–
Lewis and Clark	–	29	–	12	9	20	–	2	2	–	2	4	14	52	8	5	10	1	–
Helena	–	20	–	8	8	14	–	–	2	–	1	2	11	43	5	5	6	1	–
Balance of county	–	9	–	4	1	6	–	2	–	–	1	2	3	9	3	–	4	–	–
Liberty	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Lincoln	2	7	–	3	3	9	2	–	1	–	2	1	2	5	5	7	1	1	–
McCone	–	3	–	1	–	2	–	1	1	–	–	–	1	3	1	1	–	–	–
Madison	–	4	–	1	7	4	1	–	–	–	–	–	4	6	–	1	2	–	–
Meagher	–	–	–	–	1	–	–	1	–	–	–	1	1	7	–	–	1	–	–
Mineral	1	2	3	–	–	2	–	–	–	–	–	–	–	3	1	1	1	–	–
Missoula	3	37	3	3	16	36	3	3	5	1	–	3	9	78	13	12	12	4	–
Missoula	1	33	2	2	10	30	3	2	1	1	–	2	5	61	8	12	6	2	–
Balance of county	2	4	1	1	6	6	–	1	4	–	–	1	4	17	5	–	6	2	–
Musselshell	1	–	3	1	1	–	–	2	1	–	–	–	–	3	3	3	2	–	–
Park	–	12	–	1	9	8	–	–	2	–	–	–	1	13	6	5	2	–	1
Petroleum	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phillips	–	3	2	1	2	1	–	–	1	–	2	2	1	12	–	1	2	–	–
Pondera	–	4	–	–	4	4	–	–	–	–	–	–	1	4	4	1	3	–	–
Powder River	–	2	–	–	–	1	–	–	–	–	–	–	3	2	1	1	1	–	–
Powell	–	2	–	–	–	4	–	1	–	–	–	–	2	13	2	2	3	2	–
Prairie	–	–	–	1	2	1	–	–	–	–	–	–	–	4	–	–	1	–	–
Ravalli	1	18	7	6	5	22	–	3	1	–	2	1	8	18	7	3	11	2	1
Richland	–	4	2	1	3	10	–	–	–	–	–	–	1	5	1	2	2	–	–
Roosevelt	1	7	1	1	–	2	–	4	3	–	1	–	1	19	7	6	2	2	–
Rosebud	–	1	1	2	1	–	–	2	2	–	3	–	–	7	2	9	2	–	–
Sanders	–	7	–	–	6	1	–	–	1	–	–	–	1	5	3	3	3	–	–
Sheridan	–	2	–	1	6	4	1	–	–	–	–	–	1	5	–	1	1	–	–
Silver Bow	2	25	4	4	21	29	–	3	4	–	1	–	4	40	7	10	8	2	2
Butte-Silver Bow	2	25	3	4	20	27	–	3	4	–	1	–	4	35	7	9	8	2	2
Balance of county	–	–	1	–	1	2	–	–	–	–	–	–	–	5	–	1	–	–	–
Stillwater	1	5	–	–	3	8	–	–	–	–	–	–	–	8	1	4	–	–	–
Sweet Grass	–	–	–	–	2	5	–	1	1	–	–	–	1	2	1	–	–	–	–
Teton	–	4	2	–	6	8	1	1	2	–	–	–	–	6	1	3	2	–	–
Toole	–	1	–	–	2	4	–	–	1	–	–	–	1	1	–	3	–	1	–
Treasure	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Valley	1	8	–	1	5	4	–	–	2	–	2	1	4	8	1	5	3	–	–
Wheatland	–	2	–	–	3	–	–	–	1	–	–	–	2	1	–	–	–	–	–
Wibaux	–	3	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Yellowstone	4	69	42	15	23	77	3	11	4	–	2	4	11	108	15	29	24	8	3
Billings	2	59	28	14	19	62	3	8	3	–	1	2	7	89	8	17	19	6	3
Balance of county	2	10	14	1	4	15	–	3	1	–	1	2	4	19	7	12	5	2	–
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	75	1,086	193	173	662	674	51	105	154	2	84	55	341	1,404	300	306	191	56	32
Urban places	40	488	82	73	281	351	25	63	85	1	40	33	150	667	95	134	99	43	20
Balance of area	35	598	111	100	381	323	26	42	69	1	44	22	191	737	205	172	92	13	12
Metropolitan counties	34	374	72	63	218	273	18	54	68	1	39	41	97	525	84	107	85	38	24
Urban places	30	315	59	48	178	233	16	50	60	1	31	31	90	442	56	88	71	36	20
Balance of area	4	59	13	15	40	40	2	4	8	–	8	10	7	83	28	19	14	2	4
Nonmetropolitan counties	41	712	121	110	444	401	33	51	86	1	45	14	244	879	216	199	106	18	8
Urban places	10	173	23	25	103	118	9	13	25	–	9	2	60	225	39	46	28	7	–
Balance of area	31	539	98	85	341	283	24	38	61	1	36	12	184	654	177	153	78	11	8
Adams	–	25	2	7	8	13	–	2	3	–	1	1	–	35	7	7	3	–	–
Hastings	–	20	1	5	6	13	–	1	3	–	–	1	–	27	5	7	3	–	–
Balance of county	–	5	1	2	2	–	–	1	–	–	1	–	–	8	2	–	–	–	–
Antelope	–	8	1	–	3	1	–	–	–	–	–	–	4	4	3	2	1	–	–
Arthur	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Banner	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Blaine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Boone	1	9	–	–	1	4	1	–	–	–	1	–	–	8	–	–	–	–	–
Box Butte	–	9	2	1	2	5	–	1	2	–	2	–	2	7	8	2	1	1	–
Boyd	–	4	1	–	3	2	1	–	1	–	–	–	–	2	1	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 99 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease wth or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Brown	51	-	-	-	12	4	2	3	-	-	-	3	-	13	11	-	-	5	6
Buffalo	325	-	-	4	64	10	23	6	3	5	2	15	4	143	104	1	-	76	27
Kearney	201	-	-	1	37	5	11	4	2	3	1	11	1	88	63	1	-	44	18
Balance of county	124	-	-	3	27	5	12	2	1	2	1	4	3	55	41	-	-	32	9
Burt	111	-	-	2	22	5	5	1	3	2	1	5	2	56	42	1	-	28	13
Butler	118	-	-	-	31	10	6	2	5	1	1	6	3	50	33	-	2	20	11
Cass	214	-	-	3	46	17	10	3	8	-	4	4	2	81	63	-	1	41	21
Cedar	121	-	-	-	30	8	8	3	3	3	-	5	3	49	29	-	-	20	9
Chase	56	-	-	-	8	1	1	3	1	-	-	2	-	40	28	-	-	17	11
Cherry	65	-	-	-	16	6	3	1	2	-	1	3	-	26	21	-	-	16	5
Cheyenne	86	-	-	-	13	1	5	-	1	-	-	6	3	42	39	1	-	31	7
Clay	74	-	-	1	17	5	1	2	1	2	-	6	-	40	31	-	-	20	11
Colfax	118	-	-	1	29	6	11	1	4	-	3	4	3	50	36	-	1	24	11
Cuming	118	-	-	-	26	8	7	2	3	1	2	3	1	57	46	-	-	28	18
Custer	178	-	-	2	29	6	9	2	1	2	1	8	4	92	79	-	-	56	23
Dakota	150	-	-	1	33	7	8	4	8	1	-	5	6	68	51	-	1	39	11
Dawes	107	-	-	1	18	8	3	1	1	1	-	4	-	56	41	-	1	27	13
Dawson	220	-	-	-	39	10	8	3	7	1	2	8	1	107	80	-	-	60	20
Deuel	28	-	-	-	11	1	3	2	1	1	2	1	1	10	9	-	2	7	-
Dixon	86	-	-	-	19	4	3	3	3	1	-	5	1	44	30	-	1	22	7
Dodge	368	1	-	3	87	26	24	7	10	3	2	15	4	178	142	1	-	103	38
Fremont	243	1	-	2	58	18	15	4	6	3	2	10	3	111	89	1	-	64	24
Balance of county	125	-	-	1	29	8	9	3	4	-	-	5	1	67	53	-	-	39	14
Douglas	3,369	3	-	71	753	186	227	65	87	24	24	140	73	1,444	1,128	6	39	747	336
Omaha	3,083	3	-	65	681	169	209	56	77	22	21	127	65	1,334	1,044	6	39	695	304
Balance of county	286	-	-	6	72	17	18	9	10	2	3	13	8	110	84	-	-	52	32
Dundy	35	-	-	-	5	3	1	-	-	-	-	1	2	18	16	-	1	7	8
Fillmore	98	-	-	1	25	8	4	4	1	-	2	6	3	51	40	-	-	25	15
Franklin	67	-	-	1	17	8	3	2	-	1	1	2	-	28	19	-	-	10	9
Frontier	42	-	-	-	8	1	-	1	2	3	-	1	1	20	14	-	-	10	4
Furnas	110	-	-	-	21	8	4	2	4	1	-	2	3	54	43	-	1	26	16
Gage	318	-	-	3	67	13	14	8	7	3	6	16	6	145	99	1	2	51	45
Beatrice	197	-	-	2	41	9	7	5	3	1	5	11	3	82	57	-	1	26	30
Balance of county	121	-	-	1	26	4	7	3	4	2	1	5	3	63	42	1	1	25	15
Garden	44	-	-	1	8	1	2	-	1	-	1	3	-	23	22	1	2	17	2
Garfield	31	-	-	-	5	-	1	-	1	-	1	2	-	15	14	-	-	7	7
Gosper	25	-	-	-	8	2	3	1	-	-	-	2	-	5	3	-	-	3	-
Grant	7	-	-	-	2	1	-	1	-	-	-	-	-	3	3	-	-	2	1
Greeley	43	-	-	-	11	4	3	1	-	3	-	-	-	19	11	-	-	9	2
Hall	486	-	-	4	110	31	34	5	14	3	5	18	8	194	156	1	3	80	72
Grand Island	402	-	-	2	88	23	28	5	11	3	4	14	7	155	125	1	2	67	55
Balance of county	84	-	-	2	22	8	6	-	3	-	1	4	1	39	31	-	1	13	17
Hamilton	82	-	-	-	18	4	3	2	3	1	1	4	-	38	32	-	1	13	18
Harlan	57	-	-	1	7	3	1	1	1	-	-	1	3	30	27	-	1	15	11
Hayes	9	-	-	-	3	-	-	-	2	-	-	1	-	1	1	-	-	1	-
Hitchcock	39	-	-	-	9	3	2	-	2	-	1	1	1	21	16	-	-	4	12
Holt	147	-	-	2	38	9	4	3	9	3	1	9	3	62	46	-	-	27	19
Hooker	12	-	-	-	2	1	-	-	-	1	-	-	-	7	7	-	-	1	6
Howard	73	-	-	1	19	5	6	1	4	-	-	3	2	34	26	1	-	18	7
Jefferson	130	-	-	2	35	7	6	6	6	2	1	7	1	57	48	-	-	41	7
Johnson	64	-	-	-	9	2	4	-	1	-	-	2	-	33	19	1	-	13	5
Kearney	70	-	-	-	28	10	4	3	4	1	-	6	2	22	21	-	-	12	9
Keith	99	-	-	3	21	2	10	3	-	2	1	3	3	46	33	1	-	26	6
Keya Paha	8	-	-	-	2	-	-	-	-	1	-	1	-	4	2	-	-	-	2
Kimball	57	-	-	-	11	3	1	4	2	-	-	1	1	21	15	-	-	13	2
Knox	149	-	-	-	33	12	6	1	2	3	3	6	5	90	76	-	1	64	11
Lancaster	1,501	-	-	14	324	81	92	26	33	14	9	69	35	662	502	8	17	297	180
Lincoln	1,376	-	-	13	295	72	83	24	33	12	9	62	33	602	453	6	17	265	165
Balance of county	125	-	-	1	29	9	9	2	-	2	-	7	2	60	49	2	-	32	15
Lincoln	330	-	-	1	66	19	12	7	9	2	2	15	4	146	117	1	-	69	47
North Platte	262	-	-	1	47	18	5	3	8	2	2	9	3	120	99	1	-	57	41
Balance of county	68	-	-	-	19	1	7	4	1	-	-	6	1	26	18	-	-	12	6
Logan	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Loup	5	-	-	-	3	2	-	-	1	-	-	-	-	1	1	-	-	1	-
McPherson	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Madison	318	-	-	2	69	15	19	6	9	1	2	17	7	157	109	-	2	78	29
Norfolk	194	-	-	-	46	11	15	4	4	1	1	10	5	88	54	-	1	38	15
Balance of county	124	-	-	2	23	4	4	2	5	-	1	7	2	69	55	-	1	40	14
Merrick	88	-	-	-	22	6	6	3	3	-	-	4	1	36	33	-	-	16	17
Morrill	73	-	-	-	15	4	3	-	5	-	-	3	-	32	25	-	-	16	9
Nance	50	-	-	1	10	2	-	4	2	-	1	1	-	24	17	-	1	9	7
Nemaha	83	-	-	-	12	3	3	1	-	1	-	4	2	32	28	-	1	17	10
Nuckolls	75	-	-	3	16	3	2	5	1	2	-	3	2	26	21	-	-	15	6
Otoe	212	-	-	4	40	10	10	-	6	2	2	10	3	79	66	1	2	40	23
Pawnee	52	-	-	-	9	4	1	1	1	1	-	1	-	29	27	-	2	14	11
Perkins	53	-	-	1	12	5	5	-	1	-	-	1	1	27	18	1	1	7	9
Phelps	119	-	-	1	16	4	2	1	3	-	1	5	8	63	44	-	-	34	10
Pierce	76	-	-	1	21	7	2	2	3	-	2	5	-	36	23	-	-	16	7
Platte	238	-	-	-	49	16	8	3	7	3	3	9	5	110	80	-	1	54	25
Columbus	181	-	-	-	31	10	6	2	4	-	3	6	5	85	61	-	1	41	19
Balance of county	57	-	-	-	18	6	2	1	3	3	-	3	-	25	19	-	-	13	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 100 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	–	2	–	–	4	4	1	–	1	–	–	–	3	11	–	2	–	–	–
Buffalo	–	32	2	5	23	13	1	2	4	–	2	1	4	44	7	7	2	–	–
Kearney	–	20	1	4	18	9	1	1	3	–	2	–	3	27	4	6	–	–	–
Balance of county	–	12	1	1	5	4	–	1	1	–	–	1	1	17	3	1	2	–	–
Burt	–	11	3	–	7	1	–	1	2	–	–	–	5	11	1	–	1	–	–
Butler	2	8	5	2	5	9	–	–	–	–	–	–	2	16	1	1	–	–	–
Cass	–	12	5	1	8	4	–	2	–	–	2	–	24	29	5	3	3	–	2
Cedar	–	13	4	3	10	2	–	1	2	–	–	–	3	16	1	3	1	–	–
Chase	1	8	–	3	1	–	–	–	–	–	–	–	1	4	–	1	1	–	–
Cherry	–	5	–	–	1	2	–	1	4	–	–	–	–	11	1	3	–	–	–
Cheyenne	–	2	–	1	–	8	1	–	1	–	–	1	–	15	2	–	–	–	–
Clay	1	5	1	2	4	1	–	–	–	–	–	–	1	6	3	1	–	–	–
Colfax	2	11	–	1	9	2	1	1	–	–	–	–	6	10	2	3	1	–	–
Cuming	2	8	–	1	4	5	–	1	1	–	–	1	1	14	3	4	–	–	–
Custer	1	11	–	1	11	10	2	1	–	–	2	1	–	14	3	6	1	–	–
Dakota	1	10	3	3	7	7	1	1	1	–	4	1	2	7	3	4	3	1	–
Dawes	–	11	–	4	7	4	1	1	–	–	1	–	3	11	–	2	2	–	–
Dawson	2	16	7	2	16	9	1	1	3	–	3	1	4	23	2	3	5	2	–
Deuel	–	1	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Dixon	–	13	1	–	1	4	–	1	–	–	1	1	1	8	2	2	1	–	–
Dodge	2	26	7	1	15	10	1	2	6	–	–	–	18	21	9	12	1	–	–
Fremont	1	16	5	–	11	8	1	1	5	–	–	–	13	17	3	8	1	–	–
Balance of county	1	10	2	1	4	2	–	1	1	–	–	–	5	4	6	4	–	–	–
Douglas	23	216	38	39	131	173	12	38	44	–	21	27	34	326	50	63	54	32	20
Omaha	22	197	37	34	119	157	12	36	44	–	21	24	32	295	38	59	49	32	17
Balance of county	1	19	1	5	12	16	–	2	–	–	–	3	2	31	12	4	5	–	3
Dundy	–	2	–	–	–	1	–	–	–	–	–	–	–	2	4	1	2	–	–
Fillmore	–	10	1	–	4	3	1	–	2	–	–	–	–	7	–	1	–	–	–
Franklin	–	8	–	1	3	2	1	–	4	–	–	–	–	8	1	2	–	–	–
Frontier	–	5	1	–	4	4	–	–	1	–	–	–	–	4	–	–	–	–	–
Furnas	1	6	2	2	4	9	–	2	1	–	–	–	–	7	5	2	1	1	–
Gage	5	28	9	4	14	13	4	1	3	–	–	–	4	43	3	10	2	–	–
Beatrice	2	14	7	2	8	13	2	1	3	–	–	–	3	31	1	5	2	–	–
Balance of county	3	14	2	2	6	–	2	–	–	–	–	–	1	12	2	5	–	–	–
Garden	–	1	–	–	–	3	–	–	2	–	–	–	–	4	2	–	–	–	1
Garfield	–	–	1	–	3	–	1	–	–	–	–	–	1	3	1	1	1	–	–
Gosper	–	1	1	–	2	2	–	1	–	–	–	–	–	5	–	1	1	–	–
Grant	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Greeley	–	8	–	–	2	2	–	–	–	–	–	–	1	7	–	1	–	–	–
Hall	3	32	1	2	25	26	–	3	6	–	5	1	17	50	17	5	13	2	–
Grand Island	2	25	1	2	22	21	–	3	6	–	5	–	15	46	14	5	12	1	–
Balance of county	1	7	–	–	3	5	–	–	–	–	–	1	2	4	3	–	1	1	–
Hamilton	–	5	–	1	4	3	–	–	–	–	1	–	–	7	5	3	2	1	–
Harlan	–	1	2	–	5	4	–	–	–	–	–	–	–	4	–	1	2	–	–
Hayes	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	1	–	–	–
Hitchcock	–	3	1	1	2	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Holt	–	13	–	3	8	5	–	1	1	–	–	–	2	11	5	6	1	2	–
Hooker	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Howard	–	8	–	–	3	3	1	–	1	–	–	1	–	4	–	2	2	–	–
Jefferson	–	9	–	–	9	3	–	1	–	–	–	–	–	13	5	2	2	–	–
Johnson	–	8	3	3	5	3	–	1	–	–	–	1	1	7	2	1	1	–	–
Kearney	–	1	–	–	6	1	–	–	–	–	1	–	1	4	1	1	2	1	–
Keith	–	7	4	2	5	4	–	2	–	–	–	–	–	6	5	3	1	–	–
Keya Paha	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Kimball	–	5	1	–	5	4	–	–	–	–	–	–	5	5	2	2	1	–	–
Knox	1	9	2	2	3	1	–	–	1	–	1	–	2	4	5	4	–	–	–
Lancaster	8	111	28	13	54	74	5	10	16	1	9	9	56	152	21	30	22	4	3
Lincoln	8	107	22	12	51	71	4	10	14	1	9	7	56	138	16	27	22	4	3
Balance of county	–	4	6	1	3	3	1	–	2	–	–	2	–	14	5	3	–	–	–
Lincoln	2	22	–	5	14	27	5	2	3	–	3	1	13	24	8	6	6	1	–
North Platte	2	15	–	4	14	22	4	2	3	–	–	1	11	21	3	4	5	1	–
Balance of county	–	7	–	1	–	5	1	–	–	–	3	–	2	3	5	2	1	–	–
Logan	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Loup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
McPherson	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Madison	2	37	4	5	12	13	1	1	2	–	3	–	7	30	8	3	2	1	–
Norfolk	1	30	–	3	6	11	1	1	–	–	2	–	6	21	3	2	1	1	–
Balance of county	1	7	4	2	6	2	–	–	2	–	1	–	1	9	5	1	1	–	–
Merrick	–	3	–	–	7	3	1	–	1	–	–	–	2	10	2	2	1	–	–
Morrill	–	2	4	1	5	4	1	–	–	–	1	–	–	11	2	2	–	–	–
Nance	–	6	1	–	5	3	–	–	–	–	1	–	–	2	2	1	1	–	–
Nemaha	–	1	3	–	7	8	–	–	1	–	2	–	1	12	1	3	1	–	1
Nuckolls	–	2	–	3	2	5	–	1	4	–	–	–	–	11	1	4	–	–	–
Otoe	1	7	1	4	10	8	1	–	4	–	–	–	28	27	4	3	1	–	–
Pawnee	–	2	–	–	2	2	–	–	1	–	–	–	–	6	–	2	–	–	1
Perkins	–	6	2	1	4	2	1	–	–	–	1	–	–	3	1	–	–	–	–
Phelps	–	17	–	2	4	8	2	1	2	–	1	–	–	9	1	–	3	–	–
Pierce	–	12	–	1	5	3	–	1	–	–	–	–	–	2	5	–	2	–	–
Platte	1	24	3	2	11	12	–	2	2	–	–	–	2	24	8	7	4	1	1
Columbus	1	20	1	2	9	10	–	2	2	–	–	–	2	21	4	6	3	1	–
Balance of county	–	4	2	–	2	2	–	–	–	–	–	–	–	3	4	1	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 101 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	82	-	-	-	15	6	-	5	-	-	-	4	-	50	32	-	-	26	6
Red Willow	123	-	-	1	30	4	8	2	5	1	-	10	2	53	37	1	1	15	20
Richardson	171	-	-	2	36	16	4	1	3	3	3	6	3	65	51	1	-	24	26
Rock	22	-	-	-	5	2	-	-	1	-	-	2	-	11	10	-	-	8	2
Saline	167	-	-	2	35	9	6	5	2	1	1	11	3	71	54	-	1	24	29
Sarpy	399	-	-	6	106	24	35	10	5	4	2	26	5	180	149	4	2	78	65
Bellevue	155	-	-	2	41	10	10	4	2	2	1	12	1	76	63	2	1	27	33
Balance of county	244	-	-	4	65	14	25	6	3	2	1	14	4	104	86	2	1	51	32
Saunders	160	-	-	3	32	7	7	2	5	5	1	5	7	70	53	-	-	36	17
Scotts Bluff	366	-	-	5	67	13	19	3	12	2	2	16	13	162	117	1	-	79	37
Scottsbluff	161	-	-	2	30	7	6	-	7	1	-	9	6	72	48	1	-	32	15
Balance of county	205	-	-	3	37	6	13	3	5	1	2	7	7	90	69	-	-	47	22
Seward	153	-	-	1	30	5	2	7	3	1	4	8	2	85	75	1	-	47	27
Sheridan	91	-	-	1	19	6	8	-	1	2	-	2	2	42	31	-	-	19	12
Sherman	45	-	-	-	9	1	3	1	-	1	-	3	-	21	19	-	-	17	2
Sioux	10	-	-	-	3	1	1	-	-	-	-	1	-	5	5	-	-	3	2
Stanton	42	-	-	-	8	1	2	1	1	-	-	3	-	20	18	1	-	14	3
Thayer	110	-	-	2	22	9	2	3	2	1	-	5	1	55	46	-	-	24	22
Thomas	6	-	-	-	2	1	-	-	-	-	-	1	-	3	2	-	-	2	-
Thurston	86	-	-	-	24	7	7	-	5	-	2	3	2	37	23	-	-	10	13
Valley	55	-	-	1	8	2	2	1	1	1	-	1	2	27	20	1	1	12	6
Washington	156	-	-	4	37	6	10	2	5	1	1	12	4	74	55	-	1	33	21
Wayne	68	-	-	-	13	3	5	1	2	1	-	1	4	36	26	-	1	19	6
Webster	89	-	-	-	11	3	4	1	1	1	-	1	2	46	42	-	-	28	14
Wheeler	8	-	-	-	1	1	-	-	-	-	-	-	-	4	1	-	-	1	-
York	162	-	-	1	29	12	6	-	3	3	2	3	4	88	69	1	-	40	28
Nevada	9,963	5	-	275	2,389	470	842	165	227	91	82	512	185	3,850	3,207	27	175	1,517	1,488
Urban places	5,652	4	-	172	1,340	273	467	94	130	49	42	285	107	2,188	1,820	17	102	877	824
Balance of area	4,311	1	-	103	1,049	197	375	71	97	42	40	227	78	1,662	1,387	10	73	640	664
Metropolitan counties	8,221	3	-	239	1,993	400	704	140	186	75	67	421	150	3,170	2,648	23	160	1,222	1,243
Urban places	5,199	3	-	162	1,227	254	428	89	116	44	38	258	92	2,005	1,676	17	97	795	767
Balance of area	3,022	-	-	77	766	146	276	51	70	31	29	163	58	1,165	972	6	63	427	476
Nonmetropolitan counties	1,742	2	-	36	396	70	138	25	41	16	15	91	35	680	559	4	15	295	245
Urban places	453	1	-	10	113	19	39	5	14	5	4	27	15	183	144	-	5	82	57
Balance of area	1,289	1	-	26	283	51	99	20	27	11	11	64	20	497	415	4	10	213	188
Carson City city	453	1	-	10	113	19	39	5	14	5	4	27	15	183	144	-	5	82	57
Churchill	187	1	-	2	45	9	18	5	2	2	1	8	5	78	66	1	2	40	23
Clark	6,201	2	-	186	1,526	303	531	108	145	61	56	322	123	2,358	1,960	20	117	826	997
Henderson	405	-	-	11	97	23	35	5	7	4	4	19	8	159	136	2	9	45	80
Las Vegas	2,601	1	-	84	649	131	222	53	65	25	21	132	52	991	823	9	46	351	417
North Las Vegas	388	1	-	16	67	11	21	4	7	3	3	18	9	127	103	3	5	43	52
Balance of county	2,807	-	-	75	713	138	253	46	66	29	28	153	54	1,081	898	6	57	387	448
Douglas	212	-	-	5	50	8	13	5	7	3	3	11	1	86	66	-	2	39	25
Elko	169	-	-	4	31	4	8	3	5	-	-	11	2	68	55	1	-	11	43
Esmeralda	9	-	-	-	2	-	-	-	-	-	-	2	-	4	4	-	-	-	4
Eureka	10	-	-	-	2	-	-	-	-	1	-	1	-	4	4	-	-	4	-
Humboldt	87	-	-	2	12	2	6	2	-	-	-	2	1	35	34	1	-	21	12
Lander	24	-	-	-	7	4	1	1	-	1	-	-	-	9	7	-	-	1	6
Lincoln	40	-	-	1	6	1	2	1	-	-	-	2	1	18	14	-	-	8	6
Lyon	217	-	-	5	56	8	22	2	8	1	3	12	1	83	71	-	2	42	27
Mineral	73	-	-	-	14	4	4	-	3	-	1	2	1	21	17	-	1	10	6
Nye	129	-	-	4	30	5	13	1	-	1	3	7	2	53	43	1	1	23	18
Pershing	33	-	-	-	5	1	3	-	-	-	-	1	-	11	10	-	-	6	4
Storey	14	-	-	1	4	-	2	-	-	-	-	2	1	2	1	-	-	1	-
Washoe	2,020	1	-	53	467	97	173	32	41	14	11	99	27	812	688	3	43	396	246
Reno	1,372	1	-	42	304	67	110	21	26	8	6	66	14	557	471	2	31	267	171
Sparks	433	-	-	9	110	22	40	6	11	4	4	23	9	171	143	1	6	89	47
Balance of county	215	-	-	2	53	8	23	5	4	2	1	10	4	84	74	-	6	40	28
White Pine	85	-	-	2	19	5	7	-	2	2	-	3	5	25	23	-	2	7	14
New Hampshire	8,413	-	-	118	2,243	494	644	203	261	89	80	472	205	3,528	2,723	31	73	1,722	897
Urban places	3,388	-	-	49	859	188	254	81	92	36	37	171	82	1,500	1,140	12	28	702	398
Balance of area	5,025	-	-	69	1,384	306	390	122	169	53	43	301	123	2,028	1,583	19	45	1,020	499
Metropolitan counties	4,605	-	-	74	1,260	264	357	119	144	51	51	274	98	1,944	1,491	19	47	876	549
Urban places	2,251	-	-	33	585	127	169	56	60	26	26	121	42	1,001	764	6	23	441	294
Balance of area	2,354	-	-	41	675	137	188	63	84	25	25	153	56	943	727	13	24	435	255
Nonmetropolitan counties	3,808	-	-	44	983	230	287	84	117	38	29	198	107	1,584	1,232	12	26	846	348
Urban places	1,137	-	-	16	274	61	85	25	32	10	11	50	40	499	376	6	5	261	104
Balance of area	2,671	-	-	28	709	169	202	59	85	28	18	148	67	1,085	856	6	21	585	244
Belknap	464	-	-	3	123	33	27	13	18	2	3	27	6	203	160	2	2	103	53
Laconia	174	-	-	3	47	10	10	5	7	1	2	12	2	84	65	2	-	36	27
Balance of county	290	-	-	-	76	23	17	8	11	1	1	15	4	119	95	-	2	67	26
Carroll	371	-	-	7	103	17	38	9	14	2	6	17	5	148	120	1	2	80	37
Cheshire	603	-	-	6	145	38	40	7	20	6	4	30	24	248	172	2	7	132	31
Keene	211	-	-	3	50	11	16	4	8	-	1	10	13	99	60	2	-	47	11
Balance of county	392	-	-	3	95	27	24	3	12	6	3	20	11	149	112	-	7	85	20
Coos	410	-	-	5	104	24	33	13	8	2	3	21	11	172	139	-	-	98	41
Berlin	157	-	-	-	43	7	16	7	4	2	2	5	4	64	55	-	-	33	22
Balance of county	253	-	-	5	61	17	17	6	4	-	1	16	7	108	84	-	-	65	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 102 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Polk	3	12	1	2	2	1	–	–	2	–	–	–	4	5	–	2	1	–	–
Red Willow	–	9	3	4	7	4	–	–	–	–	2	1	–	13	2	7	1	–	–
Richardson	1	8	3	2	3	6	–	2	3	–	2	–	24	15	4	2	2	–	2
Rock	–	1	–	–	1	1	–	–	–	–	–	–	–	3	–	1	–	–	–
Saline	2	12	2	1	6	7	1	–	–	–	2	–	10	19	3	5	2	1	–
Sarpy	2	23	2	4	20	14	–	5	7	–	5	4	4	25	5	7	5	1	–
Bellevue	–	11	–	2	8	5	–	4	2	–	1	–	2	9	2	2	–	–	–
Balance of county	2	12	2	2	12	9	–	1	5	–	4	4	2	16	3	5	5	1	–
Saunders	–	13	3	1	7	7	–	–	2	–	2	–	4	16	6	3	1	–	–
Scotts Bluff	2	24	10	9	19	29	–	4	–	–	1	1	19	23	5	9	6	3	–
Scottsbluff	1	13	7	3	9	11	–	1	–	–	–	–	7	14	2	3	1	3	–
Balance of county	1	11	3	6	10	18	–	3	–	–	1	1	12	9	3	6	5	–	–
Seward	–	9	–	1	4	6	–	–	2	–	–	–	1	9	3	5	5	–	–
Sheridan	–	7	2	2	3	7	–	–	–	–	–	–	1	10	2	3	1	–	–
Sherman	1	1	–	–	5	–	–	–	–	–	–	–	1	4	4	1	–	–	–
Sioux	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Stanton	–	1	–	1	4	1	–	–	1	–	1	–	–	4	1	2	–	–	–
Thayer	–	7	2	–	7	3	1	1	1	–	–	–	1	12	3	1	–	–	–
Thomas	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Thurston	–	13	1	–	4	4	–	4	–	–	–	–	2	6	2	1	–	–	–
Valley	–	3	2	2	3	2	–	–	1	–	–	–	–	8	1	1	1	–	–
Washington	–	14	1	4	6	5	–	–	–	–	–	–	1	15	5	3	1	–	1
Wayne	–	7	2	1	–	1	–	1	–	–	–	–	1	8	1	2	1	–	–
Webster	–	4	–	–	9	4	–	–	1	–	–	–	–	8	3	2	3	–	–
Wheeler	–	3	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
York	1	12	2	4	11	5	–	–	–	1	–	1	3	11	4	3	–	1	–
Nevada	34	478	48	83	243	630	27	172	134	3	61	57	106	836	272	214	319	164	21
Urban places	25	273	32	38	137	381	13	98	85	2	39	36	60	464	131	117	159	106	13
Balance of area	9	205	16	45	106	249	14	74	49	1	22	21	46	372	141	97	160	58	8
Metropolitan counties	24	393	39	66	194	543	18	143	117	3	51	44	86	680	195	167	260	147	18
Urban places	20	250	27	32	125	363	12	91	83	2	36	32	56	425	117	106	148	102	12
Balance of area	4	143	12	34	69	180	6	52	34	1	15	12	30	255	78	61	112	45	6
Nonmetropolitan counties	10	85	9	17	49	87	9	29	17	–	10	13	20	156	77	47	59	17	3
Urban places	5	23	5	6	12	18	1	7	2	–	3	4	4	39	14	11	11	4	1
Balance of area	5	62	4	11	37	69	8	22	15	–	7	9	16	117	63	36	48	13	2
Carson City city	5	23	5	6	12	18	1	7	2	–	3	4	4	39	14	11	11	4	1
Churchill	1	10	–	1	6	10	1	2	1	–	–	1	2	16	3	4	8	2	–
Clark	17	307	28	46	139	381	10	100	95	2	42	32	61	523	153	129	198	126	15
Henderson	2	13	4	4	6	27	–	8	4	–	2	1	4	44	14	8	9	2	1
Las Vegas	8	136	12	12	53	165	4	34	49	1	17	19	27	190	63	60	78	58	6
North Las Vegas	3	20	1	–	13	23	1	11	8	1	8	4	6	50	8	6	5	22	2
Balance of county	4	138	11	30	67	166	5	47	34	–	15	8	24	239	68	55	106	44	6
Douglas	2	14	1	3	3	9	–	6	2	–	1	2	4	23	5	5	8	1	1
Elko	–	10	2	1	12	9	1	–	1	–	2	–	3	13	11	6	4	2	–
Esmeralda	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Eureka	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
Humboldt	–	1	–	–	4	2	–	1	2	–	1	–	–	9	8	1	5	4	–
Lander	1	1	–	–	–	1	1	–	–	–	–	–	–	1	3	1	1	–	–
Lincoln	–	4	–	–	1	1	–	–	1	–	–	–	–	4	1	1	3	1	1
Lyon	1	6	–	5	4	12	2	4	4	–	1	2	4	15	9	7	7	1	–
Mineral	–	4	–	–	2	10	–	2	–	–	–	2	1	9	5	2	4	–	–
Nye	–	8	1	1	3	7	1	2	3	–	1	–	–	8	8	4	2	1	–
Pershing	–	1	–	–	1	2	–	–	1	–	1	1	1	6	2	1	–	1	–
Storey	–	1	–	–	–	–	–	1	–	–	–	–	–	4	–	–	1	–	–
Washoe	7	86	11	20	55	162	8	43	22	1	9	12	25	157	42	38	62	21	3
Reno	5	60	9	12	44	117	6	28	18	–	7	4	15	112	25	20	41	15	2
Sparks	2	21	1	4	9	31	1	10	4	–	2	4	4	29	7	12	15	5	1
Balance of county	–	5	1	4	2	14	1	5	–	1	–	4	6	16	10	6	6	1	–
White Pine	–	2	–	–	1	4	2	2	–	–	–	1	1	7	7	4	5	–	–
New Hampshire	42	557	81	125	274	402	24	94	78	–	47	37	53	836	153	139	130	34	18
Urban places	15	250	46	49	116	157	12	38	28	–	19	10	23	327	43	46	46	20	13
Balance of area	27	307	35	76	158	245	12	56	50	–	28	27	30	509	110	93	84	14	5
Metropolitan counties	24	312	55	62	146	198	12	54	45	–	30	21	31	428	80	74	78	17	15
Urban places	9	171	31	26	76	98	8	29	22	–	16	8	17	199	34	27	34	12	10
Balance of area	15	141	24	36	70	100	4	25	23	–	14	13	14	229	46	47	44	5	5
Nonmetropolitan counties	18	245	26	63	128	204	12	40	33	–	17	16	22	408	73	65	52	17	3
Urban places	6	79	15	23	40	59	4	9	6	–	3	2	6	128	9	19	12	8	3
Balance of area	12	166	11	40	88	145	8	31	27	–	14	14	16	280	64	46	40	9	–
Belknap	2	27	4	10	17	27	1	9	2	–	1	1	1	46	9	11	3	1	–
Laconia	1	10	3	5	6	8	–	2	–	–	–	–	1	16	1	3	–	1	–
Balance of county	1	17	1	5	11	19	1	7	2	–	1	1	–	30	8	8	3	–	–
Carroll	3	16	2	7	9	13	–	4	2	–	5	1	5	44	12	7	6	–	–
Cheshire	7	50	9	10	28	33	3	3	4	–	3	5	3	64	14	11	6	2	1
Keene	5	21	7	6	8	12	–	–	2	–	1	–	1	15	3	2	1	–	1
Balance of county	2	29	2	4	20	21	3	3	2	–	2	5	2	49	11	9	5	2	–
Coos	1	24	1	7	9	23	2	4	6	–	1	2	1	50	8	7	5	–	–
Berlin	–	6	–	3	4	6	1	–	1	–	–	1	–	30	–	3	–	–	–
Balance of county	1	18	1	4	5	17	1	4	5	–	1	1	1	20	8	4	5	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 103 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	603	–	–	7	167	38	45	16	16	10	4	38	17	236	179	1	1	133	44
Lebanon	81	–	–	1	20	4	7	3	1	1	1	3	4	41	29	–	–	25	4
Balance of county	522	–	–	6	147	34	38	13	15	9	3	35	13	195	150	1	1	108	40
Hillsborough	2,344	–	–	32	635	133	192	54	65	25	30	136	44	1,011	770	9	26	410	325
Manchester	966	–	–	21	251	53	79	25	22	12	14	46	18	445	340	2	10	176	152
Nashua	521	–	–	1	139	29	38	12	16	7	6	31	6	215	158	–	6	89	63
Balance of county	857	–	–	10	245	51	75	17	27	6	10	59	20	351	272	7	10	145	110
Merrimack	984	–	–	11	249	66	78	15	27	11	6	46	31	416	330	6	12	200	112
Concord	343	–	–	6	76	25	20	4	8	3	4	12	9	143	112	2	4	78	28
Balance of county	641	–	–	5	173	41	58	11	19	8	2	34	22	273	218	4	8	122	84
Rockingham	1,520	–	–	30	429	86	114	46	55	17	12	99	41	620	481	9	16	299	157
Portsmouth	213	–	–	4	54	15	11	7	6	1	–	14	9	95	74	3	3	43	25
Balance of county	1,307	–	–	26	375	71	103	39	49	16	12	85	32	525	407	6	13	256	132
Strafford	741	–	–	12	196	45	51	19	24	9	9	39	13	313	240	1	5	167	67
Dover	214	–	–	2	52	8	13	6	9	–	1	15	1	101	80	1	–	54	25
Rochester	245	–	–	4	58	15	16	3	6	4	4	10	5	98	75	–	4	48	23
Somersworth	92	–	–	1	31	7	12	3	1	2	1	5	3	47	37	–	–	31	6
Balance of county	190	–	–	5	55	15	10	7	8	3	3	9	4	67	48	–	1	34	13
Sullivan	373	–	–	5	92	14	26	11	14	5	3	19	13	161	132	–	2	100	30
Claremont	171	–	–	3	38	4	16	2	4	3	1	8	8	68	55	–	1	42	12
Balance of county	202	–	–	2	54	10	10	9	10	2	2	11	5	93	77	–	1	58	18
New Jersey	70,492	74	3	3,304	18,179	4,705	4,857	1,793	1,994	750	595	3,485	1,988	28,933	23,366	256	782	16,542	5,786
Urban places	50,046	58	2	2,748	12,557	3,303	3,325	1,238	1,393	505	396	2,397	1,447	20,502	16,569	181	590	11,685	4,113
Balance of area	20,446	16	1	556	5,622	1,402	1,532	555	601	245	199	1,088	541	8,431	6,797	75	192	4,857	1,673
Metropolitan counties	70,492	74	3	3,304	18,179	4,705	4,857	1,793	1,994	750	595	3,485	1,988	28,933	23,366	256	782	16,542	5,786
Urban places	50,046	58	2	2,748	12,557	3,303	3,325	1,238	1,393	505	396	2,397	1,447	20,502	16,569	181	590	11,685	4,113
Balance of area	20,446	16	1	556	5,622	1,402	1,532	555	601	245	199	1,088	541	8,431	6,797	75	192	4,857	1,673
Nonmetropolitan counties	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of area	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atlantic	2,389	1	–	92	588	153	172	57	56	24	22	104	58	1,029	830	5	37	544	244
Atlantic City	747	1	–	45	143	40	46	12	16	2	5	22	18	323	279	2	13	182	82
Hammonton	146	–	–	5	42	10	8	2	3	2	2	15	5	66	49	–	1	37	11
Pleasantville	199	–	–	3	50	12	19	4	5	3	3	4	3	79	53	–	2	34	17
Somers Point	121	–	–	2	38	8	11	4	5	2	1	7	–	50	35	–	3	19	13
Ventnor City	129	–	–	4	31	7	4	7	4	2	1	6	2	65	58	–	1	44	13
Balance of county	1,047	–	–	33	284	76	84	28	23	13	10	50	30	446	356	3	17	228	108
Bergen	7,741	4	1	219	2,194	576	560	227	251	86	75	419	198	3,375	2,754	38	55	2,085	576
Bergenfield	202	–	–	8	62	18	9	8	6	2	4	15	8	75	63	3	1	46	13
Cliffside Park	240	–	–	7	52	14	14	8	6	3	1	6	6	122	100	3	6	71	20
Dumont	157	1	–	5	46	10	10	7	6	2	2	9	3	78	64	–	–	53	11
Elmwood Park	190	–	–	7	58	15	14	8	6	3	3	9	3	82	68	1	–	53	14
Englewood	255	–	–	14	71	17	22	7	7	1	2	15	10	100	78	–	3	54	21
Fair Lawn	334	–	–	9	88	30	21	3	9	3	3	19	9	158	128	2	1	108	17
Fairview	107	–	–	–	42	10	10	6	3	1	3	9	3	42	34	1	1	26	6
Fort Lee	310	1	–	7	91	33	14	9	10	5	2	18	2	142	118	3	3	84	28
Garfield	328	–	–	8	88	28	18	6	12	5	1	18	5	144	121	2	2	97	20
Glen Rock	104	–	–	5	29	8	10	4	3	1	–	3	1	43	32	1	–	17	14
Hackensack	354	1	–	13	89	25	32	10	8	2	3	9	9	157	125	2	6	86	31
Hasbrouck Heights	96	1	–	–	21	9	3	1	3	–	1.	4	4	57	46	–	1	38	7
Hillsdale	78	–	–	4	20	3	6	7	1	2	–	1	1	30	22	–	–	17	5
Lodi	232	–	–	9	62	13	23	8	7	3	3	5	13	98	82	2	1	61	18
Lyndhurst township#	221	–	–	7	52	17	15	3	7	1	–	9	8	108	91	1	1	71	18
New Milford	150	–	–	4	42	9	14	3	3	1	1	11	6	60	51	–	1	41	9
North Arlington	178	–	–	3	47	14	8	2	5	5	–	13	7	94	75	–	1	57	17
Oakland	79	–	–	4	18	4	7	4	1	–	–	2	–	37	32	–	2	25	5
Palisades Park	123	–	–	3	36	11	8	3	6	3	–	5	2	57	45	–	2	37	6
Paramus	241	–	–	4	59	15	14	11	5	1	3	10	9	113	92	1	3	65	23
Ramsey	77	–	–	1	27	7	9	2	5	–	–	4	–	32	23	–	–	17	6
Ridgefield	138	–	–	4	37	7	12	5	3	3	2	5	2	70	55	–	2	42	11
Ridgefield Park	57	–	–	2	24	5	3	1	5	3	1	6	2	17	16	1	–	7	8
Ridgewood	184	–	–	3	53	17	11	4	8	3	1	9	1	81	62	1	1	44	16
River Edge	106	–	–	1	37	7	11	3	3	–	2	11	3	37	27	–	1	16	10
Rutherford	182	–	–	6	46	15	8	1	7	3	1	11	5	83	69	1	1	53	14
Saddle Brook township#	126	–	–	3	39	9	18	2	1	1	–	8	–	55	46	1	–	35	10
Teaneck township#	328	–	–	14	90	25	15	13	7	4	4	22	8	141	120	1	3	86	30
Tenafly	110	–	–	5	39	8	6	5	11	3	1	5	–	43	33	–	1	29	3
Waldwick	74	–	–	3	22	6	8	2	2	–	1	3	6	27	24	–	–	19	5
Wallington	103	–	–	3	26	4	6	2	6	1	2	5	–	49	42	–	–	31	11
Westwood	95	–	–	3	30	10	9	3	3	1	1	3	3	35	29	–	–	24	5
Wyckoff township#	131	–	–	–	38	8	9	3	7	1	1	9	2	54	46	1	–	32	13
Balance of county	2,051	–	1	50	613	145	163	63	69	19	26	128	57	854	695	10	11	543	131
Burlington	2,941	2	–	93	793	190	234	81	70	37	18	163	69	1,217	997	7	22	687	281
Burlington	100	–	–	5	25	10	8	1	2	–	1	3	2	48	39	1	1	27	10
Cinnaminson township#	131	–	–	6	40	4	11	5	5	2	–	13	2	58	48	–	1	32	15
Delran township#	97	–	–	3	32	7	9	4	3	1	1	7	1	39	37	–	–	23	14
Maple Shade township#	188	–	–	3	54	13	16	2	4	1	1	17	6	72	56	–	2	43	11
Moorestown township#	178	–	–	3	50	16	14	3	7	3	1	6	–	78	60	–	1	38	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 104 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	1	41	5	10	17	37	4	6	7	–	2	1	5	62	15	9	7	4	–
Lebanon	–	8	1	3	1	5	1	1	–	–	–	–	1	5	1	–	–	–	–
Balance of county	1	33	4	7	16	32	3	5	7	–	2	1	4	57	14	9	7	4	–
Hillsborough	12	165	36	28	74	104	6	31	23	–	11	12	16	213	34	40	41	11	6
Manchester	3	78	15	9	24	39	2	15	10	–	3	2	9	82	13	10	13	6	3
Nashua	3	35	10	9	25	24	2	8	7	–	4	5	3	54	9	4	10	3	2
Balance of county	6	52	11	10	25	41	2	8	6	–	4	5	4	77	12	26	18	2	1
Merrimack	3	67	2	14	38	45	–	12	8	–	2	5	6	108	7	14	22	9	1
Concord	–	25	1	5	17	14	–	6	1	–	1	1	2	41	3	7	8	7	1
Balance of county	3	42	1	9	21	31	–	6	7	–	1	4	4	67	4	7	14	2	–
Rockingham	9	92	12	26	48	63	3	16	16	–	8	7	9	147	28	21	25	4	5
Portsmouth	–	17	1	3	9	11	1	–	1	–	1	–	1	18	1	3	2	2	1
Balance of county	9	75	11	23	39	52	2	16	15	–	7	7	8	129	27	18	23	2	4
Strafford	3	55	7	8	24	31	3	7	6	–	11	2	6	68	18	13	12	2	4
Dover	1	14	3	3	5	12	–	5	1	–	3	–	2	17	4	4	3	–	2
Rochester	–	19	2	2	13	11	2	1	2	–	5	1	–	25	7	5	6	1	1
Somersworth	2	8	–	–	–	1	1	–	1	–	–	–	2	3	–	1	–	–	1
Balance of county	–	14	2	3	6	7	–	1	2	–	3	1	2	23	7	3	3	1	–
Sullivan	1	20	3	5	10	26	2	2	4	–	3	1	1	34	8	6	3	1	1
Claremont	–	9	3	1	4	14	2	–	2	–	1	–	1	21	1	4	3	–	1
Balance of county	1	11	–	4	6	12	–	2	2	–	2	1	–	13	7	2	–	1	–
New Jersey	261	4,021	444	841	2,260	2,369	177	884	846	12	338	546	960	6,573	857	1,190	513	449	37
Urban places	190	2,833	324	586	1,574	1,581	123	677	619	9	235	422	759	4,618	553	848	320	367	27
Balance of area	71	1,188	120	255	686	788	54	207	227	3	103	124	201	1,955	304	342	193	82	10
Metropolitan counties	261	4,021	444	841	2,260	2,369	177	884	846	12	338	546	960	6,573	857	1,190	513	449	37
Urban places	190	2,833	324	586	1,574	1,581	123	677	619	9	235	422	759	4,618	553	848	320	367	27
Balance of area	71	1,188	120	255	686	788	54	207	227	3	103	124	201	1,955	304	342	193	82	10
Nonmetropolitan counties	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of area	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atlantic	7	152	15	25	72	81	6	34	27	–	10	20	52	183	44	38	29	23	2
Atlantic City	1	33	4	6	32	21	2	18	14	–	5	7	22	53	8	14	10	11	–
Hammonton	3	13	1	–	1	4	1	1	–	–	1	2	–	11	5	–	2	–	–
Pleasantville	–	17	4	5	4	11	–	3	1	–	–	4	11	15	3	7	2	2	1
Somers Point	–	11	1	3	1	6	–	1	1	–	–	1	2	13	3	1	2	–	–
Ventnor City	–	6	–	1	1	8	–	2	1	–	1	–	–	12	–	1	–	1	–
Balance of county	3	72	5	10	33	31	3	9	10	–	3	6	17	79	25	15	13	9	1
Bergen	21	465	41	94	246	242	22	78	66	–	32	38	90	640	87	109	63	33	4
Bergenfield	1	11	–	–	10	7	–	2	3	–	–	–	3	13	3	6	1	1	–
Cliffside Park	2	16	2	2	7	7	–	3	1	–	1	–	2	22	4	3	–	3	–
Dumont	–	9	2	3	4	5	2	2	1	–	–	–	1	8	–	–	1	–	–
Elmwood Park	–	12	–	2	5	6	–	5	1	–	–	–	4	16	1	1	1	–	–
Englewood	–	20	1	1	15	7	–	2	–	–	1	–	3	19	3	4	3	3	–
Fair Lawn	–	24	–	6	13	7	2	1	5	–	3	–	6	24	6	2	1	–	–
Fairview	1	5	1	1	3	2	–	1	–	–	–	–	–	6	3	3	2	–	–
Fort Lee	–	18	1	5	8	10	1	3	3	–	1	–	2	29	2	3	2	3	–
Garfield	1	14	4	4	11	11	3	6	4	–	2	2	6	23	9	3	3	–	–
Glen Rock	–	9	–	2	3	4	–	1	–	–	1	–	1	8	2	4	2	–	–
Hackensack	1	22	1	8	5	13	–	5	1	–	2	6	8	29	1	10	2	2	1
Hasbrouck Heights	–	7	1	3	2	4	–	–	–	–	–	–	–	4	–	1	2	–	–
Hillsdale	1	3	1	3	3	4	–	1	4	–	–	1	1	7	–	1	1	–	–
Lodi	–	13	–	3	4	5	1	5	–	–	1	2	1	21	5	2	1	–	2
Lyndhurst township#	2	13	–	2	6	6	1	1	1	–	–	1	3	20	1	4	2	–	–
New Milford	1	6	1	1	10	7	–	–	–	–	1	–	3	14	3	–	–	–	–
North Arlington	–	18	–	1	2	6	–	1	2	–	–	1	4	10	–	–	–	1	–
Oakland	–	4	–	1	4	1	1	2	1	–	–	1	1	5	1	1	2	–	–
Palisades Park	–	11	1	–	8	1	1	–	1	–	1	1	3	6	–	3	–	–	–
Paramus	–	18	2	1	10	4	3	2	3	–	–	–	3	19	3	6	1	2	–
Ramsey	1	7	–	1	1	6	–	2	1	–	–	–	1	5	–	–	1	–	–
Ridgefield	–	12	–	3	1	2	–	1	1	–	2	–	4	10	–	2	2	–	–
Ridgefield Park	–	–	1	–	1	4	–	–	–	–	1	1	1	3	1	–	–	–	–
Ridgewood	–	16	1	2	8	2	1	2	2	–	–	–	–	20	4	5	1	1	–
River Edge	–	9	1	–	4	2	–	1	2	–	–	6	–	10	3	–	–	–	–
Rutherford	2	7	2	3	6	9	–	2	–	–	–	–	3	17	1	3	–	1	–
Saddle Brook township#	1	5	–	3	3	4	1	3	2	–	–	–	–	14	–	1	1	–	–
Teaneck township#	–	16	1	4	6	7	1	2	1	–	2	5	5	30	4	7	4	1	–
Tenafly	1	6	1	2	–	3	1	–	2	–	–	–	1	9	3	–	1	2	1
Waldwick	–	2	–	1	1	4	–	–	1	–	–	–	1	8	–	1	–	–	–
Wallington	1	5	–	1	5	4	–	1	–	–	–	–	1	7	2	1	4	–	–
Westwood	–	5	–	1	8	2	–	–	–	–	–	–	–	10	2	2	–	–	–
Wyckoff township#	1	5	–	2	3	5	1	–	1	–	3	3	1	18	1	1	–	–	–
Balance of county	4	117	16	22	66	71	2	21	22	–	10	8	17	176	19	29	22	13	–
Burlington	8	178	6	28	114	109	10	25	32	–	26	26	19	267	49	57	22	10	1
Burlington	–	7	–	2	3	–	1	2	1	–	1	–	1	5	3	3	–	–	–
Cinnaminson township#	1	7	1	1	6	1	–	1	4	–	–	–	–	11	1	1	–	–	–
Delran township#	–	2	–	–	–	4	–	–	2	–	–	–	1	12	1	2	–	–	–
Maple Shade township#	–	13	–	3	9	7	1	1	4	–	–	1	3	24	1	1	–	1	–
Moorestown township#	2	13	1	2	12	7	1	–	4	–	1	1	1	13	2	4	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 105 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	159	–	–	8	33	6	12	–	5	1	1	8	2	61	54	1	1	36	16
Pemberton township#	237	–	–	11	51	10	19	7	4	5	1	5	5	93	73	–	1	64	8
Willingboro township#	215	1	–	15	67	11	22	10	2	3	2	17	9	85	68	–	6	38	24
Balance of county	1,636	1	–	39	441	113	123	49	38	21	10	87	42	683	562	5	9	386	162
Camden	4,475	2	–	148	1,124	254	306	103	118	57	39	247	129	1,844	1,471	16	74	969	412
Bellmawr	125	–	–	2	35	10	8	2	5	3	–	7	2	57	47	2	3	29	13
Camden	793	–	–	44	161	27	41	13	24	6	7	43	23	296	240	3	17	138	82
Cherry Hill township#	642	–	–	12	173	40	48	23	21	8	4	29	14	282	215	4	9	143	59
Collingswood	164	–	–	4	41	6	6	6	2	4	–	17	10	60	44	1	5	27	11
Gloucester township#	294	–	–	11	80	22	19	7	7	4	5	16	16	116	98	–	1	67	30
Gloucester City	127	–	–	1	33	10	12	3	2	1	1	4	7	49	37	–	2	27	8
Haddon township#	207	–	–	4	47	11	12	5	5	–	3	11	6	98	77	–	2	54	21
Haddonfield	80	–	–	1	28	6	5	3	5	1	3	5	2	37	28	1	2	15	10
Lindenwold	122	–	–	6	30	3	9	5	1	2	2	8	4	42	33	–	2	22	9
Pennsauken township#	384	–	–	14	101	26	37	6	7	5	1	19	10	157	128	–	8	89	31
Voorhees township#	168	–	–	9	30	9	6	2	3	2	–	8	2	70	58	1	1	45	11
Balance of county	1,369	2	–	40	365	84	103	28	36	21	13	80	33	580	466	4	22	313	127
Cape May	1,225	1	–	27	342	84	84	30	46	19	7	72	28	517	419	3	18	299	99
Ocean City	225	–	–	4	58	8	19	9	7	3	1	11	5	99	72	–	5	44	23
Balance of county	1,000	1	–	23	284	76	65	21	39	16	6	61	23	418	347	3	13	255	76
Cumberland	1,314	1	–	31	337	76	109	23	36	15	14	64	40	540	442	5	16	263	158
Bridgeton	267	–	–	7	64	15	20	3	8	3	2	13	15	102	81	1	5	48	27
Millville	287	–	–	4	80	20	30	5	7	2	2	14	8	114	85	1	2	51	31
Vineland	496	–	–	15	124	26	34	11	14	5	9	25	11	218	186	3	7	104	72
Balance of county	264	1	–	5	69	15	25	4	7	5	1	12	6	106	90	–	2	60	28
Essex	8,163	24	–	848	1,856	476	460	191	238	62	61	368	258	2,950	2,355	26	124	1,570	635
Belleville	328	–	–	16	83	21	21	11	7	1	2	20	11	154	124	1	3	97	23
Bloomfield	488	2	–	13	144	29	42	21	10	6	5	31	16	208	171	1	5	115	50
Cedar Grove township#	138	–	–	4	34	10	10	1	6	1	1	5	2	52	42	–	1	30	11
East Orange	856	2	–	129	184	55	49	21	25	5	4	25	27	288	224	1	18	138	67
Irvington	543	2	–	75	112	40	25	13	13	4	2	15	11	181	146	2	24	79	41
Livingston township#	215	–	–	5	68	15	8	13	7	3	4	18	11	83	70	1	2	53	14
Maplewood township#	185	1	–	7	37	6	12	5	3	3	1	7	6	94	76	1	3	57	15
Millburn township#	167	–	–	5	42	13	5	5	5	3	3	8	4	74	60	–	4	40	16
Montclair	356	1	–	22	87	20	24	9	14	2	2	16	12	147	117	–	6	75	36
Newark	3,093	15	–	481	609	160	156	47	97	16	14	119	103	937	731	7	40	453	231
Nutley	276	–	–	11	84	15	21	8	11	1	4	24	6	122	101	1	2	75	23
Orange	335	1	–	44	72	13	25	6	8	1	4	15	13	107	85	2	3	61	19
South Orange Village township#	140	–	–	4	30	13	6	1	4	–	3	3	4	66	55	2	4	37	12
Verona	162	–	–	5	41	8	10	5	4	5	2	7	6	63	56	2	1	45	8
West Caldwell	98	–	–	1	28	8	5	3	3	2	1	6	3	39	26	1	1	16	8
West Orange	479	–	–	19	113	30	23	13	11	4	5	27	16	213	175	4	5	129	37
Balance of county	304	–	–	7	88	20	18	9	10	5	4	22	7	122	96	–	2	70	24
Gloucester	1,741	1	–	53	470	111	143	45	43	22	19	87	45	696	537	9	24	300	204
Deptford township#	183	–	–	8	51	11	19	7	3	2	1	8	4	64	52	1	1	27	23
Glassboro	113	–	–	5	23	7	6	–	2	–	1	7	7	49	35	1	3	15	16
Washington township#	114	–	–	2	25	5	8	2	3	1	2	4	3	52	41	–	2	26	13
West Deptford township#	116	–	–	5	40	13	12	2	4	1	2	6	–	39	30	–	2	12	16
Woodbury	144	–	–	–	32	4	10	2	3	5	1	7	–	67	56	2	2	25	27
Balance of county	1,071	1	–	33	299	71	88	32	28	13	12	55	31	425	323	5	14	195	109
Hudson	5,372	11	–	447	1,251	337	344	103	136	57	31	243	164	2,076	1,714	15	62	1,116	521
Bayonne	778	2	–	39	175	40	64	12	15	8	4	32	19	352	294	5	4	195	90
Harrison	127	–	–	3	35	9	9	5	4	2	1	5	7	53	43	–	3	29	11
Hoboken	319	1	–	36	70	20	20	8	6	2	2	12	6	115	92	1	2	60	29
Jersey City	2,310	7	–	270	485	125	127	37	63	17	15	101	76	807	644	6	27	404	207
Kearny	312	–	–	12	100	33	24	7	7	7	2	20	7	130	101	–	6	68	27
North Bergen township#	506	1	–	23	140	41	42	11	18	6	1	21	13	214	186	–	9	129	48
Secaucus	131	–	–	6	34	11	9	2	2	1	1	8	8	50	43	–	3	28	12
Union City	384	–	–	30	87	22	19	8	8	7	1	22	13	146	132	–	3	93	36
Weehawken township#	90	–	–	6	25	8	7	1	3	1	1	4	–	32	28	–	1	15	12
West New York	308	–	–	17	74	20	18	7	7	5	3	14	9	134	115	3	3	74	35
Balance of county	107	–	–	5	26	8	5	5	3	1	–	4	6	43	36	–	1	21	14
Hunterdon	660	–	–	14	191	43	63	18	15	8	6	38	16	261	218	5	8	141	64
Mercer	2,953	4	–	118	719	186	185	69	82	35	30	132	94	1,193	973	10	57	640	266
East Windsor township#	106	1	–	3	29	6	11	3	3	–	1	5	1	47	39	–	–	30	9
Ewing township#	296	1	–	8	72	16	24	5	9	6	5	7	10	135	107	1	4	78	24
Hamilton township#	804	1	–	19	222	58	46	22	22	12	10	52	31	330	274	4	17	178	75
Princeton	106	–	–	–	29	9	3	4	6	–	2	5	1	39	30	–	3	21	6
Trenton	1,072	1	–	68	224	57	69	22	24	9	7	36	37	410	333	3	21	206	103
Balance of county	569	–	–	20	143	40	32	13	18	8	5	27	14	232	190	2	12	127	49
Middlesex	5,090	6	–	198	1,395	342	382	136	161	50	51	273	134	2,001	1,561	23	53	1,199	286
Carteret	208	–	–	–	56	10	16	7	6	3	2	12	7	106	91	–	4	75	12
East Brunswick township#	245	–	–	7	66	8	17	7	8	4	6	16	3	91	74	1	3	54	16
Edison township#	606	1	–	18	165	37	40	20	30	4	2	32	17	240	188	2	6	151	29
Highland Park	98	–	–	7	29	9	4	4	5	–	–	7	3	42	37	–	2	20	15
Metuchen	124	–	–	2	47	12	10	4	4	4	2	11	2	44	36	2	1	25	8
Middlesex	100	–	–	1	30	8	10	4	3	–	–	5	5	34	24	–	–	18	6
New Brunswick	312	1	–	32	69	23	16	6	7	1	2	14	7	97	76	–	2	54	20
North Brunswick township#	178	–	–	8	53	7	14	8	6	2	3	13	6	65	48	1	3	33	11
Old Bridge township#	328	–	–	16	85	23	33	6	6	1	5	11	7	127	100	1	1	75	23
Perth Amboy	397	–	–	28	90	28	19	10	9	4	7	13	13	159	124	2	7	101	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 106 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	1	5	1	-	6	9	1	4	-	-	4	2	2	14	4	4	4	1	-
Pemberton township#	1	16	-	3	6	17	-	5	2	-	1	6	1	29	5	5	-	-	-
Willingboro township#	-	14	2	1	1	6	1	1	-	-	2	2	2	16	2	3	2	-	-
Balance of county	3	101	1	16	71	58	5	11	15	-	17	14	8	143	30	34	16	8	-
Camden	20	245	34	74	145	141	11	52	50	-	28	60	74	438	56	81	52	36	4
Bellmawr	2	4	-	4	4	2	-	1	2	-	-	-	2	16	1	1	-	-	-
Camden	2	43	2	9	29	30	1	17	7	-	9	28	24	49	12	24	14	24	1
Cherry Hill township#	3	41	12	11	23	19	4	7	4	-	5	2	10	73	5	5	2	2	-
Collingswood	-	8	2	6	4	3	-	3	1	-	-	2	3	26	1	3	3	-	-
Gloucester township#	-	15	1	2	6	12	-	3	4	-	1	5	3	19	6	5	5	2	-
Gloucester City	3	7	-	2	3	6	-	3	-	-	1	1	2	13	3	4	-	1	-
Haddon township#	-	15	2	4	10	5	-	2	3	-	1	-	2	25	1	1	1	1	-
Haddonfield	-	7	1	1	3	1	-	-	-	-	-	-	-	5	-	2	-	1	-
Lindenwold	2	4	1	2	5	5	1	2	-	-	1	3	1	14	1	2	4	1	-
Pennsauken township#	1	18	2	8	12	14	1	1	6	-	1	7	5	46	2	3	4	-	-
Voorhees township#	3	9	-	-	5	4	-	1	5	-	2	4	4	22	4	5	1	-	-
Balance of county	4	74	11	25	41	40	4	12	18	-	7	8	18	130	20	26	18	4	3
Cape May	5	71	5	17	35	47	5	18	25	-	4	9	10	113	14	17	7	6	-
Ocean City	1	17	3	6	9	4	-	4	3	-	1	-	2	22	6	4	2	2	-
Balance of county	4	54	2	11	26	43	5	14	22	-	3	9	8	91	8	13	5	4	-
Cumberland	12	64	10	12	45	37	3	15	30	1	4	10	16	134	30	20	13	7	-
Bridgeton	-	17	2	2	14	4	-	3	4	-	1	5	4	31	5	4	4	-	-
Millville	5	15	5	4	5	9	-	6	3	-	-	1	3	41	4	5	2	2	-
Vineland	4	23	2	3	18	17	1	5	15	-	3	3	5	39	8	6	5	3	-
Balance of county	3	9	1	3	8	7	2	1	8	1	-	1	4	23	13	5	2	2	-
Essex	24	463	23	85	236	232	23	111	109	4	43	88	185	779	80	163	37	129	8
Belleville	2	20	-	8	13	5	1	2	4	-	-	2	6	23	5	-	1	2	-
Bloomfield	2	29	1	5	16	12	-	8	8	-	1	3	4	35	5	10	2	1	-
Cedar Grove township#	1	7	1	1	7	8	-	-	1	-	-	1	1	26	-	1	1	-	-
East Orange	2	51	-	11	16	22	3	12	11	1	4	15	20	84	6	18	-	14	-
Irvington	3	23	2	7	12	12	-	6	7	1	3	17	16	48	12	8	2	18	-
Livingston township#	1	8	2	2	6	6	-	2	4	-	-	-	2	22	4	2	-	-	-
Maplewood township#	-	16	1	1	2	6	-	1	3	-	2	-	2	19	3	2	-	-	-
Millburn township#	-	12	-	2	6	4	2	-	4	-	-	-	-	19	1	2	3	-	1
Montclair	1	21	1	7	17	8	4	1	6	-	-	3	5	36	1	5	-	1	-
Newark	10	166	3	27	78	77	12	68	45	1	18	37	111	277	33	86	17	83	5
Nutley	-	17	1	3	7	7	-	2	1	1	3	2	1	21	1	5	1	-	1
Orange	-	21	-	1	8	15	-	5	2	-	2	5	7	38	2	4	2	7	1
South Orange Village township#	-	10	1	-	7	4	-	1	1	-	3	-	1	11	1	4	3	-	-
Verona	-	6	-	1	10	12	-	-	1	-	-	-	2	15	2	3	1	1	-
West Caldwell	-	10	1	2	5	2	-	2	3	-	-	-	-	13	1	-	1	-	-
West Orange	1	25	8	4	16	21	-	-	7	-	5	2	4	50	1	10	1	1	-
Balance of county	1	21	1	3	10	11	1	1	1	-	2	1	3	42	2	3	2	1	-
Gloucester	17	96	28	18	34	72	2	21	18	1	8	14	21	197	29	40	11	4	4
Deptford township#	1	8	2	1	2	13	1	1	-	-	2	-	4	24	-	4	3	1	1
Glassboro	1	7	3	3	3	3	-	1	1	-	-	2	1	15	-	-	1	-	2
Washington township#	1	5	4	1	3	11	-	1	-	-	-	-	1	8	1	4	1	2	-
West Deptford township#	2	6	1	-	1	3	-	4	3	-	-	1	2	11	2	3	2	-	-
Woodbury	3	7	-	1	4	7	-	4	6	-	1	2	-	19	1	1	-	-	-
Balance of county	9	63	18	12	21	35	1	10	8	1	5	9	13	120	25	28	4	1	1
Hudson	27	257	22	56	142	177	11	94	78	2	25	46	108	504	48	89	41	55	3
Bayonne	2	36	6	14	24	31	2	11	12	-	-	6	12	70	2	11	6	4	-
Harrison	1	7	1	1	4	3	-	3	1	-	-	2	2	6	3	3	1	1	-
Hoboken	-	17	1	5	5	12	2	13	3	-	2	3	3	42	1	3	-	2	-
Jersey City	17	118	10	18	71	63	4	37	42	1	10	27	56	237	30	47	13	28	1
Kearny	1	19	2	7	5	9	-	7	3	-	1	-	5	26	2	4	-	1	-
North Bergen township#	2	20	-	6	9	25	2	10	4	-	-	2	7	31	5	8	6	5	1
Secaucus	-	4	1	2	5	7	-	1	1	-	-	2	2	11	-	2	1	-	1
Union City	2	12	-	-	10	10	-	3	9	1	2	-	10	45	3	2	7	6	-
Weehawken township#	-	4	-	-	1	4	-	2	1	-	1	3	2	7	-	2	2	2	-
West New York	2	13	1	3	6	11	1	5	1	-	7	-	7	20	2	6	4	4	-
Balance of county	-	7	-	-	2	2	-	2	1	-	2	1	2	9	-	1	1	4	-
Hunterdon	2	28	2	11	30	30	2	7	3	-	1	6	5	66	11	13	4	-	-
Mercer	18	148	14	40	107	107	9	39	24	1	17	25	33	317	42	72	19	13	-
East Windsor township#	1	5	-	2	5	5	1	1	-	1	2	-	-	7	1	1	1	-	-
Ewing township#	3	17	3	5	17	9	1	3	3	-	2	1	-	29	2	2	-	1	-
Hamilton township#	3	40	3	10	22	31	1	8	8	-	3	7	6	78	10	23	4	-	-
Princeton	1	5	-	3	8	2	-	-	2	-	-	-	-	15	3	6	1	-	-
Trenton	5	58	4	10	38	39	5	21	8	-	5	15	19	123	17	27	5	10	-
Balance of county	5	23	4	10	17	21	1	6	3	-	5	2	8	65	9	13	8	2	-
Middlesex	14	255	109	62	159	198	13	67	54	1	21	42	75	534	65	69	34	24	-
Carteret	1	12	-	2	5	9	-	2	3	-	-	1	2	11	1	3	2	-	-
East Brunswick township#	-	11	2	4	9	9	2	1	4	-	-	1	7	32	6	5	2	-	-
Edison township#	1	27	18	6	24	28	1	6	7	1	2	5	5	70	5	2	5	4	-
Highland Park	-	3	-	2	3	5	-	1	-	-	-	1	-	7	-	-	-	-	-
Metuchen	1	3	3	1	3	6	-	1	-	-	1	-	2	11	2	1	2	-	-
Middlesex	-	7	1	2	4	5	-	2	2	-	-	-	1	11	3	1	-	1	-
New Brunswick	1	9	9	2	12	7	1	4	9	-	1	7	13	37	4	4	3	4	-
North Brunswick township#	-	10	4	3	5	3	1	4	1	-	-	2	3	16	6	4	-	1	-
Old Bridge township#	1	16	7	3	12	17	1	6	3	-	1	-	1	38	4	4	2	4	-
Perth Amboy	2	19	11	3	12	15	3	2	2	-	3	4	4	43	3	12	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 107 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	251	2	-	8	69	12	20	4	13	2	3	15	7	90	70	1	3	54	12
Sayreville	285	-	-	8	79	15	22	4	9	6	2	21	4	115	95	1	3	75	16
South Plainfield	155	-	-	3	51	7	14	3	10	5	-	12	8	55	46	-	2	35	9
South River	145	-	-	5	38	11	7	4	6	-	2	8	2	56	47	2	-	40	5
Woodbridge township#	771	1	-	28	225	68	72	21	13	6	8	37	22	327	244	3	8	193	40
Balance of county	887	1	-	27	243	64	68	24	26	8	7	46	21	353	261	7	8	196	50
Monmouth	4,915	2	-	176	1,319	358	345	140	142	50	42	242	169	2,022	1,580	12	51	1,205	312
Aberdeen township#	79	-	-	2	24	6	7	4	3	1	-	3	4	29	26	1	3	18	4
Asbury Park	275	-	-	32	61	15	19	8	7	1	1	10	7	108	90	1	4	68	17
Eatontown	106	-	-	4	23	5	8	4	2	2	-	2	3	48	40	-	1	30	9
Freehold	86	-	-	2	16	8	3	-	-	-	-	5	7	37	31	-	1	25	5
Hazlet township#	199	-	-	3	50	15	20	3	4	3	1	4	13	82	61	-	2	50	9
Howell township#	206	-	-	5	54	19	12	7	4	2	1	9	4	85	68	-	1	55	12
Keansburg	131	-	-	5	34	12	8	3	4	1	-	6	9	46	37	-	-	28	9
Long Branch	318	-	-	14	88	24	28	8	10	1	3	14	10	136	108	-	6	85	17
Middletown township#	454	1	-	14	148	35	40	20	16	10	3	24	11	190	154	2	4	124	24
Neptune township#	397	-	-	27	89	28	23	8	7	2	1	20	16	160	126	-	6	85	35
Ocean township#	161	-	-	1	48	15	7	2	6	2	1	15	7	61	45	-	1	42	2
Red Bank	187	-	-	9	40	12	8	5	5	1	3	6	3	93	54	-	-	39	15
Balance of county	2,316	1	-	58	644	164	162	68	74	24	28	124	75	947	740	8	22	556	154
Morris	2,958	2	-	86	803	216	190	94	89	34	24	156	51	1,242	1,007	11	12	720	264
Denville township#	104	-	-	1	23	5	3	1	1	3	1	9	1	45	36	3	-	25	8
Dover	148	-	-	8	36	8	11	1	5	1	-	10	1	59	51	-	-	36	15
Hanover township#	72	-	-	2	18	10	2	2	3	-	-	1	1	34	29	-	1	20	8
Madison	124	-	-	1	39	13	6	5	3	1	2	9	4	46	37	1	-	22	14
Morris township#	100	-	-	3	26	7	4	5	2	2	2	4	2	39	27	1	-	21	5
Morristown	244	-	-	9	55	20	9	6	6	2	1	11	4	106	87	-	2	64	21
Parsippany-Troy Hills township#	263	-	-	11	70	23	23	8	6	2	-	8	5	116	90	-	1	64	25
Pequannock township#	121	-	-	1	37	13	6	7	4	1	-	6	2	54	47	1	-	33	13
Balance of county	1,782	2	-	50	499	117	126	59	59	22	18	98	31	743	603	5	8	435	155
Ocean	5,712	3	-	161	1,556	415	440	148	152	64	49	288	149	2,575	2,147	27	34	1,642	444
Brick township#	677	-	-	14	190	48	60	25	12	5	4	36	19	298	237	5	6	175	51
Dover township#	1,026	1	-	22	326	79	116	27	23	17	7	57	25	465	398	6	3	321	68
Jackson township#	242	-	-	3	71	16	18	12	8	5	4	8	7	111	97	2	2	73	20
Lakewood township#	707	1	-	21	140	45	28	10	22	6	6	23	14	355	283	-	3	222	58
Manchester township#	779	-	-	17	221	72	48	24	26	9	5	37	16	388	323	5	3	249	66
Point Pleasant	264	-	-	14	70	21	19	7	1	2	2	18	5	126	105	1	3	65	36
Balance of county	2,017	1	-	70	538	134	151	43	60	20	21	109	63	832	704	8	14	537	145
Passaic	4,207	3	1	262	943	260	239	95	97	32	31	189	140	1,857	1,497	18	38	1,120	321
Clifton	960	-	-	27	220	61	46	26	30	5	6	46	28	481	407	2	9	314	82
Hawthorne	195	-	-	6	46	10	11	8	3	1	2	11	12	89	66	1	1	51	13
Little Falls township#	116	-	-	5	30	10	6	-	5	-	2	7	3	53	46	-	2	33	11
Passaic	464	2	-	32	104	26	27	13	14	3	2	19	19	181	146	2	6	103	35
Paterson	1,205	1	1	141	244	72	68	25	20	5	6	48	45	452	351	4	14	253	80
Pompton Lakes	69	-	-	1	14	3	5	-	1	2	-	3	3	36	28	2	1	18	7
Ringwood	72	-	-	1	20	5	7	-	4	2	-	2	3	31	26	-	-	22	4
Totowa	117	-	-	4	35	12	6	2	4	2	1	8	3	50	40	1	1	31	7
Wanaque	108	-	-	20	24	4	12	4	-	-	1	3	2	41	33	2	-	25	6
Wayne township#	410	-	-	11	74	24	16	4	6	5	4	15	12	207	159	2	-	123	34
West Paterson	87	-	-	2	29	8	9	3	-	-	1	8	2	45	33	-	1	24	8
Balance of county	404	-	-	12	103	25	26	10	10	7	6	19	8	191	162	2	3	123	34
Salem	634	2	-	9	168	41	64	13	15	10	4	21	20	260	205	-	13	143	49
Somerset	1,677	1	-	57	454	110	115	53	46	22	14	94	44	648	517	1	14	373	129
Bridgewater township#	218	-	-	8	65	14	20	6	7	3	1	14	7	84	61	-	2	41	18
Franklin township#	181	-	-	5	38	13	5	6	7	1	1	5	7	76	60	-	-	42	18
Manville	106	-	-	3	34	7	10	4	1	2	1	9	3	34	28	-	1	19	8
North Plainfield	157	-	-	5	44	15	10	2	4	1	3	9	3	64	56	-	3	41	12
Somerville	270	-	-	12	69	19	16	9	5	6	-	14	7	103	81	-	4	60	17
Balance of county	745	1	-	24	204	42	54	26	22	9	8	43	17	287	231	1	4	170	56
Sussex	853	2	-	21	223	68	59	23	24	8	8	33	27	316	236	5	8	157	66
Hopatcong	64	-	-	1	18	4	6	1	1	1	3	2	1	21	18	-	-	13	5
Balance of county	789	2	-	20	205	64	53	22	23	7	5	31	26	295	218	5	8	144	61
Union	4,731	2	1	230	1,250	349	302	127	154	49	43	226	140	1,982	1,633	19	62	1,189	363
Berkeley Heights township#	94	-	-	5	23	7	4	2	2	2	2	4	6	34	27	-	-	19	8
Clark township#	130	-	-	-	43	12	6	3	7	3	3	9	3	58	49	1	2	37	9
Cranford township#	192	-	-	3	46	11	14	8	6	1	1	5	5	106	82	-	1	63	18
Elizabeth	988	1	-	82	237	64	55	31	28	8	7	44	27	396	329	5	18	228	78
Hillside township#	167	-	-	12	39	8	10	6	10	-	2	3	7	69	55	-	-	38	17
Linden	440	-	-	11	102	29	29	12	10	5	2	15	17	211	168	1	12	128	27
New Providence	94	-	-	2	28	8	5	5	1	2	1	6	3	37	33	-	1	26	6
Plainfield	385	-	1	41	87	28	23	7	8	7	1	13	12	120	92	2	5	57	28
Rahway	257	1	-	12	75	24	19	6	6	1	1	18	9	117	99	-	8	74	17
Roselle	206	-	-	12	52	15	12	4	8	1	1	11	7	87	79	-	3	57	19
Roselle Park	128	-	-	2	30	7	12	2	2	-	2	5	3	63	50	-	-	43	7
Scotch Plains township#	179	-	-	7	57	11	16	2	10	4	4	10	7	73	60	1	1	47	11
Springfield township#	169	-	-	3	47	12	13	4	7	1	3	7	9	74	66	2	2	49	13
Summit	174	-	-	5	48	14	10	5	7	2	1	9	1	60	47	1	2	28	16
Union township#	641	-	-	21	202	63	42	14	25	11	7	40	17	270	227	2	5	166	54
Westfield	221	-	-	7	59	15	14	8	7	-	2	13	4	91	72	3	1	51	17
Balance of county	266	-	-	5	75	21	18	8	10	1	3	14	3	116	98	1	1	78	18
Warren	741	-	-	14	203	60	61	17	23	9	7	26	15	332	273	1	-	180	92
Phillipsburg	213	-	-	2	63	21	20	5	7	2	1	7	3	95	77	-	-	44	33
Balance of county	528	-	-	12	140	39	41	12	16	7	6	19	12	237	196	1	-	136	59

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 108 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	1	14	3	2	7	12	–	2	8	–	2	3	3	21	5	5	4	3	–
Sayreville	1	10	6	3	6	11	–	6	2	–	–	3	6	35	5	4	1	–	–
South Plainfield	1	4	3	1	7	4	1	1	1	–	–	3	3	16	1	1	–	–	–
South River	–	5	1	3	4	7	1	3	5	–	1	1	1	17	1	1	2	–	–
Woodbridge township#	3	45	22	13	18	25	1	16	3	–	4	5	8	69	5	8	4	2	–
Balance of county	1	60	19	12	28	35	1	10	4	–	6	6	16	100	14	14	5	3	–
Monmouth	21	307	55	59	161	173	10	70	78	–	23	25	40	449	62	78	33	23	2
Aberdeen township#	1	1	–	1	2	4	–	1	–	–	1	2	1	7	1	–	–	1	–
Asbury Park	1	13	2	2	7	8	1	1	8	–	–	2	5	24	–	7	1	3	–
Eatontown	–	5	1	2	3	4	–	3	2	–	–	3	1	9	1	–	–	1	1
Freehold	–	4	–	2	2	5	1	1	1	–	1	1	–	6	1	2	2	1	–
Hazlet township#	1	17	–	3	8	9	–	3	2	–	1	1	–	23	3	1	–	–	–
Howell township#	1	14	1	1	13	6	1	1	3	–	–	–	1	16	11	2	2	2	–
Keansburg	1	5	2	1	3	7	1	2	3	–	1	–	3	13	1	1	1	1	–
Long Branch	1	20	4	3	12	4	–	7	3	–	2	5	–	26	3	6	1	1	–
Middletown township#	–	25	9	2	10	16	2	7	5	–	–	–	4	31	4	7	2	2	–
Neptune township#	3	23	6	2	17	10	1	6	5	–	2	3	4	45	3	8	1	–	–
Ocean township#	1	11	1	3	3	4	–	3	2	–	2	1	–	17	6	4	2	–	–
Red Bank	–	25	13	1	8	4	–	2	2	–	1	1	3	18	–	3	–	–	–
Balance of county	11	144	16	36	73	92	3	33	42	–	12	6	18	214	28	37	21	11	1
Morris	8	183	15	29	132	115	6	24	25	–	13	23	23	295	36	49	21	9	3
Denville township#	–	8	1	–	2	7	–	2	1	–	1	1	2	13	2	3	–	–	–
Dover	–	6	–	2	13	5	–	1	2	–	1	2	–	13	4	3	–	–	–
Hanover township#	–	3	–	2	3	3	–	1	1	–	1	–	2	4	–	–	1	1	–
Madison	–	8	–	1	4	5	–	2	–	–	–	–	1	14	2	4	1	–	1
Morris township#	–	11	–	1	8	1	–	1	1	–	–	–	2	12	1	2	2	–	–
Morristown	–	16	3	–	15	8	1	–	2	–	1	1	4	32	1	4	–	1	–
Parsippany-Troy Hills township#	–	21	3	2	6	11	–	3	2	–	1	1	2	21	5	4	3	2	–
Pequannock township#	–	6	–	1	4	4	–	3	3	–	–	–	–	10	1	1	–	1	–
Balance of county	8	104	8	20	77	71	5	11	13	–	8	18	10	176	20	28	14	4	2
Ocean	14	333	15	66	170	207	17	63	81	–	26	20	54	452	68	65	34	11	–
Brick township#	4	40	6	11	16	22	4	8	17	–	8	1	6	59	6	4	5	–	–
Dover township#	1	57	–	9	18	30	2	12	16	–	3	3	9	71	8	7	7	1	–
Jackson township#	1	11	–	2	6	5	–	3	4	–	–	1	–	20	5	5	1	–	–
Lakewood township#	1	62	1	8	38	23	1	8	9	–	7	3	7	55	14	11	–	–	–
Manchester township#	1	47	1	16	22	24	–	4	9	–	–	–	2	50	10	9	3	4	–
Point Pleasant	–	11	5	5	2	8	1	3	4	–	2	3	6	14	1	3	1	1	–
Balance of county	6	105	2	15	68	95	9	25	22	–	6	9	24	183	24	26	17	5	–
Passaic	14	267	21	58	138	117	4	63	61	1	23	30	60	345	33	72	21	30	3
Clifton	5	52	5	12	30	23	1	11	8	–	–	1	5	99	4	14	5	1	2
Hawthorne	–	17	1	5	5	12	–	2	4	–	–	–	4	13	1	1	–	–	–
Little Falls township#	–	4	2	1	1	3	–	2	2	–	–	1	1	10	–	5	–	–	–
Passaic	1	30	1	3	23	11	–	8	9	–	3	2	12	36	6	10	2	4	–
Paterson	4	74	4	19	36	28	1	27	16	1	10	23	34	90	10	21	3	20	1
Pompton Lakes	–	4	1	3	1	1	–	3	–	–	2	–	–	4	–	2	1	1	–
Ringwood	–	5	–	–	1	2	–	–	3	–	1	–	–	6	2	2	–	–	–
Totowa	1	8	–	1	3	3	–	–	–	–	–	1	2	13	–	1	2	–	–
Wanaque	1	5	–	2	2	3	–	2	4	–	–	–	–	6	1	2	1	–	–
Wayne township#	1	40	3	4	21	17	2	3	7	–	4	1	–	35	3	7	4	2	–
West Paterson	–	8	1	3	2	2	–	–	1	–	–	–	–	3	–	1	–	–	–
Balance of county	1	20	3	5	13	12	–	5	7	–	3	1	2	30	6	6	3	2	–
Salem	1	36	5	13	22	23	2	6	6	–	2	2	3	65	10	19	11	4	–
Somerset	9	96	4	22	63	48	4	21	13	–	7	15	19	192	26	36	23	5	1
Bridgewater township#	–	19	–	4	8	11	–	3	–	–	1	1	1	15	3	9	2	–	–
Franklin township#	1	10	–	5	7	3	1	2	–	–	1	8	3	26	–	4	–	–	–
Manville	2	3	–	1	1	2	–	1	2	–	1	1	1	17	1	2	3	–	–
North Plainfield	–	6	1	1	8	–	–	1	2	–	–	2	2	15	6	2	3	–	–
Somerville	3	15	1	3	11	7	1	6	4	–	–	1	4	36	2	6	–	1	–
Balance of county	3	43	2	8	28	25	2	8	5	–	4	2	8	83	14	13	15	4	1
Sussex	1	63	3	13	29	63	5	7	13	1	6	10	11	87	17	7	8	–	–
Hopatcong	–	3	–	–	2	7	1	–	–	–	1	2	1	5	3	1	–	–	–
Balance of county	1	60	3	13	27	56	4	7	13	1	5	8	10	82	14	6	8	–	–
Union	17	265	16	51	158	121	10	64	48	–	17	30	54	449	36	85	27	26	1
Berkeley Heights township#	–	5	–	2	5	3	–	1	1	–	–	–	2	11	2	1	–	–	–
Clark township#	–	8	1	–	6	4	1	1	–	–	–	1	1	10	1	1	–	–	–
Cranford township#	–	20	1	3	3	3	2	1	1	–	2	1	–	12	1	5	–	1	–
Elizabeth	7	42	2	16	30	29	3	21	10	–	5	5	11	83	13	20	4	11	–
Hillside township#	–	13	–	1	4	–	–	4	–	–	1	1	2	18	–	5	1	4	–
Linden	1	30	6	6	12	8	–	9	2	–	1	2	7	44	3	8	2	1	–
New Providence	1	3	–	–	4	1	–	–	2	–	–	–	1	11	–	4	1	–	–
Plainfield	2	25	–	1	16	14	–	3	5	–	2	7	6	52	3	9	2	5	–
Rahway	1	15	1	1	6	5	1	5	1	–	1	1	6	11	–	3	3	–	–
Roselle	–	8	–	–	4	1	1	2	6	–	–	3	–	22	3	2	1	3	–
Roselle Park	–	12	–	1	3	8	–	1	2	–	–	–	–	11	1	1	3	–	–
Scotch Plains township#	–	9	1	3	3	5	–	1	5	–	–	2	5	13	1	–	–	–	–
Springfield township#	–	6	1	1	5	2	1	1	2	–	–	–	2	16	2	3	2	–	–
Summit	1	8	1	3	13	4	–	2	4	–	1	3	3	27	–	1	1	–	1
Union township#	2	35	1	5	27	20	–	4	6	–	2	1	3	51	3	12	2	–	–
Westfield	1	13	1	4	8	4	–	5	1	–	2	2	1	28	1	5	2	1	–
Balance of county	1	13	–	4	9	10	1	3	–	–	–	1	4	29	2	5	3	–	–
Warren	1	49	1	8	22	29	2	5	5	–	2	7	8	67	14	11	3	1	1
Phillipsburg	1	15	–	2	6	9	1	–	1	–	–	1	5	18	4	3	2	–	–
Balance of county	–	34	1	6	16	20	1	5	4	–	2	6	3	49	10	8	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 109 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	11,270	12	1	211	2,352	575	594	195	287	88	102	511	357	3,967	3,094	51	93	1,570	1,380
Urban places	6,426	4	1	141	1,397	334	348	129	161	59	61	305	202	2,290	1,779	27	53	922	777
Balance of area	4,844	8	–	70	955	241	246	66	126	29	41	206	155	1,677	1,315	24	40	648	603
Metropolitan counties	4,926	6	–	129	1,126	274	266	118	131	45	48	244	164	1,636	1,274	23	40	663	548
Urban places	4,206	3	–	114	962	233	226	103	110	40	42	208	138	1,415	1,103	20	34	577	472
Balance of area	720	3	–	15	164	41	40	15	21	5	6	36	26	221	171	3	6	86	76
Nonmetropolitan counties	6,344	6	1	82	1,226	301	328	77	156	43	54	267	193	2,331	1,820	28	53	907	832
Urban places	2,220	1	1	27	435	101	122	26	51	19	19	97	64	875	676	7	19	345	305
Balance of area	4,124	5	–	55	791	200	206	51	105	24	35	170	129	1,456	1,144	21	34	562	527
Bernalillo	3,375	2	–	92	773	176	189	82	91	30	36	169	109	1,124	873	15	30	473	355
Albuquerque	3,176	2	–	89	729	164	178	80	87	29	34	157	104	1,058	824	13	28	442	341
Balance of county	199	–	–	3	44	12	11	2	4	1	2	12	5	66	49	2	2	31	14
Catron	26	–	–	1	2	2	–	–	–	–	–	–	1	11	9	–	–	2	7
Chaves	559	–	–	8	107	18	25	10	18	4	6	26	13	222	175	–	4	85	86
Roswell	491	–	–	7	94	14	23	8	17	4	4	24	13	195	152	–	4	74	74
Balance of county	68	–	–	1	13	4	2	2	1	–	2	2	–	27	23	–	–	11	12
Cibola	176	–	–	4	27	4	7	2	2	1	3	8	10	46	35	–	4	18	13
Colfax	131	–	–	1	25	6	11	1	3	1	2	1	6	54	37	–	1	24	12
Curry	329	–	–	1	66	14	21	4	4	6	2	15	4	122	93	1	1	40	51
Clovis	284	–	–	–	57	12	16	4	2	6	2	15	4	107	83	1	1	33	48
Balance of county	45	–	–	1	9	2	5	–	2	–	–	–	–	15	10	–	–	7	3
De Baca	30	–	–	–	10	2	2	–	3	1	–	2	–	10	8	–	–	3	5
Dona Ana	804	2	–	14	180	48	44	15	18	11	6	38	33	285	233	3	4	105	121
Las Cruces	526	–	–	10	120	34	30	10	10	8	3	25	18	200	165	3	3	77	82
Balance of county	278	2	–	4	60	14	14	5	8	3	3	13	15	85	68	–	1	28	39
Eddy	489	1	1	6	98	27	34	4	12	2	2	17	16	219	181	2	5	82	92
Artesia	140	–	1	2	37	8	12	2	7	1	–	7	5	64	50	–	4	24	22
Carlsbad	286	1	–	3	44	13	15	1	4	1	2	8	10	137	120	2	1	51	66
Balance of county	63	–	–	1	17	6	7	1	1	–	–	2	1	18	11	–	–	7	4
Grant	242	–	–	2	57	16	14	5	7	2	2	11	7	96	74	1	2	31	40
Guadalupe	38	–	–	1	8	2	3	3	–	–	–	–	–	14	12	–	1	8	3
Harding	10	–	–	–	2	1	–	–	–	–	–	1	1	4	4	–	–	1	3
Hidalgo	40	–	–	–	7	1	2	–	2	–	1	1	1	19	15	–	–	4	11
Lea	450	–	–	4	108	26	41	5	11	4	9	12	13	174	138	2	–	102	34
Hobbs	290	–	–	1	64	15	22	4	5	3	7	8	8	119	92	2	–	73	17
Balance of county	160	–	–	3	44	11	19	1	6	1	2	4	5	55	46	–	–	29	17
Lincoln	115	–	–	1	26	7	3	2	4	1	2	7	5	43	35	1	2	12	20
Los Alamos	103	–	–	1	29	7	6	6	4	1	–	5	2	36	26	1	2	10	13
Luna	212	–	–	5	46	12	17	1	7	–	–	9	2	94	75	1	2	32	40
McKinley	430	–	–	7	61	17	14	2	7	3	1	17	25	100	73	4	7	33	29
Gallup	159	–	–	3	31	7	9	1	4	1	1	8	11	46	34	1	3	19	11
Balance of county	271	–	–	4	30	10	5	1	3	2	–	9	14	54	39	3	4	14	18
Mora	32	–	–	1	4	1	–	–	1	–	–	2	–	11	9	1	–	4	4
Otero	352	–	–	6	67	18	14	5	6	1	3	20	10	148	103	–	5	49	49
Alamogordo	213	–	–	5	43	10	11	3	3	1	2	13	3	94	64	–	3	31	30
Balance of county	139	–	–	1	24	8	3	2	3	–	1	7	7	54	39	–	2	18	19
Quay	134	–	–	1	31	6	8	3	2	1	1	10	4	62	54	1	–	22	31
Rio Arriba	262	2	–	2	35	14	6	1	4	2	–	8	7	100	77	1	2	40	34
Roosevelt	127	–	–	2	34	10	6	3	3	–	–	12	3	47	39	–	–	27	12
Sandoval	423	2	–	5	94	21	21	4	18	3	8	19	13	141	106	4	3	51	48
San Juan	534	1	–	6	106	31	27	6	10	3	2	27	11	163	131	3	3	51	74
Farmington	196	–	–	3	43	16	8	1	5	2	–	11	4	63	48	1	1	23	23
Balance of county	338	1	–	3	63	15	19	5	5	1	2	16	7	100	83	2	2	28	51
San Miguel	229	–	–	5	39	10	10	3	6	1	1	8	8	67	47	–	2	26	19
Las Vegas	161	–	–	3	22	6	6	2	4	–	1	3	6	50	33	–	2	17	14
Balance of county	68	–	–	2	17	4	4	1	2	1	–	5	2	17	14	–	–	9	5
Santa Fe	644	2	–	22	144	43	27	15	18	3	6	32	20	191	142	4	4	75	59
Santa Fe	504	1	–	15	113	35	18	13	13	3	5	26	16	157	114	4	3	58	49
Balance of county	140	1	–	7	31	8	9	2	5	–	1	6	4	34	28	–	1	17	10
Sierra	203	–	–	1	29	6	7	1	3	1	2	9	4	92	74	–	1	45	28
Socorro	128	–	–	–	24	6	4	2	4	1	3	4	9	40	31	2	–	21	8
Taos	162	–	–	7	23	5	3	3	4	3	–	5	7	52	39	–	3	7	29
Torrance	80	–	–	2	19	1	9	–	5	–	1	3	2	26	22	–	1	9	12
Union	50	–	–	1	6	–	3	–	2	1	–	–	1	24	21	1	–	13	7
Valencia	351	–	–	2	65	17	16	7	8	1	3	13	10	130	103	3	4	65	31
New York	167,549	293	13	8,216	38,500	10,114	10,438	3,669	4,391	1,598	1,301	6,989	2,885	75,724	63,768	478	2,322	49,070	11,898
Urban places	108,257	278	11	6,949	23,101	6,289	6,051	2,259	2,622	871	781	4,228	1,857	48,600	41,544	269	1,705	32,412	7,158
Balance of area	59,292	15	2	1,267	15,399	3,825	4,387	1,410	1,769	727	520	2,761	1,028	27,124	22,224	209	617	16,658	4,740
Metropolitan counties	152,935	286	13	7,980	35,018	9,293	9,411	3,421	3,948	1,414	1,173	6,358	2,627	68,987	58,329	429	2,180	45,148	10,572
Urban places	105,207	276	11	6,887	22,408	6,116	5,844	2,206	2,537	839	756	4,110	1,804	47,132	40,384	258	1,667	31,596	6,863
Balance of area	47,728	10	2	1,093	12,610	3,177	3,567	1,215	1,411	575	417	2,248	823	21,855	17,945	171	513	13,552	3,709
Nonmetropolitan counties	14,614	7	–	236	3,482	821	1,027	248	443	184	128	631	258	6,737	5,439	49	142	3,922	1,326
Urban places	3,050	2	–	62	693	173	207	53	85	32	25	118	53	1,468	1,160	11	38	816	295
Balance of area	11,564	5	–	174	2,789	648	820	195	358	152	103	513	205	5,269	4,279	38	104	3,106	1,031
Albany	2,876	1	–	64	652	151	202	57	62	22	24	134	45	1,400	1,157	9	22	828	298
Albany	1,240	1	–	35	247	55	74	25	21	9	11	52	19	606	508	2	12	362	132
Cohoes	175	–	–	1	32	11	12	1	1	3	1	3	5	98	79	1	–	60	18
Watervliet	143	–	–	4	26	5	14	1	1	–	1	4	–	72	53	1	–	43	9
Balance of county	1,318	–	–	24	347	80	102	30	39	10	11	75	21	624	517	5	10	363	139
Allegany	462	–	–	6	114	17	33	13	15	8	3	25	9	197	150	–	4	105	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 110 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	29	640	100	104	365	619	29	220	86	2	112	87	134	1,356	431	440	283	177	29
Urban places	22	371	60	58	214	378	12	117	36	2	58	54	74	765	166	250	152	97	16
Balance of area	7	269	40	46	151	241	17	103	50	–	54	33	60	591	265	190	131	80	13
Metropolitan counties	15	254	44	49	128	265	11	93	32	1	41	45	60	626	162	199	113	76	13
Urban places	13	222	35	42	116	233	8	80	25	1	36	39	51	536	115	171	89	63	11
Balance of area	2	32	9	7	12	32	3	13	7	–	5	6	9	90	47	28	24	13	2
Nonmetropolitan counties	14	386	56	55	237	354	18	127	54	1	71	42	74	730	269	241	170	101	16
Urban places	9	149	25	16	98	145	4	37	11	1	22	15	23	229	51	79	63	34	5
Balance of area	5	237	31	39	139	209	14	90	43	–	49	27	51	501	218	162	107	67	11
Bernalillo	7	180	27	37	92	192	6	69	24	1	25	31	44	441	84	129	69	58	10
Albuquerque	7	170	23	34	89	183	6	63	21	1	25	31	39	413	74	121	64	54	10
Balance of county	–	10	4	3	3	9	–	6	3	–	–	–	5	28	10	8	5	4	–
Catron	–	2	–	–	–	–	–	–	2	–	–	–	–	–	7	2	–	–	–
Chaves	3	32	8	4	22	41	1	8	5	–	4	7	4	67	6	15	13	16	–
Roswell	3	29	8	3	22	34	1	7	4	–	4	6	4	61	4	10	10	15	–
Balance of county	–	3	–	1	–	7	–	1	1	–	–	1	–	6	2	5	3	1	–
Cibola	–	9	2	–	8	7	–	9	1	–	6	2	4	20	15	8	3	6	–
Colfax	–	12	2	3	5	7	1	5	2	–	–	–	–	20	1	4	–	–	–
Curry	–	25	1	3	29	28	1	2	3	–	3	2	1	35	7	13	10	2	–
Clovis	–	20	1	3	27	23	1	2	3	–	3	1	1	29	3	13	8	2	–
Balance of county	–	5	–	–	2	5	–	–	–	–	–	1	–	6	4	–	2	–	–
De Baca	–	1	–	1	2	–	–	1	2	–	–	1	–	3	–	–	1	–	–
Dona Ana	3	33	11	5	11	43	1	10	5	–	10	12	8	88	34	35	21	10	2
Las Cruces	2	21	7	5	9	29	–	6	2	–	7	6	5	54	19	24	11	5	1
Balance of county	1	12	4	–	2	14	1	4	3	–	3	6	3	34	15	11	10	5	1
Eddy	1	29	7	1	16	23	–	1	–	–	3	1	5	52	16	17	14	–	–
Artesia	–	11	3	–	4	4	–	–	–	–	1	–	1	12	4	3	2	–	–
Carlsbad	1	12	4	–	10	15	–	1	–	–	–	1	4	32	8	12	8	–	–
Balance of county	–	6	–	1	2	4	–	–	–	–	2	–	–	8	4	2	4	–	–
Grant	–	17	2	3	9	9	–	5	–	–	4	2	–	25	9	4	10	2	1
Guadalupe	–	2	–	–	1	3	–	–	1	–	–	–	–	6	2	1	–	1	–
Harding	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
Hidalgo	–	4	–	–	3	1	–	–	1	–	–	–	–	3	–	3	–	1	1
Lea	2	32	–	2	12	38	2	4	2	–	6	1	4	38	12	16	9	6	1
Hobbs	2	25	–	–	9	21	–	3	–	–	3	1	2	27	8	12	8	3	1
Balance of county	–	7	–	2	3	17	2	1	2	–	3	–	2	11	4	4	1	3	–
Lincoln	–	3	3	2	6	7	1	2	1	–	3	1	2	12	2	2	1	–	–
Los Alamos	1	4	1	4	4	3	1	–	–	–	2	–	–	13	6	2	4	–	–
Luna	–	13	4	2	6	12	1	2	2	–	–	–	1	20	9	8	2	1	1
McKinley	1	24	1	1	23	7	2	19	3	–	9	5	5	67	32	35	12	13	5
Gallup	1	11	–	–	10	2	1	9	–	–	5	1	3	14	5	6	4	5	3
Balance of county	–	13	1	1	13	5	1	10	3	–	4	4	2	53	27	29	8	8	2
Mora	–	1	–	1	1	6	–	2	–	–	1	–	–	2	–	4	–	–	–
Otero	–	37	3	5	4	27	1	4	1	1	4	4	6	31	12	6	16	2	2
Alamogordo	–	25	1	4	2	22	–	2	1	1	4	3	3	17	1	2	10	–	–
Balance of county	–	12	2	1	2	5	1	2	–	–	–	1	3	14	11	4	6	2	2
Quay	1	7	–	–	5	5	–	4	–	–	–	1	2	11	1	5	1	1	–
Rio Arriba	–	18	5	–	11	11	1	11	2	–	3	–	5	26	14	7	11	13	1
Roosevelt	–	6	–	2	5	8	–	1	2	–	1	–	1	13	1	7	1	1	–
Sandoval	–	27	2	6	11	16	1	7	5	–	5	1	7	57	27	12	11	7	1
San Juan	1	19	5	7	18	24	1	9	2	–	8	3	14	62	45	28	20	13	–
Farmington	–	7	3	5	3	13	–	6	2	–	1	1	4	18	12	11	7	5	–
Balance of county	1	12	2	2	15	11	1	3	–	–	7	2	10	44	33	17	13	8	–
San Miguel	2	11	6	1	14	14	2	11	4	–	2	1	1	24	9	12	10	5	1
Las Vegas	2	9	5	1	11	11	1	7	1	–	1	1	1	19	6	10	6	4	1
Balance of county	–	2	1	–	3	3	1	4	3	–	1	–	–	5	3	2	4	1	–
Santa Fe	4	37	5	3	21	27	3	14	3	–	4	2	8	84	38	33	19	8	1
Santa Fe	4	31	5	3	18	21	2	11	2	–	4	2	7	69	22	26	14	4	–
Balance of county	–	6	–	–	3	6	1	3	1	–	–	–	1	15	16	7	5	4	1
Sierra	1	14	1	2	7	16	–	4	12	–	–	–	1	15	8	3	7	4	–
Socorro	–	8	–	1	4	7	1	2	–	–	3	2	–	19	8	3	4	2	–
Taos	1	11	1	–	6	6	–	8	–	–	2	3	7	22	8	5	4	1	1
Torrance	–	2	–	2	4	2	–	2	–	–	–	1	1	10	7	2	1	–	1
Union	–	1	1	1	1	2	1	–	–	–	–	1	1	8	1	2	1	–	–
Valencia	1	19	2	5	4	27	1	4	–	–	4	3	2	61	9	17	8	4	–
New York	808	8,571	919	1,658	6,827	5,662	518	1,929	1,450	31	860	1,453	1,195	12,432	2,226	2,935	1,584	2,621	195
Urban places	623	4,993	518	922	4,645	3,067	342	1,352	902	28	564	1,157	811	7,786	1,153	2,115	953	2,439	147
Balance of area	185	3,578	401	736	2,182	2,595	176	577	548	3	296	296	384	4,646	1,073	820	631	182	48
Metropolitan counties	762	7,688	744	1,464	6,229	4,861	470	1,792	1,306	30	786	1,374	1,109	11,231	1,934	2,692	1,430	2,592	188
Urban places	613	4,790	457	888	4,508	2,914	329	1,324	872	28	551	1,132	793	7,550	1,113	2,069	932	2,430	144
Balance of area	149	2,898	287	576	1,721	1,947	141	468	434	2	235	242	316	3,681	821	623	498	162	44
Nonmetropolitan counties	46	883	175	194	598	801	48	137	144	1	74	79	86	1,201	292	243	154	29	7
Urban places	10	203	61	34	137	153	13	28	30	–	13	25	18	236	40	46	21	9	3
Balance of area	36	680	114	160	461	648	35	109	114	1	61	54	68	965	252	197	133	20	4
Albany	10	174	22	37	135	107	12	34	34	–	12	20	19	223	37	38	27	14	2
Albany	3	76	8	11	64	40	7	15	16	–	4	14	12	104	14	21	10	10	1
Cohoes	1	16	–	2	7	8	–	–	3	–	1	2	1	8	2	4	2	1	–
Watervliet	–	14	2	3	9	8	–	3	1	–	1	–	1	15	2	–	1	–	–
Balance of county	6	68	12	21	55	51	5	16	14	–	6	4	5	96	19	13	14	3	1
Allegany	2	31	5	9	21	22	3	4	6	–	2	–	6	45	11	7	8	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 111 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,160	1	–	30	498	129	147	52	48	22	13	87	39	1,043	799	9	19	618	153
Binghamton	760	–	–	10	157	50	46	19	14	6	2	20	11	380	282	4	5	219	54
Endicott	205	–	–	5	27	4	15	2	3	–	–	3	4	107	79	1	1	58	19
Johnson City	211	–	–	2	56	10	17	7	8	1	1	12	3	99	79	–	3	64	12
Vestal town#	227	–	–	4	49	11	16	4	5	2	1	10	4	114	90	1	3	70	16
Balance of county	757	1	–	9	209	54	53	20	18	13	9	42	17	343	269	3	7	207	52
Cattaraugus	811	–	–	12	163	42	60	13	15	4	8	21	14	409	328	4	2	257	65
Olean	180	–	–	5	40	9	12	4	5	2	2	6	4	88	69	3	1	52	13
Balance of county	631	–	–	7	123	33	48	9	10	2	6	15	10	321	259	1	1	205	52
Cayuga	761	1	–	18	166	41	59	11	16	10	4	25	10	373	301	1	3	221	76
Auburn	400	–	–	11	83	18	32	7	8	6	3	9	6	207	168	–	2	122	44
Balance of county	361	1	–	7	83	23	27	4	8	4	1	16	4	166	133	1	1	99	32
Chautauqua	1,533	–	–	28	356	94	96	32	37	18	14	65	29	726	581	4	18	445	114
Dunkirk	153	–	–	3	34	9	7	2	6	1	2	7	7	85	69	–	–	60	9
Fredonia	83	–	–	1	18	4	4	3	2	–	–	5	–	47	40	–	2	31	7
Jamestown	416	–	–	9	83	26	19	3	7	6	7	15	8	189	154	1	5	114	34
Balance of county	881	–	–	15	221	55	66	24	22	11	5	38	14	405	318	3	11	240	64
Chemung	951	1	1	15	247	58	77	22	30	12	9	39	18	429	345	5	8	259	73
Elmira	375	1	–	9	97	24	31	7	12	6	4	13	6	165	132	2	3	107	20
Balance of county	576	–	1	6	150	34	46	15	18	6	5	26	12	264	213	3	5	152	53
Chenango	466	–	–	6	120	35	31	10	13	10	3	18	6	195	167	2	6	116	43
Clinton	559	–	–	8	142	41	36	11	17	7	6	24	2	259	215	5	12	157	41
Plattsburgh	189	–	–	2	46	14	12	5	4	1	3	7	1	84	69	2	3	48	16
Balance of county	370	–	–	6	96	27	24	6	13	6	3	17	1	175	146	3	9	109	25
Columbia	688	–	–	6	165	37	53	15	27	8	3	22	14	332	270	2	10	199	59
Cortland	436	–	–	2	104	28	29	8	9	3	4	23	3	189	140	2	3	95	40
Cortland	216	–	–	–	55	14	13	6	6	3	1	12	1	87	65	–	1	42	22
Balance of county	220	–	–	2	49	14	16	2	3	–	3	11	2	102	75	2	2	53	18
Delaware	530	1	–	6	145	32	39	9	23	10	7	25	10	233	184	1	9	94	80
Dutchess	2,020	–	–	54	512	143	151	40	48	25	22	83	28	906	732	9	11	555	157
Beacon	114	–	–	7	28	4	15	–	1	3	2	3	2	45	35	–	2	26	7
Poughkeepsie	379	–	–	13	87	29	22	9	8	3	5	11	5	179	144	2	2	104	36
Balance of county	1,527	–	–	34	397	110	114	31	39	19	15	69	21	682	553	7	7	425	114
Erie	10,383	3	1	216	2,505	580	754	272	293	115	71	420	186	5,002	4,028	35	85	3,051	857
Buffalo	4,085	3	1	133	930	205	299	97	114	35	28	152	76	1,860	1,489	10	30	1,094	355
Depew	201	–	–	7	49	7	18	6	5	3	2	8	1	96	68	3	–	52	13
Hamburg	87	–	–	2	24	3	9	4	–	1	1	6	2	44	36	–	–	33	3
Kenmore	193	–	–	2	52	14	12	9	3	3	2	9	4	93	71	1	–	57	13
Lackawanna	263	–	–	1	57	17	15	7	4	3	1	10	7	131	113	–	4	91	18
Lancaster	125	–	–	1	32	7	9	1	4	2	–	9	3	59	48	–	–	37	11
Tonawanda	172	–	–	2	43	12	11	3	6	1	2	8	3	90	73	1	2	53	17
West Seneca town#	421	–	–	8	107	19	40	11	11	4	4	18	5	217	176	3	4	140	29
Balance of county	4,836	–	–	60	1,211	296	341	134	146	63	31	200	85	2,412	1,954	17	45	1,494	398
Essex	369	2	–	4	89	23	22	9	10	8	2	15	5	158	126	2	3	86	35
Franklin	429	–	–	4	100	14	38	3	12	6	4	23	2	199	151	–	3	118	30
Fulton	583	–	–	7	145	29	48	12	20	7	4	25	5	294	260	1	4	174	81
Gloversville	218	–	–	3	59	11	18	7	8	2	2	11	3	104	90	–	3	61	26
Balance of county	365	–	–	4	86	18	30	5	12	5	2	14	2	190	170	1	1	113	55
Genesee	555	1	–	9	125	23	45	7	16	6	3	25	11	267	205	2	9	138	56
Batavia	211	1	–	4	49	12	16	4	8	1	2	6	4	94	77	2	5	49	21
Balance of county	344	–	–	5	76	11	29	3	8	5	1	19	7	173	128	–	4	89	35
Greene	498	–	–	11	132	37	44	11	10	8	5	17	8	220	185	2	4	131	48
Hamilton	66	–	–	–	20	5	7	2	5	–	–	1	1	29	24	–	–	19	5
Herkimer	699	–	–	11	185	45	51	21	19	9	8	32	10	337	259	2	4	187	66
Jefferson	894	–	–	12	204	48	60	18	27	8	6	37	12	448	369	2	10	301	56
Watertown	344	–	–	5	69	19	21	5	7	2	2	13	8	196	158	1	7	127	23
Balance of county	550	–	–	7	135	29	39	13	20	6	4	24	4	252	211	1	3	174	33
Lewis	212	–	–	3	53	12	9	5	9	4	1	13	5	96	78	–	4	57	17
Livingston	516	–	–	7	122	36	42	4	10	3	3	24	9	242	195	5	2	134	54
Madison	524	1	–	12	120	34	29	9	15	7	2	24	12	235	189	2	6	113	68
Oneida	109	1	–	4	21	6	4	3	3	–	–	5	1	53	45	–	4	29	12
Balance of county	415	–	–	8	99	28	25	6	12	7	2	19	11	182	144	2	2	84	56
Monroe	5,963	3	1	188	1,518	405	414	152	157	78	51	261	103	2,394	1,878	15	43	1,390	430
Brighton town#	390	–	–	7	98	29	20	13	14	5	1	16	8	155	119	–	1	90	28
Gates town#	224	–	–	2	76	23	26	7	4	2	3	11	5	83	68	–	2	48	18
Greece town#	666	–	–	16	191	49	52	23	22	5	5	35	11	281	222	1	5	166	50
Henrietta town#	164	–	–	4	41	3	17	5	4	4	4	4	2	63	49	–	1	41	7
Irondequoit town#	562	1	–	17	153	38	43	10	17	8	9	28	8	232	184	4	7	132	41
Penfield town#	237	–	–	2	54	16	14	4	6	3	2	9	7	110	86	2	1	72	11
Rochester	2,551	2	1	114	558	161	143	60	46	26	20	102	47	991	775	5	20	547	203
Balance of county	1,169	–	–	26	347	86	99	30	44	25	7	56	15	479	375	3	6	294	72
Montgomery	658	–	–	9	169	51	49	15	19	6	3	26	12	326	257	2	3	186	66
Amsterdam	321	–	–	4	88	25	23	9	14	1	1	15	7	155	118	1	1	89	27
Balance of county	337	–	–	5	81	26	26	6	5	5	2	11	5	171	139	1	2	97	39
Nassau	11,243	4	2	322	2,918	771	795	305	307	114	98	528	180	5,415	4,613	44	178	3,716	675
East Rockaway	92	–	–	2	18	4	6	1	2	1	1	3	–	55	46	3	2	36	5
Floral Park	147	–	–	–	54	14	17	5	2	2	4	10	1	80	68	1	4	54	9
Freeport	315	–	1	25	78	17	21	5	6	4	5	20	2	139	110	–	3	92	15
Garden City	185	–	–	4	48	19	9	3	6	3	2	6	1	85	70	–	1	58	11
Glen Cove	282	–	–	7	52	15	8	9	5	2	2	11	6	149	133	–	3	107	23
Hempstead	395	1	–	26	77	23	11	10	14	2	2	15	9	161	127	1	10	96	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 112 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	20	165	25	34	95	103	13	20	18	1	7	10	11	191	33	19	15	8	5
Binghamton	8	64	10	16	34	39	6	13	7	–	2	2	5	72	7	6	2	3	4
Endicott	1	22	3	2	15	8	3	3	4	–	–	2	2	18	3	3	1	–	–
Johnson City	4	10	3	3	10	9	–	1	1	–	–	4	–	21	3	1	–	–	1
Vestal town#	2	20	–	2	13	12	–	–	1	–	–	–	2	21	2	2	2	1	–
Balance of county	5	49	9	11	23	35	4	3	5	1	5	2	2	59	18	7	10	4	–
Cattaraugus	1	59	9	12	36	39	5	6	11	–	2	1	9	59	22	15	6	1	1
Olean	1	11	2	5	3	9	3	2	2	–	1	–	3	13	1	4	2	–	–
Balance of county	–	48	7	7	33	30	2	4	9	–	1	1	6	46	21	11	4	1	1
Cayuga	3	44	12	13	33	45	6	3	9	–	3	3	4	53	18	5	5	5	1
Auburn	3	23	7	6	26	16	3	1	2	–	1	1	1	29	6	2	2	2	1
Balance of county	–	21	5	7	7	29	3	2	7	–	2	2	3	24	12	3	3	3	–
Chautauqua	6	109	6	24	56	77	5	12	28	–	7	2	10	128	28	26	11	4	–
Dunkirk	–	10	1	5	7	3	–	1	2	–	–	–	–	9	–	1	1	–	–
Fredonia	1	5	1	–	1	4	–	–	2	–	–	1	1	2	3	2	–	1	–
Jamestown	1	28	–	6	15	23	2	5	9	–	2	1	4	43	6	8	7	2	–
Balance of county	4	66	4	13	33	47	3	6	15	–	5	–	5	74	19	15	3	1	–
Chemung	1	62	8	13	29	64	2	6	5	–	3	3	6	84	11	10	14	2	1
Elmira	–	23	3	7	10	28	1	4	3	–	2	1	3	31	3	4	7	–	–
Balance of county	1	39	5	6	19	36	1	2	2	–	1	2	3	53	8	6	7	2	1
Chenango	2	21	2	3	13	34	3	6	3	–	2	1	–	49	12	8	8	–	–
Clinton	1	26	11	6	22	27	–	3	4	–	2	9	3	52	13	11	2	–	–
Plattsburgh	–	11	2	2	14	11	–	–	1	–	–	3	1	20	2	4	–	–	–
Balance of county	1	15	9	4	8	16	–	3	3	–	2	6	2	32	11	7	2	–	–
Columbia	4	45	5	8	26	31	1	5	2	–	3	3	3	69	8	10	9	1	–
Cortland	3	36	2	8	21	26	3	8	5	–	2	3	3	45	10	6	5	1	–
Cortland	–	19	–	3	11	10	1	5	4	–	–	2	2	27	5	4	1	1	–
Balance of county	3	17	2	5	10	16	2	3	1	–	2	1	1	18	5	2	4	–	–
Delaware	2	38	1	8	21	25	–	3	6	–	4	5	3	46	4	9	8	1	–
Dutchess	9	129	11	25	81	98	3	21	23	–	6	9	6	166	40	33	23	10	1
Beacon	1	7	1	1	3	5	1	2	1	–	1	–	1	12	1	5	–	–	–
Poughkeepsie	2	32	–	1	20	17	1	4	5	–	–	2	3	26	6	4	3	4	–
Balance of county	6	90	10	23	58	76	1	15	17	–	5	7	2	128	33	24	20	6	1
Erie	39	764	45	126	379	394	24	116	94	–	49	81	84	871	87	146	75	54	16
Buffalo	19	280	19	53	153	151	7	49	37	–	24	59	47	377	25	71	26	47	9
Depew	2	24	–	2	8	9	–	3	1	–	–	1	1	19	1	1	3	–	1
Hamburg	–	4	2	2	3	3	–	1	1	–	1	–	–	4	–	1	1	–	–
Kenmore	2	11	1	8	7	12	1	2	1	–	–	–	2	14	1	1	1	–	–
Lackawanna	3	13	1	1	5	13	1	7	4	–	4	1	3	16	5	2	3	3	–
Lancaster	2	6	2	1	5	5	–	–	2	–	–	–	2	9	2	2	2	1	–
Tonawanda	–	15	–	2	3	7	1	3	2	–	–	1	–	13	1	3	–	–	–
West Seneca town#	2	29	1	9	14	7	2	5	4	–	4	–	3	29	4	8	4	–	–
Balance of county	9	382	19	48	181	187	12	46	42	–	16	19	26	390	48	57	35	3	6
Essex	–	22	4	6	16	26	2	3	3	–	4	–	2	41	5	3	6	–	–
Franklin	1	37	6	4	13	26	–	3	5	–	2	2	1	48	8	10	5	1	–
Fulton	–	18	5	11	18	29	–	6	9	–	1	6	1	33	17	8	4	–	–
Gloversville	–	8	3	3	8	10	–	3	3	–	1	4	1	13	4	2	–	–	–
Balance of county	–	10	2	8	10	19	–	3	6	–	–	2	–	20	13	6	4	–	–
Genesee	2	47	5	8	27	23	2	3	8	–	3	3	1	34	23	8	4	1	2
Batavia	–	15	1	1	15	10	–	–	1	–	2	–	1	16	6	4	1	1	2
Balance of county	2	32	4	7	12	13	2	3	7	–	1	3	–	18	17	4	3	–	–
Greene	1	20	6	8	29	17	–	5	8	–	3	1	4	32	11	5	7	4	1
Hamilton	1	3	1	–	2	5	–	1	–	–	–	–	–	7	–	1	–	–	–
Herkimer	5	50	12	11	26	26	3	8	6	–	1	1	1	54	9	13	7	1	–
Jefferson	2	54	15	8	23	51	3	9	4	1	8	5	2	67	14	14	13	4	–
Watertown	–	24	11	3	6	19	2	6	–	–	2	2	–	19	3	2	3	2	–
Balance of county	2	30	4	5	17[1]	32	1	3	4	1	6	3	2	48	11	12	10	2	–
Lewis	1	13	1	3	9	7	1	3	1	–	1	2	1	16	6	4	3	1	–
Livingston	2	30	5	10	30	25	–	4	9	–	3	1	2	33	15	7	7	–	–
Madison	1	36	1	8	28	35	1	5	3	–	2	4	2	39	12	9	4	–	–
Oneida	–	5	1	2	5	9	–	2	–	–	–	2	–	5	–	4	2	–	–
Balance of county	1	31	–	6	23	26	1	3	3	–	2	2	2	34	12	5	2	–	–
Monroe	27	385	22	82	283	214	22	48	74	1	39	62	33	676	74	84	78	66	2
Brighton town#	1	26	1	8	20	15	1	1	5	–	–	1	2	66	4	2	3	2	–
Gates town#	2	11	–	2	12	11	1	1	2	–	–	1	–	22	3	5	–	–	–
Greece town#	2	44	1	12	31	24	1	3	10	1	2	6	2	60	6	7	13	1	–
Hennetta town#	2	10	–	2	4	13	2	1	3	–	5	–	–	16	5	1	4	–	–
Irondequoit town#	3	36	2	7	40	17	2	2	6	–	4	–	–	67	4	4	3	2	–
Penfield town#	1	17	2	4	15	10	–	–	1	–	2	1	–	26	3	4	2	–	–
Rochester	12	161	10	33	120	84	5	33	36	–	19	43	27	297	33	50	34	56	1
Balance of county	4	80	6	14	41	40	10	7	11	–	7	10	2	122	16	11	19	5	1
Montgomery	5	55	2	7	20	22	2	2	13	–	3	2	4	42	13	13	4	2	–
Amsterdam	2	31	1	3	8	10	–	2	8	–	2	2	2	17	6	7	2	1	–
Balance of county	3	24	1	4	12	12	2	–	5	–	1	–	2	25	7	6	2	1	–
Nassau	32	603	48	119	375	362	29	107	106	1	44	80	106	764	132	107	92	69	28
East Rockaway	–	8	1	–	4	1	–	1	1	–	1	–	–	8	1	–	–	–	–
Floral Park	–	11	1	–	2	3	–	–	1	–	–	1	–	4	1	–	–	–	–
Freeport	–	24	1	4	7	9	2	3	2	–	1	7	6	13	3	4	3	9	1
Garden City	1	11	2	1	9	8	1	1	3	–	–	–	1	21	2	1	–	–	–
Glen Cove	1	11	–	4	13	16	1	2	3	–	–	4	1	19	3	3	1	2	–
Hempstead	3	25	1	5	10	9	1	6	1	1	1	10	8	44	12	6	3	9	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 113 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	480	–	–	14	90	30	23	11	8	2	–	16	8	285	252	–	10	225	17
Lynbrook	192	–	–	1	48	10	12	8	5	3	1	9	4	82	68	1	4	54	9
Massapequa Park	169	–	–	1	46	15	12	2	8	1	2	6	3	86	72	–	–	59	13
Mineola	168	–	–	1	36	7	13	2	2	1	2	9	–	101	83	6	3	59	15
Rockville Centre	292	–	–	6	77	26	16	10	11	1	1	12	2	150	119	1	5	96	17
Valley Stream	351	–	–	5	77	22	26	5	4	5	3	12	6	191	171	3	6	136	26
Westbury	161	–	–	9	50	12	17	5	3	1	4	8	1	57	44	–	2	35	7
Balance of county	8,014	3	1	221	2,167	557	604	229	231	86	69	391	137	3,794	3,250	28	125	2,609	488
New York city	72,413	258	8	5,929	14,747	4,113	3,652	1,474	1,704	532	473	2,799	1,252	32,032	28,167	141	1,316	22,470	4,240
Bronx bor., Bronx co	12,768	44	4	1,167	2,335	650	549	241	270	90	83	452	259	5,191	4,528	30	218	3,611	669
Brooklyn bor., Kings co	22,044	97	2	1,648	4,209	1,168	1,082	409	503	143	124	780	424	10,092	8,918	35	530	6,934	1,419
Manhattan bor., New York co	15,655	83	1	2,159	3,282	895	781	335	381	122	98	670	240	5,727	4,816	40	335	3,456	985
Queens bor., Queens co	18,594	32	1	810	4,148	1,213	1,020	418	472	148	139	738	262	9,406	8,470	32	219	7,190	1,029
Staten Island bor., Richmond co	3,352	2	–	145	773	187	220	71	78	29	29	159	67	1,616	1,435	4	14	1,279	138
Niagara	2,255	1	–	47	548	134	183	45	61	21	22	82	44	1,066	869	7	25	696	141
Lockport	311	1	–	6	65	14	20	6	11	3	3	8	8	155	127	2	3	102	20
Niagara Falls	799	–	–	26	178	44	65	14	19	5	8	23	14	365	294	2	8	228	56
North Tonawanda	314	–	–	3	82	21	25	6	8	3	6	13	3	158	123	1	7	105	10
Balance of county	831	–	–	12	223	55	73	19	23	10	5	38	19	388	325	2	7	261	55
Oneida	2,559	2	–	66	673	163	177	69	88	29	31	116	35	1,179	958	10	19	676	253
Rome	424	–	–	12	100	25	30	7	12	3	2	21	4	195	168	2	–	125	41
Utica	966	1	–	28	242	62	61	28	33	10	15	33	15	438	363	4	12	253	94
Balance of county	1,169	1	–	26	331	76	86	34	43	16	14	62	16	546	427	4	7	298	118
Onondaga	3,899	3	–	76	986	275	278	80	115	40	36	162	64	1,676	1,257	20	35	804	398
Syracuse	1,720	2	–	37	406	109	107	34	56	17	19	64	30	733	546	9	18	322	197
Balance of county	2,179	1	–	39	580	166	171	46	59	23	17	98	34	943	711	11	17	482	201
Ontario	862	–	–	16	218	57	64	11	29	10	6	41	13	371	293	4	11	185	93
Canandaigua	154	–	–	3	44	12	8	2	6	3	1	12	1	68	51	–	3	35	13
Geneva, part	170	–	–	4	41	9	13	2	6	3	1	7	4	78	62	3	2	36	21
Geneva, total	170	–	–	4	41	9	13	2	6	3	1	7	4	78	62	3	2	36	21
Balance of county	538	–	–	9	133	36	43	7	17	4	4	22	8	225	180	1	6	114	59
Orange	2,434	1	–	88	611	147	193	45	59	23	23	121	54	1,094	914	7	20	713	174
Middletown	252	–	–	8	68	19	23	6	6	1	1	12	7	107	89	–	1	72	16
Newburgh	272	1	–	20	66	21	21	3	5	2	2	12	9	107	88	1	3	68	16
Balance of county	1,910	–	–	60	477	107	149	36	48	20	20	97	38	880	737	6	16	573	142
Orleans	391	–	–	6	82	20	20	3	10	7	3	19	4	191	149	1	1	126	21
Oswego	994	–	–	14	222	53	68	16	20	10	7	48	21	459	350	2	6	248	94
Fulton	158	–	–	5	44	8	10	4	6	2	1	13	3	63	51	1	4	29	17
Oswego	248	–	–	1	48	16	16	4	1	–	1	10	6	126	90	1	1	70	18
Balance of county	588	–	–	8	130	29	42	8	13	8	5	25	12	270	209	–	1	149	59
Otsego	564	–	–	10	138	25	39	11	29	6	5	23	7	246	196	1	2	115	78
Oneonta	121	–	–	3	30	6	4	4	8	1	2	5	1	54	38	–	1	16	21
Balance of county	443	–	–	7	108	19	35	7	21	5	3	18	6	192	158	1	1	99	57
Putnam	516	–	–	16	140	29	45	11	20	5	3	27	5	218	190	5	5	142	38
Carmel town#	182	–	–	9	52	9	15	3	10	1	2	12	–	69	60	1	2	41	16
Balance of county	334	–	–	7	88	20	30	8	10	4	1	15	5	149	130	4	3	101	22
Rensselaer	1,456	–	–	35	341	90	101	36	28	16	11	59	33	668	538	4	5	427	102
Troy	583	–	–	19	127	30	42	15	8	5	4	23	10	266	203	3	2	160	38
Balance of county	873	–	–	16	214	60	59	21	20	11	7	36	23	402	335	1	3	267	64
Rockland	1,942	–	–	69	521	138	137	52	53	14	20	107	33	806	668	9	16	528	115
Spring Valley	166	–	–	12	36	7	13	1	2	3	2	8	1	64	57	1	1	43	12
Suffern	104	–	–	3	27	10	6	1	5	–	–	5	2	45	35	1	2	28	4
Balance of county	1,672	–	–	54	458	121	118	50	46	11	18	94	30	697	576	7	13	457	99
St. Lawrence	989	1	–	9	212	42	72	3	30	16	9	40	20	476	365	6	13	257	89
Massena	140	1	–	–	33	6	12	1	5	1	–	8	6	61	48	–	1	38	9
Ogdensburg	155	–	–	4	29	5	13	–	5	3	–	3	3	72	47	–	2	29	16
Potsdam	62	–	–	1	13	3	3	–	4	–	1	2	1	27	20	1	1	15	3
Balance of county	632	–	–	4	137	28	44	2	16	12	8	27	10	316	250	5	9	175	61
Saratoga	1,282	–	–	25	331	88	101	28	34	14	10	56	22	582	463	2	10	339	112
Saratoga Springs	243	–	–	6	64	19	19	8	4	1	2	11	4	95	71	–	2	53	16
Balance of county	1,039	–	–	19	267	69	82	20	30	13	8	45	18	487	392	2	8	286	96
Schenectady	1,557	1	–	30	359	84	113	40	33	14	15	60	21	771	627	6	8	460	153
Niskayuna town#	138	1	–	3	34	9	10	6	3	1	2	3	2	62	49	–	–	36	13
Rotterdam town#	245	–	–	4	61	13	18	9	2	1	3	15	4	118	96	2	–	69	25
Schenectady	822	–	–	17	165	39	60	13	19	6	7	21	11	425	349	2	7	263	77
Balance of county	352	–	–	6	99	23	25	12	9	6	3	21	4	166	133	2	1	92	38
Schoharie	308	–	–	4	71	16	25	6	10	2	–	12	9	132	106	1	2	77	26
Schuyler	173	–	–	6	41	5	14	1	9	1	5	6	2	76	65	1	1	44	19
Seneca	305	1	–	3	74	20	19	4	7	4	3	17	9	126	104	1	1	76	26
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	305	1	–	3	74	20	19	4	7	4	3	17	9	126	104	1	1	76	26
Steuben	1,019	–	–	19	234	60	70	15	31	9	11	38	15	451	368	4	11	273	80
Corning	151	–	–	2	45	8	15	–	6	2	3	11	1	65	49	–	–	33	16
Hornell	114	–	–	4	22	9	6	–	2	3	–	2	1	61	45	–	7	31	7
Balance of county	754	–	–	13	167	43	49	15	23	4	8	25	13	325	274	4	4	209	57
Suffolk	10,346	3	–	299	2,777	705	783	265	332	124	97	471	174	4,623	3,854	42	150	2,894	768
Babylon	92	–	–	2	21	8	5	1	2	–	1	4	3	36	29	–	1	24	4
Lindenhurst	203	–	–	3	61	15	22	5	9	2	3	5	3	88	72	2	4	56	10
Patchogue	91	–	–	3	17	6	4	4	1	1	–	1	3	40	32	–	1	23	8
Balance of county	9,960	3	–	291	2,678	676	752	255	320	121	93	461	165	4,459	3,721	40	144	2,791	746

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 114 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	2	29	–	2	13	17	1	5	4	–	2	2	5	22	3	3	4	2	–
Lynbrook	–	9	2	3	11	12	1	3	–	–	–	4	2	17	3	1	1	1	1
Massapequa Park	–	11	1	2	4	9	–	1	2	–	–	1	1	11	1	2	1	–	–
Mineola	1	12	1	4	2	3	1	1	3	–	–	–	1	14	–	–	3	–	2
Rockville Centre	–	25	5	1	13	11	–	2	2	–	1	1	1	19	–	2	1	4	–
Valley Stream	–	15	1	4	10	11	1	3	4	–	1	–	3	23	2	3	6	3	2
Westbury	1	12	–	–	4	5	1	1	4	–	2	1	2	16	–	5	–	2	1
Balance of county	23	400	32	89	273	248	19	78	76	–	35	49	75	533	101	77	69	37	21
New York city	476	2,611	300	478	3,116	1,636	237	952	519	25	404	858	497	4,729	750	1,547	642	2,169	106
Bronx bor., Bronx co	89	431	63	80	681	279	53	233	100	9	83	195	113	863	150	324	112	551	22
Brooklyn bor., Kings co	147	823	66	138	877	492	71	278	153	10	158	334	185	1,354	229	444	137	817	33
Manhattan bor., New York co	123	594	90	104	749	341	54	233	107	2	64	131	105	1,204	122	407	198	419	27
Queens bor., Queens co	100	644	63	129	649	402	51	176	135	4	88	181	80	1,112	206	328	159	343	21
Staten Island bor., Richmond co	17	119	18	27	160	122	8	32	24	–	11	17	14	196	43	44	36	39	3
Niagara	3	151	13	30	72	111	8	26	28	–	5	9	23	170	28	38	17	9	5
Lockport	1	19	2	6	9	16	–	1	2	–	–	1	3	28	5	5	3	3	–
Niagara Falls	1	53	8	9	29	43	3	13	13	–	2	3	10	67	7	13	7	3	3
North Tonawanda	1	30	–	4	9	13	2	4	3	–	–	3	2	19	3	7	–	2	1
Balance of county	–	49	3	11	25	39	3	8	10	–	3	2	8	56	13	13	7	1	1
Oneida	4	161	23	33	110	83	11	22	17	1	11	9	23	196	37	48	24	11	1
Rome	–	21	1	5	20	8	2	6	4	–	3	3	11	34	4	10	7	1	–
Utica	1	53	7	14	53	30	1	9	5	–	2	2	8	88	16	13	6	8	1
Balance of county	3	87	15	14	37	45	8	7	8	1	6	4	4	74	17	25	11	2	–
Onondaga	12	325	27	55	184	167	16	36	36	–	20	26	36	408	53	60	34	18	–
Syracuse	6	149	10	22	94	78	10	17	19	–	8	15	19	181	13	36	11	11	–
Balance of county	6	176	17	33	90	89	6	19	17	–	12	11	17	227	40	24	23	7	–
Ontario	1	59	3	15	38	45	6	9	1	–	5	–	3	93	12	14	15	2	1
Canandaigua	–	14	–	3	6	6	–	–	1	–	1	–	1	15	1	2	4	1	–
Geneva, part	–	13	–	3	10	8	1	3	–	–	2	–	–	10	1	5	3	–	–
Geneva, total	–	13	–	3	10	8	1	3	–	–	2	–	–	10	1	5	3	–	–
Balance of county	1	32	3	9	22	31	5	6	–	–	2	–	2	68	10	7	8	1	1
Orange	15	110	26	29	68	110	3	37	26	–	12	24	21	159	49	41	22	13	1
Middletown	–	13	1	4	5	11	–	4	–	–	2	3	5	19	4	5	1	3	–
Newburgh	2	15	1	1	6	15	1	3	4	–	–	4	4	14	6	8	–	4	–
Balance of county	13	82	24	24	57	84	2	30	22	–	10	17	12	126	39	28	21	6	1
Orleans	–	38	1	3	13	21	1	5	3	–	3	1	1	32	6	15	4	3	–
Oswego	5	78	12	14	31	43	–	10	18	1	7	6	10	85	22	26	17	2	–
Fulton	1	6	1	4	12	8	–	1	6	–	–	1	1	11	–	2	1	–	–
Oswego	2	27	5	2	7	8	–	3	8	1	–	3	3	24	–	7	3	–	–
Balance of county	2	45	6	8	12	27	–	6	4	–	7	2	6	50	22	17	13	2	–
Otsego	2	39	4	5	36	22	1	3	6	–	4	1	3	54	12	11	9	1	–
Oneonta	2	11	2	1	8	2	–	2	–	–	1	–	–	10	3	4	3	–	–
Balance of county	–	28	2	4	28	20	1	1	6	–	3	1	3	44	9	7	6	1	–
Putnam	–	18	2	8	26	21	2	4	3	–	7	3	5	47	10	5	4	–	–
Carmel town#	–	5	–	4	8	7	–	1	1	–	1	1	3	20	7	3	–	–	–
Balance of county	–	13	2	4	18	14	2	3	2	–	6	2	2	27	3	2	4	–	–
Rensselaer	10	77	19	24	62	72	–	17	15	–	6	5	10	126	22	21	17	5	1
Troy	7	35	9	12	28	27	–	8	5	–	2	4	5	58	7	8	5	3	1
Balance of county	3	42	10	12	34	45	–	9	10	–	4	1	5	68	15	13	12	2	–
Rockland	7	102	11	18	102	74	7	17	21	–	10	18	15	166	29	29	14	10	1
Spring Valley	2	5	–	–	11	1	–	2	2	–	–	5	6	14	6	4	–	2	–
Suffern	–	9	–	1	3	5	–	–	2	–	–	1	2	10	2	1	–	1	–
Balance of county	5	88	11	17	88	68	7	15	17	–	10	12	7	142	21	24	14	7	1
St. Lawrence	2	68	27	14	48	68	1	13	14	–	6	9	5	64	19	14	8	2	–
Massena	1	12	–	–	5	7	–	1	2	–	1	1	3	9	5	3	2	–	–
Ogdensburg	–	15	9	1	7	8	–	2	2	–	2	5	1	14	1	5	–	–	–
Potsdam	1	4	2	–	4	6	1	–	4	–	1	1	–	3	–	–	–	–	–
Balance of county	–	37	16	13	32	47	–	10	6	–	2	2	1	38	13	6	6	2	–
Saratoga	9	83	7	20	51	50	4	15	10	–	8	7	3	97	40	18	18	1	–
Saratoga Springs	1	18	–	5	16	8	2	3	2	–	2	4	2	21	6	3	5	–	–
Balance of county	8	65	7	15	35	42	2	12	8	–	6	3	1	76	34	15	13	1	–
Schenectady	3	111	11	19	62	70	3	12	12	–	9	10	7	128	14	24	18	4	2
Niskayuna town#	1	10	–	2	3	10	–	–	1	–	–	1	–	12	3	1	4	1	–
Rotterdam town#	–	16	2	4	8	15	–	3	3	–	–	–	–	26	–	2	1	–	–
Schenectady	2	60	4	10	40	27	2	7	5	–	6	7	2	66	8	18	11	3	2
Balance of county	–	25	5	3	11	18	1	2	3	–	3	2	5	24	3	3	2	–	–
Schoharie	1	18	3	4	16	17	2	1	1	–	1	3	2	35	8	5	1	–	–
Schuyler	2	6	–	3	9	12	1	–	1	–	–	1	3	16	3	1	1	–	–
Seneca	1	18	–	3	14	16	1	8	6	–	1	–	3	25	8	7	3	–	–
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	18	–	3	14	16	1	8	6	–	1	–	3	25	8	7	3	–	–
Steuben	3	57	11	12	42	77	4	11	15	–	5	3	8	87	19	22	5	2	–
Corning	–	9	4	3	6	7	1	1	6	–	–	–	2	12	1	1	1	–	–
Hornell	1	11	3	1	2	8	2	–	1	–	–	–	–	11	1	1	–	–	–
Balance of county	2	37	4	8	34	62	1	10	8	–	5	3	6	64	17	20	4	2	–
Suffolk	27	600	30	112	310	413	33	121	94	–	55	71	96	744	219	136	115	56	7
Babylon	–	6	1	–	5	4	–	2	1	–	–	1	3	6	3	3	2	–	–
Lindenhurst	–	12	–	4	6	5	–	5	2	–	1	2	3	8	5	3	3	5	–
Patchogue	–	7	–	1	2	1	–	3	–	–	–	–	–	10	6	1	2	3	–
Balance of county	27	575	29	107	297	403	33	111	91	–	54	68	90	720	205	129	108	48	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 115 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	757	–	–	24	197	45	53	10	17	12	8	52	16	340	284	1	3	232	48
Tioga	423	–	–	7	123	31	39	12	14	5	5	17	11	161	119	–	1	81	37
Tompkins	557	–	–	10	132	35	34	13	15	3	4	28	16	246	192	1	5	131	55
Ithaca	189	–	–	7	41	14	10	5	2	1	2	7	3	93	70	–	1	47	22
Balance of county	368	–	–	3	91	21	24	8	13	2	2	21	13	153	122	1	4	84	33
Ulster	1,548	–	–	39	386	112	89	32	46	25	16	66	36	707	597	8	18	430	141
Kingston	360	–	–	11	79	25	20	5	7	4	2	16	10	175	147	2	3	106	36
Balance of county	1,188	–	–	28	307	87	69	27	39	21	14	50	26	532	450	6	15	324	105
Warren	596	–	–	9	133	36	33	15	13	3	4	29	10	272	218	–	6	159	53
Glens Falls	182	–	–	3	29	7	8	1	3	1	1	8	4	84	64	–	2	43	19
Balance of county	414	–	–	6	104	29	25	14	10	2	3	21	6	188	154	–	4	116	34
Washington	547	–	–	11	145	30	42	12	22	8	9	22	19	245	195	–	9	145	41
Wayne	712	–	–	14	170	33	41	19	23	21	6	27	12	283	236	2	10	169	55
Newark	92	–	–	4	16	3	4	2	3	3	–	1	–	37	31	–	2	21	8
Balance of county	620	–	–	10	154	30	37	17	20	18	6	26	12	246	205	2	8	148	47
Westchester	7,727	3	–	256	1,957	533	490	196	235	79	69	355	121	3,615	3,046	24	124	2,273	625
Dobbs Ferry	97	–	–	3	26	9	6	3	3	1	1	3	–	44	36	–	–	26	10
Harrison	150	–	–	5	54	15	14	5	4	5	3	8	1	59	50	1	3	39	7
Mamaroneck	160	–	–	1	38	8	8	1	9	3	1	8	2	83	67	–	2	55	10
Mount Vernon	693	1	–	34	149	48	33	19	20	6	3	20	10	330	284	1	17	211	55
New Rochelle	760	1	–	22	177	48	43	20	26	7	5	28	5	382	320	3	13	232	72
Ossining	168	–	–	6	35	12	6	–	5	2	3	7	3	84	71	–	4	47	20
Peekskill	196	–	–	4	49	11	20	5	–	–	3	10	6	78	63	1	1	41	20
Port Chester	239	–	–	8	58	14	16	2	4	5	4	13	9	107	90	–	2	73	15
Rye	106	–	–	1	28	11	6	2	2	–	1	6	1	47	39	–	1	28	10
Scarsdale	143	–	–	4	45	6	9	4	9	2	2	13	1	66	58	–	–	43	15
Tarrytown	114	–	–	–	36	10	10	1	4	–	2	9	6	50	37	–	5	24	8
White Plains	457	–	–	20	133	44	28	10	17	3	4	27	7	187	155	2	1	114	38
Yonkers	1,845	–	–	72	418	123	122	39	43	18	12	61	28	912	788	9	35	606	138
Yorktown town#	254	–	–	7	55	19	8	5	5	4	1	13	8	129	112	–	6	86	20
Balance of county	2,345	1	–	69	656	155	161	60	84	23	24	129	34	1,057	876	7	34	648	187
Wyoming	343	–	–	4	71	18	20	2	11	4	5	11	11	169	128	–	2	104	22
Yates	230	–	–	5	71	16	23	5	4	3	4	16	8	90	66	1	2	46	17
North Carolina	58,880	40	2	1,417	13,366	2,948	4,009	1,135	1,650	548	443	2,633	1,462	24,846	18,955	160	713	12,857	5,225
Urban places	21,462	16	2	693	4,733	1,058	1,401	425	588	192	159	910	557	8,920	6,649	58	280	4,387	1,924
Balance of area	37,418	24	–	724	8,633	1,890	2,608	710	1,062	356	284	1,723	905	15,926	12,306	102	433	8,470	3,301
Metropolitan counties	29,861	15	2	814	6,899	1,490	2,091	598	809	298	241	1,372	724	12,336	9,425	89	290	6,518	2,528
Urban places	16,362	10	2	560	3,683	803	1,102	334	450	149	130	715	426	6,638	4,967	45	188	3,316	1,418
Balance of area	13,499	5	–	254	3,216	687	989	264	359	149	111	657	298	5,698	4,458	44	102	3,202	1,110
Nonmetropolitan counties	29,019	25	–	603	6,467	1,458	1,918	537	841	250	202	1,261	738	12,510	9,530	71	423	6,339	2,697
Urban places	5,100	6	–	133	1,050	255	299	91	138	43	29	195	131	2,282	1,682	13	92	1,071	506
Balance of area	23,919	19	–	470	5,417	1,203	1,619	446	703	207	173	1,066	607	10,228	7,848	58	331	5,268	2,191
Alamance	1,007	1	–	20	214	38	60	27	29	7	9	44	38	415	308	4	10	226	68
Burlington	455	–	–	5	99	21	27	13	15	2	3	18	20	199	151	3	5	109	34
Balance of county	552	1	–	15	115	17	33	14	14	5	6	26	18	216	157	1	5	117	34
Alexander	228	–	–	4	41	16	9	6	1	–	1	8	3	101	81	–	–	53	28
Alleghany	123	–	–	2	21	7	7	1	2	–	–	4	1	56	48	2	–	32	14
Anson	258	–	–	3	46	12	17	2	5	3	1	6	4	122	100	–	1	83	16
Ashe	212	–	–	3	56	13	18	4	5	1	–	15	3	93	74	–	5	51	18
Avery	154	–	–	3	35	11	13	2	3	2	1	3	1	63	53	3	1	28	21
Beaufort	447	1	–	6	105	26	28	10	17	7	4	13	20	176	143	2	14	80	47
Bertie	252	–	–	6	58	16	13	5	10	3	–	11	6	100	77	–	7	50	20
Bladen	317	–	–	11	55	11	20	5	9	2	1	7	13	147	107	1	1	86	19
Brunswick	479	–	–	5	117	22	41	7	15	9	4	19	14	204	161	1	5	105	50
Buncombe	1,914	1	–	33	454	100	128	38	53	21	13	101	25	835	638	7	11	426	194
Asheville	947	–	–	20	219	54	57	22	26	9	8	43	14	404	302	3	7	199	93
Balance of county	967	1	–	13	235	46	71	16	27	12	5	58	11	431	336	4	4	227	101
Burke	696	–	–	4	157	37	44	10	19	10	7	30	24	282	238	2	1	176	59
Hickory, part	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Morganton	188	–	–	1	37	6	14	3	5	3	2	4	6	90	79	1	–	54	24
Balance of county	507	–	–	3	119	31	30	7	13	7	5	26	18	192	159	1	1	122	35
Cabarrus	886	–	–	26	212	54	59	20	15	14	11	39	18	374	280	1	7	194	78
Concord	334	–	–	6	64	22	17	6	6	3	1	9	8	144	110	–	4	71	35
Balance of county	552	–	–	20	148	32	42	14	9	11	10	30	10	230	170	1	3	123	43
Caldwell	674	–	–	14	148	26	55	6	19	7	5	30	25	300	235	3	3	167	62
Lenoir	230	–	–	8	48	8	16	4	8	5	–	7	8	107	85	1	1	60	23
Balance of county	444	–	–	6	100	18	39	2	11	2	5	23	17	193	150	2	2	107	39
Camden	48	–	–	–	15	5	5	–	1	1	–	3	1	22	16	–	–	10	6
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	48	–	–	–	15	5	5	–	1	1	–	3	1	22	16	–	–	10	6
Carteret	502	–	–	8	140	27	57	11	10	4	3	28	4	193	144	2	3	85	54
Caswell	203	–	–	6	49	11	15	4	8	2	1	8	8	85	63	2	4	36	21
Catawba	1,008	–	–	17	245	59	72	20	23	6	12	53	27	394	323	1	9	234	79
Hickory, part	371	–	–	6	87	19	32	7	10	3	2	14	10	154	128	–	1	101	26
Hickory, total	372	–	–	6	88	19	32	7	11	3	2	14	10	154	128	–	1	101	26
Balance of county	637	–	–	11	158	40	40	13	13	3	10	39	17	240	195	1	8	133	53
Chatham	387	–	–	4	101	18	33	10	14	4	–	22	15	146	109	–	9	77	23
Cherokee	218	–	–	2	46	13	15	2	4	1	3	8	3	102	81	1	–	54	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 116 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	4	37	1	14	14	31	5	8	7	–	5	6	6	51	18	15	13	1	–
Tioga	–	26	8	8	20	23	2	3	1	–	6	2	3	41	11	5	3	1	–
Tompkins	–	31	21	2	28	26	–	6	4	–	2	3	4	49	7	16	7	1	–
Ithaca	–	10	12	1	7	10	–	3	–	–	–	1	1	16	–	4	2	1	–
Balance of county	–	21	9	1	21	16	–	3	4	–	2	2	3	33	7	12	5	–	–
Ulster	4	73	13	20	56	82	2	17	11	–	9	10	12	117	18	22	18	4	2
Kingston	1	20	3	4	15	20	–	2	2	–	1	5	2	24	2	6	4	2	–
Balance of county	3	53	10	16	41	62	2	15	9	–	8	5	10	93	16	16	14	2	2
Warren	1	40	2	11	26	26	1	9	6	–	–	3	2	66	10	11	9	3	–
Glens Falls	1	13	–	6	9	11	1	4	4	–	–	–	1	20	4	5	3	–	–
Balance of county	–	27	2	5	17	15	–	5	2	–	–	3	1	46	6	6	6	3	–
Washington	2	29	6	13	19	23	–	4	4	–	1	1	3	40	15	7	8	2	–
Wayne	2	38	1	6	36	50	4	7	6	–	5	3	2	75	16	16	9	3	1
Newark	–	6	–	–	6	10	1	3	1	–	1	–	–	5	2	4	–	1	1
Balance of county	2	32	1	6	30	40	3	4	5	–	4	3	2	70	14	12	9	2	–
Westchester	27	449	29	64	317	279	16	98	65	–	33	42	61	526	89	121	76	46	6
Dobbs Ferry	2	6	–	–	7	5	–	–	1	–	–	–	1	6	2	1	1	–	–
Harrison	1	5	2	1	6	8	–	2	–	–	–	1	1	10	–	1	1	1	–
Mamaroneck	–	16	–	–	10	5	–	1	1	–	–	2	–	8	3	3	2	1	–
Mount Vernon	3	34	1	8	25	15	3	13	8	–	5	9	6	56	4	10	4	11	–
New Rochelle	3	49	–	10	31	31	2	10	5	–	2	2	6	51	7	16	6	3	1
Ossining	–	11	1	1	2	8	–	2	2	–	–	2	1	17	1	2	2	–	1
Peekskill	2	11	–	2	14	7	–	3	3	–	–	1	–	19	4	4	3	1	–
Port Chester	–	15	1	1	6	9	–	3	3	–	1	–	–	20	6	8	–	1	–
Rye	–	7	–	1	5	2	–	4	–	–	–	–	2	10	1	1	3	–	1
Scarsdale	–	8	–	–	5	3	–	4	1	–	1	–	–	10	1	1	1	–	–
Tarrytown	–	13	–	–	4	3	1	2	–	–	1	–	–	7	1	–	2	1	–
White Plains	1	29	2	–	18	7	–	6	2	–	4	4	6	43	7	6	3	4	–
Yonkers	6	95	6	17	79	72	5	18	23	–	10	11	20	95	19	31	16	15	1
Yorktown town#	2	12	–	3	12	10	–	4	2	–	1	–	2	13	2	5	2	1	1
Balance of county	7	138	16	20	93	94	5	26	14	–	8	10	16	161	31	32	30	7	1
Wyoming	2	24	11	4	20	22	–	4	1	–	1	–	1	22	8	6	1	1	1
Yates	–	18	–	6	14	12	2	–	2	–	1	–	–	17	1	5	2	–	–
North Carolina	268	4,600	353	670	1,920	2,269	166	660	615	5	328	568	475	6,175	1,407	1,385	844	891	39
Urban places	119	1,757	137	258	662	804	57	248	228	2	120	263	210	2,421	340	501	276	397	12
Balance of area	149	2,843	216	412	1,258	1,465	109	412	387	3	208	305	265	3,754	1,067	884	568	494	27
Metropolitan counties	129	2,253	180	349	920	1,163	77	308	296	3	159	332	283	3,161	702	678	474	499	16
Urban places	79	1,302	105	185	509	622	39	192	165	2	90	210	170	1,856	268	381	222	310	7
Balance of area	50	951	75	164	411	541	38	116	131	1	69	122	113	1,305	434	297	252	189	9
Nonmetropolitan counties	139	2,347	173	321	1,000	1,106	89	352	319	2	169	236	192	3,014	705	707	370	392	23
Urban places	40	455	32	73	153	182	18	56	63	–	30	53	40	565	72	120	54	87	5
Balance of area	99	1,892	141	248	847	924	71	296	256	2	139	183	152	2,449	633	587	316	305	18
Alamance	2	86	9	10	28	57	–	7	15	–	5	9	8	131	22	22	9	6	–
Burlington	2	35	6	5	14	20	–	5	3	–	2	3	4	62	4	11	4	–	–
Balance of county	–	51	3	5	14	37	–	2	12	–	3	6	4	69	18	11	5	6	–
Alexander	2	14	–	4	11	3	–	–	4	–	3	2	2	27	9	5	9	4	–
Alleghany	–	8	–	–	7	6	–	1	2	–	–	1	–	15	7	2	–	2	–
Anson	–	21	–	1	21	7	–	6	2	–	–	3	1	24	2	6	5	5	1
Ashe	1	13	3	2	3	14	–	–	1	–	–	2	–	24	6	2	4	1	–
Avery	2	8	–	–	7	7	1	1	1	–	2	–	1	21	5	2	3	1	–
Beaufort	5	21	2	5	19	15	1	7	5	–	2	5	3	50	11	12	6	3	–
Bertie	2	19	–	2	6	8	–	1	2	–	2	5	1	36	10	6	4	1	–
Bladen	–	32	4	4	16	10	1	3	5	–	2	3	3	25	9	7	2	5	–
Brunswick	3	30	3	7	9	18	3	12	6	–	3	4	5	36	19	8	8	8	–
Buncombe	7	162	10	18	64	83	12	17	11	–	8	10	11	230	30	39	28	21	2
Asheville	4	82	7	9	30	35	9	9	6	–	4	3	3	134	11	23	10	12	1
Balance of county	3	80	3	9	34	48	3	8	5	–	4	7	8	96	19	16	18	9	1
Burke	5	30	2	7	22	38	3	6	13	–	2	6	3	79	15	18	17	7	–
Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	2	8	–	1	3	10	–	–	3	–	–	1	–	24	2	5	5	1	–
Balance of county	3	22	2	6	19	28	3	6	10	–	2	5	3	55	13	13	12	6	–
Cabarrus	4	68	4	18	41	43	2	8	7	–	3	4	3	90	22	14	11	8	–
Concord	1	26	1	6	19	17	–	2	3	–	1	3	2	52	7	5	1	–	–
Balance of county	3	42	3	12	22	26	2	6	4	–	2	1	1	38	15	9	10	8	–
Caldwell	1	48	2	14	23	24	1	8	9	–	6	2	6	64	12	10	13	8	1
Lenoir	1	16	2	3	7	11	–	4	4	–	2	–	–	19	2	2	4	3	1
Balance of county	–	32	–	11	16	13	1	4	5	–	4	2	6	45	10	8	9	5	–
Camden	–	5	1	–	1	–	–	–	1	–	–	1	–	2	1	3	1	–	–
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	5	1	–	1	–	–	–	1	–	–	1	–	2	1	3	1	–	–
Carteret	–	36	1	12	12	26	2	8	5	–	3	1	–	62	7	16	11	3	1
Caswell	–	19	1	2	9	3	2	1	4	–	2	1	–	22	5	2	3	1	–
Catawba	5	57	3	6	33	47	2	7	13	–	3	8	6	111	33	21	23	18	–
Hickory, part	1	23	1	1	15	17	1	4	4	–	1	4	–	42	8	8	6	4	–
Hickory, total	1	23	1	1	15	17	1	4	4	–	1	4	–	42	8	8	6	4	–
Balance of county	4	34	2	5	18	30	1	3	9	–	2	4	6	69	25	13	17	14	–
Chatham	3	29	1	4	17	11	3	3	4	–	1	3	4	46	12	6	5	5	1
Cherokee	–	18	1	2	8	10	–	5	4	–	–	–	2	24	3	5	3	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 117 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	159	–	–	1	37	11	10	–	3	1	–	12	1	74	53	–	2	36	15
Clay	68	–	–	1	20	4	4	2	2	–	3	5	–	28	24	1	1	15	7
Cleveland	870	–	–	16	162	40	45	7	21	6	8	35	18	391	301	4	10	184	103
Shelby	270	–	–	6	44	14	12	3	5	1	2	7	2	127	88	–	2	49	37
Balance of county	600	–	–	10	118	26	33	4	16	5	6	28	16	264	213	4	8	135	66
Columbus	571	–	–	17	127	26	47	9	15	5	5	20	16	241	184	1	2	140	41
Craven	671	1	–	9	172	37	48	12	26	6	9	34	12	289	199	1	9	130	59
Havelock	53	–	–	2	16	4	5	1	2	–	1	3	1	21	16	–	2	10	4
New Bern	275	–	–	5	65	18	15	6	6	2	4	14	6	130	90	1	3	58	28
Balance of county	343	1	–	2	91	15	28	5	18	4	4	17	5	138	93	–	4	62	27
Cumberland	1,558	2	–	53	339	71	112	26	40	8	9	73	42	629	507	5	31	367	104
Fayetteville	738	1	–	30	159	33	45	14	20	3	6	38	26	304	231	5	18	156	52
Balance of county	820	1	–	23	180	38	67	12	20	5	3	35	16	325	276	–	13	211	52
Currituck	135	–	–	3	41	10	14	4	3	1	1	8	2	50	34	2	–	21	11
Dare	143	–	–	3	45	9	18	2	3	2	2	9	1	55	45	–	2	29	14
Davidson	1,093	1	–	25	243	57	63	21	19	18	10	55	22	475	348	2	9	256	81
High Point, part	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lexington	215	–	–	6	53	10	12	7	6	2	4	12	4	85	65	–	2	46	17
Thomasville	220	–	–	6	43	9	11	1	4	5	2	11	4	114	87	1	2	65	19
Balance of county	656	1	–	12	147	38	40	13	9	11	4	32	14	276	196	1	5	145	45
Davie	240	–	–	6	45	10	8	–	9	5	4	9	8	98	81	–	–	66	15
Duplin	468	1	–	11	99	24	30	10	14	2	3	16	16	189	129	1	8	96	24
Durham	1,455	2	–	68	366	81	115	28	49	14	9	70	34	512	373	4	10	233	126
Chapel Hill, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Durham	1,224	2	–	61	303	70	91	23	43	9	8	59	30	422	302	3	7	180	112
Balance of county	230	–	–	7	62	11	24	4	6	5	1	11	4	90	71	1	3	53	14
Edgecombe	604	2	–	12	138	35	26	13	27	3	2	32	15	276	192	–	14	127	51
Rocky Mount, part	211	1	–	3	42	9	8	5	9	3	1	7	6	100	74	–	5	39	30
Balance of county	393	1	–	9	96	26	18	8	18	–	1	25	9	176	118	–	9	88	21
Forsyth	2,461	2	–	79	544	125	152	42	65	30	19	111	65	1,016	751	8	28	464	251
Winston-Salem	1,680	2	–	69	367	80	100	25	51	20	14	77	49	669	473	5	21	285	162
Balance of county	781	–	–	10	177	45	52	17	14	10	5	34	16	347	278	3	7	179	89
Franklin	380	–	–	11	76	16	23	4	11	3	1	18	16	167	122	1	3	95	23
Gaston	1,618	–	–	33	380	81	125	22	34	17	25	76	28	720	596	5	15	438	138
Gastonia	672	–	–	14	147	30	41	11	15	8	10	32	12	287	232	–	10	165	57
Balance of county	946	–	–	19	233	51	84	11	19	9	15	44	16	433	364	5	5	273	81
Gates	107	–	–	1	21	7	6	–	3	1	–	4	3	44	36	–	2	22	12
Graham	67	–	–	–	14	2	6	1	1	–	–	4	1	41	32	–	1	20	11
Granville	400	–	–	8	73	17	19	7	12	4	5	9	12	183	127	1	2	100	24
Greene	153	–	–	2	31	7	10	2	4	4	–	4	3	64	56	–	1	34	21
Guilford	3,091	–	–	81	702	155	230	56	80	21	23	137	72	1,332	976	9	42	675	250
Greensboro	1,629	–	–	50	373	86	127	26	44	13	7	70	39	696	505	7	19	347	132
High Point, part	816	–	–	23	165	37	51	17	20	4	7	29	20	365	267	–	17	186	64
High Point, total	821	–	–	24	166	37	51	17	20	5	7	29	20	367	269	–	17	187	65
Balance of county	646	–	–	8	164	32	52	13	16	4	9	38	13	271	204	2	6	142	54
Halifax	681	2	–	18	143	46	31	13	18	5	4	26	20	290	213	–	21	153	39
Roanoke Rapids	191	1	–	4	34	10	8	2	4	2	–	8	8	97	75	–	9	52	14
Balance of county	490	1	–	14	109	36	23	11	14	3	4	18	12	193	138	–	12	101	25
Harnett	597	–	–	14	133	25	45	9	18	5	3	28	16	245	202	1	10	145	46
Haywood	553	–	–	7	136	30	41	19	17	3	2	24	17	223	168	2	1	118	47
Henderson	863	1	–	17	195	39	62	20	29	7	3	35	9	387	292	3	10	171	108
Hertford	254	1	–	5	68	15	26	1	10	5	–	11	6	109	80	–	7	50	23
Hoke	186	–	–	4	50	7	15	5	9	3	1	10	2	74	56	–	2	47	7
Hyde	78	–	–	1	16	3	3	2	2	–	–	6	6	36	26	–	2	18	6
Iredell	860	1	–	18	184	38	51	17	18	7	11	42	16	384	300	1	7	213	79
Statesville	285	1	–	7	65	16	20	6	7	1	1	14	6	123	94	–	1	66	27
Balance of county	575	–	–	11	119	22	31	11	11	6	10	28	10	261	206	1	6	147	52
Jackson	224	1	–	4	56	12	17	6	7	1	2	11	6	91	67	–	–	47	20
Johnston	786	–	–	18	168	35	57	13	18	6	5	34	19	361	281	2	17	186	76
Jones	89	–	–	2	12	2	5	–	–	1	–	4	3	42	29	–	2	15	12
Lee	412	–	–	8	85	14	26	6	6	2	8	23	12	174	149	2	3	87	57
Sanford	209	–	–	4	37	7	13	2	3	1	3	8	7	97	84	1	2	52	29
Balance of county	203	–	–	4	48	7	13	4	3	1	5	15	5	77	65	1	1	35	28
Lenoir	636	2	–	14	150	33	44	14	20	4	3	32	16	281	213	–	9	120	84
Kinston	354	1	–	8	70	16	20	8	9	4	1	12	8	161	112	–	8	61	43
Balance of county	282	1	–	6	80	17	24	6	11	–	2	20	8	120	101	–	1	59	41
Lincoln	429	–	–	6	99	23	33	7	13	8	2	13	7	207	154	4	2	116	32
McDowell	375	–	–	5	73	17	28	3	6	4	4	11	7	176	142	2	3	102	35
Macon	267	–	–	3	67	13	18	8	7	4	5	12	8	123	101	–	4	54	43
Madison	193	–	–	7	32	8	8	3	4	–	1	8	1	93	57	–	–	42	15
Martin	281	–	–	6	68	16	21	6	11	3	2	9	6	110	90	–	16	47	27
Mecklenburg	3,820	3	1	138	891	180	277	99	109	40	32	154	108	1,456	1,115	13	44	727	331
Charlotte	3,187	3	1	132	747	152	230	83	89	33	25	135	93	1,210	919	8	40	593	278
Balance of county	633	–	–	6	144	28	47	16	20	7	7	19	15	246	196	5	4	134	53
Mitchell	170	–	–	1	39	15	9	2	3	3	–	7	4	73	62	1	1	40	20
Montgomery	237	1	–	7	60	18	21	8	2	1	2	8	6	94	76	–	1	47	28
Moore	631	–	–	8	160	39	42	13	25	7	2	32	10	282	218	1	12	151	54
Nash	768	1	–	15	170	43	34	17	23	5	9	39	14	343	249	2	6	167	74
Rocky Mount, part	346	–	–	10	66	20	12	7	6	2	5	14	6	158	115	2	1	79	33
Rocky Mount, total	557	1	–	13	108	29	20	12	15	5	6	21	12	258	189	2	6	118	63
Balance of county	422	1	–	5	104	23	22	10	17	3	4	25	8	185	134	–	5	88	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 118 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	3	17	1	–	8	10	–	–	4	–	2	–	1	14	–	3	1	3	–
Clay	–	2	–	2	1	2	–	1	–	–	1	–	1	9	1	1	2	–	–
Cleveland	5	70	2	13	51	29	4	8	13	–	3	5	5	92	22	21	10	19	1
Shelby	2	29	–	8	20	13	1	1	4	–	1	3	1	27	4	6	–	10	–
Balance of county	3	41	2	5	31	16	3	7	9	–	2	2	4	65	18	15	10	9	1
Columbus	3	51	2	1	21	14	2	9	5	–	5	4	2	57	21	13	3	14	–
Craven	7	62	6	15	15	27	–	6	10	–	5	8	4	72	10	17	7	7	–
Havelock	1	4	–	–	1	3	–	1	–	–	–	2	–	2	1	3	–	–	–
New Bern	3	24	3	10	6	10	–	2	3	–	2	3	2	28	2	6	2	3	–
Balance of county	3	34	3	5	8	14	–	3	7	–	3	3	2	42	7	8	5	4	–
Cumberland	7	85	8	22	42	51	6	21	21	1	9	31	24	111	50	41	22	61	2
Fayetteville	5	53	4	11	22	22	2	6	12	1	3	14	13	53	14	21	9	24	2
Balance of county	2	32	4	11	20	29	4	15	9	–	6	17	11	58	36	20	13	37	–
Currituck	1	10	3	2	2	6	3	1	–	–	–	1	1	13	7	1	3	1	–
Dare	1	7	–	2	2	11	–	2	2	–	1	2	1	9	1	4	2	2	–
Davidson	3	104	7	13	40	44	5	10	13	1	7	7	6	104	29	32	15	12	2
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Lexington	1	16	–	3	6	9	2	5	3	–	1	3	2	24	2	7	–	3	–
Thomasville	–	25	–	2	6	11	–	2	2	–	–	2	1	17	3	6	1	2	–
Balance of county	2	63	7	8	28	24	3	3	8	1	6	2	2	63	24	19	14	7	2
Davie	1	12	–	4	9	6	–	3	4	–	–	1	2	35	13	8	1	–	1
Duplin	2	42	13	3	18	22	3	4	2	1	3	1	3	54	13	11	6	11	–
Durham	7	98	16	18	46	56	2	15	18	–	9	13	13	172	30	38	31	–	–
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Durham	7	85	15	13	39	44	1	12	17	–	7	11	10	155	27	25	30	28	–
Balance of county	–	13	1	5	7	12	1	3	1	–	2	2	3	17	3	5	8	3	–
Edgecombe	9	60	4	11	11	13	4	11	7	–	3	5	2	66	4	10	10	15	–
Rocky Mount, part	6	18	1	1	4	3	2	3	5	–	1	4	1	22	1	3	3	7	–
Balance of county	3	42	3	10	7	10	2	8	2	–	2	1	1	44	3	7	7	8	–
Forsyth	14	209	17	25	93	97	6	40	26	–	13	44	12	271	42	55	30	25	1
Winston-Salem	10	154	11	21	55	65	4	33	19	–	4	36	11	185	30	46	13	22	1
Balance of county	4	55	6	4	38	32	2	7	7	–	9	8	1	86	12	9	17	3	–
Franklin	6	34	–	5	6	13	1	3	1	–	–	2	3	44	12	15	4	6	–
Gaston	6	94	3	21	47	64	8	19	13	–	4	32	11	155	27	36	21	20	–
Gastonia	4	40	2	9	21	31	4	9	10	–	2	19	8	69	12	13	7	7	–
Balance of county	2	54	1	12	26	33	4	10	3	–	2	13	3	86	15	23	14	13	–
Gates	2	5	–	1	6	8	–	–	1	–	1	1	–	10	5	5	1	–	–
Graham	–	8	–	1	–	2	–	1	–	–	–	2	–	1	–	1	–	2	2
Granville	4	42	4	6	15	11	–	3	4	–	2	–	6	54	6	5	10	6	2
Greene	1	5	1	1	4	5	–	1	1	–	2	4	–	20	9	3	1	3	–
Guilford	14	274	35	33	92	134	5	29	28	–	15	24	37	319	54	62	50	54	1
Greensboro	8	153	16	14	46	66	4	13	15	–	10	14	19	171	17	35	25	35	1
High Point, part	3	78	5	12	28	36	1	10	9	–	5	9	13	84	13	17	8	10	–
High Point, total	3	78	5	12	28	36	1	10	9	–	5	9	14	84	13	17	8	10	–
Balance of county	3	43	14	7	18	32	–	6	4	–	–	1	5	64	24	10	17	9	–
Halifax	2	69	2	4	15	25	–	8	6	1	4	10	7	80	19	20	8	5	–
Roanoke Rapids	1	19	–	2	2	8	–	5	–	–	2	1	–	20	3	1	5	–	–
Balance of county	1	50	2	2	13	17	–	3	6	1	2	9	7	60	16	19	3	5	–
Harnett	–	36	3	4	29	14	2	5	7	–	4	9	4	65	23	12	6	9	–
Haywood	2	46	2	5	26	33	2	9	6	–	3	6	–	55	10	12	7	1	–
Henderson	2	80	2	11	41	48	–	8	6	–	2	2	6	101	10	20	5	5	–
Hertford	2	21	3	3	5	6	–	3	1	–	1	2	1	26	9	7	3	1	–
Hoke	1	15	1	1	8	3	–	4	2	–	1	4	2	13	6	5	1	7	–
Hyde	–	9	–	1	4	1	–	–	1	–	–	1	–	6	2	3	1	–	–
Iredell	6	65	3	10	23	39	3	8	10	–	5	6	7	93	19	22	7	14	1
Statesville	3	24	–	2	6	17	3	2	7	–	1	1	3	28	2	8	1	4	–
Balance of county	3	41	3	8	17	22	–	6	3	–	4	5	4	65	17	14	6	10	1
Jackson	1	19	2	2	12	8	4	6	–	–	2	–	3	13	3	4	6	5	–
Johnston	2	62	4	12	28	17	–	10	4	–	5	4	2	66	29	20	20	13	2
Jones	1	11	1	–	5	3	–	2	–	–	1	1	3	7	3	2	–	3	–
Lee	3	16	3	3	18	14	2	5	2	–	2	7	2	55	10	8	1	5	2
Sanford	1	9	2	1	7	6	1	5	2	–	1	6	1	22	3	5	–	4	1
Balance of county	2	7	1	2	11	8	1	–	–	–	1	1	1	33	7	3	1	1	1
Lenoir	6	47	9	6	15	21	2	7	11	–	5	9	3	57	17	9	4	13	–
Kinston	6	32	6	5	11	13	2	3	8	–	4	5	2	37	4	5	4	8	–
Balance of county	–	15	3	1	4	8	–	4	3	–	1	4	1	20	13	4	–	5	–
Lincoln	2	45	–	6	12	19	2	3	6	–	–	4	5	21	15	11	8	4	–
McDowell	–	27	3	4	18	22	2	4	8	–	–	–	1	37	13	8	–	1	–
Macon	1	17	1	3	7	10	1	1	1	–	2	1	3	26	2	5	5	2	–
Madison	3	27	3	3	10	8	1	4	2	–	–	1	1	18	4	6	3	2	–
Martin	4	13	–	3	7	8	1	6	2	–	3	4	–	40	4	10	1	4	1
Mecklenburg	18	259	13	51	111	125	6	48	31	–	21	53	44	447	79	77	56	124	1
Charlotte	16	220	11	44	89	96	4	44	24	–	16	45	39	362	57	66	45	113	1
Balance of county	2	39	2	7	22	29	2	4	7	–	5	8	5	85	22	11	11	11	–
Mitchell	–	10	–	1	6	10	–	4	2	–	–	1	1	19	2	4	3	1	–
Montgomery	–	17	–	1	4	13	–	2	3	–	–	2	3	21	7	6	3	5	–
Moore	–	52	3	9	26	25	2	9	7	–	4	6	4	48	17	12	6	5	–
Nash	–	77	6	11	25	23	2	8	10	–	4	5	8	81	15	22	10	12	–
Rocky Mount, part	–	36	2	5	10	11	1	–	4	–	1	4	4	45	6	12	3	5	–
Rocky Mount, total	6	54	3	6	14	14	3	3	9	–	2	8	5	67	7	15	6	12	–
Balance of county	–	41	4	6	15	12	1	8	6	–	3	1	4	36	9	10	7	7	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 119 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	1,014	–	–	26	257	58	88	25	28	10	6	42	23	432	310	2	9	197	102
Wilmington	630	–	–	21	143	32	45	15	16	6	4	25	13	275	203	–	6	126	71
Balance of county	384	–	–	5	114	26	43	10	12	4	2	17	10	157	107	2	3	71	31
Northampton	269	2	–	7	51	10	15	4	8	–	2	12	6	135	97	2	12	61	22
Onslow	602	–	–	20	142	30	54	12	11	2	4	29	7	197	161	1	8	114	38
Jacksonville	242	–	–	10	58	13	24	5	3	–	4	9	4	83	65	–	5	43	17
Balance of county	360	–	–	10	84	17	30	7	8	2	–	20	3	114	96	1	3	71	21
Orange	535	–	–	16	116	22	34	10	15	6	5	24	19	187	143	–	3	99	41
Chapel Hill, part	207	–	–	7	40	8	11	4	6	1	1	9	5	70	55	–	2	35	18
Chapel Hill, total	208	–	–	7	41	8	11	5	6	1	1	9	5	70	55	–	2	35	18
Balance of county	328	–	–	9	76	14	23	6	9	5	4	15	14	117	88	–	1	64	23
Pamlico	135	–	–	2	44	9	17	2	5	1	1	9	6	48	36	1	2	25	8
Pasquotank	350	–	–	14	79	24	22	6	6	3	1	17	8	152	116	–	6	84	26
Elizabeth City, part	216	–	–	8	56	19	15	2	2	2	1	15	4	96	73	–	6	50	17
Elizabeth City, total	216	–	–	8	56	19	15	2	2	2	1	15	4	96	73	–	6	50	17
Balance of county	134	–	–	6	23	5	7	4	4	1	–	2	4	56	43	–	–	34	9
Pender	288	–	–	5	63	9	18	10	12	3	1	10	2	121	100	–	2	68	30
Perquimans	119	–	–	2	32	8	7	2	1	5	1	8	5	50	37	–	2	20	15
Person	277	–	–	5	66	10	17	13	7	1	5	13	5	119	93	1	3	54	35
Pitt	913	1	–	33	212	43	66	21	25	8	6	43	29	336	243	3	22	148	70
Greenville	341	1	–	18	77	13	24	8	11	5	2	14	5	121	84	3	8	47	26
Balance of county	572	–	–	15	135	30	42	13	14	3	4	29	24	215	159	–	14	101	44
Polk	213	–	–	5	51	13	9	5	8	1	2	13	4	83	66	–	3	44	19
Randolph	886	–	–	13	203	48	62	16	20	12	4	41	17	402	315	6	15	232	62
Asheboro	256	–	–	6	43	9	14	3	6	3	–	8	1	124	94	1	6	75	12
High Point, part	3	–	–	–	1	–	–	–	–	1	–	–	–	2	2	–	–	1	1
Balance of county	627	–	–	7	159	39	48	13	14	8	4	33	16	276	219	5	9	156	49
Richmond	493	–	–	14	95	20	32	11	5	3	3	21	17	197	165	1	5	119	40
Robeson	961	1	–	22	189	37	57	17	29	7	6	36	33	415	330	–	14	258	58
Lumberton	253	–	–	3	54	12	15	5	10	1	–	11	5	119	92	–	8	66	18
Balance of county	708	1	–	19	135	25	42	12	19	6	6	25	28	296	238	–	6	192	40
Rockingham	862	–	–	13	202	52	53	18	34	4	12	29	17	384	283	4	12	186	81
Eden	216	–	–	2	47	12	15	6	5	3	–	6	6	97	69	1	1	47	20
Reidsville	210	–	–	3	42	9	15	2	7	–	1	8	4	98	70	1	5	47	17
Balance of county	436	–	–	8	113	31	23	10	22	1	11	15	7	189	144	2	6	92	44
Rowan	1,201	1	–	22	270	58	77	21	46	8	8	52	25	549	415	2	11	290	112
Salisbury	472	–	–	10	82	18	26	7	11	1	5	14	13	213	158	1	4	107	46
Balance of county	729	1	–	12	188	40	51	14	35	7	3	38	12	336	257	1	7	183	66
Rutherford	619	–	–	6	129	33	31	10	21	5	7	22	12	309	252	2	–	175	75
Sampson	533	1	–	22	115	27	34	11	19	8	2	14	22	229	167	1	3	123	40
Scotland	330	–	–	13	62	14	14	6	11	1	2	14	6	142	117	–	5	75	37
Laurinburg	165	–	–	7	29	9	6	6	3	–	2	3	3	78	60	–	4	36	20
Balance of county	165	–	–	6	33	5	8	–	8	1	–	11	3	64	57	–	1	39	17
Stanly	532	–	–	3	96	16	31	9	12	1	5	22	17	268	190	–	6	141	43
Albemarle	196	–	–	2	28	4	8	4	5	–	1	6	7	102	71	–	2	53	16
Balance of county	336	–	–	1	68	12	23	5	7	1	4	16	10	166	119	–	4	88	27
Stokes	312	–	–	4	85	19	30	6	10	5	2	13	8	126	93	–	–	74	19
Surry	615	–	–	8	141	20	41	12	18	10	2	38	10	257	194	–	7	139	48
Swain	129	–	–	2	28	11	5	3	1	–	–	8	4	55	45	–	4	19	22
Transylvania	246	–	–	2	70	13	15	5	13	2	–	22	5	94	68	–	6	36	26
Tyrrell	40	–	–	1	4	–	3	–	1	–	–	–	2	22	19	–	3	14	2
Union	628	1	–	10	134	27	41	13	17	8	3	25	14	302	250	2	2	194	52
Monroe	208	1	–	3	34	8	12	4	2	4	–	4	5	99	83	1	–	66	16
Balance of county	420	–	–	7	100	19	29	9	15	4	3	21	9	203	167	1	2	128	36
Vance	420	–	–	9	82	26	24	3	8	3	3	15	13	182	152	–	11	101	40
Henderson	196	–	–	3	34	11	13	–	3	2	1	4	6	94	72	–	5	44	23
Balance of county	224	–	–	6	48	15	11	3	5	1	2	11	7	88	80	–	6	57	17
Wake	2,467	1	1	93	608	116	170	58	79	24	20	141	69	978	724	8	18	483	215
Cary	135	–	–	3	39	11	10	5	6	–	–	7	3	46	34	1	1	28	4
Garner	87	–	–	3	25	4	6	2	1	–	2	10	–	34	23	–	–	15	8
Raleigh	1,442	1	1	67	353	71	99	30	44	16	15	78	47	549	399	5	11	263	120
Balance of county	803	–	–	20	191	30	55	21	28	8	3	46	19	349	268	2	6	177	83
Warren	205	2	–	9	43	8	12	7	3	4	2	7	6	92	57	1	5	32	19
Washington	146	–	–	2	42	13	10	2	9	2	–	6	3	46	38	1	8	18	11
Watauga	224	–	–	5	49	13	13	1	6	4	2	10	4	97	75	1	–	54	20
Boone	69	–	–	1	14	1	4	1	1	2	1	4	–	35	27	–	–	22	5
Balance of county	155	–	–	4	35	12	9	–	5	2	1	6	4	62	48	1	–	32	15
Wayne	889	2	–	28	200	44	59	15	32	9	3	38	26	378	295	2	21	175	97
Goldsboro	366	–	–	14	90	21	23	9	17	4	2	14	10	143	117	2	7	65	43
Balance of county	523	2	–	14	110	23	36	6	15	5	1	24	16	235	178	–	14	110	54
Wilkes	534	–	–	12	98	28	22	5	15	5	2	21	15	231	170	2	2	106	60
Wilson	706	1	–	19	159	36	59	9	21	3	2	29	29	287	193	4	17	119	53
Wilson	448	1	–	15	92	22	32	4	15	3	–	16	23	178	114	1	12	68	33
Balance of county	258	–	–	4	67	14	27	5	6	–	2	13	6	109	79	3	5	51	20
Yadkin	332	–	–	6	76	9	25	11	14	1	2	14	5	150	123	2	2	89	30
Yancey	140	–	–	1	28	6	8	7	2	–	2	3	10	56	38	–	1	27	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 120 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	3	96	6	17	29	38	3	14	8	–	4	2	19	91	14	31	13	8	2
Wilmington	2	58	6	6	21	23	1	10	7	–	2	1	11	64	8	17	7	5	1
Balance of county	1	38	–	11	8	15	2	4	1	–	2	1	8	27	6	14	6	3	1
Northampton	5	30	–	3	6	6	–	6	2	–	3	1	2	26	2	11	1	2	–
Onslow	–	28	3	5	14	20	–	12	6	1	5	18	12	69	40	16	12	11	–
Jacksonville	–	14	2	2	9	13	–	3	2	1	3	5	2	30	11	2	5	1	–
Balance of county	–	14	1	3	5	7	–	9	4	–	2	13	10	39	29	14	7	10	–
Orange	1	33	6	4	18	20	–	3	7	–	4	2	5	79	19	19	11	9	1
Chapel Hill, part	–	11	1	3	7	6	–	1	1	–	2	–	1	40	8	8	7	4	–
Chapel Hill, total	–	11	1	3	7	6	–	1	1	–	2	–	1	40	8	8	7	4	–
Balance of county	1	22	5	1	11	14	–	2	6	–	2	2	4	39	11	11	4	5	1
Pamlico	–	11	–	1	6	3	1	3	–	–	–	2	–	14	2	4	–	–	–
Pasquotank	–	31	4	1	21	16	1	1	2	–	1	6	1	31	3	6	4	4	–
Elizabeth City, part	–	22	1	–	11	8	–	1	1	–	1	2	–	19	–	2	3	4	–
Elizabeth City, total	–	22	1	–	11	8	–	1	1	–	1	2	–	19	–	2	3	4	–
Balance of county	–	9	3	1	10	8	1	–	1	–	–	4	1	12	3	4	1	–	–
Pender	2	14	4	1	13	17	1	2	10	–	2	2	3	23	11	10	2	–	1
Perquimans	1	7	2	3	3	9	–	1	2	–	–	–	–	7	3	4	1	–	–
Person	1	22	2	1	13	17	1	–	7	–	3	3	1	23	5	3	4	2	–
Pitt	4	77	3	9	31	27	4	10	9	–	6	19	5	105	15	28	18	24	1
Greenville	1	30	1	5	11	11	2	3	2	–	3	7	4	44	5	17	6	3	1
Balance of county	3	47	2	4	20	16	2	7	7	–	3	12	1	61	10	11	12	21	–
Polk	1	11	3	2	14	9	1	2	3	–	–	2	–	26	6	2	5	–	–
Randolph	1	71	4	11	15	23	3	5	4	–	6	7	35	80	27	20	16	10	–
Asheboro	–	27	1	2	3	6	1	3	1	–	3	1	21	25	2	9	4	3	–
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	44	3	9	12	17	2	2	3	–	3	6	14	55	25	11	12	7	–
Richmond	1	26	–	5	10	23	3	2	4	–	5	–	5	55	15	33	3	11	1
Robeson	3	76	6	–	28	27	2	17	10	–	7	10	7	109	31	21	11	19	2
Lumberton	–	25	2	–	8	7	–	3	3	–	–	3	1	33	2	4	2	5	1
Balance of county	3	51	4	–	20	20	2	14	7	–	7	7	6	76	29	17	9	14	1
Rockingham	2	80	3	16	20	42	1	15	8	–	3	2	5	91	16	24	12	7	–
Eden	1	22	1	4	3	10	–	2	2	–	–	1	1	36	2	5	1	1	–
Reidsville	1	19	2	6	9	10	1	5	4	–	–	–	2	15	5	9	1	2	–
Balance of county	–	39	–	6	8	22	–	8	2	–	3	1	2	40	9	10	10	4	–
Rowan	6	92	23	13	38	52	4	8	10	–	6	8	5	121	30	30	9	12	1
Salisbury	3	37	11	4	22	27	2	2	4	–	1	3	1	57	9	19	3	4	–
Balance of county	3	55	12	9	16	25	2	6	6	–	5	5	4	64	21	11	6	8	1
Rutherford	–	44	6	7	27	21	3	8	6	–	1	6	3	47	10	18	8	4	1
Sampson	4	53	2	3	8	16	–	9	10	–	2	10	1	40	14	20	8	5	1
Scotland	5	16	1	3	11	12	1	1	5	–	4	5	5	34	10	7	6	6	–
Laurinburg	4	11	–	3	4	4	–	–	3	–	1	4	3	15	5	4	3	2	–
Balance of county	1	5	1	–	7	8	1	1	2	–	3	1	2	19	5	3	3	4	–
Stanly	2	60	4	12	13	19	1	3	4	–	3	–	9	45	21	19	5	6	–
Albemarle	1	25	–	5	6	8	–	–	3	–	–	–	3	15	8	11	2	1	–
Balance of county	1	35	4	7	7	11	1	3	1	–	3	–	6	30	13	8	3	5	–
Stokes	–	29	1	3	12	11	–	4	4	–	–	–	4	28	6	8	10	2	–
Surry	–	54	4	5	27	26	5	11	7	–	4	3	3	62	17	23	10	1	–
Swain	–	8	2	–	5	1	–	3	2	–	–	3	1	14	2	4	4	1	–
Transylvania	–	20	2	4	3	11	–	4	7	–	1	–	3	31	1	3	10	1	–
Tyrrell	1	2	–	–	1	2	–	–	2	–	–	–	–	5	–	1	–	–	–
Union	1	44	2	5	24	14	1	9	5	–	3	4	2	59	20	10	9	6	1
Monroe	1	14	–	1	13	6	–	5	3	–	1	4	1	22	4	2	4	1	–
Balance of county	–	30	2	4	11	8	1	4	2	–	2	–	1	37	16	8	5	5	1
Vance	–	22	2	6	14	14	3	5	9	–	3	4	3	44	13	7	6	8	1
Henderson	–	15	1	6	7	2	2	3	5	–	2	2	3	21	2	1	4	4	1
Balance of county	–	7	1	–	7	12	1	2	4	–	1	2	–	23	11	6	2	4	–
Wake	14	207	7	26	61	89	5	16	26	–	26	39	11	253	52	52	49	37	1
Cary	–	9	–	3	5	5	1	1	1	–	4	3	–	15	3	1	5	–	–
Garner	2	7	–	2	3	3	–	1	–	–	2	1	–	10	1	3	–	1	–
Raleigh	7	127	5	11	33	54	2	12	16	–	16	25	7	159	15	32	23	30	–
Balance of county	5	64	2	10	20	27	2	2	9	–	4	10	4	69	33	16	21	6	1
Warren	1	31	–	3	6	5	–	2	3	–	1	–	2	23	3	3	1	4	–
Washington	–	7	–	1	6	7	1	1	1	–	–	2	2	23	5	2	2	1	–
Watauga	–	17	1	4	2	13	1	2	2	–	4	–	–	26	7	6	4	2	–
Boone	–	6	–	2	1	4	1	–	–	–	1	–	–	8	1	1	2	–	–
Balance of county	–	11	1	2	1	9	–	2	2	–	3	–	–	18	6	5	2	2	–
Wayne	7	65	4	7	27	31	2	8	8	–	9	6	9	90	18	18	9	20	–
Goldsboro	4	18	1	3	12	12	–	4	2	–	3	5	7	39	7	5	5	8	–
Balance of county	3	47	3	4	15	19	2	4	6	–	6	1	2	51	11	13	4	12	–
Wilkes	1	51	3	6	25	34	–	6	2	–	4	1	4	60	18	14	4	6	–
Wilson	6	74	9	5	12	21	2	13	3	–	4	4	3	93	21	12	6	17	–
Wilson	4	51	7	2	7	11	2	9	1	–	4	–	2	70	7	10	3	13	–
Balance of county	2	23	2	3	5	10	–	4	2	–	–	4	1	23	14	2	3	4	–
Yadkin	–	22	1	4	12	16	1	1	2	–	3	2	–	34	12	6	3	3	–
Yancey	1	14	–	3	4	7	1	1	–	–	–	–	2	18	4	5	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 121 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,576	1	–	46	1,369	364	317	123	210	62	58	235	162	2,433	1,813	10	31	1,236	536
Urban places	2,036	1	–	24	495	123	136	46	69	20	21	80	66	841	613	3	8	381	221
Balance of area	3,540	–	–	22	874	241	181	77	141	42	37	155	96	1,592	1,200	7	23	855	315
Metropolitan counties	1,671	1	–	18	434	113	102	40	63	20	20	76	48	689	500	2	8	326	164
Urban places	1,315	1	–	16	337	93	88	31	43	15	13	54	41	537	392	2	7	254	129
Balance of area	356	–	–	2	97	20	14	9	20	5	7	22	7	152	108	–	1	72	35
Nonmetropolitan counties	3,905	–	–	28	935	251	215	83	147	42	38	159	114	1,744	1,313	8	23	910	372
Urban places	721	–	–	8	158	30	48	15	26	5	8	26	25	304	221	1	1	127	92
Balance of area	3,184	–	–	20	777	221	167	68	121	37	30	133	89	1,440	1,092	7	22	783	280
Adams	36	–	–	–	12	3	2	–	2	–	–	5	2	14	13	–	–	7	6
Barnes	148	–	–	1	29	8	8	–	5	2	–	6	6	70	43	–	1	34	8
Benson	69	–	–	1	18	6	3	2	3	–	1	3	3	31	20	–	–	17	3
Billings	8	–	–	1	4	–	1	1	–	1	1	–	–	3	3	–	–	2	1
Bottineau	104	–	–	1	39	12	6	2	8	2	3	6	–	35	28	–	–	22	6
Bowman	34	–	–	–	9	1	1	–	3	2	1	1	2	16	13	–	3	7	3
Burke	38	–	–	–	10	1	5	1	1	–	–	2	–	18	15	–	–	9	6
Burleigh	403	–	–	6	75	20	20	8	9	4	–	14	17	193	141	1	3	96	41
Bismarck	370	–	–	6	68	20	17	8	7	4	–	12	16	178	130	1	3	87	39
Balance of county	33	–	–	–	7	–	3	–	2	–	–	2	1	15	11	–	–	9	2
Cass	632	–	–	8	174	52	35	14	22	8	9	34	14	241	177	–	1	118	58
Fargo	468	–	–	6	126	38	28	9	15	5	8	23	12	171	124	–	1	83	40
West Fargo	48	–	–	–	17	7	3	1	2	2	–	2	2	17	13	–	–	11	2
Balance of county	116	–	–	2	31	7	4	4	5	1	1	9	–	53	40	–	–	24	16
Cavalier	75	–	–	–	18	6	3	2	4	–	1	2	–	38	29	–	–	18	11
Dickey	87	–	–	1	19	7	5	2	1	1	1	2	4	37	31	–	–	20	11
Divide	32	–	–	1	5	1	2	1	–	1	–	–	3	15	14	–	–	12	2
Dunn	27	–	–	–	7	2	1	–	2	–	–	2	1	12	11	–	–	10	1
Eddy	51	–	–	–	8	2	2	–	–	2	–	2	1	28	13	–	–	10	3
Emmons	54	–	–	–	20	7	2	1	5	1	1	3	2	12	10	–	–	6	4
Foster	51	–	–	1	10	4	1	2	2	–	–	1	–	30	14	–	–	9	5
Golden Valley	24	–	–	–	5	–	3	–	2	–	–	–	2	16	14	–	–	10	4
Grand Forks	417	1	–	3	124	28	34	9	21	7	7	18	10	161	116	1	3	71	41
Grand Forks	300	1	–	3	88	19	27	7	16	4	3	12	9	118	84	1	2	52	29
Balance of county	117	–	–	–	36	9	7	2	5	3	4	6	1	43	32	–	1	19	12
Grant	33	–	–	1	15	6	3	3	1	2	–	–	–	14	11	–	–	7	4
Griggs	42	–	–	–	13	2	3	1	4	1	1	1	1	19	16	–	1	8	7
Hettinger	43	–	–	–	11	2	1	4	2	1	1	–	1	16	12	–	–	5	7
Kidder	23	–	–	–	5	1	2	1	1	–	–	–	2	11	6	–	–	5	1
La Moure	51	–	–	–	14	4	–	3	3	–	2	2	1	21	11	–	–	8	3
Logan	32	–	–	1	7	1	2	–	–	1	1	2	3	10	7	–	–	6	1
McHenry	81	–	–	1	21	6	7	3	3	–	–	2	1	36	31	–	–	25	6
McIntosh	74	–	–	–	18	5	1	–	5	1	2	4	4	28	22	–	1	15	6
McKenzie	53	–	–	–	16	6	2	1	5	1	–	1	2	19	15	–	–	14	1
McLean	110	–	–	1	23	6	9	1	1	1	–	5	6	60	47	–	–	42	5
Mercer	83	–	–	1	18	4	4	1	3	2	–	4	3	35	23	–	3	8	12
Morton	219	–	–	1	61	13	13	9	11	1	4	10	7	94	66	–	1	41	24
Mandan	129	–	–	1	38	9	13	6	3	–	2	5	2	53	41	–	1	21	19
Balance of county	90	–	–	–	23	4	–	3	8	1	2	5	5	41	25	–	–	20	5
Mountrail	89	–	–	–	16	8	2	–	2	1	1	2	6	41	34	–	2	16	16
Nelson	87	–	–	–	20	2	3	3	3	1	1	7	1	45	31	–	–	23	8
Oliver	10	–	–	–	2	1	1	–	–	–	–	–	–	5	5	–	–	3	2
Pembina	109	–	–	–	31	14	6	3	3	–	–	5	2	50	29	1	–	23	5
Pierce	88	–	–	1	18	5	5	1	3	–	–	4	5	37	29	–	2	21	6
Ramsey	132	–	–	2	21	3	7	1	2	–	1	7	3	71	54	–	–	45	9
Ransom	99	–	–	2	22	5	6	2	3	1	1	4	2	46	33	–	–	20	13
Renville	39	–	–	–	6	2	1	1	1	–	–	1	1	24	21	–	–	14	7
Richland	172	–	–	–	43	14	8	3	8	2	1	7	2	80	60	1	1	48	10
Rolette	114	–	–	1	25	7	4	3	5	2	–	4	–	38	33	–	–	22	11
Sargent	53	–	–	–	11	4	4	1	–	1	–	1	3	31	25	1	2	17	5
Sheridan	21	–	–	–	7	–	2	1	1	2	–	1	–	7	6	–	–	5	1
Sioux	30	–	–	–	8	4	2	1	–	–	–	1	2	10	7	1	–	5	1
Slope	4	–	–	–	1	1	–	–	–	–	–	–	–	3	3	–	–	2	1
Stark	160	–	–	2	41	5	11	4	7	1	4	9	1	73	51	2	1	33	15
Dickinson	113	–	–	2	29	2	9	4	5	1	3	5	–	54	35	1	–	20	14
Balance of county	47	–	–	–	12	3	2	–	2	–	1	4	1	19	16	1	1	13	1
Steele	27	–	–	–	7	–	1	1	2	1	–	2	–	14	12	–	–	9	3
Stutsman	230	–	–	3	52	18	14	3	12	–	1	4	9	93	68	–	2	43	23
Jamestown	176	–	–	3	35	14	9	1	9	–	–	2	9	73	53	–	1	32	20
Balance of county	54	–	–	–	17	4	5	2	3	–	1	2	–	20	15	–	1	11	3
Towner	38	–	–	–	10	1	1	2	1	1	–	4	–	18	12	1	1	4	6
Traill	111	–	–	1	21	6	4	4	5	–	1	1	–	56	49	–	–	42	7
Walsh	167	–	–	–	46	20	9	3	3	2	4	5	2	86	72	–	–	59	13
Ward	404	–	–	4	87	14	23	6	13	5	3	23	14	165	123	1	3	67	52
Minot	315	–	–	3	67	11	19	5	8	4	3	17	11	127	96	–	–	52	44
Balance of county	89	–	–	1	20	3	4	1	5	1	–	6	3	38	27	1	3	15	8
Wells	77	–	–	–	22	6	6	3	1	–	2	4	2	33	26	–	–	17	9
Williams	181	–	–	–	44	8	16	5	6	–	2	7	9	74	58	–	–	36	22
Williston	117	–	–	–	27	3	11	5	4	–	2	2	5	50	37	–	–	23	14
Balance of county	64	–	–	–	17	5	5	–	2	–	–	5	4	24	21	–	–	13	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 122 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	14	440	97	69	230	222	15	56	57	–	33	26	76	558	98	108	74	10	2
Urban places	4	164	28	32	83	80	7	27	15	–	17	14	39	230	26	41	24	5	1
Balance of area	10	276	69	37	147	142	8	29	42	–	16	12	37	328	72	67	50	5	1
Metropolitan counties	3	133	32	21	84	66	5	14	13	–	11	8	19	179	22	30	27	3	–
Urban places	3	104	20	18	64	49	4	13	10	–	11	6	17	144	16	26	20	3	–
Balance of area	–	29	12	3	20	17	1	1	3	–	–	2	2	35	6	4	7	–	–
Nonmetropolitan counties	11	307	65	48	146	156	10	42	44	–	22	18	57	379	76	78	47	7	2
Urban places	1	60	8	14	19	31	3	14	5	–	6	8	22	86	10	15	4	2	1
Balance of area	10	247	57	34	127	125	7	28	39	–	16	10	35	293	66	63	43	5	1
Adams	–	1	–	–	5	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Barnes	4	16	2	5	13	3	–	–	1	–	1	–	–	14	5	2	2	–	1
Benson	1	7	1	2	3	2	–	–	–	–	1	–	1	5	2	1	1	–	–
Billings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bottineau	–	6	1	–	5	4	–	–	1	–	–	–	1	13	1	3	1	–	–
Bowman	–	3	–	–	1	1	–	–	–	–	–	–	–	2	–	–	3	–	–
Burke	–	3	–	–	1	4	–	–	–	–	–	–	–	3	–	2	–	–	–
Burleigh	–	31	12	9	12	20	1	4	3	–	4	4	6	38	4	9	6	1	–
Bismarck	–	28	12	8	11	18	1	4	3	–	4	3	6	33	4	8	6	1	–
Balance of county	–	3	–	1	1	2	–	–	–	–	–	1	–	5	–	1	–	–	–
Cass	–	48	7	9	38	23	2	6	5	–	6	2	8	67	12	12	13	1	–
Fargo	–	38	3	6	31	18	1	4	5	–	6	–	5	57	8	9	8	1	–
West Fargo	–	2	1	1	1	–	–	1	–	–	–	1	1	3	1	2	2	–	–
Balance of county	–	8	3	2	6	5	1	1	–	–	–	1	2	7	3	1	3	–	–
Cavalier	–	9	–	–	4	3	–	–	1	–	–	–	1	8	1	–	1	–	–
Dickey	1	4	–	1	3	2	–	–	2	–	–	–	1	13	3	–	2	–	–
Divide	–	1	–	–	–	1	–	–	1	–	–	–	–	5	–	1	–	–	–
Dunn	–	–	1	–	2	1	–	1	–	–	–	–	–	2	1	–	–	–	–
Eddy	1	10	3	1	4	3	–	1	–	–	–	–	–	5	–	1	–	–	–
Emmons	–	1	–	1	1	2	1	–	2	–	–	–	–	11	–	2	1	–	–
Foster	–	9	7	–	–	2	1	–	–	–	–	–	–	5	1	1	–	–	–
Golden Valley	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Grand Forks	3	36	4	2	30	13	1	3	5	–	–	2	2	48	4	5	4	1	–
Grand Forks	3	27	2	2	19	8	1	3	2	–	–	2	2	35	2	4	2	1	–
Balance of county	–	9	2	–	11	5	–	–	3	–	–	–	–	13	2	1	2	–	–
Grant	–	3	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Griggs	–	3	–	–	2	2	–	–	2	–	–	–	–	3	–	–	–	–	–
Hettinger	–	4	–	–	3	4	–	–	–	–	–	–	1	5	2	–	–	–	–
Kidder	–	2	3	–	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–
La Moure	–	6	3	1	1	4	–	1	2	–	–	–	–	5	–	1	1	–	–
Logan	–	1	2	–	–	4	–	–	–	–	–	–	–	6	–	1	–	–	–
McHenry	–	4	1	–	4	3	1	–	–	–	1	–	1	7	4	1	–	–	–
McIntosh	–	6	–	–	–	6	–	–	3	–	–	–	–	13	–	2	–	–	–
McKenzie	1	3	–	–	2	–	–	1	–	–	–	–	1	5	4	2	1	–	–
McLean	–	11	–	2	1	3	–	2	–	–	–	–	1	7	1	2	3	–	–
Mercer	–	8	2	2	1	4	–	1	2	–	1	–	2	5	6	3	1	–	–
Morton	–	18	9	1	4	10	1	1	–	–	1	–	3	26	2	4	4	–	–
Mandan	–	9	2	1	2	5	1	1	–	–	1	–	3	16	1	3	2	–	–
Balance of county	–	9	7	–	2	5	–	–	–	–	–	–	–	10	1	1	2	–	–
Mountrail	–	7	–	–	4	3	–	2	1	–	1	–	2	9	1	2	1	–	–
Nelson	–	12	–	2	2	2	1	1	4	–	–	–	–	6	–	4	1	–	–
Oliver	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Pembina	–	15	4	2	6	2	1	2	1	–	1	–	–	7	2	3	1	–	–
Pierce	1	5	2	–	7	1	1	1	–	–	2	–	1	11	1	1	1	–	–
Ramsey	–	12	4	1	10	4	–	1	1	–	2	–	1	12	2	–	2	–	–
Ransom	–	5	7	1	10	6	–	1	–	–	–	–	1	8	1	–	–	–	–
Renville	–	2	–	1	3	2	–	1	–	–	–	–	–	–	–	2	–	–	–
Richland	–	15	5	–	4	9	–	2	2	–	1	–	3	16	3	2	3	2	–
Rolette	1	–	1	3	3	7	–	1	–	–	1	3	11	6	10	2	6	–	–
Sargent	–	4	2	–	3	2	–	–	–	–	–	–	–	2	1	–	–	–	–
Sheridan	–	1	–	–	–	1	–	–	–	–	1	1	–	1	1	1	1	–	–
Sioux	–	1	1	1	–	1	–	2	–	–	–	1	1	2	2	–	–	1	–
Slope	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stark	–	16	2	4	7	7	–	4	1	–	–	3	1	15	1	2	2	–	–
Dickinson	–	14	2	3	6	3	–	4	1	–	–	2	1	9	–	2	–	–	–
Balance of county	–	2	–	1	1	4	–	–	–	–	–	1	–	6	1	–	2	–	–
Steele	–	2	–	–	–	–	–	2	2	–	–	–	–	1	–	–	1	–	–
Stutsman	–	15	3	7	8	11	2	2	1	–	2	–	3	29	6	6	1	2	–
Jamestown	–	12	3	5	6	7	1	2	1	–	–	–	3	26	4	4	–	2	–
Balance of county	–	3	–	2	2	4	1	–	–	–	2	–	–	3	2	2	1	–	–
Towner	–	3	2	1	2	2	–	–	1	–	–	–	1	3	–	1	–	–	–
Traill	–	5	1	1	4	5	–	2	5	–	–	–	1	11	1	3	1	–	–
Walsh	–	12	1	1	3	3	–	1	3	–	–	1	1	15	–	2	3	1	–
Ward	1	33	1	7	7	22	1	7	2	–	6	7	17	44	5	9	5	1	1
Minot	1	24	1	5	5	17	1	6	1	–	6	5	15	36	5	5	4	–	1
Balance of county	–	9	–	2	2	5	–	1	1	–	–	2	2	8	–	4	1	1	–
Wells	–	6	1	–	2	3	–	–	–	–	–	–	–	8	3	4	–	–	–
Williams	–	13	2	1	2	5	1	3	2	–	1	2	3	24	4	7	–	–	–
Williston	–	10	2	1	2	4	1	2	2	–	–	1	3	15	1	4	–	–	–
Balance of county	–	3	–	–	–	1	–	1	–	–	1	1	–	9	3	3	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 123 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	100,190	40	5	1,603	24,232	5,611	7,304	2,037	2,640	1,027	893	4,720	2,842	43,600	34,994	316	1,205	23,976	9,497
Urban places	58,285	29	3	1,012	13,977	3,285	4,264	1,167	1,535	593	479	2,654	1,680	25,179	20,227	193	809	13,737	5,488
Balance of area	41,905	11	2	591	10,255	2,326	3,040	870	1,105	434	414	2,066	1,162	18,421	14,767	123	396	10,239	4,009
Metropolitan counties	78,221	30	4	1,307	19,189	4,443	5,817	1,623	2,064	804	700	3,738	2,267	33,653	26,996	254	1,024	18,240	7,478
Urban places	51,577	25	3	928	12,430	2,907	3,800	1,034	1,371	530	423	2,365	1,510	22,125	17,787	179	753	11,969	4,886
Balance of area	26,644	5	1	379	6,759	1,536	2,017	589	693	274	277	1,373	757	11,528	9,209	75	271	6,271	2,592
Nonmetropolitan counties	21,969	10	1	296	5,043	1,168	1,487	414	576	223	193	982	575	9,947	7,998	62	181	5,736	2,019
Urban places	6,708	4	–	84	1,547	378	464	133	164	63	56	289	170	3,054	2,440	14	56	1,768	602
Balance of area	15,261	6	1	212	3,496	790	1,023	281	412	160	137	693	405	6,893	5,558	48	125	3,968	1,417
Adams	285	–	–	5	70	12	25	4	13	3	2	11	6	127	94	1	–	84	9
Allen	959	–	–	14	241	65	80	32	20	10	7	27	23	435	335	2	8	250	75
Lima	531	–	–	13	132	40	42	17	10	5	3	15	9	227	178	1	6	131	40
Balance of county	428	–	–	1	109	25	38	15	10	5	4	12	14	208	157	1	2	119	35
Ashland	436	–	–	4	96	28	24	9	10	4	4	17	18	207	164	–	5	108	51
Ashland	217	–	–	1	38	10	10	5	2	1	2	8	10	118	90	–	2	63	25
Balance of county	219	–	–	3	58	18	14	4	8	3	2	9	8	89	74	–	3	45	26
Ashtabula	1,041	–	–	12	257	73	69	18	28	8	9	52	30	455	385	7	7	266	105
Ashtabula	281	–	–	2	63	22	16	3	6	2	2	12	10	125	104	1	3	76	24
Conneaut	154	–	–	–	42	15	11	1	5	1	2	7	4	72	63	1	1	46	15
Balance of county	606	–	–	10	152	36	42	14	17	5	5	33	16	258	218	5	3	144	66
Athens	462	–	–	5	110	25	37	11	13	3	4	17	7	208	166	1	1	132	32
Athens	88	–	–	1	19	5	4	4	3	1	1	1	–	44	35	–	1	26	8
Balance of county	374	–	–	4	91	20	33	7	10	2	3	16	7	164	131	1	–	106	24
Auglaize	368	–	–	5	106	35	23	7	12	3	4	22	6	158	118	1	2	87	28
Belmont	891	–	–	7	219	52	64	18	19	13	9	44	23	416	335	3	2	275	55
Brown	318	1	–	4	67	14	26	7	7	3	3	7	10	134	111	2	3	70	36
Butler	2,165	1	–	34	529	118	159	41	54	23	18	116	57	909	716	7	45	481	183
Fairfield	248	–	–	6	56	14	14	4	6	3	2	13	6	104	81	1	5	50	25
Hamilton	632	1	–	11	156	32	48	8	18	12	5	33	15	291	221	1	16	166	38
Middletown	461	–	–	8	102	26	36	8	12	3	1	16	14	183	140	2	7	95	36
Oxford	68	–	–	1	16	4	4	1	–	1	2	4	–	32	27	1	1	14	11
Balance of county	756	–	–	8	199	42	57	20	18	4	8	50	22	299	247	2	16	156	73
Carroll	220	–	–	1	54	9	14	4	9	4	–	14	11	88	69	–	2	46	21
Champaign	322	–	–	5	76	20	15	9	12	5	4	11	7	147	116	–	3	87	26
Urbana	135	–	–	2	32	9	4	2	5	3	1	8	3	59	42	–	1	25	16
Balance of county	187	–	–	3	44	11	11	7	7	2	3	3	4	88	74	–	2	62	10
Clark	1,474	–	–	26	336	83	110	23	21	18	11	70	58	638	508	5	20	331	152
Springfield	910	–	–	17	197	50	58	14	13	12	6	44	38	382	320	5	11	217	87
Balance of county	564	–	–	9	139	33	52	9	8	6	5	26	20	256	188	–	9	114	65
Clermont	1,034	–	–	18	261	55	97	18	22	12	12	45	28	418	346	2	10	234	100
Clinton	310	1	–	2	70	20	18	3	15	3	3	8	8	130	100	2	4	62	32
Wilmington	105	1	–	2	25	8	6	1	6	2	–	2	2	40	28	–	1	16	11
Balance of county	205	–	–	–	45	12	12	2	9	1	3	6	6	90	72	2	3	46	21
Columbiana	1,141	1	–	8	250	59	84	18	27	15	10	37	29	553	451	3	9	353	86
East Liverpool	233	–	–	3	40	8	15	2	3	3	3	6	4	111	96	2	2	74	18
Salem	170	–	–	–	38	16	8	2	6	1	–	5	4	81	64	–	4	45	15
Balance of county	738	1	–	5	172	35	61	14	18	11	7	26	21	361	291	1	3	234	53
Coshocton	369	–	–	7	75	16	23	7	12	2	2	13	7	172	145	–	2	102	41
Coshocton	185	–	–	4	37	12	8	3	6	2	–	6	4	83	70	–	1	48	21
Balance of county	184	–	–	3	38	4	15	4	6	–	2	7	3	89	75	–	1	54	20
Crawford	514	1	1	5	128	32	31	8	16	3	11	27	7	230	179	1	5	133	40
Bucyrus	152	–	–	1	40	10	9	4	5	1	5	6	1	58	47	–	1	30	16
Galion	155	1	–	2	37	10	10	2	4	1	2	8	3	77	64	1	–	55	8
Balance of county	207	–	1	2	51	12	12	2	7	1	4	13	3	95	68	–	4	48	16
Cuyahoga	15,284	6	1	284	3,729	948	1,059	314	420	142	133	713	420	6,702	5,541	66	172	4,088	1,215
Bay Village	130	–	–	2	29	12	6	–	2	1	1	7	3	60	48	–	4	36	8
Bedford	138	–	–	1	40	7	16	4	4	2	–	7	3	62	53	–	1	33	19
Bedford Heights	111	–	–	4	29	7	9	–	4	3	–	6	3	43	36	1	2	20	13
Berea	172	–	–	3	44	6	18	8	3	2	2	5	5	81	71	3	3	48	17
Brecksville	100	–	–	–	26	7	7	4	1	2	–	5	4	41	30	–	1	21	8
Broadview Heights	99	–	–	–	26	6	7	2	4	1	1	5	1	49	39	–	1	28	10
Brooklyn	145	–	–	2	34	10	8	2	4	1	2	7	2	69	56	1	2	39	14
Brook Park	199	–	–	2	61	16	22	3	4	2	2	12	9	83	76	3	3	59	11
Cleveland	6,161	4	1	147	1,392	343	437	111	165	53	31	252	174	2,630	2,176	23	81	1,594	478
Cleveland Heights	503	–	–	12	135	29	31	14	20	6	4	31	11	189	145	1	7	105	32
East Cleveland	327	–	–	13	83	25	21	6	12	2	4	13	11	127	102	1	4	70	27
Euclid	769	1	–	10	203	61	55	15	18	11	8	35	16	341	272	3	7	187	75
Fairview Park	208	–	–	2	56	18	11	7	8	2	2	8	5	84	69	–	1	57	11
Garfield Heights	377	–	–	5	96	28	27	10	8	1	1	21	10	186	164	5	5	113	41
Lakewood	581	–	–	10	129	30	33	14	13	5	9	25	14	268	219	4	3	174	38
Lyndhurst	170	–	–	3	56	16	16	4	3	1	3	13	4	75	66	1	4	46	15
Maple Heights	309	–	–	3	77	21	25	3	9	1	3	15	5	149	120	1	7	90	22
Mayfield Heights	292	1	–	4	70	22	22	5	7	–	4	10	8	132	106	–	6	81	19
Middleburg Heights	135	–	–	4	27	4	7	6	3	1	1	5	7	70	59	2	–	41	16
North Olmsted	309	–	–	2	85	30	23	6	4	3	3	16	19	126	109	1	5	81	22
North Royalton	147	–	–	3	48	8	15	4	2	4	1	14	5	46	35	–	2	27	6
Parma	912	–	–	11	222	56	54	19	18	8	9	58	23	418	349	5	5	254	85
Parma Heights	294	–	–	1	80	25	23	6	8	6	–	12	12	141	114	2	2	92	18
Richmond Heights	110	–	–	1	23	7	5	2	1	2	2	4	1	62	53	1	1	42	9
Rocky River	251	–	–	3	61	14	13	3	14	2	3	12	3	121	102	–	–	86	16
Seven Hills	138	–	–	1	43	13	12	2	5	2	1	8	3	64	54	1	1	40	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 124 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio	448	6,152	788	1,218	3,166	4,411	234	932	1,058	13	607	730	1,601	9,486	1,656	1,977	1,237	699	61
Urban places	287	3,529	416	720	1,787	2,531	135	608	634	8	349	481	1,080	5,577	711	1,172	705	579	48
Balance of area	161	2,623	372	498	1,379	1,880	99	324	424	5	258	249	521	3,909	945	805	532	120	13
Metropolitan counties	363	4,749	595	950	2,382	3,415	172	746	822	12	477	629	1,339	7,458	1,127	1,522	969	647	54
Urban places	256	3,088	358	636	1,544	2,200	122	546	554	7	320	451	991	4,928	617	1,038	629	565	44
Balance of area	107	1,661	237	314	838	1,215	50	200	268	5	157	178	348	2,530	510	484	340	82	10
Nonmetropolitan counties	85	1,403	193	268	784	996	62	186	236	1	130	101	262	2,028	529	455	268	52	7
Urban places	31	441	58	84	243	331	13	62	80	1	29	30	89	649	94	134	76	14	4
Balance of area	54	962	135	184	541	665	49	124	156	–	101	71	173	1,379	435	321	192	38	3
Adams	–	17	14	2	8	11	1	2	4	–	4	3	4	21	5	6	4	3	1
Allen	2	76	12	10	23	46	3	8	11	–	5	8	7	95	21	10	2	7	–
Lima	1	36	8	4	15	28	2	3	4	–	2	7	5	61	9	8	–	6	–
Balance of county	1	40	4	6	8	18	1	5	7	–	3	1	2	34	12	2	2	1	–
Ashland	2	30	3	8	12	15	3	3	6	–	4	2	2	32	14	13	2	2	1
Ashland	1	20	3	4	5	11	2	3	4	–	2	1	–	13	4	3	1	1	–
Balance of county	1	10	–	4	7	4	1	–	2	–	2	1	2	19	10	10	1	1	1
Ashtabula	2	55	3	10	26	62	5	10	16	–	7	4	7	96	19	19	14	2	–
Ashtabula	–	17	1	3	6	25	1	4	6	–	1	–	4	25	2	3	3	1	–
Conneaut	1	8	–	–	3	4	–	–	6	–	–	1	1	15	4	1	1	–	–
Balance of county	1	30	2	7	17	33	4	6	4	–	6	3	2	56	13	15	10	1	–
Athens	1	31	6	4	16	20	2	6	8	–	5	1	13	34	13	8	5	1	–
Athens	1	5	2	1	6	1	–	1	3	–	–	–	4	8	–	–	–	1	–
Balance of county	–	26	4	3	10	19	2	5	5	–	5	1	9	26	13	8	5	–	–
Auglaize	5	29	3	3	12	15	–	3	3	–	4	4	3	29	6	9	2	3	–
Belmont	2	61	5	13	37	39	2	6	8	1	4	6	10	66	11	24	9	3	–
Brown	1	14	2	6	9	12	3	4	7	–	8	–	14	26	6	9	3	1	–
Butler	18	136	9	30	66	114	7	26	26	–	16	16	18	211	44	40	38	12	1
Fairfield	1	12	–	10	8	11	2	5	2	–	1	3	2	27	6	5	3	–	1
Hamilton	7	54	5	4	19	38	3	5	8	–	4	6	7	38	9	7	11	3	–
Middletown	3	31	1	8	14	28	1	8	4	–	4	4	3	56	5	12	8	7	–
Oxford	–	3	1	1	3	3	–	–	1	–	–	–	1	8	1	1	1	–	–
Balance of county	7	36	2	7	22	34	1	8	11	–	7	3	5	82	23	15	15	2	–
Carroll	1	12	2	4	11	6	–	2	–	–	1	1	5	23	11	5	1	–	–
Champaign	1	24	4	2	7	17	–	2	2	–	4	1	3	35	7	8	1	–	–
Urbana	–	14	2	1	1	9	–	1	1	–	1	1	1	13	4	6	1	–	–
Balance of county	1	10	2	1	6	8	–	1	1	–	3	–	2	22	3	2	–	–	–
Clark	8	93	13	16	51	70	2	7	27	–	17	7	30	134	16	25	21	9	–
Springfield	6	48	2	6	36	40	1	6	18	–	9	3	21	95	10	14	15	8	–
Balance of county	2	45	11	10	15	30	1	1	9	–	8	4	9	39	6	11	6	1	–
Clermont	3	52	3	14	35	54	3	7	13	–	8	5	2	118	26	16	18	2	2
Clinton	1	26	2	1	11	18	–	2	7	–	2	3	3	31	8	12	1	1	–
Wilmington	–	11	1	–	5	7	–	1	3	–	1	1	1	9	3	2	1	1	–
Balance of county	1	15	1	1	6	11	–	1	4	–	1	2	2	22	5	10	–	–	–
Columbiana	6	70	16	10	18	60	4	9	9	–	5	4	13	132	17	11	17	1	–
East Liverpool	–	13	1	1	2	17	–	4	2	–	1	1	2	36	2	4	4	–	–
Salem	1	10	5	1	4	12	1	1	4	–	–	–	2	18	1	3	1	–	–
Balance of county	5	47	10	8	12	31	3	4	3	–	4	3	9	78	14	4	12	1	–
Coshocton	1	21	2	3	13	17	1	2	2	–	2	1	4	36	8	11	8	2	1
Coshocton	1	10	1	1	9	7	–	1	1	–	2	1	4	19	2	6	4	1	–
Balance of county	–	11	1	2	4	10	1	1	1	–	–	–	–	17	6	5	4	1	1
Crawford	3	33	4	11	18	18	1	4	5	1	2	1	3	61	9	13	4	2	–
Bucyrus	1	5	1	4	5	6	–	2	2	–	–	1	1	24	3	4	2	2	–
Galion	1	6	2	4	11	5	–	–	2	1	1	–	2	6	2	4	1	–	–
Balance of county	1	22	1	3	2	7	1	2	1	–	1	–	–	31	4	5	1	–	–
Cuyahoga	66	855	63	177	423	548	34	183	175	3	75	148	178	1,390	154	417	176	227	11
Bay Village	2	7	1	2	10	6	1	1	1	–	1	–	1	10	1	1	3	–	–
Bedford	–	6	–	3	1	5	–	2	2	–	–	1	3	12	2	3	1	–	–
Bedford Heights	–	5	–	2	3	7	–	–	1	–	–	3	3	10	1	3	–	1	–
Berea	–	7	–	3	3	5	–	1	1	–	1	1	2	11	1	9	2	2	–
Brecksville	2	8	–	1	5	3	–	–	1	–	1	–	1	11	2	3	2	–	–
Broadview Heights	1	7	–	2	3	2	–	3	1	–	–	–	–	11	–	3	–	–	–
Brooklyn	1	7	–	5	5	10	–	1	2	–	1	–	1	9	2	5	1	1	–
Brook Park	–	6	–	1	1	9	1	5	2	–	1	–	1	14	3	5	2	–	–
Cleveland	32	328	27	67	161	223	13	82	67	3	32	95	87	551	72	178	76	166	7
Cleveland Heights	2	34	5	3	24	18	–	3	1	–	2	4	6	63	2	22	6	4	1
East Cleveland	4	18	–	3	6	6	–	2	3	–	3	7	2	35	3	6	5	14	1
Euclid	4	48	5	12	22	33	3	7	6	–	3	4	19	67	7	14	7	6	–
Fairview Park	–	12	–	3	3	8	1	2	2	–	–	–	2	28	4	9	2	–	–
Garfield Heights	–	16	1	5	6	9	–	2	3	–	2	4	1	36	3	4	6	4	–
Lakewood	2	34	4	9	22	24	1	10	2	–	3	4	5	48	4	22	12	3	–
Lyndhurst	–	4	1	4	3	4	1	1	3	–	1	–	1	8	–	9	1	–	–
Maple Heights	3	17	2	7	7	16	2	5	5	–	–	3	2	21	4	2	6	2	–
Mayfield Heights	–	25	–	1	12	15	1	5	5	–	1	–	2	27	1	7	1	–	–
Middleburg Heights	–	8	–	3	1	2	–	3	1	–	–	1	–	6	5	6	1	1	–
North Olmsted	2	10	2	3	9	11	2	4	–	–	3	1	–	33	1	6	6	1	–
North Royalton	–	11	–	–	9	6	–	1	2	–	–	–	3	16	3	5	–	–	–
Parma	4	51	5	9	20	36	3	10	17	–	4	8	20	67	10	31	6	6	–
Parma Heights	2	23	–	2	6	10	–	4	4	–	–	3	4	16	2	6	3	2	–
Richmond Heights	–	7	2	–	4	2	1	–	2	–	2	–	1	9	–	–	2	–	–
Rocky River	–	14	–	5	6	12	–	3	2	–	–	2	1	31	1	3	1	1	–
Seven Hills	–	7	1	2	4	3	–	2	3	–	2	–	1	9	–	3	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 125 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	275	–	–	4	70	15	20	5	10	3	2	15	9	111	85	–	1	63	21
Solon	106	–	–	1	33	7	7	3	2	–	3	11	4	43	36	–	1	25	10
South Euclid	228	–	–	2	59	14	7	7	7	2	6	16	4	96	76	–	–	56	20
Strongsville	194	–	–	2	63	7	25	3	12	3	3	10	6	89	76	–	5	57	14
University Heights	99	–	–	3	22	7	4	4	2	1	–	4	2	46	37	1	2	26	8
Warrensville Heights	152	–	–	5	37	11	10	2	7	1	2	4	6	62	55	1	–	43	11
Westlake	265	–	–	2	57	13	15	8	11	1	1	8	2	120	97	–	–	82	15
Balance of county	878	–	–	16	213	53	48	22	25	7	19	39	26	418	356	5	5	272	74
Darke	512	–	–	10	117	32	31	5	12	9	4	24	5	248	189	1	6	140	42
Greenville	207	–	–	1	43	15	9	1	4	3	2	9	2	108	85	–	2	58	25
Balance of county	305	–	–	9	74	17	22	4	8	6	2	15	3	140	104	1	4	82	17
Defiance	309	–	–	4	69	19	21	9	3	3	4	10	7	137	111	2	5	62	42
Defiance	151	–	–	1	36	7	16	1	2	1	1	8	4	73	56	1	3	35	17
Balance of county	158	–	–	3	33	12	5	8	1	2	3	2	3	64	55	1	2	27	25
Delaware	463	1	1	5	102	26	25	15	8	3	4	21	17	191	158	2	1	114	41
Delaware	189	–	–	3	38	14	5	5	4	2	1	7	11	77	62	–	–	44	18
Westerville, part	25	1	1	–	3	1	1	–	–	–	–	1	–	10	8	–	–	6	2
Balance of county	249	–	–	2	61	11	19	10	4	1	3	13	6	104	88	2	1	64	21
Erie	779	1	–	12	190	59	57	11	15	7	11	30	20	288	216	2	2	144	68
Sandusky	388	–	–	4	96	27	28	8	9	3	7	14	10	132	99	2	–	69	28
Vermilion, part	56	–	–	–	12	5	5	–	–	–	–	2	1	26	19	–	–	14	5
Vermilion, total	99	–	–	–	26	8	10	–	1	1	1	5	1	41	29	2	–	21	6
Balance of county	335	1	–	8	82	27	24	3	6	4	4	14	9	130	98	–	2	61	35
Fairfield	838	–	–	8	205	55	68	20	17	4	5	36	16	360	267	1	12	175	79
Columbus, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Lancaster	399	–	–	3	105	24	37	10	10	1	2	21	9	166	126	1	7	83	35
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	438	–	–	5	100	31	31	10	7	3	3	15	7	193	140	–	5	92	43
Fayette	328	–	–	5	78	18	22	4	5	10	–	19	10	155	120	1	2	98	19
Washington	198	–	–	3	51	12	16	3	1	7	–	12	4	96	72	1	2	56	13
Balance of county	130	–	–	2	27	6	6	1	4	3	–	7	6	59	48	–	–	42	6
Franklin	7,354	6	–	187	1,781	392	589	147	199	82	63	309	214	2,883	2,290	15	109	1,311	855
Bexley	60	–	–	1	14	3	6	3	1	1	–	–	–	22	15	–	–	11	4
Columbus, part	4,918	6	–	142	1,145	256	365	94	137	46	39	208	158	1,858	1,478	8	77	810	583
Columbus, total	4,919	6	–	142	1,145	256	365	94	137	46	39	208	158	1,859	1,479	8	77	810	584
Gahanna	114	–	–	1	25	4	12	2	3	–	1	3	5	44	37	–	2	23	12
Grove City	134	–	–	1	40	10	13	4	4	3	–	6	3	56	47	1	3	26	17
Reynoldsburg, part	150	–	–	4	44	15	17	2	1	1	1	7	3	62	51	–	–	33	18
Reynoldsburg, total	155	–	–	4	47	17	18	2	1	1	1	7	3	63	52	–	–	33	19
Upper Arlington	334	–	–	7	84	19	23	10	12	8	4	8	3	157	117	–	5	78	34
Westerville, part	230	–	–	4	47	9	17	6	–	2	–	13	5	92	68	1	1	52	14
Westerville, total	255	1	1	4	50	10	18	6	–	2	–	14	5	102	76	1	1	58	16
Whitehall	161	–	–	–	55	14	20	1	3	5	5	7	3	59	49	1	4	23	21
Worthington	134	–	–	4	39	9	12	1	6	–	1	10	1	57	49	2	1	31	15
Balance of county	1,119	–	–	23	288	53	104	24	32	16	12	47	33	476	379	2	16	224	137
Fulton	295	–	–	4	63	14	21	5	5	1	1	16	13	149	114	2	1	75	36
Gallia	287	–	–	2	64	13	20	2	10	2	4	13	3	141	116	3	4	84	25
Geauga	546	–	–	7	132	32	32	11	18	7	7	25	8	229	191	2	4	140	45
Greene	978	–	–	17	246	56	63	18	31	10	9	59	19	429	338	4	14	202	118
Beavercreek	198	–	–	2	54	12	10	7	9	–	1	15	2	92	72	1	4	42	25
Dayton, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Fairborn	231	–	–	3	54	12	18	3	6	2	1	12	2	95	78	2	2	50	24
Xenia	262	–	–	3	65	16	18	4	7	5	2	13	7	120	94	–	5	54	35
Balance of county	286	–	–	9	73	16	17	4	9	3	5	19	8	121	93	1	2	56	34
Guernsey	460	–	–	5	98	28	43	4	10	4	1	8	6	197	164	1	1	124	38
Cambridge	163	–	–	1	37	10	16	2	3	3	–	3	3	75	62	–	–	49	13
Balance of county	297	–	–	4	61	18	27	2	7	1	1	5	3	122	102	1	1	75	25
Hamilton	8,176	2	1	141	2,060	465	626	183	223	97	60	406	220	3,429	2,792	26	225	1,697	844
Cincinnati	4,062	1	–	91	940	203	320	82	95	38	25	177	119	1,683	1,375	14	130	827	404
Forest Park	90	–	–	2	26	10	7	1	3	1	–	4	1	35	27	–	2	16	9
Montgomery	68	–	–	1	15	3	3	2	3	–	1	3	2	35	23	–	2	13	8
North College Hill	119	–	–	1	29	7	6	2	4	3	–	7	2	53	43	–	2	24	17
Norwood	258	–	–	4	64	19	17	1	10	2	1	14	5	108	91	3	7	56	25
Reading	122	–	–	–	44	12	13	5	3	2	2	7	2	48	37	1	1	25	10
Sharonville	139	–	–	1	38	10	15	2	3	3	1	4	3	55	43	–	4	24	15
Springdale	97	–	–	2	21	4	6	3	4	3	–	1	2	48	37	–	2	21	14
Balance of county	3,221	1	1	39	883	197	239	85	98	45	30	189	84	1,364	1,116	8	75	691	342
Hancock	539	–	–	5	128	22	40	19	16	3	4	24	18	249	181	1	4	148	28
Findlay	355	–	–	4	79	11	30	12	9	1	2	14	11	162	111	–	1	90	20
Fostoria, part	25	–	–	–	8	2	3	–	1	–	–	2	–	12	10	–	–	8	2
Balance of county	159	–	–	1	41	9	7	7	6	2	2	8	7	75	60	1	3	50	6
Hardin	322	–	–	3	68	18	19	4	7	4	3	13	16	154	129	2	1	92	34
Harrison	222	–	–	4	52	8	18	4	6	3	3	10	7	93	79	1	1	56	21
Henry	248	–	–	2	51	10	13	1	10	3	2	12	13	116	97	2	2	55	38
Highland	343	–	–	4	91	12	25	13	10	5	4	22	7	149	109	3	4	74	28
Hocking	231	–	–	4	48	13	13	3	7	1	1	10	5	104	83	1	3	60	19
Holmes	266	–	–	4	48	9	13	3	5	–	5	13	8	114	91	1	2	52	36
Huron	510	–	–	9	114	25	32	9	15	8	5	20	23	254	215	1	3	161	50
Norwalk	165	–	–	3	37	11	9	2	3	2	–	10	8	76	65	–	–	54	11
Balance of county	345	–	–	6	77	14	23	7	12	6	5	10	15	178	150	1	3	107	39

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 126 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Ohio—Con.																			
Shaker Heights	1	21	–	4	7	9	–	1	5	–	1	1	3	38	1	7	3	3	2
Solon	–	7	–	–	3	3	–	2	–	–	1	1	–	9	1	5	–	–	–
South Euclid	–	16	–	4	10	8	–	1	4	–	4	1	1	30	–	4	4	–	–
Strongsville	–	10	–	3	3	4	–	4	1	–	–	–	–	11	3	5	3	–	–
University Heights	1	7	–	1	3	2	2	–	4	–	1	–	1	9	1	2	1	–	–
Warrensville Heights	1	5	–	1	5	3	–	2	1	–	1	1	–	15	3	1	3	7	–
Westlake	–	18	2	3	10	11	2	6	5	–	3	1	2	30	2	10	2	–	–
Balance of county	2	51	5	4	26	23	–	8	16	–	1	2	2	89	9	18	8	3	–
Darke	3	44	5	7	19	14	–	3	6	–	–	1	6	51	15	9	8	–	–
Greenville	1	16	3	3	10	5	–	2	4	–	–	–	2	25	1	2	2	–	–
Balance of county	2	28	2	4	9	9	–	1	2	–	–	1	4	26	14	7	6	–	–
Defiance	3	16	2	5	11	15	1	4	4	–	2	1	1	29	14	6	4	–	–
Defiance	3	10	1	3	4	5	–	2	2	–	1	–	1	12	5	3	2	–	–
Balance of county	–	6	1	2	7	10	1	2	2	–	1	1	–	17	9	3	2	–	–
Delaware	2	19	6	6	11	14	1	3	2	–	5	–	16	69	10	8	7	–	–
Delaware	1	5	4	5	5	5	–	2	2	–	1	–	4	35	3	3	–	–	–
Westerville, part	–	2	–	–	–	–	–	–	–	–	–	–	1	7	2	–	–	–	–
Balance of county	1	12	2	1	6	9	1	1	–	–	4	–	11	27	5	5	7	–	–
Erie	4	46	8	14	23	45	3	9	11	–	1	8	38	82	17	22	8	1	–
Sandusky	4	20	5	4	16	17	1	5	9	–	1	6	31	43	5	9	3	–	–
Vermilion, part	–	4	–	3	–	8	–	–	–	–	–	–	–	4	1	3	1	–	–
Vermilion, total	–	8	1	3	3	11	–	–	1	–	–	1	1	8	1	4	1	–	–
Balance of county	–	22	3	7	7	20	2	4	2	–	–	2	7	35	11	10	4	1	–
Fairfield	4	68	5	16	19	37	3	6	8	1	4	6	10	110	19	14	9	2	1
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	2	27	4	7	9	19	2	1	3	–	2	4	5	52	7	7	3	1	1
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	41	1	9	10	18	1	5	5	1	2	2	5	58	12	7	6	1	–
Fayette	5	22	4	4	7	16	–	1	–	–	2	3	3	34	7	4	3	–	–
Washington	5	13	2	4	6	7	–	1	–	–	–	2	1	22	2	2	1	–	–
Balance of county	–	9	2	–	1	9	–	–	–	–	2	1	2	12	5	2	2	–	–
Franklin	45	393	62	93	211	337	21	74	69	–	57	75	280	774	100	124	101	55	5
Bexley	–	5	1	1	3	2	–	–	2	–	1	1	1	9	–	3	1	–	–
Columbus, part	28	253	40	59	136	236	16	54	44	–	40	58	218	525	68	94	67	49	4
Columbus, total	28	253	40	59	136	236	16	54	44	–	40	58	218	525	68	94	67	49	4
Gahanna	–	4	1	2	4	6	1	1	3	–	–	2	4	10	4	3	1	–	–
Grove City	1	6	–	2	4	2	1	1	2	–	3	1	5	11	1	–	2	1	–
Reynoldsburg, part	2	9	–	–	3	8	–	–	–	–	–	1	3	14	2	1	3	2	–
Reynoldsburg, total	2	9	–	–	3	9	–	–	–	–	–	1	3	14	2	1	3	2	–
Upper Arlington	1	25	9	5	14	15	1	–	3	–	1	–	6	32	3	4	4	–	–
Westerville, part	1	13	1	9	7	15	–	1	3	–	1	3	4	41	1	2	3	1	–
Westerville, total	1	15	1	9	7	15	–	1	3	–	1	3	5	48	3	2	3	1	–
Whitehall	–	8	–	2	5	6	–	4	3	–	2	1	7	12	1	–	3	–	–
Worthington	2	4	2	–	5	4	–	2	1	–	3	–	1	14	2	1	–	–	–
Balance of county	10	66	8	13	30	43	2	11	8	–	6	8	31	106	18	16	17	2	1
Fulton	1	30	3	1	3	8	–	3	2	1	–	5	–	29	6	6	3	–	–
Gallia	–	20	3	2	7	14	2	1	4	–	–	2	1	25	5	12	3	1	–
Geauga	2	28	3	5	14	28	2	4	2	–	1	6	17	63	14	12	7	–	–
Greene	–	68	8	15	25	52	2	10	8	–	5	4	13	101	17	10	16	3	1
Beavercreek	–	14	2	4	4	10	1	–	1	–	–	–	–	24	3	1	4	–	–
Dayton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fairborn	–	12	2	3	7	11	–	6	2	–	–	1	7	24	4	3	9	2	1
Xenia	–	20	2	4	5	12	–	2	1	–	4	2	1	32	5	2	–	1	–
Balance of county	–	22	2	4	9	19	1	2	4	–	1	1	5	21	5	4	3	–	–
Guernsey	1	25	2	5	30	24	2	10	4	–	4	2	5	45	13	7	7	1	–
Cambridge	–	11	–	2	12	8	1	2	1	–	–	–	2	12	2	3	4	–	–
Balance of county	1	14	2	3	18	16	1	8	3	–	4	2	3	33	11	4	3	1	–
Hamilton	38	477	37	85	308	361	23	73	96	2	52	73	52	825	85	182	113	61	17
Cincinnati	27	236	11	34	168	173	12	46	63	1	28	39	33	408	37	101	58	50	11
Forest Park	2	5	–	1	3	3	–	–	1	–	–	1	–	13	2	–	1	1	1
Montgomery	–	12	–	–	1	5	–	–	–	–	–	–	–	5	–	4	–	–	–
North College Hill	–	7	3	–	7	5	1	–	1	–	–	–	1	14	1	3	–	1	–
Norwood	–	15	1	1	5	20	–	4	–	–	3	1	1	29	4	6	2	1	1
Reading	–	8	1	2	7	4	1	–	1	–	–	–	1	11	2	–	1	–	–
Sharonville	–	6	4	2	3	7	1	–	3	–	2	1	1	19	2	1	2	–	–
Springdale	–	8	1	2	1	3	1	–	–	–	–	2	1	11	1	2	1	–	1
Balance of county	9	180	16	43	113	141	7	23	27	1	19	29	14	315	36	65	48	8	3
Hancock	1	58	4	5	22	24	1	1	4	–	4	3	1	50	12	10	4	3	–
Findlay	1	44	3	3	15	18	–	1	2	–	3	1	1	36	9	8	3	2	–
Fostoria, part	–	2	–	–	–	2	–	–	–	–	–	1	–	2	–	–	–	–	–
Balance of county	–	12	1	2	7	4	1	–	2	–	1	1	–	12	3	2	1	1	–
Hardin	2	18	4	1	9	18	–	2	6	–	3	2	–	32	4	3	2	–	–
Harrison	–	9	1	4	9	12	–	2	5	–	2	–	2	18	7	6	1	2	–
Henry	2	11	–	6	5	7	1	2	4	–	2	–	–	25	11	4	4	1	–
Highland	2	22	11	5	11	13	1	3	4	–	2	3	4	32	6	8	5	–	–
Hocking	1	17	2	1	5	12	1	3	3	–	1	1	2	24	5	9	4	–	–
Holmes	1	11	5	6	16	12	–	–	5	–	2	6	7	24	9	5	6	–	–
Huron	2	26	2	9	20	22	1	1	1	–	1	3	3	38	9	7	4	–	–
Norwalk	2	7	1	1	7	12	1	–	1	–	1	–	2	11	2	3	1	–	–
Balance of county	–	19	1	8	13	10	–	1	–	–	–	3	1	27	7	4	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 127 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	326	-	-	9	75	17	28	5	3	2	1	19	6	159	127	-	2	103	22
Jefferson	939	-	-	12	264	70	96	23	29	6	4	36	28	422	340	-	7	242	91
Steubenville	363	-	-	4	98	25	36	8	12	4	1	12	13	159	127	-	3	91	33
Balance of county	576	-	-	8	166	45	60	15	17	2	3	24	15	263	213	-	4	151	58
Knox	475	-	-	7	104	24	31	11	16	3	5	14	19	223	174	1	2	132	39
Mount Vernon	218	-	-	4	39	13	8	4	7	-	1	6	9	111	83	-	1	61	21
Balance of county	257	-	-	3	65	11	23	7	9	3	4	8	10	112	91	1	1	71	18
Lake	1,761	-	-	24	465	111	138	52	33	22	17	92	48	769	644	9	26	464	145
Eastlake	190	-	-	2	47	5	20	8	2	2	1	9	7	89	72	2	3	51	16
Mentor	304	-	-	3	76	22	18	9	8	3	2	14	7	130	112	2	5	78	27
Painesville	187	-	-	-	37	9	7	2	4	2	3	10	7	91	80	2	2	61	15
Wickliffe	155	-	-	5	58	16	18	3	4	6	3	8	3	63	51	1	2	36	12
Willoughby	198	-	-	2	55	10	20	7	1	3	1	13	1	92	77	-	8	49	20
Willowick	150	-	-	3	35	9	9	5	2	1	2	7	6	78	64	-	3	47	14
Balance of county	577	-	-	9	157	40	46	18	12	5	5	31	17	226	188	2	3	142	41
Lawrence	693	1	-	10	163	37	52	12	24	1	4	33	18	312	267	1	7	186	73
Ironton	227	-	-	5	41	11	11	4	4	-	2	9	6	107	93	1	2	65	25
Balance of county	466	1	-	5	122	26	41	8	20	1	2	24	12	205	174	-	5	121	48
Licking	1,153	-	-	17	304	70	100	30	27	17	12	48	34	480	382	2	5	293	82
Newark	531	-	-	10	124	29	36	12	13	10	7	17	13	223	176	2	4	130	40
Reynoldsburg, part	5	-	-	-	3	2	1	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	617	-	-	7	177	39	63	18	14	7	5	31	21	256	205	-	1	163	41
Logan	425	-	-	4	103	29	27	8	12	2	3	22	8	197	161	1	3	116	41
Bellefontaine	121	-	-	2	33	6	12	3	6	-	-	6	3	58	42	-	-	30	12
Balance of county	304	-	-	2	70	23	15	5	6	2	3	16	5	139	119	1	3	86	29
Lorain	2,278	3	1	27	578	115	171	61	72	24	23	112	81	935	753	10	30	561	152
Amherst	111	-	-	3	29	5	8	3	6	1	3	3	3	47	43	-	2	23	18
Avon Lake	108	-	1	2	32	6	12	-	2	1	1	10	1	46	39	1	1	30	7
Elyria	533	1	-	10	118	23	32	16	17	5	5	20	14	232	184	2	6	144	32
Lorain	682	1	-	9	165	35	43	18	25	8	7	29	38	276	214	1	9	165	39
North Ridgeville	130	1	-	1	34	10	9	5	-	2	-	8	4	52	47	-	1	31	15
Sheffield Lake	66	-	-	-	22	3	8	4	2	-	-	5	-	19	16	-	-	11	5
Vermilion, part	43	-	-	-	14	3	5	-	1	1	1	3	-	15	10	2	-	7	1
Balance of county	605	-	-	2	164	30	54	15	19	6	6	34	21	248	200	4	11	150	35
Lucas	4,401	-	-	63	1,071	242	318	87	123	47	46	208	117	2,046	1,626	15	98	1,045	468
Maumee	128	-	-	4	29	7	9	2	5	2	1	3	6	60	51	-	7	31	13
Oregon	209	-	-	4	60	13	16	5	9	4	2	11	3	92	78	-	2	61	15
Sylvania	100	-	-	2	28	9	4	3	4	1	2	5	2	42	29	-	2	23	4
Toledo	3,320	-	-	44	801	184	242	67	83	36	33	156	88	1,569	1,252	13	80	783	376
Balance of county	644	-	-	9	153	29	47	10	22	4	8	33	18	283	216	2	7	147	60
Madison	311	-	-	6	76	20	20	9	7	3	5	12	14	130	102	1	2	70	29
Mahoning	3,032	-	-	44	708	169	211	60	74	25	30	139	123	1,389	1,069	9	18	727	315
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	103	-	-	4	33	4	7	1	4	-	3	14	3	46	38	-	1	24	13
Struthers	144	-	-	1	26	5	11	1	1	2	2	4	7	82	64	-	-	51	13
Youngstown, part	1,361	-	-	17	307	82	97	22	34	12	12	48	64	604	457	5	11	309	132
Youngstown, total	1,413	-	-	18	316	84	97	23	35	12	13	52	65	628	475	6	12	319	138
Balance of county	1,424	-	-	22	342	78	96	36	35	11	13	73	49	657	510	4	6	343	157
Marion	620	1	-	11	144	23	49	13	18	9	8	24	22	253	210	1	10	148	51
Marion	375	1	-	8	88	15	31	8	8	4	4	18	11	146	120	-	7	88	25
Balance of county	245	-	-	3	56	8	18	5	10	5	4	6	11	107	90	1	3	60	26
Medina	843	2	-	12	198	42	60	20	16	13	8	39	22	364	295	2	6	174	113
Brunswick	146	1	-	2	33	6	10	5	1	1	1	9	5	69	57	-	1	34	22
Medina	154	-	-	4	36	10	10	6	2	1	2	5	4	64	55	-	1	34	20
Wadsworth	152	-	-	1	35	9	9	4	2	4	1	6	6	62	44	1	-	28	15
Balance of county	391	1	-	5	94	17	31	5	11	7	4	19	7	169	139	1	4	78	56
Meigs	265	-	-	4	55	7	13	6	7	5	1	16	7	124	87	-	-	70	17
Mercer	335	-	-	3	70	18	19	4	6	6	2	15	8	172	140	2	3	97	38
Miami	845	-	-	13	203	44	55	14	22	12	11	45	16	401	329	3	5	212	109
Piqua	195	-	-	3	51	13	17	3	6	3	2	7	4	93	83	1	1	48	33
Troy	200	-	-	3	49	12	9	3	7	3	4	11	4	91	76	-	-	51	25
Balance of county	450	-	-	7	103	19	29	8	9	6	5	27	8	217	170	2	4	113	51
Monroe	163	-	-	2	47	5	17	-	4	6	1	14	5	59	46	-	2	29	15
Montgomery	5,134	2	-	79	1,280	261	425	105	143	44	43	259	125	2,195	1,716	10	71	1,031	604
Centerville	179	-	-	2	37	6	14	3	7	-	1	6	5	74	58	-	-	32	26
Dayton, part	2,006	1	-	28	499	97	187	37	60	17	12	89	43	865	694	4	38	409	243
Dayton, total	2,007	1	-	28	499	97	187	37	60	17	12	89	43	866	695	4	39	409	243
Englewood	94	-	-	-	25	3	10	3	2	2	1	4	1	44	34	-	2	23	9
Huber Heights	174	-	-	3	45	10	13	2	7	1	1	11	6	76	57	-	-	40	17
Kettering	588	-	-	11	152	27	35	21	17	8	4	40	21	239	172	2	6	102	62
Miamisburg	165	1	-	4	36	5	15	2	-	2	4	8	6	73	56	-	4	36	16
Vandalia	82	-	-	2	22	6	3	3	-	4	-	6	1	36	28	-	-	19	9
West Carrollton	104	-	-	1	29	6	10	2	3	-	2	6	1	45	34	-	1	23	10
Balance of county	1,742	-	-	28	435	101	138	32	47	10	18	89	41	743	583	4	20	347	212
Morgan	170	-	-	2	39	6	15	2	6	-	-	10	5	76	55	1	2	43	9
Morrow	235	-	-	3	54	9	20	6	7	1	1	10	7	95	75	-	3	60	12
Muskingum	836	-	-	10	198	44	57	18	25	13	4	37	18	376	313	1	7	178	127
Zanesville	369	-	-	4	92	17	28	8	10	7	2	20	8	165	135	1	4	74	56
Balance of county	467	-	-	6	106	27	29	10	15	6	2	17	10	211	178	-	3	104	71
Noble	117	-	-	2	28	11	3	2	2	-	1	9	5	50	40	-	-	28	12
Ottawa	432	1	-	5	103	29	29	8	12	5	4	16	12	197	167	1	8	103	55
Paulding	150	-	-	3	40	7	13	7	4	-	1	8	4	72	56	1	2	34	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 128 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	2	26	1	3	16	11	–	4	5	–	3	–	4	19	3	7	4	1	–
Jefferson	3	65	4	10	24	43	2	8	12	–	2	6	1	64	18	19	10	3	1
Steubenville	1	26	1	4	9	15	1	6	7	–	–	3	1	23	10	7	4	2	1
Balance of county	2	39	3	6	15	28	1	2	5	–	2	3	–	41	8	12	6	1	–
Knox	–	29	15	5	17	12	1	5	2	–	2	–	7	49	7	10	9	1	–
Mount Vernon	–	16	8	4	10	7	–	5	1	–	–	–	1	23	–	7	1	–	–
Balance of county	–	13	7	1	7	5	1	–	1	–	2	–	6	26	7	3	8	1	–
Lake	4	89	9	23	55	98	7	14	11	–	6	13	15	144	23	35	27	6	1
Eastlake	–	11	2	4	4	9	3	3	–	–	1	–	–	18	1	3	2	1	–
Mentor	–	15	1	2	13	16	–	3	–	–	1	2	3	32	2	8	8	–	–
Painesville	–	7	–	4	5	14	1	3	2	–	–	2	1	11	4	2	4	2	1
Wickliffe	–	8	1	3	5	5	–	–	3	–	1	–	1	9	1	–	1	–	–
Willoughby	1	11	–	3	7	7	1	1	2	–	–	1	3	18	2	5	1	–	–
Willowick	1	12	–	1	2	9	–	1	–	–	–	2	3	7	–	2	1	1	–
Balance of county	2	25	5	6	19	38	2	3	4	–	3	6	4	49	13	15	10	2	–
Lawrence	2	34	1	8	27	38	1	4	2	–	6	6	5	63	10	18	6	3	–
Ironton	–	11	1	2	13	14	–	2	1	–	–	5	–	23	3	5	–	2	–
Balance of county	2	23	–	6	14	24	1	2	1	–	6	1	5	40	7	13	6	1	–
Licking	6	70	15	7	41	55	2	9	15	–	4	6	16	113	22	21	10	4	–
Newark	2	31	10	4	22	25	1	6	8	–	2	2	9	59	7	11	5	4	–
Reynoldsburg, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	4	39	5	3	19	29	1	3	7	–	2	4	7	54	15	10	5	–	–
Logan	–	25	1	10	20	22	–	6	1	–	–	1	2	29	16	10	5	1	–
Bellefontaine	–	12	–	4	2	9	–	2	–	–	–	–	–	7	1	1	3	–	–
Balance of county	–	13	1	6	18	13	–	4	1	–	–	1	2	22	15	9	2	1	–
Lorain	11	127	18	26	66	112	2	29	29	1	15	28	38	212	28	36	43	13	1
Amherst	1	3	–	–	2	6	–	1	–	–	3	–	1	13	–	1	1	1	–
Avon Lake	–	5	1	1	7	2	–	2	2	–	1	1	2	5	–	1	3	–	–
Elyria	2	34	4	8	15	30	1	6	7	–	4	4	12	52	10	5	8	4	–
Lorain	3	43	7	9	14	34	–	13	9	1	1	14	11	64	2	11	15	3	1
North Ridgeville	–	4	1	–	6	4	–	1	2	–	1	1	3	14	–	2	4	–	–
Sheffield Lake	–	1	–	2	5	3	1	2	–	–	3	–	2	5	–	1	2	1	–
Vermilion, part	–	4	1	–	3	3	–	–	1	–	–	1	1	4	–	1	–	–	–
Balance of county	5	33	4	6	14	30	–	4	8	–	2	7	6	55	16	14	10	4	–
Lucas	15	316	37	52	102	222	12	38	33	–	43	39	39	335	63	83	57	36	2
Maumee	–	5	1	3	1	7	–	1	–	–	2	1	–	10	2	–	4	1	–
Oregon	1	8	1	4	5	13	–	1	4	–	–	1	2	15	5	–	3	1	–
Sylvania	–	11	–	2	3	7	–	–	–	–	–	–	1	10	2	1	2	–	–
Toledo	11	247	24	35	72	153	11	35	25	–	36	32	30	249	41	64	38	30	2
Balance of county	3	45	11	8	21	42	1	1	4	–	5	5	6	51	13	18	10	4	–
Madison	2	20	3	3	8	18	–	2	4	–	–	–	3	29	7	9	4	1	–
Mahoning	20	216	51	33	78	110	5	23	30	–	12	26	26	281	33	57	28	59	–
Alliance, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Campbell	1	5	2	–	1	1	1	–	2	–	–	1	1	6	–	2	2	–	–
Struthers	3	10	2	3	1	7	–	2	–	–	–	–	1	9	2	1	3	2	–
Youngstown, part	10	101	21	15	38	44	1	12	18	–	3	12	11	123	10	35	11	51	–
Youngstown, total	10	104	22	17	40	47	1	12	19	–	3	12	11	130	10	37	13	51	–
Balance of county	6	100	26	15	38	58	3	9	10	–	9	13	13	143	21	19	12	6	–
Marion	3	27	1	12	26	32	2	5	5	–	2	3	12	63	15	13	10	–	1
Marion	1	16	1	8	17	21	1	4	3	–	–	3	8	37	7	11	8	–	1
Balance of county	2	11	–	4	9	11	1	1	2	–	2	–	4	26	8	2	2	–	–
Medina	3	52	3	11	36	42	–	5	12	–	3	7	16	72	24	11	16	1	–
Brunswick	–	10	1	1	7	7	–	2	2	–	–	1	2	8	3	1	3	–	–
Medina	–	5	–	4	6	7	–	1	2	–	2	1	4	15	5	–	3	–	–
Wadsworth	1	15	1	1	8	5	–	1	3	–	–	2	5	16	3	1	4	–	–
Balance of county	2	22	1	5	15	23	–	1	5	–	1	3	5	33	13	9	6	1	–
Meigs	3	22	8	4	5	16	–	4	4	–	–	1	2	28	8	3	4	–	–
Mercer	1	30	1	–	10	9	3	1	3	–	3	2	1	26	12	7	4	1	–
Miami	3	48	9	12	20	53	–	5	10	–	1	1	6	65	22	13	12	4	–
Piqua	–	8	1	1	6	7	–	1	2	–	1	–	–	18	2	1	3	3	–
Troy	3	6	2	4	5	20	–	1	3	–	–	1	3	12	4	3	1	–	–
Balance of county	–	34	6	7	9	26	–	3	5	–	–	–	3	35	16	9	8	1	–
Monroe	1	7	1	4	7	5	–	2	4	–	–	4	1	15	5	3	4	–	–
Montgomery	22	343	45	69	145	196	8	50	48	1	28	21	171	511	86	76	50	61	1
Centerville	1	12	–	3	4	12	–	1	1	–	1	1	2	30	3	2	3	1	–
Dayton, part	10	118	18	25	46	59	1	25	17	–	12	11	91	184	34	32	15	42	1
Dayton, total	10	118	18	25	46	59	1	25	17	–	12	11	91	184	34	32	15	42	1
Englewood	–	8	–	2	1	4	–	–	1	–	–	–	4	12	–	1	–	1	–
Huber Heights	2	13	3	1	4	7	–	3	–	–	3	–	3	14	2	4	1	3	–
Kettering	3	45	8	11	15	26	2	5	6	–	–	2	14	69	9	8	7	2	–
Miamisburg	1	11	1	4	5	10	1	1	2	–	1	–	3	14	3	3	2	–	–
Vandalia	–	5	1	2	5	1	–	–	1	–	–	–	–	8	2	2	1	1	–
West Carrollton	1	8	1	1	3	5	1	–	1	–	–	1	3	8	2	3	1	–	–
Balance of county	4	123	13	20	62	72	3	15	19	1	11	6	51	172	31	21	20	11	–
Morgan	–	20	–	1	13	9	1	3	–	–	1	–	–	13	1	4	3	–	–
Morrow	2	10	2	6	12	9	2	–	1	–	2	2	5	21	14	5	2	1	–
Muskingum	3	46	2	12	44	60	–	10	6	–	2	–	5	67	13	21	5	1	–
Zanesville	–	22	1	7	24	20	–	6	4	–	1	–	3	27	4	9	2	–	–
Balance of county	3	24	1	5	20	40	–	4	2	–	1	–	2	40	9	12	3	1	–
Noble	1	7	–	2	4	5	–	1	–	–	–	–	–	9	5	6	2	–	–
Ottawa	–	22	1	7	17	20	2	3	4	–	1	2	8	37	8	7	2	3	–
Paulding	–	13	1	2	3	6	1	–	–	–	–	2	5	9	3	–	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 129 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	309	-	-	4	66	15	23	4	7	4	1	12	7	129	99	-	1	75	23
Pickaway	405	-	-	3	79	17	25	2	10	1	4	20	17	189	143	1	2	83	57
Circleville	167	-	-	-	22	6	10	-	-	1	1	4	11	89	64	-	-	34	30
Balance of county	238	-	-	3	57	11	15	2	10	-	3	16	6	100	79	1	2	49	27
Pike	239	-	-	2	39	8	13	1	3	3	1	10	4	114	100	-	1	74	25
Portage	909	-	-	11	223	57	60	24	17	8	7	50	14	390	312	3	6	211	92
Kent	146	-	-	3	34	5	10	5	2	1	4	7	2	65	51	2	2	37	10
Ravenna	141	-	-	1	21	5	4	3	3	-	-	6	1	66	55	-	1	41	13
Balance of county	622	-	-	7	168	47	46	16	12	7	3	37	11	259	206	1	3	133	69
Preble	339	-	-	6	79	17	24	4	7	4	3	20	11	135	114	-	5	79	30
Putnam	273	-	-	5	64	15	15	5	5	3	1	20	11	122	94	2	8	59	25
Richland	1,140	-	-	11	296	71	98	18	30	14	9	56	39	514	414	4	10	307	93
Mansfield	702	-	-	8	178	44	62	11	21	7	4	29	17	326	261	3	8	192	58
Balance of county	438	-	-	3	118	27	36	7	9	7	5	27	22	188	153	1	2	115	35
Ross	663	-	-	10	153	33	45	19	13	8	5	30	6	306	253	2	1	191	59
Chillicothe	297	-	-	5	70	14	24	8	5	3	4	12	3	130	102	1	1	77	23
Balance of county	366	-	-	5	83	19	21	11	8	5	1	18	3	176	151	1	-	114	36
Sandusky	544	1	-	7	137	30	40	9	18	4	5	31	18	232	178	3	2	138	35
Fremont	199	1	-	3	50	12	13	2	7	2	2	12	8	84	66	1	1	54	10
Balance of county	345	-	-	4	87	18	27	7	11	2	3	19	10	148	112	2	1	84	25
Scioto	971	1	-	12	224	51	80	19	16	7	10	41	26	470	385	2	10	238	135
Portsmouth	409	-	-	6	98	23	35	10	5	1	5	19	7	211	170	2	3	107	58
Balance of county	562	1	-	6	126	28	45	9	11	6	5	22	19	259	215	-	7	131	77
Seneca	543	-	-	7	112	23	30	14	16	5	5	19	14	260	233	-	5	195	33
Fostoria, part	128	-	-	-	23	8	7	2	2	-	1	3	4	69	63	-	1	52	10
Fostoria, total	164	-	-	-	32	10	10	2	3	-	1	6	5	85	77	-	1	63	13
Tiffin	199	-	-	2	39	7	13	6	5	1	3	4	10	90	84	-	2	72	10
Balance of county	216	-	-	5	50	8	10	6	9	4	1	12	-	101	86	-	2	71	13
Shelby	338	-	-	5	84	20	24	4	10	1	3	22	9	158	120	-	-	91	29
Sidney	149	-	-	4	39	6	14	1	5	-	1	12	6	70	57	-	-	45	12
Balance of county	189	-	-	1	45	14	10	3	5	1	2	10	3	88	63	-	-	46	17
Stark	3,682	1	-	57	883	205	261	70	82	45	46	174	137	1,586	1,224	9	36	874	305
Alliance, part	314	-	-	2	65	15	18	4	5	2	2	19	17	134	102	1	6	73	22
Alliance, total	314	-	-	2	65	15	18	4	5	2	2	19	17	134	102	1	6	73	22
Canton	1,126	-	-	21	278	70	81	23	26	17	9	52	50	484	383	4	13	291	75
Massillon	326	-	-	6	73	17	20	1	8	6	6	15	6	155	111	1	1	75	34
North Canton	138	-	-	2	26	5	6	3	4	2	1	5	4	64	49	1	1	34	13
Balance of county	1,778	1	-	26	441	98	136	39	39	18	28	83	60	749	579	2	15	401	161
Summit	4,931	3	-	76	1,181	244	351	94	150	45	50	247	159	2,020	1,591	17	37	1,048	489
Akron	2,437	1	-	45	563	107	193	40	73	18	19	113	86	950	732	6	16	487	223
Barberton	332	-	-	4	82	20	24	8	10	4	1	15	10	159	134	-	3	72	59
Cuyahoga Falls	381	1	-	7	92	16	28	9	10	4	3	22	11	166	130	3	3	86	38
Norton	89	-	-	-	19	5	5	-	3	1	-	5	3	46	41	-	-	21	20
Stow	161	-	-	-	41	7	7	2	7	2	5	11	4	67	51	1	1	35	14
Tallmadge	134	-	-	2	36	8	11	3	5	1	2	6	5	51	40	-	1	27	12
Balance of county	1,397	1	-	18	348	81	83	32	42	15	20	75	40	581	463	7	13	320	123
Trumbull	2,218	1	-	42	537	128	161	33	65	21	18	111	83	971	808	13	16	609	170
Girard	127	-	-	3	46	13	12	3	4	1	4	9	4	44	34	-	-	22	12
Niles	223	-	-	6	47	9	13	5	6	3	1	10	3	98	87	1	1	69	16
Warren	685	1	-	8	164	37	49	8	24	6	6	34	25	313	261	6	8	200	47
Youngstown, part	52	-	-	1	9	2	-	1	1	-	1	4	1	24	18	1	1	10	6
Balance of county	1,131	-	-	24	271	67	87	16	30	11	6	54	50	492	408	5	6	308	89
Tuscarawas	882	1	-	10	200	50	49	17	26	11	6	41	24	423	338	2	8	263	65
Dover	143	-	-	1	33	8	8	5	3	1	1	7	4	67	52	-	5	35	12
New Philadelphia	187	-	-	4	42	8	13	4	5	4	1	7	1	88	69	-	2	52	15
Balance of county	552	1	-	5	125	34	28	8	18	6	4	27	19	268	217	2	1	176	38
Union	277	-	-	5	71	18	18	8	8	3	-	16	7	124	98	2	-	64	32
Van Wert	263	-	-	9	52	14	14	4	8	2	1	9	7	116	87	-	-	73	14
Van Wert	112	-	-	3	26	6	8	3	3	1	-	5	4	45	39	-	-	34	5
Balance of county	151	-	-	6	26	8	6	1	5	1	1	4	3	71	48	-	-	39	9
Vinton	109	-	-	2	29	7	7	2	4	-	1	8	4	43	36	-	-	31	5
Warren	772	-	-	11	215	49	65	18	20	11	7	45	13	311	233	1	11	142	79
Franklin	113	-	-	-	37	9	17	2	4	-	-	5	3	37	27	-	3	17	7
Balance of county	659	-	-	11	178	40	48	16	16	11	7	40	10	274	206	1	8	125	72
Washington	579	1	-	10	132	22	50	8	13	2	5	32	14	250	194	2	-	139	53
Marietta	177	1	-	4	44	9	12	5	7	-	2	9	6	76	55	-	-	38	17
Balance of county	402	-	-	6	88	13	38	3	6	2	3	23	8	174	139	2	-	101	36
Wayne	803	-	-	11	212	40	51	22	23	7	9	60	20	357	283	3	16	178	86
Wooster	219	-	-	3	65	10	17	11	10	1	1	15	4	92	76	-	4	50	22
Balance of county	584	-	-	8	147	30	34	11	13	6	8	45	16	265	207	3	12	128	64
Williams	333	-	-	8	79	17	24	10	10	-	6	12	8	134	109	-	-	78	31
Wood	873	-	-	16	198	46	52	19	21	11	8	41	25	421	338	2	4	252	80
Bowling Green	149	-	-	1	35	7	14	2	3	2	-	7	6	78	61	-	1	45	15
Fostoria, part	11	-	-	-	1	-	-	-	-	-	-	1	1	4	4	-	-	3	1
Perrysburg	107	-	-	1	32	7	9	3	6	1	2	4	7	46	32	-	-	19	13
Balance of county	606	-	-	14	130	32	29	14	12	8	6	29	11	293	241	2	3	185	51
Wyandot	257	-	-	3	38	14	8	5	4	1	1	5	3	133	107	-	1	85	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 130 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	2	20	4	4	21	16	–	3	4	–	1	4	3	33	6	8	4	–	–
Pickaway	1	31	5	9	11	18	2	5	5	–	2	3	9	44	7	4	3	3	1
Circleville	–	19	3	3	3	9	1	4	1	–	1	1	4	17	2	1	1	–	–
Balance of county	1	12	2	6	8	9	1	1	4	–	1	2	5	27	5	3	2	3	1
Pike	2	9	–	3	27	10	1	1	2	–	5	1	4	17	6	2	4	–	–
Portage	5	47	14	12	32	44	6	11	6	–	10	10	16	76	24	18	15	2	1
Kent	2	6	3	3	4	6	–	1	1	–	1	1	6	11	2	5	3	1	–
Ravenna	1	5	1	4	4	10	–	3	–	–	1	5	5	17	2	1	3	–	1
Balance of county	2	36	10	5	24	28	6	7	5	–	8	4	5	48	20	12	9	1	–
Preble	–	15	4	2	10	14	1	3	6	–	4	2	7	36	7	8	7	3	–
Putnam	3	21	2	2	11	7	–	3	4	–	3	1	2	20	9	6	4	1	–
Richland	8	72	11	9	30	48	2	8	8	1	8	9	9	82	26	29	16	2	2
Mansfield	5	49	7	4	18	26	1	4	5	1	7	6	6	52	16	22	7	1	1
Balance of county	3	23	4	5	12	22	1	4	3	–	1	3	3	30	10	7	9	1	1
Ross	3	42	3	5	17	29	3	4	3	–	2	2	10	79	16	14	8	–	1
Chillicothe	2	20	2	4	10	12	1	1	2	–	2	2	5	40	3	7	3	–	1
Balance of county	1	22	1	1	7	17	2	3	1	–	–	–	5	39	13	7	5	–	–
Sandusky	1	33	5	15	17	13	1	1	10	–	5	2	6	58	21	7	6	2	–
Fremont	1	11	2	4	5	6	–	–	4	–	1	2	1	20	7	3	2	2	–
Balance of county	–	22	3	11	12	7	1	1	6	–	4	–	5	38	14	4	4	–	–
Scioto	4	60	6	15	32	36	3	13	10	–	2	3	9	85	18	10	13	3	1
Portsmouth	1	31	2	7	12	12	2	2	3	–	2	1	3	35	3	2	7	2	1
Balance of county	3	29	4	8	20	24	1	11	7	–	–	2	6	50	15	8	6	1	–
Seneca	1	21	1	4	16	32	–	5	3	–	4	4	4	49	17	9	7	–	–
Fostoria, part	–	6	–	–	3	6	–	1	1	–	1	2	1	11	2	3	1	–	–
Fostoria, total	–	8	–	–	3	10	–	2	1	–	1	3	1	15	2	3	1	–	–
Tiffin	–	5	–	1	7	12	–	2	–	–	2	2	2	19	6	2	4	–	–
Balance of county	1	10	1	3	6	14	–	2	2	–	1	–	1	19	9	4	2	–	–
Shelby	3	27	6	2	7	23	1	2	3	–	2	1	2	16	8	10	7	–	–
Sidney	1	9	2	1	1	13	1	–	1	–	–	–	1	8	1	2	2	–	–
Balance of county	2	18	4	1	6	10	–	2	2	–	2	1	1	8	7	8	5	–	–
Stark	16	253	47	46	132	203	7	31	32	–	25	24	31	371	51	50	36	22	3
Alliance, part	2	15	13	2	8	21	1	2	6	–	1	1	3	33	5	5	5	5	–
Alliance, total	2	15	13	2	8	21	1	2	6	–	1	1	3	33	5	5	5	5	–
Canton	5	74	7	15	43	63	1	12	8	–	8	6	8	94	12	17	8	11	2
Massillon	2	28	3	11	10	17	1	–	1	–	5	–	5	35	5	3	2	2	–
North Canton	1	13	–	1	11	5	–	1	–	–	–	–	3	16	2	–	4	–	–
Balance of county	6	123	24	17	60	97	4	16	17	–	11	17	12	193	27	25	17	4	1
Summit	24	297	40	68	157	182	6	46	58	1	23	41	263	539	40	61	49	25	1
Akron	16	148	20	34	89	86	5	30	34	1	16	24	135	281	21	27	25	18	–
Barberton	–	21	1	3	6	13	–	1	2	–	1	2	13	31	2	1	4	–	1
Cuyahoga Falls	2	22	4	8	10	11	–	2	3	–	2	3	21	38	1	7	6	–	–
Norton	1	3	–	1	2	1	–	–	–	–	–	–	5	8	4	1	–	–	–
Stow	2	11	–	3	5	8	–	–	4	–	–	2	6	16	2	4	2	–	–
Tallmadge	–	8	–	3	5	6	–	1	2	–	–	–	6	16	1	1	1	1	–
Balance of county	3	84	15	16	40	57	1	12	13	–	4	10	77	149	9	20	11	6	–
Trumbull	10	96	27	30	72	108	4	16	35	–	11	6	14	199	45	30	29	15	–
Girard	1	5	3	1	7	4	–	1	2	–	–	–	–	7	3	2	3	1	–
Niles	1	5	1	4	14	17	–	2	3	–	1	1	3	23	3	2	–	–	–
Warren	3	38	5	6	17	28	3	6	8	–	6	3	3	64	11	9	9	7	–
Youngstown, part	–	3	1	2	2	3	–	–	1	–	–	–	–	7	–	2	2	–	–
Balance of county	5	45	17	17	32	56	1	7	21	–	4	2	8	98	28	15	15	7	–
Tuscarawas	4	68	9	4	27	36	4	13	9	–	5	4	6	73	14	19	10	3	1
Dover	1	11	3	–	8	8	–	4	2	–	1	–	–	9	–	4	1	–	1
New Philadelphia	1	14	3	1	4	8	1	2	–	–	3	1	1	21	2	5	3	1	–
Balance of county	2	43	3	3	15	20	3	7	7	–	1	3	5	43	12	10	6	2	–
Union	1	19	3	3	10	9	–	1	3	–	4	4	2	23	7	5	2	–	–
Van Wert	–	22	3	4	4	14	1	2	7	–	1	–	–	30	11	6	3	–	–
Van Wert	–	6	–	–	2	6	–	1	5	–	1	–	–	16	1	2	–	–	–
Balance of county	–	16	3	4	2	8	1	1	2	–	–	–	–	14	10	4	3	–	–
Vinton	–	4	2	1	3	4	–	–	–	–	1	–	4	6	7	4	1	1	–
Warren	5	59	4	10	34	33	–	8	7	–	7	5	7	80	13	12	15	–	1
Franklin	2	7	–	1	7	6	–	2	–	–	2	1	2	10	–	3	2	–	1
Balance of county	3	52	4	9	27	27	–	6	7	–	5	4	5	70	13	9	13	–	–
Washington	2	40	3	11	32	26	1	6	6	–	7	1	6	52	8	18	9	–	–
Marietta	1	15	3	2	7	10	1	2	2	–	1	–	3	12	–	6	2	–	–
Balance of county	1	25	–	9	25	16	–	4	4	–	6	1	3	40	8	12	7	–	–
Wayne	–	67	3	4	27	26	2	2	7	–	4	4	10	77	11	21	9	3	–
Wooster	–	16	–	–	11	5	–	1	1	–	–	–	1	23	3	7	3	–	–
Balance of county	–	51	3	4	16	21	2	1	6	–	4	4	9	54	8	14	6	3	–
Williams	1	21	1	2	25	15	–	–	3	–	3	1	1	29	14	6	6	1	–
Wood	3	58	12	10	21	28	2	12	6	–	6	9	5	66	30	15	9	3	1
Bowling Green	–	15	–	2	2	2	–	1	1	–	2	–	–	9	7	2	2	1	–
Fostoria, part	–	–	–	–	–	2	–	1	–	–	–	–	–	2	–	–	–	–	–
Perrysburg	1	9	1	3	4	3	–	2	1	–	1	3	1	4	–	1	1	–	–
Balance of county	2	34	11	5	15	21	2	8	4	–	3	6	4	51	23	12	6	2	1
Wyandot	–	23	1	2	14	7	–	4	3	–	3	–	3	22	14	7	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 131 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	30,275	17	-	560	6,819	1,550	2,207	501	767	254	244	1,296	547	13,621	10,808	56	168	7,431	3,153
Urban places	15,553	5	-	352	3,468	743	1,097	283	384	145	129	687	270	6,843	5,353	38	96	3,665	1,554
Balance of area	14,722	12	-	208	3,351	807	1,110	218	383	109	115	609	277	6,778	5,455	18	72	3,766	1,599
Metropolitan counties	15,427	3	-	341	3,521	778	1,146	276	370	147	123	681	272	6,694	5,278	37	91	3,612	1,538
Urban places	11,994	2	-	299	2,689	587	849	212	285	116	94	546	206	5,197	4,080	31	72	2,774	1,203
Balance of area	3,433	1	-	42	832	191	297	64	85	31	29	135	66	1,497	1,198	6	19	838	335
Nonmetropolitan counties	14,848	14	-	219	3,298	772	1,061	225	397	107	121	615	275	6,927	5,530	19	77	3,819	1,615
Urban places	3,559	3	-	53	779	156	248	71	99	29	35	141	64	1,646	1,273	7	24	891	351
Balance of area	11,289	11	-	166	2,519	616	813	154	298	78	86	474	211	5,281	4,257	12	53	2,928	1,264
Adair	217	-	-	3	46	12	14	3	4	1	5	7	14	91	68	-	2	42	24
Alfalfa	97	-	-	2	12	4	4	-	1	-	-	3	-	57	40	-	1	26	13
Atoka	130	-	-	3	20	1	7	-	7	1	1	3	-	70	63	-	-	34	29
Beaver	65	-	-	1	16	3	2	3	3	-	-	5	2	21	13	-	-	8	5
Beckham	230	1	-	7	52	15	10	4	6	2	2	13	-	93	77	-	1	53	23
Blaine	165	-	-	6	34	7	11	1	5	-	1	9	3	80	67	1	-	51	15
Bryan	365	-	-	4	93	24	25	5	8	13	7	11	8	156	131	-	1	110	20
Durant	179	-	-	2	52	13	12	2	4	11	4	6	5	69	59	-	-	48	11
Balance of county	186	-	-	2	41	11	13	3	4	2	3	5	3	87	72	-	1	62	9
Caddo	389	2	-	4	81	24	29	5	6	2	2	13	8	176	141	1	1	92	47
Canadian	462	-	-	12	100	18	35	8	11	5	6	17	6	201	159	1	3	102	53
El Reno	158	-	-	2	27	3	9	1	4	4	1	5	2	85	72	-	-	53	19
Oklahoma City, part	7	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	1	-
Yukon	178	-	-	5	41	8	13	5	4	1	1	9	3	73	52	1	1	25	25
Balance of county	119	-	-	5	31	7	13	2	2	-	4	3	1	42	34	-	2	23	9
Carter	542	1	-	5	128	19	48	12	16	5	6	22	3	253	207	-	5	144	58
Ardmore	355	1	-	3	88	12	32	11	12	2	4	15	2	166	138	-	3	99	36
Balance of county	187	-	-	2	40	7	16	1	4	3	2	7	1	87	69	-	2	45	22
Cherokee	318	1	-	3	80	16	27	1	11	2	1	22	12	138	108	-	1	75	32
Choctaw	181	-	-	2	45	9	18	2	7	2	-	7	1	85	75	-	-	58	17
Cimarron	52	-	-	-	14	4	4	2	1	-	-	3	2	23	17	1	-	10	6
Cleveland	909	-	-	24	178	50	47	12	17	2	7	43	11	400	328	4	1	231	92
Moore	202	-	-	8	38	11	12	2	-	1	2	10	3	73	62	1	-	39	22
Norman	520	-	-	12	99	27	22	7	13	-	3	27	6	250	201	3	-	145	53
Oklahoma City, part	36	-	-	-	9	2	3	1	1	-	1	1	-	12	10	-	-	6	4
Balance of county	151	-	-	4	32	10	10	2	3	1	1	5	2	65	55	-	1	41	13
Coal	82	-	-	2	21	4	6	-	6	1	-	4	2	36	33	-	-	16	17
Comanche	772	-	-	12	177	34	62	14	20	5	7	35	5	310	257	1	2	171	83
Lawton	615	-	-	11	136	24	45	13	18	4	4	28	4	250	205	1	1	137	66
Balance of county	157	-	-	1	41	10	17	1	2	1	3	7	1	60	52	-	1	34	17
Cotton	97	1	-	-	23	5	6	-	1	1	1	9	1	52	42	-	-	21	21
Craig	163	-	-	4	37	13	10	-	5	1	2	6	1	79	62	-	-	42	20
Creek	608	-	-	8	143	26	53	9	16	4	3	32	13	258	208	1	2	157	48
Sapulpa	229	-	-	5	49	8	19	3	2	1	-	16	5	99	84	-	-	62	22
Balance of county	379	-	-	3	94	18	34	6	14	3	3	16	8	159	124	1	2	95	26
Custer	241	-	-	1	52	20	16	3	4	-	1	8	3	121	100	-	-	77	23
Delaware	368	-	-	6	89	16	31	6	3	5	3	25	6	178	150	-	1	84	65
Dewey	105	-	-	2	22	5	9	3	2	1	1	1	1	58	38	1	1	24	12
Ellis	68	-	-	1	17	4	3	2	-	1	1	6	1	32	29	-	-	16	13
Garfield	523	-	-	7	113	20	30	6	15	10	3	29	19	232	170	-	3	104	63
Enid	455	-	-	6	102	17	28	4	14	9	3	27	17	198	147	-	3	89	55
Balance of county	68	-	-	1	11	3	2	2	1	1	-	2	2	34	23	-	-	15	8
Garvin	364	1	-	3	73	19	23	4	9	5	2	11	8	188	128	-	-	78	50
Grady	375	-	-	7	81	20	25	3	14	-	6	13	6	174	133	2	1	97	33
Chickasha	209	-	-	3	42	10	14	1	10	-	3	4	3	94	65	2	1	46	16
Balance of county	166	-	-	4	39	10	11	2	4	-	3	9	3	80	68	-	-	51	17
Grant	70	-	-	2	11	1	3	-	3	-	1	3	2	40	30	-	-	15	15
Greer	116	-	-	2	23	4	7	-	2	-	-	10	2	55	36	-	-	27	9
Harmon	56	-	-	1	8	3	2	-	-	-	1	2	1	31	29	-	-	20	9
Harper	48	-	-	1	7	1	2	-	3	-	-	1	1	24	19	-	-	14	5
Haskell	149	-	-	4	23	6	8	-	4	-	1	4	2	83	73	-	-	62	11
Hughes	213	-	-	3	51	15	19	5	2	2	2	6	1	119	100	-	1	83	16
Jackson	252	1	-	3	51	14	15	5	4	1	-	12	2	114	85	-	-	52	33
Altus	192	1	-	2	36	10	10	3	2	1	-	10	2	85	64	-	-	40	24
Balance of county	60	-	-	1	15	4	5	2	2	-	-	2	-	29	21	-	-	12	9
Jefferson	116	-	-	-	29	6	7	4	3	-	-	9	3	56	43	-	2	33	8
Johnston	131	-	-	3	31	7	16	-	2	1	1	4	1	58	46	-	-	31	15
Kay	603	-	-	7	112	27	34	12	12	3	2	22	10	315	219	1	5	159	54
Ponca City	317	-	-	6	58	10	19	7	8	1	1	12	7	164	114	1	3	76	34
Balance of county	286	-	-	1	54	17	15	5	4	2	1	10	3	151	105	-	2	83	20
Kingfisher	145	-	-	1	28	6	8	-	1	1	1	11	2	69	60	-	1	48	11
Kiowa	176	-	-	1	40	5	12	2	10	-	1	10	4	92	68	-	2	54	12
Latimer	108	-	-	2	32	12	15	1	-	1	1	2	4	39	30	-	2	16	12
Le Flore	481	1	-	4	114	26	36	7	18	4	3	20	5	207	174	-	1	128	45
Lincoln	277	-	-	2	77	18	25	6	8	2	3	15	5	113	85	1	2	55	27
Logan	283	-	-	8	61	14	18	2	13	3	1	10	7	134	99	1	1	74	23
Guthrie	174	-	-	7	34	8	9	1	9	1	1	5	6	83	57	-	-	47	10
Balance of county	109	-	-	1	27	6	9	1	4	2	-	5	1	51	42	1	1	27	13
Love	82	-	-	1	17	5	6	2	3	-	-	1	5	40	31	1	2	23	5
McClain	198	-	-	3	42	10	10	5	5	4	2	6	5	86	64	-	-	46	18
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	198	-	-	3	42	10	10	5	5	4	2	6	5	86	64	-	-	46	18
McCurtain	424	-	-	14	91	22	29	6	15	3	1	15	5	183	155	-	4	117	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 132 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	122	2,048	355	288	1,184	1,356	94	299	382	3	133	166	390	2,559	680	737	442	269	17
Urban places	71	1,096	174	149	616	730	51	176	191	2	85	117	205	1,410	264	357	242	155	14
Balance of area	51	952	181	139	568	626	43	123	191	1	48	49	185	1,149	416	380	200	114	3
Metropolitan counties	68	1,044	162	142	578	706	57	169	179	2	81	122	203	1,368	323	357	261	175	15
Urban places	60	819	128	110	449	570	39	142	142	2	65	106	166	1,085	218	269	205	129	14
Balance of area	8	225	34	32	129	136	18	27	37	-	16	16	37	283	105	88	56	46	1
Nonmetropolitan counties	54	1,004	193	146	606	650	37	130	203	1	52	44	187	1,191	357	380	181	94	2
Urban places	11	277	46	39	167	160	12	34	49	-	20	11	39	325	46	88	37	26	-
Balance of area	43	727	147	107	439	490	25	96	154	1	32	33	148	866	311	292	144	68	2
Adair	-	18	1	4	6	6	2	-	2	-	2	-	1	20	9	12	2	1	-
Alfalfa	-	8	8	1	2	4	-	-	1	-	-	-	-	14	4	1	-	-	-
Atoka	1	5	1	-	3	3	-	1	4	-	1	-	5	6	4	4	3	3	-
Beaver	1	5	2	-	1	5	-	-	-	-	-	-	2	9	5	1	2	-	-
Beckham	-	14	1	1	12	8	-	-	1	-	1	-	27	13	2	7	5	1	-
Blaine	-	10	-	3	10	4	-	1	-	-	1	1	5	11	3	5	1	-	-
Bryan	-	21	3	1	8	16	-	5	4	-	1	1	4	32	10	14	4	4	1
Durant	-	9	1	-	4	5	-	2	1	-	-	1	3	20	3	8	1	3	-
Balance of county	-	12	2	1	4	11	-	3	3	-	1	-	1	12	7	6	3	1	1
Caddo	1	26	4	4	19	22	-	6	7	1	1	-	10	26	13	10	3	-	-
Canadian	2	31	5	4	10	19	1	8	3	-	1	3	5	53	21	11	7	1	-
El Reno	-	11	1	1	2	7	-	2	1	-	-	1	-	20	3	4	2	-	-
Oklahoma City, part	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	-
Yukon	1	15	3	2	4	6	-	3	-	-	1	-	2	20	11	6	2	1	-
Balance of county	1	5	1	1	4	5	1	3	2	-	-	1	2	13	6	1	2	-	-
Carter	1	37	3	5	27	28	-	6	5	-	4	1	5	35	12	19	5	5	-
Ardmore	1	22	2	3	16	20	-	4	4	-	3	1	2	27	7	8	1	2	-
Balance of county	-	15	1	2	11	8	-	2	1	-	1	-	3	8	5	11	4	3	-
Cherokee	1	20	6	3	16	12	2	2	4	-	2	-	3	27	5	4	6	1	-
Choctaw	-	8	1	1	7	13	1	1	1	-	1	-	-	10	4	5	1	4	-
Cimarron	1	1	2	2	-	7	-	-	-	-	-	-	-	2	3	1	-	-	-
Cleveland	2	56	5	9	34	42	4	10	12	-	6	11	8	78	26	25	26	11	3
Moore	1	7	-	3	8	11	-	4	4	-	2	4	2	21	8	9	5	2	-
Norman	-	40	4	5	17	24	3	6	8	-	2	5	3	40	12	8	17	5	3
Oklahoma City, part	-	2	-	-	3	1	-	-	-	-	-	1	1	2	2	1	3	1	-
Balance of county	1	7	1	1	6	6	1	-	-	-	2	1	2	15	4	7	1	3	-
Coal	-	2	-	1	2	1	-	-	1	-	-	-	2	6	3	4	2	-	-
Comanche	4	41	4	4	40	49	1	13	9	1	3	9	11	73	17	10	16	16	-
Lawton	4	36	3	2	36	39	1	13	8	1	2	7	9	62	7	10	11	8	-
Balance of county	-	5	1	2	4	10	-	-	1	-	1	2	2	11	10	-	5	8	-
Cotton	1	7	-	2	2	2	-	-	1	-	-	-	2	6	4	1	2	-	-
Craig	-	13	3	1	8	6	-	2	4	-	1	2	-	11	2	2	2	2	-
Creek	1	40	5	4	16	27	2	6	10	-	2	3	5	61	21	18	6	8	1
Sapulpa	1	12	1	1	5	17	-	4	1	-	1	2	4	18	8	7	1	3	-
Balance of county	-	28	4	3	11	10	2	2	9	-	1	1	1	43	13	11	5	5	1
Custer	2	14	3	2	6	6	-	4	4	-	1	1	6	21	3	7	5	-	-
Delaware	1	21	3	3	12	10	-	1	6	-	-	1	6	24	13	12	3	1	-
Dewey	1	15	4	-	4	4	1	1	1	-	-	-	-	7	1	1	1	1	-
Ellis	-	1	1	1	4	1	-	1	2	-	-	1	1	4	1	2	-	-	-
Garfield	3	41	13	5	23	13	2	1	7	-	3	2	5	52	13	15	12	3	1
Enid	3	34	10	4	19	11	2	1	7	-	3	2	4	47	11	13	9	2	1
Balance of county	-	7	3	1	4	2	-	-	-	-	-	-	1	5	2	2	3	1	-
Garvin	3	30	23	4	17	9	-	3	3	-	1	-	4	30	10	8	3	3	-
Grady	-	36	4	1	14	13	3	2	6	-	1	1	5	30	12	9	8	3	-
Chickasha	-	25	4	-	8	10	3	-	3	-	1	1	5	21	3	6	4	2	-
Balance of county	-	11	-	1	6	3	-	2	3	-	-	-	-	9	9	3	4	1	-
Grant	-	8	2	-	-	3	1	1	-	-	-	-	-	7	1	-	2	-	-
Greer	1	8	7	3	4	6	-	-	5	-	1	-	2	10	3	1	2	-	-
Harmon	-	2	-	-	3	3	-	-	1	-	-	1	-	4	-	2	1	-	-
Harper	-	-	3	2	3	2	-	1	2	-	-	-	-	4	1	2	-	-	-
Haskell	-	9	1	-	4	10	-	2	-	-	1	-	1	8	5	4	1	1	-
Hughes	2	15	-	2	5	8	-	-	3	-	-	1	5	9	-	7	1	-	-
Jackson	1	21	3	4	12	9	-	6	4	-	2	3	10	22	2	5	3	3	-
Altus	-	15	2	4	10	7	-	5	3	-	2	3	7	18	-	5	3	3	-
Balance of county	1	6	1	-	2	2	-	1	1	-	-	-	3	4	2	-	-	-	-
Jefferson	-	9	3	1	1	6	-	-	2	-	1	1	-	14	1	1	1	-	-
Johnston	2	6	-	4	4	10	-	1	2	-	-	-	1	11	4	1	2	2	-
Kay	3	71	12	10	14	34	1	8	7	-	3	6	4	45	10	17	6	4	-
Ponca City	2	37	7	4	7	20	1	2	2	-	3	2	1	28	4	9	2	1	-
Balance of county	1	34	5	6	7	14	-	6	5	-	-	4	3	17	6	8	4	3	-
Kingfisher	-	7	2	-	9	12	-	-	2	-	-	-	4	11	5	1	1	-	-
Kiowa	1	18	1	4	6	5	-	2	2	-	-	1	1	15	3	3	3	-	-
Latimer	-	7	1	1	3	9	-	1	1	-	-	1	-	5	-	7	3	1	-
Le Flore	3	24	-	6	27	21	3	6	5	-	4	1	1	51	13	11	6	1	-
Lincoln	-	24	2	2	14	14	-	2	4	-	3	4	3	23	8	2	2	1	-
Logan	-	32	1	2	15	20	2	2	3	-	-	-	-	15	7	4	4	1	-
Guthrie	-	24	1	1	13	11	2	1	3	-	-	-	-	9	3	1	1	-	-
Balance of county	-	8	-	1	2	9	-	1	-	-	-	-	-	6	4	3	3	1	-
Love	-	6	1	2	4	6	1	-	-	-	-	-	2	1	4	1	-	-	-
McClain	-	17	-	5	9	9	3	2	-	-	1	-	1	19	6	8	2	2	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	17	-	5	9	9	3	2	-	-	1	-	1	19	6	8	2	2	-
McCurtain	3	20	2	3	13	15	1	8	1	-	-	1	3	37	23	15	6	8	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 133 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	223	1	–	3	45	11	15	3	8	2	1	5	13	98	85	–	1	59	25
Major	78	–	–	1	14	5	3	3	–	–	1	2	1	41	24	–	–	14	10
Marshall	176	–	–	4	37	4	18	1	3	1	2	8	–	83	68	–	–	54	14
Mayes	362	1	–	10	96	20	31	9	9	3	3	21	3	143	115	1	–	91	23
Murray	170	–	–	1	41	8	19	–	7	3	–	4	2	81	69	–	–	54	15
Muskogee	787	–	–	14	184	39	58	19	23	8	12	25	20	355	283	1	4	194	84
Muskogee	497	–	–	9	104	20	35	13	14	3	7	12	12	235	186	1	1	127	57
Balance of county	290	–	–	5	80	19	23	6	9	5	5	13	8	120	97	–	3	67	27
Noble	117	–	–	1	21	4	6	1	5	–	–	5	2	58	52	–	–	34	18
Nowata	130	–	–	1	26	4	7	–	8	1	2	4	4	62	57	–	1	38	18
Okfuskee	161	1	–	–	32	12	7	3	4	1	–	5	4	90	85	–	–	71	14
Oklahoma	5,374	2	–	145	1,244	297	405	98	126	59	39	220	95	2,298	1,794	16	48	1,168	562
Bethany	205	–	–	6	35	9	12	2	3	–	3	6	6	96	73	–	1	52	20
Del City	169	–	–	3	42	12	16	1	3	6	–	4	3	78	66	1	–	48	17
Edmond	304	–	–	9	79	19	21	12	8	6	–	13	2	123	96	1	–	57	38
Midwest City	406	–	–	6	97	24	29	6	8	4	3	23	12	174	140	1	1	97	41
Oklahoma City, part	3,923	2	–	117	908	212	293	74	95	38	32	164	68	1,666	1,293	12	41	829	411
Oklahoma City, total	3,966	2	–	117	918	214	296	75	97	38	33	165	68	1,679	1,304	12	41	836	415
The Village	20	–	–	–	4	2	2	–	–	–	–	–	1	9	7	–	–	5	2
Balance of county	347	–	–	4	79	19	32	3	9	5	1	10	3	152	119	1	5	80	33
Okmulgee	481	1	–	6	105	30	32	8	8	1	4	22	10	242	198	1	7	141	49
Okmulgee	229	–	–	4	42	11	15	4	2	1	1	8	7	111	95	1	5	74	15
Balance of county	252	1	–	2	63	19	17	4	6	–	3	14	3	131	103	–	2	67	34
Osage	341	1	–	3	89	28	32	4	7	–	3	15	7	155	113	1	3	73	36
Bartlesville, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Sand Springs, part	5	–	–	–	2	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Tulsa, part	10	–	–	1	1	–	1	–	–	–	–	–	–	4	3	–	–	1	2
Balance of county	325	1	–	2	86	28	31	4	7	–	2	14	7	149	109	1	3	72	33
Ottawa	423	–	–	5	99	22	37	4	14	2	2	18	16	193	160	–	2	105	53
Miami	204	–	–	3	48	9	19	1	9	1	2	7	4	99	84	–	2	55	27
Balance of county	219	–	–	2	51	13	18	3	5	1	–	11	12	94	76	–	–	50	26
Pawnee	160	–	–	2	40	11	12	2	4	1	2	8	3	61	46	–	–	34	12
Payne	444	–	–	11	106	24	27	7	18	3	5	22	9	190	139	1	4	108	26
Stillwater	206	–	–	5	49	12	12	5	7	2	2	9	6	89	63	–	1	51	11
Balance of county	238	–	–	6	57	12	15	2	11	1	3	13	3	101	76	1	3	57	15
Pittsburg	521	–	–	3	119	29	34	10	14	4	6	22	10	253	200	–	8	133	59
McAlester	258	–	–	1	63	14	18	6	8	2	4	11	6	131	98	–	6	62	30
Balance of county	263	–	–	2	56	15	16	4	6	2	2	11	4	122	102	–	2	71	29
Pontotoc	389	1	–	10	92	19	31	10	6	–	4	22	4	178	135	2	1	103	29
Ada	225	1	–	6	50	10	19	4	3	–	2	12	3	101	78	–	–	63	15
Balance of county	164	–	–	4	42	9	12	6	3	–	2	10	1	77	57	2	1	40	14
Pottawatomie	597	–	–	11	153	22	54	19	14	8	4	32	7	272	212	3	1	127	81
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	339	–	–	7	87	14	31	9	6	4	3	20	4	161	121	1	1	64	55
Balance of county	258	–	–	4	66	8	23	10	8	4	1	12	3	111	91	2	–	63	26
Pushmataha	127	–	–	2	31	7	18	–	3	1	–	2	–	62	49	–	–	26	23
Roger Mills	37	–	–	1	9	3	2	–	2	1	–	1	–	12	11	–	–	10	1
Rogers	437	–	–	4	109	22	38	3	15	6	7	18	11	174	148	–	1	104	43
Claremore	188	–	–	3	42	10	14	2	4	2	3	7	4	80	65	–	1	45	19
Balance of county	249	–	–	1	67	12	24	1	11	4	4	11	7	94	83	–	–	59	24
Seminole	369	–	–	7	67	18	23	4	8	3	1	10	7	193	166	–	6	90	70
Sequoyah	317	–	–	4	77	25	23	8	5	2	3	11	8	147	112	–	–	86	26
Stephens	432	–	–	7	94	16	34	12	11	4	3	14	4	208	170	2	1	103	64
Duncan	237	–	–	4	57	10	16	8	7	2	3	11	1	103	77	1	–	50	26
Balance of county	195	–	–	3	37	6	18	4	4	2	–	3	3	105	93	1	1	53	38
Texas	147	–	–	1	30	5	8	4	3	–	4	6	5	54	41	–	1	29	11
Tillman	130	–	–	1	31	12	8	2	2	–	–	7	1	60	48	–	–	34	14
Tulsa	4,337	–	–	99	972	201	317	80	99	38	37	200	72	1,899	1,505	9	24	1,100	372
Broken Arrow, part	296	–	–	5	50	18	12	4	4	–	7	5	6	146	112	3	–	88	21
Broken Arrow, total	311	–	–	5	55	20	13	6	4	–	7	5	6	150	116	3	–	90	23
Sand Springs, part	149	–	–	3	31	8	6	5	5	3	1	3	5	60	50	1	2	36	11
Sand Springs, total	154	–	–	3	33	8	6	5	5	3	2	4	5	61	50	1	2	36	11
Tulsa, part	3,390	–	–	83	770	149	251	58	83	32	25	172	49	1,470	1,158	5	20	846	287
Tulsa, total	3,400	–	–	84	771	149	252	58	83	32	25	172	49	1,474	1,161	5	20	847	289
Balance of county	502	–	–	8	121	26	48	13	7	3	4	20	12	223	185	–	2	130	53
Wagoner	269	–	–	1	63	11	22	8	7	1	1	13	6	128	109	–	2	69	38
Broken Arrow, part	15	–	–	–	5	2	1	2	–	–	–	–	–	4	4	–	–	2	2
Balance of county	254	–	–	1	58	9	21	6	7	1	1	13	6	124	105	–	2	67	36
Washington	466	–	–	6	100	21	30	4	15	4	2	24	8	193	146	1	2	90	53
Bartlesville, part	335	–	–	5	67	11	17	4	10	3	1	21	5	140	105	1	1	62	41
Bartlesville, total	336	–	–	5	67	11	17	4	10	3	1	21	5	141	106	1	1	62	42
Balance of county	131	–	–	1	33	10	13	–	5	1	1	3	3	53	41	–	1	28	12
Washita	144	–	–	1	25	9	4	4	4	–	2	2	7	76	62	–	–	28	34
Woods	150	–	–	3	39	10	11	4	5	2	3	4	3	67	56	1	–	32	23
Woodward	161	–	–	1	34	7	14	2	4	1	2	4	2	75	60	–	2	49	9
Woodward	116	–	–	–	23	4	10	2	3	–	1	3	1	59	47	–	1	38	8
Balance of county	45	–	–	1	11	3	4	–	1	1	1	1	1	16	13	–	1	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 134 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
McIntosh	–	11	2	–	6	8	1	–	9	–	1	–	3	18	5	6	3	3	–
Major	–	10	5	2	–	3	1	1	4	–	–	–	–	6	2	4	–	–	–
Marshall	–	10	3	2	10	9	–	2	1	–	–	3	2	14	4	5	1	1	–
Mayes	–	25	2	1	15	19	–	5	6	–	–	2	2	31	9	9	8	3	–
Murray	1	10	1	–	5	5	–	5	1	–	–	–	4	8	5	7	3	2	–
Muskogee	1	53	13	5	41	45	2	4	12	–	2	2	4	47	17	26	6	6	–
Muskogee	1	40	6	2	35	25	2	2	8	–	1	–	1	38	5	13	2	5	–
Balance of county	–	13	7	3	6	20	–	2	4	–	1	2	3	9	12	13	4	1	–
Noble	–	5	1	–	7	2	1	–	5	–	1	–	–	13	4	1	–	1	–
Nowata	1	4	–	–	4	6	1	–	3	–	–	–	2	12	4	3	2	–	–
Okfuskee	–	4	–	1	5	3	–	1	–	–	–	–	1	16	2	3	3	–	–
Oklahoma	33	352	71	48	192	235	24	60	61	–	34	54	72	481	87	129	90	66	5
Bethany	2	17	4	–	4	9	–	3	4	–	2	2	1	23	6	5	3	–	–
Del City	–	7	3	2	5	12	1	2	–	–	2	3	–	11	2	–	2	3	–
Edmond	1	19	4	3	14	9	–	2	4	–	3	3	3	23	10	10	7	3	–
Midwest City	4	17	7	6	17	11	–	5	9	–	–	9	3	39	6	6	9	2	1
Oklahoma City, part	25	262	49	37	136	184	18	44	43	–	25	34	58	353	55	93	63	52	4
Oklahoma City, total	25	264	49	37	139	186	18	44	43	–	25	36	60	355	58	94	67	53	4
The Village	–	2	–	–	–	2	–	–	–	–	–	–	–	2	–	–	2	–	–
Balance of county	1	28	4	–	16	8	5	4	1	–	2	3	7	30	8	15	4	6	–
Okmulgee	2	33	–	9	10	14	2	–	2	–	2	1	7	45	11	14	5	4	–
Okmulgee	–	10	–	6	3	7	1	–	1	–	1	1	4	26	4	10	4	3	–
Balance of county	2	23	–	3	7	7	1	–	1	–	1	–	3	19	7	4	1	1	–
Osage	–	34	6	2	10	17	1	4	5	–	–	1	4	21	6	6	8	3	–
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sand Springs, part	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Tulsa, part	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Balance of county	–	32	6	2	9	17	1	4	5	–	–	1	3	19	6	6	7	2	–
Ottawa	–	29	2	2	9	15	3	3	11	–	1	–	6	38	8	9	4	3	–
Miami	–	13	1	1	2	6	1	2	6	–	1	–	3	19	2	6	2	–	–
Balance of county	–	16	1	1	7	9	2	1	5	–	–	–	3	19	6	3	2	3	–
Pawnee	1	12	2	–	6	14	–	3	3	–	–	–	1	11	6	7	2	1	–
Payne	1	35	5	10	19	12	4	2	6	–	2	1	2	53	10	7	6	3	1
Stillwater	–	18	3	5	6	5	1	1	2	–	1	1	1	26	5	3	4	1	–
Balance of county	1	17	2	5	13	7	3	1	4	–	1	–	1	27	5	4	2	2	1
Pittsburg	4	35	12	2	33	17	2	5	5	–	–	1	1	44	11	7	7	3	–
McAlester	2	22	8	1	18	6	1	3	2	–	–	–	1	19	3	–	4	–	–
Balance of county	2	13	4	1	15	11	1	2	3	–	–	1	–	25	8	7	3	3	–
Pontotoc	2	34	2	5	29	18	1	2	3	–	3	–	2	25	5	9	5	2	–
Ada	1	18	1	3	22	11	1	1	1	–	2	–	1	14	2	6	2	1	–
Balance of county	1	16	1	2	7	7	–	1	2	–	1	–	1	11	3	3	3	1	–
Pottawatomie	3	47	5	5	35	21	1	5	9	–	3	1	3	43	13	11	6	2	1
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	3	33	2	2	15	15	1	2	5	–	1	–	2	25	3	6	3	1	1
Balance of county	–	14	3	3	20	6	–	3	4	–	2	1	1	18	10	5	3	1	–
Pushmataha	–	8	2	3	3	10	–	2	1	–	–	–	1	9	2	3	1	–	–
Roger Mills	–	1	–	–	4	2	–	–	–	–	–	2	–	3	2	2	–	–	–
Rogers	–	18	–	8	16	22	–	4	8	–	2	4	8	42	13	13	5	2	–
Claremore	–	12	–	3	8	11	–	1	3	–	1	2	3	17	4	5	3	1	–
Balance of county	–	6	–	5	8	11	–	3	5	–	1	2	5	25	9	8	2	1	–
Seminole	4	17	1	5	12	13	–	3	7	–	1	1	4	27	9	9	5	4	–
Sequoyah	1	22	6	6	11	14	1	–	3	–	2	1	2	22	9	5	3	8	–
Stephens	2	26	8	2	25	18	–	6	9	–	1	–	7	27	11	8	6	1	–
Duncan	2	17	5	2	14	13	–	4	6	–	1	–	5	18	5	2	3	1	–
Balance of county	–	9	3	–	11	5	–	2	3	–	–	–	2	9	6	6	3	–	–
Texas	1	9	3	–	12	7	–	1	1	–	1	–	1	21	5	4	4	–	–
Tillman	2	9	1	–	6	7	–	2	1	–	–	–	1	15	–	2	2	1	–
Tulsa	19	296	39	40	161	207	15	51	46	1	24	32	74	386	78	95	72	49	4
Broken Arrow, part	2	25	4	3	9	9	1	7	1	–	4	2	6	30	4	4	10	1	1
Broken Arrow, total	2	25	4	3	10	9	1	7	1	–	4	2	8	30	6	5	10	1	1
Sand Springs, part	1	5	1	3	10	13	–	4	2	–	–	1	4	7	3	3	2	1	–
Sand Springs, total	1	6	1	3	10	13	–	4	2	–	–	1	5	7	3	3	3	1	–
Tulsa, part	12	237	31	32	122	167	10	38	39	1	16	27	57	314	57	77	48	42	3
Tulsa, total	12	238	31	32	123	167	10	38	39	1	16	27	57	316	57	77	48	43	3
Balance of county	4	29	3	2	20	18	4	2	4	–	4	2	7	35	14	11	12	5	–
Wagoner	–	17	2	–	6	11	–	3	3	–	–	1	5	22	6	7	4	3	–
Broken Arrow, part	–	–	–	–	1	–	–	–	–	–	–	–	2	–	2	1	–	–	–
Balance of county	–	17	2	–	5	11	–	3	3	–	–	1	3	22	4	6	4	3	–
Washington	1	34	6	6	22	30	1	8	11	–	3	1	5	51	3	17	3	4	–
Bartlesville, part	1	23	5	6	15	21	1	8	8	–	3	1	3	41	2	11	2	2	–
Bartlesville, total	1	23	5	6	15	21	1	8	8	–	3	1	3	41	2	11	2	2	–
Balance of county	–	11	1	–	7	9	–	–	3	–	–	–	2	10	1	6	1	2	–
Washita	–	8	5	1	2	10	–	–	1	–	–	–	2	9	9	2	–	–	–
Woods	–	5	3	3	4	4	2	1	–	–	–	1	–	15	4	5	2	–	–
Woodward	1	10	1	3	11	6	–	–	3	–	1	–	4	12	3	2	5	2	–
Woodward	1	8	1	2	7	4	–	–	2	–	1	–	2	10	1	1	3	2	–
Balance of county	–	2	–	1	4	2	–	–	1	–	–	–	2	2	2	1	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 135 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	25,015	12	-	437	6,213	1,358	1,880	492	751	258	238	1,236	528	9,905	7,201	96	187	5,146	1,772
Urban places	12,946	12	-	288	3,050	651	889	263	385	124	111	627	257	5,175	3,668	51	124	2,581	912
Balance of area	12,069	-	-	149	3,163	707	991	229	366	134	127	609	271	4,730	3,533	45	63	2,565	860
Metropolitan counties	16,422	12	-	342	4,021	851	1,197	347	479	166	151	830	338	6,570	4,685	71	155	3,298	1,161
Urban places	10,778	12	-	261	2,563	540	749	232	315	100	95	532	221	4,301	3,036	47	115	2,131	743
Balance of area	5,644	-	-	81	1,458	311	448	115	164	66	56	298	117	2,269	1,649	24	40	1,167	418
Nonmetropolitan counties	8,593	-	-	95	2,192	507	683	145	272	92	87	406	190	3,335	2,516	25	32	1,848	611
Urban places	2,168	-	-	27	487	111	140	31	70	24	16	95	36	874	632	4	9	450	169
Balance of area	6,425	-	-	68	1,705	396	543	114	202	68	71	311	154	2,461	1,884	21	23	1,398	442
Baker	195	-	-	3	49	18	14	3	5	1	1	7	1	75	50	-	-	43	7
Benton	379	-	-	5	96	27	32	7	11	-	4	15	9	147	103	2	3	72	26
Albany, part	7	-	-	-	3	2	1	-	-	-	-	-	-	2	2	-	-	2	-
Corvallis	250	-	-	4	56	18	18	4	5	-	3	8	6	105	69	1	2	51	15
Balance of county	122	-	-	1	37	7	13	3	6	-	1	7	3	40	32	1	1	19	11
Clackamas	1,985	-	-	38	478	88	143	54	57	19	20	97	46	816	590	12	22	419	137
Lake Oswego, part	172	-	-	3	57	11	15	13	6	1	2	9	5	61	40	1	-	32	7
Lake Oswego, total	177	-	-	3	60	11	17	13	7	1	2	9	6	62	41	1	-	32	8
Milwaukie, part	405	-	-	10	92	17	25	11	7	5	3	24	15	154	116	1	5	74	36
Milwaukie, total	405	-	-	10	92	17	25	11	7	5	3	24	15	154	116	1	5	74	36
Oregon City	153	-	-	4	25	8	11	-	2	2	-	2	3	61	38	2	2	31	3
Portland, part	7	-	-	-	-	-	-	-	-	-	-	-	-	5	4	1	-	3	-
West Linn	91	-	-	1	23	4	5	3	3	-	1	7	1	35	21	-	-	18	3
Balance of county	1,157	-	-	20	281	48	87	27	39	11	14	55	22	500	371	7	15	261	88
Clatsop	360	-	-	4	87	23	27	5	8	2	3	19	5	142	116	-	1	82	33
Columbia	319	-	-	1	86	18	30	8	9	3	1	17	7	136	108	2	-	90	16
Coos	680	-	-	9	177	43	57	14	23	8	6	26	25	267	202	1	2	157	42
Coos Bay	193	-	-	2	40	9	7	3	8	5	1	7	4	81	61	-	1	49	11
Balance of county	487	-	-	7	137	34	50	11	15	3	5	19	21	186	141	1	1	108	31
Crook	126	-	-	-	34	5	14	2	4	-	1	8	1	45	28	2	-	16	10
Curry	238	-	-	4	54	11	21	2	4	2	2	12	6	97	76	-	1	49	26
Deschutes	663	-	-	9	184	38	50	15	28	10	5	38	9	241	185	5	2	124	54
Bend	202	-	-	1	41	8	9	4	5	2	2	11	-	69	48	1	1	30	16
Balance of county	461	-	-	8	143	30	41	11	23	8	3	27	9	172	137	4	1	94	38
Douglas	983	-	-	12	249	52	75	11	33	13	9	56	22	379	298	-	4	232	62
Roseburg	266	-	-	4	57	9	19	1	7	4	2	15	5	114	87	-	2	71	14
Balance of county	717	-	-	8	192	43	56	10	26	9	7	41	17	265	211	-	2	161	48
Gilliam	15	-	-	1	2	1	-	1	-	-	-	-	-	7	6	-	-	6	-
Grant	83	-	-	2	20	3	9	-	2	2	2	2	1	26	19	-	-	12	7
Harney	86	-	-	1	20	4	7	1	3	1	2	2	1	37	30	-	2	16	12
Hood River	148	-	-	2	35	9	8	2	2	1	5	8	-	57	38	-	2	30	6
Jackson	1,402	1	-	14	391	91	127	35	49	12	14	63	24	537	374	4	5	259	106
Ashland	126	-	-	-	36	8	8	4	5	1	2	8	2	47	32	-	1	22	9
Medford	550	1	-	6	155	40	46	15	20	5	9	20	10	208	145	2	2	102	39
Balance of county	726	-	-	8	200	43	73	16	24	6	3	35	12	282	197	2	2	135	58
Jefferson	106	-	-	1	19	5	4	2	1	2	1	4	2	42	31	-	-	28	3
Josephine	731	-	-	5	200	44	68	16	19	6	9	38	15	271	209	1	3	150	55
Grants Pass	280	-	-	-	61	13	19	6	7	2	1	13	5	123	91	-	1	68	22
Balance of county	451	-	-	5	139	31	49	10	12	4	8	25	10	148	118	1	2	82	33
Klamath	506	-	-	5	128	33	41	7	14	4	6	23	6	190	144	3	1	101	39
Klamath Falls	182	-	-	1	40	6	14	3	7	1	-	9	1	69	50	1	-	32	17
Balance of county	324	-	-	4	88	27	27	4	7	3	6	14	5	121	94	2	1	69	22
Lake	75	-	-	-	22	5	5	-	5	2	1	4	2	31	26	1	-	18	7
Lane	2,268	1	-	34	588	109	174	56	70	26	24	129	51	848	623	8	15	431	169
Eugene	972	1	-	18	246	43	68	28	28	13	11	55	22	359	262	5	4	185	68
Springfield	401	-	-	8	104	20	29	10	15	3	4	23	10	142	106	1	4	68	33
Balance of county	895	-	-	8	238	46	77	18	27	10	9	51	19	347	255	2	7	178	68
Lincoln	443	-	-	3	126	26	40	12	13	6	6	23	11	168	127	1	3	101	22
Linn	785	-	-	11	200	43	63	8	33	10	8	35	22	317	231	2	4	168	57
Albany, part	243	-	-	4	65	16	24	-	11	-	2	12	6	94	68	1	-	42	25
Albany, total	250	-	-	4	68	18	25	-	11	-	2	12	6	96	70	1	-	44	25
Lebanon	136	-	-	5	25	9	6	2	3	2	1	2	3	53	34	-	2	28	4
Balance of county	406	-	-	2	110	18	33	6	19	8	5	21	13	170	129	1	2	98	28
Malheur	252	-	-	2	54	21	11	2	10	1	2	7	16	104	79	1	-	59	19
Marion	2,056	1	-	26	500	105	135	33	67	24	20	116	32	900	650	10	21	461	158
Salem, part	962	1	-	17	233	46	56	17	37	8	8	61	14	443	306	4	14	222	66
Salem, total	1,084	1	-	18	264	51	67	21	42	8	10	65	17	503	349	5	16	251	77
Woodburn	222	-	-	2	57	10	18	3	6	4	3	13	1	89	64	-	2	45	17
Balance of county	872	-	-	7	210	49	61	13	24	12	9	42	17	368	280	6	5	194	75
Morrow	53	-	-	-	13	2	8	1	-	1	-	1	2	19	15	-	-	10	5
Multnomah	5,697	7	-	180	1,311	288	410	109	148	52	43	261	124	2,207	1,582	20	63	1,126	373
Gresham	475	-	-	8	110	26	31	7	10	3	4	29	6	193	133	2	4	89	38
Lake Oswego, part	3	-	-	-	2	-	1	-	1	-	-	-	-	1	1	-	-	-	1
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	4,695	7	-	162	1,069	228	337	91	130	41	34	208	105	1,803	1,296	16	55	930	295
Portland, total	4,708	7	-	162	1,070	228	337	91	131	41	34	208	105	1,812	1,301	17	55	934	295
Balance of county	524	-	-	10	130	34	41	11	7	8	5	24	13	210	152	2	4	107	39
Polk	420	-	-	6	93	15	36	6	14	1	3	18	16	175	117	1	4	91	21
Salem, part	122	-	-	1	31	5	11	4	5	-	2	4	3	60	43	1	2	29	11
Balance of county	298	-	-	5	62	10	25	2	9	1	1	14	13	115	74	-	2	62	10
Sherman	23	-	-	1	10	1	4	1	2	2	-	-	-	5	4	-	-	3	1
Tillamook	284	-	-	3	61	21	17	4	-	1	4	14	4	116	83	2	1	62	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 136 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	137	1,948	303	316	804	1,336	79	263	163	1	153	98	609	2,708	500	589	453	130	34
Urban places	70	1,087	168	182	413	688	44	161	83	–	83	57	332	1,482	203	294	215	86	23
Balance of area	67	861	135	134	391	648	35	102	80	1	70	41	277	1,226	297	295	238	44	11
Metropolitan counties	84	1,385	207	209	495	806	53	187	94	1	109	73	449	1,795	292	369	294	95	27
Urban places	58	920	140	147	329	524	37	148	65	–	72	52	293	1,224	151	243	183	78	21
Balance of area	26	465	67	62	166	282	16	39	29	1	37	21	156	571	141	126	111	17	6
Nonmetropolitan counties	53	563	96	107	309	530	26	76	69	–	44	25	160	913	208	220	159	35	7
Urban places	12	167	28	35	84	164	7	13	18	–	11	5	39	258	52	51	32	8	2
Balance of area	41	396	68	72	225	366	19	63	51	–	33	20	121	655	156	169	127	27	5
Baker	1	19	3	2	10	15	–	1	3	–	–	–	3	29	3	2	1	–	–
Benton	3	31	8	2	15	23	3	4	3	–	3	2	6	40	6	11	4	1	1
Albany, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Corvallis	2	26	6	2	7	18	3	–	2	–	3	2	4	29	1	8	1	–	1
Balance of county	1	5	2	–	8	5	–	4	1	–	–	–	2	10	4	3	3	1	–
Clackamas	7	162	39	18	82	101	5	17	11	–	15	12	31	204	38	40	42	7	2
Lake Oswego, part	–	17	3	1	9	6	–	1	1	–	–	–	5	16	3	2	3	–	–
Lake Oswego, total	–	17	3	1	9	6	–	1	1	–	–	–	5	16	3	2	3	–	–
Milwaukie, part	1	28	9	–	28	17	3	3	1	–	4	2	6	41	11	10	6	2	–
Milwaukie, total	1	28	9	–	28	17	3	3	1	–	4	2	6	41	11	10	6	2	–
Oregon City	2	15	4	2	8	11	–	2	1	–	2	1	3	22	3	2	4	–	1
Portland, part	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
West Linn	–	11	2	1	5	7	–	1	–	–	1	–	–	10	2	2	3	–	–
Balance of county	4	90	21	14	32	58	2	10	8	–	8	9	17	115	19	24	26	5	1
Clatsop	4	17	3	2	15	18	2	5	2	–	4	3	–	37	9	12	13	1	1
Columbia	1	22	1	4	8	20	–	2	1	–	1	–	6	33	9	4	4	1	–
Coos	6	41	8	10	14	38	1	7	3	–	6	1	11	74	10	13	17	7	–
Coos Bay	–	13	2	5	7	14	–	1	1	–	2	–	2	27	2	4	3	3	–
Balance of county	6	28	6	5	7	24	1	6	2	–	4	1	9	47	8	9	14	4	–
Crook	1	7	6	3	6	11	–	–	1	–	–	1	–	14	3	7	2	1	–
Curry	–	16	1	4	3	14	1	1	2	–	1	–	3	29	4	8	8	2	1
Deschutes	2	31	9	14	14	29	3	2	5	–	1	4	7	89	34	16	15	1	–
Bend	1	10	3	7	5	13	1	1	2	–	1	1	2	35	18	6	6	–	–
Balance of county	1	21	6	7	9	16	2	1	3	–	–	3	5	54	16	10	9	1	–
Douglas	11	60	2	8	31	80	3	10	13	–	8	3	18	89	14	27	17	6	2
Roseburg	2	22	2	1	9	21	–	1	4	–	1	–	2	32	3	7	5	–	1
Balance of county	9	38	–	7	22	59	3	9	9	–	7	3	16	57	11	20	12	6	1
Gilliam	–	–	–	1	2	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Grant	1	6	–	–	6	8	1	–	–	–	–	–	2	12	2	2	1	–	–
Harney	–	5	–	2	3	5	–	2	4	–	–	–	–	7	3	2	1	–	–
Hood River	2	14	1	2	9	8	–	1	2	–	3	–	3	21	–	4	3	–	–
Jackson	6	126	12	19	38	58	5	12	7	–	6	1	79	145	32	24	27	1	–
Ashland	2	9	1	3	4	6	2	–	–	–	–	–	3	20	3	1	2	–	–
Medford	–	50	6	7	18	15	–	7	3	–	3	1	32	64	8	11	7	1	–
Balance of county	4	67	5	9	16	37	3	5	4	–	3	–	44	61	21	12	18	–	–
Jefferson	2	7	1	1	7	4	–	2	–	–	–	–	3	11	9	3	1	1	1
Josephine	7	31	14	10	23	43	2	5	5	–	3	1	21	92	12	14	14	5	–
Grants Pass	2	18	5	7	8	18	2	2	3	–	1	–	9	36	5	3	3	1	–
Balance of county	5	13	9	3	15	25	–	3	2	–	2	1	12	56	7	11	11	4	–
Klamath	–	41	3	2	18	38	2	4	3	–	3	1	25	38	16	15	11	3	–
Klamath Falls	–	17	1	1	7	15	1	2	1	–	1	–	11	13	8	4	7	1	–
Balance of county	–	24	2	1	11	23	1	2	2	–	2	1	14	25	8	11	4	2	–
Lake	–	5	–	–	1	5	–	–	–	–	–	–	1	4	2	5	2	–	–
Lane	11	162	32	20	61	133	12	24	9	1	11	7	85	259	39	45	46	9	5
Eugene	4	72	10	11	29	61	4	12	5	–	5	3	32	127	7	20	15	5	1
Springfield	2	25	8	1	11	23	4	6	2	–	4	3	18	36	6	11	11	1	1
Balance of county	5	65	14	8	21	49	4	6	2	1	2	1	35	96	26	14	20	3	3
Lincoln	2	23	12	4	24	15	1	4	3	–	1	1	10	48	9	11	7	1	–
Linn	6	67	8	5	27	41	2	8	7	–	2	2	8	80	20	24	13	1	–
Albany, part	3	21	2	–	8	12	–	3	1	–	–	1	2	34	7	4	1	1	–
Albany, total	3	21	2	–	8	12	–	3	1	–	–	1	2	35	8	4	1	1	–
Lebanon	1	14	2	2	5	11	–	2	3	–	1	–	2	14	5	6	1	–	–
Balance of county	2	32	4	3	14	18	2	3	3	–	1	1	4	32	8	14	11	–	–
Malheur	1	18	3	3	7	12	1	4	2	–	5	2	1	23	11	5	3	–	–
Marion	11	196	21	22	48	105	6	16	8	–	14	7	41	211	52	44	36	7	2
Salem, part	7	105	11	14	16	42	5	8	3	–	8	4	19	89	21	20	15	3	1
Salem, total	9	114	13	18	17	45	6	9	5	–	8	4	25	101	21	21	15	3	1
Woodburn	–	20	3	2	6	12	–	–	2	–	–	–	6	34	3	6	3	1	–
Balance of county	4	71	7	6	26	51	1	8	3	–	6	3	16	88	28	18	18	3	1
Morrow	–	2	1	1	2	5	1	–	–	–	–	–	1	6	3	–	1	–	–
Multnomah	31	461	60	73	189	255	16	101	37	–	46	34	150	650	73	152	91	58	16
Gresham	3	49	4	4	22	21	3	5	1	–	6	3	13	59	5	12	6	1	1
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Milwaukie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	27	366	52	62	145	217	11	92	33	–	32	27	126	534	55	127	79	56	15
Portland, total	29	368	52	62	145	219	11	92	33	–	32	27	126	535	55	127	79	56	15
Balance of county	1	46	4	7	22	17	2	4	3	–	8	4	11	57	13	13	6	1	–
Polk	3	41	5	9	14	16	2	2	5	–	2	1	12	49	10	13	4	–	–
Salem, part	2	9	2	4	1	3	1	1	2	–	–	–	6	12	–	1	–	–	–
Balance of county	1	32	3	5	13	13	1	1	3	–	2	1	6	37	10	12	4	–	–
Sherman	–	–	–	1	2	2	–	1	–	–	–	–	–	1	–	1	–	–	–
Tillamook	1	28	2	2	6	16	1	6	2	–	–	–	10	36	10	4	6	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 137 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	549	–	–	6	126	23	40	12	22	3	5	21	13	222	157	2	3	117	35
Pendleton	130	–	–	1	31	5	7	3	8	2	1	5	–	53	32	–	–	22	10
Balance of county	419	–	–	5	95	18	33	9	14	1	4	16	13	169	125	2	3	95	25
Union	205	–	–	3	54	13	17	3	5	6	3	7	4	79	61	–	–	32	29
La Grande	147	–	–	3	36	8	12	2	2	4	2	6	3	60	47	–	–	24	23
Balance of county	58	–	–	–	18	5	5	1	3	2	1	1	1	19	14	–	–	8	6
Wallowa	68	–	–	–	18	2	5	2	6	–	–	3	1	24	15	–	–	12	3
Wasco	227	–	–	2	64	16	16	4	10	3	1	14	5	88	73	–	–	56	17
City of the Dalles	132	–	–	2	32	8	4	3	7	2	1	7	3	51	43	–	–	31	12
Balance of county	95	–	–	–	32	8	12	1	3	1	–	7	2	37	30	–	–	25	5
Washington	2,071	–	–	34	531	118	141	40	61	26	21	124	40	842	588	12	21	398	157
Beaverton	423	–	–	11	99	24	26	11	10	8	2	18	4	169	121	2	5	82	32
Forest Grove	171	–	–	3	36	7	13	3	7	1	–	5	4	83	56	–	2	34	20
Hillsboro	268	–	–	3	60	12	18	2	8	3	1	16	4	120	79	3	4	52	20
Lake Oswego, part	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Portland, part	6	–	–	–	1	–	–	–	1	–	–	–	–	4	1	–	–	1	–
Tigard	268	–	–	2	66	11	16	5	10	–	4	20	7	117	79	3	5	50	21
Balance of county	933	–	–	15	268	64	67	19	25	14	14	65	20	349	252	4	5	179	64
Wheeler	11	–	–	–	4	–	–	–	–	2	–	2	–	3	2	–	–	2	–
Yamhill	523	2	–	10	129	37	31	14	13	6	6	22	5	245	161	4	4	113	40
McMinnville	163	2	–	2	42	17	9	4	2	2	2	6	3	75	46	3	3	32	8
Newberg	121	–	–	–	18	3	5	1	2	–	3	4	1	72	47	–	1	30	16
Balance of county	239	–	–	8	69	17	17	9	9	4	1	12	1	98	68	1	–	51	16
Pennsylvania	122,657	74	10	3,111	29,999	7,239	8,232	2,650	3,472	1,257	1,113	6,036	3,212	53,793	43,453	400	1,003	28,198	13,852
Urban places	61,626	46	4	2,034	15,084	3,671	4,263	1,353	1,699	580	550	2,968	1,570	26,313	21,178	185	574	12,958	7,461
Balance of area	61,031	28	6	1,077	14,915	3,568	3,969	1,297	1,773	677	563	3,068	1,642	27,480	22,275	215	429	15,240	6,391
Metropolitan counties	103,338	65	6	2,792	25,601	6,206	7,109	2,279	2,916	1,037	949	5,105	2,694	44,920	36,252	346	906	22,947	12,053
Urban places	59,359	44	3	1,981	14,591	3,559	4,137	1,309	1,630	556	535	2,865	1,510	25,262	20,334	179	562	12,319	7,274
Balance of area	43,979	21	3	811	11,010	2,647	2,972	970	1,286	481	414	2,240	1,184	19,658	15,918	167	344	10,628	4,779
Nonmetropolitan counties	19,319	9	4	319	4,398	1,033	1,123	371	556	220	164	931	518	8,873	7,201	54	97	5,251	1,799
Urban places	2,267	2	1	53	493	112	126	44	69	24	15	103	60	1,051	844	6	12	639	187
Balance of area	17,052	7	3	266	3,905	921	997	327	487	196	149	828	458	7,822	6,357	48	85	4,612	1,612
Adams	713	–	–	14	175	47	47	16	17	8	8	32	27	300	228	4	2	155	67
Allegheny	14,983	11	–	318	3,836	916	1,144	371	412	124	168	701	402	6,582	5,445	59	157	3,565	1,664
Baldwin	215	–	–	2	56	9	16	5	6	1	3	16	5	91	74	2	1	50	21
Bellevue	149	–	–	5	38	9	8	4	5	–	3	9	6	71	57	1	1	41	14
Bethel Park	284	–	–	4	70	15	18	6	3	3	5	20	7	124	106	2	1	73	30
Brentwood	113	–	–	2	33	10	10	3	4	1	2	3	2	47	39	1	–	21	17
Carnegie	157	1	–	4	39	11	8	2	4	1	3	10	3	70	62	1	5	41	15
Castle Shannon	100	–	–	3	31	8	9	1	2	1	–	10	1	45	36	–	2	24	10
Clairton	166	–	–	2	46	10	11	4	5	7	2	7	6	79	61	1	1	39	20
Dormont	87	–	–	1	20	6	3	1	4	1	–	5	–	52	42	–	1	30	11
Duquesne	126	1	–	6	23	5	5	4	5	–	–	4	5	57	53	–	2	33	18
Elizabeth township#	113	–	–	2	30	6	5	6	4	1	3	5	5	52	44	2	1	28	13
Harrison township#	169	1	–	4	47	16	11	5	6	2	1	6	6	74	56	2	–	45	9
McCandless township#	255	–	–	4	61	12	15	7	9	6	2	10	7	125	97	1	1	66	29
McKeesport	457	–	–	4	120	34	35	11	19	4	4	13	15	206	170	–	3	115	52
Monroeville	252	–	–	3	60	18	17	6	4	3	1	11	9	105	92	3	3	55	31
Mount Lebanon township#	310	–	–	6	75	19	16	9	6	2	7	16	3	147	121	–	4	81	36
Munhall	206	–	–	3	66	13	23	8	7	2	2	11	7	88	74	–	1	52	21
North Versailles township#	145	–	–	3	42	14	8	4	6	1	3	6	4	69	56	–	–	44	12
Penn Hills township#	498	1	–	15	131	33	44	12	7	5	6	24	13	204	162	4	2	108	48
Pittsburgh	4,787	3	–	122	1,166	283	380	104	124	31	45	199	124	2,053	1,711	16	69	1,041	585
Plum	147	–	–	2	46	12	14	5	3	1	3	8	3	61	52	–	2	33	17
Ross township#	374	–	–	4	91	18	23	11	10	2	6	21	7	186	146	2	4	102	38
Scott township#	186	–	–	10	50	6	16	4	7	1	2	12	5	86	68	–	1	48	19
Shaler township#	285	–	–	7	68	13	23	7	13	1	4	7	4	134	110	3	1	80	26
South Park township#	57	–	–	–	13	4	4	2	–	1	–	2	–	30	21	–	1	16	4
Swissvale	151	–	–	4	40	12	6	4	1	2	3	12	7	59	48	3	–	27	18
Upper St. Clair township#	116	–	–	1	31	8	10	2	3	1	–	7	2	52	42	1	–	24	17
West Mifflin	272	–	–	5	65	14	21	4	11	2	3	10	13	124	108	1	4	76	27
Whitehall	143	–	–	2	34	7	7	3	4	1	2	10	2	70	59	–	–	45	14
Wilkinsburg	254	1	–	9	63	11	21	6	7	3	5	10	8	98	82	–	6	53	23
Balance of county	4,409	3	–	79	1,181	280	355	121	123	37	48	217	123	1,923	1,596	13	40	1,074	469
Armstrong	857	1	–	11	206	45	61	12	29	10	9	40	17	377	307	6	6	202	93
Beaver	1,978	1	–	36	521	119	152	54	53	23	14	106	73	861	710	12	20	504	174
Aliquippa	217	–	–	5	46	8	16	1	4	2	1	12	10	109	90	2	1	66	21
Beaver Falls	157	–	–	3	38	7	16	3	4	1	2	5	9	56	47	–	1	29	17
Balance of county	1,604	1	–	28	437	104	118	50	45	20	11	89	54	696	573	10	18	409	136
Bedford	431	2	–	1	96	21	20	12	16	7	3	17	19	206	166	1	3	119	43
Berks	3,425	–	1	84	815	216	197	72	94	39	30	167	94	1,514	1,203	8	38	773	384
Muhlenberg township#	142	–	–	2	38	8	10	4	5	–	6	5	5	62	49	–	2	32	15
Reading	891	–	–	34	220	66	52	19	19	11	6	47	24	373	306	4	9	211	82
Balance of county	2,392	–	1	48	557	142	135	49	70	28	18	115	65	1,079	848	4	27	530	287
Blair	1,537	1	–	20	328	83	95	25	43	11	16	55	46	750	598	7	6	446	139
Altoona	667	–	–	7	146	35	46	13	14	4	8	26	19	304	246	2	1	190	53
Balance of county	870	1	–	13	182	48	49	12	29	7	8	29	27	446	352	5	5	256	86
Bradford	592	–	2	10	137	33	32	13	21	7	6	25	15	217	180	1	7	127	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 138 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Umatilla	2	44	6	13	23	37	1	5	5	–	1	4	14	57	10	16	9	–	–
Pendleton	1	12	1	7	11	10	–	1	1	–	–	1	3	13	–	4	1	–	–
Balance of county	1	32	5	6	12	27	1	4	4	–	1	3	11	44	10	12	8	–	–
Union	–	12	2	4	8	21	–	–	1	–	–	–	2	22	2	5	4	–	–
La Grande	–	9	2	2	6	19	–	–	–	–	–	–	1	13	–	3	3	–	–
Balance of county	–	3	–	2	2	2	–	–	1	–	–	–	1	9	2	2	1	–	–
Wallowa	–	6	–	3	6	4	–	–	1	–	1	–	–	5	4	3	1	–	–
Wasco	–	10	2	3	18	16	1	2	1	–	1	–	3	15	3	5	1	2	–
City of the Dalles	–	5	2	1	11	13	–	–	–	–	1	–	1	11	2	2	1	2	–
Balance of county	–	5	–	2	7	3	1	2	1	–	–	–	2	4	1	3	–	–	–
Washington	14	167	34	39	48	120	7	11	11	–	15	11	48	225	33	39	42	12	2
Beaverton	2	28	9	9	9	31	4	2	5	–	3	3	9	42	8	7	14	3	–
Forest Grove	–	14	1	12	5	10	–	–	1	–	1	2	3	17	1	1	3	1	–
Hillsboro	1	30	6	4	2	18	–	5	–	–	2	1	4	32	8	4	4	1	–
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tigard	2	26	5	5	6	10	–	1	3	–	1	2	6	32	1	4	7	2	1
Balance of county	7	68	13	9	26	51	3	3	2	–	8	3	26	101	15	23	14	5	1
Wheeler	–	–	–	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Yamhill	1	70	4	9	15	18	–	4	6	–	–	–	3	52	15	12	6	1	–
McMinnville	1	24	1	3	4	10	–	1	2	–	–	–	1	18	1	2	–	–	–
Newberg	–	20	3	2	1	2	–	1	–	–	–	–	1	18	5	–	1	1	–
Balance of county	–	26	–	4	10	6	–	2	4	–	–	–	1	16	9	10	5	–	–
Pennsylvania	433	7,640	750	1,517	3,925	4,684	272	1,225	1,555	9	513	785	1,275	11,825	1,723	2,356	1,397	782	132
Urban places	234	3,824	340	737	1,872	2,286	145	686	812	8	277	486	698	6,030	615	1,285	645	642	88
Balance of area	199	3,816	410	780	2,053	2,398	127	539	743	1	236	299	577	5,795	1,108	1,071	752	140	44
Metropolitan counties	385	6,399	619	1,265	3,256	3,856	225	1,052	1,295	8	435	691	1,061	10,083	1,293	1,995	1,148	734	128
Urban places	228	3,673	322	705	1,790	2,184	142	664	770	8	266	474	669	5,824	584	1,246	623	637	87
Balance of area	157	2,726	297	560	1,466	1,672	83	388	525	–	169	217	392	4,259	709	749	525	97	41
Nonmetropolitan counties	48	1,241	131	252	669	828	47	173	260	1	78	94	214	1,742	430	361	249	48	4
Urban places	6	151	18	32	82	102	3	22	42	–	11	12	29	206	31	39	22	5	1
Balance of area	42	1,090	113	220	587	726	44	151	218	1	67	82	185	1,536	399	322	227	43	3
Adams	3	49	9	11	26	25	–	4	7	–	1	9	3	86	16	11	9	–	–
Allegheny	56	843	54	184	508	584	43	177	192	–	56	94	93	1,489	115	249	157	63	14
Baldwin	–	15	–	2	10	7	–	–	5	–	–	–	4	20	3	7	5	–	–
Bellevue	1	9	2	2	4	6	–	–	2	–	1	–	–	12	1	1	2	–	–
Bethel Park	2	12	2	2	7	10	–	–	3	–	3	2	–	37	5	7	4	1	–
Brentwood	–	6	–	2	5	5	–	2	2	–	–	–	–	13	–	–	2	–	–
Carnegie	–	6	2	–	7	7	–	3	2	–	1	3	1	13	–	3	–	–	–
Castle Shannon	1	5	–	3	1	6	–	–	–	–	–	–	1	10	–	1	1	–	–
Clairton	–	14	2	2	5	2	–	–	1	–	–	4	1	11	2	5	1	1	–
Dormont	–	8	1	1	2	3	–	–	–	–	–	–	–	4	–	3	1	1	–
Duquesne	–	3	1	–	4	5	–	4	–	–	–	3	2	8	–	7	1	–	–
Elizabeth township#	–	6	–	2	2	6	–	–	2	–	–	1	–	9	1	1	1	1	–
Harrison township#	1	12	1	4	5	4	–	1	1	–	–	–	–	13	4	5	4	–	–
McCandless township#	1	22	1	4	11	13	1	1	2	–	2	–	2	25	–	–	1	–	–
McKeesport	1	27	1	7	11	23	–	3	7	–	–	3	1	51	3	6	2	1	1
Monroeville	1	8	–	4	11	4	–	3	6	–	–	2	2	38	1	4	4	–	–
Mount Lebanon township#	–	25	1	–	15	12	–	3	2	–	2	–	3	34	–	3	5	–	–
Munhall	2	10	–	2	4	8	1	2	1	–	2	–	3	15	1	4	1	–	–
North Versailles township#	–	11	–	2	4	3	–	2	–	–	2	–	–	13	–	2	1	–	–
Penn Hills township#	–	32	2	8	16	27	2	8	5	–	–	2	1	56	3	8	5	1	–
Pittsburgh	29	247	16	50	178	178	16	73	76	–	17	47	32	485	33	88	50	38	8
Plum	–	7	–	2	3	7	–	2	–	–	2	1	1	13	2	3	–	1	–
Ross township#	–	32	3	5	16	10	4	2	5	–	3	–	1	33	3	6	3	–	–
Scott township#	–	14	3	1	8	6	–	3	–	–	–	–	–	16	–	1	–	1	–
Shaler township#	1	17	–	6	8	11	–	4	5	–	3	–	2	30	5	2	2	–	–
South Park township#	–	5	–	4	2	–	1	3	1	–	–	1	–	3	–	1	2	–	–
Swissvale	–	7	1	3	7	10	1	4	2	–	–	–	3	12	–	1	1	–	–
Upper St. Clair township#	–	9	–	1	10	4	2	2	1	–	–	–	–	8	–	1	2	–	–
West Mifflin	–	13	–	3	6	9	2	3	2	–	1	–	2	29	4	4	2	1	–
Whitehall	2	8	–	1	6	6	1	3	1	–	–	1	–	11	2	2	1	1	–
Wilkinsburg	–	10	–	6	8	10	1	2	2	–	4	2	2	24	1	9	5	4	1
Balance of county	14	243	15	55	132	182	11	44	56	–	13	22	29	443	41	64	48	11	4
Armstrong	2	58	1	9	51	33	4	5	13	1	3	6	7	72	22	19	7	1	1
Beaver	6	113	7	25	68	72	3	12	27	–	6	21	13	181	23	35	19	5	1
Aliquippa	1	15	–	3	5	5	–	1	4	–	–	3	2	10	2	10	3	2	–
Beaver Falls	–	7	2	–	5	7	1	–	2	–	–	3	3	22	1	4	3	–	–
Balance of county	5	91	5	22	58	60	2	11	21	–	6	15	8	149	20	21	13	3	1
Bedford	–	33	3	4	17	8	3	4	3	–	3	2	4	33	17	9	3	1	–
Berks	19	243	21	28	139	140	8	26	40	–	16	22	34	298	55	68	53	13	5
Muhlenberg township#	–	11	1	1	2	3	–	3	2	–	2	–	1	17	1	1	2	1	–
Reading	6	56	3	2	23	49	2	10	13	–	6	9	12	65	14	18	10	6	3
Balance of county	13	176	17	25	114	88	6	13	25	–	8	13	21	216	40	49	41	6	2
Blair	4	110	11	27	48	66	4	13	23	–	7	1	6	147	29	25	18	3	2
Altoona	3	42	1	12	26	36	1	10	9	–	4	–	1	67	13	13	7	3	1
Balance of county	1	68	10	15	22	30	3	3	14	–	3	1	5	80	16	12	11	–	1
Bradford	1	27	5	4	21	23	3	5	4	–	3	3	43	58	12	14	17	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 139 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	4,093	–	–	113	1,130	272	318	105	117	41	43	234	77	1,603	1,249	15	27	779	428
Bensalem township#	378	–	–	9	114	27	34	12	11	2	6	22	7	140	111	2	3	74	32
Bristol	107	–	–	1	20	6	4	2	3	2	1	2	1	54	49	–	2	30	17
Bristol township#	396	–	–	12	130	30	47	11	11	5	3	23	12	130	102	2	5	61	34
Falls township#	268	–	–	7	80	19	24	10	7	1	1	18	7	100	80	2	–	52	26
Lower Southampton township#	143	–	–	6	43	12	15	1	5	2	3	5	2	51	37	–	1	21	15
Middletown township#	283	–	–	4	79	17	23	7	12	2	3	15	6	112	84	2	2	51	29
Northampton township#	198	–	–	5	43	15	11	2	7	–	–	8	4	91	73	–	–	57	16
Upper Southampton township#	130	–	–	1	43	11	7	3	2	–	5	15	1	55	41	–	1	27	13
Warminster township#	247	–	–	4	70	16	18	8	5	2	3	18	6	104	73	1	–	38	34
Balance of county	1,943	–	–	64	508	119	135	49	54	25	18	108	31	766	599	6	13	368	212
Butler	1,392	–	–	31	312	78	76	29	38	13	6	72	30	665	540	6	1	394	139
Butler	191	–	–	7	39	9	12	5	5	–	–	8	6	93	78	2	–	56	20
Balance of county	1,201	–	–	24	273	69	64	24	33	13	6	64	24	572	462	4	1	338	119
Cambria	1,938	–	–	18	504	121	135	41	70	16	21	100	44	912	735	11	13	515	196
Johnstown	435	–	–	1	119	27	29	11	20	2	6	24	8	204	156	3	3	107	43
Balance of county	1,503	–	–	17	385	94	106	30	50	14	15	76	36	708	579	8	10	408	153
Cameron	54	–	–	–	9	3	1	–	1	–	–	4	2	23	16	–	–	10	6
Carbon	702	–	–	11	148	37	37	11	19	6	7	31	33	345	280	3	6	185	86
Centre	723	–	–	22	155	43	41	13	16	10	4	28	19	323	257	7	2	166	82
State College	96	–	–	6	22	5	6	4	1	–	1	5	2	38	30	–	–	20	10
Balance of county	627	–	–	16	133	38	35	9	15	10	3	23	17	285	227	7	2	146	72
Chester	2,737	–	–	60	732	157	200	66	91	24	32	162	54	1,108	889	9	26	562	292
Coatesville	184	–	–	10	38	9	12	2	5	2	–	8	8	74	68	1	3	41	23
Phoenixville	152	–	–	3	37	9	7	–	11	1	3	6	1	71	58	–	2	38	18
Tredyffrin township#	179	–	–	3	59	16	13	3	9	1	4	13	3	66	54	1	1	36	16
West Chester	185	–	–	5	48	6	13	9	6	–	1	13	5	68	53	–	1	35	17
West Goshen township#	117	–	–	1	36	6	6	10	4	2	3	5	3	39	32	–	1	19	12
Balance of county	1,920	–	–	38	514	111	149	42	56	18	21	117	34	790	624	7	18	393	206
Clarion	406	–	–	8	83	16	30	3	14	5	2	13	17	193	159	1	–	120	38
Clearfield	837	–	–	18	187	51	55	11	25	8	5	32	28	416	350	1	3	268	78
Clinton	414	–	–	7	132	30	33	14	14	4	7	30	21	156	127	–	5	82	40
Columbia	583	–	–	10	125	29	29	10	16	6	5	30	19	287	226	2	1	142	81
Berwick	144	–	–	–	35	8	12	2	5	–	–	8	6	66	51	1	–	33	17
Bloomsburg	110	–	–	2	17	5	5	1	1	3	–	2	2	67	50	–	1	29	20
Balance of county	329	–	–	8	73	16	12	7	10	3	5	20	11	154	125	1	–	80	44
Crawford	932	1	–	12	196	45	51	25	27	9	7	32	17	447	333	4	7	237	85
Meadville	228	1	–	2	49	10	10	4	12	3	1	9	5	103	78	1	1	60	16
Balance of county	704	–	–	10	147	35	41	21	15	6	6	23	12	344	255	3	6	177	69
Cumberland	1,660	2	–	38	411	85	117	40	48	21	14	86	36	746	594	–	13	408	173
Carlisle	268	–	–	5	57	13	17	2	6	4	2	13	9	128	95	–	3	73	19
East Pennsboro township#	165	–	–	6	40	11	13	3	2	2	2	7	6	72	60	–	1	31	28
Lower Allen township#	103	1	–	4	23	2	8	3	4	1	–	5	–	46	40	–	2	26	12
Balance of county	1,124	1	–	23	291	59	79	32	36	14	10	61	21	500	399	–	7	278	114
Dauphin	2,326	1	–	78	545	128	147	42	68	24	22	114	56	1,045	811	6	15	505	285
Harrisburg	707	–	–	43	149	37	45	11	15	9	4	28	16	299	225	2	6	148	69
Lower Paxton township#	325	–	–	5	87	22	22	5	12	3	4	19	7	148	104	1	5	60	38
Middletown	137	–	–	4	21	4	6	3	2	–	1	5	6	67	49	–	–	28	21
Susquehanna township#	121	–	–	–	27	4	9	3	3	–	1	7	1	64	51	–	–	34	17
Swatara township#	211	–	–	6	58	11	17	3	6	3	3	15	3	97	80	–	1	47	32
Balance of county	825	1	–	20	203	50	48	17	30	9	9	40	23	370	302	3	3	188	108
Delaware	5,500	5	1	168	1,424	327	449	122	153	47	54	272	122	2,308	1,781	15	63	1,038	665
Aston township#	139	–	–	2	34	7	9	4	2	–	1	11	4	51	43	–	2	32	9
Chester	542	2	–	34	115	18	44	15	12	2	3	21	16	195	151	2	7	82	60
Darby	144	–	–	2	28	7	10	2	2	–	1	6	6	66	52	–	1	31	20
Darby township#	86	1	–	1	29	7	10	2	3	1	–	6	3	30	25	–	4	17	4
Haverford township#	471	–	–	14	139	31	43	7	17	9	3	29	7	191	151	–	4	86	61
Lansdowne	120	–	–	6	30	11	12	2	3	–	–	2	3	56	45	1	3	20	21
Marple township#	290	–	–	2	75	15	25	7	13	–	4	11	6	122	92	–	–	56	36
Middletown township#	221	–	–	16	25	3	9	1	3	1	1	7	7	117	73	1	5	40	27
Nether Providence township#	127	–	–	3	34	8	6	1	3	2	1	13	3	56	44	–	1	28	15
Newtown township#	147	–	–	1	41	12	6	3	9	–	3	8	2	64	44	1	1	29	13
Radnor township#	217	–	–	2	65	19	13	5	7	2	4	15	1	92	66	–	–	43	23
Ridley township#	284	–	–	9	81	20	24	8	11	2	2	14	6	118	92	1	3	61	27
Springfield township#	239	1	–	8	73	16	22	3	7	4	1	20	5	94	67	2	2	35	28
Upper Chichester township#	114	–	–	2	28	5	9	2	2	2	–	8	2	51	35	–	1	18	16
Upper Darby township#	788	–	–	19	215	52	74	15	22	5	11	36	14	348	288	–	9	156	123
Yeadon	111	–	–	4	29	7	10	3	3	3	1	2	2	49	40	–	3	23	14
Balance of county	1,460	1	1	43	383	89	123	42	34	14	18	63	35	608	473	7	17	281	168
Elk	366	–	–	5	82	12	22	8	13	5	3	19	11	171	129	–	3	92	34
Erie	2,559	2	–	38	651	148	167	72	65	27	20	152	55	1,103	869	12	23	648	186
Erie	1,225	1	–	21	272	60	69	31	22	10	9	71	22	559	438	4	14	326	94
Millcreek township#	350	1	–	6	106	30	27	10	6	6	2	25	10	138	111	5	4	76	26
Balance of county	984	–	–	11	273	58	71	31	37	11	9	56	23	406	320	3	5	246	66
Fayette	1,600	2	1	30	449	121	137	32	50	17	14	78	55	805	661	1	18	501	141
Connellsville	122	1	–	–	30	9	8	2	1	1	–	9	5	52	38	1	1	26	10
Uniontown	251	–	1	5	47	11	15	5	6	–	1	9	5	125	100	–	1	77	22
Balance of county	1,427	1	–	25	372	101	114	25	43	16	13	60	45	628	523	–	16	398	109
Forest	68	1	–	1	17	4	5	2	2	1	–	3	2	32	27	–	–	20	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 140 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	17	264	19	54	144	164	9	37	37	–	13	28	124	390	73	70	57	16	8
Bensalem township#	3	24	–	2	5	17	1	8	6	–	2	4	7	36	7	6	7	2	–
Bristol	–	4	–	1	3	–	–	1	1	–	1	3	6	11	1	2	2	–	–
Bristol township#	1	22	–	5	7	15	2	4	4	–	3	2	12	37	10	9	3	4	–
Falls township#	3	14	1	2	4	16	1	2	2	–	–	4	7	19	4	4	11	–	–
Lower Southampton township#	1	10	–	3	6	5	1	–	3	–	1	–	5	12	1	1	6	–	–
Middletown township#	–	25	1	2	5	11	–	3	4	–	2	1	10	29	9	2	2	3	1
Northampton township#	1	15	–	2	14	8	–	–	1	–	–	–	4	19	6	2	1	–	–
Upper Southampton township#	2	9	–	3	5	7	–	1	2	–	–	–	6	7	–	–	1	1	–
Warminster township#	1	19	5	6	15	11	–	3	–	–	–	1	3	18	5	5	2	–	–
Balance of county	5	122	12	28	80	74	4	15	14	–	4	13	64	202	30	39	22	6	7
Butler	3	91	12	19	59	61	2	16	22	–	4	11	12	91	29	24	19	4	–
Butler	–	11	1	3	4	7	1	3	5	–	–	2	2	19	–	1	2	–	–
Balance of county	3	80	11	16	55	54	1	13	17	–	4	9	10	72	29	23	17	4	–
Cambria	8	127	16	26	58	74	1	20	29	–	9	8	8	188	16	26	19	4	–
Johnstown	–	38	1	9	8	19	–	5	7	–	5	5	1	36	1	9	5	2	–
Balance of county	8	89	15	17	50	55	1	15	22	–	4	3	7	152	15	17	14	2	–
Cameron	–	6	–	1	5	2	–	1	–	–	1	–	1	8	1	–	1	–	–
Carbon	1	40	4	20	15	21	1	4	10	–	2	2	7	78	9	3	8	4	1
Centre	–	45	8	13	24	37	6	5	4	–	2	3	3	71	23	10	15	1	–
State College	–	5	1	2	4	4	–	1	–	–	–	1	1	7	5	1	3	1	–
Balance of county	–	40	7	11	20	33	6	4	4	–	2	2	2	64	18	9	12	–	–
Chester	9	155	17	38	123	93	3	20	34	–	13	17	86	240	54	59	32	8	1
Coatesville	–	6	–	–	8	7	–	2	–	–	2	1	1	19	3	5	4	2	–
Phoenixville	–	11	1	1	8	7	1	2	2	–	1	1	4	12	–	2	–	–	–
Tredyffrin township#	–	9	1	2	6	1	2	–	2	–	1	–	3	25	1	3	4	–	–
West Chester	–	13	–	2	2	4	–	1	3	–	1	1	16	15	2	7	6	1	–
West Goshen township#	–	4	1	2	5	9	–	2	2	–	1	2	6	7	2	–	2	–	–
Balance of county	9	112	14	31	94	65	–	13	25	–	7	12	56	162	46	42	16	5	1
Clarion	1	29	1	3	18	15	1	3	5	–	1	2	3	40	8	3	6	–	–
Clearfield	–	52	–	14	21	42	–	3	11	–	2	3	3	69	13	12	7	2	–
Clinton	1	23	–	5	4	27	1	4	1	–	–	3	1	31	10	10	3	3	–
Columbia	3	45	7	6	24	21	–	6	11	–	1	3	3	53	8	6	4	1	1
Berwick	1	9	3	2	6	10	–	3	–	–	1	1	2	12	1	1	–	–	–
Bloomsburg	–	14	–	3	7	1	–	–	4	–	–	–	–	9	–	1	–	–	–
Balance of county	2	22	4	1	11	10	–	3	7	–	–	2	1	32	7	4	4	1	1
Crawford	2	82	20	10	34	50	6	5	3	–	6	5	6	96	21	16	11	–	–
Meadville	–	22	2	1	5	14	–	–	–	–	2	3	2	32	2	7	1	–	–
Balance of county	2	60	18	9	29	36	6	5	3	–	4	2	4	64	19	9	10	–	–
Cumberland	4	111	14	23	51	82	5	9	16	–	7	8	11	159	24	28	25	2	–
Carlisle	–	25	4	4	10	13	2	1	3	–	1	3	2	23	6	4	1	–	–
East Pennsboro township#	1	8	1	2	7	13	–	1	3	–	–	–	1	12	1	1	2	–	–
Lower Allen township#	–	6	–	–	2	4	–	1	–	–	–	1	–	17	2	1	1	–	–
Balance of county	3	72	9	17	32	52	3	6	10	–	6	4	8	107	15	22	21	2	–
Dauphin	10	167	27	30	79	83	7	19	28	1	14	19	11	240	24	41	18	16	1
Harrisburg	2	56	8	8	16	23	1	7	7	1	2	11	4	83	7	17	5	15	1
Lower Paxton township#	2	30	5	7	17	7	2	2	7	–	–	1	1	31	–	6	4	–	–
Middletown	2	12	3	1	4	7	2	1	2	–	2	1	1	13	2	4	–	–	–
Susquehanna township#	1	11	1	–	7	7	–	1	1	–	–	1	1	10	–	1	–	–	–
Swatara township#	1	11	3	2	5	10	–	1	2	–	1	–	3	22	–	1	2	–	–
Balance of county	2	47	7	12	30	29	2	7	9	–	9	5	1	81	15	12	7	1	–
Delaware	17	407	35	68	180	231	8	51	64	–	28	32	75	553	47	80	60	34	29
Aston township#	–	7	–	1	7	3	–	2	3	–	2	2	4	15	3	5	1	–	1
Chester	2	38	2	2	17	21	–	4	8	–	6	9	9	57	6	13	6	19	5
Darby	1	8	3	2	3	11	–	–	1	–	2	–	3	17	–	3	1	–	1
Darby township#	–	4	1	–	3	4	–	1	2	–	–	1	–	6	2	1	–	1	1
Haverford township#	2	31	3	4	18	14	2	3	3	–	1	1	1	59	3	4	8	1	2
Lansdowne	–	9	1	1	1	3	–	1	2	–	–	1	2	13	1	1	–	–	–
Marple township#	1	21	4	4	12	13	–	4	3	–	1	–	5	38	2	4	2	–	1
Middletown township#	1	35	3	5	15	10	–	–	3	–	2	–	–	22	–	1	3	–	–
Nether Providence township#	–	8	–	4	4	1	1	2	–	–	–	–	3	16	–	3	1	–	–
Newtown township#	1	17	–	2	10	5	–	1	–	–	–	–	2	17	4	–	–	–	–
Radnor township#	–	17	5	4	7	9	–	2	2	–	–	2	6	20	–	3	5	–	1
Ridley township#	1	19	1	5	5	8	–	4	3	–	1	2	2	31	3	5	3	2	1
Springfield township#	–	21	2	4	9	11	–	1	2	–	–	–	1	27	3	3	–	–	1
Upper Chichester township#	–	14	–	2	3	11	–	1	2	–	–	1	2	7	–	2	2	–	–
Upper Darby township#	4	44	1	11	21	30	3	7	8	–	3	7	8	72	3	11	11	2	6
Yeadon	1	8	–	–	6	5	–	–	1	–	–	1	3	8	–	1	–	1	1
Balance of county	3	106	9	17	39	72	2	18	21	–	10	5	24	128	17	20	17	8	8
Elk	–	36	1	5	12	22	–	5	7	–	2	1	–	31	9	5	3	–	–
Erie	7	187	13	27	85	114	6	24	31	–	16	20	19	255	42	55	34	9	–
Erie	5	96	5	15	45	54	5	15	12	–	8	13	11	126	10	29	15	7	–
Millcreek township#	1	21	2	3	7	17	1	4	5	–	3	–	2	30	6	6	6	2	–
Balance of county	1	70	6	9	33	43	–	5	14	–	5	7	6	99	26	20	13	–	–
Fayette	5	109	6	24	62	57	2	18	17	–	6	10	17	168	40	32	21	7	1
Connellsville	1	8	1	4	4	8	1	2	2	–	–	1	2	8	2	2	2	–	–
Uniontown	–	20	–	5	7	11	–	4	1	–	–	2	1	24	4	8	2	3	1
Balance of county	4	81	5	15	51	38	1	12	14	–	6	7	14	136	34	22	17	4	–
Forest	–	4	1	–	4	–	–	–	1	–	1	–	–	4	–	2	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 141 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	1,170	1	1	16	269	65	68	21	44	16	8	47	46	496	386	5	5	242	134
Chambersburg	266	–	–	6	60	12	16	6	11	6	2	7	8	124	96	2	3	64	27
Balance of county	904	1	1	10	209	53	52	15	33	10	6	40	38	372	290	3	2	178	107
Fulton	109	–	–	2	33	10	6	–	3	2	3	9	3	51	33	–	5	18	10
Greene	442	–	–	9	82	15	26	4	7	1	3	26	19	208	172	1	3	128	40
Huntingdon	419	1	–	6	95	18	23	10	11	4	8	21	7	180	155	1	1	117	36
Indiana	832	–	–	13	157	38	43	14	13	7	9	33	16	423	341	–	5	241	95
Indiana	95	–	–	2	19	2	5	2	3	2	1	4	1	46	40	–	1	29	10
Balance of county	737	–	–	11	138	36	38	12	10	5	8	29	15	377	301	–	4	212	85
Jefferson	532	1	–	4	122	27	31	9	9	6	4	36	7	268	222	1	2	184	35
Juniata	201	–	–	4	42	10	9	8	7	–	1	7	6	94	76	2	1	59	14
Lackawanna	2,838	1	–	35	666	183	160	67	66	23	21	146	82	1,376	1,145	13	17	716	399
Carbondale	178	–	–	1	40	11	6	4	3	2	1	13	10	86	74	–	2	51	21
Dunmore	195	–	–	4	42	11	8	5	5	1	3	9	6	99	86	2	–	52	32
Scranton	1,257	–	–	17	289	69	83	35	27	8	7	60	28	603	495	5	7	305	178
Balance of county	1,208	1	–	13	295	92	63	23	31	12	10	64	38	588	490	6	8	308	168
Lancaster	3,642	5	–	73	928	182	258	103	123	30	41	191	129	1,585	1,235	12	39	781	403
Columbia	159	–	–	4	35	8	12	–	5	1	–	9	8	76	59	–	2	46	11
Ephrata	103	–	–	2	31	6	10	2	5	1	2	5	4	39	31	1	–	23	7
Lancaster	588	2	–	20	145	24	54	16	17	5	5	24	34	242	189	3	6	106	74
Lancaster township#	204	–	–	3	40	7	12	6	3	2	4	6	6	99	85	–	4	36	45
Manheim township#	420	–	–	7	112	27	26	8	17	4	6	24	11	192	143	2	9	81	51
Balance of county	2,168	3	–	37	565	110	144	71	76	17	24	123	66	937	728	6	18	489	215
Lawrence	1,157	–	–	10	273	60	70	27	34	14	11	57	27	584	475	2	5	382	86
New Castle	454	–	–	5	91	18	27	10	11	3	4	18	12	235	189	1	2	152	34
Balance of county	703	–	–	5	182	42	43	17	23	11	7	39	15	349	286	1	3	230	52
Lebanon	1,060	1	–	17	261	58	81	20	32	9	12	49	29	519	428	7	10	256	155
Lebanon	271	1	–	7	74	18	24	7	6	2	2	15	10	137	119	2	7	69	41
Balance of county	789	–	–	10	187	40	57	13	26	7	10	34	19	382	309	5	3	187	114
Lehigh	2,775	3	–	66	697	168	170	69	60	41	27	162	78	1,203	1,017	15	30	617	355
Allentown	1,147	1	–	31	279	70	71	32	30	18	7	51	39	503	416	6	12	252	146
Bethlehem, part	269	–	–	7	66	16	13	6	4	3	1	23	6	121	99	–	5	49	45
Emmaus	110	–	–	–	36	7	8	1	2	1	1	16	5	54	48	–	2	33	13
Salisbury township#	108	–	–	2	25	6	8	–	1	–	1	9	1	42	36	–	1	20	15
Whitehall township#	207	–	–	4	61	14	14	9	2	4	4	14	4	91	78	–	3	56	19
Balance of county	934	2	–	22	230	55	56	21	21	15	13	49	23	392	340	9	7	207	117
Luzerne	4,234	1	1	75	978	252	234	84	129	50	34	195	166	2,063	1,716	16	33	1,021	646
Hazleton	371	–	–	6	91	19	20	10	16	5	1	20	8	191	158	2	1	100	55
Kingston	256	–	–	2	55	12	14	5	9	2	2	11	9	142	120	2	6	63	49
Nanticoke	202	–	–	2	45	15	8	5	5	4	1	7	18	96	84	–	1	39	44
Wilkes-Barre	718	1	–	21	168	40	48	14	25	6	5	30	20	334	269	1	3	160	105
Balance of county	2,687	–	1	44	619	166	144	50	74	33	25	127	111	1,300	1,085	11	22	659	393
Lycoming	1,090	–	–	11	245	58	66	19	30	12	4	56	33	494	397	3	4	243	147
Williamsport	309	–	–	4	69	16	19	4	9	4	1	16	5	138	107	–	3	65	39
Balance of county	781	–	–	7	176	42	47	15	21	8	3	40	28	356	290	3	1	178	108
McKean	580	–	–	9	128	32	40	12	11	7	3	23	12	273	204	1	1	141	61
Bradford	159	–	–	3	39	8	15	6	3	2	–	5	2	73	53	–	–	32	21
Balance of county	421	–	–	6	89	24	25	6	8	5	3	18	10	200	151	1	1	109	40
Mercer	1,354	1	–	27	338	85	98	33	32	14	19	57	40	605	505	1	6	388	110
Sharon	238	–	–	6	63	14	23	7	4	4	5	6	8	92	83	1	1	66	15
Balance of county	1,116	1	–	21	275	71	75	26	28	10	14	51	32	513	422	–	5	322	95
Mifflin	483	–	–	13	105	26	28	3	15	10	4	19	10	245	206	2	–	163	41
Monroe	856	–	–	24	213	59	63	14	27	8	3	39	23	354	296	2	1	165	128
Montgomery	6,154	4	1	145	1,570	387	389	149	192	69	45	339	111	2,647	2,054	28	61	1,270	695
Abington township#	569	–	–	23	149	33	45	13	17	2	3	36	14	243	184	3	5	109	67
Cheltenham township#	348	–	–	10	85	22	20	6	10	4	4	19	9	150	122	–	4	78	40
East Norriton township#	113	–	–	2	31	3	9	3	5	1	–	10	3	48	41	1	–	25	15
Hatfield township#	80	–	–	1	18	6	4	1	1	2	–	4	1	34	30	–	1	22	7
Lansdale	218	–	–	6	46	12	8	10	7	4	–	5	2	101	71	2	6	41	22
Lower Merion township#	597	1	–	15	183	47	30	21	28	7	9	41	10	245	189	2	5	101	81
Lower Moreland township#	79	–	–	1	29	9	7	–	5	–	1	7	2	28	22	–	2	15	5
Lower Providence township#	84	–	–	4	19	4	6	1	1	–	1	6	1	38	31	–	1	23	7
Norristown	368	–	–	8	83	22	27	2	12	6	–	14	11	129	111	2	1	72	36
Plymouth township#	160	1	–	2	40	9	12	4	3	2	2	8	1	65	56	–	–	41	15
Pottstown	307	–	1	4	72	19	17	5	9	3	2	17	8	140	103	2	6	66	29
Springfield township#	302	–	–	4	83	16	23	10	11	4	4	15	5	134	101	–	1	56	44
Towamencin township#	81	–	–	1	27	7	6	5	1	2	–	6	–	29	25	–	1	15	9
Upper Dublin township#	149	–	–	2	44	13	11	5	7	1	–	7	2	53	39	–	–	26	13
Upper Merion township#	189	1	–	4	50	14	10	4	10	3	2	7	5	71	57	–	3	34	20
Upper Moreland township#	228	–	–	10	67	13	25	7	3	4	4	11	1	78	61	–	1	35	25
West Norriton township#	93	–	–	1	33	6	11	2	4	4	1	5	2	32	26	–	1	16	9
Whitemarsh township#	138	–	–	1	20	3	3	2	2	–	–	10	3	73	45	1	1	26	17
Balance of county	2,051	1	–	46	491	129	115	48	56	20	12	111	31	956	740	15	22	469	234
Montour	202	–	–	5	41	12	8	5	7	3	1	5	8	82	69	1	1	48	19
Northampton	2,170	4	–	49	540	124	143	54	67	24	14	114	64	946	784	2	22	498	262
Bethlehem, part	468	2	–	18	110	25	29	7	15	4	4	26	16	204	166	–	6	98	62
Bethlehem, total	737	2	–	25	176	41	42	13	19	7	5	49	22	325	265	–	11	147	107
Easton	264	1	–	4	71	20	17	11	10	2	–	11	8	119	101	–	2	66	33
Palmer township#	128	–	–	2	38	11	12	2	1	2	1	9	2	45	39	–	2	25	12
Balance of county	1,310	1	–	25	321	68	85	34	41	16	9	68	38	578	478	2	12	309	155

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 142 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Pennsylvania—Con.																			
Franklin	3	88	9	10	36	57	–	11	16	–	3	6	24	114	35	18	16	4	1
Chambersburg	–	18	6	4	12	14	–	2	4	–	1	1	5	23	2	3	1	–	–
Balance of county	3	70	3	6	24	43	–	9	12	–	2	5	19	91	33	15	15	4	1
Fulton	–	11	7	–	1	–	1	1	1	–	–	2	2	4	3	2	3	–	–
Greene	1	28	–	7	15	21	3	9	8	–	3	3	4	34	5	4	12	3	–
Huntingdon	1	17	2	5	15	20	1	4	7	–	4	–	6	31	25	13	3	–	1
Indiana	1	47	22	12	29	44	1	9	11	–	2	4	2	70	18	18	13	2	–
Indiana	–	5	–	1	2	3	–	3	1	–	–	1	–	10	3	4	–	–	–
Balance of county	1	42	22	11	27	41	1	6	10	–	2	3	2	60	15	14	13	2	–
Jefferson	1	32	3	10	15	26	3	7	4	–	2	1	4	45	7	6	7	3	–
Juniata	2	11	2	3	6	8	–	2	5	–	2	–	1	20	3	2	6	–	–
Lackawanna	9	165	16	41	85	100	9	38	29	–	9	8	22	274	37	41	22	4	–
Carbondale	1	5	1	5	6	7	–	1	3	–	–	1	1	19	2	–	–	1	–
Dunmore	–	9	1	3	6	12	1	3	3	–	–	–	1	13	2	3	–	–	–
Scranton	5	75	9	19	42	43	6	22	17	–	6	6	13	124	12	16	11	2	–
Balance of county	3	76	5	14	31	38	2	12	6	–	3	1	7	118	21	22	11	1	–
Lancaster	12	252	26	60	109	135	8	28	42	–	27	29	37	341	54	53	45	14	–
Columbia	1	11	2	3	6	8	–	–	1	–	1	3	–	12	1	1	3	–	–
Ephrata	–	6	–	2	3	5	1	–	1	–	1	–	3	2	4	5	2	–	–
Lancaster	1	40	2	10	13	18	1	8	7	–	1	4	8	45	12	11	9	8	–
Lancaster township#	–	12	1	1	7	8	–	2	4	–	–	–	2	30	–	2	1	–	–
Manheim township#	1	38	4	6	11	13	3	5	7	–	2	–	3	42	4	7	1	–	–
Balance of county	9	145	17	38	69	83	3	13	22	–	22	22	21	210	33	27	29	6	–
Lawrence	9	73	5	22	51	34	–	15	25	–	5	11	8	74	10	17	11	2	–
New Castle	4	30	3	9	26	16	–	6	15	–	3	5	5	23	2	6	3	1	–
Balance of county	5	43	2	13	25	18	–	9	10	–	2	6	3	51	8	11	8	1	–
Lebanon	5	65	3	18	30	48	1	7	12	–	3	3	4	87	19	11	7	1	–
Lebanon	–	11	1	6	3	7	–	1	2	–	1	–	–	22	2	2	1	1	–
Balance of county	5	54	2	12	27	41	1	6	10	–	2	3	4	65	17	9	6	–	–
Lehigh	7	125	19	35	88	89	6	35	50	–	11	12	19	268	49	33	48	15	5
Allentown	6	58	3	20	32	33	3	13	20	–	6	8	8	104	17	14	24	8	4
Bethlehem, part	1	17	3	1	9	9	1	4	4	–	1	2	1	30	4	2	1	1	–
Emmaus	–	3	–	3	1	3	–	1	4	–	1	–	–	4	1	–	–	–	–
Salisbury township#	–	5	1	–	6	5	–	2	–	–	–	1	3	14	3	3	1	–	–
Whitehall township#	–	9	2	2	7	6	1	1	–	–	1	–	1	20	3	2	5	–	–
Balance of county	–	33	10	9	33	33	1	14	22	–	2	1	6	96	21	12	17	6	1
Luzerne	14	246	48	39	97	133	8	52	35	–	9	7	24	435	42	55	43	6	4
Hazleton	1	28	1	3	11	10	–	3	3	–	–	2	5	30	4	5	1	1	–
Kingston	–	17	2	3	7	15	1	3	–	–	1	–	–	15	3	1	2	–	–
Nanticoke	1	8	1	2	1	3	1	–	3	–	1	–	2	27	–	1	2	–	–
Wilkes-Barre	2	43	13	7	25	28	3	9	4	–	2	1	4	70	4	9	11	2	2
Balance of county	10	150	31	24	53	77	3	37	25	–	5	4	13	293	31	39	27	3	2
Lycoming	1	68	9	19	36	63	1	9	20	–	3	4	4	96	21	33	12	4	1
Williamsport	–	20	5	6	5	32	–	4	6	–	2	2	2	24	3	8	2	2	1
Balance of county	1	48	4	13	31	31	1	5	14	–	1	2	2	72	18	25	10	2	–
McKean	2	41	4	22	20	26	–	8	9	–	3	8	6	41	17	11	7	2	–
Bradford	–	14	1	5	6	6	–	2	2	–	–	–	3	12	3	5	2	1	–
Balance of county	2	27	3	17	14	20	–	6	7	–	3	8	3	29	14	6	5	1	–
Mercer	4	68	17	11	52	61	3	18	9	–	3	9	7	121	17	27	9	6	1
Sharon	–	7	1	1	5	11	3	3	3	–	–	1	2	25	7	5	–	4	–
Balance of county	4	61	16	10	47	50	–	15	6	–	3	8	5	96	10	22	9	2	1
Mifflin	1	33	–	5	14	14	1	1	8	–	1	2	4	41	10	9	5	–	–
Monroe	8	41	2	7	19	43	3	7	7	–	4	5	10	84	28	18	11	1	2
Montgomery	28	458	26	81	224	225	20	58	64	2	30	31	110	647	68	97	70	18	12
Abington township#	3	49	1	6	24	17	–	2	7	–	2	–	6	58	7	7	7	2	1
Cheltenham township#	2	25	–	1	14	9	1	2	5	–	1	–	6	43	3	5	2	2	1
East Norriton township#	–	6	1	–	2	8	–	–	1	–	–	–	2	12	1	1	2	–	–
Hatfield township#	–	4	–	–	4	3	1	2	–	–	2	–	4	6	–	2	1	1	–
Lansdale	1	28	1	–	10	8	2	4	–	–	3	2	4	23	1	2	4	–	–
Lower Merion township#	2	44	5	5	12	19	2	3	7	1	2	1	7	71	7	6	3	–	2
Lower Moreland township#	–	3	–	3	2	2	–	–	1	–	–	–	–	9	1	1	2	1	–
Lower Providence township#	2	3	–	2	1	4	–	1	1	–	–	–	1	9	2	1	2	–	–
Norristown	2	14	1	1	13	22	1	6	5	–	3	5	15	43	5	8	6	5	–
Plymouth township#	–	6	1	2	7	2	–	4	1	–	–	1	5	20	1	7	2	1	–
Pottstown	3	27	–	7	11	8	1	2	1	–	1	4	8	29	5	5	4	1	2
Springfield township#	2	29	–	2	10	12	1	1	2	–	–	3	4	35	1	4	3	–	–
Towamencin township#	–	3	1	–	3	2	–	1	–	1	–	1	1	10	–	–	5	–	–
Upper Dublin township#	–	12	–	2	9	6	–	–	3	–	1	–	2	18	1	5	1	1	1
Upper Merion township#	–	11	–	3	3	12	–	4	1	–	–	–	6	24	1	3	3	–	1
Upper Moreland township#	–	12	2	3	14	7	–	2	3	–	4	1	5	25	2	4	3	2	–
West Norriton township#	–	5	–	1	3	3	1	1	–	–	–	2	3	11	–	1	–	–	–
Whitemarsh township#	1	19	2	6	10	6	–	2	2	–	1	–	–	18	1	2	1	–	–
Balance of county	10	158	11	37	72	75	10	23	24	–	10	11	31	183	29	33	19	2	4
Montour	–	9	2	2	11	5	1	1	3	–	2	1	2	30	1	6	3	–	–
Northampton	18	113	8	23	60	86	4	15	36	–	10	11	16	220	23	44	31	10	1
Bethlehem, part	4	27	2	5	6	15	1	4	8	–	3	3	4	48	4	8	10	4	–
Bethlehem, total	5	44	5	6	15	24	2	8	12	–	4	5	5	78	8	10	11	5	–
Easton	3	13	1	1	4	9	1	2	4	–	1	–	2	22	3	7	3	3	–
Palmer township#	–	3	2	1	7	8	–	–	1	–	1	1	2	15	2	4	–	–	–
Balance of county	11	70	3	16	43	54	2	9	23	–	5	7	8	135	14	25	18	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 143 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,213	–	–	30	297	69	72	21	40	15	12	68	26	517	430	3	8	305	114
Shamokin	144	–	–	9	40	13	5	3	5	2	1	11	4	56	52	–	3	37	12
Sunbury	143	–	–	6	33	11	6	1	5	1	1	8	1	50	38	–	–	25	13
Balance of county	926	–	–	15	224	45	61	17	30	12	10	49	21	411	340	3	5	243	89
Perry	355	–	–	6	86	18	26	3	14	5	6	14	9	154	122	–	1	76	45
Philadelphia, coext. with Philadelphia city	19,297	17	1	1,056	4,600	1,186	1,306	406	511	182	150	859	482	7,615	6,125	33	180	3,237	2,675
Pike	297	–	–	7	87	19	26	5	7	6	3	21	5	117	102	2	1	64	35
Potter	183	–	–	9	36	7	8	7	3	3	1	7	5	64	55	2	–	27	26
Schuylkill	2,005	–	1	35	478	125	112	42	50	21	21	107	47	907	763	6	7	605	145
Pottsville	240	–	1	6	52	15	12	3	6	–	2	14	5	112	95	–	2	81	12
Balance of county	1,765	–	–	29	426	110	100	39	44	21	19	93	42	795	668	6	5	524	133
Snyder	307	–	–	6	72	21	10	3	14	4	2	18	6	142	118	–	1	76	41
Somerset	798	1	–	10	164	47	34	8	26	9	5	35	12	399	324	7	14	234	69
Sullivan	87	–	–	–	16	2	5	3	2	–	1	3	2	37	28	–	–	21	7
Susquehanna	463	–	–	11	96	17	25	5	12	5	2	30	7	219	183	1	6	117	59
Tioga	400	–	–	3	87	25	15	10	10	2	4	21	17	198	167	–	1	131	35
Union	320	–	–	2	58	12	17	3	8	2	2	14	16	145	109	1	4	81	23
Venango	633	–	–	10	149	33	38	9	19	8	6	36	26	279	221	1	1	174	45
Oil City	190	–	–	4	40	9	8	2	5	2	1	13	10	85	67	–	–	56	11
Balance of county	443	–	–	6	109	24	30	7	14	6	5	23	16	194	154	1	1	118	34
Warren	495	1	–	5	103	21	36	7	14	4	4	17	15	234	188	–	1	148	39
Warren	157	1	–	3	31	5	10	2	3	3	2	6	6	74	58	–	–	47	11
Balance of county	338	–	–	2	72	16	26	5	11	1	2	11	9	160	130	–	1	101	28
Washington	2,380	–	–	37	599	139	178	40	66	18	27	131	56	1,086	891	8	8	681	194
Canonsburg	135	–	–	–	37	5	5	2	6	1	3	15	4	57	50	1	–	42	7
Washington	295	–	–	4	73	20	23	5	7	4	4	10	9	139	114	1	–	86	27
Balance of county	1,950	–	–	33	489	114	150	33	53	13	20	106	43	890	727	6	8	553	160
Wayne	440	–	–	6	115	31	21	14	16	11	3	19	6	207	164	2	3	108	51
Westmoreland	3,951	1	–	54	970	235	272	58	110	56	38	201	97	1,848	1,539	17	26	1,124	372
Greensburg	251	–	–	3	43	13	9	2	7	1	3	8	3	144	121	–	3	89	29
Hempfield township#	394	–	–	7	95	23	26	8	17	3	5	13	6	196	172	2	4	123	43
Jeannette	161	–	–	3	46	18	13	2	3	3	2	5	3	79	64	–	–	50	14
Latrobe	132	–	–	2	32	10	8	2	1	2	1	8	4	71	55	–	1	35	19
Lower Burrell	140	–	–	–	40	9	11	1	4	2	2	11	5	54	42	2	–	31	9
Monessen	137	–	–	3	35	11	8	–	5	2	2	7	3	65	52	2	–	43	7
Municipality of Murrysville	122	–	–	3	34	15	7	3	2	–	2	5	1	50	41	–	1	31	9
New Kensington	229	–	–	1	56	13	12	1	11	5	1	13	5	117	99	1	1	71	26
North Huntingdon township#	230	–	–	2	56	8	16	10	8	2	4	8	8	108	91	2	–	75	14
Balance of county	2,155	1	–	30	533	115	162	29	52	36	16	123	59	964	802	8	16	576	202
Wyoming	232	–	–	2	50	10	14	–	6	5	2	13	7	113	96	–	1	54	41
York	2,895	1	–	47	747	166	205	60	93	38	29	156	64	1,321	1,042	11	23	694	314
Hanover	185	–	–	1	39	13	14	–	2	1	–	9	5	97	72	2	3	45	22
Springettsbury township#	310	–	–	7	67	10	18	6	8	3	3	19	1	156	129	1	1	62	65
Spring Garden township#	167	–	–	1	28	3	8	3	6	2	3	3	6	79	50	–	1	29	20
York	476	–	–	15	112	22	41	12	11	5	2	19	12	211	170	2	2	111	55
Balance of county	1,757	1	–	23	501	118	124	39	66	27	21	106	40	778	621	6	16	447	152
Rhode Island	9,398	4	–	237	2,370	595	635	240	250	106	88	456	215	4,077	3,247	17	67	2,238	925
Urban places	7,482	4	–	202	1,854	451	513	193	190	77	67	363	178	3,243	2,602	11	53	1,799	739
Balance of area	1,916	–	–	35	516	144	122	47	60	29	21	93	37	834	645	6	14	439	186
Metropolitan counties	8,696	4	–	222	2,207	556	592	229	233	93	81	423	200	3,754	3,024	14	58	2,080	872
Urban places	7,042	4	–	191	1,770	430	492	189	178	69	63	349	169	3,043	2,469	9	46	1,698	716
Balance of area	1,654	–	–	31	437	126	100	40	55	24	18	74	31	711	555	5	12	382	156
Nonmetropolitan counties	702	–	–	15	163	39	43	11	17	13	7	33	15	323	223	3	9	158	53
Urban places	440	–	–	11	84	21	21	4	12	8	4	14	9	200	133	2	7	101	23
Balance of area	262	–	–	4	79	18	22	7	5	5	3	19	6	123	90	1	2	57	30
Bristol	447	–	–	8	130	28	27	14	19	7	8	27	6	186	148	–	2	99	47
Barrington town#	124	–	–	1	45	8	9	4	8	2	2	12	1	43	33	–	1	19	13
Bristol town#	214	–	–	5	55	9	12	7	6	4	5	12	3	95	73	–	1	56	16
Warren town#	108	–	–	2	29	10	6	3	5	1	1	3	2	48	42	–	–	24	18
Balance of county	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	1,400	†	–	28	385	98	123	41	28	19	18	58	35	582	486	3	9	315	159
Coventry town#	258	–	–	7	73	22	23	6	7	2	5	8	8	107	92	1	1	59	31
Warwick	838	1	–	17	227	50	76	23	15	10	11	42	19	345	283	1	8	186	88
West Warwick town#	202	–	–	2	54	14	15	9	4	4	2	6	6	84	75	–	–	48	27
Balance of county	102	–	–	2	31	12	9	3	2	3	–	2	2	46	36	1	–	22	13
Newport	702	–	–	15	163	39	43	11	17	13	7	33	15	323	223	3	9	158	53
Middletown town#	159	–	–	2	29	6	5	1	6	4	1	6	3	79	50	–	3	40	7
Newport	281	–	–	9	55	15	16	3	6	4	3	8	6	121	83	2	4	61	16
Balance of county	262	–	–	4	79	18	22	7	5	5	3	19	6	123	90	1	2	57	30
Providence	6,008	3	–	172	1,465	363	394	153	154	58	44	299	147	2,636	2,132	8	39	1,503	582
Central Falls	199	–	–	7	38	8	7	3	4	–	2	14	5	92	74	–	1	52	21
Cranston	771	1	–	17	207	46	45	24	23	7	8	54	21	329	264	1	5	183	75
Cumberland town#	232	–	–	4	46	15	17	3	6	–	–	5	3	127	96	1	5	65	25
East Providence	601	–	–	15	151	36	41	21	11	5	1	36	14	273	225	1	–	146	78
Johnston town#	253	–	–	5	76	19	17	7	11	1	2	19	3	109	93	–	2	71	20
North Providence town#	352	–	–	11	98	22	28	9	9	3	5	22	12	149	125	1	5	94	25
Pawtucket	784	1	–	20	193	53	48	24	17	12	5	34	20	338	270	–	3	182	85
Providence	1,599	1	–	71	348	82	116	36	36	12	8	58	43	672	535	3	7	375	150
Woonsocket	507	–	–	7	130	35	32	10	16	6	6	24	9	232	189	–	7	138	44
Balance of county	710	–	–	15	178	46	43	16	21	12	7	33	17	315	261	1	4	197	59
Washington	841	–	–	14	227	67	48	21	32	9	11	39	12	350	258	3	8	163	84

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 144 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	1	62	6	18	33	55	3	8	22	–	7	1	28	120	16	27	19	4	–
Shamokin	–	3	–	1	2	8	1	1	3	–	–	–	2	10	2	2	4	–	–
Sunbury	–	8	2	2	9	8	–	1	4	–	2	–	8	15	–	1	5	–	–
Balance of county	1	51	4	15	22	39	2	6	15	–	5	1	18	95	14	24	10	4	–
Perry	–	27	4	1	16	13	–	1	3	–	1	1	1	43	10	7	3	1	–
Philadelphia, coext. with Philadelphia city	77	1,095	112	206	476	619	37	222	271	5	94	224	247	1,929	182	574	173	439	34
Pike	1	12	1	1	9	6	–	2	4	–	1	–	25	15	7	6	6	–	–
Potter	2	5	–	2	12	11	2	1	3	–	–	–	–	27	5	5	2	1	–
Schuylkill	6	109	5	24	55	75	3	22	34	–	6	5	4	232	41	38	21	1	–
Pottsville	2	13	–	2	7	8	–	2	5	–	1	–	–	25	8	4	3	1	–
Balance of county	4	96	5	22	48	67	3	20	29	–	5	5	4	207	33	34	18	–	–
Snyder	–	16	2	6	12	7	–	1	1	–	4	1	3	32	11	6	3	–	–
Somerset	3	56	7	9	23	34	–	13	17	–	2	1	3	83	12	15	9	–	–
Sullivan	–	7	–	2	5	2	–	2	–	–	–	2	1	14	1	2	2	1	–
Susquehanna	2	30	4	–	13	19	3	2	3	–	–	1	2	49	16	17	4	1	–
Tioga	–	23	4	4	11	17	3	4	7	–	1	–	1	25	13	6	7	–	–
Union	1	28	2	5	11	16	–	1	7	–	1	1	1	40	3	10	4	4	–
Venango	3	45	5	5	18	47	1	4	1	–	3	1	2	60	18	7	4	2	1
Oil City	–	14	3	1	4	12	–	1	–	–	1	–	1	21	5	3	1	1	1
Balance of county	3	31	2	4	14	35	1	3	1	–	2	1	1	39	13	4	3	1	–
Warren	–	41	–	5	19	21	1	4	5	–	1	3	3	52	12	7	8	1	–
Warren	–	13	–	3	5	6	1	1	3	–	1	–	1	16	4	3	–	1	–
Balance of county	–	28	–	2	14	15	–	3	2	–	–	3	2	36	8	4	8	–	–
Washington	11	141	16	27	100	76	5	33	29	–	4	11	15	215	33	46	30	5	–
Canonsburg	–	7	–	–	7	3	1	3	1	–	–	1	1	17	–	2	1	–	–
Washington	2	20	2	1	15	11	1	5	3	–	1	–	4	14	5	8	1	2	–
Balance of county	9	114	14	26	78	62	3	25	25	–	3	10	10	184	28	36	28	3	–
Wayne	1	32	2	8	12	14	–	3	6	–	1	5	1	39	11	10	4	–	–
Westmoreland	9	229	30	41	123	152	10	46	64	–	15	25	10	342	46	85	50	9	4
Greensburg	–	16	2	5	5	7	–	4	5	–	–	2	2	22	3	6	1	1	–
Hempfield township#	2	13	6	3	14	18	–	9	5	–	1	2	–	27	3	7	4	–	–
Jeannette	–	13	–	2	3	2	–	3	1	–	1	1	1	10	–	3	4	1	–
Latrobe	–	10	1	5	1	2	–	1	–	–	–	1	1	11	–	3	2	1	–
Lower Burrell	1	9	2	–	6	6	–	3	5	–	1	–	–	14	1	3	2	–	–
Monessen	1	9	–	3	7	4	–	1	7	–	–	–	–	9	–	3	–	–	–
Municipality of Murrysville	–	9	–	–	2	5	1	4	1	–	–	2	–	9	3	4	3	–	–
New Kensington	–	16	–	2	7	9	–	3	4	–	2	4	–	13	3	2	3	–	–
North Huntingdon township#	–	13	1	3	8	7	1	1	7	–	1	2	–	17	2	6	4	–	–
Balance of county	5	121	18	18	70	92	8	17	29	–	9	11	6	210	31	48	27	6	4
Wyoming	1	14	1	1	4	10	1	3	1	–	3	–	2	23	3	4	4	2	–
York	9	221	7	42	80	105	3	22	36	–	10	13	17	279	51	54	32	13	–
Hanover	–	22	–	3	7	11	–	–	4	–	–	–	2	13	4	1	1	–	–
Springettsbury township#	2	17	2	6	14	9	–	4	3	–	–	1	3	39	–	3	2	1	–
Spring Garden township#	–	26	–	3	5	8	–	–	6	–	–	–	–	27	3	3	1	–	–
York	3	26	1	11	11	18	–	7	5	–	2	4	5	51	6	7	4	6	–
Balance of county	4	130	4	19	43	59	3	11	18	–	8	8	7	149	38	40	24	6	–
Rhode Island	36	567	85	142	351	314	20	119	126	1	42	65	58	972	93	190	82	44	18
Urban places	29	427	75	110	276	242	18	94	105	1	35	52	46	781	74	161	62	42	12
Balance of area	7	140	10	32	75	72	2	25	21	–	7	13	12	191	19	29	20	2	6
Metropolitan counties	32	509	58	131	320	289	19	110	119	1	40	61	49	910	86	172	77	41	15
Urban places	27	395	50	102	253	224	17	87	99	1	34	48	40	734	71	148	58	40	11
Balance of area	5	114	8	29	67	65	2	23	20	–	6	13	9	176	15	24	19	1	4
Nonmetropolitan counties	4	58	27	11	31	25	1	9	7	–	2	4	9	62	7	18	5	3	3
Urban places	2	32	25	8	23	18	1	7	6	–	1	4	6	47	3	13	4	2	1
Balance of area	2	26	2	3	8	7	–	2	1	–	1	–	3	15	4	5	1	1	2
Bristol	3	26	2	7	19	13	2	4	6	–	–	2	1	48	4	9	4	4	1
Barrington town#	–	8	1	1	5	–	–	1	–	–	–	–	–	18	1	4	2	3	–
Bristol town#	3	14	1	4	7	9	2	2	6	–	–	1	–	22	2	3	1	1	–
Warren town#	–	4	–	2	7	4	–	1	–	–	–	1	1	8	1	2	1	–	1
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	9	57	8	22	45	50	2	19	18	–	6	8	7	141	21	33	14	3	2
Coventry town#	–	9	1	5	8	5	–	3	6	–	1	2	–	24	2	6	4	2	–
Warwick	5	38	6	13	28	37	2	11	10	–	4	4	5	88	13	20	7	–	–
West Warwick town#	1	7	–	1	9	6	–	4	2	–	1	1	1	19	4	4	3	1	1
Balance of county	3	3	1	3	–	2	–	1	–	–	–	1	1	10	2	3	–	–	1
Newport	4	58	27	11	31	25	1	9	7	–	2	4	9	62	7	18	5	3	3
Middletown town#	1	10	14	4	6	8	–	1	2	–	–	2	2	18	–	6	1	–	–
Newport	1	22	11	4	17	10	1	6	4	–	1	2	4	29	3	7	3	2	1
Balance of county	2	26	2	3	8	7	–	2	1	–	1	–	3	15	4	5	1	1	2
Providence	20	350	45	89	223	184	14	75	90	1	30	44	38	625	50	121	47	33	10
Central Falls	2	10	4	2	6	8	–	2	2	–	–	–	2	20	3	7	3	3	1
Cranston	–	49	7	9	27	25	2	8	15	–	4	1	2	84	7	17	3	1	–
Cumberland town#	1	19	2	9	7	5	–	2	2	1	–	1	–	22	4	7	1	–	–
East Providence	1	33	4	10	24	15	1	6	5	–	2	6	4	66	4	11	3	1	–
Johnston town#	2	7	2	5	5	9	–	–	6	–	–	2	1	29	3	3	1	–	1
North Providence town#	1	14	2	7	12	13	3	7	4	–	3	3	2	27	3	3	1	–	1
Pawtucket	3	47	8	10	25	26	2	5	13	–	4	8	5	88	7	16	8	5	–
Providence	6	105	8	18	63	48	3	26	24	–	12	14	13	170	15	36	15	21	4
Woonsocket	2	31	4	6	20	14	2	9	4	–	3	4	4	49	2	9	5	2	2
Balance of county	2	35	4	13	34	21	1	10	15	–	2	5	5	70	2	12	7	–	1
Washington	–	76	3	13	33	42	1	12	5	–	4	7	3	96	11	9	12	1	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 145 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	29,966	37	2	745	6,770	1,554	2,040	597	877	274	215	1,213	783	12,632	9,525	66	361	6,152	2,946
Urban places	8,322	10	–	260	1,743	378	512	152	248	80	53	320	244	3,536	2,583	15	98	1,624	846
Balance of area	21,644	27	2	485	5,027	1,176	1,528	445	629	194	162	893	539	9,096	6,942	51	263	4,528	2,100
Metropolitan counties	17,062	21	–	492	3,916	882	1,222	349	494	161	130	678	449	6,954	5,404	46	161	3,520	1,677
Urban places	6,441	7	–	225	1,356	300	407	119	188	61	45	236	189	2,654	2,002	14	70	1,253	665
Balance of area	10,621	14	–	267	2,560	582	815	230	306	100	85	442	260	4,300	3,402	32	91	2,267	1,012
Nonmetropolitan counties	12,904	16	2	253	2,854	672	818	248	383	113	85	535	334	5,678	4,121	20	200	2,632	1,269
Urban places	1,881	3	–	35	387	78	105	33	60	19	8	84	55	882	581	1	28	371	181
Balance of area	11,023	13	2	218	2,467	594	713	215	323	94	77	451	279	4,796	3,540	19	172	2,261	1,088
Abbeville	209	1	–	–	49	15	12	6	5	3	3	5	1	85	57	–	1	44	12
Aiken	1,110	–	–	31	230	40	84	23	21	11	9	42	19	493	383	2	4	212	165
Aiken	308	–	–	11	63	11	20	7	7	4	2	12	9	132	99	–	–	54	45
North Augusta	207	–	–	3	42	8	15	4	4	3	1	7	4	100	68	–	2	38	28
Balance of county	595	–	–	17	125	21	49	12	10	4	6	23	6	261	216	2	2	120	92
Allendale	112	–	–	2	27	7	8	–	3	3	2	4	6	49	37	–	3	27	7
Anderson	1,309	1	–	30	316	69	103	24	42	16	9	53	27	521	415	2	15	293	105
Anderson	412	1	–	6	98	18	29	7	17	6	1	20	9	182	140	–	7	103	30
Balance of county	897	–	–	24	218	51	74	17	25	10	8	33	18	339	275	2	8	190	75
Bamberg	161	1	–	6	31	11	7	2	–	3	2	6	1	89	63	1	1	38	23
Barnwell	193	–	–	3	34	7	10	3	5	2	–	7	3	96	75	1	1	51	22
Beaufort	664	–	–	10	181	51	50	17	24	4	5	30	15	242	171	–	5	103	63
Berkeley	662	1	–	26	155	36	50	14	22	4	1	28	23	241	199	2	1	135	61
Goose Creek	95	–	–	2	19	1	8	1	3	1	–	5	4	41	34	–	–	21	13
Hanahan	79	–	–	–	21	1	10	1	5	1	1	2	3	28	24	–	–	16	8
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	488	1	–	24	115	34	32	12	14	2	–	21	16	172	141	2	1	98	40
Calhoun	115	–	–	5	21	5	4	1	3	3	–	5	6	55	39	–	3	26	10
Charleston	2,349	1	–	92	554	132	164	51	79	27	16	85	75	910	693	5	24	472	192
Charleston	950	–	–	41	228	51	63	20	39	9	8	38	34	375	276	1	9	200	66
Mount Pleasant	230	–	–	8	52	12	14	7	4	6	1	8	7	106	66	1	2	34	29
North Charleston, part	337	–	–	16	59	11	20	3	4	6	2	13	3	119	100	2	2	69	27
North Charleston, total	337	–	–	16	59	11	20	3	4	6	2	13	3	119	100	2	2	69	27
Balance of county	832	1	–	27	215	58	67	21	32	6	5	26	31	310	251	1	11	169	70
Cherokee	401	–	–	6	66	15	21	8	8	1	1	12	15	184	145	–	3	105	37
Gaffney	203	–	–	3	31	6	9	5	3	1	–	7	8	97	80	–	2	56	22
Balance of county	198	–	–	3	35	9	12	3	5	–	1	5	7	87	65	–	1	49	15
Chester	333	–	–	7	81	12	28	6	15	3	3	14	10	140	102	1	1	78	22
Chesterfield	386	–	–	5	65	13	20	5	11	2	3	11	13	162	119	1	4	84	30
Clarendon	305	–	–	3	74	19	21	5	7	1	5	16	4	126	72	–	4	41	27
Colleton	354	–	–	3	81	25	23	3	8	2	4	16	13	154	112	–	8	74	30
Darlington	654	1	–	17	144	33	43	11	20	7	10	20	19	289	200	1	17	103	79
Dillon	315	1	–	4	71	17	18	9	10	1	–	16	7	124	101	–	3	50	48
Dorchester	536	1	–	12	112	33	35	9	10	5	1	19	13	225	163	2	4	106	51
Edgefield	197	–	–	11	40	8	9	6	9	1	1	6	2	88	74	–	13	36	25
Fairfield	264	–	–	4	53	16	13	7	7	4	1	5	9	123	97	–	5	51	41
Florence	1,114	3	–	22	244	47	80	24	35	7	9	42	33	495	390	4	13	237	136
Florence	364	–	–	8	66	13	22	5	7	1	2	16	16	169	119	2	1	67	49
Balance of county	750	3	–	14	178	34	58	19	28	6	7	26	17	326	271	2	12	170	87
Georgetown	385	1	–	6	89	21	32	9	7	2	3	15	15	161	116	1	1	89	25
Georgetown	129	–	–	1	26	3	12	3	2	2	1	3	4	59	43	–	1	31	11
Balance of county	256	1	–	5	63	18	20	6	5	–	2	12	11	102	73	1	–	58	14
Greenville	2,653	–	–	52	625	129	198	58	77	25	22	116	68	1,093	853	9	32	503	309
Greenville	742	–	–	28	147	36	45	10	18	3	7	28	21	311	248	2	16	129	101
Greer, part	135	–	–	1	21	4	5	3	6	1	–	2	3	54	44	1	2	19	22
Greer, total	170	–	–	2	25	6	5	3	8	1	–	2	5	66	55	1	2	25	27
Balance of county	1,776	–	–	23	457	89	148	45	53	21	15	86	44	728	561	6	14	355	186
Greenwood	547	1	–	12	125	29	27	14	17	5	2	31	16	232	156	1	15	99	41
Greenwood	307	–	–	7	68	16	15	4	13	3	1	16	9	135	86	–	7	52	27
Balance of county	240	1	–	5	57	13	12	10	4	2	1	15	7	97	70	1	8	47	14
Hampton	186	–	–	1	39	8	10	5	6	1	1	8	5	85	67	–	3	43	21
Horry	1,214	1	1	21	308	62	99	25	39	15	6	62	28	484	358	4	11	266	77
Conway	154	–	–	3	25	8	8	1	2	1	1	4	9	71	39	1	1	29	8
Myrtle Beach	163	1	–	5	56	9	16	6	8	2	2	13	4	56	41	–	2	28	11
Balance of county	897	–	1	13	227	45	75	18	29	12	3	45	15	357	278	3	8	209	58
Jasper	155	–	–	4	23	3	8	4	5	1	–	2	–	69	53	1	–	39	13
Kershaw	392	1	–	13	103	23	35	8	5	3	3	26	8	157	119	–	5	96	18
Lancaster	510	–	–	13	104	26	36	7	13	4	4	14	11	242	185	–	5	133	47
Laurens	615	–	–	5	121	17	44	14	17	3	1	25	17	302	215	1	21	127	66
Laurens	187	–	–	3	37	5	13	5	5	–	–	9	6	97	53	–	7	32	14
Balance of county	428	–	–	2	84	12	31	9	12	3	1	16	11	205	162	1	14	95	52
Lee	163	–	–	4	35	11	8	5	–	4	1	6	2	74	60	–	6	30	24
Lexington	1,128	1	–	26	237	50	82	21	22	12	7	43	28	480	381	3	10	298	70
Cayce	87	–	–	4	14	2	5	1	1	1	–	4	3	40	31	1	3	22	5
West Columbia	123	–	–	4	25	4	9	3	5	–	–	4	3	51	41	–	1	29	11
Balance of county	918	1	–	18	198	44	68	17	16	11	7	35	22	389	309	2	6	247	54
McCormick	80	–	–	–	21	8	6	1	1	–	2	3	8	29	23	–	5	12	6
Marion	344	1	–	10	76	23	15	5	14	4	3	12	9	163	128	–	4	76	48
Marlboro	314	–	–	5	52	18	15	3	8	1	–	7	7	165	118	2	3	81	32
Newberry	345	1	–	12	92	20	32	6	11	4	5	14	5	151	106	–	5	50	51
Oconee	490	–	–	8	109	24	28	7	20	3	3	24	16	223	177	–	9	112	56
Orangeburg	858	–	1	16	181	43	44	15	32	8	3	36	13	434	263	1	11	163	88
Orangeburg	200	–	–	3	37	11	8	3	7	2	1	5	4	112	63	–	–	38	25
Balance of county	658	–	1	13	144	32	36	12	25	6	2	31	9	322	200	1	11	125	63

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 146 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina	202	2,413	146	346	818	1,071	71	390	251	8	187	300	301	3,036	897	793	420	437	17
Urban places	51	749	45	108	256	312	19	126	66	2	53	84	73	947	150	185	105	143	8
Balance of area	151	1,664	101	238	562	759	52	264	185	6	134	216	228	2,089	747	608	315	294	9
Metropolitan counties	86	1,178	82	204	498	670	43	216	138	2	102	156	150	1,826	455	433	277	253	11
Urban places	36	497	34	85	204	256	16	95	50	1	44	65	62	742	109	149	95	115	7
Balance of area	50	681	48	119	294	414	27	121	88	1	58	91	88	1,084	346	284	182	138	4
Nonmetropolitan counties	116	1,235	64	142	320	401	28	174	113	6	85	144	151	1,210	442	360	143	184	6
Urban places	15	252	11	23	52	56	3	31	16	1	9	19	11	205	41	36	10	28	1
Balance of area	101	983	53	119	268	345	25	143	97	5	76	125	140	1,005	401	324	133	156	5
Abbeville	1	21	2	4	8	9	2	5	2	–	–	3	1	23	6	7	4	3	–
Aiken	12	69	13	16	45	40	5	10	7	–	10	13	14	103	30	30	10	19	1
Aiken	4	21	5	3	21	14	2	–	1	–	4	2	3	31	2	9	2	2	–
North Augusta	4	21	4	3	5	8	1	1	1	–	2	1	2	22	7	2	2	4	–
Balance of county	4	27	4	10	19	18	2	9	5	–	4	10	9	50	21	19	6	13	1
Allendale	2	8	–	2	4	2	–	2	2	–	–	–	1	12	2	1	1	1	–
Anderson	13	80	2	11	33	51	3	18	17	–	8	6	18	148	47	36	19	10	–
Anderson	6	29	1	6	9	10	2	7	7	–	3	3	6	45	8	8	4	4	–
Balance of county	7	51	1	5	24	41	1	11	10	–	5	3	12	103	39	28	15	6	–
Bamberg	1	21	–	4	4	4	1	1	–	–	–	2	3	10	–	5	1	2	–
Barnwell	1	19	1	–	11	5	–	1	1	–	–	1	4	12	4	11	4	3	–
Beaufort	10	49	8	4	17	22	–	6	3	–	5	4	9	81	28	27	10	4	–
Berkeley	2	33	2	5	19	26	1	10	10	–	7	8	9	52	26	30	11	7	–
Goose Creek	–	3	1	3	1	3	–	1	–	–	1	–	2	6	4	6	3	2	–
Hanahan	–	3	–	1	3	3	–	3	1	–	2	–	–	8	–	4	3	–	–
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	27	1	1	15	20	1	6	9	–	4	8	7	38	22	20	5	5	–
Calhoun	1	13	1	1	1	2	–	1	1	–	2	–	6	9	3	1	1	1	–
Charleston	6	174	10	27	59	102	6	40	14	–	18	31	19	221	55	56	42	50	4
Charleston	2	79	5	13	20	45	4	16	7	–	2	5	7	90	18	19	19	19	1
Mount Pleasant	–	35	1	4	7	11	–	3	–	–	1	1	1	23	2	3	3	2	–
North Charleston, part	1	14	–	4	8	15	1	11	–	–	8	16	6	34	7	11	9	12	2
North Charleston, total	1	14	–	4	8	15	1	11	–	–	8	16	6	34	7	11	9	12	2
Balance of county	3	46	4	6	24	31	1	10	7	–	7	9	5	74	28	23	11	17	1
Cherokee	3	30	3	3	15	20	–	5	1	–	–	3	2	42	14	13	6	8	1
Gaffney	2	11	2	2	11	8	–	3	–	–	–	1	1	22	6	5	2	4	1
Balance of county	1	19	1	1	4	12	–	2	1	–	–	2	1	20	8	8	4	4	–
Chester	1	29	4	4	5	11	–	4	3	–	2	7	2	29	13	11	4	4	–
Chesterfield	4	35	–	4	8	20	1	9	3	–	2	7	13	38	15	8	7	10	–
Clarendon	4	43	1	6	9	5	–	5	7	–	–	3	24	23	7	7	2	5	1
Colleton	4	31	3	4	5	6	–	4	3	1	4	4	2	26	21	16	7	2	2
Darlington	8	71	5	5	11	24	1	9	5	–	8	10	11	55	20	17	4	9	–
Dillon	4	16	–	3	9	5	–	3	4	–	4	4	2	38	12	11	4	12	–
Dorchester	2	43	4	13	12	17	2	6	3	–	3	2	3	61	27	19	9	9	–
Edgefield	4	7	1	2	6	7	1	3	1	–	–	1	1	18	4	10	3	1	–
Fairfield	4	21	–	1	8	10	–	2	1	–	2	1	–	20	13	12	3	3	–
Florence	6	92	–	7	25	38	–	19	8	1	3	20	14	103	35	24	13	13	1
Florence	2	45	–	3	9	10	–	9	4	1	2	9	7	30	6	11	4	3	–
Balance of county	4	47	–	4	16	28	–	10	4	–	1	11	7	73	29	13	9	10	1
Georgetown	4	37	1	3	9	13	1	5	5	–	3	3	2	39	20	9	3	1	–
Georgetown	2	12	1	1	7	5	–	–	3	–	–	1	1	16	–	4	2	–	–
Balance of county	2	25	–	2	2	8	1	5	2	–	3	2	1	23	20	5	1	1	–
Greenville	14	174	14	38	88	129	6	20	14	1	13	22	21	288	65	55	58	35	–
Greenville	7	48	1	7	22	39	2	7	7	–	3	9	5	84	16	20	11	10	–
Greer, part	–	7	–	3	4	9	–	1	2	–	1	–	3	32	1	–	2	1	–
Greer, total	–	8	–	3	10	9	–	1	2	–	1	–	3	38	1	1	3	3	–
Balance of county	7	119	13	28	62	81	4	12	5	1	9	13	13	172	48	35	45	24	–
Greenwood	3	61	3	9	14	17	2	8	4	1	6	6	5	68	10	7	8	5	–
Greenwood	1	40	3	5	7	6	2	6	2	–	2	5	4	46	4	2	1	1	–
Balance of county	2	21	–	4	7	11	–	2	2	1	4	1	1	22	6	5	7	4	–
Hampton	3	14	–	1	4	7	1	2	4	–	2	2	1	15	8	8	1	1	–
Horry	8	98	4	16	29	41	3	22	11	–	8	7	6	133	44	32	15	19	1
Conway	2	27	–	3	1	4	–	2	–	–	–	2	–	28	3	4	–	2	–
Myrtle Beach	1	9	–	5	4	5	–	7	3	–	–	1	–	10	3	4	1	3	–
Balance of county	5	62	4	8	24	32	3	13	8	–	8	4	6	95	38	24	14	14	1
Jasper	–	15	–	1	8	3	1	3	–	–	2	1	4	15	12	5	1	4	–
Kershaw	2	32	1	3	11	12	1	8	–	–	2	3	1	42	13	7	4	6	–
Lancaster	3	45	–	9	20	11	1	7	4	–	4	9	7	37	16	9	9	6	–
Laurens	1	74	4	8	16	21	3	8	6	–	5	5	5	49	17	14	9	12	–
Laurens	–	38	3	3	6	4	1	4	2	–	2	2	1	14	4	1	–	3	–
Balance of county	1	36	1	5	10	17	2	4	4	–	3	3	4	35	13	13	9	9	–
Lee	–	11	1	2	3	6	–	1	4	–	–	6	2	12	4	7	2	1	–
Lexington	1	76	4	18	36	47	5	14	13	–	8	13	10	113	43	28	17	8	1
Cayce	–	6	–	3	–	4	–	2	1	–	–	–	2	14	–	2	–	1	–
West Columbia	–	5	1	4	3	8	–	1	1	–	–	2	–	10	4	5	4	2	–
Balance of county	1	65	3	11	33	35	5	11	11	–	8	11	8	89	39	21	13	5	1
McCormick	–	3	2	1	3	1	–	–	–	–	–	–	1	15	–	1	–	1	–
Marion	5	30	–	–	6	12	1	3	3	1	2	3	10	14	15	11	–	4	–
Marlboro	4	40	1	2	5	8	–	4	3	–	1	4	3	32	6	14	–	5	–
Newberry	2	32	3	8	6	14	–	3	1	–	1	4	4	30	6	4	4	6	1
Oconee	4	34	4	4	15	17	3	11	3	1	4	2	2	46	18	6	3	3	–
Orangeburg	16	139	5	11	9	26	3	10	10	–	4	8	11	66	24	21	3	18	–
Orangeburg	3	43	2	1	1	8	–	1	2	–	1	–	2	16	2	7	–	4	–
Balance of county	13	96	3	10	8	18	3	9	8	–	3	8	9	50	22	14	3	14	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 147 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	715	1	–	12	162	35	40	14	28	9	7	29	20	306	224	4	7	160	53
Easley	193	–	–	4	39	10	8	5	8	1	1	6	3	90	65	1	2	44	18
Balance of county	522	1	–	8	123	25	32	9	20	8	6	23	17	216	159	3	5	116	35
Richland	2,242	8	–	109	496	124	148	46	63	16	21	78	69	836	638	7	21	458	152
Columbia	1,122	4	–	56	221	48	70	24	26	8	10	35	35	435	326	3	13	239	71
Balance of county	1,120	4	–	53	275	76	78	22	37	8	11	43	34	401	312	4	8	219	81
Saluda	173	1	–	1	38	13	15	2	2	1	–	5	–	83	60	–	2	52	6
Spartanburg	2,164	2	–	50	520	122	167	42	67	15	20	87	53	919	723	5	20	466	232
Greer, part	35	–	–	1	4	2	–	–	2	–	–	–	2	12	11	–	–	6	5
Spartanburg	565	1	–	21	128	39	33	11	20	3	7	15	18	234	175	–	6	95	74
Balance of county	1,564	1	–	28	388	81	134	31	45	12	13	72	33	673	537	5	14	365	153
Sumter	784	3	–	22	172	39	38	16	28	10	5	36	22	343	239	3	12	124	100
Sumter	399	2	–	10	80	13	19	4	16	7	–	21	10	188	123	–	5	68	50
Balance of county	385	1	–	12	92	26	19	12	12	3	5	15	12	155	116	3	7	56	50
Union	347	–	–	2	77	17	13	9	10	2	3	23	9	152	119	1	8	78	32
Union	139	–	–	–	27	7	5	2	4	1	2	6	1	67	53	–	3	37	13
Balance of county	208	–	–	2	50	10	8	7	6	1	1	17	8	85	66	1	5	41	19
Williamsburg	339	2	–	12	71	13	26	4	13	2	–	13	19	123	95	–	2	51	42
York	1,080	2	–	30	265	65	71	23	28	14	8	56	21	435	342	1	10	180	151
Rock Hill	457	1	–	11	109	29	31	7	12	7	2	21	12	175	135	–	4	68	63
Balance of county	623	1	–	19	156	36	40	16	16	7	6	35	9	260	207	1	6	112	88
South Dakota	6,644	3	–	57	1,513	390	383	113	186	88	72	281	133	2,971	2,328	21	33	1,635	639
Urban places	2,435	–	–	23	575	139	163	46	63	35	21	108	51	1,067	831	12	13	601	205
Balance of area	4,209	3	–	34	938	251	220	67	123	53	51	173	82	1,904	1,497	9	20	1,034	434
Metropolitan counties	1,494	–	–	14	371	81	99	33	45	24	16	73	30	590	461	8	8	339	106
Urban places	1,213	–	–	12	288	67	84	25	33	21	11	57	24	488	384	6	8	285	85
Balance of area	281	–	–	2	73	14	15	8	12	3	5	16	6	102	77	2	–	54	21
Nonmetropolitan counties	5,150	3	–	43	1,142	309	284	80	141	64	56	208	103	2,381	1,867	13	25	1,296	533
Urban places	1,222	–	–	11	277	72	79	21	30	14	10	51	27	579	447	6	5	316	120
Balance of area	3,928	3	–	32	865	237	205	59	111	50	46	157	76	1,802	1,420	7	20	980	413
Aurora	49	–	–	–	8	3	–	2	1	–	–	2	–	17	12	–	–	7	5
Beadle	234	–	–	1	53	12	18	7	3	2	3	8	9	111	81	–	–	55	26
Huron	189	–	–	1	44	12	15	5	2	1	2	7	9	85	58	–	–	42	16
Balance of county	45	–	–	–	9	–	3	2	1	1	1	1	–	26	23	–	–	13	10
Bennett	29	–	–	–	3	1	1	–	–	1	–	–	1	13	8	–	–	5	3
Bon Homme	78	–	–	–	16	3	3	1	2	–	2	5	–	47	35	–	–	23	12
Brookings	173	–	–	2	34	10	10	–	4	6	1	3	5	88	71	1	1	56	13
Brookings	110	–	–	1	19	5	5	–	2	5	–	2	3	54	46	1	1	34	10
Balance of county	63	–	–	1	15	5	5	–	2	1	1	1	2	34	25	–	–	22	3
Brown	323	–	–	3	65	17	15	3	11	4	1	14	6	180	145	3	1	109	32
Aberdeen	251	–	–	3	48	13	12	3	7	3	–	10	4	139	113	2	–	87	24
Balance of county	72	–	–	–	17	4	3	–	4	1	1	4	2	41	32	1	1	22	8
Brule	52	–	–	2	17	5	6	2	–	–	1	3	1	16	12	–	–	7	5
Buffalo	17	–	–	–	3	1	–	–	1	–	1	–	1	7	6	–	1	4	1
Butte	88	–	–	1	18	2	9	–	1	2	1	3	3	41	32	–	–	31	1
Campbell	15	–	–	–	5	3	–	–	–	–	1	1	–	7	6	–	–	5	1
Charles Mix	103	–	–	1	25	9	6	–	3	3	–	4	5	49	46	–	–	36	10
Clark	49	–	–	–	9	3	–	–	1	–	1	4	2	26	17	–	–	12	5
Clay	101	–	–	1	20	6	12	–	1	–	1	–	3	42	30	–	–	24	6
Vermillion	51	–	–	1	10	1	9	–	–	–	–	–	2	23	16	–	–	13	3
Balance of county	50	–	–	–	10	5	3	–	1	–	1	–	1	19	14	–	–	11	3
Codington	236	–	–	2	63	17	17	4	8	3	3	11	3	106	77	–	1	52	24
Watertown	203	–	–	2	51	15	13	4	7	1	2	9	3	88	61	–	1	43	17
Balance of county	33	–	–	–	12	2	4	–	1	2	1	2	–	18	16	–	–	9	7
Corson	42	–	–	2	7	2	1	1	1	–	1	1	3	12	9	–	–	7	2
Custer	71	–	–	1	13	3	5	1	1	–	–	3	1	34	31	1	–	18	12
Davison	199	–	–	3	50	13	10	7	7	3	3	7	5	93	79	–	3	38	38
Mitchell	182	–	–	3	48	13	9	6	7	3	3	7	4	87	73	–	2	36	35
Balance of county	17	–	–	–	2	–	1	1	–	–	–	–	1	6	6	–	1	2	3
Day	93	–	–	–	18	4	4	2	1	4	2	1	3	41	41	–	–	20	21
Deuel	54	–	–	–	11	5	3	–	1	–	1	1	2	28	24	–	–	20	4
Dewey	35	–	–	–	10	2	3	1	–	–	–	4	3	6	4	–	–	2	2
Douglas	63	–	–	–	14	3	1	1	3	1	–	5	1	24	23	–	1	16	6
Edmunds	62	–	–	–	11	3	1	1	2	2	–	2	–	46	21	–	–	18	3
Fall River	127	–	–	1	19	3	6	1	2	1	1	5	3	66	46	–	–	38	8
Faulk	44	–	–	–	15	5	3	–	4	–	–	3	1	20	13	–	–	7	6
Grant	84	–	–	–	19	3	6	2	3	3	2	–	–	34	23	–	–	11	12
Gregory	77	–	–	–	15	1	5	2	4	–	–	3	1	41	34	–	1	21	12
Haakon	18	–	–	–	4	–	1	–	–	–	–	3	1	10	10	–	2	5	3
Hamlin	72	–	–	–	19	4	3	–	7	3	1	1	–	33	27	–	2	18	7
Hand	60	–	–	–	9	5	–	2	–	1	–	1	1	38	19	–	–	14	5
Hanson	31	–	–	1	6	1	1	–	2	–	–	2	1	11	10	–	–	4	6
Harding	14	–	–	–	3	–	2	–	–	–	1	–	–	4	3	–	–	2	1
Hughes	111	–	–	–	33	9	11	1	2	–	1	9	–	40	28	2	1	17	8
Pierre	100	–	–	–	30	9	8	1	2	–	1	9	–	36	25	2	1	15	7
Balance of county	11	–	–	–	3	–	3	–	–	–	–	–	–	4	3	–	–	2	1
Hutchinson	120	–	–	2	27	5	8	2	6	1	1	4	2	60	53	–	–	39	14
Hyde	21	–	–	–	6	1	1	–	1	–	–	3	–	10	8	–	–	5	3
Jackson	30	–	–	–	7	1	1	1	–	–	1	3	–	11	10	–	2	4	4
Jerauld	28	–	–	–	6	4	–	–	1	–	–	1	–	14	11	–	–	9	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 148 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	1	69	6	6	24	32	3	6	4	–	4	3	–	75	22	23	11	7	–
Easley	–	20	4	1	8	11	1	1	1	–	1	–	–	22	4	5	2	1	–
Balance of county	1	49	2	5	16	21	2	5	3	–	3	3	–	53	18	18	9	6	–
Richland	12	138	11	37	71	75	5	27	28	–	15	15	17	284	45	60	34	45	3
Columbia	6	78	7	18	44	36	1	17	13	–	9	8	11	147	14	25	14	29	3
Balance of county	6	60	4	19	27	39	4	10	15	–	6	7	6	137	31	35	20	16	–
Saluda	–	14	6	3	8	5	–	3	–	–	–	–	–	16	8	4	4	2	–
Spartanburg	15	159	5	17	63	79	6	30	17	–	5	11	18	241	34	44	33	39	–
Greer, part	–	1	–	–	6	–	–	–	–	–	–	–	–	6	–	1	1	2	–
Spartanburg	4	49	1	5	19	13	2	7	3	–	1	4	5	69	8	11	6	15	–
Balance of county	11	109	4	12	38	66	4	23	14	–	4	7	13	166	26	32	26	22	–
Sumter	6	90	–	8	16	18	–	9	9	1	10	17	–	67	35	17	8	15	–
Sumter	4	60	–	1	11	12	–	5	2	1	4	6	–	38	15	3	3	9	–
Balance of county	2	30	–	7	5	6	–	4	7	–	6	11	–	29	20	14	5	6	–
Union	1	27	–	5	10	13	1	4	4	–	–	2	5	38	7	17	4	2	–
Union	–	12	–	2	4	4	–	3	2	–	–	1	2	15	4	6	1	2	–
Balance of county	1	15	–	3	6	9	1	1	2	–	–	1	3	23	3	11	3	–	–
Williamsburg	2	25	–	1	7	4	1	3	5	1	2	12	1	40	17	10	4	5	–
York	2	71	11	9	23	34	1	16	3	–	8	12	7	137	26	28	20	11	1
Rock Hill	–	33	3	4	15	17	–	8	1	–	4	5	2	69	8	7	6	6	1
Balance of county	2	38	8	5	8	17	1	8	2	–	4	7	5	68	18	21	14	5	–
South Dakota	15	458	68	102	312	320	19	58	76	–	37	44	70	603	146	159	95	23	5
Urban places	9	171	20	36	112	131	8	17	25	–	12	14	23	245	35	52	35	7	3
Balance of area	6	287	48	66	200	189	11	41	51	–	25	30	47	358	111	107	60	16	2
Metropolitan counties	2	96	9	22	73	88	3	13	15	–	11	16	14	140	30	41	36	7	2
Urban places	2	75	9	18	62	77	3	10	12	–	7	13	10	115	18	31	25	6	2
Balance of area	–	21	–	4	11	11	–	3	3	–	4	3	4	25	12	10	11	1	–
Nonmetropolitan counties	13	362	59	80	239	232	16	45	61	–	26	28	56	463	116	118	59	16	3
Urban places	7	96	11	18	50	54	5	7	13	–	5	1	13	130	17	21	10	1	1
Balance of area	6	266	48	62	189	178	11	38	48	–	21	27	43	333	99	97	49	15	2
Aurora	–	3	1	1	4	4	–	–	–	–	–	–	7	5	1	3	–	–	–
Beadle	1	21	6	2	9	10	1	–	2	–	1	–	4	19	3	8	2	–	1
Huron	1	18	6	2	6	9	1	–	–	–	1	–	3	18	1	8	2	–	1
Balance of county	–	3	–	–	3	1	–	–	2	–	–	–	1	1	2	–	–	–	–
Bennett	–	2	–	3	–	2	–	1	1	–	–	–	–	5	2	1	–	–	–
Bon Homme	–	11	–	1	1	4	–	–	1	–	–	–	1	6	2	–	–	–	–
Brookings	–	14	–	3	5	8	–	–	4	–	2	–	–	17	3	3	2	–	–
Brookings	–	7	–	1	4	7	–	–	2	–	1	–	–	14	1	2	2	–	–
Balance of county	–	7	–	2	1	1	–	–	2	–	1	–	–	3	2	1	–	–	–
Brown	1	26	2	6	10	11	2	1	7	–	3	–	–	23	5	4	2	1	–
Aberdeen	1	20	1	4	9	10	2	1	5	–	2	–	–	18	3	4	2	1	–
Balance of county	–	6	1	2	1	1	–	–	2	–	1	–	–	5	2	–	–	–	–
Brule	–	2	–	2	4	2	1	–	–	–	–	1	1	4	1	–	2	–	–
Buffalo	–	1	–	–	1	1	–	–	–	–	–	1	–	2	–	–	1	–	–
Butte	–	5	4	–	3	7	1	1	–	–	–	–	–	6	2	4	1	–	–
Campbell	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Charles Mix	–	2	–	1	3	4	–	–	–	–	1	1	–	6	2	3	2	1	–
Clark	–	7	–	2	4	1	1	–	2	–	–	–	–	2	1	1	–	–	–
Clay	–	10	1	1	10	5	–	–	1	–	–	1	1	15	1	–	1	–	–
Vermillion	–	6	1	–	3	3	–	–	–	–	–	1	1	7	–	–	–	–	–
Balance of county	–	4	–	1	7	2	–	–	1	–	–	–	–	8	1	–	1	–	–
Codington	2	20	1	6	7	5	1	3	2	–	–	1	4	26	6	6	1	–	–
Watertown	2	19	1	5	7	5	1	3	2	–	–	–	4	25	6	5	1	–	–
Balance of county	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Corson	–	1	–	2	2	1	–	1	1	–	–	–	1	4	5	3	–	–	–
Custer	–	1	1	1	3	5	1	–	–	–	–	–	–	8	2	1	2	–	–
Davison	2	7	2	3	11	10	1	–	1	–	–	–	–	19	3	1	2	–	–
Mitchell	2	7	2	3	9	10	1	–	1	–	–	–	–	17	1	–	1	–	–
Balance of county	–	–	–	–	2	–	–	–	–	–	–	–	–	2	2	1	1	–	–
Day	–	–	–	–	6	5	–	2	1	–	–	3	1	7	2	3	1	–	–
Deuel	–	4	–	–	2	1	–	–	–	–	–	–	1	6	1	2	–	–	–
Dewey	–	1	–	1	1	–	–	3	–	–	–	1	1	3	3	2	2	–	–
Douglas	–	1	–	–	4	4	1	–	2	–	–	–	3	5	2	2	–	1	–
Edmunds	–	22	1	2	–	–	–	1	–	–	–	–	–	2	–	2	–	–	–
Fall River	–	14	1	5	4	9	–	2	2	–	–	1	4	12	2	1	1	–	–
Faulk	1	3	1	2	–	–	–	–	2	–	–	–	–	4	–	1	1	–	–
Grant	–	9	–	2	5	5	–	2	1	–	–	–	–	9	3	5	1	–	–
Gregory	–	4	1	2	5	5	–	–	–	–	–	–	–	6	–	2	2	–	–
Haakon	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Hamlin	–	5	1	–	9	2	–	–	1	–	–	–	–	4	1	2	1	–	–
Hand	–	7	12	–	4	1	–	–	–	–	–	–	–	3	3	–	1	–	–
Hanson	–	–	–	1	1	1	–	–	1	–	–	–	–	5	4	–	–	–	–
Harding	–	–	–	1	1	4	–	–	–	–	–	–	–	1	1	–	–	–	–
Hughes	–	11	–	1	4	5	–	2	1	–	1	–	3	18	1	2	1	–	–
Pierre	–	10	–	1	4	5	–	2	1	–	–	–	3	15	1	2	1	–	–
Balance of county	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
Hutchinson	–	6	1	–	7	6	–	3	–	–	–	–	1	7	3	1	1	–	–
Hyde	–	–	1	1	1	1	–	–	1	–	–	–	–	1	–	–	1	–	–
Jackson	–	–	–	1	5	–	–	2	1	–	–	–	–	3	–	–	–	1	–
Jerauld	1	2	–	–	3	–	–	–	–	–	–	1	1	3	–	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 149 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	16	-	-	1	3	1	1	-	-	-	-	1	-	7	4	-	-	4	-
Kingsbury	85	-	-	1	18	1	7	1	2	3	1	3	-	42	31	1	-	20	10
Lake	120	-	-	1	31	9	4	1	5	-	3	9	2	45	28	-	-	22	6
Lawrence	162	-	-	1	40	15	13	1	4	1	1	5	2	65	49	2	-	29	18
Lincoln	139	-	-	-	30	10	5	3	6	-	1	5	4	69	54	-	1	42	11
Sioux Falls, part	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	138	-	-	-	29	10	5	2	6	-	1	5	4	69	54	-	1	42	11
Lyman	25	-	-	1	4	2	-	1	-	-	-	1	2	11	8	-	-	5	3
McCook	82	-	-	-	16	4	3	1	3	1	2	2	4	41	31	-	-	20	11
McPherson	30	-	-	-	7	3	2	-	1	-	1	-	-	19	16	-	-	12	4
Marshall	51	-	-	-	11	3	5	1	2	-	-	-	-	24	20	-	-	17	3
Meade	146	-	-	1	42	15	8	4	2	6	1	6	2	51	45	-	-	32	13
Mellette	31	1	-	2	3	-	1	-	1	-	-	1	-	9	9	-	-	6	3
Miner	54	-	-	-	13	3	2	2	1	1	1	3	-	29	22	-	-	11	11
Minnehaha	943	-	-	10	244	49	64	23	36	16	8	48	14	375	292	1	3	220	68
Sioux Falls, part	788	-	-	8	205	44	55	20	27	14	6	39	10	314	246	1	3	188	54
Sioux Falls, total	789	-	-	8	206	44	55	21	27	14	6	39	10	314	246	1	3	188	54
Balance of county	155	-	-	2	39	5	9	3	9	2	2	9	4	61	46	-	-	32	14
Moody	59	-	-	-	9	2	2	1	-	1	2	1	1	36	29	-	-	23	6
Pennington	551	-	-	4	127	32	35	10	9	8	8	25	16	215	169	7	5	119	38
Rapid City	425	-	-	4	93	23	29	5	6	7	5	18	14	174	138	5	5	97	31
Balance of county	126	-	-	-	34	9	6	5	3	1	3	7	2	41	31	2	-	22	7
Perkins	51	-	-	-	9	3	2	-	1	1	-	2	3	24	16	-	-	13	3
Potter	37	-	-	1	9	3	2	1	-	-	-	3	2	12	9	-	-	7	2
Roberts	144	-	-	2	33	14	6	1	6	1	1	4	-	69	65	-	1	45	19
Sanborn	31	-	-	-	10	3	2	-	2	-	-	3	-	9	9	-	1	6	2
Shannon	106	2	-	2	17	6	1	1	2	-	1	6	4	30	22	1	-	14	7
Spink	95	-	-	1	23	6	4	5	1	2	3	2	4	44	32	-	-	23	9
Stanley	21	-	-	-	7	2	4	-	-	-	-	1	-	10	8	-	-	6	2
Sully	14	-	-	-	4	3	-	-	1	-	-	-	-	5	5	-	-	2	3
Todd	74	-	-	1	15	3	7	3	1	-	1	-	2	22	17	-	-	11	6
Tripp	67	-	-	-	19	5	4	1	2	-	2	5	1	37	33	-	-	23	10
Turner	113	-	-	2	24	4	7	3	4	3	1	2	-	60	50	-	-	30	20
Union	124	-	-	2	30	8	4	1	4	3	-	10	1	58	48	1	1	34	12
Walworth	95	-	-	1	18	5	4	2	2	-	-	5	-	40	31	-	5	20	6
Yankton	161	-	-	-	31	5	9	2	4	1	3	7	2	81	66	1	-	55	10
Yankton	135	-	-	-	26	4	8	1	3	1	2	7	2	67	55	1	-	46	8
Balance of county	26	-	-	-	5	1	1	1	1	-	1	-	-	14	11	-	-	9	2
Ziebach	14	-	-	-	5	2	2	-	-	-	-	1	-	6	5	-	-	5	-
Tennessee	46,309	40	-	792	10,570	2,318	3,374	831	1,137	421	396	2,093	935	19,890	15,495	115	596	10,625	4,159
Urban places	23,045	19	-	489	5,196	1,194	1,628	413	590	184	199	988	442	9,752	7,585	59	411	4,762	2,353
Balance of area	23,264	21	-	303	5,374	1,124	1,746	418	547	237	197	1,105	493	10,138	7,910	56	185	5,863	1,806
Metropolitan counties	29,369	26	-	590	6,753	1,515	2,084	560	732	255	257	1,350	585	12,222	9,484	78	459	6,115	2,832
Urban places	20,088	16	-	453	4,551	1,053	1,411	363	510	163	178	873	378	8,359	6,504	53	379	3,967	2,105
Balance of area	9,281	10	-	137	2,202	462	673	197	222	92	79	477	207	3,863	2,980	25	80	2,148	727
Nonmetropolitan counties	16,940	14	-	202	3,817	803	1,290	271	405	166	139	743	350	7,668	6,011	37	137	4,510	1,327
Urban places	2,957	3	-	36	645	141	217	50	80	21	21	115	64	1,393	1,081	6	32	795	248
Balance of area	13,983	11	-	166	3,172	662	1,073	221	325	145	118	628	286	6,275	4,930	31	105	3,715	1,079
Anderson	644	1	-	6	154	26	44	11	21	8	6	38	17	257	183	1	4	132	46
Oak Ridge, part	235	1	-	3	52	9	10	7	7	3	1	15	5	97	71	1	2	48	20
Oak Ridge, total	239	1	-	3	55	9	11	7	7	3	2	16	5	98	72	1	2	48	21
Balance of county	409	-	-	3	102	17	34	4	14	5	5	23	12	160	112	-	2	84	26
Bedford	314	-	-	2	61	6	22	1	6	2	7	17	5	150	112	-	1	85	26
Shelbyville	197	-	-	2	32	4	12	1	3	1	3	8	4	94	69	-	1	53	15
Balance of county	117	-	-	-	29	2	10	-	3	1	4	9	1	56	43	-	-	32	11
Benton	175	-	-	-	43	10	19	1	2	1	1	9	2	86	68	-	3	50	15
Bledsoe	89	-	-	1	21	3	6	-	2	1	1	8	3	36	27	-	1	22	4
Blount	769	1	-	16	185	36	54	16	24	8	9	38	25	301	220	1	13	163	43
Maryville	223	-	-	4	54	11	17	5	5	2	6	8	6	85	61	-	2	46	13
Balance of county	546	1	-	12	131	25	37	11	19	6	3	30	19	216	159	1	11	117	30
Bradley	650	1	-	14	167	31	62	15	19	3	5	32	20	254	200	2	3	157	38
Cleveland	428	1	-	10	110	20	42	10	12	1	3	22	13	172	138	1	1	104	32
Balance of county	222	-	-	4	57	11	20	5	7	2	2	10	7	82	62	1	2	53	6
Campbell	362	-	-	4	91	17	29	8	6	8	3	20	4	153	118	-	2	97	19
Cannon	129	-	-	2	32	6	10	3	6	3	-	4	7	62	45	-	3	33	9
Carroll	357	-	-	3	86	12	27	6	11	4	3	23	7	171	136	1	1	102	32
Carter	566	-	-	7	128	33	36	10	16	4	5	24	13	240	199	1	5	157	36
Elizabethton	206	-	-	4	43	11	16	3	7	1	1	4	5	95	74	-	2	59	13
Johnson City, part	8	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	-	1	1
Balance of county	352	-	-	3	84	22	20	7	9	3	4	19	8	143	123	1	3	97	22
Cheatham	198	1	-	4	56	12	22	2	4	1	2	13	4	82	70	-	1	56	13
Chester	130	1	-	-	32	9	10	3	-	2	1	7	5	59	48	-	-	36	12
Claiborne	262	-	-	1	62	13	25	3	8	1	1	11	9	109	88	2	1	73	12
Clay	99	1	-	1	21	5	10	-	1	-	1	4	2	50	45	-	1	33	11
Cocke	303	-	-	5	58	20	19	5	4	1	1	8	10	138	111	1	7	86	17
Coffee	421	1	-	5	102	20	35	8	16	5	1	17	12	171	126	-	2	91	33
Tullahoma, part	177	-	-	2	41	8	14	3	11	1	-	4	6	72	51	-	1	35	15
Tullahoma, total	183	-	-	2	43	8	15	3	12	1	-	4	6	74	53	-	1	37	15
Balance of county	244	1	-	3	61	12	21	5	5	4	1	13	6	99	75	-	1	56	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 150 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	–	1	–	2	–	2	–	–	–	–	2	–	–	1	–	–	–	–	–
Kingsbury	1	10	–	–	4	3	1	–	1	–	–	–	2	9	1	1	1	1	–
Lake	–	10	4	3	3	8	–	2	1	–	2	–	1	11	7	3	2	–	1
Lawrence	–	13	1	2	9	7	1	2	1	–	–	3	2	16	2	5	4	1	1
Lincoln	1	12	1	1	9	4	1	–	4	–	–	–	2	10	–	3	3	–	–
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	12	1	1	9	4	1	–	4	–	–	–	2	10	–	3	3	–	–
Lyman	–	2	–	1	–	–	–	1	–	–	–	–	2	1	2	–	1	–	–
McCook	–	5	5	–	2	6	–	–	1	–	1	–	–	9	1	1	–	–	–
McPherson	1	2	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–
Marshall	–	4	–	–	4	1	–	–	–	–	–	–	1	6	1	2	1	–	–
Meade	1	4	–	1	7	13	–	1	3	–	2	3	–	13	2	4	2	–	–
Mellette	–	–	–	–	2	3	–	–	–	–	–	–	2	4	3	1	1	–	–
Miner	–	6	1	–	3	3	–	–	–	–	–	–	–	4	–	1	1	–	–
Minnehaha	1	63	8	11	58	49	1	5	11	–	5	8	10	91	17	20	22	2	1
Sioux Falls, part	1	49	8	10	51	45	1	3	8	–	4	7	8	78	10	17	16	2	1
Sioux Falls, total	1	49	8	10	51	45	1	3	8	–	4	7	8	78	10	17	16	2	1
Balance of county	–	14	–	1	7	4	–	2	3	–	1	1	2	13	7	3	6	–	–
Moody	–	6	–	1	3	3	–	–	1	–	–	–	–	2	1	2	–	1	–
Pennington	1	33	1	11	15	39	2	8	4	–	6	8	4	49	13	21	14	5	1
Rapid City	1	26	1	8	11	32	2	7	4	–	3	6	2	37	8	14	9	4	1
Balance of county	–	7	–	3	4	7	–	1	–	–	3	2	2	12	5	7	5	1	–
Perkins	–	5	1	2	3	2	–	–	2	–	1	1	–	5	–	1	–	–	–
Potter	–	2	1	–	1	4	–	–	1	–	–	–	–	5	–	1	1	–	–
Roberts	–	3	–	1	6	7	1	1	3	–	–	3	2	9	–	6	1	1	–
Sanborn	–	–	–	–	2	5	–	–	–	–	–	–	–	2	1	1	1	–	–
Shannon	–	7	–	1	4	1	1	6	2	–	3	1	3	10	8	6	2	4	–
Spink	–	7	3	2	4	–	1	1	–	–	2	1	–	8	–	4	1	1	–
Stanley	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
Sully	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–
Todd	–	5	–	–	3	3	–	4	–	–	2	2	2	7	6	2	1	2	–
Tripp	–	3	–	1	1	2	–	–	1	–	–	1	–	2	–	2	1	–	–
Turner	–	7	1	2	4	6	–	–	–	–	–	–	–	11	5	1	–	–	–
Union	–	6	3	1	10	5	–	1	2	–	–	1	–	11	1	1	–	1	–
Walworth	–	5	1	3	7	5	–	1	–	–	2	–	–	15	3	2	1	–	–
Yankton	1	11	–	3	8	8	–	1	2	–	1	–	2	17	5	1	2	–	–
Yankton	1	9	–	2	8	5	–	1	2	–	1	–	2	16	4	–	1	–	–
Balance of county	–	2	–	1	–	3	–	–	–	–	–	–	–	1	1	1	1	–	–
Ziebach	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Tennessee	166	3,408	371	450	1,692	1,886	116	475	420	6	233	345	873	4,533	1,161	1,037	662	589	54
Urban places	90	1,686	161	230	868	869	54	259	206	6	119	223	422	2,459	410	476	317	428	31
Balance of area	76	1,722	210	220	824	1,017	62	216	214	–	114	122	451	2,074	751	561	345	161	23
Metropolitan counties	112	2,129	198	299	1,084	1,129	72	329	250	5	154	263	643	3,046	645	624	437	475	37
Urban places	76	1,451	128	200	746	745	47	238	180	5	104	207	388	2,182	355	414	287	406	27
Balance of area	36	678	70	99	338	384	25	91	70	–	50	56	255	864	290	210	150	69	10
Nonmetropolitan counties	54	1,279	173	151	608	757	44	146	170	1	79	82	230	1,487	516	413	225	114	17
Urban places	14	235	33	30	122	124	7	21	26	1	15	16	34	277	55	62	30	22	4
Balance of area	40	1,044	140	121	486	633	37	125	144	–	64	66	196	1,210	461	351	195	92	13
Anderson	4	55	8	7	21	33	3	3	3	–	4	6	26	62	18	15	10	5	–
Oak Ridge, part	–	19	4	3	5	12	–	2	1	–	1	3	11	28	6	4	3	1	–
Oak Ridge, total	–	19	4	3	5	12	–	2	1	–	1	3	11	28	6	4	3	1	–
Balance of county	4	36	4	4	16	21	3	1	2	–	3	3	15	34	12	11	7	4	–
Bedford	–	32	–	6	10	14	1	3	5	–	1	1	5	29	10	8	5	4	–
Shelbyville	–	21	–	4	6	11	1	2	1	–	1	1	4	21	6	5	3	3	–
Balance of county	–	11	–	2	4	3	–	1	4	–	–	–	1	8	4	3	2	1	–
Benton	–	14	4	–	5	4	1	2	3	–	–	–	–	11	6	6	1	4	1
Bledsoe	–	6	1	2	3	5	–	1	–	–	1	–	1	8	4	2	2	1	–
Blount	4	66	2	9	39	19	2	9	6	–	2	2	27	88	16	17	10	3	1
Maryville	2	20	–	2	12	7	–	2	2	–	–	1	10	33	2	3	2	–	–
Balance of county	2	46	2	7	27	12	2	7	4	–	2	1	17	55	14	14	8	3	1
Bradley	6	33	7	8	21	26	1	5	4	1	5	1	16	64	13	19	10	7	1
Cleveland	4	22	6	2	15	13	1	3	3	1	4	1	9	43	5	10	6	7	1
Balance of county	2	11	1	6	6	13	–	2	1	–	1	–	7	21	8	9	4	–	–
Campbell	–	32	2	1	18	29	1	4	3	–	–	5	6	22	8	9	4	1	–
Cannon	–	16	1	–	1	4	–	–	5	–	–	1	–	11	1	1	2	–	–
Carroll	2	22	8	3	7	21	1	3	2	–	2	4	8	21	9	7	4	–	1
Carter	–	29	3	9	24	26	2	7	7	–	2	2	3	61	14	17	10	3	–
Elizabethton	–	13	2	6	10	10	1	5	1	–	–	–	1	18	3	5	5	–	–
Johnson City, part	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	–
Balance of county	–	16	1	3	13	16	1	2	6	–	2	2	2	40	11	11	5	3	–
Cheatham	–	10	–	2	8	8	1	1	2	–	–	2	–	13	9	1	3	3	–
Chester	–	9	1	1	4	5	–	2	2	–	–	–	6	10	1	3	–	–	–
Claiborne	–	15	4	2	17	7	1	4	6	–	1	1	–	16	6	13	6	3	–
Clay	1	4	–	–	7	3	–	1	–	–	–	–	1	4	6	1	1	–	–
Cocke	1	23	1	2	13	7	1	–	6	–	–	3	–	28	8	16	6	3	1
Coffee	–	37	7	1	18	16	1	4	4	–	2	3	5	46	6	16	4	4	1
Tullahoma, part	–	17	4	–	9	6	–	2	2	–	2	1	2	17	3	8	2	2	–
Tullahoma, total	–	17	4	–	9	7	–	2	2	–	2	1	2	17	3	9	2	2	–
Balance of county	–	20	3	1	9	10	1	2	2	–	–	2	3	29	3	8	2	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 151 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	158	–	–	5	35	10	8	5	3	1	1	7	2	64	50	–	–	32	18
Cumberland	365	–	–	6	89	20	30	10	12	–	–	17	2	177	138	–	2	120	16
Davidson	4,681	7	–	109	1,057	233	347	83	119	23	51	201	104	1,926	1,541	17	105	892	527
Nashville-Davidson	4,573	7	–	103	1,034	228	341	82	117	22	49	195	104	1,889	1,511	15	105	871	520
Balance of county	108	–	–	6	23	5	6	1	2	1	2	6	–	37	30	2	–	21	7
Decatur	162	–	–	2	34	8	14	1	3	4	2	2	3	65	52	–	–	45	7
De Kalb	174	–	–	–	30	4	7	4	3	–	–	12	3	92	80	–	–	67	13
Dickson	323	–	–	4	82	15	29	8	10	1	4	15	6	137	100	1	1	76	22
Dyer	364	1	–	10	81	16	25	6	7	2	2	23	7	154	130	2	7	92	29
Dyersburg	214	1	–	8	39	9	13	4	4	–	–	9	5	91	79	1	4	59	15
Balance of county	150	–	–	2	42	7	12	2	3	2	2	14	2	63	51	1	3	33	14
Fayette	233	–	–	2	45	16	12	5	5	–	1	6	1	115	84	–	3	66	15
Fentress	167	–	–	2	38	10	12	3	3	2	1	7	3	85	66	–	7	50	9
Franklin	301	–	–	4	76	15	23	2	11	5	2	18	6	117	85	–	3	68	14
Tullahoma, part	6	–	–	–	2	–	1	–	1	–	–	–	–	2	2	–	–	2	–
Balance of county	295	–	–	4	74	15	22	2	10	5	2	18	6	115	83	–	3	66	14
Gibson	633	–	–	5	152	28	53	16	15	9	3	28	10	302	227	–	1	170	56
Humboldt	151	–	–	–	31	6	9	5	1	1	–	9	1	74	56	–	–	34	22
Balance of county	482	–	–	5	121	22	44	11	14	8	3	19	9	228	171	–	1	136	34
Giles	304	–	–	7	58	14	18	5	9	3	2	7	5	131	106	1	2	70	33
Grainger	181	1	–	3	29	6	10	3	5	1	–	4	4	76	56	–	2	39	15
Greene	610	1	–	7	132	34	39	10	15	6	3	25	10	268	203	3	1	147	52
Greeneville	218	–	–	2	43	12	12	4	8	3	–	4	3	100	78	1	1	61	15
Balance of county	392	1	–	5	89	22	27	6	7	3	3	21	7	168	125	2	–	86	37
Grundy	141	–	–	4	22	6	9	–	1	1	1	4	2	56	42	–	–	33	9
Hamblen	541	1	–	4	134	36	43	11	12	3	3	26	10	259	185	–	7	157	21
Morristown	328	1	–	–	66	20	21	5	6	3	1	10	4	182	125	–	6	106	13
Balance of county	213	–	–	4	68	16	22	6	6	–	2	16	6	77	60	–	1	51	8
Hamilton	2,825	–	–	59	646	144	179	57	88	29	16	133	51	1,287	999	11	45	608	335
Chattanooga	1,917	–	–	43	431	104	115	27	61	20	12	92	36	868	672	4	35	397	236
East Ridge	195	–	–	3	51	8	19	6	3	3	1	11	2	89	65	1	2	47	15
Red Bank	87	–	–	–	19	3	4	2	6	1	–	3	2	38	32	1	–	20	11
Balance of county	626	–	–	13	145	29	41	22	18	5	3	27	11	292	230	5	8	144	73
Hancock	84	–	–	2	19	8	7	–	1	2	–	1	4	38	33	–	1	28	4
Hardeman	244	–	–	3	47	9	18	5	7	1	3	4	3	115	90	–	2	74	14
Hardin	257	–	–	3	61	14	20	9	5	2	3	8	5	124	91	2	2	68	19
Hawkins	454	1	–	7	94	24	30	10	5	2	5	18	10	217	178	–	4	136	38
Kingsport, part	19	–	–	–	3	2	–	–	–	–	–	1	–	9	8	–	–	6	2
Balance of county	435	1	–	7	91	22	30	10	5	2	5	17	10	208	170	–	4	130	36
Haywood	215	–	–	5	51	13	19	2	7	1	2	7	2	99	75	1	3	46	25
Henderson	279	1	–	4	64	15	13	2	10	4	–	20	5	137	99	–	–	79	20
Henry	387	–	–	4	75	13	30	6	5	3	3	15	12	178	140	2	12	93	33
Paris	159	–	–	2	34	5	11	4	4	2	1	7	4	79	60	1	6	37	16
Balance of county	228	–	–	2	41	8	19	2	1	1	2	8	8	99	80	1	6	56	17
Hickman	169	–	–	4	35	7	15	1	1	2	6	3	2	73	57	–	–	32	25
Houston	102	–	–	–	18	4	7	1	1	1	1	3	3	49	36	–	–	20	16
Humphreys	176	1	–	2	43	6	20	2	4	2	1	8	4	76	70	–	1	44	25
Jackson	121	–	–	3	26	3	10	2	3	2	–	6	–	61	48	–	–	38	10
Jefferson	301	–	–	3	58	20	23	3	1	1	1	9	15	131	100	1	–	89	10
Johnson	166	–	–	–	35	7	5	5	5	1	3	9	7	61	57	2	1	36	18
Knox	3,091	2	–	47	704	145	217	55	67	39	25	156	64	1,121	822	5	26	553	238
Knoxville	1,976	2	–	36	423	91	132	28	42	26	17	87	36	719	524	4	21	356	143
Balance of county	1,115	–	–	11	281	54	85	27	25	13	8	69	28	402	298	1	5	197	95
Lake	86	–	–	1	22	9	6	–	2	1	1	3	1	31	22	–	1	16	5
Lauderdale	284	–	–	3	62	14	20	6	7	4	2	9	8	126	106	1	3	90	12
Lawrence	325	–	–	3	82	21	28	4	8	3	5	13	7	140	116	1	1	97	17
Lawrenceburg	126	–	–	–	19	5	6	1	2	–	3	2	2	65	55	–	–	48	7
Balance of county	199	–	–	3	63	16	22	3	6	3	2	11	5	75	61	1	1	49	10
Lewis	116	1	–	3	25	5	10	1	–	2	1	6	1	56	49	–	1	38	10
Lincoln	313	–	–	3	64	15	18	3	9	2	3	14	3	170	142	2	4	109	27
Loudon	344	–	–	4	82	18	18	8	12	7	3	16	3	156	135	1	4	97	33
McMinn	418	–	–	7	83	21	27	5	10	3	2	15	11	181	142	1	4	111	26
Athens	143	–	–	2	24	8	7	–	3	1	1	4	5	64	54	1	3	35	15
Balance of county	275	–	–	5	59	13	20	5	7	2	1	11	6	117	88	–	1	76	11
McNairy	253	–	–	4	45	4	21	4	7	1	2	6	3	137	109	–	2	81	26
Macon	194	1	–	5	40	5	17	2	6	1	1	8	7	81	67	–	–	44	23
Madison	824	–	–	18	162	35	50	14	17	8	4	34	15	345	264	3	10	176	75
Jackson	632	–	–	14	127	29	39	10	16	5	4	24	12	258	194	3	8	127	56
Balance of county	192	–	–	4	35	6	11	4	1	3	–	10	3	87	70	–	2	49	19
Marion	252	–	–	3	59	15	20	3	5	1	1	14	7	113	81	–	2	58	21
Marshall	251	–	–	3	52	10	14	3	6	3	4	12	5	133	110	1	1	79	29
Maury	530	–	–	9	131	27	54	8	13	5	7	17	10	225	177	1	7	95	74
Columbia	298	–	–	5	82	19	36	2	9	1	4	11	8	125	98	1	6	50	41
Balance of county	232	–	–	4	49	8	18	6	4	4	3	6	2	100	79	–	1	45	33
Meigs	78	–	–	1	13	1	5	1	2	–	2	2	1	36	31	–	1	20	10
Monroe	282	1	–	–	62	12	14	1	11	5	4	15	6	115	87	1	1	67	18
Montgomery	628	–	–	9	141	29	45	8	16	8	3	32	7	247	185	1	4	116	64
Clarksville	461	–	–	7	100	20	36	6	14	3	2	19	5	185	141	1	4	89	47
Balance of county	167	–	–	2	41	9	9	2	2	5	1	13	2	62	44	–	–	27	17
Moore	24	–	–	1	5	–	3	–	1	–	–	1	–	11	10	–	–	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 152 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	2	8	1	3	5	10	–	2	3	–	1	–	7	13	6	4	1	–	–
Cumberland	–	29	8	2	11	15	–	5	2	–	1	–	1	28	9	10	6	3	–
Davidson	17	301	22	45	183	179	7	58	48	1	31	35	39	528	69	109	91	88	12
Nashville-Davidson	17	295	22	44	177	173	7	58	46	1	30	35	38	518	67	105	84	86	11
Balance of county	–	6	–	1	6	6	–	–	2	–	1	–	1	10	2	4	7	2	1
Decatur	–	12	1	–	10	6	1	1	4	–	–	–	3	14	10	9	–	–	–
De Kalb	–	9	1	2	6	7	1	2	4	–	–	–	3	13	6	4	2	1	–
Dickson	2	30	1	4	5	14	3	3	5	–	4	2	7	30	4	9	5	2	1
Dyer	–	22	1	1	14	12	–	2	4	–	2	5	5	44	6	13	2	1	1
Dyersburg	–	12	–	–	10	7	–	1	3	–	2	5	1	29	2	8	1	1	–
Balance of county	–	10	1	1	4	5	–	1	1	–	–	–	4	15	4	5	1	–	1
Fayette	2	28	–	1	8	7	–	1	4	–	1	4	12	14	11	3	5	–	–
Fentress	–	9	10	–	3	9	–	1	1	–	1	1	1	8	7	5	1	1	–
Franklin	3	24	–	5	16	15	–	5	2	–	–	1	2	37	8	9	2	1	–
Tullahoma, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	3	24	–	5	16	14	–	5	2	–	–	1	2	37	8	8	2	1	–
Gibson	4	57	8	6	16	27	2	3	10	–	2	3	4	59	17	11	7	2	1
Humboldt	1	14	–	3	6	9	–	1	6	–	–	–	1	15	1	3	3	–	–
Balance of county	3	43	8	3	10	18	2	2	4	–	2	3	3	44	16	8	4	2	1
Giles	3	20	2	–	8	21	–	5	2	–	–	–	–	38	13	6	8	1	1
Grainger	–	17	2	1	9	12	1	3	1	–	1	1	15	14	8	1	2	–	–
Greene	3	44	7	11	29	30	4	5	3	–	5	–	9	66	23	8	9	1	–
Greeneville	2	16	3	1	18	13	1	2	2	–	–	–	3	24	4	2	1	–	–
Balance of county	1	28	4	10	11	17	3	3	1	–	5	–	6	42	19	6	8	1	–
Grundy	–	11	1	2	10	7	1	–	–	–	1	1	5	12	14	2	1	2	1
Hamblen	3	61	5	5	11	22	4	5	2	–	2	4	4	35	16	13	11	4	–
Morristown	3	46	5	3	6	12	2	2	2	–	1	1	3	25	7	6	6	2	–
Balance of county	–	15	–	2	5	10	2	3	–	–	1	3	1	10	9	7	5	2	–
Hamilton	14	218	25	31	111	116	11	26	34	1	17	16	19	240	58	51	30	52	–
Chattanooga	10	148	19	19	74	72	7	21	22	1	10	10	14	181	31	36	18	42	–
East Ridge	1	16	3	4	10	12	1	–	1	–	–	1	–	14	1	3	3	4	–
Red Bank	–	5	–	1	2	6	–	1	1	–	1	1	–	8	2	3	2	1	–
Balance of county	3	49	3	7	25	26	3	4	10	–	6	4	5	37	24	9	7	5	–
Hancock	–	5	–	–	1	4	–	–	–	–	1	–	2	4	3	2	4	–	–
Hardeman	–	20	2	3	8	8	–	3	3	–	–	3	13	19	9	6	4	–	–
Hardin	1	28	3	1	12	9	1	2	1	–	2	–	2	13	4	9	4	5	–
Hawkins	3	27	4	5	11	20	1	6	2	–	3	3	21	31	9	12	5	1	–
Kingsport, part	–	–	1	–	2	1	–	–	2	–	–	–	–	2	–	–	–	–	–
Balance of county	3	27	3	5	9	19	1	6	–	–	3	3	21	29	9	12	5	1	–
Haywood	1	21	–	2	8	5	–	–	2	–	5	–	1	21	3	3	5	5	–
Henderson	1	29	7	1	7	7	1	4	1	–	2	1	5	18	7	7	6	2	–
Henry	–	33	2	3	15	17	4	5	2	–	–	2	2	34	19	10	5	3	–
Paris	–	16	2	1	4	4	1	3	1	–	–	–	1	13	6	6	1	–	–
Balance of county	–	17	–	2	11	13	3	2	1	–	–	2	1	21	13	4	4	3	–
Hickman	1	11	2	2	4	5	1	2	2	–	–	–	10	17	6	5	–	3	–
Houston	–	11	1	1	7	3	1	–	–	–	1	1	–	15	1	2	–	1	–
Humphreys	–	5	–	1	4	10	–	–	2	–	1	1	1	17	9	3	2	–	–
Jackson	1	10	2	–	1	3	–	1	–	–	–	1	1	10	4	4	2	4	–
Jefferson	3	18	3	7	10	18	1	3	1	–	2	2	4	31	12	5	4	1	–
Johnson	–	1	1	2	3	10	–	2	5	–	–	–	3	20	9	6	2	3	–
Knox	9	214	46	30	99	133	2	34	16	–	13	27	261	367	54	58	41	42	6
Knoxville	5	141	31	18	69	86	2	25	11	–	5	19	170	246	29	34	25	34	5
Balance of county	4	73	15	12	30	47	–	9	5	–	8	8	91	121	25	24	16	8	1
Lake	1	6	–	2	1	6	–	–	1	–	1	–	3	10	5	2	–	2	–
Lauderdale	2	16	–	2	8	12	1	2	3	–	1	4	5	26	6	8	4	4	1
Lawrence	1	19	1	3	13	20	–	–	3	–	–	–	2	31	13	8	3	–	–
Lawrenceburg	–	8	1	1	8	12	–	–	–	–	–	–	1	10	4	3	2	–	–
Balance of county	1	11	–	2	5	8	–	–	3	–	–	–	1	21	9	5	1	–	–
Lewis	–	6	1	–	8	3	2	–	–	–	–	1	–	11	2	3	–	–	–
Lincoln	2	21	3	2	5	12	–	2	4	–	3	1	3	22	7	7	5	2	–
Loudon	1	17	1	2	11	19	1	3	5	–	2	2	3	35	6	6	6	–	–
McMinn	1	32	1	5	15	19	2	2	6	–	2	2	2	55	10	11	5	2	3
Athens	–	8	–	2	5	9	–	–	1	–	1	1	1	18	3	4	1	2	2
Balance of county	1	24	1	3	10	10	2	2	5	–	1	1	1	37	7	7	4	–	1
McNairy	–	27	1	–	2	12	–	2	2	–	2	–	5	14	7	14	2	1	1
Macon	–	12	1	1	3	17	–	2	2	–	–	–	1	19	7	1	6	2	–
Madison	4	64	7	6	23	35	1	9	6	–	4	3	37	93	20	26	15	10	2
Jackson	4	50	7	3	19	28	1	9	6	–	1	3	27	74	12	20	10	9	2
Balance of county	–	14	–	3	4	7	–	–	–	–	3	–	10	19	8	6	5	1	–
Marion	4	16	9	3	7	6	1	1	1	–	–	1	7	25	10	4	2	5	–
Marshall	1	15	2	5	6	10	–	1	4	–	–	1	–	18	5	6	5	2	–
Maury	1	40	1	6	20	26	–	3	5	–	4	3	4	52	19	10	2	7	–
Columbia	1	20	1	5	12	13	–	–	3	–	2	3	1	30	8	1	–	5	–
Balance of county	–	20	–	1	8	13	–	3	2	–	2	–	3	22	11	9	2	2	–
Meigs	–	4	–	1	3	5	1	1	–	–	–	–	–	11	5	–	1	–	–
Monroe	1	23	1	3	13	6	–	7	1	–	–	1	12	29	19	8	1	1	–
Montgomery	2	54	2	4	26	26	2	4	9	–	4	13	30	52	20	15	10	13	–
Clarksville	2	36	2	4	20	20	–	3	7	–	2	13	20	41	11	10	6	11	–
Balance of county	–	18	–	–	6	6	2	1	2	–	2	–	10	11	9	5	4	2	–
Moore	–	1	–	–	–	1	–	–	1	–	–	–	–	4	–	–	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 153 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	167	–	–	2	43	4	21	3	2	3	3	7	4	53	46	–	2	30	14
Obion	346	–	–	5	81	21	26	4	9	3	4	14	3	190	136	2	2	118	14
Union City	135	–	–	1	32	9	10	1	3	2	2	5	2	79	60	–	1	56	3
Balance of county	211	–	–	4	49	12	16	3	6	1	2	9	1	111	76	2	1	62	11
Overton	207	–	–	2	49	12	16	2	7	1	2	9	3	95	76	–	7	53	16
Perry	56	–	–	1	15	1	4	3	2	–	–	5	1	21	20	–	–	11	9
Pickett	57	–	–	–	10	4	4	1	–	–	–	1	–	29	23	–	1	14	8
Polk	168	–	–	2	26	8	9	–	–	3	1	5	5	69	57	–	1	40	16
Putnam	479	–	–	3	115	21	34	15	8	7	3	27	6	237	185	3	4	143	35
Cookeville	208	–	–	1	44	8	10	7	5	3	1	10	2	118	93	–	2	75	16
Balance of county	271	–	–	2	71	13	24	8	3	4	2	17	4	119	92	3	2	68	19
Rhea	239	–	–	1	57	10	23	8	2	–	1	13	7	110	84	–	–	69	15
Roane	487	–	–	2	108	22	44	3	4	5	5	25	14	207	170	1	3	130	36
Oak Ridge, part	4	–	–	–	3	–	1	–	–	–	1	1	–	1	1	–	–	–	1
Balance of county	483	–	–	2	105	22	43	3	4	5	4	24	14	206	169	1	3	130	35
Robertson	412	–	–	5	90	21	28	3	15	2	5	16	10	202	156	1	5	123	27
Springfield	180	–	–	5	29	8	9	1	4	–	–	7	4	96	78	1	4	62	11
Balance of county	232	–	–	–	61	13	19	2	11	2	5	9	6	106	78	–	1	61	16
Rutherford	775	–	–	10	190	45	63	18	17	8	4	35	12	339	278	1	9	180	68
Murfreesboro	365	–	–	4	86	19	32	8	7	2	3	15	7	161	134	–	6	82	46
Balance of county	410	–	–	6	104	26	31	10	10	6	1	20	5	178	144	1	3	98	42
Scott	158	–	–	–	41	7	13	2	4	3	3	9	4	65	49	–	–	38	11
Sequatchie	71	–	–	3	12	1	4	2	2	–	1	2	2	33	29	–	–	24	5
Sevier	417	1	–	7	105	26	27	10	11	3	1	27	3	176	133	3	7	101	22
Shelby	7,284	8	–	201	1,722	423	511	142	184	70	72	320	112	3,006	2,343	17	160	1,355	811
Bartlett	110	1	–	1	27	5	6	2	1	1	6	6	2	47	39	1	1	30	7
Germantown	120	–	–	1	34	9	7	3	1	2	2	10	1	46	35	1	–	27	7
Memphis	6,581	5	–	191	1,532	379	462	130	169	57	59	276	97	2,732	2,125	14	153	1,210	748
Millington	86	–	–	3	22	5	9	–	3	1	1	3	1	30	25	–	1	14	10
Balance of county	387	2	–	5	107	25	27	7	10	9	4	25	11	151	119	1	5	74	39
Smith	158	–	–	–	31	5	8	2	5	2	1	8	3	78	59	–	2	43	14
Stewart	106	–	–	2	16	5	3	1	1	2	1	3	3	50	41	–	1	27	13
Sullivan	1,420	1	–	23	353	86	106	27	32	12	15	75	27	597	483	4	19	355	105
Bristol [7]	307	–	–	3	76	23	22	6	6	3	2	14	6	141	110	1	4	83	22
Kingsport, part	497	–	–	6	120	33	36	9	12	4	2	24	13	213	176	1	6	126	43
Kingsport, total	516	–	–	6	123	35	36	9	12	4	2	25	13	222	184	1	6	132	45
Balance of county	616	1	–	14	157	30	48	12	14	5	11	37	8	243	197	2	9	146	40
Sumner	739	1	–	11	155	27	51	24	17	10	5	21	18	329	262	3	3	176	80
Gallatin	222	–	–	2	50	10	16	7	4	3	1	9	6	97	76	–	2	44	30
Hendersonville	186	–	–	4	38	6	12	7	5	2	2	4	7	85	71	1	1	53	16
Balance of county	331	1	–	5	67	11	23	10	8	5	2	8	5	147	115	2	–	79	34
Tipton	325	–	–	3	58	10	23	3	7	2	–	13	9	155	122	1	2	103	16
Trousdale	76	–	–	–	17	1	9	1	–	–	–	6	4	32	24	2	–	21	1
Unicoi	186	–	–	1	43	12	13	2	4	2	1	9	1	98	74	1	–	60	13
Union	115	–	–	–	32	4	11	3	4	3	1	6	2	45	33	–	–	28	5
Van Buren	39	–	–	2	8	–	2	–	–	1	2	3	–	21	13	–	2	9	2
Warren	362	–	–	1	101	21	34	5	13	4	1	23	14	150	121	–	1	76	44
McMinnville	165	–	–	1	43	8	12	3	8	2	1	9	5	75	62	–	–	40	22
Balance of county	197	–	–	–	58	13	22	2	5	2	–	14	9	75	59	–	1	36	22
Washington	883	1	–	13	205	42	65	15	19	3	11	50	26	350	264	2	19	155	88
Johnson City, part	489	–	–	6	119	24	42	7	10	1	5	30	12	192	144	1	13	79	51
Johnson City, total	497	–	–	6	120	24	42	7	10	1	5	31	12	194	146	1	13	80	52
Balance of county	394	1	–	7	86	18	23	8	9	2	6	20	14	158	120	1	6	76	37
Wayne	134	–	–	2	31	2	11	2	8	2	1	5	4	61	40	–	–	31	9
Weakley	337	2	–	3	76	21	29	4	8	3	4	7	7	171	127	–	1	111	15
White	222	–	–	1	48	8	14	3	9	2	2	10	5	96	69	1	–	54	14
Williamson	482	–	–	6	117	23	36	14	11	4	5	24	9	192	151	1	9	91	50
Franklin	196	–	–	3	36	7	12	4	5	–	1	7	3	91	72	1	5	42	24
Balance of county	286	–	–	3	81	16	24	10	6	4	4	17	6	101	79	–	4	49	26
Wilson	523	–	–	12	116	22	40	14	11	2	4	23	12	220	158	2	4	113	39
Lebanon	217	–	–	7	44	9	17	3	5	1	1	8	6	94	64	1	2	48	13
Balance of county	306	–	–	5	72	13	23	11	6	1	3	15	6	126	94	1	2	65	26
Texas	126,795	107	10	4,047	29,068	6,948	8,820	2,261	3,210	1,104	1,130	5,595	3,627	50,925	39,326	222	1,637	25,879	11,588
Urban places	81,739	82	8	3,154	18,372	4,387	5,451	1,538	2,052	684	713	3,547	2,343	32,165	24,805	149	1,174	16,039	7,443
Balance of area	45,056	25	2	893	10,696	2,561	3,369	723	1,158	420	417	2,048	1,284	18,760	14,521	73	463	9,840	4,145
Metropolitan counties	93,727	92	8	3,507	21,561	5,094	6,481	1,774	2,377	813	847	4,175	2,646	36,424	28,282	173	1,315	18,337	8,457
Urban places	74,258	79	8	3,023	16,743	3,981	4,952	1,421	1,880	624	648	3,237	2,100	28,840	22,286	136	1,098	14,280	6,772
Balance of area	19,469	13	–	484	4,818	1,113	1,529	353	497	189	199	938	546	7,584	5,996	37	217	4,057	1,685
Nonmetropolitan counties	33,068	15	2	540	7,507	1,854	2,339	487	833	291	283	1,420	981	14,501	11,044	49	322	7,542	3,131
Urban places	7,481	3	–	131	1,629	406	499	117	172	60	65	310	243	3,325	2,519	13	76	1,759	671
Balance of area	25,587	12	2	409	5,878	1,448	1,840	370	661	231	218	1,110	738	11,176	8,525	36	246	5,783	2,460
Anderson	459	–	–	10	115	18	42	12	13	5	5	20	10	193	141	1	6	82	52
Palestine	238	–	–	4	51	11	14	6	5	3	3	9	6	111	77	1	2	44	30
Balance of county	221	–	–	6	64	7	28	6	8	2	2	11	4	82	64	–	4	38	22
Andrews	103	–	–	1	27	7	8	2	3	1	1	5	–	34	22	–	–	19	3
Andrews	91	–	–	1	24	7	6	2	2	1	1	5	–	30	19	–	–	17	2
Balance of county	12	–	–	–	3	–	2	–	1	–	–	–	–	4	3	–	–	2	1
Angelina	664	–	–	11	165	36	63	14	13	5	8	26	16	286	216	2	5	141	68
Lufkin	364	–	–	8	89	26	25	9	8	3	3	15	7	154	117	2	4	71	40
Balance of county	300	–	–	3	76	10	38	5	5	2	5	11	9	132	99	–	1	70	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 154 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	–	4	3	–	10	13	–	2	2	–	1	–	3	25	6	2	–	–	1
Obion	1	26	24	3	11	12	–	2	2	–	2	–	–	21	4	5	7	–	1
Union City	–	11	7	1	5	4	–	–	1	–	1	–	–	7	–	1	1	–	1
Balance of county	1	15	17	2	6	8	–	2	1	–	1	–	–	14	4	4	6	–	–
Overton	1	16	–	2	14	12	–	3	3	–	1	–	2	8	7	5	3	–	–
Perry	–	1	–	–	3	2	–	–	–	–	–	–	–	3	8	–	1	1	–
Pickett	–	5	–	1	–	3	–	–	2	–	1	–	1	6	5	–	–	–	–
Polk	1	10	–	1	5	10	–	1	3	–	2	2	11	20	2	4	4	2	–
Putnam	1	36	8	7	21	10	3	6	3	–	3	3	5	28	13	13	8	2	–
Cookeville	1	16	4	4	8	5	1	3	–	–	1	3	2	10	4	3	3	–	–
Balance of county	–	20	4	3	13	5	2	3	3	–	2	–	3	18	9	10	5	2	–
Rhea	–	22	1	3	10	13	–	2	3	–	3	3	4	11	4	6	2	3	–
Roane	–	25	4	8	22	23	–	3	6	–	4	4	3	49	16	13	7	6	–
Oak Ridge, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	25	4	8	22	23	–	3	6	–	4	4	3	49	16	13	7	6	–
Robertson	–	32	6	8	9	8	1	6	5	–	1	3	1	38	13	7	6	7	–
Springfield	–	11	2	5	4	1	–	2	4	–	–	3	1	19	1	3	3	5	–
Balance of county	–	21	4	3	5	7	1	4	1	–	1	–	–	19	12	4	3	2	–
Rutherford	1	56	3	1	31	22	1	3	5	–	4	7	6	79	15	18	23	8	2
Murfreesboro	1	23	2	1	19	6	1	–	4	–	2	3	3	40	4	12	11	2	–
Balance of county	–	33	1	–	12	16	–	3	1	–	2	4	3	39	11	6	12	6	2
Scott	–	12	3	1	5	13	2	2	–	–	2	2	–	10	4	4	4	–	–
Sequatchie	–	2	–	2	2	1	–	1	1	–	–	–	–	6	3	1	1	4	1
Sevier	–	30	7	6	21	16	–	6	2	–	–	1	17	33	13	12	4	–	–
Shelby	27	540	23	73	243	256	20	79	58	3	45	109	68	762	155	139	96	195	7
Bartlett	–	7	–	1	4	5	1	–	–	–	1	–	1	8	5	4	3	–	–
Germantown	–	10	1	–	6	4	–	2	2	–	2	–	1	13	5	2	1	–	–
Memphis	25	493	21	68	219	225	18	73	55	3	42	105	64	690	124	120	87	192	7
Millington	–	4	–	1	2	4	–	–	–	–	–	2	2	10	6	2	–	2	–
Balance of county	2	26	1	3	12	18	1	4	1	–	–	2	–	41	15	11	5	1	–
Smith	–	15	4	–	6	9	–	1	1	–	–	1	1	14	5	5	2	1	–
Stewart	–	8	–	1	5	5	2	1	–	–	–	3	–	12	2	1	3	1	–
Sullivan	3	88	6	17	59	52	3	20	14	–	5	4	8	164	30	29	24	6	1
Bristol ?	–	22	2	7	16	7	1	6	2	–	3	2	2	29	3	4	4	2	–
Kingsport, part	2	28	3	4	19	22	2	4	3	–	–	1	2	65	11	8	7	1	–
Kingsport, total	2	28	4	4	21	23	2	4	5	–	–	1	2	67	11	8	7	1	–
Balance of county	1	38	1	6	24	23	–	10	9	–	2	1	4	70	16	17	13	3	1
Sumner	4	53	6	4	44	33	1	7	3	–	5	7	5	63	23	22	9	3	–
Gallatin	3	15	3	–	14	9	–	4	–	–	2	2	–	15	9	7	4	1	–
Hendersonville	–	12	1	1	9	8	–	1	–	–	–	1	2	17	7	4	1	2	–
Balance of county	1	26	2	3	21	16	1	2	3	–	3	4	3	31	7	11	4	–	–
Tipton	2	24	3	4	10	14	–	3	–	–	2	9	2	31	13	9	3	4	–
Trousdale	–	8	–	–	1	4	–	1	–	–	1	–	1	7	4	2	–	2	–
Unicoi	–	20	1	3	12	4	1	–	1	–	–	–	2	15	3	2	3	–	–
Union	–	9	2	1	8	4	–	3	2	–	–	1	1	7	7	3	–	–	–
Van Buren	–	8	–	–	–	1	–	–	2	–	–	–	–	2	1	1	1	–	–
Warren	2	21	1	5	14	15	–	5	3	–	–	1	9	36	9	3	1	–	–
McMinnville	2	8	–	3	10	5	–	2	1	–	–	–	5	15	2	1	–	–	–
Balance of county	–	13	1	2	4	10	–	3	2	–	–	1	4	21	7	2	1	–	–
Washington	8	69	3	6	35	35	4	19	8	–	3	2	26	99	20	23	9	3	2
Johnson City, part	4	38	1	5	21	15	4	12	4	–	2	–	17	56	7	15	3	3	1
Johnson City, total	4	38	1	5	22	15	4	12	4	–	2	–	17	59	7	16	3	3	1
Balance of county	4	31	2	1	14	20	–	7	4	–	1	2	9	43	13	8	6	–	1
Wayne	–	13	7	1	8	5	–	1	2	–	–	–	–	11	7	2	–	–	–
Weakley	2	35	4	3	15	21	–	3	–	–	1	–	4	22	4	3	3	2	–
White	–	24	–	3	9	8	1	3	2	–	3	1	2	26	6	5	5	1	–
Williamson	1	32	2	6	13	16	3	5	4	–	–	3	7	66	17	10	10	4	–
Franklin	–	16	–	3	7	5	1	4	3	–	–	–	1	31	3	4	3	1	–
Balance of county	1	16	2	3	6	11	2	1	1	–	–	3	6	35	14	6	7	3	–
Wilson	–	55	2	5	21	23	–	10	6	–	2	2	4	48	12	9	11	13	2
Lebanon	–	29	1	–	5	7	–	4	3	–	–	2	1	23	6	5	2	7	1
Balance of county	–	26	1	5	16	16	–	6	3	–	2	–	3	25	6	4	9	6	1
Texas	683	8,430	1,147	1,339	3,754	5,355	386	1,764	825	26	960	973	1,246	12,345	3,229	3,007	2,249	2,765	127
Urban places	432	5,391	712	825	2,386	3,394	240	1,253	497	19	674	738	763	8,121	1,839	1,883	1,443	2,273	92
Balance of area	251	3,039	435	514	1,368	1,961	146	511	328	7	286	235	483	4,224	1,390	1,124	806	492	35
Metropolitan counties	471	5,978	732	961	2,661	3,839	256	1,437	563	23	806	839	896	9,115	2,445	2,237	1,793	2,477	102
Urban places	383	4,815	600	756	2,115	3,041	207	1,179	432	18	647	703	688	7,391	1,701	1,713	1,344	2,199	87
Balance of area	88	1,163	132	205	546	798	49	258	131	5	159	136	208	1,724	744	524	449	278	15
Nonmetropolitan counties	212	2,452	415	378	1,093	1,516	130	327	262	3	154	134	350	3,230	784	770	456	288	25
Urban places	49	576	112	69	271	353	33	74	65	1	27	35	75	730	138	170	99	74	5
Balance of area	163	1,876	303	309	822	1,163	97	253	197	2	127	99	275	2,500	646	600	357	214	20
Anderson	1	33	14	4	15	14	4	–	4	–	4	1	1	51	15	10	6	6	–
Palestine	1	22	10	1	7	6	2	–	3	–	3	1	–	28	4	5	4	3	–
Balance of county	–	11	4	3	8	8	2	–	1	–	1	–	1	23	11	5	2	3	–
Andrews	–	11	1	–	8	7	–	1	1	–	–	–	1	13	6	2	2	–	–
Andrews	–	10	1	–	6	6	–	1	–	–	–	–	1	13	5	2	2	–	–
Balance of county	–	1	–	–	2	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Angelina	5	46	7	12	27	29	–	5	8	–	3	4	9	50	16	13	11	11	–
Lufkin	3	26	3	5	15	18	–	4	3	–	–	1	8	30	9	10	3	5	–
Balance of county	2	20	4	7	12	11	–	1	5	–	3	3	1	20	7	3	8	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 155 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	196	–	–	2	52	11	17	7	3	1	–	13	6	63	50	1	–	38	11
Archer	66	–	–	–	16	5	4	1	2	1	1	2	1	35	26	–	–	20	6
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	66	–	–	–	16	5	4	1	2	1	1	2	1	35	26	–	–	20	6
Armstrong	27	–	–	1	4	–	2	1	–	–	–	1	1	15	12	–	–	9	3
Atascosa	226	–	–	3	51	10	10	1	4	3	4	19	4	97	74	–	2	51	21
Austin	227	–	–	1	45	11	13	4	4	2	2	9	8	117	89	–	2	65	22
Bailey	73	–	–	2	12	1	4	–	2	1	1	3	1	34	24	–	1	16	7
Bandera	121	–	–	1	35	10	9	2	6	–	–	8	6	47	37	–	2	21	14
Bastrop	332	–	–	9	66	20	15	6	6	3	3	13	12	144	112	1	5	63	43
Baylor	78	–	–	–	25	6	10	–	3	1	–	5	4	30	20	–	–	12	8
Bee	212	–	–	2	51	15	12	3	9	–	3	9	13	81	62	–	–	48	14
Beeville	125	–	–	1	29	8	7	1	4	–	3	6	10	52	40	–	–	27	13
Balance of county	87	–	–	1	22	7	5	2	5	–	–	3	3	29	22	–	–	21	1
Bell	1,292	–	–	33	287	83	91	10	33	6	10	54	26	560	473	2	8	214	249
Belton	123	–	–	2	30	13	14	–	–	–	–	3	3	58	46	–	1	20	25
Killeen	265	–	–	8	79	19	26	3	8	2	1	20	9	77	68	–	2	44	22
Temple	560	–	–	14	94	22	30	3	14	3	4	18	4	297	260	1	2	109	148
Balance of county	344	–	–	9	84	29	21	4	11	1	5	13	10	128	99	1	3	41	54
Bexar	8,391	5	1	325	1,848	493	490	138	199	67	86	375	268	3,203	2,531	15	153	1,469	894
San Antonio	7,143	5	1	293	1,541	425	406	122	164	54	67	303	242	2,713	2,140	11	132	1,241	756
Universal City	69	–	–	2	23	8	6	–	2	3	1	3	3	24	19	–	–	14	5
Balance of county	1,179	–	–	30	284	60	78	16	33	10	18	69	23	466	372	4	21	214	133
Blanco	79	–	–	1	17	4	9	–	3	–	–	1	2	32	23	–	3	11	9
Borden	5	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–	2	1
Bosque	252	–	–	1	50	18	15	5	3	2	–	7	8	127	99	–	3	68	28
Bowie	807	2	–	12	201	36	72	13	24	5	11	40	21	329	259	1	9	173	76
Texarkana [2]	403	2	–	9	88	19	29	3	12	–	6	19	7	170	133	–	6	90	37
Balance of county	404	–	–	3	113	17	43	10	12	5	5	21	14	159	126	1	3	83	39
Brazoria	1,223	–	–	35	306	74	98	28	30	11	15	50	37	446	360	1	17	241	101
Alvin	177	–	–	9	36	11	7	7	4	2	3	2	5	67	50	–	1	44	5
Angleton	129	–	–	5	32	9	11	2	4	–	1	5	4	49	42	–	4	27	11
Freeport	108	–	–	1	23	6	6	2	1	–	1	7	6	43	36	–	2	20	14
Lake Jackson	118	–	–	3	35	8	11	4	3	1	2	6	1	41	34	–	2	20	12
Pearland, part	153	–	–	3	41	8	15	5	7	1	1	4	3	51	40	–	1	31	8
Pearland, total	164	–	–	3	43	10	15	5	7	1	1	4	3	55	43	–	1	34	8
Balance of county	538	–	–	14	139	32	48	8	11	7	7	26	18	195	158	1	7	99	51
Brazos	568	–	–	20	123	33	37	8	8	4	8	25	19	216	147	1	4	96	46
Bryan	394	–	–	15	93	30	29	4	5	4	6	15	17	147	97	–	2	65	30
College Station	103	–	–	5	16	2	6	3	1	–	–	4	2	39	29	1	1	20	7
Balance of county	71	–	–	–	14	1	2	1	2	–	2	6	–	30	21	–	1	11	9
Brewster	74	–	–	–	21	5	8	1	2	2	–	3	1	19	10	–	–	8	2
Briscoe	30	–	–	–	7	2	2	1	1	–	–	1	–	17	14	–	–	12	2
Brooks	72	–	–	–	13	4	5	2	–	1	–	1	4	27	24	–	–	15	9
Brown	445	–	–	6	102	30	36	4	11	2	1	18	9	208	146	2	2	87	55
Brownwood	259	–	–	4	56	19	19	1	7	–	–	10	6	115	78	1	2	45	30
Balance of county	186	–	–	2	46	11	17	3	4	2	1	8	3	93	68	1	–	42	25
Burleson	176	1	–	2	35	10	2	3	8	3	–	9	4	78	58	–	4	31	23
Burnet	297	–	–	9	74	15	26	3	7	5	–	18	4	127	92	–	1	60	31
Caldwell	220	1	–	7	56	18	13	7	5	2	3	8	11	82	66	–	3	49	14
Calhoun	150	–	–	–	30	8	11	–	4	1	–	6	3	56	44	–	5	24	15
Port Lavaca	94	–	–	–	19	4	9	–	3	–	–	3	1	42	33	–	4	16	13
Balance of county	56	–	–	–	11	4	2	–	1	1	–	3	2	14	11	–	1	8	2
Callahan	141	1	–	–	18	7	7	–	2	–	1	1	9	73	57	–	2	35	20
Cameron	1,679	7	–	41	363	93	92	29	50	15	16	68	63	548	414	3	9	272	130
Brownsville	593	2	–	15	111	26	22	8	15	6	5	29	17	170	121	1	1	86	33
Harlingen	463	2	–	17	116	31	30	11	18	5	4	17	17	174	136	1	4	84	47
San Benito	155	–	–	3	33	11	7	1	5	2	1	6	11	66	50	–	1	29	20
Balance of county	468	3	–	6	103	25	33	9	12	2	6	16	18	138	107	1	3	73	30
Camp	127	–	–	3	28	13	7	–	5	–	1	2	6	50	34	–	2	23	9
Carson	66	–	–	1	18	2	5	1	3	1	5	1	2	27	25	–	2	18	5
Cass	329	–	–	5	78	19	28	4	12	3	2	10	9	146	109	–	1	73	35
Castro	57	–	–	–	22	5	5	2	3	–	1	6	2	18	15	–	–	13	2
Chambers	172	–	–	4	42	11	17	–	2	–	1	11	6	66	55	–	3	41	11
Baytown, part	15	–	–	–	2	–	–	–	–	–	–	2	–	9	6	–	–	4	2
Balance of county	157	–	–	4	40	11	17	–	2	–	1	9	6	57	49	–	3	37	9
Cherokee	484	–	–	6	125	26	40	7	12	9	7	24	13	220	156	–	4	84	68
Jacksonville	167	–	–	1	41	10	13	1	5	–	2	10	5	76	57	–	2	33	22
Balance of county	317	–	–	5	84	16	27	6	7	9	5	14	8	144	99	–	2	51	46
Childress	94	–	–	2	9	1	3	–	2	–	–	3	3	53	39	–	–	34	5
Clay	123	–	–	1	24	3	8	–	2	2	1	8	1	73	62	–	3	22	37
Cochran	46	–	–	2	14	4	2	–	1	–	2	5	1	19	15	–	–	11	4
Coke	58	–	–	1	15	1	2	3	4	1	1	3	–	20	12	–	–	8	4
Coleman	161	–	–	2	32	13	8	2	2	2	–	5	5	90	70	–	1	31	38
Collin	1,064	–	–	22	267	60	77	26	30	8	3	63	33	413	308	5	27	184	92
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	16	–	–	–	6	2	1	–	2	1	–	–	1	4	4	–	–	2	2
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	179	–	–	2	26	7	10	1	2	3	–	3	6	84	62	1	3	43	15
Plano, part	410	–	–	12	115	22	34	14	13	–	3	29	16	143	109	2	11	53	43
Plano, total	412	–	–	12	115	22	34	14	13	–	3	29	16	143	109	2	11	53	43
Richardson, part	21	–	–	–	9	1	2	–	2	–	–	4	1	6	6	–	1	4	1
Balance of county	438	–	–	8	111	28	30	11	11	4	–	27	9	176	127	2	12	82	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 156 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	–	7	2	4	6	16	–	6	2	1	–	3	4	17	3	7	6	2	–
Archer	1	6	1	1	1	2	–	–	–	–	–	–	–	5	4	1	1	–	–
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	6	1	1	1	2	–	–	–	–	–	–	–	5	4	1	1	–	–
Armstrong	–	3	–	–	1	1	–	–	–	–	–	–	–	1	1	1	–	1	–
Atascosa	–	19	3	1	4	16	–	2	1	–	1	–	1	28	3	8	4	3	–
Austin	3	19	2	4	9	6	2	3	4	–	1	3	1	19	–	5	2	1	–
Bailey	–	9	1	–	4	3	1	–	–	–	–	–	–	11	2	2	–	1	–
Bandera	1	5	3	1	5	9	–	2	–	–	–	3	–	5	6	2	–	–	–
Bastrop	–	24	7	1	13	16	3	3	3	–	2	1	3	33	9	7	3	5	–
Baylor	1	6	–	3	4	2	2	–	–	–	1	2	1	5	1	1	–	–	–
Bee	–	11	4	4	2	12	1	3	4	–	–	2	2	19	7	5	5	2	1
Beeville	–	7	1	4	1	8	–	2	3	–	–	–	–	11	1	3	3	1	–
Balance of county	–	4	3	–	1	4	1	1	1	–	–	2	2	8	6	2	2	1	1
Bell	2	69	3	13	33	55	5	14	11	–	9	7	11	118	32	33	28	28	2
Belton	–	11	–	1	6	7	–	1	–	–	–	–	1	10	–	2	3	–	–
Killeen	–	9	–	–	5	11	1	6	–	–	2	2	5	24	9	8	6	12	1
Temple	–	28	3	6	15	28	2	2	4	–	2	3	–	59	7	11	9	9	–
Balance of county	2	21	–	6	7	9	2	5	7	–	5	2	5	25	16	12	10	7	1
Bexar	35	502	53	82	280	298	23	160	50	–	62	69	64	957	159	186	174	255	4
San Antonio	30	429	45	69	232	254	18	139	46	–	56	57	57	816	128	172	143	226	4
Universal City	1	2	1	1	3	3	–	–	–	–	1	–	1	6	1	–	–	2	–
Balance of county	4	71	7	12	45	41	5	21	4	–	5	12	6	135	30	14	31	27	–
Blanco	2	6	–	1	6	3	–	–	1	–	–	–	–	7	4	2	2	2	–
Borden	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bosque	2	23	1	2	2	11	1	2	4	–	2	–	1	26	8	6	1	2	–
Bowie	2	58	5	5	35	30	1	10	7	–	4	5	37	71	12	16	8	6	–
Texarkana [8]	2	29	3	3	18	7	1	7	2	–	3	3	24	42	5	9	3	3	–
Balance of county	–	29	2	2	17	23	–	3	5	–	1	2	13	29	7	7	5	3	–
Brazoria	7	67	1	11	24	54	5	17	7	–	5	8	13	145	50	39	22	9	1
Alvin	1	16	–	–	4	8	1	4	–	–	–	2	1	23	5	9	2	1	–
Angleton	1	4	–	2	3	5	–	–	–	–	2	–	4	14	4	3	2	1	1
Freeport	–	4	–	3	1	2	–	2	–	–	–	–	1	17	7	3	–	2	–
Lake Jackson	–	7	–	–	2	8	–	1	1	–	–	–	–	17	4	2	3	–	–
Pearland, part	1	10	–	–	3	12	–	3	1	–	–	1	2	20	9	2	1	1	–
Pearland, total	1	11	–	–	3	12	–	3	1	–	–	1	2	23	11	2	1	1	–
Balance of county	4	26	1	6	11	19	4	7	5	–	3	5	5	54	21	20	14	4	–
Brazos	7	47	8	7	13	24	2	9	7	–	6	2	5	77	12	14	13	6	–
Bryan	6	32	6	6	10	16	2	6	3	–	3	1	1	51	7	9	7	6	–
College Station	1	7	2	–	2	6	–	1	2	–	1	1	2	16	2	3	5	–	–
Balance of county	–	8	–	1	1	2	–	2	2	–	2	–	2	10	3	2	1	–	–
Brewster	1	5	–	3	4	2	–	2	–	–	–	–	–	12	4	2	4	3	–
Briscoe	1	2	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Brooks	–	2	1	–	4	4	–	–	2	–	–	1	1	6	3	4	2	1	–
Brown	2	45	12	3	13	19	4	5	3	–	–	2	8	42	9	12	3	–	–
Brownwood	1	27	7	2	10	13	2	2	1	–	–	2	5	28	3	10	2	–	–
Balance of county	1	18	5	1	3	6	2	3	2	–	–	–	3	14	6	2	1	–	–
Burleson	1	12	3	4	9	7	–	1	2	–	1	2	2	15	7	4	5	–	1
Burnet	2	28	2	3	11	14	–	6	2	–	2	1	3	25	7	7	5	–	–
Caldwell	4	9	2	1	8	10	–	2	4	–	–	1	2	24	6	3	2	1	–
Calhoun	–	10	–	2	9	10	–	9	1	–	–	–	1	17	4	4	4	2	–
Port Lavaca	–	7	–	2	7	6	–	3	–	–	–	–	1	11	2	1	–	1	–
Balance of county	–	3	–	–	2	4	–	6	1	–	–	–	–	6	2	3	4	1	–
Callahan	4	7	2	3	4	11	–	–	2	–	–	–	2	16	3	1	1	–	–
Cameron	8	104	11	11	46	65	3	36	10	–	24	11	126	174	53	57	20	32	–
Brownsville	2	41	3	3	12	14	1	14	4	–	11	3	96	58	16	23	6	20	–
Harlingen	2	30	2	4	20	21	1	9	2	–	5	2	2	54	7	6	3	5	–
San Benito	2	8	4	2	4	7	–	4	1	–	–	–	1	15	4	4	1	1	–
Balance of county	2	25	2	2	10	23	1	9	3	–	8	6	27	47	26	24	10	6	–
Camp	2	9	3	2	7	2	1	2	–	–	–	–	–	20	3	2	1	2	–
Carson	1	–	1	–	1	6	1	–	–	–	1	2	–	6	–	–	1	–	–
Cass	2	21	7	7	11	13	4	1	1	–	–	1	12	30	4	6	4	4	–
Castro	–	2	–	1	3	–	–	–	–	–	–	–	2	7	1	2	–	–	–
Chambers	1	7	1	2	2	7	–	2	1	–	–	1	2	18	9	6	2	4	–
Baytown, part	1	1	1	–	–	1	–	–	1	–	–	–	–	2	–	–	–	–	–
Balance of county	–	6	–	2	2	6	–	2	–	–	–	1	2	16	9	6	2	4	–
Cherokee	3	47	11	3	11	14	–	3	8	–	1	1	1	46	15	8	9	3	–
Jacksonville	1	13	4	1	5	7	–	–	5	–	–	1	–	16	3	3	1	3	–
Balance of county	2	34	7	2	6	7	–	3	3	–	1	–	1	30	12	5	8	–	–
Childress	–	12	1	1	3	6	1	1	1	–	1	1	–	8	1	2	1	1	–
Clay	1	4	3	3	3	6	1	1	–	–	1	–	3	6	–	1	2	–	–
Cochran	–	3	1	–	–	1	–	–	–	–	–	–	–	5	2	2	–	–	–
Coke	1	7	–	–	7	2	–	–	1	–	1	–	5	2	3	1	–	–	–
Coleman	2	15	2	1	6	6	–	2	–	–	–	–	1	11	2	1	2	1	–
Collin	4	69	19	13	41	47	1	5	6	–	12	6	10	98	29	38	25	9	2
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	1	14	5	2	5	9	–	1	2	–	1	2	2	22	6	3	5	3	–
Plano, part	2	21	8	3	15	17	–	2	1	–	9	3	3	39	5	19	7	3	1
Plano, total	2	21	8	3	16	17	–	3	1	–	9	3	3	39	5	19	7	3	1
Richardson, part	–	–	–	–	1	–	–	1	–	–	–	–	–	2	–	–	–	1	–
Balance of county	1	34	6	8	20	21	1	1	3	–	2	1	4	33	17	15	13	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 157 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	64	–	–	2	15	5	5	–	–	1	1	3	–	27	24	–	2	17	5
Colorado	275	1	–	10	68	18	23	1	10	5	–	11	12	118	90	–	2	62	26
Comal	441	–	–	8	94	27	32	4	9	7	1	14	7	203	148	1	3	115	29
New Braunfels, part	267	–	–	3	54	13	18	3	6	4	–	10	5	124	89	1	2	69	17
New Braunfels, total	270	–	–	3	54	13	18	3	6	4	–	10	5	127	92	1	3	69	19
Balance of county	174	–	–	5	40	14	14	1	3	3	1	4	2	79	59	–	1	46	12
Comanche	217	–	–	2	40	11	8	3	2	–	2	14	4	110	86	–	1	53	32
Concho	45	–	–	–	11	5	4	1	–	1	–	–	–	23	19	–	–	17	2
Cooke	351	–	–	7	77	10	25	5	11	4	1	21	7	157	124	–	4	97	23
Gainesville	217	–	–	5	46	6	14	3	8	2	1	12	6	101	78	–	3	60	15
Balance of county	134	–	–	2	31	4	11	2	3	2	–	9	1	56	46	–	1	37	8
Coryell	282	–	–	3	62	15	17	6	9	2	2	11	5	119	94	1	2	80	11
Copperas Cove	92	–	–	1	26	10	4	4	3	–	1	4	4	29	23	–	–	18	5
Balance of county	190	–	–	2	36	5	13	2	6	2	1	7	1	90	71	1	2	62	6
Cottle	38	–	–	3	10	3	7	–	–	–	–	–	–	16	13	–	1	10	2
Crane	43	–	–	–	9	–	5	–	1	1	1	1	1	16	11	–	–	10	1
Crockett	29	–	–	1	5	2	1	1	–	–	–	1	5	6	6	–	–	4	2
Crosby	85	–	–	2	18	5	5	–	2	–	1	5	1	43	30	–	1	18	11
Culberson	30	–	–	1	7	1	4	–	1	–	–	1	–	7	6	–	–	1	5
Dallam	78	–	–	1	18	3	9	2	1	2	–	1	–	41	37	–	–	19	18
Dallas	12,774	17	1	653	2,858	663	861	257	302	98	132	545	303	4,889	3,787	28	337	2,097	1,325
Balch Springs	105	1	–	1	25	4	11	1	1	2	2	4	2	44	39	–	3	28	8
Carrollton, part	191	–	–	4	52	9	18	2	6	3	2	12	4	73	56	–	6	34	16
Carrollton, total	268	–	–	6	70	12	25	5	7	3	3	15	7	102	78	–	6	49	23
Dallas, part	8,260	14	1	516	1,749	409	523	149	196	52	89	331	195	3,098	2,351	15	234	1,238	864
Dallas, total	8,279	14	1	516	1,756	411	525	149	198	53	89	331	196	3,102	2,355	15	234	1,240	866
De Soto	179	–	–	4	40	8	6	5	6	3	2	10	7	77	62	–	4	43	15
Duncanville	197	–	–	8	48	8	15	6	5	3	1	10	2	91	74	2	3	41	28
Farmers Branch	122	–	–	1	31	9	10	2	1	2	1	6	1	57	47	–	4	21	22
Garland, part	846	1	–	27	229	61	64	23	24	10	8	39	22	326	254	4	17	138	95
Garland, total	846	1	–	27	229	61	64	23	24	10	8	39	22	326	254	4	17	138	95
Grand Prairie, part	468	1	–	12	115	29	38	8	10	5	3	22	12	175	143	–	8	103	32
Grand Prairie, total	524	1	–	13	126	33	43	8	10	5	3	24	13	194	157	–	10	111	36
Grapevine, part	5	–	–	1	1	1	–	–	–	–	–	–	–	3	3	–	–	3	–
Irving	725	–	–	28	170	34	56	14	13	7	7	39	15	266	225	3	19	143	60
Lancaster	191	–	–	2	38	6	9	3	10	1	–	9	6	85	66	–	5	44	17
Mesquite	549	–	–	17	141	35	47	10	12	4	2	31	14	201	170	3	8	95	64
Richardson, part	377	–	–	13	94	23	25	14	3	3	12	14	7	172	121	1	14	69	37
Richardson, total	398	–	–	13	103	24	27	14	5	3	12	18	8	178	127	1	15	73	38
University Park	84	–	–	2	21	3	6	5	3	1	1	2	2	34	26	–	3	12	11
Balance of county	475	–	–	17	104	24	33	15	12	2	2	16	14	187	150	–	9	85	56
Dawson	140	–	–	2	33	7	9	–	–	3	1	13	3	56	44	1	–	27	16
Lamesa	124	–	–	2	27	7	7	–	–	3	–	10	3	49	37	1	–	23	13
Balance of county	16	–	–	–	6	–	2	–	–	–	1	3	–	7	7	–	–	4	3
Deaf Smith	130	–	–	1	29	7	11	3	–	1	2	5	5	58	50	–	1	40	9
Hereford	114	–	–	1	27	7	11	2	–	1	2	4	5	51	44	–	1	35	8
Balance of county	16	–	–	–	2	–	–	1	–	–	–	1	–	7	6	–	–	5	1
Delta	75	–	–	1	13	4	5	1	1	–	1	1	2	40	30	–	–	15	15
Denton	1,114	1	–	37	260	66	68	33	35	9	10	39	33	416	305	–	8	206	91
Carrollton, part	77	–	–	2	18	3	7	3	1	–	1	3	3	29	22	–	–	15	7
Dallas, part	3	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Denton	421	1	–	8	83	24	15	12	10	1	5	16	13	176	117	–	3	75	39
Lewisville	198	–	–	15	42	11	10	7	6	1	1	6	7	69	56	–	2	42	12
Plano, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	44	–	–	1	14	2	5	4	1	–	–	2	–	12	9	–	–	8	1
Balance of county	369	–	–	11	102	26	30	7	17	7	3	12	10	130	101	–	3	66	32
De Witt	234	–	–	5	50	20	16	1	4	2	1	6	9	108	83	–	–	62	21
Dickens	43	–	–	1	2	–	–	1	1	–	–	–	–	20	16	–	–	11	5
Dimmit	81	–	–	2	15	7	2	–	1	–	1	4	2	30	29	–	1	20	8
Donley	60	–	–	1	7	2	2	2	–	–	1	–	1	38	35	–	–	32	3
Duval	125	–	–	1	23	6	5	1	4	1	1	5	4	55	44	–	1	35	8
Eastland	305	–	–	2	77	23	17	8	9	4	2	14	8	147	105	2	3	73	27
Ector	878	–	–	10	241	45	75	20	25	7	10	59	20	291	234	3	10	168	53
Odessa	711	–	–	8	198	36	60	18	20	7	9	48	18	238	189	3	8	139	39
Balance of county	167	–	–	2	43	9	15	2	5	–	1	11	2	53	45	–	2	29	14
Edwards	18	–	–	–	3	1	–	–	–	–	1	1	–	10	9	–	–	7	2
Ellis	647	–	–	20	144	24	47	11	17	3	7	35	16	299	250	–	6	149	95
Ennis	173	–	–	6	25	3	9	1	3	–	2	7	4	99	88	–	3	40	45
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	185	–	–	4	41	7	16	–	9	1	–	8	3	86	68	–	1	47	20
Balance of county	289	–	–	10	78	14	22	10	5	2	5	20	9	114	94	–	2	62	30
El Paso	3,360	8	–	78	751	194	187	74	103	28	34	131	124	1,209	968	12	54	717	185
El Paso	3,180	8	–	72	724	188	181	73	101	25	33	123	117	1,141	908	12	47	672	177
Balance of county	180	–	–	6	27	6	6	1	2	3	1	8	7	68	60	–	7	45	8
Erath	321	–	–	5	63	14	18	6	7	1	2	15	11	137	105	–	8	75	22
Stephenville	159	–	–	3	29	10	10	–	3	1	1	4	7	73	57	–	2	46	9
Balance of county	162	–	–	2	34	4	8	6	4	–	1	11	4	64	48	–	6	29	13
Falls	246	1	–	3	57	17	15	–	7	3	1	14	14	107	92	–	5	74	13
Fannin	380	–	–	7	82	28	24	2	10	5	–	13	6	173	128	2	4	90	32
Fayette	261	–	–	1	59	14	12	9	8	3	3	10	4	122	94	–	1	66	27
Fisher	72	–	–	2	16	7	4	1	2	–	–	2	2	41	31	–	–	27	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 158 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	1	2	-	-	2	2	-	-	-	-	-	-	-	10	2	2	2	-	-
Colorado	2	17	3	6	10	8	-	2	3	-	-	-	1	23	6	3	7	2	1
Comal	1	36	12	6	18	35	-	5	4	-	2	1	4	35	8	6	9	2	-
New Braunfels, part	1	24	8	2	12	22	-	3	3	-	2	1	2	24	3	4	3	2	-
New Braunfels, total	1	24	8	2	12	22	-	3	3	-	2	1	2	24	3	4	3	2	-
Balance of county	-	12	4	4	6	13	-	2	1	-	-	-	2	11	5	2	6	-	-
Comanche	1	20	2	1	1	11	-	1	1	-	1	-	6	28	2	4	4	2	-
Concho	-	4	-	-	3	2	-	1	-	-	-	1	-	3	-	-	-	1	-
Cooke	-	24	5	4	9	18	2	4	2	-	-	1	4	31	9	10	9	4	-
Gainesville	-	16	4	3	5	14	2	1	-	-	-	-	4	18	3	6	4	2	-
Balance of county	-	8	1	1	4	4	-	3	2	-	-	1	-	13	6	4	5	2	-
Coryell	1	20	2	2	10	17	2	1	1	-	4	1	2	30	7	8	5	5	-
Copperas Cove	-	5	1	-	2	6	-	-	1	-	1	1	2	8	3	2	2	4	-
Balance of county	1	15	1	2	8	11	2	1	-	-	3	-	-	22	4	6	3	1	-
Cottle	-	3	-	-	3	1	-	-	-	-	-	-	-	2	-	1	1	1	-
Crane	1	3	1	-	-	5	-	-	-	-	-	-	-	7	3	1	1	-	-
Crockett	-	-	-	-	3	3	-	-	-	-	-	-	-	2	1	1	1	1	-
Crosby	-	12	-	1	2	4	-	1	4	-	-	-	-	7	1	1	1	-	-
Culberson	-	1	-	-	-	3	-	2	1	-	-	-	-	4	-	5	-	-	-
Dallam	-	3	1	-	2	4	-	1	-	-	-	2	-	5	-	1	3	-	-
Dallas	53	802	102	145	346	521	30	176	62	5	106	127	85	1,149	302	258	300	556	30
Balch Springs	-	5	-	-	2	7	-	1	1	-	1	-	1	10	3	1	4	1	-
Carrollton, part	-	12	-	5	2	12	-	-	-	-	4	3	1	17	2	7	5	5	-
Carrollton, total	1	18	-	5	4	18	-	-	-	-	8	4	1	19	4	11	8	6	-
Dallas, part	39	549	63	96	238	311	21	124	41	3	71	79	54	756	177	168	169	455	20
Dallas, total	39	549	63	96	238	311	21	124	41	3	71	79	55	758	178	169	171	455	20
De Soto	1	12	1	1	4	7	1	1	1	-	-	1	-	14	6	3	7	5	1
Duncanville	1	13	-	3	6	10	-	2	1	-	1	-	2	15	2	-	6	2	1
Farmers Branch	-	6	2	2	2	8	-	1	1	-	1	-	-	7	1	1	7	3	-
Garland, part	7	55	3	7	17	31	1	11	4	-	2	6	8	72	20	17	24	25	3
Garland, total	7	55	3	7	17	31	1	11	4	-	2	6	8	72	20	17	24	25	3
Grand Prairie, part	1	22	4	5	5	20	-	9	3	-	4	8	4	50	14	14	11	9	2
Grand Prairie, total	2	23	6	6	6	23	1	11	3	-	5	9	6	53	17	15	14	12	2
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	1	25	10	5	24	36	3	6	1	1	6	8	10	64	28	19	20	19	1
Lancaster	-	13	2	4	5	13	2	-	1	-	1	5	-	17	8	1	-	7	-
Mesquite	2	23	2	4	23	21	1	8	5	1	8	4	1	50	15	8	17	13	1
Richardson, part	-	33	12	6	12	23	1	5	-	-	2	2	2	21	6	6	9	1	1
Richardson, total	-	33	12	6	13	23	1	6	-	-	2	2	2	23	6	6	9	2	1
University Park	-	6	1	1	-	3	-	1	-	-	1	-	-	12	-	3	4	1	-
Balance of county	1	28	2	6	6	19	-	7	3	-	4	11	2	44	20	10	17	10	-
Dawson	1	6	1	4	5	12	1	4	1	-	-	-	2	15	-	2	-	3	1
Lamesa	1	6	1	4	5	11	1	4	1	-	-	-	2	14	-	2	-	2	1
Balance of county	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
Deaf Smith	-	5	1	2	7	6	-	1	2	-	-	2	-	3	6	6	4	-	-
Hereford	-	5	-	2	7	6	-	1	1	-	-	2	-	2	3	4	4	-	-
Balance of county	-	-	1	-	-	-	-	-	1	-	-	-	-	1	3	2	-	-	-
Delta	3	6	1	-	2	3	-	-	-	-	-	-	1	7	2	3	-	1	-
Denton	4	83	9	15	45	47	3	12	2	1	17	7	6	100	43	39	29	15	1
Carrollton, part	1	6	-	-	2	6	-	-	-	-	4	1	-	2	2	4	3	1	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Denton	-	41	7	11	23	19	1	3	1	-	5	2	3	50	9	9	9	6	-
Lewisville	-	9	2	2	4	7	1	5	-	1	2	2	-	21	10	7	-	5	-
Plano, part	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
The Colony	1	2	-	-	-	5	-	-	-	-	-	1	1	3	5	-	2	-	-
Balance of county	2	25	-	2	15	10	1	3	1	-	6	1	2	24	17	19	13	3	1
De Witt	1	18	4	2	13	7	-	1	1	-	-	-	2	18	9	5	4	1	1
Dickens	1	3	-	-	3	2	-	-	2	-	-	-	1	8	2	1	1	-	-
Dimmit	-	1	-	-	9	4	-	2	-	-	-	-	2	9	1	2	2	1	-
Donley	-	1	1	1	3	3	1	-	1	-	-	-	1	3	1	-	-	-	-
Duval	-	10	-	1	2	5	-	3	3	-	1	-	4	9	4	6	3	2	-
Eastland	2	26	11	3	6	13	4	1	3	-	-	-	2	27	8	3	3	1	-
Ector	3	40	5	9	28	48	5	11	4	-	6	4	47	84	17	25	20	17	-
Odessa	1	34	5	9	22	38	4	7	2	-	6	4	34	70	13	18	15	16	-
Balance of county	2	6	-	-	6	10	1	4	2	-	-	-	13	14	4	7	5	1	-
Edwards	-	-	-	1	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-
Ellis	3	33	4	9	25	30	3	8	1	-	3	3	3	47	11	11	11	12	-
Ennis	1	9	-	1	6	8	-	2	1	-	1	1	-	12	3	3	2	-	-
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waxahachie	1	8	3	6	10	11	2	3	-	-	-	1	1	14	2	1	2	4	-
Balance of county	1	16	1	2	9	11	1	3	-	-	2	1	2	21	6	7	7	8	-
El Paso	14	180	23	24	83	175	9	79	34	1	32	41	24	393	110	93	60	51	5
El Paso	14	172	23	24	77	171	9	73	33	1	28	38	22	378	95	84	57	47	5
Balance of county	-	8	-	-	6	4	-	6	1	-	4	3	2	15	15	9	3	4	-
Erath	-	23	5	4	15	20	3	3	4	-	4	-	2	39	7	4	3	1	-
Stephenville	-	14	-	2	9	6	2	1	1	-	1	-	-	23	3	1	-	-	-
Balance of county	-	9	5	2	6	14	1	2	3	-	3	-	2	16	4	3	3	1	-
Falls	-	13	-	2	7	12	-	2	2	-	2	2	3	24	5	2	-	3	-
Fannin	2	34	1	8	12	17	4	1	4	-	2	1	1	43	9	8	6	4	-
Fayette	1	21	2	4	8	12	-	1	2	-	2	-	8	26	3	5	7	1	-
Fisher	-	6	2	2	-	3	-	-	-	-	-	-	1	5	-	1	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 159 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	80	-	-	1	18	2	4	-	2	-	1	9	3	36	20	1	-	14	5
Foard	31	-	-	-	6	-	5	-	1	-	-	-	1	14	13	-	-	10	3
Fort Bend	933	1	-	40	223	64	58	22	20	4	9	46	33	320	238	3	7	160	68
Houston, part	11	-	-	-	4	2	1	-	-	-	-	1	1	4	3	-	-	3	-
Missouri City, part	157	-	-	11	36	9	10	3	2	1	-	11	1	52	36	-	-	25	11
Missouri City, total	178	-	-	15	39	9	10	4	2	1	-	13	3	53	36	-	-	25	11
Rosenberg	138	-	-	4	27	7	3	5	2	2	1	7	5	50	38	-	2	26	10
Balance of county	627	1	-	25	156	46	44	14	16	1	8	27	26	214	161	3	5	106	47
Franklin	86	-	-	2	14	5	7	-	-	1	-	1	3	39	30	1	-	22	7
Freestone	202	-	-	5	41	9	13	6	3	1	3	6	9	82	64	-	2	43	19
Frio	109	-	-	-	18	6	4	1	4	-	-	3	3	54	46	-	2	35	9
Gaines	73	-	-	1	17	4	6	3	2	1	-	1	2	29	25	-	1	19	5
Galveston	1,877	1	-	62	479	126	162	39	36	19	18	79	64	721	608	3	9	460	136
Friendswood, part	84	-	-	5	22	2	6	1	2	2	-	9	3	29	22	-	-	17	5
Friendswood, total	123	-	-	5	31	4	10	1	2	3	-	11	4	47	39	-	-	30	9
Galveston	675	1	-	32	162	43	53	13	9	10	10	24	23	247	207	1	3	170	33
La Marque	143	-	-	5	43	15	14	3	5	-	-	6	5	55	43	-	-	32	11
League City	118	-	-	1	24	3	7	3	3	2	-	6	5	49	44	-	1	31	12
Texas City	354	-	-	9	99	22	42	9	8	1	2	15	11	143	122	1	1	83	37
Balance of county	503	-	-	10	129	41	40	10	9	4	6	19	17	198	170	1	4	127	38
Garza	49	-	-	2	15	3	5	1	2	-	-	4	2	19	13	-	-	12	1
Gillespie	246	1	-	3	56	18	12	5	11	2	1	7	5	103	83	1	3	53	26
Glasscock	6	-	-	-	2	1	-	-	1	-	-	-	-	1	1	1	-	-	-
Goliad	62	-	-	-	19	5	6	-	4	-	2	2	3	24	15	-	1	9	5
Gonzales	208	-	-	2	40	9	11	3	3	3	1	10	4	92	62	-	2	33	27
Gray	257	-	-	3	49	12	17	6	6	1	1	6	6	132	104	-	-	87	17
Pampa	227	-	-	3	42	11	16	6	4	1	1	3	6	117	93	-	-	77	16
Balance of county	30	-	-	-	7	1	1	-	2	-	-	3	-	15	11	-	-	10	1
Grayson	1,039	-	-	15	225	47	80	16	26	7	8	41	30	522	413	3	7	325	78
Denison	276	-	-	5	62	20	14	5	7	-	3	13	11	125	103	1	-	76	26
Sherman	340	-	-	3	58	9	23	5	9	3	3	6	10	185	145	-	3	118	24
Balance of county	423	-	-	7	105	18	43	6	10	4	2	22	9	212	165	2	4	131	28
Gregg	1,036	1	-	29	272	71	73	22	32	13	8	53	29	398	299	3	8	231	57
Kilgore, part	137	-	-	4	30	10	3	-	9	-	2	6	3	65	52	2	1	38	11
Kilgore, total	155	-	-	5	33	12	3	1	9	-	2	6	4	75	62	2	1	46	13
Longview, part	649	-	-	17	169	44	49	14	13	11	4	34	18	236	172	1	5	133	33
Longview, total	655	-	-	17	170	44	49	14	13	11	4	35	19	238	173	1	5	134	33
Balance of county	250	1	-	8	73	17	21	8	10	2	2	13	8	97	75	-	2	60	13
Grimes	175	1	-	5	43	5	19	1	6	4	2	6	10	72	48	-	2	30	16
Guadalupe	519	-	-	12	151	37	47	18	13	5	5	26	14	208	166	1	6	126	33
New Braunfels, part	3	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	1	-	2
Seguin	195	-	-	6	52	15	10	7	5	2	1	12	6	82	62	-	5	49	8
Balance of county	321	-	-	6	99	22	37	11	8	3	4	14	8	123	101	1	-	77	23
Hale	273	1	-	6	54	14	14	3	8	5	1	9	12	129	88	-	2	62	24
Plainview	183	1	-	4	31	5	7	2	4	5	1	7	9	84	58	-	2	39	17
Balance of county	90	-	-	2	23	9	7	1	4	-	-	2	3	45	30	-	-	23	7
Hall	87	-	-	1	17	4	5	-	3	2	-	3	4	43	36	-	-	29	7
Hamilton	119	-	-	1	20	8	3	-	1	1	2	5	5	63	47	-	-	37	10
Hansford	43	-	-	1	10	1	5	-	1	-	1	2	-	24	14	-	1	10	3
Hardeman	80	-	-	-	14	4	3	1	4	1	-	1	1	39	26	-	-	18	8
Hardin	372	-	-	10	92	21	33	5	8	3	4	18	9	147	113	-	1	92	20
Harris	17,941	23	1	1,060	3,979	929	1,222	354	403	153	134	784	493	6,590	5,121	28	179	3,331	1,583
Baytown, part	492	1	-	9	120	31	35	14	13	3	2	22	17	194	155	3	2	109	41
Baytown, total	507	1	-	9	122	31	35	14	13	3	2	24	17	203	161	3	2	113	43
Bellaire	114	-	-	6	34	7	7	4	6	2	3	5	1	39	27	-	1	16	10
Deer Park	103	-	-	7	29	5	9	3	5	2	1	4	4	32	30	-	-	22	8
Friendswood, part	39	-	-	-	9	2	4	-	-	1	-	2	1	18	17	-	-	13	4
Houston, part	13,384	20	1	912	2,876	677	854	256	306	113	101	569	352	4,891	3,743	18	138	2,391	1,196
Houston, total	13,395	20	1	912	2,880	679	855	256	306	113	101	570	353	4,895	3,746	18	138	2,394	1,196
La Porte	143	-	-	6	38	7	11	5	4	2	2	7	3	56	43	1	2	24	16
Missouri City, part	21	-	-	4	3	-	-	1	-	-	-	2	2	1	-	-	-	-	-
Pasadena	809	-	-	23	202	49	72	16	21	8	3	33	31	320	268	1	11	186	70
Pearland, part	11	-	-	-	2	2	-	-	-	-	-	-	-	4	3	-	-	3	-
South Houston	69	-	-	3	19	5	8	-	-	-	-	6	3	30	26	-	2	12	12
West University Place	7	-	-	1	-	-	-	-	-	-	-	-	-	5	2	-	-	1	1
Balance of county	2,749	2	-	89	647	144	222	55	48	22	22	134	79	1,000	807	5	23	554	225
Harrison	546	-	-	11	117	26	29	12	16	3	2	29	15	271	197	1	7	159	30
Longview, part	6	-	-	-	1	-	-	-	-	-	-	1	1	2	1	-	-	1	-
Marshall	308	-	-	5	68	16	10	9	12	3	2	16	7	168	118	-	6	95	17
Balance of county	232	-	-	6	48	10	19	3	4	-	-	12	7	101	78	1	1	63	13
Hartley	32	-	-	-	10	1	4	2	2	-	-	1	-	12	9	-	-	5	4
Haskell	99	-	-	2	18	2	4	1	4	2	1	4	3	62	46	-	-	26	20
Hays	367	1	-	8	87	20	24	10	13	-	2	18	14	133	93	-	2	62	29
San Marcos	152	1	-	5	35	8	9	3	6	-	2	7	3	51	36	-	1	24	11
Balance of county	215	-	-	3	52	12	15	7	7	-	-	11	11	82	57	-	1	38	18
Hemphill	34	-	-	1	5	2	1	-	1	-	-	1	1	13	12	-	-	9	3
Henderson	659	-	-	6	184	35	68	10	17	7	3	44	16	289	242	2	8	182	50
Athens	164	-	-	1	38	7	15	2	4	-	-	10	4	84	68	1	2	47	18
Balance of county	495	-	-	5	146	28	53	8	13	7	3	34	12	205	174	1	6	135	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 160 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	–	15	–	1	6	2	–	–	–	–	3	1	–	8	1	1	–	–	–
Foard	–	1	–	–	2	2	–	–	–	–	–	–	1	2	2	1	–	–	–
Fort Bend	4	55	7	16	22	29	2	23	9	–	10	11	9	94	41	25	21	19	1
Houston, part	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Missouri City, part	2	13	–	1	2	5	1	4	2	–	2	4	2	17	4	3	5	6	–
Missouri City, total	2	14	–	1	3	6	1	4	2	1	3	4	2	19	5	3	5	10	–
Rosenberg	1	8	2	1	6	4	–	4	1	–	3	1	1	13	12	4	2	1	–
Balance of county	1	34	5	13	14	20	1	14	6	–	5	6	6	64	25	18	13	12	1
Franklin	–	8	1	–	4	2	3	–	–	–	–	1	–	14	–	4	–	–	–
Freestone	4	12	1	1	2	8	1	–	1	–	1	1	12	24	4	8	1	2	–
Frio	–	6	1	1	–	3	–	1	2	–	1	–	–	7	10	4	4	2	–
Gaines	–	2	1	1	1	4	–	–	–	–	–	–	1	14	3	1	–	–	–
Galveston	7	82	11	13	35	67	5	44	11	–	15	25	13	167	49	48	33	36	2
Friendswood, part	1	3	3	–	2	5	–	1	–	–	3	1	–	4	1	5	1	2	–
Friendswood, total	1	4	3	–	3	7	–	1	–	–	3	1	–	6	5	5	3	2	–
Galveston	1	31	1	7	9	24	3	21	4	–	2	10	4	70	10	21	11	21	–
La Marque	1	8	2	1	4	6	–	1	–	–	–	1	1	9	2	5	5	1	–
League City	–	5	–	–	2	3	1	–	1	–	2	2	1	14	5	3	3	2	–
Texas City	2	15	3	1	7	15	–	5	2	–	6	2	4	33	6	2	5	5	–
Balance of county	2	20	2	4	11	14	1	16	4	–	2	9	3	37	25	12	8	5	2
Garza	–	5	–	1	3	4	–	–	–	–	–	–	–	3	1	–	–	–	–
Gillespie	–	16	3	1	9	11	–	1	–	–	3	1	3	30	9	5	6	–	–
Glasscock	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
Goliad	1	4	1	3	2	2	–	–	1	–	–	–	–	10	–	1	–	–	–
Gonzales	3	26	1	–	8	11	1	3	3	–	1	–	9	20	5	4	1	3	1
Gray	2	15	7	4	6	13	–	2	–	–	1	3	1	31	5	2	1	1	1
Pampa	2	14	4	4	4	13	–	2	–	–	1	3	–	27	5	2	1	1	–
Balance of county	–	1	3	–	2	–	–	–	–	–	–	–	1	4	–	–	–	–	1
Grayson	4	78	11	16	47	39	3	7	3	1	1	4	13	85	12	19	10	3	–
Denison	–	19	2	1	18	13	–	–	2	–	–	–	1	24	3	8	3	1	–
Sherman	1	28	2	9	14	11	1	4	1	1	1	2	7	29	3	5	4	1	–
Balance of county	3	31	7	6	15	15	2	3	–	–	–	2	5	32	6	6	3	1	–
Gregg	6	73	5	15	36	54	2	7	7	–	8	6	9	107	26	17	14	14	–
Kilgore, part	1	8	2	2	1	9	1	–	–	–	1	–	3	12	2	3	1	2	–
Kilgore, total	1	8	2	2	1	9	1	–	–	–	1	–	3	15	2	3	1	2	–
Longview, part	3	48	3	10	30	35	1	6	6	–	5	4	4	73	15	11	9	10	–
Longview, total	3	49	3	10	30	35	1	6	6	–	5	4	4	75	15	11	9	10	–
Balance of county	2	17	–	3	5	10	–	1	1	–	2	2	2	22	9	3	4	2	–
Grimes	1	19	1	3	3	6	–	2	1	–	1	–	–	20	5	4	1	1	–
Guadalupe	3	27	5	7	12	18	1	4	3	–	1	1	8	54	12	7	7	6	–
New Braunfels, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Seguin	1	15	3	1	2	9	1	1	2	–	–	1	3	20	3	3	3	1	–
Balance of county	2	12	2	6	10	9	–	3	1	–	1	–	5	34	9	4	4	5	–
Hale	–	33	4	4	8	9	1	2	1	1	3	3	2	23	6	6	4	2	–
Plainview	–	21	4	1	3	8	1	2	1	1	3	2	2	17	5	4	3	2	–
Balance of county	–	12	–	3	5	1	–	–	–	–	–	1	–	6	1	2	1	–	–
Hall	–	5	–	2	3	4	2	–	–	–	–	–	–	6	–	3	4	–	–
Hamilton	–	15	1	–	9	5	–	1	1	–	–	–	–	9	1	–	3	1	–
Hansford	–	10	–	–	2	1	–	–	–	–	–	–	–	4	–	–	1	–	–
Hardeman	1	9	3	–	1	5	–	–	2	–	1	–	2	11	–	4	–	–	–
Hardin	4	24	1	5	10	18	–	–	5	1	3	2	2	39	12	12	8	2	–
Harris	83	1,093	127	166	478	550	47	313	114	7	163	214	139	1,662	515	448	368	760	17
Baytown, part	2	26	5	6	13	10	1	14	4	–	6	5	2	49	15	12	8	12	–
Baytown, total	3	27	6	6	13	11	1	14	5	–	6	5	2	51	15	12	8	12	–
Bellaire	–	9	1	2	2	3	2	3	3	–	1	1	–	12	2	4	1	–	–
Deer Park	–	1	1	–	1	4	–	–	–	–	4	–	1	11	3	2	4	1	–
Friendswood, part	–	1	–	–	1	2	–	–	–	–	–	–	–	2	4	–	2	–	–
Houston, part	73	862	90	123	338	398	36	231	82	6	110	177	105	1,276	333	329	242	656	13
Houston, total	73	862	90	124	338	398	36	232	82	6	110	177	105	1,276	333	329	243	656	13
La Porte	–	10	1	2	6	7	–	2	–	–	2	–	2	9	5	3	3	1	–
Missouri City, part	–	1	–	–	1	1	–	–	–	1	1	–	–	2	1	–	–	4	–
Pasadena	3	36	3	10	34	17	1	18	8	–	6	7	12	53	32	18	13	14	–
Pearland, part	–	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
South Houston	–	3	1	–	2	3	–	3	–	–	–	–	–	4	1	1	–	–	–
West University Place	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	5	140	25	23	80	105	7	42	17	–	33	24	17	240	117	79	95	72	4
Harrison	1	56	7	10	9	18	2	7	5	–	1	–	4	41	20	13	7	5	–
Longview, part	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Marshall	1	34	6	9	2	11	1	4	4	–	–	–	1	23	2	6	3	3	–
Balance of county	–	21	1	1	7	7	1	3	1	–	1	–	3	16	18	7	4	2	–
Hartley	–	3	–	–	1	3	1	1	–	–	1	–	1	1	–	1	–	–	–
Haskell	–	13	1	2	1	1	–	1	1	–	–	–	1	7	2	–	–	–	–
Hays	1	36	2	1	15	10	1	5	2	–	4	4	1	45	15	11	7	4	–
San Marcos	–	14	1	–	8	1	1	4	2	–	2	2	1	23	6	4	2	1	–
Balance of county	1	22	1	1	7	9	–	1	–	–	2	2	–	22	9	7	5	3	–
Hemphill	–	1	–	–	1	5	–	–	–	–	–	–	–	4	–	1	3	–	–
Henderson	1	34	3	9	22	38	3	7	1	–	2	–	3	42	19	10	8	9	–
Athens	1	13	–	2	7	8	1	–	–	–	1	–	1	10	5	3	–	1	–
Balance of county	–	21	3	7	15	30	2	7	1	–	1	–	2	32	14	7	8	8	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 161 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,995	4	-	61	413	106	93	26	65	22	15	86	99	749	567	1	21	368	177
Edinburg	207	-	-	6	35	7	7	2	5	-	-	14	6	88	67	-	3	37	27
McAllen	442	-	-	11	76	17	20	5	15	1	1	17	32	170	126	1	3	90	32
Mercedes	100	-	-	4	15	4	4	-	1	2	2	2	6	38	26	-	1	13	12
Mission	194	2	-	6	44	11	6	3	8	4	4	8	6	83	69	-	2	53	14
Pharr	179	1	-	5	40	6	9	4	7	3	2	9	15	54	38	-	1	25	12
Weslaco	184	-	-	8	33	8	13	1	5	3	-	3	9	74	57	-	2	36	19
Balance of county	689	1	-	21	170	53	34	11	24	9	6	33	25	242	184	-	9	114	61
Hill	393	-	-	7	93	26	26	7	6	4	6	18	11	159	115	-	5	86	24
Hockley	204	-	-	6	53	12	11	4	4	4	4	14	5	82	57	-	1	37	19
Levelland	137	-	-	5	40	8	9	3	4	2	3	11	2	54	37	-	-	24	13
Balance of county	67	-	-	1	13	4	2	1	-	2	1	3	3	28	20	-	1	13	6
Hood	265	-	-	5	73	19	24	5	9	4	2	10	5	105	79	-	1	59	19
Hopkins	319	-	-	3	78	15	27	4	7	4	4	17	5	166	115	-	5	84	26
Sulphur Springs	185	-	-	3	40	10	13	4	4	2	1	6	4	102	72	-	2	52	18
Balance of county	134	-	-	-	38	5	14	-	3	2	3	11	1	64	43	-	3	32	8
Houston	272	-	-	4	52	14	20	2	5	-	-	11	5	142	93	-	2	57	34
Howard	340	-	-	5	61	13	20	6	7	5	2	8	4	169	129	-	4	99	26
Big Spring	277	-	-	5	49	12	14	4	5	5	2	7	3	140	107	-	3	79	25
Balance of county	63	-	-	-	12	1	6	2	2	-	-	1	1	29	22	-	1	20	1
Hudspeth	14	-	-	1	2	1	-	-	-	-	-	1	-	6	6	-	2	1	3
Hunt	651	-	-	15	161	34	52	14	15	6	4	36	15	272	200	1	10	107	82
Greenville	275	-	-	9	62	14	17	3	6	2	2	18	8	125	97	1	2	50	44
Balance of county	376	-	-	6	99	20	35	11	9	4	2	18	7	147	103	-	8	57	38
Hutchinson	260	-	-	3	62	15	19	5	10	3	1	9	8	116	87	-	6	64	17
Borger	184	-	-	3	47	12	17	4	6	2	1	5	4	80	60	-	6	44	10
Balance of county	76	-	-	-	15	3	2	1	4	1	-	4	4	36	27	-	-	20	7
Irion	15	-	-	-	2	1	1	-	-	-	-	-	1	8	6	-	-	5	1
Jack	94	-	-	1	20	6	8	-	1	1	-	4	5	41	33	-	-	19	14
Jackson	123	-	-	4	25	5	7	-	3	-	1	9	5	56	44	-	1	22	21
Jasper	384	-	-	9	105	25	37	4	8	3	7	21	15	135	101	1	2	73	25
Jeff Davis	17	-	-	-	3	1	1	1	-	-	-	-	-	12	9	-	-	5	4
Jefferson	2,526	3	1	62	592	144	207	40	64	17	25	95	68	1,060	788	6	19	518	245
Beaumont	1,248	2	1	39	294	79	102	18	35	6	9	45	25	538	407	3	13	296	95
Groves	153	-	-	3	27	5	8	3	2	3	-	6	10	69	44	-	-	28	16
Nederland	139	-	-	1	43	8	17	1	5	2	-	10	2	66	50	-	1	25	24
Port Arthur	750	1	-	17	159	39	54	15	13	4	9	25	22	297	218	3	4	126	85
Port Neches	87	-	-	-	24	8	8	1	4	-	1	2	2	34	23	-	-	12	11
Balance of county	149	-	-	2	45	5	18	2	5	2	6	7	7	56	46	-	1	31	14
Jim Hogg	48	-	-	1	5	1	1	-	1	-	-	2	1	26	20	-	-	13	7
Jim Wells	282	-	-	4	56	21	20	4	4	-	-	7	11	127	100	-	1	76	23
Alice	174	-	-	2	33	11	15	1	1	-	-	5	7	84	65	-	1	49	15
Balance of county	108	-	-	2	23	10	5	3	3	-	-	2	4	43	35	-	-	27	8
Johnson	746	-	-	18	185	42	57	10	20	12	10	34	14	330	252	1	9	181	61
Burleson, part	115	-	-	4	30	7	9	3	2	1	3	5	3	45	38	-	1	31	6
Burleson, total	137	-	-	4	36	9	10	3	3	1	4	6	3	53	45	-	2	36	7
Cleburne	275	-	-	2	71	21	24	2	9	4	3	8	4	127	89	1	3	62	23
Balance of county	356	-	-	12	84	14	24	5	9	7	4	21	7	158	125	-	5	88	32
Jones	212	-	-	2	39	8	10	3	11	-	-	7	8	109	89	-	3	63	23
Abilene, part	6	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-	-	-	1
Balance of county	206	-	-	2	37	8	9	3	11	-	-	6	8	108	88	-	3	63	22
Karnes	143	-	-	5	40	12	11	3	6	2	1	5	6	56	37	-	1	28	8
Kaufman	540	-	-	11	123	32	47	2	13	5	4	20	18	222	182	1	11	108	62
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	160	-	-	4	32	9	9	1	3	1	1	8	7	76	66	1	7	33	25
Balance of county	380	-	-	7	91	23	38	1	10	4	3	12	11	146	116	-	4	75	37
Kendall	142	-	-	1	42	12	11	5	4	1	1	8	4	60	42	-	5	22	15
Kenedy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	6	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	-	4
Kerr	473	1	-	10	106	16	27	9	19	7	4	24	10	179	129	-	-	95	34
Kerrville	292	-	-	3	64	10	16	3	12	2	3	18	7	115	77	-	-	57	20
Balance of county	181	1	-	7	42	6	11	6	7	5	1	6	3	64	52	-	-	38	14
Kimble	58	-	-	1	17	5	5	-	2	-	1	4	1	23	17	-	2	7	8
King	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kinney	41	-	-	-	8	2	3	-	2	-	-	1	3	18	18	-	-	16	2
Kleberg	220	-	-	7	52	19	17	3	3	1	1	8	6	92	66	-	4	42	20
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	190	-	-	7	46	16	15	3	3	1	1	7	6	80	58	-	4	38	16
Balance of county	30	-	-	-	6	3	2	-	-	-	-	1	-	12	8	-	-	4	4
Knox	90	-	-	2	19	2	6	1	1	1	-	8	4	48	39	-	3	26	10
Lamar	537	-	-	10	142	32	39	12	20	3	4	32	12	234	181	-	6	138	37
Paris	375	-	-	6	94	23	24	9	12	2	3	21	9	170	135	-	5	100	30
Balance of county	162	-	-	4	48	9	15	3	8	1	1	11	3	64	46	-	1	38	7
Lamb	179	-	-	2	35	8	14	2	3	1	2	5	2	85	64	-	-	52	12
Lampasas	152	-	-	1	40	12	11	3	5	2	1	6	8	60	47	-	-	39	8
La Salle	50	-	-	1	13	6	2	1	2	1	-	1	1	17	15	-	-	13	2
Lavaca	268	-	-	2	64	23	12	3	14	-	4	8	13	125	92	-	3	72	17
Lee	117	-	-	4	28	11	9	1	3	-	1	3	1	46	38	-	3	24	11
Leon	158	-	-	2	47	11	14	1	6	3	2	10	5	58	47	-	1	22	24
Liberty	477	-	-	10	137	28	46	13	10	4	5	31	17	198	156	-	3	89	64
Limestone	282	-	-	4	62	11	31	7	2	2	1	8	7	112	80	-	3	49	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 162 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	42	115	12	13	80	87	7	39	22	3	26	16	8	205	70	53	27	25	1
Edinburg	2	14	3	2	11	8	–	7	4	–	3	2	3	24	1	4	2	3	–
McAllen	14	23	4	3	16	23	3	7	3	–	5	3	–	60	13	9	7	4	–
Mercedes	3	8	–	1	2	4	–	5	1	–	2	–	1	13	4	5	–	–	–
Mission	2	10	–	2	10	11	1	1	1	–	4	3	1	11	5	3	2	–	–
Pharr	8	6	1	1	9	8	1	4	1	–	2	1	1	21	9	3	2	2	–
Weslaco	3	12	1	1	10	8	–	4	2	–	3	–	1	22	3	4	2	1	–
Balance of county	10	42	3	3	22	25	2	11	10	3	7	7	1	54	35	25	12	15	1
Hill	1	34	5	4	17	16	3	2	2	–	1	1	2	58	7	9	5	–	–
Hockley	1	17	4	3	5	7	1	1	3	–	3	–	–	20	7	8	2	1	–
Levelland	1	11	3	2	3	3	1	1	3	–	1	–	–	12	6	3	2	1	–
Balance of county	–	6	1	1	2	4	–	–	–	–	2	–	–	8	1	5	–	–	–
Hood	1	17	3	5	7	14	–	4	1	–	–	1	–	34	7	2	5	2	–
Hopkins	2	34	10	5	6	9	–	4	–	–	1	–	2	21	8	5	7	4	–
Sulphur Springs	1	23	4	2	3	7	–	3	–	–	1	–	–	16	1	3	1	1	–
Balance of county	1	11	6	3	3	2	–	1	–	–	–	–	2	5	7	2	6	3	–
Houston	3	30	14	2	7	9	–	2	2	–	–	–	–	29	7	6	3	4	–
Howard	1	24	14	1	6	24	–	6	1	–	–	–	8	35	5	10	2	3	1
Big Spring	1	19	12	1	4	18	–	4	1	–	–	–	5	31	2	9	2	3	1
Balance of county	–	5	2	–	2	6	–	2	–	–	–	–	3	4	3	1	–	–	–
Hudspeth	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	–	–
Hunt	3	56	5	8	11	34	2	3	10	–	3	4	8	62	21	14	7	8	1
Greenville	2	22	–	4	8	11	1	1	6	–	1	2	5	23	3	6	3	1	–
Balance of county	1	34	5	4	3	23	1	2	4	–	2	2	3	39	18	8	4	7	1
Hutchinson	–	22	1	6	5	12	2	4	1	–	–	–	–	27	9	6	4	1	–
Borger	–	15	1	4	3	9	2	4	–	–	–	–	–	17	7	3	4	1	–
Balance of county	–	7	–	2	2	3	–	–	1	–	–	–	–	10	2	3	–	–	–
Irion	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
Jack	–	6	1	1	2	7	–	2	2	–	1	–	1	9	1	2	–	–	–
Jackson	1	8	1	2	4	2	–	1	1	–	–	–	–	18	2	4	1	–	–
Jasper	4	23	4	3	8	19	1	4	–	–	3	2	10	40	13	14	4	2	–
Jeff Davis	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Jefferson	18	208	18	28	64	100	12	28	27	1	14	35	24	248	61	57	41	28	–
Beaumont	14	98	9	10	40	45	8	13	17	–	10	22	2	104	24	24	24	16	–
Groves	1	16	4	4	5	5	1	2	1	–	1	1	3	14	4	1	3	3	–
Nederland	–	13	–	3	1	4	1	2	–	–	–	1	1	13	4	–	–	–	–
Port Arthur	2	62	5	10	13	40	2	9	5	1	3	11	17	87	23	26	8	9	–
Port Neches	1	9	–	1	2	1	–	1	1	–	–	–	–	16	2	3	1	–	–
Balance of county	–	10	–	–	3	5	–	1	3	–	–	–	1	14	4	3	5	–	–
Jim Hogg	1	4	–	1	2	2	–	2	–	–	–	1	–	3	2	2	–	1	–
Jim Wells	2	18	3	4	11	16	1	8	2	–	2	3	1	18	6	8	5	3	–
Alice	1	13	2	3	7	10	–	6	2	–	–	3	1	11	1	2	3	2	–
Balance of county	1	5	1	1	4	6	1	2	–	–	2	–	–	7	5	6	2	1	–
Johnson	2	60	4	12	17	33	6	5	4	–	8	1	3	69	18	16	11	8	–
Burleson, part	–	7	–	–	2	1	–	–	–	–	1	–	–	20	2	3	2	2	–
Burleson, total	1	7	–	–	2	3	–	–	1	–	1	–	–	24	3	3	2	2	–
Cleburne	2	30	2	4	5	17	3	3	3	–	3	1	–	31	3	1	–	1	–
Balance of county	–	23	2	8	10	15	3	2	1	–	4	–	3	18	13	12	9	5	–
Jones	2	11	1	6	6	8	–	–	2	–	4	1	–	23	3	5	1	1	–
Abilene, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Balance of county	2	11	1	6	6	7	–	–	2	–	4	1	–	23	3	3	1	1	–
Karnes	–	9	9	1	3	9	1	2	1	–	1	–	–	10	5	2	1	1	–
Kaufman	4	28	3	5	22	23	–	9	1	–	5	5	3	54	16	10	4	12	2
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	–	8	1	1	4	5	–	1	–	–	2	3	–	16	3	1	–	5	1
Balance of county	4	20	2	4	18	18	–	8	1	–	3	2	3	38	13	9	4	7	1
Kendall	3	13	–	2	6	6	1	–	1	–	2	–	2	12	2	1	2	–	–
Kenedy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
Kent	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kerr	2	32	9	7	35	32	5	6	3	–	2	1	4	51	7	11	7	3	–
Kerrville	2	24	9	3	28	19	3	1	3	–	1	–	4	26	2	8	6	2	–
Balance of county	–	8	–	4	7	13	2	5	–	–	1	1	–	25	5	3	1	1	–
Kimble	–	5	1	–	3	2	2	1	1	–	–	1	–	4	–	–	1	1	–
King	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kinney	–	–	–	–	2	2	–	–	–	–	–	–	–	3	3	–	–	–	2
Kleberg	2	21	3	–	4	7	–	2	1	–	1	2	3	24	9	3	3	2	2
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingsville	2	17	3	–	4	5	–	2	–	–	–	1	3	22	6	2	3	2	1
Balance of county	–	4	–	–	–	2	–	–	1	–	1	1	–	2	3	1	–	–	1
Knox	–	6	1	2	3	4	–	1	–	–	–	–	–	7	1	–	–	1	–
Lamar	2	36	9	6	19	30	2	4	4	–	3	2	5	35	14	9	7	5	–
Paris	2	20	9	4	12	20	2	3	4	–	2	2	5	24	8	6	5	3	–
Balance of county	–	16	–	2	7	10	–	1	–	–	1	–	–	11	6	3	2	2	–
Lamb	1	20	–	–	10	9	–	3	1	–	1	–	–	16	9	5	1	–	–
Lampasas	–	9	–	4	5	8	–	3	1	–	–	–	1	8	7	5	4	1	–
La Salle	–	1	1	–	1	1	–	5	1	–	–	–	1	4	1	1	1	2	–
Lavaca	4	20	5	4	5	7	–	–	2	–	–	1	1	28	3	7	8	2	–
Lee	–	7	1	–	1	4	1	2	–	–	–	–	3	19	–	2	2	4	–
Leon	5	3	–	3	5	10	–	–	2	–	1	–	2	16	1	6	1	2	–
Liberty	1	34	1	6	6	15	–	3	3	–	–	–	4	41	17	16	4	6	–
Limestone	2	24	1	5	8	23	1	2	5	–	2	1	7	26	4	12	3	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 163 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	43	-	-	-	8	3	3	-	1	-	1	-	1	20	14	-	-	9	5
Live Oak	69	-	-	-	25	7	10	-	1	1	2	4	1	29	20	-	1	12	7
Llano	238	-	-	4	57	15	17	1	8	2	2	12	2	95	60	-	1	40	19
Loving	4	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-
Lubbock	1,586	1	-	35	340	84	81	29	32	23	14	77	34	698	535	-	11	366	158
Lubbock	1,349	1	-	32	286	75	66	25	25	18	12	65	27	590	452	-	9	302	141
Balance of county	237	-	-	3	54	9	15	4	7	5	2	12	7	108	83	-	2	64	17
Lynn	83	-	-	2	14	5	3	-	-	1	-	5	1	42	35	-	1	28	6
McCulloch	148	-	-	1	31	8	7	1	4	1	3	7	3	67	53	-	2	37	14
McLennan	1,806	-	-	36	409	87	119	38	50	15	22	78	51	792	622	1	21	470	130
Waco	1,260	-	-	30	276	61	86	27	33	11	11	47	38	559	438	1	16	325	96
Balance of county	546	-	-	6	133	26	33	11	17	4	11	31	13	233	184	-	5	145	34
McMullen	5	-	-	-	2	-	1	-	-	-	1	-	1	1	1	-	-	1	-
Madison	108	-	-	-	25	6	5	-	7	-	-	7	7	43	32	1	-	21	10
Marion	120	-	-	2	32	7	13	1	2	-	1	8	-	48	37	1	1	22	13
Martin	36	-	-	1	2	1	1	-	-	-	-	-	2	22	18	-	1	17	-
Mason	68	-	-	-	15	5	5	-	2	-	1	2	-	37	30	-	1	9	20
Matagorda	302	-	-	5	72	23	19	4	11	3	3	9	11	130	98	-	4	78	16
Bay City	145	-	-	2	30	11	7	3	4	1	1	3	5	62	44	-	2	39	3
Balance of county	157	-	-	3	42	12	12	1	7	2	2	6	6	68	54	-	2	39	13
Maverick	186	1	-	7	37	11	8	4	4	-	2	8	11	71	55	1	-	43	11
Eagle Pass	145	1	-	5	25	6	5	3	4	-	1	6	11	59	46	-	-	37	9
Balance of county	41	-	-	2	12	5	3	1	-	-	1	2	-	12	9	1	-	6	2
Medina	232	-	1	4	47	12	12	3	4	3	2	11	6	94	69	1	5	38	25
Menard	27	-	-	-	2	-	1	-	1	-	-	-	1	19	11	-	-	11	-
Midland	646	-	-	15	151	32	52	14	21	5	7	20	14	282	261	-	4	219	38
Midland	579	-	-	15	130	30	43	12	18	3	6	18	11	254	234	-	3	196	35
Balance of county	67	-	-	-	21	2	9	2	3	2	1	2	3	28	27	-	1	23	3
Milam	278	-	-	3	69	14	24	5	12	1	4	9	7	136	104	-	6	64	34
Mills	63	-	-	1	14	6	2	-	2	-	1	3	-	29	25	-	2	16	7
Mitchell	99	-	-	2	23	4	9	1	1	1	1	6	2	38	28	-	2	16	10
Montague	249	-	-	5	52	12	19	6	4	2	3	6	7	119	85	-	4	69	12
Montgomery	1,229	-	-	34	294	70	93	17	29	13	12	60	24	467	375	3	5	253	114
Conroe	250	-	-	5	58	16	14	3	9	3	3	10	5	98	76	1	2	48	25
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	979	-	-	29	236	54	79	14	20	10	9	50	19	369	299	2	3	205	89
Moore	125	-	-	3	32	5	10	3	2	1	-	11	3	35	34	2	1	26	5
Dumas	99	-	-	3	24	3	7	3	2	1	-	8	1	30	29	2	1	21	5
Balance of county	26	-	-	-	8	2	3	-	-	-	-	3	2	5	5	-	-	5	-
Morris	140	-	-	6	30	3	14	3	1	2	4	3	4	54	44	-	1	33	10
Motley	22	-	-	-	5	1	2	-	2	-	-	-	-	13	12	-	1	11	-
Nacogdoches	452	-	-	11	104	21	39	6	15	3	2	18	9	184	151	-	4	112	35
Nacogdoches	231	-	-	5	49	7	21	2	9	2	1	7	7	92	76	-	2	55	19
Balance of county	221	-	-	6	55	14	18	4	6	1	1	11	2	92	75	-	2	57	16
Navarro	493	-	-	6	86	17	37	4	7	5	3	13	9	231	179	1	12	127	39
Corsicana	315	-	-	4	47	9	19	2	3	3	3	8	5	151	119	1	8	88	22
Balance of county	178	-	-	2	39	8	18	2	4	2	-	5	4	80	60	-	4	39	17
Newton	147	1	-	3	23	7	7	2	3	-	-	4	6	65	51	1	-	43	7
Nolan	187	-	-	5	45	13	12	1	4	1	7	7	4	75	61	1	1	39	20
Sweetwater	142	-	-	4	37	11	8	1	4	1	7	5	4	53	43	1	1	26	15
Balance of county	45	-	-	1	8	2	4	-	-	-	-	2	-	22	18	-	-	13	5
Nueces	2,070	4	2	55	508	119	151	44	58	19	22	95	93	795	624	6	24	410	184
Corpus Christi, part	1,802	3	1	47	440	101	132	37	49	18	21	82	79	690	550	4	20	365	161
Corpus Christi, total	1,802	3	1	47	440	101	132	37	49	18	21	82	79	690	550	4	20	365	161
Portland, part	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Robstown	141	-	1	1	38	11	11	2	4	-	1	9	10	52	36	2	3	19	12
Balance of county	125	1	-	7	29	7	8	4	5	1	-	4	4	53	38	-	1	26	11
Ochiltree	61	-	-	-	16	4	5	1	1	1	1	3	8	16	13	1	-	8	4
Oldham	20	-	-	1	3	1	-	-	1	-	-	1	-	9	7	-	-	6	1
Orange	656	-	-	14	154	33	52	12	13	7	5	32	23	282	237	2	8	173	54
Orange	225	-	-	4	59	17	16	3	3	2	2	16	6	93	75	-	-	59	16
Vidor	136	-	-	5	29	6	9	1	4	-	1	8	4	54	45	1	2	36	6
Balance of county	295	-	-	5	66	10	27	8	6	5	2	8	13	135	117	1	6	78	32
Palo Pinto	268	-	-	4	62	16	18	6	5	1	4	12	7	115	92	-	8	60	24
Mineral Wells, part	167	-	-	4	37	13	10	3	2	1	1	7	5	78	61	-	6	37	18
Mineral Wells, total	167	-	-	4	37	13	10	3	2	1	1	7	5	78	61	-	6	37	18
Balance of county	101	-	-	-	25	3	8	3	3	-	3	5	2	37	31	-	2	23	6
Panola	219	-	-	4	60	17	21	5	6	1	1	9	5	94	66	1	2	47	16
Parker	475	-	-	9	113	25	37	11	17	2	1	20	12	210	157	1	3	126	27
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	200	-	-	3	41	8	11	4	7	1	1	9	3	90	68	1	-	55	12
Balance of county	275	-	-	6	72	17	26	7	10	1	-	11	9	120	89	-	3	71	15
Parmer	75	-	-	1	13	9	1	2	-	1	-	-	2	34	21	1	-	14	6
Pecos	99	-	-	1	20	5	4	2	1	2	3	3	4	31	23	-	-	17	6
Polk	388	-	-	7	84	25	23	6	7	4	3	16	7	180	156	-	-	81	75
Potter	1,065	1	-	20	235	53	81	13	30	7	8	43	21	434	328	3	14	214	97
Amarillo, part	1,031	-	-	20	229	51	78	13	30	7	8	42	21	417	315	3	13	207	92
Amarillo, total	1,416	-	-	31	329	70	106	22	42	11	11	67	27	574	432	3	19	286	124
Balance of county	34	1	-	-	6	2	3	-	-	-	-	1	-	17	13	-	1	7	5
Presidio	54	-	-	1	14	1	1	-	2	-	1	9	3	18	13	-	-	10	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 164 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	–	4	–	2	3	2	1	–	–	–	–	1	1	5	1	–	–	–	–
Live Oak	–	6	3	–	–	2	1	1	–	–	–	–	1	7	1	1	–	–	–
Llano	4	23	4	4	14	15	–	4	1	–	2	–	–	36	2	5	1	–	–
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Lubbock	14	111	13	25	44	90	5	13	6	–	14	11	5	171	30	38	26	24	1
Lubbock	12	92	13	21	40	74	5	11	5	–	13	11	5	152	23	31	23	20	–
Balance of county	2	19	–	4	4	16	–	2	1	–	1	–	–	19	7	7	3	4	1
Lynn	–	7	–	–	4	3	–	–	2	–	–	1	–	10	1	3	–	–	–
McCulloch	–	12	1	1	6	6	2	3	2	–	–	1	–	16	1	8	1	–	–
McLennan	9	123	11	27	53	80	7	21	9	1	8	10	10	172	48	47	23	28	1
Waco	3	89	8	21	37	55	5	16	5	–	3	5	8	119	30	30	17	27	–
Balance of county	6	34	3	6	16	25	2	5	4	1	5	5	2	53	18	17	6	1	1
McMullen	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Madison	1	8	1	1	12	1	–	–	1	–	1	–	1	12	3	1	1	–	–
Marion	2	7	1	1	2	8	–	–	3	–	–	1	3	11	2	5	2	1	–
Martin	1	2	–	1	2	–	2	3	1	–	–	–	–	–	–	–	1	–	–
Mason	–	5	–	2	4	2	–	1	–	–	–	–	–	8	1	–	–	–	–
Matagorda	5	22	2	3	10	12	1	3	–	–	–	3	5	22	3	11	9	5	–
Bay City	3	12	2	1	9	6	–	2	–	–	–	–	2	13	1	5	5	3	–
Balance of county	2	10	–	2	1	6	1	1	–	–	–	3	3	9	2	6	4	2	–
Maverick	3	11	–	2	3	4	2	4	1	–	1	2	1	18	3	13	3	3	1
Eagle Pass	3	9	–	1	3	3	2	1	1	–	1	2	–	15	1	10	2	3	–
Balance of county	–	2	–	1	–	1	–	3	–	–	–	–	1	3	2	3	1	–	1
Medina	2	15	2	6	12	10	–	2	3	–	–	3	2	30	5	6	7	–	–
Menard	1	5	1	1	–	2	–	–	–	–	1	–	–	1	–	–	1	–	–
Midland	2	15	1	3	17	38	3	5	3	–	5	6	2	57	12	14	12	10	–
Midland	2	14	1	3	16	36	3	5	3	–	5	6	2	53	10	10	10	10	–
Balance of county	–	1	–	–	1	2	–	–	–	–	–	–	–	4	2	4	2	–	–
Milam	4	21	4	3	5	11	1	2	1	–	1	–	–	24	3	9	3	3	–
Mills	–	4	–	–	2	1	1	1	–	–	–	–	3	10	–	1	–	–	–
Mitchell	–	7	–	3	4	5	–	2	1	–	–	–	7	11	–	2	1	1	–
Montague	2	22	7	3	10	11	–	1	–	–	1	–	3	26	1	7	4	2	–
Montgomery	4	59	11	18	29	66	3	15	8	–	10	11	25	104	59	33	27	20	–
Conroe	2	13	3	4	8	14	2	4	–	–	–	3	9	17	12	6	9	–	–
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	46	8	14	21	52	1	11	8	–	10	8	16	87	47	27	18	20	–
Moore	–	1	–	–	4	13	–	2	–	–	1	2	5	17	4	3	–	1	–
Dumas	–	1	–	–	3	11	–	2	–	–	1	2	5	13	2	2	–	–	–
Balance of county	–	–	–	–	1	2	–	–	–	–	–	–	–	4	2	1	–	1	–
Morris	–	8	1	1	4	7	2	–	–	–	1	1	–	20	5	3	3	–	–
Motley	–	–	1	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–
Nacogdoches	2	26	2	3	17	22	1	3	5	–	1	2	6	53	9	9	9	6	1
Nacogdoches	1	14	–	1	9	9	1	3	3	–	1	1	2	29	4	7	5	4	–
Balance of county	1	12	2	2	8	13	–	–	2	–	–	1	4	24	5	2	4	2	1
Navarro	2	45	2	3	27	20	2	8	2	–	3	2	7	54	9	10	8	8	1
Corsicana	2	29	1	–	22	11	1	4	2	–	1	2	5	38	4	6	5	6	1
Balance of county	–	16	1	3	5	9	1	4	–	–	2	–	2	16	5	4	3	2	–
Newton	1	10	1	2	1	5	1	2	2	–	3	1	2	18	5	6	1	2	–
Nolan	2	11	–	1	8	12	–	–	4	–	1	1	2	16	3	9	2	–	–
Sweetwater	2	8	–	–	7	10	–	–	2	–	1	1	1	10	2	8	2	–	–
Balance of county	–	3	–	1	1	2	–	–	2	–	–	–	1	6	1	1	–	–	–
Nueces	12	134	11	14	41	83	7	53	7	–	23	16	16	210	43	28	36	42	8
Corpus Christi, part	10	112	8	10	37	72	7	48	5	–	22	15	12	190	30	27	32	38	7
Corpus Christi, total	10	112	8	10	37	72	7	48	5	–	22	15	12	190	30	27	32	38	7
Portland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Robstown	1	13	2	–	1	7	–	4	1	–	1	1	1	15	3	–	2	2	1
Balance of county	1	9	1	4	3	4	–	1	1	–	–	–	3	4	10	1	2	2	–
Ochiltree	–	2	1	–	2	7	–	1	1	–	–	–	–	4	2	1	2	1	–
Oldham	–	1	–	1	1	1	–	1	–	–	–	–	–	3	–	–	1	–	–
Orange	7	26	5	7	18	30	–	13	1	–	2	3	6	50	30	13	9	8	–
Orange	3	11	–	4	8	9	–	4	–	–	1	–	2	21	7	2	4	5	–
Vidor	2	5	1	1	6	10	–	3	1	–	1	–	–	9	8	4	1	1	–
Balance of county	2	10	4	2	4	11	–	6	–	–	–	3	4	20	15	7	4	2	–
Palo Pinto	1	18	2	2	10	13	3	3	1	–	1	–	2	29	5	8	4	1	–
Mineral Wells, part	1	12	2	2	5	7	2	1	1	–	1	–	1	14	3	5	3	–	–
Mineral Wells, total	1	12	2	2	5	7	2	1	1	–	1	–	1	14	3	5	3	–	–
Balance of county	–	6	–	–	5	6	1	2	–	–	–	–	1	15	2	3	1	1	–
Panola	1	17	4	6	5	8	–	2	1	–	1	1	–	25	6	5	2	–	–
Parker	2	38	5	8	12	30	1	3	4	–	2	3	1	41	13	11	8	2	–
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	1	16	1	4	6	14	–	–	2	–	1	2	–	23	5	5	3	2	–
Balance of county	1	22	4	4	6	16	1	3	2	–	1	1	1	18	8	6	5	–	–
Parmer	–	9	1	3	4	2	1	1	1	–	–	–	–	10	4	1	1	–	–
Pecos	1	5	–	2	5	9	1	1	3	–	2	–	1	9	3	5	3	1	–
Polk	1	11	7	5	10	14	2	7	4	–	5	2	2	33	16	9	3	3	–
Potter	7	51	34	14	29	67	2	15	7	–	7	16	7	122	21	24	21	14	2
Amarillo, part	7	49	34	12	28	64	2	15	7	–	7	16	6	118	20	24	21	14	2
Amarillo, total	11	66	45	20	38	93	3	21	7	–	10	20	7	149	25	31	32	16	3
Balance of county	–	2	–	2	1	3	–	–	–	–	–	–	1	4	1	–	–	–	–
Presidio	–	3	–	2	1	2	–	–	–	–	–	–	1	11	2	–	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 165 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	76	1	-	-	19	5	10	-	-	1	-	3	2	24	19	-	-	7	12
Randall	514	-	-	11	131	22	36	12	15	5	3	38	9	217	166	1	7	109	49
Amarillo, part	385	-	-	11	100	19	28	9	12	4	3	25	6	157	117	-	6	79	32
Canyon	65	-	-	-	10	-	4	1	-	-	-	5	2	33	26	1	1	13	11
Balance of county	64	-	-	-	21	3	4	2	3	1	-	8	1	27	23	-	-	17	6
Reagan	34	-	-	-	6	2	2	-	-	1	-	1	2	14	8	1	2	4	1
Real	37	-	1	-	8	1	4	1	2	-	-	-	-	20	18	-	-	9	9
Red River	230	-	-	4	52	13	26	2	5	-	2	4	4	118	82	-	2	58	22
Reeves	100	1	-	2	17	3	7	-	2	1	2	2	2	49	44	2	-	31	11
Pecos	82	1	-	1	13	2	6	-	1	1	2	1	2	42	37	1	-	26	10
Balance of county	18	-	-	1	4	1	1	-	1	-	-	1	-	7	7	1	-	5	1
Refugio	84	-	-	-	17	7	3	2	2	-	1	2	5	45	27	-	1	19	7
Roberts	6	-	-	-	3	1	-	-	1	-	-	1	-	1	1	-	-	1	-
Robertson	224	1	-	4	43	10	12	2	2	2	2	13	13	96	73	1	3	51	18
Rockwall	149	-	-	4	42	7	18	4	4	-	2	7	5	66	49	-	-	35	14
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	149	-	-	4	42	7	18	4	4	-	2	7	5	66	49	-	-	35	14
Runnels	167	-	-	1	40	7	13	2	2	1	4	11	3	67	52	-	-	41	11
Rusk	465	-	-	8	117	33	34	9	15	2	6	18	16	207	148	-	1	118	29
Henderson	165	-	-	3	44	10	14	5	5	1	3	6	7	80	48	-	-	37	11
Kilgore, part	18	-	-	1	3	2	-	1	-	-	-	-	1	10	10	-	-	8	2
Balance of county	282	-	-	4	70	21	20	3	10	1	3	12	8	117	90	-	1	73	16
Sabine	143	-	-	1	48	12	16	3	5	1	2	9	6	53	37	-	2	28	7
San Augustine	138	-	-	4	38	11	13	-	2	2	2	8	10	59	47	-	2	23	22
San Jacinto	180	-	-	1	45	8	15	3	4	4	1	10	7	78	68	-	1	44	23
San Patricio	453	-	-	7	121	30	39	2	16	8	6	20	29	161	119	1	6	73	39
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	56	-	-	2	20	5	5	-	4	1	1	4	4	15	11	-	-	7	4
Portland, total	58	-	-	2	21	5	5	1	4	1	1	4	4	15	11	-	-	7	4
Balance of county	397	-	-	5	101	25	34	2	12	7	5	16	25	146	108	1	6	66	35
San Saba	72	-	-	1	18	5	5	1	1	-	1	5	-	38	32	1	2	12	17
Schleicher	34	-	-	-	8	2	2	2	2	-	-	-	-	14	10	-	-	8	2
Scurry	171	-	-	2	30	9	8	1	4	-	2	6	9	76	55	-	-	46	9
Snyder	137	-	-	1	23	7	6	1	3	-	1	5	7	60	44	-	-	36	8
Balance of county	34	-	-	1	7	2	2	-	1	-	1	1	2	16	11	-	-	10	1
Shackelford	39	-	-	1	2	-	-	1	-	-	-	1	3	23	21	-	2	16	3
Shelby	312	-	-	5	77	23	22	5	8	5	2	12	10	130	105	1	2	72	30
Sherman	24	-	-	-	3	2	-	-	-	-	-	1	1	11	9	-	-	6	3
Smith	1,435	1	-	26	359	78	111	30	46	14	12	68	38	594	454	-	13	320	121
Tyler	804	-	-	15	181	34	58	19	29	8	4	29	22	354	258	-	9	182	67
Balance of county	631	1	-	11	178	44	53	11	17	6	8	39	16	240	196	-	4	138	54
Somervell	50	-	-	-	12	1	5	3	-	1	-	2	1	23	18	1	2	11	4
Starr	183	-	-	6	31	13	8	1	4	-	3	2	8	81	59	-	2	36	21
Stephens	128	-	-	-	32	8	10	1	4	-	4	5	4	58	42	1	2	33	6
Sterling	8	-	-	-	2	-	-	-	2	-	-	-	-	5	3	-	-	3	-
Stonewall	34	-	-	-	7	-	2	-	-	-	1	4	-	14	10	-	-	6	4
Sutton	35	-	-	2	8	2	2	2	1	-	-	1	-	15	9	-	-	8	1
Swisher	79	-	-	1	17	6	2	1	3	-	1	4	3	36	27	-	-	20	7
Tarrant	7,743	5	2	211	1,822	390	606	134	198	70	67	357	186	3,166	2,442	16	154	1,617	655
Arlington	1,159	1	-	36	299	64	91	22	37	13	12	60	24	415	327	3	13	226	85
Bedford	192	-	-	6	49	10	20	3	6	1	1	8	3	86	58	1	1	43	13
Benbrook	112	-	-	3	35	9	9	5	5	2	-	5	3	44	37	-	3	21	13
Burleson, part	22	-	-	-	6	2	1	-	1	-	1	1	-	8	7	-	1	5	1
Euless	129	-	-	8	32	9	11	2	1	-	-	9	3	41	35	-	3	23	9
Forest Hill	81	-	-	-	21	6	6	2	2	1	1	3	5	32	26	-	3	17	6
Fort Worth	4,056	3	1	113	898	182	298	68	107	37	29	177	96	1,713	1,294	5	95	839	355
Grand Prairie, part	56	-	-	1	11	4	5	-	-	-	-	2	1	19	14	-	2	8	4
Grapevine, part	108	-	-	3	27	9	7	1	2	-	2	6	3	47	36	-	6	22	8
Grapevine, total	113	-	-	4	28	10	7	1	2	-	2	6	3	50	39	-	6	25	8
Haltom City	255	-	-	6	72	8	30	10	8	3	1	12	12	104	86	1	6	57	22
Hurst	223	-	-	5	60	9	22	3	5	3	-	18	6	88	59	-	2	35	22
North Richland Hills	215	-	-	5	64	11	22	3	6	4	6	12	6	76	64	1	-	45	18
Watauga	59	-	-	1	16	2	5	3	1	1	1	3	-	16	15	-	-	7	8
White Settlement	133	-	1	3	26	8	13	-	-	-	-	5	2	68	56	-	1	39	16
Balance of county	943	1	-	21	206	57	66	12	17	5	13	36	22	409	328	5	18	230	75
Taylor	1,055	-	-	21	263	58	73	24	21	6	15	66	23	462	361	2	17	236	106
Abilene, part	906	-	-	19	222	52	58	22	17	5	11	57	20	397	308	2	9	203	94
Abilene, total	912	-	-	19	224	52	59	22	17	5	11	58	20	398	309	2	9	203	95
Balance of county	149	-	-	2	41	6	15	2	4	1	4	9	3	65	53	-	8	33	12
Terrell	14	-	-	-	3	-	-	-	1	-	-	2	-	3	2	-	-	1	1
Terry	119	-	-	1	27	5	6	2	4	3	1	6	1	57	46	-	2	37	7
Brownfield	99	-	-	1	20	3	5	1	3	2	1	5	-	48	38	-	2	29	7
Balance of county	20	-	-	-	7	2	1	1	1	1	-	1	1	9	8	-	-	8	-
Throckmorton	26	-	-	-	6	-	5	1	-	-	-	-	-	14	10	-	2	4	4
Titus	256	-	-	6	73	11	29	6	13	3	2	9	8	102	77	-	1	51	25
Mount Pleasant	178	-	-	4	46	8	20	5	5	1	2	5	6	73	55	-	1	37	17
Balance of county	78	-	-	2	27	3	9	1	8	2	-	4	2	29	22	-	-	14	8
Tom Green	823	1	-	11	190	39	62	18	28	8	3	32	21	322	234	2	9	158	65
San Angelo	758	1	-	10	181	39	57	18	27	7	2	31	21	297	211	2	7	141	61
Balance of county	65	-	-	1	9	-	5	-	1	1	1	1	-	25	23	-	2	17	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 166 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Rains	1	2	-	2	1	3	-	1	2	-	1	-	1	14	2	1	2	2	-
Randall	6	23	12	10	13	38	2	6	-	-	4	4	1	40	10	9	14	4	1
Amarillo, part	4	17	11	8	10	29	1	6	-	-	3	4	1	31	5	7	11	2	1
Canyon	2	4	-	1	2	9	1	-	-	-	-	-	-	4	2	1	1	-	-
Balance of county	-	2	1	1	1	-	-	-	-	-	1	-	-	5	3	1	2	2	-
Reagan	-	5	-	1	-	1	1	-	1	-	-	1	-	1	2	4	1	-	-
Real	-	2	-	-	3	-	1	-	-	-	-	-	-	3	-	-	-	1	-
Red River	1	31	1	3	9	10	3	1	2	-	1	1	2	12	2	5	2	1	1
Reeves	-	5	-	-	5	4	-	2	2	-	2	-	1	5	3	1	2	2	-
Pecos	-	5	-	-	4	3	-	2	2	-	1	-	1	4	3	1	-	2	-
Balance of county	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	2	-	-
Refugio	4	9	4	1	1	1	-	-	-	-	-	-	1	6	2	5	1	-	-
Roberts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Robertson	4	14	4	1	2	7	2	4	2	-	2	-	7	27	3	7	2	2	-
Rockwall	1	12	3	1	5	6	-	1	4	-	1	-	-	8	3	1	2	1	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	12	3	1	5	6	-	1	4	-	1	-	-	8	3	1	2	1	-
Runnels	-	10	3	2	7	13	2	2	2	-	3	-	-	15	4	5	3	-	-
Rusk	4	48	4	3	11	21	1	4	1	-	2	2	3	47	10	10	1	4	-
Henderson	4	26	1	1	1	8	1	1	-	-	-	-	-	14	2	3	-	1	-
Kilgore, part	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Balance of county	-	22	3	2	10	13	-	3	1	-	2	2	3	30	8	7	1	3	-
Sabine	1	14	-	1	7	7	-	1	2	-	1	-	3	7	2	4	1	-	-
San Augustine	1	9	1	1	1	2	-	2	3	-	1	-	1	2	9	2	2	2	-
San Jacinto	2	4	3	1	3	12	-	1	2	-	-	1	-	16	5	4	1	4	-
San Patricio	4	27	8	3	16	16	2	10	2	-	5	4	3	46	9	9	6	6	1
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	1	2	1	-	2	1	-	-	-	-	-	-	1	6	1	1	2	-	1
Portland, total	1	2	1	-	2	1	-	-	-	-	-	-	1	7	1	1	2	-	1
Balance of county	3	25	7	3	14	15	2	10	2	-	5	4	2	40	8	8	4	6	-
San Saba	-	6	-	-	1	5	-	-	-	-	-	-	2	2	2	2	1	-	-
Schleicher	-	4	-	-	1	2	-	-	-	-	-	1	1	4	2	1	-	-	-
Scurry	1	12	5	3	7	7	2	1	3	-	1	1	2	17	3	4	4	2	-
Snyder	1	10	4	1	7	7	2	1	2	-	-	1	2	13	3	3	4	1	-
Balance of county	-	2	1	2	-	-	-	-	1	-	1	-	-	4	-	1	-	1	-
Shackelford	-	2	-	-	1	3	-	1	1	-	1	-	-	1	-	2	-	-	-
Shelby	1	19	2	3	7	21	1	4	3	-	2	5	1	25	5	8	2	6	-
Sherman	1	-	-	1	-	3	-	-	-	-	-	-	-	1	3	1	1	-	-
Smith	7	112	9	12	50	79	7	11	7	-	13	4	7	129	48	29	16	16	1
Tyler	3	77	8	8	30	48	4	6	5	-	8	3	2	74	19	16	5	12	-
Balance of county	4	35	1	4	20	31	3	5	2	-	5	1	5	55	29	13	11	4	1
Somervell	-	5	-	-	-	3	-	-	-	-	-	-	-	7	2	-	1	1	-
Starr	2	7	9	4	4	3	-	3	2	-	1	1	3	19	6	3	6	5	1
Stephens	-	11	1	4	1	10	-	1	-	-	1	-	1	12	1	3	4	-	-
Sterling	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Stonewall	-	4	-	-	2	3	-	-	-	-	-	-	-	6	1	-	-	1	-
Sutton	2	2	-	2	-	2	-	-	2	-	-	-	1	3	-	1	-	1	-
Swisher	1	6	1	1	3	6	1	-	-	-	-	-	-	8	-	2	1	1	-
Tarrant	33	533	84	74	200	351	20	108	30	1	79	70	41	680	185	172	157	246	11
Arlington	6	59	12	11	35	50	3	16	6	-	17	17	2	114	37	26	32	27	2
Bedford	1	18	6	3	4	9	-	3	2	-	1	1	-	16	5	2	2	2	1
Benbrook	1	3	2	1	5	6	1	1	-	-	1	-	-	7	2	1	2	1	-
Burleson, part	1	-	-	-	-	2	-	-	1	-	-	-	-	4	1	-	-	-	-
Euless	-	6	-	-	4	7	1	3	-	-	2	1	2	13	6	1	2	3	-
Forest Hill	-	1	3	2	1	1	1	-	-	-	3	-	-	5	4	2	1	5	-
Fort Worth	17	332	34	36	102	177	8	61	17	-	30	39	24	347	73	109	57	180	8
Grand Prairie, part	1	1	2	1	1	3	1	2	-	-	1	1	2	3	3	1	3	3	-
Grapevine, part	-	10	1	-	6	3	-	1	1	-	1	1	-	5	3	3	2	2	-
Grapevine, total	-	10	1	-	6	3	-	1	1	-	1	1	-	5	3	3	2	2	-
Haltom City	-	13	3	2	5	11	2	2	-	-	2	1	-	20	3	3	6	6	-
Hurst	1	21	4	3	6	13	-	5	-	-	3	-	1	20	2	5	7	2	-
North Richland Hills	-	6	2	4	8	11	1	3	1	-	4	1	1	22	3	2	5	2	-
Watauga	-	1	-	-	-	5	-	-	-	-	2	-	1	5	7	2	3	1	-
White Settlement	-	9	1	2	4	8	1	-	-	1	1	-	-	10	1	1	4	2	-
Balance of county	5	53	14	9	19	45	1	11	2	-	11	8	8	89	35	14	31	10	-
Taylor	5	81	7	8	37	51	2	7	3	-	8	4	9	88	22	19	16	16	4
Abilene, part	4	72	6	7	35	40	2	4	3	-	8	3	6	79	19	18	12	15	4
Abilene, total	4	72	6	7	35	41	2	4	3	-	8	3	6	79	19	20	12	15	4
Balance of county	1	9	1	1	2	11	-	3	-	-	-	1	3	9	3	1	4	1	-
Terrell	-	1	-	-	2	-	-	1	-	-	-	-	-	4	1	-	-	-	-
Terry	3	7	-	1	4	8	-	-	2	-	2	-	-	12	3	-	1	1	-
Brownfield	3	6	-	1	3	8	-	-	2	-	1	-	-	12	2	-	1	1	-
Balance of county	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Throckmorton	1	3	-	-	2	1	-	-	-	-	-	-	-	3	-	-	-	-	-
Titus	2	14	6	3	4	10	2	3	3	-	-	3	1	25	10	1	2	3	-
Mount Pleasant	1	10	6	1	4	9	1	2	3	-	-	2	-	18	6	-	2	2	-
Balance of county	1	4	-	2	-	1	1	1	-	-	-	1	1	7	4	1	-	1	-
Tom Green	7	71	5	5	33	44	2	12	8	-	6	4	25	88	14	12	18	12	-
San Angelo	7	69	5	5	31	37	2	10	7	-	6	4	20	83	11	11	16	10	-
Balance of county	-	2	-	-	2	7	-	2	1	-	-	-	5	5	3	1	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 167 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	3,101	3	-	203	764	179	220	69	92	28	26	150	55	1,078	815	7	42	479	287
Austin, part	2,639	2	-	182	631	151	181	60	77	20	24	118	51	914	690	5	40	403	242
Austin, total	2,653	2	-	183	633	151	182	61	77	20	24	118	51	921	696	5	40	409	242
Round Rock, part	6	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Balance of county	456	1	-	21	132	28	39	9	14	8	2	32	4	163	125	2	2	76	45
Trinity	120	-	-	2	34	2	14	3	1	3	-	11	2	49	36	-	1	20	15
Tyler	225	-	-	5	52	12	15	5	6	6	3	5	9	101	75	-	2	55	18
Upshur	305	-	-	7	76	16	24	4	10	2	4	16	7	119	101	-	2	64	35
Upton	34	-	-	1	10	4	-	1	1	-	1	3	-	13	9	-	-	8	1
Uvalde	193	-	-	2	49	12	14	3	7	4	1	8	11	64	52	-	2	23	27
Uvalde	130	-	-	2	27	6	8	3	5	3	-	2	10	41	32	-	1	13	18
Balance of county	63	-	-	-	22	6	6	-	2	1	1	6	1	23	20	-	1	10	9
Val Verde	244	-	-	5	62	21	14	6	2	2	2	15	20	85	65	1	2	45	17
Del Rio	210	-	-	4	51	16	13	4	2	2	1	13	20	75	55	1	2	37	15
Balance of county	34	-	-	1	11	5	1	2	-	-	1	2	-	10	10	-	-	8	2
Van Zandt	452	-	-	4	98	20	27	5	11	5	5	25	15	202	145	-	8	85	52
Victoria	552	-	-	15	138	29	56	7	18	7	2	19	28	207	148	1	15	99	33
Victoria	427	-	-	13	100	22	39	6	13	6	2	12	22	162	115	1	11	79	24
Balance of county	125	-	-	2	38	7	17	1	5	1	-	7	6	45	33	-	4	20	9
Walker	281	-	-	5	76	17	29	2	8	1	3	16	9	117	88	1	1	65	21
Huntsville	140	-	-	2	35	10	11	1	2	1	2	8	7	54	43	-	1	31	11
Balance of county	141	-	-	3	41	7	18	1	6	-	1	8	2	63	45	1	-	34	10
Waller	221	-	-	10	44	15	9	2	3	3	3	9	5	89	64	-	2	47	15
Ward	101	-	-	1	24	4	6	4	3	-	3	4	3	39	31	1	1	24	5
Washington	286	-	-	4	59	17	14	3	9	4	4	8	7	136	110	-	2	84	24
Brenham	161	-	-	3	25	8	4	2	4	-	1	6	5	83	67	-	1	52	14
Balance of county	125	-	-	1	34	9	10	1	5	4	3	2	2	53	43	-	1	32	10
Webb	696	1	-	23	132	41	21	13	12	6	10	29	42	252	203	2	6	159	36
Laredo	665	1	-	22	128	39	21	13	11	6	9	29	40	244	197	1	6	155	35
Balance of county	31	-	-	1	4	2	-	-	1	-	1	-	2	8	6	1	-	4	1
Wharton	408	-	-	14	87	24	24	9	7	3	1	19	16	183	132	1	3	77	51
El Campo	123	-	-	-	26	12	5	5	-	2	-	2	8	63	46	-	1	32	13
Balance of county	285	-	-	14	61	12	19	4	7	1	1	17	8	120	86	1	2	45	38
Wheeler	75	-	-	-	17	-	3	3	5	4	-	2	2	38	28	1	-	21	6
Wichita	1,242	-	-	20	271	55	94	27	29	16	4	46	23	539	385	-	7	239	139
Burkburnett	113	-	-	1	24	11	9	1	2	-	-	1	4	50	39	-	-	32	7
Wichita Falls, part	958	-	-	15	201	31	72	21	21	12	4	40	17	419	296	-	4	175	117
Wichita Falls, total	958	-	-	15	201	31	72	21	21	12	4	40	17	419	296	-	4	175	117
Balance of county	171	-	-	4	46	13	13	5	6	4	-	5	2	70	50	-	3	32	15
Wilbarger	185	-	-	1	43	8	18	4	4	-	5	4	8	88	68	-	-	51	17
Vernon	158	-	-	1	39	8	16	3	4	-	4	4	7	72	55	-	-	41	14
Balance of county	27	-	-	-	4	-	2	1	-	-	1	-	1	16	13	-	-	10	3
Willacy	134	1	-	3	23	4	4	3	5	-	2	5	3	68	57	-	3	24	30
Williamson	776	1	-	21	200	49	48	8	32	14	9	40	18	301	232	1	11	144	76
Austin, part	14	-	-	1	2	-	1	1	-	-	-	-	-	7	6	-	-	6	-
Round Rock, part	131	1	-	9	28	5	7	2	4	3	-	7	4	43	35	-	2	18	15
Round Rock, total	137	1	-	9	29	5	7	2	5	3	-	7	4	44	35	-	2	18	15
Taylor	151	-	-	4	37	9	6	-	6	-	3	13	5	70	47	-	2	40	5
Balance of county	480	-	-	7	133	35	34	5	22	11	6	20	9	181	144	1	7	80	56
Wilson	190	-	-	2	36	8	12	1	3	2	1	9	3	96	75	3	1	40	31
Winkler	58	-	-	1	14	4	4	2	1	-	1	2	1	26	24	-	-	20	4
Wise	307	-	-	5	52	12	21	4	6	1	1	7	11	148	117	-	2	89	26
Wood	396	-	-	8	96	17	42	4	8	2	1	22	17	164	112	-	3	87	22
Yoakum	55	-	-	-	11	4	3	1	2	1	-	-	1	25	19	-	-	15	4
Young	253	-	-	2	42	14	15	1	4	1	-	7	5	111	84	1	2	68	13
Zapata	69	-	-	-	15	4	2	-	4	1	-	4	2	32	29	-	-	17	12
Zavala	111	-	-	5	19	6	3	2	3	-	-	5	11	38	32	-	-	23	9
Utah	9,651	4	1	196	1,973	465	350	199	285	76	93	505	323	3,675	2,783	63	122	1,606	992
Urban places	5,072	3	-	118	1,019	236	190	104	161	41	51	236	166	1,937	1,446	32	69	831	514
Balance of area	4,579	1	1	78	954	229	160	95	124	35	42	269	157	1,738	1,337	31	53	775	478
Metropolitan counties	7,099	3	1	160	1,457	346	267	151	209	59	61	364	244	2,678	2,017	46	104	1,141	726
Urban places	4,340	2	-	114	865	205	163	91	129	34	41	202	144	1,652	1,235	30	64	709	432
Balance of area	2,759	1	1	46	592	141	104	60	80	25	20	162	100	1,026	782	16	40	432	294
Nonmetropolitan counties	2,552	1	-	36	516	119	83	48	76	17	32	141	79	997	766	17	18	465	266
Urban places	732	1	-	4	154	31	27	13	32	7	10	34	22	285	211	2	5	122	82
Balance of area	1,820	-	-	32	362	88	56	35	44	10	22	107	57	712	555	15	13	343	184
Beaver	49	-	-	-	11	-	1	2	1	-	2	5	1	24	18	2	-	10	6
Box Elder	214	1	-	4	40	9	5	6	5	2	4	9	4	83	63	-	1	39	23
Brigham City	114	1	-	-	20	4	4	3	1	2	1	5	2	48	35	-	1	23	11
Balance of county	100	-	-	4	20	5	1	3	4	-	3	4	2	35	28	-	-	16	12
Cache	361	-	-	4	73	21	3	9	16	4	5	15	9	131	101	2	-	59	40
Logan	185	-	-	2	35	5	2	5	10	3	4	6	4	67	49	1	-	27	21
Balance of county	176	-	-	2	38	16	1	4	6	1	1	9	5	64	52	1	-	32	19
Carbon	152	-	-	2	24	6	5	1	2	-	2	8	6	62	46	1	3	24	18
Daggett	7	-	-	-	2	-	-	2	-	-	-	-	-	5	4	-	-	2	2
Davis	733	-	-	18	160	38	15	19	27	5	5	51	31	293	217	5	8	141	63
Bountiful	248	-	-	6	52	18	4	6	9	3	-	12	6	105	79	1	3	62	13
Clearfield	80	-	-	3	11	1	2	2	2	-	-	4	2	33	21	3	-	7	11
Layton	130	-	-	2	39	7	8	4	5	1	2	12	4	49	39	-	1	22	16
Balance of county	275	-	-	7	58	12	1	7	11	1	3	23	19	106	78	1	4	50	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 168 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	14	205	12	32	80	121	9	64	22	1	29	14	24	324	81	95	75	57	2
Austin, part	13	174	11	26	72	103	6	55	19	1	25	14	21	287	66	82	53	53	2
Austin, total	13	174	11	27	72	103	6	55	19	1	25	14	21	289	66	82	55	53	2
Round Rock, part	–	1	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–
Balance of county	1	30	1	6	8	17	3	9	3	–	4	–	3	36	13	13	22	4	–
Trinity	1	9	1	2	3	5	–	1	–	–	1	1	2	12	4	2	1	1	–
Tyler	3	19	3	1	7	10	–	3	–	–	–	–	2	20	5	5	3	3	–
Upshur	1	11	4	2	22	13	–	2	2	–	2	–	5	36	3	5	4	2	–
Upton	–	4	–	–	3	1	–	–	–	–	–	–	–	–	2	3	–	1	–
Uvalde	–	11	1	–	7	7	–	3	–	–	2	1	4	26	5	5	4	3	–
Uvalde	–	8	1	–	5	3	–	3	–	–	1	1	3	23	4	3	3	1	–
Balance of county	–	3	–	–	2	4	–	–	–	–	1	–	1	3	1	2	1	2	–
Val Verde	1	17	2	–	6	7	2	2	2	–	1	4	–	24	6	8	5	5	–
Del Rio	1	17	2	–	6	5	1	1	2	–	1	3	–	23	5	5	4	4	–
Balance of county	–	–	–	–	–	2	1	1	–	–	–	1	–	1	1	3	1	1	–
Van Zandt	2	49	2	4	22	18	2	5	2	–	2	1	10	42	12	6	8	3	–
Victoria	4	44	6	5	15	16	1	7	4	–	12	3	2	61	20	11	6	6	–
Victoria	3	35	5	4	13	12	1	7	2	–	10	2	2	47	18	7	3	6	–
Balance of county	1	9	1	1	2	4	–	–	2	–	2	1	–	14	2	4	3	–	–
Walker	1	19	5	4	9	12	–	2	3	–	2	–	3	18	10	10	1	4	–
Huntsville	1	8	1	1	6	7	–	–	2	–	1	–	–	14	4	5	–	3	–
Balance of county	–	11	4	3	3	5	–	2	1	–	1	–	3	4	6	5	1	1	–
Waller	1	21	1	2	9	12	–	2	2	–	–	1	6	19	12	6	–	4	–
Ward	–	7	1	–	5	6	–	1	–	–	–	–	–	12	5	1	3	1	–
Washington	2	21	2	1	6	6	1	4	3	–	1	–	11	29	7	4	6	1	1
Brenham	1	13	1	1	5	3	1	1	2	–	1	–	6	15	4	2	5	–	–
Balance of county	1	8	1	–	1	3	–	3	1	–	–	–	5	14	3	2	1	1	1
Webb	–	43	1	5	27	18	–	17	3	–	11	17	13	78	15	26	7	13	1
Laredo	–	42	1	4	26	18	–	17	3	–	10	17	11	77	13	19	6	12	1
Balance of county	–	1	–	1	1	–	–	–	–	–	1	–	2	1	2	7	1	1	–
Wharton	5	33	10	3	12	12	1	4	1	–	2	3	5	40	8	12	4	3	1
El Campo	1	8	7	1	5	4	1	2	–	–	–	–	–	9	–	3	–	2	–
Balance of county	4	25	3	2	7	8	–	2	1	–	2	3	5	31	8	9	4	1	1
Wheeler	–	7	1	2	3	7	–	–	1	–	–	1	–	4	1	–	1	–	–
Wichita	6	117	15	16	28	67	–	11	4	–	7	19	8	150	22	42	14	17	–
Burkburnett	1	7	1	2	2	7	–	–	–	–	1	1	–	16	3	3	1	–	–
Wichita Falls, part	4	93	14	12	18	54	–	9	2	–	6	17	6	115	16	35	12	16	–
Wichita Falls, total	4	93	14	12	18	54	–	9	2	–	6	17	6	115	16	35	12	16	–
Balance of county	1	17	–	2	8	6	–	2	2	–	–	1	2	19	3	4	1	1	–
Wilbarger	1	16	1	2	4	5	1	–	2	–	–	–	–	19	3	3	3	4	1
Vernon	1	14	1	1	4	5	–	–	2	–	–	–	–	18	1	2	2	4	1
Balance of county	–	2	–	1	–	–	1	–	–	–	–	–	–	1	2	1	1	–	–
Willacy	1	7	1	2	4	4	3	3	1	–	–	–	2	11	2	2	–	3	1
Williamson	2	53	7	7	25	29	3	6	7	–	9	3	8	88	19	23	14	–	1
Austin, part	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
Round Rock, part	1	5	1	1	5	10	1	2	1	–	3	1	3	14	–	4	2	–	–
Round Rock, total	1	6	1	1	5	11	1	2	1	–	3	1	3	15	2	4	2	–	–
Taylor	–	18	2	3	6	5	1	1	1	–	2	–	–	12	2	4	–	–	1
Balance of county	1	30	4	2	14	14	1	3	5	–	4	2	5	60	17	15	10	–	–
Wilson	–	18	3	–	9	9	–	4	1	–	1	1	1	15	6	3	2	1	–
Winkler	–	1	–	1	1	1	–	1	1	–	–	1	1	7	1	1	–	1	–
Wise	–	26	3	2	6	13	2	4	–	–	2	2	4	32	5	12	5	4	–
Wood	2	42	2	6	11	17	1	1	2	–	4	3	5	36	9	12	9	1	–
Yoakum	1	5	–	–	2	3	–	1	1	–	1	–	–	8	2	–	–	–	–
Young	3	18	5	1	13	18	–	2	1	1	2	3	1	41	4	5	2	–	–
Zapata	2	1	–	–	–	–	–	1	1	–	–	1	–	7	4	2	–	2	2
Zavala	–	4	1	1	2	2	1	2	3	–	–	–	1	12	6	5	2	2	–
Utah	39	684	69	100	398	431	35	85	114	1	89	59	170	1,202	269	247	286	61	32
Urban places	16	379	37	59	228	224	21	49	64	1	48	34	92	625	119	119	152	32	21
Balance of area	23	305	32	41	170	207	14	36	50	–	41	25	78	577	150	128	134	29	11
Metropolitan counties	31	498	53	79	273	319	27	68	85	–	67	48	114	898	196	172	214	49	26
Urban places	16	319	29	53	190	189	19	42	57	–	37	28	71	537	97	106	139	30	21
Balance of area	15	179	24	26	83	130	8	26	28	–	30	20	43	361	99	66	75	19	5
Nonmetropolitan counties	8	186	16	21	125	112	8	17	29	1	22	11	56	304	73	75	72	12	6
Urban places	–	60	8	6	38	35	2	7	7	1	11	6	21	88	22	13	13	2	–
Balance of area	8	126	8	15	87	77	6	10	22	–	11	5	35	216	51	62	59	10	6
Beaver	–	6	–	–	3	1	–	1	–	–	–	–	–	5	–	2	1	–	–
Box Elder	–	16	2	2	11	2	1	2	7	–	6	2	4	25	8	5	8	–	1
Brigham City	–	10	1	2	9	1	–	2	2	–	4	2	1	12	6	2	2	–	–
Balance of county	–	6	1	–	2	1	1	–	5	–	2	–	3	13	2	3	6	–	1
Cache	–	26	3	1	28	15	1	2	1	–	3	3	9	52	10	10	9	–	1
Logan	–	15	3	–	18	5	–	1	1	–	2	3	7	25	4	5	6	–	–
Balance of county	–	11	–	1	10	10	1	1	–	–	1	–	2	27	6	5	3	–	1
Carbon	–	13	–	3	7	14	1	2	2	–	2	1	–	12	4	4	7	1	1
Daggett	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Davis	2	58	4	12	21	31	2	9	9	–	7	7	7	69	23	20	24	–	2
Bountiful	1	19	2	4	12	11	2	2	4	–	–	1	2	24	4	8	9	–	–
Clearfield	–	6	1	5	4	6	–	1	2	–	–	3	2	6	1	1	3	–	2
Layton	–	8	1	1	–	3	–	2	1	–	4	–	3	11	4	3	5	–	–
Balance of county	1	25	–	2	5	11	–	4	2	–	3	3	–	28	14	8	7	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 169 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	80	-	-	1	12	5	-	1	1	1	-	4	4	34	31	1	-	21	9
Emery	60	-	-	4	8	1	1	2	1	-	-	3	1	21	19	1	1	7	10
Garfield	53	-	-	1	8	2	-	1	1	1	1	2	3	26	21	-	2	11	8
Grand	61	-	-	-	14	3	6	1	1	-	2	1	2	21	16	-	-	14	2
Iron	121	-	-	1	19	10	4	-	1	2	-	2	6	48	37	-	2	10	25
Cedar City	76	-	-	-	14	7	3	-	1	1	-	2	6	29	22	-	1	5	16
Balance of county	45	-	-	1	5	3	1	-	-	1	-	-	-	19	15	-	1	5	9
Juab	58	-	-	1	10	3	-	-	2	-	-	5	2	27	25	-	-	18	7
Kane	42	-	-	-	10	3	1	2	2	-	-	2	3	19	12	-	1	7	4
Millard	80	-	-	1	6	4	1	1	-	-	-	-	3	42	31	1	-	20	10
Morgan	36	-	-	-	8	2	3	3	-	-	-	-	-	17	14	1	-	13	-
Piute	17	-	-	-	4	1	1	-	-	-	-	2	1	8	7	-	2	4	1
Rich	7	-	-	-	1	1	-	-	-	-	-	-	1	2	2	-	-	1	1
Salt Lake	4,116	3	1	95	897	204	175	86	124	40	36	232	133	1,502	1,125	21	74	615	415
Midvale	102	-	-	2	21	3	3	2	5	-	-	8	8	28	24	1	1	14	8
Murray	185	-	-	6	41	10	7	4	4	2	5	9	9	67	55	2	3	30	20
Salt Lake City	1,520	1	-	48	314	69	64	31	46	16	14	74	41	593	431	6	32	241	152
Sandy City	213	-	-	3	53	10	5	5	11	3	3	16	8	73	51	2	2	27	20
South Salt Lake	97	1	-	1	19	5	6	-	5	-	-	3	2	34	24	-	2	10	12
West Jordan	142	-	-	6	27	4	7	4	1	-	3	8	6	36	24	-	2	8	14
Balance of county	1,857	1	1	29	422	103	83	40	52	19	11	114	59	671	516	10	32	285	189
San Juan	70	-	-	-	9	1	-	-	1	1	1	5	2	24	20	-	-	18	2
Sanpete	148	-	-	6	42	8	6	2	4	4	5	13	3	49	39	1	-	30	8
Sevier	115	-	-	1	25	4	5	2	6	-	2	6	4	55	43	2	1	25	15
Summit	61	-	-	4	11	2	1	-	-	-	-	8	2	22	18	-	-	13	5
Tooele	140	-	-	3	34	5	10	2	3	-	1	13	4	56	43	1	-	27	15
Tooele	99	-	-	2	20	4	7	1	3	-	1	4	3	45	35	-	-	22	13
Balance of county	41	-	-	1	14	1	3	1	-	-	-	9	1	11	8	1	-	5	2
Uintah	121	-	-	1	31	6	8	2	5	1	3	6	5	35	28	2	1	15	10
Utah	1,174	-	-	31	197	55	33	20	28	6	13	42	47	468	365	11	9	197	148
American Fork	87	-	-	1	18	7	2	2	1	1	2	3	1	35	24	-	1	15	8
Orem	248	-	-	9	47	10	8	5	4	-	6	14	12	93	81	1	2	46	32
Pleasant Grove	63	-	-	2	13	6	3	1	2	-	-	1	7	19	14	-	-	7	7
Provo	366	-	-	10	57	18	8	6	10	3	2	10	10	154	120	7	5	61	47
Springville	87	-	-	3	17	6	4	1	1	-	2	3	4	35	27	2	-	17	8
Balance of county	323	-	-	6	45	8	8	5	10	2	1	11	13	132	99	1	1	51	46
Wasatch	59	-	-	1	8	3	1	1	1	-	-	2	2	18	12	-	-	8	4
Washington	418	-	-	1	103	19	21	7	23	1	4	28	11	157	109	2	4	65	38
St. George	258	-	-	-	65	11	11	4	17	1	4	17	7	96	70	1	3	45	21
Balance of county	160	-	-	1	38	8	10	3	6	-	-	11	4	61	39	1	1	20	17
Wayne	22	-	-	-	3	-	-	1	-	-	-	2	-	11	7	-	-	4	3
Weber	1,076	-	-	16	203	49	44	26	30	8	7	39	33	415	310	9	13	188	100
Ogden	569	-	-	11	94	17	25	10	17	4	2	19	20	223	170	3	8	111	48
Roy	115	-	-	-	23	7	5	5	3	-	-	3	2	40	28	-	1	17	10
South Ogden	88	-	-	1	19	7	2	3	3	1	-	3	2	35	23	2	1	14	6
Balance of county	304	-	-	4	67	18	12	8	7	3	5	14	9	117	89	4	3	46	36
Vermont	4,563	-	-	59	1,117	281	288	98	117	60	40	233	151	1,860	1,467	16	52	914	485
Urban places	615	-	-	7	142	40	29	12	18	6	6	31	20	286	218	1	7	123	87
Balance of area	3,948	-	-	52	975	241	259	86	99	54	34	202	131	1,574	1,249	15	45	791	398
Metropolitan counties	818	-	-	12	218	57	52	19	22	12	11	45	21	321	254	2	2	159	91
Urban places	383	-	-	6	88	25	16	10	10	2	6	19	12	163	123	-	1	77	45
Balance of area	435	-	-	6	130	32	36	9	12	10	5	26	9	158	131	2	1	82	46
Nonmetropolitan counties	3,745	-	-	47	899	224	236	79	95	48	29	188	130	1,539	1,213	14	50	755	394
Urban places	232	-	-	1	54	15	13	2	8	4	-	12	8	123	95	1	6	46	42
Balance of area	3,513	-	-	46	845	209	223	77	87	44	29	176	122	1,416	1,118	13	44	709	352
Addison	226	-	-	2	55	8	19	4	10	3	2	9	10	103	83	2	5	56	20
Bennington	396	-	-	6	88	18	33	6	7	2	2	20	12	163	122	-	7	72	43
Caledonia	241	-	-	2	56	10	16	7	4	3	2	14	10	88	67	1	4	41	21
Chittenden	770	-	-	12	201	53	48	17	19	10	11	43	20	300	240	2	1	151	86
Burlington	314	-	-	6	66	19	14	7	8	2	3	13	11	138	103	-	-	63	40
South Burlington	69	-	-	-	22	6	2	3	2	-	3	6	1	25	20	-	1	14	5
Balance of county	387	-	-	6	113	28	32	7	9	8	5	24	8	137	117	2	-	74	41
Essex	63	-	-	-	21	6	6	2	3	1	-	3	3	26	23	-	1	18	4
Franklin	320	-	-	6	72	23	13	7	12	5	1	11	12	137	118	2	5	57	54
Grand Isle	48	-	-	-	17	4	4	2	3	2	-	2	1	21	14	-	1	8	5
Lamoille	137	-	-	4	33	8	8	4	4	2	-	7	6	47	32	-	2	23	7
Orange	209	-	-	2	59	13	11	7	6	1	5	16	2	81	62	1	2	45	14
Orleans	259	-	-	6	68	20	15	6	10	1	-	16	6	106	86	1	-	69	16
Rutland	583	-	-	7	138	35	38	11	11	9	2	32	20	284	230	2	11	113	104
Rutland	232	-	-	1	54	15	13	2	8	4	-	12	8	123	95	1	6	46	42
Balance of county	351	-	-	6	84	20	25	9	3	5	2	20	12	161	135	1	5	67	62
Washington	455	-	-	2	104	29	22	8	10	6	6	23	9	191	148	3	6	96	43
Windham	357	-	-	5	80	26	18	4	11	7	2	12	14	135	106	2	4	77	23
Windsor	499	-	-	5	125	28	37	13	7	8	7	25	26	178	136	-	3	88	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 170 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	–	2	–	1	2	7	–	–	1	–	1	–	1	6	7	2	2	–	–
Emery	–	1	–	1	5	3	–	–	–	–	–	1	1	8	–	2	4	2	–
Garfield	2	2	–	1	1	5	–	–	–	–	–	–	–	7	1	–	1	–	–
Grand	1	2	–	2	1	3	–	–	–	–	1	–	–	10	2	3	3	1	–
Iron	–	11	–	–	9	6	–	–	–	–	2	1	3	18	1	5	1	1	–
Cedar City	–	7	–	–	4	4	–	–	–	–	2	1	1	12	1	1	–	1	–
Balance of county	–	4	–	–	5	2	–	–	–	–	–	–	2	6	–	4	1	–	–
Juab	–	2	–	–	3	–	–	–	–	–	–	–	5	4	1	3	1	1	–
Kane	–	5	–	2	1	4	–	–	–	–	–	–	–	3	1	–	1	–	–
Millard	–	7	2	2	4	4	1	–	–	–	–	–	–	12	2	3	2	–	–
Morgan	–	2	1	–	–	1	–	–	2	–	–	–	–	5	–	–	2	1	–
Piute	1	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–
Rich	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Salt Lake	16	281	32	48	141	165	18	41	50	–	38	21	78	534	112	102	124	42	19
Midvale	–	1	1	2	11	4	–	2	2	–	4	2	2	11	1	1	2	–	1
Murray	–	10	–	2	3	7	1	2	2	–	2	2	4	20	5	4	10	–	–
Salt Lake City	5	121	13	23	60	46	7	13	17	–	9	4	26	199	32	41	45	15	9
Sandy City	–	20	–	2	4	6	1	2	4	–	–	1	5	30	5	8	7	2	1
South Salt Lake	–	8	1	1	4	7	1	–	1	–	1	–	2	20	–	1	2	–	1
West Jordan	–	11	–	1	3	11	1	2	3	–	4	–	3	12	2	5	11	8	2
Balance of county	11	110	17	17	56	84	7	20	21	–	18	12	36	242	67	42	47	17	5
San Juan	1	3	–	–	4	2	–	2	1	–	1	–	1	10	7	2	2	1	2
Sanpete	–	9	–	1	8	3	–	1	2	–	2	2	2	15	4	7	1	1	–
Sevier	1	11	–	–	7	2	–	1	2	–	–	–	–	12	1	–	3	1	1
Summit	–	3	1	–	2	3	1	–	1	–	–	–	1	7	–	2	5	–	–
Tooele	1	9	1	2	4	11	1	2	2	–	1	–	2	15	2	2	1	–	–
Tooele	–	7	1	2	1	9	1	2	2	–	–	–	–	10	1	2	1	–	–
Balance of county	1	2	–	–	3	2	–	–	–	–	1	–	2	5	1	–	–	–	–
Uintah	–	7	–	–	5	4	–	2	1	–	–	–	1	16	5	8	7	–	–
Utah	7	76	10	10	51	57	5	8	12	–	14	13	17	149	45	29	26	1	4
American Fork	–	7	3	1	3	6	–	3	–	–	1	1	1	9	1	4	3	–	–
Orem	–	11	1	–	10	10	–	1	5	–	4	3	3	28	8	5	6	1	3
Pleasant Grove	1	3	1	–	1	5	–	–	–	–	–	1	2	8	5	–	–	–	–
Provo	5	24	1	4	19	16	3	3	4	–	2	5	5	45	16	11	5	–	1
Springville	–	8	–	–	3	4	1	1	–	–	1	–	2	11	3	2	–	–	–
Balance of county	1	23	4	5	15	16	1	–	3	–	6	3	4	48	12	7	12	–	–
Wasatch	–	4	1	1	6	2	–	–	2	–	–	1	2	10	2	4	1	–	–
Washington	–	41	5	2	12	20	2	2	3	1	3	–	23	46	13	9	10	2	–
St. George	–	21	3	2	6	16	1	2	2	1	3	–	12	29	10	3	4	1	–
Balance of county	–	20	2	–	6	4	1	–	1	–	–	–	11	17	3	6	6	1	–
Wayne	1	3	–	–	2	–	–	–	–	–	–	–	1	4	–	1	–	–	–
Weber	6	63	7	9	60	66	2	10	14	–	8	7	12	146	16	21	40	6	1
Ogden	4	42	4	3	35	37	1	5	11	–	4	4	7	78	8	6	21	3	1
Roy	–	10	–	2	9	6	1	3	–	–	1	1	2	16	1	3	6	1	–
South Ogden	–	10	–	2	9	4	–	–	1	–	–	–	–	9	1	3	4	–	–
Balance of county	2	21	3	2	7	19	–	2	2	–	3	2	3	43	6	9	9	2	–
Vermont	17	265	30	81	159	221	18	46	45	1	25	22	26	519	91	84	92	23	4
Urban places	4	41	6	17	20	16	2	5	3	–	3	3	7	71	5	16	6	2	1
Balance of area	13	224	24	64	139	205	16	41	42	1	22	19	19	448	86	68	86	21	3
Metropolitan counties	4	44	2	17	24	32	3	6	3	–	4	7	12	99	11	19	18	6	2
Urban places	2	23	2	13	14	11	2	3	2	–	1	3	7	50	2	11	5	2	1
Balance of area	2	21	–	4	10	21	1	3	1	–	3	4	5	49	9	8	13	4	1
Nonmetropolitan counties	13	221	28	64	135	189	15	40	42	1	21	15	14	420	80	65	74	17	2
Urban places	2	18	4	4	6	5	–	2	1	–	2	–	–	21	3	5	1	–	–
Balance of area	11	203	24	60	129	184	15	38	41	1	19	15	14	399	77	60	73	17	2
Addison	–	13	2	5	8	10	–	1	1	–	1	2	–	26	2	1	4	–	–
Bennington	2	27	–	12	20	21	2	6	3	–	2	–	1	52	7	6	6	1	–
Caledonia	1	17	1	2	14	17	2	2	2	–	1	2	1	34	4	3	3	–	–
Chittenden	4	40	2	14	24	31	3	6	2	–	4	7	12	97	9	18	18	4	2
Burlington	2	19	2	12	13	5	2	3	2	–	1	1	6	44	2	8	3	2	1
South Burlington	–	4	–	1	1	6	–	–	–	–	–	2	1	6	–	3	2	–	–
Balance of county	2	17	–	1	10	20	1	3	–	–	3	4	5	47	7	7	13	2	1
Essex	1	2	–	–	1	3	–	1	1	–	–	1	–	3	3	–	–	–	–
Franklin	–	11	5	3	11	15	–	1	6	–	2	1	–	33	10	8	4	2	–
Grand Isle	–	4	–	3	–	1	–	–	1	–	–	–	–	2	2	1	–	2	–
Lamoille	–	13	–	2	2	7	1	–	2	–	1	2	–	18	4	1	6	3	–
Orange	–	14	1	4	6	10	–	2	2	–	2	–	–	28	4	5	6	–	–
Orleans	–	15	2	3	9	14	1	3	4	1	–	1	2	25	5	5	2	–	1
Rutland	2	34	7	11	18	13	1	4	4	–	4	–	2	52	8	11	12	5	–
Rutland	2	18	4	4	6	5	–	2	1	–	2	–	–	21	3	5	1	–	–
Balance of county	–	16	3	7	12	8	1	2	3	–	2	–	2	31	5	6	11	5	–
Washington	5	26	5	7	8	25	3	9	7	–	3	4	2	61	9	6	10	2	–
Windham	2	19	–	8	22	20	3	6	1	–	3	1	3	36	8	8	11	1	–
Windsor	–	30	5	7	16	34	2	5	9	–	2	1	3	52	16	11	10	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 171 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	49,129	26	1	1,320	12,007	2,594	3,603	1,055	1,365	467	431	2,492	881	20,098	15,716	87	408	9,322	5,899
Urban places	20,773	10	1	688	4,999	1,111	1,499	423	561	185	161	1,059	392	8,347	6,490	33	176	3,764	2,517
Balance of area	28,356	16	-	632	7,008	1,483	2,104	632	804	282	270	1,433	489	11,751	9,226	54	232	5,558	3,382
Metropolitan counties	31,870	16	1	1,021	8,039	1,763	2,426	707	884	317	276	1,666	570	12,570	9,771	52	254	5,615	3,850
Urban places	18,789	8	1	651	4,541	1,001	1,377	382	517	168	138	958	366	7,459	5,767	24	164	3,341	2,238
Balance of area	13,081	8	-	370	3,498	762	1,049	325	367	149	138	708	204	5,111	4,004	28	90	2,274	1,612
Nonmetropolitan counties	17,259	10	-	299	3,968	831	1,177	348	481	150	155	826	311	7,528	5,945	35	154	3,707	2,049
Urban places	1,984	2	-	37	458	110	122	41	44	17	23	101	26	888	723	9	12	423	279
Balance of area	15,275	8	-	262	3,510	721	1,055	307	437	133	132	725	285	6,640	5,222	26	142	3,284	1,770
Accomack	434	1	-	9	98	24	39	8	8	4	2	13	8	190	154	1	9	89	55
Albemarle	410	-	-	15	109	19	31	9	14	6	3	27	9	148	107	-	-	58	49
Alexandria city	862	1	-	54	218	52	56	21	23	8	4	54	18	297	230	1	6	101	122
Alleghany	144	-	-	2	36	7	11	3	4	1	2	8	5	71	59	-	1	49	9
Amelia	92	-	-	5	15	1	6	2	2	-	1	3	2	50	39	-	2	22	15
Amherst	261	-	-	3	75	20	20	9	5	3	2	16	5	108	89	1	-	59	29
Appomattox	115	-	-	3	20	3	6	4	2	-	1	4	1	60	43	-	2	29	12
Arlington#	1,120	-	-	74	315	65	79	34	44	7	8	78	16	412	312	6	2	193	111
Augusta	423	-	-	4	107	27	24	10	17	3	6	20	5	199	151	1	-	106	44
Bath	58	-	-	1	13	-	7	-	2	-	-	4	3	25	23	-	-	17	6
Bedford	346	-	-	4	79	16	18	13	7	5	3	17	9	135	109	1	2	70	36
Bedford city •	121	-	-	5	37	9	13	3	3	1	-	8	-	52	41	-	-	24	17
Bland	66	-	-	1	10	2	5	2	-	-	-	1	-	29	22	-	-	17	5
Botetourt	195	-	-	3	39	9	14	2	1	1	1	11	2	101	87	-	1	53	33
Bristol city [10]	253	-	-	5	57	7	23	5	7	3	1	11	3	110	87	1	2	58	26
Brunswick	202	1	-	5	46	8	16	7	4	5	1	5	3	85	58	-	2	29	27
Buchanan	274	-	-	2	65	7	26	3	9	3	2	15	6	112	94	-	3	72	19
Buckingham	146	-	-	3	30	7	9	2	2	1	2	7	-	68	54	1	2	36	15
Buena Vista city •	88	-	-	1	24	7	3	4	1	2	2	5	3	34	25	-	-	17	8
Campbell	373	-	-	6	92	18	32	6	13	4	2	17	9	152	125	-	4	72	49
Caroline	189	-	-	5	47	13	12	4	9	2	1	6	3	72	55	-	-	42	13
Carroll	304	-	-	6	70	14	18	9	9	2	3	15	2	126	98	-	1	59	38
Charles City	55	-	-	1	14	3	6	-	1	2	-	2	2	20	20	1	2	9	8
Charlotte	155	-	-	1	39	8	12	4	4	-	1	10	2	62	41	-	2	28	11
Charlottesville city	379	-	-	11	82	21	27	6	2	3	2	21	10	159	112	1	1	76	34
Chesapeake city	1,093	1	-	33	271	63	88	21	24	13	6	56	31	421	342	2	17	221	102
Chesterfield	999	1	-	28	281	56	98	29	22	14	9	53	14	364	296	1	5	175	115
Clarke	116	-	-	1	29	3	11	1	6	-	1	7	-	49	35	-	-	21	14
Clifton Forge city •	102	-	-	3	20	6	5	1	3	-	1	4	2	51	38	-	-	34	4
Colonial Heights city	173	-	-	-	56	15	13	6	3	3	-	16	3	57	47	-	-	32	15
Covington city •	96	-	-	1	19	5	5	2	2	1	2	2	-	47	38	-	1	35	2
Craig	40	-	-	-	9	2	5	1	1	-	-	-	2	19	13	-	1	8	4
Culpeper	232	-	-	4	55	6	22	4	6	3	1	13	4	101	73	2	1	36	34
Cumberland	87	-	-	3	17	5	3	3	2	-	1	3	1	43	33	-	-	16	17
Danville city	706	1	-	10	143	31	44	11	19	6	5	27	16	329	264	-	9	144	111
Dickenson	165	-	-	-	32	8	11	3	3	-	-	7	1	76	60	-	1	50	9
Dinwiddie	174	-	-	3	46	10	19	2	6	-	2	7	3	66	52	1	4	29	18
Emporia city •	95	-	-	1	23	2	4	6	4	1	1	5	2	45	34	-	3	18	13
Essex	101	-	-	2	24	4	8	3	3	-	-	6	3	46	37	-	5	23	9
Fairfax	3,262	2	-	112	1,000	222	278	109	116	34	43	198	50	1,173	901	10	24	484	383
Herndon	42	1	-	2	11	2	6	1	-	1	-	1	2	10	9	-	-	4	5
Vienna	86	-	-	4	28	2	7	6	7	-	-	6	1	34	29	-	-	15	14
Balance of county	3,134	1	-	106	961	218	265	102	109	33	43	191	47	1,129	863	10	24	465	364
Fairfax city	169	-	-	6	41	3	15	6	6	-	4	7	2	70	45	-	-	21	24
Falls Church city •	124	-	-	7	36	10	12	2	3	2	-	7	1	44	33	1	1	16	15
Fauquier	355	-	-	5	86	19	23	12	8	5	5	14	9	150	110	1	2	54	53
Floyd	129	-	-	4	23	5	1	5	7	1	1	3	4	59	46	-	1	29	16
Fluvanna	120	-	-	6	38	12	7	1	7	1	2	8	3	47	32	-	-	20	12
Franklin	327	-	-	3	75	15	25	9	4	4	1	17	4	133	99	-	1	51	47
Franklin city •	122	-	-	3	25	5	9	3	3	1	-	4	2	57	46	-	-	27	19
Frederick	328	-	-	6	90	17	29	6	11	4	5	18	5	129	105	1	3	62	39
Fredericksburg city	170	-	-	5	38	10	11	2	1	1	1	12	3	69	59	1	1	39	18
Galax city •	89	-	-	4	17	4	2	3	4	-	2	2	2	43	34	-	-	24	10
Giles	190	-	-	2	45	5	13	4	7	3	2	11	8	84	65	-	-	38	27
Gloucester	251	-	-	6	72	14	31	7	5	-	2	13	1	94	79	-	3	47	29
Goochland	144	-	-	3	39	8	11	5	4	1	1	9	3	59	47	2	-	28	17
Grayson	205	1	-	3	48	8	20	8	2	1	4	5	2	79	59	-	2	38	19
Greene	81	-	-	4	17	1	4	3	-	3	1	5	1	28	21	-	-	11	10
Greensville	116	1	-	2	28	6	8	2	4	3	2	3	5	50	33	-	4	19	10
Halifax	346	-	-	5	81	15	28	9	11	1	-	17	9	140	105	-	6	64	35
Hampton city	974	-	-	28	254	57	82	20	36	13	7	39	17	369	290	-	9	171	110
Hanover	508	1	-	9	147	35	45	7	19	5	8	28	8	202	161	1	5	85	70
Harrisonburg city	238	-	-	3	47	10	16	5	4	1	2	9	1	112	93	3	1	46	43
Henrico	1,921	1	-	61	419	88	124	37	42	20	14	94	20	807	620	3	14	358	245
Henry	446	-	-	9	98	21	22	5	17	4	5	24	5	183	145	2	1	93	49
Highland	34	-	-	-	5	3	-	-	-	-	1	1	-	17	14	-	-	7	7
Hopewell city	234	-	-	6	52	7	19	4	4	-	1	17	3	92	73	-	-	56	17
Isle of Wight	222	1	-	6	55	11	15	4	9	4	1	11	6	91	75	-	1	59	15
James City	192	-	-	5	49	13	13	4	6	1	5	7	3	77	63	-	-	45	18
King and Queen	76	-	-	2	13	-	5	-	-	1	1	6	3	37	27	-	2	12	13
King George	94	-	-	2	22	3	9	2	3	1	1	3	1	41	27	-	1	20	6
King William	99	-	-	1	18	4	7	2	-	1	1	3	3	46	36	-	2	17	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 172 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	211	3,308	333	530	1,711	2,009	108	490	568	3	303	510	528	4,999	965	1,177	793	588	44
Urban places	110	1,402	126	219	684	808	42	222	252	2	142	296	223	2,195	269	480	319	383	19
Balance of area	101	1,906	207	311	1,027	1,201	66	268	316	1	161	214	305	2,804	696	697	474	205	25
Metropolitan counties	151	2,082	223	343	1,045	1,271	71	341	353	2	224	410	337	3,318	510	747	513	474	37
Urban places	102	1,265	122	203	605	725	37	204	224	2	132	280	196	2,011	235	441	284	368	19
Balance of area	49	817	101	140	440	546	34	137	129	–	92	130	141	1,307	275	306	229	106	18
Nonmetropolitan counties	60	1,226	110	187	666	738	37	149	215	1	79	100	191	1,681	455	430	280	114	7
Urban places	8	137	4	16	79	83	5	18	28	–	10	16	27	184	34	39	35	15	–
Balance of area	52	1,089	106	171	587	655	32	131	187	1	69	84	164	1,497	421	391	245	99	7
Accomack	4	25	2	5	14	20	1	3	2	–	2	2	4	48	13	8	6	5	–
Albemarle	1	34	4	2	16	26	3	4	7	–	3	2	1	40	5	12	7	2	1
Alexandria city	7	44	5	11	32	26	2	22	11	–	8	13	10	86	16	24	9	14	1
Alleghany	1	4	4	3	7	4	–	2	1	–	1	1	2	5	3	2	2	–	–
Amelia	–	8	–	3	3	2	1	–	2	–	–	–	1	6	1	2	1	–	1
Amherst	–	14	1	4	9	10	–	4	2	–	–	1	–	19	7	6	8	3	1
Appomattox	–	15	–	2	2	6	1	1	2	–	–	–	–	9	4	6	–	–	–
Arlington#	5	72	16	7	35	40	1	11	13	–	13	9	12	104	12	18	19	14	2
Augusta	2	38	–	8	15	16	–	2	3	–	1	1	2	37	19	6	5	1	–
Bath	–	–	1	1	2	1	–	1	–	–	1	–	–	5	–	3	2	1	–
Bedford	2	21	–	3	11	8	1	–	5	–	6	1	6	38	15	19	7	2	–
Bedford city [9]	–	11	–	–	6	3	–	3	–	–	–	–	2	10	1	1	1	–	–
Bland	–	6	1	–	4	3	–	4	1	–	–	–	1	5	3	3	2	–	–
Botetourt	–	9	1	4	7	8	1	2	5	–	3	1	2	14	2	2	3	–	–
Bristol city [10]	–	20	1	2	15	7	–	3	3	–	3	1	2	31	–	4	7	2	–
Brunswick	3	22	1	1	4	9	1	3	3	–	3	4	1	20	4	5	2	2	1
Buchanan	–	12	–	6	6	16	–	2	5	–	2	–	1	26	14	9	6	1	1
Buckingham	–	12	1	1	5	5	–	1	–	–	–	2	2	17	4	7	2	–	–
Buena Vista city [9]	1	6	–	2	3	2	2	–	1	–	1	–	2	11	1	2	1	–	–
Campbell	–	22	1	4	12	17	1	6	–	–	3	2	3	39	11	9	7	4	–
Caroline	–	14	–	3	6	9	–	2	2	–	2	–	1	26	8	3	2	1	–
Carroll	–	20	7	1	15	14	–	3	6	–	1	–	7	27	7	11	4	5	–
Charles City	–	–	–	–	–	3	–	1	1	–	1	–	–	8	3	–	–	1	–
Charlotte	1	18	–	2	7	6	–	–	1	–	–	–	4	18	6	4	3	2	–
Charlottesville city	5	34	5	3	14	14	–	4	9	–	1	2	2	47	3	13	6	2	–
Chesapeake city	6	59	5	9	27	39	–	14	16	–	6	17	15	117	20	24	19	21	1
Chesterfield	8	42	4	14	30	37	2	8	13	–	7	3	15	102	29	30	20	14	1
Clarke	–	8	4	2	4	7	–	2	1	–	1	–	3	11	2	4	2	–	–
Clifton Forge city [9]	–	10	2	1	5	5	–	–	2	–	1	1	–	9	1	2	–	–	–
Colonial Heights city	–	7	1	2	5	7	–	2	4	–	2	1	4	22	1	3	6	–	–
Covington city [9]	–	6	1	2	5	3	–	2	1	–	–	1	1	10	2	2	2	–	–
Craig	–	2	2	2	1	1	–	–	–	–	–	–	–	5	2	–	1	–	–
Culpeper	–	23	2	3	2	13	1	–	3	–	–	1	4	27	9	2	5	1	–
Cumberland	–	6	3	1	5	2	–	–	3	–	–	1	–	4	2	3	2	1	–
Danville city	1	54	5	5	19	43	–	11	7	–	2	2	6	82	8	8	11	7	1
Dickenson	–	10	3	3	12	8	1	6	2	–	–	–	1	13	5	2	6	–	–
Dinwiddie	–	9	1	4	4	7	1	1	–	–	2	–	–	25	4	5	3	4	–
Emporia city [9]	1	7	2	1	3	4	–	2	1	–	1	2	1	6	–	2	–	2	–
Essex	–	9	–	–	2	7	1	–	1	–	–	1	1	7	4	2	–	–	–
Fairfax	15	200	30	27	78	138	5	28	32	–	30	42	43	318	63	72	51	20	5
Herndon	–	1	–	–	–	1	–	–	–	–	–	3	–	5	2	3	1	1	–
Vienna	–	4	1	–	3	–	–	2	–	–	2	1	1	7	–	3	–	–	–
Balance of county	15	195	29	27	75	137	5	26	32	–	28	38	42	306	61	66	50	19	5
Fairfax city	–	22	1	2	5	5	–	2	2	–	2	–	2	19	4	4	3	1	1
Falls Church city [9]	1	8	1	1	1	7	1	1	2	–	1	2	–	13	–	6	1	–	1
Fauquier	1	31	4	4	15	13	2	3	4	–	2	1	3	31	11	13	5	2	–
Floyd	–	11	–	2	5	5	–	–	3	–	–	2	–	12	3	2	7	–	–
Fluvanna	1	10	1	3	3	3	–	1	1	–	–	1	1	9	2	4	–	1	–
Franklin	–	29	2	3	14	9	1	–	3	–	1	4	8	35	10	17	8	2	–
Franklin city [9]	2	8	–	1	2	4	–	–	5	–	1	2	–	11	3	3	2	2	–
Frederick	–	20	2	2	8	16	–	7	5	1	2	–	5	28	7	7	8	4	–
Fredericksburg city	–	9	1	–	3	12	1	3	3	–	1	4	3	19	3	2	1	–	–
Galax city [9]	1	6	–	2	4	1	–	–	–	–	–	–	3	10	4	1	–	–	–
Giles	–	14	1	4	5	9	–	–	2	–	1	–	1	18	3	4	5	3	–
Gloucester	–	11	–	4	20	9	–	1	–	–	2	3	1	25	6	4	6	1	–
Goochland	–	9	1	2	4	3	1	3	2	–	–	1	1	15	–	7	3	–	–
Grayson	–	17	3	–	14	6	–	1	4	–	–	–	4	32	3	5	2	1	–
Greene	–	7	–	–	8	3	–	1	–	–	1	1	1	8	4	–	2	2	–
Greensville	2	9	5	1	3	4	–	–	–	–	–	–	3	8	3	5	1	3	–
Halifax	3	31	–	1	14	23	–	2	5	–	1	3	7	32	11	1	8	4	–
Hampton city	3	59	7	10	38	41	4	10	4	–	7	19	9	109	16	23	14	11	1
Hanover	1	26	8	6	13	16	1	7	5	–	1	8	4	41	19	12	10	4	–
Harrisonburg city	2	16	1	–	15	11	–	1	6	–	–	4	5	23	1	3	5	1	–
Henrico	9	143	18	17	80	91	5	21	18	–	12	30	22	227	18	39	33	16	1
Henry	2	33	1	2	15	20	–	3	7	–	3	6	6	39	19	12	11	10	–
Highland	–	2	1	–	3	1	–	1	–	–	–	–	1	4	2	–	–	–	–
Hopewell city	1	14	–	4	10	11	–	3	2	–	1	4	1	36	2	2	4	5	–
Isle of Wight	1	10	3	2	4	8	–	4	3	–	1	2	1	23	11	2	4	–	–
James City	–	12	–	2	6	12	–	4	2	–	–	1	3	15	2	4	4	4	1
King and Queen	1	7	1	1	3	4	–	–	–	–	–	1	1	8	–	2	2	–	–
King George	–	13	1	–	–	1	2	–	1	–	1	1	2	11	6	–	3	–	–
King William	–	9	1	–	4	7	–	–	–	–	–	1	1	10	6	1	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 173 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic dis-eases [1]	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neopla-sms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of res-pirato-ry and intra-thо-racic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of urinary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	173	-	-	2	46	9	10	5	7	-	2	13	2	68	47	-	1	24	22
Lee	291	-	-	5	60	13	18	1	7	5	1	15	12	128	115	1	2	75	37
Lexington city •	71	1	-	2	18	2	4	-	3	1	2	6	-	34	27	-	-	14	13
Loudoun	450	-	-	14	126	28	37	11	11	2	6	31	11	157	117	-	3	61	53
Louisa	220	1	-	2	50	11	17	4	6	1	3	8	9	87	70	1	2	37	30
Lunenburg	130	-	-	3	22	5	10	3	-	-	2	2	3	59	47	-	1	32	14
Lynchburg city	803	-	-	14	178	41	53	13	20	12	3	36	18	344	253	2	11	141	99
Madison	109	-	-	1	27	7	3	3	5	1	-	8	3	47	35	-	1	20	14
Manassas city	146	-	-	5	24	5	9	3	2	-	1	4	8	45	33	-	-	18	15
Manassas Park city •	28	-	-	1	8	1	4	2	1	-	-	-	2	6	4	-	-	2	2
Martinsville city	281	-	-	13	57	13	12	5	10	2	2	13	9	131	109	2	2	58	47
Mathews	125	-	-	3	33	9	10	4	2	1	2	5	2	48	39	-	2	27	10
Mecklenburg	381	-	-	6	93	25	22	7	12	4	7	16	10	177	137	1	2	89	45
Middlesex	127	-	-	4	34	3	11	7	4	2	2	5	-	58	47	-	1	28	18
Montgomery	426	-	-	1	107	20	27	7	13	7	7	26	6	188	160	2	5	84	69
Blacksburg	100	-	-	-	28	7	7	1	2	1	2	8	-	41	33	1	-	14	18
Christiansburg	129	-	-	-	39	8	12	3	2	4	3	7	2	49	40	-	1	21	18
Balance of county	197	-	-	1	40	5	8	3	9	2	2	11	4	98	87	1	4	49	33
Nelson	135	-	-	3	24	5	7	1	2	-	-	9	1	69	51	-	-	40	11
New Kent	81	-	-	2	33	8	10	4	4	2	-	5	1	24	19	-	-	11	8
Newport News city	1,237	-	-	44	277	69	69	29	44	7	8	51	31	516	407	1	8	253	145
Norfolk city	2,259	-	-	76	573	126	192	46	64	27	15	103	50	882	686	3	22	394	267
Northampton	187	-	-	4	42	8	13	1	9	-	3	8	2	76	59	-	2	32	25
Northumberland	154	-	-	2	36	15	6	-	6	2	-	7	4	72	56	-	1	38	17
Norton city •	36	-	-	-	9	1	3	1	-	1	1	2	-	13	10	-	-	6	4
Nottoway	220	-	-	8	44	12	11	4	5	1	3	8	6	104	81	1	2	44	34
Orange	235	-	-	7	62	10	21	6	10	2	-	13	3	101	77	1	3	44	29
Page	181	-	-	3	32	4	9	2	4	2	1	10	-	92	76	-	2	51	23
Patrick	189	-	-	4	39	6	19	-	4	2	1	7	4	86	65	1	-	43	21
Petersburg city	497	-	1	17	124	28	50	2	7	5	6	26	11	208	162	-	6	94	62
Pittsylvania	527	-	-	8	130	32	39	12	15	5	2	25	11	252	203	2	4	97	100
Poquoson city •	82	-	-	1	23	5	6	3	2	2	1	4	1	36	26	-	2	19	5
Portsmouth city	1,132	-	-	34	274	54	86	15	30	10	13	66	22	453	347	3	15	211	118
Powhatan	108	-	-	5	29	8	10	1	6	1	1	2	2	50	38	1	2	22	13
Prince Edward	205	-	-	1	43	15	11	4	5	1	-	7	5	66	48	-	2	29	17
Prince George	125	-	-	3	30	5	12	2	2	4	1	4	5	46	37	-	1	26	10
Prince William	712	1	-	18	208	45	63	17	20	10	12	41	9	233	184	1	2	96	85
Pulaski	380	-	-	7	85	16	32	5	9	5	3	15	5	160	124	2	2	78	42
Pulaski	75	-	-	2	19	5	6	1	2	1	2	2	1	26	20	-	-	12	8
Balance of county	305	-	-	5	66	11	26	4	7	4	1	13	4	134	104	2	2	66	34
Radford city	105	1	-	1	22	3	9	2	2	1	2	3	2	48	37	-	2	21	14
Rappahannock	56	-	-	-	18	5	5	1	2	-	-	5	3	24	21	-	1	13	7
Richmond	107	-	-	1	26	3	7	1	4	3	2	6	1	49	39	-	1	26	12
Richmond city	2,657	4	-	95	615	138	179	52	86	15	22	123	38	1,072	806	3	18	429	356
Roanoke	653	1	-	26	145	26	32	17	17	5	8	40	8	301	236	-	3	129	104
Roanoke city	1,249	-	-	40	259	57	72	27	31	8	11	53	17	556	441	1	12	239	189
Rockbridge	165	-	-	5	33	8	13	3	3	-	1	5	2	74	55	-	-	39	16
Rockingham	510	-	-	6	124	27	29	8	21	6	3	30	3	210	170	-	4	107	59
Russell	275	-	-	4	57	14	20	4	4	1	1	13	2	120	108	-	1	87	20
Salem city	305	-	-	14	64	18	12	4	6	5	4	15	2	139	107	-	-	67	40
Scott	291	-	-	3	66	17	18	5	2	8	4	12	8	127	98	2	3	73	20
Shenandoah	371	-	-	4	74	17	16	3	12	2	4	20	6	191	150	1	1	69	79
Smyth	365	-	-	5	101	21	30	10	16	5	2	17	5	161	143	2	9	94	38
Southampton	153	-	-	1	38	8	11	1	3	2	4	9	4	70	54	-	7	36	11
South Boston city •	110	-	-	4	18	3	6	-	1	-	1	7	4	51	39	-	2	28	9
Spotsylvania	361	-	-	6	87	11	31	7	10	2	5	21	8	145	120	2	3	74	41
Stafford	261	2	-	6	58	13	17	7	6	3	-	12	2	94	74	-	2	39	33
Staunton city	278	1	-	9	54	16	11	4	4	-	3	16	3	139	106	2	-	64	40
Suffolk city	552	-	-	20	126	34	38	9	13	5	5	22	17	210	150	-	17	83	50
Surry	68	-	-	1	21	4	8	1	3	-	-	5	-	25	16	-	-	8	8
Sussex	141	-	-	5	37	8	12	2	8	1	2	4	4	56	42	-	2	22	18
Tazewell	531	-	-	5	112	26	32	3	18	5	1	27	11	222	180	1	6	107	66
Virginia Beach city	1,861	-	-	59	499	106	158	41	39	17	12	126	30	674	535	-	9	320	206
Warren	261	-	-	3	60	19	13	8	6	3	-	11	6	124	109	-	5	62	42
Front Royal	148	-	-	-	36	10	7	4	4	2	-	9	3	76	69	-	3	44	22
Balance of county	113	-	-	3	24	9	6	4	2	1	-	2	3	48	40	-	2	18	20
Washington	450	-	-	8	94	15	32	8	10	5	5	19	8	192	159	1	3	101	54
Waynesboro city	197	-	-	1	49	10	12	7	8	-	3	9	1	91	69	-	-	56	13
Westmoreland	208	-	-	2	62	9	25	4	6	1	3	14	4	97	81	1	8	52	20
Williamsburg city •	133	-	-	4	34	6	10	3	7	2	1	5	-	61	45	-	1	30	14
Winchester city	263	-	-	3	69	18	19	7	5	4	3	13	1	106	88	-	2	48	38
Wise	425	1	-	11	97	20	30	13	8	3	1	22	9	178	143	-	1	94	48
Wythe	276	-	-	4	68	17	20	6	6	1	3	15	7	116	90	-	-	61	29
York	238	-	-	5	80	19	27	8	7	4	2	13	5	86	69	-	1	38	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 174 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	-	16	1	4	10	10	-	3	3	-	1	2	-	14	2	9	1	-	-
Lee	2	7	2	2	6	17	-	3	8	-	1	-	2	21	7	12	7	1	1
Lexington city [9]	-	3	1	3	4	2	1	-	-	-	1	-	1	6	-	1	-	-	-
Loudoun	3	26	5	6	11	21	2	1	4	-	5	7	8	49	5	10	12	4	3
Louisa	1	12	1	3	10	9	-	2	-	-	-	3	1	28	10	4	2	2	-
Lunenburg	-	12	-	-	2	7	-	1	2	-	-	3	1	16	6	4	-	1	-
Lynchburg city	7	72	1	11	35	38	2	7	5	-	7	5	7	93	13	10	14	13	-
Madison	1	10	-	1	6	5	-	-	2	-	-	-	-	10	4	2	1	1	-
Manassas city	1	5	1	5	9	9	-	-	7	-	3	2	5	19	3	3	3	1	-
Manassas Park city [9]	-	1	-	1	-	3	-	-	-	-	-	1	1	5	-	1	-	-	-
Martinsville city	-	20	1	1	6	8	1	2	6	-	-	2	4	20	3	6	6	7	-
Mathews	-	5	1	3	11	6	-	2	-	-	-	-	1	12	1	2	1	3	-
Mecklenburg	1	37	-	2	13	13	-	3	4	-	-	1	3	36	7	10	4	1	-
Middlesex	1	10	-	-	7	6	-	1	4	-	-	-	-	7	2	2	2	-	-
Montgomery	-	26	-	2	23	15	4	8	5	-	4	2	1	32	11	13	5	1	-
Blacksburg	-	8	-	-	9	5	1	3	1	-	-	2	-	4	2	2	1	1	-
Christiansburg	-	7	-	2	7	2	1	3	1	-	3	-	-	12	3	5	2	-	-
Balance of county	-	11	-	-	7	8	2	2	3	-	1	-	1	16	6	6	2	-	-
Nelson	-	13	2	3	6	6	1	1	1	-	-	-	1	12	4	4	1	1	-
New Kent	-	5	-	-	2	3	-	1	-	-	-	-	-	9	2	3	-	1	-
Newport News city	2	89	9	9	39	33	-	9	11	1	10	24	9	161	14	24	16	15	3
Norfolk city	15	138	15	28	60	94	6	31	27	1	7	43	23	197	25	58	28	75	3
Northampton	1	14	-	2	4	8	-	2	1	-	1	-	2	31	2	7	2	3	-
Northumberland	-	12	1	3	3	6	-	-	3	-	-	-	2	14	1	7	2	1	1
Norton city [9]	-	1	1	1	2	3	-	-	-	-	-	-	-	6	-	1	1	1	-
Nottoway	1	16	-	6	6	6	-	4	1	-	1	1	3	21	7	7	-	1	-
Orange	-	23	-	1	6	11	1	-	3	-	1	-	2	24	4	6	3	1	-
Page	-	14	-	2	10	6	-	4	-	-	1	-	5	16	3	6	1	2	-
Patrick	1	10	6	4	6	6	-	2	3	-	2	1	-	22	5	5	1	3	-
Petersburg city	4	35	2	5	14	9	1	9	5	-	3	5	3	55	4	11	10	6	1
Pittsylvania	2	35	3	9	10	17	-	8	8	-	2	1	6	45	17	5	3	4	-
Poquoson city [9]	-	8	-	2	2	1	1	-	1	-	1	-	-	7	1	2	5	-	-
Portsmouth city	8	88	-	10	40	44	3	14	14	-	13	26	10	108	9	29	12	26	1
Powhatan	1	11	-	-	3	5	-	1	-	-	-	2	1	5	3	1	1	-	-
Prince Edward	2	16	-	-	9	13	-	3	3	-	1	2	1	32	2	13	6	4	1
Prince George	-	7	-	2	3	3	1	1	1	-	1	2	-	13	5	5	3	3	-
Prince William	3	31	7	8	11	25	3	13	8	-	7	15	17	68	28	22	15	7	4
Pulaski	1	29	-	6	14	18	2	2	7	-	3	1	4	48	5	6	12	1	-
Pulaski	-	5	-	1	1	3	1	-	1	-	1	1	1	12	1	1	3	1	-
Balance of county	1	24	-	5	13	15	1	2	6	-	2	-	3	36	4	5	9	-	-
Radford city	1	8	-	2	4	7	-	1	2	-	-	-	4	9	-	2	2	-	-
Rappahannock	-	3	-	-	2	1	-	1	1	-	-	-	-	4	-	-	2	-	-
Richmond	-	6	1	3	3	4	-	-	2	-	-	1	-	13	2	3	1	1	-
Richmond city	20	202	17	27	67	109	5	13	43	-	11	30	42	288	22	69	34	97	3
Roanoke	2	55	5	3	27	19	2	2	7	-	2	2	4	71	12	13	9	2	-
Roanoke city	7	77	12	19	52	48	4	8	9	-	6	13	10	146	21	36	10	14	-
Rockbridge	-	13	1	5	6	9	2	2	3	-	-	-	4	14	3	3	5	-	-
Rockingham	-	36	1	3	23	19	1	3	4	-	3	6	6	55	23	16	6	2	-
Russell	1	10	-	1	16	23	-	1	2	-	3	2	1	25	6	9	4	-	-
Salem city	1	30	-	1	9	12	1	3	3	-	2	1	3	35	5	7	5	-	-
Scott	1	21	4	3	13	10	1	5	3	-	3	-	1	28	3	14	5	1	-
Shenandoah	1	31	6	3	11	17	2	1	8	-	1	-	5	31	7	8	4	1	-
Smyth	-	14	-	4	19	13	1	2	3	-	-	2	3	24	10	9	5	1	1
Southampton	1	13	2	-	5	5	-	2	3	-	-	1	-	8	5	2	4	5	-
South Boston city [9]	-	10	1	1	6	7	1	-	1	-	1	-	2	11	-	1	2	1	-
Spotsylvania	-	18	3	4	12	19	1	9	8	-	2	3	1	37	13	5	5	-	-
Stafford	1	13	2	4	13	11	-	5	4	-	4	4	2	29	10	8	7	2	-
Staunton city	-	27	1	5	9	13	-	-	4	-	1	-	5	26	4	5	3	2	-
Suffolk city	4	41	9	6	23	16	4	8	3	-	3	6	8	68	9	15	3	13	-
Surry	-	8	1	-	3	1	-	1	-	-	-	-	2	10	2	1	1	-	-
Sussex	1	8	4	1	4	4	-	-	1	-	-	3	2	12	7	3	1	2	-
Tazewell	4	27	1	10	28	30	-	6	6	-	4	1	6	61	12	16	10	1	-
Virginia Beach city	5	98	9	27	54	79	4	18	26	-	20	53	12	176	26	50	50	30	1
Warren	-	12	1	2	7	8	-	1	3	-	3	1	2	27	4	6	6	-	-
Front Royal	-	6	-	1	6	3	-	1	-	-	1	-	1	15	-	2	4	-	-
Balance of county	-	6	1	1	1	5	-	-	3	-	2	1	1	12	4	4	2	-	-
Washington	-	26	4	3	45	21	3	6	2	-	2	1	3	39	11	10	4	1	-
Waynesboro city	3	17	-	2	7	8	-	1	4	-	1	-	1	17	7	3	4	2	-
Westmoreland	1	11	1	3	6	4	1	-	1	-	1	4	-	18	2	1	4	1	-
Williamsburg city [9]	-	15	-	1	7	5	-	1	-	-	-	-	1	11	2	2	2	3	-
Winchester city	2	14	-	2	12	11	-	3	-	-	2	3	3	27	10	8	4	1	-
Wise	2	24	3	6	23	15	1	5	3	-	1	5	1	49	8	7	8	3	-
Wythe	1	22	3	-	16	11	1	3	1	-	2	1	8	21	8	5	4	-	-
York	-	12	1	4	5	13	-	2	1	-	1	1	1	22	3	4	6	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 175 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	37,073	14	2	769	9,191	2,088	2,722	781	1,141	366	360	1,733	769	15,079	11,193	140	293	7,012	3,748
Urban places	18,058	4	1	515	4,195	980	1,236	352	518	162	153	794	380	7,438	5,408	69	164	3,260	1,915
Balance of area	19,015	10	1	274	4,996	1,108	1,486	429	623	204	207	939	389	7,641	5,785	71	129	3,752	1,833
Metropolitan counties	28,805	12	2	693	7,158	1,640	2,113	626	863	271	295	1,350	597	11,656	8,652	111	252	5,357	2,932
Urban places	15,924	4	1	491	3,730	882	1,093	308	458	140	142	707	329	6,543	4,766	61	153	2,836	1,716
Balance of area	12,881	8	1	202	3,428	758	1,020	318	405	131	153	643	268	5,113	3,886	50	99	2,521	1,216
Nonmetropolitan counties	8,268	2	-	96	2,033	448	609	155	278	95	65	383	172	3,423	2,541	29	41	1,655	816
Urban places	2,134	-	-	24	465	98	143	44	60	22	11	87	51	895	642	8	11	424	199
Balance of area	6,134	2	-	72	1,568	350	466	111	218	73	54	296	121	2,528	1,899	21	30	1,231	617
Adams	101	-	-	-	32	4	7	4	10	-	1	6	1	42	29	1	-	22	6
Asotin	208	-	-	2	45	11	14	-	4	2	3	11	4	84	54	2	2	40	10
Benton	756	1	-	10	196	37	68	16	23	14	6	32	18	324	239	7	8	161	63
Kennewick	283	-	-	4	71	8	33	2	6	8	3	11	6	118	87	3	2	54	28
Richland	261	-	-	3	73	18	18	8	7	5	3	14	4	124	88	3	5	60	20
Balance of county	212	1	-	3	52	11	17	6	10	1	-	7	8	82	64	1	1	47	15
Chelan	533	1	-	9	126	32	33	14	16	4	3	24	15	202	157	2	12	97	46
Wenatchee	264	-	-	3	48	12	14	9	6	-	1	6	10	101	75	2	5	43	25
Balance of county	269	1	-	6	78	20	19	5	10	4	2	18	5	101	82	-	7	54	21
Clallam	631	-	-	6	164	36	55	18	21	5	3	26	14	266	192	1	2	118	71
Port Angeles	210	-	-	2	54	16	17	2	7	1	1	10	7	96	62	1	2	41	18
Balance of county	421	-	-	4	110	20	38	16	14	4	2	16	7	170	130	-	-	77	53
Clark	1,671	-	-	35	448	107	147	29	50	21	15	79	27	680	533	8	19	334	172
Vancouver	601	-	-	18	152	41	51	5	21	5	1	28	10	257	199	2	5	118	74
Balance of county	1,070	-	-	17	296	66	96	24	29	16	14	51	17	423	334	6	14	216	98
Columbia	47	-	-	2	10	2	4	-	2	1	-	1	1	12	9	-	1	5	3
Cowlitz	784	-	-	16	179	28	54	19	32	10	3	33	18	312	241	5	1	164	71
Kelso	123	-	-	-	23	-	10	3	2	2	-	6	6	46	39	1	-	28	10
Longview	347	-	-	8	78	13	25	11	12	3	2	12	7	133	98	1	-	71	26
Balance of county	314	-	-	8	78	15	19	5	18	5	1	15	5	133	104	3	1	65	35
Douglas	163	-	-	-	34	10	12	1	3	1	-	7	-	63	52	-	1	44	7
Ferry	56	-	-	-	11	1	8	-	-	-	-	2	1	21	16	-	-	12	4
Franklin	282	-	-	6	52	9	18	4	9	-	1	11	7	126	91	1	1	61	28
Pasco	194	-	-	5	33	7	12	2	5	-	1	6	5	87	58	1	1	42	14
Balance of county	88	-	-	1	19	2	6	2	4	-	-	5	2	39	33	-	-	19	14
Garfield	26	-	-	-	6	2	-	-	1	-	-	3	-	13	9	-	1	8	-
Grant	415	-	-	4	90	23	24	5	7	5	1	25	7	183	136	-	3	73	60
Moses Lake	93	-	-	-	15	4	4	-	1	1	-	5	1	41	28	-	-	15	13
Balance of county	322	-	-	4	75	19	20	5	6	4	1	20	6	142	108	-	3	58	47
Grays Harbor	754	-	-	10	185	41	60	12	22	11	9	30	12	314	247	3	6	175	63
Aberdeen	236	-	-	2	53	13	19	2	4	3	1	11	5	101	75	-	2	52	21
Balance of county	518	-	-	8	132	28	41	10	18	8	8	19	7	213	172	3	4	123	42
Island	424	-	-	9	115	25	33	10	9	6	6	26	10	167	128	1	4	74	49
Oak Harbor	103	-	-	3	26	4	8	-	-	3	2	9	2	31	22	-	1	12	9
Balance of county	321	-	-	6	89	21	25	10	9	3	4	17	8	136	106	1	3	62	40
Jefferson	195	-	-	4	47	8	13	3	8	1	5	9	8	79	54	2	-	37	15
King	10,609	3	1	401	2,672	629	738	247	333	90	115	520	220	4,128	3,049	35	84	1,768	1,162
Auburn	283	-	-	8	75	20	25	4	7	2	1	16	6	99	71	-	3	47	21
Bellevue	571	-	-	21	168	47	43	15	18	10	5	30	13	222	155	1	1	106	47
Kent	178	-	-	2	44	16	12	6	2	-	1	7	1	64	50	-	1	34	15
Kirkland	242	-	-	4	62	15	14	9	12	2	1	9	9	91	68	1	6	43	18
Mercer Island	138	-	-	-	40	11	9	5	2	1	4	8	-	58	41	-	2	24	15
Redmond	144	-	-	5	36	7	9	4	4	1	2	9	5	54	35	-	-	20	15
Renton	328	-	-	7	79	24	22	7	13	3	1	9	8	127	92	-	1	48	43
Seattle	5,132	1	-	281	1,180	286	326	99	154	36	54	225	101	2,017	1,495	18	52	812	613
Balance of county	3,593	2	1	73	988	203	278	98	121	35	46	207	77	1,396	1,042	15	18	634	375
Kitsap	1,351	2	-	22	331	74	90	27	50	14	15	61	19	552	404	3	15	286	100
Bremerton	372	-	-	6	82	22	24	3	14	4	3	12	3	152	109	-	5	72	32
Balance of county	979	2	-	16	249	52	66	24	36	10	12	49	16	400	295	3	10	214	68
Kittitas	215	-	-	2	64	16	17	5	12	5	1	8	3	88	61	3	-	40	18
Ellensburg	81	-	-	2	20	5	6	3	2	2	-	2	1	36	25	1	-	17	7
Balance of county	134	-	-	-	44	11	11	2	10	3	1	6	2	52	36	2	-	23	11
Klickitat	147	-	-	1	32	6	9	2	3	2	1	9	4	58	44	1	-	34	9
Lewis	605	-	-	3	154	28	48	16	22	8	5	27	14	274	214	1	3	117	93
Centralia	170	-	-	2	39	6	16	4	4	3	1	5	5	82	62	-	1	34	27
Balance of county	435	-	-	1	115	22	32	12	18	5	4	22	9	192	152	1	2	83	66
Lincoln	101	-	-	1	22	5	9	2	1	1	-	4	4	42	33	-	-	18	15
Mason	389	-	-	3	101	24	36	7	13	5	3	13	6	158	120	-	-	79	41
Okanogan	306	1	-	5	78	15	22	3	7	7	2	22	3	133	99	-	1	60	38
Pacific	279	-	-	4	74	18	20	5	8	5	2	16	4	124	94	-	2	70	22
Pend Oreille	78	-	-	2	16	4	9	-	-	-	1	2	5	28	25	-	-	17	8
Pierce	4,275	3	-	63	996	215	297	97	111	45	40	191	89	1,846	1,359	17	59	789	494
Puyallup	240	-	-	2	45	11	9	4	5	2	3	11	11	119	91	1	1	49	40
Tacoma	1,800	2	-	28	373	84	107	36	39	15	11	81	36	801	577	8	29	327	213
Balance of county	2,235	1	-	33	578	120	181	57	67	28	26	99	42	926	691	8	29	413	241
San Juan	87	-	-	1	19	5	4	2	4	3	-	1	-	39	28	-	-	17	11
Skagit	721	-	-	6	203	43	60	11	34	7	9	39	20	282	202	5	1	142	54
Mount Vernon	165	-	-	2	46	11	10	3	8	1	2	11	2	61	48	1	-	37	10
Balance of county	556	-	-	4	157	32	50	8	26	6	7	28	18	221	154	4	1	105	44
Skamania	56	-	-	1	13	4	5	-	2	-	-	2	-	18	11	1	-	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 176 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington	153	2,808	435	490	1,348	1,968	123	405	186	3	255	210	309	3,767	768	864	692	241	90
Urban places	67	1,469	245	249	716	941	62	206	94	2	127	96	146	1,984	265	407	301	129	49
Balance of area	86	1,339	190	241	632	1,027	61	199	92	1	128	114	163	1,783	503	457	391	112	41
Metropolitan counties	109	2,160	362	373	1,043	1,533	83	317	139	2	219	179	243	2,901	574	629	557	193	75
Urban places	58	1,283	215	221	639	812	49	178	79	1	112	85	128	1,724	241	346	270	115	47
Balance of area	51	877	147	152	404	721	34	139	60	1	107	94	115	1,177	333	283	287	78	28
Nonmetropolitan counties	44	648	73	117	305	435	40	88	47	1	36	31	66	866	194	235	135	48	15
Urban places	9	186	30	28	77	129	13	28	15	1	15	11	18	260	24	61	31	14	2
Balance of area	35	462	43	89	228	306	27	60	32	–	21	20	48	606	170	174	104	34	13
Adams	–	11	2	–	5	3	–	–	2	–	–	1	–	5	4	3	3	–	–
Asotin	1	21	3	5	13	10	1	7	–	–	–	–	2	27	3	8	2	–	–
Benton	3	64	2	16	14	49	1	5	3	–	6	5	12	63	19	14	13	3	–
Kennewick	2	21	–	8	4	20	1	–	1	–	3	2	9	29	3	3	7	2	–
Richland	1	27	2	6	5	9	–	–	1	–	2	–	2	19	7	6	5	1	–
Balance of county	–	16	–	2	5	20	–	5	1	–	1	3	1	15	9	5	1	–	–
Chelan	1	35	–	9	12	30	3	3	6	–	2	–	3	77	10	21	10	3	–
Wenatchee	–	21	–	5	5	20	2	3	3	–	1	–	1	47	2	12	5	1	–
Balance of county	1	14	–	4	7	10	1	–	3	–	1	–	2	30	8	9	5	2	–
Clallam	3	59	2	10	32	22	3	10	3	1	2	1	5	58	7	20	12	3	2
Port Angeles	1	27	1	5	8	5	2	2	–	1	1	–	1	18	–	9	3	1	–
Balance of county	2	32	1	5	24	17	1	8	3	–	1	1	4	40	7	11	9	2	2
Clark	4	113	9	21	63	86	4	15	3	–	18	7	15	147	42	43	32	3	3
Vancouver	–	45	2	11	31	29	2	7	1	–	6	–	5	48	13	10	10	1	1
Balance of county	4	68	7	10	32	57	2	8	2	–	12	7	10	99	29	33	22	2	2
Columbia	–	2	–	1	3	5	–	3	2	–	–	–	–	7	–	–	–	1	1
Cowlitz	1	56	6	8	24	56	1	12	7	–	3	2	9	99	12	19	6	6	3
Kelso	–	7	–	–	2	11	1	1	2	–	–	–	4	19	1	3	1	3	–
Longview	1	26	4	4	14	24	–	9	5	–	1	2	3	46	4	6	3	3	1
Balance of county	–	23	2	4	8	21	–	2	–	–	2	–	2	34	7	10	2	–	2
Douglas	2	5	–	4	7	9	2	1	–	–	2	3	–	23	7	5	7	–	–
Ferry	1	3	–	1	2	2	–	–	1	–	2	1	1	3	2	5	3	1	–
Franklin	3	27	2	3	6	15	2	4	3	–	5	8	3	23	8	7	3	3	1
Pasco	3	23	2	1	5	9	2	4	3	–	3	7	2	17	2	4	2	3	1
Balance of county	–	4	–	2	1	6	–	–	–	–	2	1	1	6	6	3	1	–	–
Garfield	–	3	–	1	1	3	1	–	–	–	–	–	–	2	–	–	–	–	–
Grant	2	39	2	4	16	25	4	4	1	–	3	2	5	37	14	10	6	4	–
Moses Lake	–	9	2	2	6	7	–	2	–	–	3	1	1	8	2	3	2	1	–
Balance of county	2	30	–	2	10	18	4	2	1	–	–	1	4	29	12	7	4	3	–
Grays Harbor	4	51	9	3	38	50	5	5	2	–	1	–	5	69	15	19	14	7	3
Aberdeen	1	20	4	1	5	19	1	2	1	–	–	–	–	32	3	5	4	2	1
Balance of county	3	31	5	2	33	31	4	3	1	–	1	–	5	37	12	14	10	5	2
Island	2	25	4	8	16	25	–	4	2	–	6	3	3	37	8	9	7	3	–
Oak Harbor	–	7	–	2	5	7	–	–	1	–	4	2	2	9	3	3	3	2	–
Balance of county	2	18	4	6	11	18	–	4	1	–	2	1	1	28	5	6	4	1	–
Jefferson	2	19	1	3	6	8	2	2	–	–	–	1	1	20	6	5	3	–	3
King	43	799	100	137	400	518	34	101	62	–	68	70	74	1,137	172	233	202	70	43
Auburn	1	16	5	6	13	19	1	4	1	–	2	1	2	34	7	4	5	1	1
Bellevue	2	48	8	9	18	23	2	3	2	–	2	1	2	70	6	5	11	–	2
Kent	–	13	1	–	3	11	–	–	1	–	3	5	–	22	4	4	7	6	1
Kirkland	–	17	4	2	12	15	2	–	1	–	2	–	1	33	4	2	2	–	2
Mercer Island	–	15	1	1	8	2	–	1	–	–	2	–	1	25	–	–	1	–	–
Redmond	4	11	1	3	9	6	1	–	–	–	1	1	2	15	3	2	3	1	–
Renton	1	25	3	6	21	21	–	2	1	–	3	3	3	25	11	7	6	2	2
Seattle	20	389	43	70	207	230	14	57	38	–	24	35	33	566	55	138	86	43	26
Balance of county	15	265	34	40	109	191	14	34	18	–	29	24	30	347	82	71	81	17	9
Kitsap	5	117	5	21	50	68	3	17	1	–	12	11	9	151	29	24	35	13	2
Bremerton	2	35	1	5	13	14	1	5	–	–	3	3	4	50	9	9	11	6	1
Balance of county	3	82	4	16	37	54	2	12	1	–	9	8	5	101	20	15	24	7	1
Kittitas	1	21	3	2	10	6	–	–	–	–	2	1	1	26	7	1	2	2	–
Ellensburg	1	9	–	1	4	4	–	–	–	–	1	1	–	10	1	–	1	–	–
Balance of county	–	12	3	1	6	2	–	–	–	–	1	–	1	16	6	1	1	2	–
Klickitat	1	10	3	–	8	4	1	2	2	–	–	2	3	18	7	3	2	–	–
Lewis	4	45	3	8	9	33	4	3	4	–	4	5	5	45	19	15	8	6	–
Centralia	2	16	1	1	5	10	2	1	2	–	1	2	1	10	1	4	2	1	–
Balance of county	2	29	2	7	4	23	2	2	2	–	3	3	4	35	18	11	6	5	–
Lincoln	–	8	–	1	5	4	1	2	1	–	–	–	1	9	2	3	4	–	–
Mason	3	27	2	6	14	21	2	1	–	–	1	1	3	43	10	11	12	1	1
Okanogan	2	24	4	4	10	16	1	2	5	–	1	1	1	22	7	13	4	3	–
Pacific	4	24	–	2	9	9	1	7	1	–	–	–	–	31	3	8	3	1	–
Pend Oreille	–	2	–	1	2	3	–	3	–	–	2	–	1	10	2	1	1	1	1
Pierce	12	327	95	53	95	253	11	56	17	1	36	23	39	411	79	90	94	60	13
Puyallup	1	17	7	3	5	13	–	3	2	–	3	1	1	15	8	8	1	2	1
Tacoma	3	162	42	17	47	110	5	25	5	1	18	5	20	214	28	30	25	23	4
Balance of county	8	148	46	33	43	130	6	28	10	–	15	17	18	182	43	52	68	35	8
San Juan	–	8	3	–	1	4	1	1	1	–	1	–	1	10	3	4	–	1	–
Skagit	6	57	4	13	38	30	3	9	3	–	–	1	7	74	14	18	12	1	–
Mount Vernon	2	9	1	1	10	5	2	5	1	–	–	1	1	21	2	3	3	–	–
Balance of county	4	48	3	12	28	25	1	4	2	–	–	–	6	53	12	15	9	1	–
Skamania	1	4	–	2	1	2	–	–	1	–	–	1	1	8	3	3	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 177 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,874	1	–	62	770	189	232	67	77	29	40	136	57	1,104	840	13	18	474	335
Edmonds	313	–	–	8	86	23	23	6	9	4	2	19	10	125	86	1	2	42	41
Everett	677	–	–	12	170	49	46	13	20	2	13	27	8	270	198	2	4	117	75
Lynnwood	224	–	–	14	59	16	20	1	7	2	2	11	2	81	66	3	1	31	31
Mountlake Terrace	96	–	–	4	23	4	6	2	3	1	1	6	5	45	33	–	1	12	20
Balance of county	1,564	1	–	24	432	97	137	45	38	20	22	73	32	583	457	7	10	272	168
Spokane	3,180	–	1	58	748	161	226	51	88	28	30	164	76	1,347	970	20	22	645	283
Spokane	2,011	–	1	40	440	85	140	29	57	17	18	94	49	852	597	14	13	395	175
Balance of county	1,169	–	–	18	308	76	86	22	31	11	12	70	27	495	373	6	9	250	108
Stevens	252	–	–	1	60	17	19	2	8	1	3	10	5	104	73	–	–	41	32
Thurston	1,167	–	–	13	317	62	104	32	34	8	16	61	31	454	342	2	9	221	110
Lacey	195	–	–	–	48	5	17	5	8	2	2	9	7	73	52	–	3	22	27
Olympia	404	–	–	9	106	18	39	12	9	4	4	20	13	161	120	1	2	83	34
Balance of county	568	–	–	4	163	39	48	15	17	2	10	32	11	220	170	1	4	116	49
Wahkiakum	41	–	–	1	9	2	3	–	1	–	1	2	2	18	16	–	–	10	6
Walla Walla	467	–	–	2	90	19	22	10	16	5	2	16	8	214	144	–	1	98	45
Walla Walla	301	–	–	–	55	12	13	5	12	3	1	9	5	147	96	–	–	65	31
Balance of county	166	–	–	2	35	7	9	5	4	2	1	7	3	67	48	–	1	33	14
Whatcom	1,029	–	–	7	255	75	68	24	38	5	6	39	21	405	291	2	8	203	78
Bellingham	536	–	–	4	123	34	32	16	16	4	2	19	10	220	149	1	7	87	54
Balance of county	493	–	–	3	132	41	36	8	22	1	4	20	11	185	142	1	1	116	24
Whitman	187	–	–	1	54	19	9	4	12	–	1	9	3	85	53	1	–	35	17
Pullman	41	–	–	–	8	2	1	2	2	–	–	1	–	20	12	1	–	9	2
Balance of county	146	–	–	1	46	17	8	2	10	–	1	8	3	65	41	–	–	26	15
Yakima	1,611	2	–	16	373	82	125	32	50	17	11	56	32	690	534	3	9	415	107
Yakima	701	1	–	6	162	31	56	15	20	10	4	26	7	326	249	1	6	191	51
Balance of county	910	1	–	10	211	51	69	17	30	7	7	30	25	364	285	2	3	224	56
West Virginia	19,964	13	–	287	4,627	1,035	1,550	334	469	199	155	885	506	8,761	7,075	42	195	4,454	2,384
Urban places	5,485	4	–	93	1,276	292	417	102	130	49	46	240	135	2,434	1,938	10	80	1,172	676
Balance of area	14,479	9	–	194	3,351	743	1,133	232	339	150	109	645	371	6,327	5,137	32	115	3,282	1,708
Metropolitan counties	7,319	6	–	100	1,760	412	573	141	164	76	65	329	190	3,244	2,588	17	89	1,572	910
Urban places	3,680	3	–	59	867	205	284	76	84	33	32	153	97	1,650	1,302	8	57	776	461
Balance of area	3,639	3	–	41	893	207	289	65	80	43	33	176	93	1,594	1,286	9	32	796	449
Nonmetropolitan counties	12,645	7	–	187	2,867	623	977	193	305	123	90	556	316	5,517	4,487	25	106	2,882	1,474
Urban places	1,805	1	–	34	409	87	133	26	46	16	14	87	38	784	636	2	23	396	215
Balance of area	10,840	6	–	153	2,458	536	844	167	259	107	76	469	278	4,733	3,851	23	83	2,486	1,259
Barbour	184	–	–	4	38	6	10	3	7	1	3	8	1	83	65	–	–	40	25
Berkeley	536	–	–	10	125	24	44	13	16	4	3	21	10	250	197	1	1	123	72
Martinsburg	237	–	–	4	55	15	18	5	5	2	1	9	5	102	81	–	–	50	31
Balance of county	299	–	–	6	70	9	26	8	11	2	2	12	5	148	116	1	1	73	41
Boone	231	1	–	5	59	11	25	4	4	2	3	10	5	89	69	–	3	39	27
Braxton	162	–	–	–	35	14	9	1	2	–	–	9	6	72	61	–	3	48	10
Brooke	326	2	–	4	87	23	19	8	9	5	4	19	5	150	125	1	1	82	41
Weirton, part	57	–	–	1	18	2	7	3	2	–	2	2	–	27	23	–	–	17	6
Balance of county	269	2	–	3	69	21	12	5	7	5	2	17	5	123	102	1	1	65	35
Cabell	1,191	–	–	20	248	64	73	21	28	11	6	45	26	581	455	2	22	271	160
Huntington, part	764	–	–	12	161	47	46	13	18	8	2	27	19	362	280	1	18	162	99
Huntington, total	825	–	–	15	173	48	50	14	20	9	3	29	19	393	304	1	20	177	106
Balance of county	427	–	–	8	87	17	27	8	10	3	4	18	7	219	175	1	4	109	61
Calhoun	96	–	–	2	17	3	8	–	2	–	1	3	3	53	40	–	3	25	12
Clay	119	–	–	2	32	7	10	–	4	2	3	6	–	53	43	–	1	24	18
Doddridge	73	–	–	–	22	4	12	1	1	–	–	4	2	31	21	–	–	14	7
Fayette	617	–	–	5	138	40	43	12	13	4	8	18	14	274	239	1	8	167	63
Gilmer	83	–	–	2	15	6	3	1	1	1	–	3	3	36	32	1	–	20	11
Grant	109	–	–	–	24	4	4	1	4	3	1	7	3	57	51	1	–	41	9
Greenbrier	475	–	–	7	113	23	35	6	18	4	–	27	12	172	132	1	1	78	52
Hampshire	144	–	–	–	40	9	15	3	4	–	–	9	2	62	55	–	–	42	13
Hancock	406	–	–	6	110	29	39	7	7	5	2	21	14	174	147	3	1	94	49
Weirton, part	227	–	–	4	66	19	21	3	5	2	–	16	9	94	82	2	1	45	34
Weirton, total	284	–	–	5	84	21	28	6	7	2	2	18	9	121	105	2	1	62	40
Balance of county	179	–	–	2	44	10	18	4	2	3	2	5	5	80	65	1	–	49	15
Hardy	122	–	–	2	30	9	5	–	4	5	1	6	1	56	42	–	1	29	12
Harrison	891	–	–	11	203	51	68	12	17	10	2	43	31	390	313	3	13	177	120
Clarksburg	349	–	–	2	85	21	29	5	5	4	1	20	10	153	125	–	8	66	51
Balance of county	542	–	–	9	118	30	39	7	12	6	1	23	21	237	188	3	5	111	69
Jackson	247	–	–	1	56	16	19	4	6	3	2	6	5	120	99	–	–	52	47
Jefferson	281	–	–	5	67	10	20	3	11	2	1	20	9	142	111	1	1	78	31
Kanawha	2,406	–	–	30	591	129	210	46	41	31	22	112	63	1,015	798	2	42	450	304
Charleston	823	–	–	14	188	46	69	15	12	7	7	32	22	340	264	–	22	148	94
St. Albans	185	–	–	2	45	7	13	6	7	2	2	8	1	86	76	1	2	48	25
South Charleston	176	–	–	3	48	10	16	4	6	3	1	8	5	72	59	–	2	35	22
Balance of county	1,222	–	–	11	310	66	112	21	16	19	12	64	35	517	399	1	16	219	163
Lewis	231	–	–	2	50	15	13	4	5	4	2	7	5	112	96	–	1	51	44
Lincoln	226	–	–	2	50	10	21	6	2	4	–	7	12	106	92	2	1	58	31
Logan	461	2	–	6	117	15	55	12	11	4	3	17	11	189	171	1	7	115	48
McDowell	430	–	–	4	91	18	30	5	10	4	4	20	16	169	142	1	1	101	39
Marion	756	1	–	9	177	33	62	12	11	11	5	43	9	367	314	1	6	208	99
Fairmont	361	1	–	4	82	15	31	4	5	6	2	19	4	183	161	–	5	101	55
Balance of county	395	–	–	5	95	18	31	8	6	5	3	24	5	184	153	1	1	107	44

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 178 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Snohomish	13	192	30	29	121	144	5	40	17	-	18	16	20	265	81	80	62	6	5
Edmonds	2	31	3	3	12	8	1	3	1	-	1	2	1	33	4	11	6	1	-
Everett	3	55	7	7	32	37	-	8	4	-	3	3	4	59	21	19	24	1	2
Lynnwood	1	10	2	2	9	13	-	5	1	-	3	3	2	20	2	5	5	-	-
Mountlake Terrace	-	9	1	2	3	4	-	1	-	-	1	-	1	4	1	3	1	-	-
Balance of county	7	87	17	15	65	82	4	23	11	-	10	8	12	149	53	42	26	4	3
Spokane	8	238	82	49	140	198	10	36	13	1	22	18	18	306	50	63	50	20	5
Spokane	5	153	63	34	96	128	9	28	8	-	13	8	12	213	27	42	28	14	3
Balance of county	3	85	19	15	44	70	1	8	5	1	9	10	6	93	23	21	22	6	2
Stevens	1	25	2	3	2	18	1	-	3	-	1	2	2	23	11	12	4	2	1
Thurston	5	87	7	13	44	58	3	14	7	-	6	7	11	124	25	26	23	2	2
Lacey	-	17	1	3	11	12	-	1	-	-	1	1	1	34	2	-	3	1	-
Olympia	1	32	3	5	16	19	1	5	2	-	2	1	3	43	8	10	4	1	-
Balance of county	4	38	3	5	17	27	2	8	5	-	3	5	7	47	15	16	16	-	2
Wahkiakum	-	-	-	2	1	3	-	-	-	-	-	-	1	5	-	1	-	-	-
Walla Walla	2	38	20	10	15	27	3	6	-	-	3	2	4	58	10	18	7	-	-
Walla Walla	1	28	17	5	11	14	3	3	-	-	3	1	3	35	4	13	4	-	-
Balance of county	1	10	3	5	4	13	-	3	-	-	-	1	1	23	6	5	3	-	-
Whatcom	3	78	14	19	56	60	5	12	5	-	8	4	2	122	23	20	22	2	-
Bellingham	1	49	9	12	33	28	5	9	2	-	4	1	-	64	8	14	10	1	-
Balance of county	2	29	5	7	23	32	-	3	3	-	4	3	2	58	15	6	12	1	-
Whitman	-	26	-	6	5	7	-	1	-	-	-	1	1	20	8	-	1	-	-
Pullman	-	7	-	1	2	3	-	-	-	-	-	1	1	5	1	-	-	-	-
Balance of county	-	19	-	5	3	4	-	1	-	-	-	-	-	15	7	-	1	-	-
Yakima	10	118	16	12	54	84	5	17	8	-	20	10	40	152	46	29	21	11	1
Yakima	5	63	4	5	26	32	2	7	4	-	7	2	17	72	8	10	7	5	-
Balance of county	5	55	12	7	28	52	3	10	4	-	13	8	23	80	38	19	14	6	1
West Virginia	105	1,186	152	243	688	1,043	40	168	219	1	82	82	177	2,000	431	454	240	124	21
Urban places	25	345	54	72	207	261	15	57	63	-	17	23	42	579	72	113	58	32	4
Balance of area	80	841	98	171	481	782	25	111	156	1	65	59	135	1,421	359	341	182	92	17
Metropolitan counties	35	460	68	93	261	362	12	79	81	-	21	27	55	712	126	151	86	43	3
Urban places	19	244	35	50	135	170	10	42	38	-	11	16	25	375	46	73	40	20	2
Balance of area	16	216	33	43	125	192	2	37	43	-	10	11	30	337	80	78	46	23	1
Nonmetropolitan counties	70	726	84	150	427	681	28	89	138	1	61	55	122	1,288	305	303	154	81	18
Urban places	6	101	19	22	71	91	5	15	25	-	6	7	17	204	26	40	18	12	2
Balance of area	64	625	65	128	356	590	23	74	113	1	55	48	105	1,084	279	263	136	69	16
Barbour	1	14	-	3	9	7	1	2	1	-	1	1	1	19	5	7	3	-	1
Berkeley	1	35	4	13	19	27	1	1	8	-	2	3	2	49	11	9	6	2	1
Martinsburg	-	14	-	7	10	14	-	1	2	-	-	2	2	26	4	5	3	1	1
Balance of county	1	21	4	6	9	13	1	-	6	-	2	1	-	23	7	4	3	1	-
Boone	3	12	3	2	4	14	-	1	2	-	2	1	2	25	12	6	1	2	-
Braxton	-	10	-	1	7	12	1	-	-	-	-	1	-	15	5	5	3	-	-
Brooke	-	18	2	5	16	20	-	4	4	-	-	1	2	20	2	7	2	-	-
Weirton, part	-	3	1	-	4	3	-	1	-	-	-	-	1	1	-	1	-	-	-
Balance of county	-	15	1	5	12	17	-	3	4	-	-	1	1	19	2	6	2	-	-
Cabell	4	94	12	16	51	66	3	11	14	-	4	9	8	96	14	19	14	6	1
Huntington, part	3	62	6	11	41	41	3	7	7	-	4	9	5	68	7	10	5	2	1
Huntington, total	3	68	6	12	43	46	3	7	7	-	4	10	5	73	8	11	5	2	1
Balance of county	1	32	6	5	10	25	-	4	7	-	-	-	3	28	7	9	9	4	-
Calhoun	1	7	1	4	4	2	-	-	1	-	1	-	2	5	2	4	-	-	-
Clay	1	8	-	1	3	8	1	1	-	-	-	-	-	12	2	4	-	1	-
Doddridge	1	8	-	1	3	5	-	-	1	-	-	2	-	5	-	2	-	-	-
Fayette	3	27	1	4	20	35	5	4	9	-	4	1	5	65	15	15	4	3	1
Gilmer	-	1	-	3	3	1	-	2	1	-	-	-	-	8	2	5	2	3	-
Grant	1	3	2	-	2	2	-	-	1	-	1	-	1	10	2	2	3	1	-
Greenbrier	5	29	1	5	29	19	-	3	8	-	2	3	20	58	14	11	4	-	-
Hampshire	1	4	2	-	3	5	-	1	2	-	-	-	-	16	4	5	2	1	1
Hancock	-	16	1	10	8	22	1	5	4	-	2	2	6	33	4	11	4	-	-
Weirton, part	-	8	-	4	4	11	1	2	1	-	1	1	5	19	3	4	2	-	-
Weirton, total	-	11	1	4	8	14	1	3	1	-	1	1	6	20	3	5	2	-	-
Balance of county	-	8	1	6	4	11	-	3	3	-	1	1	1	14	1	7	2	-	-
Hardy	-	10	1	3	4	5	-	1	-	-	-	-	2	9	4	4	4	-	-
Harrison	4	57	9	7	27	48	3	3	12	-	8	4	10	102	7	19	8	4	1
Clarksburg	1	20	5	2	11	14	1	2	4	-	3	-	5	47	1	8	2	1	-
Balance of county	3	37	4	5	16	34	2	1	8	-	5	4	5	55	6	11	6	3	1
Jackson	1	11	2	7	7	12	2	-	1	-	-	2	3	22	7	4	5	-	-
Jefferson	2	20	6	3	7	13	-	1	2	-	-	2	2	21	4	5	1	-	-
Kanawha	19	148	30	20	71	106	5	35	30	-	5	4	19	252	59	66	29	25	1
Charleston	8	50	12	6	27	34	2	21	12	-	2	1	9	99	10	22	8	12	-
St. Albans	-	7	2	1	3	7	1	2	6	-	1	-	-	15	6	6	4	-	-
South Charleston	2	6	3	2	6	7	-	-	2	-	-	-	-	22	2	6	3	-	-
Balance of county	9	85	13	11	35	58	2	12	10	-	2	3	10	116	41	32	14	13	1
Lewis	-	14	-	2	8	7	1	3	3	-	1	1	1	27	1	7	1	-	1
Lincoln	-	10	1	3	6	12	1	-	1	-	1	1	2	18	6	2	3	2	1
Logan	1	17	-	-	12	26	-	6	5	-	3	-	5	46	10	12	4	7	-
McDowell	4	19	1	3	12	45	2	1	5	-	2	-	3	41	10	13	5	10	1
Marion	5	40	3	5	20	40	2	8	7	-	3	-	3	60	16	21	10	3	-
Fairmont	1	19	2	-	12	20	2	4	4	-	-	-	1	25	3	12	2	2	-
Balance of county	4	21	1	5	8	20	-	4	3	-	3	-	2	35	13	9	8	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 179 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	375	-	-	3	81	20	32	4	9	3	1	12	14	175	133	2	2	87	42
Moundsville	156	-	-	1	38	11	13	2	2	1	1	8	6	71	52	-	-	34	18
Wheeling, part	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	217	-	-	2	41	9	17	2	7	2	-	4	8	104	81	2	2	53	24
Mason	301	-	-	4	70	18	19	7	5	2	5	14	5	146	123	1	4	83	35
Mercer	832	-	-	11	184	44	52	11	21	13	5	38	19	324	273	-	8	185	80
Bluefield [11]	220	-	-	3	49	10	11	3	6	2	2	15	2	90	81	-	2	58	21
Balance of county	612	-	-	8	135	34	41	8	15	11	3	23	17	234	192	-	6	127	59
Mineral	268	-	-	3	67	17	17	3	11	4	3	12	7	124	101	-	1	68	32
Mingo	383	1	-	8	82	17	37	3	3	2	2	18	10	155	129	-	3	46	80
Monongalia	560	-	-	11	142	30	43	11	19	1	8	30	15	218	147	1	5	91	50
Morgantown	268	-	-	9	66	12	21	7	11	-	4	11	4	101	64	1	2	40	21
Balance of county	292	-	-	2	76	18	22	4	8	1	4	19	11	117	83	-	3	51	29
Monroe	135	-	-	2	21	3	10	1	2	-	-	5	2	66	54	-	-	33	21
Morgan	114	-	-	2	33	5	9	5	2	1	2	9	3	41	35	-	1	26	8
Nicholas	263	1	-	4	70	13	31	6	4	-	-	16	7	98	80	-	3	52	25
Ohio	670	-	-	11	169	34	53	23	14	7	6	32	15	294	226	2	7	162	55
Wheeling, part	560	-	-	9	137	26	41	17	13	5	6	29	12	249	192	2	7	136	47
Wheeling, total	562	-	-	9	139	26	43	17	13	5	6	29	12	249	192	2	7	136	47
Balance of county	110	-	-	2	32	8	12	6	1	2	-	3	3	45	34	-	-	26	8
Pendleton	95	-	-	1	23	7	5	1	4	1	1	4	4	36	30	1	-	16	13
Pleasants	94	-	-	1	18	4	6	2	2	2	-	2	2	45	38	-	-	25	13
Pocahontas	125	-	-	1	23	6	6	-	2	1	3	5	4	52	42	-	-	26	16
Preston	295	-	-	9	65	14	24	6	7	2	2	10	8	133	110	1	2	72	35
Putnam	339	-	-	3	79	19	26	3	7	1	3	20	12	144	121	2	1	75	43
Raleigh	920	1	-	23	202	42	65	12	33	10	5	35	27	387	307	3	12	205	87
Beckley	370	-	-	12	72	14	23	2	14	2	4	13	13	155	124	1	6	81	36
Balance of county	550	1	-	11	130	28	42	10	19	8	1	22	14	232	183	2	6	124	51
Randolph	306	-	-	9	69	19	24	4	8	4	5	5	9	130	98	3	3	64	28
Ritchie	135	-	-	1	31	6	14	4	1	1	1	4	1	64	54	-	2	45	7
Roane	169	-	-	1	49	3	25	2	8	2	1	8	4	69	53	-	1	44	8
Summers	175	-	-	1	45	8	16	1	6	2	1	11	3	70	66	-	2	46	18
Taylor	161	-	-	5	23	3	6	2	4	2	2	4	3	97	77	-	-	37	40
Tucker	91	-	-	2	14	5	4	-	1	1	-	3	3	39	29	-	-	19	10
Tyler	83	-	-	1	21	5	7	-	2	1	-	6	1	38	27	-	2	17	8
Upshur	254	-	-	5	47	10	17	2	6	2	-	10	3	123	96	-	3	53	40
Wayne	423	1	-	7	100	22	33	6	10	3	5	21	5	181	158	-	7	103	48
Huntington, part	61	-	-	3	12	1	4	1	2	1	1	2	-	31	24	-	2	15	7
Balance of county	362	1	-	4	88	21	29	5	8	2	4	19	5	150	134	-	5	88	41
Webster	123	-	-	2	24	3	14	2	1	-	1	3	6	50	45	1	-	29	15
Wetzel	253	-	-	2	40	12	7	2	2	3	2	12	7	127	90	-	-	65	25
Wirt	45	-	-	1	9	1	6	2	-	-	-	-	1	25	18	-	1	14	3
Wood	915	3	-	13	228	55	71	20	28	6	13	35	29	406	324	3	5	180	136
Parkersburg	557	3	-	9	121	31	41	10	11	4	7	17	19	264	209	2	3	109	95
Vienna	112	-	-	1	31	5	11	2	6	-	3	4	4	54	41	-	-	27	14
Balance of county	246	-	-	3	76	19	19	8	11	2	3	14	6	88	74	1	2	44	27
Wyoming	259	-	-	1	63	17	19	4	9	2	2	10	9	101	81	-	3	59	19
Wisconsin	43,137	18	1	640	10,341	2,503	2,555	922	1,324	538	423	2,076	1,023	18,816	14,345	111	326	10,327	3,581
Urban places	21,803	14	1	391	5,194	1,253	1,295	509	622	256	199	1,060	507	9,405	7,142	65	218	5,045	1,814
Balance of area	21,334	4	-	249	5,147	1,250	1,260	413	702	282	224	1,016	516	9,411	7,203	46	108	5,282	1,767
Metropolitan counties	26,840	15	1	449	6,516	1,541	1,635	609	794	322	255	1,360	606	11,426	8,722	72	246	6,201	2,203
Urban places	19,303	14	1	359	4,641	1,116	1,167	457	553	227	176	945	445	8,257	6,317	55	202	4,474	1,586
Balance of area	7,537	1	-	90	1,875	425	468	152	241	95	79	415	161	3,169	2,405	17	44	1,727	617
Nonmetropolitan counties	16,297	3	-	191	3,825	962	920	313	530	216	168	716	417	7,390	5,623	39	80	4,126	1,378
Urban places	2,500	-	-	32	553	137	128	52	69	29	23	115	62	1,148	825	10	16	571	228
Balance of area	13,797	3	-	159	3,272	825	792	261	461	187	145	601	355	6,242	4,798	29	64	3,555	1,150
Adams	194	-	-	4	51	10	13	3	7	5	2	11	8	80	61	-	-	48	13
Ashland	188	-	-	3	34	8	10	1	6	-	1	8	4	86	62	-	1	36	25
Barron	463	1	-	5	101	22	26	6	19	3	4	21	8	213	148	4	2	105	37
Bayfield	156	-	-	3	30	9	7	2	4	-	2	6	7	64	52	1	-	38	13
Brown	1,360	-	-	19	329	80	68	27	41	23	21	69	14	636	469	5	5	321	138
Allouez town#	86	-	-	-	29	5	8	3	3	2	-	8	-	36	29	-	1	23	5
Ashwaubenon	112	-	-	3	17	4	5	4	1	2	-	1	1	54	37	2	1	27	7
De Pere	106	-	-	2	23	6	5	-	2	1	1	8	-	60	43	1	2	30	10
Green Bay	848	-	-	13	198	51	38	16	25	12	17	39	11	392	286	2	1	189	94
Balance of county	208	-	-	1	62	14	12	4	10	6	3	13	2	94	74	-	-	52	22
Buffalo	169	-	-	2	36	8	10	3	7	-	1	7	9	77	65	-	1	56	8
Burnett	154	-	-	3	41	14	14	5	3	2	-	3	3	69	56	-	1	40	15
Calumet	244	-	-	4	63	17	18	4	9	5	2	8	7	96	76	-	1	53	22
Appleton, part	15	-	-	-	6	1	2	-	-	2	-	1	-	6	3	-	-	2	1
Balance of county	229	-	-	4	57	16	16	4	9	3	2	7	7	90	73	-	1	51	21
Chippewa	502	-	-	6	101	21	22	7	17	8	4	22	14	231	188	-	-	148	40
Chippewa Falls	131	-	-	-	28	9	5	-	8	1	1	4	3	63	50	-	-	41	9
Eau Claire, part	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	369	-	-	6	72	12	17	6	9	7	3	18	11	168	138	-	-	107	31
Clark	328	-	-	2	86	22	12	7	17	4	3	21	13	141	113	2	-	89	22
Columbia	463	-	-	17	99	28	20	8	16	5	3	19	16	199	153	1	1	114	37
Crawford	185	-	-	3	35	6	9	3	6	3	2	6	3	89	67	-	-	41	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 180 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	3	29	–	10	14	16	–	–	6	–	1	1	2	44	6	6	4	2	–
Moundsville	1	13	–	5	6	4	–	–	2	–	–	1	–	21	2	1	2	1	–
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	16	–	5	8	12	–	–	4	–	1	–	2	23	4	5	2	1	–
Mason	–	17	2	4	6	12	–	4	3	–	–	1	2	28	11	5	4	–	–
Mercer	4	36	1	10	43	72	2	7	10	–	–	4	7	86	23	13	15	12	–
Bluefield [11]	1	5	–	3	12	16	1	4	3	–	–	1	2	25	4	6	–	2	–
Balance of county	3	31	1	7	31	56	1	3	7	–	–	3	5	61	19	7	15	10	–
Mineral	1	14	6	2	10	16	–	3	3	–	–	1	2	23	2	2	4	1	–
Mingo	3	18	1	4	10	24	–	3	7	–	3	1	7	32	17	13	3	5	2
Monongalia	3	35	18	15	20	22	–	4	8	–	5	5	8	75	10	8	7	2	–
Morgantown	1	20	9	7	12	13	–	1	6	–	3	2	4	33	5	4	4	1	–
Balance of county	2	15	9	8	8	9	–	3	2	–	2	3	4	42	5	4	3	1	–
Monroe	–	9	1	2	5	8	–	3	1	–	1	1	5	7	7	4	2	–	–
Morgan	–	3	–	3	3	5	–	4	2	–	1	1	2	8	3	3	1	2	–
Nicholas	1	14	–	3	8	14	1	1	4	–	–	–	4	26	7	10	6	2	–
Ohio	3	50	3	12	27	32	3	6	5	–	3	2	6	67	7	13	7	2	1
Wheeling, part	3	40	3	11	23	30	3	4	4	–	2	1	4	55	6	12	7	1	1
Wheeling, total	3	40	3	11	23	30	3	4	4	–	2	1	4	55	6	12	7	1	1
Balance of county	–	10	–	1	4	2	–	2	1	–	1	1	2	12	1	1	–	1	–
Pendleton	–	4	1	1	2	2	–	3	–	–	–	–	2	14	3	3	2	–	–
Pleasants	1	5	–	1	11	1	–	–	–	–	1	2	–	8	1	4	–	–	–
Pocahontas	–	9	–	1	7	8	1	–	3	–	–	–	–	19	5	–	1	1	–
Preston	1	16	2	4	9	14	–	1	3	–	1	2	5	18	10	9	6	1	1
Putnam	–	21	1	1	14	17	–	4	6	–	1	1	6	34	7	7	3	1	–
Raleigh	6	62	4	8	25	40	1	6	12	–	4	7	5	110	25	14	21	7	3
Beckley	2	23	3	3	14	14	1	3	6	–	–	2	3	48	9	5	7	5	1
Balance of county	4	39	1	5	11	26	–	3	6	–	4	5	2	62	16	9	14	2	2
Randolph	4	23	2	3	10	18	–	3	3	–	1	1	1	37	6	6	1	1	1
Ritchie	–	9	–	1	7	6	–	–	1	–	2	–	–	17	2	2	–	1	–
Roane	1	10	1	4	6	10	–	1	1	–	1	–	2	14	3	5	1	2	–
Summers	–	2	–	2	6	7	–	2	1	–	1	2	–	19	5	5	6	2	–
Taylor	1	14	2	3	5	9	–	1	–	–	2	–	1	11	3	–	1	–	–
Tucker	–	8	1	1	4	6	–	1	–	–	–	1	–	14	3	4	–	–	–
Tyler	1	10	–	–	3	4	–	–	–	–	–	–	1	12	1	1	–	–	–
Upshur	4	16	2	5	6	9	–	–	2	–	1	2	5	31	4	12	2	1	1
Wayne	–	15	4	4	20	28	–	6	2	–	2	4	3	43	9	7	4	1	–
Huntington, part	–	6	–	1	2	5	–	–	–	–	–	1	–	5	1	1	–	–	–
Balance of county	–	9	4	3	18	23	–	6	2	–	2	3	3	38	8	6	4	1	–
Webster	–	5	–	–	3	11	1	1	2	–	3	–	–	11	4	4	–	1	–
Wetzel	2	25	8	2	11	9	1	4	4	1	2	3	1	23	7	5	3	1	2
Wirt	–	4	1	2	1	1	1	–	–	–	1	–	–	4	–	1	–	–	–
Wood	5	55	9	13	30	39	–	5	7	–	3	2	1	100	16	13	15	5	–
Parkersburg	2	41	8	4	16	25	–	5	4	–	1	2	1	60	6	9	8	4	–
Vienna	–	8	–	5	4	3	–	–	–	–	–	–	–	10	3	1	1	–	–
Balance of county	3	6	1	4	10	11	–	–	3	–	2	–	–	30	7	3	6	1	–
Wyoming	3	16	–	1	7	24	–	2	1	–	–	–	–	31	6	10	3	1	–
Wisconsin	186	3,317	356	612	1,751	1,770	123	359	417	4	244	237	200	4,638	823	894	573	234	31
Urban places	90	1,716	155	302	958	878	54	201	223	2	132	132	121	2,403	264	418	281	198	26
Balance of area	96	1,601	201	310	793	892	69	158	194	2	112	105	79	2,235	559	476	292	36	5
Metropolitan counties	114	2,025	197	368	1,123	1,133	69	245	266	3	173	178	137	2,890	428	571	374	210	27
Urban places	78	1,475	133	254	836	794	48	185	193	2	118	126	109	2,069	237	386	260	197	26
Balance of area	36	550	64	114	287	339	21	60	73	1	55	52	28	821	191	185	114	13	1
Nonmetropolitan counties	72	1,292	159	244	628	637	54	114	151	1	71	59	63	1,748	395	323	199	24	4
Urban places	12	241	22	48	122	84	6	16	30	–	14	6	12	334	27	32	21	1	–
Balance of area	60	1,051	137	196	506	553	48	98	121	1	57	53	51	1,414	368	291	178	23	4
Adams	–	10	5	4	10	5	–	1	1	–	2	2	1	15	3	5	5	1	–
Ashland	–	19	1	4	11	10	–	2	2	–	1	1	1	22	2	4	5	–	–
Barron	2	45	10	8	20	24	2	3	2	–	–	1	1	57	11	9	5	–	–
Bayfield	–	7	1	4	8	6	2	2	1	–	–	–	–	23	5	3	1	1	–
Brown	5	133	12	17	54	50	1	10	10	–	12	11	3	132	18	30	25	3	3
Allouez town#	–	6	–	1	6	3	–	3	–	–	–	–	–	7	–	1	–	–	1
Ashwaubenon	1	14	–	2	8	4	1	–	1	–	1	–	1	20	1	–	–	–	–
De Pere	–	12	2	3	4	3	–	–	–	–	1	3	–	8	–	2	–	–	–
Green Bay	3	87	9	7	31	34	–	7	7	–	8	7	1	83	12	21	18	3	2
Balance of county	1	14	1	4	5	6	–	–	2	–	2	1	1	14	5	6	7	–	–
Buffalo	3	8	–	1	6	9	1	2	3	–	–	–	1	12	4	3	4	–	–
Burnett	1	10	1	1	3	7	–	1	3	–	1	–	–	12	5	2	1	3	–
Calumet	1	11	1	7	7	11	–	3	5	–	2	3	–	28	7	6	1	1	–
Appleton, part	–	1	–	2	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
Balance of county	1	10	1	5	7	10	–	3	5	–	2	3	–	26	7	6	1	1	–
Chippewa	1	33	1	8	21	23	–	4	3	–	–	3	2	57	14	18	3	1	1
Chippewa Falls	–	9	–	4	3	7	–	1	2	–	–	–	–	15	4	4	–	1	–
Eau Claire, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	1	24	1	4	18	16	–	3	1	–	–	3	2	42	10	13	3	–	1
Clark	1	20	–	7	9	11	1	1	3	–	1	1	1	36	6	14	1	1	–
Columbia	1	40	1	4	14	25	–	1	9	–	4	2	1	43	19	4	9	1	–
Crawford	–	18	2	2	9	6	–	1	3	–	–	1	–	22	4	4	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 181 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	2,239	1	–	47	523	120	115	53	68	29	24	114	47	903	660	8	18	470	164
Madison	1,210	1	–	28	283	73	65	29	36	14	14	52	25	488	358	7	10	256	85
Middleton	75	–	–	2	17	2	2	2	4	1	1	5	2	26	19	–	1	10	8
Sun Prairie	105	–	–	2	27	4	6	1	5	3	1	7	1	43	32	–	2	28	2
Balance of county	849	–	–	15	196	41	42	21	23	11	8	50	19	346	251	1	5	176	69
Dodge	820	–	–	9	180	43	35	22	25	13	7	35	17	409	292	1	9	200	82
Beaver Dam	195	–	–	2	41	11	7	6	5	2	2	8	4	96	72	1	2	43	26
Watertown, part	103	–	–	1	23	5	5	2	2	1	3	5	–	52	36	–	–	20	16
Balance of county	522	–	–	6	116	27	23	14	18	10	2	22	13	261	184	–	7	137	40
Door	292	–	–	5	67	15	11	8	10	3	4	16	8	130	96	–	1	43	52
Douglas	490	–	1	3	117	27	33	10	19	3	4	21	14	229	179	–	3	118	58
Superior	344	–	1	2	85	20	27	9	12	2	1	14	9	155	122	–	3	79	40
Balance of county	146	–	–	1	32	7	6	1	7	1	3	7	5	74	57	–	–	39	18
Dunn	236	–	–	2	52	16	6	1	8	3	4	14	3	110	85	1	–	67	17
Menomonie	108	–	–	–	19	6	–	1	4	1	–	7	1	46	33	–	–	25	8
Balance of county	128	–	–	2	33	10	6	–	4	2	4	7	2	64	52	1	–	42	9
Eau Claire	675	–	–	14	177	37	37	18	30	11	7	37	17	296	231	2	2	147	80
Eau Claire, part	465	–	–	13	124	27	30	15	20	6	4	22	12	198	156	1	2	102	51
Eau Claire, total	467	–	–	13	125	27	30	16	20	6	4	22	12	198	156	1	2	102	51
Balance of county	210	–	–	1	53	10	7	3	10	5	3	15	5	98	75	1	–	45	29
Florence	54	–	–	–	10	2	4	–	1	–	1	2	1	33	25	–	–	23	2
Fond du Lac	790	–	–	3	184	52	43	19	22	8	5	35	17	365	265	5	16	199	45
Fond du Lac	426	–	–	2	92	21	26	11	11	1	2	20	9	206	145	3	8	109	25
Balance of county	364	–	–	1	92	31	17	8	11	7	3	15	8	159	120	2	8	90	20
Forest	116	–	–	2	25	4	3	2	6	–	2	8	3	58	47	–	1	41	5
Grant	475	1	–	1	100	31	21	8	21	4	1	14	16	215	140	–	6	97	37
Green	269	–	–	3	45	14	8	4	5	3	2	9	10	133	105	1	5	58	41
Monroe	116	–	–	–	23	7	3	2	3	1	1	6	7	50	37	1	1	20	15
Balance of county	153	–	–	3	22	7	5	2	2	2	1	3	3	83	68	–	4	38	26
Green Lake	230	–	–	1	60	13	12	2	15	–	8	10	9	93	77	1	1	63	12
Iowa	206	–	–	2	47	12	14	5	7	2	3	4	2	95	71	2	–	61	8
Iron	95	–	–	–	30	10	10	1	3	1	1	4	1	43	33	1	–	24	8
Jackson	194	–	–	2	52	12	13	2	6	3	2	14	4	82	69	–	1	55	13
Jefferson	557	–	–	15	149	37	45	9	20	9	6	23	17	216	166	2	1	125	38
Watertown, part	98	–	–	–	27	6	8	–	6	1	1	5	4	43	28	–	–	22	6
Watertown, total	201	–	–	1	50	11	13	2	8	2	4	10	4	95	64	–	–	42	22
Whitewater, part	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	457	–	–	15	121	31	36	9	14	8	5	18	13	173	138	2	1	103	32
Juneau	218	–	–	1	56	16	11	3	8	2	2	14	6	93	69	–	3	44	22
Kenosha	1,065	1	–	13	277	68	74	31	32	7	7	58	27	439	342	2	12	217	111
Kenosha	752	1	–	5	193	51	48	22	24	4	5	39	22	320	250	1	11	156	82
Balance of county	313	–	–	8	84	17	26	9	8	3	2	19	5	119	92	1	1	61	29
Kewaunee	174	–	–	1	37	10	9	3	3	2	1	9	7	87	72	1	–	49	22
La Crosse	832	–	–	13	193	40	51	17	30	9	7	39	11	376	265	3	7	214	41
La Crosse	547	–	–	9	126	25	34	10	18	8	6	25	8	246	175	2	6	135	32
Balance of county	285	–	–	4	67	15	17	7	12	1	1	14	3	130	90	1	1	79	9
Lafayette	152	–	–	1	39	12	7	2	2	1	4	11	2	67	47	–	1	36	10
Langlade	239	–	–	2	54	17	16	5	2	2	1	11	9	106	80	1	2	51	26
Lincoln	289	–	–	2	84	20	19	9	14	6	4	12	11	123	96	–	–	74	22
Manitowoc	790	–	–	17	185	47	45	14	20	16	6	37	21	339	262	–	1	185	76
Manitowoc	482	–	–	13	112	29	25	11	9	10	4	24	13	201	153	–	1	103	49
Two Rivers	127	–	–	4	28	5	11	–	1	2	1	8	3	57	38	–	–	33	5
Balance of county	181	–	–	–	45	13	9	3	10	4	1	5	5	81	71	–	–	49	22
Marathon	849	–	–	9	206	55	50	13	24	13	10	41	21	348	256	5	9	152	90
Marshfield, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Wausau	402	–	–	5	83	24	17	8	12	4	2	16	8	180	129	3	2	81	43
Balance of county	445	–	–	4	123	31	33	5	12	9	8	25	13	167	126	2	7	70	47
Marinette	475	–	–	2	117	28	30	16	12	6	5	20	17	208	156	–	2	123	31
Marinette	163	–	–	1	36	6	10	6	7	1	–	6	5	74	52	–	–	41	11
Balance of county	312	–	–	1	81	22	20	10	5	5	5	14	12	134	104	–	2	82	20
Marquette	150	–	–	1	37	15	7	1	5	1	3	5	4	64	53	–	–	40	13
Menominee	38	–	–	–	5	1	1	–	–	–	–	3	1	12	11	–	1	9	1
Milwaukee	9,327	11	–	209	2,220	529	581	212	243	100	80	475	230	3,928	3,080	22	130	2,215	713
Brown Deer	86	–	–	2	28	5	9	4	2	1	1	6	5	29	22	–	–	16	6
Cudahy	160	–	–	4	45	14	14	2	5	1	–	9	6	71	56	–	2	43	11
Franklin	119	–	–	–	37	6	13	2	7	2	2	5	4	51	38	–	2	25	11
Glendale	310	–	–	10	53	11	11	8	8	3	1	11	10	142	109	3	6	61	39
Greendale	105	–	–	–	23	4	7	6	–	3	–	3	4	45	36	–	–	29	7
Greenfield	433	–	–	4	93	30	20	7	13	3	3	17	21	193	151	–	5	115	31
Milwaukee, part	5,895	11	–	155	1,379	332	359	130	144	59	53	302	138	2,417	1,910	12	87	1,358	453
Milwaukee, total	5,895	11	–	155	1,379	332	359	130	144	59	53	302	138	2,417	1,910	12	87	1,358	453
Oak Creek	125	–	–	3	42	14	14	2	2	2	1	7	4	43	34	1	2	27	4
St. Francis	67	–	–	–	20	9	4	2	2	–	–	3	2	29	25	1	–	15	9
Shorewood	131	–	–	2	36	6	12	4	1	4	1	8	5	51	44	–	3	33	8
South Milwaukee	217	–	–	2	58	12	11	3	8	5	2	17	4	100	84	2	5	62	15
Wauwatosa	585	–	–	9	126	26	28	18	18	7	5	24	6	278	206	2	7	160	37
West Allis	749	–	–	11	174	40	44	15	19	7	7	42	12	343	270	1	9	197	63
Whitefish Bay	97	–	–	1	34	5	8	5	8	1	–	7	2	34	21	–	–	16	5
Balance of county	248	–	–	6	72	15	27	4	6	2	4	14	7	102	74	–	2	58	14
Monroe	348	–	–	3	78	17	14	9	10	1	8	19	8	165	136	–	2	96	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 182 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	11	186	12	34	90	106	9	20	22	–	17	27	8	262	51	52	45	4	5
Madison	8	99	3	20	39	61	7	9	9	–	10	16	4	144	26	30	23	4	3
Middleton	–	5	2	–	6	1	–	–	2	–	–	–	–	12	3	1	2	–	1
Sun Prairie	1	10	–	–	2	4	–	2	2	–	–	1	1	12	2	1	4	–	1
Balance of county	2	72	7	14	43	40	2	9	9	–	7	10	3	94	20	20	16	–	–
Dodge	3	90	11	13	32	20	2	1	5	–	4	2	–	95	26	14	3	1	–
Beaver Dam	2	17	1	4	10	9	–	–	2	–	1	1	–	24	4	–	1	–	–
Watertown, part	1	11	2	2	8	–	–	–	2	–	–	–	–	15	–	2	–	–	–
Balance of county	–	62	8	7	14	11	2	1	1	–	3	1	–	56	22	12	2	1	–
Door	–	25	4	5	14	9	–	1	8	–	–	–	2	35	5	4	4	–	–
Douglas	3	36	3	8	12	12	–	5	7	–	2	2	3	61	9	8	4	1	–
Superior	3	25	–	5	9	11	–	3	6	–	1	2	2	42	6	6	3	1	–
Balance of county	–	11	3	3	3	1	–	2	1	–	1	–	1	19	3	2	1	–	–
Dunn	–	16	3	6	12	12	–	3	2	–	1	–	–	25	6	4	4	–	–
Menomonie	–	7	1	5	7	8	–	2	2	–	–	–	–	17	2	2	2	–	–
Balance of county	–	9	2	1	5	4	–	1	–	–	1	–	–	8	4	2	2	–	–
Eau Claire	2	46	7	10	10	38	3	8	8	–	4	4	3	60	10	14	9	–	–
Eau Claire, part	2	31	4	5	9	24	2	6	5	–	3	3	3	43	4	10	6	–	–
Eau Claire, total	2	31	4	5	9	24	2	6	5	–	3	3	3	43	4	11	6	–	–
Balance of county	–	15	3	5	1	14	1	2	3	–	1	1	–	17	6	4	3	–	–
Florence	–	4	1	3	–	2	–	1	–	–	–	–	–	5	1	–	1	–	–
Fond du Lac	5	78	7	10	30	34	1	6	7	–	4	4	1	104	12	8	8	1	1
Fond du Lac	2	49	3	7	12	19	–	2	6	–	3	2	1	65	2	3	2	–	–
Balance of county	3	29	4	3	18	15	1	4	1	–	1	2	–	39	10	5	6	1	1
Forest	–	10	–	1	5	3	–	–	1	–	–	–	1	9	2	4	2	–	1
Grant	10	53	8	4	11	26	1	5	6	–	1	5	–	59	11	11	5	1	–
Green	2	21	1	4	14	9	–	2	2	1	2	1	4	24	9	2	8	–	–
Monroe	–	9	–	4	6	2	–	1	1	–	2	–	1	15	1	1	6	–	–
Balance of county	2	12	1	–	8	7	–	1	1	1	–	1	3	9	8	1	2	–	–
Green Lake	–	13	–	3	7	7	2	2	3	–	–	1	2	27	2	10	4	–	–
Iowa	–	21	2	1	10	12	2	3	2	–	2	–	–	18	8	2	1	–	–
Iron	–	9	–	1	4	2	1	–	1	–	–	–	–	8	1	2	2	–	–
Jackson	–	11	–	2	9	5	–	1	2	–	–	–	–	27	2	5	2	1	–
Jefferson	3	34	6	7	28	25	5	5	3	–	3	2	4	64	5	10	6	–	–
Watertown, part	–	11	3	1	6	1	1	–	–	–	1	–	1	12	1	1	–	–	–
Watertown, total	1	22	5	3	14	1	1	–	2	–	1	–	1	27	1	3	–	–	–
Whitewater, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	3	23	3	6	22	24	4	5	3	–	2	2	3	52	4	8	6	–	–
Juneau	–	16	2	6	5	10	2	1	4	–	2	1	1	15	8	10	3	–	–
Kenosha	5	75	3	14	52	52	6	9	11	–	6	5	2	95	26	21	17	3	3
Kenosha	5	51	3	11	45	35	5	4	8	–	4	3	2	65	11	12	11	3	3
Balance of county	–	24	–	3	7	17	1	5	3	–	2	2	–	30	15	9	6	–	–
Kewaunee	–	10	2	3	3	6	–	4	1	–	1	–	–	17	5	2	1	2	–
La Crosse	5	75	11	20	45	35	2	8	5	–	4	3	–	106	11	10	10	–	–
La Crosse	–	48	5	18	32	24	1	5	5	–	4	–	–	71	6	3	7	–	–
Balance of county	5	27	6	2	13	11	1	3	–	–	–	3	–	35	5	7	3	–	–
Lafayette	–	13	5	2	3	10	1	–	2	–	–	1	–	12	5	7	2	–	–
Langlade	–	20	2	4	6	12	–	4	3	–	3	2	–	22	9	5	1	1	–
Lincoln	1	18	3	5	6	12	–	1	1	–	3	1	2	33	4	4	2	–	–
Manitowoc	3	58	4	12	35	23	1	8	9	–	8	1	5	101	10	16	10	1	–
Manitowoc	3	36	1	8	26	17	1	5	7	–	3	–	3	61	4	11	4	1	–
Two Rivers	–	14	2	3	4	1	–	1	2	–	3	–	1	19	–	3	1	–	–
Balance of county	–	8	1	1	5	5	–	2	–	–	2	1	1	21	6	2	5	–	–
Marathon	8	64	4	16	29	32	1	8	14	–	4	6	3	110	25	22	10	1	–
Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Wausau	4	36	3	8	17	10	1	4	7	–	1	2	1	60	10	8	4	1	–
Balance of county	4	28	1	8	12	22	–	4	7	–	3	4	2	49	15	14	6	–	–
Marinette	2	32	12	6	25	15	4	5	6	–	1	6	3	48	10	5	3	–	–
Marinette	1	13	5	3	12	8	1	5	2	–	1	1	2	13	1	1	–	–	–
Balance of county	1	19	7	3	13	7	3	–	4	–	–	5	1	35	9	4	3	–	–
Marquette	1	9	–	1	8	7	2	–	1	–	1	–	–	15	4	4	2	–	–
Menominee	1	–	–	–	–	–	–	1	–	–	1	–	–	8	2	5	1	2	–
Milwaukee	28	659	52	109	427	354	14	92	109	2	50	59	66	967	101	201	109	168	10
Brown Deer	1	4	–	2	2	5	–	–	1	–	–	–	–	10	–	2	2	–	–
Cudahy	1	13	–	1	6	2	–	1	1	–	1	1	1	12	3	3	2	1	–
Franklin	2	8	1	2	3	5	–	2	1	–	–	–	–	11	2	2	1	–	–
Glendale	1	30	–	2	25	13	1	–	2	–	–	–	–	47	1	4	2	–	–
Greendale	–	7	–	2	1	7	–	2	2	–	–	–	–	12	2	4	2	–	1
Greenfield	1	35	4	2	22	13	2	4	9	–	–	1	–	55	6	3	5	1	1
Milwaukee, part	18	386	32	71	232	228	7	68	74	2	40	48	58	587	65	145	75	158	8
Milwaukee, total	18	386	32	71	232	228	7	68	74	2	40	48	58	587	65	145	75	158	8
Oak Creek	–	9	–	–	4	6	–	1	1	–	2	1	–	12	2	1	2	1	–
St. Francis	–	3	–	1	1	3	1	1	–	–	–	1	–	7	1	–	1	–	–
Shorewood	–	5	–	2	8	5	–	–	2	–	1	–	2	14	1	3	–	1	–
South Milwaukee	1	10	2	3	8	10	2	2	4	–	–	1	1	19	3	2	1	–	–
Wauwatosa	1	57	9	5	49	20	–	4	3	–	2	1	2	62	4	10	5	4	–
West Allis	–	63	2	8	49	26	1	5	8	–	3	3	2	79	7	17	7	2	–
Whitefish Bay	1	10	–	2	4	3	–	1	–	–	–	2	–	10	4	1	1	–	–
Balance of county	1	19	2	6	13	8	–	1	1	–	1	–	–	30	–	4	3	–	–
Monroe	–	25	1	3	19	18	–	2	2	–	1	–	1	35	6	7	1	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 183 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases [1]	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	318	1	-	4	84	26	21	5	12	4	-	16	6	148	104	1	-	81	22
Oneida	389	-	-	1	99	18	26	8	15	10	4	18	7	175	132	-	-	93	39
Outagamie	1,006	-	-	11	265	71	66	23	32	10	6	57	23	419	320	4	8	231	77
Appleton, part	448	-	-	7	122	30	27	11	15	6	3	30	15	187	145	2	5	96	42
Appleton, total	469	-	-	7	129	31	29	11	15	8	4	31	15	197	150	2	5	100	43
Kaukauna	107	-	-	1	24	6	4	3	4	-	-	7	3	45	31	-	1	23	7
Balance of county	451	-	-	3	119	35	35	9	13	4	3	20	5	187	144	2	2	112	28
Ozaukee	497	-	-	9	135	34	33	13	23	5	5	22	13	212	154	2	4	100	48
Mequon	159	-	-	5	40	7	10	3	8	1	3	8	6	67	48	1	2	28	17
Balance of county	338	-	-	4	95	27	23	10	15	4	2	14	7	145	106	1	2	72	31
Pepin	70	-	-	-	16	2	6	1	2	2	-	3	3	38	32	-	-	27	5
Pierce	236	-	-	1	49	17	9	4	4	4	3	8	9	118	82	-	-	65	17
Polk	352	-	-	4	80	15	22	7	11	2	4	19	10	146	111	-	2	76	33
Portage	404	-	-	7	92	26	15	10	17	6	7	11	5	178	133	1	2	86	44
Stevens Point	202	-	-	4	38	9	6	5	6	3	3	6	2	101	77	1	1	46	29
Balance of county	202	-	-	3	54	17	9	5	11	3	4	5	3	77	56	-	1	40	15
Price	178	-	-	2	47	14	15	4	5	3	2	4	6	82	61	1	-	44	16
Racine	1,407	1	-	16	351	81	96	29	43	9	14	79	32	599	481	1	14	330	136
Racine	763	1	-	8	182	48	49	19	19	4	4	39	19	333	272	-	5	182	85
Balance of county	644	-	-	8	169	33	47	10	24	5	10	40	13	266	209	1	9	148	51
Richland	209	-	-	2	59	17	12	1	11	3	6	9	3	85	61	-	-	43	18
Rock	1,223	-	-	16	289	68	84	26	33	23	11	44	33	501	359	4	6	273	76
Beloit	360	-	-	9	92	23	28	2	8	8	5	18	4	153	118	2	3	97	16
Janesville	420	-	-	3	108	22	33	17	10	11	4	11	12	162	111	1	1	76	33
Balance of county	443	-	-	4	89	23	23	7	15	4	2	15	17	186	130	1	2	100	27
Rusk	150	-	-	3	33	7	8	5	4	2	3	4	3	71	55	-	1	44	10
St. Croix	388	-	-	3	87	15	22	8	12	3	1	26	4	162	136	1	-	104	31
Sauk	478	-	-	5	126	31	32	11	20	8	3	21	12	211	156	1	3	109	43
Sawyer	183	-	-	2	48	14	15	5	3	2	2	7	1	82	63	1	1	57	4
Shawano	445	-	-	1	91	17	21	8	14	8	8	15	6	242	187	2	2	143	40
Sheboygan	928	-	-	8	220	56	57	20	29	11	10	37	23	410	327	1	9	252	65
Sheboygan	546	-	-	5	130	34	32	11	20	4	6	23	10	246	199	1	5	151	42
Balance of county	382	-	-	3	90	22	25	9	9	7	4	14	13	164	128	-	4	101	23
Taylor	156	-	-	-	35	11	9	-	3	4	1	7	7	78	54	-	-	40	14
Trempealeau	304	-	-	2	57	11	11	1	14	5	-	15	10	152	132	1	1	102	28
Vernon	301	-	-	1	76	22	23	4	5	7	3	12	2	128	98	-	1	74	23
Vilas	260	-	-	6	71	13	23	6	9	4	1	15	6	109	82	-	-	58	24
Walworth	735	-	-	14	184	37	50	19	26	14	5	33	17	319	255	2	3	196	54
Whitewater, part	81	-	-	4	19	5	4	1	3	2	1	3	3	41	30	1	1	20	8
Whitewater, total	83	-	-	4	20	5	5	1	3	2	1	3	3	41	30	1	1	20	8
Balance of county	654	-	-	10	165	32	46	18	23	12	4	30	14	278	225	1	2	176	46
Washburn	185	-	-	1	50	11	15	2	3	4	3	12	3	84	64	-	-	58	6
Washington	675	-	-	5	158	41	41	13	18	5	6	34	9	322	222	-	4	180	38
Germantown	70	-	-	1	19	6	6	-	3	-	1	3	3	35	26	-	-	21	5
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	212	-	-	1	43	10	12	4	4	3	1	9	3	116	76	-	2	62	12
Balance of county	393	-	-	3	96	25	23	9	11	2	4	22	3	171	120	-	2	97	21
Waukesha	1,966	1	-	24	522	110	117	56	62	32	20	125	42	795	599	7	9	391	192
Brookfield	263	-	-	4	75	10	13	11	13	8	3	17	5	117	77	-	-	51	26
Menomonee Falls	232	-	-	3	53	14	9	10	10	1	-	9	10	95	71	-	-	48	23
Muskego	108	-	-	-	36	8	13	-	3	1	1	10	3	37	25	-	1	17	7
New Berlin	179	-	-	1	47	14	13	5	4	1	2	8	4	71	53	1	2	29	21
Waukesha	364	-	-	8	86	19	24	10	8	6	5	14	9	151	117	2	1	81	33
Balance of county	820	1	-	8	225	45	45	20	24	15	9	67	11	324	256	4	5	165	82
Waupaca	605	-	-	4	113	28	30	9	18	8	3	17	15	296	237	2	1	182	52
Waushara	205	-	-	6	52	12	16	7	7	1	2	7	5	102	92	-	2	71	19
Winnebago	1,167	-	-	20	283	71	70	29	29	16	16	52	25	524	378	5	5	285	83
Appleton, part	6	-	-	-	1	-	-	-	-	-	1	-	-	4	2	-	-	2	-
Menasha	121	-	-	4	42	7	14	4	2	5	2	8	2	49	41	-	-	34	7
Neenah	185	-	-	6	49	14	11	7	4	4	2	7	6	77	53	2	2	39	10
Oshkosh	479	-	-	6	104	28	23	12	11	4	4	22	6	218	156	2	2	120	32
Balance of county	376	-	-	4	87	22	22	6	12	3	7	15	11	176	126	1	1	90	34
Wood	627	-	-	8	157	42	36	13	17	7	10	32	16	282	202	3	2	147	50
Marshfield, part	183	-	-	1	44	14	9	4	5	2	3	7	6	90	65	1	2	49	13
Marshfield, total	185	-	-	1	44	14	9	4	5	2	3	7	6	91	66	1	2	50	13
Wisconsin Rapids	214	-	-	-	50	13	13	3	7	2	2	10	5	91	59	2	-	40	17
Balance of county	230	-	-	7	63	15	14	6	5	3	5	15	5	101	78	-	-	58	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 184 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	4	34	1	5	8	13	3	2	2	–	2	2	4	18	10	6	5	–	–
Oneida	1	35	2	5	13	21	3	3	4	–	2	1	1	43	5	6	5	–	–
Outagamie	7	71	4	17	34	42	–	9	3	–	10	7	2	114	21	25	17	4	–
Appleton, part	2	30	4	6	14	22	–	5	2	–	2	2	–	53	4	5	7	1	–
Appleton, total	2	33	4	8	14	23	–	5	2	–	2	2	–	56	4	5	7	1	–
Kaukauna	2	9	–	3	7	2	–	–	–	–	2	–	1	14	3	3	2	–	–
Balance of county	3	32	–	8	13	18	–	4	1	–	6	5	1	47	14	17	8	3	–
Ozaukee	3	40	8	7	14	17	1	2	5	–	5	3	3	50	8	11	9	–	–
Mequon	1	15	–	3	8	3	–	1	2	–	1	1	1	15	2	2	5	–	–
Balance of county	2	25	8	4	6	14	1	1	3	–	4	2	2	35	6	9	4	–	–
Pepin	–	6	–	–	1	1	–	–	–	–	–	–	–	10	–	1	–	–	–
Pierce	5	22	4	5	10	7	2	1	3	–	1	3	–	21	5	4	2	–	–
Polk	1	21	7	6	16	15	2	–	1	–	1	–	6	40	14	11	5	1	–
Portage	5	35	2	3	10	17	1	–	4	–	–	1	3	68	5	7	5	–	1
Stevens Point	3	19	–	2	7	6	1	–	2	–	–	–	1	35	1	1	3	–	–
Balance of county	2	16	2	1	3	11	–	–	2	–	–	1	2	33	4	6	2	–	1
Price	–	15	2	4	9	4	1	–	1	–	–	1	–	13	5	4	3	–	–
Racine	12	86	13	7	46	74	10	13	12	–	10	11	11	142	26	24	17	11	1
Racine	5	41	9	6	21	42	6	11	2	–	8	9	8	75	7	13	8	9	1
Balance of county	7	45	4	1	25	32	4	2	10	–	2	2	3	67	19	11	9	2	–
Richland	–	19	1	4	11	6	–	1	3	–	1	–	–	21	7	6	3	–	1
Rock	6	103	20	13	66	76	6	12	12	–	9	12	4	123	16	19	23	4	2
Beloit	1	27	5	2	9	17	2	4	3	–	2	3	2	38	4	6	8	3	1
Janesville	2	38	8	3	27	30	2	8	5	–	2	5	1	38	4	4	7	1	1
Balance of county	3	38	7	8	30	29	2	–	4	–	5	4	1	47	8	9	8	–	–
Rusk	1	10	3	2	5	5	–	5	2	–	1	1	1	9	6	2	3	–	–
St. Croix	2	19	–	5	23	28	1	4	6	–	6	2	2	34	8	15	2	1	–
Sauk	3	40	3	9	18	18	1	5	3	–	2	2	2	38	19	9	6	1	–
Sawyer	1	14	3	1	8	8	2	1	–	–	–	–	–	17	5	6	3	–	–
Shawano	1	35	11	8	12	17	3	2	4	–	1	3	3	34	13	8	5	–	–
Sheboygan	4	65	6	8	38	32	3	10	4	1	9	4	3	123	10	18	11	1	–
Sheboygan	4	38	4	1	30	15	1	5	3	–	6	3	2	74	2	6	7	1	–
Balance of county	–	27	2	7	8	17	2	5	1	1	3	1	1	49	8	12	4	–	–
Taylor	2	14	4	4	3	5	1	2	1	–	3	–	1	16	1	1	2	–	–
Trempealeau	1	13	–	6	12	15	–	2	5	–	2	–	–	24	6	6	11	–	–
Vernon	1	22	2	5	13	8	1	2	6	–	1	–	1	48	3	6	5	–	–
Vilas	–	19	3	5	7	14	–	3	2	–	1	–	–	26	5	8	2	–	–
Walworth	2	49	5	8	38	26	1	5	3	–	4	2	3	72	20	16	10	1	–
Whitewater, part	–	11	–	–	5	1	–	–	1	–	–	1	–	6	–	–	–	–	–
Whitewater, total	–	11	–	–	5	1	–	–	1	–	–	1	–	6	–	1	–	–	–
Balance of county	2	38	5	8	33	25	1	5	2	–	4	1	3	66	20	16	10	1	–
Washburn	–	17	–	3	4	6	–	3	–	–	–	–	–	24	2	3	4	1	–
Washington	–	74	15	11	22	23	2	3	2	–	5	4	6	67	16	18	11	2	–
Germantown	–	6	–	3	3	1	–	–	–	–	1	1	–	3	1	2	–	–	–
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	–	37	1	2	6	9	–	1	1	–	2	–	2	17	2	6	3	–	–
Balance of county	–	31	14	6	13	13	2	2	1	–	2	3	4	47	13	10	8	2	–
Waukesha	6	149	11	30	103	66	4	16	20	–	12	8	7	240	30	40	31	4	1
Brookfield	–	33	2	5	12	7	–	2	3	–	2	–	–	25	1	6	4	–	–
Menomonee Falls	3	15	4	2	5	7	–	1	2	–	1	1	1	39	2	9	3	–	–
Muskego	–	7	–	5	8	6	–	–	–	–	–	–	–	13	2	1	2	–	–
New Berlin	–	15	1	2	20	8	–	2	1	–	–	–	–	13	2	5	4	–	1
Waukesha	1	27	2	4	16	12	1	4	2	–	4	1	2	48	4	8	7	1	–
Balance of county	2	52	2	12	42	26	3	7	12	–	5	6	4	102	19	11	11	3	–
Waupaca	3	47	4	5	24	27	–	4	3	–	–	5	3	69	26	11	5	–	–
Waushara	1	3	1	5	6	4	1	–	1	–	–	2	–	17	5	4	–	–	–
Winnebago	5	100	14	27	30	62	6	9	8	–	6	4	9	119	21	19	20	1	1
Appleton, part	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Menâsha	–	6	1	1	4	4	1	–	1	–	1	–	–	4	3	4	2	–	–
Neenah	1	14	1	8	3	7	1	2	1	–	1	2	4	19	3	2	2	–	–
Oshkosh	2	41	10	9	18	34	3	4	3	–	1	2	4	58	5	7	5	–	1
Balance of county	2	37	2	9	5	17	1	3	3	–	3	–	1	37	10	6	11	1	–
Wood	1	59	6	14	24	18	2	3	5	–	2	1	3	72	21	9	4	–	–
Marshfield, part	–	19	1	5	4	4	1	–	2	–	–	–	–	24	1	4	2	–	–
Marshfield, total	–	19	1	5	4	4	1	–	2	–	–	–	–	25	1	4	2	–	–
Wisconsin Rapids	–	25	3	4	15	8	1	–	1	–	–	1	2	28	10	2	–	–	–
Balance of county	1	15	2	5	5	6	–	3	2	–	2	–	1	20	10	3	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 185 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases 1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,159	1	-	44	708	174	175	69	73	33	33	151	74	1,190	910	17	11	585	297
Urban places	1,455	1	-	26	328	74	84	35	34	24	13	64	31	542	407	9	5	250	143
Balance of area	1,704	-	-	18	380	100	91	34	39	9	20	87	43	648	503	8	6	335	154
Metropolitan counties	943	1	-	14	216	62	53	22	19	14	8	38	25	351	267	9	4	160	94
Urban places	785	1	-	11	172	42	42	21	17	13	7	30	20	306	233	6	4	137	86
Balance of area	158	-	-	3	44	20	11	1	2	1	1	8	5	45	34	3	-	23	8
Nonmetropolitan counties	2,216	-	-	30	492	112	122	47	54	19	25	113	49	839	643	8	7	425	203
Urban places	670	-	-	15	156	32	42	14	17	11	6	34	11	236	174	3	1	113	57
Balance of area	1,546	-	-	15	336	80	80	33	37	8	19	79	38	603	469	5	6	312	146
Albany	136	-	-	5	33	7	7	3	5	2	2	7	1	49	33	1	-	22	10
Laramie	119	-	-	5	30	4	7	3	5	2	2	7	1	40	27	1	-	17	9
Balance of county	17	-	-	-	3	3	-	-	-	-	-	-	-	9	6	-	-	5	1
Big Horn	113	-	-	1	31	8	7	2	4	-	-	10	4	35	30	-	-	16	14
Campbell	131	-	-	3	33	6	9	1	4	2	1	10	4	42	32	-	-	16	16
Gillette	99	-	-	3	19	3	6	1	2	1	-	6	4	34	26	-	-	13	13
Balance of county	32	-	-	-	14	3	3	-	2	1	1	4	-	8	6	-	-	3	3
Carbon	116	-	-	4	30	7	7	1	3	2	2	8	2	45	37	-	-	24	13
Rawlins	70	-	-	2	17	5	5	1	1	2	-	3	1	28	23	-	-	14	9
Balance of county	46	-	-	2	13	2	2	-	2	-	2	5	1	17	14	-	-	10	4
Converse	76	-	-	2	14	2	7	1	2	1	1	-	1	22	16	-	-	10	6
Crook	38	-	-	-	7	1	-	1	2	-	3	-	-	19	14	-	-	10	4
Fremont	258	-	-	4	45	7	11	5	3	1	4	14	8	107	83	1	2	52	28
Goshen	115	-	-	-	23	5	9	-	4	-	-	5	6	53	41	-	-	29	12
Hot Springs	57	-	-	1	14	2	4	1	1	2	2	2	-	19	16	-	-	6	10
Johnson	69	-	-	-	14	2	6	1	-	1	-	4	2	33	23	-	-	19	4
Laramie	498	1	-	6	111	35	22	12	11	10	3	18	10	186	139	7	3	80	49
Cheyenne	411	1	-	6	89	24	18	12	9	9	3	14	8	160	121	6	3	68	44
Balance of county	87	-	-	-	22	11	4	-	2	1	-	4	2	26	18	1	-	12	5
Lincoln	73	-	-	-	11	3	1	1	1	-	-	5	-	27	23	-	1	16	6
Natrona	445	-	-	8	105	27	31	10	8	4	5	20	15	165	128	2	1	80	45
Casper	374	-	-	5	83	18	24	9	8	4	4	16	12	146	112	-	1	69	42
Balance of county	71	-	-	3	22	9	7	1	-	-	1	4	3	19	16	2	-	11	3
Niobrara	35	-	-	-	9	3	3	-	1	-	1	1	-	20	20	-	1	12	7
Park	183	-	-	2	36	12	6	5	5	1	1	6	3	61	47	1	2	34	10
Platte	80	-	-	2	22	4	7	2	1	1	2	5	6	33	20	2	-	15	3
Sheridan	238	-	-	2	59	12	14	6	8	5	2	12	2	83	63	1	-	41	21
Sheridan	197	-	-	1	51	10	13	4	7	5	2	10	1	68	51	1	-	32	18
Balance of county	41	-	-	1	8	2	1	2	1	-	-	2	1	15	12	-	-	9	3
Sublette	45	-	-	-	11	1	3	2	3	-	-	2	2	18	15	-	-	4	11
Sweetwater	212	-	-	4	42	11	11	7	2	1	2	8	4	79	57	1	1	44	11
Green River	52	-	-	1	13	3	5	1	1	-	1	2	1	12	10	-	-	10	-
Rock Springs	133	-	-	3	26	7	6	4	1	1	1	6	3	54	37	1	1	27	8
Balance of county	27	-	-	-	3	1	-	2	-	-	-	-	-	13	10	-	-	7	3
Teton	41	-	-	-	11	4	2	1	1	-	1	2	-	14	11	-	-	10	1
Uinta	85	-	-	-	23	7	3	4	3	-	1	5	1	28	21	-	-	12	9
Washakie	69	-	-	-	14	4	4	3	-	-	-	3	2	33	26	-	-	21	5
Weston	46	-	-	-	10	4	1	-	1	-	-	4	1	19	15	1	-	12	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1991—Con.

(Page 186 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wyoming	7	202	27	44	105	242	10	41	18	-	26	11	49	318	111	103	87	18	3
Urban places	7	94	9	25	42	114	2	24	6	-	15	2	26	164	30	48	44	8	2
Balance of area	-	108	18	19	63	128	8	17	12	-	11	9	23	154	81	55	43	10	1
Metropolitan counties	5	59	8	12	27	72	5	12	4	-	12	5	14	99	24	31	23	6	2
Urban places	5	51	7	10	24	62	2	10	3	-	11	2	11	87	13	25	19	4	2
Balance of area	-	8	1	2	3	10	3	2	1	-	1	3	3	12	11	6	4	2	-
Nonmetropolitan counties	2	143	19	32	78	170	5	29	14	-	14	6	35	219	87	72	64	12	1
Urban places	2	43	2	15	18	52	-	14	3	-	4	-	15	77	17	23	25	4	-
Balance of area	-	100	17	17	60	118	5	15	11	-	10	6	20	142	70	49	39	8	1
Albany	-	7	1	8	3	13	-	1	-	-	1	-	1	15	4	3	7	-	-
Laramie	-	5	1	7	2	11	-	1	-	-	1	-	1	15	4	3	5	-	-
Balance of county	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Big Horn	-	4	1	-	6	12	-	1	2	-	2	-	1	8	5	5	-	-	-
Campbell	-	6	-	4	3	5	-	3	1	-	1	-	6	13	4	6	6	1	-
Gillette	-	4	-	4	3	4	-	2	1	-	1	-	6	11	3	4	3	1	-
Balance of county	-	2	-	-	-	1	-	1	-	-	-	-	-	2	1	2	3	-	-
Carbon	-	8	-	-	4	5	-	2	-	-	2	-	-	11	2	3	5	1	-
Rawlins	-	5	-	-	4	4	-	2	-	-	-	-	-	5	-	3	3	1	-
Balance of county	-	3	-	-	-	1	-	-	-	-	2	-	-	6	2	-	2	-	-
Converse	-	5	-	1	6	8	-	1	-	-	-	-	4	9	2	4	2	1	-
Crook	-	4	1	-	2	2	-	1	-	-	-	-	1	3	2	-	1	-	-
Fremont	-	17	6	1	7	19	2	4	-	-	3	1	2	22	16	10	8	-	-
Goshen	-	9	1	2	3	12	1	1	3	-	-	-	1	5	3	2	2	-	-
Hot Springs	-	3	-	-	4	3	1	1	2	-	-	-	1	5	1	2	2	1	-
Johnson	-	6	1	3	-	3	-	1	-	-	-	-	-	11	3	2	-	-	-
Laramie	1	33	8	5	12	37	3	6	3	-	5	3	6	56	15	20	12	4	2
Cheyenne	1	27	7	4	9	33	1	5	2	-	5	1	4	46	10	15	11	3	2
Balance of county	-	6	1	1	3	4	2	1	1	-	-	2	2	10	5	5	1	1	-
Lincoln	-	3	1	-	3	9	-	-	-	-	3	-	3	8	6	2	1	-	-
Natrona	4	26	-	7	15	35	2	6	1	-	7	2	8	43	9	11	11	2	-
Casper	4	24	-	6	15	29	1	5	1	-	6	1	7	41	3	10	8	1	-
Balance of county	-	2	-	1	-	6	1	1	-	-	1	1	1	2	6	1	3	1	-
Niobrara	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-	-	-
Park	-	12	1	1	9	21	1	2	1	-	-	3	1	20	10	4	7	2	-
Platte	-	6	3	4	2	4	-	-	-	-	-	-	1	7	1	-	2	-	-
Sheridan	-	19	-	1	5	21	-	5	2	-	1	-	4	31	4	8	11	-	-
Sheridan	-	16	-	1	4	20	-	5	2	-	1	-	3	24	3	6	8	-	-
Balance of county	-	3	-	-	1	1	-	-	-	-	-	-	1	7	1	2	3	-	-
Sublette	-	2	-	1	2	5	-	-	-	-	-	-	-	3	3	1	-	-	-
Sweetwater	2	14	2	4	5	13	-	4	-	-	1	-	6	24	11	8	6	5	-
Green River	-	2	-	-	1	5	-	2	-	-	-	-	2	5	6	2	2	-	-
Rock Springs	2	11	1	3	4	8	-	2	-	-	1	-	3	17	1	5	4	2	-
Balance of county	-	1	1	1	-	-	-	-	-	-	-	-	1	2	4	1	-	3	-
Teton	-	3	-	-	3	2	-	1	1	-	-	-	-	6	1	1	1	-	-
Uinta	-	6	-	1	7	2	-	-	-	-	-	2	2	6	6	6	1	1	-
Washakie	-	6	1	-	2	2	-	1	2	-	-	-	-	8	1	3	-	-	1
Weston	-	3	-	1	2	6	-	-	-	-	-	-	-	3	2	1	2	-	-

1 Includes ICD-9 Nos. 001-009,020-041,*042-*044,045-088,098-139.
2 Areas shown are census areas, the nearest equivalent of counties.
3 Includes data for La Paz which became a new county on January 1, 1983.
4 Includes data for Texarkana, Ark., only.
5 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
6 Areas shown are parishes, the equivalent of counties.
7 Includes data for Bristol, Tenn., only.
8 Includes data for Texarkana, Tex., only.
9 Independent city having population of less than 10,000 according to the 1980 census.
10 Includes data for Bristol, Va., only.
11 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–91	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1991	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1991	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1991	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1991	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1991	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1991	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1991	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1991	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1991	25
9–11.	Deaths under 1 year and 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and race for Virgin Islands and Guam: 1991	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1991	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1991	29
9–14.	Deaths from Human immunodeficiency virus infection and 3-digit subcategories, by 10-year age groups, and sex: Puerto Rico, 1991	31

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1991*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-91

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1991	26,169	---	506	---	580	---
1990	25,957	7.4	480	4.7	520	3.9
1989	25,808	---	500	---	507	---
1988	24,940	7.6	501	4.9	464	3.5
1987	23,829	7.2	527	5.0	472	3.6
1986	23,182	7.1	476	4.3	429	3.4
1985	23,071	7.0	506	4.6	415	3.4
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	26,169	2,295	1,992	2,249	2,225	2,170	2,331	2,144	2,135	2,161	2,051	2,133	2,283
Male	15,470	1,365	1,220	1,344	1,300	1,268	1,383	1,280	1,250	1,259	1,208	1,281	1,312
Female	10,699	930	772	905	925	902	948	864	885	902	843	852	971
Virgin Islands	506	46	29	52	36	44	39	38	35	45	44	48	50
Male	297	27	15	28	17	28	19	25	23	29	24	29	33
Female	209	19	14	24	19	16	20	13	12	16	20	19	17
White	122	11	10	15	8	6	6	10	10	6	15	8	17
Male	77	7	7	12	5	3	3	9	6	4	7	4	10
Female	45	4	3	3	3	3	3	1	4	2	8	4	7
All other	384	35	19	37	28	38	33	28	25	39	29	40	33
Male	220	20	8	16	12	25	16	16	17	25	17	25	23
Female	164	15	11	21	16	13	17	12	8	14	12	15	10
Black	384	35	19	37	28	38	33	28	25	39	29	40	33
Male	220	20	8	16	12	25	16	16	17	25	17	25	23
Female	164	15	11	21	16	13	17	12	8	14	12	15	10
Guam	580	31	45	53	48	47	55	57	57	41	40	54	52
Male	354	16	34	31	34	26	36	33	30	28	23	29	34
Female	226	15	11	22	14	21	19	24	27	13	17	25	18
White	43	1	–	7	2	4	1	10	3	2	4	2	7
Male	30	1	–	5	1	1	1	7	2	2	4	2	4
Female	13	–	–	2	1	3	–	3	1	–	–	–	3
All other	537	30	45	46	46	43	54	47	54	39	36	52	45
Male	324	15	34	26	33	25	35	26	28	26	19	27	30
Female	213	15	11	20	13	18	19	21	26	13	17	25	15
Guamanian	368	21	26	32	36	28	37	29	35	28	25	37	34
Male	202	9	20	18	24	13	25	11	16	16	12	17	21
Female	166	12	6	14	12	15	12	18	19	12	13	20	13

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1991

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	506	51	2	3	15	40	39	42	58	99	91	62	4
Male	297	32	1	2	13	28	33	27	37	58	37	26	3
Female	209	19	1	1	2	12	6	15	21	41	54	36	1
White	122	13	–	–	2	11	12	8	11	27	22	14	2
Male	77	8	–	–	2	8	10	4	9	16	13	5	2
Female	45	5	–	–	–	3	2	4	2	11	9	9	–
All other	384	38	2	3	13	29	27	34	47	72	69	48	2
Male	220	24	1	2	11	20	23	23	28	42	24	21	1
Female	164	14	1	1	2	9	4	11	19	30	45	27	1
Black	384	38	2	3	13	29	27	34	47	72	69	48	2
Male	220	24	1	2	11	20	23	23	28	42	24	21	1
Female	164	14	1	1	2	9	4	11	19	30	45	27	1
Guam	580	34	7	9	31	34	50	53	121	108	97	35	1
Male	354	14	5	8	26	22	36	30	83	71	51	7	1
Female	226	20	2	1	5	12	14	23	38	37	46	28	–
White	43	2	–	1	4	4	7	3	8	8	3	3	–
Male	30	1	–	1	3	3	4	2	7	6	1	2	–
Female	13	1	–	–	1	1	3	1	1	2	2	1	–
All other	537	32	7	8	27	30	43	50	113	100	94	32	1
Male	324	13	5	7	23	19	32	28	76	65	50	5	1
Female	213	19	2	1	4	11	11	22	37	35	44	27	–
Guamanian	368	19	4	5	9	11	33	31	82	68	75	30	1
Male	202	7	2	4	7	5	24	17	51	41	40	3	1
Female	166	12	2	1	2	6	9	14	31	27	35	27	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1991

(Page 1 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	26,169	835	106	145	771	1,325	1,730	1,930	3,017	4,911	6,492	4,834	73
Male	15,470	473	60	92	628	1,021	1,292	1,343	1,946	2,918	3,449	2,193	55
Female	10,699	362	46	53	143	304	438	587	1,071	1,993	3,043	2,641	18
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	49	-	-	-	-	3	6	3	5	13	14	5	-
Male	34	-	-	-	-	2	3	3	2	11	10	3	-
Female	15	-	-	-	-	1	3	-	3	2	4	2	-
Tuberculosis of respiratory system (010-012)	45	-	-	-	-	3	5	3	5	12	12	5	-
Male	31	-	-	-	-	2	3	3	2	10	8	3	-
Female	14	-	-	-	-	1	2	-	3	2	4	2	-
Other tuberculosis (013-018)	4	-	-	-	-	-	1	-	-	1	2	-	-
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	428	14	1	1	5	15	23	23	33	70	115	125	3
Male	238	8	1	-	3	11	17	15	23	41	55	62	2
Female	190	6	-	1	2	4	6	8	10	29	60	63	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	36	-	-	1	1	4	11	2	3	4	9	1	-
Male	19	-	-	-	-	3	8	2	2	-	4	-	-
Female	17	-	-	1	1	1	3	-	1	4	5	1	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044, 046-054,056-066,071-088,098-139)	1,328	5	10	3	48	458	495	159	71	37	27	8	7
Male	1,037	2	5	1	24	352	402	129	59	32	18	6	7
Female	291	3	5	2	24	106	93	30	12	5	9	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,243	-	6	16	30	58	200	423	687	1,099	1,189	530	5
Male	2,526	-	2	9	18	28	76	220	420	690	743	315	5
Female	1,717	-	4	7	12	30	124	203	267	409	446	215	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	200	-	-	-	-	-	6	22	46	50	58	17	1
Male	166	-	-	-	-	-	5	20	43	42	44	11	1
Female	34	-	-	-	-	-	1	2	3	8	14	6	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,419	-	-	-	2	14	43	121	227	389	439	183	1
Male	883	-	-	-	1	5	25	89	152	256	263	91	1
Female	536	-	-	-	1	9	18	32	75	133	176	92	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	640	-	-	-	-	3	21	62	144	191	156	63	-
Male	471	-	-	-	-	2	16	48	103	144	115	43	-
Female	169	-	-	-	-	1	5	14	41	47	41	20	-
Malignant neoplasm of breast (174-175)	293	-	-	-	-	9	50	71	64	45	39	15	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	290	-	-	-	-	9	50	71	63	43	39	15	-
Malignant neoplasms of genital organs (179-187)	649	-	1	-	1	-	18	47	63	157	236	125	1
Male	430	-	1	-	1	-	-	8	35	102	177	105	1
Female	219	-	-	-	-	-	18	39	28	55	59	20	-
Malignant neoplasms of urinary organs (188-189)	138	-	-	-	-	-	5	8	18	37	46	24	-
Male	82	-	-	-	-	-	-	6	13	22	31	10	-
Female	56	-	-	-	-	-	5	2	5	15	15	14	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	493	-	3	7	6	8	35	52	75	134	116	56	1
Male	278	-	1	5	2	4	18	31	45	82	58	31	1
Female	215	-	2	2	4	4	17	21	30	52	58	25	-
Leukemia (204-208)	157	-	2	7	17	13	7	13	14	33	32	19	-
Male	81	-	-	3	11	7	2	3	6	17	20	12	-
Female	76	-	2	4	6	6	5	10	8	16	12	7	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1991—Con.

(Page 2 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	254	-	-	2	4	11	15	27	36	63	67	28	1
Male	132	-	-	1	3	10	10	15	22	23	35	12	1
Female	122	-	-	1	1	1	5	12	14	40	32	16	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	96	3	-	1	1	6	9	6	15	17	24	14	-
Male	58	3	-	-	1	5	4	5	10	10	13	7	-
Female	38	-	-	1	-	1	5	1	5	7	11	7	-
Diabetes mellitus (250)	1,701	1	-	1	4	14	36	93	275	438	564	275	-
Male	750	-	-	1	2	7	20	52	139	197	227	105	-
Female	951	1	-	-	2	7	16	41	136	241	337	170	-
Nutritional deficiencies (260-269)	47	1	-	-	1	1	1	2	2	4	14	21	-
Male	24	-	-	-	-	1	1	-	2	3	8	9	-
Female	23	1	-	-	1	-	-	2	-	1	6	12	-
Anemias (280-285)	165	1	1	2	4	3	4	6	9	24	44	66	1
Male	78	1	1	-	1	2	2	5	5	14	23	24	-
Female	87	-	-	2	3	1	2	1	4	10	21	42	1
Meningitis (320-322)	31	10	1	2	-	1	2	5	4	1	4	1	-
Male	19	5	1	2	-	1	2	2	3	-	2	1	-
Female	12	5	-	-	-	-	-	3	1	1	2	-	-
Major cardiovascular diseases (390-448)	8,372	22	5	8	28	70	171	432	967	1,837	2,640	2,169	23
Male	4,474	12	3	5	19	42	118	299	620	1,066	1,346	929	15
Female	3,898	10	2	3	9	28	53	133	347	771	1,294	1,240	8
Diseases of heart (390-398,402,404-429)	6,288	18	4	6	25	55	120	334	793	1,398	1,982	1,532	21
Male	3,428	11	3	4	17	36	82	234	506	838	993	689	15
Female	2,860	7	1	2	8	19	38	100	287	560	989	843	6
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	1	3	-	8	6	5	4	3	-
Male	12	-	-	-	1	2	-	3	3	-	2	1	-
Female	18	-	-	-	-	1	-	5	3	5	2	2	-
Hypertensive heart disease (402)	324	-	-	-	-	5	11	27	47	60	96	75	3
Male	168	-	-	-	-	3	9	17	28	36	44	29	2
Female	156	-	-	-	-	2	2	10	19	24	52	46	1
Hypertensive heart and renal disease (404)	20	-	-	-	-	1	-	1	1	5	7	5	-
Male	6	-	-	-	-	-	-	1	-	2	2	1	-
Female	14	-	-	-	-	1	-	-	1	3	5	4	-
Ischemic heart disease (410-414)	4,237	1	-	-	6	9	62	239	592	1,049	1,330	934	15
Male	2,394	-	-	-	3	6	48	169	396	648	689	425	10
Female	1,843	1	-	-	3	3	14	70	196	401	641	509	5
Acute myocardial infarction (410)	2,673	1	-	-	1	5	38	164	407	720	847	484	6
Male	1,506	-	-	-	-	3	29	112	271	442	431	213	5
Female	1,167	1	-	-	1	2	9	52	136	278	416	271	1
Other acute and subacute forms of ischemic heart disease (411)	29	-	-	-	-	-	-	-	-	8	8	12	1
Male	12	-	-	-	-	-	-	-	-	3	2	7	-
Female	17	-	-	-	-	-	-	-	-	5	6	5	1
Angina pectoris (413)	61	-	-	-	-	-	-	2	7	10	25	17	-
Male	34	-	-	-	-	-	-	1	4	6	14	9	-
Female	27	-	-	-	-	-	-	1	3	4	11	8	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,474	-	-	-	5	4	24	73	178	311	450	421	8
Male	842	-	-	-	3	3	19	56	121	197	242	196	5
Female	632	-	-	-	2	1	5	17	57	114	208	225	3
Other diseases of endocardium (424)	67	-	-	2	2	5	2	5	6	13	21	11	-
Male	39	-	-	1	2	2	1	4	4	9	9	7	-
Female	28	-	-	1	-	3	1	1	2	4	12	4	-
All other forms of heart disease (415-423,425-429)	1,610	17	4	4	16	32	45	54	141	266	524	504	3
Male	809	11	3	3	11	23	24	40	75	143	247	226	3
Female	801	6	1	1	5	9	21	14	66	123	277	278	-
Hypertension with or without renal disease (401,403)	176	-	-	-	-	2	5	6	22	47	55	39	-
Male	86	-	-	-	-	1	4	3	12	21	33	12	-
Female	90	-	-	-	-	1	1	3	10	26	22	27	-
Cerebrovascular diseases (430-438)	1,623	4	1	2	3	12	46	88	132	347	514	472	2
Male	815	1	-	1	2	4	32	60	90	176	269	180	-
Female	808	3	1	1	1	8	14	28	42	171	245	292	2
Intracerebral and other intracranial hemorrhage (431-432)	290	-	-	2	1	4	29	38	35	67	72	42	-
Male	173	-	-	1	1	1	22	28	28	30	46	16	-
Female	117	-	-	1	-	3	7	10	7	37	26	26	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	194	2	1	-	-	-	2	5	12	51	56	65	-
Male	81	1	-	-	-	-	1	3	8	18	29	21	-
Female	113	1	1	-	-	-	1	2	4	33	27	44	-
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	-	1	4	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	4	-	-	-	-	-	-	-	-	1	3	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,133	2	-	-	2	8	15	45	85	228	382	364	2
Male	559	-	-	-	1	3	9	29	54	128	193	142	-
Female	574	2	-	-	1	5	6	16	31	100	189	222	2

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1991—Con.

(Page 3 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atherosclerosis (440)	148	-	-	-	-	-	-	-	5	13	40	90	-
Male	65	-	-	-	-	-	-	-	4	9	20	32	-
Female	83	-	-	-	-	-	-	-	1	4	20	58	-
Other diseases of arteries, arterioles, and capillaries (441-448)	137	-	-	-	-	1	-	4	15	32	49	36	-
Male	80	-	-	-	-	1	-	2	8	22	31	16	-
Female	57	-	-	-	-	-	-	2	7	10	18	20	-
Acute bronchitis and bronchiolitis (466)	19	2	-	-	-	-	-	-	-	1	8	8	-
Male	8	1	-	-	-	-	-	-	-	1	4	2	-
Female	11	1	-	-	-	-	-	-	-	-	4	6	-
Pneumonia and influenza (480-487)	1,148	57	6	2	7	44	53	42	81	135	339	381	1
Male	627	38	2	2	5	32	39	27	52	74	185	170	1
Female	521	19	4	-	2	12	14	15	29	61	154	211	-
Pneumonia (480-486)	1,145	57	6	2	7	44	53	42	80	135	338	380	1
Male	625	38	2	2	5	32	39	27	51	74	184	170	1
Female	520	19	4	-	2	12	14	15	29	61	154	210	-
Influenza (487)	3	-	-	-	-	-	-	-	1	-	1	1	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	900	-	4	2	5	10	19	36	88	200	302	234	-
Male	476	-	2	-	2	5	14	19	51	110	159	114	-
Female	424	-	2	2	3	5	5	17	37	90	143	120	-
Bronchitis, chronic and unspecified (490-491)	57	-	-	-	-	1	2	2	3	10	21	18	-
Male	27	-	-	-	-	1	2	1	3	5	9	6	-
Female	30	-	-	-	-	-	-	1	-	5	12	12	-
Emphysema (492)	172	-	-	-	-	1	2	4	14	31	77	43	-
Male	100	-	-	-	-	-	1	2	9	20	42	26	-
Female	72	-	-	-	-	1	1	2	5	11	35	17	-
Asthma (493)	167	-	3	1	5	5	13	19	24	38	36	23	-
Male	91	-	1	-	2	3	10	10	16	23	18	8	-
Female	76	-	2	1	3	2	3	9	8	15	18	15	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	504	-	1	1	-	3	2	11	47	121	168	150	-
Male	258	-	1	-	-	1	1	6	23	62	90	74	-
Female	246	-	-	1	-	2	1	5	24	59	78	76	-
Ulcer of stomach and duodenum (531-533)	74	1	-	1	-	-	5	2	12	10	19	23	1
Male	47	-	-	-	-	-	5	1	8	5	12	15	1
Female	27	1	-	1	-	-	-	1	4	5	7	8	-
Appendicitis (540-543)	5	-	-	-	2	-	1	-	-	1	-	1	-
Male	4	-	-	-	2	-	1	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	66	2	-	2	1	1	2	2	1	17	17	21	-
Male	31	2	-	2	-	-	1	1	-	8	8	9	-
Female	35	-	-	-	1	1	1	1	1	9	9	12	-
Chronic liver disease and cirrhosis (571)	829	-	-	-	-	21	111	180	202	193	94	28	-
Male	652	-	-	-	-	19	99	161	158	139	58	18	-
Female	177	-	-	-	-	2	12	19	44	54	36	10	-
Cholelithiasis and other disorders of gallbladder (574-575)	38	-	-	-	-	-	1	1	4	11	11	10	-
Male	17	-	-	-	-	-	-	-	-	4	6	7	-
Female	21	-	-	-	-	-	1	1	4	7	5	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	376	2	-	-	3	8	17	14	44	91	107	89	1
Male	218	2	-	-	2	6	12	8	28	57	58	44	1
Female	158	-	-	-	1	2	5	6	16	34	49	45	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	-	1	-	-	-	3	3	1	-
Male	5	-	-	-	-	-	-	-	-	3	1	1	-
Female	3	-	-	-	-	1	-	-	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	33	-	-	-	-	-	1	1	3	10	10	8	-
Male	19	-	-	-	-	-	1	1	1	4	7	5	-
Female	14	-	-	-	-	-	-	-	2	6	3	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	335	2	-	-	3	7	16	13	41	78	94	80	1
Male	194	2	-	-	2	6	11	7	27	50	50	38	1
Female	141	-	-	-	1	1	5	6	14	28	44	42	-
Infections of kidney (590)	12	-	-	-	-	-	-	1	4	-	2	5	-
Male	8	-	-	-	-	-	-	-	2	-	2	4	-
Female	4	-	-	-	-	-	-	1	2	-	-	1	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	1	-	1	5	-	-
Male	7	-	-	-	-	-	-	1	-	1	5	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	...	...	-	2	4	3	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	...	...	-	2	4	3	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	...	...	-	-	-	-	-	...	...	...	...	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1991—Con.

(Page 4 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	...	...	–	2	4	3	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	...	...	–	2	4	3	–	...	...	...	...	–
Congenital anomalies (740-759)	210	148	15	8	7	8	7	1	3	7	4	2	–
Male	118	79	10	5	4	6	3	1	2	3	4	1	–
Female	92	69	5	3	3	2	4	–	1	4	–	1	–
Certain conditions originating in the perinatal period (760-779)	468	467	–	–	–	–	–	1	–	–	–	–	–
Male	273	273	–	–	–	–	–	–	–	–	–	–	–
Female	195	194	–	–	–	–	–	1	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	238	237	–	–	–	–	–	1	–	–	–	–	–
Male	139	139	–	–	–	–	–	–	–	–	–	–	–
Female	99	98	–	–	–	–	–	1	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	230	230	–	–	–	–	–	–	–	–	–	–	–
Male	134	134	–	–	–	–	–	–	–	–	–	–	–
Female	96	96	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	206	18	2	3	4	8	9	10	12	27	38	70	5
Male	104	10	1	2	3	5	6	5	8	14	17	30	3
Female	102	8	1	1	1	3	3	5	4	13	21	40	2
All other diseases (Residual)	2,890	64	19	22	59	106	179	231	320	495	742	644	9
Male	1,612	31	7	8	37	74	145	165	213	293	357	274	8
Female	1,278	33	12	14	22	32	34	66	107	202	385	370	1
Accidents and adverse effects (E800-E949)	1,204	12	30	53	211	178	142	147	99	122	110	88	12
Male	953	5	21	43	189	157	124	123	80	94	78	31	8
Female	251	7	9	10	22	21	18	24	19	28	32	57	4
Motor vehicle accidents (E810-E825)	569	3	9	27	141	93	64	78	59	60	30	2	3
Male	467	–	5	19	127	82	53	65	43	42	27	1	3
Female	102	3	4	8	14	11	11	13	16	18	3	1	–
All other accidents and adverse effects (E800-E807,E826-E949)	635	9	21	26	70	85	78	69	40	62	80	86	9
Male	486	5	16	24	62	75	71	58	37	52	51	30	5
Female	149	4	5	2	8	10	7	11	3	10	29	56	4
Suicide (E950-E959)	342	...	...	1	41	52	83	47	37	39	33	9	–
Male	309	...	...	1	40	45	73	42	31	37	31	9	–
Female	33	...	...	–	1	7	10	5	6	2	2	–	–
Homicide and legal intervention (E960-E978)	801	1	5	14	299	234	127	54	28	16	16	2	5
Male	695	1	4	9	268	202	105	51	22	12	16	1	4
Female	106	–	1	5	31	32	22	3	6	4	–	1	1
All other external causes (E980-E999)	64	1	1	2	8	18	13	6	10	1	1	3	–
Male	52	–	–	2	8	16	12	6	5	1	–	2	–
Female	12	1	1	–	–	2	1	–	5	–	1	1	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991

(Page 1 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	506	51	2	3	15	40	39	42	58	99	91	62	4
White, male	77	8	-	-	2	8	10	4	9	16	13	5	2
White, female	45	5	-	-	-	3	2	4	2	11	9	9	-
All other, male	220	24	1	2	11	20	23	23	28	42	24	21	1
All other, female	164	14	1	1	2	9	4	11	19	30	45	27	1
Black, male	220	24	1	2	11	20	23	23	28	42	24	21	1
Black, female	164	14	1	1	2	9	4	11	19	30	45	27	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	-	-	-	-	-	1	-	-	-	1	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 2 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044, 046-054,056-066,071-088,098-139)	11	–	–	–	1	2	4	3	–	–	–	–	1
White, male	5	–	–	–	–	1	2	1	–	–	–	–	1
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	1	1	2	2	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	6	–	–	–	1	1	2	2	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	90	–	–	1	1	–	2	9	17	32	18	9	1
White, male	19	–	–	–	–	–	–	1	4	7	4	3	–
White, female	5	–	–	–	–	–	1	1	1	2	–	–	–
All other, male	30	–	–	1	–	–	1	4	6	12	4	2	–
All other, female	36	–	–	–	1	–	–	3	6	11	10	4	1
Black, male	30	–	–	1	–	–	1	4	6	12	4	2	–
Black, female	36	–	–	–	1	–	–	3	6	11	10	4	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	31	–	–	–	–	–	–	5	7	12	5	2	–
White, male	4	–	–	–	–	–	–	–	1	2	1	–	–
White, female	2	–	–	–	–	–	–	1	1	–	–	–	–
All other, male	12	–	–	–	–	–	–	2	2	6	1	1	–
All other, female	13	–	–	–	–	–	–	2	3	4	3	1	–
Black, male	12	–	–	–	–	–	–	2	2	6	1	1	–
Black, female	13	–	–	–	–	–	–	2	3	4	3	1	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	9	–	–	–	–	–	2	2	2	3	–	–	–
White, male	4	–	–	–	–	–	–	–	2	2	–	–	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	1	2	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, male	3	–	–	–	–	–	1	2	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasm of breast (174-175)	7	–	–	–	–	–	–	–	1	3	1	1	1
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	7	–	–	–	–	–	–	–	1	3	1	1	1
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	7	–	–	–	–	–	–	–	1	3	1	1	1
Malignant neoplasms of genital organs (179-187)	22	–	–	–	–	–	–	–	1	9	9	3	–
White, male	5	–	–	–	–	–	–	–	–	1	2	2	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	9	–	–	–	–	–	–	–	1	4	3	1	–
All other, female	7	–	–	–	–	–	–	–	–	3	4	–	–
Black, male	9	–	–	–	–	–	–	–	1	4	3	1	–
Black, female	7	–	–	–	–	–	–	–	–	3	4	–	–
Malignant neoplasms of urinary organs (188-189)	3	–	–	–	–	–	–	–	1	2	–	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	11	–	–	–	1	–	–	2	3	2	2	1	–
White, male	3	–	–	–	–	–	–	1	1	–	–	1	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	1	–	–	–
All other, female	5	–	–	–	1	–	–	1	1	–	2	–	–
Black, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Black, female	5	–	–	–	1	–	–	1	1	–	2	–	–
Leukemia (204-208)	4	–	–	1	–	–	–	–	–	–	1	2	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	–	2	–
Black, male	1	–	–	1	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	–	–	2	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2	–	–	–	–	–	–	–	2	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	2	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	–	–	–	–	–	–	–	2	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	33	–	–	–	–	–	–	2	10	9	8	4	–
White, male	3	–	–	–	–	–	–	–	1	–	1	1	–
White, female	3	–	–	–	–	–	–	–	1	2	–	–	–
All other, male	9	–	–	–	–	–	–	–	2	4	3	–	–
All other, female	18	–	–	–	–	–	–	2	6	3	4	3	–
Black, male	9	–	–	–	–	–	–	–	2	4	3	–	–
Black, female	18	–	–	–	–	–	–	2	6	3	4	3	–
Nutritional deficiencies (260-269)	3	–	–	–	–	–	–	–	–	1	2	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Anemias (280-285)	5	–	–	1	–	–	1	–	–	–	1	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	1	–	–	–	–	1	–
All other, female	3	–	–	1	–	–	–	–	–	–	1	1	–
Black, male	2	–	–	–	–	–	1	–	–	–	–	1	–
Black, female	3	–	–	1	–	–	–	–	–	–	1	1	–
Meningitis (320-322)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	152	1	–	–	–	2	8	9	17	36	46	32	1
White, male	13	–	–	–	–	–	–	1	2	5	4	–	1
White, female	16	–	–	–	–	–	–	2	–	3	5	6	–
All other, male	68	–	–	–	–	2	7	4	11	19	13	12	–
All other, female	55	1	–	–	–	–	1	2	4	9	24	14	–
Black, male	68	–	–	–	–	2	7	4	11	19	13	12	–
Black, female	55	1	–	–	–	–	1	2	4	9	24	14	–
Diseases of heart (390-398,402,404-429)	123	1	–	–	–	2	8	8	13	28	37	25	1
White, male	9	–	–	–	–	–	–	1	1	3	3	–	1
White, female	14	–	–	–	–	–	–	2	–	3	4	5	–
All other, male	52	–	–	–	–	2	7	3	8	14	11	7	–
All other, female	48	1	–	–	–	–	1	2	4	8	19	13	–
Black, male	52	–	–	–	–	2	7	3	8	14	11	7	–
Black, female	48	1	–	–	–	–	1	2	4	8	19	13	–
Rheumatic fever and rheumatic heart disease (390-398)	2	–	–	–	–	–	–	–	–	–	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	2	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	–	2	–	–
Hypertensive heart disease (402)	20	–	–	–	–	–	3	3	2	7	3	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	10	–	–	–	–	–	2	1	2	3	2	–	–
All other, female	9	–	–	–	–	–	1	1	–	4	1	2	–
Black, male	10	–	–	–	–	–	2	1	2	3	2	–	–
Black, female	9	–	–	–	–	–	1	1	–	4	1	2	–
Hypertensive heart and renal disease (404)	2	–	–	–	–	–	1	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, male	1	–	–	–	–	–	1	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Ischemic heart disease (410-414)	45	–	–	–	–	–	1	3	5	10	19	7	–
White, male	5	–	–	–	–	–	–	–	1	1	3	–	–
White, female	9	–	–	–	–	–	–	1	–	3	4	1	–
All other, male	17	–	–	–	–	–	1	2	2	5	5	2	–
All other, female	14	–	–	–	–	–	–	–	2	1	7	4	–
Black, male	17	–	–	–	–	–	1	2	2	5	5	2	–
Black, female	14	–	–	–	–	–	–	–	2	1	7	4	–
Acute myocardial infarction (410)	17	–	–	–	–	–	–	2	1	4	8	2	–
White, male	2	–	–	–	–	–	–	–	–	1	1	–	–
White, female	4	–	–	–	–	–	–	–	–	2	1	1	–
All other, male	4	–	–	–	–	–	–	2	1	–	1	–	–
All other, female	7	–	–	–	–	–	–	–	–	1	5	1	–
Black, male	4	–	–	–	–	–	–	2	1	–	1	–	–
Black, female	7	–	–	–	–	–	–	–	–	1	5	1	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 4 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	28	-	-	-	-	-	1	1	4	6	11	5	-
White, male	3	-	-	-	-	-	-	-	1	-	2	-	-
White, female	5	-	-	-	-	-	-	1	-	1	3	-	-
All other, male	13	-	-	-	-	-	1	-	1	5	4	2	-
All other, female	7	-	-	-	-	-	-	-	2	-	2	3	-
Black, male	13	-	-	-	-	-	1	-	1	5	4	2	-
Black, female	7	-	-	-	-	-	-	-	2	-	2	3	-
Other diseases of endocardium (424)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	54	1	-	-	-	2	3	2	6	10	13	16	1
White, male	4	-	-	-	-	-	-	1	-	2	-	-	1
White, female	4	-	-	-	-	-	-	-	-	-	-	4	-
All other, male	24	-	-	-	-	2	3	-	4	6	4	5	-
All other, female	22	1	-	-	-	-	-	1	2	2	9	7	-
Black, male	24	-	-	-	-	2	3	-	4	6	4	5	-
Black, female	22	1	-	-	-	-	-	1	2	2	9	7	-
Hypertension with or without renal disease (401,403)	2	-	-	-	-	-	-	-	-	1	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	18	-	-	-	-	-	-	1	2	3	9	3	-
White, male	3	-	-	-	-	-	-	-	-	2	1	-	-
White, female	2	-	-	-	-	-	-	-	-	-	1	1	-
All other, male	7	-	-	-	-	-	-	1	2	-	2	2	-
All other, female	6	-	-	-	-	-	-	-	-	1	5	-	-
Black, male	7	-	-	-	-	-	-	1	2	-	2	2	-
Black, female	6	-	-	-	-	-	-	-	-	1	5	-	-
Intracerebral and other intracranial hemorrhage (431-432)	7	-	-	-	-	-	-	-	2	1	4	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	2	-	2	-	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black, male	4	-	-	-	-	-	-	-	2	-	2	-	-
Black, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	-	-	-	-	-	-	-	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	9	-	-	-	-	-	-	1	-	1	4	3	-
White, male	2	-	-	-	-	-	-	-	-	1	1	-	-
White, female	2	-	-	-	-	-	-	-	-	-	1	1	-
All other, male	3	-	-	-	-	-	-	1	-	-	-	2	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black, male	3	-	-	-	-	-	-	1	-	-	-	2	-
Black, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Atherosclerosis (440)	4	-	-	-	-	-	-	-	-	1	-	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	1	-	2	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	3	-	-	-	-	-	-	-	-	1	-	2	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 5 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	5	–	–	–	–	–	–	–	2	3	–	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	–	–	1	3	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	–	–	–	–	–	–	–	1	3	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	11	2	–	–	–	1	–	1	–	1	4	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	4	–	–	–	–	–	–	1	–	1	–	2	–
All other, female	6	2	–	–	–	1	–	–	–	–	3	–	–
Black, male	4	–	–	–	–	–	–	1	–	1	–	2	–
Black, female	6	2	–	–	–	1	–	–	–	–	3	–	–
Pneumonia (480-486)	11	2	–	–	–	1	–	1	–	1	4	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	4	–	–	–	–	–	–	1	–	1	–	2	–
All other, female	6	2	–	–	–	1	–	–	–	–	3	–	–
Black, male	4	–	–	–	–	–	–	1	–	1	–	2	–
Black, female	6	2	–	–	–	1	–	–	–	–	3	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	7	–	–	–	–	–	–	1	–	4	2	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	3	–	–	–	–	–	–	1	–	2	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Bronchitis, chronic and unspecified (490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	2	–	–	–	–	–	–	–	–	2	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	2	–	–	–	–	–	–	–	–	2	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	4	–	–	–	–	–	–	1	–	2	1	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer of stomach and duodenum (531-533)	1	–	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 6 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	6	-	-	-	-	-	-	3	2	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	2	-	1	-	-
All other, female	3	-	-	-	-	-	-	3	-	-	-	-	-
Black, male	3	-	-	-	-	-	-	-	2	-	1	-	-
Black, female	3	-	-	-	-	-	-	3	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	-	-	-	-	-	-	-	2	2	-	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	3	-	-	-	-	-	-	-	1	1	-	1	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	3	-	-	-	-	-	-	-	1	1	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	-	-	-	-	-	-	-	-	1	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	...	...	-	-	-	-	-	-	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	-	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	-	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	-	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1991—Con.

(Page 7 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	10	10	–	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	5	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Black, male	5	5	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	31	31	–	–	–	–	–	–	–	–	–	–	–
White, male	6	6	–	–	–	–	–	–	–	–	–	–	–
White, female	3	3	–	–	–	–	–	–	–	–	–	–	–
All other, male	16	16	–	–	–	–	–	–	–	–	–	–	–
All other, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Black, male	16	16	–	–	–	–	–	–	–	–	–	–	–
Black, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	9	9	–	–	–	–	–	–	–	–	–	–	–
White, male	4	4	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	4	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	4	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	22	22	–	–	–	–	–	–	–	–	–	–	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, male	12	12	–	–	–	–	–	–	–	–	–	–	–
All other, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Black, male	12	12	–	–	–	–	–	–	–	–	–	–	–
Black, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	5	1	–	–	–	1	–	–	–	1	–	1	1
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	3	1	–	–	–	–	–	–	–	1	–	–	1
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, male	3	1	–	–	–	–	–	–	–	1	–	–	1
Black, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other diseases (Residual)	55	5	1	–	–	5	14	4	6	8	6	6	–
White, male	12	1	–	–	–	–	5	–	1	3	1	1	–
White, female	5	–	–	–	–	–	1	–	–	1	2	1	–
All other, male	21	2	1	–	–	1	6	3	3	1	2	2	–
All other, female	17	2	–	–	–	4	2	1	2	3	1	2	–
Black, male	21	2	1	–	–	1	6	3	3	1	2	2	–
Black, female	17	2	–	–	–	4	2	1	2	3	1	2	–
Accidents and adverse effects (E800-E949)	48	1	1	1	4	14	7	8	4	5	–	3	–
White, male	8	–	–	–	1	4	2	1	–	–	–	–	–
White, female	5	–	–	–	–	3	–	–	–	1	–	1	–
All other, male	29	–	–	1	3	7	5	7	4	2	–	–	–
All other, female	6	1	1	–	–	–	–	–	–	2	–	2	–
Black, male	29	–	–	1	3	7	5	7	4	2	–	–	–
Black, female	6	1	1	–	–	–	–	–	–	2	–	2	–
Motor vehicle accidents (E810-E825)	14	–	1	–	2	6	1	1	1	2	–	–	–
White, male	3	–	–	–	1	2	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	9	–	–	–	1	4	1	1	1	1	–	–	–
All other, female	1	–	1	–	–	–	–	–	–	–	–	–	–
Black, male	9	–	–	–	1	4	1	1	1	1	–	–	–
Black, female	1	–	1	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	34	1	–	1	2	8	6	7	3	3	–	3	–
White, male	5	–	–	–	–	2	2	1	–	–	–	–	–
White, female	4	–	–	–	–	3	–	–	–	–	–	1	–
All other, male	20	–	–	1	2	3	4	6	3	1	–	–	–
All other, female	5	1	–	–	–	–	–	–	–	2	–	2	–
Black, male	20	–	–	1	2	3	4	6	3	1	–	–	–
Black, female	5	1	–	–	–	–	–	–	–	2	–	2	–
Suicide (E950-E959)	3	...	...	–	–	1	1	–	–	–	1	–	–
White, male	3	...	...	–	–	1	1	–	–	–	1	–	–
White, female	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, male	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Black, male	–	...	...	–	–	–	–	–	–	–	–	–	–
Black, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	25	–	–	–	9	13	1	2	–	–	–	–	–
White, male	3	–	–	–	1	2	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	18	–	–	–	7	9	–	2	–	–	–	–	–
All other, female	4	–	–	–	1	2	1	–	–	–	–	–	–
Black, male	18	–	–	–	7	9	–	2	–	–	–	–	–
Black, female	4	–	–	–	1	2	1	–	–	–	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991

(Page 1 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	580	34	7	9	31	34	50	53	121	108	97	35	1
White, male	30	1	-	1	3	3	4	2	7	6	1	2	-
White, female	13	1	-	-	1	1	3	1	1	2	2	1	-
All other, male	324	13	5	7	23	19	32	28	76	65	50	5	1
All other, female	213	19	2	1	4	11	11	22	37	35	44	27	-
Guamanian, male	202	7	2	4	7	5	24	17	51	41	40	3	1
Guamanian, female	166	12	2	1	2	6	9	14	31	27	35	27	-
Shigellosis and amebiasis (004,006)	1	-	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	1	-	1	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	1	-	1	1	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	-	-	-	-	1	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	1	-	1	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	1	-	1	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	-	-	1	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 2 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Viral hepatitis (070)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044, 046-054,056-066,071-088,098-139)	5	–	–	–	–	–	1	1	1	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	1	1	–	–
All other, female	2	–	–	–	–	–	1	1	–	–	–	–	–
Guamanian, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Guamanian, female	2	–	–	–	–	–	1	1	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	74	–	–	–	1	2	9	5	24	17	10	6	–
White, male	4	–	–	–	–	–	1	–	–	3	–	–	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	46	–	–	–	–	–	5	4	17	12	7	1	–
All other, female	23	–	–	–	1	2	2	1	7	2	3	5	–
Guamanian, male	33	–	–	–	–	–	5	4	11	8	5	–	–
Guamanian, female	14	–	–	–	1	1	1	–	4	2	–	5	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	–	–	–	–	1	1	–	2	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	1	–	2	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Guamanian, male	3	–	–	–	–	–	1	–	2	–	–	–	–
Guamanian, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	24	–	–	–	–	–	4	3	7	5	2	3	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	17	–	–	–	–	–	2	3	6	4	2	–	–
All other, female	6	–	–	–	–	–	2	–	1	–	–	3	–
Guamanian, male	9	–	–	–	–	–	2	3	2	1	1	–	–
Guamanian, female	4	–	–	–	–	–	1	–	–	–	–	3	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	24	–	–	–	–	–	2	1	8	9	4	–	–
White, male	2	–	–	–	–	–	1	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	18	–	–	–	–	–	1	1	6	7	3	–	–
All other, female	4	–	–	–	–	–	–	–	2	1	1	–	–
Guamanian, male	16	–	–	–	–	–	1	1	5	6	3	–	–
Guamanian, female	3	–	–	–	–	–	–	–	2	1	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of genital organs (179-187)	7	–	–	–	–	–	–	1	1	2	2	1	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	–	–	2	1	–
All other, female	3	–	–	–	–	–	–	1	1	1	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	2	–	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of urinary organs (188-189)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	8	–	–	–	–	–	2	–	3	1	1	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	1	–	1	1	–	–	–
All other, female	4	–	–	–	–	–	–	–	2	–	1	1	–
Guamanian, male	3	–	–	–	–	–	1	–	1	1	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Leukemia (204-208)	2	–	–	–	1	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, female	1	–	–	–	1	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	3	–	–	–	–	1	–	–	–	–	1	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	–	–	–	–	1	–	–	–	–	1	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	–	–	–	–	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	1	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	30	–	–	–	–	–	2	7	11	5	5	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	16	–	–	–	–	–	1	4	6	2	3	–	–
All other, female	13	–	–	–	–	–	1	3	4	3	2	–	–
Guamanian, male	13	–	–	–	–	–	1	3	6	1	2	–	–
Guamanian, female	10	–	–	–	–	–	1	3	4	1	1	–	–
Nutritional deficiencies (260-269)	2	–	–	–	–	–	–	–	1	–	–	1	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	–	–	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	1	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	178	1	–	1	1	3	5	13	47	50	43	14	–
White, male	5	–	–	–	–	–	–	1	2	–	–	2	–
White, female	2	–	–	–	–	–	1	–	–	1	–	–	–
All other, male	87	–	–	1	1	1	2	5	30	26	21	–	–
All other, female	84	1	–	–	–	2	2	7	15	23	22	12	–
Guamanian, male	54	–	–	–	1	–	2	3	18	13	17	–	–
Guamanian, female	71	1	–	–	–	1	2	5	12	19	19	12	–
Diseases of heart (390-398,402,404-429)	120	1	–	1	1	3	4	7	27	35	31	10	–
White, male	5	–	–	–	–	–	–	1	2	–	–	2	–
White, female	2	–	–	–	–	–	1	–	–	1	–	–	–
All other, male	52	–	–	1	1	1	2	2	16	16	13	–	–
All other, female	61	1	–	–	–	2	1	4	9	18	18	8	–
Guamanian, male	35	–	–	–	1	–	2	1	11	10	10	–	–
Guamanian, female	52	1	–	–	–	1	1	3	7	15	16	8	–
Rheumatic fever and rheumatic heart disease (390-398)	2	–	–	–	–	–	–	–	1	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	2	–	–	–	–	–	–	–	2	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischemic heart disease (410-414)	100	–	–	–	–	3	4	6	22	32	25	8	–
White, male	4	–	–	–	–	–	–	1	2	–	–	1	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	43	–	–	–	–	1	2	2	14	15	9	–	–
All other, female	52	–	–	–	–	2	1	3	6	17	16	7	–
Guamanian, male	27	–	–	–	–	–	2	1	9	9	6	–	–
Guamanian, female	44	–	–	–	–	1	1	2	5	14	14	7	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 4 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Acute myocardial infarction (410)	26	–	–	–	–	2	1	3	6	9	5	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	13	–	–	–	–	–	1	1	3	7	1	–	–
All other, female	13	–	–	–	–	2	–	2	3	2	4	–	–
Guamanian, male	7	–	–	–	–	–	1	–	2	3	1	–	–
Guamanian, female	10	–	–	–	–	1	–	1	2	2	4	–	–
Other acute and subacute forms of ischemic heart disease (411)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	74	–	–	–	–	1	3	3	16	23	20	8	–
White, male	4	–	–	–	–	–	–	1	2	–	–	1	–
White, female	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, male	30	–	–	–	–	1	1	1	11	8	8	–	–
All other, female	39	–	–	–	–	–	1	1	3	15	12	7	–
Guamanian, male	20	–	–	–	–	–	1	1	7	6	5	–	–
Guamanian, female	34	–	–	–	–	–	1	1	3	12	10	7	–
Other diseases of endocardium (424)	4	–	–	–	–	–	–	–	1	–	2	1	–
White, male	1	–	–	–	–	–	–	–	–	–	–	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	1	–	2	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	3	–	–	–	–	–	–	–	1	–	2	–	–
All other forms of heart disease (415-423,425-429)	12	1	–	1	1	–	–	1	1	3	3	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	7	–	–	1	1	–	–	–	1	1	3	–	–
All other, female	4	1	–	–	–	–	–	1	–	1	–	1	–
Guamanian, male	6	–	–	–	1	–	–	–	1	1	3	–	–
Guamanian, female	4	1	–	–	–	–	–	1	–	1	–	1	–
Hypertension with or without renal disease (401,403)	2	–	–	–	–	–	–	–	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Cerebrovascular diseases (430-438)	49	–	–	–	–	–	1	6	19	10	9	4	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	28	–	–	–	–	–	–	3	13	7	5	–	–
All other, female	21	–	–	–	–	–	1	3	6	3	4	4	–
Guamanian, male	15	–	–	–	–	–	–	2	6	2	5	–	–
Guamanian, female	18	–	–	–	–	–	1	2	5	3	3	4	–
Intracerebral and other intracranial hemorrhage (431-432)	23	–	–	–	–	–	1	3	6	8	3	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	15	–	–	–	–	–	–	2	6	5	2	–	–
All other, female	8	–	–	–	–	–	1	1	–	3	1	2	–
Guamanian, male	5	–	–	–	–	–	–	1	1	1	2	–	–
Guamanian, female	7	–	–	–	–	–	1	1	–	3	–	2	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	–	–	–	–	–	–	1	3	–	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	–	1	–	–
All other, female	4	–	–	–	–	–	–	1	2	–	1	–	–
Guamanian, male	2	–	–	–	–	–	–	–	1	–	1	–	–
Guamanian, female	4	–	–	–	–	–	–	1	2	–	1	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	20	–	–	–	–	–	–	2	10	2	4	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	–	–	–	–	–	–	1	6	2	2	–	–
All other, female	9	–	–	–	–	–	–	1	4	–	2	2	–
Guamanian, male	8	–	–	–	–	–	–	1	4	1	2	–	–
Guamanian, female	7	–	–	–	–	–	–	–	3	–	2	2	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 5 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atherosclerosis (440)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	6	–	–	–	–	–	–	–	1	4	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	–	–	1	3	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	16	1	1	–	–	–	–	1	1	4	2	6	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	9	1	–	–	–	–	–	1	1	3	2	1	–
All other, female	5	–	1	–	–	–	–	–	–	–	2	4	–
Guamanian, male	7	–	–	–	–	–	–	1	1	2	2	1	–
Guamanian, female	5	–	1	–	–	–	–	–	–	–	–	4	–
Pneumonia (480-486)	16	1	1	–	–	–	–	1	1	4	2	6	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	9	1	–	–	–	–	–	1	1	3	2	1	–
All other, female	5	–	1	–	–	–	–	–	–	–	2	4	–
Guamanian, male	7	–	–	–	–	–	–	1	1	2	2	1	–
Guamanian, female	5	–	1	–	–	–	–	–	–	–	–	4	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	28	–	–	–	–	2	–	1	4	11	10	–	–
White, male	2	–	–	–	–	–	–	–	–	2	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	17	–	–	–	–	1	–	1	2	6	7	–	–
All other, female	8	–	–	–	–	1	–	–	2	3	2	–	–
Guamanian, male	13	–	–	–	–	–	–	1	2	4	6	–	–
Guamanian, female	6	–	–	–	–	1	–	–	2	1	2	–	–
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	1	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	1	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	–	–	–	–	–	–	1	1	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	4	–	–	–	–	1	–	–	–	2	1	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	9	–	–	–	–	1	–	–	3	2	3	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	–	–	–	–	1	2	3	–	–
All other, female	3	–	–	–	–	1	–	–	2	–	–	–	–
Guamanian, male	4	–	–	–	–	–	–	–	1	1	2	–	–
Guamanian, female	3	–	–	–	–	1	–	–	2	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	13	–	–	–	–	–	–	–	–	7	6	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	8	–	–	–	–	–	–	–	–	4	4	–	–
All other, female	4	–	–	–	–	–	–	–	–	2	2	–	–
Guamanian, male	7	–	–	–	–	–	–	–	–	3	4	–	–
Guamanian, female	3	–	–	–	–	–	–	–	–	1	2	–	–
Ulcer of stomach and duodenum (531-533)	2	–	–	–	–	–	–	–	1	1	–	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 6 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Appendicitis (540-543)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	–	–	–	–	–	–	1	–	–	1	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Guamanian, male	1	–	–	–	–	–	–	1	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Chronic liver disease and cirrhosis (571)	15	–	–	–	–	–	8	3	3	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	12	–	–	–	–	–	7	1	3	1	–	–	–
All other, female	2	–	–	–	–	–	1	1	–	–	–	–	–
Guamanian, male	10	–	–	–	–	–	7	–	2	1	–	–	–
Guamanian, female	2	–	–	–	–	–	1	1	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	–	–	–	–	1	1	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	1	–	1	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Guamanian, male	2	–	–	–	–	–	1	–	1	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	1	–	–	–	–	–	1	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	1	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	...	...	–	1	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	–	1	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	1	...	...	–	1	–	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	–	...	...	–	–	–	–	–	...	...	...	...	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1991—Con.

(Page 7 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	...	...	–	1	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	–	1	–	–	–	...	...	...	...	–
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	1	...	...	–	1	–	–	–	...	...	...	...	–
Congenital anomalies (740-759)	12	8	–	3	–	–	–	–	–	–	–	1	–
White, male	2	1	–	1	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	1	–	2	–	–	–	–	–	–	–	1	–
All other, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	–	–	1	–	–	–	–	–	–	–	1	–
Guamanian, female	3	3	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	14	14	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	6	–	–	–	–	–	–	–	–	–	–	–
All other, female	8	8	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	4	4	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	4	4	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	10	10	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	4	–	–	–	–	–	–	–	–	–	–	–
All other, female	6	6	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	10	6	1	–	2	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	8	4	1	–	2	–	–	1	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	3	2	–	–	1	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	74	2	–	2	2	2	4	8	15	14	20	5	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	3	–	–	–	–	–	–	–	1	1	1	–	–
All other, male	36	1	–	1	1	–	4	3	9	9	7	1	–
All other, female	34	1	–	1	1	2	–	5	5	4	11	4	–
Guamanian, male	28	1	–	1	–	–	3	3	7	7	5	1	–
Guamanian, female	29	1	–	1	–	2	–	3	5	4	9	4	–
Accidents and adverse effects (E800-E949)	62	1	4	2	16	11	11	7	7	1	2	–	–
White, male	8	–	–	–	2	2	3	1	–	–	–	–	–
White, female	1	–	–	–	1	–	–	–	–	–	–	–	–
All other, male	40	–	3	2	12	6	5	4	5	1	2	–	–
All other, female	13	1	1	–	1	3	3	2	2	–	–	–	–
Guamanian, male	16	–	2	1	3	1	2	1	3	1	2	–	–
Guamanian, female	6	–	1	–	–	1	2	–	2	–	–	–	–
Motor vehicle accidents (E810-E825)	34	–	3	1	10	7	5	3	4	1	–	–	–
White, male	3	–	–	–	–	1	1	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	23	–	2	1	9	5	2	–	3	1	–	–	–
All other, female	8	–	1	–	1	1	2	2	1	–	–	–	–
Guamanian, male	7	–	1	–	2	–	1	–	2	1	–	–	–
Guamanian, female	4	–	1	–	–	–	2	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	28	1	1	1	6	4	6	4	3	–	2	–	–
White, male	5	–	–	–	2	1	2	–	–	–	–	–	–
White, female	1	–	–	–	1	–	–	–	–	–	–	–	–
All other, male	17	–	1	1	3	1	3	4	2	–	2	–	–
All other, female	5	1	–	–	–	2	1	–	1	–	–	–	–
Guamanian, male	9	–	1	1	1	1	1	1	1	–	2	–	–
Guamanian, female	2	–	–	–	–	1	–	–	1	–	–	–	–
Suicide (E950-E959)	22	...	...	–	6	8	5	2	1	–	–	–	–
White, male	3	...	...	–	1	1	–	–	1	–	–	–	–
White, female	1	...	...	–	–	–	1	–	–	–	–	–	–
All other, male	18	...	...	–	5	7	4	2	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Guamanian, male	6	...	...	–	2	3	1	–	–	–	–	–	–
Guamanian, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	12	–	–	–	2	4	4	1	–	–	–	–	1
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, male	9	–	–	–	2	3	3	–	–	–	–	–	1
All other, female	2	–	–	–	–	–	1	1	–	–	–	–	–
Guamanian, male	3	–	–	–	–	–	2	–	–	–	–	–	1
Guamanian, female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	569	189	111	31	1	–	3	11	213	1	9
Male	467	175	70	31	1	–	3	11	166	1	9
Female	102	14	41	–	–	–	–	–	47	–	–
Virgin Islands	14	6	1	–	–	–	–	–	4	–	3
White, male	3	3	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–
All other, male	9	2	1	–	–	–	–	–	3	–	3
All other, female	1	–	–	–	–	–	–	–	1	–	–
Black, male	9	2	1	–	–	–	–	–	3	–	3
Black, female	1	–	–	–	–	–	–	–	1	–	–
Guam	34	–	1	–	–	–	–	–	5	–	28
White, male	3	–	–	–	–	–	–	–	1	–	2
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	23	–	1	–	–	–	–	–	3	–	19
All other, female	8	–	–	–	–	–	–	–	1	–	7
Guamanian, male	7	–	–	–	–	–	–	–	1	–	6
Guamanian, female	4	–	–	–	–	–	–	–	1	–	3

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1]	Farm [2]	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	592	222	–	–	11	13	48	15	10	113	160
Male	454	166	–	–	11	13	42	15	9	100	98
Female	138	56	–	–	–	–	6	–	1	13	62
Virgin Islands	29	7	–	–	3	1	2	1	–	6	9
White, male	4	–	–	–	–	–	1	–	–	–	3
White, female	4	2	–	–	–	1	–	–	–	–	1
All other, male	17	2	–	–	3	–	1	1	–	6	4
All other, female	4	3	–	–	–	–	–	–	–	–	1
Black, male	17	2	–	–	3	–	1	1	–	6	4
Black, female	4	3	–	–	–	–	–	–	–	–	1
Guam	24	8	–	–	3	1	1	–	–	6	5
White, male	4	–	–	–	1	1	–	–	–	2	–
White, female	1	–	–	–	–	–	–	–	–	1	–
All other, male	14	4	–	–	2	–	1	–	–	3	4
All other, female	5	4	–	–	–	–	–	–	–	–	1
Guamanian, male	7	3	–	–	–	–	1	–	–	1	2
Guamanian, female	2	1	–	–	–	–	–	–	–	–	1

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1991

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Puerto Rico	26,330	26,169	635	623	608						
Adjuntas	69	134	2	1	9	Juncos	74	200	5	5	5
Aguada	82	190	3	1	4	Lajas	78	180	2	1	6
Aguadilla	583	473	15	13	11	Lares	146	241	7	4	4
Aguas Buenas	80	158	2	1	-	Las Marias	28	60	4	4	-
Aibonito	217	169	11	11	9	Las Piedras	53	169	5	5	8
Anasco	92	223	6	5	4	Loiza	73	162	12	6	9
Arecibo	1,127	814	25	21	16	Luquillo	69	122	1	1	1
Arroyo	81	148	2	2	7	Manati	555	262	5	3	9
Barceloneta	66	166	5	4	2	Maricao	21	38	2	-	-
Barranquitas	80	162	9	6	2	Maunabo	33	83	4	2	2
Bayamon	2,262	1,468	47	39	29	Mayaguez	1,440	767	15	13	12
Cabo Rojo	157	300	3	-	5	Moca	267	198	7	5	7
Caguas	1,448	1,006	33	26	32	Morovis	50	131	7	3	7
Camuy	93	189	7	7	4	Naguabo	70	187	5	4	7
Canovanas	86	277	14	13	17	Naranjito	73	156	6	2	5
Carolina	1,016	1,141	30	25	27	Orocovis	72	145	8	6	6
Catano	100	267	11	9	11	Patillas	53	142	5	4	-
Cayey	224	346	13	10	5	Penuelas	70	173	14	12	7
Ceiba	45	111	6	5	3	Ponce	2,320	1,466	55	30	30
Ciales	48	119	3	2	3	Quebradillas	74	139	5	4	3
Cidra	70	183	4	3	5	Rincon	36	82	1	-	4
Coamo	115	233	8	7	7	Rio Grande	105	274	10	8	10
Comerio	58	134	3	2	3	Sabana Grande	62	162	6	5	6
Corozal	88	209	7	7	7	Salinas	99	216	6	6	3
Culebra	5	11	-	-	1	San German	397	297	7	6	4
Dorado	69	180	8	5	3	San Juan	7,310	4,600	113	76	73
Fajardo	513	286	13	10	1	San Lorenzo	108	267	4	3	6
Florida	28	77	1	1	3	San Sebastian	145	284	9	5	4
Guanica	57	145	7	6	5	Santa Isabel	60	170	9	6	3
Guayama	469	340	15	12	10	Toa Alta	80	196	12	9	4
Guayanilla	60	142	4	4	5	Toa Baja	211	529	19	14	15
Guaynabo	256	624	26	21	11	Trujillo Alto	141	362	18	12	11
Gurabo	81	193	2	2	5	Utuado	139	253	4	3	7
Hatillo	100	242	7	4	6	Vega Alta	79	211	9	6	4
Hormigueros	53	96	1	1	2	Vega Baja	235	383	15	13	12
Humacao	722	373	9	7	8	Vieques	37	76	3	3	3
Isabela	147	344	7	6	7	Villalba	66	146	6	4	1
Jayuya	55	106	3	2	4	Yabucoa	103	250	11	10	3
Juana Diaz	126	313	14	9	5	Yauco	270	298	13	10	9

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1991

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Virgin Islands	536	506	51	38	34
White	147	122	13	11	-
All other	389	384	38	27	30
Black	389	384	38	27	30
St. Croix Island	243	233	34	28	27
White	83	75	12	10	-
All other	160	158	22	18	23
Black	160	158	22	18	23
St. John Island	7	11	-	-	1
White	2	2	-	-	-
All other	5	9	-	-	1
Black	5	9	-	-	1
St. Thomas Island	286	262	17	10	6
White	62	45	1	1	-
All other	224	217	16	9	6
Black	224	217	16	9	6
Charlotte Amalie	---	150	11	7	2
White	---	14	1	1	-
All other	---	136	10	6	2
Black	---	136	10	6	2
Balance of area	---	112	6	3	4
White	---	31	-	-	-
All other	---	81	6	3	4
Black	---	81	6	3	4
Guam	606	580	34	25	36
White	44	43	2	1	5
All other	562	537	32	24	31
Guamanian	368	368	19	15	-

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	835	68	57	62	62	71	73	80	81	74	61	66	80
Under 28 days	623	51	44	45	45	53	53	64	59	56	46	47	60
VIRGIN ISLANDS													
Under 1 year	51	7	2	4	3	6	4	4	3	2	4	7	5
White	13	2	-	1	-	2	1	1	1	1	1	-	3
All other	38	5	2	3	3	4	3	3	2	1	3	7	2
Black	38	5	2	3	3	4	3	3	2	1	3	7	2
Under 28 days	38	4	2	3	1	6	3	4	3	2	4	3	3
White	11	1	-	-	-	2	1	1	1	1	1	-	3
All other	27	3	2	3	1	4	2	3	2	1	3	3	-
Black	27	3	2	3	1	4	2	3	2	1	3	3	-
GUAM													
Under 1 year	34	2	1	5	3	2	4	4	3	-	5	2	3
White	2	-	-	-	1	-	-	1	-	-	-	-	-
All other	32	2	1	5	2	2	4	3	3	-	5	2	3
Guamanian	19	1	-	3	2	1	2	2	1	-	4	2	1
Under 28 days	25	2	1	4	-	-	3	4	2	-	4	2	3
White	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	24	2	1	4	-	-	3	3	2	-	4	2	3
Guamanian	15	1	-	2	-	-	2	2	1	-	4	2	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

(Page 1 of 2)

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	835	473	362	51	32	19	13	8	5	38	24	14	38	24	14
Under 28 days	623	360	263	38	27	11	11	7	4	27	20	7	27	20	7
Under 7 days	490	284	206	37	26	11	11	7	4	26	19	7	26	19	7
Under 1 hour	73	39	34	4	4	-	2	2	-	2	2	-	2	2	-
1-23 hours	176	102	74	25	15	10	7	3	4	18	12	6	18	12	6
1 day	63	41	22	3	2	1	-	-	-	3	2	1	3	2	1
2 days	86	46	40	3	3	-	1	1	-	2	2	-	2	2	-
3 days	34	21	13	-	-	-	-	-	-	-	-	-	-	-	-
4 days	26	16	10	1	1	-	1	1	-	-	-	-	-	-	-
5 days	18	12	6	1	1	-	-	-	-	1	1	-	1	1	-
6 days	14	7	7	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	71	39	32	1	1	-	-	-	-	1	1	-	1	1	-
14-20 days	38	25	13	-	-	-	-	-	-	-	-	-	-	-	-
21-27 days	24	12	12	-	-	-	-	-	-	-	-	-	-	-	-
28-59 days	66	38	28	1	1	-	-	-	-	1	1	-	1	1	-
2 months	38	16	22	3	-	3	-	-	-	3	-	3	3	-	3
3 months	31	17	14	2	2	-	-	-	-	2	2	-	2	2	-
4 months	15	9	6	1	1	-	-	-	-	1	1	-	1	1	-
5 months	20	12	8	2	1	1	1	1	-	1	-	1	1	-	1
6 months	13	6	7	2	-	2	1	-	1	1	-	1	1	-	1
7 months	8	3	5	-	-	-	-	-	-	-	-	-	-	-	-
8 months	6	3	3	1	-	1	-	-	-	1	-	1	1	-	1
9 months	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-
10 months	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
11 months	5	3	2	1	-	1	-	-	-	1	-	1	1	-	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991—Con.

(Page 2 of 2)

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	34	14	20	2	1	1	32	13	19	19	7	12
Under 28 days	25	8	17	1	1	–	24	7	17	15	4	11
Under 7 days	22	8	14	1	1	–	21	7	14	13	4	9
Under 1 hour	5	1	4	–	–	–	5	1	4	1	–	1
1-23 hours	8	4	4	1	1	–	7	3	4	4	1	3
1 day	2	–	2	–	–	–	2	–	2	2	–	2
2 days	3	2	1	–	–	–	3	2	1	3	2	1
3 days	2	1	1	–	–	–	2	1	1	2	1	1
4 days	1	–	1	–	–	–	1	–	1	–	–	–
5 days	–	–	–	–	–	–	–	–	–	–	–	–
6 days	1	–	1	–	–	–	1	–	1	1	–	1
7-13 days	–	–	–	–	–	–	–	–	–	–	–	–
14-20 days	2	–	2	–	–	–	2	–	2	1	–	1
21-27 days	1	–	1	–	–	–	1	–	1	1	–	1
28-59 days	2	–	2	1	–	1	1	–	1	–	–	–
2 months	2	2	–	–	–	–	2	2	–	1	1	–
3 months	–	–	–	–	–	–	–	–	–	–	–	–
4 months	–	–	–	–	–	–	–	–	–	–	–	–
5 months	1	1	–	–	–	–	1	1	–	1	1	–
6 months	1	1	–	–	–	–	1	1	–	–	–	–
7 months	2	1	1	–	–	–	2	1	1	2	1	1
8 months	–	–	–	–	–	–	–	–	–	–	–	–
9 months	–	–	–	–	–	–	–	–	–	–	–	–
10 months	1	1	–	–	–	–	1	1	–	–	–	–
11 months	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991

(Page 1 of 2)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	835	623	212	51	11	27	27	2	11	11	34	1	24	15	1	8	4
Certain intestinal infections (008-009)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Septicemia (038)	14	. . .	14	–	. . .	. . .	. . .	–	–	–	–	. . .	. . .	. . .	–	–	–
Viral diseases (045-079)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital syphilis (090)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037, 039-041,*042-*044,080-088,091-139)	5	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of thymus gland (254)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystic fibrosis (277.0)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs (280-289)	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	10	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system and sense organs (323-389)	15	–	15	1	–	–	–	–	1	1	2	–	–	–	–	2	2
Acute upper respiratory infections (460-465)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis and bronchiolitis (466,490-491)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	57	23	34	2	–	–	–	–	2	2	1	–	–	–	–	1	–
Pneumonia (480-486)	57	23	34	2	–	–	–	–	2	2	1	–	–	–	–	1	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of respiratory system (470-478,492-519)	16	7	9	2	–	–	–	–	2	2	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	8	2	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	1	3	2	1	–	–	–	1	1	–	–	–	–	–	–	–
Congenital anomalies (740-759)	148	105	43	10	1	5	5	2	2	2	8	1	7	3	–	–	–
Anencephalus and similar anomalies (740)	16	15	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Spina bifida (741)	6	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Congenital hydrocephalus (742.3)	3	2	1	2	–	1	1	1	–	–	1	–	1	1	–	–	–
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	7	2	5	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Congenital anomalies of heart (745-746)	50	30	20	2	–	2	2	–	–	–	2	–	2	1	–	–	–
Other congenital anomalies of circulatory system (747)	12	9	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Congenital anomalies of respiratory system (748)	8	7	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Congenital anomalies of digestive system (749-751)	4	3	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Congenital anomalies of genitourinary system (752-753)	11	11	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Congenital anomalies of musculoskeletal system (754-756)	9	9	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Down's syndrome (758.0)	2	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Other chromosomal anomalies (758.1-758.9)	8	5	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–
All other and unspecified congenital anomalies (744,757,759)	12	10	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	467	442	25	31	9	21	21	–	1	1	14	–	14	10	–	–	–
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Newborn affected by maternal complications of pregnancy (761)	8	7	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes (762)	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Newborn affected by other complications of labor and delivery (763)	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Slow fetal growth and fetal malnutrition (764)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight (765)	27	27	–	5	–	5	5	–	–	–	1	–	1	–	–	–	–
Disorders relating to long gestation and high birthweight (766)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma (767)	9	9	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Intrauterine hypoxia and birth asphyxia (768)	21	17	4	–	–	–	–	–	–	–	2	–	2	1	–	–	–
Fetal distress in liveborn infant (768.2-768.4)	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth asphyxia (768.5-768.9)	18	14	4	–	–	–	–	–	–	–	2	–	2	1	–	–	–
Respiratory distress syndrome (769)	207	199	8	9	5	4	4	–	–	–	1	–	1	1	–	–	–
Other respiratory conditions of newborn (770)	72	65	7	4	1	3	3	–	–	–	5	–	5	4	–	–	–
Infections specific to the perinatal period (771)	41	41	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Neonatal hemorrhage (772)	11	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn (776.0)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	58	57	1	11	2	9	9	–	–	–	3	–	3	2	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1991—Con.

(Page 2 of 2)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	18	11	7	1	–	–	–	–	1	1	6	–	–	–	1	5	2
Sudden infant death syndrome (798.0)	6	1	5	1	–	–	–	–	1	1	6	–	–	–	1	5	2
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	12	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	12	–	12	1	–	–	–	–	1	1	1	–	1	–	–	–	–
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	7	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidental mechanical suffocation (E913)	1	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Other accidental causes and adverse effects (E800-E910,E914-E949)	4	–	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Homicide (E960-E969)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Child battering and other maltreatment (E967)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other homicide (E960-E966,E968-E969)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other causes (Residual)	47	21	26	1	–	1	1	–	–	–	1	–	1	1	–	–	–

Table 9-14. Deaths From Human Immunodeficiency Virus Infection and 3-Digit Subcategories, by 10-Year Age Groups, and Sex: Puerto Rico, 1991

[Numbers after causes of death are category numbers introduced in the United States in 1987; see Technical Appendix]

Cause of death and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Human immunodeficiency virus infection (*042-*044)	1,222	3	9	3	43	441	475	150	57	24	11	–	6
Male	966	2	5	1	22	338	388	123	50	23	8	–	6
Female	256	1	4	2	21	103	87	27	7	1	3	–	–
Human immunodeficiency virus infection with specified conditions (*042)	1,190	3	9	3	43	427	464	147	56	22	10	–	6
Male	942	2	5	1	22	330	378	120	49	21	8	–	6
Female	248	1	4	2	21	97	86	27	7	1	2	–	–
Human immunodeficiency virus infection causing other specified conditions (*043)	3	–	–	–	–	2	1	–	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	2	–	–	–	–	1	1	–	–	–	–	–	–
Other human immunodeficiency virus infection (*044)	29	–	–	–	–	12	10	3	1	2	1	–	–
Male	23	–	–	–	–	7	10	3	1	2	–	–	–
Female	6	–	–	–	–	5	–	–	–	–	1	–	–

DHHS Publication No. (PHS) 95-1102
(4-0720)