

U.S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, *Director*

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS

FOR

THE BIRTH REGISTRATION AREA
OF THE UNITED STATES

1932

EIGHTEENTH ANNUAL REPORT

Prepared under the Supervision of DR. T. F. MURPHY, *Chief Statistician for Vital Statistics*



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1934

**REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE
BUREAU OF THE CENSUS**

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the birth registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the death registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

CONTENTS

BIRTH STATISTICS

	Page		Page
Introduction.....	3	Annual birth rates by months.....	7
Growth of the "registration area": 1915 to 1932.....	3	Births and deaths in the original registration area.....	7
Definition of urban and rural.....	3	Number of children in the family.....	8
Statistics of births and deaths in 1932 (including stillbirths and infant mortality).....	4	Country of birth of mother.....	8
Classification by race or color.....	4	Age of mother.....	8
Excess of births over deaths.....	4	Country of birth of parents.....	8
Comparison of birth and death rates.....	5	Plural births.....	10
Comparison of birth rates, 1928 to 1932.....	5	Age of mother and father.....	11
		Illegitimate births.....	12

STILLBIRTH STATISTICS

	Page		Page
Introduction.....	18	Stillbirths by legitimacy.....	20
Comparison of stillbirth ratios: 1931 and 1932.....	18	Percent of stillbirths from certain causes at specified periods of uterogestation.....	22
Stillbirths by months.....	19		
Stillbirths by age of mother.....	19		

INFANT MORTALITY STATISTICS

	Page		Page
Introduction.....	24	Seasonal infant mortality—Continued.....	
Infant mortality rates: 1927 to 1932.....	24	Influenza, pneumonia (all forms), and bronchitis.....	32
Infant mortality rates for cities and rural districts.....	28	Diarrhea and enteritis.....	32
Comparison of infant mortality rates: 1927 to 1932.....	29	Premature birth and congenital debility.....	32
Seasonal infant mortality.....	32	Infant mortality by color and country of birth of mother.....	32
Measles and whooping cough.....	32		

SUMMARY AND RATE TABLES

	Page
TABLE I.—Population, births and deaths, infant mortality, and stillbirths, by color: 1932.....	39
Section A.—Cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
Section B.—Each registration city of 100,000 inhabitants or more in 1930.	
Section C.—Each registration city of 10,000 to 100,000 inhabitants in 1930.	
Section D.—Each county (excluding cities of 10,000 or more inhabitants in 1930).	
TABLE II.—Mothers of children born in 1932 having specified number of children ever born, with the average number living and the percent of mothers having specified number living, by color, and for white mothers by country of birth, in the registration area in continental United States: 1932.....	93

GENERAL TABLES

TABLE 1.—Births (exclusive of stillbirths), by month: 1932.....	100
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State, and in registration cities of 100,000 inhabitants or more in 1930.	
TABLE 2.—Births (exclusive of stillbirths), by sex and color, and parent nativity of white: 1932.....	105
Births of white, Negroes, Indians, Chinese, Japanese, and other races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 3.—Births (exclusive of stillbirths) of white children, by sex, and country of birth of parents in the registration area in continental United States: 1932.....	113
TABLE 4.—Births (exclusive of stillbirths), by sex, color, and age of mother, and for white by nativity of mother: 1932.....	114
In the registration area in continental United States and each registration State.	
TABLE 5.—Births (exclusive of stillbirths), by age of parents: 1932.....	119
In the registration area in continental United States and each registration State.	
TABLE 6.—Births (exclusive of stillbirths), by number of child, age of mother and color, and for white by nativity of mother, in the registration area in continental United States: 1932.....	126
TABLE 7.—Births (exclusive of stillbirths), with the number of child in order of birth, by color, and for white by nativity of mother: 1932.....	131
In the registration area in continental United States and each registration State.	
TABLE 8.—Cases of plural births and plural stillbirths, by sex and color: 1932.....	138
In the registration area in continental United States and each registration State.	
TABLE 9.—Number of plural births and plural stillbirths, by color, and for white by country of birth of mother, in the registration area in continental United States: 1932.....	142

	Page
TABLE 10.—Stillbirths, by month: 1932.....	143
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State, and in registration cities of 100,000 inhabitants or more in 1930.	
TABLE 11.—Stillbirths, by color, and by parent nativity of white: 1932.....	148
Stillbirths of white, Negroes, Indians, Japanese, Chinese, and other races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 12.—Stillbirths of white children, by sex, and country of birth of mother by country of birth of father, in the registration area in continental United States: 1932.....	152
TABLE 13.—Stillbirths, by sex, and age of parents, in the registration area in continental United States: 1932.....	152
TABLE 14.—Stillbirths, with the number of child in order of birth, by sex, color, and age of mother, and for white by country of birth of mother, in the registration area in continental United States: 1932.....	153
TABLE 15.—Stillbirths, by cause, in certain specified registration States and cities: 1932.....	158
TABLE 16.—Stillbirths, by period of uterogestation, in certain specified registration States and cities: 1932.....	158
TABLE 17.—Stillbirths, by sex, cause, and period of uterogestation, in a selected area: 1932.....	159
TABLE 18.—Deaths under 1 year of age (exclusive of stillbirths) from important causes, by sex and color, and for white by country of birth of mother, in the birth registration area in continental United States: 1932.....	162
TABLE 19.—Deaths (exclusive of stillbirths) for certain subdivisions of the first year of life, by sex and color, and for white by country of birth of mother, in the birth registration area in continental United States: 1932.....	163
TABLE 20.—Deaths (exclusive of stillbirths) from important causes, by months and certain subdivisions of the first year of life, in the birth registration area in continental United States: 1932.....	164
TABLE 21.—Deaths (exclusive of stillbirths) from important causes, by certain subdivisions of the first year of life: 1932.....	171
In the birth registration area in continental United States, each registration State, and registration cities of 500,000 inhabitants or more in 1930.	
TABLE 22.—Deaths under 1 year of age (exclusive of stillbirths) from important causes, by sex: 1932.....	204
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 23.—Deaths (exclusive of stillbirths), by sex and certain subdivisions of the first year of life: 1932.....	212
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	

ILLUSTRATIONS

MAP

Growth of the registration area for births: 1915 to 1932.....	2
---	---

DIAGRAMS


1.—Births, by color, and for white children by parent nativity, in the registration area in continental United States: 1932.....	9
2.—Births of white children of known parentage, having at least 1 parent foreign born, in the registration area in continental United States: 1932.....	9
3.—Percent of births of white children of mothers born in specified countries, having fathers born in other countries: 1917 to 1932.....	9
4.—Stillbirths per 100 live births, by age of mother, in the registration area in continental United States: 1932.....	19
5.—Infant mortality, by color and country of birth of mother, for certain subdivisions of the first year of life, in the birth registration area in continental United States: 1932.....	34

SUPPLEMENT

HAWAII.....	220
VIRGIN ISLANDS.....	225

BIRTH, STILLBIRTH, AND
INFANT MORTALITY STATISTICS
1932

GROWTH OF THE REGISTRATION AREA FOR BIRTHS: 1915 TO 1932



ORIGINAL REGISTRATION STATES, 1915
 STATES ADDED SINCE 1915
 STATES NOT IN REGISTRATION AREA

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS: 1932

BIRTH STATISTICS: 1932

INTRODUCTION

In this volume are presented statistics of live births, stillbirths, and infant mortality in the birth registration area of continental United States, the Territory of Hawaii, and the Virgin Islands. The data were secured from transcripts of birth, death, and stillbirth certificates received from these areas.

Figures for Hawaii and the Virgin Islands are presented in special tables, as the text and general tables relate only to the registration area in continental United States, the population of which, in 1932, was estimated to be 118,858,000 or 95.2 per cent of the total population.

The number of live births reported in this area was 2,074,042, equivalent to a birth rate of 17.4 per 1,000 estimated population; the number of stillbirths reported was 78,351 or a ratio of 3.8 per 100 live births; and the number of deaths under 1 year of age was 119,431, corresponding to an infant mortality rate of 57.6 (deaths under 1 year per 1,000 live births).

The compilation of these data make it possible to compare statistics for the registration area of the United States with those for foreign countries. Also, light is thrown on such matters as the natural increase of populations in the States and cities, the relation between birth rates and rates of infant mortality, ratio of stillbirths to live births, etc.

This report was prepared under the direction of Dr. T. F. Murphy, chief statistician for vital statistics, assisted by Willard C. Smith, assistant chief statistician for vital statistics, and Elizabeth Staker, junior administrative assistant.

The publication of this report has been delayed by the lack of funds for printing; and in order to keep within the limits of the amount now made available it was necessary to reduce the size of the volume considerably as compared with the report for 1930. This necessitated rearrangements in the tabular presentation and the elimination of certain detail, most of which is available in manuscript tables on file in the Bureau of the Census.

GROWTH OF THE REGISTRATION AREA: 1915 TO 1932

The birth registration area was established in 1915 and comprised but 10 States and the District of Columbia. Gradually, by the inclusion of other States, this area has expanded until now, in 1932, there remains but one State—Texas—to be admitted. The Virgin Islands and the Territory of Hawaii became part of the registration area in 1924 and 1929, respectively.

Table A shows the States comprising the birth registration area of continental United States and the year when each was added.

Table A Year	STATE	Year	STATE	Year	STATE
1915	Connecticut Maine Massachusetts Michigan Minnesota New Hampshire New York Pennsylvania Rhode Island ¹ Vermont Dist. of Columbia ²	1917	Ohio Utah Virginia Washington Wisconsin	1924	Florida Iowa North Dakota
				1925	West Virginia
		1919	California Oregon South Carolina ³	1926	Arizona Idaho
		1920	Nebraska	1927	Alabama Arkansas Louisiana Missouri Tennessee
1916	Maryland	1921	Delaware Mississippi New Jersey		
1917	Indiana Kansas Kentucky North Carolina	1922	Illinois Montana Wyoming	1928	Colorado Georgia Oklahoma
				1929	Nevada New Mexico
				1932	South Dakota

¹ Dropped from the registration area in 1919; readmitted in 1921.

² Included in registration States.

³ Dropped from the registration area in 1925; readmitted in 1928.

DEFINITION OF "URBAN" AND "RURAL"

The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 or more inhabitants. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the birth reports, and the latter when combined with the rural population as now defined corresponds to the population previously designated as rural.

Unfortunately, however, in some States the Bureau of the Census did not succeed in obtaining for deaths the local detail necessary for applying the new classification; and in such States as well as in the registration area as a whole the only distinction that can be shown for deaths is that between population living in cities having more than 10,000 inhabitants and the rest of the population, formerly designated as rural. Ultimately, of course, it is expected that the new classification can be made to cover all the States.

STATISTICS OF BIRTHS AND DEATHS IN 1932

Births.—In the birth registration area of continental United States in 1932 there were 2,074,042 live births, which represent a birth rate of 17.4 per 1,000 estimated population, as against 2,112,760 live births reported in 1931, with a rate of 18. Of the 1932 births, 1,063,885 were males and 1,010,157 were females, or a proportion of 1,053 males to 1,000 females.

Deaths.—The total deaths (exclusive of stillbirths) in the birth registration area in 1932 numbered 1,293,269, corresponding to a death rate of 10.9 per 1,000 estimated population; of these, 704,506 were males and 588,763 were females, or a proportion of 1,197 males to 1,000 females.

Stillbirths.—There were 78,351 stillbirths in the registration area in 1932, with a ratio of 3.8 per 100 live

births; of these stillbirths, 43,673 were males, 33,133 were females, and in 1,545 cases the sex was not stated or was unknown. These stillbirths show a proportion of 1,318 males to 1,000 females.

Infant mortality.—Deaths of infants under 1 year of age in the birth registration area numbered 119,431 or 57.6 per 1,000 live births, a rate 4 lower than the corresponding rate for 1931 and the record low rate for the area since its establishment in 1915. Of the total deaths under 1 year of age, 67,839 were males and 51,592 were females, or a proportion of 1,315 males to 1,000 females. The infant mortality rates for the States ranged from 41.3 in Oregon to 119.4 in New Mexico.

Table B shows births, total deaths, stillbirths, and deaths under 1 year of age, with the proportion of males to 1,000 females, from 1915 to 1932.

CALENDAR YEAR	Births ¹				All deaths ¹				Stillbirths				Deaths ¹ under 1 year of age			
	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female
1932.....	2,074,042	1,063,885	1,010,157	1,053	1,293,269	704,506	588,763	1,197	78,351	43,673	33,133	1,318	119,431	67,839	51,592	1,315
1931.....	2,112,760	1,084,404	1,028,356	1,055	1,301,405	714,277	587,128	1,217	80,616	45,080	33,933	1,329	130,134	74,056	56,078	1,321
1930.....	2,203,958	1,131,976	1,071,982	1,056	1,321,367	723,315	598,052	1,209	48,466	48,604	36,469	1,309	142,413	80,744	61,669	1,309
1929.....	2,169,920	1,114,814	1,055,106	1,057	1,369,757	745,491	624,266	1,194	55,678	48,074	36,040	1,334	146,601	83,144	63,517	1,309
1928.....	2,233,149	1,147,625	1,085,524	1,057	1,361,987	738,891	623,096	1,186	69,765	50,666	37,695	1,344	153,492	87,676	65,816	1,332
1927.....	2,137,836	1,099,287	1,038,549	1,058	1,176,805	638,080	538,725	1,184	82,931	47,150	34,478	1,368	138,017	78,652	59,365	1,325
1926.....	1,856,068	953,638	902,430	1,057	1,093,511	589,653	503,858	1,170	70,716	39,809	29,746	1,338	136,118	77,366	58,752	1,317
1925.....	1,878,880	966,973	911,907	1,060	1,030,518	555,267	475,251	1,168	71,519	40,387	29,990	1,346	134,652	76,902	57,750	1,332
1924.....	1,930,614	992,431	938,183	1,058	1,006,994	542,637	464,357	1,169	75,817	43,139	31,377	1,375	136,730	78,085	58,645	1,331
1923.....	1,792,646	921,020	871,626	1,057	992,237	528,429	463,808	1,139	69,757	39,566	29,235	1,353	138,259	78,309	59,950	1,306
1922.....	1,774,911	911,831	863,080	1,056	938,545	497,967	440,578	1,130	72,010	39,672	29,173	1,360	135,228	77,105	58,123	1,327
1921.....	1,714,261	881,591	832,670	1,059	825,511	434,019	391,492	1,109	(13)	(13)	(13)	(13)	129,588	73,582	56,006	1,314
1920.....	1,508,874	775,322	733,552	1,057	836,134	438,201	397,933	1,101	(13)	(13)	(13)	(13)	129,531	73,737	55,794	1,322
1919.....	1,373,438	705,593	667,845	1,057	798,104	422,252	375,852	1,123	(13)	(13)	(13)	(13)	119,000	67,590	51,420	1,314
1918.....	1,363,649	701,164	662,485	1,058	996,627	534,720	461,907	1,158	48,634	28,127	20,507	1,372	137,647	77,736	59,911	1,298
1917.....	1,353,792	696,101	657,691	1,058	776,222	423,359	352,863	1,200	(13)	(13)	(13)	(13)	126,950	72,192	54,758	1,318
1916.....	818,983	420,881	398,102	1,057	486,682	264,498	222,184	1,190	(13)	(13)	(13)	(13)	82,734	46,790	35,944	1,302
1915.....	776,304	398,615	377,689	1,055	436,593	234,871	201,722	1,164	(13)	(13)	(13)	(13)	77,572	43,818	33,754	1,298

¹ Exclusive of stillbirths.
² Includes 1,545 stillbirths of unknown sex.
³ Includes 1,593 stillbirths of unknown sex.
⁴ Includes 1,403 stillbirths of unknown sex.
⁵ Includes 1,558 stillbirths of unknown sex.

⁶ Includes 1,404 stillbirths of unknown sex.
⁷ Includes 1,303 stillbirths of unknown sex.
⁸ Includes 1,161 stillbirths of unknown sex.
⁹ Includes 1,133 stillbirths of unknown sex.
¹⁰ Includes 1,301 stillbirths of unknown sex.

¹¹ Includes 956 stillbirths of unknown sex.
¹² Includes 1,165 stillbirths of unknown sex.
¹³ Data not collected.
¹⁴ Stillbirths of unknown sex distributed.

Table C shows population, births, and birth rates, in the registration area from 1915 to 1932.

CALENDAR YEAR	Population of continental United States ¹	Population ¹		Births ²	
		Number	Percent of total	Number	Per 1,000 population
1932.....	124,822,000	118,858,000	95.2	2,074,042	17.4
1931.....	124,070,000	117,460,000	94.7	2,112,760	18.0
1930.....	123,191,000	116,644,000	94.7	2,203,958	18.9
1929.....	121,526,429	115,097,972	94.7	2,169,920	18.9
1928.....	119,861,607	113,050,663	94.3	2,233,149	19.3
1927.....	118,196,785	103,575,656	87.6	2,137,836	20.6
1926.....	116,531,963	89,682,479	77.0	1,856,068	20.7
1925.....	114,867,141	87,486,096	76.2	1,878,880	21.5
1924.....	113,202,319	86,256,025	76.2	1,930,614	22.4
1923.....	111,537,497	80,694,406	72.3	1,792,646	22.2
1922.....	109,872,675	79,415,841	72.3	1,774,911	22.3
1921.....	108,207,853	70,738,177	65.4	1,714,261	24.2
1920.....	106,543,031	63,740,689	59.8	1,508,874	23.7
1919.....	105,003,065	61,483,423	58.6	1,373,438	22.3
1918.....	103,587,955	55,515,241	53.6	1,363,649	24.6
1917.....	102,172,845	54,771,416	53.6	1,353,792	24.7
1916.....	100,757,735	32,788,670	32.5	818,983	25.0
1915.....	99,342,625	30,936,179	31.1	776,304	25.1

¹ Estimated as of July 1

² Exclusive of stillbirths.

CLASSIFICATION BY RACE OR COLOR

The classification of births and deaths by race or color distinguishes white, Negro, Indian, Chinese, Japanese, and "other races." (See tables 2 and 11.) "Other races" includes Mexicans so far as reported as such. All races not white are included in total "colored." The Mexican element in the population has increased very rapidly in recent years, and for that reason it was given a separate classification in the population census of 1930, having in prior censuses not been distinguished from the white population. It is evident, however, that very many Mexican births are designated as white on the birth certificates. The total number of births reported as Mexican in 1932 was 18,952, as compared with 17,264 in 1931 and 6,322 in 1930, an increase which is doubtless attributable mainly to improvement in the completeness of the returns.

EXCESS OF BIRTHS OVER DEATHS

In 1932 there was a substantial excess of births over deaths in every State except Nevada, where the deaths exceed the births by 82.

According to the census of 1930 there were 877 cities in the registration area of 1932 having 10,000 or more inhabitants. There were also 47 towns and 23 townships with populations of 10,000 or more and with population densities of 1,000 or more per square mile which, for statistical purposes, are also considered urban.

In only 126 of these 947 places did the deaths outnumber the births and in many of them are located State asylums, State hospitals, etc., which fact no doubt explains the apparent lack of natural increase in the population.

Comparison of birth and death rates.—The birth rate for the birth registration area of 1932 was 17.4, exceeding the death rate (10.9) for the same area by 6.5, or nearly 60 percent. This signifies that if these rates were to remain unchanged and if there were no migration from or into this area the natural annual increase in the population would be 6.5 per 1,000 inhabitants. For the white population in this area the birth rate (17) exceeded the death rate (10.5) by 6.5 per 1,000 inhabitants. For the colored population the birth rate (21.3) exceeded the death rate (14.1) by 7.2 per 1,000 inhabitants.

In the States, the greatest excess of births over deaths among the total population (14.9 per 1,000) was for New Mexico for which rates are not available. Considering rates by color and excluding New Mexico, every State except Nevada showed an excess of births over deaths for the white population, the greatest (15.1) having been for Utah.

For the colored population birth rates were higher than death rates in all but 10 States. The greatest excess (14.5 per 1,000) was for North Dakota.

Birth and death rates are shown in this report for cities of 10,000 inhabitants or more, cities of 2,500 to 10,000 inhabitants, and rural districts. On the death transcripts from three States the allocation of deaths to the minor cities was considered not accurate enough to warrant the presentation of figures for such areas and so, for these three States and the registration area as a whole, figures in tables showing both births and deaths are presented only for cities of over 10,000 and the remainder of the State.

Taking the registration area as a whole, the excess of births over deaths is 5.1 per thousand in cities of over 10,000 as against 7.9 in the remainder of the area; for the white population it is 5.3 as against 7.7, and for the colored population 2.2 as against 10.4.

Comparison of birth rates, 1928 to 1932.—The birth rate (17.4 per 1,000 population) for the birth registration area in 1932 was 0.6 lower than that for 1931. The rates for the individual States, as compared with those for 1931, were higher in only nine States. The greatest increases—1.1 and 0.9 per 1,000 population—were in the rates for South Carolina and Kentucky, respectively. The highest rate (28.7) was for New Mexico and the lowest (13.1) for California. This was closely followed by the rate for Oregon (13.2 per 1,000).

In 28 States the rates for cities of over 10,000 were higher than rates for the remainder of the State.

A comparison of the rates for the birth registration area from 1928 to 1932 shows a gradual decline from 19.8 in 1928 to 17.4 in 1932. Comparing the rates for 1932 with those for 1928 for the 44 States that were in the area in both years, it is found that only two States—Georgia and Tennessee—had higher rates in the later year.

Table D shows birth and death rates for the birth registration area and each registration State from 1928 to 1932.

Table D AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Birth registration area in continental United States.....	17.4	18.0	18.9	18.9	19.8	10.9	11.1	11.3	11.9	12.0
White.....	17.0	17.6	18.7	18.6	19.5	10.5	10.6	10.8	11.3	11.5
Colored.....	21.3	21.2	20.7	21.3	22.2	14.1	15.2	15.6	16.9	17.1
Cities of 10,000 or more.....	16.7	17.5	19.1	19.4	20.1	11.6	11.9	12.3	13.0	13.3
White.....	16.5	17.4	19.1	19.3	20.0	11.2	11.4	11.7	12.4	12.6
Colored.....	19.1	19.3	19.2	20.6	21.6	16.9	18.1	18.5	20.6	21.2
Remainder of area.....	18.1	18.4	18.7	18.4	19.5	10.2	10.2	10.5	10.9	11.0
White.....	17.5	17.8	18.3	18.0	19.1	9.8	9.8	10.0	10.4	10.5
Colored.....	22.7	22.4	21.7	21.7	22.5	12.3	13.3	13.8	14.9	14.9
Alabama.....	23.5	23.5	24.0	24.0	24.5	10.3	10.7	11.5	12.4	12.3
White.....	22.8	23.2	23.9	24.2	24.8	8.6	8.8	9.4	10.2	10.0
Colored.....	24.8	24.1	24.3	23.5	23.9	13.5	14.0	15.2	16.2	16.2
Cities of 10,000 or more.....	19.0	19.6	20.6	21.1	21.8	13.8	14.7	15.6	16.7	16.8
White.....	18.7	20.1	21.0	21.4	22.1	11.5	12.1	12.5	13.8	13.8
Colored.....	19.3	18.8	19.9	20.4	21.3	17.5	19.0	20.2	21.2	21.4
Remainder of State.....	24.8	24.6	25.0	24.7	25.1	9.3	9.5	10.3	11.3	11.2
White.....	23.8	24.0	24.7	24.9	25.4	7.8	7.9	8.5	9.4	9.2
Colored.....	26.5	25.8	25.6	24.3	24.6	12.2	12.6	13.7	14.9	14.9
Arizona.....	19.0	21.1	23.7	22.4	21.4	12.1	13.7	15.2	15.9	15.4
Cities of 10,000 or more.....	33.7	34.1	32.3	31.7	32.2	25.5	28.7	25.4	29.0	30.0
Remainder of State.....	15.7	18.1	21.7	20.3	19.0	9.0	10.2	12.9	12.9	12.0
Arkansas.....	20.1	22.0	22.1	20.2	20.8	8.7	9.6	10.2	10.5	10.9
White.....	20.7	22.8	23.2	21.0	21.9	8.1	8.8	9.1	9.4	9.7
Colored.....	18.2	19.7	18.9	17.8	17.8	10.5	11.9	13.5	13.8	14.3
Cities of 10,000 or more.....	14.4	15.9	17.7	18.1	19.1	16.6	16.7	18.3	19.2	20.5
White.....	15.3	16.5	18.5	18.8	19.7	15.1	14.8	15.9	17.1	17.1
Colored.....	11.2	14.0	15.0	15.8	17.0	21.6	23.0	26.4	29.5	31.7
Remainder of State.....	20.8	22.9	22.7	20.4	20.9	7.7	8.6	9.1	9.7	10.0
White.....	21.5	23.8	23.9	21.3	22.1	7.1	7.9	8.1	8.7	8.9
Colored.....	19.1	20.4	19.4	18.0	17.8	9.2	10.5	11.9	12.4	12.9
California.....	13.1	13.9	14.7	14.8	15.8	11.4	11.5	11.6	11.9	12.5
Cities of 10,000 or more.....	13.2	13.9	15.4	14.8	16.0	11.3	11.3	11.9	12.1	12.7
Remainder of State.....	13.0	14.0	13.4	14.7	15.4	11.5	11.9	10.9	11.5	12.2
Colorado.....	16.8	17.7	18.1	17.4	18.8	12.0	12.0	12.7	12.5	13.8
Cities of 10,000 or more.....	16.5	17.2	18.0	17.1	18.6	14.2	13.7	14.9	14.6	16.2
Remainder of State.....	17.1	18.2	18.2	17.7	18.9	10.5	10.7	11.2	11.2	12.2
Connecticut.....	14.5	15.7	17.2	17.1	18.0	10.4	10.6	10.7	11.5	11.4
Cities of 10,000 or more.....	17.4	18.6	20.3	19.9	20.6	10.9	11.2	11.2	11.9	11.8
Remainder of State.....	8.6	9.8	10.7	9.4	10.6	9.4	9.5	9.7	10.3	10.4
Delaware.....	17.9	17.7	18.7	18.1	18.3	13.2	13.8	13.6	13.2	13.6
Cities of 10,000 or more.....	20.5	20.6	21.6	20.2	20.0	14.0	13.9	14.6	13.4	14.2
Remainder of State.....	15.8	15.3	16.4	16.3	16.8	12.7	13.7	12.8	13.1	13.1
District of Columbia.....	20.6	19.0	19.2	18.4	18.7	16.1	15.8	15.1	15.4	15.1
White.....	19.1	17.9	17.8	17.0	17.5	14.0	13.4	12.9	13.0	12.8
Colored.....	24.6	22.1	23.0	22.2	21.8	21.6	22.0	21.0	21.7	21.4
Florida.....	17.9	18.0	18.2	18.8	21.5	12.0	12.0	12.3	12.7	13.7
White.....	17.4	17.5	17.8	18.2	21.3	10.4	10.4	10.6	10.8	11.8
Colored.....	19.2	19.0	19.3	20.1	22.0	15.7	16.0	16.5	17.1	18.2
Cities of 10,000 or more.....	17.5	17.5	18.5	18.4	20.5	13.8	13.7	14.0	13.0	13.2
White.....	17.4	17.7	18.9	18.2	20.7	12.0	12.0	12.2	10.9	10.9
Colored.....	17.7	17.0	17.4	19.2	20.1	18.5	18.1	18.7	18.7	19.4
Remainder of State.....	18.2	18.2	18.1	18.9	22.0	10.8	11.0	11.3	12.6	13.9
White.....	17.4	17.4	17.1	18.2	21.6	9.4	9.3	9.6	10.8	12.2
Colored.....	20.0	20.2	20.3	20.5	22.8	14.2	14.8	15.3	16.6	17.7
Georgia.....	21.9	21.2	20.9	20.1	20.3	11.0	11.3	12.1	12.2	12.4
White.....	20.6	20.3	20.3	19.6	20.5	9.1	9.2	9.8	10.0	10.3
Colored.....	24.1	22.9	21.9	21.1	20.0	14.5	15.1	16.1	15.8	15.9
Cities of 10,000 or more.....	20.2	19.7	20.4	20.4	21.5	15.7	16.5	17.3	17.7	18.5
White.....	19.5	19.5	20.4	20.4	22.1	12.4	12.7	12.9	13.6	14.3
Colored.....	21.5	20.1	20.5	20.3	20.5	21.5	23.2	24.8	24.7	25.5
Remainder of State.....	22.4	21.7	21.0	20.1	20.0	9.6	9.5	10.5	10.6	10.8
White.....	21.0	20.5	20.2	19.3	20.1	8.1	8.1	8.8	9.0	9.2
Colored.....	25.0	23.7	22.3	21.3	19.9	12.4	12.6	13.5	13.4	13.4
Idaho.....	19.5	20.3	20.6	19.8	20.5	8.8	9.0	9.0	9.4	9.4
Cities of 10,000 or more.....	29.0	30.7	29.3	29.0	25.9	15.4	15.9	14.8	16.4	15.2
Remainder of State.....	18.6	19.4	19.8	19.0	20.0	8.2	8.3	8.9	8.5	8.9
Illinois.....	14.4	15.4	16.7	17.0	17.4	10.7	11.1	10.9	11.6	12.1
Cities of 10,000 or more.....	14.7	15.9	17.8	18.4	18.8	10.4	10.9	10.9	11.8	12.5
Remainder of State.....	13.8	14.4	14.7	14.7	15.3	11.3	11.5	10.9	11.4	11.4
Indiana.....	16.2	17.2	18.3	18.3	18.9	11.8	11.9	12.1	12.7	12.7
Cities of 10,000 or more.....	16.0	17.9	19.9	20.0	20.1	11.3	11.7	12.4	13.1	13.1
Remainder of State.....	16.4	16.5	16.9	16.9	18.0	12.3	12.0	11.8	12.5	12.4
Iowa.....	16.3	16.9	17.3	17.1	17.6	10.4	10.4	10.4	10.4	10.3
Cities of 10,000 or more.....	18.7	19.9	20.5	19.8	19.6	13.3	13.3	13.8	13.9	13.7
Remainder of State.....	15.4	15.7	15.9	16.0	16.9	9.2	9.2	9.3	9.1	9.0

BIRTH STATISTICS: 1932

Table D—Continued

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Kansas.....	16.7	17.4	17.9	17.4	18.2	10.3	9.9	10.4	10.4	11.2
Cities of 10,000 or more.....	18.0	18.8	20.0	19.4	19.8	12.4	11.8	13.0	12.9	14.1
Remainder of State.....	16.2	16.8	17.0	16.7	17.6	9.4	9.0	9.3	9.4	10.2
Kentucky.....	22.6	21.7	22.6	21.7	23.0	11.0	11.0	11.3	12.0	11.8
White.....	23.3	22.4	23.4	22.3	23.7	10.3	10.1	10.4	11.1	10.9
Colored.....	14.7	14.4	15.0	15.6	16.1	18.8	20.1	21.0	21.3	20.8
Cities of 10,000 or more.....	16.8	17.7	19.4	20.4	20.9	14.2	14.9	15.3	15.9	16.0
White.....	17.2	18.3	20.3	21.3	21.9	13.0	13.4	13.6	14.4	14.6
Colored.....	14.5	13.8	14.3	15.0	14.7	21.4	23.8	25.1	24.5	24.7
Remainder of State.....	24.3	22.9	23.6	22.1	23.6	10.0	9.8	10.1	10.9	10.7
White.....	25.0	23.5	24.2	22.6	24.2	9.5	9.2	9.5	10.3	10.0
Colored.....	14.8	14.8	15.4	15.9	16.8	17.1	17.8	18.6	19.7	18.8
Louisiana.....	20.3	20.4	20.3	20.3	20.5	10.9	11.1	11.7	11.9	12.2
White.....	19.0	19.7	19.8	19.7	20.1	9.3	9.2	9.5	9.7	10.0
Colored.....	22.3	21.6	21.3	21.2	21.1	13.6	14.3	15.4	15.7	15.9
Cities of 10,000 or more.....	20.0	19.9	20.6	20.3	21.5	16.3	16.1	17.2	17.7	18.3
White.....	18.2	18.6	19.6	19.4	20.8	13.8	13.3	14.2	14.3	15.1
Colored.....	24.0	22.7	22.7	22.2	23.1	21.8	22.5	24.0	25.2	25.6
Remainder of State.....	20.3	20.6	20.2	20.3	20.0	8.4	8.7	9.2	9.4	9.6
White.....	19.4	20.3	19.8	19.9	19.8	6.9	7.0	7.1	7.4	7.5
Colored.....	21.7	21.2	20.8	20.8	20.4	10.7	11.3	12.3	12.5	12.7
Maine.....	20.1	20.4	20.3	20.0	20.8	13.4	13.1	13.9	14.3	13.9
Cities of 10,000 or more.....	20.8	21.7	21.0	21.6	22.6	15.2	14.8	15.3	16.3	15.8
Remainder of State.....	19.9	19.8	20.0	19.3	20.1	12.7	12.4	13.3	13.5	13.1
Maryland.....	17.4	17.5	18.5	18.5	19.9	12.7	13.2	13.2	13.5	13.6
White.....	16.4	16.5	17.6	17.5	19.0	11.6	12.0	12.0	12.4	12.4
Colored.....	22.6	22.3	23.1	23.4	24.3	18.1	19.3	18.9	18.9	19.5
Cities of 10,000 or more.....	17.7	18.1	19.1	19.0	20.3	13.4	14.4	14.1	14.4	15.0
White.....	16.9	17.3	18.4	18.3	19.5	12.3	13.2	12.9	13.2	13.8
Colored.....	21.8	21.7	22.9	22.9	24.2	18.6	20.1	19.9	20.5	21.6
Remainder of State.....	17.1	16.8	17.7	17.8	19.4	11.9	11.8	12.0	12.4	11.8
White.....	15.7	15.5	16.5	16.5	18.3	10.7	10.4	10.8	11.4	10.6
Colored.....	23.5	23.1	23.3	23.9	24.4	17.4	18.4	17.7	17.0	17.1
Massachusetts.....	15.9	16.2	17.3	17.5	18.9	11.5	11.3	11.6	12.3	12.2
Cities of 10,000 or more.....	17.2	17.4	18.6	19.0	20.4	11.4	11.2	11.5	12.3	12.2
Remainder of State.....	10.1	10.3	10.9	11.3	12.6	12.1	11.9	11.9	12.3	12.3
Michigan.....	17.2	18.4	20.4	20.8	21.1	10.0	10.0	10.6	11.8	11.8
Cities of 10,000 or more.....	17.1	18.6	21.8	23.3	23.3	8.9	9.0	10.1	11.9	11.9
Remainder of State.....	17.4	18.1	18.2	17.8	18.3	11.6	11.5	11.4	11.6	11.6
Minnesota.....	17.9	18.2	18.5	18.3	19.5	9.9	9.9	10.0	10.1	10.3
Cities of 10,000 or more.....	18.1	18.4	19.1	19.2	19.9	11.5	11.6	11.7	11.9	12.2
Remainder of State.....	17.9	18.1	18.0	17.8	19.3	8.9	8.7	8.9	9.0	9.1
Mississippi.....	22.7	22.3	23.9	22.9	24.4	10.0	10.9	12.0	13.0	13.1
White.....	21.5	21.5	23.3	22.3	24.3	8.2	8.6	9.1	10.3	10.5
Colored.....	24.0	23.1	24.5	23.4	24.6	11.7	13.1	14.7	15.5	15.6
Cities of 10,000 or more.....	18.1	22.4	25.1	24.3	25.5	15.9	19.1	20.2	23.0	22.8
White.....	19.5	23.7	26.1	25.4	26.0	12.7	15.3	15.3	18.9	18.0
Colored.....	16.0	20.3	23.7	22.8	24.8	20.8	25.0	27.5	28.8	29.6
Remainder of State.....	23.4	22.3	23.7	22.7	24.3	9.2	9.7	10.9	11.9	12.1
White.....	21.8	21.1	22.8	21.9	24.1	7.4	7.5	8.1	9.2	9.6
Colored.....	24.8	23.4	24.6	23.5	24.6	10.8	11.8	13.4	14.4	14.5
Missouri.....	16.4	16.7	17.1	16.9	17.6	12.0	12.1	11.9	12.3	12.6
Cities of 10,000 or more.....	15.1	15.8	16.9	17.6	17.8	13.1	13.8	13.6	14.5	15.0
Remainder of State.....	17.5	17.3	17.3	16.5	17.5	11.1	10.8	10.5	10.6	10.9
Montana.....	16.9	17.9	18.5	18.7	18.5	9.8	9.8	10.1	10.7	10.7
Cities of 10,000 or more.....	20.8	22.1	23.1	24.0	22.6	13.3	13.4	15.3	16.3	16.4
Remainder of State.....	15.7	16.7	17.2	17.1	17.3	8.8	8.7	8.6	9.0	9.1
Nebraska.....	18.1	19.2	19.6	19.4	20.5	9.3	9.3	9.6	9.8	10.0
Cities of 10,000 or more.....	19.1	20.1	21.3	19.9	21.1	12.4	12.6	13.2	13.2	13.4
Remainder of State.....	17.8	18.9	19.0	19.2	20.4	8.2	8.1	8.3	8.7	9.0
Nevada.....	13.5	13.3	14.6	14.2	(1)	14.4	14.6	12.7	13.3	(1)
Cities of 10,000 or more.....	12.2	14.0	15.2	13.5	(1)	18.1	21.9	17.8	18.6	(1)
Remainder of State.....	13.9	13.1	14.5	14.4	(1)	13.5	12.7	11.4	12.0	(1)
New Hampshire.....	16.7	16.6	17.9	17.6	18.8	13.5	12.7	13.6	14.1	14.0
Cities of 10,000 or more.....	18.9	19.3	20.9	20.2	21.9	12.9	12.4	13.4	13.4	13.4
Remainder of State.....	14.5	14.0	15.0	15.5	16.3	14.1	12.9	13.7	14.7	14.4
New Jersey.....	14.8	15.6	16.8	17.2	18.0	10.3	10.8	10.7	11.6	11.6
Cities of 10,000 or more.....	16.9	17.6	18.8	20.5	21.3	10.1	10.6	10.6	12.1	12.2
Remainder of State.....	10.0	11.0	12.4	12.5	13.3	10.9	11.4	11.1	10.8	10.7
New Mexico.....	28.7	28.8	28.5	27.1	(1)	13.8	14.4	15.5	15.4	(1)
Cities of 10,000 or more.....	27.9	28.0	27.8	33.6	(1)	19.8	19.4	21.4	30.0	(1)
Remainder of State.....	28.9	28.9	28.6	26.7	(1)	13.1	13.7	14.7	14.4	(1)
New York.....	15.4	16.1	17.1	17.5	18.3	11.5	11.7	11.7	12.4	12.4
Cities of 10,000 or more.....	16.1	16.8	18.1	18.6	19.3	11.1	11.4	11.4	12.1	12.2
Remainder of State.....	12.8	13.4	13.3	13.7	14.6	13.1	13.0	12.8	13.4	13.0
North Carolina.....	24.0	23.3	24.1	24.7	26.4	9.6	10.3	11.2	11.8	11.8
White.....	23.5	22.9	23.8	24.2	25.8	8.5	8.9	9.6	10.2	10.4
Colored.....	25.3	24.1	24.8	25.9	27.7	12.1	13.6	15.1	15.5	15.1

1 Not added to the registration area until a later date.

Table D—Continued

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
North Carolina—Contd.	21.3	20.9	23.0	23.3	25.6	13.4	14.1	15.1	15.9	16.6
Cities of 10,000 or more.....	21.6	21.6	24.1	24.3	26.5	11.5	11.7	12.6	13.2	14.0
White.....	20.6	19.4	20.8	21.2	23.8	17.5	19.0	20.2	21.3	21.8
Colored.....	24.7	23.8	24.4	25.0	26.5	8.7	9.4	10.3	11.0	10.9
Remainder of State.....	23.9	23.2	23.7	24.1	25.7	7.9	8.3	9.0	9.7	9.8
White.....	26.6	25.4	25.9	27.0	28.6	10.6	12.2	13.7	14.2	13.7
Colored.....	20.5	21.1	21.7	21.6	22.2	7.5	7.5	7.9	8.0	8.2
Cities of 10,000 or more.....	30.9	33.1	34.4	33.3	34.6	13.2	13.8	14.8	14.9	14.9
Remainder of State.....	19.2	19.6	20.1	20.4	21.0	6.8	6.7	7.0	7.3	7.5
Ohio.....	15.1	16.1	17.7	17.7	18.5	11.3	11.3	11.4	12.4	12.3
Cities of 10,000 or more.....	15.3	16.7	18.9	19.2	19.8	11.2	11.4	11.7	12.8	12.8
Remainder of State.....	14.7	15.2	16.1	15.7	16.9	11.4	11.1	11.0	11.8	11.7
Oklahoma.....	16.8	17.9	17.7	16.8	18.4	7.7	7.8	8.2	9.0	9.0
White.....	17.4	18.5	18.4	17.7	19.5	7.9	7.4	7.8	8.7	8.7
Colored.....	12.5	13.1	11.8	9.0	9.9	9.4	10.8	11.2	12.0	11.4
Cities of 10,000 or more.....	16.8	18.7	20.2	17.3	18.3	11.2	11.2	12.7	12.5	12.6
White.....	17.2	19.3	21.0	18.1	19.1	10.7	10.4	11.8	11.7	11.9
Colored.....	13.5	14.3	13.5	11.3	11.9	15.3	17.4	20.0	18.8	18.1
Remainder of State.....	16.8	17.6	16.9	16.6	18.5	6.9	6.7	6.8	8.1	8.1
White.....	17.4	18.2	17.7	17.6	19.6	6.8	6.4	6.6	7.9	7.9
Colored.....	12.2	12.8	11.3	8.3	9.4	7.6	8.8	8.6		

ANNUAL BIRTH RATES BY MONTHS

Table E, showing annual birth rates by months for the registration area, indicates that again the greatest natality occurred in the first and third quarters of the year, namely, January to March, and July to September, inclusive. The highest rate in any month of 1932 was 18.3 for February. The lowest rate in the same year was 16.2 for December.

A comparison of the rates for 1932 with those for 1931 shows a lower rate in 1932 for every month, the greatest decline (1 per 1,000 population) occurring in April.

MONTH	ANNUAL BIRTH RATE PER 1,000 ESTIMATED POPULATION IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				
	1932	1931	1930	1929	1928
The year.....	17.4	18.0	18.9	18.9	19.8
January.....	17.7	18.5	19.2	18.6	19.9
February.....	18.3	18.5	19.7	19.2	20.3
March.....	18.0	18.7	19.5	19.6	20.5
April.....	16.9	17.9	19.1	18.9	20.1
May.....	17.2	17.9	18.8	18.6	20.0
June.....	17.5	18.3	19.1	18.9	19.7
July.....	17.5	18.4	19.6	19.8	19.9
August.....	18.1	18.6	19.5	19.6	20.4
September.....	18.1	18.7	19.4	18.8	20.1
October.....	17.2	17.4	18.2	17.6	19.1
November.....	16.4	16.7	17.6	18.3	18.6
December.....	16.2	16.7	17.4	18.8	18.4

BIRTHS AND DEATHS IN THE ORIGINAL REGISTRATION AREA

Table F shows birth, death, and infant mortality rates for cities of 10,000 inhabitants or more in the original birth registration area (exclusive of Rhode Island) and for the remainder of the area, comprising the smaller cities and rural districts. The table covers the period from 1915 to 1932, inclusive. During this period the birth rate decreased from 25.1 to 16.5 and the death rate from 14.1 to 11.2. The decrease in both rates is somewhat greater for cities of 10,000 or more than it is for the remainder of the area. The infantile death rate shows a striking decline from 99.6 to 55.1. The decline is considerably greater for cities (from 103.1 to 54.3) than it is for the remainder of the area (from 93.9 to 56.9).

YEAR	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)					
	Population estimated as of July 1	Births (exclusive of still-births)	Deaths (exclusive of still-births)	Rate per 1,000 population		Deaths under 1 year of age
				Births	Deaths	
1932						
Total.....	38,214,000	631,467	428,350	16.5	11.2	34,794
Cities of 10,000 or more.....	25,201,000	429,520	281,578	17.0	11.2	23,311
Remainder of area.....	13,013,000	201,947	146,772	15.5	11.3	11,483
1931						
Total.....	37,986,000	657,074	430,069	17.3	11.3	39,067
Cities of 10,000 or more.....	25,219,800	448,901	287,576	17.8	11.4	26,449
Remainder of area.....	12,766,200	208,173	142,493	16.3	11.2	12,618
1930						
Total.....	37,719,000	694,433	432,479	18.4	11.5	43,129
Cities of 10,000 or more.....	24,810,600	478,864	287,440	19.3	11.6	29,329
Remainder of area.....	12,908,400	215,569	145,039	16.7	11.2	13,800
1929						
Total.....	37,211,173	693,545	453,976	18.6	12.2	44,746
Cities of 10,000 or more.....	23,641,790	464,987	295,225	19.7	12.5	29,534
Remainder of area.....	13,569,383	228,558	158,751	16.8	11.7	15,212

YEAR	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)					
	Population estimated as of July 1	Births (exclusive of still-births)	Deaths (exclusive of still-births)	Rate per 1,000 population		Deaths under 1 year of age
				Births	Deaths	
1928						
Total.....	36,704,193	719,569	450,564	19.6	12.3	48,003
Cities of 10,000 or more.....	23,277,184	476,545	294,205	20.5	12.6	32,251
Remainder of area.....	13,427,009	243,024	156,359	18.1	11.6	15,752
1927						
Total.....	36,197,212	741,102	422,679	20.5	11.7	47,449
Cities of 10,000 or more.....	22,909,166	488,114	273,084	21.3	11.9	30,861
Remainder of area.....	13,288,046	252,988	149,595	19.0	11.3	16,588
1926						
Total.....	35,690,232	735,708	453,386	20.6	12.7	54,961
Cities of 10,000 or more.....	22,513,414	483,863	294,288	21.5	13.1	36,092
Remainder of area.....	13,176,818	251,845	159,098	19.1	12.1	18,869
1925						
Total.....	35,183,251	757,082	432,008	21.5	12.3	55,731
Cities of 10,000 or more.....	22,163,368	492,961	279,298	22.2	12.6	36,128
Remainder of area.....	13,019,883	264,121	152,710	20.3	11.7	19,603
1924						
Total.....	34,676,271	778,525	420,300	22.5	12.1	55,781
Cities of 10,000 or more.....	21,821,222	505,605	272,001	23.2	12.5	36,432
Remainder of area.....	12,855,049	272,920	148,299	21.2	11.5	19,349
1923						
Total.....	34,169,292	760,130	437,157	22.2	12.8	60,290
Cities of 10,000 or more.....	21,497,511	493,120	278,728	22.9	13.0	38,523
Remainder of area.....	12,671,781	267,010	158,429	21.1	12.5	21,767
1922						
Total.....	33,662,313	755,808	414,938	22.5	12.3	59,896
Cities of 10,000 or more.....	21,155,337	483,657	265,376	22.9	12.5	39,283
Remainder of area.....	12,506,976	272,151	149,562	21.8	12.0	20,613
1921						
Total.....	33,155,334	794,229	399,176	24.0	12.0	62,480
Cities of 10,000 or more.....	20,830,195	509,349	251,818	24.5	12.1	39,851
Remainder of area.....	12,325,139	284,880	147,358	23.1	12.0	22,629
1920						
Total.....	32,648,354	773,648	445,780	23.7	13.7	69,566
Cities of 10,000 or more.....	20,507,897	505,524	286,531	24.6	14.0	46,512
Remainder of area.....	12,140,457	270,124	159,249	22.2	13.1	23,054
1919						
Total.....	32,168,814	730,752	428,782	22.7	13.3	64,846
Cities of 10,000 or more.....	19,495,730	463,595	267,337	23.8	13.7	41,546
Remainder of area.....	12,673,084	267,157	161,445	21.1	12.7	23,300
1918						
Total.....	31,716,715	783,997	607,605	24.7	19.2	82,971
Cities of 10,000 or more.....	19,125,220	493,949	382,084	25.8	20.0	53,248
Remainder of area.....	12,591,495	290,048	225,521	23.0	17.9	29,723
1917						
Total.....	31,264,615	786,890	461,847	25.2	14.8	75,604
Cities of 10,000 or more.....	18,771,641	496,138	289,156	26.4	15.4	48,867
Remainder of area.....	12,492,974	290,752	172,691	23.3	13.8	26,737
1916						
Total.....	30,812,521	770,718	454,669	25.0	14.8	77,037
Cities of 10,000 or more.....	18,393,761	479,048	281,478	26.0	15.3	49,330
Remainder of area.....	12,418,760	291,670	173,191	23.5	13.9	27,707
1915						
Total.....	30,360,423	762,399	427,671	25.1	14.1	75,899
Cities of 10,000 or more.....	18,032,062	469,485	262,778	26.0	14.6	48,391
Remainder of area.....	12,328,361	292,914	164,893	23.8	13.4	27,508

Some idea of the part played by the various nationalities in producing the coming generation in the registration area may be gained from table H, which shows the percent of births of white children with father, mother, or both parents born in specified country.

Of the white children born in the year 1932, 85 percent had native fathers, i.e., fathers born in the United States, and 88 percent had native mothers. The increase shown by the table in the percentage of white children born of native parents is a natural result of the check to immigration in recent years. Italy contributed a larger number of children to the population of the United States in 1932 than any other foreign country.

COUNTRY OF BIRTH OF PARENT	1932			1931			1930		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
All countries.....	100.0	100.0	89.0	100.0	100.0	89.0	100.0	100.0	88.7
United States.....	85.0	89.3	82.1	83.7	88.0	80.8	82.1	86.3	79.1
Austria, Hungary.....	0.9	0.8	0.5	1.1	0.9	0.6	1.2	1.1	0.7
Canada.....	1.2	1.3	0.4	1.2	1.3	0.5	1.3	1.3	0.5
Denmark, Norway, Sweden.....	0.7	0.4	0.2	0.7	0.4	0.3	0.8	0.5	0.3
England, Scotland, Wales.....	0.8	0.7	0.3	0.9	0.8	0.3	0.9	0.8	0.3
Ireland.....	0.8	0.9	0.5	0.8	0.9	0.6	0.8	0.9	0.6
Germany.....	0.9	0.7	0.4	0.9	0.7	0.4	1.0	0.8	0.5
Italy.....	3.4	2.0	2.0	3.8	2.6	2.3	4.1	2.9	2.6
Poland.....	1.1	0.9	0.6	1.3	1.1	0.8	1.4	1.2	0.9
Russia.....	1.3	0.6	0.6	1.4	1.1	0.7	1.5	1.2	0.8
Other foreign countries.....	2.5	1.3	1.3	2.8	2.1	1.6	3.7	2.9	2.3
Country not stated.....	1.5	0.1	0.1	1.3	0.1	0.1	1.1	0.1	0.1

¹ This number excludes the percent of "mixed parentage."

NUMBER OF CHILDREN IN THE FAMILY

Data relating to size of families and to the percent of children living are presented in tables I and J.

Country of birth of mother.—Table I shows by color, and for white children by country of birth of mother, the percent of children living out of the total number ever born to women who bore children in the years 1928 to 1932. In 1932, as in previous years, the percentage of children living was highest (93.9) for the mothers who were born in Denmark, Norway, and Sweden, while the lowest percentage for white mothers was 88.1 for mothers born in Poland. The percent of children living for Negro mothers was 89.1, while that for other colored mothers was 84.7.

Table II (p. 97) shows the average number of children living at the time of birth of the last child and the percent of mothers having specified number of these children living.

COLOR AND COUNTRY OF BIRTH OF MOTHER	1932	1931	1930	1929	1928
	Total.....	91.5	91.1	91.0	90.7
White.....	92.0	91.8	91.5	91.1	91.0
United States.....	92.3	92.1	92.0	91.8	91.7
Foreign countries.....	90.0	89.4	88.5	87.9	87.8
Austria, Hungary.....	88.8	88.0	87.7	87.3	87.0
Canada.....	92.3	91.9	91.5	91.2	90.9
Denmark, Norway, Sweden.....	93.9	93.6	93.4	93.1	92.9
England, Scotland, Wales.....	92.4	92.7	91.6	91.5	91.5
Ireland.....	92.8	92.6	92.0	91.4	91.4
Germany.....	93.3	92.9	92.4	92.0	91.6
Italy.....	88.6	88.1	87.7	87.0	86.9
Poland.....	88.1	87.4	87.1	86.6	86.4
Russia.....	91.7	91.8	91.6	91.3	90.8
Other foreign countries.....	89.0	88.4	86.3	85.4	87.1
Country not stated.....	93.0	91.8	92.1	92.2	90.6
Colored.....	88.6	87.7	87.9	87.8	87.5
Negro.....	89.1	88.3	88.2	87.9	87.5
Other colored.....	84.7	83.6	85.2	87.5	87.5

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

Considering only those mothers whose birthplaces were definitely stated and considering only mothers who had borne but two children, the greatest percent of those with both children living was for mothers born in Russia. Considering mothers who had borne from 2 to 12 children, the greatest percent of those with all children living was for mothers born in Denmark, Norway, and Sweden.

Age of mother.—Table J shows the average number of children born per mother, classified by age and color of mother and also by country of birth of mother. Only those women who bore children in 1932 are considered. The average number of children born to Polish mothers was 4.6; to Italian mothers and mothers born in Austria and Hungary, 4.4. The lowest average (2.6) was for mothers born in Germany. The average number of children borne by Negro women who bore children in 1932 was 3.6; for "other colored" it was 4.3.

COUNTRY OF BIRTH OF MOTHER	All ages	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 and over	Unknown
		Total.....	3.1	1.3	1.9	2.9	4.2	5.8	7.4	8.9
White.....	3.0	1.2	1.9	2.8	4.0	5.5	7.2	8.8	7.1	2.8
United States.....	3.0	1.2	1.9	2.8	4.0	5.5	7.2	8.7	6.8	3.0
Foreign countries.....	3.6	1.2	1.7	2.5	3.7	5.0	6.9	7.5	9.0	4.4
Austria, Hungary.....	4.4	1.2	1.8	2.6	3.9	5.2	6.8	8.4	9.8	8.0
Canada.....	2.8	1.2	1.8	2.5	3.5	4.4	5.9	6.8	7.5	5.0
Denmark, Norway, Sweden.....	3.1	1.1	1.5	2.1	2.9	4.4	5.9	7.2	7.7	2.3
England, Scotland, Wales.....	2.7	1.2	1.6	2.1	2.9	4.0	5.0	7.7	7.7	3.8
Ireland.....	3.8	1.1	1.5	2.1	3.0	4.5	5.6	6.5	6.5	2.9
Germany.....	2.6	1.1	1.5	1.9	2.7	4.2	6.3	8.5	3.0	4.2
Italy.....	4.4	1.3	2.0	3.2	4.5	6.2	8.1	9.9	10.6	4.7
Poland.....	4.6	1.2	1.6	2.5	4.1	6.5	8.3	9.4	9.0	6.6
Russia.....	3.0	1.1	1.4	2.1	3.1	4.9	7.6	9.7	11.0	3.8
Other foreign countries.....	3.7	1.3	1.9	2.7	3.9	5.7	7.4	9.1	8.6	4.5
Country not stated.....	2.7	1.2	1.9	3.3	4.6	6.2	7.9	7.3	7.3	1.8
Colored.....	3.7	1.3	2.4	4.1	5.9	7.6	9.2	9.9	8.4	2.2
Negro.....	3.6	1.3	2.5	4.1	5.9	7.6	9.3	10.1	9.3	2.1
Other colored.....	4.3	1.4	2.4	4.2	5.9	7.5	8.7	9.3	6.8	3.0

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

NOTE.—Averages in *italics* are based on less than 5 mothers. The averages are exclusive of the number "not stated" for children ever born to women who bore children in 1932.

COUNTRY OF BIRTH OF PARENTS

Table K, in which the distribution per thousand by country of birth of father is shown for children classified by country of birth of mother, gives some idea of the extent to which the natives of the United States and various foreign countries have intermarried. Thus, of the children born in 1932 of mothers who were born in Ireland, 261 per thousand, or 26.1 percent, have fathers who were born in the United States, while 64.9 percent have fathers born in Ireland, and the remainder (9 percent) have fathers born in other foreign countries or in "country not stated." Of the children whose mothers were born in Canada, 58.3 percent have fathers who were born in the United States, while for those children whose mothers were born in Italy the corresponding percentage is only 10.5.

Table K

COUNTRY OF BIRTH OF MOTHERS OF WHITE CHILDREN BORN IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

COUNTRY OF BIRTH OF FATHERS OF WHITE CHILDREN	Foreign country												Country not stated
	United States	Total foreign	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total.....	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
United States.....	919.6	269.5	225.0	582.7	368.8	487.5	261.0	299.9	104.6	173.0	247.4	215.9	347.5
Foreign countries.....	64.8	724.0	772.0	401.2	624.7	503.2	726.6	694.0	893.2	321.6	750.2	778.4	33.9
Austria, Hungary.....	4.0	52.0	602.4	2.5	1.8	3.8	1.4	21.1	1.1	16.9	31.2	9.1	2.6
Canada.....	7.9	45.2	2.1	329.8	5.6	36.8	12.9	3.8	0.5	2.1	3.8	4.4	6.9
Denmark, Norway, Sweden.....	4.6	24.0	2.7	4.7	571.5	9.1	4.5	11.3	0.1	1.1	1.2	6.2	2.6
England, Scotland, Wales.....	5.0	33.8	4.4	24.1	10.0	347.2	35.7	5.3	0.8	3.4	13.8	5.2	2.1
Ireland.....	2.0	54.8	1.0	5.5	1.5	42.2	648.9	2.3	0.4	0.9	0.4	1.2	0.9
Germany.....	4.6	44.4	29.2	4.3	10.9	3.0	5.6	585.9	0.9	5.7	6.2	10.0	3.0
Italy.....	15.0	194.5	11.3	6.7	3.8	9.0	4.6	11.5	378.5	4.6	3.3	18.7	5.2
Poland.....	4.3	67.1	20.7	2.7	0.4	4.8	1.0	7.3	0.2	690.2	42.4	8.1	1.3
Russia.....	5.7	71.2	63.4	6.6	1.9	21.5	0.6	8.6	0.2	71.4	614.0	16.3	3.4
Other foreign countries.....	11.8	137.0	34.8	14.3	17.4	20.6	11.5	36.9	10.7	25.3	33.9	699.2	6.0
Country not stated.....	15.6	6.5	3.0	16.1	6.5	9.3	12.3	6.1	2.2	5.4	2.4	5.7	618.6

DIAGRAM 1.—BIRTHS, BY COLOR, AND FOR WHITE CHILDREN BY PARENT NATIVITY, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932




DIAGRAM 2.—BIRTHS OF WHITE CHILDREN OF KNOWN PARENTAGE, HAVING AT LEAST ONE PARENT FOREIGN BORN, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932





DIAGRAM 3.—PERCENT OF BIRTHS OF WHITE CHILDREN OF MOTHERS BORN IN SPECIFIED COUNTRIES, HAVING FATHERS BORN IN OTHER COUNTRIES: 1917 TO 1932



PLURAL BIRTHS

In the birth registration area in continental United States, in 1932, there were 46,908 living plural births in 24,262 cases where at least one was a live birth. There were 22,236 cases of twins where both were living at birth and 1,784 cases of twins where only one was born alive.

In 180 cases of triplets all were born alive; in 33 cases only 2 were living; and in 23 cases only 1 was a live birth.

There were 5 cases of quadruplets where all 4 were born alive, and 1 case in which there were but 3 living at birth. Tables 8 and 9 of this report relate to plural births.

Table L shows cases of single and plural births and also cases of plural births per 1,000 total cases, at specified age of parents.

The relative frequency of plural births increases with aging of the mother up to the age period, 35 to 39.

Table L

AGE OF MOTHER	AGE OF FATHER										
	All ages	Under 20 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
TOTAL CASES OF BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932											
All ages.....	2,051,396	29,851	370,215	531,255	427,920	314,363	179,812	81,042	29,847	15,585	71,506
Under 20 years.....	248,786	24,805	135,101	47,828	11,890	4,040	1,409	655	273	243	23,042
20 to 24 years.....	608,170	4,662	209,926	255,283	84,290	25,737	8,508	3,104	1,325	886	14,451
25 to 29 years.....	521,998	260	22,375	202,555	184,886	73,205	21,597	7,628	2,712	1,750	5,030
30 to 34 years.....	346,736	56	2,007	22,248	129,907	120,698	46,499	14,367	5,512	2,936	2,506
35 to 39 years.....	217,396	14	342	2,520	15,750	83,262	71,289	28,917	9,022	4,669	1,611
40 to 44 years.....	74,587	5	64	267	1,144	6,832	29,509	23,261	8,980	4,056	489
45 years and over.....	7,182	-----	14	33	86	215	781	2,981	1,972	1,009	91
Unknown.....	26,541	49	386	521	467	374	222	129	51	86	24,306
CASES OF SINGLE BIRTHS											
All ages.....	2,027,134	29,671	367,406	525,969	422,526	309,568	176,741	79,710	29,341	15,283	70,919
Under 20 years.....	247,186	24,658	134,255	47,493	11,305	4,007	1,397	651	273	240	22,807
20 to 24 years.....	602,736	4,632	208,285	252,934	89,473	25,481	9,415	3,077	1,309	873	14,307
25 to 29 years.....	518,738	258	22,195	200,289	182,643	72,225	21,813	7,532	2,675	1,720	4,948
30 to 34 years.....	341,241	55	1,984	21,946	127,948	118,817	45,866	14,094	5,417	2,872	2,442
35 to 39 years.....	213,265	14	337	2,490	15,472	81,745	69,877	28,367	8,828	4,564	1,571
40 to 44 years.....	73,444	5	64	266	1,133	6,710	29,081	22,903	8,834	3,985	463
45 years and over.....	7,115	-----	14	33	86	211	774	2,959	1,955	983	90
Unknown.....	26,409	49	382	518	466	372	218	127	50	86	24,191
CASES ¹ OF TWIN BIRTHS											
All ages.....	24,020	180	2,794	5,245	5,342	4,729	3,031	1,316	499	300	584
Under 20 years.....	1,593	147	840	334	85	33	12	4	-----	3	135
20 to 24 years.....	5,396	30	1,684	2,327	811	254	91	26	16	13	144
25 to 29 years.....	6,203	2	238	2,248	2,224	965	282	96	37	80	81
30 to 34 years.....	5,423	1	23	302	1,936	1,848	823	272	92	63	63
35 to 39 years.....	4,073	-----	5	30	275	1,502	1,387	541	190	104	39
40 to 44 years.....	1,133	-----	-----	1	10	121	425	353	146	71	6
45 years and over.....	67	-----	-----	-----	-----	4	7	22	17	16	1
Unknown.....	132	-----	4	3	1	2	4	2	1	-----	115
CASES ¹ OF TRIPLE BIRTHS											
All ages.....	236	-----	15	41	48	65	39	16	7	2	3
Under 20 years.....	7	-----	6	1	-----	-----	-----	-----	-----	-----	-----
20 to 24 years.....	38	-----	7	22	6	2	-----	1	-----	-----	-----
25 to 29 years.....	55	-----	2	18	17	15	2	-----	-----	-----	1
30 to 34 years.....	70	-----	-----	-----	21	33	10	1	3	1	1
35 to 39 years.....	56	-----	-----	-----	3	14	24	9	4	1	1
40 to 44 years.....	10	-----	-----	-----	1	1	3	5	-----	-----	-----
CASES ¹ OF QUADRUPLE BIRTHS											
All ages.....	6	-----	-----	-----	4	1	1	-----	-----	-----	-----
25 to 29 years.....	2	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
30 to 34 years.....	2	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
35 to 39 years.....	2	-----	-----	-----	-----	1	1	-----	-----	-----	-----
CASES ¹ OF PLURAL BIRTHS PER 1,000 TOTAL CASES AT SPECIFIED AGE OF PARENTS											
All ages.....	11.8	6.0	7.6	10.0	12.6	15.3	17.1	16.4	17.0	19.4	8.2
Under 20 years.....	6.4	5.9	6.3	7.0	7.5	8.2	8.5	6.1	-----	12.3	5.9
20 to 24 years.....	8.9	6.4	8.1	9.2	9.7	9.9	10.7	8.7	12.1	14.7	10.0
25 to 29 years.....	12.0	7.7	10.7	11.2	12.1	13.4	13.1	12.6	13.6	17.1	16.3
30 to 34 years.....	15.8	17.9	11.5	13.6	15.1	15.6	17.9	19.0	17.2	21.8	25.5
35 to 39 years.....	19.0	-----	14.6	11.9	17.7	18.2	19.8	19.0	21.5	22.5	24.8
40 to 44 years.....	15.3	-----	-----	3.7	9.6	17.9	14.5	15.4	16.3	17.5	12.8
45 years and over.....	9.3	-----	-----	-----	-----	18.6	9.0	7.4	8.6	15.9	11.0
Unknown.....	5.0	-----	10.4	5.8	2.1	5.3	18.0	15.5	19.6	-----	4.7

¹ Only those cases where at least 1 was a live birth.

AREA	1932		
	Number of women who bore children in 1932	Cases of plural births having at least 1 mate born alive	Per 1,000 mothers
The registration area in continental United States.....	2,051,396	24,262	11.8
Alabama.....	62,169	845	13.6
Arizona.....	8,433	97	11.5
Arkansas.....	36,890	612	16.6
California.....	77,274	883	11.4
Colorado.....	17,435	189	10.8
Connecticut.....	23,514	225	9.6
Delaware.....	4,258	38	8.9
District of Columbia.....	10,056	112	11.1
Florida.....	27,094	338	12.5
Georgia.....	62,991	774	12.3
Idaho.....	8,634	104	12.0
Illinois.....	110,368	1,216	11.0
Indiana.....	52,501	616	11.7
Iowa.....	40,059	417	10.4
Kansas.....	31,374	346	11.0
Kentucky.....	58,751	797	13.6
Louisiana.....	42,781	556	13.0
Maine.....	15,960	185	11.6
Maryland.....	28,529	323	11.3
Massachusetts.....	67,846	730	10.8
Michigan.....	84,866	865	10.2
Minnesota.....	45,832	582	12.7
Mississippi.....	45,688	648	14.2
Missouri.....	59,325	680	11.5
Montana.....	9,002	98	10.9
Nebraska.....	24,885	290	11.7
Nevada.....	1,253	9	7.2
New Hampshire.....	7,734	71	9.2
New Jersey.....	60,617	655	10.8
New Mexico.....	12,234	181	14.8
New York.....	196,455	2,018	10.3
North Carolina.....	76,884	1,122	14.6
North Dakota.....	13,861	191	13.8
Ohio.....	100,705	1,132	11.2
Oklahoma.....	40,531	540	13.3
Oregon.....	12,740	118	9.3
Pennsylvania.....	106,856	1,809	10.8
Rhode Island.....	11,048	125	11.3
South Carolina.....	40,966	586	14.3
South Dakota.....	13,101	157	12.0
Tennessee.....	51,887	689	13.3
Utah.....	11,838	147	12.4
Vermont.....	5,984	71	11.9
Virginia.....	53,956	692	12.8
Washington.....	21,178	210	9.9
West Virginia.....	33,312	530	13.8
Wisconsin.....	52,556	593	11.3
Wyoming.....	4,204	50	11.9

Table M shows for the registration area and each registration State the number of cases of plural births

per 1,000 women who bore children in 1932. In Arkansas, the rate was highest, there having been 16.6 cases of plural births in that State per 1,000 mothers or confinements. Other high rates were 14.8 for New Mexico, 14.6 for North Carolina, 14.3 for South Carolina, and 14.2 for Mississippi. The lowest rate (7.2) was for Nevada.

AGE OF MOTHER AND FATHER

The ages of both parents were reported on the transcripts of birth certificates of 1,999,774 of the children born in the registration area in 1932. The fathers of 61 percent of these children were in a higher-age group than were the mothers, whereas only 4 percent were in a lower-age group and 35 percent were of the same group.

In 1932, as in previous years the number of children in the group whose fathers were 25 to 29 years of age and mothers 20 to 24 was larger than in any other group shown in the table.

Verification of the age of the mother was sought when the age was given as 55 or more. As a result no mother was credited to this age period.

Table N shows the distribution of births, per 1,000, by age of parents.

AGE OF PARENT	DISTRIBUTION OF BIRTHS, PER 1,000, BY AGE OF PARENT, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932	
	Father	Mother
Total.....	1000.0	1000.0
10 to 14 years.....	(1)	1.2
15 to 19 years.....	14.5	119.5
20 to 24 years.....	179.7	295.7
25 to 29 years.....	253.5	254.5
30 to 34 years.....	208.8	169.7
35 to 39 years.....	153.7	106.7
40 to 44 years.....	83.1	36.5
45 to 49 years.....	39.7	3.4
50 to 54 years.....	14.6	0.1
55 years and over.....	7.6	
Unknown.....	34.7	12.8

¹ Less than one-tenth of 1 per 1,000 births.

In table O the distribution per 1,000, by age of father, is shown for children born in 1932 classified by age of mother.

AGE OF FATHERS	AGE OF MOTHERS OF CHILDREN BORN IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Unknown
All ages.....	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years.....	1.2									1.8
15 to 19 years.....	219.5	98.5	7.6	0.5	0.2	0.1	0.1			14.6
20 to 24 years.....	261.3	545.7	344.9	42.8	5.8	1.6	0.8	1.7		19.6
25 to 29 years.....	65.4	193.6	419.9	387.3	64.0	11.5	3.5	8.9		17.6
30 to 34 years.....	29.0	46.0	138.7	354.2	374.4	72.4	15.3	10.1		14.1
35 to 39 years.....	14.1	16.3	42.4	140.4	348.0	382.7	91.9	28.6		
40 to 44 years.....	6.2	5.7	14.0	41.4	134.4	328.2	395.3	108.0		8.5
45 to 49 years.....	5.3	2.6	5.1	14.6	41.6	133.0	311.9	420.1		4.9
50 to 54 years.....	2.9	1.1	2.2	5.2	15.9	41.6	120.5	275.5		2.0
55 years and over.....	6.6	0.9	1.5	3.4	8.5	21.5	54.4	139.7		1.4
Unknown.....	383.0	89.7	23.8	9.7	7.3	7.5	6.3	12.4		915.6

ILLEGITIMATE BIRTHS

Statistics relating to illegitimate births may be found in tables P, Q, and R. The ratio of illegitimate births to 1,000 total births, as shown in table P, varied in 1932 from 8.7 in Nevada to 113.6 in South Carolina. The exceptionally high rates—113.6 in South Carolina, 88.9 in Alabama, 85.2 in Louisiana, 82.9 in Mississippi, 80.7 in North Carolina, and 79.7 in Georgia—were due to the large number of illegitimate births among the colored population.

A comparison of the figures for 1932 with those for 1931 shows that rates for illegitimacy were higher in 1932 in all but 10 States. The largest increases were 10.9 in the rate for Louisiana, 10.4 for South Carolina, 9 for Georgia, 7.8 for Alabama, and 7.3 for North Carolina.

The States attaining lower rates of illegitimacy in 1932 are Connecticut, Idaho, Iowa, Kansas, Nevada, New Hampshire, New Mexico, Oregon, Utah, and Vermont. The largest decrease (7.1 per 1,000 total births) was in the rate for Vermont.

Table P

AREA, SEX, AND COLOR	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
The registration area in continental United States: ¹						
Total.....	74,505	69,403	66,991	38.7	35.4	32.7
Male.....	38,210	35,251	34,031	38.6	35.0	32.4
Female.....	36,295	34,152	32,960	38.7	35.8	33.1
White—						
Total.....	34,694	32,985	32,344	20.7	19.2	18.0
Male.....	17,925	16,983	16,630	20.8	19.3	18.0
Female.....	16,769	16,002	15,714	20.6	19.2	18.0
Colored—						
Total.....	39,811	36,418	34,647	157.5	147.5	138.2
Male.....	20,285	18,268	17,401	157.4	145.7	136.6
Female.....	19,526	18,150	17,246	157.6	149.3	139.9
Alabama:						
Total.....	5,598	5,088	4,738	88.9	81.1	74.3
Male.....	2,890	2,602	2,396	89.9	81.6	74.1
Female.....	2,708	2,486	2,342	88.0	80.6	74.5
White—						
Total.....	701	655	577	17.8	16.4	14.1
Male.....	367	329	302	18.2	16.2	14.6
Female.....	334	326	275	17.4	16.7	13.7
Colored—						
Total.....	4,897	4,433	4,161	207.9	193.5	181.1
Male.....	2,523	2,273	2,094	211.1	195.8	180.6
Female.....	2,374	2,160	2,067	204.6	191.0	181.6
Arizona:						
Total.....	174	161	208	20.4	17.2	20.0
Male.....	76	73	105	17.2	14.9	19.7
Female.....	98	88	103	23.8	19.7	20.5
Arkansas:						
Total.....	1,557	1,707	1,404	41.6	41.6	34.2
Male.....	808	854	677	42.1	40.7	32.2
Female.....	749	853	727	41.1	42.5	36.2
White—						
Total.....	385	447	380	13.4	14.2	11.9
Male.....	204	228	172	13.9	14.1	10.5
Female.....	181	219	208	12.9	14.2	13.4
Colored—						
Total.....	1,172	1,260	1,024	133.8	133.1	112.6
Male.....	604	626	505	132.8	128.4	109.7
Female.....	568	634	519	134.8	138.0	115.6
Colorado:						
Total.....	451	419	442	25.6	22.6	23.5
Male.....	236	218	228	26.1	22.8	23.8
Female.....	215	201	214	25.1	22.5	23.2
Connecticut:						
Total.....	422	503	477	17.8	19.7	17.2
Male.....	221	267	239	18.3	20.1	16.7
Female.....	201	236	238	17.3	19.2	17.8
Delaware:						
Total.....	225	218	245	52.4	51.5	54.8
Male.....	99	101	124	45.0	45.9	54.2
Female.....	126	117	121	60.2	57.4	55.3
District of Columbia:						
Total.....	781	693	689	78.9	74.1	73.5
Male.....	398	358	358	75.9	74.9	73.4
Female.....	383	335	331	78.0	73.2	78.6
White—						
Total.....	174	160	127	25.6	25.1	20.1
Male.....	87	82	72	24.9	25.2	22.0
Female.....	87	78	55	26.3	25.0	18.0

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table P—Continued

AREA, SEX, AND COLOR	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
District of Columbia—Cont.						
Colored—						
Total.....	607	533	562	181.3	178.6	184.0
Male.....	311	276	286	177.8	181.1	178.2
Female.....	296	257	276	185.1	175.9	190.5
Florida:						
Total.....	1,671	1,565	1,482	61.0	57.9	54.9
Male.....	824	785	746	58.2	56.6	53.3
Female.....	847	780	736	64.0	59.2	56.7
White—						
Total.....	334	274	277	17.7	14.7	14.9
Male.....	168	141	142	17.1	14.6	14.6
Female.....	166	133	135	18.3	14.7	15.2
Colored—						
Total.....	1,337	1,291	1,205	156.8	154.2	143.6
Male.....	656	644	604	150.8	151.9	140.7
Female.....	681	647	601	163.0	156.7	146.7
Georgia:						
Total.....	5,081	4,368	4,050	79.7	70.7	66.7
Male.....	2,573	2,171	2,029	78.6	68.3	65.4
Female.....	2,508	2,197	2,021	80.9	73.2	68.1
White—						
Total.....	599	542	498	15.7	14.4	13.4
Male.....	290	279	252	14.7	14.4	13.1
Female.....	309	263	246	16.7	14.5	13.6
Colored—						
Total.....	4,482	3,826	3,552	175.9	157.7	151.8
Male.....	2,283	1,892	1,777	176.2	152.5	150.3
Female.....	2,199	1,934	1,775	175.7	163.1	153.3
Idaho:						
Total.....	91	121	117	10.4	13.3	12.7
Male.....	47	68	65	10.4	14.9	13.8
Female.....	44	53	52	10.4	11.7	11.7
Illinois:						
Total.....	2,668	2,609	2,474	23.9	22.0	19.3
Male.....	1,364	1,343	1,225	23.9	21.9	18.6
Female.....	1,304	1,266	1,249	24.0	22.0	20.1
Indiana:						
Total.....	1,097	978	972	20.7	17.5	16.4
Male.....	574	513	509	21.1	17.9	16.7
Female.....	523	465	463	20.2	17.1	16.1
Iowa:						
Total.....	729	761	744	18.0	18.1	17.4
Male.....	387	397	401	18.7	18.4	18.2
Female.....	342	364	343	17.3	17.9	16.6
Kansas:						
Total.....	534	561	525	16.8	17.1	15.6
Male.....	296	289	240	18.0	17.4	13.7
Female.....	238	272	285	15.6	16.8	17.6
Kentucky:						
Total.....	1,104	952	1,063	18.6	16.7	17.9
Male.....	598	501	534	19.5	17.0	17.4
Female.....	506	451	529	17.6	16.3	18.5
White—						
Total.....	769	654	727	18.7	12.1	13.0
Male.....	416	347	370	14.3	12.5	12.8
Female.....	353	307	357	13.0	11.8	13.3
Colored—						
Total.....	335	298	336	101.2	91.5	99.4
Male.....	182	154	164	106.2	95.4	97.0
Female.....	153	144	172	95.8	87.7	101.8
Louisiana:						
Total.....	3,689	3,222	2,967	85.2	74.3	69.2
Male.....	1,870	1,676	1,521	84.2	75.9	69.9
Female.....	1,819	1,546	1,446	86.2	72.6	68.4
White—						
Total.....	536	440	431	20.9	16.7	16.5
Male.....	289	209	228	21.9	15.5	17.2
Female.....	247	231	203	19.9	18.0	15.8
Colored—						
Total.....	3,153	2,782	2,536	178.2	163.1	151.6
Male.....	1,581	1,467	1,293	175.2	170.9	152.9
Female.....	1,572	1,315	1,243	181.2	155.2	150.2
Maine:						
Total.....	511	444	457	31.7	27.2	28.2
Male.....	255	223	227	30.8	26.6	27.3
Female.....	256	221	230	32.6	27.9	29.2
Maryland:						
Total.....	1,992	1,915	1,828	69.1	66.5	60.4
Male.....	1,041	983	884	71.1	66.7	57.5
Female.....	951	932	944	67.1	66.3	63.4
White—						
Total.....	521	506	470	23.2	22.4	19.7
Male.....	276	245	231	24.0	21.3	18.9
Female.....	245	258	239	22.3	23.6	20.6
Colored—						
Total.....	1,471	1,409	1,358	231.9	226.1	211.6
Male.....	765	735	653	242.2	236.1	207.0
Female.....	706	674	705	221.7	216.2	216.1
Michigan:						
Total.....	2,102	2,062	2,161	24.5	22.7	21.8
Male.....	1,053	1,056	1,117	23.8	22.7	21.9
Female.....	1,049	1,006	1,044	25.2	22.7	21.6
Minnesota:						
Total.....	1,199	1,093	993	25.9	23.3	20.9
Male.....	582	580	523	24.5	24.2	21.3
Female.....	617	513	470	27.3	22.4	20.5
Mississippi:						
Total.....	3,834	3,568	3,365	82.9	78.9	69.9
Male.....	1,963	1,777	1,677	82.9	76.7	68.0
Female.....	1,881	1,791	1,688	82.9	81.3	71.9

Table P—Continued	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
Mississippi—Continued						
White—						
Total	286	287	283	13.1	13.2	12.2
Male	135	147	137	12.2	13.2	11.5
Female	151	140	146	14.0	13.3	12.8
Colored—						
Total	3,548	3,281	3,082	144.9	139.5	123.9
Male	1,818	1,630	1,540	145.0	135.5	120.5
Female	1,730	1,651	1,542	144.8	143.8	127.4
Missouri:						
Total	1,922	1,921	1,817	32.1	31.6	29.2
Male	998	983	971	32.4	31.4	30.3
Female	924	938	846	31.7	31.9	28.0
Montana:						
Total	199	197	187	21.9	20.4	18.8
Male	105	101	104	22.6	20.1	20.4
Female	94	96	83	21.1	20.8	17.1
Nebraska:						
Total	483	471	486	19.2	17.7	18.0
Male	261	244	237	20.1	17.6	17.1
Female	222	227	249	18.3	17.8	19.0
Nevada:						
Total	11	14	19	8.7	11.4	14.3
Male	3	8	9	4.9	13.2	13.3
Female	8	6	10	12.5	9.7	15.2
New Hampshire:						
Total	149	152	143	19.1	19.6	17.1
Male	73	80	70	18.2	20.0	16.1
Female	76	72	73	20.0	19.2	18.3
New Jersey:						
Total	1,276	1,222	1,203	20.8	19.1	17.6
Male	676	664	612	21.7	20.3	17.5
Female	600	558	591	20.0	17.8	17.7
New Mexico:						
Total	418	427	414	33.7	34.7	34.2
Male	217	208	215	34.3	32.9	34.8
Female	201	219	199	33.2	36.4	33.5
New York:						
Total	3,694	3,451	3,424	18.6	16.8	15.8
Male	1,948	1,732	1,769	19.1	16.4	15.9
Female	1,746	1,719	1,665	18.1	17.1	15.8
North Carolina:						
Total	6,288	5,491	5,409	80.7	73.4	70.5
Male	3,182	2,760	2,805	80.0	71.7	71.0
Female	3,106	2,731	2,604	81.5	75.2	69.8
White—						
Total	1,475	1,316	1,322	27.5	25.4	24.7
Male	771	672	684	28.0	25.1	24.8
Female	704	644	638	26.9	25.7	24.7
Colored—						
Total	4,813	4,175	4,087	198.9	182.3	175.3
Male	2,411	2,088	2,121	197.3	178.5	178.6
Female	2,402	2,087	1,966	200.4	186.3	172.0
North Dakota:						
Total	320	273	294	22.8	19.0	19.9
Male	165	145	155	22.5	19.8	20.2
Female	155	128	139	23.1	18.1	19.5
Ohio:						
Total	2,534	2,590	2,525	24.9	23.9	21.4
Male	1,310	1,339	1,313	25.1	24.0	21.6
Female	1,224	1,251	1,212	24.7	23.9	21.1
Oklahoma:						
Total	882	849	689	21.5	19.6	16.2
Male	446	421	345	21.0	18.8	15.7
Female	436	428	344	22.0	20.4	16.7
Oregon:						
Total	234	255	199	18.2	19.3	14.8
Male	117	140	95	17.9	20.7	13.8
Female	117	115	104	18.5	17.8	15.8
Pennsylvania:						
Total	5,637	5,513	5,513	33.4	30.8	29.1
Male	2,934	2,837	2,834	33.9	30.9	29.1
Female	2,703	2,676	2,679	32.9	30.8	29.1
Rhode Island:						
Total	270	244	245	24.2	21.5	20.1
Male	134	121	127	23.2	20.7	20.3
Female	136	123	118	25.2	22.5	19.9
South Carolina:						
Total	4,715	4,079	4,041	113.6	103.2	99.9
Male	2,368	1,946	1,991	110.8	96.5	95.9
Female	2,347	2,133	2,050	116.5	110.2	104.1
White—						
Total	500	380	403	24.9	19.7	20.1
Male	248	196	201	24.0	19.6	19.3
Female	252	184	202	25.9	19.9	20.9

Table P—Continued	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
South Carolina—Continued						
Colored—						
Total	4,215	3,699	3,638	196.5	182.6	178.3
Male	2,120	1,750	1,790	192.0	172.2	172.7
Female	2,095	1,949	1,848	201.4	193.1	184.1
South Dakota:						
Total	228	(?)	(?)	17.2	(?)	(?)
Male	121	(?)	(?)	17.9	(?)	(?)
Female	107	(?)	(?)	16.5	(?)	(?)
Tennessee:						
Total	2,131	2,051	1,937	40.6	39.3	36.8
Male	1,121	1,035	970	41.6	38.9	35.5
Female	1,010	1,016	967	39.6	39.6	38.2
White—						
Total	910	923	851	20.5	20.8	19.1
Male	496	464	405	21.7	20.5	17.5
Female	414	459	446	19.2	21.1	20.8
Colored—						
Total	1,221	1,128	1,086	151.0	142.9	134.0
Male	625	571	565	150.6	143.4	133.9
Female	596	557	521	151.4	142.5	134.0
Utah:						
Total	118	136	121	9.9	11.3	9.3
Male	64	66	52	10.4	10.7	7.8
Female	54	70	69	9.3	12.0	10.9
Vermont:						
Total	146	209	205	24.2	31.3	29.6
Male	76	102	101	24.5	30.0	28.0
Female	70	107	104	23.9	32.7	31.3
Virginia:						
Total	3,848	3,549	3,559	70.5	67.3	65.1
Male	1,985	1,774	1,797	71.8	65.9	64.3
Female	1,863	1,775	1,762	69.2	68.7	65.8
White—						
Total	991	959	969	25.7	25.4	24.9
Male	505	500	518	25.8	25.9	25.8
Female	486	459	451	25.6	24.9	23.8
Colored—						
Total	2,857	2,590	2,590	177.8	172.8	164.6
Male	1,480	1,274	1,279	182.5	167.8	162.5
Female	1,377	1,316	1,311	178.0	178.0	166.7
Washington:						
Total	457	454	409	21.4	20.6	17.8
Male	227	243	207	20.7	21.4	17.6
Female	230	211	202	22.1	19.8	17.9
West Virginia:						
Total	1,736	1,620	1,580	44.7	41.2	38.0
Male	875	838	832	43.9	41.6	38.8
Female	861	782	748	45.7	40.8	37.1
Wisconsin:						
Total	1,229	1,179	1,194	23.1	21.7	19.8
Male	623	606	581	23.0	21.7	19.9
Female	606	573	543	23.3	21.7	19.7
Wyoming:						
Total	70	48	47	16.5	10.7	10.5
Male	36	23	24	16.6	10.0	10.6
Female	34	25	23	16.3	11.4	10.4

² Not added to the registration area until a later date.

Table Q shows the number of illegitimate births, with ratios to 1,000 total births, by age and country of birth of mother. As usual, the ratios of illegitimacy were by far the highest for mothers below the age of 25. The highest ratios for illegitimate children of foreign-born mothers (17.4, 16.5, and 11.8, respectively) were for children of mothers born in Canada, Ireland, England, Scotland, and Wales, while the lowest (2.3) was for those of mothers born in Italy. Native mothers had a ratio of 21.5 against 164.3 and 50.7, respectively, for Negro and other colored mothers.

BIRTH STATISTICS: 1932

COUNTRY OF BIRTH OF MOTHER	NUMBER OF ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES ¹ BY AGE OF MOTHER: 1932										RATIO OF ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) TO 1,000 TOTAL BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES ¹ BY AGE OF MOTHER: 1932									
	All ages	10 to 14 yrs.	15 to 19 yrs.	20 to 24 yrs.	25 to 29 yrs.	30 to 34 yrs.	35 to 39 yrs.	40 to 44 yrs.	45 yrs. and over	Unknown	All ages	10 to 14 yrs.	15 to 19 yrs.	20 to 24 yrs.	25 to 29 yrs.	30 to 34 yrs.	35 to 39 yrs.	40 to 44 yrs.	45 yrs. and over	Unknown
Total.....	74,505	1,469	32,945	20,704	6,921	3,339	2,072	615	120	6,320	38.7	623.8	140.4	36.2	14.2	10.3	10.1	8.7	17.5	241.0
White.....	34,694	479	15,405	11,374	3,180	1,436	864	302	44	1,610	20.7	485.8	85.2	23.1	7.3	4.9	4.7	4.7	7.6	78.0
United States.....	32,405	468	15,052	10,821	2,947	1,301	756	257	36	767	21.5	480.5	85.1	23.3	7.5	5.2	5.0	5.0	8.1	45.3
Foreign countries.....	1,251	8	266	481	209	126	106	44	8	3	7.6	800.0	69.7	16.9	4.6	3.1	3.4	3.5	6.1	1.1
Austria, Hungary.....	57	7	22	4	6	13	4	1	1	3	4.2	47.6	11.8	1.2	1.8	3.8	2.8	6.0	-----	-----
Canada.....	278	2	110	109	29	13	8	4	3	3	17.4	666.7	106.2	30.4	7.1	4.6	4.8	7.1	18.2	1.4
Denmark, Norway, Sweden.....	53	1	11	18	9	5	6	3	1	1	8.7	(?)	193.0	22.4	5.4	3.0	5.3	4.7	-----	-----
England, Scotland, Wales.....	135	1	27	45	27	21	12	1	1	1	11.8	(?)	108.4	22.1	7.5	6.9	7.0	1.7	-----	-----
Ireland.....	199	1	13	105	50	23	5	2	1	1	16.5	(?)	149.4	53.4	12.2	7.2	2.5	3.3	-----	-----
Germany.....	100	1	18	39	24	11	5	2	1	1	8.6	(?)	82.6	16.6	6.0	3.8	3.4	3.3	-----	-----
Italy.....	84	1	24	27	15	8	6	3	1	1	2.3	(?)	27.3	4.6	1.8	0.8	0.8	0.9	3.0	-----
Poland.....	98	1	14	25	14	12	25	6	1	1	6.4	(?)	68.3	11.4	4.3	3.9	5.5	3.1	4.9	-----
Russia.....	45	1	6	17	11	6	1	4	1	1	2.9	(?)	42.9	6.6	2.1	1.5	0.4	5.0	-----	-----
Other foreign countries.....	202	1	36	74	26	21	25	15	4	4	7.5	500.0	45.1	14.3	3.5	3.3	5.1	7.5	18.3	-----
Country not stated.....	1,038	3	87	72	24	9	2	1	1	840	455.7	(?)	414.3	179.1	92.0	46.9	13.7	14.9	-----	845.9
Colored.....	39,811	990	17,540	9,330	3,741	1,903	1,203	313	76	4,710	157.5	723.2	326.5	119.0	73.0	58.3	55.1	45.7	72.0	843.2
Negro.....	39,048	982	17,277	9,119	3,646	1,855	1,182	304	73	4,610	164.3	730.7	333.9	122.9	76.4	61.8	58.6	48.8	76.9	860.1
Other colored.....	763	8	263	211	95	45	26	9	3	100	50.7	320.0	133.1	50.7	26.6	18.2	15.0	14.7	28.3	442.5

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.
² Rate not computed.

Table R shows the number of legitimate and illegitimate births by color and by nativity of mother, with the ratio of illegitimate births to 1,000 total births, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants, and rural districts of each registration State.

Although the ratio (42.4) of illegitimate births for the rural part of the registration area was higher than for the larger cities (36.5) and for the smaller cities (30.9), the reverse obtained in 19 States, and in 17 of the remaining States the ratios for rural districts were lower than those for the larger cities.

The highest ratio for native mothers (71.7) was for the larger cities of North Dakota, while the smaller cities of New Mexico had the highest ratio for foreign mothers (57.1).

AREA	1932				
	All births ¹	White			Colored
Total ¹		Native mothers	Foreign-born mothers		
LEGITIMATE BIRTHS					
Registration area in continental United States ²	1,852,910	1,639,974	1,475,226	163,508	212,936
Cities of 10,000 or more.....	824,381	753,367	624,666	128,405	71,014
Cities of 2,500 to 10,000.....	178,483	164,385	153,901	10,321	14,098
Rural.....	850,046	722,222	696,659	24,782	127,824
Alabama.....	57,341	38,680	38,520	141	18,661
Cities of 10,000 or more.....	10,249	6,733	6,637	96	3,516
Cities of 2,500 to 10,000.....	3,381	2,629	2,620	8	752
Rural.....	43,711	29,318	29,263	37	14,393
Arizona.....	8,349	4,533	4,179	345	3,816
Cities of 10,000 or more.....	2,763	1,804	1,699	103	959
Cities of 2,500 to 10,000.....	2,147	1,248	1,112	133	899
Rural.....	3,439	1,481	1,368	109	1,958
Arkansas.....	35,893	23,304	28,105	72	7,589
Cities of 10,000 or more.....	3,134	2,639	2,620	18	495
Cities of 2,500 to 10,000.....	2,486	1,976	1,964	7	510
Rural.....	30,273	23,689	23,521	47	6,584
Colorado.....	17,162	15,816	14,790	969	1,346
Cities of 10,000 or more.....	6,852	6,510	6,129	360	342
Cities of 2,500 to 10,000.....	2,003	1,813	1,689	119	190
Rural.....	8,307	7,493	6,972	490	814

¹ Includes country not stated.
² Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
		Total ¹	Native mothers	Foreign-born mothers	
LEGITIMATE BIRTHS					
Connecticut.....	23,309	22,736	16,621	6,108	573
Cities of 10,000 or more.....	18,775	18,243	13,219	5,019	532
Cities of 2,500 to 10,000.....	1,162	1,143	856	287	19
Rural.....	3,372	3,350	2,546	802	22
Delaware.....	4,069	3,495	3,196	293	574
Cities of 10,000 or more.....	2,090	1,867	1,615	248	223
Cities of 2,500 to 10,000.....	350	313	298	15	37
Rural.....	1,629	1,315	1,283	30	314
District of Columbia.....	9,376	6,635	6,123	509	2,741
Florida.....	25,731	18,540	17,895	652	7,191
Cities of 10,000 or more.....	9,621	7,162	6,736	410	2,359
Cities of 2,500 to 10,000.....	4,012	2,976	2,888	78	1,036
Rural.....	12,198	8,402	8,271	94	3,796
Georgia.....	58,636	37,642	37,485	142	20,994
Cities of 10,000 or more.....	12,475	8,185	8,069	109	4,290
Cities of 2,500 to 10,000.....	7,956	5,536	5,528	7	2,420
Rural.....	38,205	23,921	23,888	26	14,284
Idaho.....	8,641	8,477	8,096	381	164
Cities of 10,000 or more.....	1,076	1,067	1,015	40	9
Cities of 2,500 to 10,000.....	3,142	3,123	2,968	135	19
Rural.....	4,423	4,287	4,113	159	136
Illinois.....	108,844	108,167	89,563	18,581	5,677
Cities of 10,000 or more.....	72,671	67,498	55,128	12,362	5,173
Cities of 2,500 to 10,000.....	9,911	9,720	9,201	519	191
Rural.....	26,262	25,949	25,234	710	313
Indiana.....	51,976	50,410	48,681	1,718	1,566
Cities of 10,000 or more.....	23,867	22,436	20,983	1,449	1,431
Cities of 2,500 to 10,000.....	5,181	5,138	5,077	59	43
Rural.....	22,928	22,836	22,621	210	92
Iowa.....	39,730	39,580	38,206	1,377	152
Cities of 10,000 or more.....	13,070	12,988	12,377	611	130
Cities of 2,500 to 10,000.....	5,506	5,500	5,340	159	6
Rural.....	21,154	21,142	20,489	646	12
Kansas.....	31,166	29,754	29,220	481	1,412
Cities of 10,000 or more.....	9,565	8,701	8,535	162	864
Cities of 2,500 to 10,000.....	4,289	4,096	4,037	50	173
Rural.....	17,332	16,957	16,648	289	375
Kentucky.....	58,401	55,426	55,279	145	2,975
Cities of 10,000 or more.....	9,942	8,858	8,733	102	1,106
Cities of 2,500 to 10,000.....	4,510	4,134	4,125	34	1,378
Rural.....	43,949	42,456	42,421	34	1,493
Louisiana.....	39,699	25,064	24,700	350	14,545
Cities of 10,000 or more.....	12,313	8,215	7,981	232	4,098
Cities of 2,500 to 10,000.....	3,397	2,304	2,276	27	1,093
Rural.....	23,989	14,545	14,443	91	9,354
Maine.....	15,618	15,588	13,134	2,452	30
Cities of 10,000 or more.....	4,593	4,582	3,680	1,000	11
Cities of 2,500 to 10,000.....	1,931	1,919	1,599	320	12
Rural.....	9,094	9,087	7,955	1,132	7

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
		Total ¹	Native mothers	Foreign-born mothers	
LEGITIMATE BIRTHS					
Maryland	26,828	21,956	20,781	1,169	4,872
Cities of 10,000 or more	15,306	12,672	11,673	995	2,634
Cities of 2,500 to 10,000	1,341	1,205	1,178	26	136
Rural	10,181	8,079	7,930	148	2,102
Michigan	83,634	80,516	67,865	12,587	3,118
Cities of 10,000 or more	50,520	47,698	37,668	10,003	2,822
Cities of 2,500 to 10,000	7,074	6,994	6,401	588	80
Rural	26,040	25,824	23,806	1,996	216
Minnesota	45,178	44,633	41,642	2,985	545
Cities of 10,000 or more	17,561	17,399	15,832	1,566	162
Cities of 2,500 to 10,000	5,216	5,191	4,873	318	25
Rural	22,401	22,043	20,937	1,101	358
Mississippi	42,439	21,501	21,378	70	20,938
Cities of 10,000 or more	4,029	2,819	2,777	37	1,210
Cities of 2,500 to 10,000	2,256	1,321	1,312	4	935
Rural	36,154	17,361	17,289	29	18,793
Missouri	58,027	54,805	53,449	1,278	3,222
Cities of 10,000 or more	22,934	20,720	19,613	1,096	2,214
Cities of 2,500 to 10,000	5,442	5,182	5,102	74	260
Rural	29,651	28,903	28,734	108	748
Montana	8,892	8,226	7,352	871	666
Cities of 10,000 or more	2,504	2,477	2,213	262	27
Cities of 2,500 to 10,000	1,601	1,585	1,430	155	16
Rural	4,787	4,164	3,709	454	623
Nebraska	24,676	24,158	23,057	1,089	518
Cities of 10,000 or more	6,964	6,698	6,177	519	266
Cities of 2,500 to 10,000	2,953	2,906	2,783	123	47
Rural	14,759	14,554	14,097	447	205
Nevada	1,249	1,151	1,014	137	98
Cities of 10,000 or more	236	232	200	23	4
Cities of 2,500 to 10,000	340	325	295	30	15
Rural	673	594	510	84	79
New Hampshire	7,650	7,654	6,246	1,400	5
Cities of 10,000 or more	4,312	4,308	3,331	973	4
Cities of 2,500 to 10,000	876	875	736	138	1
Rural	2,471	2,471	2,179	289	—
New Jersey	50,943	55,807	42,992	12,798	4,136
Cities of 10,000 or more	47,310	43,944	33,170	10,769	3,366
Cities of 2,500 to 10,000	5,269	4,925	3,923	995	344
Rural	7,364	6,938	5,899	1,034	426
New Mexico	11,973	11,590	10,731	857	383
Cities of 10,000 or more	1,349	1,304	1,257	47	25
Cities of 2,500 to 10,000	2,063	1,980	1,814	165	43
Rural	8,621	8,306	7,660	645	315
New York	194,737	186,318	132,090	54,215	8,419
Cities of 10,000 or more	160,920	153,230	103,327	49,894	7,669
Cities of 2,500 to 10,000	9,674	9,471	7,955	1,516	203
Rural	24,134	23,617	20,808	2,805	517
North Carolina	71,614	52,226	52,068	117	19,388
Cities of 10,000 or more	11,642	8,622	8,546	74	3,020
Cities of 2,500 to 10,000	5,013	4,144	4,126	14	869
Rural	54,959	39,460	39,396	29	15,499
North Dakota	13,727	13,454	12,003	1,449	273
Cities of 10,000 or more	2,171	2,168	2,021	147	3
Cities of 2,500 to 10,000	1,384	1,383	1,244	138	1
Rural	10,172	9,903	8,738	1,164	269
Ohio	99,219	94,938	86,565	8,351	4,281
Cities of 10,000 or more	59,360	55,621	48,545	7,068	3,739
Cities of 2,500 to 10,000	7,976	7,788	7,414	373	188
Rural	31,883	31,529	30,606	910	354
Oklahoma	40,157	36,992	36,535	210	3,165
Cities of 10,000 or more	9,460	8,694	8,570	71	766
Cities of 2,500 to 10,000	8,069	7,363	7,276	36	706
Rural	22,628	20,935	20,689	103	1,693
Oregon	12,613	12,346	11,439	899	267
Cities of 10,000 or more	5,503	5,422	4,863	556	81
Cities of 2,500 to 10,000	2,642	2,618	2,488	128	24
Rural	4,468	4,306	4,088	215	162
Pennsylvania	162,897	155,801	135,105	20,660	7,096
Cities of 10,000 or more	91,140	84,812	70,979	13,816	6,328
Cities of 2,500 to 10,000	20,461	20,233	17,723	2,505	228
Rural	51,296	50,756	46,403	4,339	540
Rhode Island	10,901	10,715	7,859	2,854	186
Cities of 10,000 or more	9,880	9,709	7,060	2,648	171
Cities of 2,500 to 10,000	318	318	237	81	—
Rural	703	688	562	125	15
South Carolina	36,803	19,572	19,506	65	17,231
Cities of 10,000 or more	4,792	3,218	3,175	43	1,574
Cities of 2,500 to 10,000	2,632	1,772	1,768	4	860
Rural	29,379	14,582	14,563	18	14,797
South Dakota	13,013	12,423	11,708	647	590
Cities of 10,000 or more	2,254	2,243	2,135	101	11
Cities of 2,500 to 10,000	1,174	1,169	1,107	58	5
Rural	9,585	9,011	8,466	488	574

¹ Includes country not stated.

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
		Total ¹	Native mothers	Foreign-born mothers	
LEGITIMATE BIRTHS					
Tennessee	50,360	43,496	43,320	149	6,864
Cities of 10,000 or more	12,570	9,734	9,603	123	2,836
Cities of 2,500 to 10,000	4,017	3,455	3,448	6	562
Rural	33,773	30,307	30,269	20	3,466
Utah	11,856	11,749	11,010	738	107
Cities of 10,000 or more	4,746	4,700	4,273	426	46
Cities of 2,500 to 10,000	2,115	2,103	2,010	93	12
Rural	4,995	4,946	4,727	219	49
Vermont	5,884	5,880	5,012	863	4
Cities of 10,000 or more	1,120	1,118	969	147	2
Cities of 2,500 to 10,000	1,302	1,302	1,103	198	—
Rural	3,462	3,460	2,940	518	2
Virginia	50,734	37,524	37,224	204	13,210
Cities of 10,000 or more	11,428	8,477	8,270	205	2,951
Cities of 2,500 to 10,000	3,634	3,093	3,078	15	541
Rural	35,672	25,954	25,876	74	9,718
Washington	20,922	20,214	18,011	2,202	708
Cities of 10,000 or more	12,415	12,092	10,666	1,426	323
Cities of 2,500 to 10,000	2,313	2,250	2,053	197	63
Rural	6,194	5,872	5,292	579	322
West Virginia	37,067	35,103	34,198	905	1,964
Cities of 10,000 or more	5,952	5,661	5,425	236	291
Cities of 2,500 to 10,000	3,444	3,304	3,175	129	140
Rural	27,671	26,138	25,598	540	1,533
Wisconsin	51,878	51,498	47,081	3,781	380
Cities of 10,000 or more	22,995	22,898	20,578	2,312	97
Cities of 2,500 to 10,000	5,810	5,806	5,581	217	4
Rural	23,073	22,794	21,522	1,252	279
Wyoming	4,179	3,881	3,592	282	298
Cities of 10,000 or more	667	626	572	51	41
Cities of 2,500 to 10,000	790	756	690	65	34
Rural	2,722	2,499	2,330	168	222
ILLEGITIMATE BIRTHS					
Registration area in continental United States ²	74,505	34,694	32,405	1,251	39,811
Cities of 10,000 or more	31,222	18,425	17,051	1,010	12,797
Cities of 2,500 to 10,000	5,682	2,930	2,791	65	2,752
Rural	37,601	13,339	12,563	176	24,262
Alabama	5,598	701	699	—	4,897
Cities of 10,000 or more	1,101	181	181	—	920
Cities of 2,500 to 10,000	267	45	45	—	222
Rural	4,230	475	473	—	3,755
Arizona	174	36	34	1	138
Cities of 10,000 or more	55	23	21	1	32
Cities of 2,500 to 10,000	24	4	4	—	20
Rural	95	9	9	—	86
Arkansas	1,557	385	374	1	1,172
Cities of 10,000 or more	135	49	48	—	86
Cities of 2,500 to 10,000	110	20	19	—	90
Rural	1,312	316	307	—	996
Colorado	451	402	388	11	49
Cities of 10,000 or more	292	258	248	9	34
Cities of 2,500 to 10,000	47	45	43	—	1
Rural	112	99	97	—	12
Connecticut	422	387	354	31	35
Cities of 10,000 or more	311	278	254	24	33
Cities of 2,500 to 10,000	23	23	20	3	—
Rural	88	86	80	4	2
Delaware	225	95	89	4	130
Cities of 10,000 or more	94	47	43	3	47
Cities of 2,500 to 10,000	8	3	3	—	5
Rural	123	45	43	1	78
District of Columbia	781	174	87	1	607
Florida	1,671	334	326	6	1,337
Cities of 10,000 or more	591	122	117	4	469
Cities of 2,500 to 10,000	223	24	24	—	199
Rural	857	188	185	2	669
Georgia	5,081	599	599	—	4,482
Cities of 10,000 or more	1,203	140	140	—	1,063
Cities of 2,500 to 10,000	631	73	73	—	558
Rural	3,247	386	386	—	2,861
Idaho	91	87	84	3	4
Cities of 10,000 or more	39	38	38	—	1
Cities of 2,500 to 10,000	23	23	23	—	—
Rural	29	26	23	3	3
Illinois	2,668	2,055	1,913	102	613
Cities of 10,000 or more	2,032	1,468	1,333	98	564
Cities of 2,500 to 10,000	187	168	167	1	19
Rural	449	419	413	3	30

² Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

BIRTH STATISTICS: 1932

Table B—Continued

AREA	1932				Colored
	All births †	White		Foreign-born mothers	
		Total †	Native mothers		
ILLEGITIMATE BIRTHS					
Indiana.....	1,097	870	862	7	227
Cities of 10,000 or more.....	676	470	465	5	206
Cities of 2,500 to 10,000.....	94	88	87	1	6
Rural.....	327	312	310	1	15
Iowa.....	729	712	696	14	17
Cities of 10,000 or more.....	491	479	465	12	12
Cities of 2,500 to 10,000.....	60	57	55	2	3
Rural.....	178	176	176	—	2
Kansas.....	534	421	417	1	13
Cities of 10,000 or more.....	343	257	255	1	86
Cities of 2,500 to 10,000.....	49	35	34	—	14
Rural.....	142	129	128	—	13
Kentucky.....	1,104	769	767	1	335
Cities of 10,000 or more.....	344	173	173	—	171
Cities of 2,500 to 10,000.....	108	62	62	—	46
Rural.....	652	534	532	1	118
Louisiana.....	3,689	536	532	2	3,153
Cities of 10,000 or more.....	1,240	285	282	2	955
Cities of 2,500 to 10,000.....	327	47	47	—	280
Rural.....	2,122	204	203	—	1,918
Maine.....	511	508	499	39	3
Cities of 10,000 or more.....	190	188	173	15	2
Cities of 2,500 to 10,000.....	55	54	48	6	1
Rural.....	266	266	248	18	—
Maryland.....	1,992	521	512	7	1,471
Cities of 10,000 or more.....	1,044	261	253	7	783
Cities of 2,500 to 10,000.....	135	47	47	—	88
Rural.....	813	213	212	—	600
Michigan.....	2,102	1,860	1,726	120	242
Cities of 10,000 or more.....	1,591	1,377	1,271	100	214
Cities of 2,500 to 10,000.....	114	107	99	5	7
Rural.....	397	376	356	15	21
Minnesota.....	1,199	1,126	1,088	37	73
Cities of 10,000 or more.....	775	760	734	25	15
Cities of 2,500 to 10,000.....	121	118	115	3	3
Rural.....	303	248	239	9	55
Mississippi.....	3,834	286	282	—	3,548
Cities of 10,000 or more.....	392	50	49	—	342
Cities of 2,500 to 10,000.....	182	12	12	—	170
Rural.....	3,260	224	221	—	3,036
Missouri.....	1,922	1,372	1,349	10	550
Cities of 10,000 or more.....	1,262	861	847	7	401
Cities of 2,500 to 10,000.....	160	106	104	2	54
Rural.....	500	405	398	1	95
Montana.....	199	165	152	10	34
Cities of 10,000 or more.....	96	96	86	8	—
Cities of 2,500 to 10,000.....	23	23	23	—	—
Rural.....	80	46	43	2	34
Nebraska.....	483	451	443	4	32
Cities of 10,000 or more.....	251	231	227	3	20
Cities of 2,500 to 10,000.....	37	35	35	—	2
Rural.....	195	185	181	1	10
Nevada.....	11	3	2	1	8
Cities of 10,000 or more.....	—	—	—	—	—
Cities of 2,500 to 10,000.....	1	—	—	—	1
Rural.....	10	3	2	1	7
New Hampshire.....	149	148	136	9	1
Cities of 10,000 or more.....	91	90	82	7	1
Cities of 2,500 to 10,000.....	9	9	9	—	—
Rural.....	49	49	45	2	—
New Jersey.....	1,276	820	739	79	456
Cities of 10,000 or more.....	1,014	649	576	72	365
Cities of 2,500 to 10,000.....	80	47	44	3	33
Rural.....	182	124	119	4	58
New Mexico.....	418	366	334	31	52
Cities of 10,000 or more.....	55	52	51	1	3
Cities of 2,500 to 10,000.....	76	76	66	10	—
Rural.....	287	238	217	20	49
New York.....	3,694	3,087	2,736	349	607
Cities of 10,000 or more.....	2,944	2,411	2,088	323	533
Cities of 2,500 to 10,000.....	202	183	176	7	19
Rural.....	548	493	474	19	55
North Carolina.....	6,288	1,475	694	—	4,813
Cities of 10,000 or more.....	1,437	305	129	—	1,132
Cities of 2,500 to 10,000.....	419	115	52	—	304
Rural.....	4,432	1,055	513	—	3,377
North Dakota.....	320	299	287	12	21
Cities of 10,000 or more.....	159	158	156	2	1
Cities of 2,500 to 10,000.....	28	28	26	—	—
Rural.....	133	113	105	8	20
Ohio.....	2,534	2,023	1,957	58	511
Cities of 10,000 or more.....	1,743	1,279	1,224	49	464
Cities of 2,500 to 10,000.....	159	141	139	2	18
Rural.....	632	603	594	7	29

† Includes country not stated.

Table B—Continued

AREA	1932				Colored
	All births †	White		Foreign-born mothers	
		Total †	Native mothers		
ILLEGITIMATE BIRTHS					
Oklahoma.....	882	561	554	2	321
Cities of 10,000 or more.....	253	149	146	1	104
Cities of 2,500 to 10,000.....	125	58	56	—	67
Rural.....	504	354	352	1	150
Oregon.....	234	217	209	8	17
Cities of 10,000 or more.....	171	166	159	7	5
Cities of 2,500 to 10,000.....	17	17	17	—	—
Rural.....	46	34	33	1	12
Pennsylvania.....	5,637	4,580	4,398	170	1,057
Cities of 10,000 or more.....	3,516	2,562	2,423	131	954
Cities of 2,500 to 10,000.....	535	514	500	12	21
Rural.....	1,586	1,504	1,475	27	82
Rhode Island.....	270	248	214	33	22
Cities of 10,000 or more.....	261	239	206	32	22
Cities of 2,500 to 10,000.....	3	3	3	—	—
Rural.....	6	6	5	1	—
South Carolina.....	4,715	500	499	—	4,215
Cities of 10,000 or more.....	726	131	130	—	595
Cities of 2,500 to 10,000.....	288	35	35	—	253
Rural.....	3,701	334	334	—	3,367
South Dakota.....	228	185	177	6	43
Cities of 10,000 or more.....	91	91	87	4	—
Cities of 2,500 to 10,000.....	15	14	14	—	1
Rural.....	122	80	76	2	42
Tennessee.....	2,131	910	902	2	1,221
Cities of 10,000 or more.....	939	280	273	2	659
Cities of 2,500 to 10,000.....	169	71	71	—	98
Rural.....	1,023	559	558	—	464
Utah.....	118	116	109	4	2
Cities of 10,000 or more.....	71	70	63	4	1
Cities of 2,500 to 10,000.....	5	5	5	—	—
Rural.....	42	41	41	—	1
Vermont.....	146	146	140	6	—
Cities of 10,000 or more.....	53	53	51	2	—
Cities of 2,500 to 10,000.....	31	31	30	1	—
Rural.....	62	62	59	3	—
Virginia.....	3,848	991	987	2	2,857
Cities of 10,000 or more.....	1,034	210	207	2	824
Cities of 2,500 to 10,000.....	215	87	87	—	128
Rural.....	2,599	694	693	—	1,906
Washington.....	457	440	408	27	17
Cities of 10,000 or more.....	345	339	313	22	6
Cities of 2,500 to 10,000.....	29	28	27	1	1
Rural.....	83	73	68	4	10
West Virginia.....	1,736	1,494	1,491	3	242
Cities of 10,000 or more.....	298	253	253	—	45
Cities of 2,500 to 10,000.....	140	121	121	—	19
Rural.....	1,298	1,120	1,117	3	173
Wisconsin.....	1,229	1,168	1,129	34	61
Cities of 10,000 or more.....	674	654	628	24	20
Cities of 2,500 to 10,000.....	107	107	105	1	—
Rural.....	448	407	396	9	41
Wyoming.....	70	65	61	3	5
Cities of 10,000 or more.....	18	18	18	—	—
Cities of 2,500 to 10,000.....	21	21	19	2	—
Rural.....	31	26	24	1	5

RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS

Registration area in continental United States †	White	Native mothers	Foreign-born mothers	Colored
Registration area in continental United States †	38.7	20.7	21.5	157.5
Cities of 10,000 or more.....	36.5	23.9	26.6	152.7
Cities of 2,500 to 10,000.....	30.9	17.5	17.8	163.3
Rural.....	42.4	18.1	17.7	159.5
Alabama.....	88.9	17.8	17.8	207.9
Cities of 10,000 or more.....	97.0	26.2	26.5	207.4
Cities of 2,500 to 10,000.....	73.2	16.8	16.9	227.9
Rural.....	88.2	15.9	15.9	206.9
Arizona.....	20.4	7.9	8.1	34.9
Cities of 10,000 or more.....	19.5	12.6	12.2	32.3
Cities of 2,500 to 10,000.....	11.1	3.2	3.6	21.8
Rural.....	26.9	6.0	6.5	42.1
Arkansas.....	41.6	13.4	13.1	133.8
Cities of 10,000 or more.....	41.3	18.2	18.0	148.0
Cities of 2,500 to 10,000.....	42.4	10.0	9.6	150.0
Rural.....	41.5	13.2	12.9	131.4
Colorado.....	25.6	24.8	25.6	35.1
Cities of 10,000 or more.....	40.9	38.1	38.9	90.4
Cities of 2,500 to 10,000.....	22.9	24.2	24.8	10.4
Rural.....	13.3	13.0	13.7	15.7

† Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table E—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS					
Connecticut	17.8	16.7	20.9	5.0	57.6
Cities of 10,000 or more	16.3	15.0	18.9	4.8	58.4
Cities of 2,500 to 10,000	19.4	19.7	22.8	10.3	
Rural	25.4	25.0	30.5	5.0	83.3
Delaware	52.4	26.5	27.1	13.5	184.7
Cities of 10,000 or more	43.0	24.6	25.9	12.0	174.1
Cities of 2,500 to 10,000	22.3	9.5	10.0		119.0
Rural	70.2	33.1	32.4	32.3	199.0
District of Columbia	76.9	25.6	14.0	2.0	181.3
Florida	61.0	17.7	17.9	10.2	156.8
Cities of 10,000 or more	58.4	16.7	17.1	9.7	165.8
Cities of 2,500 to 10,000	52.7	8.0	8.2		161.1
Rural	65.6	21.9	21.9	20.8	149.8
Georgia	79.7	15.7	15.7		175.9
Cities of 10,000 or more	88.0	18.8	17.1		198.6
Cities of 2,500 to 10,000	73.5	13.0	13.0		187.4
Rural	78.3	15.9	15.9		166.9
Idaho	10.4	10.2	10.3	9.0	23.8
Cities of 10,000 or more	35.0	34.4	36.1		100.0
Cities of 2,500 to 10,000	7.3	7.3	5.6		21.6
Rural	6.5	6.0	7.4	18.9	97.5
Illinois	23.9	19.5	20.9	7.4	97.5
Cities of 10,000 or more	27.2	21.3	23.6	7.9	98.3
Cities of 2,500 to 10,000	18.5	17.0	17.8	1.9	90.5
Rural	16.8	15.9	16.1	4.2	87.5
Indiana	20.7	17.0	17.4	4.1	126.6
Cities of 10,000 or more	27.5	20.5	21.7	3.4	125.8
Cities of 2,500 to 10,000	17.8	16.8	16.8	16.7	122.4
Rural	14.1	13.5	13.5	4.7	140.2
Iowa	18.0	17.7	17.9	10.2	101.8
Cities of 10,000 or more	36.2	35.7	36.2	21.3	83.3
Cities of 2,500 to 10,000	10.8	10.3	10.2	12.4	333.3
Rural	8.3	8.3	8.5		142.9
Kansas	16.8	14.0	14.1	2.1	74.1
Cities of 10,000 or more	34.6	28.7	29.0	6.1	90.5
Cities of 2,500 to 10,000	11.3	8.5	8.4		74.9
Rural	8.1	7.6	7.6		33.5
Kentucky	18.6	13.7	13.7	6.8	101.2
Cities of 10,000 or more	33.4	19.2	19.4		133.9
Cities of 2,500 to 10,000	23.4	14.8	14.8		109.0
Rural	14.6	12.4	12.4	28.6	73.2
Louisiana	85.2	20.9	21.1	5.7	178.2
Cities of 10,000 or more	91.5	33.5	34.1	8.5	189.0
Cities of 2,500 to 10,000	87.8	20.0	20.2		203.9
Rural	81.5	13.8	13.9		170.2
Maine	31.7	31.6	34.5	15.7	90.9
Cities of 10,000 or more	39.7	39.4	46.1	14.8	153.8
Cities of 2,500 to 10,000	27.7	27.4	29.1	13.4	76.9
Rural	28.4	28.4	30.2	15.7	
Maryland	69.1	28.2	24.0	6.0	231.9
Cities of 10,000 or more	63.9	20.2	21.2	7.0	229.1
Cities of 2,500 to 10,000	91.5	37.5	38.4		392.9
Rural	73.9	25.7	26.0		222.1
Michigan	24.5	22.6	24.8	9.4	72.0
Cities of 10,000 or more	30.5	28.1	32.6	9.9	70.5
Cities of 2,500 to 10,000	15.9	15.1	15.2	8.4	80.5
Rural	15.0	14.4	14.7	7.5	88.6
Minnesota	25.9	24.6	25.5	12.2	118.1
Cities of 10,000 or more	42.3	41.9	44.3	15.7	84.7
Cities of 2,500 to 10,000	22.7	22.2	23.1	9.3	107.1
Rural	13.3	11.1	11.3	8.1	133.2
Mississippi	82.9	13.1	13.0		144.9
Cities of 10,000 or more	88.7	17.4	17.3		220.4
Cities of 2,500 to 10,000	74.7	9.0	9.1		153.8
Rural	82.7	12.7	12.6		139.1
Missouri	32.1	24.4	24.6	7.8	145.8
Cities of 10,000 or more	52.2	39.9	41.4	6.3	153.3
Cities of 2,500 to 10,000	28.6	20.0	20.0	26.3	172.0
Rural	16.6	13.8	13.7	9.2	112.7
Montana	21.9	19.7	20.3	11.4	48.6
Cities of 10,000 or more	36.9	37.3	37.4	29.6	
Cities of 2,500 to 10,000	14.2	14.3	15.8		
Rural	16.4	10.9	11.5	4.4	51.8
Nebraska	19.2	18.3	18.9	3.7	58.2
Cities of 10,000 or more	34.8	33.3	35.4	5.7	69.9
Cities of 2,500 to 10,000	12.4	11.9	12.4		40.8
Rural	13.0	12.6	12.7	2.2	46.5
Nevada	8.7	2.6	2.0	7.2	75.5
Cities of 10,000 or more	2.9				62.5
Cities of 2,500 to 10,000	14.6	5.0	3.9	11.8	81.4
¹ Includes country not stated.					

Table E—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS					
New Hampshire	19.1	19.0	21.3	6.4	166.7
Cities of 10,000 or more	20.7	20.5	24.0	7.1	200.0
Cities of 2,500 to 10,000	10.2	10.2	12.1		
Rural	19.4	19.4	20.2	6.9	
New Jersey	20.8	14.5	16.9	6.1	99.3
Cities of 10,000 or more	21.0	14.6	17.1	6.6	97.8
Cities of 2,500 to 10,000	15.0	9.5	11.1	3.0	87.5
Rural	24.1	17.6	19.8	3.9	119.8
New Mexico	33.7	30.6	30.2	34.9	119.5
Cities of 10,000 or more	39.2	38.3	39.0	20.8	62.5
Cities of 2,500 to 10,000	36.6	37.0	35.1	57.1	
Rural	32.2	27.9	27.5	30.1	134.6
New York	18.6	16.3	20.3	6.4	67.3
Cities of 10,000 or more	18.0	15.5	19.8	6.4	64.7
Cities of 2,500 to 10,000	20.5	19.0	21.6	4.6	85.6
Rural	22.2	20.4	22.3	6.7	96.2
North Carolina	80.7	27.5	13.2		198.9
Cities of 10,000 or more	109.9	34.2	14.9		272.6
Cities of 2,500 to 10,000	77.1	27.0	12.4		259.2
Rural	74.6	26.0	12.9		173.9
North Dakota	22.8	21.7	23.4	8.2	71.4
Cities of 10,000 or more	68.2	67.9	71.7	13.4	250.0
Cities of 2,500 to 10,000	19.8	19.8	20.5	14.3	
Rural	12.9	11.3	11.9	6.8	69.2
Ohio	24.9	20.9	22.1	6.9	106.6
Cities of 10,000 or more	28.5	22.5	24.6	6.9	110.4
Cities of 2,500 to 10,000	19.5	17.8	18.4	5.3	87.4
Rural	19.4	18.8	19.0	7.6	75.7
Oklahoma	21.5	14.9	14.9	9.4	92.1
Cities of 10,000 or more	26.0	16.3	16.8	13.9	119.5
Cities of 2,500 to 10,000	15.3	7.8	7.6		86.7
Rural	21.8	16.6	16.7	9.6	81.4
Oregon	18.2	17.3	17.9	8.8	59.9
Cities of 10,000 or more	30.1	29.7	31.7	12.4	58.1
Cities of 2,500 to 10,000	6.4	6.5	6.8		
Rural	10.2	7.8	8.0	4.6	69.0
Pennsylvania	33.4	28.6	31.5	8.2	129.6
Cities of 10,000 or more	37.1	29.3	30.0	9.4	131.0
Cities of 2,500 to 10,000	25.5	24.8	27.4	4.8	84.3
Rural	30.0	28.3	30.8	6.2	131.8
Rhode Island	24.2	22.6	26.5	11.4	105.8
Cities of 10,000 or more	25.7	24.0	28.4	11.9	114.0
Cities of 2,500 to 10,000	9.3	9.3	12.5		
Rural	8.5	8.6	8.8	7.9	
South Carolina	113.6	24.9	24.9		196.5
Cities of 10,000 or more	131.6	39.1	39.3		274.3
Cities of 2,500 to 10,000	98.6	19.4	19.4		227.3
Rural	111.9	22.4	22.4		185.4
South Dakota	17.2	14.7	14.9	9.2	67.9
Cities of 10,000 or more	38.8	39.0	39.2	38.1	
Cities of 2,500 to 10,000	12.6	11.8	12.5		166.7
Rural	12.6	8.8	8.9	4.1	68.2
Tennessee	40.6	20.5	20.4	13.2	151.0
Cities of 10,000 or more	69.5	28.0	27.6	16.0	188.6
Cities of 2,500 to 10,000	40.4	20.1	20.2		148.5
Rural	29.4	18.1	18.1		118.1
Utah	9.9	9.8	9.8	5.4	18.3
Cities of 10,000 or more	14.7	14.7	14.5	9.3	21.3
Cities of 2,500 to 10,000	2.4	2.4	2.5		
Rural	8.3	8.2	8.6		20.0
Vermont	24.2	24.2	27.2	6.9	
Cities of 10,000 or more	45.2	45.3	50.0	13.4	
Cities of 2,500 to 10,000	23.3	23.3	26.5	5.0	
Rural	17.6	17.6	19.7	5.8	
Virginia	70.5	25.7	25.8	6.8	177.8
Cities of 10,000 or more	83.0	24.2	24.4	9.7	218.3
Cities of 2,500 to 10,000	55.9	27.4	27.5		191.3
Rural	67.9	26.0	26.1		163.9
Washington	21.4	21.3	22.2	12.1	23.4
Cities of 10,000 or more	27.0	27.3	28.5	15.2	18.2
Cities of 2,500 to 10,000	12.4	12.3	13.0	5.1	15.6
Rural	13.2	12.3	12.7	6.9	30.1
West Virginia	44.7	40.8	41.8	3.3	109.7
Cities of 10,000 or more	47.7	42.8	44.6		133.9
Cities of 2,500 to 10,000	39.1	35.3	36.7		119.5
Rural	44.8	41.1	41.8	5.5	104.0
Wisconsin	23.1	22.2	23.1	8.9	138.3
Cities of 10,000 or more	28.5	27.8	29.6	10.3	170.9
Cities of 2,500 to 10,000	18.1	18.1	18.5	4.6	
Rural	19.0	17.5	18.1	7.1	128.1
Wyoming	16.5	16.5	16.7	10.5	16.5
Cities of 10,000 or more	26.3	23.0	30.5		
Cities of 2,500 to 10,000	25.9	27.0	26.8	29.9	
Rural	11.3	10.3	10.2	6.0	21.9

STILLBIRTH STATISTICS: 1932

INTRODUCTION

The annual presentation of stillbirth statistics was begun in 1922. Previous to that time, the Bureau of the Census had published such data but once, in 1918.

The interpretation of the statistics relating to stillbirths should be made with caution. There is no single definition for "stillbirth" in general use, and the application of the term varies widely in the law and practices of the different States.

Therefore, it is suggested that persons interested in stillbirth statistics study table S before drawing conclusions from the figures presented in tables relating to stillbirths.

STATE	Period	Authority	
Alabama.....	Advanced to 5th month.....	Law.	
Arizona.....			
California.....			
Connecticut.....	Not less than 28 weeks.....		
District of Columbia.....			
Florida.....	Advanced to 5th month.....		
Georgia.....			
Illinois.....			
Indiana.....	7 months and over.....		
Iowa.....	Advanced to 5th month.....		
Louisiana.....			
Michigan.....			
Minnesota.....			
Mississippi.....			
Nebraska.....			
New Mexico.....			
New York.....			
North Carolina.....			
Oklahoma.....			
Oregon.....			
South Dakota.....			
Tennessee.....			
Washington.....	Beyond the 7th month.....		
West Virginia.....	Advanced to 5th month.....		
Arkansas.....	5 months.....		Letter, State Board of Health.
Colorado.....			
Delaware.....			
Idaho.....			
Kansas.....			
Kentucky.....	4½ months.....		
Maine.....	5 months.....		
Massachusetts.....	After 4½ months.....		
Missouri.....	Any period.....		
Montana.....	Passed the 4th month or 16th week.....		
Nevada.....	6 months.....		
New Hampshire.....	No definite ruling.....		
New Jersey.....	Advanced to 5th month.....		
North Dakota.....	7th month.....		
Ohio.....	4 months.....		
Rhode Island.....	After the 6th month.....		
South Carolina.....	5 months.....		
Utah.....	6 months.....		
Vermont.....	About the 5th month.....		
Virginia.....	5 months.....		
Wisconsin.....	After the 5th month.....		
Wyoming.....	Advanced to 5th month.....		
Maryland.....	Any product of conception.....	Letter to doctors of Maryland. Instructions for local registrars.	
Pennsylvania.....	Passed the 4th month.....		

¹ Exclusive of New York City, where any product of conception is required to be registered.

NOTE.—Connecticut, Illinois, New Jersey, New York, Oregon, and the District of Columbia report a stillbirth as a stillbirth. In the remaining States a stillbirth reported either as a birth or as both a birth and a death.

COMPARISON OF STILLBIRTH RATIOS: 1931 AND 1932

In 1932 the highest stillbirth ratio (6.4 per 100 live births) was for both Maryland and South Carolina. The next highest ratios were 6.0, 5.7, and 5.0 for Georgia, Florida, and Louisiana, respectively, and were due in a great measure to the large proportion of colored populations in these States, for which the ratios were, respectively, 9.3, 9.9, and 7.5, while for the white in these States the ratios were only 3.9, 3.7, and 3.4, respectively. The lowest stillbirth ratio (2.1) was for Utah. A comparison of the ratios for 1932 with those for 1931 shows that 14 States had higher ratios in 1932 and 25 States had lower ratios, while those for 8 States remained the same.

In table T stillbirths per 100 live births are presented by color for certain States, and by cities of 10,000 inhabitants or more, by cities of 2,500 to 10,000 inhabitants, and by rural districts for the years 1931 and 1932. In 1931 the larger cities in the registration area had the highest rate whereas in 1932 the highest rate was for the smaller cities and the same condition existed in 19 States. In the remaining States, rates for the larger cities either equalled or exceeded those for the rural except in California, Massachusetts, and New Hampshire, where the rates for the rural districts were highest.

The stillbirth ratio for the colored (7.2) was more than double that for the white (3.3) and for each State shown by color this marked difference prevailed, the greatest (6.2) being for Florida.

AREA	1932				1931			
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
The registration area in continental United States	3.8	3.9	4.0	3.6	3.8	4.0	3.8	3.7
White.....	3.3	3.5	3.5	3.0	3.3	3.6	3.4	3.0
Colored.....	7.2	7.7	8.7	6.7	7.1	7.7	7.2	6.8
Alabama.....	4.9	5.6	6.1	4.7	4.9	5.5	5.0	4.7
White.....	3.4	3.7	4.2	3.3	3.4	3.8	3.4	3.3
Colored.....	7.4	8.6	11.2	6.9	7.4	8.3	9.1	7.1
Arizona.....	2.5	2.5	3.1	2.2	3.1	3.1	3.3	3.0
Arkansas.....	4.0	4.5	4.5	3.9	3.9	5.0	4.0	3.8
White.....	3.0	3.2	3.4	2.9	3.0	3.4	3.3	2.9
Colored.....	7.2	10.3	8.3	6.9	7.0	11.3	6.1	6.7
California.....	2.7	2.7	2.6	2.9	2.9	2.9	2.7	2.9
Colorado.....	3.2	3.4	3.5	2.9	3.1	3.0	3.2	3.1
Connecticut.....	2.9	2.9	2.4	2.9	2.7	2.7	3.9	2.3
Delaware.....	3.4	3.4	3.9	3.3	4.1	3.4	6.6	4.4
District of Columbia.....	4.3	4.3	-----	-----	4.6	4.6	-----	-----
White.....	3.1	3.1	-----	-----	3.3	3.3	-----	-----
Colored.....	6.8	6.8	-----	-----	7.5	7.5	-----	-----
Florida.....	5.7	6.3	5.1	5.3	5.6	6.1	5.0	5.5
White.....	3.7	4.0	3.7	3.6	3.7	3.9	3.5	3.6
Colored.....	9.9	12.3	8.5	8.7	10.0	11.9	8.9	9.0
Georgia.....	6.0	7.0	6.9	5.5	6.0	7.2	5.0	5.7
White.....	3.9	4.4	3.8	3.8	3.8	4.2	2.9	3.8
Colored.....	9.3	11.1	12.9	8.1	9.3	12.1	8.9	8.5
Idaho.....	2.7	3.3	2.9	2.4	2.0	2.2	1.9	2.0

Table T—Continued

AREA	STILLBIRTHS PER 100 LIVE BIRTHS							
	1932			1931				
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Illinois.....	3.1	3.2	3.3	2.8	3.4	3.6	3.1	3.1
Indiana.....	2.9	3.0	3.3	2.6	2.9	3.1	3.1	2.7
Iowa.....	3.2	3.8	3.6	2.6	3.2	3.8	3.9	2.5
Kansas.....	2.8	3.4	3.1	2.4	2.9	3.4	3.4	2.5
Kentucky.....	3.4	4.0	4.7	3.1	3.5	3.7	5.6	3.3
White.....	3.2	3.6	4.4	3.0	3.3	3.3	4.8	3.1
Colored.....	6.3	6.8	8.1	5.5	7.9	7.4	13.5	7.1
Louisiana.....	5.0	5.2	6.6	4.7	5.0	4.7	5.8	4.9
White.....	3.4	3.8	4.8	2.9	3.6	3.7	4.3	3.4
Colored.....	7.5	7.6	9.5	7.2	7.1	6.6	8.5	7.1
Maine.....	3.4	3.4	3.1	3.4	3.7	3.6	2.8	3.9
Maryland.....	6.4	6.1	11.1	6.3	6.6	6.4	7.7	7.0
White.....	5.4	5.1	10.1	5.2	5.7	5.4	7.5	5.8
Colored.....	10.2	10.0	17.0	9.8	10.1	10.0	9.0	10.4
Massachusetts.....	3.4	3.4	2.6	4.4	3.5	3.5	3.7	3.3
White.....	3.5	3.6	4.3	3.1	3.6	3.8	3.7	3.1
Colored.....	2.9	3.1	3.7	2.5	3.0	3.4	3.4	2.5
Minnesota.....	4.7	7.0	7.7	4.3	4.6	6.7	2.5	4.4
White.....	3.1	4.7	5.6	2.7	2.9	4.4	1.8	2.7
Colored.....	6.2	11.3	10.3	5.6	6.0	10.8	3.2	5.8
Missouri.....	4.1	4.7	3.9	3.7	4.2	4.7	4.0	3.8
Montana.....	2.8	3.0	3.4	2.5	3.2	3.6	3.1	3.0
Nebraska.....	2.8	2.8	3.3	2.6	2.9	3.2	3.8	2.5
Nevada.....	4.8	6.8	4.4	4.2	3.4	3.7	2.8	3.5
New Hampshire.....	3.8	4.0	2.4	4.2	4.0	3.8	3.7	4.5
New Jersey.....	3.7	3.9	3.0	3.2	3.9	4.0	4.0	3.6
New Mexico.....	3.1	4.1	4.0	2.8	2.8	3.1	3.0	2.7
New York.....	4.2	4.4	3.3	3.2	4.1	4.3	3.4	3.3
North Carolina.....	4.7	6.3	6.0	4.2	4.5	6.4	5.5	4.0
White.....	3.3	4.1	4.1	3.0	3.1	4.1	4.2	2.8
Colored.....	7.8	11.1	13.0	6.8	7.7	11.6	10.6	6.6
North Dakota.....	2.6	3.0	2.9	2.4	2.8	3.3	3.1	2.7
Ohio.....	3.4	3.6	3.5	3.0	3.5	3.7	3.5	3.0
Oklahoma.....	2.6	2.7	3.0	2.4	2.4	2.6	2.5	2.3
White.....	2.4	2.5	2.7	2.3	2.3	2.4	2.3	2.3
Colored.....	4.1	4.1	5.3	3.6	4.0	5.4	4.5	3.2
Oregon.....	2.5	2.8	2.4	2.2	2.7	2.7	3.1	2.4
Pennsylvania.....	3.6	3.7	3.6	3.4	3.6	3.8	3.5	3.3
Rhode Island.....	3.4	3.4	4.4	3.2	3.2	3.2	3.5	3.0
South Carolina.....	6.4	8.7	6.1	6.0	6.2	7.8	6.1	5.9
White.....	3.4	4.0	3.1	3.3	3.4	3.7	3.3	3.3
Colored.....	9.2	15.8	11.1	8.3	8.9	14.1	10.8	8.1
South Dakota.....	2.4	2.3	3.3	2.2	(1)	(1)	(1)	(1)
Tennessee.....	4.0	5.1	4.7	3.5	4.2	5.3	5.2	3.6
White.....	3.3	3.7	3.8	3.1	3.5	3.6	4.7	3.2
Colored.....	7.7	9.2	9.2	6.2	8.3	10.4	8.2	6.6
Utah.....	2.1	2.1	2.0	2.1	2.3	2.8	2.4	1.7
Vermont.....	3.1	3.6	---	2.9	2.8	3.0	3.2	2.6
Virginia.....	4.4	5.7	4.6	4.0	4.4	5.4	5.5	3.9
White.....	3.2	3.5	4.1	2.9	3.0	3.1	4.3	2.8
Colored.....	7.5	10.6	6.9	6.5	7.8	10.8	11.4	6.6
Washington.....	2.5	2.4	2.7	2.5	2.7	2.7	2.6	2.6
West Virginia.....	3.7	4.7	4.5	3.4	3.9	5.1	5.5	3.4
Wisconsin.....	2.7	2.8	3.5	2.5	2.8	3.2	3.2	2.4
Wyoming.....	2.6	2.8	3.1	2.5	2.6	3.3	2.1	2.6

¹ Not added to the registration area until a later date.

STILLBIRTHS BY MONTHS

Table U shows stillbirths per 100 live births by month of birth for the years 1931 and 1932. A comparison of the ratios for the 2 years shows the differences to be few and very slight.

Table U

MONTH OF BIRTH	STILLBIRTHS PER 100 LIVE BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES IN—	
	1932	1931
Total.....	3.8	3.8
January.....	3.9	3.9
February.....	3.8	4.0
March.....	3.9	3.9
April.....	4.0	3.9
May.....	3.9	4.0
June.....	3.8	3.8
July.....	3.7	3.7
August.....	3.6	3.7
September.....	3.5	3.6
October.....	3.7	3.7
November.....	3.8	3.8
December.....	3.8	3.8

STILLBIRTHS BY AGE OF MOTHER

Table V shows stillbirths per 100 live births by age of mother and plainly indicates that as mothers grow older the tendency for stillbirths among them becomes greater, especially after the age of 30. The ratio of 8.7 for mothers 45 to 49 years of age is in marked contrast with 3.2 for mothers in the age periods 20 to 24 and 25 to 29 years.

Table V

AGE OF MOTHER	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932		
	Live births	Stillbirths	Stillbirths per 100 live births
All ages.....	2,074,042	78,351	3.8
10 to 14 years.....	2,415	177	7.3
15 to 19 years.....	247,840	10,102	4.1
20 to 24 years.....	613,199	19,698	3.2
25 to 29 years.....	527,881	16,688	3.2
30 to 34 years.....	351,900	13,075	3.7
35 to 39 years.....	221,271	10,788	4.9
40 to 44 years.....	75,644	4,854	6.4
45 to 49 years.....	7,108	620	8.7
50 to 54 years.....	136	10	7.4
Unknown.....	26,648	2,339	8.8

DIAGRAM 4.—STILLBIRTHS PER 100 LIVE BIRTHS, BY AGE OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932




Table W shows the distribution of births and stillbirths, by age of mother.

Table W

AGE OF MOTHER	DISTRIBUTION PER 1,000 IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932	
	Live births	Stillbirths
All ages.....	1,000.0	1,000.0
10 to 14 years.....	1.2	12.3
15 to 19 years.....	119.5	128.9
20 to 24 years.....	295.7	251.4
25 to 29 years.....	254.5	213.0
30 to 34 years.....	169.7	166.9
35 to 39 years.....	106.7	137.7
40 to 44 years.....	36.5	62.0
45 to 49 years.....	3.4	7.9
50 years and over.....	0.1	0.1
Unknown.....	12.8	29.9

STILLBIRTHS BY LEGITIMACY

Table X shows births and stillbirths, with the ratio of stillbirths to 100 live births, by legitimacy, for cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000, and rural in each State.

Ratios for illegitimates were higher in all States but three—Montana, Rhode Island, and Vermont. In 18 States rates of illegitimacy were highest in the larger cities; in 16 states the higher rates were for the smaller cities; and in 10 States the rates of illegitimacy in rural districts were the highest.

Table X	AREA	1932					
		STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
		Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
The registration area in continental United States: ¹							
Total	73,891	67,616	6,275	3.8	3.6	8.4	
White	55,153	53,124	2,029	3.3	3.2	5.8	
Colored	18,738	14,492	4,246	7.4	6.8	10.7	
Cities of 10,000 or more:							
Total	34,181	31,627	2,554	4.0	3.8	8.2	
White	27,379	26,360	1,019	3.5	3.5	5.5	
Colored	6,802	5,267	1,535	8.1	7.4	12.0	
Cities of 2,500 to 10,000:							
Total	7,472	6,882	590	4.1	3.9	10.4	
White	5,889	5,681	208	3.5	3.5	7.1	
Colored	1,583	1,201	382	9.4	8.5	13.9	
Rural:							
Total	32,238	29,107	3,131	3.6	3.4	8.3	
White	21,885	21,083	802	3.0	2.9	6.0	
Colored	10,353	8,024	2,329	6.8	6.3	9.6	
Alabama:							
Total	3,089	2,608	481	4.9	4.5	8.6	
White	1,337	1,308	29	3.4	3.4	4.1	
Colored	1,752	1,300	452	7.4	7.0	9.2	
Cities of 10,000 or more:							
Total	637	541	96	5.6	5.3	8.7	
White	255	245	10	3.7	3.6	5.5	
Colored	382	296	86	8.6	8.4	9.3	
Cities of 2,500 to 10,000:							
Total	222	180	42	6.1	5.3	15.7	
White	113	111	2	4.2	4.2	4.4	
Colored	109	69	40	11.2	9.2	18.0	
Rural:							
Total	2,230	1,887	343	4.7	4.3	8.1	
White	969	952	17	3.3	3.2	3.6	
Colored	1,261	935	326	6.9	6.5	8.7	
Arizona:							
Total	216	202	14	2.5	2.4	8.0	
Cities of 10,000 or more	62	62	0	2.5	2.2	18.4	
Cities of 2,500 to 10,000	71	64	7	3.1	3.0	16.7	
Rural	77	76	1	2.2	2.2	1.1	
Arkansas:							
Total	1,491	1,338	153	4.0	3.7	9.8	
White	861	828	33	3.0	2.9	8.6	
Colored	630	510	120	7.2	6.7	10.2	
Cities of 10,000 or more:							
Total	147	126	21	4.5	4.0	15.6	
White	87	82	5	3.2	3.1	10.2	
Colored	60	44	16	10.3	8.9	18.6	
Cities of 2,500 to 10,000:							
Total	118	109	9	4.5	4.4	8.2	
White	68	65	3	3.4	3.3	15.0	
Colored	50	44	6	8.3	8.6	6.7	
Rural:							
Total	1,293	1,103	123	3.9	3.6	9.4	
White	706	681	25	2.9	2.9	7.9	
Colored	520	422	98	6.9	6.4	9.8	
Colorado:							
Total	537	537	0	3.2	3.1	4.9	
Cities of 10,000 or more	241	232	9	3.4	3.4	3.1	
Cities of 2,500 to 10,000	72	69	3	3.5	3.4	6.4	
Rural	246	236	10	2.9	2.8	8.9	
Connecticut:							
Total	685	667	18	2.9	2.9	4.3	
Cities of 10,000 or more	556	541	15	2.9	2.9	4.8	
Cities of 2,500 to 10,000	28	27	1	2.4	2.3	4.3	
Rural	101	99	2	2.9	2.9	2.3	
Delaware:							
Total	145	119	26	3.4	2.9	11.6	
Cities of 10,000 or more	74	64	10	3.4	3.1	10.6	
Cities of 2,500 to 10,000	14	13	1	3.9	3.7	12.5	
Rural	57	42	15	3.3	2.6	12.2	
District of Columbia:							
Total	437	362	75	4.3	3.9	9.6	
White	210	202	8	3.1	3.0	4.6	
Colored	227	160	67	6.8	5.8	11.0	
Florida:							
Total	1,550	1,321	229	5.7	5.1	13.7	
White	706	677	29	3.7	3.7	8.7	
Colored	844	644	200	9.9	9.0	15.0	

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy.

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Florida—Continued						
Cities of 10,000 or more:						
Total	639	545	94	6.3	5.7	15.9
White	290	282	8	4.0	3.9	6.6
Colored	349	263	86	12.3	11.1	18.3
Cities of 2,500 to 10,000:						
Total	216	185	31	5.1	4.6	13.9
White	111	103	8	3.7	3.5	33.3
Colored	105	82	23	8.5	7.9	11.6
Rural:						
Total	695	591	104	5.3	4.8	12.1
White	305	292	13	3.6	3.5	6.9
Colored	390	299	91	8.7	7.9	13.6
Georgia:						
Total	3,849	3,227	622	6.0	5.5	12.2
White	1,491	1,451	40	3.9	3.9	6.7
Colored	2,358	1,776	582	9.3	8.5	13.0
Cities of 10,000 or more:						
Total	958	785	173	7.0	6.3	14.4
White	365	357	8	4.4	4.4	5.7
Colored	593	428	165	11.1	10.0	15.5
Cities of 2,500 to 10,000:						
Total	596	492	104	6.9	6.2	16.5
White	213	205	8	3.8	3.7	11.0
Colored	383	287	96	12.9	11.9	17.2
Rural:						
Total	2,295	1,950	345	5.5	5.1	10.6
White	913	889	24	3.8	3.7	6.2
Colored	1,382	1,061	321	8.1	7.4	11.2
Idaho:						
Total	236	229	7	2.7	2.7	7.7
Cities of 10,000 or more	37	33	4	3.3	3.1	10.3
Cities of 2,500 to 10,000	92	92	0	2.9	2.9	—
Rural	107	104	3	2.4	2.4	10.3
Illinois:						
Total	3,446	3,326	120	3.1	3.1	4.5
Cities of 10,000 or more	2,357	2,273	84	3.2	3.1	4.1
Cities of 2,500 to 10,000	335	324	11	3.3	3.3	5.9
Rural	754	729	25	2.8	2.8	5.6
Indiana:						
Total	3,626	3,506	120	6.8	6.7	10.9
Cities of 10,000 or more	2,357	2,273	84	9.6	9.5	12.4
Cities of 2,500 to 10,000	335	324	11	6.4	6.3	11.7
Rural	934	909	25	4.0	4.0	7.6
Iowa:						
Total	1,278	1,226	52	3.2	3.1	7.1
Cities of 10,000 or more	517	485	32	3.8	3.7	6.5
Cities of 2,500 to 10,000	199	191	8	3.6	3.5	13.3
Rural	562	550	12	2.6	2.6	6.7
Kansas:						
Total	894	864	30	2.8	2.8	5.6
Cities of 10,000 or more	336	315	21	3.4	3.3	6.1
Cities of 2,500 to 10,000	132	128	4	3.1	3.0	8.2
Rural	426	421	5	2.4	2.4	3.5
Kentucky:						
Total	2,014	1,928	86	3.4	3.3	7.8
White	1,804	1,742	62	3.2	3.1	8.1
Colored	210	186	24	6.3	6.3	7.2
Cities of 10,000 or more:						
Total	413	393	20	4.0	4.0	5.8
White	326	313	13	3.6	3.5	7.5
Colored	87	80	7	6.8	7.2	4.1
Cities of 2,500 to 10,000:						
Total	218	209	9	4.7	4.6	8.3
White	184	181	3	4.4	4.4	4.8
Colored	34	28	6	8.1	7.4	13.0
Rural:						
Total	1,333	1,326	57	3.1	3.0	8.7
White	1,294	1,248	46	3.0	2.9	8.6
Colored	89	78	11	5.5	5.2	9.3
Louisiana:						
Total	2,186	1,906	280	5.0	4.8	7.6
White	861	844	17	3.4	3.4	3.2
Colored	1,325	1,062	263	7.5	7.3	8.3
Cities of 10,000 or more:						
Total	711	661	50	5.2	5.4	4.0
White	326	323	3	3.8	3.9	1.1
Colored	385	338	47	7.6	8.2	4.9
Cities of 2,500 to 10,000:						
Total	244	205	39	6.6	6.0	11.9
White	114	109	5	4.8	4.7	10.6
Colored	130	96	34	9.5	8.8	12.1
Rural:						
Total	1,231	1,040	191	4.7	4.4	9.0
White	421	412	9	2.9	2.8	4.4
Colored	810	628	182	7.2	6.7	9.5
Maine:						
Total	546	518	28	3.4	3.3	5.5
Cities of 10,000 or more	165	153	12	3.4	3.3	6.3
Cities of 2,500 to 10,000	62	59	3	3.1	3.1	5.5
Rural	319	306	13	3.4	3.4	4.9
Maryland:						
Total	1,856	1,594	262	6.4	5.9	13.2
White	1,211	1,145	66	5.4	5.2	12.7
Colored	645	449	196	10.2	9.2	13.3
Cities of 10,000 or more:						
Total	1,000	873	127	6.1	5.7	12.2
White	657	633	24	5.1	5.0	9.2
Colored	343	240	103	10.0	9.1	13.2

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Maryland—Continued						
Cities of 2,500 to 10,000:						
Total	164	144	20	11.1	10.7	14.8
White	126	116	10	10.1	9.6	21.3
Colored	38	28	10	17.0	20.6	11.4
Rural:						
Total	692	577	115	6.3	5.7	14.1
White	428	396	32	5.2	4.9	15.0
Colored	264	181	83	9.8	8.6	13.8
Michigan:						
Total	2,977	2,871	106	3.5	3.4	5.0
Cities of 10,000 or more	1,862	1,787	75	3.6	3.5	4.7
Cities of 2,500 to 10,000	306	295	11	4.3	4.2	9.6
Rural	809	789	20	3.1	3.0	5.0
Minnesota:						
Total	1,333	1,257	76	2.9	2.8	6.3
Cities of 10,000 or more	576	528	48	3.1	3.0	6.2
Cities of 2,500 to 10,000	195	191	4	3.7	3.7	3.3
Rural	562	538	24	2.5	2.4	7.9
Mississippi:						
Total	2,189	1,849	340	4.7	4.4	8.9
White	678	660	18	3.1	3.1	6.3
Colored	1,511	1,189	322	6.2	5.7	9.1
Cities of 10,000 or more:						
Total	310	249	61	7.0	6.2	15.6
White	135	127	8	4.7	4.5	16.0
Colored	175	122	53	11.3	10.1	15.5
Cities of 2,500 to 10,000:						
Total	188	164	24	7.7	7.3	13.2
White	74	72	2	5.6	5.5	16.7
Colored	114	92	22	10.3	9.8	12.9
Rural:						
Total	1,691	1,436	255	4.3	4.0	7.8
White	469	461	8	2.7	2.7	3.6
Colored	1,222	975	247	5.6	5.2	8.1
Missouri:						
Total	2,477	2,299	178	4.1	4.0	9.3
Cities of 10,000 or more	1,131	1,006	125	4.7	4.4	9.9
Cities of 2,500 to 10,000	217	202	15	3.9	3.7	9.4
Rural	1,129	1,091	38	3.7	3.7	7.6
Montana:						
Total	254	250	4	2.8	2.8	2.0
Cities of 10,000 or more	79	79	0	3.0	3.2	—
Cities of 2,500 to 10,000	55	54	1	3.4	3.4	4.3
Rural	120	117	3	2.5	2.4	3.8
Nebraska:						
Total	693	676	17	2.8	2.7	3.5
Cities of 10,000 or more	203	195	8	2.8	2.8	3.2
Cities of 2,500 to 10,000	98	97	1	3.3	3.3	2.7
Rural	392	384	8	2.6	2.6	4.1
Nevada:						
Total	60	58	2	4.8	4.6	18.2
Cities of 10,000 or more	16	16	0	6.8	6.8	—
Cities of 2,500 to 10,000	15	15	0	4.4	4.4	—
Rural	29	27	2	4.2	4.0	20.0
New Hampshire:						
Total	300	284	16	3.8	3.7	10.7
Cities of 10,000 or more	174	165	9	4.0	3.8	9.9
Cities of 2,500 to 10,000	21	21	0	2.4	2.4	—
Rural	105	98	7	4.2	4.0	14.3
New Jersey:						
Total	2,291	2,205	86	3.7	3.7	6.7
Cities of 10,000 or more	1,886	1,816	70	3.9	3.8	6.9
Cities of 2,500 to 10,000	162	158	4	3.0	3.0	5.0
Rural	243	231	12	3.2	3.1	6.6
New Mexico:						
Total	389	372	17	3.1	3.1	4.1
Cities of 10,000 or more	57	53	4	4.1	3.9	7.3
Cities of 2,500 to 10,000	83	80	3	4.0	4.0	3.9
Rural	249	239	10	2.8	2.8	3.5
New York:						
Total	8,258	7,984	274	4.2	4.1	7.4
Cities of 10,000 or more	7,151	6,927	224	4.4	4.3	7.6
Cities of 2,500 to 10,000	323	311	12	3.3	3.2	5.9
Rural	784	746	38	3.2	3.1	6.9
North Carolina:						
Total	3,636	2,989	647	4.7	4.2	10.3
White	1,746	1,633	113	3.3	3.2	6.3
Colored	1,890	1,356	534	7.8	6.9	11.5
Cities of 10,000 or more:						
Total	821	607	214	6.3	5.2	14.9
White	362	338	24	4.1	3.9	7.9
Colored	459	269	190	11.1	8.9	16.8
Cities of 2,500 to 10,000:						
Total	328	268	60	6.0	5.3	14.3
White	176	162	14	4.1	3.9	12.2
Colored	152	106	46	13.0	12.2	15.1
Rural:						
Total	2,487	2,114	373	4.2	3.8	8.4
White	1,208	1,153	55	3.0	2.9	5.2
Colored	1,279	961	318	6.8	6.2	9.4
North Dakota:						
Total	362	346	16	2.6	2.5	5.0
Cities of 10,000 or more	69	65	4	3.0	3.0	2.5
Cities of 2,500 to 10,000	41	39	2	2.9	2.8	7.1
Rural	252	242	10	2.4	2.4	7.5
Ohio:						
Total	3,453	3,275	178	3.4	3.3	7.0
Cities of 10,000 or more	2,206	2,082	124	3.6	3.5	7.1
Cities of 2,500 to 10,000	283	277	6	3.5	3.5	3.8
Rural	964	916	48	3.0	2.9	7.6

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Oklahoma:						
Total	1,056	1,013	43	2.6	2.5	4.9
White	913	887	26	2.4	2.4	4.6
Colored	143	126	17	4.1	4.0	5.3
Cities of 10,000 or more:						
Total	259	245	14	2.7	2.6	5.5
White	223	215	8	2.5	2.5	5.4
Colored	36	30	6	4.1	3.9	5.8
Cities of 2,500 to 10,000:						
Total	244	236	8	3.0	2.9	6.4
White	203	193	10	2.7	2.7	8.6
Colored	41	38	3	5.3	5.4	4.5
Rural:						
Total	553	532	21	2.4	2.4	4.2
White	487	474	13	2.3	2.3	3.7
Colored	66	58	8	3.6	3.4	5.3
Oregon:						
Total	322	308	14	2.5	2.4	6.0
Cities of 10,000 or more	157	147	10	2.8	2.7	5.8
Cities of 2,500 to 10,000	65	65	0	2.4	2.5	—
Rural	100	96	4	2.2	2.1	8.7
Pennsylvania:						
Total	6,021	5,653	368	3.6	3.5	6.5
Cities of 10,000 or more	3,243	2,223	1,020	3.7	3.6	6.3
Cities of 2,500 to 10,000	766	725	41	3.6	3.5	7.7
Rural	1,789	1,685	104	3.4	3.3	6.6
Rhode Island:						
Total	382	373	9	3.4	3.4	3.3
Cities of 10,000 or more	345	336	9	3.4	3.4	3.4
Cities of 2,500 to 10,000	14	14	0	4.4	4.4	—
Rural	23	23	0	3.2	3.3	—
South Carolina:						
Total	2,651	2,116	535	6.4	5.7	11.3
White	678	657	21	3.4	3.4	4.2
Colored	1,973	1,459	514	9.2	8.5	12.2
Cities of 10,000 or more:						
Total	478	356	122	8.7	7.4	16.8
White	135	130	5	4.0	4.0	3.8
Colored	343	226	117	15.8	14.4	19.7
Cities of 2,500 to 10,000:						
Total	179	137	42	6.1	5.2	14.6
White	56	56	0	3.1	3.2	—
Colored	123	81	42	11.1	9.4	16.6
Rural:						
Total	1,994	1,623	371	6.0	5.5	10.0
White	487	471	16	3.3	3.2	4.8
Colored	1,507	1,152	355	8.3	7.8	10.5
South Dakota:						
Total	312	302	10	2.4	2.3	4.4
Cities of 10,000 or more	55	52	3	2.3	2.3	3.3
Cities of 2,500 to 10,000	39	38	1	3.3	3.2	6.7
Rural	218	212	6	2.2	2.2	4.9
Tennessee:						
Total	2,097	1,902	195	4.0	3.8	9.2
White	1,473	1,423	50	3.3	3.3	5.5
Colored	624	479	145	7.7	7.0	11.9
Cities of 10,000 or more:						
Total	692	592	100	5.1	4.7	10.6
White	371	360	11	3.7	3.7	3.9
Colored	321	232	89	9.2	8.2	13.5
Cities of 2,500 to 10,000:						
Total	195	177	18	4.7	4.4	10.7
White	134	129	5	3.8	3.7	7.0
Colored	61	48	13	9.2	8.5	13.3
Rural:						
Total	1,210	1,138	72	3.5	3.4	7.5
White	968	934	34	3.1	3.1	6.1
Colored	242	199	43	6.2	5.7	9.3
Utah:						
Total	247	243	4	2.1	2.0	3.4
Cities of 10,000 or more	101	98	3	2.1	2.1	4.2
Cities of 2,500 to 10,000	42	42	0	2.0	2.0	—
Rural	104	103	1	2.1	2.1	2.4
Vermont:						
Total	184	180	4	3.1	3.1	2.7
Cities of 10,000 or more	42	40	2	3.6	3.6	3.8
Cities of 2,500 to 10,000	25	25	0	1.9	1.9	—
Rural	117	115	2	3.3	3.3	3.2
Virginia:						
Total	2,422	2,064	358	4.4	4.1	9.3
White	1,224	1,160	64	3.2	3.1	6.5
Colored	1,198	904	294	7.5	6.8	10.3
Cities of 10,000 or more:						
Total	709	571	138	5.7	5.0	13.3
White	308	293	15	3.5	3.5	7.1
Colored	401	278	123	10.6	9.4	14.9
Cities of 2,500 to 10,000:						
Total	176	156	20	4.6	4.3	9.3
White	130	122	8	4.1	3.9	9.2
Colored	46	34	12	6.9	6.3	9.4
Rural:						
Total	1,537	1,337	200	4.0	3.7	7.7
White	786	745	41	2.9	2.9	5.9
Colored	751	592	159	6.5	6.1	8.8
Washington:						
Total	530	512	18	2.5	2.4	3.9
Cities of 10,000 or more	311	302	9	2.4	2.4	2.6
Cities of 2,500 to 10,000	63	62	1	2.7		

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
West Virginia:						
Total.....	1,431	1,292	139	3.7	3.5	8.0
Cities of 10,000 or more.....	295	261	35	4.7	4.4	11.7
Cities of 2,500 to 10,000.....	160	146	14	4.5	4.2	10.0
Rural.....	975	885	90	3.4	3.2	6.9
Wisconsin:						
Total.....	1,457	1,407	50	2.7	2.7	4.1
Cities of 10,000 or more.....	666	635	31	2.8	2.8	4.6
Cities of 2,500 to 10,000.....	209	203	6	3.5	3.5	5.6
Rural.....	582	569	13	2.5	2.5	2.9
Wyoming:						
Total.....	112	110	2	2.6	2.6	2.9
Cities of 10,000 or more.....	19	18	1	2.8	2.7	5.6
Cities of 2,500 to 10,000.....	25	25	0	3.1	3.2	---
Rural.....	68	67	1	2.5	2.5	3.2

PERCENT OF STILLBIRTHS FROM CERTAIN CAUSES AT SPECIFIED PERIODS OF UTEROGESTATION

In table Y the percentage distribution by sex and by cause is shown for the number of stillbirths reported in seven States, the District of Columbia, and Baltimore, Md., the total number being 17,486. Similar tabulations are not available for other States or cities, as information concerning the cause of stillbirths and the period of gestation is not returned on a sufficient number of transcripts to warrant its tabulation.

Note the much greater preponderance of males in the stillbirths of the first 4 months of uterogestation as compared with those of the later months. The following comments apply to male stillbirths presented for the seventh, eighth, and ninth months of uterogestation, these being the months for which stillbirths are believed to be best reported.

Table Y

SEX AND CAUSE OF STILLBIRTH	A SELECTED AREA: ¹ 1932									
	Total	Period of uterogestation of stillbirth								
		Under 4 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Stillbirths, number.....	17,486	344	674	1,242	1,855	2,529	3,563	5,839	289	1,151
Male.....	9,888	275	436	704	1,008	1,350	1,982	3,304	158	671
Female.....	7,598	69	238	538	847	1,179	1,581	2,535	131	480
	PERCENT OF EACH SEX									
Male.....	56.5	79.9	64.7	56.7	54.3	53.4	55.6	56.6	54.7	58.3
Female.....	43.5	20.1	35.3	43.3	45.7	46.6	44.4	43.4	45.3	41.7
	PERCENT OF EACH CAUSE TO ALL CAUSES OF EACH SEX									
All causes.....	(M) 100.0 (F) 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Syphilis.....	(M) 3.0 (F) 2.7	2.2	3.4	2.1	4.7	4.6	3.1	2.3	1.3	1.3
Eclampsia of pregnancy.....	(M) 1.6 (F) 1.9	1.4	0.5	1.9	3.5	3.7	3.2	2.1	1.5	1.9
Toxemia of pregnancy.....	(M) 2.9 (F) 3.1	1.5	1.4	2.8	4.1	5.3	2.8	2.1	1.9	1.5
Albuminuria, nephritis, and other diseases incident to pregnancy.....	(M) 2.3 (F) 2.1	1.1	1.6	2.6	3.6	4.1	2.8	1.3	---	1.3
Malformations.....	(M) 5.3 (F) 9.0	0.4	0.5	0.7	5.1	5.8	7.4	6.4	6.3	3.0
Placenta praevia.....	(M) 3.1 (F) 3.0	2.2	3.0	3.4	4.0	3.9	4.3	2.1	1.9	1.3
Separation of placenta.....	(M) 5.9 (F) 6.2	2.5	6.7	5.3	7.6	9.3	7.1	4.2	1.9	4.0
Other diseases of the placenta and membranes.....	(M) 1.9 (F) 2.0	0.7	1.4	2.6	3.1	1.6	1.7	2.0	0.6	0.9
Abortion, miscarriage, and premature birth.....	(M) 8.2 (F) 7.5	21.8	24.1	23.4	18.8	14.6	2.2	0.1	0.6	6.4
Prolapse and compression of cord.....	(M) 10.2 (F) 10.1	1.1	3.9	2.1	3.6	5.3	12.9	16.4	15.2	6.3
Breech presentation.....	(M) 3.0 (F) 2.6	0.4	---	0.3	0.7	1.0	3.3	5.5	5.1	3.4
Other malpresentations.....	(M) 2.3 (F) 1.9	1.4	---	0.2	0.6	0.7	2.2	5.2	2.3	2.9
Deformed pelvis.....	(M) 1.7 (F) 1.1	---	---	0.1	0.2	0.4	2.3	3.1	2.5	0.7
Other difficult labor.....	(M) 9.5 (F) 7.6	0.4	0.2	0.3	0.6	2.4	9.7	19.4	25.3	4.3
Asphyxia of child (cause not stated).....	(M) 4.3 (F) 3.9	8.7	3.7	3.0	2.6	3.5	4.5	5.2	5.7	3.0
Maceration.....	(M) 1.8 (F) 1.8	0.7	0.9	1.0	1.0	2.2	1.7	2.1	4.4	1.5
Other deaths in utero.....	(M) 4.7 (F) 4.9	6.2	4.8	8.4	6.8	6.1	4.7	3.3	2.5	1.8
Traumatism (exclusive of overwork).....	(M) 2.5 (F) 2.5	8.0	6.4	6.0	4.3	2.9	2.2	0.7	---	0.6
Other specified causes.....	(M) 2.1 (F) 2.1	---	0.5	0.9	0.9	2.1	2.8	2.8	3.2	1.0
Causes not specified and unknown.....	(M) 23.9 (F) 24.0	42.2	37.2	34.2	25.8	21.6	19.8	15.3	16.5	54.2
		30.4	40.3	33.8	26.8	23.7	20.8	16.6	11.5	52.1

¹ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, Md., and the District of Columbia.

For stillbirths of 7 and 8 months, only 22 and 20 percent, respectively, were due to causes not specified or unknown, though these percentages would change to 36 and 22, respectively, if the terms "abortion", "miscarriage", and "premature birth" were included. For stillbirths of 9 months, 15 percent only were due to unknown or not specified causes.

Of the well-defined causes of stillbirths of 7 months' uterogestation, separation of the placenta was the principal cause, being responsible for 9.3 percent of the total. Next in importance were malformations, 5.8 percent; toxemia of pregnancy, and prolapse and compression of cord, each 5.3 percent; and syphilis, 4.6 percent.

Of the well-defined causes of 8 months' uterogestation, prolapse and compression of cord was of first importance, responsible for 12.9 percent of the total. Next in importance were other difficult labor, 9.7 percent; malformations, 7.4 percent; and separation of placenta, 7.1 percent.

Of the well-defined causes of 9 months' uterogestation, other difficult labor was the principal cause, responsible for 19.4 percent of the total. Next in importance were prolapse and compression of cord,

16.4 percent; malformations, 6.4 percent; breech presentation, 5.5 percent; and asphyxia of child, 5.2 percent.

From table Z, which shows the percent of stillbirths at specified periods of uterogestation by sex and cause of stillbirth, it is found that 33 percent of the male stillbirths reported were at the ninth month, and that for 19 of the 20 groups of causes there were more stillbirths of males than females. Malformations, as usual, was the only cause responsible for more stillbirths of females than males.

As causes of stillbirths among males, albuminuria, nephritis, and other diseases incident to pregnancy played their most important role at the sixth, seventh, eighth, and ninth months; the higher percentages of stillbirths from abortion, miscarriage, and premature birth were credited to the fifth, sixth, and seventh months; the higher percentages from both eclampsia of pregnancy and toxemia of pregnancy were credited to the seventh, eighth, and ninth months; from traumatism to the fifth, sixth, seventh, and eighth months; from placenta praevia and separation of placenta to the eighth month; while for all other causes listed the higher percentages were for the ninth month.

Table Z A SELECTED AREA:¹ 1932

CAUSE OF STILLBIRTH	Stillbirths			Percent of stillbirths at specified period of uterogestation for total of each sex																				
	Number		Percent of each sex		All periods, M. and F.	Under 4 months		4 months		5 months		6 months		7 months		8 months		9 months		10 months and over		Unknown		
	Total	M.	F.	M.		F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All causes.....	17,486	9,888	7,598	56.5	43.5	100.0	2.8	0.9	4.4	3.1	7.1	7.1	10.2	11.1	13.7	15.5	20.0	20.8	33.4	33.4	1.6	1.7	6.8	6.3
Syphilis.....	498	294	204	59.0	41.0	100.0	2.0	0.5	5.1	2.5	5.1	4.9	16.0	14.7	21.1	21.6	20.7	24.5	26.2	26.0	0.7	1.0	3.1	4.4
Eclampsia of pregnancy.....	302	161	141	53.3	46.7	100.0	-----	-----	1.2	-----	3.7	2.8	11.8	13.5	20.5	27.7	23.6	19.9	29.8	29.8	2.5	2.8	6.8	3.5
Toxemia of pregnancy.....	517	282	235	54.5	45.5	100.0	1.4	-----	2.1	2.1	7.1	3.8	14.5	16.6	25.5	24.7	19.5	21.7	25.2	27.2	1.1	1.3	3.5	2.6
Albuminuria, nephritis, and other diseases incident to pregnancy.....	387	225	162	58.1	41.9	100.0	1.3	0.6	3.1	1.9	8.0	6.2	16.0	15.4	24.4	31.5	24.4	25.3	18.7	16.0	-----	-----	4.0	3.1
Malformations.....	1,207	525	682	43.5	56.5	100.0	0.2	0.3	0.4	0.1	1.0	1.9	9.7	7.2	14.9	18.5	27.8	29.6	40.4	36.1	1.9	1.9	3.8	4.4
Placenta praevia.....	528	303	225	57.4	42.6	100.0	2.0	0.9	4.3	4.9	7.9	6.7	13.2	14.7	17.2	23.6	28.1	20.9	23.4	23.6	1.0	-----	3.0	4.9
Separation of placenta.....	1,056	584	472	55.3	44.7	100.0	1.2	0.8	5.0	2.5	6.3	7.0	13.2	11.9	21.4	17.4	24.0	25.4	23.8	29.0	0.5	1.1	4.6	4.9
Other diseases of the placenta and membranes.....	337	183	154	54.3	45.7	100.0	1.1	1.3	3.3	3.9	9.8	8.4	16.9	11.7	11.5	10.4	18.0	31.8	35.5	26.0	0.5	1.9	3.3	4.5
Abortion, miscarriage, and premature birth.....	1,380	808	572	58.6	41.4	100.0	7.4	3.5	13.0	8.6	20.4	23.1	23.4	30.9	24.4	22.7	5.4	5.1	0.5	0.5	0.1	-----	5.3	5.6
Prolapse and compression of cord.....	1,775	1,006	769	56.7	43.3	100.0	0.3	0.1	1.7	0.8	1.5	2.3	3.6	3.4	7.1	8.5	25.4	25.5	53.9	53.3	2.4	2.7	4.2	3.4
Breech presentation.....	500	301	199	60.2	39.8	100.0	0.3	0.5	-----	-----	0.7	0.5	2.3	2.5	4.7	4.0	21.6	17.6	60.1	66.3	2.7	1.5	7.6	7.0
Other malpresentations.....	373	226	147	60.6	39.4	100.0	-----	-----	-----	-----	-----	-----	4.0	3.4	5.8	5.4	25.2	23.8	58.4	62.6	1.8	1.4	4.9	3.4
Deformed pelvis.....	248	165	83	66.5	33.5	100.0	-----	-----	-----	-----	0.6	-----	1.2	2.4	3.0	1.2	27.3	21.7	62.4	62.7	2.4	7.2	3.0	4.8
Other difficult labor.....	1,520	944	576	62.1	37.9	100.0	0.1	-----	0.1	-----	0.2	0.2	0.6	0.5	3.4	2.4	20.4	22.0	67.8	67.0	4.2	4.5	3.1	3.3
Asphyxia of child (cause not stated).....	721	424	297	58.8	41.2	100.0	5.7	0.3	3.8	3.4	5.0	4.0	6.1	6.1	11.1	12.5	21.0	18.9	40.6	46.1	2.1	2.0	4.7	6.7
Maceration.....	313	175	138	55.9	44.1	100.0	1.1	0.7	2.3	2.2	4.0	2.9	5.7	15.9	17.1	18.1	19.4	25.4	40.6	29.7	4.0	4.3	5.7	0.7
Other deaths in utero.....	841	469	372	55.8	44.2	100.0	3.6	1.9	4.5	3.2	12.6	10.8	14.7	14.0	17.7	20.7	20.0	17.2	23.5	23.2	0.9	2.2	2.6	1.9
Traumatism (exclusive of overwork).....	438	245	193	55.9	44.1	100.0	9.0	2.1	11.4	7.8	17.1	19.2	17.6	16.1	15.9	26.4	17.6	13.5	9.8	13.0	-----	1.0	1.6	1.0
Other specified causes.....	365	208	157	57.0	43.0	100.0	-----	0.6	1.0	2.5	2.9	2.5	4.3	6.4	13.9	9.6	26.9	27.4	45.2	44.6	2.4	3.8	3.4	2.5
Causes not specified and unknown.....	4,180	2,360	1,820	56.5	43.5	100.0	4.9	1.2	6.9	5.3	10.2	10.0	11.0	12.5	12.4	15.3	16.7	18.1	21.4	23.1	1.1	0.8	15.4	13.7

¹ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, Md., and the District of Columbia.

INFANT MORTALITY STATISTICS: 1932

INTRODUCTION

The infant mortality rate is the number of deaths of infants under 1 year of age per 1,000 born alive. As infant mortality rates require the number of births, it is possible to show such rates for only the birth registration area and its subdivisions.

In 1932 the rate of infant mortality for the birth registration area in continental United States was 58. This is 4 lower than the rate for 1931 and is the lowest rate for the area since its establishment in 1915. It is practically equivalent to saying that of every 17 infants born alive 1 dies before reaching the age of 1 year.

INFANT MORTALITY RATES: 1927 TO 1932

Table AA shows infant mortality rates for the birth registration area, registration States, and registration cities of 25,000 inhabitants or more in 1930 for the years 1927 to 1932.

For the 47 States in the registration area in 1932 the infant mortality rates ranged from 41 in Oregon to 119 in New Mexico. A comparison of the rates for 1932 with those for 1931 shows that with the exception of five States all had lower rates in the later year. The rates for New Hampshire and Vermont were slightly higher, and those for Alabama, Kansas, and Tennessee remained the same. The greatest decrease (15 per 1,000 live births) was in the rates for both Delaware and New Mexico. Other large decreases (14, 13, and 12) were in the rates for Arizona, Idaho, and Maryland, respectively.

For the 88 cities having populations of 100,000 or more at the census of 1930, the infant mortality rates varied from 34 in Portland, Oreg., to 96 in Memphis, Tenn. The rates for 57 of these cities were lower in 1932 than in 1931; for 26 cities they were higher; and for 5 the rates did not change.

The greatest decrease (28) was in the rate for Evansville, Ind. Other large decreases were 27 in the rate for New Bedford, Mass., 20 for Jersey City, N.J., and 18 for Hartford, Conn. The large increases (15, 12, 11, and 10) were in the rates for Utica, N.Y., Flint, Mich., Tulsa, Okla., and Canton, Ohio, respectively.

Cities with populations between 25,000 and 100,000 in 1930 numbered 272. Fifty-five percent of these had lower rates in 1932 than in 1931, and 41 percent had higher rates. The greatest decreases were 54 in the rate for Maywood, Ill., 51 for Cicero, Ill., 44 for Belleville, N.J., 42 for Lexington, Ky., and 41 for Port Huron, Mich.

The largest increases were 59 in the rate for University City, Mo., 47 for Norwood, Ohio, 44 for Richmond, Ind., and 43 for both Brookline, Mass., and East Cleveland, Ohio.

Table AA AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
SUMMARY						
The registration area in continental United States	58	62	65	68	69	65
White.....	53	57	60	63	64	61
Colored.....	86	96	102	102	106	100
Cities of 10,000 or more.....	57	61	63	66	69	65
White.....	53	56	58	62	65	61
Colored.....	95	105	111	114	121	113
Remainder of area.....	58	62	66	69	68	64
White.....	54	57	61	64	63	60
Colored.....	81	90	98	96	98	92
REGISTRATION STATES						
Alabama.....	61	61	72	74	75	64
White.....	52	53	60	64	64	55
Colored.....	76	77	94	91	94	82
Arizona.....	96	110	117	133	142	130
White.....	53	62	71	125	129	120
Colored.....	145	165	166	218	277	263
Arkansas.....	45	49	51	58	67	61
White.....	43	48	50	55	61	56
Colored.....	52	51	56	69	86	77
California.....	53	57	59	63	62	62
White.....	42	45	57	63	62	62
Colored.....	96	104	80	74	65	69
Colorado.....	71	81	94	91	89	(?)
White.....	65	73	79	91	89	(?)
Colored.....	150	187	(?)	122	82	(?)
Connecticut.....	49	54	56	64	59	59
White.....	48	52	55	64	57	58
Colored.....	95	103	110	89	106	72
Delaware.....	67	82	78	81	78	71
White.....	62	68	70	71	69	62
Colored.....	91	155	120	129	124	112
Florida.....	61	64	64	65	67	67
White.....	49	52	50	52	55	56
Colored.....	87	91	95	94	95	93
Georgia.....	64	68	77	76	82	(?)
White.....	55	57	65	66	68	(?)
Colored.....	78	86	97	93	104	(?)
Idaho.....	43	56	57	55	59	50
White.....	41	53	55	53	57	49
Colored.....	149	211	164	231	230	157
Illinois.....	53	59	56	61	64	64
White.....	52	57	54	60	62	62
Colored.....	71	87	90	99	105	105
Indiana.....	55	58	58	64	63	59
White.....	53	56	55	62	61	57
Colored.....	91	91	140	109	102	96
Iowa.....	48	49	54	53	53	55
White.....	47	48	53	52	53	55
Colored.....	198	156	153	71	109	158
Kansas.....	48	48	53	58	59	55
White.....	47	48	52	56	57	53
Colored.....	69	52	60	118	127	127
Kentucky.....	63	65	65	71	70	61
White.....	61	61	62	67	66	58
Colored.....	108	137	122	130	118	109
Louisiana.....	65	66	78	74	78	77
White.....	53	53	62	59	64	58
Colored.....	82	85	103	98	102	109
Maine.....	63	72	76	77	73	80
White.....	63	71	75	77	72	80
Colored.....	121	125	211	95	182	318
Maryland.....	69	81	75	80	80	81
White.....	57	66	63	69	67	68
Colored.....	110	132	121	120	128	134
Massachusetts.....	53	55	60	62	64	65
White.....	52	54	60	61	64	64
Colored.....	94	81	98	85	97	98

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION STATES—contd.						
Michigan.....	54	57	63	66	69	68
White.....	53	56	61	65	68	66
Colored.....	68	94	95	109	126	102
Minnesota.....	47	51	52	51	54	52
White.....	47	50	51	50	53	51
Colored.....	95	99	150	140	129	127
Mississippi.....	54	56	68	72	74	67
White.....	44	44	51	58	61	55
Colored.....	62	67	83	85	86	78
Missouri.....	57	63	59	62	66	60
White.....	54	60	55	58	62	57
Colored.....	110	108	108	121	123	112
Montana.....	51	60	58	64	61	66
White.....	46	52	54	57	54	60
Colored.....	121	182	138	204	202	169
Nebraska.....	43	49	49	52	53	51
White.....	42	47	48	51	52	51
Colored.....	96	105	114	97	118	81
Nevada.....	70	74	68	67	(²)	(²)
White.....	61	63	57	63	(²)	(²)
Colored.....	170	162	219	117	(²)	(²)
New Hampshire.....	59	57	61	68	69	69
White.....	59	57	61	68	69	69
Colored.....			100			77
New Jersey.....	50	57	56	60	65	61
White.....	47	54	53	57	61	58
Colored.....	92	98	99	105	124	113
New Mexico.....	119	134	145	145	(²)	(²)
White.....	116	130	143	142	(²)	(²)
Colored.....	205	229	186	230	(²)	(²)
New York.....	53	57	59	61	65	59
White.....	51	55	57	59	63	57
Colored.....	93	104	103	111	123	109
North Carolina.....	67	73	79	79	86	79
White.....	57	60	67	67	75	66
Colored.....	87	102	105	107	109	109
North Dakota.....	55	59	62	67	59	63
White.....	55	58	61	65	58	61
Colored.....	95	113	75	238	188	290
Ohio.....	58	60	61	69	66	62
White.....	57	58	58	66	64	60
Colored.....	97	106	107	120	113	103
Oklahoma.....	50	51	61	70	69	(²)
White.....	47	48	57	66	65	(²)
Colored.....	81	86	107	142	131	(²)
Oregon.....	41	44	50	48	47	48
White.....	40	43	48	47	45	46
Colored.....	95	87	149	92	106	96
Pennsylvania.....	60	67	68	71	72	69
White.....	58	64	60	69	70	67
Colored.....	98	115	106	106	116	112
Rhode Island.....	57	61	60	72	67	67
White.....	57	61	62	72	66	65
Colored.....	87	89	49	94	157	140
South Carolina.....	77	81	89	91	97	(¹)
White.....	61	59	69	72	78	(¹)
Colored.....	92	102	108	110	115	(¹)
South Dakota.....	50	(²)	(²)	(²)	(²)	(²)
White.....	47	(²)	(²)	(²)	(²)	(²)
Colored.....	126	(²)	(²)	(²)	(²)	(²)
Tennessee.....	68	68	76	77	81	71
White.....	63	61	69	69	73	64
Colored.....	95	102	115	117	121	107
Utah.....	44	51	57	59	59	54
White.....	43	50	55	57	57	53
Colored.....	202	148	192	215	168	154
Vermont.....	63	60	65	66	65	70
White.....	63	60	65	66	65	70
Colored.....					91	77
Virginia.....	67	76	77	79	76	75
White.....	58	64	65	67	64	62
Colored.....	90	108	107	107	104	106
Washington.....	45	48	49	49	48	50
White.....	44	46	46	47	47	48
Colored.....	88	122	122	107	85	94
West Virginia.....	75	77	81	78	70	72
White.....	73	75	80	76	69	70
Colored.....	103	111	97	96	95	101
Wisconsin.....	50	53	56	60	61	59
White.....	50	52	55	59	61	59
Colored.....	104	138	184	104	177	120
Wyoming.....	57	67	69	70	68	69
White.....	51	62	61	69	65	65
Colored.....	129	133	180	122	173	170

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930						
Akron, Ohio.....	46	54	55	64	69	62
Albany, N.Y.....	49	57	60	70	69	67
Atlanta, Ga.....	69	84	94	94	100	(²)
White.....	56	65	65	75	71	(²)
Colored.....	92	121	148	128	156	(²)
Baltimore, Md.....	62	74	65	73	82	81
White.....	53	64	57	62	70	70
Colored.....	94	111	94	111	124	127
Birmingham, Ala.....	65	65	78	88	95	78
White.....	49	53	55	65	74	58
Colored.....	87	86	111	124	127	111
Boston, Mass.....	59	61	70	69	77	76
White.....	59	60	69	68	77	76
Colored.....	85	78	90	92	79	99
Bridgeport, Conn.....	47	52	47	71	60	43
Buffalo, N.Y.....	67	66	67	66	74	72
Cambridge, Mass.....	57	50	47	57	54	54
Camden, N.J.....	68	69	69	71	77	68
Canton, Ohio.....	69	59	62	66	84	64
Chattanooga, Tenn.....	90	89	108	83	130	125
White.....	79	72	92	64	102	97
Colored.....	124	151	171	150	228	202
Chicago, Ill.....	49	56	54	60	64	63
White.....	48	55	51	58	61	61
Colored.....	58	75	77	86	98	89
Cincinnati, Ohio.....	55	71	65	77	85	73
White.....	48	62	56	70	80	69
Colored.....	113	140	134	127	122	100
Cleveland, Ohio.....	53	53	54	61	60	56
White.....	50	51	50	58	57	53
Colored.....	83	77	100	95	93	84
Columbus, Ohio.....	61	61	71	71	73	64
White.....	59	61	67	65	69	59
Colored.....	74	66	100	123	100	97
Dayton, Ohio.....	55	62	55	66	67	71
Denver, Colo.....	69	70	93	84	91	(²)
Des Moines, Iowa.....	57	54	51	53	52	60
Detroit, Mich.....	52	56	65	69	77	70
White.....	51	53	62	66	74	68
Colored.....	63	85	90	106	122	95
Duluth, Minn.....	52	59	62	46	64	53
Elizabeth, N.J.....	47	46	46	63	68	66
Erie, Pa.....	54	49	50	57	60	58
Evansville, Ind.....	45	73	67	74	69	62
Fall River, Mass.....	53	59	66	66	68	78
Flint, Mich.....	61	49	63	72	86	84
Fort Wayne, Ind.....	49	47	55	61	58	55
Gary, Ind.....	55	63	68	72	70	62
Grand Rapids, Mich.....	40	43	48	53	54	53
Hartford, Conn.....	54	72	63	68	61	74
Indianapolis, Ind.....	61	58	64	68	66	62
White.....	58	56	55	61	62	57
Colored.....	83	71	122	110	94	91
Jacksonville, Fla.....	54	56	67	73	67	65
White.....	33	53	50	52	46	50
Colored.....	97	63	105	114	112	95
Jersey City, N.J.....	54	74	72	67	85	63
Kansas City, Kans.....	59	66	66	72	74	75
White.....	54	72	68	64	71	63
Colored.....	89	39	59	140	89	158
Kansas City, Mo.....	57	69	68	74	76	70
White.....	53	63	64	72	69	66
Colored.....	94	126	100	98	153	110
Knoxville, Tenn.....	75	81	81	80	92	77
White.....	71	78	80	75	85	69
Colored.....	104	110	93	135	153	146
Long Beach, Calif.....	36	31	41	39	38	50
Los Angeles, Calif.....	56	59	62	65	66	66
White.....	52	53	61	64	66	66
Colored.....	71	78	71	75	84	66
Louisville, Ky.....	67	77	67	72	81	66
White.....	61	67	63	66	75	64
Colored.....	102	144	96	108	129	80
Lowell, Mass.....	67	77	78	69	77	90
Lynn, Mass.....	42	45	55	56	68	66
Memphis, Tenn.....	96	102	102	95	90	80
White.....	76	83	81	73	67	64
Colored.....	127	137	139	137	130	108
Miami, Fla.....	58	57	58	48	67	72
White.....	45	40	44	39	50	55
Colored.....	91	101	94	67	106	116

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930—continued						
Milwaukee, Wis.....	47	58	58	74	71	68
Minneapolis, Minn.....	54	61	55	49	51	47
Nashville, Tenn.....	78	87	99	98	100	71
White.....	78	76	87	90	89	61
Colored.....	81	120	138	122	138	103
Newark, N.J.....	41	49	51	58	61	61
White.....	36	44	45	48	53	52
Colored.....	79	84	97	133	127	132
New Bedford, Mass.....	56	83	54	66	79	66
New Haven, Conn.....	44	55	48	47	57	54
New Orleans, La.....	75	75	88	80	78	88
White.....	61	60	71	61	62	65
Colored.....	99	104	120	117	111	135
New York, N.Y.....	51	56	58	59	65	56
White.....	48	52	55	56	62	53
Colored.....	93	106	105	111	128	108
Bronx Borough.....	41	43	41	63	61	51
Brooklyn Borough.....	47	55	56	62	62	56
White.....	45	53	54	54	59	53
Colored.....	96	122	108	107	132	119
Manhattan Borough.....	63	65	71	58	69	57
White.....	58	60	66	51	61	52
Colored.....	94	100	104	107	123	100
Queens Borough.....	43	49	50	67	76	61
Richmond Borough.....	58	56	55	66	59	50
Norfolk, Va.....	60	72	75	87	77	86
White.....	38	44	44	51	49	48
Colored.....	107	126	139	155	125	148
Oakland, Calif.....	40	41	47	47	47	53
White.....	41	39	46	47	47	50
Colored.....	32	55	49	37	55	91
Oklahoma City, Okla.....	64	62	83	66	68	(2)
White.....	63	58	(6)	(6)	(6)	(2)
Colored.....	73	112	(6)	(6)	(6)	(2)
Omaha, Nebr.....	42	54	50	58	57	59
White.....	41	52	50	59	57	60
Colored.....	63	85	47	54	53	40
Paterson, N.J.....	49	59	51	56	57	50
Peoria, Ill.....	57	72	63	58	85	81
Philadelphia, Pa.....	52	64	64	62	71	64
White.....	47	58	58	56	63	58
Colored.....	53	103	100	99	117	103
Pittsburgh, Pa.....	67	70	69	73	75	72
White.....	63	65	65	70	71	68
Colored.....	102	114	108	111	111	112
Portland, Oreg.....	94	86	41	43	43	47
Providence, R.I.....	60	59	53	66	63	63
Reading, Pa.....	70	68	65	77	70	62
Richmond, Va.....	64	78	73	81	85	80
White.....	49	57	51	55	59	61
Colored.....	90	119	119	131	133	113
Rochester, N.Y.....	48	54	51	63	61	63
St. Louis, Mo.....	56	63	54	59	63	57
White.....	51	60	49	52	60	53
Colored.....	92	89	89	107	90	93
St. Paul, Minn.....	39	44	43	46	54	49
Salt Lake City, Utah.....	43	42	54	55	59	59
San Diego, Calif.....	47	47	49	47	60	60
San Francisco, Calif.....	39	41	40	50	45	50
White.....	38	41	40	49	45	49
Colored.....	55	44	37	58	56	59
Scranton, Pa.....	65	68	69	83	77	66
Seattle, Wash.....	43	41	38	46	43	41
White.....	45	40	37	46	43	41
Colored.....	20	54	59	48	40	54
Somerville, Mass.....	47	48	64	53	75	51
South Bend, Ind.....	50	48	49	62	60	59
Spokane, Wash.....	40	49	47	56	48	55
Springfield, Mass.....	57	49	53	59	59	58
Syracuse, N.Y.....	49	59	56	56	59	58
Tacoma, Wash.....	48	49	45	32	37	39
Tampa, Fla.....	52	66	58	61	53	62
White.....	42	50	43	50	41	55
Colored.....	89	136	127	114	105	93
Toledo, Ohio.....	62	56	56	70	65	62
Trenton, N.J.....	58	60	78	72	83	74
Tulsa, Okla.....	63	52	76	65	82	(2)
White.....	56	48	68	58	73	(2)
Colored.....	144	99	183	148	190	(2)
Utica, N.Y.....	60	45	68	74	68	69
Washington, D.C.....	73	67	71	71	65	68
White.....	56	44	52	48	46	49
Colored.....	108	115	110	117	107	109
Wichita, Kans.....	46	43	58	60	63	58
Wilmington, Del.....	62	70	71	75	71	71
White.....	61	65	70	70	65	66
Colored.....	74	105	74	112	122	108
Worcester, Mass.....	53	51	63	59	62	58
Yonkers, N.Y.....	46	54	48	64	57	60
Youngstown, Ohio.....	62	58	58	72	71	65

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ² HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930						
Alameda, Calif.....	35	40	21	29	27	9
Albuquerque, N.Mex.....	99	99	115	162	(2)	(2)
Alhambra, Calif.....	23	26	45	(6)	(6)	(6)
Aliquippa, Pa.....	63	76	76	59	70	72
Allentown, Pa.....	64	72	72	88	72	66
Alton, Ill.....	61	68	51	107	69	85
Altoona, Pa.....	64	63	64	81	69	59
Amsterdam, N.Y.....	36	58	64	53	68	62
Anderson, Ind.....	78	65	69	63	70	69
Ann Arbor, Mich.....	124	113	125	121	104	94
Appleton, Wis.....	68	51	38	64	55	44
Arlington (town), Mass.....	33	39	45	62	52	45
Asheville, N.C.....	72	64	92	98	105	112
White.....	61	56	73	64	77	68
Colored.....	109	92	161	191	169	231
Ashland, Ky.....	84	66	102	110	67	76
Atlantic City, N.J.....	94	76	65	72	85	80
White.....	77	68	52	61	71	69
Colored.....	146	98	109	105	130	113
Auburn, N.Y.....	47	32	66	72	60	56
Augusta, Ga.....	84	114	91	95	106	(2)
White.....	67	96	81	82	77	(2)
Colored.....	111	145	108	116	156	(2)
Aurora, Ill.....	44	47	57	63	52	58
Bakersfield, Calif.....	37	53	66	60	58	61
Bangor, Me.....	62	64	74	71	97	77
Baton Rouge, La.....	71	53	62	89	72	79
White.....	52	56	63	75	60	51
Colored.....	97	49	60	118	94	134
Battle Creek, Mich.....	68	86	63	82	50	74
Bay City, Mich.....	85	73	66	83	92	59
White.....	51	69	52	64	76	57
Colored.....	111	145	108	116	156	(2)
Bellefonte, Pa.....	65	45	44	59	52	39
Belleville, N.J.....	102	146	159	120	136	100
Bellingham, Wash.....	37	31	31	31	34	55
Belvedere (township), Calif.....	43	48	42	(7)	(7)	(7)
Berkeley, Calif.....	25	28	32	35	31	42
Berwyn, Ill.....	45	54	49	49	44	44
Bethlehem, Pa.....	46	60	43	47	60	54
Beverly, Mass.....	39	35	33	43	64	67
Binghamton, N.Y.....	51	64	60	72	71	67
Bloomfield, N.J.....	45	42	17	68	62	104
Bloomington, Ill.....	49	55	53	61	65	54
Bristol, Conn.....	41	40	53	63	49	67
Brockton, Mass.....	38	48	56	60	55	55
Brookline (town), Mass.....	57	14	39	73	85	83
Burlington, Iowa.....	55	24	42	50	79	73
Butte, Mont.....	47	49	55	82	86	64
Cedar Rapids, Iowa.....	56	42	67	45	62	50
Central Falls, R.I.....	60	72	50	72	77	76
Charleston, S.C.....	104	119	115	127	117	(4)
White.....	45	63	57	46	69	(4)
Colored.....	151	171	167	187	159	(4)
Charleston, W.Va.....	108	119	128	101	97	113
White.....	105	112	125	99	101	112
Colored.....	141	202	159	129	56	127
Charlotte, N.C.....	77	82	103	96	110	89
White.....	57	61	78	79	90	64
Colored.....	125	142	172	142	160	158
Chelsea, Mass.....	58	41	49	39	51	34
Chester, Pa.....	69	83	78	85	82	85
White.....	62	70	68	82	71	72
Colored.....	107	137	143	99	127	140
Chicopee, Mass.....	75	58	48	93	87	81
Cicero, Ill.....	25	76	48	82	110	84
Clarksburg, W.Va.....	57	61	82	58	71	66
Cleveland Heights, Ohio.....	38	38	88	243	94	63
Clinton, N.J.....	63	67	63	50	38	62
Clinton, Iowa.....	93	69	56	77	69	73
Colorado Springs, Colo.....	67	45	56	63	49	(9)
Columbia, S.C.....	112	108	103	117	113	(4)
White.....	98	75	81	100	81	(4)
Colored.....	135	165	143	147	176	(4)
Columbus, Ga.....	92	98	95	110	118	(3)
White.....	83	89	98	112	115	(3)
Colored.....	106	109	91	106	118	(3)
Concord, N.H.....	63	43	35	56	83	60
Council Bluffs, Iowa.....	71	55	55	72	69	67
Covington, Ky.....	71	61	64	66	66	63
Cranston, R.I.....	49	74	63	73	56	48
Cumberland, Md.....	89	99	69	73	73	81
Danville, Ill.....	61	91	81	78	84	69
Davenport, Iowa.....	54	66	55	68	56	67
Dearborn, Mich.....	39	50	60	(6)	(6)	(6)
Decatur, Ill.....	52	61	63	53	73	59
Dubuque, Iowa.....	60					

INFANT MORTALITY STATISTICS: 1932

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Durham, N.C.	88	82	82	99	98	97
White	74	59	56	72	71	72
Colored	112	127	129	146	144	144
East Chicago, Ind.	75	65	80	81	89	78
East Cleveland, Ohio	135	92	111	114	22	86
Easton, Pa.	41	38	67	81	73	71
East Orange, N.J.	41	37	56	45	55	56
East Providence (town), R.I.	87	50	82	90	97	43
East St. Louis, Ill.	61	79	80	88	68	91
White	59	58	67	79	62	77
Colored	74	203	159	147	100	172
Eau Claire, Wis.	47	54	59	56	64	49
Elgin, Ill.	51	53	45	49	40	54
Elkhart, Ind.	42	42	59	45	60	45
Elmira, N.Y.	64	71	93	79	73	57
Elyria, Ohio	57	64	64	69	79	45
Enid, Okla.	59	50	67	49	80	(²)
Evanston, Ill.	31	39	39	49	42	58
Everett, Mass.	50	33	46	51	43	65
Everett, Wash.	42	53	27	46	47	46
Fargo, N.Dak.	55	52	55	63	37	47
Fitchburg, Mass.	52	74	65	74	65	61
Fond du Lac, Wis.	29	53	39	45	63	43
Port Smith, Ark.	47	56	64	49	44	99
White	43	49	60	46	39	93
Colored	93	149	98	82	122	156
Fresno, Calif.	51	66	69	61	59	52
Galesburg, Ill.	48	52	50	65	75	64
Garfield, N.J.	46	46	54	59	44	49
Glendale, Calif.	27	19	31	38	35	44
Granite City, Ill.	71	69	57	63	73	77
Great Falls, Mont.	41	49	41	50	34	35
Green Bay, Wis.	55	67	52	43	73	62
Greensboro, N.C.	78	82	73	77	92	102
White	56	67	57	62	65	76
Colored	162	133	126	127	189	183
Greenville, S.C.	135	101	118	153	102	(⁴)
White	134	66	95	134	92	(⁵)
Colored	136	146	146	177	116	(⁴)
Hagerstown, Md.	83	88	82	85	105	96
Hamilton, Ohio	67	69	66	89	69	74
Hammond, Ind.	50	50	49	50	54	62
Hamtramck, Mich.	42	73	60	69	81	62
Harrisburg, Pa.	63	70	64	77	68	75
Haverhill, Mass.	42	37	47	44	59	62
Hazleton, Pa.	60	63	79	78	82	76
Highland Park, Mich.	49	44	50	44	45	51
High Point, N.C.	82	68	96	93	96	79
White	75	65	83	71	86	81
Colored	127	93	182	238	152	63
Hoboken, N.J.	68	51	72	63	70	62
Holyoke, Mass.	55	56	53	68	65	82
Huntington, W.Va.	98	96	93	88	82	87
Hutchinson, Kans.	41	37	31	61	67	52
Irvington, N.J.	32	52	39	38	42	62
Jackson, Mich.	62	74	57	55	66	70
Jackson, Miss.	97	79	77	85	100	77
White	62	70	52	73	82	51
Colored	160	94	117	100	124	111
Jamestown, N.Y.	53	42	54	42	50	50
Johnson City, Tenn.	79	70	133	111	114	112
Johnstown, Pa.	74	70	74	72	90	66
Joliet, Ill.	65	71	64	69	96	116
Joplin, Mo.	64	70	80	62	66	75
Kalamazoo, Mich.	55	52	60	62	58	74
Kearny, N.J.	39	37	61	46	45	39
Kenosha, Wis.	47	37	49	46	61	53
Kingston, N.Y.	60	94	78	72	78	70
Kokomo, Ind.	61	76	70	67	73	65
La Crosse, Wis.	49	53	57	38	58	63
La Fayette, Ind.	62	52	56	63	66	60
Lakewood, Ohio	54	55	55	50	57	58
Lancaster, Pa.	62	62	81	69	82	81
Lansing, Mich.	50	52	58	63	62	72
Lawrence, Mass.	54	70	75	59	55	55
Lebanon, Pa.	49	75	69	80	67	54
Lewiston, Me.	87	107	110	116	103	103
Lexington, Ky.	74	116	86	87	68	89
White	76	87	78	72	61	54
Colored	69	227	122	166	105	242
Lima, Ohio	86	63	66	57	81	78
Lincoln, Nebr.	40	44	51	61	37	55

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Little Rock, Ark.	68	72	49	77	79	76
White	87	62	45	61	71	71
Colored	112	107	65	137	111	81
Lorain, Ohio	53	41	57	80	50	69
Lower Merion (township), Pa.	61	63	51	(⁷)	(⁷)	(⁷)
Lynchburg, Va.	82	81	86	102	82	68
White	78	73	78	86	65	46
Colored	96	108	114	150	137	137
McKeesport, Pa.	52	62	68	66	74	88
Macon, Ga.	77	63	92	76	84	(²)
White	63	43	71	54	56	(²)
Colored	93	84	120	102	122	(²)
Madison, Wis.	42	40	47	47	53	38
Malden, Mass.	31	42	43	34	51	50
Manchester, N.H.	75	83	82	93	93	74
Mansfield, Ohio	56	60	52	59	43	66
Marion, Ohio	62	62	68	108	87	70
Massillon, Ohio	57	54	47	50	53	56
Maywood, Ill.	11	65	64	71	41	83
Medford, Mass.	42	27	37	33	42	45
Meriden, Conn.	33	40	45	53	51	53
Meridian, Miss.	93	104	72	94	86	82
White	76	89	48	79	74	72
Colored	134	136	119	125	103	102
Michigan City, Ind.	39	47	70	40	54	63
Middletown, Ohio	55	58	67	57	77	61
Mishawaka, Ind.	46	49	50	67	63	49
Mobile, Ala.	72	65	86	97	91	73
White	54	51	64	76	71	54
Colored	103	91	125	132	126	104
Moline, Ill.	50	40	41	46	63	48
Monroe, La.	84	90	82	91	108	85
White	71	82	79	95	107	81
Colored	112	109	93	76	111	94
Montclair, N.J.	36	34	33	62	61	73
White	35	30	30	67	52	72
Colored	50	86	53	34	130	74
Montgomery, Ala.	93	81	99	74	96	69
White	60	52	67	40	78	42
Colored	132	117	141	121	121	108
Mount Vernon, N.Y.	41	42	37	45	47	49
Muncie, Ind.	66	84	58	79	90	63
Muskegon, Mich.	54	65	56	70	59	77
Muskogee, Okla.	39	72	66	62	104	(²)
White	76	63	57	43	90	(²)
Colored	167	106	101	126	169	(²)
Nanticoke, Pa.	72	91	85	71	76	59
Nashua, N.H.	48	48	54	70	65	60
New Albany, Ind.	61	58	64	77	76	67
Newark, Ohio	63	47	56	90	56	56
New Britain, Conn.	53	56	66	53	54	73
New Brunswick, N.J.	42	45	61	55	47	51
Newburgh, N.Y.	50	50	50	45	70	75
New Castle, Pa.	62	53	53	60	61	47
New London, Conn.	50	41	68	69	62	73
Newport, Ky.	72	52	71	78	84	76
Newport, R.I.	47	47	37	47	84	51
Newport News, Va.	66	65	79	79	80	83
White	56	46	47	50	58	56
Colored	80	94	127	121	111	117
New Rochelle, N.Y.	34	63	55	39	47	39
Newton, Mass.	40	49	30	46	42	45
Niagara Falls, N.Y.	49	46	57	63	67	63
Norristown, Pa.	49	57	62	72	78	67
North Bergen (township), N.J.	37	47	24	(⁷)	(⁷)	(⁷)
Norwalk, Conn.	40	29	43	66	47	40
Norwood, Ohio	59	12	69	70	67	50
Oak Park, Ill.	31	40	28	39	31	35
Ogden, Utah	36	58	57	61	54	42
Orange, N.J.	34	35	37	44	46	42
White	30	34	38	38	44	40
Colored	69	89	33	101	72	63
Orlando, Fla.	59	64	84	(⁶)	(⁶)	(⁶)
White	48	54	62	(⁶)	(⁶)	(⁶)
Colored	100	105	162	(⁶)	(⁶)	(⁶)
Oshkosh, Wis.	67	53	55	47	53	52
Ottumwa, Iowa	44	61	60	64	71	74
Paducah, Ky.	92	91	79	98	76	74
White	58	74	71	77	60	56
Colored	178	200	140	247	194	186
Parkersburg, W.Va.	91	82	64	67	78	68
Pasadena, Calif.	34	37	37	47	32	41

INFANT MORTALITY STATISTICS: 1932

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Passaic, N.J.	39	48	50	58	59	53
Pawtucket, R.I.	66	67	84	96	78	86
Pensacola, Fla.	61	68	106	52	77	97
White	56	54	69	49	66	84
Colored	75	125	232	64	116	152
Perth Amboy, N.J.	68	60	57	63	60	69
Petersburg, Va.	111	111	102	151	141	110
White	78	77	93	100	103	88
Colored	149	150	113	205	184	152
Phoenix, Ariz.	73	86	111	94	118	100
Pittsfield, Mass.	48	52	41	74	55	55
Plainfield, N.J.	52	49	39	46	51	56
Pontiac, Mich.	58	55	63	71	82	63
Port Huron, Mich.	46	87	87	76	65	92
Portland, Me.	68	67	71	67	76	75
Portsmouth, Ohio	97	98	90	113	109	74
Portsmouth, Va.	70	108	74	114	108	153
White	45	51	50	56	58	83
Colored	107	174	104	185	170	223
Poughkeepsie, N.Y.	47	74	77	75	73	65
Pueblo, Colo.	60	85	87	93	90	(?)
Quincy, Ill.	59	72	58	72	50	70
Quincy, Mass.	52	40	46	48	59	57
Racine, Wis.	31	43	44	52	53	52
Raleigh, N.C.	83	96	105	90	108	94
White	82	77	105	80	87	68
Colored	84	130	105	110	154	143
Revere, Mass.	46	30	35	26	49	38
Richmond, Ind.	59	45	69	65	53	67
Riverside, Calif.	70	55	71	65	84	68
Roanoke, Va.	65	80	98	86	102	86
White	47	75	84	74	80	80
Colored	140	104	168	148	204	116
Rockford, Ill.	45	65	54	58	45	62
Rock Island, Ill.	53	37	54	71	51	63
Rome, N.Y.	60	53	74	64	62	90
St. Joseph, Mo.	57	72	64	67	71	69
St. Petersburg, Fla.	42	52	55	67	71	67
White	39	39	40	51	48	55
Colored	51	99	103	103	146	99
Sacramento, Calif.	47	58	57	64	67	55
Saginaw, Mich.	67	62	65	105	92	92
Salem, Mass.	63	90	87	97	57	82
Salem, Oreg.	50	36	49	42	55	53
San Bernardino, Calif.	55	74	97	84	99	81
San Jose, Calif.	33	32	53	37	49	40
Santa Ana, Calif.	61	63	49	51	36	41
Santa Barbara, Calif.	36	45	49	66	60	53
Santa Monica, Calif.	33	35	49	49	45	51
Savannah, Ga.	78	86	84	94	102	(?)
White	53	52	49	62	74	(?)
Colored	106	134	130	136	143	(?)
Schenectady, N.Y.	54	46	47	71	74	68
Sharon, Pa.	53	69	53	48	53	48
Sheboygan, Wis.	33	44	60	64	47	61
Shreveport, La.	76	89	87	90	100	82
White	68	68	67	63	76	63
Colored	88	119	121	146	155	126

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Sioux City, Iowa	70	69	84	77	84	81
Sioux Falls, S.Dak.	50	(?)	(?)	(?)	(?)	(?)
Spartanburg, S.C.	74	87	98	88	127	(?)
White	70	59	75	86	109	(?)
Colored	87	147	158	95	172	(?)
Springfield, Ill.	83	68	55	69	67	74
Springfield, Mo.	68	60	65	80	32	63
Springfield, Ohio	59	59	69	79	67	69
White	53	48	66	71	57	64
Colored	113	155	92	133	164	116
Stamford, Conn.	44	49	50	67	54	44
Steubenville, Ohio	70	93	94	111	92	79
Stockton, Calif.	56	55	43	54	62	49
Superior, Wis.	64	45	66	68	63	60
Taunton, Mass.	60	59	86	60	88	62
Terre Haute, Ind.	63	100	80	85	78	70
Topeka, Kans.	52	48	54	71	59	51
Torrington, Conn.	45	45	44	62	45	47
Troy, N.Y.	48	86	65	55	70	86
Tucson, Ariz.	128	142	124	172	157	140
Union City, N.J.	31	29	37	25	33	43
University City, Mo.	59	38	(?)	(?)	(?)	(?)
Upper Darby (township), Pa.	44	55	49	(?)	(?)	(?)
Waltham, Mass.	32	44	51	42	42	57
Warren, Ohio	60	64	58	58	63	52
Waterbury, Conn.	43	62	62	68	72	62
Waterloo, Iowa	49	37	60	61	56	45
Watertown (town), Mass.	59	42	59	39	58	94
Watertown, N.Y.	64	58	65	63	70	77
Waukegan, Ill.	52	74	58	47	71	60
West Allis, Wis.	44	61	45	71	31	61
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
West Haven (town), Conn.	29	31	52	(?)	(?)	(?)
West New York, N.J.	19	30	31	26	50	41
West Palm Beach, Fla.	68	55	53	(?)	(?)	(?)
White	51	30	27	(?)	(?)	(?)
Colored	103	103	111	(?)	(?)	(?)
Wheeling, W.Va.	79	91	81	80	60	62
White Plains, N.Y.	43	41	46	38	39	49
Wilkes-Barre, Pa.	53	69	68	71	84	77
Wilkinsburg, Pa.	45	41	43	62	62	59
Williamsport, Pa.	52	58	76	66	55	61
Wilmington, N.C.	102	108	85	83	114	128
White	84	71	82	72	112	96
Colored	131	170	92	102	118	153
Winston-Salem, N.C.	99	109	103	100	110	122
White	67	69	67	89	79	89
Colored	144	167	159	154	162	178
Woodbridge (township), N.J.	91	84	67	(?)	(?)	(?)
Woonsocket, R.I.	49	83	69	84	66	71
Wyandotte, Mich.	68	62	72	68	78	102
York, Pa.	79	54	63	74	76	67
Zanesville, Ohio	59	78	39	96	74	90

¹ Exclusive of stillbirths.
² Not added to the birth registration area until a later date.
³ Rate unsatisfactory.
⁴ Dropped from the birth registration area in 1925; readmitted in 1928.
⁵ Including 5 towns and 5 townships.

⁶ Rate not available; population less than 10,000 previous to 1930.
⁷ Rate not available; not considered urban previous to 1930.
⁸ Included with Orange (town).

NOTE.—Rates for many cities are undoubtedly distorted by the inclusion of births occurring in hospitals to nonresident mothers.

INFANT MORTALITY RATES FOR CITIES AND RURAL DISTRICTS

Table AB presents infant mortality rates, by sex, for certain subdivisions of the first year of life, for the class of cities having 10,000 inhabitants or more, and for smaller cities, combined with rural districts, in the birth registration area of 1917 (exclusive of Rhode Island), from 1926 to 1932.

In this 6-year interval the rate for cities of over

10,000 dropped from 76.3 to 55.8 or 20.5 per 1,000 live births, while the rate for the smaller cities and rural districts declined from 73.7 to 58.1 or only 15.6 per 1,000 live births.

With the exception of the rate for under 1 day in cities of over 10,000 (which rate remained the same), all rates under 1 year showed an improvement in 1932 over 1926.

INFANT MORTALITY STATISTICS: 1932

Table AB

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)

AGE AND SEX	In cities of 10,000 or more							In cities of 2,500 to 10,000 and rural districts						
	1932	1931	1930	1929	1928	1927	1926	1932	1931	1930	1929	1928	1927	1926
	Under 1 year	55.8	60.1	61.9	65.5	68.8	64.7	76.3	58.1	62.0	64.7	67.5	66.3	64.4
Male	61.8	67.0	68.7	72.4	76.4	72.3	84.6	64.7	68.3	70.9	74.4	73.7	71.2	81.4
Female	49.6	52.9	54.7	58.2	60.9	56.5	67.6	51.1	55.4	58.1	60.1	58.4	57.2	65.5
Under 1 day	15.8	15.5	15.4	15.5	15.8	15.7	16.8	14.0	14.3	14.1	14.7	14.5	14.5	14.6
Male	17.5	17.3	17.2	17.4	17.7	17.6	17.7	15.8	16.4	15.9	16.6	16.4	16.4	16.6
Female	14.1	13.7	13.5	13.5	13.8	13.8	13.9	12.2	12.1	12.2	12.8	12.5	12.4	12.5
1 day	4.0	4.2	4.3	4.6	4.6	4.5	4.6	3.7	3.9	4.0	4.2	4.1	4.0	3.9
Male	4.6	4.6	4.9	5.1	5.2	5.1	5.2	4.3	4.4	4.4	4.8	4.7	4.7	4.3
Female	3.4	3.7	3.7	4.1	4.0	3.7	3.9	3.0	3.4	3.7	3.5	3.3	3.3	3.5
2 days	2.6	2.8	3.0	3.0	3.2	3.2	3.4	2.7	2.7	2.9	3.1	3.1	3.0	3.1
Male	3.1	3.3	3.5	3.5	3.9	3.8	3.9	3.1	3.2	3.4	3.5	3.5	3.5	3.5
Female	2.2	2.4	2.4	2.5	2.5	2.6	2.7	2.3	2.2	2.4	2.7	2.7	2.5	2.6
3 to 6 days	4.4	4.6	4.9	5.1	5.3	5.4	6.0	4.9	4.9	5.2	5.5	5.4	5.4	5.7
Male	5.0	5.2	5.4	5.8	5.9	6.3	6.8	5.9	5.6	6.0	6.2	6.4	6.0	6.4
Female	3.7	3.9	4.3	4.5	4.5	4.6	5.2	4.0	4.3	4.5	4.7	4.4	4.8	5.0
1 week	3.0	3.2	3.5	3.6	3.6	3.6	4.0	3.5	4.1	4.2	4.1	4.2	4.0	4.8
Male	3.1	3.4	3.7	3.9	4.1	4.0	4.2	4.0	4.4	4.5	4.6	4.5	4.4	5.3
Female	2.8	2.8	3.2	3.3	3.2	3.2	3.9	3.1	3.8	4.0	3.6	3.9	3.7	4.2
2 weeks	2.0	2.2	2.4	2.4	2.5	2.5	2.9	2.3	2.6	2.6	2.9	2.8	2.7	3.3
Male	2.2	2.5	2.6	2.5	2.7	2.7	3.2	2.5	2.9	2.8	3.2	2.9	3.0	3.6
Female	1.8	2.0	2.2	2.2	2.3	2.2	2.5	2.1	2.4	2.4	2.6	2.7	2.4	2.9
3 weeks	1.7	1.8	2.0	2.0	2.1	2.0	2.4	2.1	2.3	2.2	2.4	2.5	2.4	2.7
Male	1.8	1.9	2.2	2.2	2.3	2.2	2.7	2.2	2.5	2.4	2.7	2.7	2.6	3.0
Female	1.5	1.6	1.8	1.9	2.0	1.8	2.1	1.9	2.0	2.0	2.2	2.2	2.1	2.3
Under 1 month	33.6	34.3	35.4	36.2	37.1	36.9	39.1	33.3	34.9	35.4	36.9	36.6	36.0	38.0
Male	37.4	38.3	39.4	40.3	41.7	41.7	43.7	37.8	39.3	39.4	41.5	41.3	40.5	42.7
Female	29.5	30.1	31.1	32.0	32.3	31.8	34.3	28.6	30.3	31.2	32.1	31.7	31.2	33.0
1 month	4.1	4.6	4.7	5.0	5.1	4.8	5.8	4.9	5.4	5.6	5.8	5.5	5.5	6.6
Male	4.7	5.3	5.4	5.6	5.7	5.5	6.5	5.7	6.0	6.1	6.2	6.3	6.0	7.1
Female	3.6	3.9	4.0	4.4	4.5	4.1	5.2	4.1	4.8	5.1	5.3	4.8	5.0	6.1
2 months	3.2	3.8	3.8	4.0	4.2	3.8	4.6	3.7	4.2	4.4	4.3	4.4	4.3	4.9
Male	3.5	4.3	4.3	4.5	4.6	4.1	5.2	3.9	4.5	4.8	4.7	5.0	4.8	5.4
Female	2.7	3.2	3.3	3.5	3.7	3.4	3.9	3.6	3.8	3.9	4.0	3.9	3.9	4.5
3 to 5 months	6.7	7.6	8.0	8.8	9.5	8.5	10.7	7.5	7.8	8.9	9.4	8.9	8.5	10.4
Male	7.2	8.4	8.9	9.6	10.5	9.4	12.0	8.1	8.3	9.5	10.3	9.7	9.3	11.6
Female	6.1	6.7	7.1	7.9	8.4	7.6	9.4	6.9	7.3	8.1	8.6	8.0	7.7	9.0
6 to 8 months	4.7	5.6	5.8	6.5	7.2	6.2	8.7	4.8	5.6	6.0	6.3	6.1	5.7	7.6
Male	5.0	6.2	6.3	7.1	7.8	6.8	9.5	5.2	6.0	6.4	6.7	6.4	6.1	8.1
Female	4.4	5.0	5.3	5.7	6.5	5.5	7.9	4.4	5.2	5.6	5.7	5.7	5.2	7.2
9 to 11 months	3.6	4.3	4.2	5.0	5.8	4.5	7.4	3.7	4.1	4.4	4.8	4.7	4.4	6.4
Male	3.9	4.6	4.4	5.3	6.1	4.9	7.8	4.0	4.2	4.6	5.1	5.0	4.6	6.1
Female	3.3	4.1	3.9	4.7	5.5	4.1	7.0	3.5	4.0	4.1	4.5	4.4	4.2	5.8

¹Exclusive of stillbirths.

In table AC the infant mortality rates of 1917 and 1932 in the registration area of 1917 are shown for cities of 10,000 inhabitants or more and for smaller cities and rural districts combined. There was in this interval a much greater improvement in the rate for larger cities than in that for the smaller cities and rural districts, the table showing a decrease of 43.6 in the former rate as compared with 29.7 in the latter. This greater decline for the larger cities was largely due to the greater decrease (19.5) in the rate from diarrhea and enteritis. Both in the larger cities and in the smaller cities and rural districts injury at birth was the only cause which produced greater infant mortality in 1932 than in 1917.

COMPARISON OF INFANT MORTALITY RATES: 1927 TO 1932

Table AD shows infant mortality rates from certain important causes for each year from 1927 to 1932. A comparison of the rates for 1932 with those for 1927 shows a decrease in the rate for nearly every cause, the only exceptions being (1) in the expanding registration area in continental United States increases of 0.5 in the rates from unknown or ill-defined diseases, 0.3 from influenza and pneumonia, and 0.1 from syphilis; and (2) in the registration area of 1917 (exclusive of Rhode Island) an increase of 0.1 from influenza and pneumonia.

INFANT MORTALITY STATISTICS: 1932

The most striking figures in the table are the declines in the rates from diarrhea and enteritis, these being 2.6, 2.4, and 2.7, respectively, for the three areas.

Detailed International List No.	Table AC	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		Total		Cities of 10,000 or more		Cities of 2,500 to 10,000 and rural districts	
		1932	1917	1932	1917	1932	1917
		CAUSE OF DEATH					
	All causes.....	56.8	93.6	55.8	99.4	58.1	87.8
7	Measles.....	0.3	1.2	0.3	1.0	0.2	1.4
8	Scarlet fever.....	(²)	0.1	(²)	0.1	(²)	0.1
9	Whooping cough.....	1.5	2.4	1.2	2.1	2.0	2.7
10	Diphtheria.....	0.2	0.5	0.1	0.6	0.2	0.5
11, 108, 109	Influenza and pneumonia.....	3.7	5.0	3.0	5.1	4.6	4.8
13	Dysentery.....	0.2	0.3	0.1	0.2	0.3	0.5
15	Erysipelas.....	0.3	0.5	0.3	0.6	0.2	0.4
22	Tetanus.....	(⁴)	0.1	(⁴)	0.1	(⁴)	0.1
23-32	Tuberculosis (all forms).....	0.4	1.5	0.5	1.8	0.3	1.2
34	Syphilis.....	0.7	1.2	0.8	1.7	0.5	0.6
86	Convulsions.....	0.3	1.0	0.2	0.8	0.5	1.2
106, 107	Bronchitis and broncho-pneumonia.....	6.5	10.5	7.0	12.4	5.8	8.6
117, 118	Diseases of the stomach.....	0.2	1.2	0.1	1.0	0.3	1.5
119	Diarrhea and enteritis.....	4.9	20.0	4.4	23.9	5.6	16.1
157	Congenital malformations.....	6.0	6.3	6.1	6.5	5.9	6.1
158, 161	Congenital debility and other diseases of early infancy ³	4.2	8.7	3.7	8.7	4.8	8.7
159	Premature birth.....	16.1	19.1	16.7	20.1	15.3	18.1
160	Injury at birth.....	5.1	3.8	6.1	4.6	3.9	3.0
172-198, 201-214	External causes ⁴	0.9	1.3	0.7	1.3	1.1	1.4
199, 200	Unknown or ill-defined diseases.....	1.4	2.9	0.3	0.6	2.8	5.2
	All other causes.....	3.9	6.0	4.3	6.3	3.5	5.7

¹ Exclusive of stillbirths.
² Less than one-tenth of 1 per 1,000 births.
³ Excludes lack of care, desertion, etc., in 1932.
⁴ Includes lack of care, desertion, etc., in 1932.

Detailed International List No.	Table AD	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE EXPANDING REGISTRATION AREA IN CONTINENTAL UNITED STATES					
		1932	1931	1930	1929	1928	1927
		CAUSE OF DEATH					
		All causes.....					
	All causes.....	57.6	61.6	64.6	67.6	68.7	64.6
7	Measles.....	0.2	0.4	0.4	0.3	0.6	0.4
8	Scarlet fever.....	(⁴)	0.1	0.1	0.1	0.1	0.1
9	Whooping cough.....	1.5	1.2	1.5	1.9	1.6	1.9
10	Diphtheria.....	0.2	0.2	0.2	0.2	0.3	0.2
11, 108, 109	Influenza and pneumonia.....	4.0	4.2	3.8	5.9	5.6	3.7
13	Dysentery.....	0.2	0.3	0.4	0.3	0.3	0.3
15	Erysipelas.....	0.3	0.3	0.3	0.4	0.3	0.4
22	Tetanus.....	0.1	0.1	0.1	0.1	0.1	0.1
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.4	0.5	0.6
34	Syphilis.....	0.8	0.8	0.8	0.8	0.8	0.7
86	Convulsions.....	0.3	0.3	0.4	0.4	0.5	0.5
106, 107	Bronchitis and broncho-pneumonia.....	6.0	6.8	6.8	7.0	7.3	6.4
117, 118	Diseases of the stomach.....	0.2	0.3	0.3	0.4	0.5	0.5
119	Diarrhea and enteritis.....	5.2	6.6	7.8	7.1	7.7	7.8
157	Congenital malformations.....	5.3	5.4	5.3	5.5	5.4	5.6
158, 161	Congenital debility and other diseases of early infancy ³	4.2	4.5	4.7	4.7	5.0	4.8
159	Premature birth.....	15.8	16.0	16.7	17.5	17.6	16.8
160	Injury at birth.....	4.6	4.8	4.8	4.8	4.7	4.8
172-198, 201-214	External causes ⁴	0.9	1.0	1.1	1.0	1.0	1.0
199, 200	Unknown or ill-defined diseases.....	3.6	3.7	4.0	3.8	3.7	3.1
	All other causes.....	3.8	4.3	4.5	5.0	5.0	4.9

Detailed International List No.	Table AD—Continued	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		1932	1931	1930	1929	1928	1927
		CAUSE OF DEATH					
	All causes.....	56.8	60.9	63.1	66.4	67.7	64.5
7	Measles.....	0.3	0.4	0.3	0.3	0.7	0.3
8	Scarlet fever.....	(⁴)	(⁴)	0.1	0.1	(⁴)	0.1
9	Whooping cough.....	1.5	1.2	1.4	1.7	1.4	1.8
10	Diphtheria.....	0.2	0.1	0.2	0.2	0.2	0.2
11, 108, 109	Influenza and pneumonia.....	3.7	4.1	3.6	5.4	4.9	3.6
13	Dysentery.....	0.2	0.2	0.3	0.2	0.2	0.2
15	Erysipelas.....	0.3	0.3	0.4	0.4	0.3	0.4
22	Tetanus.....	(⁴)	(⁴)	(⁴)	(⁴)	(⁴)	(⁴)
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.5	0.6	0.6
34	Syphilis.....	0.7	0.7	0.7	0.7	0.7	0.7
86	Convulsions.....	0.3	0.3	0.4	0.4	0.5	0.5
106, 107	Bronchitis and broncho-pneumonia.....	6.5	7.2	7.2	7.5	8.1	6.8
117, 118	Diseases of the stomach.....	0.2	0.2	0.3	0.4	0.4	0.5
119	Diarrhea and enteritis.....	4.9	6.3	7.5	6.9	7.4	7.3
157	Congenital malformations.....	6.0	6.1	5.9	6.2	6.1	6.2
158, 161	Congenital debility and other diseases of early infancy ³	4.2	4.5	4.8	4.7	5.0	5.0
159	Premature birth.....	16.1	16.3	16.8	17.6	17.8	17.3
160	Injury at birth.....	5.1	5.3	5.3	5.1	5.1	5.1
172-198, 201-214	External causes ⁴	0.9	0.9	0.9	0.9	0.9	0.9
199, 200	Unknown or ill-defined diseases.....	1.4	1.8	2.0	2.0	2.1	2.0
	All other causes.....	3.9	4.5	4.6	5.2	5.2	5.0

Detailed International List No.	Table AD—Continued	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1915 (EXCLUSIVE OF RHODE ISLAND)					
		1932	1931	1930	1929	1928	1927
		CAUSE OF DEATH					
	All causes.....	55.1	59.5	62.1	64.5	66.7	64.0
7	Measles.....	0.3	0.3	0.3	0.3	0.7	0.3
8	Scarlet fever.....	(⁴)	(⁴)	(⁴)	0.1	(⁴)	0.1
9	Whooping-cough.....	1.2	1.1	1.2	1.4	1.5	1.4
10	Diphtheria.....	0.1	0.1	0.1	0.2	0.2	0.2
11, 108, 109	Influenza and pneumonia.....	3.3	3.8	3.5	4.6	4.6	3.5
13	Dysentery.....	0.1	0.1	0.1	0.1	0.1	0.1
15	Erysipelas.....	0.3	0.4	0.4	0.5	0.4	0.4
22	Tetanus.....	(⁴)	(⁴)	(⁴)	(⁴)	(⁴)	(⁴)
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.5	0.6	0.7
34	Syphilis.....	0.6	0.7	0.7	0.7	0.7	0.7
86	Convulsions.....	0.3	0.3	0.4	0.5	0.5	0.5
106, 107	Bronchitis and broncho-pneumonia.....	6.9	7.8	7.9	7.9	8.0	7.6
117, 118	Diseases of the stomach.....	0.1	0.2	0.2	0.3	0.3	0.4
119	Diarrhea and enteritis.....	4.3	5.6	7.0	6.8	7.0	7.0
157	Congenital malformations.....	6.6	6.6	6.5	6.6	6.7	6.7
158, 161	Congenital debility and other diseases of early infancy ³	3.9	4.4	4.7	4.4	4.8	4.9
159	Premature birth.....	15.7	15.9	16.4	17.2	17.2	17.2
160	Injury at birth.....	5.8	5.9	6.1	5.7	5.7	5.8
172-198, 201-214	External causes ⁴	0.7	0.8	0.8	0.8	0.8	0.8
199, 200	Unknown or ill-defined diseases.....	0.4	0.4	0.4	0.5	0.5	0.5
	All other causes.....	4.1	4.7	5.0	5.6	5.5	5.3

¹ Exclusive of stillbirths.
² Excludes lack of care, desertion, etc., in 1930 to 1932.
³ Includes lack of care, desertion, etc., in 1930 to 1932.
⁴ Less than one-tenth of 1 per 1,000 births.

Table AE shows infant mortality rates from important causes for certain subdivisions of the first year of life, by sex, for the years 1931 and 1932.

Only slight differences between the rates of the 2 years are indicated by the figures in this table. For only one cause—whooping cough—the rate was slightly higher in the later year. For the other causes the rates either declined in 1932 or remained the same.

SEASONAL INFANT MORTALITY

Table AF shows infant mortality rates from important causes, by sex and month of death, in the registration area.

Measles and whooping cough.—The rates from measles and whooping cough were highest in the first 7 months of the year. The highest rate from measles was for May but the highest mortality from whooping cough occurred in the month of March.

Influenza, pneumonia (all forms), and bronchitis.—Rates from these causes were higher in the first 4 months of the year and again in November and December.

Diarrhea and enteritis.—As usual, the highest mortality from these diseases was in July, August, and September.

Premature birth and congenital debility.—The rates from premature birth and congenital debility show very slight variations from month to month, the highest rate from premature birth appearing for December, and the highest from congenital debility appearing for January, August, and November. As in previous years more deaths resulted from premature birth than from any other cause, more than one-fourth of all deaths of infants having been attributed to this cause.

Detailed International List No.	Table AF CAUSE OF DEATH AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932												
		All deaths	January	February	March	April	May	June	July	August	September	October	November	December
	All causes.....	57.6	56.5	57.5	62.8	60.0	57.8	56.1	55.2	50.9	49.7	52.5	60.4	73.0
	Male.....	63.8	63.2	64.0	69.7	67.0	63.6	61.6	61.2	56.0	54.9	58.2	67.3	80.3
	Female.....	51.1	49.5	50.7	55.7	52.6	51.8	50.3	48.7	45.5	44.2	46.5	53.2	65.4
7	Measles:													
	Total.....	0.2	0.2	0.3	0.4	0.4	0.5	0.3	0.1	0.1	(?)	0.1	0.1	0.1
	Male.....	0.2	0.2	0.3	0.4	0.4	0.5	0.4	0.1	0.1	(?)	0.1	0.1	0.2
	Female.....	0.2	0.1	0.3	0.4	0.4	0.5	0.2	0.1	(?)	(?)	0.1	(?)	0.1
8	Scarlet fever:													
	Total.....	(?)	0.1	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	(?)	0.1	(?)
	Male.....	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	0.1	(?)
	Female.....	(?)	(?)	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	(?)	0.1	(?)
9	Whooping cough:													
	Total.....	1.5	1.3	1.7	2.5	2.1	2.1	2.0	1.5	1.2	1.1	0.8	0.9	1.1
	Male.....	1.4	1.3	1.6	2.4	1.9	1.8	1.9	1.5	0.9	1.0	0.8	0.8	1.0
	Female.....	1.7	1.4	1.9	2.6	2.3	2.4	2.3	1.5	1.5	1.2	0.9	1.1	1.1
10	Diphtheria:													
	Total.....	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.3
	Male.....	0.2	0.3	0.2	0.3	0.2	0.1	0.1	0.1	(?)	0.2	0.3	0.6	0.3
	Female.....	0.2	0.2	0.3	0.1	0.2	0.2	(?)	0.1	0.1	0.1	0.2	0.2	0.3
11	Influenza:													
	Total.....	1.8	1.5	2.2	3.0	2.1	1.1	0.6	0.3	0.3	0.4	1.0	2.3	7.2
	Male.....	2.0	1.7	2.3	3.3	2.4	1.2	0.9	0.3	0.4	0.4	1.1	2.4	7.9
	Female.....	1.6	1.4	2.3	2.6	1.9	1.0	0.5	0.2	0.3	0.4	0.9	2.1	6.5
13	Dysentery:													
	Total.....	0.2	0.1	0.1	0.1	(?)	0.2	0.5	0.6	0.4	0.3	0.3	0.2	0.1
	Male.....	0.3	0.1	(?)	0.1	0.1	0.2	0.5	0.8	0.4	0.3	0.4	0.2	0.1
	Female.....	0.2	0.1	0.1	0.1	(?)	0.1	0.4	0.5	0.3	0.2	0.2	0.1	(?)
15	Erysipelas:													
	Total.....	0.3	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.3
	Male.....	0.3	0.3	0.5	0.4	0.5	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.2
	Female.....	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.3
18	Epidemic cerebrospinal meningitis:													
	Total.....	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2
	Male.....	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	(?)	0.1	0.1	0.1	0.2
	Female.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	Tetanus:													
	Total.....	0.1	(?)	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1	(?)	(?)	(?)
	Male.....	0.1	(?)	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Female.....	(?)	0.1	(?)	(?)	(?)	0.1	(?)	0.1	(?)	(?)	(?)	(?)	(?)
23	Tuberculosis of the respiratory system:													
	Total.....	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2
	Male.....	0.2	0.1	0.2	0.1	0.2	0.1	0.3	0.1	0.2	0.2	0.1	0.1	0.2
	Female.....	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1
24	Tuberculosis of the meninges, etc.:													
	Total.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1
	Male.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
	Female.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	(?)	0.1	0.1
25 to 32	Other forms of tuberculosis:													
	Total.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Male.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Female.....	0.1	0.1	0.1	0.1	0.1	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1

Detailed International List No.	Table AF—Con. CAUSE OF DEATH, AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932												
		All deaths	January	February	March	April	May	June	July	August	September	October	November	December
34	Syphilis:													
	Total.....	0.8	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.6	0.7	0.6	0.8
	Male.....	0.8	1.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.6	0.8	0.8	0.8
	Female.....	0.7	0.8	0.7	0.8	0.7	0.8	0.8	0.8	0.8	0.6	0.6	0.7	0.9
86	Convulsions:													
	Total.....	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4
	Male.....	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4
	Female.....	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3
106	Bronchitis:													
	Total.....	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2
	Male.....	0.3	0.4	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2
	Female.....	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2
107	Broncho-pneumonia:													
	Total.....	5.7	6.6	6.8	7.7	6.6	5.8	3.5	2.6	2.3	3.0	5.0	7.4	11.7
	Male.....	6.3	7.4	7.6	8.5	7.5	6.3	3.9	3.0	2.5	3.1	5.6	8.6	13.0
	Female.....	5.0	5.8	5.9	6.8	5.7	5.2	3.2	2.2	2.1	2.9	4.4	6.2	10.4
108, 109	Lobar and unspecified pneumonia:													
	Total.....	2.2	2.5	2.9	3.2	2.5	1.9	1.3	0.9	0.8	1.0	1.9	2.9	4.4
	Male.....	2.4	2.8	3.3	3.5	2.8	2.0	1.3	0.9	0.8	1.1	2.1	3.3	5.0
	Female.....	2.0	2.2	2.4	2.9	2.3	1.7	1.3	0.9	0.8	0.9	1.7	2.6	3.8
117, 118	Diseases of the stomach:													
	Total.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2
	Male.....	0.3	0.3	0.1	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2
	Female.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.3	0.2
119	Diarrhea and enteritis:													
	Total.....	5.2	3.0	2.9	2.9	3.3	4.3	7.0	9.4	8.4	7.6	6.1	4.0	3.1
	Male.....	5.7	3.4	3.4	3.2	3.9	4.7	7.7	9.9	9.0	8.3	6.6	4.5	3.6
	Female.....	4.7	2.6	2.5	2.5	2.6	3.9	6.4	9.0	7.7	6.8	5.5	3.5	2.5
122b	Intestinal obstruction:													
	Total.....	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.4	0.4	0.4
	Male.....	0.5	0.4	0.5	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4
	Female.....	0.3	0.2	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.4
157	Congenital malformations:													
	Total.....	5.3	5.3	5.0	5.3	5.5	5.4	5.2	5.2	4.9	4.4	5.1	6.0	6.0
	Male.....	5.7	5.5	5.6	5.6	5.9	5.6	5.9	5.7	5.2	4.8	5.6	6.3	6.2
	Female.....	4.8	5.0	4.3	5.0	5.1	5.2	4.4	4.7	4.5	4.0	4.5	5.7	5.7
158, 161b, c	Congenital debility, icterus, sclerema:													
	Total.....	2.3	2.4	2.2	2.3	2.2	2.3	2.3	2.2	2.4	2.2	2.1	2.4	2.3
	Male.....	2.6	2.7	2.5	2.7	2.6	2.6	2.7	2.5	2.8	2.5	2.5	2.8	2.7
	Female.....	1.9	2.1	1.9	1.9	1.8	2.0	2.0	2.0</					

born in Germany to 67.1 for those of mothers born in Poland while Negro males had a rate of 91.3.

The corresponding rates for females were 35.1 for children of mothers born in Denmark, Norway, and Sweden, 55.6 for those of mothers born in Poland, and 76.7 for Negroes.

For white males under 1 day the rates ranged from 12.5 for those of Italian mothers to 17.3 for those of Canadian and Irish mothers, while for white females under 1 day they ranged from 9.2 for those of mothers born in Russia to 15.1 for those of mothers born in Canada. The corresponding rates for Negroes were 18.3 for males and 15.3 for females.

For white males under 1 month the rates ranged from 29.2 for those of German mothers to 36.9 for

those of Polish mothers, while for white females under 1 month they ranged from 23.2 for those of mothers born in Denmark, Norway, and Sweden, to 31.6 for those of Polish mothers. The corresponding rates for Negroes were 48.7 for males and 39.9 for females.

For white males of 11 months the rates ranged from 0.2 for those of mothers born in Russia to 2.1 for those of mothers born in Italy, while for white females of the same age the rates ranged from 0.3 for those whose mothers were born in Germany to 1.7 for those of mothers born in Italy. For Negro males and Negro females the corresponding rates were, respectively, 1.9 and 1.6.

Differences in rates appearing in this table are clearly shown in the diagrams on page 34.

Table AG

INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AGE AND SEX	White															Negro	Other colored
	Total	Country of birth of mother															
		Total	United States	Foreign country													
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries			
Under 1 year	57.6	53.3	52.5	52.9	58.4	54.4	45.0	43.7	51.2	43.1	53.4	61.5	42.1	60.2	84.1	103.5	
Male	63.8	59.4	58.5	58.0	65.0	58.8	54.2	46.8	59.0	45.6	57.9	67.1	46.6	65.3	91.3	110.8	
Female	51.1	46.9	46.1	47.6	51.3	49.9	35.1	40.4	42.7	40.6	48.8	55.6	37.3	54.8	76.7	95.7	
Under 1 day	15.0	14.8	14.7	13.3	11.4	16.2	12.1	14.1	14.7	13.0	11.7	14.6	11.4	13.5	16.8	11.8	
Male	16.7	16.6	16.6	14.3	13.2	17.3	13.9	13.7	17.3	12.9	12.5	15.5	13.5	14.2	18.3	13.4	
Female	13.1	12.9	12.8	12.1	9.4	15.1	10.1	14.4	11.8	13.2	10.9	13.5	9.2	12.8	15.3	10.1	
1 day	3.8	3.7	3.6	3.6	3.5	4.0	4.0	3.4	2.8	3.3	3.8	4.0	3.3	3.2	4.9	3.8	
Male	4.3	4.2	4.1	4.1	3.6	4.8	4.3	3.6	3.6	3.7	4.8	4.2	3.3	3.8	5.5	4.6	
Female	3.2	3.1	3.0	3.0	3.4	3.2	3.7	3.2	1.9	3.0	2.9	3.8	3.4	2.6	4.4	3.0	
2 days	2.6	2.4	2.4	2.6	2.7	3.0	2.5	2.5	2.2	2.2	2.5	3.0	2.1	3.0	3.7	4.0	
Male	3.0	2.8	2.8	2.8	3.2	2.5	3.4	3.0	2.7	2.2	3.1	3.3	2.2	2.7	4.1	4.6	
Female	2.2	2.0	2.0	2.4	2.2	3.5	1.5	2.0	1.7	2.2	2.0	2.8	2.1	3.2	3.2	3.3	
3 to 6 days	4.7	4.4	4.3	4.4	5.7	4.4	4.7	4.7	4.8	4.5	3.6	4.6	3.7	4.9	7.0	7.8	
Male	5.5	5.1	5.0	5.1	7.0	5.3	4.5	5.9	5.4	5.1	4.1	5.3	3.7	5.5	8.1	9.2	
Female	3.9	3.6	3.5	3.7	4.2	3.5	4.9	3.4	4.2	3.8	3.0	3.8	3.6	4.3	5.7	6.2	
1 week	3.4	3.1	3.1	2.8	3.2	3.2	2.1	1.9	2.1	2.7	2.6	3.6	2.9	3.0	5.6	4.7	
Male	3.7	3.4	3.4	2.9	2.9	3.1	2.6	1.9	2.3	2.9	2.4	3.7	3.6	3.6	6.0	4.9	
Female	3.1	2.8	2.8	2.6	3.6	3.2	1.5	2.0	1.8	2.5	2.8	3.5	2.1	2.4	5.1	4.5	
2 weeks	2.2	2.0	2.0	2.0	2.7	1.3	1.8	1.0	3.1	1.9	1.6	2.9	2.3	1.9	3.4	3.3	
Male	2.4	2.2	2.2	2.1	3.2	1.7	2.6	1.1	3.0	1.6	1.6	3.0	3.0	2.0	3.6	3.2	
Female	2.0	1.8	1.8	1.8	2.2	0.9	0.9	0.9	3.2	2.2	1.5	2.9	1.6	1.9	3.1	3.3	
3 weeks but under 1 month	1.8	1.7	1.6	1.7	2.1	1.8	1.2	1.5	1.7	0.9	1.6	1.6	1.6	2.1	3.0	3.2	
Male	2.0	1.8	1.8	1.8	2.3	2.1	1.7	1.7	2.2	0.8	1.6	1.9	1.5	2.2	3.0	3.6	
Female	1.7	1.5	1.5	1.5	1.8	1.4	0.6	1.2	1.3	1.0	1.6	1.4	1.7	2.0	3.0	2.9	
Under 1 month	33.5	32.0	31.7	30.3	31.3	33.9	28.2	29.1	31.4	28.5	27.4	34.3	27.3	31.7	44.4	38.6	
Male	37.6	36.0	35.8	33.2	35.3	36.8	32.9	30.9	36.6	29.2	30.1	36.9	30.8	34.1	48.7	43.6	
Female	29.2	27.7	27.3	27.3	26.8	30.8	23.2	27.1	25.9	27.9	24.7	31.6	23.7	29.2	39.9	33.4	
1 month	4.7	4.2	4.1	3.9	4.4	4.3	3.2	2.9	4.2	2.9	3.6	4.6	4.0	4.5	7.6	10.0	
Male	5.3	4.8	4.7	4.7	5.6	5.0	3.4	3.9	5.3	3.2	3.6	6.3	4.5	5.7	8.5	11.2	
Female	4.0	3.6	3.6	3.1	3.0	3.5	3.1	1.8	3.1	2.5	3.5	2.9	3.4	3.4	6.7	8.8	
2 months	3.6	3.2	3.1	3.1	4.2	2.7	2.1	1.9	3.3	2.0	3.6	3.4	1.6	4.0	5.9	7.9	
Male	3.8	3.5	3.4	3.3	4.3	2.5	2.6	2.0	4.1	2.1	4.1	3.9	1.8	3.9	6.1	7.4	
Female	3.2	2.8	2.8	2.9	4.2	2.8	1.5	1.8	2.4	1.8	3.0	2.9	1.5	4.2	5.5	8.4	
3 months	2.9	2.5	2.5	2.6	3.2	2.5	2.4	1.1	2.7	2.2	2.8	2.9	1.4	3.2	4.9	8.3	
Male	3.1	2.7	2.7	2.7	4.1	2.6	2.8	0.9	2.7	1.9	2.4	3.0	1.6	3.8	5.1	8.4	
Female	2.6	2.3	2.2	2.5	2.2	2.4	1.8	1.4	2.6	2.5	3.1	2.9	1.2	2.6	4.7	8.3	
4 months	2.3	2.0	2.0	2.2	2.9	1.9	1.2	1.5	1.5	1.9	2.4	3.2	1.4	2.9	4.1	6.0	
Male	2.5	2.3	2.2	2.3	2.7	1.6	1.7	1.6	1.8	1.9	2.9	3.3	1.6	2.8	4.3	5.7	
Female	2.1	1.8	1.7	2.1	3.1	2.2	0.6	1.4	1.3	1.8	1.9	3.1	1.2	3.0	3.8	6.4	
5 months	2.0	1.7	1.6	2.2	3.3	1.8	1.6	1.5	1.3	1.5	2.3	3.4	1.1	2.8	3.3	6.7	
Male	2.1	1.9	1.8	2.4	3.3	2.0	1.4	1.7	1.3	1.8	2.5	4.0	1.1	3.5	3.3	6.8	
Female	1.9	1.6	1.5	1.9	3.3	1.5	1.8	1.2	1.3	1.2	2.1	2.8	1.0	2.1	3.3	6.6	
6 months	1.8	1.6	1.5	1.8	2.3	1.6	1.6	1.4	1.3	0.9	2.1	2.0	1.0	2.3	3.3	5.4	
Male	2.0	1.7	1.6	1.9	1.8	1.4	3.1	1.2	1.3	1.4	2.4	2.8	1.2	2.1	3.6	6.4	
Female	1.7	1.5	1.4	1.6	2.8	1.8	1.8	1.2	1.4	0.3	1.7	1.1	0.7	2.5	3.1	4.3	
7 months	1.6	1.4	1.4	1.6	1.9	1.5	1.5	0.8	0.9	0.7	2.0	1.4	0.9	2.3	2.6	4.7	
Male	1.7	1.5	1.5	1.7	1.9	1.8	2.6	0.9	0.9	0.6	2.5	0.9	0.8	2.3	2.8	5.0	
Female	1.4	1.3	1.3	1.4	1.9	1.2	0.3	0.8	0.8	0.8	1.5	1.9	1.0	2.2	2.3	4.4	
8 months	1.5	1.3	1.3	1.5	1.6	1.4	1.2	0.7	1.5	0.8	2.2	1.7	1.1	1.4	2.3	4.2	
Male	1.6	1.4	1.4	1.6	2.1	1.6	0.9	1.1	1.6	0.8	1.8	1.9	1.1	1.8	2.6	4.0	
Female	1.3	1.2	1.1	1.4	1.0	1.2	1.5	0.2	1.5	0.8	2.5	1.5	1.1	0.9	2.1	4.4	
9 months	1.4	1.2	1.2	1.4	1.1	1.0	1.2	0.8	1.3	0.8	1.7	1.9	1.2	1.7	2.1	3.9	
Male	1.4	1.3	1.3	1.5	1.4	1.0	1.4	0.9	1.4	1.3	1.9	1.7	1.2	1.7	2.3	4.0	
Female	1.3	1.2	1.1	1.3	0.9	1.0	0.9	0.8	1.1	0.3	1.5	2.1	1.1	1.7	1.9	3.7	
10 months	1.2	1.1	1.1	1.2	1.3	0.8	0.7	1.2	0.9	0.5	1.5	1.6	0.6	1.8	1.9	4.1	
Male	1.3	1.2	1.2	1.3	1.5	1.0	1.1	1.1	1.2	0.8	1.5	1.3	0.5	2.0	2.1	4.2	
Female	1.1	1.0	1.0	1.1	1.0	0.5	0.3	1.2	0.6	0.2	1.6	1.9	0.7	1.5	1.7	4.0	
11 months	1.2	1.1	1.1	1.2	0.9	1.2	0.1	0.9	0.8	0.5	1.9	1.0	0.5	1.6	1.8	3.7	
Male	1.3	1.1	1.1	1.2	1.0	1.4	0.3	0.3	0.8	0.6	2.1	1.1	0.2	1.5	1.9	4.3	
Female	1.1	1.0	1.0	1.2	0.9	1.0	1.5	0.8	0.8	0.3	1.7	1.0	0.7	1.6	1.6	3.1	

1 Exclusive of stillbirths.

INFANT MORTALITY STATISTICS: 1932

DIAGRAM 5.—INFANT MORTALITY, BY COLOR AND COUNTRY OF BIRTH OF MOTHER, FOR CERTAIN SUB-DIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932





Table AH shows infant mortality rates from important causes, by sex and color, and for white children by country of birth of mother, for 1932.

If the rates for white children be contrasted with those for Negroes, and if the rates for the total number of white children be contrasted with those for white children having mothers born in various countries, marked differences are shown. To simplify comparison in this analysis, all rates are shown in whole numbers.

Negro children have rates of 91 per 1,000 births for males and 77 for females, increases of 32 and 30, respectively, over the corresponding rates for white children. These differences in rates are accounted for by the following excesses:

	<i>Male</i>
Broncho-pneumonia.....	3
Lobar and unspecified pneumonia.....	3
Congenital debility, icterus, sclerema.....	3
Premature birth.....	3
Diarrhea and enteritis.....	2
Syphilis.....	2
Unknown or ill-defined diseases.....	15
	<i>Female</i>
Premature birth.....	4
Diarrhea and enteritis.....	3
Syphilis.....	3
Broncho-pneumonia.....	2
Lobar and unspecified pneumonia.....	2
Congenital debility, icterus, sclerema.....	2
Unknown or ill-defined diseases.....	12

Considering as standard the rates for the total number of white children (59 for males and 47 for females) and contrasting with them the rates for white children of mothers born in certain foreign countries—

Children of mothers born in Poland have rates of 67 per 1,000 births for males and 56 for females, or 8 and 9, respectively, higher than the standard. For males the 8 is largely accounted for by excesses of 4 in the rate from broncho-pneumonia and 3 from diarrhea and enteritis.

For females the 9 is largely accounted for by an excess of 4 in the rate from broncho-pneumonia, and 3 from injury at birth.

Children of mothers born in "Other foreign countries" have rates of 65 per 1,000 births for males and 55 for females, or 6 and 8 respectively, higher than the standard for each. The 6 for males is accounted for by excesses of 4 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis. The 8 for females is largely accounted for by excesses of 3 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis.

Children of mothers born in Austria and Hungary have rates of 65 per 1,000 births for males and 51 for females, or 6 and 4, respectively, higher than the standard. For males the principal excesses are 4 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis, while for females the principal excesses are 3 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis.

Children of mothers born in Canada have rates of 59 per 1,000 births for males and 50 for females. For males the rate is the same as the standard, while females have a rate that is 3 higher than the standard rate.

The greatest differences for males are excesses of 2 each in the rates from congenital malformations and injury at birth and a shortage of 2 in the rate from unknown or ill-defined diseases. For females, the greatest difference is an excess of 2 in the rate from injury at birth.

Children of mothers born in Ireland have rates of 59 per 1,000 births for males and 43 for females. For males the rate is the same as the standard while females have a rate that is 4 lower. For males there are increases of 3 each in the rates from injury at birth and congenital malformations, and shortages of 2 each from premature birth and other diseases of early infancy. For females there is an increase of 2 in the rate from injury at birth and a shortage of 5 from premature birth.

Children of mothers born in the United States have the standard rate for males and 46 for females, or 1 lower than the standard. There are no marked differences in the rates for either sex.

Children of mothers born in Italy have a rate for males that is 1 lower than the standard, while the rate for females is 2 higher than the standard rate. For males the principal differences are an excess of 4 in the rate from broncho-pneumonia and a shortage of 5 in the rate from premature birth. For females the principal differences are an excess of 3 in the rate from broncho-pneumonia and a shortage of 3 from premature birth.

Children of mothers born in Denmark, Norway, and Sweden have rates of 54 per 1,000 births for males and 35 for females, or 5 and 12, respectively, lower than the standard. For males the principal differences are shortages of 2 each in the rates from diarrhea and enteritis and unknown or ill-defined diseases. For females the chief differences are shortages of 3 in the rate from premature birth and 2 from diarrhea and enteritis.

Children of mothers born in England, Scotland, and Wales have rates of 47 per 1,000 births for males and 40 for females, or 12 and 7, respectively, lower than the standard. For males the greatest shortages are 5 in the rate from premature birth and 3 from diarrhea and enteritis. For females the greatest difference is a shortage of 2 in the rate from premature birth.

Children of mothers born in Russia have rates of 47 per 1,000 births for males and 37 for females, or 12 and 10, respectively, lower than the standard. For males the greatest shortages are 3 in the rate from premature birth and 2 from all other causes. For females the greatest difference is a shortage of 4 in the rate from premature birth.

Children of mothers born in Germany have rates of 46 per 1,000 births for males and 41 for females, or 13 and 6, respectively, lower than the standard. For males the principal differences are shortages of 5 and 2, respectively, in the rates from premature birth and diarrhea and enteritis. For females, the chief differences are shortages of 1 each in the rates from diarrhea and enteritis and congenital malformations.

INFANT MORTALITY STATISTICS: 1932

Detailed International List No.	Table AH CAUSE OF DEATH AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932 [Rates in <i>italics</i> are based on less than 5 deaths]														Negro	Other colored
		Total	White												Total		
			Country of birth of mother											Total			
			Foreign country														
Total	United States	Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries					
	All causes:																
	Total.....	57.6	53.3	52.5	52.9	58.4	54.4	45.0	43.7	51.2	43.1	53.4	61.5	42.1	60.2	84.1	103.5
	Male.....	63.8	59.4	58.5	58.0	65.0	58.8	54.2	46.8	59.0	45.6	57.9	67.1	46.6	65.3	91.3	110.8
	Female.....	51.1	46.9	46.1	47.6	51.3	49.9	35.1	40.4	42.7	40.6	48.8	55.6	37.3	54.8	76.7	95.7
7	Measles:																
	Total.....	0.2	0.2	0.2	0.3	0.4	0.3	0.1	0.3	0.1	-----	0.7	0.4	-----	0.3	0.1	0.2
	Male.....	0.2	0.2	0.2	0.3	-----	0.2	0.3	-----	0.1	-----	0.8	0.2	-----	0.2	0.2	0.3
	Female.....	0.2	0.2	0.2	0.4	0.7	0.4	-----	0.6	-----	-----	0.7	0.5	-----	0.4	0.1	0.1
8	Scarlet fever:																
	Total.....	(?)	(?)	(?)	(?)	-----	-----	-----	0.1	-----	-----	0.1	0.1	-----	(?)	-----	-----
	Male.....	(?)	(?)	0.1	(?)	-----	-----	-----	0.1	-----	-----	(?)	0.1	-----	-----	0.2	-----
	Female.....	(?)	(?)	(?)	(?)	-----	-----	-----	-----	-----	-----	0.1	-----	-----	(?)	-----	-----
9	Whooping cough:																
	Total.....	1.5	1.4	1.4	1.1	1.4	1.4	0.7	0.6	0.9	0.7	1.3	1.3	0.2	1.3	2.7	3.3
	Male.....	1.4	1.3	1.3	1.0	1.5	1.2	0.9	0.3	0.5	1.3	1.0	1.1	0.2	1.3	2.4	2.6
	Female.....	1.7	1.5	1.5	1.2	1.3	1.6	0.6	0.9	1.4	0.2	1.7	1.5	0.2	1.3	3.0	4.1
10	Diphtheria:																
	Total.....	0.2	0.2	0.2	0.1	0.1	(?)	-----	0.2	0.1	0.1	0.2	-----	-----	0.2	0.2	0.2
	Male.....	0.2	0.2	0.2	0.1	0.1	0.3	-----	0.4	0.1	-----	0.2	-----	-----	0.1	0.3	0.4
	Female.....	0.2	0.2	0.2	0.1	-----	0.1	-----	-----	-----	0.2	-----	-----	-----	0.2	0.2	0.1
11	Influenza:																
	Total.....	1.8	1.6	1.7	1.0	1.6	0.5	0.9	0.7	0.3	1.1	0.8	1.6	0.6	1.8	2.9	4.6
	Male.....	2.0	1.8	1.8	1.0	1.2	0.5	1.7	0.9	0.1	1.0	0.7	1.8	0.5	2.0	3.2	5.0
	Female.....	1.6	1.5	1.5	1.0	2.1	0.4	-----	0.5	0.4	1.3	0.9	1.4	0.7	1.6	2.6	4.2
13	Dysentery:																
	Total.....	0.2	0.2	0.2	0.1	0.1	-----	-----	0.1	-----	(?)	0.1	0.1	0.1	0.4	1.0	-----
	Male.....	0.3	0.2	0.2	(?)	0.3	-----	-----	-----	-----	(?)	(?)	0.1	-----	0.4	1.5	-----
	Female.....	0.2	0.2	0.2	0.1	-----	-----	-----	0.1	-----	(?)	-----	0.1	0.2	0.4	0.4	0.4
15	Erysipelas:																
	Total.....	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.3	0.7	0.5	0.3	0.4	0.6	0.4	0.1	0.3
	Male.....	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3	0.2	0.6	0.7	0.4	0.1	0.3
	Female.....	0.2	0.3	0.2	0.4	-----	0.1	-----	0.3	1.1	0.7	0.3	0.3	0.5	0.4	0.1	0.4
18	Epidemic cerebrospinal meningitis:																
	Total.....	0.1	0.1	0.1	0.2	0.3	0.1	-----	0.2	0.1	0.4	0.3	0.1	0.2	0.1	0.1	0.1
	Male.....	0.1	0.1	0.1	0.2	0.1	0.1	-----	0.3	0.2	0.3	0.4	0.2	0.3	0.1	0.1	0.1
	Female.....	0.1	0.1	0.1	0.2	0.4	0.1	-----	0.1	-----	0.4	0.3	-----	0.1	0.1	0.1	-----
22	Tetanus:																
	Total.....	0.1	(?)	(?)	(?)	-----	-----	-----	-----	-----	-----	0.1	(?)	0.3	0.1	0.1	-----
	Male.....	0.1	(?)	0.1	(?)	-----	-----	-----	-----	-----	-----	-----	0.1	-----	0.3	0.1	-----
	Female.....	(?)	(?)	(?)	(?)	-----	-----	-----	-----	-----	-----	-----	-----	0.1	0.2	0.1	-----
23	Tuberculosis of the respiratory system:																
	Total.....	0.1	0.1	0.1	0.1	0.1	(?)	0.4	-----	0.3	0.1	0.1	0.1	0.1	0.2	0.4	1.2
	Male.....	0.2	0.1	0.1	0.2	0.1	0.1	0.9	-----	0.3	0.3	0.1	0.1	0.2	0.2	0.4	1.5
	Female.....	0.1	0.1	0.1	0.1	0.1	-----	-----	0.3	0.2	(?)	-----	0.1	0.4	1.0	-----	-----
24	Tuberculosis of the meninges, etc.:																
	Total.....	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.1	0.3	0.1	0.1	0.2	0.1	0.2	0.1	0.5
	Male.....	0.2	0.1	0.1	0.2	0.1	0.5	0.6	0.1	0.4	0.2	0.2	0.2	-----	0.2	0.1	0.5
	Female.....	0.2	0.1	0.1	0.1	0.1	0.2	-----	0.1	-----	0.1	0.1	0.2	0.2	0.2	0.2	0.4
25 to 32	Other forms of tuberculosis:																
	Total.....	0.1	0.1	0.1	0.1	0.1	0.2	-----	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.5	0.5
	Male.....	0.1	0.1	0.1	0.1	0.1	0.3	-----	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.2	0.5
	Female.....	0.1	0.1	0.1	0.1	0.1	0.1	-----	0.1	-----	(?)	-----	0.1	0.2	0.2	0.6	-----
34	Syphilis:																
	Total.....	0.8	0.4	0.4	0.3	0.2	0.3	0.4	0.3	0.2	-----	0.4	0.1	0.2	0.5	3.2	2.0
	Male.....	0.8	0.5	0.5	0.3	0.1	0.3	0.6	0.3	0.1	-----	0.7	-----	0.1	0.6	3.3	2.2
	Female.....	0.7	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.3	-----	0.2	0.3	0.2	0.5	3.0	1.7
86	Convulsions:																
	Total.....	0.3	0.3	0.3	0.2	0.6	0.2	0.6	0.1	-----	0.2	0.3	0.2	0.3	0.3	0.8	0.2
	Male.....	0.4	0.3	0.3	0.3	0.5	0.2	0.6	0.1	-----	0.2	0.2	0.4	0.2	0.3	0.8	0.3
	Female.....	0.3	0.2	0.2	0.2	0.6	0.2	0.6	-----	0.2	0.3	-----	0.4	0.3	0.8	0.2	-----
106	Bronchitis:																
	Total.....	0.3	0.3	0.2	0.4	0.8	0.3	0.1	0.1	0.3	0.3	0.3	1.1	0.1	0.6	0.5	1.1
	Male.....	0.3	0.3	0.3	0.4	0.5	0.2	0.3	0.1	0.4	0.5	0.4	0.8	-----	0.5	0.4	1.3
	Female.....	0.3	0.2	0.2	0.5	1.0	0.4	-----	0.2	0.1	0.2	0.2	1.4	0.2	0.7	0.6	1.0
107	Broncho-pneumonia:																
	Total.....	5.7	5.2	4.9	7.4	8.7	6.7	4.6	4.7	5.6	4.9	8.9	9.3	5.6	8.9	8.1	15.7
	Male.....	6.3	5.8	5.4	8.0	9.6	7.1	5.1	4.7	6.1	5.4	9.8	9.6	5.9	10.0	8.9	17.5
	Female.....	5.0	4.6	4.2	6.7	7.6	6.2	4.0	4.6	5.0	4.3	8.0	9.0	5.2	7.8	7.3	13.8
108, 109	Lobar and unspecified pneumonia:																
	Total.....	2.2	1.8	1.7	2.3	3.0	1.6	0.7	2.0	2.1	0.9	3.4	1.9	2.3	2.6	4.3	6.6
	Male.....	2.4	2.0	1.9	2.5	2.9	1.7	0.6	2.4	2.3	1.0	3.7	2.5	2.4	2.6	4.7	6.8
	Female.....	2.0	1.6	1.5	2.1	3.1	1.4	0.9	1.5	1.8	0.8	3.0	1.4	2.3	2.6	3.8	6.4
117, 118	Diseases of the stomach:																
	Total.....	0.2	0.2	0.2	0.1	0.1	0.2	-----	0.1	0.1	-----	(?)	0.2	0.1	0.1	0.6	0.8
	Male.....	0.3	0.2	0.2	0.1	0.1	0.2	-----	0.1	0.1	-----	(?)	0.4	0.2	0.1	0.6	0.7
	Female.....	0.2	0.2	0.2	0.1	0.1	0.2	-----	-----	-----	0.1	-----	-----	0.1	0.5	0.8	-----
119	Diarrhea and enteritis:																
	Total.....	5.2	4.7	4.7	4.4	6.9	3.4	2.4	2.1	4.6	2.9	3.8	6.0	3.4	6.5	7.1	19.7
	Male.....	5.7	5.3	5.2	5.0	7.7	4.2	2.8	2.1	4.9	3.2	4.2	7.5	3.9	7.3	7.4	20.5
	Female.....	4.7	4.1	4.1	3.7	6.0	2.6	1.8	2.0	4.2	2.5	3.3	4.4	2.9	5.6	6.8	18.8
122b	Intestinal obstruction:																
	Total.....	0.4	0.4	0.4	0.5	0.4	0.5	0.3	0.4	0.5	0.6	0.6	0.5	0.3	0.7	0.4	0.5
	Male.....	0.5	0.5	0.5	0.7	0.8	0.8	0.6	0.1	0.4	0.6	0.7	0.6	0.3	1.0	0.4	0.4
	Female.....	0.3	0.3	0.3	0.4	-----	0.2	-----	0.6	0.6	0.5	0.4	0.5	0.2	0.4	0.3	0.7

¹ Exclusive of stillbirths.
² Less than one-tenth of 1 per 1,000 births.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932

[Figures for white and colored are shown separately for minor areas only when the colored population formed at least 10 percent of the total or numbered 10,000 or more in 1930. Minor areas designated by an asterisk (*) contain State insane asylums, State hospitals, maternity hospitals, etc. where occur deaths of many nonresidents and births to many nonresident mothers]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES											
Total.....	118,858,000	2,074,042	1,293,269	17.4	10.9	780,773	160	119,431	57.6	78,351	3.8
White.....	106,259,000	1,805,155	1,115,555	17.0	10.5	689,600	162	96,250	53.3	59,040	3.3
Colored.....	12,599,000	268,887	177,714	21.3	14.1	91,173	151	23,181	86.2	19,311	7.2
Cities of 10,000 or more.....	57,824,600	966,714	673,342	16.7	11.6	293,372	144	54,788	56.7	37,593	3.9
White.....	52,951,100	873,637	591,022	16.5	11.2	282,515	148	45,894	52.5	30,454	3.5
Colored.....	4,873,500	93,177	82,320	19.1	16.9	10,857	113	8,894	95.5	7,139	7.7
Smaller cities ² and rural districts.....	61,033,400	1,107,328	619,927	18.1	10.2	487,401	179	64,643	58.4	40,758	3.7
White.....	53,307,900	931,618	524,533	17.5	9.8	407,085	178	50,356	54.1	28,586	3.1
Colored.....	7,725,500	175,710	95,394	22.7	12.3	80,316	184	14,287	81.3	12,172	6.9
Section A (States)											
ALABAMA											
Total.....	2,632,000	62,939	27,680	23.5	10.3	35,259	227	3,835	60.9	3,089	4.9
White.....	1,731,000	39,381	14,871	22.8	8.6	24,510	265	2,042	51.9	1,337	3.4
Colored.....	951,000	23,558	12,809	24.8	13.5	10,749	184	1,793	76.1	1,752	7.4
Cities of 10,000 or more.....	598,800	11,350	8,273	19.0	13.8	3,077	137	868	76.5	637	5.6
White.....	369,200	6,914	4,248	18.7	11.5	2,666	163	397	57.4	255	3.7
Colored.....	229,600	4,436	4,025	19.3	17.5	411	110	471	106.2	382	8.6
Cities of 2,500 to 10,000.....	172,700	3,648	2,309	21.1	13.4	1,339	158	292	80.0	222	6.1
White.....	124,100	2,674	1,400	21.5	11.3	1,274	191	194	72.6	113	4.2
Colored.....	48,600	974	909	20.0	18.7	65	107	98	100.6	109	11.2
Rural.....	1,910,500	47,941	17,098	25.1	8.9	30,843	280	2,675	55.8	2,230	4.7
White.....	1,237,700	29,793	9,223	24.1	7.5	20,570	323	1,451	48.7	969	3.3
Colored.....	672,800	18,148	7,875	27.0	11.7	10,273	230	1,224	67.4	1,261	6.9
ARIZONA											
Total.....	448,000	8,523	5,420	19.0	12.1	3,103	187	817	95.9	216	2.5
White.....	272,000	4,569	3,016	16.8	11.1	1,553	151	243	53.2	93	2.1
Colored.....	176,000	3,954	2,404	22.5	13.7	1,550	164	574	145.2	118	3.0
Cities of 10,000 or more.....	83,600	2,818	2,132	33.7	25.5	686	132	262	93.0	71	2.5
White.....	60,600	1,827	1,426	30.1	23.5	401	128	93	50.9	35	1.9
Colored.....	23,000	991	706	43.1	30.7	285	140	169	170.5	36	3.6
Cities of 2,500 to 10,000.....	69,600	2,171	1,312	31.2	18.9	859	165	206	94.9	68	3.1
White.....	43,500	1,252	782	28.8	18.0	470	160	68	54.3	34	2.7
Colored.....	26,100	919	530	35.2	20.3	389	173	138	150.2	34	3.7
Rural.....	294,800	3,534	1,976	12.0	6.7	1,558	179	349	98.8	77	2.2
White.....	167,900	1,490	808	8.9	4.8	682	184	82	55.0	29	1.9
Colored.....	126,900	2,044	1,168	16.1	9.2	876	175	267	130.6	48	2.3
ARKANSAS											
Total.....	1,867,000	37,450	16,315	20.1	8.7	21,135	230	1,697	45.3	1,491	4.0
White.....	1,386,000	28,689	11,251	20.7	8.1	17,438	255	1,244	43.4	861	3.0
Colored.....	481,000	8,761	5,064	18.2	10.5	3,697	173	453	51.7	630	7.2
Cities of 10,000 or more.....	227,200	3,269	3,766	14.4	16.6	-497	87	214	65.5	147	4.5
White.....	175,300	2,688	2,645	15.3	15.1	43	102	158	58.8	87	3.2
Colored.....	51,900	581	1,121	11.2	21.6	-540	52	56	96.4	60	10.3
Cities of 2,500 to 10,000.....	165,800	2,596	2,083	15.7	12.6	513	125	138	53.2	118	4.5
White.....	126,100	1,996	1,367	15.8	10.8	629	146	96	48.1	68	3.4
Colored.....	39,700	600	716	15.1	18.0	-116	84	42	70.0	50	8.3
Rural.....	1,474,000	31,585	10,466	21.4	7.1	21,119	302	1,345	42.6	1,226	3.9
White.....	1,084,600	24,005	7,239	22.1	6.7	16,766	332	990	41.2	706	2.9
Colored.....	389,400	7,580	3,227	19.5	8.3	4,353	235	355	46.8	520	6.9
CALIFORNIA											
Total.....	5,947,000	78,093	67,680	13.1	11.4	10,413	115	4,116	52.7	2,132	2.7
White.....	5,268,000	62,928	60,037	11.9	11.4	2,891	105	2,657	42.2	1,613	2.6
Colored.....	679,000	15,165	7,643	22.3	11.3	7,522	198	1,459	96.2	519	3.4
Cities of 10,000 or more.....	3,803,000	50,169	42,946	13.2	11.3	7,223	117	2,344	46.7	1,346	2.7
White.....	3,429,600	41,622	38,876	12.1	11.3	2,746	107	1,721	41.3	1,055	2.5
Colored.....	373,400	8,547	4,070	22.9	10.9	4,477	210	623	72.9	291	3.4
Cities of 2,500 to 10,000.....	577,600	9,909	6,521	17.2	11.3	3,388	152	558	56.3	259	2.6
White.....	506,600	7,820	5,708	15.4	11.3	2,112	137	327	41.8	191	2.4
Colored.....	71,100	2,089	813	29.4	11.4	1,276	257	231	110.6	68	3.3
Rural.....	1,566,400	18,015	18,213	11.5	11.6	-198	99	1,214	67.4	527	2.9
White.....	1,331,900	13,486	15,453	10.1	11.6	1,967	87	609	45.2	367	2.7
Colored.....	234,500	4,529	2,760	19.3	11.8	1,769	164	605	133.6	160	3.5

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 1,000 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
COLORADO											
Total.....	1,047,000	17,613	12,599	16.8	12.0	5,014	140	1,259	71.5	559	3.2
White.....	967,000	16,218	11,771	16.8	12.2	4,447	138	1,050	64.7	490	3.0
Colored.....	80,000	1,395	828	17.4	10.4	567	168	209	149.8	69	4.9
Cities of 10,000 or more.....	433,400	7,144	6,171	16.5	14.2	973	116	494	89.1	241	3.4
White.....	408,600	6,768	5,857	16.6	14.3	911	116	445	65.8	225	3.3
Colored.....	24,800	376	314	15.2	12.7	62	120	49	130.3	16	4.8
Cities of 2,500 to 10,000.....	94,500	2,050	1,620	21.7	17.1	430	127	168	82.0	72	3.5
White.....	88,200	1,858	1,480	21.1	16.8	378	126	131	70.5	61	3.3
Colored.....	6,300	192	140	30.5	22.2	52	137	37	192.7	11	5.7
Rural.....	519,100	8,419	4,808	16.2	9.3	3,611	175	597	70.9	246	2.9
White.....	470,200	7,592	4,434	16.1	9.4	3,158	171	474	62.4	204	2.7
Colored.....	48,900	827	374	16.9	7.6	453	221	123	148.7	42	5.1
CONNECTICUT											
Total.....	1,634,000	23,731	16,962	14.5	10.4	6,769	140	1,173	49.4	685	2.9
White.....	1,603,000	23,123	16,494	14.4	10.3	6,629	140	1,115	48.2	659	2.8
Colored.....	31,000	608	468	19.6	15.1	140	130	58	95.4	26	4.3
Cities of 10,000 or more.....	1,096,700	19,086	11,915	17.4	10.9	7,171	160	920	48.2	556	2.9
White.....	1,071,000	18,521	11,518	17.3	10.8	7,003	161	868	46.9	532	2.9
Colored.....	25,700	565	397	22.0	15.4	168	142	52	92.0	24	4.2
Cities of 2,500 to 10,000.....	50,200	1,185	394	23.6	7.8	791	301	31	26.2	28	2.4
White.....	49,800	1,166	388	23.4	7.8	778	301	30	25.7	28	2.4
Colored.....	400	19	6	47.5	15.0	13	(3)	1	52.6		
Rural.....	487,100	3,460	4,653	7.1	9.6	-1,193	74	222	64.2	101	2.9
White.....	482,200	3,436	4,588	7.1	9.5	-1,152	75	217	63.2	99	2.9
Colored.....	4,900	24	65	4.9	13.3	-41	(3)	5	208.3	2	8.3
DELAWARE											
Total.....	240,000	4,294	3,178	17.9	13.2	1,116	135	288	67.1	145	3.4
White.....	207,000	3,590	2,570	17.3	12.4	1,020	140	224	62.4	87	2.4
Colored.....	33,000	704	608	21.3	18.4	96	116	64	90.9	58	8.2
Cities of 10,000 or more.....	4 106,597	2,184	1,490	20.5	14.0	694	147	136	62.3	74	3.4
White.....	94,459	1,914	1,257	20.3	13.3	657	152	116	60.6	52	2.7
Colored.....	12,138	270	233	22.2	19.2	37	116	20	74.1	22	8.1
Cities of 2,500 to 10,000.....	17,200	358	255	20.8	14.8	103	140	15	41.9	14	3.9
White.....	14,100	316	202	22.4	14.3	114	156	11	34.8	6	1.9
Colored.....	3,100	42	53	13.5	17.1	-11	(3)	4	95.2	8	19.0
Rural.....	116,200	1,752	1,433	15.1	12.3	319	122	137	78.2	57	3.3
White.....	98,400	1,360	1,111	13.8	11.3	249	122	97	71.3	29	2.1
Colored.....	17,800	392	322	22.0	18.1	70	122	40	102.0	28	7.1
DISTRICT OF COLUMBIA											
Total.....	493,000	10,157	7,937	20.6	16.1	2,220	128	740	72.9	437	4.3
White.....	357,000	6,809	5,001	19.1	14.0	1,808	136	380	55.8	210	3.1
Colored.....	136,000	3,348	2,936	24.6	21.6	412	114	360	107.5	227	6.8
FLORIDA											
Total.....	1,528,000	27,402	18,288	17.9	12.0	9,114	150	1,674	61.1	1,550	5.7
White.....	1,083,000	18,874	11,287	17.4	10.4	7,587	167	933	49.4	706	3.7
Colored.....	445,000	8,528	7,001	19.2	15.7	1,527	122	741	86.9	844	9.9
Cities of 10,000 or more.....	577,300	10,112	7,974	17.5	13.8	2,138	127	576	57.0	639	6.3
White.....	417,800	7,284	5,021	17.4	12.0	4,263	145	318	43.7	290	4.0
Colored.....	159,500	2,828	2,953	17.7	18.5	-125	96	258	91.2	349	12.3
Cities of 2,500 to 10,000.....	219,300	4,235	3,418	19.3	15.6	817	124	271	64.0	216	5.1
White.....	160,500	3,000	2,234	18.7	13.9	766	134	161	53.7	111	3.7
Colored.....	58,800	1,235	1,184	21.0	20.1	51	104	110	89.1	105	8.5
Rural.....	731,400	13,055	6,896	17.8	9.4	6,159	189	827	63.3	695	5.3
White.....	504,700	8,590	4,032	17.0	8.0	4,558	213	454	52.9	305	3.6
Colored.....	226,700	4,465	2,864	19.7	12.6	1,601	156	373	83.5	390	8.7
GEORGIA											
Total.....	2,910,000	63,717	32,128	21.9	11.0	31,589	198	4,101	64.4	3,849	6.0
White.....	1,855,000	38,241	16,818	20.6	9.1	21,423	227	2,121	55.5	1,491	3.9
Colored.....	1,055,000	25,476	15,310	24.1	14.5	10,166	166	1,980	77.7	2,358	9.3
Cities of 10,000 or more.....	676,600	13,678	10,638	20.2	15.7	3,040	129	1,081	79.0	958	7.0
White.....	427,500	8,325	5,289	19.5	12.4	3,036	157	535	64.3	365	4.4
Colored.....	249,100	5,353	5,349	21.5	21.5	4	100	546	102.0	593	11.1
Smaller cities ² and rural districts.....	2,233,400	50,039	21,490	22.4	9.6	28,549	233	3,020	60.4	2,891	5.8
White.....	1,427,500	29,916	11,529	21.0	8.1	18,387	259	1,586	53.0	1,126	3.8
Colored.....	805,900	20,123	9,961	25.0	12.4	10,162	202	1,434	71.3	1,765	8.8

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
IDAHO											
Total	447,000	8,732	3,942	19.5	8.8	4,790	222	379	43.4	236	2.7
White	439,000	8,584	3,813	19.5	8.7	4,751	225	354	41.3	223	2.6
Colored	8,000	168	129	21.0	16.1	39	130	25	148.8	13	7.7
Cities of 10,000 or more	38,400	1,115	590	29.0	15.4	525	189	44	39.5	37	3.3
White	37,500	1,105	573	29.5	15.3	532	193	41	37.1	36	3.3
Colored	900	10	17	11.1	18.9	-7	(³)	3	300.0	1	10.0
Cities of 2,500 to 10,000	92,700	3,165	1,551	34.1	16.7	1,614	204	132	41.7	92	2.9
White	92,000	3,146	1,532	34.2	16.7	1,614	205	129	41.0	89	2.8
Colored	700	19	19	27.1	27.1	(³)	3	3	157.9	3	15.8
Rural	315,900	4,452	1,801	14.1	5.7	2,651	247	203	45.6	107	2.4
White	309,500	4,313	1,705	13.9	5.5	2,605	253	184	42.7	98	2.3
Colored	6,400	139	93	21.7	14.5	46	(³)	19	136.7	9	6.5
ILLINOIS											
Total	7,768,000	111,512	83,180	14.4	10.7	28,332	134	5,884	52.8	3,446	3.1
White	7,383,000	105,222	77,248	14.3	10.5	27,974	136	5,436	51.7	3,104	2.9
Colored	385,000	6,290	5,932	16.3	15.4	358	106	448	71.2	342	5.4
Cities of 10,000 or more	5,096,700	74,703	52,912	14.7	10.4	21,791	141	3,784	50.7	2,357	3.2
White	4,756,800	68,966	48,037	14.5	10.1	20,929	144	3,407	49.4	2,067	3.0
Colored	339,900	5,737	4,875	16.9	14.3	862	118	377	65.7	290	5.1
Cities of 2,500 to 10,000	689,000	10,098	7,794	14.7	11.3	2,304	130	591	58.5	335	3.3
White	672,800	9,888	7,574	14.7	11.3	2,314	131	564	57.0	314	3.2
Colored	16,200	210	220	13.0	13.6	-10	95	27	128.6	21	10.0
Rural	1,982,300	26,711	22,474	13.5	11.3	4,237	119	1,509	56.5	754	2.8
White	1,953,400	26,368	21,637	13.5	11.1	4,731	122	1,465	55.6	723	2.7
Colored	28,900	343	837	11.9	29.0	-494	41	44	128.3	31	9.0
INDIANA											
Total	3,275,000	53,073	38,756	16.2	11.8	14,317	137	2,903	54.7	1,518	2.9
White	3,148,000	51,280	36,839	16.3	11.7	14,441	139	2,739	53.4	1,413	2.8
Colored	127,000	1,793	1,917	14.1	15.1	-124	94	164	91.5	105	5.9
Cities of 10,000 or more	1,532,500	24,543	17,328	16.0	11.3	7,215	142	1,422	57.9	748	3.0
White	1,418,300	22,906	15,735	16.2	11.1	7,171	146	1,275	55.7	659	2.9
Colored	114,200	1,637	1,593	14.3	13.9	44	103	147	89.8	89	5.4
Cities of 2,500 to 10,000	299,700	5,275	4,625	17.6	15.4	650	114	305	57.8	175	3.3
White	295,800	5,226	4,540	17.7	15.3	686	115	303	58.0	170	3.3
Colored	3,900	49	85	12.6	21.8	-36	(^c)	2	40.8	5	10.2
Rural	1,442,800	23,255	16,803	16.1	11.6	6,452	138	1,176	50.6	595	2.6
White	1,433,900	23,148	16,564	16.1	11.6	6,584	140	1,161	50.2	584	2.5
Colored	8,900	107	239	12.0	26.9	-132	45	15	140.2	11	10.3
IOWA											
Total	2,479,000	40,459	25,786	16.3	10.4	14,673	157	1,938	47.9	1,278	3.2
White	2,456,000	40,232	25,443	16.4	10.4	14,849	158	1,905	47.3	1,261	3.1
Colored	23,000	167	343	7.3	14.9	-176	49	33	197.6	17	10.2
Cities of 10,000 or more	726,800	13,561	9,650	18.7	13.3	3,911	141	782	57.7	517	3.8
White	710,000	13,417	9,408	18.9	13.3	4,009	143	756	56.3	502	3.7
Colored	16,800	144	242	8.6	14.4	-98	60	26	180.6	15	10.4
Cities of 2,500 to 10,000	265,300	5,566	4,680	21.0	17.6	886	119	291	52.3	199	3.6
White	262,900	5,557	4,636	21.1	17.6	921	120	290	52.2	199	3.6
Colored	2,400	9	44	3.8	18.3	-35	(³)	1	111.1	(³)	(³)
Rural	1,486,900	21,332	11,456	14.3	7.7	9,876	186	865	40.5	562	2.6
White	1,483,100	21,318	11,399	14.4	7.7	9,919	187	859	40.3	560	2.6
Colored	3,800	14	57	3.7	15.0	-43	(³)	6	428.6	2	14.3
KANSAS											
Total	1,894,000	31,700	19,512	16.7	10.3	12,188	162	1,525	48.1	894	2.8
White	1,805,000	30,175	18,328	16.7	10.2	11,847	165	1,420	47.1	827	2.7
Colored	89,000	1,525	1,184	17.1	13.3	341	129	105	68.9	67	4.4
Cities of 10,000 or more	551,100	9,908	6,857	18.0	12.4	3,051	144	511	51.6	336	3.4
White	494,200	8,958	6,094	18.1	12.3	2,864	147	433	48.3	288	3.2
Colored	56,900	950	763	16.7	13.4	187	125	78	82.1	48	5.1
Cities of 2,500 to 10,000	192,000	4,318	2,775	22.5	14.5	1,543	156	260	60.2	132	3.1
White	184,300	4,131	2,665	22.4	14.5	1,466	155	248	60.0	122	3.0
Colored	7,700	187	110	24.3	14.3	77	170	12	64.2	10	5.3
Rural	1,150,900	17,474	9,880	15.2	8.6	7,594	177	754	43.1	426	2.4
White	1,126,500	17,086	9,569	15.2	8.5	7,517	179	739	43.3	417	2.4
Colored	24,400	388	311	15.9	12.7	77	125	15	38.7	9	2.3

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
KENTUCKY											
Total.....	2,638,000	59,505	29,059	22.6	11.0	30,446	205	3,767	63.3	2,014	3.4
White.....	2,413,000	56,195	24,829	23.3	10.3	31,366	226	3,409	60.7	1,804	3.2
Colored.....	225,000	3,310	4,230	14.7	18.8	-920	78	358	108.2	210	6.3
Cities of 10,000 or more.....	612,800	10,286	8,712	16.8	14.2	1,574	118	772	75.1	413	4.0
White.....	524,800	9,009	6,826	17.2	13.0	2,183	132	634	70.4	326	3.6
Colored.....	88,000	1,277	1,886	14.5	21.4	-609	68	138	108.1	87	6.8
Smaller cities ² and rural districts.....	2,025,200	49,219	20,347	24.3	10.0	28,872	242	2,995	60.9	1,601	3.3
White.....	1,888,200	47,186	18,003	25.0	9.5	29,183	262	2,775	58.8	1,478	3.1
Colored.....	137,000	2,033	2,344	14.8	17.1	-311	87	220	108.2	123	6.1
LOUISIANA											
Total.....	2,138,000	43,298	23,311	20.3	10.9	19,987	186	2,804	64.8	2,186	5.0
White.....	1,345,000	25,600	12,504	19.0	9.3	13,096	205	1,353	52.9	861	3.4
Colored.....	793,000	17,698	10,807	22.3	13.6	6,891	164	1,451	82.0	1,325	7.5
Cities of 10,000 or more.....	676,000	13,553	11,002	20.0	16.3	2,551	123	1,004	74.1	711	5.2
White.....	465,800	8,500	6,418	18.2	13.8	2,082	132	516	60.7	326	3.8
Colored.....	210,200	5,053	4,584	24.0	21.8	469	110	488	96.6	385	7.6
Cities of 2,500 to 10,000.....	181,700	3,724	2,404	20.5	13.2	1,320	155	317	85.1	244	6.6
White.....	124,500	2,351	1,239	18.9	10.0	1,112	190	149	63.4	114	4.8
Colored.....	57,200	1,373	1,165	24.0	20.4	208	118	168	122.4	130	9.5
Rural.....	1,280,300	26,021	9,905	20.3	7.7	16,116	263	1,483	57.0	1,231	4.7
White.....	754,700	14,749	4,847	19.5	6.4	9,902	304	688	46.6	421	2.9
Colored.....	525,600	11,272	5,058	21.4	9.6	6,214	223	795	70.5	810	7.2
MAINE											
Total.....	801,000	16,129	10,719	20.1	13.4	5,410	150	1,017	63.1	546	3.4
White.....	790,000	16,096	10,690	20.1	13.4	5,406	151	1,013	62.9	545	3.4
Colored.....	2,000	33	29	16.5	14.5	4	(³)	4	121.2	1	3.0
Cities of 10,000 or more.....	230,500	4,783	3,498	20.8	15.2	1,285	137	326	68.2	165	3.4
White.....	229,700	4,770	3,486	20.8	15.2	1,284	137	324	67.9	164	3.4
Colored.....	800	13	12	16.3	15.0	1	(³)	2	153.8	1	7.7
Cities of 2,500 to 10,000.....	93,500	1,986	1,322	21.2	14.1	664	150	114	57.4	62	3.1
White.....	93,000	1,973	1,314	21.2	14.1	659	150	113	57.3	62	3.1
Colored.....	500	13	8	26.0	16.0	5	(³)	1	76.9		
Rural.....	477,000	9,360	5,899	19.6	12.4	3,461	159	577	61.6	319	3.4
White.....	476,300	9,353	5,890	19.6	12.4	3,463	159	576	61.6	319	3.4
Colored.....	700	7	9	10.0	12.9	-2	(³)	1	142.9		
MARYLAND											
Total.....	1,653,000	28,820	21,038	17.4	12.7	7,782	137	1,989	69.0	1,856	6.4
White.....	1,372,000	22,477	15,955	16.4	11.6	6,522	141	1,289	57.3	1,211	5.4
Colored.....	281,000	6,343	5,083	22.6	18.1	1,260	125	700	110.4	645	10.2
Cities of 10,000 or more.....	922,200	16,350	12,367	17.7	13.4	3,983	132	1,048	64.1	1,000	6.1
White.....	765,800	12,933	9,454	16.9	12.3	3,479	137	727	56.2	657	5.1
Colored.....	156,400	3,417	2,913	21.8	18.6	504	117	321	93.9	343	10.0
Cities of 2,500 to 10,000.....	64,800	1,476	1,090	22.8	16.8	386	135	107	72.5	164	11.1
White.....	56,400	1,252	821	22.2	14.6	431	152	61	48.7	126	10.1
Colored.....	8,400	224	269	26.7	32.0	-45	83	46	205.4	38	17.0
Rural.....	666,000	10,994	7,581	16.5	11.4	3,413	145	894	75.9	692	6.3
White.....	549,800	8,292	5,680	15.1	10.3	2,612	146	501	60.4	428	5.2
Colored.....	116,200	2,702	1,901	23.3	16.4	801	142	333	123.2	264	9.8
MASSACHUSETTS											
Total.....	4,297,000	68,534	49,446	15.9	11.5	19,088	139	3,624	52.9	2,328	3.4
White.....	4,240,000	67,559	48,568	15.9	11.5	18,991	139	3,542	52.4	2,274	3.4
Colored.....	57,000	975	878	17.1	15.4	97	111	82	84.1	54	5.5
Cities of 10,000 or more.....	3,547,700	60,942	40,383	17.2	11.4	20,559	151	3,211	52.7	2,066	3.4
White.....	3,498,600	60,123	39,644	17.2	11.3	20,479	152	3,141	52.2	2,020	3.4
Colored.....	49,100	819	739	16.7	15.1	80	111	70	85.5	46	5.6
Cities of 2,500 to 10,000.....	332,800	3,993	3,253	12.0	9.8	740	123	197	49.3	102	2.6
White.....	330,500	3,964	3,225	12.0	9.8	739	123	194	48.9	102	2.6
Colored.....	2,300	29	28	12.6	12.2	1	(³)	3	108.4		
Rural.....	416,500	3,599	5,810	8.6	13.9	-2,211	62	216	60.0	160	4.4
White.....	410,900	3,472	5,699	8.4	13.9	-2,227	61	207	59.6	152	4.4
Colored.....	5,600	127	111	22.7	19.8	16	114	9	70.9	8	6.3

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of Births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
MICHIGAN											
Total	4,983,000	85,736	49,585	17.2	10.0	36,151	173	4,628	54.0	2,977	3.5
White	4,776,000	82,376	46,952	17.2	9.8	35,424	175	4,401	53.4	2,811	3.4
Colored	207,000	3,360	2,633	16.2	12.7	727	128	227	67.6	166	4.9
Cities of 10,000 or more	3,051,300	52,111	27,205	17.1	8.9	24,906	192	2,824	54.2	1,862	3.6
White	2,867,000	49,075	25,114	17.1	8.8	23,961	195	2,620	53.4	1,714	3.5
Colored	184,300	3,036	2,091	16.5	11.3	945	145	204	67.2	148	4.9
Cities of 2,500 to 10,000	380,600	7,188	4,425	18.9	11.6	2,763	162	375	52.2	306	4.3
White	375,900	7,101	4,364	18.9	11.6	2,737	163	369	52.0	301	4.2
Colored	4,700	87	61	18.5	13.0	26	(*)	6	69.0	5	5.7
Rural	1,551,100	26,437	17,955	17.0	11.6	8,482	147	1,429	54.1	809	3.1
White	1,533,100	26,200	17,474	17.1	11.4	8,726	150	1,412	53.9	796	3.0
Colored	18,000	237	481	13.2	26.7	-244	49	17	71.7	13	5.5
MINNESOTA											
Total	2,585,000	46,377	25,591	17.9	9.9	20,786	181	2,189	47.2	1,333	2.9
White	2,559,000	45,759	25,189	17.9	9.8	20,570	182	2,130	46.5	1,309	2.9
Colored	26,000	618	402	23.8	15.5	216	164	59	95.5	24	3.9
Cities of 10,000 or more	1,014,200	18,336	11,634	18.1	11.5	6,702	158	892	48.6	576	3.1
White	1,002,700	18,159	11,483	18.1	11.5	6,676	158	885	48.7	566	3.1
Colored	11,500	177	151	15.4	13.1	26	117	7	39.5	10	5.6
Cities of 2,500 to 10,000	265,600	5,337	3,488	20.1	13.1	1,849	153	287	53.8	195	3.7
White	264,400	5,309	3,467	20.1	13.1	1,842	153	287	54.1	195	3.7
Colored	1,200	28	21	23.3	17.5	7	(*)				
Rural	1,305,200	22,704	10,469	17.4	8.0	12,235	217	1,010	44.5	562	2.5
White	1,291,900	22,291	10,239	17.3	7.9	12,052	218	958	43.0	548	2.5
Colored	13,300	413	230	31.1	17.3	183	180	52	125.9	14	3.4
MISSISSIPPI											
Total	2,036,000	46,273	20,311	22.7	10.0	25,962	228	2,480	53.6	2,189	4.7
White	1,014,000	21,787	8,303	21.5	8.2	13,484	262	967	44.4	878	3.1
Colored	1,022,000	24,486	12,008	24.0	11.7	12,478	204	1,513	61.8	1,311	6.2
Cities of 10,000 or more	244,400	4,421	3,885	18.1	15.9	536	114	315	71.3	310	7.0
White	147,200	2,869	1,868	19.5	12.7	1,001	154	157	54.7	135	4.7
Colored	97,200	1,552	2,017	16.0	20.8	-465	77	158	101.8	175	11.3
Cities of 2,500 to 10,000	104,600	2,438	1,456	23.3	13.9	982	167	145	59.5	188	7.7
White	64,000	1,333	728	20.8	11.4	605	183	77	57.8	74	5.6
Colored	40,600	1,105	728	27.3	18.0	377	152	68	61.5	114	10.3
Rural	1,687,100	39,414	14,970	23.4	8.9	24,444	263	2,020	51.3	1,691	4.3
White	802,800	17,585	5,707	21.9	7.1	11,878	308	733	41.7	469	2.7
Colored	884,300	21,829	9,263	24.7	10.5	12,566	236	1,287	59.0	1,222	5.6
MISSOURI											
Total	3,656,000	59,949	49,738	16.4	12.0	16,211	137	3,430	57.2	2,477	4.1
White	3,420,000	56,177	39,117	16.4	11.4	17,060	144	3,015	53.7	2,125	3.8
Colored	236,000	3,772	4,621	16.0	19.6	-849	82	415	110.0	352	9.3
Cities of 10,000 or more	1,607,700	24,196	21,068	15.1	13.1	3,128	115	1,399	57.8	1,131	4.7
White	1,445,800	21,581	17,809	14.9	12.3	3,772	121	1,155	53.5	871	4.0
Colored	161,900	2,615	3,259	16.2	20.1	-644	80	244	93.3	260	9.9
Cities of 2,500 to 10,000	282,800	5,602	4,363	19.8	15.4	1,239	128	348	62.1	217	3.9
White	264,100	5,238	3,897	20.0	14.7	1,401	138	304	57.5	190	3.6
Colored	18,700	314	476	16.8	25.5	-162	66	44	140.1	27	8.6
Rural	1,765,500	30,151	18,307	17.1	10.4	11,844	165	1,683	55.8	1,129	3.7
White	1,710,100	29,308	17,421	17.1	10.2	11,887	163	1,556	53.1	1,064	3.6
Colored	55,400	843	886	15.2	16.0	-43	95	127	150.7	65	7.7
MONTANA											
Total	4,587,606	9,091	5,294	16.9	9.8	3,797	172	467	51.4	254	2.8
White	4,517,327	8,391	4,873	16.2	9.4	3,513	172	382	45.5	232	2.8
Colored	20,279	700	416	34.5	20.5	284	168	85	121.4	22	3.1
Cities of 10,000 or more	124,800	2,600	1,656	20.8	13.3	944	157	119	45.8	79	3.0
White	122,800	2,573	1,621	21.0	13.2	952	159	112	43.5	77	3.0
Colored	2,000	27	35	13.5	17.5	-8	(*)	7	259.3	2	7.4
Cities of 2,500 to 10,000	57,400	1,624	862	28.3	15.0	762	188	77	47.4	55	3.4
White	56,800	1,603	850	28.3	15.0	758	189	77	47.9	53	3.3
Colored	600	16	12	26.7	20.0	4	(*)			2	12.5
Rural	355,400	4,867	2,776	13.7	7.8	2,091	175	271	55.7	120	2.5
White	337,700	4,210	2,407	12.5	7.1	1,803	175	193	45.8	102	2.4
Colored	17,700	657	369	37.1	20.8	288	178	78	118.7	18	2.7

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
NEBRASKA											
Total.....	1,388,000	25,159	12,922	18.1	9.3	12,237	195	1,091	43.4	693	2.8
White.....	1,363,000	24,609	12,558	18.1	9.2	12,051	196	1,038	42.2	680	2.8
Colored.....	25,000	550	364	22.0	14.6	186	151	53	96.4	13	2.4
Cities of 10,000 or more.....	377,700	7,215	4,675	19.1	12.4	2,540	154	323	44.8	203	2.8
White.....	362,700	6,929	4,455	19.1	12.3	2,474	156	303	43.7	196	2.8
Colored.....	15,000	286	220	19.1	14.7	66	130	20	69.9	7	2.4
Cities of 2,500 to 10,000.....	120,700	2,990	1,808	24.8	15.0	1,182	165	164	54.8	98	3.3
White.....	119,000	2,941	1,780	24.7	15.0	1,161	165	159	54.1	97	3.3
Colored.....	1,700	49	28	28.8	16.5	21	(²)	5	102.0	1	2.0
Rural.....	889,600	14,954	6,439	16.8	7.2	8,515	232	604	40.4	392	2.6
White.....	881,300	14,739	6,323	16.7	7.2	8,416	233	576	39.1	387	2.6
Colored.....	8,300	215	116	25.9	14.0	99	185	28	130.2	5	2.3
NEVADA											
Total.....	93,000	1,260	1,342	13.5	14.4	-82	94	88	69.8	60	4.8
White.....	83,000	1,154	1,189	13.9	14.3	-35	97	70	60.7	55	4.8
Colored.....	10,000	106	153	10.6	15.3	-47	69	18	169.8	5	4.7
Cities of 10,000 or more.....	19,300	236	350	12.2	18.1	-114	67	12	50.8	16	6.8
White.....	18,800	232	333	12.3	17.7	-101	70	10	43.1	15	6.5
Colored.....	500	4	17	8.0	34.0	-13	(²)	2	500.0	1	26.0
Cities of 2,500 to 10,000.....	17,000	341	361	20.1	21.2	-20	94	25	73.3	15	4.4
White.....	16,600	325	337	20.8	21.6	-12	96	24	73.8	13	4.0
Colored.....	1,400	16	24	11.4	17.1	-8	(²)	1	62.5	2	12.5
Rural.....	56,700	683	631	12.0	11.1	52	108	51	74.7	29	4.2
White.....	48,600	597	519	12.3	10.7	78	115	36	60.3	27	4.5
Colored.....	8,100	86	112	10.6	13.8	-26	77	15	174.4	2	2.3
NEW HAMPSHIRE											
Total.....	468,000	7,308	6,329	16.7	13.5	1,479	123	460	58.9	300	3.8
White.....	467,000	7,802	6,320	16.7	13.5	1,482	123	460	59.0	300	3.8
Colored.....	1,000	6	9	6.0	9.0	-3	(²)				
Cities of 10,000 or more.....	232,700	4,403	3,013	18.9	12.9	1,390	146	286	60.4	174	4.0
White.....	232,100	4,398	3,007	18.9	13.0	1,391	146	286	60.5	174	4.0
Colored.....	600	5	6	8.3	10.0	-1	(²)				
Cities of 2,500 to 10,000.....	42,800	885	516	20.7	12.1	369	172	50	56.5	21	2.4
White.....	42,800	884	516	20.7	12.1	368	171	50	56.6	21	2.4
Colored.....		1				1					
Rural.....	192,500	2,520	2,800	13.1	14.5	-280	90	144	57.1	105	4.2
White.....	192,100	2,520	2,797	13.1	14.6	-277	90	144	57.1	105	4.2
Colored.....	400		3		7.5	-3	(²)				
NEW JERSEY											
Total.....	4,148,000	61,219	42,914	14.8	10.3	18,305	143	3,075	50.2	2,291	3.7
White.....	3,925,000	56,627	39,463	14.4	10.1	17,164	143	2,651	46.8	2,041	3.6
Colored.....	223,000	4,592	3,451	20.6	15.5	1,141	133	424	92.3	250	5.4
Cities of 10,000 or more.....	2,859,000	48,324	28,882	16.9	10.1	19,442	167	2,408	49.8	1,886	3.9
White.....	2,689,700	44,593	26,454	16.6	9.8	18,139	169	2,064	46.3	1,670	3.7
Colored.....	169,300	3,731	2,428	22.0	14.3	1,303	154	344	92.2	216	5.8
Cities of 2,500 to 10,000.....	571,900	5,349	5,615	9.4	9.8	-266	95	256	47.9	162	3.0
White.....	563,700	4,972	5,188	9.0	9.4	-216	98	224	45.1	148	3.0
Colored.....	18,200	377	427	20.7	23.5	-50	88	32	84.9	14	3.7
Rural.....	717,100	7,546	8,417	10.5	11.7	-871	90	411	54.5	243	3.2
White.....	681,600	7,062	7,821	10.4	11.5	-759	90	363	51.4	223	3.2
Colored.....	35,500	484	596	13.6	16.8	-112	81	48	99.2	20	4.1
NEW MEXICO ⁵											
Total.....	431,000	12,391	5,968	28.7	13.8	6,423	208	1,479	119.4	389	3.1
Cities of 10,000 or more.....	50,400	1,404	997	27.9	19.8	407	141	144	102.6	57	4.1
Cities of 2,500 to 10,000.....	60,300	2,079	1,196	34.5	19.8	883	174	225	108.2	83	4.0
Rural.....	320,300	8,908	3,775	27.8	11.8	5,133	236	1,110	124.6	249	2.8

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
NEW YORK											
Total.....	12,852,000	198,431	147,824	15.4	11.5	50,607	134	10,469	52.8	8,258	4.2
White.....	12,388,000	189,405	140,648	15.3	11.4	48,757	135	9,628	50.8	7,546	4.0
Colored.....	464,000	9,026	7,176	19.5	15.5	1,850	126	841	93.2	712	7.9
Cities of 10,000 or more.....	10,147,700	163,873	112,303	16.1	11.1	51,570	146	8,548	52.2	7,151	4.4
White.....	9,721,800	155,641	105,934	16.0	10.9	49,707	147	7,795	50.1	6,483	4.2
Colored.....	425,900	8,232	6,369	19.3	15.0	1,863	129	753	91.5	668	8.1
Cities of 2,500 to 10,000.....	607,500	9,876	7,810	16.3	12.9	2,066	126	551	55.8	323	3.3
White.....	597,900	9,654	7,646	16.1	12.8	2,008	126	518	53.7	312	3.2
Colored.....	9,600	222	164	23.1	17.1	58	135	33	148.6	11	5.0
Rural.....	2,094,800	24,632	27,711	11.8	13.2	-3,029	89	1,370	55.5	784	3.2
White.....	2,068,300	24,110	27,098	11.7	13.1	-2,988	89	1,315	54.5	751	3.1
Colored.....	26,500	572	613	20.1	22.6	-71	89	55	96.2	33	5.8
NORTH CAROLINA											
Total.....	3,244,000	77,902	31,051	24.0	9.6	46,851	251	5,183	66.5	3,686	4.7
White.....	2,389,000	53,701	19,513	23.5	8.5	34,188	275	3,073	57.2	1,746	3.3
Colored.....	955,000	24,201	11,538	25.3	12.1	12,663	210	2,110	87.2	1,890	7.8
Cities of 10,000 or more.....	615,400	13,079	8,274	21.3	13.4	4,805	158	1,141	87.2	821	6.3
White.....	413,700	8,927	4,752	21.6	11.5	4,175	183	616	69.0	362	4.1
Colored.....	201,700	4,152	3,522	20.6	17.5	630	118	525	126.4	459	11.1
Cities of 2,500 to 10,000.....	228,400	5,432	2,642	23.8	11.6	2,790	206	387	71.2	328	6.0
White.....	173,900	4,259	1,745	24.5	10.0	2,514	244	262	61.5	176	4.1
Colored.....	54,500	1,173	897	21.5	16.5	276	131	125	106.6	152	13.0
Rural.....	2,409,200	59,391	20,135	24.7	8.4	39,256	295	3,655	61.5	2,487	4.2
White.....	1,701,400	40,515	13,016	23.8	7.7	27,499	311	2,195	54.2	1,208	3.0
Colored.....	698,800	18,876	7,119	27.0	10.2	11,757	265	1,460	77.3	1,279	6.8
NORTH DAKOTA											
Total.....	685,000	14,047	5,153	20.5	7.5	8,894	273	779	55.5	362	2.6
White.....	675,000	13,753	5,004	20.4	7.4	8,749	275	751	54.6	355	2.6
Colored.....	10,000	294	149	29.4	14.9	145	197	28	95.2	7	2.4
Cities of 10,000 or more.....	75,300	2,330	993	30.9	13.2	1,337	235	113	48.5	69	3.0
White.....	74,600	2,326	982	31.2	13.2	1,344	237	111	47.7	69	3.0
Colored.....	700	4	11	5.7	15.7	-7	(²)	2	500.0		
Cities of 2,500 to 10,000.....	41,400	1,412	625	34.1	15.1	787	226	80	56.7	41	2.9
White.....	41,000	1,411	619	34.4	15.1	792	228	80	56.7	41	2.9
Colored.....	400	1	6	2.5	15.0	-5	(²)				
Rural.....	568,300	10,305	3,535	18.1	6.2	6,770	292	586	56.9	252	2.4
White.....	559,400	10,016	3,408	17.9	6.1	6,613	294	560	55.9	245	2.4
Colored.....	8,900	289	132	32.5	14.8	157	219	26	90.0	7	2.4
OHIO											
Total.....	6,753,000	101,753	76,286	15.1	11.3	25,467	133	5,951	58.5	3,453	3.4
White.....	6,423,000	96,961	70,861	15.1	11.0	26,100	137	5,485	56.6	3,137	3.2
Colored.....	330,000	4,792	5,425	14.5	16.4	-633	88	466	97.2	316	6.6
Cities of 10,000 or more.....	3,996,200	61,103	44,956	15.3	11.2	16,147	136	3,552	58.1	2,206	3.6
White.....	3,720,000	56,900	40,575	15.3	10.9	16,325	140	3,161	55.6	1,930	3.4
Colored.....	276,200	4,203	4,381	15.2	15.9	-178	96	391	93.0	276	6.6
Cities of 2,500 to 10,000.....	607,600	8,135	6,914	13.4	11.4	1,221	118	458	56.3	283	3.5
White.....	591,300	7,929	6,654	13.4	11.3	1,275	119	434	54.7	273	3.4
Colored.....	16,300	206	260	12.6	16.0	-54	79	24	116.5	10	4.9
Rural.....	2,149,200	32,515	24,416	15.1	11.4	8,099	133	1,941	59.7	964	3.0
White.....	2,111,700	32,132	23,632	15.2	11.2	8,500	136	1,890	58.8	934	2.9
Colored.....	37,500	383	784	10.2	20.9	-401	49	51	133.2	30	7.8
OKLAHOMA											
Total.....	2,440,000	41,039	19,285	16.8	7.9	21,754	213	2,052	50.0	1,056	2.6
White.....	2,161,000	37,553	16,663	17.4	7.7	20,890	225	1,770	47.1	913	2.4
Colored.....	279,000	3,486	2,622	12.5	9.4	864	133	282	80.9	143	4.1
Cities of 10,000 or more.....	577,400	9,713	6,461	16.8	11.2	3,252	150	623	64.1	259	2.7
White.....	513,000	8,843	5,476	17.2	10.7	3,367	161	525	59.4	223	2.5
Colored.....	64,400	870	985	13.5	15.3	-115	88	98	112.6	36	4.1
Cities of 2,500 to 10,000.....	278,000	8,194	4,684	29.5	16.8	3,510	175	428	52.2	244	3.0
White.....	254,300	7,421	4,124	29.2	16.2	3,297	180	364	49.0	203	2.7
Colored.....	23,700	773	560	32.6	23.6	213	138	64	82.8	41	5.3
Rural.....	1,584,600	23,132	8,140	14.6	5.1	14,992	284	1,001	43.3	553	2.4
White.....	1,393,700	21,289	7,063	15.3	5.1	14,226	301	881	41.4	487	2.3
Colored.....	190,900	1,843	1,077	9.7	5.6	766	171	120	65.1	66	3.6

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
OREGON											
Total.....	974,000	12,847	10,277	13.2	10.6	2,570	125	531	41.3	322	2.5
White.....	957,000	12,593	10,026	13.1	10.5	2,537	125	504	40.1	314	2.5
Colored.....	17,000	254	251	16.7	14.8	33	113	27	95.1	8	2.8
Cities of 10,000 or more.....	393,600	5,674	4,746	14.4	12.1	928	120	203	36.8	157	2.8
White.....	387,100	5,588	4,627	14.4	12.0	961	121	198	35.4	154	2.8
Colored.....	6,500	86	119	13.2	18.3	-33	72	5	58.1	3	3.5
Cities of 2,500 to 10,000.....	108,100	2,659	2,028	24.6	18.8	631	131	129	48.5	65	2.4
White.....	107,300	2,635	1,999	24.6	18.6	636	132	129	49.0	65	2.5
Colored.....	800	24	29	30.0	36.3	-5	(²)				
Rural.....	472,300	4,514	3,503	9.6	7.4	1,011	129	199	44.1	100	2.2
White.....	462,600	4,340	3,400	9.4	7.3	940	128	177	40.8	95	2.2
Colored.....	9,700	174	103	17.9	10.6	71	169	22	126.4	5	2.9
PENNSYLVANIA											
Total.....	9,741,000	168,534	109,204	17.3	11.2	59,330	154	10,113	60.0	6,021	3.6
White.....	9,284,000	160,381	102,194	17.3	11.0	58,187	157	9,312	58.1	5,515	3.4
Colored.....	457,000	8,153	7,010	17.8	15.3	1,143	116	801	98.2	506	6.2
Cities of 10,000 or more.....	5,333,100	94,656	62,793	17.7	11.8	31,863	151	5,495	58.1	3,466	3.7
White.....	4,957,200	87,374	57,124	17.6	11.5	30,250	153	4,809	55.0	3,024	3.5
Colored.....	375,900	7,282	5,669	19.4	15.1	1,613	128	686	94.2	442	6.1
Cities of 2,500 to 10,000.....	1,303,200	20,996	13,347	16.1	10.2	7,649	157	1,264	60.2	786	3.6
White.....	1,282,800	20,747	13,110	16.2	10.2	7,637	158	1,228	59.2	752	3.6
Colored.....	20,400	249	237	12.2	11.6	12	105	36	144.6	14	5.6
Rural.....	3,104,700	52,882	33,084	17.0	10.6	19,818	160	3,354	63.4	1,789	3.4
White.....	3,044,000	52,280	31,980	17.2	10.5	20,300	164	3,275	62.7	1,739	3.3
Colored.....	60,700	622	1,104	10.2	18.2	-482	56	79	127.0	50	8.0
RHODE ISLAND											
Total.....	898,000	11,171	8,080	16.0	11.6	3,091	138	639	57.2	382	3.4
White.....	887,000	10,983	7,869	16.0	11.5	3,094	139	621	56.6	374	3.4
Colored.....	11,000	208	211	18.9	19.2	-3	99	18	86.5	8	3.8
Cities of 10,000 or more.....	610,600	10,141	7,135	16.6	11.7	3,006	142	594	58.6	345	3.4
White.....	601,300	9,948	6,945	16.5	11.5	3,003	143	577	58.0	337	3.4
Colored.....	9,300	193	190	20.8	20.4	3	102	17	88.1	8	4.1
Cities of 2,500 to 10,000.....	34,400	321	352	9.3	10.2	-31	91	15	46.7	14	4.4
White.....	34,300	321	344	9.4	10.0	-23	93	15	46.7	14	4.4
Colored.....	100		8		80.0	-8	(²)				
Rural.....	53,000	709	593	13.4	11.2	116	120	30	42.3	23	3.2
White.....	51,400	694	580	13.5	11.3	114	120	29	41.8	23	3.3
Colored.....	1,600	15	13	9.4	8.1	2	(²)	1	66.7		
SOUTH CAROLINA											
Total.....	1,745,000	41,518	19,884	23.8	11.4	21,634	209	3,204	77.2	2,651	6.4
White.....	959,000	20,072	8,599	20.9	9.0	11,473	233	1,234	61.5	678	3.4
Colored.....	786,000	21,446	11,285	27.3	14.4	10,161	190	1,970	91.9	1,973	9.2
Cities of 10,000 or more.....	238,800	5,518	4,387	23.1	18.4	1,131	126	529	95.9	478	8.7
White.....	148,200	3,349	2,054	22.6	13.9	1,295	163	280	68.7	135	4.0
Colored.....	90,600	2,169	2,333	23.9	25.8	-164	93	299	137.9	343	15.8
Cities of 2,500 to 10,000.....	140,300	2,920	1,742	20.8	12.4	1,178	168	216	74.0	179	6.1
White.....	89,700	1,807	910	20.1	10.1	897	199	105	58.1	56	3.1
Colored.....	50,600	1,113	832	22.0	16.4	281	134	111	92.7	123	11.1
Rural.....	1,365,900	33,080	13,755	24.2	10.1	10,325	240	2,459	74.3	1,994	6.0
White.....	721,100	14,916	5,635	20.7	7.8	9,281	265	899	80.3	487	3.3
Colored.....	644,800	18,164	8,120	28.2	12.6	10,044	224	1,560	85.9	1,507	8.3
SOUTH DAKOTA											
Total.....	700,000	13,241	5,725	18.9	8.2	7,516	231	668	60.4	312	2.4
White.....	675,000	12,608	5,216	18.7	7.7	7,392	242	588	46.6	296	2.3
Colored.....	25,000	633	509	25.3	20.4	124	124	80	126.4	16	2.5
Cities of 10,000 or more.....	94,800	2,345	1,185	24.7	12.5	1,160	198	125	53.3	55	2.3
White.....	94,300	2,334	1,176	24.8	12.5	1,158	198	122	52.3	55	2.4
Colored.....	500	11	9	22.0	18.0	2	(²)	3	272.7		
Cities of 2,500 to 10,000.....	39,300	1,189	828	30.3	21.1	361	144	87	56.3	39	3.3
White.....	39,000	1,183	810	30.3	20.8	373	146	66	55.8	38	3.2
Colored.....	300	6	18	20.0	60.0	-12	(²)	1	166.7	1	16.7
Rural.....	565,900	9,707	3,712	17.2	6.6	5,995	262	476	49.0	218	2.2
White.....	541,700	9,091	3,230	16.8	6.0	5,861	281	400	44.0	203	2.2
Colored.....	24,200	616	482	25.5	19.9	134	128	76	123.4	15	2.4

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
TENNESSEE											
Total.....	2,650,000	52,491	28,628	19.8	10.8	23,863	133	3,550	67.6	2,097	4.0
White.....	2,189,000	44,406	20,821	20.5	9.6	23,585	213	2,783	62.7	1,473	3.3
Colored.....	461,000	8,085	7,807	16.8	16.2	278	104	767	94.9	624	7.7
Cities of 10,000 or more.....	720,300	13,509	10,423	18.8	14.5	3,086	130	1,145	84.8	692	5.1
White.....	515,100	10,014	6,285	19.4	12.2	3,729	159	752	75.1	371	3.7
Colored.....	205,200	3,495	4,138	17.0	20.2	-643	84	393	112.4	321	9.2
Cities of 2,500 to 10,000.....	200,700	4,186	2,907	20.9	14.5	1,279	144	310	74.1	195	4.7
White.....	160,200	3,526	2,097	22.0	13.1	1,429	168	240	68.1	134	3.8
Colored.....	40,500	660	810	16.3	20.0	-150	81	70	106.1	61	9.2
Rural.....	1,729,000	34,796	15,298	20.1	8.8	19,498	227	2,095	60.2	1,210	3.5
White.....	1,493,700	30,866	12,439	20.7	8.3	18,427	248	1,791	58.0	968	3.1
Colored.....	235,300	3,930	2,859	16.7	12.2	1,071	137	304	77.4	242	6.2
UTAH											
Total.....	515,000	11,974	4,420	23.3	8.6	7,554	271	529	44.2	247	2.1
White.....	503,000	11,865	4,289	23.6	8.5	7,576	277	507	42.7	240	2.0
Colored.....	12,000	109	131	9.1	10.9	-22	83	22	201.8	7	6.4
Cities of 10,000 or more.....	199,600	4,817	2,202	24.1	11.0	2,615	219	202	41.9	101	2.1
White.....	196,100	4,770	2,144	24.3	10.9	2,626	222	193	40.5	96	2.0
Colored.....	3,500	47	58	13.4	16.6	-11	(³)	9	191.5	5	10.6
Cities of 2,500 to 10,000.....	72,300	2,120	654	29.3	9.0	1,466	324	94	44.3	42	2.0
White.....	71,700	2,108	647	29.4	9.0	1,461	326	93	44.1	41	1.9
Colored.....	600	12	7	20.0	11.7	5	(³)	1	83.3	1	8.3
Rural.....	243,100	5,037	1,564	20.7	6.4	3,473	322	233	46.3	104	2.1
White.....	235,200	4,987	1,498	21.2	6.4	3,489	333	221	44.3	103	2.1
Colored.....	7,900	50	66	6.3	8.4	-16	(³)	12	240.0	1	2.0
VERMONT											
Total.....	360,000	6,030	4,753	16.8	13.2	1,277	127	331	63.2	184	3.1
White.....	359,000	6,026	4,749	16.8	13.2	1,277	127	331	63.2	183	3.0
Colored.....	1,000	4	4	4.0	4.0	-	(³)	-	-	1	26.0
Cities of 10,000 or more.....	54,100	1,173	897	21.7	16.6	276	131	89	75.9	42	3.6
White.....	53,800	1,171	896	21.8	16.7	275	131	89	76.0	42	3.6
Colored.....	300	2	1	6.7	3.3	1	(³)	-	-	-	-
Smaller cities ² and rural districts.....	305,900	4,857	3,856	15.9	12.6	1,001	126	292	60.1	142	2.9
White.....	305,200	4,855	3,853	15.9	12.6	1,002	126	292	60.1	141	2.9
Colored.....	700	2	3	2.9	4.3	-1	(³)	-	-	1	50.0
VIRGINIA											
Total.....	2,435,000	54,582	28,893	22.4	11.9	25,684	189	3,670	67.2	2,422	4.4
White.....	1,789,000	38,515	18,270	21.5	10.2	20,245	211	2,222	57.7	1,224	3.2
Colored.....	646,000	16,067	10,623	24.9	16.5	5,439	151	1,448	90.1	1,198	7.5
Cities of 10,000 or more.....	643,400	12,462	8,950	19.4	13.9	3,512	139	873	70.1	709	5.7
White.....	456,300	8,637	5,314	19.0	11.6	3,323	163	450	55.3	308	3.5
Colored.....	187,100	3,775	3,636	20.2	19.4	139	104	393	104.1	401	10.6
Cities of 2,500 to 10,000.....	140,200	3,849	2,413	27.5	17.2	1,436	160	269	69.9	176	4.6
White.....	113,500	3,130	1,730	28.0	15.7	1,400	179	200	62.9	130	4.1
Colored.....	26,700	669	683	25.1	23.7	36	108	69	103.1	46	6.9
Rural.....	1,651,400	38,271	17,535	23.2	10.6	20,736	218	2,528	66.1	1,537	4.0
White.....	1,219,200	26,648	11,176	21.9	9.2	15,472	238	1,542	57.9	786	2.9
Colored.....	432,200	11,623	6,359	26.9	14.7	5,264	183	986	84.8	751	6.5
WASHINGTON											
Total.....	1,538,000	21,379	16,581	13.9	10.8	4,798	129	967	45.2	530	2.5
White.....	1,545,000	20,654	15,959	13.4	10.3	4,695	129	903	43.7	509	2.5
Colored.....	43,000	725	622	16.9	14.5	103	117	64	88.3	21	2.9
Cities of 10,000 or more.....	804,800	12,760	9,318	15.9	11.6	3,442	137	545	42.7	311	2.4
White.....	783,600	12,431	9,020	15.9	11.5	3,411	138	532	42.8	300	2.4
Colored.....	21,200	329	298	15.5	14.1	31	110	13	39.5	11	3.3
Cities of 2,500 to 10,000.....	95,500	2,342	1,686	24.5	17.7	656	139	125	53.4	63	2.7
White.....	94,200	2,278	1,619	24.2	17.2	659	141	111	48.7	63	2.8
Colored.....	1,300	64	67	49.2	51.5	-3	(³)	14	218.8	-	-
Rural.....	687,700	6,277	5,577	9.1	8.1	700	113	297	47.3	156	2.5
White.....	667,200	5,945	5,320	8.9	8.0	625	112	260	43.7	146	2.5
Colored.....	20,500	332	257	16.2	12.5	75	129	37	111.4	10	3.0

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
WEST VIRGINIA											
Total.....	1,761,000	38,803	17,912	22.0	10.2	20,891	217	2,911	75.0	1,431	3.7
White.....	1,642,000	36,597	16,125	22.3	9.8	20,472	227	2,883	73.3	1,303	3.6
Colored.....	119,000	2,206	1,787	18.5	15.0	419	123	228	103.4	128	5.8
Cities of 10,000 or more.....	352,100	6,250	4,749	17.8	13.5	1,501	132	574	91.8	296	4.7
White.....	328,200	5,914	4,300	18.0	13.1	1,614	138	532	90.0	265	4.5
Colored.....	23,900	336	449	14.1	18.8	-113	75	42	125.0	31	9.2
Cities of 2,500 to 10,000.....	153,500	3,584	2,566	23.3	16.7	1,018	140	305	85.1	160	4.5
White.....	145,000	3,425	2,280	23.6	15.7	1,145	150	284	82.9	145	4.2
Colored.....	8,500	159	286	18.7	33.6	-127	56	21	132.1	15	9.4
Rural.....	1,255,400	28,969	10,597	23.1	8.4	18,372	273	2,032	70.1	975	3.4
White.....	1,168,800	27,258	9,545	23.3	8.2	17,713	286	1,867	68.5	893	3.3
Colored.....	86,600	1,711	1,052	19.8	12.1	659	163	165	96.4	82	4.8
WISCONSIN											
Total.....	2,976,000	53,107	30,321	17.8	10.2	22,786	175	2,675	50.4	1,457	2.7
White.....	2,949,000	52,666	29,948	17.9	10.2	22,718	176	2,629	49.9	1,437	2.7
Colored.....	27,000	441	373	16.3	13.8	68	118	46	104.3	20	4.5
Cities of 10,000 or more.....	1,320,300	23,669	13,269	17.9	10.0	10,400	178	1,153	48.7	666	2.8
White.....	1,306,500	23,552	13,142	18.0	10.1	10,410	179	1,139	48.4	660	2.8
Colored.....	13,800	117	127	8.5	9.2	-10	92	14	119.7	6	5.1
Cities of 2,500 to 10,000.....	275,900	5,917	3,691	21.4	13.4	2,226	160	315	53.2	209	3.5
White.....	276,300	5,913	3,678	21.5	13.4	2,235	161	314	53.1	209	3.5
Colored.....	600	4	13	6.7	21.7	-9	(²)	1	250.0	-	-
Rural.....	1,379,800	23,521	13,361	17.0	9.7	10,160	176	1,207	51.3	582	2.5
White.....	1,367,200	23,201	13,128	17.0	9.6	10,073	177	1,176	50.7	568	2.4
Colored.....	12,600	320	233	25.4	18.5	87	137	31	96.9	14	4.4
WYOMING											
Total.....	229,000	4,249	2,057	18.6	9.0	2,192	207	242	57.0	112	2.6
White.....	217,000	3,946	1,879	18.2	8.7	2,067	210	203	51.4	104	2.6
Colored.....	12,000	303	178	25.3	14.8	125	170	39	128.7	8	2.6
Cities of 10,000 or more.....	34,700	685	395	19.7	11.4	290	173	43	62.8	19	2.8
White.....	33,000	644	363	19.5	11.0	281	177	35	54.3	15	2.3
Colored.....	1,700	41	32	24.1	18.8	9	(²)	8	195.1	4	9.8
Cities of 2,500 to 10,000.....	36,900	811	550	22.0	14.9	261	147	54	66.6	25	3.1
White.....	35,000	777	521	22.2	14.9	256	149	45	57.9	24	3.1
Colored.....	1,900	34	29	17.9	15.3	5	(²)	9	264.7	1	2.9
Rural.....	157,400	2,753	1,112	17.5	7.1	1,641	248	145	52.7	68	2.5
White.....	149,000	2,525	995	16.9	6.7	1,530	254	123	48.7	65	2.6
Colored.....	8,400	228	117	27.1	13.9	111	195	22	96.5	3	1.3
Section B (cities of 100,000 inhabitants or more in 1930)											
Birmingham, Ala.....	269,200	4,957	3,211	18.4	11.9	1,746	154	322	65.0	251	5.1
White.....	166,600	2,903	1,553	17.4	9.3	1,350	187	143	49.3	93	3.2
Colored.....	102,600	2,054	1,658	20.0	16.2	396	124	179	87.1	158	7.7
Long Beach, Calif.....	152,600	1,994	1,534	13.1	10.1	460	130	72	36.1	57	2.9
Los Angeles, Calif.....	1,320,200	16,829	14,712	12.7	11.1	2,117	114	944	56.1	462	2.7
White.....	1,142,500	12,876	12,814	11.3	11.2	62	100	664	51.6	324	2.5
Colored.....	177,700	3,953	1,898	22.2	10.7	2,055	208	280	70.8	138	3.5
Oakland, Calif.....	292,200	3,962	3,130	13.6	10.7	832	127	159	40.1	104	2.6
White.....	275,200	3,557	2,965	12.9	10.8	592	120	146	41.0	93	2.6
Colored.....	17,000	405	165	23.8	9.7	240	245	13	32.1	11	2.7
San Diego, Calif.....	156,500	2,583	2,252	16.5	14.4	331	115	122	47.2	67	2.6
White.....	141,500	2,125	2,047	15.0	14.5	78	104	84	39.5	46	2.2
Colored.....	15,000	458	205	30.5	13.7	253	223	38	83.0	21	4.6
San Francisco, Calif.....	649,700	7,483	8,224	11.5	12.7	-741	91	293	39.2	178	2.4
White.....	608,000	6,777	7,763	11.1	12.8	-986	87	254	37.5	163	2.4
Colored.....	41,700	706	461	16.9	11.1	245	153	39	55.2	15	2.1
Denver, Colo.....	291,600	4,860	4,326	16.7	14.8	534	112	336	69.1	159	3.3
White.....	276,000	4,327	4,125	16.8	14.9	502	112	305	65.9	150	3.2
Colored.....	15,600	233	201	14.9	12.9	32	116	31	133.0	9	3.9
Bridgeport, Conn.....	147,100	2,606	1,530	17.7	10.4	1,076	170	122	46.8	95	3.6
Hartford, Conn.....	167,200	3,711	2,034	22.2	12.2	1,677	182	201	54.2	88	2.4
New Haven, Conn.....	162,700	3,082	2,039	18.9	12.5	1,043	151	134	43.5	79	2.6
Wilmington, Del.....	106,597	2,184	1,490	20.5	14.0	694	147	136	62.3	74	3.4
White.....	94,459	1,914	1,257	20.3	13.3	657	152	116	60.6	52	2.7
Colored.....	12,138	270	233	22.2	19.2	37	116	20	74.1	22	8.1
Washington, D.C.....	493,000	10,157	7,937	20.6	16.1	2,220	123	740	72.9	437	4.3
White.....	357,000	6,809	5,001	19.1	14.0	1,808	136	380	55.8	210	3.1
Colored.....	136,000	3,348	2,936	24.6	21.6	412	114	360	107.5	227	6.8

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section B (cities of 100,000 inhabitants or more in 1930)—Continued											
Jacksonville, Fla.	137,800	2,503	1,978	18.2	14.4	525	127	136	54.3	177	7.1
White	89,300	1,664	937	18.6	10.5	727	178	55	33.1	62	3.7
Colored	48,500	839	1,041	17.3	21.5	-202	81	81	96.5	115	13.7
Miami, Fla.	107,400	1,767	1,242	16.5	11.6	525	142	102	57.7	84	4.8
White	83,300	1,282	866	15.4	10.4	416	148	58	45.2	41	3.2
Colored	24,100	485	376	20.1	15.6	109	129	44	90.7	43	8.9
Tampa, Fla.	104,900	1,712	1,182	16.3	11.3	530	145	89	52.0	95	5.5
White	82,800	1,353	878	16.3	10.6	475	154	57	42.1	55	4.1
Colored	22,100	359	304	16.2	13.8	55	118	32	89.1	40	11.1
Atlanta, Ga.	277,400	5,411	3,879	19.5	14.0	1,532	139	375	69.3	320	5.9
White	184,400	3,445	2,049	18.7	11.1	1,396	168	194	56.3	135	3.9
Colored	93,000	1,966	1,830	21.1	19.7	136	107	181	92.1	185	9.4
Chicago, Ill.	3,456,700	49,258	34,360	14.3	9.9	14,898	143	2,415	49.0	1,535	3.1
White	3,180,600	44,359	30,383	13.9	9.6	13,976	146	2,132	48.1	1,309	3.0
Colored	276,100	4,899	3,977	17.7	14.4	922	123	283	57.8	226	4.6
Peoria, Ill.	108,300	1,665	1,199	15.4	11.1	466	139	94	56.5	48	2.9
Evansville, Ind.	104,300	1,439	1,114	13.8	10.7	325	129	64	44.5	60	4.2
Fort Wayne, Ind.	118,600	1,802	1,199	15.2	10.1	603	150	89	49.4	49	2.7
Gary, Ind.	105,800	1,691	845	16.0	8.0	846	200	93	55.0	57	3.4
White	82,400	1,435	589	17.4	7.1	846	244	67	46.7	39	2.7
Colored	23,400	256	256	10.9	10.9	0	100	26	101.6	18	7.0
Indianapolis, Ind.	369,700	5,969	4,760	16.1	12.9	1,209	125	365	61.1	166	2.8
White	324,500	5,176	4,011	16.0	12.4	1,165	129	299	57.8	130	2.5
Colored	45,200	793	749	17.5	16.6	44	106	66	83.2	36	4.5
South Bend, Ind.	108,000	1,514	836	14.0	7.7	678	181	75	49.5	41	2.7
Des Moines, Iowa	144,500	2,621	1,798	18.1	12.4	823	146	150	57.2	99	3.8
Kansas City, Kans.	122,900	2,254	1,587	18.3	12.9	667	142	134	59.4	73	3.2
White	99,700	1,904	1,264	19.1	12.7	640	151	103	54.1	60	3.2
Colored	23,200	350	323	15.1	13.9	27	108	31	88.6	13	3.7
Wichita, Kans.	115,700	1,906	1,146	16.5	9.9	760	166	88	46.2	78	4.1
Louisville, Ky.	314,600	5,287	4,295	16.8	13.7	992	123	355	67.1	210	4.0
White	266,400	4,530	3,317	17.0	12.5	1,213	137	278	61.4	165	3.6
Colored	48,200	757	978	15.7	20.3	-221	77	77	101.7	45	5.9
New Orleans, La.	467,300	9,154	7,750	19.6	16.6	1,404	118	685	74.8	424	4.6
White	332,800	5,819	4,685	17.5	14.1	1,134	124	354	60.8	218	3.7
Colored	134,500	3,335	3,065	24.8	22.8	270	109	331	99.3	206	6.2
Baltimore, Md.	813,400	14,060	10,775	17.3	13.2	3,285	130	870	61.9	809	5.8
White	666,600	10,873	8,063	16.3	12.1	2,810	135	572	52.6	500	4.6
Colored	146,800	3,187	2,712	21.7	18.5	475	118	298	93.5	309	9.7
Boston, Mass.	785,200	17,253	10,924	22.0	13.9	6,329	158	1,024	59.4	528	3.1
White	762,100	16,795	10,528	22.0	13.8	6,267	160	985	58.6	499	3.0
Colored	23,100	458	396	19.8	17.1	62	116	39	85.2	29	6.3
Cambridge, Mass.	114,100	2,463	1,384	21.6	12.1	1,079	178	140	56.8	69	2.8
Fall River, Mass.	115,274	2,099	1,312	18.2	11.4	787	160	111	52.9	77	3.7
Lowell, Mass.	100,234	1,932	1,298	19.3	12.9	634	149	130	67.3	67	3.5
Lynn, Mass.	102,700	1,659	1,039	15.2	10.1	520	150	66	42.3	45	2.9
New Bedford, Mass.	112,597	1,727	1,244	15.3	11.0	483	139	97	56.2	72	4.2
Somerville, Mass.	105,200	1,342	930	12.8	8.8	412	144	63	46.9	60	4.5
Springfield, Mass.	152,300	2,643	1,683	17.4	11.1	960	157	150	56.8	90	3.4
Worcester, Mass.	197,200	3,435	2,379	17.4	12.1	1,056	144	181	52.7	129	3.8
Detroit, Mich.	1,637,000	26,030	12,990	15.9	7.9	13,040	200	1,349	51.8	906	3.5
White	1,498,000	23,686	11,314	15.8	7.6	12,372	209	1,201	50.7	794	3.4
Colored	139,000	2,344	1,676	16.9	12.1	668	140	148	63.1	112	4.8
Flint, Mich.	164,000	3,279	1,227	20.0	7.5	2,052	267	200	61.0	116	3.5
Grand Rapids, Mich.	171,500	2,911	1,545	17.0	9.0	1,366	188	117	40.2	98	3.4
Duluth, Minn.	101,800	1,627	1,149	16.0	11.3	478	142	84	51.6	45	2.8
Minneapolis, Minn.	473,700	7,871	5,187	16.6	10.9	2,684	182	421	53.5	277	3.5
St. Paul, Minn.	276,000	4,991	2,983	18.1	10.8	2,008	167	195	39.1	152	3.0
Kansas City, Mo.	408,800	5,826	5,131	14.3	12.6	695	114	331	56.8	195	3.3
White	365,700	5,240	4,277	14.3	11.7	963	123	276	52.7	163	3.1
Colored	43,100	586	854	13.6	19.8	-268	69	55	93.9	32	5.5
St. Louis, Mo.	827,800	12,846	11,035	15.5	13.3	1,811	116	724	56.4	715	5.6
White	729,800	11,081	9,040	15.2	12.4	2,041	123	562	50.7	506	4.6
Colored	98,000	1,765	1,995	18.0	20.4	-230	88	162	91.8	209	11.8
Omaha, Nebr.	216,700	4,252	2,720	19.6	12.6	1,532	156	178	41.9	93	2.2
White	204,200	4,014	2,530	19.7	12.4	1,484	159	163	40.6	88	2.2
Colored	12,500	238	190	19.0	15.2	48	125	15	63.0	5	2.1
Camden, N.J.	119,000	3,070	1,714	25.8	14.4	1,356	179	208	67.8	123	4.0
White	107,200	2,754	1,490	25.7	13.9	1,264	185	177	64.3	96	3.5
Colored	11,800	316	224	26.8	19.0	92	141	31	98.1	27	8.5
Elizabeth, N.J.	116,900	2,449	1,217	21.0	10.4	1,232	201	115	47.0	85	3.5
Jersey City, N.J.	318,900	6,725	3,537	21.1	11.1	3,188	190	363	54.0	283	4.2
White	305,600	6,373	3,328	20.9	10.9	3,045	191	324	50.8	261	4.1
Colored	13,300	352	209	26.5	15.7	143	168	39	110.8	22	6.3

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section B (cities of 100,000 inhabitants or more in 1930)—Continued											
Newark, N.J.	445,600	8,779	4,670	19.7	10.5	4,109	188	361	41.1	335	3.8
White	403,200	7,767	4,016	19.3	10.0	3,751	193	281	36.2	281	3.6
Colored	42,400	1,012	654	23.9	15.4	358	155	80	79.1	54	5.3
Paterson, N.J.	138,800	2,812	1,721	20.3	12.4	1,091	163	138	49.1	107	3.8
Trenton, N.J.	123,800	2,530	1,754	20.4	14.2	776	144	146	57.7	93	3.7
Albany, N.Y.	129,100	2,418	1,765	18.7	13.7	653	137	118	48.8	75	3.1
Buffalo, N.Y.	581,000	10,321	7,268	17.8	12.5	3,063	142	692	67.0	388	3.8
White	565,700	9,977	7,014	17.6	12.4	2,963	142	672	67.4	374	3.7
Colored	15,300	344	244	22.5	15.9	100	141	20	58.1	14	4.1
New York, N.Y.	7,087,500	110,114	74,501	15.5	10.5	35,613	148	5,598	50.8	5,223	4.7
White	6,722,500	103,039	68,973	15.3	10.3	34,066	149	4,943	48.0	4,610	4.5
Colored	365,000	7,075	5,528	19.4	15.1	1,547	128	655	92.6	613	8.7
Bronx Borough	1,329,200	16,734	10,619	12.6	8.0	6,115	168	682	40.8	752	4.5
White	1,314,600	16,081	10,233	12.2	7.8	5,848	167	634	39.4	710	4.4
Colored	14,600	653	386	44.7	26.4	267	169	48	73.5	42	6.4
Brooklyn Borough	2,625,300	44,266	25,428	16.9	9.7	18,838	174	2,096	47.4	1,987	4.5
White	2,548,800	42,368	24,212	16.6	9.5	18,156	175	1,913	45.2	1,821	4.3
Colored	76,500	1,898	1,216	24.8	15.9	682	156	183	96.4	166	8.7
Manhattan Borough	1,817,400	34,531	28,182	19.0	15.5	6,349	128	2,160	62.6	1,913	5.5
White	1,667,500	30,264	24,683	18.3	15.7	5,571	123	1,760	58.2	1,529	5.1
Colored	249,900	4,277	3,499	17.1	14.0	778	122	400	93.5	384	9.0
Queens Borough	1,152,200	11,984	7,964	10.4	6.9	4,020	150	509	42.5	462	3.9
White	1,131,100	11,794	7,755	10.4	6.9	4,039	152	493	41.8	442	3.7
Colored	21,100	190	209	9.0	9.9	-19	91	16	34.2	20	10.5
Richmond Borough	163,400	2,599	2,308	15.9	14.1	291	113	113	58.1	109	4.2
White	160,500	2,542	2,060	15.8	13.0	482	122	143	56.3	108	4.2
Colored	2,900	57	218	19.7	75.2	-161	26	8	140.4	1	1.8
Rochester, N.Y.	331,900	5,382	3,868	16.2	11.7	1,494	138	260	48.3	176	3.3
Syracuse, N.Y.	213,000	3,823	2,521	17.9	11.8	1,302	152	187	48.9	131	3.4
Utica, N.Y.	102,300	1,897	1,526	18.0	14.9	311	120	110	59.9	67	3.6
Yonkers, N.Y.	138,800	1,964	1,194	14.1	8.6	770	164	90	45.8	54	2.7
Akron, Ohio	263,800	3,992	1,985	15.1	7.5	2,007	201	183	45.8	133	3.3
White	251,600	3,784	1,848	15.0	7.3	1,938	205	172	45.5	122	3.2
Colored	12,200	208	139	17.0	11.4	69	150	11	52.9	11	5.3
Canton, Ohio	106,700	1,577	1,004	14.8	9.4	573	157	109	69.1	39	2.5
Cincinnati, Ohio	457,200	7,574	6,781	16.6	14.8	793	112	413	54.5	250	3.3
White	407,000	6,842	5,780	16.8	14.2	1,062	118	330	48.2	209	3.1
Colored	50,200	732	1,001	14.6	19.9	-269	73	83	113.4	41	5.6
Cleveland, Ohio	919,700	15,096	9,821	16.5	10.7	5,275	154	797	52.8	586	3.9
White	835,200	13,624	8,546	16.6	10.2	5,278	162	692	50.1	470	3.4
Colored	78,500	1,272	1,275	16.2	16.2	-3	100	105	32.5	116	9.1
Columbus, Ohio	295,600	4,709	4,006	15.9	13.9	613	115	285	60.5	191	4.1
White	261,300	4,128	3,547	15.8	13.6	581	116	242	58.6	153	3.7
Colored	34,300	581	549	16.9	16.0	32	106	43	74.0	38	6.5
Dayton, Ohio	205,200	3,323	2,428	16.2	11.8	895	137	181	54.5	111	3.3
White	187,300	3,025	2,150	16.2	11.5	875	141	153	50.6	99	3.3
Colored	17,900	298	278	16.6	15.5	20	107	28	94.0	12	4.0
Toledo, Ohio	297,000	4,404	3,444	14.8	11.6	960	128	272	61.8	146	3.3
White	282,000	4,201	3,216	14.9	11.4	985	131	251	59.7	133	3.2
Colored	15,000	203	228	13.5	15.2	-25	89	21	103.4	13	6.4
Youngstown, Ohio	172,900	2,831	1,659	16.4	9.6	1,172	171	175	61.8	104	3.7
White	157,000	2,593	1,449	16.5	9.2	1,144	179	155	59.8	86	3.3
Colored	15,900	238	210	15.0	13.2	28	113	20	84.0	18	7.6
Oklahoma City, Okla.	196,600	3,302	2,091	16.8	10.6	1,211	158	210	63.6	86	2.6
White	179,500	3,026	1,831	16.9	10.2	1,195	165	190	62.8	76	2.5
Colored	17,100	276	260	16.1	15.2	16	106	20	72.5	10	3.6
Tulsa, Okla.	146,000	2,114	1,211	14.5	8.3	903	175	133	62.9	49	2.3
White	128,200	1,947	1,023	15.2	8.0	924	190	109	56.0	39	2.0
Colored	17,800	167	188	9.4	10.6	-21	89	24	143.7	10	6.0
Portland, Oreg.	306,900	3,944	3,422	12.9	11.2	522	115	133	33.7	112	2.8
Erie, Pa.	117,600	2,193	1,311	18.6	11.1	882	167	119	54.3	71	3.2
Philadelphia, Pa.	1,966,200	32,178	23,743	16.4	12.1	8,435	136	1,668	51.8	1,130	3.5
White	1,733,300	27,644	20,318	15.9	11.7	7,326	136	1,291	46.7	848	3.1
Colored	232,900	4,534	3,425	19.5	14.7	1,109	132	377	83.1	282	6.2
Pittsburgh, Pa.	675,900	13,039	8,647	19.3	12.8	4,392	151	867	66.5	418	3.2
White	618,300	11,907	7,735	19.3	12.5	4,172	154	752	63.2	364	3.1
Colored	57,600	1,132	912	19.7	15.8	220	124	115	101.6	54	4.8
Reading, Pa.	111,600	1,569	1,325	14.1	11.9	244	118	109	69.5	57	3.6
Scranton, Pa.	144,100	2,831	1,855	19.6	12.9	976	153	133	64.6	94	3.3
Providence, R.I.	254,800	5,232	3,312	20.5	13.0	1,920	158	312	59.6	176	3.4
Chattanooga, Tenn.	122,400	2,197	1,554	17.9	12.7	643	141	197	89.7	164	7.5
White	88,700	1,679	903	18.9	10.2	776	186	133	79.2	64	3.8
Colored	33,700	518	651	15.4	19.3	-133	80	64	123.6	100	19.3

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section B (cities of 100,000 inhabitants or more in 1930)—Continued											
Knoxville, Tenn.	109,200	2,119	1,343	19.4	12.3	776	158	158	74.6	85	4.0
White	91,400	1,897	1,046	20.8	11.4	851	181	185	71.2	84	3.4
Colored	17,800	222	297	12.5	16.7	-75	75	23	103.6	21	9.5
Memphis, Tenn.	259,000	4,603	4,344	17.8	16.8	259	106	442	96.0	212	4.6
White	160,000	2,795	2,169	17.5	13.6	626	129	213	76.2	91	3.3
Colored	99,000	1,808	2,175	18.3	22.0	-367	83	229	126.7	121	6.7
Nashville, Tenn.	155,500	3,335	2,412	21.4	15.5	923	138	261	78.3	179	5.4
White	112,600	2,491	1,564	22.1	13.9	927	159	193	77.5	107	4.3
Colored	42,900	844	848	19.7	19.8	-4	100	68	80.6	72	8.5
Salt Lake City, Utah	143,100	3,229	1,594	22.6	11.1	1,635	203	140	43.4	65	2.0
Norfolk, Va.	129,710	2,275	1,669	17.5	12.9	606	136	137	60.2	121	5.3
White	85,514	1,535	874	18.0	10.2	661	176	58	37.5	38	2.5
Colored	44,196	740	795	16.7	18.0	-55	93	79	106.3	83	11.2
Richmond, Va.	184,300	3,393	2,616	18.4	14.2	777	130	216	63.7	203	6.0
White	131,300	2,207	1,544	16.8	11.5	663	143	109	49.4	74	3.4
Colored	53,000	1,186	1,072	22.4	20.2	114	111	107	90.2	129	10.9
Seattle, Wash.	371,600	4,892	4,153	13.2	11.2	739	118	212	43.3	110	2.2
White	355,200	4,645	3,943	13.0	11.1	702	118	207	44.6	104	2.2
Colored	15,400	247	210	16.0	13.6	37	118	5	20.2	6	2.6
Spokane, Wash.	116,300	1,942	1,342	16.7	11.5	600	145	77	39.6	50	2.6
Tacoma, Wash.	107,800	1,768	1,380	16.4	12.8	388	128	84	47.5	33	1.9
Milwaukee, Wis.	594,200	9,329	5,210	15.7	8.8	4,119	179	442	47.4	253	2.7

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 1,000 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate per 100 live births	Births	Deaths			Births	Deaths		
Section C (cities of 10,000 to 100,000 inhabitants in 1930)												Section C—Continued											
ALABAMA												ALABAMA—CON.											
Anniston	22,900	458	305	20.0	13.3	153	150	48	104.8	22	4.8	Selma*	18,300	385	393	21.0	21.5	-8	98	48	124.7	30	7.8
White	15,600	308	174	19.7	11.2	134	177	27	87.7	12	3.9	White	8,900	185	171	20.8	19.2	-14	108	20	108.1	10	5.4
Colored	7,300	150	131	20.5	17.9	19	115	21	140.0	10	6.7	Colored	9,400	200	222	21.3	23.6	-22	90	28	140.0	20	10.0
Bessemer	21,000	329	214	15.7	10.2	115	154	20	60.8	14	4.3	Tuscaloosa*	21,800	367	454	16.8	20.8	-87	81	24	65.4	13	3.5
White	9,100	139	77	15.3	8.5	62	(*)	2	14.4	4	2.9	White	14,400	273	308	19.0	21.4	-35	89	10	36.6	8	2.9
Colored	11,900	190	137	16.0	11.5	53	139	18	94.7	10	5.3	Colored	7,400	94	146	12.7	19.7	-52	64	14	148.9	5	5.3
Decatur	16,900	244	216	14.4	12.8	28	113	19	77.9	19	7.8	ARIZONA											
White	12,900	185	137	14.3	10.6	48	135	11	59.5	10	5.4	Phoenix*	50,000	1,786	1,229	35.7	24.6	557	145	130	72.8	53	3.0
Colored	4,000	59	79	14.8	19.8	-20	(*)	8	135.6	9	15.3	White	39,200	1,304	883	33.3	22.5	421	148	65	49.8	30	2.3
Dothan	16,500	238	230	14.3	13.9	6	103	16	67.8	30	12.7	Colored	10,800	482	346	44.6	32.0	136	139	65	134.9	23	4.8
White	10,200	144	149	14.1	14.6	-5	97	4	27.8	16	11.1	Tucson*	33,600	1,032	903	30.7	26.9	129	114	132	127.9	18	1.0
Colored	6,300	92	81	14.6	12.9	11	(*)	12	130.4	14	15.2	White	21,400	523	543	24.4	25.4	-20	96	28	53.5	5	1.7
Fairfield	11,800	499	297	42.3	25.2	202	168	47	94.2	31	6.2	Colored	12,200	509	360	41.7	29.5	149	141	104	204.3	13	2.6
White	4,900	318	111	64.9	22.7	207	286	17	53.5	15	4.7	ARKANSAS											
Colored	6,900	181	186	26.2	27.0	-5	97	10	83.7	16	8.8	Blytheville	10,500	155	135	14.8	12.9	20	115	18	116.1	8	5.2
Florence	11,900	215	152	18.1	12.8	63	141	18	83.7	12	5.6	White	7,600	125	91	16.4	12.0	34	(*)	12	95.0	3	2.4
White	9,100	171	109	18.8	12.0	62	157	10	58.5	8	4.7	Colored	2,900	30	44	10.3	15.2	-14	(*)	6	200.0	0	16.7
Colored	2,800	44	43	15.7	15.4	1	(*)	1	181.8	4	9.1	El Dorado	17,900	222	172	12.4	9.6	50	129	11	49.5	11	5.0
Gadsden	24,900	454	283	18.2	11.4	171	160	33	72.7	26	5.7	White	13,700	188	115	13.7	8.4	73	163	3	42.6	4	11.8
White	18,300	369	193	20.2	10.5	176	191	25	67.8	16	4.3	Colored	4,200	34	57	8.1	13.6	-23	(*)	8	88.2	4	11.8
Colored	6,600	85	90	12.9	13.6	-5	(*)	8	94.1	10	11.8	Fort Smith*	31,700	580	507	18.3	16.0	73	114	27	48.6	24	5.8
Huntsville	12,000	240	192	20.0	16.0	48	125	29	120.8	13	5.4	White	28,200	537	453	19.0	15.4	104	124	23	42.8	26	4.8
White	8,000	170	104	21.3	13.0	66	163	21	123.5	9	5.3	Colored	3,500	43	74	12.3	21.1	-31	(*)	4	93.0	0	18.6
Colored	4,000	70	88	17.5	22.0	-18	(*)	8	114.3	4	5.7	Hot Springs*	21,000	350	469	16.7	22.3	-119	75	24	68.3	13	3.7
Mobile	70,100	1,438	1,117	20.5	15.9	321	129	104	72.3	74	5.1	White	16,700	332	383	19.9	22.9	-51	87	24	72.3	10	3.0
White	44,300	906	592	20.5	13.4	314	153	49	54.1	27	3.0	Colored	4,300	18	86	4.2	20.0	-68	(*)	1	11.1	3	16.7
Colored	25,800	532	525	20.6	20.3	7	101	55	105.4	47	8.8	Jonesboro	10,400	183	203	17.6	19.5	-20	90	18	98.4	12	6.6
Montgomery	67,300	1,221	1,018	18.1	15.1	203	120	113	92.5	88	7.2	White	9,100	164	179	18.0	19.7	-15	92	16	97.6	8	4.9
White	36,800	667	441	18.1	12.0	226	151	40	60.0	22	3.3	Colored	4,100	19	24	14.6	18.5	-5	(*)	2	105.3	4	21.1
Colored	30,500	554	577	18.2	18.9	-23	66	73	131.8	66	11.9	See footnotes at end of table, p. 92.											
Phenix City*	14,200	307	191	21.6	13.5	116	91	27	87.9	14	4.6												
White	10,100	176	129	17.4	12.8	47	136	18	102.3	5	2.8												
Colored	4,100	131	62	32.0	15.1	69	(*)	9	68.7	9	6.9												

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births				Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
			Births	Deaths	Births	Deaths			Number	Per 1,000 births						Number	Per 1,000 births	Births	Deaths			Excess of births over deaths ¹	Births per 100 deaths		
							Number	Per 1,000 births			Number	Rate per 100 live births													
Section C—Continued																									
ARKANSAS—continued																									
Little Rock*	83,700	1,135	1,663	13.6	19.9	-528	68	77	67.8	35	3.1	Santa Monica	39,800	630	524	15.8	13.2	106	120	21	33.3	17	2.7		
White	63,700	902	1,098	14.2	17.2	-196	82	51	56.5	17	1.9	Santa Rosa	10,900	183	168	16.8	15.4	15	109	3	16.4	5	2.7		
Colored	20,000	233	565	11.7	28.3	-332	41	26	111.6	18	7.7	South Gate	19,632	407	111	20.7	5.7	296	367	9	22.1	10	2.5		
North Little Rock																									
White	20,100	238	167	11.8	8.3	71	143	19	79.8	11	4.6	South Pasadena	14,500	14	133	1.0	9.2	-119	11	2	142.9	1	7.1		
Colored	13,800	162	75	11.7	5.4	87	(3)	11	67.9	6	3.7	Stockton*	48,800	586	482	12.0	9.9	104	122	33	50.3	19	3.3		
Colored	6,300	76	92	12.1	14.6	-16	(3)	8	105.3	5	6.6	White	43,300	455	400	11.2	9.2	85	121	21	43.3	13	2.7		
Pine Bluff																									
White	20,760	298	293	14.4	14.1	5	102	14	47.0	21	7.0	Colored	5,500	101	82	18.4	14.9	19	(3)	12	118.8	6	5.9		
Colored	14,593	190	183	13.0	12.5	7	104	10	62.6	10	5.3	Vallejo	14,476	208	284	14.4	18.2	-56	79	9	43.3	12	5.3		
Colored	6,167	108	110	17.5	17.8	-2	98	4	37.0	11	10.2	Whittier	15,600	331	137	21.2	8.8	194	242	4	12.1	8	2.4		
Texarkana																									
White	11,100	108	157	9.7	14.1	-49	69	6	55.6	2	1.9	Townships													
Colored	7,900	88	88	11.1	11.1	0	(3)	3	34.1	2	10.0	Belvedere	33,023	632	210	19.1	6.4	422	301	27	42.7	16	2.5		
CALIFORNIA																									
Alameda	35,800	316	316	8.8	8.8	0	100	11	34.8	9	2.8	White	12,282	102	99	8.3	8.1	3	(3)	3	29.4	4	3.9		
Alhambra	31,900	176	240	5.5	7.5	-64	73	4	22.7	5	2.8	Colored	20,741	530	111	25.6	5.4	419	477	24	45.3	12	2.3		
Anaheim	11,700	165	118	14.1	10.1	47	140	10	60.6	5	3.0	Gardena	15,969	62	79	3.9	4.9	-17	(3)	4	64.5	3	4.8		
White	9,800	131	106	13.4	10.8	25	124	5	38.2	2	1.5	COLORADO													
Colored	1,900	34	12	17.9	6.3	22	(3)	5	147.1	3	8.8	Boulder	11,200	126	175	11.3	15.6	-49	72	4	31.7	4	3.2		
Bakersfield	26,500	483	199	18.2	7.5	284	243	18	37.3	17	3.5	Colorado Springs*	33,600	645	619	19.2	18.4	26	104	43	66.7	24	3.7		
White	22,900	413	157	18.0	6.9	256	263	8	19.4	12	2.9	Fort Collins	11,800	85	104	7.2	8.8	-19	82	12	141.2	1	1.2		
Colored	3,600	70	42	19.4	11.7	28	(3)	10	142.9	5	7.1	Grand Junction	10,400	247	132	23.8	12.7	115	187	16	64.8	6	2.4		
Berkeley	85,100	566	591	6.7	6.9	-25	96	14	24.7	18	3.2	Greeley	12,400	340	236	27.4	19.0	104	144	21	61.8	11	3.2		
Beverly Hills	19,400	7	104	0.4	5.4	-97	7	3	428.6	6	1.7	Pueblo	50,900	588	467	11.6	9.2	121	126	35	59.5	29	4.9		
Brawley	11,000	344	164	31.3	14.9	180	210	59	171.5	6	1.7	Trinidad	11,500	253	112	22.0	9.7	141	226	27	106.7	7	2.8		
White	4,900	107	50	21.8	10.2	57	(3)	11	102.8	1	0.9	CONNECTICUT													
Colored	6,100	237	114	38.9	18.7	123	208	48	202.5	5	2.1	Ansonia	20,200	93	129	4.6	6.4	-36	72	6	64.5	1	1.1		
Burbank	18,300	186	145	10.2	7.9	41	128	9	48.4	4	2.2	Bristol	29,400	563	239	19.1	8.1	324	236	23	40.9	15	2.7		
Burlingame	14,400	3	71	0.2	4.9	-68	(3)	19	50.3	17	4.5	Danbury	22,700	540	358	23.8	15.8	182	151	26	48.1	17	3.1		
Compton	13,800	196	122	14.2	8.8	74	161	8	40.8	6	3.1	Derby	10,788	360	180	33.4	16.7	180	200	22	61.1	16	4.4		
Eureka	16,100	378	301	23.5	18.7	77	126	19	50.3	17	2.7	Meriden	38,900	643	400	16.5	10.3	243	161	21	32.7	8	1.2		
Fresno	52,600	634	402	12.1	7.6	232	158	32	50.5	17	2.7	Middletown*	24,800	555	554	22.4	22.3	1	100	36	64.9	18	3.2		
White	46,700	508	348	10.8	7.5	155	145	21	41.7	9	1.8	Naugatuck	14,315	49	108	3.4	7.5	-59	45	6	122.4	1	2.0		
Colored	5,900	131	54	22.2	9.2	77	(3)	11	84.0	8	6.1	New Britain	69,200	1,030	498	15.7	7.2	532	218	57	52.5	25	2.3		
Fullerton	11,600	117	69	10.1	5.9	48	(3)	2	17.1	4	3.4	New London	37,000	757	431	25.1	14.3	326	176	38	50.2	26	5.4		
Glendale*	69,600	1,020	709	14.7	10.2	311	144	27	26.5	34	3.3	Norwalk	30,100	678	372	18.3	10.1	306	182	27	39.8	15	2.2		
Huntington Park																									
White	27,000	437	185	16.2	6.9	252	236	8	18.3	10	2.3	Norwich*	23,100	225	220	9.7	9.5	5	102	16	71.1	25	11.1		
Colored	23,900	405	158	16.9	6.6	247	256	7	17.3	5	1.2	Shelton	10,200	93	114	9.1	11.2	-21	82	3	32.3	3	3.2		
Modesto	14,400	498	296	34.6	20.6	202	168	31	62.2	10	2.0	Stamford	47,700	941	546	19.7	11.4	395	172	41	43.6	31	3.3		
Monrovia	11,500	98	190	8.5	16.5	-92	52	11	112.2	3	3.1	Torrington	26,400	470	217	17.8	8.2	253	217	21	44.7	15	3.2		
White	10,200	79	173	7.7	17.0	-94	46	10	126.6	2	2.5	Wallingford	11,400	75	131	6.6	11.5	-56	87	8	106.7	1	1.1		
Colored	1,300	19	17	14.6	13.1	2	(3)	1	52.6	1	5.3	Waterbury	100,900	1,852	1,040	18.4	10.3	812	178	80	43.2	55	3.0		
Ontario	14,100	130	113	9.2	8.0	17	115	8	61.5	6	4.6	Willimantic	12,102	285	188	23.5	15.5	97	152	14	49.1	17	6.0		
Palo Alto	14,600	223	135	15.3	9.2	88	165	5	22.4	4	1.8	Towns													
Pasadena	79,600	1,061	986	13.3	12.4	75	108	36	33.9	17	1.6	East Hartford	17,800	47	93	2.6	5.2	-46	(3)	5	106.4	1	2.1		
Pomona	21,700	325	250	15.0	11.5	75	130	6	18.5	10	3.1	Stratford	20,000	84	118	4.2	5.9	-34	71	4	47.6	1	1.1		
Redlands	14,700	174	133	11.8	9.0	41	131	12	69.0	4	2.3	West Hartford	26,900	84	165	3.1	6.1	-81	51	11	131.0	1	1.2		
White	12,500	132	117	10.6	9.4	15	113	6	45.5	3	2.3	West Haven	25,808	207	211	8.0	8.2	-4	98	6	29.0	4	1.9		
Colored	2,200	42	16	19.1	7.3	26	(3)	6	142.9	1	2.4	FLORIDA													
Richmond	20,400	254	185	12.5	9.1	69	137	11	43.3	6	2.4	Daytona Beach	17,800	281	250	15.8	14.0	31	112	18	64.1	24	8.5		
Riverside	30,900	627	536	20.3	17.3	91	117	14	70.2	18	2.9	White	12,000	186	158	15.5	13.2	28	118	10	53.8	8	4.3		
White	25,700	452	436	17.6	17.0	16	104	29	64.2	10	2.2	Colored	5,800	95	92	16.4	15.9	3	(3)	8	84.2	16	16.8		
Colored	5,200	175	100	33.7	19.2	75	175	15	85.7	8	4.6	Gainesville	10,900	242	217	22.2	19.9	25	112	21	86.8	19	7.9		
Sacramento	97,100	1,947	1,690	20.1	17.4	257	115	91	46.7	55	2.8	White	6,600	166	122	25.2	18.5	44	136	12	72.3	12	7.2		
White	87,000	1,619	1,446	18.6	16.6	173	112	67	41.4	48	3.0	Colored	4,300	76	95	17.7	22.1	-19	(3)	9	118.4	7	9.2		
Colored	10,100	328	244	32.5	24.2	84	134	24	73.2	7	2.1	Key West	12,831	242	197	18.9	15.4	45							

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births	
		Births	Deaths	Births	Deaths									Births	Deaths	Births	Deaths							Births
		Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births	
Section C—Continued																								
FLORIDA—con.										ILLINOIS—con.														
St. Augustine	12,800	262	234	20.5	18.3	28	112	13	49.6	14	5.3	Calumet City	12,900	142	81	11.0	6.3	61	(*)	14	98.6	9	6.3	
White	9,300	194	145	20.9	15.6	49	134	9	46.4	3	1.5	Canton	11,800	189	172	16.0	14.6	17	110	11	58.2	11	5.8	
Colored	3,500	68	89	19.4	25.4	-21	(*)	4	58.8	11	16.2	Centralia	12,600	216	175	17.1	13.9	41	123	10	46.3	5	2.3	
St. Petersburg	41,900	499	677	11.9	16.2	-178	74	21	42.1	24	4.8	Champaign	20,800	298	229	14.3	11.0	69	130	16	53.7	10	3.4	
White	34,100	362	568	10.6	16.7	-206	64	14	38.7	13	3.6	Chicago Hgts.	22,700	362	213	15.9	9.4	149	170	22	60.8	9	2.5	
Colored	7,800	137	109	17.6	14.0	28	126	7	51.1	11	8.0	White	20,100	329	190	16.4	9.5	139	173	14	42.6	7	2.1	
Sanford	10,600	234	166	22.1	15.7	68	141	18	76.9	19	8.1	Colored	2,600	33	23	12.7	8.8	10	(*)	8	242.4	2	6.1	
White	5,500	126	71	22.9	12.9	55	(*)	7	55.6	4	3.2	Cicero	69,200	244	305	3.5	4.4	-61	80	6	24.6	10	4.1	
Colored	5,100	108	95	21.2	18.6	13	(*)	11	101.9	15	13.9	Danville	57,100	655	621	17.7	16.7	34	105	40	61.1	27	4.1	
Tallahassee	11,200	222	197	19.8	17.6	25	113	18	81.1	23	10.4	Decatur	38,600	1,091	727	18.6	12.4	364	150	57	52.2	29	2.7	
White	6,600	104	83	15.8	12.6	21	(*)	5	48.1	3	2.9	East Moline *	10,300	84	177	8.2	17.2	-93	47	4	47.6	3	3.6	
Colored	4,600	118	114	25.7	24.8	4	104	13	110.2	20	16.9													
West Palm Beach	28,600	457	394	16.0	13.8	63	116	31	67.8	25	5.5	East St. Louis	75,300	1,216	814	16.1	10.8	402	149	74	60.9	36	3.0	
White	19,000	312	213	16.4	11.2	99	146	16	51.3	12	3.8	White	1,054	655	16.7	10.4	399	161	62	58.8	21	2.0		
Colored	9,600	145	181	15.1	18.9	-36	80	15	103.4	13	9.0	Colored	12,100	162	159	13.4	13.1	3	102	12	74.1	15	9.3	
GEORGIA										Section C—Continued														
Albany	14,800	297	254	20.1	17.2	43	117	22	74.1	12	4.0	Elgin*	37,000	631	798	17.1	21.6	-167	79	32	50.7	27	4.3	
White	7,300	132	87	18.1	11.9	45	(*)	6	45.5	11	0.8	Elmhurst	15,200	315	170	20.7	11.2	145	155	18	57.1	11	3.5	
Colored	7,500	165	167	22.0	22.3	-2	99	16	97.0	1	6.7	Forest Park	12,500	51	61	4.1	4.9	-10	(*)	2	39.2	2	3.9	
Athens	13,200	346	296	19.0	16.3	50	117	30	86.7	36	10.4	Evanston	66,500	1,473	642	22.2	9.7	831	229	46	31.2	33	2.2	
White	11,900	205	163	17.2	13.7	42	126	16	78.0	16	7.8	Freeport	15,000	45	122	3.0	8.1	-77	37	1	22.2	1	1.0	
Colored	6,300	141	133	22.4	21.1	8	106	14	99.3	20	14.2	Galesburg	22,300	530	368	23.8	16.5	162	144	36	67.9	16	3.0	
Augusta *	61,200	1,297	1,115	21.2	18.2	182	116	109	84.0	108	8.3	Granite City	26,100	448	244	17.2	9.3	204	184	32	71.4	12	2.7	
White	36,700	790	553	21.5	15.1	237	143	53	67.1	45	6.7	Harrisburg	12,200	166	168	13.6	13.8	-2	99	21	126.5	12	7.2	
Colored	24,500	507	562	20.7	22.9	-55	90	56	110.5	63	12.4	Harvey	17,300	361	124	20.9	7.2	237	291	19	52.6	9	2.5	
Brunswick	14,022	291	197	20.8	14.0	94	148	22	75.6	26	8.9	Highland Park	12,900	183	141	14.2	10.9	42	130	7	38.3	3	1.6	
White	7,972	198	86	24.8	10.8	112	(*)	22	60.6	12	6.1	Jacksonville*	18,000	309	569	17.2	31.6	-260	54	20	64.7	18	5.8	
Colored	6,050	93	111	15.4	18.3	-18	84	10	107.5	14	15.1	Joliet	44,700	723	576	16.2	12.9	147	126	47	65.0	22	3.0	
Columbus	43,400	980	698	22.6	16.1	282	140	90	91.8	66	6.7	Kankakee	21,100	345	268	16.4	12.7	77	129	14	40.8	9	2.6	
White	29,000	601	395	20.7	13.6	206	152	60	83.2	27	4.5	Kewanee	17,093	317	214	18.5	12.5	103	148	16	50.5	10	3.2	
Colored	14,400	379	303	26.3	21.0	76	125	40	105.5	39	10.3	La Grange	10,500	18	57	1.7	5.4	-39	(*)	1	55.6	1	1.0	
Decatur	14,100	101	101	7.2	7.2	0	100	13	128.7	8	7.9	La Salle	13,149	248	151	18.9	11.5	97	164	17	68.5	12	4.8	
White	11,400	45	62	3.9	5.4	-17	(*)	4	88.9	1	2.2	Lincoln*	13,000	210	247	16.2	19.0	-37	85	13	61.9	10	4.8	
Colored	2,700	56	39	20.7	14.4	17	(*)	9	160.7	7	12.5	Mattoon	14,800	259	207	17.5	14.0	52	125	20	77.2	15	5.8	
Griffin	10,600	303	201	28.6	19.0	102	151	21	69.3	23	7.6	Melrose	27,500	94	140	3.4	5.3	-52	64	1	10.6	4	4.3	
White	7,100	227	128	32.0	18.0	99	177	11	48.5	11	4.8	Mount Vernon	11,200	267	121	23.8	10.8	146	221	23	86.1	12	4.5	
Colored	3,500	76	73	21.7	20.9	3	(*)	10	131.6	12	15.8	Moline	52,400	697	406	21.5	12.5	291	172	35	50.2	14	2.0	
La Grange	20,500	443	234	21.6	11.4	209	189	36	81.3	22	5.0	Oak Park	12,700	219	135	17.2	10.6	84	162	13	59.4	9	4.1	
White	14,900	348	128	23.4	8.6	220	272	27	77.6	7	2.0	Quincy	65,000	1,762	759	26.2	11.3	1,003	282	55	31.2	53	3.0	
Colored	5,600	95	106	17.0	18.9	-11	90	9	94.7	15	15.8	Rock Island	15,600	322	170	20.8	11.0	-46	189	19	59.0	3	1.6	
Macon	53,900	1,208	938	22.4	17.4	270	129	93	77.0	95	7.9	Springfield	11,300	314	196	18.9	11.8	118	160	11	35.0	7	2.2	
White	30,700	635	412	20.7	13.4	223	154	40	63.0	22	3.5	Streator	39,500	715	635	18.1	16.1	80	113	42	58.7	25	3.5	
Colored	23,200	573	526	24.7	22.7	47	109	53	92.5	73	12.7	Rockford	38,200	1,146	757	13.0	8.6	389	151	51	44.5	33	2.9	
Rome	22,100	458	305	20.7	13.8	153	150	47	102.6	27	5.9	Rock Island	38,300	453	386	11.8	10.1	67	117	24	53.0	12	2.6	
White	17,300	373	209	21.6	12.1	164	178	34	91.2	21	5.6	Springfield	73,200	1,362	1,085	18.6	14.8	277	126	113	83.0	55	4.0	
Colored	4,800	85	96	17.7	20.0	-11	(*)	13	152.9	6	7.1	Sterling	10,200	226	133	22.2	13.0	93	170	15	66.4	11	4.9	
Savannah *	85,024	1,675	1,597	19.7	18.8	78	105	131	78.2	127	7.6	Urbana	14,728	312	206	21.2	14.0	106	151	12	35.5	15	4.8	
White	46,070	885	628	19.2	13.6	257	141	47	53.1	40	4.5	Waukegan	13,400	217	146	16.2	10.9	71	149	6	27.6	2	0.9	
Colored	38,954	790	969	20.3	24.9	-179	82	84	106.3	87	11.0	West Frankfort	35,100	347	209	9.9	6.0	138	166	18	51.9	16	4.6	
Thomasville	12,000	256	280	21.3	23.3	-24	91	31	121.1	30	11.7	Winnetka	15,400	307	153	19.9	9.9	154	201	19	61.9	8	2.6	
White	5,800	111	107	19.1	18.4	4	104	13	117.7	7	6.3													
Colored	6,200	145	173	23.4	27.9	-28	84	18	124.1															

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)							INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)							INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS			
	Population estimated as of July 1, 1932		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number		Rate per 100 live births	Population estimated as of July 1, 1932		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
	Births	Deaths	Births	Deaths	Births	Deaths			Number	Per 1,000 births				Births	Deaths	Births	Deaths	Births	Deaths			Births	Deaths		
Section C—Continued												Section C—Continued													
INDIANA—con.												KENTUCKY—continued													
Logansport.....	13,508	300	281	16.2	15.2	19	107	11	36.7	7	2.3	Frankfort.....	11,800	152	182	12.9	15.4	-30	84	13	85.5	13	8.6		
Marion.....	24,600	433	338	17.6	13.7	95	128	22	50.8	15	3.5	White.....	9,600	130	138	13.5	14.4	-8	94	12	92.3	11	8.5		
Michigan City.....	27,500	412	299	15.0	10.9	113	138	17	38.8	13	3.2	Colored.....	2,200	22	44	10.0	20.0	-22	(*)	1	45.5	2	9.1		
Mishawaka.....	30,200	606	271	20.1	9.0	335	224	28	46.2	15	2.5	Henderson.....	11,668	217	209	18.6	17.9	8	104	18	82.9	21	9.7		
Muncie.....	47,000	899	559	19.1	11.9	340	161	59	65.6	31	3.4	White.....	9,322	179	153	19.2	16.4	26	117	10	55.9	13	7.3		
New Albany.....	26,200	378	341	14.4	13.0	37	111	23	60.8	11	2.9	Colored.....	2,346	38	56	16.2	23.9	-18	(*)	8	210.5	8	21.1		
New Castle.....	14,027	246	111	17.5	7.9	135	222	13	52.8	6	2.4	Hopkinsville.....	10,900	165	215	15.1	19.7	-50	77	12	72.7	8	4.8		
Peru.....	12,800	191	177	14.9	13.8	14	108	7	36.6	5	2.6	White.....	6,900	114	99	16.5	14.3	15	(*)	3	26.3	4	3.5		
Richmond.....	33,000	315	351	9.5	10.6	-36	90	28	83.9	11	3.5	Colored.....	4,000	51	116	12.8	29.0	-65	44	9	176.5	4	7.8		
Shelbyville.....	10,700	154	155	14.4	14.5	-1	99	14	90.9	3	1.9	Lexington.....	46,000	852	980	18.5	21.3	-128	87	63	73.9	24	2.8		
Terre Haute.....	62,810	930	964	14.8	15.3	-34	96	59	63.4	31	3.3	White.....	33,300	648	664	19.5	19.9	-16	98	49	75.6	10	1.5		
Vincennes.....	17,600	350	286	19.9	16.3	64	122	26	74.3	13	3.7	Colored.....	12,700	204	316	16.1	24.9	-112	65	14	68.6	14	6.9		
Whiting.....	11,000	109	54	9.9	4.9	55	(*)	3	27.5	3	2.8	Middlesborough.....	10,600	204	125	19.2	11.8	79	163	24	117.6	9	4.4		
IOWA												LOUISIANA													
Ames.....	10,700	138	93	17.6	8.7	95	(*)	6	31.9	6	3.2	Alexandria.....	23,700	471	326	19.9	13.8	145	144	34	72.2	33	7.0		
Boone.....	11,886	247	160	20.8	13.5	87	154	8	32.4	5	2.0	White.....	13,900	283	160	20.4	11.5	123	177	12	42.4	17	6.0		
Burlington.....	27,100	398	380	14.7	14.0	18	105	22	55.3	11	2.8	Colored.....	9,800	188	166	19.2	16.9	22	113	22	117.0	16	8.5		
Cedar Rapids.....	56,900	872	632	15.3	11.1	240	138	49	56.2	33	3.8	Baton Rouge.....	31,500	365	275	11.6	8.7	90	133	28	71.2	17	4.7		
Clinton.....	25,900	400	303	15.4	15.2	7	102	37	92.5	21	5.3	White.....	20,700	211	152	10.2	7.3	59	139	51	113.3	5	2.4		
Council Bluffs.....	42,800	820	589	19.2	13.8	231	139	58	70.7	44	5.4	Colored.....	10,800	154	123	14.3	11.4	31	125	15	97.4	12	7.8		
Davenport.....	61,100	839	757	13.7	12.4	82	111	45	53.6	29	3.5	Bogalusa.....	14,700	317	142	21.6	9.7	175	223	16	50.5	19	6.0		
Dubuque.....	42,000	750	612	17.9	14.6	138	123	45	60.0	31	4.1	White.....	9,700	249	88	25.7	9.1	161	(*)	13	52.2	5	2.0		
Fort Dodge.....	22,200	414	248	18.6	11.2	166	167	22	53.1	17	4.1	Colored.....	5,000	68	54	13.6	10.8	14	(*)	3	44.1	14	20.6		
Fort Madison.....	14,000	232	164	16.6	11.7	68	141	11	47.4	9	3.9	Lafayette.....	15,400	307	146	19.9	9.5	161	210	17	56.4	19	6.2		
Iowa City.....	15,800	940	652	59.5	41.3	288	144	48	51.1	38	4.0	White.....	10,200	161	93	15.8	9.1	68	(*)	9	55.9	7	4.3		
Keokuk.....	15,200	303	293	19.9	19.3	10	103	22	69.6	15	4.7	Colored.....	5,200	146	53	28.1	10.2	93	(*)	8	54.8	12	8.2		
Marshalltown.....	17,600	316	281	18.0	16.0	35	112	32	58.5	15	2.7	Lake Charles.....	16,100	392	241	24.3	15.0	151	163	28	71.4	23	5.9		
Mason City.....	23,700	547	294	23.1	12.4	253	186	32	55.5	15	2.7	White.....	10,000	232	145	23.2	14.5	87	160	11	47.4	9	3.9		
Muscatine.....	16,900	314	267	18.6	15.8	47	118	13	41.4	13	4.1	Colored.....	6,100	160	96	26.2	15.7	64	(*)	17	106.3	14	8.8		
Newton.....	12,200	195	110	16.0	9.0	85	177	10	51.3	6	3.1	Monroe.....	27,600	515	443	18.7	16.1	72	116	43	83.5	35	6.8		
Oskaloosa.....	10,200	206	143	20.2	14.0	63	144	5	24.3	8	3.9	White.....	16,900	354	225	20.9	13.3	129	157	25	70.6	17	4.8		
Ottumwa.....	28,600	609	348	21.3	12.2	261	175	27	44.3	13	2.1	Colored.....	10,700	181	218	16.0	20.4	-37	74	18	111.8	18	11.2		
Sioux City.....	80,100	1,652	998	20.7	12.5	654	167	117	70.4	62	3.7	Shreveport.....	79,700	2,032	1,679	25.5	21.1	353	121	155	76.3	141	6.9		
Waterloo.....	47,400	638	438	14.5	9.2	250	157	34	49.4	31	4.5	White.....	51,600	1,191	870	23.1	16.9	321	137	81	68.0	48	4.0		
KANSAS												MAINE													
Arkansas City.....	14,300	242	167	16.9	11.7	75	145	14	57.9	4	1.7	Auburn.....	18,800	192	202	10.2	10.7	-10	95	18	93.8	3	1.6		
Atchison.....	13,100	281	191	21.5	14.6	90	147	18	64.1	11	3.9	Augusta.....	17,600	312	302	17.7	17.2	10	103	21	67.3	7	2.2		
White.....	11,400	243	161	21.3	14.1	82	151	13	53.5	11	4.5	Bangor.....	29,100	593	563	20.4	19.3	30	105	37	62.4	25	4.2		
Colored.....	1,700	38	30	22.4	17.6	8	(*)	5	51.6	6	3.7	Biddeford.....	17,633	515	247	29.2	14.0	268	209	20	38.8	22	4.2		
Chanute.....	10,277	161	149	15.7	14.5	12	103	8	49.7	6	3.7	Lewiston.....	35,300	929	595	26.3	16.9	334	156	81	87.2	39	4.2		
Coffeyville.....	16,200	252	202	15.6	12.5	50	125	20	79.4	10	4.0	Portland.....	71,000	1,543	1,169	21.7	16.5	374	132	105	68.0	52	3.4		
White.....	14,100	221	168	15.7	11.9	53	132	14	63.3	7	3.2	SouthPortland.....	14,400	109	118	7.6	8.2	-9	92	12	110.1	6	5.5		
Colored.....	2,100	31	34	14.8	16.2	-3	(*)	6	193.5	3	9.7	Waterville.....	15,700	405	203	25.8	12.9	202	200	19	46.9	9	2.2		
Dodge City.....	10,700	274	142	25.6	13.3	132	193	12	43.8	7	2.6	Westbrook.....	11,000	185	99	16.8	9.0	86	(*)	13	70.3	2	1.1		
El Dorado.....	10,311	210	152	20.4	14.7	58	138	15	71.4	12	5.7	MARYLAND													
Emporia.....	14,400	292	202	20.3	14.0	90	145	10	34.2	7	2.4	Annapolis.....	12,700	313	156	24.6	12.3	157	201	14	44.7	17	5.4		
Fort Scott.....	10,800	208	226	19.3	20.9	-18	92	10	48.1	10	4.3	White.....	9,200	234	86	25.4	9.3	148	(*)	5	21.4	11	4.7		
Hutchinson.....	27,600	638	307	23.2	11.2	331	208	28	40.8	18	2.8	Colored.....	3,500	79	70	22.6	20.0	9	(*)	9	113.9	6	7.6		
Independence.....	12,900	206	170	16.0	13.2	36	121	15	72.8	8	3.9	Cumberland.....	38,700	777	560	20.1	14.5	217	139	69	88.2	71	9.1		
Lawrence.....	13,900	292	217	21.0	15.6	75	135	7	24.0	6	2.1	Frederick.....	14,800	316	216	21.4	14.6	100	146	18	57.0	26	8.2		
White.....	12,400	268	179	21.6	14.4	89	150	5	18.7	5	1.9	White.....	13,200	285	190	21.6	14.4	95	150	12	42.1	21	7.4		
Colored.....	1,500	24	38	16.0	25.3	-14	(*)	2	83.3	1	4.2	Colored.....	1,600	31	26	19.4	16.3	5	(*)	6	193.5	5	16.1		
Leavenworth.....	17,500	324	268	18.5	15.2	56	122	11	34.0	10	3.1														

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Births	Deaths	Number	Rate per 1,000 births			Births	Deaths		
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Per 1,000 births	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Number	Rate per 1,000 births	Number	Rate per 100 live births		
Section C—Continued											Section C—Continued												
MISSISSIPPI—continued											NEW HAMPSHIRE—con.												
Hattiesburg	19,200	369	250	19.2	13.0	119	148	24	65.0	16	4.3	Manchester	478,834	1,300	911	16.9	11.9	389	143	98	75.4	53	4.1
White	12,200	235	141	19.3	11.6	94	167	9	38.3	4	1.7	Nashua	31,800	647	337	20.3	10.6	310	192	31	47.9	17	2.6
Colored	7,000	134	109	19.1	15.6	25	123	15	111.9	12	9.0	Portsmouth	14,600	308	200	21.1	13.7	108	154	16	51.9	18	5.8
Jackson*	51,300	732	694	14.3	13.5	38	105	71	97.0	76	10.4	Rochester	10,300	219	157	21.3	15.2	62	139	12	54.8	6	2.7
White	30,700	469	333	15.3	10.8	136	141	29	61.8	29	6.2	Claremont (town)	12,700	200	99	15.7	7.8	101	(*)	5	25.0	1	1.0
Colored	20,600	263	361	12.8	17.5	-98	73	42	159.7	47	17.9	NEW JERSEY											
Laurel	18,600	454	268	24.4	14.4	186	169	23	50.7	30	6.0	Asbury Park	15,300	144	162	9.4	10.6	-18	89	5	34.7	5	3.5
White	11,500	332	142	28.9	12.3	190	234	18	54.2	21	6.3	White	11,600	119	138	10.3	11.9	-19	86	3	25.2	2	1.7
Colored	7,100	122	126	17.2	17.7	-4	97	5	41.0	9	7.4	Colored	3,700	25	24	6.8	6.5	1	(*)	2	80.0	3	12.0
McComb	10,300	197	150	19.1	14.6	47	131	12	60.9	9	4.6	Atlantic City*	1,136	1,150	16.7	16.9	-14	99	107	94.2	51	4.5	
White	8,300	161	106	19.4	12.7	56	153	10	62.1	7	4.3	White	51,800	856	869	16.5	16.3	-13	99	66	77.1	34	4.0
Colored	2,000	36	45	18.0	22.5	-9	(*)	2	55.6	2	5.6	Colored	16,300	280	281	17.2	17.2	-1	100	41	146.4	17	6.1
Meridian*	32,000	569	582	17.8	18.2	-13	98	53	93.1	38	6.7	Bayonne	90,400	1,062	604	11.7	6.7	458	176	54	50.8	43	4.0
White	20,600	397	349	19.3	16.9	48	114	30	75.6	16	4.0	Belleville*	28,300	167	223	5.9	7.9	-56	75	17	101.8	4	2.4
Colored	11,400	172	233	15.1	20.4	-61	74	23	133.7	22	12.8	Bloomfield	40,000	155	213	3.9	5.3	-58	73	7	45.2	2	1.3
Natchez	13,500	177	224	13.1	16.6	-47	79	7	39.5	16	9.0	Bridgeton	15,900	376	250	23.6	15.7	126	150	23	61.2	13	3.5
White	6,300	90	92	14.3	14.6	-2	(*)	4	44.4	6	6.7	Burlington	11,100	105	100	9.5	9.0	5	105	8	76.2	4	3.8
Colored	7,200	87	132	12.1	18.3	-45	66	3	34.5	10	11.5	White	9,600	92	93	9.6	9.7	-1	(*)	6	65.2	4	4.3
Vicksburg*	23,500	480	562	19.6	23.9	-102	82	37	80.4	32	7.0	Colored	1,500	13	7	8.7	4.7	6	(*)	2	153.8	1	0.7
White	11,300	256	185	22.7	16.4	71	138	13	50.8	10	3.9	Carteret	13,600	149	48	11.0	3.5	101	(*)	8	53.7	9	6.0
Colored	12,200	204	377	16.7	30.9	-173	54	24	117.6	22	10.8	Cliffside Park	16,400	99	66	6.0	4.0	33	(*)	1	4.0	4	4.0
MISSOURI											East Orange												
Cape Girardeau	16,600	368	298	22.2	18.0	70	123	29	78.8	12	3.3	White	70,100	655	526	9.3	7.5	129	125	27	41.2	29	4.4
Columbia	15,500	300	237	19.4	15.3	63	127	21	70.0	13	4.3	Englewood*	18,500	747	305	40.4	16.5	442	245	26	34.8	33	4.4
White	13,200	265	162	20.1	12.3	103	164	16	60.4	9	3.4	White	15,800	682	276	43.2	17.5	406	247	21	30.8	30	4.4
Colored	2,300	35	75	15.2	32.6	-40	(*)	5	142.9	4	11.4	Colored	2,700	65	29	24.1	10.7	36	(*)	5	76.9	3	4.6
Hannibal	23,200	412	328	17.8	14.1	84	126	20	48.5	8	1.9	Garfield	31,000	325	96	10.5	3.1	229	(*)	15	46.2	15	4.6
Independence	15,700	366	248	23.3	15.8	118	148	18	49.2	16	4.4	Gloucester	13,900	137	128	9.9	9.2	9	107	12	87.6	2	1.5
Jefferson City	22,200	388	262	17.5	11.8	126	148	20	51.5	12	3.1	Hackensack*	25,400	1,037	490	40.8	19.3	547	212	58	55.9	42	4.1
White	20,000	371	232	18.6	11.6	139	160	19	51.2	12	3.2	White	22,700	957	443	42.2	19.5	514	216	47	49.1	39	4.1
Colored	2,200	17	30	7.7	13.6	-13	(*)	1	53.8	1	3.8	Colored	2,700	80	47	29.6	17.4	33	(*)	11	137.5	3	3.8
Joplin	33,600	578	507	17.2	15.1	71	114	37	64.0	18	3.1	Harrison	15,601	90	82	5.8	5.3	8	(*)	4	44.4	3	3.3
Maplewood	13,300	82	75	6.2	5.6	7	(*)	6	73.2	1	1.2	Hawthorne	12,700	75	68	5.9	5.4	7	(*)	2	26.7	1	0.7
Moberly	13,900	195	172	14.0	12.4	23	113	12	61.5	12	6.2	Hoboken	59,261	695	659	11.7	11.1	36	105	47	67.6	26	3.7
St. Charles	10,700	211	149	19.7	13.9	62	142	14	66.4	8	3.8	Irvington	60,500	468	394	7.7	6.5	74	119	15	32.1	21	4.5
St. Joseph*	81,300	1,145	1,279	14.1	15.7	-134	90	65	56.8	51	4.5	Kearny	42,400	362	271	8.5	6.4	91	134	14	38.7	18	5.0
Sedalia	20,806	330	280	15.9	13.5	50	118	24	72.7	18	5.5	Linden	21,208	207	104	9.8	4.9	103	199	15	72.5	8	3.9
White	18,649	301	231	16.1	12.4	70	130	22	73.1	17	5.6	Lodi	12,000	123	65	10.3	5.4	58	(*)	9	73.2	7	5.7
Colored	2,157	29	49	13.4	22.7	-20	(*)	2	69.0	1	3.4	Long Branch*	19,000	788	429	40.4	22.6	389	179	31	40.4	27	3.5
Springfield	58,900	1,054	817	17.9	13.9	237	129	72	68.3	48	4.6	Millville	14,700	237	189	16.1	12.9	48	125	12	50.6	10	4.2
University City	28,100	34	126	1.2	4.5	-92	27	2	58.8	2	5.9	Montclair	43,600	475	325	10.9	7.5	150	146	17	35.8	16	3.4
Webster Groves	17,300	61	124	3.5	7.2	-63	49	4	65.6	2	3.3	White	36,800	435	296	11.8	8.0	139	147	15	34.5	14	3.2
MONTANA											Colored												
Anaconda	12,600	199	124	15.8	9.8	75	160	11	55.3	5	2.5	Morristown*	15,500	676	344	43.6	22.2	332	197	32	47.3	26	3.8
Billings	16,500	420	266	25.5	16.1	154	158	26	61.9	13	3.1	New Brunswick	34,800	931	503	26.8	14.5	428	185	39	41.9	37	4.0
Butte	30,532	591	507	14.9	12.8	84	117	28	47.4	23	3.9	Nutley	21,900	123	101	5.6	4.6	22	122	5	40.7	2	1.6
Great Falls	29,500	730	333	24.7	11.3	397	219	30	41.1	12	1.6	Orange*	35,600	1,723	589	48.4	16.5	1,134	293	58	33.7	54	3.1
Helena	11,803	311	184	26.3	15.6	127	169	9	28.9	11	3.5	White	30,400	1,564	514	51.4	16.9	1,050	304	47	30.1	44	2.8
Missoula	14,900	349	242	23.4	16.2	107	144	15	43.0	15	4.3	Colored	5,200	159	75	30.6	14.4	84	(*)	11	69.2	10	6.3
NEBRASKA											Passaic												
Beatrice	10,400	273	160	26.3	15.4	113	171	18	65.9	7	2.6	Perth Amboy	43,700	748	399	17.1	9.1	349	187	51	68.2	49	6.6
Fremont	11,600	218	144	18.8	12.4	74	151	8	36.7	13	6.0	Phillipsburg	19,500	275	210	14.1	10.8	65	131	17	61.9	19	6.9
Grand Island	18,500	363	260	19.6	14.1	103	140	21	57.9	14	3.9	Plainfield	35,200	947	492	26.9	14.0	455	192	49	51.7	23	2.4
Hastings	16,000	325	179	20.3	11.2	146	182	16	49.2	18	5.5	White	31,400	811									

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Births	Deaths	Births	Deaths						
Section C—Continued																							
NEW JERSEY—continued											NEW YORK—continued												
Rutherford	15,600	22	91	1.4	5.8	-69	(3)	2	90.9			Niagara Falls	78,100	1,398	659	17.9	8.4	739	212	68	48.6	37	2.6
South Orange	14,400	23	89	1.6	6.2	-66	(3)	2	87.0			North Tonawanda	19,400	367	162	18.9	8.4	205	227	16	43.6	14	3.8
South River	11,300	139	65	12.3	5.8	74	(3)	4	57.6	2.9		Ogdensburg	17,200	363	455	21.1	26.5	-92	80	30	82.6	18	5.0
Summit	15,100	378	179	25.0	11.9	199	211	18	47.6	2.1		Olean	27,900	562	292	25.7	13.3	270	192	40	71.2	30	5.3
Union City	58,659	459	324	7.8	5.5	135	142	14	30.5	2.6		Oneida	10,600	193	182	18.2	17.2	11	106	8	41.5	3	4.1
Westfield	16,600	97	113	5.8	6.8	-16	86	1	10.3	2.1		Oneonta	12,700	241	204	19.0	16.1	37	118	19	78.3	10	4.1
West New York	33,000	263	163	6.9	4.3	100	161	5	19.0	11	4.2	Ossining	15,700	263	180	16.8	11.5	83	146	9	34.2	9	3.4
West Orange	25,400	83	141	3.3	5.6	-58	59	6	72.3	1	1.2	Oswego	22,652	393	312	17.3	13.3	81	126	30	76.3	15	3.8
Townships											Rockville Centre												
Cranford	11,700	113	69	9.7	5.9	44	(3)	1	8.8	2	1.8	Port Chester	23,400	700	267	29.9	11.0	443	272	21	30.0	19	2.7
Hillside	19,100	76	71	4.0	3.7	5	(3)	2	26.3	4	5.3	Port Jervis	10,300	168	153	16.3	14.9	15	110	7	41.7	6	3.6
Lynhurst	13,300	127	78	6.9	4.3	49	(3)	2	15.7	4	3.1	Poughkeepsie	40,600	748	553	18.4	13.6	195	135	35	46.8	25	3.3
Maplewood	23,200	34	101	1.5	4.4	-67	34	4	117.6	1	2.9	Rensselaer	11,300	52	111	4.6	9.8	-59	47	2	38.5	1	1.9
Neptune	11,100	383	225	34.5	20.3	158	170	20	52.2	16	4.2	Rockville Centre											
White	9,100	325	187	35.7	20.5	138	174	13	40.0	16	4.9	Centre	14,600	34	96	2.3	6.6	-62	(3)	4	117.6	2	5.9
Colored	2,000	58	38	29.0	19.0	20	(3)	7	120.7	1	4.2	Saratoga	33,100	598	530	18.1	16.0	68	113	36	60.2	27	4.5
North Bergen	42,800	242	237	5.7	5.5	5	102	9	37.2	12	5.0	Saratoga Springs	413,169	213	269	16.2	20.4	-56	79	10	46.9	9	4.2
Pensauken	18,200	102	119	5.6	6.5	-17	86	5	49.0	3	2.0	Schenectady	96,200	1,489	981	15.5	10.2	508	152	81	54.4	47	3.2
Teaneck	18,000	662	285	36.8	15.8	377	232	26	39.3	36	5.4	Tonawanda	13,000	124	89	9.6	6.8	35	(3)	9	72.6	4	3.2
Union	18,000	81	74	4.5	4.1	7	(3)	2	24.7	15	6.2	Troy	72,900	1,313	1,238	18.0	16.8	85	107	68	48.0	49	3.7
Weehawken	14,800	259	280	17.3	18.9	-24	91	11	43.0	15	5.9	Valley Stream											
Woodbridge	26,700	284	152	9.5	5.7	102	167	23	90.6	12	4.7	Watertown	411,790	77	85	6.5	7.2	-8	(3)	3	39.0	2	2.6
NEW MEXICO											Waterbury												
Albuquerque*	27,000	656	558	24.3	20.7	98	118	65	99.1	26	4.0	Watervliet	32,300	646	558	20.0	17.3	88	116	41	63.5	25	3.9
Roswell*	11,700	352	197	30.1	16.8	155	179	26	73.9	10	2.8	White Plains	16,100	123	128	7.6	8.0	-5	96	4	32.5	4	3.3
Santa Fe	11,700	396	242	33.8	20.7	154	164	53	133.8	21	5.3	White Plains											
NEW YORK											Irondequoit (town)												
Amsterdam	35,000	556	402	15.9	11.5	154	138	20	36.0	17	3.1	NORTH CAROLINA											
Arnburn	36,700	703	512	19.2	14.0	191	137	33	46.9	23	3.3	Ashville*	51,800	993	635	19.2	13.2	308	145	71	71.5	52	5.2
Batavia	17,800	405	300	22.8	16.9	105	135	19	46.9	14	3.5	White	37,000	772	462	20.9	12.5	310	167	47	60.9	22	2.8
Beacon*	12,000	213	213	17.8	17.8	0	100	17	79.8	16	7.5	Colored	14,800	221	223	14.9	15.1	-2	99	24	108.6	30	13.6
Binghamton*	77,800	1,148	1,103	14.7	14.2	45	104	58	50.6	44	3.8	Charlotte	86,700	1,642	939	18.9	10.8	703	175	127	77.3	68	5.4
Cohoes	23,300	346	288	14.8	12.3	60	121	24	69.4	18	5.2	White	60,400	1,153	534	19.1	8.8	619	216	66	57.2	41	3.6
Corning	15,777	313	216	19.8	13.7	97	145	20	63.9	11	3.5	Colored	26,300	459	405	18.6	15.4	54	121	61	124.7	47	9.6
Cortland	15,300	395	293	25.8	19.2	102	155	19	43.1	14	3.5	Concord	12,000	235	135	19.6	11.3	100	174	18	78.6	11	4.7
Dunkirk	17,802	313	217	17.6	12.2	96	144	16	51.1	15	4.8	White	10,100	196	97	19.4	9.6	99	(3)	12	61.2	3	4.1
Elmira	47,600	1,022	703	21.5	14.8	319	145	65	63.6	40	3.9	Colored	1,900	39	38	20.0	20.0	1	(3)	6	153.3	3	7.7
Endicott	16,600	525	200	31.6	12.0	325	263	24	45.7	21	4.0	Durham	54,800	1,262	845	23.0	15.4	417	149	111	88.0	86	6.3
Floral Park	11,000	244	78	22.2	7.1	166	(3)	10	41.0	7	2.9	White	34,900	797	453	22.8	13.0	344	176	59	74.0	40	5.0
Freeport	16,800	150	143	8.9	8.5	7	105	9	60.0	4	2.7	Colored	19,900	465	392	23.4	19.7	73	119	52	111.8	46	9.9
Fulton	12,462	258	148	20.7	11.9	110	174	12	46.5	9	3.5	Elizabeth City	10,200	204	156	20.0	15.3	48	131	14	68.6	13	8.8
Geneva	16,200	319	193	19.7	11.9	126	165	7	21.9	11	3.4	White	6,400	108	83	16.9	13.0	25	(3)	1	9.3	4	3.7
Glen Cove	11,800	564	169	47.8	14.3	395	334	30	53.2	22	3.9	Colored	3,800	96	73	25.3	19.2	23	(3)	13	135.4	14	14.6
Glovers Falls	18,800	391	323	20.8	17.2	68	121	28	66.5	20	5.1	Fayetteville	13,500	350	298	28.1	22.1	82	128	33	86.8	33	8.7
Gloversville	23,200	391	372	16.9	16.0	19	105	16	40.9	15	3.8	White	7,900	225	135	28.5	23.4	40	122	17	75.6	9	4.0
Hempstead	16,800	308	134	18.3	8.0	174	230	15	47.7	9	2.9	Colored	5,600	155	113	27.7	20.2	42	137	16	103.2	24	15.5
Herkimer	10,446	148	128	14.2	12.3	20	116	20	116	4	2.7	Gastonia	17,600	453	216	25.7	12.3	237	210	35	77.3	23	5.1
Hornell	16,400	333	227	20.3	13.8	106	147	21	63.1	16	4.8	White	14,300	393	155	27.5	10.8	238	254	31	78.9	16	4.1
Hudson	12,400	345	244	27.8	19.7	101	141	23	66.7	8	2.3	Colored	3,300	60	61	18.2	18.5	-1	(3)	4	66.7	7	11.7
Ithaca	21,200	433	304	20.4	14.3	129	142	28	64.7	13	3.0	Goldboro*	15,400	303	238	19.7	15.5	65	127	37	122.1	27	8.9
Jamestown	45,900	981	576	21.4	12.5	405	170	52	53.0	29	3.0	White	8,300	142	121	17.1	14.6	21	117	17	119.9	10	7.0
Johnson City	14,200	540	183	38.0	12.9	357	295	20	37.0	22	4.1	Colored	7,100	161	117	22.7	16.5	44	138	20	124.2	17	10.6
Johnstown	10,801	113	118	10.5	10.9	-5	96	10	88.5	3	2.7	Greensboro	56,300	1,033	636	18.3	11.3	397	162	81	78.4	54	5.2
Kanmora	18,100	43	96	2.4	5.3	-53	(3)	4	93.0	1	2.3	White	41,700	817	406	19.6	9.7	411	201	46	56.3	28	3.4
Kingston	28,300	601	574	21.2	20.3	27	105	36	59.9	27	4.5	Colored	14,600	216	230	14.8	15.8	-14	94	35	162.0	26	12.0
Lackawanna*	24,700	628	254	25.4	10.3	374	247	60	95														

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Rate	Births	Deaths						
Section C—Continued											Section C—Continued												
NORTH CAROLINA—con.											OHIO—contd.												
Rocky Mount	22,500	487	341	21.6	15.2	146	143	61	125.3	31	6.4	Parma	13,899	115	85	8.3	6.1	30	(3)	3	26.1	14	1.7
White	13,200	273	156	20.7	11.8	117	175	30	109.9	9	3.3	Piqua	16,100	273	246	17.0	15.3	27	111	21	76.9	21	76.9
Colored	9,300	214	185	23.0	19.9	29	116	31	144.9	22	10.3	Portsmouth	43,400	702	562	16.2	12.9	140	125	68	96.9	32	4.6
Salisbury	17,300	362	209	20.9	12.1	153	173	18	49.7	17	4.7	Salem	10,700	224	199	20.9	18.6	25	113	16	71.4	7	3.1
White	13,300	291	155	21.9	11.7	136	188	14	48.1	13	4.4	Sandusky	24,800	409	342	16.5	13.8	67	120	21	51.3	18	3.4
Colored	4,000	71	54	17.8	13.5	17	(3)	4	56.3	4	5.6	Shaker Heights	19,700	12	96	0.6	4.9	-84	(3)	1	83.3	-	-
Shelby	11,700	267	110	22.8	9.4	157	243	11	41.2	14	5.2	Springfield	69,700	1,003	815	14.4	11.7	188	123	59	58.8	18	1.8
White	9,300	221	85	23.8	9.1	136	(3)	8	36.2	11	5.0	White	61,300	905	695	14.8	11.3	211	180	48	53.0	17	1.9
Colored	2,400	46	25	19.2	10.4	21	(3)	3	65.2	3	6.5	Colored	8,400	97	120	11.5	14.3	-23	81	11	113.4	1	1.0
Statesville	10,800	206	220	19.1	20.4	-14	94	14	68.0	12	5.8	Steubenville	36,100	672	448	18.6	12.4	224	150	47	69.9	22	2.5
White	9,100	178	179	19.6	19.7	-1	99	9	50.6	8	4.5	Struthers	11,960	154	55	12.9	4.6	99	(3)	8	51.9	5	0.5
Colored	1,700	28	41	16.5	24.1	-13	(3)	5	178.6	4	14.3	Tiffin	16,700	227	223	13.6	13.4	4	102	17	74.9	7	0.7
Thomasville	10,600	267	102	25.2	9.6	165	262	25	93.6	12	4.6	Warren	42,700	689	467	16.4	10.9	222	150	42	60.1	37	3.8
White	8,800	224	67	25.5	7.6	167	(3)	17	75.9	8	3.6	Wooster	11,000	184	163	16.7	14.8	21	113	7	38.0	6	0.6
Colored	1,800	43	35	23.9	19.4	8	(3)	8	186.0	4	3.6	Xenia	10,600	144	144	13.6	13.6	-	100	7	48.6	7	0.7
Wilmington	43,270	872	532	27.0	16.5	840	164	89	102.1	50	5.7	White	8,400	133	116	15.8	13.8	17	115	6	45.1	4	0.4
White	19,159	535	265	27.9	13.7	272	203	45	54.1	19	3.6	Colored	2,200	11	28	5.0	12.7	-17	(3)	1	90.9	3	27.3
Colored	13,111	337	269	25.7	20.5	68	126	44	130.6	31	9.2	Zanesville	36,700	688	551	18.6	15.0	132	124	40	58.6	24	3.6
Wilson	12,900	357	251	27.7	19.5	106	142	39	109.2	38	10.6	OKLAHOMA											
White	6,500	160	88	24.6	13.5	72	(3)	12	75.0	7	4.4	Ada	11,700	248	142	21.2	12.1	106	175	13	52.4	5	2.0
Colored	6,400	197	163	30.8	25.5	34	121	27	137.1	31	17.5	Ardmore	15,900	257	264	16.2	16.6	-7	97	24	93.4	4	1.6
Winston-Salem	77,000	1,677	872	21.6	11.2	805	192	169	99.0	108	6.4	White	13,500	241	222	17.9	16.4	19	100	18	74.7	4	1.7
White	44,000	984	370	22.4	8.4	614	266	66	67.1	39	4.0	Colored	2,000	16	42	8.0	17.5	-26	(3)	6	375.0	-	-
Colored	33,600	693	502	20.6	14.9	191	138	100	144.3	69	10.0	Bartlesville	14,800	301	169	20.3	11.4	132	178	15	49.3	10	0.3
NORTH DAKOTA											CHICKASHA												
Bismarck *	11,600	435	207	37.5	17.8	228	210	23	52.9	27	6.2	Chickasha	14,500	266	178	18.3	12.3	88	149	12	45.1	18	6.8
Fargo	29,400	895	337	30.4	11.5	558	266	49	54.7	23	2.6	White	12,800	251	158	19.6	12.2	93	161	11	43.8	17	6.8
Grand Forks	17,500	517	283	29.5	13.3	284	222	26	50.3	8	1.5	Colored	1,700	15	22	8.8	12.9	-6	97	1	66.7	1	6.7
Minot	16,800	483	216	28.8	12.9	267	224	15	31.1	11	2.3	Enid	27,600	410	376	14.9	13.6	34	109	24	58.5	11	2.7
OHIO											LAWTON												
Alliance	23,200	298	248	12.8	10.7	50	120	20	67.1	6	2.0	Lawton	12,800	420	168	32.8	13.1	252	250	25	69.5	13	3.1
Ashland	11,400	236	143	20.7	12.5	93	165	17	72.0	10	4.0	McAlester	11,900	226	265	19.0	22.3	-39	85	13	57.5	1	0.4
Ashtabula	23,300	339	274	14.5	11.8	65	124	23	67.5	20	5.9	White	9,900	216	222	21.8	22.4	-6	97	11	50.9	1	0.5
Bartlett	24,800	427	210	17.2	8.5	217	208	16	37.5	16	3.7	Colored	2,000	10	43	5.0	21.5	-33	(3)	2	200.0	-	-
Bellaire	13,327	214	185	16.1	13.9	29	116	17	79.4	6	2.8	Muskogee	32,200	562	560	17.5	17.4	2	100	50	89.0	20	3.6
Bucyrus	10,027	117	135	11.7	13.5	-18	87	5	42.7	2	1.7	White	24,200	484	398	20.0	16.4	86	122	37	76.4	18	3.7
Cambridge	16,500	257	228	15.6	13.8	29	113	18	70.0	7	6.6	Colored	8,000	78	162	9.8	20.3	-84	45	13	166.7	2	2.6
Campbell	14,900	189	65	12.7	4.4	124	(3)	12	63.5	8	4.2	Okmulgee	17,097	289	199	16.9	11.6	90	145	23	79.6	6	2.1
White	12,800	168	53	13.0	4.1	113	(3)	11	66.3	7	4.2	White	13,044	211	130	16.2	10.0	81	162	15	71.1	3	1.4
Colored	2,100	23	12	11.0	5.7	11	(3)	1	43.5	1	4.3	Colored	4,053	78	69	19.2	17.0	9	(3)	8	102.6	3	3.8
Chillicothe	18,600	326	262	17.5	14.1	64	124	20	61.3	8	2.5	Ponca City	17,200	273	184	15.9	10.7	89	148	13	84.2	1	0.4
CLEVELAND											SAPULPA												
Heights	55,200	21	309	0.4	5.6	-288	7	-	-	3	14.3	White	10,533	213	149	20.7	14.1	69	146	16	73.4	14	6.4
Coshocton	10,900	188	175	17.2	16.1	13	107	12	63.8	10	5.3	Colored	9,181	196	134	21.3	14.6	62	146	14	71.4	10	5.1
Cuyahoga Falls	20,900	187	110	8.9	5.3	77	170	8	42.8	3	1.6	Seminole	13,000	254	146	19.5	11.2	108	174	17	66.9	8	3.1
East Cleveland	41,200	52	227	1.3	5.5	-195	23	7	134.6	1	1.9	Shawnee	24,100	420	249	17.4	10.3	171	169	13	31.0	12	2.9
East Liverpool	23,600	438	346	18.6	14.7	92	127	30	68.5	22	5.0	Wewoka	11,500	153	110	13.3	9.6	43	139	12	78.4	1	0.7
Elyria	26,200	457	289	17.4	11.0	168	158	26	56.9	13	2.8	White	9,600	138	75	14.4	7.8	63	(3)	9	65.2	1	0.7
Euclid	13,900	117	102	8.4	7.3	15	115	3	25.6	2	1.7	Colored	1,900	15	35	7.9	18.4	-20	(3)	3	200.0	-	-
Findlay	19,600	349	261	17.8	14.3	68	124	37	106.0	11	3.2	OREGON											
Fostoria	13,100	191	170	14.6	13.0	21	112	18	94.2	10	5.2	Astoria	10,349	212	142	20.5	13.7	70	149	3	14.2	9	4.2
FREMONT											EUGENE *												
Fremont	13,500	140	136	10.4	10.1	4	108	8	57.1	5	3.6	Eugene *	19,800	428	247	21.6	12.5	181	173	13	30.4	12	2.8
GARFIELD											KIAMATH FALLS												
Garfield Heights	17,200	115	78	6.7	4.5	37	(3)	7	60.9	2	1.7	Kiamath Falls	17,700	374	157	21.1	8.9	217	238	23	61.5	5	1.3
Hamilton	53,700	1,026	595	19.1	11.1	431	172	69	67.3	40	3.9	Medford	11,600	293	150	25.3	12.9	143	195	10	34.1	7	2.4
Ironton	16,800	260	244	15.5	14.5	16	107	21	50.8	17	6.5	Salem *	27,300	423	628								

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate per 1,000 births	Births	Deaths			Births	Deaths		
Section C—Continued																							
PENNSYLVANIA—contd.																							
Charleroi	11,280	117	83	10.4	7.4	34	(*)	7	59.8	4	3.4	Uniontown	19,544	411	348	21.0	17.8	63	118	40	97.3	34	8.3
Chester	59,300	1,173	692	19.8	11.7	481	170	81	69.1	42	9.6	Vandergrift	11,700	189	72	16.2	6.2	117	(*)	13	69.8	5	2.6
White	49,800	976	528	19.6	10.6	448	185	60	61.5	29	2.9	Warren	14,900	389	193	26.1	13.0	196	(*)	17	43.7	19	4.9
Colored	9,500	197	164	20.7	17.3	33	120	21	106.6	14	7.1	Washington	24,800	583	390	23.4	15.7	193	149	34	58.3	24	4.1
Clairton	15,800	253	76	16.0	4.8	177	(*)	17	67.2	10	4.0	Waynesboro	10,200	247	129	24.2	12.6	118	191	9	36.4	10	4.0
White	13,500	220	69	16.3	4.7	157	(*)	15	68.2	9	3.2	West Chester	12,400	733	340	59.1	27.4	393	216	54	73.7	28	3.8
Colored	2,300	33	13	14.3	5.7	20	(*)	2	60.6	1	0.3	White	10,300	648	282	62.9	27.4	366	260	45	69.2	25	3.9
Coatesville	14,600	141	103	9.7	7.1	38	137	9	63.8	2	1.3	Colored	2,100	85	58	40.5	27.6	27	(*)	9	105.9	3	3.5
White	12,300	108	80	8.8	6.5	28	(*)	4	37.0	2	1.3	Wilkes-Barre	87,000	2,336	1,244	26.9	14.3	1,092	158	123	52.7	93	4.0
Colored	2,300	33	23	14.3	10.0	10	(*)	5	151.5	2	0.7	Williamsburg	30,300	472	332	15.6	11.0	140	142	21	44.5	15	3.2
Columbia	11,400	226	126	19.8	11.1	100	179	13	57.5	10	4.4	Williamsport	46,400	903	653	19.5	14.1	250	138	47	52.0	23	2.5
Connellsville	13,290	368	204	27.7	15.3	164	180	17	48.2	16	4.3	York	56,200	1,003	751	17.8	13.4	252	134	79	78.8	46	4.6
Conshohocken	11,100	123	67	11.1	6.0	56	(*)	4	32.5	4	3.7	Townships											
Corapolis	11,300	120	60	10.6	5.3	60	(*)	3	25.0	2	1.3	Abington	19,800	596	332	30.1	16.8	264	180	29	48.7	25	4.2
Dickson City	12,600	160	85	12.7	6.7	75	(*)	3	31.3	3	1.6	Cheltenham	16,300	46	107	2.8	6.6	-61	43	2	43.5	1	2.2
Donora	13,905	182	85	13.1	6.1	117	(*)	13	65.9	3	1.6	Hanover	18,600	215	113	11.6	6.1	102	190	12	55.8	10	4.7
Du Bois	14,000	24	85	1.7	6.1	-61	(*)	12	38.5	6	2.2	Harrison	12,700	324	150	25.5	11.8	174	116	12	37.0	16	4.9
Dunmore	11,595	286	232	12.6	10.1	57	125	24	83.0	6	2.1	Haverford	23,100	95	139	4.1	6.0	-44	68	7	73.7	2	2.1
Duquesne	22,900	299	99	10.2	4.6	122	(*)	18	81.4	7	3.2	Lower Merion	36,500	528	375	14.5	10.3	153	141	32	60.6	22	4.2
East	21,700	286	320	10.6	9.3	46	114	15	44.0	7	1.9	Mount Lebanon	14,700	30	90	2.0	6.1	-60	(*)	5	166.7	1	3.3
Easton	34,500	366	320	10.6	9.3	46	114	15	44.0	5	2.0	Plains	16,300	212	98	13.0	6.0	114	(*)	13	61.3	9	4.2
Ellwood City	12,700	247	83	19.4	6.5	164	(*)	7	49.3	4	2.8	Stowe	13,700	347	110	25.3	8.0	237	315	11	31.7	19	5.5
Farrell	14,359	142	71	9.9	4.9	71	(*)	2	15.4	3	2.3	Upper Darby	51,100	459	395	9.0	7.7	64	116	20	43.6	13	2.8
White	12,751	130	51	10.2	4.0	79	(*)	5	416.7	1	8.3	RHODE ISLAND											
Colored	1,608	12	20	7.5	12.4	-8	(*)	1	10.2	2	2.0	Central Falls	26,100	370	189	14.2	7.2	181	196	22	59.5	13	3.5
Franklin	10,300	98	95	9.5	9.2	3	(*)	23	42.4	26	4.8	Cranston	44,500	249	795	7.8	17.9	-446	44	17	48.7	12	3.4
Greensburg	18,800	543	278	32.3	16.5	265	195	16	33.8	16	4.9	Newport	427,612	443	382	16.0	13.8	61	116	21	47.4	13	2.9
Hanover	11,900	325	158	27.3	13.3	167	206	97	63.3	78	5.1	Pawtucket	78,700	1,387	805	17.6	10.2	582	172	92	66.3	50	3.6
Harrisburg	80,700	1,532	1,229	19.0	15.2	303	125	53	59.6	32	3.6	Warwick	24,400	237	245	9.7	10.0	-8	97	16	63.3	9	3.8
Hazleton	37,300	889	524	23.8	14.0	365	170	16	43.2	14	4.2	Woonsocket	60,100	860	486	17.2	9.7	374	177	42	48.8	40	4.7
Homestead	20,141	370	208	18.4	10.3	162	178	10	29.7	14	4.2	Towns											
White	16,535	337	168	20.4	10.2	169	201	13	62.1	3	1.3	Bristol	12,000	126	102	10.5	8.5	24	124	4	31.7	4	3.2
Colored	3,606	33	40	9.2	11.1	-7	(*)	1	18.8	82	4.7	Cumberland	10,300	111	86	10.8	8.3	25	(*)	5	45.0	2	1.8
Jeanette	15,200	234	101	15.4	6.6	133	232	48	72.0	34	5.1	East Providence	31,000	265	250	8.5	8.1	15	106	23	86.8	7	2.6
Johnstown	66,993	1,751	946	26.1	14.1	805	185	21	55.6	3	1.3	Lincoln	10,500	123	84	11.7	8.0	39	(*)	7	56.9	2	1.6
Kingston	22,400	378	251	16.9	11.2	127	151	21	55.6	20	5.3	North Providence	11,500	105	78	9.1	6.8	27	(*)	7	66.7	3	2.9
Lancaster	60,800	1,363	929	22.3	15.3	434	146	84	62.1	64	4.7	Westerly	11,100	242	164	21.8	14.8	78	148	9	37.2	7	2.9
Latrobe	10,800	271	128	25.1	11.9	143	212	12	44.3	19	7.0	West Warwick	18,000	291	157	16.2	8.7	134	185	18	61.9	7	2.4
Lebanon	26,000	618	407	23.8	15.7	211	152	30	48.5	51	4.1	SOUTH CAROLINA											
Lewistown	13,800	199	112	14.4	8.1	87	178	14	70.4	12	6.0	Anderson	14,700	573	246	39.0	16.7	327	233	23	40.1	29	5.1
McKeesport	55,600	1,248	604	22.4	10.9	644	207	65	62.1	51	4.1	White	10,800	489	158	45.3	14.6	331	309	16	32.7	22	4.5
McKees Rocks	18,300	144	121	7.9	6.6	23	119	7	48.6	4	3.2	Colored	3,900	84	88	21.5	22.6	-4	(*)	7	33.3	7	8.3
Mahanoy City	14,784	194	111	13.1	7.5	83	175	7	36.1	13	6.7	Charleston	462,265	1,846	1,288	29.6	20.7	558	143	191	103.5	208	11.3
Meadville	16,900	425	269	25.1	15.9	156	158	21	49.4	11	2.6	White	34,177	827	443	24.2	13.0	384	187	37	44.7	17	2.1
Monessen	20,268	325	130	16.0	6.4	195	250	23	70.8	11	3.4	Colored	28,088	1,019	845	36.3	30.1	174	121	154	151.1	191	18.7
Mount Carmel	18,000	278	156	15.4	8.7	122	178	18	64.7	5	1.8	Columbia	52,300	938	1,002	17.9	19.2	-64	94	105	111.9	64	6.8
Munhall	13,800	124	75	9.0	5.4	49	(*)	9	72.6	4	3.2	White	32,500	590	525	18.2	16.2	65	112	58	98.3	19	3.2
Nanticoke	26,500	667	332	25.2	12.5	335	201	48	72.0	34	5.1	Colored	19,800	348	477	17.6	24.1	-129	73	47	135.1	45	12.0
New Castle	49,100	1,040	589	21.2	12.0	451	177	64	61.5	33	3.2	Florence	15,200	317	224	20.9	19.3	23	108	35	119.9	41	12.0
New Kensington	24,000	484	242	20.2	10.1	242	200	30	62.0	20	4.1	White	9,000	165	123	18.3	13.6	43	135	14	84.8	20	12.1
Norristown	36,300	794	773	21.9	21.3	21	103	39	49.1	32	4.0	Colored	6,200	152	179	24.5	27.7	-20	88	24	157.9	21	13.8
North Braddock	17,000	161	89	9.5	5.2	72	(*)	14	87.0	6	3.7	Greenville	29,800	556	533	18.6	17.8	23	104	75	134.9	31	5.6
Oil City	22,200	454	267	20.5	11.6	197	177	27	59.5	19	4.2	White	18,700	343	389	18.3	15.5	54	119	46	134.1	13	3.8

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births				Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
			Births	Deaths	Births	Deaths			Number	Per 1,000 births						Number	Per 1,000 births	Births	Deaths			Births	Deaths		
							Number	Per 1,000 births			Number	Rate per 100 live births													
Section C—Continued											Section C—Continued														
SOUTH DAKOTA											WEST VIRGINIA														
Aberdeen	16,700	412	222	24.7	13.3	180	186	21	51.0	8	1.9	Bluefield	19,339	364	274	18.8	14.2	90	133	33	90.7	14	3.8		
Huron	11,300	241	102	21.3	9.0	139	236	13	53.9	8	3.3	White	15,974	319	215	20.0	13.5	104	148	28	37.8	14	4.4		
Mitchell	11,200	347	184	31.0	16.4	163	189	20	57.6	11	3.2	Colored	3,365	45	59	13.4	17.5	-14	(*)	5	111.1				
Rapid City*	11,000	290	150	26.4	13.6	140	193	18	62.1	8	2.8	Charleston	62,600	1,282	887	20.5	14.2	395	145	138	107.6	83	6.5		
Sioux Falls	34,300	802	395	23.4	11.5	407	203	40	49.9	12	1.5	White	55,600	1,190	749	21.4	13.5	441	159	128	105.0	71	6.0		
Watertown	10,300	253	132	24.6	12.8	121	192	13	51.4	8	3.2	Colored	7,000	92	138	13.1	19.7	-46	67	13	141.3	12	13.0		
TENNESSEE											WISCONSIN														
Bristol	12,500	215	111	17.2	8.9	104	194	17	79.1	11	5.1	Appleton	26,000	591	338	22.7	13.0	253	175	40	67.7	9	1.5		
Jackson	22,500	256	293	11.4	13.0	-37	87	16	62.5	11	4.3	Ashland*	10,622	277	200	26.1	18.8	77	139	23	83.0	13	4.7		
White	14,800	210	181	14.2	12.2	29	116	12	57.1	8	3.8	Beloit	23,900	493	257	20.6	10.8	236	192	24	48.7	8	1.6		
Colored	7,700	46	112	6.0	14.5	-66	41	4	87.0	3	6.5	Cudahy	11,100	145	43	13.1	3.9	102	(*)	2	13.8	2	1.4		
Johnson City*	26,500	418	235	15.8	8.9	183	178	33	78.9	19	4.5	Eau Claire*	26,900	769	421	28.6	15.7	348	183	36	46.8	25	3.3		
Kingsport	12,700	366	131	28.8	10.3	235	279	21	57.4	11	3.0	Fond du Lac	26,800	588	400	21.9	14.9	188	147	17	28.9	25	4.3		
UTAH											GREEN BAY														
Ogden	41,200	1,211	435	29.4	10.6	776	278	44	36.3	27	2.2	Janesville	39,800	1,174	564	29.5	14.2	610	208	64	54.5	32	2.7		
Provo	15,300	377	173	24.6	11.3	204	218	18	47.7	9	2.4	Kenosha	22,000	443	243	20.1	11.0	200	182	21	47.4	17	3.8		
VERMONT											Kenosha														
Barre	11,500	254	175	22.1	15.2	79	145	16	63.0	11	4.3	La Crosse*	51,300	823	371	16.0	7.2	452	222	39	47.4	18	2.2		
Burlington	25,000	584	462	23.4	18.5	122	126	51	87.3	17	2.9	Madison	40,700	1,093	617	26.9	15.2	476	177	54	49.4	39	3.6		
Rutland	17,600	335	260	19.0	14.8	75	129	22	65.7	14	4.2	Manitowoc	60,800	1,510	958	24.8	15.8	552	158	64	42.4	38	2.5		
VIRGINIA											Marionette														
Alexandria	24,149	504	337	20.9	14.0	167	150	39	77.4	18	3.6	Oshkosh	23,400	418	229	17.9	9.8	189	183	20	47.8	9	2.2		
White	19,230	403	244	21.0	12.7	159	165	24	59.6	12	3.0	Racine	13,700	255	195	18.6	14.2	60	131	14	54.9	6	2.4		
Colored	4,919	101	93	20.5	18.9	8	(*)	15	148.5	6	5.9	Sheboygan	40,900	676	479	16.5	11.7	197	141	45	66.6	27	4.0		
Charlottesville	15,800	258	141	16.3	8.9	117	133	11	42.6	12	4.7	Shorewood	1,201	550	17.6	8.0	651	218	37	30.8	35	2.9			
White	11,600	228	106	19.7	9.1	122	215	7	30.7	8	3.5	South Milwaukee	40,200	703	389	17.5	9.7	314	181	23	32.7	18	2.6		
Colored	4,200	30	35	7.1	8.3	-5	(*)	4	133.3	4	13.3	Stevens Point	14,800	19	74	1.3	5.0	-55	(*)	1	52.6				
Danville	22,300	30	35	7.1	8.3	-5	(*)	4	133.3	4	13.3	Superior	11,100	196	70	17.7	6.3	126	(*)	11	56.1	12	6.1		
White	16,800	392	354	23.9	15.9	178	150	52	97.7	27	5.1	Two Rivers	13,900	355	187	25.5	13.5	168	190	30	84.5	8	2.3		
Colored	5,500	140	214	25.5	20.7	26	123	39	99.5	14	3.6	Watertown	36,113	575	387	15.9	10.7	188	149	37	64.3	24	4.2		
Hopewell	12,500	186	94	14.9	7.5	92	(*)	21	112.9	8	4.3	Wausau	10,600	218	101	20.6	9.5	117	216	11	50.5	4	1.8		
White	11,100	178	71	16.0	6.4	107	(*)	18	101.1	8	4.5	Watertown	10,800	248	167	23.0	15.5	81	149	14	56.5	3	1.2		
Colored	1,400	8	23	5.7	16.4	-15	(*)	3	375.0			Wausau	17,700	395	201	22.2	11.4	192	195	22	56.0	9	2.3		
Lynchburg	41,000	1,007	630	24.6	15.4	377	160	83	82.4	49	4.9	West Allis	24,300	576	315	23.7	13.0	261	183	36	62.5	19	3.3		
White	31,400	768	390	24.5	12.4	378	197	60	78.1	31	4.0	Wauwatosa	23,000	210	155	9.1	6.7	55	135	9	42.9	8	3.8		
Colored	9,600	229	240	24.9	25.0	-1	100	23	98.2	18	7.5	West Allis	37,300	391	148	10.5	4.0	243	264	17	43.5	5	1.3		
Newport News	34,417	849	472	24.7	13.7	377	180	56	66.0	55	6.5	WYOMING													
White	21,120	484	211	22.9	10.0	273	229	27	55.8	18	3.7	Casper	17,000	318	173	18.7	10.2	145	184	12	37.7	8	2.5		
Colored	13,297	365	261	27.4	19.6	104	140	29	79.5	37	10.1	Cheyenne	17,700	367	222	20.7	12.5	145	165	31	84.5	11	3.0		
Petersburg	28,564	478	438	16.7	17.1	-10	98	53	110.9	31	6.5	Section D (counties excluding cities of 10,000 inhabitants or more in 1930)													
White	15,962	257	200	16.1	12.5	57	129	20	77.8	10	3.9	Autauga	19,800	422	168	21.3	8.5	254	251	24	56.9	23	5.5		
Colored	12,602	221	238	17.5	22.9	-17	77	33	149.3	21	9.5	White	8,900	179	86	20.1	7.4	113	(*)	8	44.7	5	2.3		
Portsmouth	45,704	812	607	17.8	13.3	205	134	57	70.2	72	8.9	Colored	10,900	243	102	22.3	9.4	141	238	16	65.8	18	7.4		
White	26,781	485	258	18.1	9.6	227	188	22	45.4	27	5.6	Baldwin	29,200	746	296	25.5	10.1	450	253	45	60.3	29	3.0		
Colored	18,923	327	349	17.3	13.4	-22	94	35	107.0	45	13.8	White	22,200	535	204	24.1	9.2	331	262	25	46.7	17	3.2		
Roanoke	71,100	1,406	739	19.8	11.1	616	78	91	64.7	63	4.5	Colored	7,000	211	92	30.1	13.1	119	(*)	20	94.8	12	5.7		
White	58,400	1,141	587	19.5	10.1	554	194	54	47.3	42	3.7	Barbour	32,500	750	379	23.1	11.7	371	198	48	64.0	54	7.2		
Colored	12,700	265	203	20.9	16.0	62	131	37	139.6	21	7.9	White	13,900	302	171	21.7	12.3	131	177	23	76.2	19	6.3		
Staunton*	12,200	251	355	20.6	29.1	-104	71	23	91.6	16	6.4	Colored	18,600	448	208	24.1	11.2	240	215	25	55.8	35	7.8		
White	10,300	217	315	21.1	30.6	-98	69	20	92.2	11	5.1	Bibb	20,780	445	163	21.4	7.8	282	273	21	47.2	9	2.0		
Colored	1,900	34	40	17.9	21.1	-6	(*)	3	88.2	5	14.7	White	13,904	313	106	22.5	7.6	207	295	13	41.5	4	1.3		
Suffolk	10,400	202	203	19.4	19.5	-1	100	18	89.1	21	10.4	Colored	6,876	132	57	19.2	8.3	75	(*)	8	60.6	5	3.8		
White	6,600	116	103	17.6	15.9	11	110	9	77.6	6	5.2	Blount	28,300	706	193	24.9	6.8	513	366	32	45.3	23	3.3		
Colored	3,800	86	98	22.6	25.8	-12	(*)	9	104.7	15	17.4	Bullock	20,016	614	217	30.7	10.8	397	283	43	70.0	55	9.0		
Winchester	11,300	309	194	27.3	17.2	115	159	16	51.8	13	4.2	White	4,262	91											

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Rate per 1,000 births	Births	Deaths						
Section D—Continued											Section D—Continued												
ALABAMA—continued											ALABAMA—continued												
Calhoun	33,600	889	268	26.5	8.0	621	332	51	57.4	32	3.6	Jefferson	144,100	2,436	1,234	16.9	8.6	1,202	197	151	62.0	103	4.2
White	28,400	754	219	26.5	7.7	535	344	44	58.4	22	2.9	White	92,900	1,478	606	15.9	6.5	872	244	73	49.4	44	3.0
Colored	5,200	135	49	26.0	9.4	86	(*)	7	51.9	10	7.4	Colored	51,200	958	628	18.7	12.3	330	153	78	81.4	59	6.2
Chambers	49,313	716	361	18.2	9.2	355	198	41	57.3	37	5.2	Lamar	18,001	476	138	26.4	7.7	338	345	26	54.6	13	2.7
White	21,385	380	205	17.8	9.6	175	185	25	65.8	15	3.9	White	15,150	403	107	26.6	7.1	296	377	23	54.6	9	2.5
Colored	17,928	336	156	18.7	8.7	180	215	16	47.6	22	6.5	Colored	2,851	73	31	25.6	10.9	42	(*)	4	54.6	4	5.5
Cherokee	20,219	610	162	30.2	8.0	448	377	31	50.8	19	3.1	Lauderdale	29,400	773	207	26.3	7.0	566	373	39	50.5	31	4.0
Chilton	24,800	655	275	26.4	11.1	380	238	46	70.2	30	4.6	White	24,500	656	171	26.8	7.0	485	384	28	42.7	21	3.2
White	20,800	532	205	25.6	9.9	327	260	29	54.5	23	4.3	Colored	4,900	117	36	23.9	7.3	81	(*)	11	94.0	10	8.5
Colored	4,000	123	70	30.8	17.5	53	(*)	17	138.2	7	5.7	Lawrence	27,300	731	210	26.8	7.7	521	348	35	47.9	28	3.8
Choctaw	20,513	620	146	25.3	7.1	374	356	27	51.9	35	6.7	White	20,200	558	123	27.6	6.1	435	454	24	43.0	23	4.1
White	9,276	214	53	23.1	5.7	161	(*)	9	42.1	7	3.3	Colored	7,100	173	87	24.4	12.3	86	(*)	11	63.6	5	2.9
Colored	11,237	306	93	27.2	8.3	213	(*)	18	58.8	28	9.2	Lee	29,800	765	363	25.7	12.2	402	211	50	65.4	54	7.1
Clarke	26,016	778	271	29.9	10.4	507	287	38	48.8	49	6.3	White	12,200	203	149	16.6	12.2	54	136	19	93.6	12	5.9
White	12,390	326	113	26.3	9.1	213	238	13	39.9	6	1.8	Colored	17,600	562	214	31.9	12.2	348	263	31	55.2	42	7.5
Colored	13,626	452	158	33.2	11.6	294	286	25	65.3	43	9.5	Limestone	37,300	858	300	23.0	8.0	558	286	46	53.6	28	3.3
Clay	17,763	457	168	25.7	9.5	289	272	22	48.1	12	2.6	White	27,200	615	187	22.6	6.9	428	329	30	48.2	25	4.1
White	15,041	388	142	25.8	9.4	246	273	17	43.8	8	2.1	Colored	10,100	242	113	24.1	11.2	130	115	16	65.8	3	1.2
Colored	2,722	69	26	25.3	9.5	43	(*)	5	72.5	4	5.8	Lowndes	29,878	724	307	31.6	13.4	417	236	60	82.9	63	8.7
Cleburne	12,877	344	100	26.7	7.8	244	344	17	49.4	14	4.1	White	3,245	46	25	14.2	7.7	21	(*)	2	43.2	4	8.7
Coffee	32,900	799	189	24.3	5.7	610	423	33	41.3	40	5.0	Colored	19,632	678	282	34.5	14.4	396	240	58	85.5	59	8.7
White	25,900	659	156	25.4	6.0	503	422	30	45.5	28	4.2	Macon	27,500	820	513	29.8	18.7	307	160	52	63.4	67	8.2
Colored	7,000	140	33	20.0	4.7	107	(*)	3	21.4	12	8.6	White	4,900	99	48	20.2	9.8	51	(*)	3	30.3	11	11.1
Colbert	29,860	614	291	20.6	9.7	323	211	39	63.5	35	5.7	Colored	22,600	721	465	31.9	20.6	256	155	49	68.0	56	7.8
White	21,377	460	164	21.5	7.7	296	280	25	54.3	23	5.0	Madison	54,200	1,468	505	27.1	9.3	965	291	115	78.3	52	3.5
Colored	8,483	154	127	18.2	15.0	27	121	14	90.9	12	7.8	White	38,700	1,054	308	27.2	8.0	746	343	81	76.9	40	3.8
Conecuh	25,500	776	203	30.4	8.0	573	382	38	49.0	36	4.6	Colored	15,500	414	197	26.7	12.7	217	210	34	82.1	12	2.9
White	14,400	362	90	25.1	6.3	272	(*)	13	35.9	12	3.3	Marengo	36,500	791	333	21.7	7.2	458	238	40	50.6	52	6.6
Colored	11,100	414	113	37.3	10.2	301	366	25	60.4	24	5.8	White	10,100	191	73	18.9	7.2	118	(*)	7	36.6	4	2.1
Coosa	12,460	293	112	23.5	9.0	181	262	15	51.2	17	5.8	Colored	28,400	600	260	22.7	9.8	340	231	33	55.0	48	8.0
White	7,820	163	67	20.8	8.6	96	(*)	6	36.8	7	4.3	Marion	26,400	803	130	30.6	6.8	628	449	44	54.5	25	3.2
Colored	4,640	130	45	28.0	7.6	85	(*)	9	69.2	10	7.7	Marshall	40,700	1,066	320	26.2	7.9	746	333	55	51.6	39	3.7
Covington	41,700	926	318	22.2	7.6	608	291	38	41.0	37	4.0	Mobile	50,500	1,151	748	22.8	14.8	403	154	65	56.5	42	3.2
White	34,800	807	264	23.2	7.6	543	306	30	37.2	28	3.5	White	33,500	690	298	20.6	8.9	392	232	30	43.5	15	2.2
Colored	6,900	119	54	17.2	7.8	65	(*)	8	67.2	9	7.6	Colored	17,000	461	450	27.1	26.5	11	102	35	75.9	27	5.9
Crenshaw	23,700	587	185	24.8	7.8	402	317	34	57.9	32	5.5	Monroe	30,200	881	242	29.2	8.0	639	364	47	53.3	52	5.9
White	16,400	343	126	20.9	7.7	217	272	18	52.5	15	4.4	White	14,400	359	106	24.9	7.4	253	339	12	38.4	14	3.9
Colored	7,300	244	59	33.4	8.1	185	(*)	16	65.6	17	7.0	Colored	15,800	522	136	33.0	8.6	386	384	35	67.0	38	7.3
Cullman	42,800	1,129	328	26.9	7.8	801	344	68	60.2	41	3.6	Montgomery	93,500	717	339	21.4	10.1	378	212	29	40.4	25	3.5
Dale	23,200	569	213	24.5	9.2	355	267	36	63.4	21	3.7	White	11,400	143	82	12.5	7.2	61	(*)	6	42.0	2	2.1
White	17,800	442	154	24.8	8.7	288	287	27	61.1	13	2.9	Colored	22,100	574	257	26.0	11.6	317	223	23	40.1	22	3.8
Colored	5,400	126	59	23.3	10.9	67	(*)	9	71.4	8	6.3	Morgan	30,000	764	293	25.5	9.8	471	261	50	65.4	28	3.7
Dallas	36,800	1,035	467	28.1	12.7	568	222	82	79.2	77	7.4	White	25,600	680	280	26.6	9.0	450	295	45	66.2	21	3.1
White	5,500	62	39	11.3	7.1	23	(*)	2	37.7	1	1.9	Colored	4,400	84	69	19.1	14.3	21	(*)	5	58.5	7	8.3
Colored	31,300	973	428	31.1	13.7	545	227	82	84.3	66	6.8	Perry	26,500	817	284	30.8	10.7	533	288	44	58.9	47	5.8
De Kalb	40,800	1,173	291	27.3	7.1	822	382	42	37.7	40	3.6	White	7,200	177	42	24.6	5.8	135	(*)	4	22.6	6	6.4
White	35,000	752	322	21.5	9.2	430	234	44	58.5	42	5.6	Colored	19,300	640	242	33.2	12.5	398	264	40	62.5	41	6.4
Colored	20,800	388	130	18.8	6.3	258	268	17	43.8	12	3.1	Pickens	24,902	642	228	25.8	9.2	414	282	22	34.3	24	3.7
Escambia	14,400	364	192	25.3	13.3	172	190	27	74.2	30	8.2	White	12,970	343	109	26.4	8.4	234	315	10	29.2	11	3.2
White	10,400	269	98	25.8	9.4	171	280	26	34.5	24	5.4	Colored	11,932	299	119	25.1	10.0	180	251	12	40.1	13	4.3
Colored	9,200	257	120	27.9	13.0	137	214	18	36.3	24													

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Rate per 1,000 births	Births	Deaths						
		Births	Deaths	Births	Deaths	Number	Rate per 1,000 births	Births	Deaths	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Number	Rate per 100 live births				
Section D—Continued											Section D—Continued												
ALABAMA—con.											ARKANSAS—continued												
Tuscaloosa	43,600	949	429	21.8	9.8	520	221	52	54.8	41	4.3	Carroll	15,820	322	150	20.4	9.5	172	215	11	34.2	13	4.0
White	29,200	618	236	21.2	8.1	382	262	20	35.6	19	2.9	Chicot	22,800	361	202	15.8	8.9	159	179	15	41.6	28	7.8
Colored	14,400	331	193	23.0	13.4	138	172	32	9.06	23	6.9	White	8,000	122	51	13.9	6.3	71	(*)	9	73.9	1	0.8
Walker	60,500	1,487	503	24.6	8.3	984	396	87	59.5	64	4.3	Colored	14,800	239	151	17.1	10.9	88	158	6	25.1	27	11.3
White	52,700	1,346	413	25.5	7.9	931	324	78	54.2	56	4.2	Clark	24,932	438	157	17.6	6.3	281	279	9	20.6	11	2.5
Colored	7,800	141	88	18.1	11.3	53	(*)	26	61.2	24	5.6	White	17,639	272	108	15.4	6.1	164	252	5	18.4	10	3.7
Washington	16,600	425	139	25.6	8.4	286	306	18	61.7	11	4.0	Colored	7,293	166	49	22.8	6.7	117	(*)	4	24.1	1	0.6
White	9,700	274	71	28.2	7.3	203	(*)	8	53.0	13	8.6	Clay	27,800	707	242	25.9	8.9	465	292	36	50.9	22	3.1
Colored	6,900	151	68	21.9	9.9	83	(*)	5	27.1	5	4.3	Cleburne	11,373	335	81	29.5	7.1	254	(*)	15	44.8	13	3.9
Wilcox	24,880	797	320	32.0	12.9	477	249	58	72.8	43	5.4	Cleveland	12,800	286	92	22.3	7.2	194	(*)	13	45.5	7	2.4
White	5,561	117	43	21.0	7.7	74	(*)	2	17.1	2	1.3	White	9,400	210	67	22.3	7.1	143	(*)	8	38.1	4	1.9
Colored	19,319	680	277	35.2	14.3	403	245	56	82.4	38	5.6	Colored	3,400	76	25	22.4	7.4	51	(*)	5	65.8	3	3.9
Winston	15,700	424	117	27.0	7.5	307	362	20	47.2	21	5.0	Columbia	27,320	301	127	11.0	4.6	174	237	8	26.6	11	3.7
ARIZONA											White												
Apache	18,300	331	161	18.1	8.8	170	206	30	90.6	9	2.7	Colored	14,592	170	65	11.7	4.5	105	(*)	4	23.5	4	2.4
White	3,700	112	28	30.3	7.6	84	(*)	3	44.6	3	1.8	Conway	12,728	131	62	10.3	4.9	69	(*)	4	30.5	7	5.3
Colored	14,600	219	133	15.0	9.1	86	165	25	114.2	7	3.2	White	21,949	531	168	24.2	7.7	363	316	25	47.1	13	2.4
Cochise	40,998	744	396	18.1	9.7	348	188	63	84.7	18	2.4	Colored	15,971	393	103	24.6	6.4	290	382	16	40.7	10	2.5
White	25,857	346	214	13.4	8.3	132	162	16	46.2	7	2.0	White	5,978	138	65	23.1	10.9	73	(*)	9	65.2	3	2.2
Colored	15,141	398	182	26.3	12.0	216	219	47	118.1	11	2.8	Craighead	35,200	932	238	26.5	6.6	699	400	53	56.9	23	2.5
Cocconino	14,600	326	148	22.3	10.1	178	220	26	79.8	5	1.5	Crawford	22,549	575	174	25.5	7.7	401	330	18	31.3	22	3.8
White	6,800	129	61	19.0	9.0	68	(*)	10	77.5	1	0.8	Crittenden	41,000	678	429	16.5	10.5	249	158	47	69.3	54	8.0
Colored	7,800	197	87	25.3	11.2	110	(*)	16	81.2	4	2.0	White	8,800	123	73	14.0	8.3	50	(*)	12	97.6	10	8.1
Gila	31,700	538	230	17.0	8.8	258	192	41	76.2	12	2.2	Colored	32,200	556	356	17.2	11.1	199	156	35	63.1	44	7.9
White	18,200	261	121	13.8	6.6	130	207	6	23.9	5	2.0	Cross	26,600	442	181	16.6	6.3	261	244	12	27.1	25	5.7
Colored	13,500	287	159	21.3	11.8	128	181	35	122.0	7	2.4	White	15,200	258	86	17.0	6.7	172	(*)	6	23.8	13	5.0
Graham											Dallas												
White	10,400	320	109	30.8	10.5	211	294	20	62.5	5	1.6	White	14,700	243	68	16.5	4.3	180	(*)	6	24.7	5	2.1
Colored	7,500	205	58	27.3	7.7	147	(*)	6	29.3	5	2.4	Colored	9,500	159	37	16.7	3.9	122	(*)	3	18.9	4	1.5
Greenlee	9,886	209	101	21.1	10.2	108	207	14	121.7	1	0.5	Desha	22,000	84	26	16.2	5.0	58	(*)	3	35.7	1	0.8
White	5,042	67	29	13.3	5.8	38	(*)	5	74.6	1	0.7	White	8,200	122	40	14.9	4.9	82	(*)	4	32.8	1	0.8
Colored	4,844	142	72	29.3	14.9	70	(*)	23	162.0	1	0.7	Colored	13,800	289	100	20.9	7.2	189	289	9	31.1	27	9.3
Maricopa	108,300	1,100	693	10.2	6.4	407	159	121	110.0	35	3.2	Drew	19,928	445	165	22.3	8.3	280	270	24	53.9	19	4.3
White	74,600	550	358	7.4	4.8	192	154	36	65.5	14	2.5	White	10,778	175	83	16.2	7.7	92	(*)	7	40.0	8	4.6
Colored	33,700	550	335	16.3	9.9	215	164	85	154.5	21	3.8	Colored	9,152	270	82	29.5	9.0	188	(*)	17	63.0	11	4.1
Mohave	5,600	100	78	17.9	13.9	22	(*)	9	90.0	3	4.1	Faulkner	28,500	650	188	22.8	6.9	462	346	24	36.9	25	3.8
White	4,100	68	53	16.6	12.9	15	(*)	3	44.1	1	0.7	White	24,900	556	145	22.3	5.8	411	353	19	34.2	23	4.1
Colored	1,500	32	25	21.3	16.7	7	(*)	6	187.5	—	—	Colored	3,600	94	43	26.1	11.9	51	(*)	5	53.2	2	2.1
Navajo	21,800	553	230	25.4	10.6	323	240	56	101.3	12	2.2	Franklin	15,782	326	120	20.7	8.2	197	253	11	32.7	8	2.5
White	8,200	245	55	29.9	6.7	190	(*)	14	57.1	9	3.7	Fulton	10,834	255	54	23.5	5.8	201	(*)	7	27.5	8	3.1
Colored	13,600	308	175	22.6	12.9	133	176	42	136.4	3	1.0	Garland	16,300	323	94	19.8	5.9	229	(*)	15	46.4	9	2.8
Pima	24,600	98	79	4.0	3.2	19	(*)	13	132.7	4	4.1	Grant	9,834	251	54	25.5	5.5	197	(*)	12	47.8	6	2.0
White	13,000	23	22	1.8	1.7	1	(*)	—	—	—	—	Greene	26,100	585	246	22.4	9.4	339	238	39	66.7	16	2.7
Colored	11,600	75	57	6.5	4.9	18	(*)	13	173.3	4	5.3	Hempstead	30,847	630	267	20.4	8.7	363	236	33	52.4	32	5.1
Pinal	22,800	386	257	16.9	11.3	129	160	48	124.4	7	1.8	White	17,719	331	151	18.7	8.5	180	219	13	39.3	12	3.6
White	10,600	149	90	14.1	8.5	59	(*)	13	87.2	2	1.3	Colored	13,128	299	116	22.8	8.8	183	258	20	66.9	20	6.7
Colored	12,200	237	167	19.4	13.7	70	142	35	147.7	5	2.1	Hot Spring	18,100	399	142	22.0	7.8	257	281	8	20.1	8	2.0
Santa Cruz											White												
White	9,684	202	95	20.9	10.1	104	(*)	16	79.2	3	1.5	Colored	15,800	347	126	22.0	8.0	221	275	6	17.3	4	1.2
Colored	3,833	91	47	23.7	12.3	44	(*)	2	22.0	—	—	Howard	2,300	52	16	22.6	7.0	36	(*)	2	38.5	4	7.7
Yavapai	5,851	111	51	19.0	8.7	60	(*)	14	126.1	3	2.7	White	17,489	347	105	19.8	6.0	242	350	11	31.7	17	4.9
White	29,000	468	420	16.1	14.5	48	111	40	85.5	16	3.4	Colored	13,662	236	66	17.3	4.8	170	(*)	5	21.2	12	5.1
Colored	19,300	340	330	17.6	17.1	10	103	22	64.7	10	2.9	Independence	3,827	111	39	29.0	10.2	72	(*)	6	54.1	5	4.5
Yuma	9,700	128	90	13.2	9.3	38	(*)	18	140.6	6	4.7	Izard	24,300	506	213	20.8	8.8	293	238	1			

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate	Births	Deaths			Number	Rate		
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate	Births	Deaths			Number	Rate	Births	Deaths	Number	Rate	Number	Rate	Number	Rate
Section D—Continued																							
ARKANSAS—continued																							
Lonoke	33,800	589	176	17.4	5.2	413	335	18	30.6	30	5.1	Colusa	10,400	156	122	15.0	11.7	34	128	7	44.9	3	1.9
White	23,000	390	115	17.0	5.0	275	339	10	25.6	14	3.6	White	8,900	135	112	15.2	12.6	23	121	4	29.6	3	2.2
Colored	10,800	199	61	18.4	5.6	138	(*)	8	40.2	16	8.0	Colored	1,500	21	10	14.0	6.7	11	(*)	3	142.9	—	—
Madison	13,334	319	65	23.9	4.9	254	(*)	7	21.9	7	2.1	Contra Costa	61,200	703	479	11.5	7.8	224	147	38	54.1	21	3.0
Marion	8,876	237	41	26.7	4.6	196	(*)	10	42.2	5	5.7	White	54,900	571	435	10.4	7.9	136	131	24	42.0	15	2.6
Miller	30,300	263	80	13.0	3.9	183	(*)	9	34.2	7	1.8	Colored	6,300	132	44	21.0	7.0	88	(*)	14	106.1	6	4.5
White	13,600	223	49	16.4	3.6	174	(*)	9	40.4	3	3.8	Del Norte	5,000	72	62	14.4	12.4	10	(*)	3	41.7	—	—
Colored	6,700	40	31	6.0	4.6	9	(*)	146	87.4	47	4.6	White	4,500	66	55	14.7	11.8	13	(*)	3	45.5	—	—
Mississippi	61,400	1,671	617	27.2	10.0	1,054	271	77	32.0	71	3.6	Colored	500	6	9	12.0	18.0	—	(*)	—	—	—	
White	37,400	1,152	353	30.8	9.4	799	326	40	77.1	36	6.9	Eldorado	8,600	81	117	9.4	13.6	—	(*)	—	—	—	
Colored	24,000	519	264	21.6	11.0	255	197	9	23.8	26	6.9	Fresno	93,000	1,592	1,133	17.0	12.2	—	(*)	—	—	—	
Monroe	20,651	454	191	22.0	9.2	263	238	13	28.6	21	4.6	White	80,400	1,200	844	14.9	10.5	356	142	61	50.8	27	2.3
White	9,138	195	97	21.3	10.6	98	(*)	8	41.0	6	3.1	Colored	13,200	392	294	29.7	22.3	98	133	73	186.2	18	3.3
Colored	11,503	259	94	22.5	8.2	165	(*)	5	10.3	15	5.8	Glenn	10,935	162	91	14.8	8.3	71	(*)	3	18.5	2	1.2
Montgomery	10,788	223	36	20.7	3.3	187	(*)	4	17.9	9	4.0	Humboldt	27,800	245	221	8.8	7.9	24	111	12	49.0	4	1.6
Nevada	20,407	378	117	18.5	5.7	261	323	9	23.8	26	6.9	Imperial	52,000	1,115	524	21.4	10.1	591	213	106	95.1	43	3.9
White	13,163	214	76	16.3	5.8	138	(*)	8	37.4	12	5.6	White	28,000	481	231	16.7	8.0	250	208	22	45.7	13	2.7
Colored	7,244	164	41	22.6	5.7	123	(*)	1	6.1	14	8.5	Colored	23,200	634	293	27.3	12.6	341	216	84	132.5	30	4.7
Newton	10,564	384	60	36.3	5.7	324	(*)	14	36.5	8	2.1	Inyo	4,535	92	55	14.0	8.4	37	(*)	6	65.2	2	2.2
Onachita	31,000	575	202	18.5	6.5	373	285	17	29.6	25	4.3	White	5,139	60	42	11.6	8.1	18	(*)	1	16.7	1	1.7
White	17,700	271	101	15.3	5.7	170	268	11	40.6	10	3.7	Colored	1,366	32	13	23.4	9.5	19	(*)	5	156.3	1	1.1
Colored	13,300	304	101	22.9	7.6	203	301	6	19.7	15	4.9	Kern	59,400	905	686	15.2	11.5	219	132	74	81.8	22	2.4
Perry	7,695	219	49	28.5	6.4	170	(*)	6	27.4	3	1.4	White	51,200	704	533	13.8	10.4	171	132	33	46.9	14	2.0
Phillips	40,683	630	481	15.5	11.8	149	131	25	39.7	45	7.1	Colored	8,200	201	153	24.5	18.7	48	131	41	204.0	8	4.0
White	13,328	236	100	17.7	7.5	136	236	4	16.9	12	5.1	Kings	25,800	437	239	16.9	9.3	198	183	33	75.5	7	1.6
Colored	27,355	394	381	14.4	13.9	13	103	21	53.3	33	8.4	White	20,800	320	163	15.4	7.8	157	196	11	34.4	4	1.3
Pike	11,792	244	81	20.7	6.9	163	(*)	12	49.2	13	5.3	Colored	5,000	117	76	23.4	15.2	41	(*)	22	188.0	3	2.6
Poinsett	30,800	702	300	22.8	9.7	402	234	63	89.7	18	2.6	Lake	7,400	78	99	10.5	13.4	—	(*)	4	51.3	—	—
White	26,400	612	242	23.2	9.2	370	253	56	91.5	11	1.8	Lassen	13,100	192	115	14.7	8.8	77	167	11	67.3	8	4.2
Colored	4,400	90	58	20.5	13.2	32	(*)	7	77.8	7	7.8	White	10,700	169	103	15.8	9.6	66	164	10	69.2	7	4.1
Polk	14,857	325	112	21.9	7.5	213	290	9	27.7	11	3.4	Colored	2,400	23	12	9.6	5.0	11	(*)	1	43.5	1	4.3
Pope	26,547	553	220	20.8	8.3	333	251	26	47.0	8	1.4	Los Angeles	433,000	5,202	4,756	12.0	11.0	446	109	228	43.8	131	2.5
Prairie	15,187	327	157	21.5	10.3	170	208	26	79.5	14	4.3	White	378,500	4,110	4,275	10.9	11.3	—	96	127	30.9	102	2.5
White	11,555	225	99	19.5	8.6	126	(*)	17	75.6	7	3.1	Colored	54,500	1,092	481	20.0	8.8	611	227	101	92.5	29	2.7
Colored	3,632	102	58	28.1	16.0	44	(*)	9	88.2	7	6.9	Madera	17,800	264	175	14.8	9.8	89	151	28	106.1	5	1.9
Pulaski	37,300	653	367	17.5	9.8	286	178	34	52.1	28	4.3	White	14,200	184	117	13.0	8.2	67	157	10	54.3	5	2.7
White	22,900	421	206	18.4	9.0	215	204	12	52.3	4	1.0	Colored	3,600	80	58	22.2	16.1	22	(*)	18	225.0	—	—
Colored	14,400	232	161	16.1	11.2	71	144	12	51.7	24	10.3	Marin	43,400	266	361	6.1	8.3	—	74	10	37.6	8	3.0
Randolph	16,871	355	110	21.0	6.5	245	323	14	39.4	11	3.1	Mariposa	3,800	33	41	10.0	12.4	—	(*)	2	60.6	1	3.0
St. Francis	34,000	780	292	22.9	8.6	488	267	50	64.1	38	4.9	Mendocino	33,505	258	400	11.0	17.0	—	65	15	58.1	9	3.5
White	11,200	253	75	23.0	6.7	183	(*)	11	42.6	12	4.7	Merced	28,200	628	400	16.4	10.5	228	157	33	52.5	17	2.7
Colored	22,800	522	217	22.9	9.5	305	241	39	74.7	26	5.0	White	33,800	517	330	15.3	9.8	187	157	19	36.8	12	2.3
Saline	15,660	360	155	23.0	8.9	205	232	12	33.3	13	3.6	Colored	4,400	111	70	25.2	15.9	41	(*)	14	128.1	5	4.5
Scott	11,803	322	81	27.3	6.9	241	(*)	8	24.8	8	2.5	Modoc	8,400	81	63	9.6	7.5	18	(*)	6	74.1	4	4.9
Searcy	11,056	353	66	31.9	6.0	287	(*)	14	39.7	4	1.1	White	7,400	73	54	9.9	7.3	19	(*)	3	41.1	4	5.5
Sebastian	22,726	417	123	18.3	5.4	294	339	11	26.4	7	1.7	Colored	1,000	8	9	8.0	9.0	—	(*)	3	375.0	—	—
Sevier	16,364	458	143	28.0	8.7	315	320	21	45.9	9	2.0	Mono	1,400	10	17	7.1	12.1	—	(*)	3	300.0	—	—
White	14,607	413	123	28.3	8.4	290	336	20	48.4	5	1.2	White	1,100	7	15	6.4	13.6	—	(*)	3	428.6	—	—
Colored	1,757	45	20	25.6	11.4	25	(*)	1	22.2	4	8.9	Colored	300	3	2	10.0	6.7	—	(*)	—	—	—	
Sharp	10,715	231	45	21.6	4.2	186	(*)	8	34.6	6	2.6	Monterey	45,800	671	455	14.7	9.9	216	147	55	82.0	23	3.4
Stone	7,993	244	54	30.5	6.8	190	(*)	11	45.1	5	2.0	White	37,100	548	399	14.8	10.8	149	137	42	76.6	21	3.8
Union	41,000	396	126	9.7	3.1	270	314	9	22.7	11	2.8	Colored	8,700	123	56	14.1	6.4	67	(*)	13	105.7		

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births				Number		Rate per 1,000 population	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births	
			Births	Deaths	Births	Deaths			Number	Per 1,000 births						Number	Per 1,000 births				Births	Deaths			Births
Section D—Continued													Section D—Continued												
CALIFORNIA—continued													CALIFORNIA—continued												
San Bernardino	72,800	1,016	938	14.0	12.9	78	108	81	79.7	24	2.4	Crowley	4,934	104	49	17.5	8.3	55	(3)	10	96.2	4	3.8		
White	55,600	653	750	11.7	13.5	-97	87	26	39.8	13	2.0	White	4,574	63	41	13.8	9.0	22	(3)	7	111.1	2	3.2		
Colored	17,200	363	188	21.1	10.9	175	193	55	151.5	11	3.0	Colored	1,360	41	8	30.1	5.9	33	(3)	3	73.2	2	4.9		
San Diego	64,800	647	628	10.0	9.7	19	103	41	63.4	18	2.8	Custer	4,124	22	20	10.4	9.4	2	(3)	2	90.9				
White	54,800	425	552	7.8	10.1	-127	77	21	49.4	12	2.8	Delta	14,300	222	159	15.5	11.1	63	140	21	94.6	5	2.3		
Colored	10,000	222	76	22.2	7.6	146	(3)	20	90.1	6	2.7	Dolores	1,400	16	6	11.4	4.3	10	(3)	1	87.0	1	3.7		
San Joaquin	56,900	959	1,215	16.9	21.4	-256	79	76	79.2	22	2.3	Douglas	4,498	27	20	7.7	5.7	7	(3)						
White	48,100	780	1,014	16.2	21.1	-234	77	48	61.5	18	2.3	Eagle	4,000	58	29	14.5	7.3	29	(3)	6	103.4	1	1.7		
Colored	8,800	179	201	20.3	22.8	-22	89	28	156.4	4	2.2	White	3,500	52	23	14.9	6.6	29	(3)	1	19.2	1	1.9		
San Luis Obispo	30,500	405	369	13.3	12.1	36	110	17	42.0	15	3.7	Colored	500	6	6	12.0	12.0	(3)		5	833.3				
White	26,200	332	339	12.7	12.9	-7	98	12	36.1	9	2.7	Elbert	6,580	109	31	16.6	4.7	78	(3)	4	36.7	1	0.9		
Colored	4,300	73	30	17.0	7.0	43	(3)	5	68.5	6	8.2	El Paso	16,600	100	207	6.0	12.5	-107	48	3	30.0	4	4.0		
San Mateo	53,600	172	398	3.2	7.4	-226	43	6	34.9	4	2.3	Fremont	19,000	265	227	13.9	11.9	38	117	16	60.4	6	2.3		
Santa Barbara	32,800	557	381	17.0	11.6	176	146	41	73.6	16	2.9	Garfield	10,100	192	118	19.0	11.7	74	163	11	57.3	9	4.7		
White	24,400	337	262	13.8	10.7	75	129	13	38.6	8	2.4	Gilpin	4,212	8	17	6.6	14.0	-9	(3)	1	125.0				
Colored	8,400	220	119	26.2	14.2	101	185	28	127.3	8	3.6	Grand	4,108	39	14	18.5	6.6	25	(3)						
Santa Clara	76,000	1,258	1,355	16.6	17.8	-97	93	85	67.6	4	3.3	Gunnison	4,527	118	58	21.3	10.5	60	(3)	10	84.7	4	3.4		
Santa Cruz	24,000	348	359	14.5	15.0	-11	97	25	71.8	10	2.9	Hinsdale	449	7	5	15.6	11.1	2	(3)						
White	21,500	282	319	13.1	14.8	-37	88	17	60.3	7	2.5	Huerfano	17,100	235	146	13.7	8.5	89	161	19	80.9	11	4.7		
Colored	2,500	66	40	26.4	16.0	26	(3)	8	121.2	3	4.5	White	14,100	207	133	14.7	9.4	74	156	18	87.0	8	3.9		
Shasta	14,000	192	223	13.7	15.9	-31	86	13	67.7	12	6.3	Colored	3,000	28	13	9.3	4.3	15	(3)	1	35.7	3	10.7		
Sierra	2,500	17	28	6.8	11.2	-11	(3)	1	58.8			Jackson	1,400	23	9	16.4	6.4	14	(3)	1	43.5				
Siskiyou	26,800	338	272	12.9	10.3	66	124	13	38.5	10	3.0	Jefferson	22,700	161	235	7.1	10.4	-74	69	5	31.1	8	5.0		
Solano	26,400	337	185	19.1	7.2	6	97	9	48.6	3	1.6	Kiowa	3,800	46	23	12.1	6.1	23	(3)	2	43.5	3	6.5		
White	22,000	156	169	7.1	7.7	-13	92	2	12.8	3	1.9	Kit Carson	9,800	221	65	22.6	6.6	156	(3)	16	72.4	4	1.8		
Colored	4,400	29	22	6.6	5.0	7	(3)	7	241.4			Lake	4,899	67	88	13.7	18.0	-21	(3)	7	104.5	4	6.0		
Sonoma	52,500	535	718	10.2	13.7	-183	75	22	41.1	21	3.9	La Plata	13,200	206	166	15.6	12.6	40	124	22	106.8	7	3.4		
Stanislaus	43,800	424	273	9.7	6.2	151	155	24	43.0	15	3.5	White	10,700	176	130	16.4	12.1	46	135	12	68.2	6	3.4		
Sutter	15,200	236	137	15.5	9.0	99	172	15	63.6	2	0.8	Colored	2,500	30	36	12.0	14.4	-6	(3)	10	333.3	1	3.3		
White	13,600	215	126	15.8	9.3	89	171	15	69.3	2	0.9	Larimer	22,000	450	235	20.5	10.7	215	191	24	53.3	14	3.1		
Colored	1,600	21	11	13.1	6.9	10	(3)					Las Animas	24,508	541	249	22.1	10.2	292	217	48	88.7	19	3.5		
Tehama	14,000	204	205	14.6	14.6	-1	100	12	58.8	4	2.0	White	20,413	432	243	23.6	11.9	239	198	46	95.4	15	3.1		
Trinity	2,800	31	45	11.1	16.1	-14	(3)	1	32.3	2	6.5	Colored	4,095	59	6	14.4	1.5	53	(3)	2	33.9	4	6.8		
White	2,500	28	43	11.2	17.2	-15	(3)	1	35.7	2	7.1	Lincoln	4,785	131	34	16.7	4.3	97	(3)	5	38.2	1	0.8		
Colored	300	3	2	10.0	6.7	1	(3)					Logan	20,100	421	144	20.9	7.2	277	292	15	35.6	6	1.4		
Tulare	79,600	1,453	727	18.3	9.1	726	200	37	59.9	60	4.1	Mesa	15,900	259	155	16.3	9.7	104	167	23	88.8	6	2.3		
White	68,800	1,181	595	17.2	8.6	586	198	49	41.5	51	4.3	Mineral	640	10	11	15.6	17.2	-1	(3)	1	100.0				
Colored	10,800	272	132	25.2	12.2	140	206	38	139.7	9	3.3	Moffat	4,861	82	28	16.9	5.8	54	(3)	5	61.0	1	1.2		
Tuolumne	9,500	87	119	9.2	12.5	-32	73	1	11.5	3	3.4	Montezuma	8,800	130	89	16.3	11.1	41	(3)	14	107.7	4	3.1		
Ventura	45,600	905	493	19.8	10.8	412	184	87	96.1	32	3.5	White	6,600	122	73	18.5	11.1	49	(3)	13	106.6	4	3.3		
White	30,400	430	286	14.1	9.4	144	150	30	69.8	8	1.9	Colored	1,400	8	16	5.7	11.4	-8	(3)	1	125.0				
Colored	15,200	475	207	31.3	13.6	268	229	57	120.0	24	5.1	Montrose	11,742	241	108	20.5	9.2	133	223	20	83.0	14	5.8		
Yolo	24,400	277	270	11.4	11.1	7	103	14	50.5	10	3.6	White	10,478	225	104	21.5	9.9	121	216	16	71.1	10	4.4		
White	19,500	221	241	11.3	12.4	-20	92	7	31.7	6	2.7	Colored	1,264	16	4	12.7	3.2	12	(3)	4	250.0	4	25.0		
Colored	4,900	56	29	11.4	5.9	27	(3)	7	125.0	4	7.1	Morgan	18,500	423	168	22.9	9.1	255	252	31	73.3	16	3.8		
Yuba	11,400	167	133	14.6	11.7	34	126	7	41.9	4	2.4	Otero	24,600	492	304	20.0	12.4	188	162	44	89.4	16	3.3		
White	9,900	141	114	14.2	11.5	27	124	6	42.6	4	2.8	White	18,800	398	246	20.1	12.4	152	162	27	67.8	11	2.8		
Colored	1,500	26	19	17.3	12.7	7	(3)	1	38.5			Colored	4,800	94	58	19.6	12.1	36	(3)	17	180.9	5	5.3		
COLORADO													COLORADO												
Adams	20,900	234	362	11.2	17.3	-128	65	18	76.9	8	3.4	Ouray	4,800	27	32	15.1	17.9	-5	(3)	1	37.0				
Alamosa	9,000	147	107	16.3	11.9	40	137	25	170.1	13	8.8	Park	1,784	25	29	11.9	13.8	-4	(3)						
Arapahoe	23,700	249	203	10.5	8.6	46	123	10	40.2	10	4.0	Philips	5,800	129	68	22.2	11.7	61	(3)	10	77.5				
Archuleta	3,204	37	14	11.5	4.4	23	(3)	1	27.0	1	2.7	Pitkin	1,770	20	14	11.3	7.9	6	(3)	1	50.0				
White																									

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate	Births	Deaths			Number	Rate		
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate	Births	Deaths			Number	Rate	Births	Deaths	Number	Rate	Number	Rate		
Section D—Continued											Section D—Continued												
FLORIDA—con.											GEORGIA—con.												
Nassau	49,375	205	113	21.9	12.1	92	181	8	39.0	12	5.9	Atkinson	6,894	193	35	28.0	5.1	158	(3)	3	15.5	8	4.1
White	5,486	117	47	21.3	8.6	70	(3)	1	8.5	7	6.0	White	4,932	155	21	31.4	4.3	134	(3)	2	12.9	6	3.9
Colored	3,889	88	66	22.6	17.0	22	(3)	7	79.5	5	5.7	Colored	1,962	38	14	19.4	7.1	24	(3)	1	26.3	2	5.3
Okaloosa	10,000	259	115	25.9	11.5	144	225	13	50.2	12	4.6	Bacon	7,100	212	81	29.9	11.4	131	(3)	13	61.3	7	3.3
White	9,000	240	103	26.7	11.4	137	233	11	45.8	12	5.0	White	6,000	175	66	29.2	11.0	109	(3)	8	45.7	7	4.0
Colored	1,000	19	12	19.0	12.0	7	(3)	2	105.3	0		Colored	1,100	37	15	33.6	13.6	22	(3)	5	135.1	0	
Okeechobee	4,400	74	29	16.8	6.6	45	(3)	6	81.1	5	6.8	Baker	7,818	213	89	27.2	11.4	124	(3)	23	108.0	17	8.0
White	3,000	61	21	20.3	7.0	40	(3)	6	98.4	2	3.3	White	3,024	66	29	21.8	9.6	37	(3)	7	106.1	4	6.1
Colored	1,400	13	8	9.3	5.7	5	(3)	0		3	23.1	Colored	4,794	147	60	30.7	12.5	87	(3)	16	108.8	13	8.8
Orange	24,200	327	225	13.5	9.3	102	145	25	76.5	10	3.1	Baldwin*	23,200	288	476	12.4	20.5	-188	61	9	31.3	16	5.6
White	19,300	240	153	12.4	7.9	87	157	10	41.7	5	2.1	White	12,500	100	221	8.0	17.7	-121	45	2	20.0	2	2.0
Colored	4,900	87	72	17.8	14.7	15	(3)	15	172.4	5	5.7	Colored	10,700	188	255	17.6	23.8	-67	74	7	37.2	14	7.4
Osceola	11,100	124	138	11.2	12.4	-14	90	6	48.4	14	11.3	Banks	9,703	237	99	24.4	10.2	138	(3)	6	25.3	12	5.1
White	7,800	98	104	12.6	13.3	-6	94	4	40.8	5	5.1	Barrow	12,401	232	112	18.7	9.0	120	207	25	107.8	12	5.2
Colored	3,300	26	34	7.9	10.3	-8	(3)	2	76.9	9	34.6	White	10,333	198	85	19.2	8.2	113	(3)	17	85.9	4	2.0
Palm Beach	27,700	352	224	12.7	8.1	128	157	23	65.3	13	3.7	Colored	2,068	34	27	16.4	13.1	7	(3)	8	235.3	8	23.5
White	19,000	227	131	11.9	6.9	96	173	9	39.6	7	3.1	Bartow	25,500	594	288	23.3	11.3	306	206	42	70.7	28	4.7
Colored	8,700	125	93	14.4	10.7	32	(3)	14	112.0	6	4.8	White	20,900	494	213	23.6	10.2	281	232	38	78.9	19	3.8
Pasco	10,800	195	125	18.1	11.6	70	156	5	25.6	10	5.1	Colored	4,600	100	75	21.7	16.3	25	(3)	4	40.0	9	9.0
White	9,000	159	98	17.7	10.3	66	(3)	5	31.4	8	5.0	Ben Hill	13,047	297	134	22.8	10.3	163	222	18	53.9	24	8.1
Colored	1,800	36	32	20.0	17.8	4	(3)	2	5.6	2	5.6	White	8,597	177	67	20.6	7.8	110	(3)	12	67.8	10	5.6
Pinellas	24,300	311	236	12.8	9.7	75	132	15	48.2	6	1.9	Colored	4,450	120	67	27.0	15.1	53	(3)	4	33.3	14	11.7
White	20,300	249	186	12.3	9.2	63	134	8	32.1	3	1.2	Berrien	15,000	446	124	29.7	8.3	322	360	19	42.6	39	8.7
Colored	4,000	62	50	15.5	12.5	12	(3)	7	112.9	3	1.2	White	12,600	391	105	31.0	8.3	286	372	17	43.5	36	9.2
Polk	56,400	1,109	544	19.7	9.6	565	204	61	55.0	53	4.8	Colored	2,400	55	19	22.9	7.9	36	(3)	2	36.4	3	5.5
White	43,800	862	365	19.7	8.3	497	236	48	55.7	40	4.6	Bibb	23,800	235	199	9.9	8.4	36	118	19	80.9	8	3.4
Colored	12,600	247	179	19.6	14.2	68	138	13	52.8	10	4.3	White	14,100	97	79	6.9	5.6	18	(3)	4	41.2	2	2.1
Putnam	18,500	351	301	19.0	16.3	50	117	34	96.3	20	5.7	Colored	9,700	138	120	14.2	12.4	18	115	15	108.7	6	4.3
White	10,600	181	148	17.1	14.0	33	122	12	66.3	6	3.3	Bleckley	9,133	265	124	29.0	13.6	141	214	27	101.9	13	4.9
Colored	7,900	170	153	21.5	19.4	17	111	22	129.4	14	8.2	White	5,872	158	64	26.9	10.9	94	(3)	19	120.3	6	3.8
St. Johns	6,600	84	47	12.7	7.1	37	(3)	4	47.6	10	11.9	Colored	3,261	107	60	32.8	18.4	47	(3)	8	74.8	7	6.5
White	3,100	17	15	5.5	4.8	2	(3)	2	117.6	3	17.6	Brantley	7,000	186	69	26.6	9.9	117	(3)	13	69.9	13	7.0
Colored	3,500	67	32	19.1	9.1	35	(3)	2	29.9	7	10.4	White	5,700	165	56	28.9	9.8	109	(3)	12	72.7	10	6.1
St. Lucie	7,800	163	104	20.9	13.3	59	157	6	36.8	6	3.7	Colored	1,300	21	13	16.2	10.0	8	(3)	1	47.6	3	14.3
White	5,800	110	62	19.0	10.7	48	(3)	4	36.4	5	4.5	Brooks	21,330	623	195	24.5	9.1	328	268	37	70.7	52	9.9
Colored	2,000	53	42	26.5	21.0	11	(3)	2	37.7	1	1.9	White	10,070	191	75	19.0	7.4	116	(3)	14	73.3	9	4.7
Santa Rosa	14,100	357	137	25.3	9.7	220	261	22	61.6	16	4.5	Colored	11,260	332	120	29.5	10.7	212	277	23	69.3	43	13.0
White	12,000	294	104	24.5	8.7	190	283	15	51.0	12	4.1	Bryan	4,952	148	77	24.9	12.9	71	(3)	13	87.8	10	6.8
Colored	2,100	63	33	30.0	15.7	30	(3)	7	111.1	4	6.3	White	3,286	75	25	22.8	7.6	50	(3)	4	53.3	4	5.3
Sarasota	13,400	209	116	15.6	8.7	93	180	9	43.1	9	4.3	Colored	2,668	73	52	27.4	19.5	21	(3)	9	123.3	6	8.2
White	10,400	155	83	14.9	8.0	72	(3)	3	19.4	7	4.5	Bulloch	26,600	681	196	25.6	7.4	485	347	33	48.5	56	8.2
Colored	3,000	54	33	18.0	11.0	21	(3)	6	111.1	2	3.7	White	16,500	390	102	23.6	6.2	288	382	27	101.9	20	5.1
Seminole	9,100	161	100	17.7	11.0	61	161	14	87.0	9	5.6	Colored	10,100	291	94	28.8	9.3	197	(3)	16	55.0	36	12.4
White	5,300	68	48	12.8	9.1	20	(3)	2	102.9	2	2.9	Burke	29,224	591	308	20.2	10.5	285	193	29	49.1	63	10.7
Colored	3,800	93	52	24.5	13.7	41	(3)	7	75.3	7	7.5	White	6,524	121	53	18.5	8.1	68	(3)	4	33.1	0	
Sumter	11,000	207	106	18.8	9.6	101	195	13	62.8	10	4.8	Colored	22,700	470	253	20.7	11.1	217	186	25	53.2	63	13.4
White	7,600	121	65	15.9	8.6	56	(3)	5	41.3	3	2.5	Butts	9,345	146	75	15.6	8.0	71	(3)	8	54.8	10	6.8
Colored	3,400	86	41	25.3	12.1	45	(3)	8	93.0	7	8.1	White	4,857	67	37	13.8	7.6	30	(3)	3	44.8	5	7.5
Suwannee	15,731	389	162	24.7	10.3	227	240	31	79.7	22	5.7	Colored	4,488	79	38	17.6	8.5	41	(3)	5	63.3	5	6.3
White	10,395	251	88	24.1	8.5	163	(3)	19	75.7	5	2.0	Calhoun	10,600	242	122	22.8	11.5	120	198	24	99.2	21	8.7
Colored	5,336	138	74	25.9	13.9	64	(3)	12	87.0	17	12.3	White	3,100	48	27	15.5	8.7	21	(3)	6	125.0	0	
Taylor	13,400	195	101	14.6	7.5	94	193	13	66.7	7	3.6	Colored	7,500	194	95	25.9	12.7	99	(3)	18	92.8	21	

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Deaths of infants under 1 year of age	Per 1,000 births	Rate per 100 live births	Number			Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Deaths of infants under 1 year of age	Per 1,000 births	Rate per 100 live births			
		Births	Deaths	Births	Deaths						Number			Rate per 100 live births	Births						Deaths	Births	Deaths
		Births	Deaths	Births	Deaths	Births	Deaths	Number	Rate per 1,000 births	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Births	Deaths	Number	Rate per 1,000 births	Number	Rate per 100 live births
Section D—Continued																							
GEORGIA—con.																							
Cherokee	20,200	596	188	25.0	9.3	318	269	37	73.1	18	3.6	Fannin	13,100	374	125	28.5	9.5	249	299	30	80.2	17	4.5
Clarke	7,413	159	77	21.4	10.4	82	(*)	9	56.6	4	2.5	Payette	8,665	193	76	22.3	8.8	117	(*)	8	41.5	7	3.6
White	3,764	71	29	18.9	7.7	42	(*)	3	42.3	2	2.8	White	5,827	113	41	19.4	7.0	72	(*)	3	26.5	5	2.4
Colored	3,649	88	48	24.1	13.2	40	(*)	6	68.2	2	2.3	Colored	2,838	80	35	28.2	12.3	45	(*)	5	62.5	2	2.5
Clay	6,943	139	51	20.0	7.3	88	(*)	3	21.6	10	7.2	Floyd	27,600	628	246	22.8	8.9	382	255	40	63.7	17	2.7
White	2,410	34	16	14.1	6.6	18	(*)	1	29.4	0	0.0	White	23,800	557	193	23.4	8.1	364	289	30	53.9	12	2.2
Colored	4,533	105	35	23.2	7.7	70	(*)	2	19.0	10	9.5	Colored	3,800	71	53	18.7	13.9	18	(*)	10	140.8	5	7.0
Clayton	10,260	164	91	16.0	8.9	73	(*)	11	67.1	7	4.3	Forsyth	10,624	268	68	25.2	6.4	200	(*)	7	26.1	7	2.6
White	7,010	91	53	13.0	7.6	38	(*)	5	54.9	4	4.4	Franklin	15,902	404	143	25.4	9.0	261	233	26	64.4	7	1.7
Colored	3,250	73	38	22.5	11.7	35	(*)	6	82.2	3	4.1	White	13,230	335	100	25.3	7.6	335	335	15	44.8	5	1.5
Clinch	7,100	119	73	16.8	10.3	46	(*)	9	75.6	9	7.6	Colored	2,672	69	43	25.8	16.1	26	(*)	11	159.4	2	2.9
White	4,000	78	39	19.5	9.8	39	(*)	4	51.3	4	5.1	Fulton	794,000	868	693	9.2	7.4	175	125	59	68.0	39	4.5
Colored	3,100	41	34	13.2	11.0	7	(*)	5	122.0	5	12.2	White	76,100	725	464	9.5	6.1	261	156	43	59.3	25	3.4
Cobb	36,000	657	317	18.3	8.8	340	207	42	63.9	35	5.3	Colored	17,900	143	229	8.0	12.8	86	62	16	111.9	14	9.8
White	29,400	532	223	18.1	7.6	309	239	31	58.3	22	4.1	Gilmer	7,344	228	71	31.0	9.7	157	(*)	21	92.1	7	3.1
Colored	6,600	125	94	18.9	14.2	31	(*)	11	88.0	13	10.4	Glascocok	4,400	95	46	21.6	10.5	49	(*)	7	73.7	7	7.4
Coffee	19,900	482	115	23.2	5.8	347	402	11	23.8	19	4.1	White	3,100	70	30	22.6	9.7	40	(*)	4	67.1	4	5.7
White	14,700	345	65	23.5	4.4	280	(*)	9	26.1	11	3.2	Colored	1,300	25	16	19.2	12.3	9	(*)	3	120.0	3	12.0
Colored	5,200	117	50	22.5	9.6	67	(*)	2	17.1	8	6.8	Glynn	5,400	87	62	16.1	11.5	25	(*)	7	80.6	2	18.8
Colquitt	30,800	661	225	21.5	7.3	436	294	43	65.1	41	6.2	White	3,300	44	27	13.3	8.2	17	(*)	5	113.6	12	12.5
White	23,100	508	139	22.0	6.0	369	365	22	43.3	17	3.3	Colored	2,100	43	35	20.5	16.7	8	(*)	2	46.5	10	23.3
Colored	7,700	153	86	19.9	11.2	67	(*)	21	137.3	24	15.7	Gordon	16,846	402	150	23.9	8.9	252	268	41	102.0	15	3.7
Columbia	8,793	211	79	24.0	9.0	132	(*)	7	33.2	15	7.1	Grady	19,200	459	213	23.9	11.1	246	215	46	100.2	29	8.5
White	3,257	75	23	23.0	7.1	52	(*)	3	40.0	3	4.0	White	12,573	282	181	22.4	10.4	151	215	28	92.2	31	7.4
Colored	5,536	136	56	24.6	10.1	80	(*)	4	29.4	12	8.8	Colored	6,627	177	82	26.7	12.4	95	(*)	20	113.0	18	10.2
Cook	11,300	259	63	22.9	5.6	196	(*)	4	15.4	11	4.2	Greene	12,616	298	159	23.6	12.6	139	187	25	83.9	25	8.4
White	8,300	205	44	24.7	5.3	161	(*)	6	2.9	6	2.9	White	5,888	120	53	20.0	9.7	67	(*)	6	50.0	3	2.5
Colored	3,000	54	19	18.0	6.3	35	(*)	5	9.3	5	9.3	Colored	6,728	178	101	26.9	15.2	77	176	19	106.7	22	12.4
Ooweta	25,127	558	226	22.2	9.0	332	247	29	52.0	33	5.9	Gwinnett	27,853	633	249	22.7	8.9	384	254	49	66.4	28	4.4
White	14,298	318	98	22.2	6.9	220	(*)	11	34.6	11	3.5	White	24,509	549	196	22.4	8.0	353	280	35	63.8	18	3.3
Colored	10,829	240	128	22.2	11.8	112	188	18	75.0	22	9.2	Colored	3,344	84	53	25.1	15.8	31	(*)	7	83.3	10	11.9
Crawford	7,020	182	75	25.9	10.7	107	(*)	11	60.4	9	4.9	Habersham	13,000	322	116	24.8	8.9	206	278	18	55.9	18	5.6
White	3,141	74	33	23.6	10.5	41	(*)	6	81.1	9	8.3	Hall	30,700	777	309	25.3	10.1	468	251	42	64.1	28	3.6
Colored	3,879	108	42	27.8	10.8	66	(*)	5	46.3	8	4.2	White	27,900	695	266	25.5	9.7	429	261	38	54.7	20	2.9
Crisp	17,343	394	215	22.7	12.4	179	133	34	86.3	27	6.9	Colored	3,400	82	43	24.1	12.6	39	(*)	4	48.8	8	9.8
White	8,974	192	90	21.4	10.0	102	(*)	11	57.3	8	4.2	Hancock	13,070	361	113	27.6	8.6	243	319	16	44.3	20	5.5
Colored	8,369	202	125	24.1	14.9	77	162	23	113.9	19	4.4	White	3,723	60	31	16.1	8.3	29	(*)	3	50.0	1	1.7
Dade	4,200	103	35	24.5	8.3	68	(*)	6	58.3	4	3.9	Colored	9,345	301	82	32.2	8.8	219	(*)	13	43.2	19	6.3
Dawson	3,502	92	22	26.3	6.3	70	(*)	8	87.0	1	1.1	Haralson	13,263	254	111	19.2	8.4	143	229	15	59.1	12	4.7
Decatur	23,600	577	269	24.4	11.4	308	214	29	50.3	46	8.0	Harris	11,440	265	115	23.8	10.3	150	230	12	45.3	12	4.5
White	11,800	265	109	22.5	9.2	156	243	11	41.5	11	4.2	White	3,447	41	42	11.9	12.2	-1	(*)	2	48.8	1	2.4
Colored	11,800	312	160	26.4	13.6	152	195	18	57.7	35	11.2	Colored	7,603	224	73	29.1	9.5	151	(*)	10	44.6	11	4.9
De Kalb	32,600	873	413	26.8	12.7	460	211	43	49.3	46	5.3	Hart	15,174	408	117	26.9	7.7	291	349	22	53.9	16	3.9
White	25,400	725	322	28.5	12.7	403	225	25	34.5	28	3.9	White	11,281	313	80	27.7	7.1	233	(*)	17	54.3	9	2.9
Colored	7,200	148	91	20.6	12.6	57	(*)	18	121.6	18	12.2	Colored	3,893	95	37	24.4	9.5	58	(*)	5	52.6	7	7.4
Dodge	21,599	514	160	23.8	7.4	354	321	13	25.3	16	3.1	Heard	9,102	227	90	24.9	9.9	137	(*)	12	52.9	10	4.4
White	13,601	304	112	22.4	8.2	192	271	11	36.2	3	1.0	White	6,733	151	65	22.4	9.7	86	(*)	7	46.4	4	2.6
Colored	7,998	210	48	26.3	6.0	162	(*)	2	9.5	18	6.2	Colored	2,369	76	25	32.1	10.6	51	(*)	5	65.8	6	7.9
Dooley	18,025	421	175	23.4	9.7	246	241	30	71.3	41	9.7	Henry	15,924	345	160	21.7	10.0	185	216	21	60.9	18	5.2
White	7,961	160	57	20.1	7.2	103	(*)	6	37.5	5	3.1	White	8,010	149	70	18.6	8.7	79	(*)	10	67.1	6	4.0
Colored	10,064	261	118	25.9	11.7	143	221	24	92.0	36	13.8	Colored	7,914	186	90	24.8	11.7	106	(*)	11	56.1	12	6.1
Dougherty	7,800	59	61	7.6	7.8	-2	(*)	3	50.8	2	3.4	Houston	11,280	230	76	20.4	6.7	154					

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)	STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)	STILL-BIRTHS			
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age		Number	Rate per 100 live births		
		Births	Deaths	Births	Deaths								Number	Per 1,000 births	Births	Deaths						Number	Per 1,000 births
		Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age		Number	Rate per 100 live births		
Section D—Continued																							
GEORGIA—CON.																							
Johnson	12,681	843	129	27.0	10.2	214	266	16	46.6	20	5.8	Oglethorpe	12,927	305	136	23.6	10.5	169	224	16	52.5	18	5.9
White	7,720	169	73	21.9	9.5	96	(3)	11	65.1	7	4.1	White	6,503	143	57	22.0	8.8	86	(3)	6	42.0	3	2.1
Colored	4,961	174	56	35.1	11.3	118	(3)	5	25.7	13	7.5	Colored	6,424	162	79	25.2	12.3	83	(3)	10	61.7	15	9.3
Jones	8,992	215	87	23.9	9.7	128	(3)	13	60.5	14	6.5	Paulding	12,327	314	99	25.5	8.0	215	(3)	18	57.3	14	4.5
White	3,217	48	22	14.9	6.8	26	(3)	3	62.5	3	6.3	White	10,300	239	116	23.2	11.3	123	208	23	96.2	14	5.9
Colored	5,775	167	65	28.9	11.3	102	(3)	10	59.9	11	6.6	Colored	3,700	63	35	17.0	9.5	28	(3)	5	79.4	1	1.6
Lamar	9,745	212	112	21.8	11.5	100	189	19	89.6	19	9.0	Peach	6,600	176	81	26.7	12.3	95	(3)	18	102.3	13	7.4
White	5,272	91	42	17.3	8.0	49	(3)	3	39.0	3	3.3	White	9,900	270	52	27.3	5.3	218	(3)	7	25.9	11	4.1
Colored	4,473	121	70	27.1	15.6	51	(3)	16	132.2	16	13.2	Colored	12,800	345	136	27.0	10.6	209	254	27	78.3	26	7.5
Lanier	5,190	76	39	14.6	7.5	37	(3)	9	118.4	8	10.5	Pickers	9,500	263	82	27.7	8.6	181	(3)	22	83.7	10	3.8
White	3,250	39	15	12.0	4.6	24	(3)	2	51.3	1	2.6	Pierce	3,300	82	54	24.8	16.4	28	(3)	5	61.0	16	10.5
Colored	1,940	37	24	19.1	12.4	13	(3)	7	189.2	7	18.9	Pike	10,853	262	122	24.1	11.2	140	215	26	99.2	19	7.3
Laurens	32,693	719	340	22.0	10.4	379	211	36	50.1	42	5.8	White	5,452	90	46	16.5	8.4	44	(3)	6	66.7	6	6.7
White	19,157	393	155	20.5	8.1	238	254	17	43.3	15	3.8	Colored	5,401	172	76	31.8	14.1	96	(3)	20	116.3	13	7.6
Colored	13,536	326	185	24.1	13.7	141	176	19	58.3	27	8.3	Polk	25,700	626	219	24.4	8.5	407	286	44	70.3	26	4.2
Lee	8,328	179	111	21.5	13.3	68	161	26	145.3	14	7.8	White	21,000	545	148	26.0	7.0	397	368	36	66.1	17	3.1
White	1,836	32	23	17.4	12.5	9	(3)	4	125.0	—	—	Colored	4,700	81	71	17.2	15.1	10	(3)	8	98.8	9	11.1
Colored	6,492	147	88	22.6	13.6	59	(3)	22	149.7	14	9.5	Pulaski	9,005	175	79	19.4	8.8	96	(3)	9	51.4	12	6.9
Liberty	8,153	176	142	21.6	17.4	34	124	26	147.7	14	8.0	White	3,949	54	32	13.7	8.1	22	(3)	4	74.1	3	5.6
White	2,621	43	22	16.4	8.4	21	(3)	1	23.3	3	7.0	Colored	5,056	121	47	23.9	9.3	74	(3)	5	41.3	9	7.4
Colored	5,532	133	120	24.0	21.7	13	111	25	188.0	11	8.3	Putnam	8,367	221	100	26.4	12.0	121	221	11	49.8	14	6.3
Lincoln	7,847	194	37	24.7	4.7	157	(3)	6	30.9	10	5.2	White	3,155	56	30	17.7	9.5	26	(3)	3	53.6	3	5.4
White	3,754	83	21	22.1	5.6	62	(3)	3	36.1	5	6.0	Colored	5,212	165	70	31.7	13.4	95	(3)	8	48.5	11	6.7
Colored	4,093	111	16	27.1	3.9	95	(3)	3	27.0	5	4.5	Quitman	3,900	85	28	21.8	7.2	57	(3)	2	23.5	5	5.9
Long	4,180	79	49	18.9	11.7	30	(3)	8	101.3	8	10.1	White	1,200	20	8	16.7	6.7	12	(3)	—	—	2	10.0
White	2,392	39	20	16.3	8.4	19	(3)	2	51.3	3	7.7	Colored	2,700	65	20	24.1	7.4	45	(3)	2	30.8	3	4.6
Colored	1,788	40	29	22.4	16.2	11	(3)	6	150.0	5	12.5	Rabun	6,400	153	47	23.9	7.3	106	(3)	9	58.8	5	3.3
Lowndes	16,800	362	134	21.5	8.0	228	270	18	49.7	18	5.0	Randolph	17,200	365	182	21.2	10.6	183	201	14	38.4	28	7.7
White	9,100	180	58	19.8	6.4	122	(3)	8	44.4	2	1.1	White	5,600	100	62	17.9	11.1	38	(3)	6	60.0	3	3.0
Colored	7,700	182	76	23.6	9.9	106	(3)	10	54.9	16	8.8	Colored	11,600	265	120	22.8	10.3	145	221	8	30.2	25	9.4
Lumpkin	4,927	123	41	25.0	8.3	82	(3)	5	40.7	3	2.4	Richmond	12,900	195	129	15.1	10.0	68	151	9	46.2	3	1.5
McDuffie	9,014	208	123	23.1	13.6	85	169	13	62.5	15	7.2	White	6,800	81	61	11.9	9.0	20	(3)	2	24.7	—	—
White	4,442	52	54	11.7	12.2	—	(3)	2	38.5	2	3.8	Colored	6,100	114	68	18.7	11.1	46	(3)	7	61.4	3	2.6
Colored	4,572	156	69	34.1	15.1	87	(3)	11	70.5	13	8.3	Rookdale	7,247	147	56	20.3	7.7	91	(3)	7	47.6	10	6.8
McIntosh	5,800	136	129	23.4	22.2	7	105	20	147.1	17	12.5	White	4,806	92	32	19.1	6.7	60	(3)	4	43.5	8	8.7
White	1,900	45	27	23.7	14.2	18	(3)	5	111.1	1	2.2	Colored	2,441	55	24	22.5	13.8	31	(3)	3	54.5	2	3.6
Colored	3,900	91	102	23.3	26.2	—	11	89	164.8	16	17.6	Schley	5,400	134	70	24.8	13.0	64	(3)	11	82.1	6	4.5
Macon	16,643	376	177	22.6	10.6	199	212	25	66.5	30	8.0	White	2,000	34	19	17.0	9.5	15	(3)	—	—	2	5.9
White	5,451	125	53	22.9	9.7	72	(3)	3	24.0	5	4.0	Colored	3,400	100	51	29.4	15.0	49	(3)	11	110.0	4	4.0
Colored	11,192	251	124	22.4	11.1	127	202	22	87.6	25	10.0	Screven	20,503	499	183	24.3	8.9	316	273	28	56.1	44	8.8
Madison	14,921	399	117	26.7	7.8	282	341	20	50.1	17	4.3	White	8,882	156	67	17.6	7.5	89	(3)	4	25.6	12	7.7
White	12,087	301	76	24.9	6.3	225	(3)	11	36.5	10	3.1	Colored	11,621	343	116	29.5	10.0	227	296	24	70.0	32	9.3
Colored	2,834	98	41	34.6	14.5	57	(3)	9	91.8	7	7.1	Seminole	4,739	197	68	26.7	9.2	129	(3)	19	96.4	14	7.1
Marion	6,968	178	69	25.5	9.9	109	(3)	12	67.4	11	6.2	White	4,491	96	35	21.4	7.8	61	(3)	5	52.1	6	6.3
White	3,053	79	28	25.9	9.2	51	(3)	3	38.0	5	6.3	Colored	2,898	101	33	34.9	11.4	68	(3)	14	138.6	8	7.9
Colored	3,915	99	41	25.3	10.5	58	(3)	9	90.9	6	6.1	Spalding	13,100	199	130	15.2	9.9	69	153	13	65.3	15	7.5
Meriwether	22,437	536	225	23.9	10.0	311	238	29	54.1	29	5.4	White	8,700	110	61	12.6	7.0	49	(3)	8	72.7	6	5.5
White	10,671	219	80	20.5	7.5	139	(3)	5	22.8	8	3.7	Colored	4,400	89	69	20.2	15.7	20	(3)	5	56.2	9	10.1
Colored	11,766	317	145	26.9	12.3	172	219	24	75.7	21	6.6	Stephens	11,800	270	91	22.9	7.7	179	(3)	14	51.9	9	3.3
Miller	9,076	271	73	29.9	8.0	198	(3)	14	51.7	17	6.3	White	9,700	224	64	23.1	6.6	160	(3)	11	49.1	6	2.7
White	5,993	180	47	30.0	7.8	133	(3)	7	38.9	7	3.9	Colored	2,100	46	27	21.9	12.9	19	(3)	3	65.2	3	6.5
Colored	3,083	91	26	29.5	8.4	65	(3)	7	76.9	10	11.0	Stewart	11,114	282	126	25.4	11.3	156	224	13	46.1	15	5.3
Mitchell	23,620	645	233	27.3	9.9	412	277	36															

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)					INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)					INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS			
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 live births	Number			Number	Rate per 1,000 live births	Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Number	Rate per 1,000 live births	
		Births	Deaths	Births	Deaths					Births					Deaths	Number	Per 1,000 births	Number					Per 1,000 births
		Births	Deaths	Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number			Per 1,000 births	Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths	Number	Rate per 1,000 live births
Section D—Continued										Section D—Continued													
GEORGIA—con.										IDAHO—con.													
Thomas	20,612	448	166	21.7	8.1	282	25	55.8	40	8.9	Boundary	4,600	112	45	24.3	9.8	67	(3)	14	125.0			
White	10,956	219	87	20.0	5.2	162	7	32.0	15	6.3	Butte	41,934	38	11	19.6	5.7	27	(3)	1	26.3			
Colored	9,656	229	109	23.7	11.3	120	18	78.6	25	10.9	Camas	41,411	23	8	16.3	5.7	15	(3)					
Tift	16,200	378	184	23.3	11.4	194	35	92.6	21	5.6	Canyon	31,400	598	295	19.0	9.4	303	208	19	31.8	8	1.3	
White	11,300	242	108	21.4	9.6	134	17	74.4	9	3.7	Caribou	42,121	45	32	21.2	15.1	13	(3)	3	66.7			
Colored	4,900	136	76	27.8	15.5	60	18	125.0	12	8.8	Cassia	13,116	270	67	20.6	5.1	203	(3)	8	29.6	5	1.9	
Toombs	17,509	359	193	20.5	5.9	256	14	39.0	30	8.4	Clark	41,122	8	2	7.1	1.8	6	(3)	1	8.8			
White	12,509	229	68	18.3	5.4	161	6	26.2	11	4.8	Clearwater	6,900	114	92	16.8	13.5	22	(3)	1	23.3			
Colored	5,000	130	35	26.0	7.0	95	8	61.5	19	14.6	Custer	43,162	43	27	13.6	8.5	16	(3)	3	50.0	2	4.7	
Towns	4,400	122	35	27.7	8.0	87	5	41.0	4	3.3	Elmore	44,491	60	33	13.4	7.3	27	(3)	3	50.0	4	6.7	
Treutlen	47,488	165	72	22.0	9.6	93	8	48.5	9	5.5	Franklin	9,500	311	64	32.7	6.7	247	(3)	17	54.7	4	1.3	
White	5,015	129	44	25.7	8.3	85	5	38.8	5	3.9	Fremont	49,924	213	66	21.5	6.7	147	(3)	10	46.9	8	3.3	
Colored	2,473	36	28	14.6	11.3	8	3	83.3	4	11.1	Gem	7,500	122	52	16.3	6.9	70	(3)	1	8.2	1	1.6	
Troup	16,300	344	182	21.1	11.2	162	27	78.5	15	4.4	Gooding	7,600	123	55	16.2	7.2	68	(3)	5	40.7	3	4.4	
White	7,000	130	73	18.6	10.4	57	13	100.0	6	4.6	Idaho	410,107	208	91	20.6	9.0	117	(3)	12	57.7	7	3.4	
Colored	9,300	214	109	23.0	11.7	105	14	65.4	9	4.2	Jefferson	9,171	299	64	32.6	7.0	235	(3)	18	60.2	2	0.7	
Turner	11,196	238	100	21.3	8.9	138	10	42.0	17	7.1	Jerome	8,700	158	45	18.2	5.2	113	(3)	7	44.3	6	1.9	
White	7,330	141	50	19.2	6.8	91	4	28.4	7	5.0	Kootenai	19,700	222	198	11.3	10.1	24	112	8	36.0	6	2.7	
Colored	3,866	97	50	25.1	12.9	47	6	61.9	10	10.3	Latah	417,798	275	157	15.5	8.3	118	175	11	40.0	14	5.1	
Twigg	48,372	235	80	28.1	9.6	155	17	72.3	9	3.8	Lemhi	44,643	90	43	19.4	9.3	47	(3)	6	111.1	3	5.6	
White	3,037	62	23	20.4	9.2	34	6	96.8	9	5.2	Lewis	45,238	54	35	10.3	6.7	19	(3)	3	60.0	1	2.0	
Colored	5,335	173	52	32.4	9.7	121	11	63.6	9	5.2	Lincoln	43,242	50	15	15.4	4.6	35	(3)	9	38.0	5	2.1	
Union	46,340	203	72	32.0	11.4	131	16	78.8	10	4.9	Madison	48,316	237	63	28.5	7.6	174	(3)	7	33.3	5	2.4	
Upson	20,000	491	199	24.6	10.0	292	39	79.4	22	4.5	Minidoka	48,403	210	55	25.0	6.5	155	(3)	21	61.4	13	3.8	
White	13,100	337	133	25.7	10.2	204	31	92.0	9	2.7	Nez Perce	17,900	342	207	19.1	11.6	135	165	5	35.0	1	0.7	
Colored	6,900	154	66	22.3	9.6	88	8	51.9	13	8.4	Oneida	45,870	143	36	24.4	6.1	107	(3)	1	28.6	2	5.7	
Walker	26,500	530	212	20.0	8.0	318	31	58.5	18	3.4	Owyhee	44,103	35	15	8.5	3.7	20	(3)	5	46.7	4	3.7	
Walton	21,118	462	197	21.9	9.3	265	18	39.0	30	6.5	Payette	7,400	107	53	14.5	7.2	54	(3)	3	46.9	4	6.3	
White	14,351	304	110	21.2	7.7	194	11	36.2	12	3.9	Power	44,457	64	31	14.4	7.0	33	(3)	11	46.0	9	3.8	
Colored	6,767	158	87	23.3	12.9	71	7	44.3	18	11.4	Shoshone	19,700	239	178	12.1	9.0	61	134	3	31.6	4	4.2	
Ware	11,048	286	72	25.9	6.5	214	8	28.0	12	4.2	Teton	43,573	95	16	26.6	4.5	79	(3)	19	32.5	19	3.2	
White	8,788	233	51	26.5	5.8	182	7	30.0	10	4.3	Twin Falls	30,000	535	231	19.5	9.4	304	208	3	66.7	2	1.4	
Colored	2,260	53	21	23.5	9.3	32	1	18.9	2	3.8	Valley	3,606	45	18	12.5	5.0	27	(3)	4	27.0			
Warren	11,181	233	101	20.8	9.0	132	7	30.0	9	3.9	Washington	47,962	148	65	18.6	8.2	83	(3)					
White	3,830	64	21	16.7	5.5	43	2	31.3	1	1.6	ILLINOIS												
Colored	7,351	169	80	23.0	10.9	89	5	29.6	8	4.7	Adams	23,400	157	267	6.7	11.4	-110	59	7	44.6	8	5.1	
Washington	25,030	439	225	19.5	9.1	261	29	59.3	27	5.5	Alexander	49,010	172	98	19.1	10.9	74	(3)	17	98.8	2	4.7	
White	10,898	198	97	18.2	8.9	101	11	55.6	12	6.1	White	5,966	151	65	21.7	9.3	86	(3)	10	66.2	7	4.6	
Colored	14,132	291	131	20.6	9.3	160	18	61.9	15	5.2	Bond	2,044	21	33	10.3	16.1	-12	(3)	7	33.3	1	4.8	
Wayne	12,800	327	152	25.5	11.9	175	18	55.0	21	6.4	Boone	44,406	187	141	13.0	9.8	46	133	10	53.5	6	3.2	
White	9,800	265	100	27.0	10.2	165	18	52.8	10	3.8	Brown	15,073	235	174	15.6	11.5	61	135	16	68.1	6	2.6	
Colored	3,000	62	52	20.7	17.3	10	4	64.5	11	17.7	Bureau	47,892	136	95	17.2	12.0	41	(3)	8	58.8	6	4.4	
Webster	45,032	121	56	24.0	11.1	65	8	66.1	11	9.1	Calhoun	38,845	539	448	13.9	11.5	91	120	25	46.4	16	3.0	
White	1,994	26	20	13.0	10.0	6	3	30.0	1	3.8	Carroll	45,034	183	74	22.8	9.2	109	(3)	6	32.8	2	1.1	
Colored	3,038	95	36	31.3	11.8	59	8	84.2	10	10.5	Cass	18,433	245	191	13.3	10.4	54	128	4	16.3	5	2.0	
Wheeler	49,149	206	71	22.5	7.8	135	4	19.4	12	5.8	Champaign	16,537	279	195	16.9	11.8	84	143	18	64.5	13	4.7	
White	6,211	126	42	20.3	6.8	84	1	7.9	3	2.4	Christian	31,000	497	266	16.0	8.6	231	187	28	56.3	13	2.6	
Colored	2,938	80	29	27.2	9.9	51	3	37.5	9	11.3	Clark	37,538	639	470	17.0	12.5	169	136	41	64.2	14	2.2	
White	46,056	187	51	30.9	8.4	136	8	42.8	7	3.7	Clay	17,372	313	231	17.5	12.9	82	135	14	44.7	17	5.4	
Whitfield	21,300	526	194	24.7	9.1	332	39	74.1	13	2.5	Clinton	16,155	304	177	18.8	11.0	127	172	15	49.3	9	3.0	
Wilcox	13,439	264	93	18.9	6.9	161	14	55.1	23	9.1	Coles	20,869	401	233	19.2	11.2	168	172	28	69.8	12	3.0	
White	7,966	119	38	14.9	4.8	81	3	25.2	7	5.9	Cook *	22,800	371	234	16.3	10.3	137	169	16	43.1	10	2.7	
Colored	5,473	135	55	24.7	10.0	80	13	37.2	16	11.9	Crawford	184,900	1,559	3,476	8.4	18.8	-1,917	45	87	55.8	37	2.4	
Wilkes	15,944	349	172	21.9	10.8	177	13	37.2	24	6.9	Cumberland	21,085	325	223	15.4	10.8	97	143	24	73.8	5	1.5	
White	5,856	115	63	19.6	10.8	52	3	26.1															

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
	Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births	Number			Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births				
	Births	Deaths	Births	Deaths								Number	Per 1,000 births		Number	Rate per 100 live births								Births	Deaths	Births	Deaths
	Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births	Births	Deaths		Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Rate per 1,000 births	Number	Rate per 100 live births				
Section D—Continued																											
ILLINOIS—cont.																											
Jackson	35,680	657	388	18.4	10.9	269	169	38	57.8	19	2.9	11,886	163	98	13.7	8.2	65	(3)	3	18.4	5	3.1					
Jasper	12,809	234	128	18.3	10.0	106	183	8	35.5	8	3.4	13,617	232	194	17.0	14.2	38	120	16	69.0	2	0.9					
Jefferson	18,600	306	175	16.5	9.4	131	175	13	58.8	12	3.9	22,290	291	286	13.1	12.8	5	102	15	61.5	8	2.7					
Jersey	12,556	238	123	19.0	9.8	115	193	8	33.6	11	4.6	5,168	143	68	27.7	13.2	75	(3)	11	76.9	2	1.4					
Jo Daviess	20,235	243	129	12.0	10.8	24	111	17	70.0	3	1.2	15,049	206	201	13.7	13.4	5	102	10	48.5	3	1.5					
Johnson	10,203	214	111	21.0	10.9	103	193	21	98.1	5	2.3	16,010	201	280	12.6	17.5	-79	72	11	54.7	4	2.0					
Kane	44,800	365	410	8.1	9.2	-45	89	20	54.8	17	4.7	18,700	342	198	18.3	10.6	144	173	22	64.3	11	3.2					
Kankakee*	29,600	320	563	10.8	19.0	-243	57	24	75.0	11	3.4	28,479	423	341	16.0	12.9	82	124	33	78.0	8	1.9					
Kendall	10,600	60	85	5.7	8.0	-25	(3)	4	66.7	2	3.3	15,029	179	177	11.9	11.8	2	101	10	55.9	9	5.0					
Knox	22,500	252	240	11.2	10.7	12	105	10	39.7	3	1.2	10,160	230	118	22.6	11.6	112	195	8	34.8	8	3.5					
Lake	60,000	1,094	736	18.2	12.3	358	149	53	48.4	32	2.9	15,832	507	300	19.6	11.3	207	169	27	53.3	13	2.6					
La Salle	54,800	609	498	11.1	9.1	111	122	25	41.1	10	1.6	21,200	318	240	15.0	11.3	78	133	12	37.7	9	2.8					
Lawrence	21,900	378	236	17.3	10.8	142	160	22	68.2	14	3.7	17,808	303	281	17.5	16.2	22	108	5	16.5	9	3.0					
Lee	32,800	440	405	13.4	12.3	35	109	21	47.7	14	3.2	24,911	415	286	16.7	11.9	119	140	21	60.6	13	3.1					
Livingston	39,100	538	443	13.8	11.3	95	121	27	50.2	11	2.0	20,600	298	224	13.7	10.4	72	132	14	47.3	9	3.2					
Logan	15,863	188	124	11.9	7.8	64	152	8	42.6	3	1.6	26,500	367	181	17.8	8.8	186	203	16	48.6	9	2.2					
McDonough	27,400	460	328	16.8	12.0	132	140	23	60.4	20	4.3	20,000	392	256	14.8	9.7	130	153	19	48.5	8	2.3					
McHenry	35,300	381	389	10.8	11.0	-8	98	23	60.4	11	2.0	6,500	105	76	16.2	11.7	29	(3)	5	47.6	4	3.3					
McLean	42,300	574	438	13.6	10.4	136	131	29	60.5	17	3.0	8,900	121	94	13.6	10.6	27	(3)	9	74.4	6	2.2					
Macon	25,100	264	186	10.5	7.4	78	142	13	49.2	6	2.3	17,971	267	195	14.9	10.9	72	137	18	67.4	2	0.9					
Macoupin	48,703	580	468	11.9	9.6	112	124	38	65.5	16	2.8	14,498	262	174	18.1	12.0	88	151	20	76.3	9	3.6					
Madison*	91,400	1,264	866	13.8	9.5	398	146	66	52.2	35	2.8	15,038	257	224	17.1	14.9	33	115	9	35.0	9	3.5					
Marion	23,535	341	288	14.5	12.2	53	118	34	99.7	10	2.9	29,200	523	361	17.9	12.4	162	145	33	63.1	17	3.8					
Marshall	13,023	179	119	13.7	9.1	60	150	12	67.0	3	1.7	26,466	388	380	14.7	14.4	8	102	24	61.9	9	3.3					
Mason	15,115	213	193	14.1	12.8	20	110	7	32.9	7	3.3	31,481	544	365	17.3	11.6	179	149	40	73.5	15	3.8					
Massac	14,100	167	153	11.8	10.9	14	109	12	71.9	12	7.2	23,444	322	310	13.7	13.2	12	104	18	55.9	11	3.2					
White	12,500	156	124	12.5	9.9	32	126	11	70.5	10	6.4	16,605	233	219	14.0	13.2	14	106	11	47.2	9	3.9					
Colored	1,600	11	29	6.9	18.1	-18	(3)	1	90.9	2	18.2	17,254	328	208	19.0	12.1	120	158	13	39.6	8	2.4					
Menard	10,575	157	110	14.8	10.4	47	143	9	57.3	6	3.8	19,725	210	232	10.6	11.8	-22	91	9	42.9	5	2.4					
Mercer	16,641	223	147	13.4	8.8	76	152	8	35.9	5	2.2	21,300	362	349	17.0	16.4	13	104	22	60.8	13	3.6					
Monroe	12,369	180	110	14.6	8.9	70	164	11	61.1	3	1.7	13,900	213	153	15.3	11.0	60	189	5	23.5	7	3.3					
Montgomery	35,278	613	458	17.4	13.0	155	134	29	47.3	21	3.4	15,653	229	185	14.6	11.8	44	124	13	56.8	3	1.3					
Morgan	16,300	207	146	12.7	9.0	61	142	8	38.6	3	1.4	23,731	468	304	19.7	12.8	164	154	23	69.8	15	3.2					
Moultrie	13,247	223	161	16.8	12.2	62	139	9	40.4	6	2.7	13,388	267	157	19.9	11.7	110	170	9	33.7	2	0.7					
Ogle	28,300	397	318	14.0	11.2	79	125	19	47.9	11	2.8	20,846	335	298	16.1	14.3	37	112	19	66.7	7	2.1					
Peoria*	30,600	391	606	10.7	16.6	-215	65	21	53.7	10	2.6	19,182	332	401	17.3	20.9	-69	83	22	66.3	7	2.1					
Perry	22,767	446	231	19.6	10.1	215	193	26	58.3	11	2.5	11,800	206	134	17.5	11.4	72	154	6	29.1	9	4.4					
Piatt	15,588	197	132	12.6	8.5	65	149	19	96.4	6	3.0	21,800	308	298	14.1	13.7	10	103	10	32.5	9	2.9					
Pike	24,357	381	289	15.6	11.9	92	132	29	76.1	7	1.8	26,213	468	246	17.9	9.4	222	190	27	57.7	17	3.6					
Pope	7,996	159	96	19.9	12.0	63	(9)	11	69.2	6	3.8	27,500	466	379	16.9	13.8	87	123	24	51.8	14	4.0					
Pulaski	14,900	205	197	13.8	13.2	8	104	26	126.8	20	9.8	13,780	252	143	18.3	10.4	109	176	7	27.8	11	4.4					
White	9,900	153	114	15.5	11.5	39	134	15	98.0	12	7.8	31,800	447	356	14.1	11.2	91	126	24	53.7	9	2.0					
Colored	5,000	52	83	10.4	16.6	-31	(9)	11	211.5	8	15.4	18,400	204	179	11.1	9.7	25	114	14	68.6	7	3.4					
Putnam	5,235	73	52	13.9	9.9	21	(9)	5	68.5	2	2.7	22,800	510	247	22.4	10.8	263	206	36	70.6	19	2.7					
Randolph	29,300	461	303	15.7	10.3	158	152	22	47.7	11	2.4	33,100	393	341	11.9	10.3	52	115	24	61.1	14	3.6					
Richland	14,100	305	236	21.6	16.7	69	129	29	95.1	14	4.6	61,900	828	672	13.4	10.9	156	123	27	32.6	23	2.8					
Rock Island	17,900	187	130	10.4	7.3	57	144	8	42.8	5	2.7	25,200	459	276	18.2	11.0	183	166	12	26.1	14	3.1					
St. Clair	56,100	772	531	13.8	9.5	241	145	44	57.0	28	3.6	10,103	246	118	24.3	11.7	128	208	15	61.0	8	3.3					
Saline	24,900	382	235	15.3	9.4	147	163	32	83.8	9	2.4	16,300	215	198	13.2	12.1	17	109	9	41.9	5	2.3					
Sangamon	39,900	428	341	10.7	8.5	87	126	13	30.4	13	3.0	17,900	408	158	22.8	8.8	250	258	26	63.7	8	2.0					
Schuyler	11,676	181	109	15.5	9.3	72	166	7	38.7	8	4.4	16,580	217	205	13.1	12.4	12	106	6	27.6	2	0.9					
Scott	8,539	129	115	15.1	13.5	14	112	12	93.0	1	0.8	19,424	330	301	17.0	15.5											

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 Births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Per 1,000 Births	Number	Rate per 100 live births						
Section D—Continued											Section D—Continued												
INDIANA—con.											IOWA—contd.												
Sullivan	28,133	460	326	16.4	11.6	134	141	23	50.0	5	1.1	Kossuth	25,500	520	199	20.4	7.8	321	261	26	50.0	20	3.8
Switzerland	8,432	162	100	19.2	11.9	62	162	10	61.7	1	0.6	Lee	12,300	149	111	12.1	9.0	38	154	10	67.1	4	2.7
Tippecanoe	21,400	191	254	8.9	11.9	-63	75	15	78.5	6	3.1	Linn	26,400	250	232	9.5	8.9	-12	95	17	68.0	7	2.6
Tipton	15,208	253	186	16.6	12.2	67	136	19	75.1	6	2.4	Louisa	11,575	132	98	11.4	8.5	34	(3)	4	30.3	7	3.3
Union	45,880	80	85	13.6	14.5	-5	(*)	4	50.0	3	3.8	Lucas	15,114	263	149	17.4	8.9	114	177	15	57.0	10	5.5
Vanderburg	11,500	376	354	32.7	30.8	22	106	22	58.5	9	2.4	Lyon	15,293	216	104	14.1	6.2	112	208	10	46.3	10	4.6
Vermillion	23,238	379	234	16.3	10.1	145	162	16	42.2	2	2.1	Madison	14,231	251	156	17.5	10.9	95	161	18	71.7	8	3.2
Vigo	36,051	467	369	13.0	10.2	98	127	26	55.7	8	1.7	Mahaska	15,604	225	115	14.4	7.4	110	196	3	13.3	1	0.4
Wabash	25,170	407	351	16.2	13.9	56	116	21	51.6	11	2.7	Marion	25,800	390	258	15.1	10.0	132	151	18	46.2	13	3.3
Warren	9,167	120	100	13.1	10.9	20	120	4	33.3	5	4.2	Marshall	18,300	208	119	12.8	7.3	89	175	4	19.2	2	1.0
Warrick	18,230	286	209	15.7	11.5	77	137	26	90.9	5	1.7	Mills	15,900	221	129	13.9	8.1	92	171	6	27.1	2	1.1
Washington	16,285	279	169	17.1	10.4	110	165	7	25.1	13	4.7	Mitchell	14,100	204	143	14.5	10.1	61	143	11	53.9	10	4.9
Wayne	22,600	483	394	21.4	17.4	89	123	21	43.5	6	1.2	Monona	18,300	313	133	17.1	7.3	180	235	13	41.5	13	4.2
Wells	18,411	301	197	16.3	10.7	104	153	11	36.5	14	4.7	Monroe	15,010	287	150	19.1	10.0	137	191	16	55.7	8	2.8
White	15,831	245	157	15.5	9.9	88	156	8	32.7	9	3.7	Montgomery	16,752	243	170	14.5	10.1	73	143	11	45.3	9	3.7
Whitley	16,000	295	189	18.4	11.8	106	156	11	37.3	4	1.4	Muscataine	12,500	157	116	12.6	9.3	41	131	8	51.0	3	1.9
IOWA											KANSAS												
Adair	13,891	259	126	18.6	9.1	133	206	13	50.2	3	1.2	O'Brien	18,409	340	161	18.1	8.7	179	211	20	58.8	7	2.1
Adams	10,437	171	80	16.4	7.7	91	(*)	10	55.5	4	2.3	Osceola	10,182	210	85	20.6	8.3	125	(*)	12	57.1	2	3.8
Allamakee	16,328	274	165	16.8	10.1	109	166	4	14.6	13	4.7	Page	26,100	429	403	16.4	15.4	26	106	22	51.3	13	3.0
Allanaukee	24,835	475	294	19.1	11.8	181	162	22	46.3	16	3.4	Palo Alto	15,398	300	113	19.5	7.2	187	265	9	30.0	4	1.3
Audubon	12,264	215	80	17.5	6.5	135	(*)	15	60.8	3	1.4	Plymouth	24,200	429	208	17.7	8.6	220	205	19	44.3	13	3.0
Benton	22,851	365	193	16.0	8.4	172	189	13	35.6	11	3.0	Pocahontas	15,700	244	103	15.5	6.6	141	237	9	36.9	9	3.7
Black Hawk	23,200	311	220	13.4	9.5	91	141	7	22.5	11	3.5	Polk	30,600	290	217	9.5	7.1	73	134	13	44.8	10	3.4
Boone	17,385	181	168	10.4	9.7	13	108	6	33.1	6	3.3	Pottawattamie	28,100	364	182	13.0	6.5	182	200	18	49.5	4	1.1
Bremer	17,100	286	187	16.7	10.9	99	153	12	42.0	6	2.1	Poweshiek	18,727	292	195	15.6	10.4	97	150	10	34.2	3	1.0
Buchanan	19,550	329	306	16.8	15.7	23	108	14	42.6	6	1.8	Ringgold	11,966	214	101	17.9	8.4	113	212	6	28.0	6	2.8
Buena Vista	18,700	317	173	17.0	9.3	144	183	17	53.6	5	1.6	Sac	17,700	287	150	16.2	8.5	137	191	14	48.8	7	2.4
Butler	17,617	234	118	13.3	6.7	116	198	12	51.3	11	4.7	Scott	16,600	153	175	9.2	10.5	-22	87	4	26.1	2	1.3
Calhoun	17,605	285	154	16.2	8.7	131	185	11	38.6	11	3.9	Shelby	17,300	332	148	19.2	8.6	184	224	9	27.1	6	2.4
Carroll	22,400	515	237	23.0	10.6	278	217	29	56.3	13	2.5	Sioux	26,800	620	184	23.1	6.9	436	337	23	37.1	18	2.9
Cass	19,400	273	193	14.1	10.2	75	138	15	54.9	11	4.0	Story	21,000	338	136	16.1	8.9	152	182	14	41.4	8	2.4
Cedar	16,760	167	132	10.0	7.9	35	127	5	29.9	6	3.6	Tama	22,000	281	213	12.8	9.7	68	132	8	28.5	6	2.1
Cerro Gordo	15,200	205	104	13.5	6.8	101	197	12	58.5	5	2.4	Taylor	14,859	184	136	12.4	9.2	48	135	7	38.0	3	1.6
Cherokee	18,900	302	282	16.0	14.9	20	107	10	33.1	9	3.0	Union	17,500	208	198	11.9	11.3	10	105	14	67.3	9	4.3
Chickasaw	14,637	260	134	17.8	9.2	126	194	11	42.3	9	3.3	Van Buren	12,603	146	138	11.6	10.9	8	106	10	68.5	3	2.1
Clarke	10,384	229	116	22.1	11.2	113	197	9	39.2	1	0.4	Wapello	12,200	173	130	14.2	10.7	43	133	5	28.9	4	2.3
Clay	16,200	298	119	18.4	7.3	179	250	12	40.3	7	2.3	Warren	17,700	293	138	16.6	7.8	155	212	12	41.0	9	3.1
Clayton	24,559	380	254	15.5	10.3	126	150	17	44.7	7	1.8	Washington	19,822	323	177	16.3	8.9	146	182	7	21.7	13	4.0
Clinton	18,600	165	155	8.9	8.3	10	108	9	54.5	2	1.2	Wayne	13,787	224	148	16.2	10.7	76	151	9	40.2	1	0.4
Crawford	21,100	281	177	13.3	8.4	104	159	19	67.6	9	3.2	Webster	18,600	264	103	14.2	5.5	161	256	10	37.9	5	1.9
Dallas	25,600	336	243	13.2	9.7	88	135	11	32.7	10	3.0	Winnebago	13,143	284	105	21.6	8.0	179	270	15	52.8	4	1.4
Davis	11,150	175	114	15.7	10.2	61	154	9	51.4	6	3.4	Winneshiek	21,630	388	207	17.9	9.6	181	187	18	46.4	12	3.1
Decatur	14,903	240	135	16.1	9.1	105	178	7	29.2	9	3.8	Woodbury	22,700	336	189	14.8	8.3	147	178	9	26.8	9	2.7
Delaware	18,122	304	178	16.8	9.8	126	171	13	42.8	14	4.6	Worth	11,164	168	82	15.0	7.3	86	(*)	11	65.5	12	7.1
Des Moines	11,400	76	98	6.7	8.6	-22	(*)	6	78.9	1	1.3	Wright	20,216	332	163	16.4	8.1	169	204	7	21.1	6	1.8
Dickinson	11,100	170	90	15.3	8.1	80	(*)	3	17.6	6	3.5												
Dubuque	19,600	272	134	13.9	6.8	138	203	11	40.4	7	2.6	Allen	42,391	342	248	16.0	11.6	94	138	16	46.8	11	3.2
Emmet	12,900	228	100	17.7	7.8	128	228	8	35.1	6	2.6	Anderson	13,400	197	128	14.7	9.6	69	154	15	76.1	2	1.0
Fayette	29,145	497	304	17.1	10.4	193	163	24	48.3	12	2.4	Aitchison	10,900	109	81	10.0	7.4	28	(*)	7	64.2	3	2.3
Floyd	19,600	255	193	13.0	9.8	62	132	13	51.0	19	7.5	Barber	10,200	137	74	13.4	7.3	63	(*)	8	53.4	3	2.2
Franklin	16,500	272	129	16.5	7.8	143	211	12	44.1	10	3.7	Barton	19,900	396	190	19.9	9.5	206	208	17	42.9	12	3.0
Fremont	15,500	264	146	17.0	9.4	118	181	12	45.5	3	1.1	Bourbon	11,586	158	88	13.6	7.6	70	(*)				

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 93]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Number	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Number	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Births	Deaths	Births	Deaths						
		Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths			Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
Section D—Continued																							
KANSAS—Con.																							
Ellis	16,100	515	188	32.0	11.7	327	274	39	75.7	10	1.9	Thomas	7,600	162	65	21.3	8.6	97	(*)	8	49.4	6	3.7
Ellsworth	10,132	186	94	18.4	9.3	92	(*)	8	43.0	5	2.7	Trego	6,500	139	52	21.4	8.0	87	(*)	6	43.2	3	2.2
Finney	11,400	342	141	30.0	12.4	201	243	28	81.9	6	1.8	Wabaunsee	10,830	159	70	14.7	6.5	89	(*)	6	37.7	5	3.1
Ford	10,700	183	78	17.1	7.3	105	(*)	9	49.2	4	2.2	Wallace	2,900	65	24	22.4	8.3	41	(*)	5	76.9		
Franklin	22,000	331	242	15.0	11.0	89	137	14	42.3	6	1.8	Washington	17,112	295	94	17.2	5.5	201	(*)	8	27.1	5	1.7
Geary	14,500	251	160	17.3	11.0	91	157	13	51.8	7	2.8	Wichita	2,700	30	22	11.1	8.1	8	(*)	3	100.0		
Gove	5,800	151	43	26.0	7.4	108	(*)	9	59.6	2	1.3	Wilson	18,646	322	179	17.3	9.6	143	180	13	40.4	11	3.4
Graham	7,800	204	68	26.2	8.7	136	(*)	6	29.4	4	2.0	Woodson	8,528	125	82	14.7	9.6	43	(*)	14	112.0	3	2.4
Grant	3,300	53	12	16.1	3.6	41	(*)	1	32.5	5	3.2	Wyandotte	20,600	218	188	10.6	9.1	30	116	14	64.2	4	1.8
Gray	6,400	154	31	24.1	4.8	123	(*)	5	32.5	5	3.2	White	18,400	199	139	10.8	7.6	60	143	11	55.3	4	2.0
Greenlee	1,800	41	19	22.8	10.6	22	(*)	2	48.8	10	3.9	Colored	2,200	19	49	8.6	22.2	-30	(*)	3	157.9		
Greenwood	19,800	258	122	13.0	6.2	136	211	11	42.6	10	3.9	KENTUCKY											
Hamilton	3,400	123	36	36.2	10.6	87	(*)	5	40.7	4	3.3	Adair	16,401	462	157	28.2	9.6	305	294	29	62.8	21	4.5
Harper	12,823	329	148	25.7	11.5	181	222	13	39.5	5	1.5	Allen	15,180	330	144	21.7	9.5	186	229	17	51.5	8	2.4
Harvey	11,100	140	140	12.6	12.6	100		6	42.9	4	2.9	Anderson	8,494	192	102	22.6	12.0	90	188	17	85.5	7	3.6
Haskell	3,000	43	22	14.3	7.3	21	(*)	4	93.0	1	2.3	Ballard	9,910	166	106	16.8	10.7	60	157	15	90.4	8	4.8
Hodgeman	4,200	80	21	19.0	5.0	59	(*)	3	62.5	3	3.8	Barren	25,900	665	322	25.7	12.4	343	207	53	79.7	16	2.4
Jackson	14,776	203	142	13.7	9.6	61	143	9	44.3	6	3.0	White	23,200	606	259	26.1	11.2	347	234	46	75.9	12	2.0
Jefferson	14,129	178	129	12.6	9.1	49	138	7	39.3	6	4.5	Colored	2,700	59	63	21.9	23.3	-4	(*)	7	118.6	4	6.8
Jewell	14,462	214	123	14.8	8.9	86	167	11	51.4	6	2.8	Bath	11,075	313	135	28.3	12.2	178	232	23	73.5	11	3.5
Johnson	28,200	350	237	12.4	8.4	113	148	16	45.7	9	2.6	Bell	28,700	681	190	23.7	6.6	491	358	48	70.5	22	3.2
Kearny	3,300	87	22	26.4	6.7	65	(*)	1	11.5	1	1.1	Boone	9,600	179	127	18.6	13.2	52	141	16	89.4	5	2.8
Kingman	11,674	331	99	19.8	8.5	132	(*)	6	26.0	4	1.7	Bourbon	18,060	402	275	22.3	15.2	127	146	30	74.6	14	3.5
Kiowa	6,035	122	45	20.2	8.0	74	(*)	7	57.4	4	3.3	White	14,053	342	162	24.3	11.5	180	211	24	70.2	9	2.6
Labette*	16,443	306	208	18.6	12.5	100	149	14	45.8	10	3.3	Colored	4,007	60	113	15.0	28.2	-53	53	6	100.0	5	8.3
Lane	3,400	68	17	20.0	5.0	51	(*)	1	1.5	1	1.5	Boyd	15,200	307	116	20.2	7.6	191	265	17	55.4	11	3.6
Leavenworth*	25,700	191	318	7.4	12.4	-127	60	10	52.4	6	3.1	Boyle	16,400	325	229	19.8	14.0	96	142	25	76.9	17	5.2
White	22,700	177	264	7.8	11.6	-87	67	9	50.8	6	3.4	White	13,300	303	175	22.8	13.2	128	173	18	59.4	16	5.3
Colored	3,000	14	54	4.7	18.0	-40	(*)	1	71.4	4	2.0	Colored	3,100	22	54	7.1	17.4	-32	(*)	7	318.2	1	4.5
Lincoln	9,707	164	127	16.9	7.4	92	(*)	5	30.5	3	1.8	Bracken	9,616	211	89	21.9	9.3	122	(*)	8	37.9	6	2.8
Linn	13,534	196	147	14.5	10.9	49	133	13	66.3	4	2.0	Breathitt	21,200	715	162	33.7	7.6	553	441	38	53.1	27	3.8
Logan	4,300	98	24	22.8	5.6	74	(*)	4	40.8	2	2.0	Breckinridge	17,368	432	190	24.9	10.9	242	227	19	44.0	23	5.3
Lyon	15,200	186	112	12.2	7.4	74	166	10	53.8	5	2.7	Bullitt	8,865	197	87	22.2	9.8	110	(*)	16	81.2	11	6.6
McPherson	23,800	361	206	15.2	8.7	155	175	23	63.7	5	1.4	Bullitt	12,620	257	111	20.4	8.8	146	232	16	62.3	11	4.3
Marion	20,739	319	180	15.4	8.7	139	177	14	43.9	6	1.9	Butler	13,781	251	138	18.2	10.0	113	182	8	31.9	21	8.4
Marshall	23,100	389	183	16.8	7.9	206	213	15	38.6	15	3.9	Caldwell	12,059	230	101	19.1	8.4	129	228	5	21.7	17	7.4
Meades	7,000	101	37	14.4	5.3	64	(*)	4	39.6	3	3.0	Colored	1,722	21	37	12.2	21.5	-16	(*)	3	142.9	4	19.0
Miami*	21,400	274	318	12.8	14.9	-44	86	19	69.3	11	4.0	Calloway	17,662	342	225	19.4	12.7	117	152	18	52.6	9	2.6
Mitchell	12,774	176	140	13.8	11.0	36	126	14	79.5	6	3.4	Campbell	34,500	563	405	16.3	11.7	158	139	28	49.7	21	3.7
Montgomery	22,600	350	229	15.6	10.2	121	153	19	54.3	13	3.7	Carlisle	7,363	154	70	20.9	9.5	84	(*)	6	59.0	3	1.9
Morris	11,859	185	84	15.6	7.1	101	(*)	3	16.2	9	4.9	Carroll	8,155	152	102	18.6	12.5	50	149	10	65.8	7	4.6
Morton	4,200	98	31	23.3	7.4	67	(*)	6	61.2	3	1.1	Carter	24,000	703	209	29.3	8.7	494	386	46	65.4	20	2.8
Nemaha	18,842	382	173	20.3	9.4	209	221	15	39.3	6	3.1	Casey	16,747	513	135	30.6	8.1	378	380	26	50.7	14	2.7
Nessho	12,888	122	122	14.7	9.8	60	149	12	65.9	3	1.6	Christian*	23,383	405	496	17.3	21.2	-91	82	40	98.8	22	5.4
Ness	8,500	169	51	19.9	6.0	118	(*)	9	59.6	9	5.3	White	15,679	299	345	19.1	22.0	-46	87	21	70.2	9	3.0
Norton	11,700	272	152	23.2	13.0	120	179	14	51.3	4	1.5	Colored	7,704	106	151	13.8	19.6	-45	70	19	179.2	13	12.3
Osage	17,538	230	144	13.1	8.2	86	160	7	30.4	7	3.0	Clark	17,640	360	297	20.4	15.1	93	135	32	88.9	19	5.3
Osborne	11,568	203	88	17.5	7.6	115	(*)	12	59.1	4	2.0	White	14,798	328	213	22.2	14.4	115	154	31	94.5	18	5.5
Ottawa	9,819	171	100	17.4	10.2	71	171	11	64.8	2	1.2	Colored	2,842	32	54	11.3	19.0	-22	(*)	1	31.3	1	3.1
Pawnee	10,700	172	194	16.1	18.1	-22	89	13	75.6	4	2.3	Clay	18,528	631	95	34.1	5.1	536	(*)	21	33.3	14	2.2
Phillips	12,159	228	92	18.8	7.6	136	(*)	10	43.9	2	0.9	Clinton	9,100	250	51	27.5	5.6	199	(*)	10	40.0	13	5.2
Pottawatomie	15,882	225	129	14.2	8.1	96	174	5	22.2	7	3.1	Crittenden	11,931	258	121	21.6	10.1	137	213	19	73.6	4	1.6
Pratt	13,400	230	114	17.2																			

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932						BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932						BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
	Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Number	Per 1,000 births	Number	Rate per 100 live births	Number			Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Number	Per 1,000 births	Number	Rate per 100 live births				
	Births	Deaths	Births	Deaths							Births	Deaths		Births	Deaths							Births	Deaths		
Section D—Continued												Section D—Continued													
KENTUCKY—continued													KENTUCKY—continued												
Green	11,400	279	80	24.5	7.0	199	(³)	10	35.8	6	2.2	Owsley	47,223	235	52	32.5	7.2	183	(³)	12	51.1	11	4.7		
Greenup	25,100	651	241	25.9	9.6	410	270	55	84.5	18	2.8	Pendleton	10,876	197	127	18.1	11.7	70	155	17	66.0	6	2.0		
Hancock	4,147	155	85	25.2	13.8	70	(³)	16	103.2	2	1.3	Perry	44,100	1,350	251	30.6	5.7	1,099	538	51	37.8	36	2.7		
Hardin	20,913	459	238	21.9	11.4	221	193	25	54.5	15	3.3	Pike	64,900	2,152	568	33.2	8.8	1,584	379	152	70.6	65	3.0		
Harlan	68,500	1,390	506	20.3	7.4	884	275	118	84.9	41	2.9	Powell	45,800	208	51	35.9	8.8	187	(³)	5	24.0	9	4.3		
Harrison	14,859	290	207	19.5	13.9	83	140	20	69.0	9	3.1	Pulaski	35,800	1,030	302	28.8	8.4	728	341	40	38.8	31	3.0		
Hart	16,169	345	146	21.3	9.0	199	236	18	52.2	3	0.9	Robertson	43,344	84	35	25.1	10.5	49	(³)	5	59.5	6	7.1		
Henderson	14,627	349	160	23.9	10.9	189	218	26	74.5	17	4.9	Rockcastle	15,149	471	121	31.1	8.0	350	389	31	65.8	9	1.9		
White	12,575	314	132	25.0	10.5	182	238	22	70.1	14	4.5	Rowan	11,100	367	88	33.1	7.9	279	(³)	24	65.4	13	3.5		
Colored	2,052	35	28	17.1	13.6	7	(³)	4	114.3	3	8.6	Russell	11,900	306	67	25.7	5.6	239	(³)	17	55.6	19	6.2		
Henry	12,564	215	142	17.1	11.3	73	151	15	69.8	8	3.7	Scott	14,400	299	198	20.8	13.8	101	151	25	82.9	14	4.7		
Hickman	8,725	180	109	20.6	12.5	71	165	11	61.1	8	4.4	White	11,889	284	143	22.2	12.0	121	185	18	68.2	13	4.9		
White	7,677	166	88	21.6	11.5	78	(³)	10	60.2	8	4.8	Colored	2,511	35	55	13.9	21.9	-20	(³)	7	200.0	1	2.9		
Colored	1,048	14	21	13.4	20.0	-7	(³)	1	71.4	0	0.0	Shelby	41,679	307	228	17.4	12.9	79	135	14	45.6	5	1.6		
Hopkins	37,800	641	399	17.0	10.6	242	161	44	68.6	37	5.8	White	15,042	274	190	18.2	12.6	84	144	13	47.4	2	0.7		
White	32,700	586	317	17.9	9.7	269	185	40	68.3	31	5.3	Colored	2,637	33	38	12.5	14.4	-5	(³)	1	30.3	3	9.1		
Colored	5,100	55	82	10.8	16.1	-27	(³)	4	72.7	6	10.9	Simpson	11,400	196	145	17.2	12.7	51	135	8	40.8	3	1.5		
Jackson	10,467	375	81	35.8	7.7	294	(³)	18	48.0	9	2.4	White	9,600	181	116	18.9	12.1	65	156	7	87.8	3	1.7		
Jefferson	49,000	505	696	10.3	14.2	-191	73	30	59.4	12	2.4	Colored	1,800	15	29	8.3	16.1	-14	(³)	1	66.7	0	0.0		
Jessamine	12,500	248	148	19.8	11.8	100	168	17	68.5	6	2.4	Spencer	4,606	160	65	24.2	9.8	95	(³)	11	68.8	6	3.8		
White	10,500	226	110	21.5	10.5	116	205	10	44.2	5	2.2	Taylor	12,047	342	168	28.4	13.9	174	204	19	55.6	10	2.9		
Colored	2,000	22	38	11.0	19.0	-16	(³)	7	318.2	1	4.5	Todd	13,520	269	183	19.9	13.8	86	147	15	53.8	3	1.9		
Johnson	23,400	724	238	30.9	10.2	486	304	54	74.6	25	3.5	White	10,127	202	130	19.9	12.8	72	155	13	64.4	3	1.5		
Kenton	29,700	353	232	11.9	7.8	121	152	26	73.7	6	1.7	Colored	3,393	67	63	19.7	15.6	14	(³)	2	29.9	2	3.0		
Knott	15,700	554	107	35.3	6.8	447	518	34	61.4	17	3.1	Trigg	12,521	257	142	20.5	11.0	114	151	24	83.4	8	3.1		
Knox	26,500	813	251	30.7	9.5	562	324	47	57.8	18	2.2	White	10,158	208	112	20.5	11.0	96	186	19	61.3	7	3.4		
Larue	9,093	222	99	24.4	10.9	123	(³)	7	31.5	6	2.7	Colored	2,373	49	80	20.6	12.6	19	(³)	1	102.0	1	1.0		
Laurel	21,300	585	122	27.5	5.7	463	480	22	37.6	28	4.8	Trimble	4,348	105	47	19.6	8.8	58	(³)	11	104.8	1	1.0		
Lawrence	16,713	501	150	30.0	9.0	351	334	23	45.9	20	4.0	Union	17,058	385	175	22.6	10.3	210	220	25	64.9	11	2.9		
Lee	9,729	303	99	31.1	10.2	204	(³)	15	49.5	12	4.0	White	15,027	343	147	22.8	9.8	196	233	21	61.2	10	2.9		
Leslie	10,800	523	82	48.4	7.6	441	(³)	26	49.7	19	3.6	Colored	2,026	42	28	20.7	13.8	14	(³)	4	95.2	1	2.4		
Letcher	37,000	1,064	187	28.8	5.1	877	569	43	40.4	36	3.4	Warren	21,304	521	247	24.5	11.6	274	211	31	59.5	13	2.5		
Lewis	14,315	420	153	29.3	10.7	267	275	31	73.8	11	2.6	White	18,700	470	208	25.1	11.1	262	226	24	51.1	12	2.6		
Lincoln	17,800	473	231	26.6	13.0	242	205	38	80.3	20	4.2	Colored	2,000	51	39	19.6	15.0	12	(³)	7	137.3	1	2.0		
Livingston	4,808	196	91	22.8	10.6	105	(³)	18	91.8	4	2.0	Washington	12,623	348	120	27.3	9.5	225	288	21	60.9	11	3.2		
Logan	21,875	464	243	21.2	11.1	221	191	22	47.4	12	2.6	White	11,261	319	110	28.3	9.8	209	290	18	66.4	9	2.8		
White	18,389	411	197	22.4	10.7	214	209	16	38.9	9	2.2	Colored	1,362	28	10	19.1	7.3	16	(³)	3	115.4	2	7.7		
Colored	3,486	53	46	15.2	13.2	6	(³)	6	113.2	3	5.7	Wayne	15,848	28	152	38.1	6.0	373	345	27	51.4	19	3.6		
Lyon	4,530	125	76	14.7	8.9	49	(³)	7	56.0	3	2.4	Webster	20,584	400	222	19.5	10.7	180	182	32	80.0	6	1.5		
White	7,330	120	46	16.4	6.3	74	(³)	5	41.7	2	1.7	White	17,480	366	173	21.0	9.9	193	212	28	76.5	6	1.6		
Colored	1,200	5	30	4.2	25.0	-25	(³)	2	400.0	1	20.0	Colored	3,104	34	47	11.0	15.1	-13	(³)	4	117.6	1	1.3		
McCracken	12,800	201	134	15.7	10.5	67	150	19	94.5	9	4.5	Whitley	30,000	899	261	30.0	8.7	638	344	51	56.7	21	2.8		
McCreary	15,000	441	82	29.4	5.5	359	(³)	18	40.8	12	2.7	Wolf	4,825	328	49	38.8	8.8	279	(³)	7	21.3	7	2.1		
McLean	11,072	245	105	22.1	9.5	140	233	12	49.0	8	3.3	Woodford	10,981	272	140	24.3	12.7	132	194	18	66.2	6	2.2		
Madison	27,800	603	357	21.7	12.8	246	169	30	49.8	23	3.8	White	8,774	235	113	26.8	12.9	122	208	15	63.8	3	1.3		
White	23,500	555	272	23.6	11.6	283	204	24	43.2	20	3.6	Colored	2,207	37	27	16.8	12.2	10	(³)	3	81.1	3	8.1		
Colored	4,300	48	85	11.2	19.8	-37	(³)	6	125.0	3	6.3														
Magoffin	15,900	444	90	27.9	5.7	354	(³)	11	24.8	11	2.5	LOUISIANA													
Marion	15,499	417	200	26.9	12.9	217	209	28	67.1	9	2.2	Acadia	39,900	1,067	310	26.7	7.8	757	344	66	61.9	44	4.1		
Marshall	12,889	252	123	19.6	9.5	129	205	20	79.4	10	4.0	White	31,700	834	220	26.3	6.9	614	379	49	50.4	31	3.7		
Martin	8,700	332	71	38.2	8.2	261	(³)	14	42.2	8	2.4	Colored	8,200	233	90	28.4	11.0	143	(³)	24	103.0	13	5.6		
Mason	19,000																								

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Per 1,000 births	Births	Deaths						
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate per 100 live births	Births	Deaths			Births	Deaths	Excess of births over deaths ¹	Deaths per 100 deaths	Number	Rate per 1,000 population	Excess of births over deaths ¹	Deaths per 100 deaths	Number	Rate per 100 live births
Section D—Continued											Section D—Continued												
LOUISIANA—continued											LOUISIANA—continued												
Caddo	49,900	713	355	14.3	7.1	358	201	46	64.5	47	6.6	Morehouse	24,200	507	256	21.0	10.6	251	198	32	63.1	34	6.7
White	18,400	196	113	10.7	6.1	83	173	10	51.0	7	3.6	White	10,500	210	69	20.0	6.6	141	(*)	12	57.1	5	2.4
Colored	31,500	517	242	16.4	7.7	275	214	36	69.6	40	7.7	Colored	13,700	297	187	21.7	13.6	110	159	20	67.3	29	9.8
Calcasieu	27,000	523	198	19.6	7.3	330	267	27	51.1	34	6.4	Natchitoches	33,477	1,068	378	27.8	9.9	690	283	69	64.6	53	5.0
White	20,500	392	133	19.1	6.5	259	295	17	43.4	15	3.4	White	470	141	25.8	7.7	329	333	24	51.1	16	3.4	
Colored	6,500	136	65	20.9	10.0	71	(*)	10	73.5	19	14.0	Colored	20,249	598	237	29.5	11.7	361	252	45	75.3	37	6.2
Caldwell	10,500	245	79	23.3	7.5	166	(*)	9	36.7	7	2.9	Ouachita	29,600	353	147	11.9	5.0	206	240	12	34.0	15	4.2
White	7,600	157	59	20.7	7.4	101	(*)	4	25.5	5	3.2	White	20,600	229	89	11.2	4.3	140	(*)	9	39.3	11	4.8
Colored	2,900	88	20	30.3	7.9	65	(*)	5	56.8	2	2.3	Colored	9,100	124	58	13.6	6.4	66	(*)	3	24.2	4	3.2
Cameron	6,300	77	30	12.2	4.8	47	(*)	5	64.9	2	2.6	Plaquemines	9,608	219	98	22.6	10.2	119	(*)	17	78.3	17	7.8
Catahoula	12,600	281	76	22.3	6.0	205	(*)	10	35.6	16	5.7	White	5,049	83	43	16.4	8.5	40	(*)	7	84.3	4	4.8
White	8,000	193	40	24.1	5.0	153	(*)	7	36.3	4	2.1	Colored	4,559	134	55	29.4	12.1	79	(*)	10	74.6	13	9.7
Colored	4,600	88	36	19.1	7.8	52	(*)	3	34.1	12	13.6	Pointe Coupee	21,007	473	238	22.5	11.3	235	199	46	97.3	37	7.8
Claiborne	32,800	480	182	14.6	5.5	298	264	26	54.2	23	4.8	White	8,795	193	78	21.9	8.9	115	(*)	12	62.2	12	6.2
White	14,400	160	76	11.1	5.3	84	(*)	8	50.0	5	3.1	Colored	12,211	280	160	22.9	13.1	120	175	34	121.4	25	8.9
Colored	18,400	320	106	17.4	5.8	214	302	18	56.3	18	5.6	Rapides	26,800	438	271	16.3	10.1	167	162	20	45.7	26	5.9
Concordia	12,800	285	96	22.3	7.5	189	(*)	11	38.6	28	9.8	White	15,700	321	213	20.4	13.6	108	151	17	53.0	30	9.2
White	3,700	79	16	21.4	4.3	63	(*)	1	12.7	2	2.5	Colored	16,200	312	89	19.3	5.5	223	(*)	15	48.1	12	3.8
Colored	9,100	206	80	22.6	8.8	126	(*)	10	48.5	26	12.6	Red River	8,500	189	47	22.2	5.5	142	(*)	7	37.0	8	4.2
De Soto	31,200	643	213	20.8	7.0	430	297	27	41.7	40	6.2	White	7,700	123	42	16.0	5.6	81	(*)	8	65.0	4	3.3
White	11,800	185	80	15.7	6.8	105	(*)	9	48.6	5	2.7	Colored	7,000	546	205	20.2	7.6	341	266	29	53.1	29	5.3
Colored	19,400	463	133	23.9	7.1	325	336	18	38.9	35	7.6	Richland	13,700	292	84	21.3	6.1	208	(*)	18	61.6	8	2.7
East Baton Rouge	39,500	859	474	21.7	12.0	385	181	52	60.5	59	6.9	White	13,300	254	121	19.1	9.1	133	210	11	43.3	21	8.3
White	20,200	470	181	23.3	9.0	289	260	20	42.6	15	3.2	Sabine	24,500	443	130	18.1	5.3	313	341	12	27.1	20	4.5
Colored	19,300	389	293	20.2	15.2	96	133	32	82.3	44	11.3	White	17,000	363	100	21.4	5.9	263	363	9	24.8	12	3.3
East Carroll	16,400	275	160	16.8	9.8	115	172	22	80.0	20	7.3	Colored	7,000	80	30	10.7	4.0	50	(*)	3	37.6	8	10.0
White	4,300	97	35	22.6	8.1	62	(*)	9	92.8	5	5.2	St. Bernard	6,700	63	53	9.4	7.9	10	(*)	6	95.2	4	6.3
Colored	12,100	178	125	14.7	10.3	53	142	13	73.0	15	8.4	White	5,400	41	33	7.6	6.1	8	(*)	3	73.2	2	4.9
East Feliciana*	17,449	325	377	18.6	21.6	-52	86	12	36.9	28	8.6	Colored	1,300	22	20	16.9	15.4	2	(*)	3	136.4	2	9.1
White	5,568	36	149	6.5	26.8	-113	24	4	11.1	2	5.6	St. Charles	12,500	257	92	20.6	7.4	165	(*)	16	62.3	7	2.1
Colored	11,881	289	228	24.3	19.2	61	127	8	27.7	26	9.0	White	8,300	181	46	21.8	5.5	135	(*)	5	27.6	2	1.1
Evangeline	25,700	444	120	17.3	4.7	324	370	10	22.5	16	3.6	Colored	4,200	76	46	18.1	11.0	30	(*)	11	144.7	5	6.6
White	19,900	337	97	16.9	4.9	240	(*)	3	23.7	8	2.4	St. Helena	8,500	192	55	22.6	6.5	137	(*)	6	31.3	10	5.2
Colored	5,800	107	23	18.4	4.0	84	(*)	2	18.7	8	7.5	White	3,800	68	24	17.9	6.6	44	(*)	3	44.1	5	7.4
Franklin	31,300	753	246	24.1	7.9	507	306	35	46.5	40	5.3	Colored	4,700	124	31	26.4	6.6	93	(*)	3	24.2	5	4.0
White	19,900	455	147	22.9	7.4	308	310	27	59.3	17	3.7	St. James	15,338	369	147	24.1	9.6	222	251	38	103.0	28	7.6
Colored	11,400	298	99	26.1	8.7	199	(*)	8	26.8	23	7.7	White	7,742	165	48	21.3	6.2	117	(*)	8	48.5	8	4.8
Grant	15,900	266	120	16.7	7.5	146	222	22	82.7	12	4.5	Colored	7,596	204	99	26.9	13.0	105	(*)	30	147.1	20	9.8
White	10,800	184	73	17.0	6.8	111	(*)	13	70.7	5	2.7	St. John the Baptist	14,300	320	127	22.4	8.9	193	252	22	68.8	22	6.8
Colored	5,100	82	47	16.1	9.2	35	(*)	9	109.8	7	8.5	White	7,300	162	30	22.2	4.1	132	(*)	7	43.2	7	4.3
Iberia	28,400	673	354	23.7	12.5	319	190	66	98.1	31	4.6	Colored	7,000	158	97	22.6	13.9	61	(*)	15	94.9	15	9.5
White	17,600	357	161	20.3	9.1	196	222	20	56.0	13	3.6	St. Landry	61,100	1,637	548	27.6	9.9	1,139	308	134	79.4	63	3.7
Colored	10,800	316	193	29.3	17.9	123	164	46	145.6	18	5.7	White	31,200	668	234	21.4	7.2	444	298	41	61.4	14	2.1
Iberville	24,638	523	290	21.4	11.8	233	182	33	62.5	39	7.4	Colored	29,900	1,019	324	34.1	10.8	695	315	33	91.3	49	4.8
White	11,900	243	101	20.8	8.5	147	246	8	32.3	8	3.2	St. Martin	21,787	633	210	31.4	9.6	473	325	32	46.9	14	2.0
Colored	12,738	280	189	22.0	14.8	91	148	25	89.3	31	11.1	White	14,222	401	110	28.2	7.7	291	355	11	27.4	5	1.2
Jackson	13,808	206	90	14.9	6.5	116	(*)	12	58.3	13	6.3	Colored	7,545	282	100	37.4	13.3	182	282	21	74.5	9	3.2
White	9,821	135	63	13.7	6.4	72	(*)	8	59.3	4	3.0	St. Mary	29,397	607	356	20.6	12.1	251	171	54	89.0	25	4.1
Colored	3,987	71	27	17.8	6.8	44	(*)	4	56.3	9	12.7	White	15,035	280	123	18.6	8.2	157	228	15	53.6	2	0.7
Jefferson	42,200	426	266	10.1	6.3	160	160	19	44.6	15	3.5	Colored	14,362	327	233	22.8	16.2	94	140	39	119.3	23	7.0
White	33,800	37																					

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Per 1,000 births	Births	Deaths			Excess of births over deaths ¹	Births per 100 deaths		
						Number	Per 1,000 births			Number	Rate per 100 live births												
Section D—Continued																							
LOUISIANA—continued											MARYLAND—continued												
Webster	30,000	598	227	19.9	7.6	371	263	32	53.5	31	5.2	Prince Georges	62,100	798	537	12.9	8.6	261	149	70	87.7	55	6.9
White	16,709	274	104	16.4	6.2	170	263	16	58.4	5	1.9	White	47,800	513	354	10.7	7.4	159	145	24	46.8	24	4.7
Colored	13,300	324	123	24.4	9.2	201	263	16	49.4	26	8.0	Colored	14,300	285	183	19.9	12.8	102	156	46	161.4	31	10.9
West Baton Rouge	49,716	194	129	20.0	13.3	65	150	14	72.2	17	8.8	Queen Annes	14,571	245	170	16.8	11.7	75	144	18	77.6	8	6.6
White	3,581	52	24	14.5	6.7	28	(3)	1	19.2	2	2.2	White	10,191	154	108	15.1	10.6	46	143	8	51.9	8	5.2
Colored	4,330	142	105	23.1	17.1	37	135	13	91.5	15	10.6	Colored	4,380	91	62	20.8	14.2	29	(3)	11	120.9	13	14.3
West Carroll	14,600	318	85	21.9	5.9	233	(3)	12	37.7	4	1.3	St. Marys	15,189	458	209	30.2	13.8	249	219	43	93.9	28	6.1
White	11,900	294	51	22.8	4.4	243	(3)	11	41.7	4	1.3	White	9,597	303	104	31.6	10.8	199	291	21	69.3	13	4.3
Colored	2,700	54	34	18.6	11.7	20	(3)	1	18.5	1	0.8	Colored	5,592	155	105	27.7	13.8	50	142	22	141.9	15	9.7
West Feliciana	10,924	201	118	18.4	10.8	83	170	16	79.6	14	7.0	Somerset	23,382	393	316	16.8	13.5	77	124	34	86.5	42	10.7
White	2,568	21	19	8.2	7.4	2	(3)	2	95.2	2	0.8	White	15,271	224	206	14.7	13.5	18	109	16	71.4	21	9.4
Colored	8,356	180	99	21.5	11.8	81	(3)	14	77.8	14	7.0	Colored	8,111	169	110	20.8	13.6	59	154	18	106.5	21	12.4
Winn	114,766	216	112	14.6	7.6	104	193	9	58.5	15	6.9	Talbot	13,600	435	345	23.4	18.5	90	128	36	82.8	38	13.3
White	11,039	171	72	15.4	6.5	99	(3)	10	58.5	9	5.3	White	12,700	300	216	23.6	17.0	84	139	19	63.3	44	14.7
Colored	3,697	45	40	12.2	10.8	5	(3)	4	88.9	6	13.3	Colored	5,900	135	129	22.9	21.9	6	105	17	125.9	14	10.4
MAINE											WASHINGTON												
Androscoggin	17,800	252	232	14.2	13.0	20	109	16	63.5	2	0.8	White	35,400	672	391	19.0	11.0	281	172	40	59.5	31	6.0
Aroostook	88,600	2,747	924	31.0	10.4	1,823	297	207	75.4	104	3.8	Wicomico	20,200	282	246	14.0	12.2	36	115	25	88.7	17	6.0
Cumberland	39,500	574	540	14.5	13.7	34	106	27	47.0	13	2.3	White	15,300	205	170	13.4	11.1	35	121	12	58.5	9	4.4
Franklin	20,000	402	242	20.1	12.1	160	166	20	49.8	11	2.7	Colored	4,900	77	76	15.7	15.5	1	(3)	13	168.8	8	10.4
Hancock	30,800	637	498	20.7	16.2	139	128	34	53.4	24	3.8	Worcester	421,624	404	292	18.7	13.5	112	138	24	153.5	33	8.2
Kennebec *	38,200	649	524	17.0	13.7	125	124	37	57.0	24	3.7	White	14,912	212	173	14.2	11.6	39	123	62	113.2	4	1.9
Knox	27,900	405	445	14.5	15.9	-40	91	14	34.6	19	4.7	Colored	6,712	192	119	28.6	17.7	73	161	38	197.9	29	15.1
Lincoln	15,498	267	243	17.2	15.7	24	110	18	67.4	7	2.6	MASSACHUSETTS											
Oxford	41,900	813	463	19.4	11.1	350	176	55	67.7	20	2.5	Barnstable	33,000	536	479	16.2	14.5	57	112	21	39.2	15	2.8
Penobscott	63,800	1,390	649	21.8	10.2	741	214	78	56.1	50	3.6	Berkshire	36,700	311	380	8.5	10.4	-69	82	15	48.2	11	3.5
Piscataquis	18,231	392	232	21.5	12.7	160	169	18	45.9	10	2.6	Bristol	56,300	749	579	13.3	10.3	170	129	49	64.1	32	4.3
Sagadahoc	16,927	282	238	16.7	14.1	44	118	15	53.2	10	3.5	Dukes	5,000	102	79	20.4	15.8	23	(3)	4	39.2	3	2.9
Somerset	39,300	693	502	17.6	12.8	191	138	42	60.6	20	2.9	Essex	60,500	539	747	8.9	12.3	-208	72	21	39.0	16	3.0
Waldo	120,286	405	341	20.0	16.8	64	119	23	56.8	21	5.2	Franklin	34,100	404	387	11.8	11.3	17	104	26	64.4	18	4.5
Washington	437,828	660	412	17.4	10.9	248	160	36	54.5	19	2.9	Hampden	49,000	453	442	9.3	9.0	16	104	33	72.1	19	4.1
York	55,600	778	736	14.0	13.2	42	106	51	65.6	27	3.5	Hampshire	37,200	391	353	10.5	9.5	38	111	13	33.2	17	3.7
MARYLAND											MICHIGAN												
Allegany	41,500	898	332	21.6	9.2	516	235	52	57.9	53	5.9	Alcona	4,489	118	51	23.7	10.2	67	(3)	8	67.8	4	3.4
Anne Arundel *	43,900	690	530	15.7	13.2	110	119	54	78.3	38	5.5	Alger	49,327	193	89	20.7	9.5	104	(3)	13	67.4	7	3.6
White	32,000	369	269	11.5	8.4	100	137	20	54.2	20	5.4	Allegan	39,100	687	437	17.6	12.5	200	141	26	37.8	25	3.6
Colored	11,900	321	311	27.0	26.1	10	103	34	105.9	18	5.6	Alpena	6,400	152	59	23.8	9.2	93	(3)	8	52.6	8	5.3
Baltimore	130,600	1,559	1,221	11.9	9.3	338	128	81	52.0	89	5.7	Antrim	49,979	264	123	26.5	12.8	136	206	17	64.4	8	1.9
White	118,400	1,404	1,126	11.9	9.5	278	125	68	48.4	80	5.7	Arenac	48,007	171	101	21.4	12.6	70	169	17	64.3	5	4.7
Colored	12,200	155	95	12.7	7.8	60	(3)	9	83.9	9	5.8	Baraga	9,300	120	76	12.9	8.2	44	(3)	15	125.0	6	5.0
Calvert	49,528	266	152	27.9	16.0	114	175	34	127.8	26	9.8	Barry	20,928	347	301	16.6	14.4	46	115	17	49.0	15	4.3
White	5,009	108	62	21.6	12.4	46	(3)	9	83.3	2	1.9	Bay	422,119	442	213	20.0	9.6	229	208	25	56.6	10	2.3
Colored	4,519	158	90	35.0	19.9	68	(3)	25	158.2	24	15.2	Benzie	4,687	188	94	28.5	14.3	94	(3)	11	58.5	7	3.7
Caroline	17,387	292	193	16.8	11.1	99	151	19	65.1	12	4.1	Berrien	55,700	751	578	13.5	10.4	173	130	39	51.9	22	2.9
White	13,710	209	147	15.2	10.7	62	142	11	52.6	8	3.8	Branch	423,950	356	328	14.9	13.7	28	109	12	33.7	15	4.2
Colored	3,677	83	46	22.6	12.5	37	(3)	8	96.4	4	4.8	Calhoun	44,400	554	605	12.5	13.6	-51	92	36	65.0	23	4.2
Carroll	36,200	535	594	14.8	16.4	-59	90	29	54.2	22	4.1	Cass	20,900	279	239	13.3	13.8	-10	97	17	60.9	4	1.4
Cecil	26,100	440	350	16.9	13.4	90	126	34	77.3	44	10.0	Charlevoix	11,981	246	149	20.5	12.4	97	165	9	36.6	8	3.3
White	23,500	388	296	16.5	12.6	92	131	25	64.4	35	9.0	Cheboygan	11,502	288	149	25.0	13.0	139	193	12	41.7	7	2.4
Colored	2,600	52	54	20.0	20.8	-2	(3)	9	173.1	9	17.3	Chippewa	11,100	262	116	23.6	10.5	146	226	17	64.9	3	1.1
Charles	16,166	408	174	25.2	10.8	234	234	40	98.0	39	9.6	Clare	47,032	192	81	27.3	11.5	111	(3)	6	31.3	3	1.1
White	8,674	158	70	18.2	8.1	88	(3)	13	82.3	20	12.7	Clinton	24,300	429	286	17.7	11.8	143	150	25	58.3	22	5.1
Colored	7,492	250	104	33.4	13.9	146	240	27	108.0	19	7.6	Crawford	43,097	94	66	30.4	21.3	28	(3				

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths 1	Deaths of infants under 1 year of age	Deaths of infants under 1 year of age	Number	Rate per 100 live births 1	Number			Rate per 1,000 population		Excess of births over deaths 1	Deaths of infants under 1 year of age	Deaths of infants under 1 year of age	Number	Rate per 100 live births			
		Births	Deaths	Births	Deaths						Number			Per 1,000 births	Number						Per 1,000 births	Births	Deaths
						Births	Deaths	Births	Deaths	Number						Rate per 100 live births							
Section D—Continued																							
MICHIGAN—continued																							
Iosco.....	47,517	141	84	18.8	11.2	57	(*)	7	49.6	4	2.8	Douglas.....	18,813	351	200	18.7	10.6	151	176	14	39.9	19	5.4
Iron.....	20,805	325	177	15.6	8.5	148	184	18	55.4	13	4.0	Faribault.....	21,700	428	190	19.7	8.8	238	225	15	35.0	12	2.8
Isabella.....	21,126	517	247	24.5	11.7	270	209	22	42.6	19	3.7	Fillmore.....	24,748	386	207	15.6	8.4	179	186	9	23.3	7	1.8
Jackson.....	38,800	430	369	11.1	9.5	61	117	24	55.8	15	3.5	Freeborn.....	19,000	212	114	11.2	6.0	98	186	7	33.0	5	2.4
Kalamazoo.....	38,400	471	369	12.3	9.6	102	128	20	42.5	11	2.3	Koochhue.....	31,400	541	350	17.2	11.1	191	155	21	38.8	21	3.9
Kalkaska.....	3,799	114	58	30.0	15.3	56	(*)	7	61.4	5	4.4	Grant.....	9,558	168	71	17.6	7.4	97	(*)	12	71.4	8	4.8
Kent *.....	75,900	1,458	896	19.2	11.8	562	163	72	40.4	45	3.1	Hennepin.....	56,400	436	629	7.7	11.2	-193	69	24	55.0	8	1.3
Keweenaw.....	5,076	78	49	15.4	9.7	29	(*)	10	123.2	3	3.8	Houston.....	13,845	239	133	17.3	9.6	106	130	6	25.1	7	2.9
Lake.....	4,066	62	49	15.2	12.1	13	(*)	1	16.1	3	4.8	Hubbard.....	9,596	183	93	19.1	9.7	90	(*)	9	49.2	4	2.2
White.....	3,653	55	38	15.1	10.4	17	(*)	1	18.2	3	5.5	Isanti.....	12,081	212	141	17.5	11.7	71	150	9	42.5	4	1.9
Colored.....	413	7	11	16.9	26.6	-4	(*)					Itasca.....	27,600	485	204	17.6	7.4	281	238	21	43.3	12	2.5
Lapeer *.....	28,700	516	398	18.0	13.9	118	130	16	31.0	18	3.5	Jackson.....	15,863	294	115	18.5	7.2	179	266	11	37.4	12	4.1
Leelanau.....	8,206	170	88	20.7	10.7	82	(*)	12	70.6	6	3.5	Kanabec.....	8,558	130	52	15.2	6.1	78	(*)	3	23.1	1	0.8
Lenawee.....	36,900	538	447	14.6	12.1	91	120	27	50.2	14	2.6	Kandiyohi.....	23,800	441	240	18.5	10.1	201	184	23	52.2	13	2.9
Livingston *.....	19,500	324	295	16.6	15.1	29	110	23	71.0	8	2.5	Kittson.....	9,638	227	90	23.4	9.3	137	(*)	13	37.3	8	3.5
Luce *.....	6,600	150	146	22.7	22.1	4	103	10	66.7	10	6.7	Koochiching.....	14,100	243	108	17.2	7.7	135	225	9	37.0	10	4.1
Mackinac.....	8,900	204	96	22.9	10.8	108	(*)	14	68.6	8	3.9	Lac qui Parle.....	15,398	267	123	17.3	8.0	144	217	10	37.5	6	2.2
Macomb.....	67,800	1,069	478	15.3	7.1	591	224	50	46.8	40	3.7	Lake.....	7,068	82	70	11.6	9.9	12	(*)	8	97.6	4	4.9
Manistee.....	17,409	305	268	17.5	15.4	37	114	17	55.7	10	3.3	Lake of the Woods.....	4,194	71	27	16.9	6.4	44	(*)	6	84.5	3	4.2
Marquette.....	29,076	485	311	16.7	10.7	174	156	25	61.5	20	4.1	Le Sueur.....	18,000	300	152	16.7	8.4	148	197	9	30.0	5	1.7
Mason.....	18,756	352	229	18.8	12.2	123	154	10	43.1	5	2.2	Lincoln.....	11,300	238	98	21.1	8.7	140	(*)	16	67.2	6	2.5
Mecosta.....	15,738	337	216	21.4	13.7	121	156	13	38.6	9	2.7	Lyon.....	19,400	397	163	20.5	8.4	234	244	17	42.8	5	1.3
Menominee.....	13,152	232	137	17.6	10.4	95	169	10	43.1	5	2.2	McLeod.....	20,500	383	192	18.7	9.4	191	199	15	39.2	10	2.6
Midland.....	19,400	486	196	25.1	10.1	290	248	36	74.1	13	2.7	Mahnommen.....	6,153	127	41	20.6	6.7	86	(*)	8	63.0	1	0.8
Missaukee.....	6,992	187	72	26.7	10.3	115	(*)	8	42.8	4	2.1	White.....	4,541	93	29	20.5	6.4	64	(*)	6	64.5	1	1.1
Monroe.....	35,500	561	342	15.8	9.6	219	164	33	58.8	18	3.2	Colored.....	1,612	34	12	21.1	7.4	22	(*)	2	58.8		
Montcalm.....	27,471	577	419	21.0	15.3	158	138	40	69.3	12	2.1	Marshall.....	17,003	341	142	20.1	8.4	199	240	17	49.9	9	2.6
Montmorency.....	2,814	78	36	27.7	12.8	42	(*)	2	25.6			Martin.....	22,600	444	172	19.6	7.6	272	258	15	33.8	13	2.9
Muskegon.....	23,000	271	203	11.8	8.8	68	133	10	36.9	5	1.8	Meeke.....	17,914	360	142	20.1	7.9	218	254	10	27.8	12	3.3
Newaygo.....	17,029	367	223	21.6	13.1	144	165	21	57.2	13	3.5	Mille Lacs.....	14,076	278	127	19.7	9.0	151	199	19	68.3	15	4.4
Oakland.....	109,600	1,533	935	14.0	8.5	598	164	65	42.4	46	3.0	Morrison.....	25,442	603	245	23.7	9.6	358	246	23	38.1	11	1.8
Oceana.....	13,805	265	160	19.2	11.6	105	166	14	52.8	7	2.6	Mower.....	15,800	276	129	17.5	8.2	147	214	16	58.0	7	2.5
Ogemaw.....	6,595	181	79	27.4	12.0	102	(*)	15	82.9	6	3.3	Murray.....	13,900	250	91	18.0	6.5	159	(*)	11	44.0	5	2.0
Ontonagon.....	11,114	190	105	17.1	9.4	85	181	17	89.5	2	1.1	Nicollet *.....	16,700	216	303	12.9	18.1	-87	71	5	23.1	10	4.6
Oscoda.....	12,806	305	197	23.8	15.4	108	155	14	45.9	5	1.6	Nobles.....	18,700	405	151	21.7	8.1	254	268	18	44.4	25	6.2
Osoda.....	1,728	46	20	26.6	11.6	26	(*)	4	87.0	3	6.5	Norman.....	14,061	236	122	16.8	8.7	114	193	14	59.3	8	3.4
Otsego.....	5,554	140	57	25.2	10.3	83	(*)	7	50.0	4	2.9	Olmsted.....	14,800	234	111	15.8	7.5	123	211	10	42.7	3	1.3
Ottawa.....	41,100	738	381	18.0	9.3	357	194	37	50.1	30	4.1	Otter Tail *.....	51,000	1,063	607	20.3	11.9	426	170	44	62.2	24	2.3
Presque Isle.....	11,330	279	80	24.6	7.1	199	(*)	19	68.1	16	5.7	Pennington.....	10,487	230	123	21.9	11.7	107	187	12	52.6	7	3.0
Roscommon.....	2,100	44	30	21.0	14.3	14	(*)	4	90.9			Pine.....	120,264	384	162	18.9	8.0	222	237	19	49.5	7	1.3
Saginaw.....	40,700	657	399	16.1	9.8	258	165	42	63.9	15	2.3	Pipstone.....	12,300	255	113	20.7	9.2	142	226	9	35.3	4	1.6
St. Clair.....	36,700	629	432	17.1	11.8	197	146	39	62.0	23	3.7	Polk.....	36,019	628	313	17.4	8.7	315	201	40	63.7	18	2.9
St. Joseph.....	31,100	524	436	16.8	14.0	88	120	30	57.3	19	3.6	Pope.....	13,085	204	105	15.6	8.0	99	194	4	19.6	6	2.4
Sanilac.....	27,751	560	357	20.2	12.9	203	157	33	58.9	26	4.6	Ramsey.....	15,800	82	120	5.2	7.6	-38	68	8	97.6	2	2.4
Schoolcraft.....	8,451	200	86	23.7	10.2	114	(*)	9	45.0	8	4.0	Red Lake.....	6,887	151	45	21.9	6.5	106	(*)	6	39.7	2	1.3
Shiawassee.....	25,200	385	244	15.3	9.7	141	158	18	46.8	10	2.6	Redwood.....	20,620	408	119	19.8	5.8	289	343	11	27.0	7	1.7
Tuscola.....	32,934	585	478	17.8	14.5	107	122	42	71.8	27	4.6	Renville.....	23,600	393	159	16.7	6.7	234	247	16	40.7	9	2.3
Van Buren.....	32,900	481	445	14.6	13.5	36	108	22	45.7	23	4.8	Rice.....	17,200	234	153	13.6	8.9	81	153	7	29.9	6	2.3
Washtenaw.....	29,100	365	375	12.5	12.9	-10	97	9	24.7	13	3.6	Rock.....	10,962	188	93	17.2	8.5	95	(*)	4	21.3	10	5.3
Wayne *.....	83,800	1,345	1,477	16.1	17.6	-132	91	65	48.3	41	3.0	Roseau.....	12,621	321	105	25.4	8.3	216	306	17	53.0	8	2.3
Wexford.....	16,827	379	226	22.5	13.4	153	168	22	58.0														

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births	Number			Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			
		Births	Deaths	Births	Deaths						Births			Deaths	Births						Deaths	Births	Deaths
		Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births	Births			Deaths	Births	Deaths	Excess of births over deaths ¹	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births		
Section D—Continued											Section D—Continued												
MISSISSIPPI											MISSISSIPPI												
Adams	10,200	399	274	39.1	26.9	125	146	18	45.1	30	7.5	39,000	1,047	426	26.8	10.9	621	246	50	47.8	61	5.8	
White	2,000	137	54	68.5	27.0	83	(*)	8	58.4	5	3.6	White	9,300	148	35	15.9	9.1	63	(*)	5	33.9	5	3.4
Colored	8,200	262	220	32.0	26.2	42	119	10	38.2	25	9.5	Colored	29,700	899	341	30.3	11.5	558	284	45	50.1	56	6.2
Alcorn	23,900	416	234	17.4	9.3	182	178	30	72.1	30	7.2	Humphreys	26,400	522	248	20.6	9.6	279	215	54	103.4	30	5.7
White	19,800	348	169	17.6	8.5	179	206	20	57.5	19	5.5	White	8,000	135	51	16.9	6.4	84	(*)	37	95.6	24	6.2
Colored	4,100	68	65	16.6	15.9	3	(*)	10	147.1	11	16.2	Colored	17,400	387	192	22.2	11.0	195	202	12	78.4	10	6.5
Amite	19,800	488	152	24.6	7.7	336	321	27	55.3	17	3.5	Issaquena	5,734	153	86	26.7	15.0	67	(*)	1	83.3	10	7.1
White	9,300	201	57	21.6	6.1	144	(*)	4	44.3	6	3.0	White	1,065	12	8	11.3	7.5	4	(*)	11	78.0	10	7.1
Colored	10,500	287	95	27.3	9.0	192	(*)	18	62.7	11	3.8	Colored	4,669	141	78	30.2	16.7	63	(*)	10	78.0	10	7.1
Attala	26,200	666	197	25.4	7.5	469	338	29	43.5	27	4.1	Itawamba	18,500	471	103	25.5	5.6	368	457	22	46.7	14	3.0
White	15,200	348	95	22.9	6.3	253	(*)	9	25.9	7	2.0	Jackson	16,973	352	198	22.0	12.4	154	178	19	54.0	9	2.6
Colored	11,000	318	102	28.9	9.3	216	312	20	62.9	20	6.3	White	12,119	282	140	23.3	11.6	142	201	15	53.2	9	2.1
Benton	9,813	283	93	28.8	9.5	190	(*)	12	42.4	9	3.2	Colored	3,854	70	58	18.2	15.0	12	(*)	4	57.1	8	4.3
White	5,144	133	38	25.9	7.4	95	(*)	2	15.0	1	0.8	Jasper	18,700	541	147	28.9	7.9	394	368	26	48.1	24	4.4
Colored	4,669	150	55	32.1	11.8	95	(*)	10	66.7	8	5.3	White	9,600	243	62	25.3	6.5	181	(*)	10	41.2	11	4.5
Bolivar	72,700	1,433	754	19.7	10.4	679	190	78	54.4	62	4.3	Colored	9,100	298	85	32.7	9.3	213	(*)	16	53.7	13	4.4
White	18,800	347	117	18.5	6.2	230	297	16	46.1	5	1.4	Jefferson	14,291	332	147	23.2	10.3	185	226	28	84.3	10	3.0
Colored	53,900	1,086	637	20.1	11.8	449	170	62	57.1	57	5.2	White	3,453	56	36	16.2	10.4	20	(*)	5	89.3	10	3.6
Calhoun	18,200	404	110	22.2	6.0	294	367	12	29.7	12	3.0	Colored	10,838	276	111	25.5	10.2	165	249	23	83.3	10	3.6
White	14,600	326	83	23.3	5.7	243	(*)	7	21.5	7	2.1	Jefferson Davis	14,500	407	108	28.1	7.4	299	377	17	41.8	13	3.2
Colored	3,600	78	27	21.7	7.5	51	(*)	5	64.1	5	6.4	White	6,400	169	60	26.4	9.4	109	(*)	9	53.3	8	3.0
Carroll	19,765	503	142	25.4	7.2	361	354	18	35.3	25	5.0	Colored	8,100	238	48	29.4	5.9	180	(*)	8	33.6	8	3.4
White	8,491	189	54	22.3	6.4	135	(*)	8	42.3	4	2.1	Jones	23,900	638	141	26.7	5.9	497	452	20	31.7	26	2.6
Colored	11,274	314	88	27.9	7.8	226	(*)	10	31.8	21	6.7	White	19,600	487	103	24.8	5.3	384	473	14	28.7	17	3.7
Chickasaw	4,203	500	190	24.0	9.1	310	263	17	34.0	16	3.2	Colored	4,300	151	38	35.1	8.3	113	(*)	6	39.7	9	6.0
White	10,374	133	38	24.6	9.0	162	(*)	6	23.5	10	3.9	Kemper	22,200	513	130	23.1	8.1	383	385	24	46.8	24	6.7
Colored	10,461	245	97	23.4	9.3	148	(*)	11	44.9	6	2.4	White	9,200	199	70	21.6	7.6	129	(*)	8	40.2	6	3.0
Choctaw	12,339	339	96	27.4	7.8	243	(*)	15	44.2	13	3.8	Colored	13,000	314	110	24.2	10.4	204	285	16	51.0	18	7.7
White	8,866	233	69	26.3	7.8	164	(*)	8	34.3	5	3.4	Lafayette	20,100	526	209	26.2	10.4	317	232	32	60.8	14	2.7
Colored	3,473	106	27	30.5	7.8	79	(*)	7	66.0	8	4.7	White	11,800	309	118	26.2	10.0	181	262	15	48.5	15	1.6
Claiborne	12,152	256	143	21.1	11.8	113	179	11	43.0	14	5.5	Colored	8,300	217	91	26.1	11.0	126	(*)	17	78.3	9	4.1
White	3,112	58	30	18.6	9.6	28	(*)	1	17.2	2	3.4	Lamar	12,848	295	83	23.0	6.5	212	(*)	15	50.8	13	4.4
Colored	9,040	198	113	21.9	12.5	85	175	10	50.5	12	6.1	White	10,119	228	87	22.5	5.8	171	(*)	9	39.5	7	3.1
Clarke	19,900	511	188	25.7	9.4	323	272	40	78.3	25	4.9	Colored	2,728	67	26	24.6	9.5	41	(*)	6	89.6	6	9.0
White	11,700	263	91	22.5	7.8	172	(*)	12	45.6	6	2.3	Lauderdale	21,600	524	179	24.3	8.3	345	298	29	55.3	26	5.0
Colored	8,200	248	97	30.2	11.8	151	(*)	28	112.9	19	7.7	Colored	11,400	204	80	17.9	7.0	124	(*)	5	24.5	4	2.0
Clay	18,000	427	196	23.7	10.9	231	218	31	72.6	20	4.7	Lawrence	10,200	320	99	31.4	9.7	221	(*)	24	75.0	22	6.9
White	6,800	120	60	17.6	8.8	60	(*)	11	91.7	3	2.5	White	12,471	332	94	26.6	7.5	233	(*)	11	33.1	11	3.3
Colored	11,200	307	136	27.4	12.1	171	226	20	65.1	17	5.5	Colored	7,775	200	56	25.7	7.2	144	(*)	6	30.0	2	1.0
Coahoma	36,500	631	452	17.3	12.4	179	140	59	93.5	46	7.3	Lee	4,886	132	38	28.1	8.1	94	(*)	5	37.9	9	6.8
White	5,500	97	42	17.6	7.6	55	(*)	5	51.5	2	2.1	White	22,400	580	150	25.9	6.7	430	387	21	36.2	19	3.3
Colored	31,000	534	410	17.2	13.2	124	130	54	101.1	44	8.2	Colored	14,100	314	87	22.3	6.2	227	(*)	11	35.0	12	3.8
Copiah	32,000	867	271	26.8	8.5	596	316	35	40.8	26	3.0	Lee	8,300	266	63	32.0	7.6	208	(*)	10	37.6	7	2.6
White	16,300	368	120	22.6	7.4	248	307	13	35.3	3	0.8	Lee	36,000	836	336	23.3	9.3	502	249	37	44.2	34	4.1
Colored	15,700	499	151	31.1	9.6	338	324	22	45.0	23	4.7	White	24,600	584	200	23.7	8.1	384	292	29	49.7	25	4.3
Covington	15,000	396	121	26.4	8.1	275	327	18	45.5	17	4.3	Colored	11,400	254	136	22.3	11.9	118	187	8	31.9	9	3.5
White	10,700	268	68	25.0	6.4	200	(*)	7	26.1	8	3.0	Leflore	44,000	1,022	297	23.2	6.8	725	344	35	34.2	52	5.1
Colored	4,300	128	53	29.8	12.3	75	(*)	11	85.9	9	7.0	White	7,100	132	44	18.6	6.2	88	(*)	9	68.2	3	2.3
De Soto	25,600	526	239	20.5	9.3	287	220	32	60.8	35	6.7	Colored	36,900	890	253	24.1	6.9	637	352	26	29.2	49	5.5
White	6,700	139	48	20.7	7.2	91	(*)	2	14.4	6	4.3	Lincoln	26,500	641	225	24.1	8.5	416	285	46	71.8	36	5.6
Colored	18,900	387	191	20.5	10.1	196	203	30	77.5	29	7.5	White	17,000	361	104	21.2	6.1	257	347	19	52.6	12	3.3
Forrest	12,000	240	85	20.0	7.1	155	(*)</																

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)		INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
	Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Per 1,000 births	Number	Rate per 100 live births	Number			Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Number	Per 1,000 births	Number	Rate per 100 live births				
	Births	Deaths	Births	Deaths								Births	Deaths		Births	Deaths								Births	Deaths		
Section D—Continued														Section D—Continued													
MISSISSIPPI—continued														MISSISSIPPI—continued													
Noxubee	25,800	637	219	24.7	8.5	418	291	21	33.0	28	4.4	Webster	12,128	301	87	24.8	7.2	214	(*)	14	46.5	7	2.3				
White	5,500	99	38	18.0	6.9	61	(*)	2	20.2			White	9,569	218	63	22.8	6.6	155	(*)	5	22.9	6	2.8				
Colored	20,300	538	181	26.5	8.9	357	297	19	35.3	28	5.2	Colored	2,559	83	24	32.4	9.4	59	(*)	9	108.4	1	1.2				
Oktibbeha	19,400	504	181	26.0	9.3	323	278	29	57.5	15	3.0	Wilkinson	13,957	373	140	26.7	10.0	233	266	14	37.5	14	3.8				
White	7,900	170	58	21.5	7.3	112	(*)	10	58.8			White	4,170	71	39	17.0	9.4	32	(*)								
Colored	11,500	334	123	29.0	10.7	211	272	19	56.9	15	4.5	Colored	9,787	302	101	30.9	10.3	201	299	14	46.4	14	4.6				
Panola	28,700	699	341	24.4	11.9	358	259	45	64.4	3	4.3	Winston	21,600	503	137	23.3	6.3	366	367	30	59.6	13	2.6				
White	10,700	217	104	20.3	9.7	113	209	16	73.7	3	1.4	White	13,300	297	80	22.3	6.0	217	(*)	16	53.9	6	2.0				
Colored	18,000	482	237	26.8	13.2	245	203	29	60.2	27	5.6	Colored	8,300	206	57	24.8	6.9	149	(*)	14	68.0	7	3.4				
Pearl River	19,900	438	159	22.0	8.0	279	275	29	66.2	26	5.9	Yalobusha	17,750	389	182	21.9	10.3	207	214	13	33.4	21	5.4				
White	14,600	362	103	24.8	7.1	259	351	15	41.4	14	3.9	White	9,497	189	90	19.9	9.5	99	(*)	6	31.7	5	2.6				
Colored	5,300	76	56	14.3	10.6	20	(*)	14	184.2	12	15.8	Colored	8,253	200	92	24.2	11.1	108	(*)	7	35.0	16	6.0				
Perry	4,819	222	65	27.1	7.9	157	(*)	11	49.5	13	5.9	Yazoo	37,300	968	470	26.0	12.6	498	206	69	71.3	58	6.0				
White	5,449	160	37	29.4	6.8	123	(*)	5	31.3	7	4.4	White	12,200	294	135	24.1	11.1	159	218	14	47.6	8	2.7				
Colored	2,748	62	28	22.6	10.2	34	(*)	6	96.8	6	9.7	Colored	25,100	674	335	26.9	13.3	339	201	55	81.6	50	7.4				
Pike	22,300	531	175	23.8	7.8	356	303	27	50.8	16	3.0	MISSOURI															
White	9,700	167	66	17.2	6.8	101	(*)	9	53.9	5	3.0	Adair	19,436	407	254	20.9	13.1	153	160	21	51.6	16	3.9				
Colored	12,600	364	109	28.9	8.7	255	334	18	49.5	11	3.0	Andrew	13,469	173	149	12.8	11.1	24	116	8	46.2	3	1.7				
Pontotoc	22,300	524	139	23.5	6.2	385	377	17	32.4	12	2.3	Atchison	13,500	211	90	15.6	6.7	121	(*)	8	37.9	6	2.8				
White	18,100	424	101	23.4	5.6	323	420	15	35.4	10	2.4	Audrain	22,300	310	252	13.9	11.3	58	123	20	64.5	14	4.5				
Colored	4,200	100	38	23.8	9.0	62	(*)	2	20.0	2	2.0	Barry	22,803	435	241	19.1	10.6	194	180	28	64.4	17	3.9				
Prentiss	19,500	443	164	22.7	8.4	279	270	17	38.4	10	2.3	Barton	14,560	252	151	17.3	10.4	101	167	10	39.7	5	2.0				
White	17,000	387	136	22.8	8.0	251	285	16	41.3	9	2.3	Bates	22,068	307	268	13.9	12.1	39	115	13	42.3	10	3.3				
Colored	2,500	56	28	22.4	11.2	28	(*)	1	17.9	1	1.8	Benton	11,708	196	97	16.7	8.3	99	(*)	9	45.9	7	3.6				
Quitman	26,000	455	207	17.5	8.0	248	220	34	74.7	21	4.6	Bollinger	12,269	214	88	17.4	7.2	136	(*)	12	56.1	4	1.9				
White	8,300	171	48	20.6	5.8	123	(*)	6	35.1	5	2.9	Boone	15,700	254	169	16.2	10.8	85	150	17	66.9	12	4.7				
Colored	17,700	284	159	16.0	9.0	125	179	28	98.6	16	5.6	Buchanan	17,900	233	173	13.0	9.7	60	135	5	21.5	5	2.1				
Rankin	20,400	552	173	27.1	8.5	379	319	31	56.2	36	6.5	Butler	23,697	626	373	26.4	15.7	263	168	62	99.0	37	5.9				
White	9,900	206	72	22.2	7.7	134	(*)	10	48.5	7	3.4	Caldwell	12,509	179	133	14.3	10.6	46	135	11	61.5	4	2.2				
Colored	11,100	346	101	31.2	9.1	245	343	21	60.7	29	8.4	Callaway	19,923	303	371	15.2	13.6	—	82	21	39.3	9	3.0				
Scott	21,600	533	179	24.8	8.3	354	298	31	58.2	18	3.4	White	17,417	253	300	14.5	17.2	—	84	18	51.4	7	4.0				
White	12,500	322	79	25.8	6.3	243	(*)	10	31.1	7	2.2	Colored	2,506	50	71	20.9	28.3	—	84	8	160.9	2	2.0				
Colored	9,000	211	100	23.4	11.1	111	211	21	99.5	11	5.2	Camden	9,142	168	67	13.4	7.3	101	(*)	11	65.7	5	3.0				
Sharkey	13,877	330	167	23.8	12.0	163	198	24	72.7	31	9.4	Cape Girardeau	17,000	322	198	13.9	11.6	134	163	24	74.5	5	1.6				
White	3,595	80	20	22.3	5.6	60	(*)	5	62.5	3	3.8	Carroll	19,940	346	228	17.4	11.4	118	152	24	69.4	20	5.8				
Colored	10,282	250	147	24.3	14.3	103	170	19	76.0	28	11.2	Carters	4,503	115	45	20.9	8.2	70	(*)	7	60.9	5	4.3				
Simpson	21,200	486	183	22.9	8.6	303	266	12	24.7	20	4.2	Cass	20,962	319	218	15.2	10.4	101	146	11	34.5	10	3.1				
White	14,200	309	109	21.8	7.7	200	283	5	16.2	9	2.9	Cedar	11,136	213	151	19.1	13.6	62	141	8	37.6	5	2.3				
Colored	7,000	177	74	25.3	10.6	103	(*)	7	39.5	11	6.2	Chariton	19,588	362	195	18.5	10.0	167	186	22	60.8	12	3.6				
Smith	18,700	489	104	26.1	5.6	385	470	14	28.6	16	3.3	Christian	13,169	268	136	20.4	10.3	132	197	12	44.8	7	2.6				
White	15,000	395	81	26.3	5.4	314	(*)	10	25.3	10	2.5	Clark	10,254	145	118	14.1	11.5	27	123	4	27.6	6	3.4				
Colored	3,700	94	23	25.4	6.2	71	(*)	4	42.6	6	6.4	Clay	27,600	356	396	12.9	14.3	—	90	21	59.0	21	5.9				
Stone	4,704	130	54	22.8	9.5	76	(*)	3	23.1	1	0.8	Clinton	13,500	214	139	15.8	10.3	75	154	12	56.1	6	3.3				
White	4,200	101	34	23.6	7.9	67	(*)	2	19.8	—	—	Cole	9,400	188	83	20.0	8.8	105	(*)	11	58.5	4	2.1				
Colored	1,424	29	20	20.4	14.0	9	(*)	1	34.5	1	3.4	Cooper	19,500	351	237	18.0	12.2	114	148	12	34.2	10	2.8				
Sunflower	68,800	1,410	576	20.5	8.4	834	245	73	51.8	89	6.3	White	17,500	309	193	17.7	11.0	116	160	8	25.9	6	1.9				
White	20,500	331	118	16.1	5.8	213	281	20	60.4	15	4.5	Colored	2,000	42	44	21.0	22.0	—	(*)	4	95.2	4	9.5				
Colored	48,300	309	458	22.3	9.5	821	236	53	49.1	74	6.9	Crawford	11,287	240	121	21.3	10.7	119	198	12	50.0	10	4.2				
Tallahatchie	35,568	772	332	21.7	9.3	440	233	46	59.6	30	3.9	Dade	11,764	201	124	17.1	10.5	77	162	7	34.8	5	2.5				
White	11,356	284	88	25.1	7.8	196	(*)	16	56.3	6	2.1	Dallas	10,541	207	93	19.0	8.8	114	(*)	6	29.0	4	1.9				
Colored	24,232	488	244	20.1	10.1	244	200	30	61.5	24	4.9	Daviess	14,424	189	135	13.1	9.4	54	140	4	21.2	3	1.6				
Tate	17,671	346	169	19.6	9.6	177	205	21	60.7	17	4.9	De Kalb	10,270	162	117	15.8	11.4	45	138	6	37.0	4	2.5				
White	7,043	135	51	19.2																							

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Per 1,000 births	Number	Rate per 1,000 population						
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population						
Section D—Continued																							
MISSOURI—continued																							
Lewis	42,093	188	176	15.5	14.6	12	107	10	53.2	4	2.1	Broadwater	42,738	42	29	15.3	10.6	13	(3)	3	71.4	1	2.4
Lincoln	43,929	194	136	13.9	9.8	58	143	10	51.5	7	3.6	Carbon	42,571	244	90	19.4	7.2	154	(3)	11	45.1	7	2.9
Linn	23,339	331	283	14.2	12.1	48	117	24	72.5	17	5.1	Carter	4,200	74	24	17.6	5.7	50	(3)	4	54.1	1	1.4
Livingston	18,615	267	237	14.3	12.7	30	113	18	67.4	13	4.9	Cascade	12,100	70	53	5.8	4.4	17	(3)	1	14.3	2	2.9
McDonald	13,936	323	109	16.0	7.8	114	205	5	22.4	6	2.7	Chouteau	8,635	92	46	10.7	5.3	46	(3)	3	32.6	3	3.3
Macon	23,070	226	244	14.1	10.6	82	134	12	36.8	10	3.1	Cluster	11,242	227	128	20.2	11.4	99	177	13	57.3	2	0.9
Madison	9,418	167	101	17.7	10.7	66	165	13	77.8	4	2.4	Daniels	5,600	121	36	21.6	6.4	85	(3)	10	82.6	2	1.7
Marion	10,700	217	170	25.9	8.4	147	(3)	15	69.1	6	2.8	Dawson	10,000	180	93	18.0	9.3	87	(3)	12	66.7	4	2.2
Mercer	9,350	147	104	15.7	11.1	43	141	12	81.6	5	3.4	Deer Lodge*	3,800	2	216	0.5	56.8	-214	1	2	(3)	1	50.0
Miller	16,900	330	139	19.5	8.2	191	237	17	51.6	10	3.0	Fallon	4,600	85	40	18.5	8.7	45	(3)	4	47.1	1	1.2
Mississippi	16,100	403	224	25.0	13.9	179	180	45	111.7	12	3.0	Fergus	16,531	276	138	16.7	8.3	138	200	14	50.7	8	2.9
White	11,800	294	127	24.9	10.8	167	231	19	64.6	7	2.4	Flathead	19,300	333	189	17.3	9.8	144	176	13	39.0	7	2.1
Colored	4,300	109	97	25.3	22.6	12	(3)	26	238.5	5	4.6	Gallatin	16,200	299	173	18.5	10.7	126	173	22	73.6	10	3.3
Moniteau	12,173	186	164	15.3	13.5	22	113	14	75.3	12	6.5	Garfield	4,252	57	24	13.4	5.6	33	(3)	2	35.1	1	1.8
Monroe	13,466	165	198	12.3	14.7	-33	83	10	60.6	3	1.8	Glacier	5,400	153	79	28.3	14.6	74	(3)	16	104.6	6	3.0
Montgomery	13,011	193	147	14.8	11.3	46	131	9	46.6	3	4.1	White	2,500	49	18	19.6	7.2	31	(3)	1	20.4	2	4.1
Morgan	10,968	235	121	21.4	11.0	114	194	7	29.8	5	2.1	Colored	2,900	104	61	35.9	21.0	43	(3)	15	144.2	4	3.8
New Madrid	30,900	615	396	19.9	12.8	219	155	85	138.2	25	4.1	Golden Valley	4,126	23	18	10.8	8.5	5	(3)	1	20.2	2	8.7
White	24,800	543	307	21.9	12.4	236	177	73	134.4	20	3.7	Granite	4,213	12	34	4.0	11.3	-22	(3)	1	83.3	1	8.3
Colored	6,100	72	89	11.8	14.6	-17	(3)	12	166.7	5	6.9	Hill	13,775	329	127	23.9	9.2	202	259	15	45.6	13	4.0
Newton	27,200	583	311	21.4	11.4	272	187	22	37.7	23	3.9	Jefferson	4,133	48	58	11.6	14.0	-10	(3)	1	20.8	2	4.2
Nodaway	26,371	453	302	17.2	11.5	151	150	31	68.4	20	4.4	Judith Basin	5,238	38	10	7.3	1.9	28	(3)	1	26.3	1	4.2
Oregon	12,220	246	99	20.1	8.1	147	(3)	9	36.6	12	4.9	Lake	9,700	218	100	22.5	10.3	118	218	13	59.6	5	2.3
Osage	12,462	294	105	23.6	8.4	189	280	9	30.6	5	1.7	White	7,800	168	63	21.5	8.1	105	(3)	7	41.7	4	2.4
Ozark	9,537	240	61	25.2	6.4	179	(3)	7	29.2	15	6.3	Colored	1,900	50	37	26.3	19.5	13	(3)	6	120.0	1	2.0
Pemisot	38,600	618	491	16.0	12.7	127	126	103	166.7	37	6.0	Le wis and Clark	4,421	17	100	2.6	15.6	-83	17	3	176.5	2	11.8
White	27,800	483	337	17.4	12.1	146	143	73	151.1	21	4.3	Liberty	4,168	29	12	13.2	5.5	17	(3)	4	137.9	1	1.7
Colored	10,800	135	154	12.5	14.3	-19	88	30	222.2	16	11.9	Lincoln	7,089	118	60	16.6	8.5	58	(3)	4	33.9	4	3.4
Perry	13,707	294	138	21.4	10.1	156	218	17	57.8	9	3.1	McCone	4,800	63	25	13.1	5.2	38	(3)	1	15.9	2	3.2
Pettis	13,858	210	138	15.2	9.8	74	154	11	52.4	7	3.3	Madison	4,823	72	49	11.4	7.7	23	(3)	1	13.9	2	2.8
Phelps	15,400	312	228	20.3	14.8	84	137	22	70.5	8	2.6	Meagher	4,272	23	17	10.1	7.5	6	(3)	1	4.8	1	4.8
Pike	18,001	292	254	16.2	14.1	38	115	19	65.1	11	3.8	Mineral	4,626	8	22	4.9	13.5	-14	(3)	1	1.1	1	4.8
White	15,855	257	223	16.2	14.1	34	115	16	62.3	8	3.1	Missoula	7,200	28	40	3.9	5.6	-12	(3)	2	71.4	1	1.1
Colored	2,146	35	31	16.3	14.4	4	(3)	3	85.7	3	8.6	Musselshell	7,242	90	58	12.4	8.0	32	(3)	5	55.6	1	1.7
Platte	13,819	192	146	13.9	10.6	46	132	10	52.1	7	3.6	Park	10,922	161	98	14.7	9.0	63	(3)	4	24.8	6	3.1
Polk	17,803	261	196	14.7	11.0	65	133	17	65.1	19	7.3	Petroleum	2,045	15	5	7.3	2.4	10	(3)	3	29.4	3	1.7
Pulaski	10,800	248	100	23.0	9.3	148	248	13	52.4	5	2.0	Phillips	4,208	102	53	12.4	6.5	49	(3)	3	34.7	3	1.7
Putnam	11,503	206	133	17.9	11.6	73	155	4	68.0	2	1.2	Powder	7,100	173	50	24.4	7.0	123	(3)	6	34.7	3	1.7
Ralls	10,700	168	95	15.7	8.9	73	(3)	5	29.8	2	1.2	Powder River	4,000	40	13	10.0	3.0	27	(3)	3	75.0	1	2.5
Randolph	12,531	178	167	14.2	12.5	21	113	9	50.6	6	3.4	Powell	4,202	41	60	6.6	9.7	-19	(3)	1	2.4	1	2.4
Ray	19,846	346	196	17.4	9.9	150	177	15	43.4	9	2.6	Prairie	4,000	58	14	13.3	3.5	39	(3)	2	37.7	1	1.9
Reynolds	8,923	198	47	22.2	5.3	151	(3)	4	20.2	6	3.0	Ravalli	10,800	177	121	17.2	11.7	56	146	13	73.4	7	4.0
Ripley	11,176	218	83	19.5	8.3	125	(3)	9	41.3	8	3.7	Richard	9,700	210	67	21.6	6.9	143	(3)	9	42.9	6	2.9
St. Charles	13,500	211	123	15.3	8.9	88	172	11	44.5	12	5.7	Roosevelt	10,700	270	75	25.2	7.0	195	(3)	11	40.7	5	1.9
St. Clair	13,289	247	138	18.6	10.4	109	179	11	44.5	12	4.9	White	8,600	168	39	19.5	4.5	128	(3)	4	23.8	5	3.0
St. Francois	36,400	663	415	18.2	11.4	248	160	38	57.3	24	3.6	Colored	2,100	102	36	48.6	17.1	66	(3)	7	68.6	1	6.3
St. Louis*	193,200	2,536	1,829	15.3	11.0	707	139	118	46.5	98	3.9	Rosebud	4,347	138	83	18.8	12.0	55	(3)	14	101.4	6	4.3
St. Genevieve	10,100	224	91	22.2	9.0	133	(3)	8	35.7	7	3.6	White	6,970	90	38	14.1	6.0	52	(3)	6	68.7	3	3.3
Saline	30,800	481	349	15.6	11.3	132	138	28	53.2	11	2.3	Colored	4,777	48	50	49.1	51.2	-2	(3)	8	166.7	3	6.3
Schuyler	6,951	86	76	12.4	10.9	10	(3)	6	69.8	2	2.3	Sanders	5,800	54	39	9.3	6.7	15	(3)	2	37.0	7	4.2
Scotland	4,853	112	98	12.7	10.5	19	(3)	5	44.6	3	2.7	Sheridan	9,900	105	57	16.7	5.8	108	(3)	11	66.7	1	1.3
Scott	25,100	551	250	22.0	10.0	301	220	49	88.9	21	3.8	Silver Bow	17,487	154	212	8.8	12.2	-58	73	7	45.5	5	3.2
Shannon	10																						

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births	
		Births	Deaths	Births	Deaths									Births	Deaths	Births	Deaths							Births
		Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births	
Section D—Continued																								
NEBRASKA—continued																								
Burt	13,100	256	116	19.5	8.9	140	221	12	46.9	6	2.3	Sioux	4,700	76	14	16.2	3.0	62	(3)	4	52.6	1	1.3	
Butler	14,410	282	101	19.6	7.0	181	279	11	39.0	6	2.1	Stanton	7,800	120	49	15.4	6.3	71	(3)	5	41.7	1	0.8	
Cass	17,684	217	137	12.3	7.7	80	158	10	46.1	5	2.3	Thayer	13,684	210	119	15.3	8.7	91	176	6	52.4	5	2.4	
Cedar	16,500	356	91	21.6	5.5	265	(3)	12	33.7	4	1.1	Thomas	1,610	33	10	21.9	6.6	23	(3)	3	90.9			
Chase	5,500	117	41	21.3	7.5	76	(3)	5	42.7	4	3.4	Thurston	10,600	274	96	25.8	9.1	178	(3)	13	47.4	10	3.6	
Cherry	10,998	218	84	20.0	7.7	134	(3)	11	50.5	4	1.8	White	8,600	197	52	22.9	6.0	145	(3)	6	30.5	9	4.6	
Cheyenne	10,400	203	79	19.5	7.6	124	(3)	16	73.8	4	2.0	Colored	2,000	77	44	38.5	22.0	33	(3)	7	90.9	1	1.3	
Clay	13,571	210	126	15.9	9.3	84	167	7	33.3	7	3.3	Valley	9,533	163	87	17.6	9.1	81	(3)	6	35.7	5	3.0	
Collax	11,434	204	109	17.8	9.5	95	187	5	32.5	5	2.5	Washington	10,700	170	107	14.1	8.3	63	159	6	35.3	4	2.4	
Cuming	14,400	253	98	17.9	6.8	160	(3)	8	31.0	6	2.3	Wayne	10,700	193	73	18.0	6.8	120	(3)	9	46.6	5	2.6	
Custer	26,189	545	223	20.8	8.5	322	244	21	38.5	20	3.7	Webster	10,210	157	76	15.4	7.4	81	(3)	6	38.2	6	3.3	
Dakota	9,700	180	71	16.5	7.3	89	(3)	10	62.5	11	6.9	Wheeler	4,335	56	15	24.0	6.4	41	(3)	2	35.7	2	3.6	
Dawes	11,700	180	82	15.4	7.0	98	(3)	9	50.0	8	4.4	York	17,300	298	185	17.2	10.7	113	161	8	26.8	6	2.0	
Dawson	18,100	384	143	21.2	7.9	241	269	17	44.3	11	2.2	NEVADA												
DeWan	4,100	83	19	20.2	4.6	64	(3)	1	24.1	1	1.0	Churchill	5,100	69	42	13.5	8.2	27	(3)	7	101.4	6	8.7	
Dixon	11,536	205	64	17.7	5.5	141	(3)	2	28.3	6	2.9	White	4,600	63	39	13.7	8.5	24	(3)	7	111.1	6	9.5	
Dodge	13,900	236	104	17.0	7.5	132	227	12	50.8	5	2.1	Colored	500	6	3	12.0	6.0	3	(3)	22	76.4	14	4.9	
Douglas	19,700	130	87	6.6	4.4	43	(3)	2	15.4	1	0.8	Clark	9,000	298	250	33.1	27.8	48	119	24	80.5	16	5.4	
Dundy	5,700	126	44	22.1	7.7	82	(3)	7	55.6	1	0.8	Colored	7,800	288	236	36.9	30.3	52	122	23	76.4	14	4.9	
Fillmore	12,971	202	95	15.6	7.3	107	(3)	9	44.6	7	3.5	White	1,200	10	14	8.3	11.7	—	(3)	2,200.0	2	20.0		
Franklin	9,094	164	75	18.0	8.2	89	(3)	10	61.0	7	4.3	Douglas	1,800	9	14	5.0	7.8	—	(3)	1,111.1	1	11.1		
Frontier	8,114	149	65	18.4	8.0	84	(3)	4	26.8	6	4.0	White	1,600	9	13	5.6	8.1	—	(3)	1,111.1	1	11.1		
Furnas	12,200	218	109	17.9	8.9	109	200	10	45.9	6	2.8	Colored	200	1	—	—	—	—	(3)	—	—	—		
Gage	19,900	345	172	18.8	8.6	82	148	12	47.2	6	2.4	Elko	10,200	146	110	14.3	10.8	36	138	11	75.3	7	4.8	
Garden	5,200	97	32	18.7	6.2	65	(3)	3	30.9	1	1.0	White	8,700	121	85	13.9	9.2	36	(3)	8	66.1	6	5.0	
Garfield	3,207	79	29	24.6	9.0	50	(3)	1	12.7	1	1.3	Colored	1,500	25	26	16.7	16.7	—	(3)	8	120.0	1	4.0	
Gosper	4,287	88	27	20.5	6.3	61	(3)	5	56.8	2	2.3	Esméralda	1,077	8	24	7.4	22.3	-16	(3)	—	—	—	—	
Grant	1,427	37	10	25.9	7.0	27	(3)	3	8.1	3	8.1	Eureka	1,333	5	11	3.8	8.3	-8	(3)	1,200.0	—	—	—	—
Grealey	8,442	193	63	23.5	6.3	145	(3)	10	50.5	5	2.5	White	1,077	3	11	2.7	10.0	-8	(3)	1,333.3	—	—	—	—
Hall	9,000	154	65	17.1	7.2	89	(3)	7	45.5	3	1.9	Colored	236	2	—	—	—	-2	(3)	—	—	—	—	
Hamilton	12,159	215	85	17.7	7.0	130	(3)	7	32.6	4	1.9	Humboldt	3,800	61	54	16.1	14.2	7	(3)	3	49.2	3	4.9	
Harlan	8,957	152	62	17.0	6.9	90	(3)	3	19.7	4	2.6	White	3,200	54	48	16.9	15.0	6	(3)	2	37.0	3	5.6	
Hayes	3,600	103	25	28.6	6.9	78	(3)	2	19.4	1	1.0	Colored	600	7	6	11.7	10.0	1	(3)	1,142.9	—	—		
Hitchcock	7,400	171	60	23.1	8.1	111	(3)	8	46.8	2	1.2	Lander	1,700	19	18	11.2	10.6	1	(3)	—	—	—	—	
Holt	16,509	345	135	20.8	8.2	208	254	20	53.3	7	2.0	White	1,400	18	13	12.9	9.3	5	(3)	—	—	—	—	
Hooker	1,180	34	17	28.8	14.4	17	(3)	5	147.1	1	1.0	Colored	300	1	5	3.3	16.7	-4	(3)	—	—	—	—	
Howard	10,020	198	89	19.8	8.9	109	(3)	10	50.5	6	3.0	Lincoln	3,800	47	24	12.4	6.3	23	(3)	3	63.8	2	5.9	
Jefferson	16,400	243	150	14.8	9.1	93	162	7	28.8	6	2.5	Lyon	3,810	34	44	8.9	11.5	-10	(3)	4	117.6	1	3.2	
Johnson	9,200	143	83	15.5	9.0	60	(3)	3	21.0	3	2.1	White	3,347	31	35	9.3	10.5	-4	(3)	2	64.5	1	3.2	
Kearney	8,094	113	92	14.0	11.4	21	(3)	6	53.1	3	2.7	Colored	463	3	9	6.5	19.4	-6	(3)	2,666.7	1	33.3		
Keith	6,900	121	48	17.5	7.0	73	(3)	9	74.4	3	2.5	Mineral	1,900	22	32	11.6	16.8	-10	(3)	2	90.9	1	4.5	
Keyapaha	3,203	58	13	18.1	4.1	45	(3)	4	69.0	1	1.7	White	1,300	17	20	13.1	15.4	-3	(3)	—	—	—	—	
Kimball	4,700	126	35	26.8	7.4	91	(3)	4	31.7	5	4.0	Colored	600	5	12	8.3	20.0	-7	(3)	2,400.0	—	—		
Knox	19,100	305	135	16.0	7.1	170	226	12	39.3	4	1.3	Nye	3,989	20	65	5.0	16.3	-45	(3)	2,100.0	—	—		
Lancaster	20,800	207	259	10.0	12.5	-52	80	11	53.1	4	1.9	White	3,436	18	63	5.2	18.3	-45	(3)	2,111.1	—	—		
Lincoln	13,700	229	69	16.7	5.0	160	(3)	7	30.6	6	2.6	Colored	553	2	2	3.6	3.6	—	(3)	—	—	—		
Logan	2,100	32	14	15.2	6.7	18	(3)	1	31.3	1	3.1	Ormsby	4,221	22	62	9.9	27.9	-40	(3)	4	181.8	—	—	
Loup	1,818	35	8	19.3	4.4	27	(3)	1	28.6	—	—	White	1,896	22	42	11.6	22.2	-20	(3)	2	90.9	—	—	
McPherson	1,358	18	7	13.3	5.2	11	(3)	1	55.6	1	5.6	Colored	325	—	20	—	—	-20	(3)	—	—	—	—	
Madison	15,500	252	90	16.3	5.8	162	(3)	13	51.6	6	2.4	Pershing	4,262	21	27	7.9	10.2	-6	(3)	3	142.9	—	—	
Merrick	10,619	163	72	15.3	6.8	91	(3)	3	18.4	1	0.6	White	2,345	19	22	8.1	9.4	-3	(3)	1	52.6	—	—	
Morrill	10,000	222	68	22.2	6.8	154	(3)	14	63.1	7	3.2	Colored	307	2	5	6.5	16.3	-3	(3)	2	(3)	—	—	
Nance	8,700	170	64	19.5	7.4	106	(3)	5	29.4	5	2.9	Storey	4,667	7	21	10.5	31.5	-14	(3)	1	142.9	—	—	
Nemaha	12,356	182	116	14.7	9.4	66	157	5	27.5	15	8.2	Shoshone	8,900	43	86	4.8	9.7	43	(3)	3	69.8	2	4.	

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Births	Deaths	Births	Deaths						
Section D—Continued																							
NORTH CAROLINA—con.																							
Carteret	17,100	403	176	23.6	10.3	227	229	21	52.1	21	5.2	Haywood	28,800	836	247	29.0	8.6	589	338	50	59.8	26	3.1
White	14,500	317	136	21.9	9.4	181	235	13	41.0	14	4.4	Henderson	24,000	552	283	23.0	11.8	269	195	36	65.2	16	2.9
Colored	2,600	86	40	33.1	15.4	46	(*)	8	93.0	7	8.1	Hertford	17,700	435	196	24.6	11.1	239	222	48	110.3	18	4.1
Caswell	18,500	411	157	22.2	8.5	254	262	22	53.5	17	4.1	White	7,300	139	68	19.0	9.3	71	(*)	6	43.2	3	2.2
White	10,000	209	76	20.9	7.6	133	(*)	11	52.6	1	0.5	Colored	10,400	296	128	28.5	12.3	168	231	42	141.9	15	5.1
Colored	8,500	202	81	23.9	9.5	121	(*)	11	54.5	16	7.9	Hoke	14,500	360	170	24.8	11.7	190	212	35	97.2	14	3.9
Catawba	45,200	1,044	372	23.1	8.2	672	281	71	68.0	28	2.7	White	5,300	108	55	20.4	10.4	53	(*)	11	101.9	2	1.9
White	40,100	919	310	22.9	7.7	609	296	60	65.3	20	2.2	Colored	9,200	252	115	27.4	12.5	137	219	24	95.2	12	4.8
Colored	5,100	125	62	24.5	12.2	63	(*)	11	88.0	8	6.4	Hyde	8,600	188	48	21.9	5.6	140	(*)	5	26.6	10	5.3
Chatham	24,200	454	211	18.8	8.7	243	215	23	50.7	12	2.6	White	5,000	93	23	18.6	5.6	65	(*)	3	32.3	3	3.2
White	16,200	291	145	18.0	9.0	146	201	8	27.5	4	1.4	Colored	3,600	95	20	26.4	5.6	75	(*)	2	21.1	7	7.4
Colored	8,000	163	66	20.4	8.3	97	(*)	15	92.0	8	4.9	Iredell	36,900	796	331	21.6	9.0	465	240	44	55.3	31	3.9
Cherokee	16,300	423	118	26.0	7.2	305	358	27	63.8	20	4.7	White	29,100	632	221	21.7	7.6	411	286	29	45.9	19	3.0
Chowan	11,400	262	112	23.0	9.8	150	234	22	84.0	9	3.4	Colored	7,800	164	110	21.0	14.1	54	149	15	91.5	12	7.3
White	6,000	139	42	23.2	7.0	97	(*)	3	57.6	4	2.9	Jackson	18,000	493	137	27.4	7.6	356	300	27	54.8	19	3.9
Colored	5,400	123	70	22.9	13.0	53	(*)	14	113.8	5	4.1	Johnston	58,700	1,417	485	24.1	8.3	932	292	101	71.3	66	4.7
Clay	5,600	137	36	24.3	6.5	101	(*)	9	65.7	8	5.8	White	45,300	1,107	365	24.4	8.1	742	308	77	69.6	41	3.7
Cleveland	42,300	1,012	233	23.9	5.5	779	434	40	39.5	40	4.0	Colored	13,400	310	120	23.1	9.0	190	258	24	77.4	25	8.1
White	31,900	771	175	24.2	5.5	596	441	24	31.1	25	3.2	Jones	10,500	270	74	25.7	7.0	196	(*)	10	37.0	22	8.1
Colored	10,400	241	58	23.2	5.6	183	(*)	16	66.4	15	6.2	White	5,800	133	37	22.9	6.4	96	(*)	3	22.6	8	6.0
Columbus	38,600	1,107	351	28.7	9.1	756	315	78	70.5	55	5.0	Colored	4,700	137	37	29.1	7.9	100	(*)	7	61.1	14	10.2
White	26,600	739	205	27.8	7.7	534	360	40	54.1	32	4.3	Lee	17,400	383	155	22.0	8.9	228	247	25	65.3	15	3.9
Colored	12,000	368	146	30.7	12.2	222	252	38	103.3	28	6.3	White	11,800	253	104	21.4	8.8	149	243	15	59.3	7	2.8
Craven	18,900	475	180	25.1	9.5	295	264	32	67.4	31	6.5	Colored	5,600	130	51	23.2	9.1	79	(*)	10	76.9	8	6.2
White	10,400	241	82	23.2	7.9	159	(*)	14	68.1	7	2.9	Lenoir	24,900	609	245	24.5	9.8	364	340	61	100.2	38	6.4
Colored	8,500	234	98	27.5	11.5	136	(*)	18	79.9	24	10.3	White	3,000	304	132	21.3	9.2	172	230	29	95.4	19	3.6
Cumberland	32,900	779	240	23.7	7.3	539	325	44	56.5	41	5.3	Colored	10,600	305	113	28.8	10.7	192	270	32	104.9	28	9.2
White	21,000	460	146	21.9	7.0	314	315	23	50.0	20	4.3	Lincoln	23,500	519	205	22.1	8.7	314	253	51	98.3	22	4.2
Colored	11,900	319	94	26.8	7.9	225	(*)	21	65.8	21	6.6	White	20,000	470	171	23.5	8.6	299	275	43	91.5	16	3.4
Currituck	4,710	115	61	17.1	9.1	54	(*)	7	60.9	7	6.1	Colored	3,500	49	34	14.0	9.7	15	(*)	8	163.3	6	12.2
White	4,455	66	34	14.8	7.6	32	(*)	2	30.3	3	4.5	McDowell	20,800	581	184	27.0	8.8	377	305	42	74.9	19	3.4
Colored	2,255	49	27	21.7	12.0	22	(*)	5	102.0	4	8.2	Macon	13,800	429	148	31.1	10.7	281	290	25	66.3	12	2.8
Dare	5,200	118	41	22.7	7.9	77	(*)	7	59.3	7	5.9	Madison	20,300	582	154	28.7	7.6	428	378	35	60.1	20	3.4
Davidson	38,800	905	312	23.3	8.0	593	290	52	57.5	22	2.4	Martin	23,700	679	232	28.6	9.8	447	298	57	93.9	35	5.0
Davis	14,500	343	143	23.7	9.9	200	240	27	78.7	10	2.9	White	12,600	303	112	24.0	8.9	191	271	23	75.9	9	3.0
White	12,000	287	112	23.9	9.3	175	256	19	66.2	9	3.1	Colored	11,000	376	120	33.9	10.8	256	313	34	90.4	26	6.9
Colored	2,500	56	31	22.4	12.4	25	(*)	8	142.9	1	1.8	Mecklenburg	46,900	839	364	19.0	7.8	525	244	31	34.9	37	4.2
Duplin	35,700	951	298	26.6	8.3	653	319	68	71.5	51	5.4	White	33,800	566	222	16.7	6.6	344	255	14	24.7	13	2.3
White	22,500	556	184	24.7	8.2	372	302	37	66.5	22	4.0	Colored	13,000	323	142	24.7	10.8	181	227	17	52.6	24	7.4
Colored	13,200	395	114	29.9	8.6	281	346	31	78.5	29	7.3	Mitchell	14,300	433	110	30.3	7.7	323	394	18	61.6	13	3.0
Durham	15,400	390	145	25.3	9.4	245	269	22	56.4	8	2.1	Montgomery	16,400	384	138	23.4	8.4	246	278	16	41.7	9	2.3
White	10,600	284	102	26.8	9.6	182	278	15	52.8	3	1.1	White	12,600	302	97	24.0	7.7	205	(*)	12	30.7	5	1.7
Colored	4,800	106	43	22.1	9.0	63	(*)	7	66.0	5	4.7	Colored	3,800	82	41	21.6	10.8	41	(*)	4	48.8	4	4.9
Edgecombe	38,600	1,054	438	27.3	11.3	616	241	90	85.4	84	8.0	Moore	29,000	620	240	21.4	8.3	380	258	23	45.2	25	4.0
White	15,700	366	164	23.3	10.4	202	223	23	62.8	24	6.6	White	18,800	387	152	20.6	8.1	235	255	11	28.4	8	2.1
Colored	22,900	688	274	30.0	12.0	414	251	67	97.4	60	8.7	Colored	10,200	233	88	22.8	8.6	145	(*)	17	73.0	17	7.3
Forsyth	38,200	782	307	20.5	8.0	475	255	38	48.6	30	3.8	Nash	42,200	1,065	290	25.2	6.9	775	367	46	43.2	50	4.7
White	33,300	687	232	20.6	7.0	455	296	28	40.8	27	3.9	White	22,300	534	134	23.9	6.0	400	399	18	33.7	14	2.6
Colored	4,900	95	75	19.4	15.3	20	(*)	10	105.3	3	3.2	Colored	19,900	531	156	26.7	7.8	375	340	23	62.7	36	6.8
Franklin	29,800	684	236	23.0	7.9	448	290	33	43.2	39	5.7	New Hanover	11,000	97	103	8.8	9.4	-6	94	123	7	2.1	
White	16,700	342	114	20.5	6.8	228	300	15	43.9	14	4.1	White	7,300	50	50	6.8	8.8	(*)	(*)	4	80.0	-	-
Colored	13,100	342	122	26.1	9.3	220	280	18	52.6	25	7.3	Colored	3,700	47	53	12.7	14.3	(*)	(*)	8			

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Rate per 1,000 births	Births	Deaths						
		Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Births	Deaths	Births	Deaths	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
Section D—Continued																							
NORTH CAROLINA—con.										NORTH DAKOTA													
Person	22,400	620	170	27.7	7.6	450	365	20	32.3	23	3.7	Adams	6,400	164	38	25.6	5.9	126	(3)	7	42.7	3	1.8
White	13,600	344	86	25.3	6.3	258	(3)	11	32.0	9	2.6	Barnes	13,800	315	164	16.8	8.7	151	(3)	12	35.1	13	4.1
Colored	8,800	276	84	31.4	9.5	192	(3)	9	32.6	14	5.1	Benson	13,400	260	71	19.4	5.3	189	(3)	10	38.5	6	2.3
Pitt.	55,500	1,496	452	27.0	8.1	1,044	331	107	71.5	95	6.4	Billings	3,100	34	18	11.0	5.8	16	(3)	8	235.3	1	2.0
White	23,800	706	204	24.5	7.1	502	346	43	60.9	17	2.4	Bottineau	14,853	294	103	19.8	5.4	90	(3)	13	44.2	6	2.0
Colored	26,700	790	248	29.6	9.3	542	319	64	81.0	78	9.9	Bowman	5,200	118	28	22.7	5.4	61	(3)	3	25.4	11	9.3
Folk	10,400	285	80	25.5	7.7	185	(3)	10	37.7	6	2.3	Burke	10,100	191	42	18.9	4.2	149	(3)	4	20.9	9	4.2
White	8,800	224	68	25.5	7.7	156	(3)	9	40.2	5	2.2	Burleigh	8,700	86	25	19.9	2.9	61	(3)	8	98.0	1	1.2
Colored	1,600	41	12	25.6	7.5	29	(3)	1	24.4	1	2.4	Cass	20,200	265	162	13.1	8.0	103	(3)	10	37.7	4	1.5
Randolph	36,900	833	299	23.9	8.1	534	295	41	46.4	18	2.0	Cavalier	14,554	318	88	21.8	6.0	230	(3)	14	44.0	9	2.8
White	33,000	808	265	24.5	8.0	543	305	39	48.3	17	2.1	Dickey	10,900	209	65	19.2	6.0	144	(3)	8	38.3	8	3.8
Colored	3,900	75	34	19.2	8.7	41	(3)	2	26.7	1	1.3	Divide	9,638	145	41	15.0	4.3	104	(3)	5	34.5	4	2.8
Richmond	35,000	833	333	23.8	9.5	500	250	57	68.4	51	6.1	Dunn	9,700	159	49	16.4	5.1	110	(3)	17	108.9	6	3.8
White	21,400	521	198	24.3	9.3	323	263	37	71.0	17	3.3	Eddy	6,346	81	49	12.8	7.7	32	(3)	22	72.4	1	1.2
Colored	13,600	312	135	22.9	9.9	177	231	20	64.1	34	10.9	Emmons	12,600	304	70	24.1	5.6	234	(3)	6	43.5	3	2.2
Robeson	67,900	1,915	608	28.2	9.0	1,307	315	131	68.4	103	5.4	Foster	6,400	138	51	21.6	8.0	87	(3)	4	48.0	1	1.1
White	32,000	769	276	24.0	8.6	493	279	52	67.6	26	3.4	Golden Valley	4,122	93	28	22.6	6.8	65	(3)	14	68.0	9	4.4
Colored	35,900	1,146	332	31.9	9.2	814	345	79	68.9	77	6.7	Grand Forks	14,800	206	145	13.9	9.8	61	(3)	14	58.0	14	5.9
Rockingham	51,900	1,254	436	24.2	8.4	818	288	64	51.0	48	3.8	Grant	10,200	238	51	23.3	5.0	187	(3)	14	58.8	14	5.9
White	40,300	1,011	294	25.1	7.3	717	344	45	44.5	30	3.0	Griggs	6,889	84	41	12.2	6.0	48	(3)	5	59.5	2	2.4
Colored	11,600	243	142	20.9	12.2	101	171	19	78.2	18	7.4	Hettinger	8,900	247	52	27.8	5.8	195	(3)	16	64.8	2	0.8
Rowan	40,900	947	321	23.2	7.8	626	295	59	62.3	32	3.4	Kidder	8,100	173	52	21.4	6.4	121	(3)	11	63.6	6	2.6
White	33,100	804	235	24.3	7.1	569	342	47	58.5	21	2.6	La Moure	11,517	222	63	19.3	5.5	159	(3)	14	63.1	4	2.1
Colored	7,800	143	86	18.3	11.0	57	(3)	12	83.9	11	7.7	Logan	8,100	193	40	23.3	4.9	153	(3)	12	62.2	4	2.1
Rutherford	41,500	1,151	312	27.7	7.5	839	369	60	52.1	33	2.9	McHenry	15,438	280	91	18.1	5.9	189	(3)	19	67.9	6	2.9
White	36,100	1,038	264	28.6	7.3	769	391	48	46.5	26	2.5	McIntosh	9,700	237	71	24.4	7.3	166	(3)	27	113.9	9	3.8
Colored	5,400	113	48	21.9	8.9	70	(3)	12	101.7	7	5.9	McKenzie	9,700	156	37	16.1	3.8	119	(3)	8	51.3	2	1.3
Sampson	40,600	1,117	378	27.5	9.3	739	296	74	66.2	65	5.8	McLean	18,160	369	115	20.4	6.4	254	(3)	26	70.5	6	1.6
White	26,300	684	237	26.0	9.0	447	289	42	61.4	37	5.4	Mercer	9,700	212	63	21.9	6.5	149	(3)	23	108.5	4	1.9
Colored	14,300	433	141	30.3	9.9	292	307	32	73.9	28	6.5	Morton	19,800	493	150	24.9	7.6	343	(3)	36	73.0	10	2.0
Scotland	20,700	463	183	22.4	8.8	280	253	30	64.8	38	8.2	Mountrail	13,700	195	60	14.2	4.4	135	(3)	7	35.9	6	3.1
White	9,100	209	94	22.9	10.3	114	(3)	13	62.5	8	3.8	Nelson	10,203	176	78	17.2	7.6	98	(3)	6	34.1	4	2.3
Colored	11,600	255	89	22.0	7.7	166	(3)	17	66.7	30	11.8	Oliver	4,282	60	17	14.1	4.0	43	(3)	8	133.3	1	1.7
Stanly	30,600	736	260	24.1	8.5	476	283	55	74.7	21	2.9	Pembina	14,757	284	117	19.2	7.9	167	(3)	19	66.9	7	2.5
White	27,000	677	207	25.1	7.7	470	327	43	63.5	15	2.2	Pierce	9,074	307	87	33.8	9.6	220	(3)	23	74.9	6	2.0
Colored	3,600	59	53	16.4	14.7	6	(3)	12	203.4	6	10.2	Ramsey	16,400	304	123	18.5	7.5	181	(3)	12	39.5	3	1.0
Stokes	22,500	495	128	22.0	5.7	367	387	24	48.5	11	2.2	Ransom	10,983	195	74	17.8	6.7	121	(3)	7	35.9	3	1.5
White	20,000	437	110	21.9	5.5	327	397	20	45.8	11	2.5	Renville	7,263	101	35	13.9	4.8	66	(3)	4	39.6	4	1.9
Colored	2,500	58	18	23.2	7.2	40	(3)	4	69.0	0	0.0	Richland	21,000	316	181	15.0	8.6	135	(3)	23	72.8	3	0.9
Surry	40,600	1,081	333	26.6	8.2	748	325	63	58.3	44	4.1	Rolette	10,800	271	116	25.1	10.7	155	(3)	20	73.8	14	5.2
Swain	11,568	275	61	23.8	5.3	214	(3)	10	36.4	8	2.9	White	7,300	170	83	23.3	11.4	87	(3)	9	52.9	11	6.5
White	10,315	258	44	25.0	4.3	214	(3)	9	34.9	7	2.7	Colored	3,500	101	33	28.9	9.4	68	(3)	11	108.9	3	3.0
Colored	1,253	17	17	13.6	13.6	0	(3)	1	58.8	1	5.9	Sargent	9,298	145	62	15.6	6.7	83	(3)	6	41.4	1	0.7
Transylvania	9,600	265	80	27.6	8.3	185	(3)	15	56.6	8	3.0	Sheridan	7,373	152	42	20.6	5.7	110	(3)	14	92.1	1	0.7
Tyrrell	5,200	154	59	29.6	11.3	95	(3)	15	97.4	4	2.6	Sioux	4,900	112	44	22.9	9.0	68	(3)	4	35.7	1	0.9
White	3,500	86	42	24.6	12.0	44	(3)	11	127.9	2	2.3	White	3,400	64	8	18.8	2.4	56	(3)	1	15.6	1	1.6
Colored	1,700	68	17	40.0	10.0	51	(3)	4	58.8	2	2.9	Colored	1,500	48	36	32.0	24.0	12	(3)	3	62.5	2	2.7
Union	41,600	922	309	22.2	7.4	613	298	45	48.8	38	4.1	Slope	4,150	73	13	17.6	3.1	60	(3)	2	27.4	2	2.7
White	31,400	719	213	22.9	6.8	506	338	31	43.1	19	2.6	Stark	15,600	414	144	26.5	9.2	270	(3)	19	45.9	18	4.3
Colored	10,200	203	96	19.9	9.4	107	(3)	14	69.0	19	8.4	Steele	6,972	147	43	21.1	6.2	104	(3)	5	34.0	3	2.0
Vance	27,800	740	326	26.6	11.7	414	227	59	79.7	60	8.1	Stutsman	26,300	560	269	21.3	10.2	291	(3)	32	57.1	12	2.1
White	15,600	366	154	23.5	5.9	212	238	26	71.0														

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS																	
	Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births	Number		Rate per 1,000 population		Excess of births over deaths ¹		Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births	Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births																
	Births	Deaths	Births	Deaths			Number	Per 1,000 births			Number	Rate per 1,000 births	Births	Deaths				Births	Deaths			Number	Per 1,000 births	Births	Deaths			Number	Rate per 1,000 births			Births	Deaths	Births	Deaths	Number	Rate per 1,000 births	Births	Deaths	Number	Rate per 100 live births						
	Population estimated as of July 1, 1932		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births	Population estimated as of July 1, 1932		Rate per 1,000 population		Excess of births over deaths ¹		Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births	Population estimated as of July 1, 1932		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births																
Section D—Continued																Section D—Continued																															
OHIO—contd.																OKLAHOMA																															
Clermont	30,000	493	427	16.4	14.2	66	115	28	56.8	12	2.4	Adair	14,900	241	106	16.2	7.1	135	227	7	29.0	5	2.1	White	9,800	206	73	21.0	7.4	133	(*)	5	24.3	1	1.9	Colored	5,100	35	33	6.9	6.5	2	(*)	2	57.1	1	1.9
Clinton	21,547	311	285	14.4	13.2	26	109	19	61.1	14	4.5	Alfalfa	15,228	239	115	15.7	7.6	124	203	7	29.3	7	2.9	White	14,533	313	104	21.5	7.2	209	301	16	51.1	10	3.9	Colored	2,476	302	91	24.2	7.3	211	(*)	15	49.7	10	3.6
Columbiana	52,600	764	533	14.5	10.1	231	143	45	58.9	29	3.8	Atoka	14,533	313	104	21.5	7.2	209	301	16	51.1	10	3.9	White	12,476	302	91	24.2	7.3	211	(*)	15	49.7	10	3.6	Colored	2,057	11	13	5.3	6.3	(*)	(*)	1	60.9	5	2.0
Coshocton	18,076	310	196	17.1	10.8	114	153	22	71.0	13	4.2	Beaver	11,452	251	89	21.9	7.8	162	(*)	11	43.3	5	2.0	White	11,452	251	89	21.9	7.8	162	(*)	11	43.3	5	2.0	Colored	30,200	612	215	20.3	7.1	397	285	22	35.9	14	2.3
Crawford	25,318	369	306	14.6	12.1	63	121	15	40.7	15	4.1	Blaine	21,000	448	180	21.3	8.6	268	249	26	58.0	7	1.6	White	18,000	393	141	21.3	7.8	252	279	19	48.3	6	1.5	Colored	3,000	55	39	18.3	13.0	16	(*)	7	127.3	1	1.8
Cuyahoga	83,600	653	851	7.8	10.2	-198	77	25	38.7	23	3.5	Bryan	32,277	616	285	19.1	8.8	331	216	36	58.4	16	2.6	White	28,059	586	269	20.9	9.6	317	218	35	59.7	13	2.2	Colored	4,218	30	16	7.1	3.2	14	(*)	1	33.3	3	10.0
Darke	38,009	652	462	17.2	12.2	190	141	34	52.1	26	4.0	Caddo	52,800	1,038	327	19.7	6.2	711	317	40	38.5	27	2.6	White	47,400	954	263	20.1	5.5	691	363	30	31.4	23	2.4	Colored	5,400	84	64	15.6	11.9	20	(*)	10	119.0	4	4.8
Deane	22,714	367	263	16.2	11.6	104	140	12	32.7	15	4.1	Canadian	28,800	549	290	19.1	10.1	259	189	44	80.1	10	1.8	White	28,800	549	290	19.1	10.1	259	189	44	80.1	10	1.8	Colored	25,700	326	165	12.7	6.4	161	198	16	49.1	6	1.8
Delaware	26,000	373	366	14.3	14.1	7	102	18	48.3	12	3.2	Cherokee	17,470	325	96	18.6	5.5	229	(*)	6	18.5	3	2.5	White	12,424	262	72	21.1	5.8	190	(*)	6	22.9	3	2.3	Colored	5,046	63	24	12.5	4.8	39	(*)	2	28.3	2	2.2
Erie	17,600	167	260	9.5	14.8	-93	64	13	77.8	4	2.4	Choctaw	24,142	209	123	8.7	5.1	86	170	9	43.1	5	2.4	White	17,091	197	106	11.5	6.2	91	186	8	40.6	5	2.5	Colored	7,051	12	17	1.7	2.4	5	(*)	1	83.3	1	4.8
Fairfield	25,300	365	286	14.5	11.3	80	128	30	82.0	10	2.7	Cimarron	5,600	81	36	14.5	6.4	45	(*)	1	11.1	1	1.2	White	5,600	81	36	14.5	6.4	45	(*)	1	11.1	1	1.2	Colored	25,600	368	368	14.4	14.4	100	(*)	20	54.3	9	2.4
Fayette	20,755	340	242	16.4	11.7	98	140	23	67.6	9	2.6	Cleveland	11,521	92	9	8.0	0.8	83	(*)	2	21.7	1	1.1	White	10,346	86	9	8.3	0.9	77	(*)	2	23.3	1	1.2	Colored	1,175	6	5	5.1	0.6	6	(*)	1	1.2	1	1.2
Franklin	74,700	810	705	10.8	9.4	105	115	37	45.7	26	3.2	Coal	10,346	86	9	8.3	0.9	77	(*)	2	23.3	1	1.2	White	10,346	86	9	8.3	0.9	77	(*)	2	23.3	1	1.2	Colored	1,175	6	5	5.1	0.6	6	(*)	1	1.2	1	1.2
Fulton	25,500	383	300	16.5	12.3	83	129	16	41.2	10	2.6	Comanche	22,400	420	156	18.8	7.0	264	269	23	54.8	13	3.1	White	18,052	401	345	22.2	19.1	56	116	12	42.0	8	2.8	Colored	4,348	380	315	25.5	21.1	65	121	19	50.0	9	2.2
Gallia	23,050	434	511	18.8	22.2	-77	85	47	103.3	8	2.0	Craig	14,903	21	30	6.7	9.5	9	(*)	1	47.8	1	4.8	White	14,903	21	30	6.7	9.5	9	(*)	1	47.8	1	4.8	Colored	3,149	21	30	6.7	9.5	9	(*)	1	47.8	1	4.8
Gauga	15,500	172	200	11.1	13.9	-28	86	15	87.2	1	0.6	Creek	53,800	665	306	12.4	5.7	359	217	29	43.6	18	2.7	White	46,900	637	242	13.6	5.2	395	263	22	34.5	16	2.5	Colored	6,900	28	64	4.1	9.3	-36	(*)	7	250.0	2	7.1
Greene	22,900	290	239	13.1	10.4	60	125	19	63.5	3	2.7	Custer	28,600	489	271	17.1	9.5	218	150	20	40.9	24	4.6	White	15,600	242	107	15.5	6.9	135	226	13	53.7	11	4.8	Colored	13,000	15	21	3.3	5.3	-6	(*)	3	200.0	3	10.3
Guernsey	24,986	368	268	14.7	10.7	100	137	26	70.7	12	3.3	Delaware	15,600	242	107	15.5	6.9	135	226	13	53.7	11	4.8	White	11,600	227	86	19.6	7.4	141	(*)	10	44.1	11	4.8	Colored	4,000	15	21	3.8	5.3	-6	(*)	3	200.0	3	10.3
Hamilton	109,200	1,303	965	11.9	8.8	338	135	55	42.2	35	2.7	Dewey	13,300	285	79	21.4	5.9	206	(*)	9	31.6	4	1.4	White	13,300	285	79	21.4	5.9	206	(*)	9	31.6	4	1.4	Colored	28,500	489	271	17.1	9.5	218	150	20	40.9	24	4.6
Hancock	18,800	265	200	14.1	10.6	65	133	15	56.6	18	6.8	Ellis	10,541	259	88	24.6	8.3	171	(*)	11	42.5	2	0.8	White	10,541	259	88	24.6	8.3	171	(*)	11	42.5	2	0.8	Colored	28,500	489	271	17.1	9.5	218	150	20	40.9	24	4.6
Hardin	27,635	472	381	17.1	13.8	91	124	40	84.7	15	3.2	Garfield	19,000	208	81	10.9	4.3	127	(*)	7	33.7	6	2.9	White	19,000	208	81	10.9	4.3	127	(*)	7	33.7	6	2.9	Colored	31,401	752	253	23.9	8.1	499	297	37	49.2	27	3.6
Harrison	18,844	325	220	17.2	11.7	105	148	16	40.2	10	3.1	Garvin	31,401	752	253	23.9	8.1	499	297	37	49.2	27	3.6	White	31,401	752	253	23.9	8.1	499	297	37	49.2	27	3.6	Colored	34,800	639	159	18.4	4.6	480	402	21	32.9	13	2.0
Henry	22,524	398	235	17.7	10.4	163	169	13	32.7	9	2.3	Grant	14,150	157	93	11.1	6.6	64	(*)	7	44.6	4	2.5	White	14,150	157	93	11.1	6.6	64	(*)	7	44.6	4	2.5	Colored	20,800	317	141	15.2	6.8	176	225	13	41.0	7	2.2
Highland	25,416	414	329	16.3	12.9	85	126	29	70.0	16	3.9	Greer	14,100	351	81	24.9	5.7	270	(*)	11	51.3	17	4.8	White	14,100	351	81	24.9	5.7	270	(*)	11	51.3	17	4.8	Colored	7,800	161	32	20.6	4.1	129	(*)	10	62.1	2	1.2
Hocking	20,407	402	253	19.7	12.4	149	159	29	72.1	15	3.7	Harmon	14,100	351	81	24.9	5.7	270	(*)	11	51.3	17	4.8	White	16,216	374	79	23.1	4.9	295	(*)	14	37.4	7	1.9	Colored	30,800	585	210	19.0	6.8	375	279	33	56.4	13	2.2
Holmes	16,726	349	187	20.9	11.2	162	187	19	64.4	12	3.4	Haskell	16,216	374	79	23.1	4.9	295	(*)	14	37.4	7	1.9	White	26,500	556	164	21.0	6.2	392	339	24	43.2	10	1.8	Colored	4,300	29	46	6.7	10.7	-17	(*)	9	310.3	3	10.3
Huron	33,900	562	480	16.6	14.2	82	117	23	49.8	26	4.6	Hughes	30,800	585	210	19.0	6.8	375	279	33	56.4	13	2.2	White	30,800	585	210	19.0	6.8	375	279	33	56.4	13	2.2	Colored	29,700	435	188	14.6	6.3	247	231	17	39.1	6	1.4
Jackson	25,040	479	312	19.1	12.5	167	154	43	89.8	17	3.5	Jefferson	17,392	324	116	18.6	6.7	208	279	14	43.2	4	1.2	White	17,392	324	116	18.6	6.7	208	279	14	43.2	4	1.2	Colored	28,500	489	271	17.1	9.5	218					

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932							BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
	Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births	Number		Rate per 1,000 population		Excess of births over deaths ¹	Deaths of infants under 1 year of age		Per 1,000 births	Number	Rate per 100 live births												
	Births	Deaths	Births	Deaths						Number	Per 1,000 births	Births	Deaths							Births	Deaths										
	Population	Births	Deaths	Rate	Rate	Deaths	Per 1,000	Population	Births	Deaths	Rate	Rate	Deaths	Per 1,000	Population		Births	Deaths	Rate	Rate	Deaths	Per 1,000	Population	Births	Deaths	Rate	Rate				
Section D—Continued																Section D—Continued															
OKLAHOMA—continued																OREGON—continued															
McCurtain	34,759	445	148	12.8	4.3	297	301	18	40.4	18	4.0	4,467	39	27	11.2	7.8	12	(3)	3	76.9	---	---	---	---	---						
White	24,627	288	98	11.7	4.0	190	(3)	15	52.1	10	3.5	6,000	59	57	9.8	9.5	(3)	(3)	2	33.9	---	---	---	---	---						
Colored	10,132	157	50	15.5	4.9	107	(3)	3	19.1	8	3.1	6,200	80	46	12.9	7.4	34	(3)	7	87.5	---	---	---	---	---						
McIntosh	24,824	537	167	21.5	6.7	370	322	24	44.7	17	3.2	9,000	165	82	18.3	9.1	83	(3)	6	36.4	---	---	---	---	---						
White	18,334	450	118	24.5	6.4	332	331	21	46.7	14	3.1	22,800	218	210	9.6	9.2	8	104	11	50.5	---	---	---	---	---						
Colored	6,590	87	49	13.2	7.4	38	(3)	3	34.5	3	3.4	2,231	32	29	14.0	12.7	3	(3)	3	93.8	---	---	---	---	---						
Major	12,206	240	85	10.7	7.0	155	(3)	10	41.7	3	1.3	1,937	14	17	7.2	8.8	3	(3)	3	24.3	---	---	---	---	---						
Marshall	11,026	205	107	18.6	9.7	98	192	17	82.9	3	1.5	354	18	12	50.8	33.9	6	(3)	6	36.9	---	---	---	---	---						
Mays	18,000	298	148	16.6	8.2	150	201	19	63.8	7	2.3	12,000	217	150	18.1	12.5	67	145	8	36.9	---	---	---	---	---						
White	13,900	263	124	20.4	8.9	159	228	15	53.0	6	2.1	17,200	189	93	11.0	5.4	96	(3)	16	84.7	---	---	---	---	---						
Colored	4,100	15	24	3.7	5.9	9	(3)	4	266.7	1	6.7	Lake	4,900	69	31	14.1	6.3	38	(3)	3	43.5	---	---	---	---	---					
Murray	12,410	252	140	20.3	11.3	112	180	15	59.5	8	3.2	36,900	356	264	9.6	7.2	92	135	9	25.3	---	---	---	---	---						
Muskogee	34,800	449	205	12.9	5.9	244	219	26	57.9	5	1.1	Lane	10,400	148	81	14.2	7.8	67	(3)	6	40.5	---	---	---	---	---					
White	21,600	371	125	17.2	5.8	246	297	18	48.5	4	1.1	24,700	400	296	16.2	12.0	104	135	22	55.0	---	---	---	---	---						
Colored	13,200	78	80	5.9	6.1	2	(3)	8	102.6	1	2.3	Lincoln	11,300	196	111	17.3	9.8	85	177	8	40.8	---	---	---	---	---					
Noble	15,300	196	77	12.8	5.0	119	(3)	5	25.5	1	1.6	Malheur	34,800	427	354	12.3	10.2	73	121	15	35.1	---	---	---	---	---					
Nowata	13,611	211	141	15.5	10.4	70	150	14	66.4	11	5.2	Morrow	4,941	68	35	13.8	7.1	33	(3)	4	68.8	---	---	---	---	---					
White	10,453	190	120	18.2	11.5	70	158	14	73.7	10	5.3	Multnomah	38,800	162	332	4.2	8.6	170	49	12	74.1	---	---	---	---	---					
Colored	3,158	21	21	6.6	6.6	9	(3)	1	4.8	1	4.8	Polk	17,200	223	127	13.0	7.4	96	176	8	35.9	---	---	---	---	---					
Oktuskee	29,500	451	182	15.3	6.2	269	248	27	59.9	15	3.3	Sherman	12,978	23	11	7.7	3.7	12	(3)	12	64.2	---	---	---	---	---					
White	20,800	367	117	17.6	5.6	251	316	20	54.5	9	2.5	Tillamook	12,200	187	95	15.3	7.8	92	(3)	12	64.2	---	---	---	---	---					
Colored	8,700	84	66	9.7	7.6	18	(3)	7	83.3	6	7.1	Umatilla	24,399	309	291	12.7	11.9	18	106	8	25.9	---	---	---	---	---					
Oklahoma	37,800	595	265	15.7	7.0	330	225	20	43.3	11	1.8	Union	17,600	253	185	14.4	10.5	68	137	10	39.5	---	---	---	---	---					
Oklmulgee	39,600	523	180	13.2	4.5	343	291	24	45.9	16	3.1	Wallowa	7,814	115	52	14.7	6.7	63	(3)	8	69.6	---	---	---	---	---					
White	29,700	455	143	15.3	4.8	312	318	21	46.2	16	3.5	Wasco	12,646	206	194	16.3	15.3	12	106	11	53.4	---	---	---	---	---					
Colored	9,900	68	37	6.9	3.7	31	(3)	3	44.1	1	2.6	Washington	30,700	321	304	10.5	9.9	17	106	8	24.9	---	---	---	---	---					
Osage	48,600	791	350	16.3	7.2	441	226	48	60.7	20	2.5	Wheeler	2,800	43	7	15.4	2.5	36	(3)	2	46.5	---	---	---	---	---					
Ottawa	38,542	602	381	15.6	9.9	221	158	47	78.1	15	2.5	Yamhill	22,200	313	263	14.0	11.8	48	118	14	45.0	---	---	---	---	---					
Pawnee	20,000	405	175	20.3	8.8	230	231	23	56.8	15	3.7	PENNSYLVANIA																			
Payne	37,700	685	295	18.2	7.8	390	232	34	49.6	24	3.5	Adams	37,400	761	399	20.3	10.7	362	191	41	53.9	---	---	---	---	---					
Pittsburg	38,878	634	201	16.3	5.2	433	315	16	25.2	18	2.8	Allegheny	392,000	4,586	4,030	11.7	10.3	556	114	271	59.1	---	---	---	---	---					
White	33,192	596	174	18.0	5.2	422	343	15	25.2	17	2.9	Armstrong	79,700	1,653	739	20.7	9.3	914	224	92	55.7	---	---	---	---	---					
Colored	5,686	38	27	6.7	4.7	11	(3)	1	26.3	1	2.6	Beaver	85,200	1,526	906	17.9	10.6	620	168	82	53.7	---	---	---	---	---					
Pontotoc	21,000	403	155	19.2	7.4	248	260	16	39.7	5	1.2	Bedford	37,309	798	404	21.4	10.8	394	198	49	61.4	---	---	---	---	---					
Pottawatomie	44,900	628	207	14.0	4.6	421	303	36	57.3	10	1.6	Berks	123,800	2,271	1,586	18.3	12.8	635	143	131	57.7	---	---	---	---	---					
Pushmataha	14,744	144	47	9.8	3.2	97	(3)	10	69.4	5	3.5	Blair	58,500	971	596	16.6	10.2	375	163	74	76.2	---	---	---	---	---					
White	13,099	139	39	10.6	3.0	100	(3)	8	57.6	4	2.9	Bradford	49,039	931	712	19.0	14.5	219	181	56	60.2	---	---	---	---	---					
Colored	1,645	5	8	3.0	4.9	3	(3)	2	400.0	1	20.0	Bucks	86,600	1,178	986	13.6	11.4	192	119	60	50.9	---	---	---	---	---					
Roger Mills	14,600	263	55	18.0	3.8	208	(3)	7	26.6	6	2.3	Butler	57,300	1,142	586	19.9	10.2	556	195	60	49.0	---	---	---	---	---					
Rogers	19,100	439	197	23.0	10.3	242	223	19	43.2	14	3.2	Cambria	136,800	2,708	1,286	19.8	9.4	1,417	210	199	73.6	---	---	---	---	---					
White	15,800	351	168	22.2	10.6	183	209	17	48.4	9	2.6	Cameron	4,307	95	48	17.9	9.0	47	(3)	1	10.5	---	---	---	---	---					
Colored	3,300	88	29	26.7	8.8	59	(3)	2	22.7	5	5.7	Carbon	63,500	1,005	628	15.9	9.9	330	161	73	72.4	---	---	---	---	---					
Seminole	61,800	458	125	7.4	2.0	333	366	26	56.8	5	1.7	Centre	46,500	1,070	634	23.0	13.6	436	169	76	71.0	---	---	---	---	---					
Sequoyah	19,505	346	118	17.7	6.0	228	293	9	26.0	14	4.0	Chester	88,800	1,230	999	13.9	11.3	231	123	68	55.3	---	---	---	---	---					
White	14,696	307	88	20.9	6.0	219	(3)	6	19.5	13	4.2	Clarion	34,531	743	371	21.5	10.7	372	200	46	61.9	---	---	---	---	---					
Colored	4,809	39	30	8.1	6.2	9	(3)	3	76.9	1	2.6	Clearfield	75,132	1,366	732	18.2	9.7	634	187	95	69.5	---	---	---	---	---					
Stephens	34,100	660	221	19.4	6.5	439	299	20	30.3	8	1.2	Clinton	32,319	648	411	20.1	12.7	237	158	49	75.6	---	---	---	---	---					
Texas	14,100	227	73	16.1	5.2	154	(3)	9	39.6	3	1.3	Columbia	36,200	622	439	17.2	12.1	183	142	47	75.6	---	---	---	---	---					
Tillman	24,600	443	197	18.0	8.0	246	225	17	38.4	12	2.7	Crawford	46,400	710	589	15.3	12.7	121	121	43	60.6	---	---	---	---	---					
White	21,4																														

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Births	Per 1,000 births	Births	Deaths			Births	Deaths		
Section D—Continued											Section D—Continued												
PENNSYLVANIA—CON.											SOUTH CAROLINA—CON.												
Monroe	23,800	509	349	17.7	12.1	160	146	30	58.9	21	4.1	Colleton	25,821	744	392	28.3	15.2	352	190	37	49.7	58	7.8
Montgomery	134,100	1,405	1,183	10.5	8.8	222	119	63	44.8	35	2.5	White	11,755	250	127	21.3	10.8	123	197	3	12.0	13	5.2
Montour	14,600	431	538	29.5	36.8	-107	80	32	74.2	22	5.1	Colored	14,066	494	265	35.1	18.8	229	186	34	68.8	45	9.1
Northampton	89,700	1,747	1,004	19.5	11.2	743	174	109	62.4	42	2.4	Darlington	41,700	1,075	443	25.8	10.6	632	243	96	89.3	81	7.5
Northumberland	75,400	1,331	774	17.7	10.3	557	172	108	81.1	54	4.1	White	20,200	458	190	22.7	9.4	268	241	40	87.3	22	4.8
Perry	21,744	430	275	19.8	12.6	155	176	27	62.8	11	2.6	Colored	21,500	617	253	28.7	11.8	364	244	56	90.8	59	9.6
Pike	7,600	70	81	9.2	10.7	-11	(²)	6	85.7	4	5.7	Dillon	25,800	741	285	28.7	11.0	456	280	66	89.1	49	6.6
Potter	17,489	283	225	16.2	12.9	58	126	14	49.5	16	5.7	White	13,400	349	132	26.0	9.9	217	264	33	94.6	16	4.6
Schuylkill	163,400	3,195	1,899	19.6	11.6	1,296	168	235	73.6	131	4.1	Colored	12,400	392	153	31.6	12.3	239	256	33	84.2	33	8.4
Snyder	19,000	345	234	18.2	12.3	111	147	26	75.4	10	2.9	Dorchester	18,966	421	247	22.2	13.0	174	170	41	97.4	30	7.1
Somerset	80,764	1,822	810	22.6	10.0	1,012	225	124	68.1	68	3.7	White	7,788	101	92	13.0	11.8	9	(²)	8	79.2	2	2.0
Sullivan	7,499	95	80	12.7	10.7	15	(²)	2	21.1	2	2.1	Colored	11,168	320	155	28.7	13.9	165	206	33	103.1	28	8.8
Susquehanna	33,806	577	415	17.1	12.3	162	139	27	46.8	16	2.8	Edgefield	19,326	469	234	24.3	12.1	235	200	39	83.2	22	4.7
Tioga	17,871	622	508	19.5	15.9	114	122	35	56.3	25	4.0	White	7,055	113	64	16.0	9.1	49	(²)	5	44.2	1	0.9
Union	31,700	284	212	16.0	12.0	72	134	12	42.3	13	4.6	Colored	12,271	356	170	29.0	13.9	186	209	34	95.5	21	5.9
Venango	31,200	550	379	17.6	12.1	171	145	36	65.5	11	2.0	Fairfield	23,287	660	219	28.3	9.4	441	301	38	57.6	25	3.8
Warren	26,700	270	426	10.1	16.0	-156	63	18	66.7	9	3.3	White	7,597	194	74	25.5	9.7	120	(²)	13	67.0	9	4.6
Washington	143,800	2,328	1,203	16.2	8.4	1,125	194	145	62.3	80	3.4	Colored	15,680	466	145	29.7	9.2	321	321	25	53.6	16	3.4
Wayne	28,500	437	357	15.3	12.5	80	122	26	59.5	17	3.9	Florence	46,800	1,177	492	25.1	10.5	685	239	115	97.7	92	7.8
Westmoreland	187,700	3,137	1,643	16.7	8.8	1,494	191	169	53.9	114	3.6	White	25,300	545	210	21.5	8.3	335	260	42	77.1	23	4.2
Wyoming	15,700	255	193	16.2	12.3	62	132	17	66.7	8	3.1	Colored	21,500	632	282	29.4	13.1	350	224	73	115.5	69	10.9
York	101,700	1,824	995	17.9	9.8	829	183	95	52.1	73	4.0	Georgetown	21,700	618	313	28.5	14.4	305	197	59	95.5	31	5.0
RHODE ISLAND											GREENVILLE												
Bristol	13,300	130	92	9.8	6.9	38	(³)	6	46.2	6	4.6	White	9,500	423	261	30.4	18.8	162	162	56	132.4	21	5.0
Kent	10,600	130	100	12.3	9.4	30	130	3	23.1	1	0.8	Colored	73,300	1,315	595	17.9	8.1	720	221	112	85.2	37	2.8
Newport	14,058	134	150	9.5	10.7	-16	89	4	29.9	9	6.7	White	17,200	339	155	19.7	9.0	184	219	23	67.8	21	6.2
Providence	30,200	355	366	11.8	12.1	-11	97	16	45.1	16	4.5	Colored	24,800	625	202	25.2	8.1	423	309	23	36.8	21	3.4
Washington	18,800	281	237	14.9	12.6	44	119	16	56.9	5	1.8	White	13,200	313	90	23.7	6.8	223	(²)	12	33.3	8	2.6
SOUTH CAROLINA											HAMPTON												
Abbeville	23,323	518	227	22.2	9.7	291	228	36	69.5	24	4.6	White	17,243	365	257	21.2	14.9	108	142	50	137.0	36	9.9
White	12,258	190	105	15.5	8.6	85	181	18	94.7	5	2.6	Colored	7,422	99	75	13.3	10.1	24	(²)	10	101.0	4	4.0
Colored	11,065	328	122	29.6	11.0	206	269	18	54.9	19	5.8	Horry	9,821	266	182	27.1	18.5	84	146	40	150.4	32	12.0
Aiken	47,600	854	512	17.9	10.8	342	167	70	82.0	51	6.0	White	40,200	1,301	363	32.4	9.0	938	358	91	69.9	59	4.5
White	26,400	434	283	16.4	9.0	196	182	27	62.2	17	3.9	Colored	30,400	944	252	31.1	8.3	642	375	54	57.2	25	9.6
Colored	21,200	420	274	19.8	12.9	146	153	43	102.4	34	8.1	Jasper	9,800	357	111	36.4	11.3	240	322	37	103.6	34	9.5
Allendale	13,294	298	137	22.4	10.3	161	218	18	60.4	32	10.7	White	10,000	273	129	27.3	12.9	144	212	32	117.2	40	14.7
White	3,533	43	24	12.2	6.8	19	(²)	1	23.3	1	2.3	Colored	3,300	93	30	28.2	9.1	63	(²)	9	96.8	5	5.4
Colored	9,761	255	113	26.1	11.6	142	226	17	66.7	31	12.2	Kershaw	6,700	180	99	26.9	14.8	81	(²)	23	127.8	35	19.4
Anderson	66,800	1,483	523	22.2	7.8	953	284	84	56.5	45	3.0	White	32,400	673	280	20.8	8.6	393	240	45	66.9	26	3.9
White	48,500	978	350	20.2	7.2	628	279	56	57.3	26	2.7	Colored	14,700	289	131	19.7	8.9	158	221	11	38.1	5	1.7
Colored	18,300	508	173	27.8	9.5	335	204	28	55.1	19	3.7	Lancaster	17,700	385	149	21.7	8.4	235	258	34	88.5	21	5.5
Bamberg	19,410	443	214	22.8	11.0	229	207	39	88.0	40	9.0	White	27,980	716	229	25.6	8.2	487	313	45	62.8	20	2.8
White	6,935	113	65	16.3	9.4	48	(²)	9	79.6	5	4.4	Colored	16,970	490	116	28.9	6.8	374	422	23	46.9	13	2.7
Colored	12,475	330	149	26.5	11.9	181	221	30	90.9	35	10.6	Laurens	11,010	226	113	20.5	10.3	113	200	22	97.3	7	3.1
Barnwell	21,221	500	197	23.6	9.3	303	254	27	54.0	42	8.4	White	42,094	862	453	20.5	10.8	409	190	70	81.2	38	4.4
White	7,756	132	57	17.0	6.8	79	(²)	2	15.2	7	5.3	Colored	24,388	482	248	19.8	10.2	234	194	41	85.1	12	2.5
Colored	13,465	368	144	27.3	10.7	224	256	25	67.9	35	9.5	Lee	17,711	380	205	21.5	11.6	175	185	29	76.3	26	6.8
Beaufort	21,815	514	447	23.6	20.5	67	115	50	97.3	78	15.2	White	24,096	612	194	25.4	8.1	418	315	53	85.6	39	6.4
White	6,243	93	41	14.9	6.6	52	(²)	7	75.3	3	3.2	Colored	7,849	109	31	13.9	3.9	78	(²)	6	55.0	3	2.8
Colored	15,572	421	406	27.0	26.1	15	104	43	102.1	75	17.8	Lexington	16,247	503	163	31.0	10.9	340	309	47	93.4	36	7.2
Berkeley	22,400	794	335	35.4	15.0	459	237	69	86.9	38	4.8	White	36,700	668	388	18.2	10.9	280	172	55	82.3	44	6.6
White	7,400	192	6	25.9	9.2	124	(²)	11	57.3	6	3.1	Colored	25,800	466	242	18.1	9.4	224	193	30	64.4	23	4.9
Colored																							

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate per 100 births	Births	Deaths			Births	Deaths		
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate per 100 live births	Births	Deaths			Births	Deaths	Number	Per 1,000 births	Number	Rate per 100 live births				
Section D—Continued											Section D—Continued												
SOUTH CAROLINA—con.											SOUTH DAKOTA—con.												
Richland	36,500	738	487	20.2	13.3	251	152	52	70.5	53	7.2	McCook	10,400	193	72	18.6	6.9	121	(3)	11	57.0	5	2.6
White	17,900	194	138	10.8	7.7	56	141	7	36.1	9	4.6	McPherson	8,800	222	43	24.9	4.8	179	(3)	8	36.0	1	0.5
Colored	18,600	544	349	29.2	18.8	195	156	45	82.7	44	8.1	Marshall	9,540	263	95	27.6	10.0	168	(3)	10	38.0	9	3.4
Saluda	18,148	419	151	23.1	8.3	268	277	18	43.0	26	6.2	Meade	11,700	170	59	14.5	5.0	111	(3)	6	35.3	3	1.8
White	9,325	209	70	22.4	7.5	139	(3)	10	47.8	5	2.4	Mellette	5,500	130	55	23.6	10.0	75	(3)	12	92.3	3	2.3
Colored	8,823	210	81	23.8	9.2	129	(3)	8	38.1	21	10.0	White	3,900	93	20	23.8	5.1	73	(3)	7	75.3	2	2.2
Spartanburg	89,600	1,696	540	18.9	6.0	1,156	314	85	50.1	48	2.5	Colored	1,600	37	35	23.1	21.9	2	(3)	5	135.1	1	2.7
White	69,100	1,290	366	18.7	5.3	924	352	63	48.8	32	2.5	Miner	8,376	145	57	17.3	6.8	88	(3)	7	48.3	1	0.7
Colored	20,500	406	174	19.8	8.5	232	233	22	54.2	16	3.9	Minnehaha	17,600	261	112	14.8	6.4	149	233	9	34.5	2	0.8
Sumter	33,900	894	422	26.4	12.4	472	212	81	90.6	90	10.1	Moody	9,603	137	69	14.3	7.2	68	(3)	2	14.6	4	2.9
White	8,300	148	66	17.8	8.0	82	(3)	6	40.5	10	6.8	Pennington	10,000	156	45	15.6	4.5	111	(3)	5	32.1	4	2.6
Colored	25,600	746	356	29.1	13.9	390	210	75	100.5	80	10.7	Perkins	8,800	152	46	17.3	5.2	108	(3)	8	52.6	4	2.6
Union	31,000	721	226	23.3	7.3	495	319	35	48.5	23	3.2	Potter	5,900	118	26	20.0	4.4	92	(3)	2	16.9	1	0.8
White	18,800	395	147	21.0	7.8	248	269	21	53.2	7	1.8	Roberts	4,152	270	137	17.1	8.7	133	197	20	74.1	7	2.6
Colored	12,200	326	79	26.7	6.5	247	(3)	14	42.9	16	4.9	Sanborn	4,732	98	47	13.4	6.4	51	(3)	2	20.4	5	5.1
Williamsburg	34,914	1,025	349	29.4	10.0	676	294	71	69.3	75	7.3	Shannon	4,300	165	115	38.4	26.7	50	143	20	121.2	1	0.7
White	11,572	228	99	19.7	8.6	129	(3)	16	70.2	6	2.6	White	1,000	26	4	26.0	4.0	22	(3)	1	38.5	—	—
Colored	23,342	797	250	34.1	10.7	547	319	55	69.0	69	8.7	Colored	3,300	139	111	42.1	33.6	28	125	19	136.7	—	—
York	42,200	973	365	23.1	8.6	608	267	57	58.6	53	5.4	Spink	15,304	234	135	15.3	8.8	99	173	7	29.9	2	0.9
White	22,800	554	166	24.3	7.3	388	334	30	54.2	25	4.5	Stanley	4,281	10	12	4.2	5.0	—	(3)	1	100.0	—	—
Colored	19,400	419	199	21.6	10.3	220	211	27	64.4	28	6.7	Sully	4,000	68	19	17.0	4.8	49	(3)	4	58.8	—	—
												Todd	6,300	84	33	13.3	5.2	51	(3)	7	83.3	2	2.4
												White	3,400	53	9	15.6	2.6	44	(3)	2	37.7	1	1.9
												Colored	2,900	31	24	10.7	8.3	7	(3)	1	161.3	1	3.2
SOUTH DAKOTA											TENNESSEE												
Armstrong	(3)	1	(3)	(3)	(3)	1	(3)	(3)	(3)	(3)	(3)	Tripp	12,800	269	73	21.0	5.7	196	(3)	18	66.9	3	1.1
Aurora	17,139	129	38	18.1	5.3	91	(3)	7	54.3	8	6.2	Turner	14,900	257	101	17.2	6.8	156	254	11	42.8	7	2.7
Beadle	12,100	171	44	14.1	3.6	127	(3)	7	40.9	1	0.6	Union	11,600	171	93	14.9	8.1	78	(3)	11	76.0	5	2.9
Bennett	4,900	99	22	20.2	4.5	77	(3)	6	60.6	5	5.1	Walworth	8,800	207	77	23.5	8.8	130	(3)	5	24.2	4	1.9
White	3,900	71	12	19.7	3.3	59	(3)	4	56.3	4	5.6	Washabaugh	2,600	58	24	22.3	9.2	34	(3)	7	120.7	—	—
Colored	1,000	28	10	21.5	7.7	18	(3)	2	71.4	1	3.6	White	1,700	26	7	15.3	4.1	19	(3)	3	115.4	—	—
Bon Homme	11,787	171	77	14.6	6.6	94	(3)	15	37.7	5	2.9	Colored	900	32	17	35.6	18.9	15	(3)	4	125.0	—	—
Brookings	16,900	341	123	20.2	7.3	218	277	10	29.3	7	2.1	Washington	1,900	33	26	17.4	13.7	7	(3)	4	121.2	—	—
Brown	15,000	137	61	9.1	4.1	76	(3)	7	51.1	4	2.9	White	300	2	6.7	—	—	2	(3)	—	—		
Brule	7,400	129	57	17.4	7.7	72	(3)	5	38.8	5	3.9	Colored	1,600	31	26	19.4	16.3	5	(3)	4	129.0	—	—
Buffalo	2,000	58	26	29.0	13.0	32	(3)	6	108.4	2	3.4	Yankton	16,800	287	269	17.1	16.0	18	107	21	73.2	9	3.1
White	1,200	18	4	10.8	3.3	9	(3)	1	7.7	1	7.7	Ziebach	4,200	103	30	(3)	(3)	73	(3)	5	48.5	4	3.9
Colored	800	45	22	56.3	27.5	23	(3)	6	133.3	1	2.2	White	3,200	75	12	23.4	3.8	63	(3)	2	26.7	1	1.3
Butte	8,800	211	72	24.0	8.2	139	(3)	14	66.4	6	2.8	Colored	1,000	28	18	28.0	18.0	10	(3)	3	107.1	3	10.7
Campbell	5,700	117	21	20.5	3.7	96	(3)	6	51.3	2	1.7												
Charles Mix	16,800	276	157	16.4	9.3	119	176	17	61.6	6	2.2												
Clark	11,022	198	90	18.0	8.2	108	(3)	9	45.5	5	2.5	Anderson	19,900	495	164	24.9	8.2	331	302	36	72.7	18	3.6
Clay	10,100	158	53	15.6	5.2	105	(3)	5	31.6	11	7.0	Bedford	21,077	393	265	18.6	12.7	125	147	21	53.4	27	6.9
Codington	7,300	80	33	11.0	4.5	47	(3)	6	75.0	2	2.5	White	17,366	323	197	18.6	11.3	126	164	16	49.5	22	6.8
Corson	9,800	177	81	18.1	8.3	96	(3)	8	45.2	6	3.4	Colored	3,711	70	71	18.9	19.1	—	(3)	15	61.4	5	7.1
White	7,900	129	32	16.3	4.1	97	(3)	6	46.5	5	3.9	Benton	11,237	216	115	19.2	10.2	101	188	15	69.4	9	4.2
Colored	1,900	48	49	25.3	25.8	—	(3)	2	41.7	1	2.1	Biedsoe	4,728	136	50	19.1	7.0	86	(3)	7	51.5	2	1.5
Custer	5,500	79	68	14.4	12.4	11	(3)	1	12.7	—	—	Blount	34,600	772	311	22.3	9.0	461	248	55	71.2	18	2.8
Daivison	5,900	65	27	11.0	4.6	38	(3)	1	15.4	2	3.1	Bradley	23,400	570	245	24.4	10.5	325	233	40	70.2	24	4.2
Day	14,606	303	139	20.7	9.5	164	218	17	56.1	12	4.0	Campbell	26,827	650	157	24.2	5.9	493	414	35	53.8	17	2.6
Deuel	8,732	164	53	18.8	6.1	111	(3)	4	24.4	3	1.8	Cannon	8,935	197	98	22.0	11.0	99	(3)	14	71.1	6	3.0
Dewey	6,700	168	44	25.1	6.6	124	(3)	3	41.7	2	1.2												
White	5,000	102	19	20.4	3.8	83	(3)	3	29.4	2	2.0	Carroll	26,300	501	264	19.0	10.0	237	190	44	87.8	17	3.4
Colored	1,700	66	25	38.8	14.7	41	(3)	4	60.6	—	—	White	21,700	431	189	19.9	8.7	242	228	32	74.2	15	3.5
Douglas	7,800	167	44	20.0	6.0	102	(3)																

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Births	Per 1,000 births	Births	Deaths			Births	Deaths		
Section D—Continued																							
TENNESSEE—continued																							
Fayette	28,891	572	320	19.8	11.1	252	179	54	94.4	35	6.1	Overton	18,100	455	135	25.1	7.5	320	337	20	44.0	10	2.2
White	7,796	132	64	16.9	8.2	68	(3)	5	37.9	15	11.4	Perry	7,147	156	80	21.8	11.2	76	(3)	13	83.3	6	3.8
Colored	21,095	440	256	20.9	12.1	184	172	49	111.4	20	4.5	Pickett	5,700	133	32	23.3	5.6	101	(3)	14	105.3	5	3.8
Fentress	11,100	204	44	18.4	4.0	160	(3)	9	44.1	9	4.4	Polk	15,900	267	116	16.8	7.3	151	230	28	104.9	8	3.0
Franklin	21,900	451	179	20.6	8.2	272	252	19	42.1	12	2.7	Putnam	23,900	558	190	23.3	7.9	368	294	28	50.2	13	2.3
White	19,400	421	152	21.7	7.8	269	277	15	35.6	10	2.4	Rhea	13,900	292	159	21.0	11.4	133	184	20	68.5	8	2.7
Colored	2,500	30	27	12.0	10.8	3	(3)	4	133.3	2	6.7	Roane	24,477	587	252	24.0	10.3	335	233	55	93.7	20	3.4
Gibson	46,900	878	419	18.7	8.9	459	210	45	51.3	32	3.6	Robertson	28,500	595	263	20.9	9.2	332	226	30	50.4	27	4.5
White	37,000	718	298	19.4	8.1	420	241	21	29.2	23	3.2	White	22,600	469	185	20.8	8.2	284	254	20	42.6	20	4.3
Colored	9,900	160	121	16.2	12.2	39	132	24	150.0	9	5.6	Colored	5,900	126	78	21.4	13.2	48	(3)	10	79.4	7	5.6
Giles	25,016	559	343	20.0	12.2	216	163	39	69.8	22	3.9	Rutherford	32,286	703	323	21.8	10.0	380	218	36	51.2	21	3.0
White	20,453	403	236	19.7	11.5	167	171	26	64.5	11	2.7	White	24,544	544	206	22.2	8.4	338	264	26	47.8	13	2.4
Colored	7,563	156	107	20.6	14.1	49	146	13	83.3	11	7.1	Colored	7,742	159	117	20.5	15.1	42	136	10	62.9	8	5.0
Grainger	12,737	295	142	23.2	11.1	153	208	20	67.8	8	2.7	Scott	14,200	222	89	15.6	6.3	133	(3)	11	49.5	9	4.1
Greene	35,400	768	341	21.7	9.6	427	225	49	63.8	32	4.2	Sequatchie	4,100	104	50	25.4	12.2	54	(3)	12	115.4	6	5.8
Grundey	9,717	209	73	21.5	7.5	136	(3)	12	57.4	13	6.2	Sevier	20,480	541	162	26.4	7.9	379	334	40	73.9	13	2.4
Hamblen	16,800	360	209	21.4	12.4	151	172	30	83.3	19	5.3	Shelby	57,500	704	575	12.2	10.0	129	122	27	38.4	44	6.3
White	15,100	328	181	21.7	12.0	147	181	25	76.2	17	5.2	White	25,700	247	190	9.6	7.4	57	130	7	28.3	8	8.2
Colored	1,700	32	28	18.8	16.5	4	(3)	5	156.3	2	6.3	Colored	31,800	457	385	14.4	12.1	72	119	20	43.8	36	7.9
Hamilton	42,300	534	345	12.6	8.2	189	155	32	59.9	14	2.6	Smith	15,473	311	129	20.1	8.3	182	241	20	64.3	9	2.9
Hancock	22,193	432	302	19.5	13.6	130	143	13	30.1	15	3.5	Stewart	13,278	319	105	24.0	7.9	214	304	18	56.4	18	5.6
Hardeman	13,661	269	180	19.7	13.6	83	145	10	37.2	8	3.0	Sullivan	27,700	503	152	18.2	5.5	351	331	27	53.7	15	3.0
White	8,532	163	116	19.1	13.6	47	141	3	18.4	7	4.3	Sumner	28,700	663	278	23.1	9.7	385	238	25	37.7	23	3.5
Colored	16,213	269	123	16.6	7.6	146	219	14	52.0	2	0.7	White	24,700	595	246	24.1	10.0	349	242	20	33.6	19	3.2
Hardin	24,300	458	178	18.8	7.3	280	257	24	52.4	16	3.5	Colored	4,000	68	32	17.0	8.0	36	(3)	5	73.5	4	5.9
Hawkins	26,100	393	274	15.1	10.5	119	143	24	61.1	21	5.3	Tipton	27,498	463	282	16.8	10.3	181	164	38	82.1	15	3.2
Haywood	8,900	109	102	12.2	11.5	7	107	8	73.4	7	6.4	White	16,222	321	139	19.8	8.6	182	231	28	87.2	4	1.2
Colored	17,200	294	172	16.5	10.0	112	165	16	56.3	14	4.9	Colored	11,276	142	143	12.6	12.7	1	99	10	70.4	11	7.7
Henderson	17,655	365	130	20.7	7.4	235	281	23	63.0	8	2.2	Trousdale	5,629	78	45	13.9	8.0	33	(3)	4	51.3	4	5.1
Henry	26,432	414	235	15.7	8.9	179	176	24	58.0	13	3.1	White	4,362	59	35	13.5	8.0	24	(3)	3	50.8	1	1.7
White	21,435	350	180	16.3	8.4	170	194	22	62.9	10	2.9	Colored	1,267	19	10	15.0	7.9	9	(3)	1	52.6	3	15.8
Colored	4,997	64	55	12.8	11.0	9	(3)	2	31.3	3	4.7	Union	13,000	319	120	24.5	9.2	199	266	26	81.5	12	3.8
Hickman	13,613	331	117	24.3	8.6	214	283	10	30.2	10	3.0	Union	11,371	266	79	23.4	6.9	187	(3)	15	56.4	10	3.8
Houston	5,555	113	50	20.3	9.0	63	(3)	7	6.2	7	6.2	Van Buren	3,600	77	29	21.4	8.1	48	(3)	3	39.0	4	5.2
Humphreys	12,039	317	135	26.3	11.2	182	235	18	56.8	13	4.1	Warren	20,600	416	192	20.2	9.3	224	217	26	62.5	16	3.8
Jackson	13,589	359	82	26.4	6.0	277	(3)	14	58.5	14	3.9	Washington	20,700	484	294	23.4	14.2	190	165	32	66.1	12	2.5
Jefferson	17,900	411	173	23.0	9.7	238	238	18	43.8	10	2.4	Wayne	12,134	268	93	22.1	7.7	175	(3)	13	48.5	12	5.2
Johnson	12,209	288	100	23.6	8.2	188	288	12	41.7	13	4.5	Weakley	29,262	499	303	17.1	10.4	196	165	34	68.1	26	5.2
Knox	51,800	772	627	14.9	12.1	145	123	61	79.0	27	3.2	White	15,543	176	77	27.5	11.3	253	245	39	91.1	10	2.3
Lake	6,800	230	76	33.8	11.2	154	(3)	19	82.6	5	2.2	Williamson	22,845	513	209	22.5	9.1	304	245	27	52.6	17	3.3
White	3,900	46	33	11.8	8.5	13	(3)	1	152.2	1	2.2	White	17,571	396	143	22.5	8.1	253	277	20	50.5	8	2.0
Colored	2,900	48	24	16.4	12.3	24	(3)	1	51.2	1	2.2	Colored	5,274	117	66	22.2	12.5	51	(3)	7	59.8	9	7.7
Lauderdale	23,600	448	243	19.0	10.3	205	184	30	67.0	20	4.5	Wilson	23,929	404	257	16.9	10.7	147	157	12	29.7	13	3.2
White	14,400	312	137	21.7	9.5	175	228	22	70.5	9	2.9	White	19,448	336	201	17.3	10.3	135	167	8	23.8	10	3.0
Colored	9,200	136	106	14.8	11.5	30	128	8	58.8	11	8.1	Colored	4,481	68	56	15.2	12.5	12	(3)	4	58.8	3	4.4
Lawrence	27,200	502	225	20.1	8.0	357	252	34	57.4	26	4.4	UTAH											
Lewis	5,258	122	46	23.2	8.7	76	(3)	11	90.2	2	1.6	Beaver	5,136	122	34	23.8	6.6	88	(3)	4	32.8	2	1.6
Lincoln	25,422	551	243	21.7	9.6	308	227	26	47.2	22	4.0	Box Elder	17,810	408	117	22.9	6.6	281	349	17	41.7	7	1.7
White	21,364	451	193	21.2	9.0	260	235	20	44.2	16	3.5	Cache	27,500	729	209	26.5	7.9	520	349	22	30.2	10	1.4
Colored	4,058	98	50	24.1	12.3	48	(3)	6	61.2	6	6.1	Carbon	18,100	450	130	24.9	7.2	320	346	22	48.9	9	2.0
Loudon	18,000	471	184	26.2	10.2	287	256	28	59.4	19	4.0	Daggett	4,400	15	37.5	5.5	15	(3)	11	46.4	3	1.3	
McMinn	20,500	572	246	19.4	8.3	326	233	45	78.7	26	4.5	Davis	14,300	237	78	16.6	5.5	159	(3)	15	5		

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932		BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births				Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
			Births	Deaths	Births	Deaths										Births	Deaths	Births	Deaths						
Section D—Continued												Section D—Continued													
VERMONT												VIRGINIA—con.													
Addison	17,952	324	218	18.0	12.1	106	149	18	55.6	14	4.3	Clifton Forge* (city)	6,900	140	105	20.3	15.2	35	133	7	50.0	8	5.7		
Bennington	21,700	374	287	17.2	13.2	87	130	25	66.8	10	2.7	White	5,700	120	76	21.1	13.3	44	(3)	5	41.7	8	6.7		
Caledonia	27,400	466	335	17.0	12.2	131	189	33	81.5	9	1.9	Colored	1,200	20	29	16.7	24.2	—	(3)	2	100.0	(3)	(3)		
Chittenden	22,900	385	292	16.8	12.8	93	132	34	88.3	11	2.9	Craig	3,552	73	37	20.5	10.4	36	(3)	4	54.8	7	2.7		
Essex	7,067	101	77	14.3	10.9	24	(3)	7	69.3	3	3.0	Culpeper	18,300	270	124	20.5	9.3	146	(3)	14	51.9	7	2.6		
Franklin	29,975	563	381	18.8	12.7	182	148	40	71.0	19	3.4	White	9,000	163	70	18.1	7.8	93	(3)	8	36.8	4	2.5		
Grand Isle	4,000	26	34	6.5	8.5	—8	(3)	4	153.8	1	3.8	Colored	4,300	107	54	24.9	12.6	53	(3)	9	74.8	3	2.8		
Lamoille	10,947	184	119	16.8	10.9	65	155	7	38.0	6	3.3	Cumberland	7,555	232	107	30.3	14.2	125	(3)	20	86.2	7	3.0		
Orange	16,694	286	260	17.1	15.6	26	110	16	55.6	9	3.1	White	3,178	66	33	20.3	10.4	33	(3)	3	45.5	2	3.0		
Orleans	23,036	418	280	18.1	11.3	158	161	27	64.6	10	1.0	Colored	4,357	166	74	38.1	17.0	92	(3)	17	102.4	5	3.0		
Rutland	31,100	342	347	11.0	11.2	—5	99	19	55.6	10	2.9	Dickensson	16,500	607	119	36.8	7.2	488	510	32	52.7	16	2.6		
Washington*	30,600	471	447	15.4	14.6	24	105	20	42.5	17	3.6	Dinwiddie*	18,700	327	365	17.5	19.5	—38	90	14	42.8	13	4.0		
Windham*	26,015	439	424	16.9	16.3	15	104	21	47.8	11	2.5	White	7,400	98	60	13.2	8.1	38	(3)	6	61.2	2	2.0		
Windsor	37,500	478	375	12.7	10.0	103	127	16	33.5	12	2.5	Colored	11,300	229	305	20.3	27.0	—76	75	8	34.9	11	4.8		
VIRGINIA												VIRGINIA—con.													
Accomac	36,000	639	384	17.8	10.7	255	166	58	90.8	42	6.6	Elizabeth City*	20,200	221	281	10.9	13.9	—60	79	29	131.2	11	5.0		
White	22,000	318	199	14.5	9.0	119	160	21	66.0	4	1.3	White	15,000	164	165	10.9	11.0	—1	99	17	103.7	5	3.0		
Colored	14,000	321	185	22.9	13.2	136	174	37	115.3	38	11.8	Colored	5,200	57	116	11.0	22.3	—59	49	12	120.5	6	10.5		
Albemarle	27,100	950	597	35.1	22.0	353	159	92	96.8	63	5.6	Essex	6,976	142	77	20.4	11.0	65	(3)	3	21.1	3	2.1		
White	21,000	702	411	33.4	19.6	291	171	69	98.3	38	5.4	White	3,149	59	31	18.7	9.8	28	(3)	3	36.1	3	3.6		
Colored	6,100	248	186	40.7	30.5	62	133	23	92.7	15	6.0	Colored	3,827	83	46	21.7	12.0	37	(3)	3	36.1	3	3.6		
Alleghany	20,800	530	186	25.5	8.9	344	285	32	67.9	19	3.6	Fairfax	25,700	333	263	13.0	10.2	70	127	20	60.1	13	3.9		
Amelia	4,979	211	110	23.5	12.3	101	192	20	94.8	8	3.8	White	20,900	259	199	12.4	9.5	60	130	13	50.2	9	3.5		
White	4,365	78	30	17.9	6.9	48	(3)	4	51.3	3	3.8	Colored	4,800	74	64	15.4	13.3	10	(3)	7	94.6	4	5.4		
Colored	4,614	133	80	28.8	17.3	53	(3)	16	120.3	5	3.8	Fauquier	21,071	447	235	21.2	11.2	212	190	29	64.9	27	6.0		
Amherst	19,020	435	202	22.9	10.6	233	215	16	36.8	12	2.8	White	14,797	289	134	19.5	9.1	155	216	12	41.5	18	6.2		
White	13,021	282	137	21.7	10.5	145	206	18	28.4	1	0.4	Colored	6,274	158	101	25.2	16.1	57	156	17	107.6	9	5.7		
Colored	5,999	153	65	25.5	10.8	88	(3)	8	52.3	11	7.2	Floyd	11,111	293	102	25.0	8.7	191	287	10	34.1	12	4.1		
Appomattox	8,402	205	85	24.4	10.1	120	(3)	11	53.7	3	1.5	Fluvanna	7,466	122	90	16.3	12.1	32	(3)	11	90.2	3	2.5		
White	6,106	124	50	20.3	8.2	74	(3)	8	64.5	4	(3)	White	4,515	60	46	13.3	10.2	14	(3)	1	1.7	1	1.7		
Colored	2,296	81	35	35.3	15.2	46	(3)	3	37.0	3	3.7	Colored	2,951	62	44	21.0	14.9	18	(3)	11	177.4	2	3.2		
Arlington	28,500	199	195	7.0	6.8	4	102	13	65.3	7	3.5	Franklin	24,337	616	199	25.3	8.2	417	810	32	51.9	17	2.8		
White	25,100	146	150	5.8	6.0	—4	97	10	68.5	7	4.8	White	20,567	528	159	25.7	7.7	369	832	24	45.5	15	2.8		
Colored	3,400	53	45	15.6	13.2	8	(3)	3	56.6	8	(3)	Colored	3,770	88	40	23.3	10.6	48	(3)	8	90.9	2	2.3		
Augusta	38,600	786	427	20.4	11.1	359	184	47	59.8	27	3.4	Frederick	13,300	247	130	18.6	9.8	117	190	15	60.7	8	3.2		
Bath	8,300	139	69	16.7	8.3	70	(3)	11	79.1	8	5.8	Fredericksburg (city)	6,900	211	204	30.6	29.6	7	103	10	47.4	15	7.1		
White	7,200	123	58	17.1	8.1	65	(3)	9	73.2	5	4.1	White	5,700	175	146	30.7	25.6	29	120	5	28.6	10	5.7		
Colored	1,100	16	11	14.5	10.0	5	(3)	2	125.0	3	18.8	Colored	1,200	36	58	30.0	48.3	—22	(3)	5	138.9	5	13.9		
Bedford	29,091	662	316	22.8	10.9	346	209	47	71.0	16	2.4	Giles	12,900	980	153	29.5	10.3	247	286	23	65.8	8	2.1		
White	22,122	480	222	21.7	10.0	258	216	29	60.4	11	2.3	Gloucester	11,019	187	119	17.0	10.2	68	157	7	37.4	9	4.8		
Colored	6,969	182	94	26.1	13.5	88	(3)	18	98.9	5	2.7	White	6,670	113	68	16.9	10.2	45	(3)	4	54.1	8	10.8		
Bland	6,100	153	52	23.1	8.5	101	(3)	8	52.3	3	2.0	Colored	4,349	74	51	17.6	11.7	23	(3)	4	54.1	8	10.8		
Botetourt	15,457	354	159	22.9	10.3	195	223	22	62.1	11	3.1	Goocland	7,953	178	97	22.4	12.2	81	(3)	14	78.7	13	7.3		
White	13,245	316	153	23.9	10.2	181	234	18	57.0	11	3.5	White	3,899	69	42	18.0	10.9	27	(3)	9	130.4	4	5.8		
Colored	2,212	38	24	17.2	10.8	14	(3)	4	105.3	—	—	Colored	4,114	109	55	26.5	13.4	54	(3)	5	45.9	9	8.3		
Bristol (city)	9,100	286	183	31.4	20.1	103	156	35	122.4	11	3.8	Grayson	20,000	547	171	27.4	8.6	376	320	27	49.4	18	3.3		
White	7,900	269	137	21.7	10.5	109	168	32	119.0	10	3.7	Greene	4,986	120	60	20.1	10.0	60	(3)	6	50.0	4	3.3		
Colored	1,200	17	23	14.2	19.2	—6	(3)	3	176.5	1	5.9	White	4,986	101	43	20.3	8.6	58	(3)	6	59.4	4	4.0		
Brunswick	20,486	595	192	29.0	9.4	403	310	43	72.3	30	5.0	Colored	994	19	17	19.1	17.1	2	(3)	—	—	—	—		
White	8,994	201	78	22.3	8.7	123	(3)	15	74.6	10	5.0	Greensville	13,600	390	143	28.7	10.5	247	273	25	64.1	18	4.6		
Colored	11,492	394	114	34.3	9.9	280	346	28	71.1	20	5.1	White	5,300	125	57	23.6	10.8	68	(3)	4	32.0	1	0.8		
Buchanan	16,900	673	194	39.8	11.5	479	347	67	99.6	17	2.5	Colored	8,300	265	86	31.9	10.4	179	(3)	21	79.2	17	6.4		
Buckingham	13,315	351	147	26.4	11.0	204	239	29	82.6	17	4.8	Halifax	41,283	1,080	462	26.2	11.2								

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age	Per 1,000 births	Number	Rate per 100 live births
		Births	Deaths	Births	Deaths									Number	Per 1,000 births	Births	Deaths						
Section D—Continued																							
VIRGINIA—CON.																							
King and Queen	47,618	173	103	22.7	13.5	70	168	10	57.8	9	5.2	Powhatan	46,143	101	78	16.4	12.7	23	(3)	8	79.2	9	8.9
White	3,443	59	34	17.1	9.9	25	(3)	3	50.8	2	3.4	White	2,988	39	30	13.1	10.0	9	(3)	3	78.9	1	2.6
Colored	4,175	114	69	27.3	16.5	45	(3)	7	61.4	7	6.1	Colored	3,155	62	48	19.7	15.2	14	(3)	5	80.6	3	12.9
King George	45,297	107	66	20.2	12.5	41	(3)	12	112.1	8	7.5	Prince Edward	14,520	321	204	22.1	14.0	117	157	18	56.1	21	6.5
White	3,419	50	33	14.6	9.7	17	(3)	4	80.0	4	8.0	White	6,974	122	79	17.5	11.3	43	(3)	9	73.8	8	6.6
Colored	1,878	57	33	30.4	17.6	24	(3)	8	140.4	4	7.0	Colored	7,546	199	125	26.4	16.6	74	159	9	45.2	13	6.5
King William	7,929	176	88	22.2	11.1	88	(3)	11	62.5	5	2.8	Prince George	10,311	232	121	22.5	11.7	111	192	25	107.8	10	4.3
White	3,918	68	34	17.4	8.7	34	(3)	6	88.2	1	1.5	White	6,085	97	53	15.9	8.7	44	(3)	11	113.4	1	1.0
Colored	4,011	108	54	26.9	13.5	54	(3)	5	46.3	4	3.7	Colored	4,226	135	68	31.9	16.1	67	(3)	14	103.7	9	6.7
Lancaster	4,896	164	112	18.4	12.6	52	146	20	122.0	15	9.1	Princess Anne*	16,600	378	355	22.8	21.4	23	106	28	74.1	24	6.3
White	4,926	74	46	15.0	9.3	28	(3)	6	81.1	3	4.1	White	8,900	159	136	17.9	15.3	23	117	2	12.6	2	1.3
Colored	3,970	90	66	22.7	16.6	24	(3)	14	155.6	12	13.3	Colored	7,700	219	219	28.4	28.4	100		26	118.7	22	10.0
Lee	31,000	960	349	31.0	11.3	611	275	69	71.9	31	3.2	Prince William	14,000	256	121	18.3	8.6	135	212	13	50.8	5	2.0
Loudoun	19,852	416	238	21.0	12.0	178	175	32	76.9	14	3.4	White	11,500	199	94	17.3	8.2	105	(3)	8	40.2	5	2.5
White	15,502	321	184	20.7	11.9	137	174	19	59.2	6	1.9	Colored	2,500	57	27	22.8	10.8	30	(3)	5	87.7		
Colored	4,350	95	54	21.8	12.4	41	(3)	13	136.8	8	8.4	Pulaski	21,000	533	218	25.4	10.4	315	244	35	65.7	19	3.6
Louisa	14,309	296	185	20.7	12.9	111	160	22	74.3	11	3.7	White	18,800	490	178	26.1	9.5	312	275	31	63.3	18	3.7
White	8,468	148	87	17.5	10.3	61	(3)	8	54.1	6	4.1	Colored	2,200	43	40	19.5	18.2	3	(3)	4	93.0	1	2.3
Colored	5,841	148	98	25.3	16.8	50	(3)	14	94.6	5	3.4	Radford (city)	6,400	107	46	16.7	7.2	61	(3)	5	46.7	7	6.5
Lunenburg	14,058	312	143	22.2	10.2	169	218	20	64.1	15	4.8	White	5,800	95	39	16.4	6.7	56	(3)	5	52.6	7	7.4
White	7,835	144	69	18.4	8.8	75	(3)	6	41.7	3	2.1	Colored	600	12	7	20.0	11.7	5	(3)				
Colored	6,223	168	74	27.0	11.9	94	(3)	14	83.3	12	7.1	Rappahannock	47,717	180	63	23.3	8.2	117	(3)	8	44.4	5	2.8
Madison	8,952	183	87	20.4	9.7	96	(3)	10	54.6	10	5.5	White	131	48	22	4.8	8.2	83	(3)	3	22.9	4	3.1
White	6,530	136	54	20.8	8.3	82	(3)	5	36.8	5	3.7	Colored	1,878	49	15	26.1	8.0	34	(3)	5	102.0	1	2.0
Colored	2,422	47	33	19.4	13.6	14	(3)	5	106.4	5	10.6	Richmond	46,878	139	76	20.2	11.0	63	(3)	12	86.3	7	5.0
Martinsville (city)	8,100	235	119	29.0	14.7	116	197	16	68.1	4	1.7	White	4,214	74	43	17.6	10.2	31	(3)	4	54.1	2	2.7
White	6,100	179	67	29.3	11.0	112	(3)	7	39.1	3	1.7	Colored	2,664	65	33	24.4	12.4	32	(3)	8	123.1	5	7.7
Colored	2,000	56	52	28.0	26.0	4	(3)	9	160.7	1	1.8	Roanoke	37,100	747	315	20.1	8.5	432	237	46	61.6	19	2.5
Mathews	47,884	113	87	14.3	11.0	26	(3)	9	79.6	5	4.4	Rockbridge	20,900	478	244	22.9	11.7	234	196	23	48.1	16	3.3
White	5,890	78	56	13.2	9.5	22	(3)	3	38.5	3	3.8	White	18,700	430	200	23.0	10.7	230	215	20	46.5	16	3.7
Colored	1,994	35	31	17.6	15.5	4	(3)	6	171.4	2	5.7	Colored	2,200	48	44	21.8	20.0	4	(3)	3	62.5		
Mecklenburg	32,800	824	255	25.1	7.8	569	323	41	49.8	43	6.8	Rockingham	29,709	654	328	22.0	11.0	326	199	33	50.5	17	2.6
White	15,500	300	101	19.4	6.5	199	297	14	46.7	11	3.7	Russell	25,957	761	225	29.3	8.7	536	338	39	51.2	27	3.5
Colored	17,300	524	154	30.3	8.9	370	340	27	51.5	37	7.1	Scott	24,181	726	259	30.0	10.7	467	280	42	57.9	20	2.8
Middlesex	47,273	119	81	16.4	11.1	38	(3)	7	58.8	8	6.7	Shenandoah	20,655	421	218	20.4	10.6	203	193	22	52.3	15	3.6
White	3,913	53	28	13.5	7.2	25	(3)	2	37.7	2	3.3	Smyth	25,500	728	281	28.5	11.0	447	259	44	60.4	21	2.9
Colored	3,360	66	53	19.6	13.8	13	(3)	5	75.8	6	6.4	Southampton	26,870	654	307	24.3	11.4	347	213	52	79.5	39	6.0
Montgomery	19,700	476	185	24.2	9.9	281	244	30	63.2	22	4.6	White	10,475	181	96	17.3	9.2	85	(3)	8	44.2	8	4.4
White	17,800	447	177	25.1	9.4	279	266	26	59.2	17	3.9	Colored	16,395	473	211	28.9	12.9	262	224	44	93.0	31	6.6
Colored	1,900	29	27	15.3	14.2	2	(3)	4	137.9	5	17.2	South Norfolk (city)	7,900	133	66	16.8	8.4	67	(3)	7	52.6		
Nansemond	22,800	551	315	24.2	13.8	236	175	49	87.1	44	6.1	White	6,200	97	39	15.6	6.3	58	(3)	3	30.9		
White	7,300	117	63	16.0	8.6	54	(3)	1	8.5	6	6.0	Colored	1,700	36	27	21.2	15.9	9	(3)	4	111.1		
Colored	15,500	434	252	28.0	16.3	182	172	47	108.3	38	8.8	Spotsylvania	10,056	192	108	19.1	10.7	84	178	14	72.9	12	6.3
Nelson	16,345	371	144	22.7	8.8	227	258	17	45.8	14	3.8	White	6,943	134	60	18.3	8.6	74	(3)	6	44.8	4	3.0
White	11,784	243	82	20.6	7.0	161	(3)	13	53.8	10	4.1	Colored	3,113	58	48	18.6	15.4	10	(3)	8	137.9	8	13.8
Colored	4,561	128	62	28.1	13.6	66	(3)	4	31.3	4	3.1	Stafford	8,050	181	83	22.5	10.3	98	(3)	12	66.3	4	2.2
New Kent	4,800	83	37	19.3	8.6	46	(3)	1	12.0	8	9.6	White	6,562	131	63	20.0	9.6	68	(3)	7	53.4		
White	1,760	17	18	9.7	10.2	-1	(3)			2	11.8	Colored	1,488	50	20	33.6	13.4	30	(3)	5	100.0	4	8.0
Colored	2,540	66	19	26.0	7.5	47	(3)	1	15.2	6	9.1	Surry	47,096	157	80	22.1	11.3	77	(3)	11	70.1	4	2.5
Norfolk	31,800	559	415	17.9	13.3	144	135	54	96.6	33	5.9	White	2,831	37	21	13.1	7.4	16	(3)	1	27.0		
White	17,800	208	175	11.7	9.8	33	119	8	38.5	5	2.4	Colored	4,265	120	59	28.1	13.8	61	(3)	10	83.3	4	3.3
Colored	13,500	351	240	26.0	17.8	111	146	46	131.1	28	8.0	Sussex	12,100	325	185	26.9	15.3	140	176	43	132.3	20	6.2
Northampton	18,700	413	259	22.1	13.9	154	159	38	92.0	21	5.1	White	4,094	55	38	13.4	9.3	17	(3)	2	36.4		

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS																				
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population	Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births																				
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Number	Rate per 100 births				Number	Rate per 1,000 births			Number	Rate per 1,000 births	Number	Rate per 100 deaths	Number	Rate per 100 live births														
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate per 100 births	Number	Rate per 100 births			Number	Rate per 1,000 births	Number	Rate per 100 deaths	Number	Rate per 100 live births																							
Section D—Continued											Section D—Continued																															
WASHINGTON											WEST VIRGINIA—con.																															
Adams	47,719	93	37	12.0	4.8	56	(3)	4	43.0	2	2.2	44,300	838	315	18.9	7.1	523	266	51	60.9	38	4.5	Marion	44,300	838	315	18.9	7.1	523	266	51	60.9	38	4.5								
Asotin	8,300	79	72	9.5	8.7	7	(3)	3	38.0	1	1.3	25,700	383	225	14.9	8.8	158	170	22	57.4	15	2.6	Marshall	25,700	383	225	14.9	8.8	158	170	22	57.4	15	2.6								
Benton	11,000	151	105	13.7	9.5	46	(3)	4	28.5	4	2.6	20,400	187	137	9.2	6.7	50	136	31	64.6	16	4.0	Mason	20,400	187	137	9.2	6.7	50	136	31	64.6	16	4.0								
Chelan	20,400	187	137	9.2	6.7	50	(3)	4	35.1	10	5.3	10,700	114	82	10.7	7.7	32	116	53	67.9	19	3.9	Mercer	10,700	114	82	10.7	7.7	32	116	53	67.9	19	3.9								
Clark	10,700	114	82	10.7	7.7	32	(3)	4	75.6	18	9.9	25,100	238	206	9.5	8.2	32	116	77	69.0	34	3.0	White	25,100	238	206	9.5	8.2	32	116	77	69.0	34	3.0								
Columbia	25,100	238	206	9.5	8.2	32	(3)	4	37.0	9	3.7	4,325	81	35	15.2	6.6	46	(3)	6	56.6	2	1.9	Colored	4,325	81	35	15.2	6.6	46	(3)	6	56.6	2	1.9								
Cowlitz	4,325	81	35	15.2	6.6	46	(3)	4	83.3	12	4.9	23,600	242	155	10.3	6.6	87	156	77	69.0	34	3.0	Mineral	23,600	242	155	10.3	6.6	87	156	77	69.0	34	3.0								
Douglas	23,600	242	155	10.3	6.6	87	(3)	4	83.3	12	4.9	7,561	48	42	6.3	5.6	6	(3)	45	107.9	22	5.3	Mingo	7,561	48	42	6.3	5.6	6	(3)	45	107.9	22	5.3								
Ferry	7,561	48	42	6.3	5.6	6	(3)	4	82.0	2	3.3	4,292	61	42	14.2	9.8	19	(3)	39,700	822	242	20.7	6.1	Monongalia	39,700	822	242	20.7	6.1	580	340	32	38.9	24	2.9							
White	4,292	61	42	14.2	9.8	19	(3)	4	36.4	1	1.8	3,390	55	31	16.2	9.1	24	(3)	35,400	676	270	19.1	7.6	Monroe	35,400	676	270	19.1	7.6	460	260	44	65.1	20	3.0							
Colored	3,390	55	31	16.2	9.1	24	(3)	4	16.7	1	1.8	902	6	11	6.7	12.2	5	(3)	11,949	271	104	22.7	8.7	Morgan	11,949	271	104	22.7	8.7	167	261	11	40.6	11	4.1							
Franklin	902	6	11	6.7	12.2	5	(3)	4	59.0	3	3.5	6,200	117	63	13.9	9.2	54	(3)	8,400	190	93	22.6	11.1	Nicholas	8,400	190	93	22.6	11.1	97	(3)	20,053.3	48	4.2								
Garfield	6,200	117	63	13.9	9.2	54	(3)	4	71.4	3	3.7	4,862	42	34	11.5	6.3	4	(3)	20,686	505	163	24.4	7.9	Pendleton	20,686	505	163	24.4	7.9	342	310	24	47.5	24	4.8							
Grant	4,862	42	34	11.5	6.3	4	(3)	4	44.3	2	2.4	5,866	43	39	7.6	6.9	4	(3)	10,300	188	104	17.2	9.5	Pendleton	10,300	188	104	17.2	9.5	84	181	13	69.1	4	1.6							
Grays Harbor	5,866	43	39	7.6	6.9	4	(3)	4	30.9	2	2.5	26,200	203	178	7.7	6.0	25	14	9,700	252	75	26.0	7.7	Pleasants	9,700	252	75	26.0	7.7	177	(3)	13	51.6	4	1.6							
Island	26,200	203	178	7.7	6.0	25	14	55.5	5	5.5	15,369	65	43	12.1	8.0	22	(3)	4,545	141	87	21.5	13.3	Pleasants	4,545	141	87	21.5	13.3	54	(3)	11	78.0	5	3.6								
Jefferson	15,369	65	43	12.1	8.0	22	(3)	4	51.1	2	2.7	8,600	137	109	15.9	12.7	28	126	178	235	22	71.0	10	3.2	Pocahontas	8,600	137	109	15.9	12.7	28	126	178	235	22	71.0	10	3.2				
King	8,600	137	109	15.9	12.7	28	126	36	35.9	25	2.5	100,800	1,002	809	9.9	8.0	200	125	685	362	23.5	12.4	Freestone	100,800	1,002	809	9.9	8.0	200	125	685	362	23.5	12.4	233	189	20	3.1				
Kitsap	100,800	1,002	809	9.9	8.0	200	125	36	35.9	25	2.5	20,476	132	292	6.4	11.2	-97	58	5	37.9	4	3.0	Putnam	20,476	132	292	6.4	11.2	-97	58	5	37.9	4	3.0								
Kittitas	18,200	278	197	15.3	10.8	81	141	14	50.4	4	2.5	18,200	278	197	15.3	10.8	81	141	14	50.4	4	2.5	Raleigh	18,200	278	197	15.3	10.8	81	141	14	50.4	4	2.5								
Klickitat	9,900	110	85	11.1	8.6	25	(3)	11	110.0	1	1.0	9,900	110	85	11.1	8.6	25	(3)	11,000	110	85	11.1	8.6	25	(3)	White	11,000	110	85	11.1	8.6	25	(3)	139	78.8	47	2.7					
Lewis	11,000	110	85	11.1	8.6	25	(3)	11	45.4	13	2.3	40,400	573	353	14.2	8.7	220	162	26	45.4	13	2.3	Colored	40,400	573	353	14.2	8.7	220	162	26	45.4	13	2.3								
Lincoln	40,400	573	353	14.2	8.7	220	162	26	45.4	13	2.3	11,876	140	83	11.9	7.0	57	(3)	25,049	592	281	23.6	11.2	Randolph	25,049	592	281	23.6	11.2	311	141	183	32	102.9	15	4.3						
Mason	11,876	140	83	11.9	7.0	57	(3)	8	57.1	1	0.7	10,700	138	73	12.9	6.8	65	(3)	15,594	394	126	21.4	8.1	Ritchie	15,594	394	126	21.4	8.1	208	295	21	62.9	15	1.5							
Morgan	10,700	138	73	12.9	6.8	65	(3)	8	57.1	1	0.7	18,700	356	167	19.0	8.9	189	213	18	50.6	12	3.4	Roane	18,700	356	167	19.0	8.9	189	213	18	50.6	12	3.4								
Nicholas	18,700	356	167	19.0	8.9	189	213	18	50.6	12	3.4	15,000	152	111	10.1	7.4	41	137	4	26.3	3	2.0	Summers	15,000	152	111	10.1	7.4	41	137	4	26.3	3	2.0								
Pendleton	15,000	152	111	10.1	7.4	41	137	4	26.3	3	2.0	7,300	107	83	14.7	11.4	24	(3)	14,555	310	132	21.3	9.1	Taylor	7,300	107	83	14.7	11.4	24	(3)	14,555	310	132	21.3	9.1	178	235	22	71.0	10	3.2
Pierce	7,300	107	83	14.7	11.4	24	(3)	6	65.4	4	4.7	58,400	395	669	6.8	11.5	-274	59	28	70.9	6	1.5	Trucker	58,400	395	669	6.8	11.5	-274	59	28	70.9	6	1.5								
San Juan	58,400	395	669	6.8	11.5	-274	59	28	70.9	6	1.5	3,097	41	21	13.2	6.8	20	(3)	12,785	259	138	20.3	10.8	Tyler	3,097	41	21	13.2	6.8	20	(3)	12,785	259	138	20.3	10.8	121	188	21	61.4	18	4.1
Skagit	3,097	41	21	13.2	6.8	20	(3)	1	24.4	1	2.4	35,400	435	444	12.3	12.5	-9	98	22	50.6	15	3.4	Unshaur	35,400	435	444	12.3	12.5	-9	98	22	50.6	15	3.4								
Stromboli	35,400	435	444	12.3	12.5	-9	98	22	50.6	15	3.4	3,000	24	20	8.0	6.7	4	(3)	18,000	369	195	20.5	10.8	Wayne	3,000	24	20	8.0	6.7	4	(3)	18,000	369	195	20.5	10.8	174	189	21	56.9	13	3.5
Snohomish	3,000	24	20	8.0	6.7	4	(3)	1	41.7	1	1.0	49,300	556	441	11.1	8.9	115	126	31	55.8	5	0.9	Webster	49,300	556	441	11.1	8.9	115	126	31	55.8	5	0.9								
Spokane	49,300	556	441	11.1	8.9	115	126	31	55.8	5	0.9	35,300	214	593	6.1	16.8	-379	36	9	42.1	1	1.1	Wetzel	35,300	214	593	6.1	16.8	-379	36	9	42.1	1	1.1								
Thurston	35,300	214	593	6.1	16.8	-379	36	9	42.1	1	1.1	18,550	175	175	15.7	9.4	116	168	8	27.5	5	3.7	Wirt	18,550	175	175	15.7	9.4	116	168	8	27.5	5	3.7								
Wahkiakum	18,550	175																																								

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS		AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILL-BIRTHS	
		Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births			Number		Rate per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Rate per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 births					Births	Deaths	Number	Rate			Births	Deaths		
		Births	Deaths	Births	Deaths	Number	Per 1,000 births	Number	Rate	Births	Deaths			Number	Rate	Births	Deaths	Number	Rate	Number	Rate		
Section D—Continued											Section D—Continued												
WISCONSIN—continued											WISCONSIN—continued												
Marinette.....	19,830	336	132	16.9	6.7	204	255	17	50.6	8	2.4	Waushara.....	14,427	247	143	17.1	9.9	104	173	14	56.7	8	3.2
Marquette.....	9,388	153	102	16.3	10.9	51	150	6	39.2	4	2.6	Winnebago *.....	37,200	571	475	15.3	12.3	96	120	24	42.0	15	2.6
Milwaukee *.....	56,100	2,290	1,559	40.9	27.8	737	147	156	67.9	68	2.5	Wood.....	38,300	880	389	23.0	10.2	491	226	48	54.5	27	3.1
Monroe.....	28,700	579	297	20.2	10.3	282	195	20	34.5	12	2.1	WYOMING											
Oconto.....	26,386	438	225	16.6	8.5	213	195	20	45.7	9	2.1	Albany.....	12,400	195	127	15.7	10.2	68	154	16	82.1	8	4.1
Oneida.....	16,100	383	171	23.9	10.6	212	224	20	52.2	19	5.0	Big Horn.....	11,222	261	74	23.3	6.6	187	(3)	8	30.7	11	4.2
Outagamie.....	37,700	727	341	19.3	9.0	386	213	47	64.6	21	2.9	Campbell.....	6,900	124	35	18.0	5.1	89	(3)	3	24.2	3	2.4
Ozaukee.....	17,500	217	177	12.4	10.1	40	123	11	50.7	2	0.9	Carbon.....	11,600	163	106	14.1	9.1	57	154	10	61.3	4	2.5
Pepin.....	7,450	189	71	25.4	9.5	118	(3)	8	42.3	3	1.6	Converse.....	7,145	127	61	17.8	8.5	66	(3)	6	47.2	1	0.8
Pierce.....	21,043	344	193	16.3	9.2	151	178	19	55.2	8	2.3	Crook.....	5,333	105	25	19.7	4.7	80	(3)	2	19.0	2	1.9
Polk.....	26,567	512	261	19.3	9.8	251	196	19	37.1	15	2.9	Fremont.....	10,490	235	154	22.4	14.7	81	153	25	106.4	2	0.9
Portage.....	19,900	378	124	19.0	6.2	254	305	-20	52.9	8	2.1	White.....	8,575	153	89	17.8	10.4	64	(3)	12	78.4	1	0.7
Price.....	17,284	302	135	17.5	7.8	167	224	8	26.5	10	3.3	Colored.....	1,915	82	65	42.8	33.9	17	(3)	13	158.5	1	1.2
Racine.....	23,200	224	256	9.7	11.0	-32	88	17	75.9	6	2.7	Goshen.....	12,200	250	68	20.5	5.6	182	(3)	14	56.0	6	2.4
Richland.....	19,523	451	243	23.1	12.4	208	186	28	62.1	9	2.0	Hot Springs.....	5,500	96	71	17.5	12.9	25	(3)	10	104.2	2	2.1
Rock.....	29,300	388	287	13.2	9.8	101	135	18	46.4	9	2.3	Johnson.....	4,800	77	40	16.0	8.3	37	(3)	7	90.9	1	1.3
Rusk.....	16,081	347	134	21.6	8.3	213	259	16	46.1	5	1.4	Laramie.....	9,900	134	51	13.5	5.2	83	(3)	5	37.3	1	0.7
St. Croix.....	23,453	380	239	14.9	9.4	141	159	16	42.1	11	2.9	Lincoln.....	11,100	272	72	24.5	6.5	200	(3)	10	36.8	6	2.2
Sauk.....	32,030	552	371	17.2	11.6	181	149	24	43.5	14	2.5	Natrona.....	8,400	69	28	8.2	3.3	41	(3)	1	14.5	4	5.8
Sawyer.....	9,000	212	77	23.6	8.6	135	(3)	13	61.3	3	1.4	Niobrara.....	4,723	89	32	18.8	6.8	57	(3)	6	67.4	3	3.4
White.....	7,900	155	56	19.6	7.1	99	(3)	5	37.7	2	3.5	Park.....	8,300	159	70	19.2	8.4	89	(3)	7	44.0	5	5.0
Colored.....	1,100	67	21	51.2	19.1	36	(3)	8	51.6	1	0.6	Platte.....	10,000	187	90	18.7	9.0	97	(3)	9	48.1	10	5.3
Shawano.....	33,516	677	380	20.2	11.3	297	178	47	69.4	23	3.4	Sheridan.....	16,875	315	172	18.7	10.2	143	153	14	44.4	7	2.2
Sheboygan.....	32,400	491	348	15.2	10.7	143	141	20	40.7	13	2.6	Siblette.....	1,900	24	15	12.6	7.9	9	(3)	1	41.7	1	0.7
Taylor.....	17,685	382	100	21.6	5.7	282	382	12	31.4	14	3.7	Sweetwater.....	18,700	294	158	15.7	8.4	136	136	18	61.2	12	4.1
Trempealeau.....	23,910	360	193	15.1	8.1	167	187	22	61.1	9	2.5	Teton.....	2,000	47	24	23.5	12.0	23	(3)	3	63.2	3	3.8
Vernon.....	23,537	489	242	17.1	8.5	247	202	18	36.8	8	1.6	Uinta.....	6,572	128	102	19.5	15.5	26	125	8	62.5	1	0.8
Vilas.....	7,500	124	44	16.5	5.9	80	(3)	6	48.4	11	8.9	Washakie.....	4,200	121	43	28.8	10.2	78	(3)	9	74.4	1	0.8
White.....	6,600	116	42	17.6	6.4	74	(3)	6	51.7	10	8.6	White.....	3,700	97	34	26.2	9.2	63	(3)	6	61.9	1	1.0
Colored.....	900	8	2	8.9	2.2	6	(3)	1	12.5	1	12.5	Colored.....	500	24	9	48.0	18.0	15	(3)	3	125.0	1	1.0
Walworth.....	31,300	375	372	12.0	11.9	3	101	-17	45.3	12	3.2	Weston.....	4,700	92	38	19.6	8.1	54	(3)	6	65.2	1	0.8
Washburn.....	11,103	207	54	18.6	4.9	153	(3)	5	24.2	9	4.3	Yellowstone.....	200	6	30.0	30.0	30.0	30.0	1	1	1	1	
Washington.....	26,700	446	291	16.7	10.9	155	153	26	58.3	6	1.3	National Park (part of).....	200	6	30.0	30.0	30.0	30.0	1	1	1	1	
Waukesha *.....	35,800	402	405	11.2	11.3	-3	99	17	42.3	10	2.5												
Waupaca.....	33,513	587	324	17.5	9.7	263	181	20	34.1	14	2.4												

1 A minus sign (-) indicates an excess of deaths over births.
 2 Includes "Cities of 2,500 to 10,000."
 3 Figures not shown when the number of deaths is less than 100.
 4 Population enumerated Apr. 1, 1936; no estimate made.
 5 Classification by color is not available because Mexicans in this State were not separately returned. (See p. 4.)
 6 Rate not computed.
 7 Campbell and Milton Counties consolidated with Fulton County on Jan. 1, 1932.
 8 Estimate for Ziebach County includes estimate for Armstrong County; separate estimates not available.
 9 Figures relate to entire area.

SUMMARY AND RATE TABLES

TABLE II.—MOTHERS OF CHILDREN BORN IN 1932 HAVING SPECIFIED NUMBER OF CHILDREN EVER BORN, WITH THE AVERAGE NUMBER LIVING, AND THE PERCENT OF MOTHERS HAVING SPECIFIED NUMBER LIVING, BY COLOR, AND FOR WHITE MOTHERS BY COUNTRY OF BIRTH, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932

[Percents are shown in *italics* when the number of mothers having specified number of children living is less than 5]

MOTHERS BY COLOR AND NUMBER OF CHILDREN BORN	Number of mothers	Average number of children living	PERCENT OF MOTHERS HAVING SPECIFIED NUMBER OR MORE OF CHILDREN LIVING																		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
All mothers having borne—																					
1 child	614, 114	1.0	100.0																		
2 children	432, 893	1.9	100.0	91.0																	
3 children	275, 636	2.8	100.0	97.9	82.6																
4 children	183, 298	3.7	100.0	99.1	94.6	74.4															
5 children	125, 622	4.5	100.0	99.4	97.8	91.0	66.7														
6 children	91, 546	5.4	100.0	99.5	98.7	95.4	86.1	59.5													
7 children	65, 496	6.2	100.0	99.6	99.1	97.6	93.3	80.8	52.3												
8 children	47, 210	7.0	100.0	99.6	99.2	98.4	95.4	89.3	74.6	46.0											
9 children	33, 146	7.8	100.0	99.7	99.3	98.8	97.4	93.6	85.7	68.5	39.2										
10 children	23, 125	8.6	100.0	99.8	99.4	99.0	98.1	95.0	90.0	79.8	60.6	33.6									
11 children	14, 060	9.3	100.0	99.8	99.6	99.2	98.6	96.8	93.1	86.6	74.1	53.9	27.9								
12 children	8, 934	9.9	100.0	99.8	99.6	99.2	98.7	97.0	93.6	88.4	79.6	66.3	45.8	23.1							
13 children	5, 182	10.5	100.0	99.8	99.7	99.5	98.7	97.5	94.9	90.5	84.3	73.2	56.9	37.3	17.6						
14 children	2, 714	11.0	100.0	99.9	99.8	99.4	98.9	97.8	95.3	89.1	83.8	76.6	65.5	49.3	30.9	14.3					
15 children	1, 427	11.5	100.0	99.9	99.7	99.5	99.2	97.8	96.2	91.8	84.7	78.0	67.8	56.1	40.7	24.1	11.5				
16 children	719	11.6	100.0	100.0	99.6	99.6	99.0	98.1	96.2	92.2	80.8	73.4	65.9	55.9	42.3	29.5	16.4	6.4			
17 children	328	11.7	100.0	100.0	100.0	99.1	98.8	97.0	95.7	91.8	86.0	74.1	66.5	55.5	43.9	32.3	19.8	9.8	4.3		
18 children	176	11.9	100.0	100.0	100.0	100.0	98.9	97.7	95.5	89.8	83.0	71.0	60.8	52.8	46.0	36.9	26.1	17.0	11.9	7.4	
19 children	102	11.8	100.0	100.0	100.0	98.0	98.0	96.1	93.1	88.2	81.4	74.5	65.9	49.0	44.1	35.3	27.5	18.6	10.8	5.9	2.9
20 children	57	12.7	100.0	100.0	100.0	98.2	98.2	96.5	96.5	91.2	82.4	78.9	66.7	59.6	49.1	43.9	31.6	28.1	12.3	10.5	3.5
21 children	34	12.4	100.0	100.0	100.0	100.0	100.0	94.1	94.1	85.3	82.4	70.6	60.6	52.9	44.1	41.2	35.3	23.5	14.7	11.8	5.9
22 children	9	12.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	88.9	77.8	66.7	44.4	33.3	23.5	11.1		
23 children	10	11.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
24 children	4	13.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
25 children	2	19.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total white mothers having borne—																					
1 child	538, 681	1.0	100.0																		
2 children	385, 356	1.9	100.0	91.4																	
3 children	241, 638	2.8	100.0	98.2	83.1																
4 children	157, 156	3.7	100.0	99.2	95.0	75.0															
5 children	105, 800	4.6	100.0	99.4	98.0	91.7	67.3														
6 children	75, 688	5.4	100.0	99.5	98.9	96.0	87.0	59.9													
7 children	53, 294	6.3	100.0	99.5	99.1	97.9	94.0	82.0	52.6												
8 children	37, 829	7.1	100.0	99.6	99.3	98.6	95.9	90.4	75.9	46.3											
9 children	26, 302	7.9	100.0	99.6	99.4	99.0	97.8	94.6	87.2	70.0	39.4										
10 children	17, 993	8.6	100.0	99.7	99.4	99.1	98.4	95.6	91.3	81.5	62.0	33.4									
11 children	10, 778	9.4	100.0	99.7	99.6	99.3	98.8	97.5	94.4	88.5	76.2	55.5	27.7								
12 children	6, 634	10.0	100.0	99.8	99.6	99.3	98.9	97.6	94.5	89.8	81.6	68.7	47.5	23.0							
13 children	3, 705	10.6	100.0	99.8	99.7	99.5	99.0	98.2	96.0	91.7	86.4	76.1	59.4	38.2	16.6						
14 children	1, 898	11.1	100.0	99.8	99.7	99.5	99.3	98.5	96.6	90.6	85.5	78.1	67.9	50.6	31.0	13.1					
15 children	965	11.6	100.0	100.0	100.0	99.9	99.5	98.0	96.9	93.4	87.2	80.4	70.3	57.9	41.3	24.6	10.2				
16 children	476	11.7	100.0	100.0	100.0	99.6	99.6	99.4	98.9	97.7	94.3	82.4	75.4	68.5	58.0	45.2	31.5	16.0	5.0		
17 children	197	12.0	100.0	100.0	100.0	99.5	99.5	98.5	97.5	93.4	86.8	74.6	70.6	60.4	48.7	34.5	19.8	8.6	3.6		
18 children	105	11.6	100.0	100.0	100.0	100.0	99.0	99.0	97.1	91.4	82.9	66.7	54.3	48.6	42.9	31.4	22.9	12.4	7.6	4.8	
19 children	67	12.2	100.0	100.0	100.0	100.0	100.0	100.0	98.5	95.5	86.6	82.1	59.7	53.7	47.8	35.8	26.9	17.9	7.5	6.0	3.0
20 children	40	12.2	100.0	100.0	100.0	97.5	97.5	97.5	97.5	97.5	90.0	75.0	60.0	55.0	45.0	40.0	27.5	25.0	10.0	7.5	
21 children	18	11.2	100.0	100.0	100.0	100.0	100.0	100.0	88.9	83.3	77.8	61.1	61.1	44.4	33.3	33.3	27.8	16.7	5.6		
22 children	3	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	66.7	33.3							
23 children	5	11.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
24 children	3	12.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Native white mothers having borne—																					
1 child	497, 818	1.0	100.0																		
2 children	343, 802	1.9	100.0	91.4																	
3 children	216, 989	2.8	100.0	98.2	83.3																
4 children	140, 342	3.7	100.0	99.2	95.1	75.3															
5 children	93, 751	4.6	100.0	99.4	98.0	91.8	67.7														
6 children	65, 643	5.4	100.0	99.5	98.8	96.0	87.3	60.5													
7 children	46, 392	6.3	100.0	99.5	99.0	97.9	94.2	82.5	53.4												
8 children	32, 380	7.1	100.0	99.5	99.2	98.5	95.9	90.7	76.7	47.2											
9 children	22, 051	7.9	100.0	99.6	99.3	98.9	97.8	94.7	87.6	70.9	40.5										
10 children	14, 742	8.6	100.0	99.7	99.3	98.9	98.3	94.7	87.6	70.9	40.5										
11 children	8, 684	9.4	100.0	99.7	99.5	99.2	98.8	97.4	84.4	89.1	77.2	57.2	28.9								
12 children	5, 256	10.1	100.0	99.7	99.5	99.2	98.8	97.4	84.4	89.1	77.2	57.2	28.9	24.4							
13 children	2, 850	10.7	100.0	99.8	99.6	99.4	98.8	97.6	94.4	89.9	82.2	70.2	49.5	40.2	17.7						
14 children	1, 503	11.2	100.0	99.8	99.7	99.4	99.1</														

SUMMARY AND RATE TABLES

TABLE II.—MOTHERS OF CHILDREN BORN IN 1932 HAVING SPECIFIED NUMBER OF CHILDREN EVER BORN, WITH THE AVERAGE NUMBER LIVING, AND THE PERCENT OF MOTHERS HAVING SPECIFIED NUMBER LIVING, BY COLOR, AND FOR WHITE MOTHERS BY COUNTRY OF BIRTH, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Percents are shown in *italics* when the number of mothers having specified number of children living is less than 5]

MOTHERS BY COLOR AND NUMBER OF CHILDREN BORN	Number of mothers	Average number of children living	PERCENT OF MOTHERS HAVING SPECIFIED NUMBER OR MORE OF CHILDREN LIVING																		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
White mothers—Continued																					
Foreign white mothers having borne—Con. English, Scotch, and Welsh mothers having borne—																					
1 child	3,853	1.0	100.0																		
2 children	3,165	1.9	100.0	90.9																	
3 children	1,868	2.8	100.0	98.0	81.4																
4 children	1,069	3.7	100.0	99.6	94.9	72.6															
5 children	641	4.5	100.0	99.5	96.9	90.8	62.2														
6 children	406	5.4	100.0	99.8	99.5	95.3	87.4	57.9													
7 children	238	6.2	100.0	99.2	99.2	98.3	93.7	81.1	50.8												
8 children	142	6.9	100.0	100.0	99.3	98.6	95.8	88.0	70.4	39.4											
9 children	97	7.8	100.0	100.0	100.0	100.0	97.9	90.7	81.4	70.1	36.1										
10 children	65	8.4	100.0	100.0	100.0	100.0	100.0	95.4	87.7	78.8	55.4	27.7									
11 children	36	8.8	100.0	100.0	100.0	100.0	97.2	94.4	85.3	80.6	58.3	38.9	22.2								
12 children	20	9.7	100.0	100.0	100.0	95.0	95.0	95.0	85.0	75.0	60.0	50.0	20.0								
13 children	10	10.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	20.0							
14 children	1	13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
15 children	3	12.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
16 children	2	13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
17 children	1	9.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
18 children	1	9.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
21 children	1	9.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Irish mothers having borne—																					
1 child	3,744	1.0	100.0																		
2 children	3,026	1.9	100.0	91.0																	
3 children	1,996	2.8	100.0	97.8	84.1																
4 children	1,278	3.7	100.0	99.6	95.4	74.9															
5 children	724	4.6	100.0	99.9	98.9	93.9	67.5														
6 children	480	5.4	100.0	99.8	99.2	96.7	87.7	59.0													
7 children	303	6.3	100.0	99.7	99.7	98.3	96.0	81.8	50.5												
8 children	176	7.0	100.0	100.0	100.0	99.4	96.0	90.3	71.6	38.1											
9 children	115	7.7	100.0	100.0	100.0	99.1	99.1	93.0	82.6	64.3	31.3										
10 children	56	8.6	100.0	100.0	100.0	100.0	98.2	94.6	92.9	87.5	62.5	26.8									
11 children	38	9.2	100.0	100.0	100.0	100.0	100.0	100.0	94.7	86.8	76.3	39.5	26.3								
12 children	22	10.0	100.0	100.0	100.0	100.0	100.0	100.0	95.5	90.9	81.8	72.7	45.5	18.2							
13 children	12	10.4	100.0	100.0	100.0	100.0	100.0	100.0	91.7	83.3	83.3	83.3	58.3	25.0	16.7						
14 children	4	10.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	60.0	25.0	25.0	25.0					
15 children	5	11.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	60.0	40.0	20.0						
16 children	2	11.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	60.0	50.0	50.0	50.0	50.0				
German mothers having borne—																					
1 child	4,805	1.0	100.0																		
2 children	3,091	1.9	100.0	91.6																	
3 children	1,509	2.8	100.0	97.9	82.2																
4 children	797	3.7	100.0	99.7	95.1	73.9															
5 children	499	4.6	100.0	99.8	98.8	91.4	65.9														
6 children	347	5.4	100.0	100.0	99.4	98.3	87.3	59.1													
7 children	212	6.4	100.0	100.0	99.5	98.6	96.2	88.7	63.3												
8 children	197	7.1	100.0	100.0	100.0	100.0	95.4	89.8	76.1	45.2											
9 children	136	8.0	100.0	99.3	99.3	99.3	99.3	97.8	91.9	71.3	43.4										
10 children	84	8.9	100.0	100.0	98.8	98.8	98.8	96.3	93.8	87.7	74.1	38.3									
11 children	66	9.7	100.0	100.0	100.0	100.0	100.0	100.0	97.0	95.5	80.3	60.6	36.4								
12 children	34	10.2	100.0	100.0	100.0	100.0	100.0	97.1	94.1	91.2	85.3	73.5	55.9	26.5							
13 children	29	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.6	89.7	82.8	62.1	48.3	24.1						
14 children	12	12.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	91.7	91.7	83.3	83.3	75.0	66.7	25.0					
15 children	9	13.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	66.7	44.4	11.1				
16 children	2	13.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50.0					
17 children	2	15.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50.0	50.0	60.0		
Italian mothers having borne—																					
1 child	5,378	1.0	100.0																		
2 children	6,070	1.9	100.0	91.6																	
3 children	5,414	2.8	100.0	98.2	80.7																
4 children	4,545	3.6	100.0	99.4	94.1	70.8															
5 children	3,689	4.5	100.0	99.7	98.3	89.1	61.2														
6 children	2,947	5.3	100.0	99.8	99.3	95.9	84.0	53.9													
7 children	2,203	6.1	100.0	100.0	99.6	98.3	93.1	76.6	45.5												
8 children	1,722	6.9	100.0	100.0	99.6	98.5	95.6	88.0	70.1	38.6											
9 children	1,318	7.8	100.0	100.0	99.9	99.3	98.0	94.5	85.4	64.1	34.2										
10 children	1,024	8.5	100.0	100.0	99.9	99.8	98.8	96.5	90.2	77.3	55.6	27.9									
11 children	638	9.1	100.0	100.0	100.0	99.8	99.4	97.6	93.6	85.3	69.4	45.8	20.2								
12 children	448	9.8	100.0	100.0	100.0	99.6	99.3	98.0	95.8	87.7	78.6	61.4	39.3	18.8							
13 children	251	10.2	100.0	100.0	100.0	100.0	98.8	98.8	95.2	91.2	79.7	66.1	51.0	30.7	11.2						
14 children	125	10.8	100.0	100.0	100.0	100.0	100.0	98.4	96.0	91.2											

TABLE II.—MOTHERS OF CHILDREN BORN IN 1932 HAVING SPECIFIED NUMBER OF CHILDREN EVER BORN, WITH THE AVERAGE NUMBER LIVING, AND THE PERCENT OF MOTHERS HAVING SPECIFIED NUMBER LIVING, BY COLOR, AND FOR WHITE MOTHERS BY COUNTRY OF BIRTH, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Percents are shown in *italics* when the number of mothers having specified number of children living is less than 5]

MOTHERS BY COLOR AND NUMBER OF CHILDREN BORN	Number of mothers	Average number of children living	PERCENT OF MOTHERS HAVING SPECIFIED NUMBER OR MORE OF CHILDREN LIVING																		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
White mothers—Continued																					
Foreign white mothers having borne—Con.																					
Polish mothers having borne—																					
1 child	2,750	1.0	100.0																		
2 children	2,595	1.9	100.0	92.1																	
3 children	1,788	2.8	100.0	97.5	80.1																
4 children	1,429	3.7	100.0	99.6	94.5	80.1															
5 children	1,205	4.5	100.0	99.8	97.8	90.6	62.8														
6 children	1,085	5.3	100.0	99.9	98.9	95.1	85.1	54.7													
7 children	1,015	6.2	100.0	99.9	99.8	98.0	92.5	77.9	48.9												
8 children	891	7.0	100.0	99.9	99.9	99.3	97.4	89.5	71.7	40.1											
9 children	795	7.7	100.0	99.9	99.9	99.4	98.5	94.1	86.9	63.8	31.7										
10 children	598	8.4	100.0	100.0	100.0	99.8	99.5	97.2	90.5	77.6	52.7	25.3									
11 children	386	9.3	100.0	100.0	100.0	100.0	99.2	96.0	93.6	88.4	77.1	61.4	36.1	13.7							
12 children	249	9.7	100.0	100.0	100.0	100.0	100.0	99.3	97.8	91.2	84.7	65.7	40.1	18.2	5.1						
13 children	137	10.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.0	80.7	66.7	40.4	17.5	7.0						
14 children	57	10.6	100.0	100.0	100.0	100.0	97.3	97.3	97.3	89.2	83.8	70.3	59.5	54.1	27.0	18.9	10.8				
15 children	37	11.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	78.6	64.3	64.3	64.3	42.9	28.6	14.3	14.3	14.3			
16 children	14	10.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	71.4	57.1	42.9	42.9	28.6	14.3						
17 children	7	9.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	66.7	66.7	66.7	33.3	33.3	33.3		
18 children	3	13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
19 children	2	10.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
Russian mothers having borne—																					
1 child	4,258	1.0	100.0																		
2 children	4,485	1.9	100.0	93.5																	
3 children	2,621	2.8	100.0	98.2	80.6																
4 children	1,288	3.7	100.0	99.7	95.7	70.7															
5 children	732	4.5	100.0	99.5	98.1	89.2	63.0														
6 children	429	5.3	100.0	99.5	98.4	92.1	81.1	55.2													
7 children	367	6.2	100.0	100.0	100.0	98.6	94.6	78.0	48.5												
8 children	289	7.0	100.0	100.0	99.7	99.0	94.5	87.5	73.7	46.7											
9 children	223	7.9	100.0	100.0	99.6	98.2	97.8	94.6	86.1	76.2	36.8										
10 children	161	8.6	100.0	100.0	100.0	99.4	99.4	96.9	91.3	82.0	60.2	31.1									
11 children	143	9.5	100.0	100.0	100.0	100.0	100.0	99.3	96.6	87.8	75.7	60.1	32.4								
12 children	85	10.0	100.0	100.0	100.0	100.0	100.0	97.6	97.6	95.3	77.6	64.7	43.5	22.4							
13 children	60	10.9	100.0	100.0	100.0	100.0	100.0	100.0	98.3	95.0	88.3	81.7	66.7	41.7	16.7						
14 children	40	11.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.5	92.5	82.5	70.0	55.0	30.0	15.0					
15 children	27	12.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
16 children	12	12.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
17 children	6	13.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
18 children	2	14.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
19 children	1	13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
20 children	1	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
Mothers born in other foreign countries having borne—																					
1 child	6,217	1.0	100.0																		
2 children	6,272	1.9	100.0	91.3																	
3 children	4,370	2.8	100.0	97.8	80.0																
4 children	3,092	3.7	100.0	99.3	94.3	72.3															
5 children	2,265	4.5	100.0	99.5	98.0	89.5	62.8														
6 children	1,613	5.3	100.0	99.8	99.3	96.0	84.2	54.3													
7 children	1,255	6.1	100.0	99.8	99.2	97.1	90.3	74.8	44.9												
8 children	958	6.9	100.0	100.0	99.8	98.5	94.5	85.9	69.5	38.5											
9 children	706	7.6	100.0	100.0	99.7	98.9	96.3	91.4	80.7	61.6	30.2										
10 children	561	8.2	100.0	99.8	99.5	99.3	98.8	93.4	86.1	70.4	49.0	25.5									
11 children	359	9.0	100.0	99.7	99.7	99.4	98.3	96.9	92.8	82.2	67.1	41.8	18.4								
12 children	251	9.5	100.0	100.0	100.0	100.0	98.8	96.0	91.6	85.3	74.9	57.8	33.1	14.3							
13 children	142	10.2	100.0	100.0	100.0	100.0	99.3	97.2	94.4	88.0	78.9	69.7	48.6	31.7	15.5						
14 children	83	10.5	100.0	100.0	100.0	100.0	100.0	98.8	95.2	89.2	81.9	67.5	53.0	38.6	18.1	8.4					
15 children	41	10.8	100.0	100.0	100.0	97.6	97.6	97.6	92.7	87.8	82.9	70.7	63.4	48.8	29.3	9.8					
16 children	23	10.5	100.0	100.0	100.0	100.0	100.0	100.0	95.7	82.6	65.2	65.2	60.9	39.1	21.7	17.4					
17 children	7	11.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
18 children	5	9.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
19 children	2	11.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
20 children	1	12.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
21 children	1	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
Mothers born in country not stated having borne—																					
1 child	1,043	1.0	100.0																		
2 children	325	1.9	100.0	89.2																	
3 children	196	2.8	100.0	96.9	82.7																
4 children	149	3.8	100.0	99.3	95.3	80.5															

SUMMARY AND RATE TABLES

TABLE II.—MOTHERS OF CHILDREN BORN IN 1932 HAVING SPECIFIED NUMBER OF CHILDREN EVER BORN, WITH THE AVERAGE NUMBER LIVING, AND THE PERCENT OF MOTHERS HAVING SPECIFIED NUMBER LIVING, BY COLOR, AND FOR WHITE MOTHERS BY COUNTRY OF BIRTH, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

[Percents are shown in *italics* when the number of mothers having specified number of children living is less than 5]

MOTHERS BY COLOR AND NUMBER OF CHILDREN BORN	Number of mothers	Average number of children living	PERCENT OF MOTHERS HAVING SPECIFIED NUMBER OR MORE OF CHILDREN LIVING																		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Negro mothers having borne—																					
1 child	69,914	1.0	100.0																		
2 children	43,098	1.9	100.0	87.8																	
3 children	30,426	2.8	100.0	96.2	79.3																
4 children	23,040	3.6	100.0	98.4	91.9	71.7															
5 children	17,107	4.5	100.0	99.1	95.5	87.6	64.6														
6 children	13,573	5.3	100.0	99.6	98.0	93.2	82.5	59.1													
7 children	10,434	6.2	100.0	99.7	98.9	96.4	90.6	77.3	52.6												
8 children	8,085	6.9	100.0	99.7	99.2	97.9	93.7	85.6	70.5	46.8											
9 children	5,939	7.7	100.0	99.6	99.1	98.2	95.8	90.6	81.7	65.2	40.3										
10 children	4,450	8.5	100.0	99.9	99.5	98.7	97.1	93.4	85.8	76.1	58.5	36.8									
11 children	2,850	9.2	100.0	99.9	99.5	98.9	97.9	95.4	90.6	82.8	70.6	52.4	31.4								
12 children	2,029	9.8	100.0	100.0	99.6	99.1	98.5	96.1	92.2	85.6	76.5	62.2	43.7	24.8							
13 children	1,284	10.4	100.0	99.8	99.7	99.4	98.3	96.7	93.4	88.9	81.9	69.9	54.8	38.8	22.0						
14 children	720	11.0	100.0	100.0	100.0	99.3	98.3	96.7	93.2	88.9	81.9	75.6	63.1	49.4	32.6	18.8					
15 children	413	11.5	100.0	100.0	99.5	98.5	98.8	98.1	95.9	90.6	82.6	76.5	66.6	55.9	42.4	24.7	15.5				
16 children	211	11.8	100.0	100.0	100.0	99.1	98.2	95.5	93.7	91.9	87.4	76.6	66.7	54.1	42.3	33.3	22.5	13.5	6.3		
17 children	111	12.5	100.0	100.0	100.0	100.0	98.4	95.2	93.5	88.7	83.9	77.4	69.4	56.5	45.2	32.3	25.8	19.4	11.3		
18 children	62	12.5	100.0	100.0	100.0	100.0	98.4	95.2	93.5	88.7	83.9	77.4	69.4	56.5	45.2	32.3	25.8	19.4	11.3		
19 children	31	11.1	100.0	100.0	100.0	93.5	93.5	87.1	80.6	71.0	67.7	61.3	51.6	41.9	38.7	38.7	32.3	22.6	19.4	6.5	3.2
20 children	16	13.6	100.0	100.0	100.0	100.0	100.0	100.0	93.8	93.3	93.3	87.5	81.3	68.8	56.3	50.0	37.5	37.5	18.8	18.8	12.5
21 children	13	13.5	100.0	100.0	100.0	100.0	100.0	100.0	92.3	92.3	84.6	84.6	61.5	53.8	46.2	38.5	30.8	23.1	23.1	7.7	
22 children	6	13.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	83.3	83.3	83.3	66.7	50.0	50.0	16.7		
23 children	5	10.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	60.0	40.0	40.0	40.0	20.0				
25 children	2	19.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	50.0	50.0	
Other colored mothers having borne—																					
1 child	5,519	1.0	100.0																		
2 children	4,439	1.9	100.0	87.4																	
3 children	3,572	2.7	100.0	95.2	75.5																
4 children	3,102	3.6	100.0	98.4	91.7	66.2															
5 children	2,715	4.4	100.0	99.5	95.8	84.4	56.6														
6 children	2,285	5.1	100.0	99.7	98.1	90.9	76.7	48.6													
7 children	1,768	5.9	100.0	99.9	98.8	95.4	87.4	67.9	38.5												
8 children	1,296	6.6	100.0	99.8	98.9	97.3	92.1	81.0	60.0	33.6											
9 children	905	7.2	100.0	99.9	99.4	98.0	93.8	85.2	68.2	47.7	23.4										
10 children	682	7.7	100.0	100.0	100.0	98.8	95.7	88.9	77.3	58.4	36.4	18.5									
11 children	432	8.1	100.0	100.0	100.0	99.1	96.1	90.5	79.2	65.7	46.5	25.7	11.1								
12 children	271	8.5	100.0	100.0	100.0	98.9	95.6	90.4	80.1	68.3	53.5	36.5	19.6	10.7							
13 children	193	8.8	100.0	99.5	99.5	99.5	95.9	89.1	82.9	75.1	58.5	40.4	21.8	10.4	5.7						
14 children	96	9.4	100.0	100.0	100.0	99.0	94.8	91.7	85.4	75.0	64.6	55.2	36.5	22.9	15.6	4.2					
15 children	49	9.1	100.0	100.0	100.0	95.9	95.9	91.8	85.7	71.4	53.1	42.9	28.6	20.4	14.3	10.2	4.1				
16 children	32	9.7	100.0	100.0	100.0	100.0	96.9	96.9	87.5	78.1	65.6	53.1	40.6	28.1	12.5	6.3	6.3				
17 children	20	9.3	100.0	100.0	100.0	95.0	95.0	90.0	90.0	75.0	70.0	55.0	25.0	16.0	5.0	5.0					
18 children	9	12.2	100.0	100.0	100.0	100.0	100.0	100.0	88.9	77.8	77.8	77.8	77.8	77.8	44.4	44.4	22.2	11.1	11.1	11.1	
19 children	4	10.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
20 children	1	15.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
21 children	3	14.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
24 children	1	16.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

GENERAL TABLES

BIRTH STATISTICS: 1932

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION AREA IN CONTINENTAL UNITED STATES													
Total.....	2,074,042	178,626	172,930	181,593	164,922	173,612	170,554	176,140	182,796	176,421	173,555	159,556	163,337
Male.....	1,063,885	91,765	88,705	92,596	84,524	88,983	87,517	90,574	93,632	90,753	89,163	81,650	84,023
Female.....	1,010,157	86,861	84,225	88,997	80,398	84,629	83,037	85,566	89,164	85,668	84,392	77,906	79,314
Cities of 10,000 or more.....	966,714	85,727	80,800	83,613	74,410	78,750	80,205	83,816	85,691	81,215	79,708	74,792	77,987
Male.....	496,688	44,058	41,517	42,798	38,286	40,621	41,196	43,265	43,949	42,004	40,890	38,188	39,916
Female.....	470,026	41,669	39,283	40,815	36,124	38,129	39,009	40,551	41,742	39,211	38,818	36,604	38,071
Cities of 2,500 to 10,000.....	198,067	17,204	16,696	17,178	15,601	16,336	16,015	16,799	17,611	16,864	16,422	15,428	15,913
Male.....	101,196	8,691	8,523	8,701	8,003	8,322	8,179	8,596	8,993	8,588	8,439	7,894	8,267
Female.....	96,871	8,513	8,173	8,477	7,598	8,014	7,836	8,203	8,618	8,276	7,983	7,534	7,646
Rural.....	909,261	75,695	75,434	80,802	74,911	78,526	74,334	75,525	79,494	78,342	77,425	69,336	69,437
Male.....	466,001	39,016	38,665	41,097	38,235	40,040	38,142	38,713	40,690	40,161	39,834	35,568	35,840
Female.....	443,260	36,679	36,769	39,705	36,676	38,486	36,192	36,812	38,804	38,181	37,591	33,768	33,597
ALABAMA													
Total.....	62,939	5,560	5,350	5,713	5,443	5,385	4,884	5,036	5,284	5,297	5,271	4,877	4,839
Cities of 10,000 or more.....	11,350	1,106	994	953	881	835	916	973	984	943	958	915	892
Cities of 2,500 to 10,000.....	3,648	354	307	339	272	292	253	296	288	285	310	311	341
Rural.....	47,941	4,100	4,049	4,421	4,290	4,258	3,715	3,767	4,012	4,069	4,003	3,651	3,606
ARIZONA													
Total.....	8,523	823	740	796	709	744	686	694	700	709	637	605	680
Cities of 10,000 or more.....	2,818	276	230	255	211	229	242	236	240	239	198	200	262
Cities of 2,500 to 10,000.....	2,171	213	191	215	195	182	172	169	151	172	168	172	171
Rural.....	3,534	334	319	326	303	333	272	289	309	298	271	233	247
ARKANSAS													
Total.....	37,450	3,362	3,430	3,364	2,861	3,132	2,919	2,863	3,242	3,322	3,318	2,880	2,757
Cities of 10,000 or more.....	3,269	308	308	245	229	231	252	270	285	297	283	282	279
Cities of 2,500 to 10,000.....	2,596	237	212	244	183	216	209	198	227	216	229	212	213
Rural.....	31,585	2,817	2,910	2,875	2,449	2,685	2,458	2,395	2,730	2,809	2,806	2,386	2,265
CALIFORNIA													
Total.....	78,093	6,464	6,191	6,443	6,160	6,393	6,589	6,842	6,949	6,786	6,447	6,246	6,583
Cities of 10,000 or more.....	50,169	4,114	3,965	4,102	3,936	4,181	4,216	4,381	4,467	4,410	4,147	4,010	4,240
Cities of 2,500 to 10,000.....	9,909	840	808	832	808	813	856	849	912	820	823	759	789
Rural.....	18,015	1,510	1,418	1,509	1,416	1,399	1,517	1,612	1,570	1,556	1,477	1,477	1,554
COLORADO													
Total.....	17,613	1,469	1,420	1,504	1,554	1,541	1,505	1,491	1,479	1,478	1,371	1,342	1,459
Cities of 10,000 or more.....	7,144	557	574	622	631	604	647	621	607	599	541	569	572
Cities of 2,500 to 10,000.....	2,050	228	207	175	177	159	172	212	136	187	154	126	117
Rural.....	8,419	684	639	707	746	778	686	658	736	692	676	647	770
CONNECTICUT													
Total.....	23,731	2,118	1,998	2,062	1,909	1,956	1,958	2,067	2,091	1,943	1,993	1,813	1,823
Cities of 10,000 or more.....	19,086	1,707	1,604	1,665	1,553	1,561	1,556	1,663	1,644	1,566	1,618	1,470	1,479
Cities of 2,500 to 10,000.....	1,185	113	87	113	84	105	107	100	126	91	96	78	85
Rural.....	3,460	298	307	284	272	290	295	304	321	286	279	265	259
DELAWARE													
Total.....	4,294	365	345	381	365	332	335	402	357	371	364	345	332
Cities of 10,000 or more.....	2,184	172	182	183	185	164	194	208	174	184	188	182	168
Cities of 2,500 to 10,000.....	358	33	39	34	31	33	24	33	28	21	32	24	26
Rural.....	1,752	160	124	164	149	135	117	161	155	166	144	139	138
DISTRICT OF COLUMBIA													
Total.....	10,157	923	813	819	776	778	835	910	888	834	885	831	865
FLORIDA													
Total.....	27,402	2,638	2,297	2,458	2,075	1,886	1,912	2,175	2,435	2,321	2,441	2,346	2,418
Cities of 10,000 or more.....	10,112	1,031	829	922	718	690	669	832	913	854	886	871	897
Cities of 2,500 to 10,000.....	4,235	406	345	360	323	288	283	348	396	345	334	401	406
Rural.....	13,055	1,201	1,123	1,176	1,034	908	960	995	1,126	1,122	1,221	1,074	1,115
GEORGIA													
Total.....	63,717	5,269	5,166	5,480	5,551	5,678	5,087	5,275	5,464	5,477	5,582	4,891	4,797
Cities of 10,000 or more.....	13,678	1,247	1,137	1,179	1,060	1,177	1,088	1,173	1,179	1,099	1,107	1,118	1,114
Cities of 2,500 to 10,000.....	8,587	701	719	639	687	718	640	655	769	798	818	693	750
Rural.....	41,452	3,321	3,310	3,662	3,804	3,783	3,359	3,447	3,516	3,580	3,657	3,080	2,933
IDAHO													
Total.....	8,732	689	746	796	737	706	733	806	718	751	707	646	697
Cities of 10,000 or more.....	1,115	84	91	113	108	87	99	103	100	87	57	88	98
Cities of 2,500 to 10,000.....	3,165	257	286	296	266	241	251	289	228	272	292	242	245
Rural.....	4,452	348	369	357	363	378	383	414	390	392	358	316	354
ILLINOIS													
Total.....	111,512	9,959	9,572	9,521	7,760	8,915	9,439	9,952	10,326	9,517	9,430	8,606	8,515
Cities of 10,000 or more.....	74,703	6,727	6,392	6,412	5,159	6,005	6,366	6,609	6,880	6,281	6,191	5,750	5,931
Cities of 2,500 to 10,000.....	10,098	915	880	860	722	784	806	849	950	839	918	783	792
Rural.....	26,711	2,317	2,300	2,249	1,879	2,126	2,267	2,494	2,496	2,397	2,321	2,073	1,792

GENERAL TABLES

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932—Continued

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA													
Total.....	53, 073	4, 592	4, 545	4, 487	3, 742	4, 286	4, 382	4, 626	4, 699	4, 641	4, 601	4, 185	4, 287
Cities of 10,000 or more.....	24, 543	2, 201	2, 143	2, 028	1, 712	1, 913	2, 005	2, 216	2, 177	2, 104	2, 100	1, 951	1, 998
Cities of 2,500 to 10,000.....	5, 275	456	443	417	388	423	454	448	486	470	449	410	481
Rural.....	23, 255	1, 935	1, 959	2, 042	1, 642	1, 950	1, 923	1, 962	2, 036	2, 067	2, 052	1, 824	1, 863
IOWA													
Total.....	40, 459	3, 558	3, 377	3, 494	2, 959	3, 247	3, 366	3, 478	3, 676	3, 537	3, 380	3, 057	3, 330
Cities of 10,000 or more.....	13, 561	1, 195	1, 165	1, 136	985	1, 064	1, 103	1, 195	1, 197	1, 151	1, 160	1, 023	1, 187
Cities of 2,500 to 10,000.....	5, 566	479	464	512	418	455	497	444	500	494	458	411	484
Rural.....	21, 332	1, 884	1, 748	1, 846	1, 556	1, 728	1, 766	1, 839	1, 979	1, 892	1, 762	1, 623	1, 709
KANSAS													
Total.....	31, 700	2, 770	2, 562	2, 643	2, 263	2, 480	2, 472	2, 749	2, 899	2, 787	2, 716	2, 637	2, 722
Cities of 10,000 or more.....	9, 908	900	819	821	675	753	774	852	909	874	855	794	882
Cities of 2,500 to 10,000.....	4, 318	371	355	378	330	348	341	352	393	382	375	332	361
Rural.....	17, 474	1, 499	1, 388	1, 444	1, 258	1, 379	1, 357	1, 545	1, 597	1, 531	1, 486	1, 511	1, 479
KENTUCKY													
Total.....	59, 505	5, 030	5, 219	5, 663	4, 866	5, 085	4, 896	4, 728	4, 941	4, 957	4, 966	4, 485	4, 669
Cities of 10,000 or more.....	10, 286	951	921	917	724	812	839	871	930	867	824	808	822
Cities of 2,500 to 10,000.....	4, 618	411	401	392	331	388	368	382	396	409	382	361	397
Rural.....	44, 601	3, 668	3, 897	4, 354	3, 811	3, 885	3, 689	3, 475	3, 615	3, 681	3, 760	3, 316	3, 450
LOUISIANA													
Total.....	43, 298	3, 789	3, 741	3, 792	3, 203	3, 249	3, 099	3, 469	3, 981	3, 940	3, 833	3, 571	3, 631
Cities of 10,000 or more.....	13, 553	1, 176	1, 202	1, 137	926	982	986	1, 044	1, 326	1, 261	1, 254	1, 154	1, 105
Cities of 2,500 to 10,000.....	3, 724	302	281	325	238	271	280	318	322	350	353	334	350
Rural.....	26, 021	2, 311	2, 258	2, 330	2, 039	1, 996	1, 833	2, 107	2, 333	2, 329	2, 226	2, 083	2, 176
MAINE													
Total.....	16, 129	1, 345	1, 378	1, 402	1, 400	1, 481	1, 340	1, 460	1, 456	1, 274	1, 254	1, 141	1, 198
Cities of 10,000 or more.....	4, 783	423	428	392	394	423	383	400	425	385	387	364	379
Cities of 2,500 to 10,000.....	1, 986	173	168	165	166	178	162	196	180	150	164	134	150
Rural.....	9, 360	749	782	845	840	880	795	864	851	739	703	643	669
MARYLAND													
Total.....	28, 820	2, 435	2, 399	2, 589	2, 263	2, 338	2, 255	2, 399	2, 576	2, 505	2, 468	2, 299	2, 294
Cities of 10,000 or more.....	16, 350	1, 450	1, 371	1, 435	1, 242	1, 298	1, 241	1, 343	1, 419	1, 456	1, 402	1, 327	1, 366
Cities of 2,500 to 10,000.....	1, 476	113	125	113	120	114	100	131	146	135	140	114	125
Rural.....	10, 994	872	903	1, 041	901	926	914	925	1, 011	914	926	858	803
MASSACHUSETTS													
Total.....	68, 534	6, 135	5, 554	5, 847	5, 509	5, 771	5, 779	6, 057	5, 978	5, 625	5, 540	5, 253	5, 486
Cities of 10,000 or more.....	60, 942	5, 469	4, 951	5, 217	4, 947	5, 123	5, 149	5, 406	5, 309	4, 962	4, 878	4, 628	4, 903
Cities of 2,500 to 10,000.....	3, 993	364	299	316	284	337	328	361	364	336	343	334	327
Rural.....	3, 599	302	304	314	278	311	302	290	305	327	319	291	256
MICHIGAN													
Total.....	85, 736	7, 552	7, 174	7, 506	6, 849	7, 155	7, 186	7, 446	7, 651	7, 279	6, 926	6, 347	6, 665
Cities of 10,000 or more.....	52, 111	4, 706	4, 471	4, 576	4, 176	4, 419	4, 319	4, 549	4, 610	4, 320	4, 094	3, 807	4, 064
Cities of 2,500 to 10,000.....	7, 188	658	603	654	557	609	661	616	612	639	534	509	536
Rural.....	26, 437	2, 188	2, 100	2, 276	2, 116	2, 127	2, 206	2, 281	2, 429	2, 320	2, 298	2, 031	2, 065
MINNESOTA													
Total.....	46, 377	3, 922	3, 862	4, 009	3, 571	3, 841	3, 930	4, 085	4, 250	3, 859	3, 872	3, 489	3, 687
Cities of 10,000 or more.....	18, 336	1, 627	1, 513	1, 605	1, 345	1, 500	1, 590	1, 626	1, 646	1, 489	1, 506	1, 363	1, 536
Cities of 2,500 to 10,000.....	5, 337	425	469	450	448	490	441	481	481	423	381	411	437
Rural.....	22, 704	1, 870	1, 880	1, 954	1, 778	1, 851	1, 899	1, 973	2, 123	1, 947	1, 985	1, 725	1, 714
MISSISSIPPI													
Total.....	46, 273	3, 800	3, 892	4, 073	4, 008	3, 943	3, 497	3, 692	4, 078	4, 188	3, 896	3, 533	3, 673
Cities of 10,000 or more.....	4, 421	421	364	385	306	352	344	340	394	412	367	371	365
Cities of 2,500 to 10,000.....	2, 438	199	252	236	249	242	153	215	220	195	188	150	139
Rural.....	39, 414	3, 180	3, 276	3, 452	3, 453	3, 349	3, 000	3, 137	3, 464	3, 651	3, 341	3, 012	3, 169
MISSOURI													
Total.....	59, 949	5, 220	5, 089	5, 078	4, 215	4, 568	4, 855	5, 045	5, 457	5, 229	5, 346	4, 820	4, 967
Cities of 10,000 or more.....	24, 196	2, 209	2, 081	2, 020	1, 640	1, 742	1, 971	2, 099	2, 255	2, 165	2, 174	1, 844	1, 996
Cities of 2,500 to 10,000.....	5, 602	454	456	429	382	394	444	457	514	512	510	554	496
Rural.....	30, 151	2, 557	2, 552	2, 629	2, 193	2, 432	2, 440	2, 489	2, 688	2, 552	2, 662	2, 482	2, 475
MONTANA													
Total.....	9, 091	750	743	807	767	836	*711	756	796	789	740	680	716
Cities of 10,000 or more.....	2, 600	220	212	231	223	219	213	216	233	227	213	206	187
Cities of 2,500 to 10,000.....	1, 624	135	141	144	126	164	150	138	151	122	120	107	126
Rural.....	4, 867	395	390	432	413	453	348	402	412	440	407	367	403
NEBRASKA													
Total.....	25, 159	2, 281	2, 134	2, 156	1, 917	2, 087	2, 087	2, 081	2, 195	2, 049	2, 125	19, 75	2, 072
Cities of 10,000 or more.....	7, 215	662	620	587	521	588	637	622	616	588	600	559	615
Cities of 2,500 to 10,000.....	2, 900	285	240	248	239	246	251	241	253	231	258	260	238
Rural.....	14, 954	1, 334	1, 274	1, 321	1, 157	1, 253	1, 199	1, 218	1, 326	1, 230	1, 267	1, 156	1, 219
NEVADA													
Total.....	1, 260	112	103	110	111	104	99	107	100	104	106	95	109
Cities of 10,000 or more.....	236	21	20	17	19	22	25	18	19	24	13	14	24
Cities of 2,500 to 10,000.....	341	30	28	28	31	26	23	30	32	20	44	11	38
Rural.....	683	61	55	65	61	56	51	59	49	60	49	70	47

BIRTH STATISTICS: 1932

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932—Continued

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE													
Total.....	7,808	686	613	696	635	657	602	688	733	668	577	619	634
Cities of 10,000 or more.....	4,403	398	357	401	377	351	348	381	392	360	329	343	366
Cities of 2,500 to 10,000.....	885	68	64	71	57	72	54	106	110	89	56	56	82
Rural.....	2,520	220	192	224	201	234	200	201	231	219	192	220	186
NEW JERSEY													
Total.....	61,219	5,377	5,162	5,370	4,844	5,030	4,995	5,354	5,531	5,135	5,015	4,512	4,894
Cities of 10,000 or more.....	48,324	4,274	4,020	4,214	3,802	3,984	3,936	4,185	4,366	4,065	3,988	3,588	3,902
Cities of 2,500 to 10,000.....	5,349	446	482	483	428	432	435	481	471	438	416	415	422
Rural.....	7,546	657	660	673	614	614	624	688	694	632	611	509	570
NEW MEXICO													
Total.....	12,391	939	1,008	1,122	1,121	1,235	1,083	1,096	1,070	986	972	843	916
Cities of 10,000 or more.....	1,404	98	123	122	112	119	131	114	128	119	130	99	109
Cities of 2,500 to 10,000.....	2,079	182	165	181	178	200	185	186	175	166	151	143	164
Rural.....	8,908	659	720	819	831	916	767	796	767	701	688	601	643
NEW YORK													
Total.....	198,431	16,980	16,233	17,469	16,052	16,579	16,875	17,375	17,505	16,319	16,174	15,155	15,715
Cities of 10,000 or more.....	163,873	14,171	13,503	14,460	13,216	13,660	14,026	14,345	14,340	13,384	13,299	12,472	12,997
Cities of 2,500 to 10,000.....	9,876	817	787	865	810	835	790	909	867	820	817	777	782
Rural.....	24,682	1,992	1,943	2,144	2,026	2,084	2,059	2,121	2,293	2,115	2,058	1,906	1,936
NORTH CAROLINA													
Total.....	77,902	6,087	6,046	6,690	6,851	7,237	6,759	6,336	6,851	6,955	6,535	5,805	5,750
Cities of 10,000 or more.....	13,079	1,155	1,065	1,117	1,119	1,076	1,103	1,088	1,179	1,115	1,070	965	1,027
Cities of 2,500 to 10,000.....	5,432	425	414	465	476	464	480	458	526	503	409	394	418
Rural.....	59,391	4,507	4,567	5,108	5,256	5,697	5,176	4,790	5,146	5,337	5,056	4,446	4,305
NORTH DAKOTA													
Total.....	14,047	1,155	1,164	1,238	1,169	1,224	1,114	1,211	1,205	1,231	1,213	1,117	1,006
Cities of 10,000 or more.....	2,330	170	219	204	187	214	193	215	218	223	176	153	158
Cities of 2,500 to 10,000.....	1,412	110	117	125	98	111	115	142	124	115	129	128	98
Rural.....	10,305	875	828	909	884	899	806	854	863	893	908	836	750
OHIO													
Total.....	101,753	9,015	8,754	9,025	7,605	8,200	8,470	8,504	9,023	8,603	8,518	7,834	8,142
Cities of 10,000 or more.....	61,103	5,545	5,153	5,405	4,467	4,934	5,115	5,093	5,452	5,170	5,121	4,735	4,913
Cities of 2,500 to 10,000.....	8,135	731	699	702	670	654	688	683	708	649	655	640	678
Rural.....	32,515	2,739	2,902	2,918	2,468	2,612	2,687	2,788	2,865	2,784	2,742	2,459	2,551
OKLAHOMA													
Total.....	41,039	3,506	3,589	3,408	3,071	3,270	3,064	3,387	3,581	3,606	3,707	3,319	3,531
Cities of 10,000 or more.....	9,713	851	854	791	646	745	718	785	866	839	882	822	914
Cities of 2,500 to 10,000.....	8,194	714	730	685	560	639	576	664	700	755	720	630	731
Rural.....	23,132	1,941	2,005	1,932	1,865	1,886	1,770	1,938	1,925	2,012	2,105	1,867	1,886
OREGON													
Total.....	12,847	1,062	1,072	1,106	1,022	1,130	1,075	1,174	1,131	1,052	1,061	985	977
Cities of 10,000 or more.....	5,674	503	474	474	430	510	470	517	496	479	434	449	438
Cities of 2,500 to 10,000.....	2,659	207	229	253	220	215	212	228	252	204	213	216	210
Rural.....	4,514	352	369	379	372	405	393	429	383	369	414	320	329
PENNSYLVANIA													
Total.....	168,534	14,979	13,950	14,818	13,410	14,116	13,802	14,449	14,839	14,161	13,841	12,954	13,215
Cities of 10,000 or more.....	94,656	8,554	7,810	8,301	7,475	7,775	7,694	8,149	8,304	7,972	7,754	7,387	7,481
Cities of 2,500 to 10,000.....	20,996	1,860	1,828	1,886	1,689	1,776	1,677	1,766	1,814	1,728	1,655	1,564	1,753
Rural.....	52,882	4,565	4,312	4,631	4,246	4,565	4,431	4,534	4,721	4,461	4,432	4,003	3,981
RHODE ISLAND													
Total.....	11,171	929	905	940	930	875	955	1,005	972	942	967	925	826
Cities of 10,000 or more.....	10,141	842	826	845	843	803	881	923	878	846	889	832	733
Cities of 2,500 to 10,000.....	321	33	30	41	30	30	22	27	31	27	19	18	13
Rural.....	709	54	49	54	57	42	52	55	63	69	59	75	80
SOUTH CAROLINA													
Total.....	41,518	3,269	3,105	3,533	3,666	3,836	3,460	3,486	3,663	3,658	3,713	3,061	3,068
Cities of 10,000 or more.....	5,518	504	437	495	434	417	458	440	526	446	450	420	491
Cities of 2,500 to 10,000.....	2,920	253	228	255	242	268	253	236	251	238	269	226	201
Rural.....	33,080	2,512	2,440	2,783	2,990	3,151	2,749	2,810	2,886	2,974	2,994	2,415	2,376
SOUTH DAKOTA													
Total.....	13,241	1,160	1,083	1,129	1,036	1,113	1,071	1,125	1,163	1,152	1,115	1,003	1,091
Cities of 10,000 or more.....	2,345	200	195	197	196	198	191	214	201	187	187	185	194
Cities of 2,500 to 10,000.....	1,189	98	94	99	102	100	88	113	92	95	107	92	109
Rural.....	9,707	862	794	833	738	815	792	798	870	870	821	726	788
TENNESSEE													
Total.....	52,491	4,550	4,512	4,854	4,273	4,716	4,401	4,140	4,386	4,396	4,449	3,936	3,878
Cities of 10,000 or more.....	13,509	1,210	1,136	1,188	1,009	1,049	1,108	1,136	1,149	1,162	1,182	1,068	1,112
Cities of 2,500 to 10,000.....	4,186	368	360	352	318	376	392	293	359	388	350	353	277
Rural.....	34,796	2,972	3,016	3,314	2,946	3,291	2,901	2,711	2,878	2,846	2,917	2,515	2,489
UTAH													
Total.....	11,974	992	946	1,028	1,068	995	1,009	1,048	1,023	1,047	937	930	951
Cities of 10,000 or more.....	4,817	388	372	404	436	411	404	458	420	426	341	368	389
Cities of 2,500 to 10,000.....	2,120	175	162	188	195	148	162	191	189	184	184	186	156
Rural.....	5,037	429	412	436	437	436	443	399	414	437	412	376	406

GENERAL TABLES

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932—Continued

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT													
Total.....	6,030	536	488	550	515	576	509	528	509	487	484	442	406
Cities of 10,000 or more.....	1,173	107	101	131	91	111	115	89	115	88	78	85	64
Cities of 2,500 to 10,000.....	1,333	115	90	119	124	126	108	102	102	134	105	117	91
Rural.....	3,524	314	297	300	300	339	286	337	292	265	301	242	251
VIRGINIA													
Total.....	54,582	4,433	4,623	5,053	4,627	4,779	4,553	4,487	4,712	4,714	4,585	4,129	3,987
Cities of 10,000 or more.....	12,462	1,128	1,087	1,106	916	987	1,012	1,074	1,097	1,066	1,022	1,026	941
Cities of 2,500 to 10,000.....	3,849	329	323	374	331	355	317	294	306	329	317	273	281
Rural.....	38,271	2,970	3,213	3,573	3,380	3,457	3,224	3,119	3,249	3,319	3,196	2,830	2,735
WASHINGTON													
Total.....	21,379	1,738	1,714	1,917	1,791	1,861	1,800	1,926	1,925	1,719	1,690	1,620	1,678
Cities of 10,000 or more.....	12,760	987	1,025	1,134	1,087	1,114	1,063	1,145	1,152	1,024	984	1,006	1,039
Cities of 2,500 to 10,000.....	2,342	207	183	202	190	191	221	235	184	213	187	168	161
Rural.....	6,277	544	506	581	514	556	516	546	589	482	519	446	478
WEST VIRGINIA													
Total.....	38,803	3,337	3,366	3,729	3,257	3,383	3,151	3,074	3,286	3,223	3,179	2,855	2,963
Cities of 10,000 or more.....	6,250	593	529	566	462	498	484	510	535	525	555	482	501
Cities of 2,500 to 10,000.....	3,534	310	339	376	264	257	279	286	323	323	267	270	287
Rural.....	28,999	2,434	2,498	2,787	2,531	2,628	2,388	2,278	2,428	2,362	2,357	2,103	2,175
WISCONSIN													
Total.....	53,107	4,616	4,410	4,565	4,069	4,517	4,601	4,604	4,672	4,431	4,348	4,134	4,140
Cities of 10,000 or more.....	23,669	2,103	2,056	2,027	1,764	1,975	2,031	2,114	1,997	1,979	1,911	1,774	1,938
Cities of 2,500 to 10,000.....	5,917	550	490	480	501	509	492	524	551	471	467	464	438
Rural.....	23,521	1,983	1,864	2,058	1,804	2,033	2,078	1,966	2,124	1,981	1,970	1,896	1,764
WYOMING													
Total.....	4,249	350	347	360	367	366	369	392	350	367	310	323	348
Cities of 10,000 or more.....	685	63	58	57	59	67	65	65	54	52	40	46	59
Cities of 2,500 to 10,000.....	811	74	76	62	63	82	63	67	67	78	53	65	61
Rural.....	2,753	213	213	241	245	217	241	260	229	237	217	212	228
CITIES OF 100,000 INHABITANTS OR MORE IN 1930													
Birmingham, Ala.....	4,957	459	467	399	372	354	406	433	454	416	407	392	398
Long Beach, Calif.....	1,994	156	147	154	149	159	156	179	197	178	197	155	167
Los Angeles, Calif.....	16,829	1,391	1,424	1,371	1,316	1,369	1,349	1,497	1,507	1,454	1,388	1,345	1,418
Oakland, Calif.....	3,962	331	278	332	314	360	357	333	336	327	329	329	337
San Diego, Calif.....	2,583	193	180	207	205	199	233	251	252	244	211	189	219
San Francisco, Calif.....	7,483	629	567	580	603	665	624	635	672	681	613	601	613
Denver, Colo.....	4,360	386	378	410	438	416	450	409	395	431	368	387	392
Bridgeport, Conn.....	2,606	229	229	218	212	228	202	224	215	213	214	221	201
Hartford, Conn.....	3,711	319	311	346	262	297	305	336	327	301	331	271	305
New Haven, Conn.....	3,082	288	288	263	263	259	250	246	264	270	241	253	227
Wilmington, Del.....	2,184	172	182	183	185	164	194	208	174	184	188	182	168
Washington, D.C.....	10,157	923	813	819	776	778	835	910	888	834	885	831	865
Jacksonville, Fla.....	2,503	257	196	222	164	161	189	197	212	236	230	221	218
Miami, Fla.....	1,767	166	157	146	138	115	102	156	161	147	137	172	170
Tampa, Fla.....	1,712	185	131	151	104	116	103	141	157	135	169	166	154
Atlanta, Ga.....	5,411	494	459	477	430	454	449	465	468	429	455	411	420
Chicago, Ill.....	49,258	4,372	4,165	4,213	3,434	4,025	4,327	4,327	4,470	4,141	4,027	3,840	3,984
Peoria, Ill.....	1,665	160	131	139	90	125	134	168	161	148	154	115	140
Evansville, Ind.....	1,439	131	112	104	80	134	107	137	141	125	123	123	122
Fort Wayne, Ind.....	1,802	175	162	136	127	137	158	152	162	137	168	130	158
Gary, Ind.....	1,691	146	145	136	124	121	128	175	156	161	127	147	125
Indianapolis, Ind.....	5,969	620	515	498	443	450	514	516	542	491	485	495	500
South Bend, Ind.....	1,514	126	132	121	117	136	106	150	115	121	146	114	130
Des Moines, Iowa.....	2,621	225	219	209	187	236	217	219	235	245	219	205	219
Kansas City, Kans.....	2,254	199	176	174	141	184	195	199	193	217	199	181	196
Wichita, Kans.....	1,906	196	156	164	133	124	143	171	166	157	182	142	172
Louisville, Ky.....	5,287	494	457	460	358	415	441	429	501	452	424	436	420
New Orleans, La.....	9,154	787	820	781	612	651	660	683	915	847	846	804	748
Baltimore, Md.....	14,060	1,251	1,187	1,221	1,054	1,099	1,081	1,130	1,286	1,259	1,222	1,147	1,173
Boston, Mass.....	17,253	1,540	1,392	1,506	1,409	1,444	1,446	1,475	1,515	1,398	1,428	1,342	1,358
Cambridge, Mass.....	2,463	221	217	203	204	219	205	215	212	203	184	185	195
Fall River, Mass.....	2,099	172	147	176	167	186	186	178	178	188	172	188	184
Lowell, Mass.....	1,932	190	177	177	138	167	177	162	176	140	125	140	163
Lynn, Mass.....	1,559	141	126	137	126	124	150	131	139	133	131	119	102
New Bedford, Mass.....	1,727	168	157	160	121	150	157	158	145	132	143	128	108
Somerville, Mass.....	1,342	140	122	104	97	110	117	128	98	106	120	97	103
Springfield, Mass.....	2,643	258	197	252	220	199	209	240	245	196	216	198	213
Worcester, Mass.....	3,435	283	295	300	275	292	284	301	284	287	259	277	298
Detroit, Mich.....	26,030	2,350	2,208	2,277	2,037	2,244	2,128	2,269	2,354	2,229	2,035	1,869	2,030
Flint, Mich.....	3,279	292	306	312	269	255	259	275	278	262	273	259	239
Grand Rapids, Mich.....	2,911	262	263	232	244	246	242	256	265	222	238	211	230
Duluth, Minn.....	1,627	137	128	155	137	123	144	124	139	142	129	124	145
Minneapolis, Minn.....	7,871	712	660	653	567	660	678	727	720	619	639	582	654
St. Paul, Minn.....	4,991	449	413	428	357	402	429	451	417	399	443	371	432
Kansas City, Mo.....	5,826	531	500	493	411	409	480	491	528	508	490	471	514
St. Louis, Mo.....	12,846	1,152	1,082	1,080	831	926	1,069	1,099	1,262	1,170	1,189	975	1,011
Omaha, Nebr.....	4,252	384	342	365	302	338	375	372	375	350	346	340	358
Camden, N.J.....	3,070	259	250	294	233	218	237	263	264	272	268	265	247
Elizabeth, N.J.....	2,449	217	193	210	188	216	180	199	250	208	221	180	187
Jersey City, N.J.....	6,725	547	519	548	500	540	559	572	658	600	553	532	597

BIRTH STATISTICS: 1932

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932—Continued

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CITIES OF 100,000 INHABITANTS OR MORE IN 1930—contd.													
Newark, N.J.	8,779	773	763	791	723	751	670	782	741	732	723	667	663
Paterson, N.J.	2,812	290	216	230	218	208	214	236	247	250	250	215	238
Trenton, N.J.	2,530	245	189	247	189	197	218	224	223	209	217	177	195
Albany, N.Y.	2,418	193	189	220	197	233	210	193	231	200	205	172	175
Buffalo, N.Y.	10,321	879	823	866	862	854	895	835	921	809	875	870	832
New York, N.Y.	110,114	9,618	9,086	9,749	8,875	9,118	9,446	9,746	9,624	8,817	8,909	8,420	8,708
Bronx Borough	16,734	1,503	1,368	1,544	1,332	1,412	1,433	1,450	1,435	1,267	1,397	1,245	1,343
Brooklyn Borough	44,266	3,933	3,682	3,831	3,576	3,646	3,813	3,914	3,926	3,634	3,538	3,337	3,436
Manhattan Borough	34,531	2,935	2,821	3,120	2,839	2,882	2,954	3,054	2,968	2,668	2,821	2,700	2,769
Queens Borough	11,984	1,049	1,011	1,066	939	949	1,013	1,094	1,083	1,007	949	922	932
Richmond Borough	2,599	198	204	188	189	229	233	234	242	241	204	216	221
Rochester, N.Y.	5,382	465	469	453	445	469	432	455	441	457	466	399	431
Syracuse, N.Y.	3,823	317	339	345	304	299	318	326	355	338	302	279	301
Utica, N.Y.	1,837	138	158	168	132	174	154	165	166	148	146	145	163
Yonkers, N.Y.	1,964	168	171	163	147	152	165	167	173	176	179	148	155
Akron, Ohio	3,992	358	314	351	313	347	341	332	347	344	335	289	321
Canton, Ohio	1,577	145	137	115	118	140	132	125	155	136	143	116	115
Cincinnati, Ohio	7,574	676	682	621	529	586	605	603	697	706	671	604	594
Cleveland, Ohio	15,096	1,351	1,229	1,430	1,142	1,282	1,281	1,279	1,281	1,233	1,222	1,157	1,209
Columbus, Ohio	4,709	436	391	395	313	358	401	397	435	417	404	379	383
Dayton, Ohio	3,323	300	293	283	220	266	272	285	291	284	267	285	277
Toledo, Ohio	4,404	391	395	347	335	350	379	380	346	365	363	369	384
Youngstown, Ohio	2,831	257	208	291	205	267	215	257	266	236	230	194	205
Oklahoma City, Okla.	3,302	323	283	251	223	254	253	281	295	281	272	254	327
Tulsa, Okla.	2,114	166	185	170	155	164	151	174	197	197	191	192	172
Portland, Oreg.	3,944	351	335	318	327	340	336	367	335	333	289	318	295
Erie, Pa.	2,193	221	171	203	182	171	196	194	194	168	171	167	155
Philadelphia, Pa.	32,178	2,934	2,699	2,789	2,527	2,510	2,651	2,748	2,821	2,722	2,616	2,588	2,573
Pittsburgh, Pa.	13,039	1,201	1,000	1,134	980	1,143	1,088	1,125	1,164	1,095	1,045	1,055	1,009
Reading, Pa.	1,569	144	114	137	122	123	131	148	140	123	131	140	116
Scranton, Pa.	2,831	224	233	232	227	264	225	262	239	234	250	222	219
Providence, R.I.	5,232	444	395	437	444	417	452	478	461	445	491	416	352
Chattanooga, Tenn.	2,197	180	186	183	152	185	200	179	198	185	194	163	192
Knoxville, Tenn.	2,119	216	167	194	158	172	185	179	189	154	184	146	175
Memphis, Tenn.	4,603	418	411	409	341	336	333	368	371	441	416	392	367
Nashville, Tenn.	3,335	276	290	281	243	255	291	284	302	278	288	276	271
Salt Lake City, Utah	3,229	272	248	263	285	275	276	299	281	287	234	247	262
Norfolk, Va.	2,275	199	192	185	164	170	175	213	206	196	213	187	175
Richmond, Va.	3,393	307	272	295	273	295	277	293	298	311	262	266	244
Seattle, Wash.	4,892	363	393	421	394	444	427	421	499	370	376	393	391
Spokane, Wash.	1,942	161	142	213	184	148	156	175	169	158	143	141	152
Tacoma, Wash.	1,768	143	125	133	156	162	140	175	170	139	132	131	162
Milwaukee, Wis.	9,329	839	807	809	684	757	789	867	780	764	722	727	784

GENERAL TABLES

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
REGISTRATION AREA IN CONTINENTAL UNITED STATES														
Total.....	2,074,042	1,805,155	1,481,666	138,737	1,440	156,061	25,925	1,326	268,887	239,796	7,388	1,267	2,540	17,896
Male.....	1,063,685	926,809	761,064	70,963	728	79,996	13,882	676	137,076	122,151	3,738	672	1,296	9,219
Female.....	1,010,157	878,346	720,602	67,774	712	76,065	12,543	650	131,811	117,645	3,650	595	1,244	8,677
Cities of 10,000 or more.....	966,714	873,537	631,158	112,960	465	113,105	14,747	1,102	93,177	81,531	564	1,100	1,413	8,569
Male.....	496,683	449,262	325,170	57,786	230	57,907	7,603	566	47,423	41,426	294	583	708	4,415
Female.....	470,026	424,275	305,988	55,174	235	55,198	7,144	536	45,751	40,105	270	517	705	4,154
Cities of 2,500 to 10,000.....	198,067	179,099	156,464	8,071	127	12,294	2,082	61	18,968	14,897	638	80	339	3,014
Male.....	101,196	91,514	79,924	4,168	69	6,246	1,081	26	9,682	7,593	327	41	170	1,551
Female.....	96,871	87,585	76,540	3,903	58	6,048	1,001	35	9,286	7,304	311	39	169	1,463
Rural.....	909,261	752,519	694,044	17,706	848	30,662	9,096	163	156,742	143,368	6,186	87	788	6,313
Male.....	466,001	386,033	355,970	9,009	429	15,843	4,698	84	79,968	73,132	3,117	48	418	3,283
Female.....	443,260	366,486	338,074	8,697	419	14,819	4,398	79	76,774	70,236	3,069	39	370	3,030
ALABAMA														
Total.....	62,939	39,381	38,319	91	6	255	710	---	23,558	23,548	8	2	---	---
Male.....	32,159	20,206	19,634	60	4	135	373	---	11,953	11,949	4	---	---	---
Female.....	30,780	19,175	18,685	31	2	120	337	---	11,605	11,599	4	2	---	---
Cities of 10,000 or more.....	11,350	6,914	6,503	69	---	164	178	---	4,436	4,434	---	2	---	---
Male.....	5,826	3,534	3,300	44	---	96	94	---	2,292	2,292	---	---	---	---
Female.....	5,524	3,380	3,203	25	---	68	84	---	2,144	2,142	---	2	---	---
Cities of 2,500 to 10,000.....	3,648	2,674	2,604	2	---	19	49	---	974	974	---	---	---	---
Male.....	1,873	1,391	1,358	1	---	8	24	---	482	482	---	---	---	---
Female.....	1,775	1,283	1,246	1	---	11	25	---	492	492	---	---	---	---
Rural.....	47,941	29,793	29,212	20	6	72	453	---	18,148	18,140	8	---	---	---
Male.....	24,460	15,281	14,976	15	4	31	255	---	9,179	9,175	4	---	---	---
Female.....	23,481	14,512	14,236	5	2	41	228	---	8,969	8,965	4	---	---	---
ARIZONA														
Total.....	8,523	4,569	3,990	167	3	362	47	---	3,954	146	872	31	19	2,886
Male.....	4,410	2,393	2,095	95	1	179	23	---	2,017	81	444	7	9	1,476
Female.....	4,113	2,176	1,895	72	2	183	24	---	1,937	65	428	24	10	1,410
Cities of 10,000 or more.....	2,818	1,827	1,631	39	1	125	31	---	991	76	25	20	9	861
Male.....	1,465	976	873	23	---	65	15	---	489	42	10	5	5	427
Female.....	1,353	851	758	16	1	60	16	---	502	34	15	15	4	434
Cities of 2,500 to 10,000.....	2,171	1,252	1,050	75	2	120	5	---	919	43	8	7	7	854
Male.....	1,110	643	541	45	1	55	1	---	467	23	6	---	2	436
Female.....	1,061	609	509	30	1	65	4	---	452	20	2	7	5	418
Rural.....	3,534	1,490	1,309	53	---	117	11	---	2,044	27	839	4	3	1,171
Male.....	1,835	774	681	27	---	59	7	---	1,061	16	428	2	2	613
Female.....	1,699	716	628	26	---	58	4	---	983	11	411	2	1	558
ARKANSAS														
Total.....	37,450	28,689	28,123	36	63	132	333	2	8,761	8,746	5	8	---	2
Male.....	19,210	14,662	14,373	17	36	58	177	1	4,548	4,537	3	6	---	2
Female.....	18,240	14,027	13,750	19	27	74	156	1	4,213	4,209	2	2	---	---
Cities of 10,000 or more.....	3,269	2,688	2,597	8	1	41	41	---	581	578	1	---	---	2
Male.....	1,686	1,386	1,342	2	1	16	25	---	300	298	---	---	---	2
Female.....	1,583	1,302	1,255	6	---	25	16	---	281	280	1	---	---	---
Cities of 2,500 to 10,000.....	2,996	1,996	1,958	5	4	13	16	---	600	596	---	4	---	---
Male.....	1,319	1,000	976	4	2	5	13	---	319	317	---	2	---	---
Female.....	1,277	996	982	1	2	8	3	---	281	279	---	2	---	---
Rural.....	31,585	24,005	23,568	23	58	78	276	2	7,580	7,572	4	4	---	---
Male.....	16,205	12,276	12,055	11	33	37	139	1	3,929	3,922	3	4	---	---
Female.....	15,380	11,729	11,513	12	25	41	137	1	3,651	3,650	1	---	---	---
CALIFORNIA														
Total.....	78,093	62,928	49,096	4,993	4	8,408	390	37	15,165	1,188	305	742	1,865	11,065
Male.....	39,990	32,237	25,192	2,507	4	4,328	185	21	7,753	583	162	397	953	5,658
Female.....	38,103	30,691	23,904	2,486	---	4,080	205	16	7,412	605	143	345	912	5,407
Cities of 10,000 or more.....	50,169	41,622	31,969	3,361	2	5,978	280	32	8,547	978	54	633	1,074	5,808
Male.....	25,706	21,369	16,455	1,675	2	3,088	133	16	4,337	476	29	336	537	2,959
Female.....	24,463	20,253	15,514	1,686	---	2,890	147	16	4,210	502	25	297	537	2,849
Cities of 2,500 to 10,000.....	9,909	7,820	6,404	513	1	882	19	1	2,089	40	30	50	250	1,717
Male.....	5,035	3,970	3,292	253	1	417	6	1	1,065	22	15	31	125	874
Female.....	4,874	3,850	3,112	260	---	465	13	---	1,024	22	15	19	125	843
Rural.....	18,015	13,486	10,722	1,119	1	1,548	91	4	4,529	168	221	59	541	3,540
Male.....	9,249	6,898	5,445	579	1	823	46	4	2,351	87	118	30	291	1,825
Female.....	8,766	6,588	5,278	540	---	725	45	---	2,178	81	103	29	250	1,715
COLORADO														
Total.....	17,613	16,218	14,052	621	31	1,211	293	10	1,395	189	7	2	74	1,173
Male.....	9,050	8,314	7,229	316	16	604	142	7	736	74	2	1	44	615
Female.....	8,563	7,904	6,823	305	15	607	151	3	659	65	5	1	30	558
Cities of 10,000 or more.....	7,144	6,788	5,866	226	6	485	178	7	376	113	2	2	9	250
Male.....	3,711	3,502	3,051	116	3	240	87	5	209	64	---	1	6	138
Female.....	3,433	3,286	2,815	110	3	245	91	2	167	49	2	1	3	112
Cities of 2,500 to 10,000.....	2,050	1,858	1,612	66	4	148	28	---	192	8	---	---	13	171
Male.....	1,049	941	814	34	2	79	12	---	108	2	---	---	5	70
Female.....	1,001	917	798	32	2	69	16	---	84	6	---	---	8	101
Rural.....	8,419	7,592	6,774	329	21	578	87	3	827	18	5	---	52	752
Male.....	4,290	3,871	3,364	166	11	285	43	2	419	8	2	---	33	376
Female.....	4,129	3,721	3,210	163	10	293	44	1	408	10	3	---	19	376

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
CONNECTICUT														
Total.....	23,731	23,123	13,802	4,632	5	4,372	287	25	608	597	2	3	1	5
Male.....	12,097	11,756	7,056	2,285	4	2,245	154	12	341	335	2	1	1	2
Female.....	11,634	11,367	6,746	2,347	1	2,127	133	13	267	262	2	2	1	3
Cities of 10,000 or more.....														
Male.....	9,756	9,441	5,577	1,910	1	1,832	110	11	315	310	2	3	1	4
Female.....	9,330	9,060	5,344	1,921	1	1,716	90	8	250	245	2	2	1	3
Cities of 2,500 to 10,000.....														
Male.....	1,185	1,166	719	193	1	234	17	3	19	18	1	1	1	1
Female.....	573	560	354	88	1	108	10	1	13	12	1	1	1	1
Rural.....														
Male.....	612	606	365	105	3	126	7	3	6	6	1	1	1	1
Female.....	3,460	3,436	2,162	608	3	590	70	3	24	24	1	1	1	1
Male.....	1,768	1,755	1,125	287	3	305	34	1	13	13	1	1	1	1
Female.....	1,692	1,681	1,037	321	1	285	36	2	11	11	1	1	1	1
DELAWARE														
Total.....	4,294	3,590	3,053	231	2	239	62	3	704	702	2	1	1	1
Male.....	2,202	1,843	1,559	129	1	126	28	1	359	358	1	1	1	1
Female.....	2,092	1,747	1,494	102	2	113	34	2	345	344	1	1	1	1
Cities of 10,000 or more.....														
Male.....	1,138	996	765	110	2	99	21	1	142	142	1	1	1	1
Female.....	1,046	918	720	86	2	85	23	2	128	128	1	1	1	1
Cities of 2,500 to 10,000.....														
Male.....	358	316	291	14	1	10	1	1	42	42	1	1	1	1
Female.....	191	167	153	10	1	4	1	1	24	24	1	1	1	1
Rural.....														
Male.....	167	149	138	4	1	6	1	1	18	18	1	1	1	1
Female.....	1,752	1,360	1,277	21	1	45	17	1	392	390	2	1	1	1
Male.....	873	680	641	9	1	23	7	1	193	192	1	1	1	1
Female.....	879	680	636	12	1	22	10	1	199	198	1	1	1	1
DISTRICT OF COLUMBIA														
Total.....	10,157	6,809	5,812	330	88	484	94	1	3,348	3,330	2	10	1	5
Male.....	5,245	3,496	2,983	163	38	259	52	1	1,749	1,738	1	6	1	4
Female.....	4,912	3,313	2,829	167	50	225	42	1	1,599	1,592	1	4	1	1
FLORIDA														
Total.....	27,402	18,874	17,458	345	22	750	290	9	8,528	8,510	5	8	3	2
Male.....	14,162	9,813	9,112	160	9	380	148	4	4,349	4,342	3	3	1	1
Female.....	13,240	9,061	8,346	185	13	370	142	5	4,179	4,168	2	5	3	1
Cities of 10,000 or more.....														
Male.....	5,190	3,778	3,338	111	4	270	62	3	1,412	1,407	1	3	1	1
Female.....	4,922	3,506	3,050	136	3	263	52	2	1,416	1,409	1	4	3	1
Cities of 2,500 to 10,000.....														
Male.....	4,235	3,000	2,843	48	3	83	22	1	1,235	1,234	1	1	1	1
Female.....	2,170	1,543	1,463	26	1	40	14	1	627	627	1	1	1	1
Rural.....														
Male.....	2,065	1,467	1,380	22	3	43	8	1	608	607	1	1	1	1
Female.....	13,055	8,590	8,227	50	12	134	164	3	4,465	4,460	3	1	1	1
Male.....	6,802	4,492	4,311	23	5	70	82	1	2,310	2,308	2	1	1	1
Female.....	6,253	4,098	3,916	27	7	64	82	2	2,155	2,152	1	1	1	1
GEORGIA														
Total.....	63,717	38,241	37,394	82	6	188	571	7	25,476	25,466	1	8	1	1
Male.....	32,717	19,757	19,331	38	4	111	273	3	12,960	12,953	1	6	1	1
Female.....	31,000	18,484	18,063	44	2	77	298	4	12,516	12,513	1	2	1	1
Cities of 10,000 or more.....														
Male.....	13,678	8,325	7,982	71	4	124	144	1	5,353	5,345	1	8	1	1
Female.....	6,993	4,288	4,116	37	3	69	63	1	2,705	2,699	1	6	1	1
Cities of 2,500 to 10,000.....														
Male.....	6,085	4,037	3,866	34	1	55	81	1	2,648	2,646	1	2	1	1
Female.....	8,587	5,609	5,515	4	1	19	71	1	2,978	2,977	1	1	1	1
Rural.....														
Male.....	4,346	2,820	2,769	1	1	13	37	1	1,526	1,525	1	1	1	1
Female.....	4,241	2,789	2,746	3	1	6	34	1	1,452	1,452	1	1	1	1
Male.....	41,452	24,307	23,897	7	2	45	356	1	17,145	17,144	1	1	1	1
Female.....	21,378	12,649	12,446	1	1	29	173	1	8,729	8,729	1	1	1	1
Male.....	20,074	11,658	11,451	7	1	16	183	1	8,416	8,415	1	1	1	1
IDAHO														
Total.....	8,732	8,564	7,708	111	10	590	138	7	168	6	115	1	30	16
Male.....	4,514	4,437	4,014	46	6	298	70	3	77	2	49	1	16	9
Female.....	4,218	4,127	3,694	65	4	292	68	4	91	4	66	1	14	7
Cities of 10,000 or more.....														
Male.....	1,115	1,105	969	22	5	74	34	1	10	4	1	1	1	4
Female.....	591	585	519	11	2	34	19	1	6	3	1	1	1	3
Cities of 2,500 to 10,000.....														
Male.....	524	520	450	11	3	40	15	1	4	3	1	1	1	1
Female.....	3,165	3,146	2,831	38	5	227	44	1	19	2	1	1	13	3
Rural.....														
Male.....	1,622	1,609	1,453	18	4	112	21	1	13	1	1	1	10	1
Female.....	1,543	1,537	1,378	20	1	115	23	1	6	1	1	1	3	2
Male.....	4,452	4,313	3,908	51	1	289	60	5	139	114	1	1	16	9
Female.....	2,301	2,243	2,042	17	1	152	30	2	65	48	1	1	5	5
Male.....	2,151	2,070	1,866	34	1	137	30	3	81	66	1	1	11	4
ILLINOIS														
Total.....	111,512	105,222	82,199	10,270	40	11,034	1,583	96	6,290	5,250	3	30	8	999
Male.....	57,132	53,956	42,153	5,261	23	5,668	812	39	3,176	2,636	1	14	4	521
Female.....	54,380	51,266	40,046	5,009	17	5,366	771	57	3,114	2,614	2	16	4	478
Cities of 10,000 or more.....														
Male.....	74,703	68,060	48,707	9,478	37	9,470	1,181	93	5,737	4,833	2	30	8	864
Female.....	38,369	35,464	25,048	4,879	22	4,880	597	38	2,905	2,426	1	14	4	461
Cities of 2,500 to 10,000.....														
Male.....	36,334	33,502	23,659	4,599	15	4,590	584	55	2,832	2,407	2	16	4	403
Female.....	10,098	9,888	8,788	327	1	644	128	1	210	171	1	1	1	38
Rural.....														
Male.....	5,092	4,936	4,421	159	1	339	67	1	106	89	1	1	1	16
Female.....	5,006	4,902	4,367	168	1	305	61	1	104	82	1	1	1	22
Male.....	26,711	26,368	24,704	465	3	920	274	2	343	246	1	1	1	97
Female.....	13,671	13,506	12,684	223	1	449	148	1	165	121	1	1	1	44
Male.....	13,040	12,862	12,020	242	2	471	126	1	178	125	1	1	1	53

GENERAL TABLES

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOK, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
INDIANA														
Total	53,073	51,280	47,924	1,255	2	1,586	509	4	1,793	1,790		3		
Male	27,147	26,310	24,572	639	1	817	279	2	887	885		2		
Female	25,926	24,970	23,352	616	1	769	230	2	906	905		1		
Cities of 10,000 or more														
Total	24,543	22,906	20,279	1,107	1	1,217	300	2	1,637	1,634		3		
Male	12,561	11,795	10,427	558	1	636	172	1	766	764		2		
Female	11,982	11,111	9,852	549		581	128	1	871	870		1		
Cities of 2,500 to 10,000														
Total	5,275	5,226	5,056	27	1	98	43	1	49	49				
Male	2,706	2,682	2,595	13		48	25	1	24	24				
Female	2,569	2,544	2,461	14	1	50	18		25	25				
Rural														
Total	23,255	23,148	22,589	121		271	166	1	107	107				
Male	11,880	11,833	11,550	68		133	82		47	47				
Female	11,375	11,315	11,039	53		138	84	1	60	60				
IOWA														
Total	40,459	40,292	36,760	783	6	1,981	746	16	167	155	3			9
Male	20,706	20,623	18,793	401	5	1,019	398	7	83	79	1			3
Female	19,753	19,669	17,967	382	1	962	348	9	84	76	2			6
Cities of 10,000 or more														
Total	13,561	13,417	11,907	347	4	640	507	12	144	136	1			7
Male	6,999	6,920	6,122	163	3	343	279	5	79	76				3
Female	6,562	6,497	5,785	179	1	297	228	7	65	60	1			4
Cities of 2,500 to 10,000														
Total	5,586	5,537	5,154	91	1	249	60	2	9	7	2			
Male	2,756	2,734	2,553	50	1	117	33		2	1	1			
Female	2,830	2,803	2,601	41		132	27	2	7	6	1			
Rural														
Total	21,332	21,318	19,699	345	1	1,092	179	2	14	12				2
Male	10,951	10,949	10,118	183	1	559	86	2	2	2				
Female	10,381	10,369	9,581	162		533	93		12	10				2
KANSAS														
Total	31,700	30,175	28,816	236	6	799	316	2	1,525	924	39	2		558
Male	16,415	15,602	14,896	125	3	398	180		813	496	20	1	1	295
Female	15,285	14,573	13,920	111	3	401	136	2	712	428	19	1	1	263
Cities of 10,000 or more														
Total	9,908	8,958	8,473	92	1	245	146	1	950	673	12	1	2	262
Male	5,154	4,655	4,402	54		117	82		499	359	6	1	1	132
Female	4,754	4,303	4,071	38	1	128	64	1	451	314	6		1	130
Cities of 2,500 to 10,000														
Total	4,318	4,131	3,979	17	1	96	38		187	79	2			106
Male	2,227	2,131	2,059	7		43	22		96	38	1			57
Female	2,091	2,000	1,920	10	1	53	16		91	41	1			49
Rural														
Total	17,474	17,086	16,364	127	4	458	132	1	388	172	25	1		190
Male	9,034	8,816	8,435	64	3	238	76		218	99	13			106
Female	8,440	8,270	7,929	63	1	220	56	1	170	73	12	1		84
KENTUCKY														
Total	59,505	56,195	55,535	86	3	221	349	1	3,310	3,308	1	1		
Male	30,741	29,023	28,651	45		126	206		1,713	1,712		1		
Female	28,764	27,167	26,884	41	3	95	143	1	1,597	1,596	1			
Cities of 10,000 or more														
Total	10,286	9,009	8,755	58	1	131	64		1,277	1,276		1		
Male	5,313	4,650	4,505	30		72	43		663	662		1		
Female	4,973	4,359	4,250	28	1	59	21		614	614				
Cities of 2,500 to 10,000														
Total	4,618	4,196	4,138	7		24	27		422	422				
Male	2,386	2,160	2,125	6		16	13		226	226				
Female	2,232	2,036	2,013	1		8	14		196	196				
Rural														
Total	44,601	42,990	42,642	21	2	66	258	1	1,611	1,610	1			
Male	23,042	22,218	22,021	9		38	150		824	824				
Female	21,559	20,772	20,621	12	2	28	108	1	787	786	1			
LOUISIANA														
Total	43,293	25,600	24,562	234	4	537	211	2	17,698	17,608	75	3		12
Male	22,203	13,179	12,643	106	1	318	110	1	9,024	8,980	37	2		5
Female	21,095	12,421	11,919	128	3	269	101	1	8,674	8,628	38	1		7
Cities of 10,000 or more														
Total	13,553	8,500	7,829	146	2	379	143	1	5,053	5,050		3		
Male	7,014	4,441	4,083	71	1	205	80	1	2,573	2,571		2		
Female	6,539	4,059	3,746	75	1	174	63		2,480	2,479		1		
Cities of 2,500 to 10,000														
Total	3,724	2,351	2,275	20		51	5		1,373	1,369	4			
Male	1,923	1,225	1,183	8		31	3		698	697	1			
Female	1,801	1,126	1,092	12		20	2		675	672	3			
Rural														
Total	26,021	14,749	14,458	68	2	157	63	1	11,272	11,189	71			12
Male	13,266	7,513	7,377	27		82	27		5,753	5,712	36			5
Female	12,755	7,236	7,081	41	2	75	36	1	5,519	5,477	35			7
MAINE														
Total	16,129	16,096	11,925	1,146		2,746	259	20	33	17	14	2		
Male	8,266	8,250	6,077	571		1,453	139	10	16	9	5	2		
Female	7,863	7,846	5,848	575		1,293	120	10	17	8	9			
Cities of 10,000 or more														
Total	4,783	4,770	3,109	510		1,032	113	6	13	12		1		
Male	2,429	2,419	1,604	248		503	62	2	10	9		1		
Female	2,354	2,351	1,505	262		529	51	4	3	3				
Cities of 2,500 to 10,000														
Total	1,986	1,973	1,443	151		347	27	5	13	3		1		
Male	987	983	698	78		195	10	2	4	3		1		
Female	999	990	745	73		152	17	3	9	6				
Rural														
Total	9,360	9,353	7,373	435		1,367	119	9	7	2	5			
Male	4,850	4,843	3,775	245		755	67	6	2	2	2			
Female	4,510	4,505	3,598	240		612	52	3	5	2	3			

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
MARYLAND														
Total	28,820	22,477	20,261	809	2	1,218	183	4	6,343	6,331		5		7
Male	14,650	11,491	10,362	498		621	97	3	3,159	3,152		4		3
Female	14,170	10,986	9,899	401	2	597	86	1	3,184	3,179		1		4
Cities of 10,000 or more														
Male	8,328	6,639	5,712	357	1	989	107	3	3,417	3,407		4		6
Female	8,022	6,294	5,419	345	1	481	47	1	1,728	1,684		3		2
Cities of 2,500 to 10,000														
Male	1,476	1,252	1,176	13		48	15		224	223				1
Female	744	629	595	9		19	6		115	114				1
Rural														
Male	10,994	8,292	7,954	94	1	181	61	1	2,702	2,701		1		
Female	5,578	4,223	4,055	42		94	31	1	1,355	1,354		1		
Female	5,416	4,069	3,899	52	1	87	30		1,347	1,347				
MASSACHUSETTS														
Total	68,534	67,559	39,417	12,783	12	13,496	1,552	299	975	905	10	53	1	6
Male	35,089	34,622	20,281	6,592	4	6,799	799	147	467	431	8	23	1	4
Female	33,445	32,937	19,136	6,191	8	6,697	753	152	508	474	2	30		2
Cities of 10,000 or more														
Male	31,196	30,815	17,855	6,020	4	6,096	675	135	380	350	2	23	1	4
Female	29,747	29,308	16,790	5,690	8	6,045	643	132	439	407		30		2
Cities of 2,500 to 10,000														
Male	3,093	3,964	2,547	587		756	70	4	29	27	2			
Female	2,050	2,034	1,300	299		394	37	4	16	14	2			
Rural														
Male	1,943	1,980	1,247	288		362	33		13	13				
Female	3,599	3,472	2,195	486		599	164	28	127	121	6			
Male	1,844	1,773	1,096	273		309	87	8	71	67	4			
Female	1,755	1,699	1,099	213		290	77	20	56	54	2			
MICHIGAN														
Total	85,736	82,376	61,308	8,627	38	11,006	1,304	93	3,360	3,079	140	21	1	119
Male	44,178	42,444	31,628	4,368	22	5,720	659	47	1,734	1,583	64	14		73
Female	41,558	39,932	29,680	4,259	16	5,286	645	46	1,626	1,496	76	7	1	46
Cities of 10,000 or more														
Male	52,111	49,075	32,929	7,084	18	8,022	940	82	3,036	2,893	25	20	1	97
Female	26,868	25,327	17,028	3,588	9	4,185	475	42	1,571	1,487	11	13		60
Cities of 2,500 to 10,000														
Male	25,213	22,748	15,901	3,496	9	3,897	465	40	1,465	1,406	14	7	1	37
Female	7,188	7,101	5,994	344	5	681	75	2	87	73	10	1		3
Rural														
Male	3,660	3,611	3,058	188	2	384	28	1	49	41	6	1		1
Female	3,528	3,490	2,936	156	2	347	47	1	38	32	4			2
Male	26,437	26,200	22,385	1,199	15	2,303	289	9	237	113	105			19
Female	13,620	13,506	11,542	592	11	1,201	156	4	114	55	47			12
Female	12,817	12,694	10,843	607	4	1,102	133	5	123	58	58			7
MINNESOTA														
Total	46,377	45,759	33,350	1,623	3	4,643	1,102	38	618	119	393	14		92
Male	23,787	23,486	19,705	849	3	2,375	532	22	301	60	187	8		46
Female	22,590	22,273	18,645	774		2,268	570	16	317	59	206	6		46
Cities of 10,000 or more														
Male	18,336	18,159	14,353	906	2	2,116	757	25	177	109	12	13		43
Female	9,361	9,276	7,325	487	2	1,090	358	14	85	52	2	7		24
Cities of 2,500 to 10,000														
Male	8,975	8,883	7,023	419		1,026	399	11	92	57	10	6		19
Female	5,337	5,309	4,529	162		496	119	3	28	5	17	1		5
Rural														
Male	2,746	2,728	2,348	87		237	55	1	18	3	11	1		3
Female	2,591	2,581	2,181	75		259	64	2	10	2	6			2
Male	22,704	22,291	19,468	555	1	2,051	226	10	413	5	364			44
Female	11,680	11,482	10,032	275	1	1,048	119	7	198	5	174			19
Female	11,024	10,809	9,436	280		983	107	3	215		190			25
MISSISSIPPI														
Total	46,273	21,787	21,384	53	17	106	227		24,486	24,404	62	14		6
Male	23,570	11,034	10,843	28	9	46	108		12,536	12,496	31	9		
Female	22,703	10,753	10,541	25	8	60	119		11,950	11,908	31	5		6
Cities of 10,000 or more														
Male	4,421	2,869	2,754	28	2	55	30		1,552	1,547		5		
Female	2,281	1,483	1,435	12	1	22	13		798	796		2		
Cities of 2,500 to 10,000														
Male	2,140	1,386	1,319	16	1	33	17		754	751		3		
Female	2,438	1,333	1,310	1	2	11	9		1,105	1,076	29			
Rural														
Male	1,229	655	644	1	1	6	3		574	558	16			
Female	1,209	678	666		1	5	6		531	518	13			
Male	39,414	17,585	17,320	24	13	40	188		21,829	21,781	33	9		6
Female	20,060	8,896	8,794	15	7	18	92		11,164	11,142	15	7		
Female	19,354	8,689	8,556	9	6	22	96		10,665	10,639	18	2		6
MISSOURI														
Total	59,949	56,177	52,337	886	30	1,481	1,428	15	3,772	3,624	16	17	1	114
Male	30,809	28,845	26,849	467	12	763	749	5	1,964	1,895	6	8	1	54
Female	29,140	27,332	25,488	419	18	718	679	10	1,808	1,729	10	9		60
Cities of 10,000 or more														
Male	24,196	21,581	18,760	790	11	1,139	869	12	2,615	2,485	9	17	1	103
Female	11,172	11,172	9,705	419	6	586	452	4	1,358	1,294	5	8	1	50
Cities of 2,500 to 10,000														
Male	11,696	10,409	9,055	371	5	553	417	8	1,257	1,191	4	9		53
Female	5,602	5,288	5,031	40		96	113	2	814	812				2
Rural														
Male	2,801	2,627	2,486	24		53	63	1	174	174				
Female	2,801	2,661	2,545	22		43	50	1	140	138				2
Male	30,151	29,308	28,546	50	19	246	446	1	843	827	7			9
Female	15,478	15,046	14,658	24	6	124	234		432	427	1			4
Female	14,673	14,262	13,888	26	13	122	212	1	411	400	6			5

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
MONTANA														
Total	9,091	8,391	6,617	464	3	1,210	88	9	700	17	566	2	7	108
Male	4,646	4,284	3,424	214	1	601	40	4	362	8	286		4	64
Female	4,445	4,107	3,193	250	2	609	48	5	338	9	280	2	3	44
Cities of 10,000 or more														
Total	2,600	2,573	2,032	148	2	332	52	7	27	13	9	2		3
Male	1,351	1,335	1,064	74	1	166	26	4	16	5	8			3
Female	1,249	1,238	968	74	1	166	26	3	11	8	1	2		3
Cities of 2,500 to 10,000														
Total	1,624	1,608	1,307	80		209	12		16	2	5		4	5
Male	852	842	687	43		109	3		10	2	3		1	2
Female	772	766	620	37		100	9		6	2	2		3	3
Rural														
Total	4,867	4,210	3,278	236	1	669	24	2	657	2	552		3	100
Male	2,443	2,107	1,673	97		326	11		336	1	275		1	69
Female	2,424	2,103	1,605	139	1	343	13	2	321	1	277		2	41
NEBRASKA														
Total	25,159	24,609	22,181	648	1	1,452	323	4	550	238	94		16	202
Male	13,014	12,747	11,497	356		724	167	3	267	105	46		8	108
Female	12,145	11,862	10,684	292	1	728	156	1	283	133	48		8	94
Cities of 10,000 or more														
Total	7,215	6,929	5,891	346		539	150	3	286	223	2		3	58
Male	3,711	3,575	3,058	185		257	73	2	136	99	1		1	35
Female	3,504	3,354	2,833	161		282	77	1	150	124	1		2	23
Cities of 2,500 to 10,000														
Total	2,990	2,941	2,681	78		161	21		49	7	1		4	37
Male	1,561	1,529	1,391	40		86	12		32	4	3		1	25
Female	1,429	1,412	1,290	38		75	9		17	3	1		3	12
Rural														
Total	14,954	14,739	13,609	224	1	752	152	1	215	8	91		9	107
Male	7,742	7,643	7,048	131		351	82		99	2	45		4	48
Female	7,212	7,096	6,561	93	1	371	70		116	6	46		5	59
NEVADA														
Total	1,260	1,154	938	103		111	2		106	6	66	2	8	24
Male	618	565	462	52		51			53	2	35	1	4	11
Female	642	589	476	51		60	2		53	4	31	1	4	13
Cities of 10,000 or more														
Total	236	232	188	15		29			4	3			1	
Male	116	115	96	6		13			1				1	
Female	120	117	92	9		16			3	3				
Cities of 2,500 to 10,000														
Total	341	325	281	17		26	1		16	3	2	1	2	8
Male	164	158	134	11		13			6	2			1	3
Female	177	167	147	6		13	1		10	1	2	1	1	5
Rural														
Total	683	597	469	71		56	1		86		64	1	5	16
Male	338	292	232	35		25			46		35	1	2	8
Female	345	305	237	36		31	1		40		29		3	8
NEW HAMPSHIRE														
Total	7,808	7,802	5,423	747	6	1,454	159	13	6	5		1		
Male	4,005	4,004	2,771	403	3	738	82	7	1	1				
Female	3,803	3,798	2,652	344	3	716	77	6	5	4		1		
Cities of 10,000 or more														
Total	4,403	4,398	2,779	541	2	970	95	11	5	4		1		
Male	2,248	2,248	1,419	289	2	482	51	5						
Female	2,155	2,150	1,360	252		488	44	6	5	4		1		
Cities of 2,500 to 10,000														
Total	885	884	654	70	1	149	10		1	1				
Male	480	479	357	37		79	6		1	1				
Female	405	405	297	33	1	70	4		1	1				
Rural														
Total	2,520	2,520	1,990	136	3	355	54	2						
Male	1,277	1,277	995	77	1	177	25	2						
Female	1,243	1,243	995	59	2	158	29							
NEW JERSEY														
Total	61,219	56,627	36,974	9,937	10	9,157	486	63	4,592	4,557	5	22	3	5
Male	31,214	28,890	18,883	5,108	4	4,603	257	35	2,324	2,303	2	16	2	1
Female	30,005	27,737	18,091	4,829	6	4,554	229	28	2,268	2,254	3	6	1	4
Cities of 10,000 or more														
Total	48,324	44,593	28,070	8,372	4	7,701	391	55	3,731	3,701	4	18	3	5
Male	24,733	22,834	14,395	4,329		3,869	208	33	1,899	1,880	1	15	2	1
Female	23,591	21,759	13,675	4,043	4	3,832	183	22	1,832	1,821	3	3	1	4
Cities of 2,500 to 10,000														
Total	5,949	4,972	3,490	789	4	668	16	5	377	374		3		
Male	2,707	2,504	1,782	386	2	328	5	1	205	202		1		
Female	2,642	2,468	1,708	403	2	340	11	4	174	172		2		
Rural														
Total	7,546	7,062	5,414	776	2	783	79	3	484	482	1	1		
Male	3,774	3,552	2,706	383	2	406	44	1	222	221	1			
Female	3,772	3,510	2,708	383		382	35	2	262	261		1		
NEW MEXICO														
Total	12,391	11,956	10,305	663	1	749	222	16	435	42	381	1	8	3
Male	6,328	6,101	5,257	347	1	371	110	15	227	23	188	1	4	1
Female	6,063	5,855	5,048	316		378	112	1	208	19	183		4	2
Cities of 10,000 or more														
Total	1,404	1,356	1,227	31		71	27		48	12	35		1	
Male	714	686	619	19		36	12		28	6	22			
Female	690	670	608	12		35	15		20	6	13		1	
Cities of 2,500 to 10,000														
Total	2,079	2,056	1,709	120		171	51	5	17	3	3		3	
Male	1,086	1,076	897	64		82	28	5	10	7	2		1	
Female	993	980	812	56		89	23		13	10	1		2	
Rural														
Total	8,908	8,544	7,369	512	1	507	144	11	364	13	343	1	4	3
Male	4,528	4,339	3,741	264	1	253	70	10	189	10	174	1	3	1
Female	4,380	4,205	3,628	248		254	74	1	175	3	169		1	2

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
NEW YORK														
Total.....	198,431	189,405	111,248	43,559	3	32,143	2,190	262	9,026	8,671	176	120	39	20
Male.....	102,101	97,473	57,333	22,303		16,501	1,138	148	4,628	4,448	87	68	16	9
Female.....	96,330	91,932	53,865	21,256	3	15,642	1,052	114	4,398	4,223	89	52	23	11
Cities of 10,000 or more.....														
Male.....	84,414	80,178	43,804	20,727	2	14,598	910	139	4,236	4,120	27	65	16	8
Female.....	79,459	75,463	40,908	19,779	2	13,833	836	105	3,996	3,882	29	51	23	11
Cities of 2,500 to 10,000.....														
Male.....	9,876	9,654	7,153	1,109		1,257	130	5	222	204	16	2		
Female.....	5,018	4,905	3,627	579		631	67	1	113	105	6	2		
Rural.....														
Male.....	4,858	4,749	3,526	530		626	63	4	109	99	10			
Female.....	24,682	24,110	19,383	1,944	1	2,455	314	13	572	465	104	2		1
Male.....	12,669	12,390	9,952	997		1,272	161	8	279	223	54	1		1
Female.....	12,013	11,720	9,431	947	1	1,183	153	5	293	242	50	1		
NORTH CAROLINA														
Total.....	77,902	53,701	52,015	63	787	185	651		24,201	23,576	624			1
Male.....	39,776	27,559	26,676	33	390	105	355		12,217	11,892	325			
Female.....	38,126	26,142	25,339	30	397	80	296		11,984	11,684	299			1
Cities of 10,000 or more.....														
Male.....	6,670	4,600	4,367	24	86	66	57		4,152	4,150	2			
Female.....	6,409	4,327	4,110	20	89	43	65		2,070	2,069	1			
Cities of 2,500 to 10,000.....														
Male.....	5,432	4,259	4,120	8	65	20	46		2,082	2,081	1			
Female.....	2,754	2,180	2,107	4	35	11	23		1,173	1,159	14			
Rural.....														
Male.....	2,678	2,079	2,013	4	30	9	23		574	570	4			
Female.....	59,391	40,515	39,418	11	547	56	483		599	589	10			
Male.....	30,352	20,779	20,202	5	269	28	275		18,876	18,267	608			1
Female.....	29,039	19,736	19,216	6	278	28	208		9,573	9,253	320			
NORTH DAKOTA														
Total.....	14,047	13,753	10,498	810		2,204	229	12	294		288		1	5
Male.....	7,333	7,183	5,434	450		1,174	120	5	150		146		1	3
Female.....	6,714	6,570	5,064	360		1,030	109	7	144		142			2
Cities of 10,000 or more.....														
Male.....	2,330	2,326	1,890	61		251	122	2	4		3		1	
Female.....	1,199	1,196	971	25		135	64	1	3		2		1	
Cities of 2,500 to 10,000.....														
Male.....	1,131	1,130	919	36		116	58	1	1		1			
Female.....	1,412	1,411	1,096	74		222	17	2	1		1			
Rural.....														
Male.....	757	757	591	37		118	10	1	1		1			
Female.....	655	654	505	37		104	7	1	1		1			
OHIO														
Total.....	101,753	96,961	81,818	6,263	8	6,860	1,951	61	4,792	4,746	8	30	5	3
Male.....	52,203	49,783	42,090	3,200	3	3,475	986	29	2,420	2,400	4	13	1	2
Female.....	49,550	47,178	39,728	3,063	5	3,385	965	32	2,372	2,346	4	17	4	1
Cities of 10,000 or more.....														
Male.....	31,460	29,341	23,126	2,744	3	2,807	636	25	2,119	2,103	3	12		1
Female.....	29,643	27,559	21,567	2,608	2	2,747	608	27	2,084	2,060	2	17	4	1
Cities of 2,500 to 10,000.....														
Male.....	8,135	7,929	7,141	277		379	129	3	206	205	1			
Female.....	4,188	4,092	3,689	146		192	64	1	96	95				
Rural.....														
Male.....	3,947	3,837	3,452	131		187	65	2	110	110				
Female.....	32,515	32,132	29,984	634	3	927	578	6	383	378	3		1	1
Male.....	16,555	16,350	15,275	310		476	286	3	205	202	1		1	1
Female.....	15,960	15,782	14,709	324	3	451	292	3	178	176	2			
OKLAHOMA														
Total.....	41,039	37,553	36,244	90	118	368	728	5	3,486	1,696	1,657	1	2	130
Male.....	21,238	19,413	18,726	44	69	191	351	2	1,825	894	854		2	75
Female.....	19,801	18,140	17,518	46	49	177	347	3	1,661	802	803	1		55
Cities of 10,000 or more.....														
Male.....	9,713	8,843	8,434	35	34	128	211	1	870	597	222	1	1	49
Female.....	5,060	4,605	4,386	18	16	74	111		455	300	121		1	33
Cities of 2,500 to 10,000.....														
Male.....	4,653	4,238	4,048	17	18	54	100	1	415	297	101	1		16
Female.....	8,194	7,421	7,214	19	18	68	101	1	773	318	424		1	30
Rural.....														
Male.....	4,198	3,790	3,636	11	13	32	57		399	174	210		1	14
Female.....	3,996	3,622	3,528	8	5	36	44	1	374	144	214			16
OREGON														
Total.....	12,847	12,563	10,744	423		1,246	146	4	284	24	136	22	70	32
Male.....	6,535	6,389	5,480	215		614	76	4	146	12	64	10	40	20
Female.....	6,312	6,174	5,264	208		632	70		138	12	72	12	30	12
Cities of 10,000 or more.....														
Male.....	5,674	5,588	4,489	273		730	92	4	86	16	10	21	28	11
Female.....	2,816	2,772	2,239	133		349	47	4	44	9	4	10	13	8
Cities of 2,500 to 10,000.....														
Male.....	2,858	2,816	2,250	140		381	45		42	7	6	11	15	3
Female.....	2,650	2,635	2,364	42		206	23		24	5	11	1	6	1
Rural.....														
Male.....	1,415	1,399	1,252	28		102	17		16	3	9		4	
Female.....	1,244	1,236	1,112	14		104	6		8	2	2		2	1
Other States														
Male.....	4,514	4,340	3,891	108		310	31		174	3	115		36	20
Female.....	2,304	2,218	1,989	54		163	12		86		51		23	12
Total.....	2,210	2,122	1,902	54		147	19		88	3	64		13	8

GENERAL TABLES

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
PENNSYLVANIA														
Total.....	168,534	160,381	125,699	16,654	19	16,318	1,604	87	8,153	8,106	4	26	5	12
Male.....	86,424	82,287	64,488	8,480	15	8,415	850	39	4,137	4,107	1	16	5	8
Female.....	82,110	78,094	61,211	8,174	4	7,903	754	48	4,016	3,999	3	10	5	4
Cities of 10,000 or more.....														
Male.....	94,656	87,374	64,399	10,972	9	10,867	1,054	73	7,282	7,240	3	25	5	9
Female.....	48,566	44,865	33,095	5,597	5	5,573	561	34	3,701	3,673	1	16	5	6
Cities of 2,500 to 10,000.....														
Male.....	46,090	42,509	31,304	5,375	4	5,294	493	39	3,581	3,567	2	9	3	3
Female.....	20,996	20,747	16,481	2,067	2	2,000	190	7	249	247	1	1	1	1
Rural.....														
Male.....	10,736	10,609	8,414	1,052	2	1,041	98	2	127	126	1	1	1	1
Female.....	10,260	10,138	8,067	1,015	1	959	92	5	122	121	1	1	1	1
Rural.....														
Male.....	52,882	52,260	44,819	3,615	8	3,451	360	7	622	619	1	1	1	2
Female.....	27,122	26,813	22,979	1,831	8	1,801	191	3	309	308	1	1	1	1
Female.....	25,760	25,447	21,840	1,784	4	1,650	169	4	313	311	1	1	1	1
RHODE ISLAND														
Total.....	11,171	10,963	6,333	1,956	1	2,414	223	36	208	202	2	2	1	1
Male.....	5,781	5,666	3,304	986	1	1,247	113	15	115	110	1	2	1	1
Female.....	5,390	5,297	3,029	970	1	1,167	110	21	93	92	1	1	1	1
Cities of 10,000 or more.....														
Male.....	10,141	9,948	5,663	1,818	1	2,220	212	34	193	189	2	2	1	1
Female.....	5,252	5,148	2,969	920	1	1,137	106	15	104	100	2	1	1	1
Cities of 2,500 to 10,000.....														
Male.....	4,889	4,800	2,694	898	1	1,033	106	19	89	89	1	1	1	1
Female.....	321	321	185	56	1	76	4	4	4	4	1	1	1	1
Rural.....														
Male.....	180	180	97	27	1	52	4	4	15	13	2	2	1	1
Female.....	141	141	88	29	1	24	1	1	11	10	1	1	1	1
SOUTH CAROLINA														
Total.....	41,518	20,072	19,462	47	1	69	493	8	21,446	21,446	2	2	1	1
Male.....	21,369	10,327	10,018	27	1	36	245	3	11,042	11,042	1	1	1	1
Female.....	20,149	9,745	9,444	20	1	33	248	5	10,404	10,404	1	1	1	1
Cities of 10,000 or more.....														
Male.....	5,618	3,349	3,155	35	1	30	128	3	2,169	2,169	1	1	1	1
Female.....	2,847	1,754	1,651	21	1	15	66	1	1,093	1,093	1	1	1	1
Cities of 2,500 to 10,000.....														
Male.....	2,671	1,595	1,504	14	1	15	62	2	1,076	1,076	1	1	1	1
Female.....	2,920	1,807	1,767	3	1	2	35	1	1,113	1,113	1	1	1	1
Rural.....														
Male.....	1,486	922	896	2	1	2	22	1	564	564	1	1	1	1
Female.....	1,434	885	871	1	1	1	13	1	549	549	1	1	1	1
SOUTH DAKOTA														
Total.....	13,241	12,608	10,980	328	44	1,091	148	8	633	2	628	2	1	1
Male.....	6,756	6,444	5,610	167	18	569	77	3	312	311	1	1	1	1
Female.....	6,485	6,164	5,379	161	26	522	71	5	321	2	317	1	1	1
Cities of 10,000 or more.....														
Male.....	2,345	2,334	2,066	53	3	151	58	3	11	10	1	1	1	1
Female.....	1,185	1,181	1,051	21	1	74	27	1	4	4	1	1	1	1
Cities of 2,500 to 10,000.....														
Male.....	1,160	1,153	1,015	26	2	77	31	2	7	6	1	1	1	1
Female.....	1,189	1,183	1,061	26	2	79	15	1	6	1	5	5	5	5
Rural.....														
Male.....	586	583	516	13	2	42	12	1	3	3	2	2	2	2
Female.....	603	600	545	13	2	37	3	1	3	1	3	3	3	3
TENNESSEE														
Total.....	52,491	44,406	43,167	98	8	195	941	2	8,085	8,082	1	2	1	1
Male.....	26,971	22,822	22,157	45	7	101	511	1	4,149	4,147	1	2	1	1
Female.....	25,520	21,584	21,010	48	1	94	430	1	3,936	3,935	1	1	1	1
Cities of 10,000 or more.....														
Male.....	13,509	10,014	9,468	81	5	151	307	2	3,495	3,494	1	1	1	1
Female.....	6,855	5,079	4,792	39	5	80	162	1	1,776	1,775	1	1	1	1
Cities of 2,500 to 10,000.....														
Male.....	6,654	4,935	4,676	42	1	71	145	1	1,719	1,719	1	1	1	1
Female.....	4,186	3,526	3,445	5	1	7	68	1	660	659	1	1	1	1
Rural.....														
Male.....	2,188	1,841	1,798	1	1	4	37	1	347	346	1	1	1	1
Female.....	1,998	1,685	1,647	4	1	3	31	1	313	313	1	1	1	1
UTAH														
Total.....	11,974	11,865	10,484	342	3	972	63	1	109	9	7	5	61	27
Male.....	6,157	6,102	5,359	181	2	520	40	1	55	5	5	1	30	14
Female.....	6,817	5,763	5,125	161	1	452	23	1	54	4	2	4	31	13
Cities of 10,000 or more.....														
Male.....	4,817	4,770	4,000	209	3	517	40	1	47	8	2	3	24	10
Female.....	2,506	2,485	2,072	105	2	278	27	1	21	5	2	1	11	2
Cities of 2,500 to 10,000.....														
Male.....	2,311	2,285	1,928	103	1	239	13	1	26	3	2	2	13	8
Female.....	2,120	2,108	1,922	44	1	140	2	1	12	2	1	1	6	3
Rural.....														
Male.....	1,096	1,089	985	26	1	78	7	1	7	2	2	2	3	2
Female.....	1,024	1,019	937	18	1	62	2	1	5	1	1	1	3	1
Other States														
Male.....	5,037	4,987	4,562	89	1	315	21	1	50	1	3	1	31	14
Female.....	2,555	2,528	2,302	49	1	164	13	1	27	1	1	1	16	10
Female.....	2,482	2,459	2,260	40	1	151	8	1	23	1	2	1	15	4

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
VERMONT														
Total.....	6,030	6,026	4,612	518	2	814	75	5	4	4				
Male.....	3,102	3,100	2,369	263		427	38	3	2	2				
Female.....	2,928	2,926	2,243	255	2	387	37	2	2	2				
Cities of 10,000 or more.....														
Male.....	1,173	1,171	908	84	1	165	12	1	2	2				
Female.....	593	592	462	37		88	4	1	1	1				
Cities of 2,500 to 10,000.....														
Male.....	580	579	446	47	1	77	8		1	1				
Female.....	1,333	1,333	995	98		218	19	2	1	1				
Rural.....														
Male.....	701	701	517	58		114	12							
Female.....	632	632	478	40	1	104	7	2						
VIRGINIA														
Total.....	54,582	38,515	37,231	171	2	415	694	2	16,067	16,016	40	5		6
Male.....	27,659	19,550	18,895	93		203	353	1	8,109	8,081	19	4		5
Female.....	26,923	18,965	18,336	78	2	212	336	1	7,958	7,935	21	1		1
Cities of 10,000 or more.....														
Male.....	12,462	8,687	8,167	124	1	246	147	2	3,775	3,763	2	5		5
Female.....	6,407	4,444	4,170	69		126	78	1	1,963	1,955		4		4
Cities of 2,500 to 10,000.....														
Male.....	6,055	4,243	3,997	55	1	120	69	1	1,812	1,808	2	1		1
Female.....	3,849	3,180	3,084	6		33	57		669	668	1			
Rural.....														
Male.....	1,916	1,610	1,560	2		16	32		306	306				
Female.....	1,933	1,570	1,524	4		17	25		363	362	1			
WASHINGTON														
Total.....	21,379	20,654	16,394	1,037	6	3,003	199	15	725	50	309	39	283	44
Male.....	10,961	10,594	8,402	526	3	1,567	85	11	367	24	158	20	139	25
Female.....	10,418	10,060	7,992	511	3	1,436	114	4	358	26	151	19	144	18
Cities of 10,000 or more.....														
Male.....	12,760	12,431	9,679	680	4	1,912	145	11	329	43	29	35	186	36
Female.....	6,509	6,334	4,905	343	2	1,013	62	9	175	21	16	20	96	22
Cities of 2,500 to 10,000.....														
Male.....	6,261	6,097	4,774	337	2	899	83	2	154	22	13	15	90	14
Female.....	2,842	2,278	1,892	85		288	12	1	64	33	3	26	2	
Rural.....														
Male.....	1,209	1,175	978	46		143	7	1	34	23		10	1	
Female.....	1,133	1,103	914	39		145	5		30	10	3	16	1	
WEST VIRGINIA														
Total.....	38,803	36,597	34,537	761		911	387	1	2,206	2,199	2			4
Male.....	19,948	18,815	17,763	397		470	185		1,133	1,128		1		4
Female.....	18,855	17,782	16,774	364		441	202	1	1,073	1,071	2			
Cities of 10,000 or more.....														
Male.....	6,250	5,914	5,405	172		272	65		336	334		1		1
Female.....	3,219	3,044	2,778	93		146	27		175	173		1		1
Cities of 2,500 to 10,000.....														
Male.....	3,031	2,870	2,627	79		126	38		161	161				
Female.....	3,584	3,425	3,175	107		113	30		159	159				
Rural.....														
Male.....	1,815	1,744	1,619	60		56	9		71	71				
Female.....	1,769	1,681	1,566	47		57	21		88	88				
WISCONSIN														
Total.....	28,969	27,258	25,957	482	2	803	42	3	332	7	247	1	71	6
Male.....	14,914	14,027	13,366	244	1	411	16	1	158	3	119		33	3
Female.....	14,055	13,231	12,591	238	1	392	26	2	174	4	128	1	38	3
WYOMING														
Total.....	53,107	52,666	44,768	2,440	11	4,521	892	34	441	203	231	2		5
Male.....	27,128	26,910	22,856	1,288	4	2,293	451	18	218	95	120			3
Female.....	25,979	25,756	21,912	1,152	7	2,228	441	16	223	108	111	2		2
Cities of 10,000 or more.....														
Male.....	23,669	23,552	19,024	1,616	2	2,376	510	24	117	93	20	2		2
Female.....	12,174	12,123	9,805	849	2	1,194	263	10	51	39	12			
Cities of 2,500 to 10,000.....														
Male.....	11,495	11,429	9,219	767		1,182	247	14	66	54	8	2		2
Female.....	5,917	5,913	5,355	100	4	372	80	2	4	4				
Rural.....														
Male.....	3,072	3,071	2,768	58	2	196	45	2	1	1				
Female.....	2,845	2,842	2,587	42	2	176	35		3	3				
Other States														
Male.....	23,521	23,201	20,389	724	5	1,773	302	8	320	110	207			3
Female.....	11,882	11,716	10,283	381		903	143	6	166	56	107			3
Other Races														
Male.....	11,639	11,485	10,106	343	5	870	159	2	154	54	100			

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AREA, SEX OF CHILD, AND COUNTRY OF BIRTH OF MOTHER	All white births	COUNTRY OF BIRTH OF FATHER											Country not stated			
		United States	Foreign country													
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia		Other foreign countries		
REGISTRATION AREA IN CONTINENTAL UNITED STATES																
Total.....	1,805,155	1,534,117	243,235	16,502	21,345	12,071	14,533	13,657	15,970	61,387	19,724	22,782	45,264	27,803		
Male.....	928,809	788,074	124,409	8,507	10,907	6,240	7,535	7,043	8,184	31,103	10,179	11,631	23,080	14,326		
Female.....	878,346	746,043	118,826	7,995	10,438	5,831	6,998	6,614	7,786	30,284	9,545	11,151	22,184	13,477		
United States.....	M 827,432	761,064	53,412	3,324	6,518	3,873	4,132	1,623	3,792	12,312	3,535	4,648	9,655	12,956		
	F 783,769	720,602	51,007	3,199	6,158	3,586	3,924	1,530	3,655	11,784	3,335	4,486	9,350	12,160		
Total foreign.....	M 98,189	26,584	70,963	5,181	4,381	2,364	3,402	5,420	4,389	18,786	6,642	6,980	13,418	642		
	F 93,437	25,058	67,774	4,792	4,272	2,242	3,070	5,082	4,127	18,493	6,209	6,660	12,327	605		
Austria, Hungary.....	M 7,277	1,642	5,614	4,368	15	21	30	7	218	78	160	466	251	21		
	F 6,704	1,504	5,179	4,054	14	17	31	7	190	80	129	421	236	21		
Canada.....	M 11,809	6,901	4,722	29	3,855	62	277	69	54	79	36	78	183	186		
	F 11,192	6,501	4,506	29	3,730	46	278	58	45	74	26	74	146	185		
Denmark, Norway, Sweden.....	M 3,526	1,308	2,193	8	18	1,992	39	6	40	17	1	6	66	25		
	F 3,272	1,199	2,054	4	20	1,893	29	4	34	9	2	7	52	19		
England, Scotland, Wales.....	M 6,989	3,423	3,503	31	245	54	2,482	255	55	65	32	135	149	63		
	F 6,533	3,169	3,301	21	253	69	2,213	316	53	57	33	156	130	63		
Ireland.....	M 7,724	2,008	5,616	12	94	38	280	5,025	43	28	7	5	84	100		
	F 7,190	1,885	5,221	9	99	29	252	4,652	40	41	8	4	87	84		
Germany.....	M 6,269	1,884	4,353	143	21	75	30	13	3,694	73	47	47	210	32		
	F 5,992	1,793	4,156	116	25	64	35	15	3,490	68	42	58	243	43		
Italy.....	M 20,573	2,142	18,388	21	14	2	17	10	18	18,075	2	4	225	43		
	F 20,254	2,130	18,079	22	5	2	16	6	14	17,790	6	6	212	45		
Poland.....	M 8,431	1,450	6,936	146	19	8	35	6	52	41	5,330	584	215	45		
	F 7,987	1,390	6,553	131	15	10	21	8	42	35	5,501	589	201	44		
Russia.....	M 8,803	2,195	6,583	275	31	10	124	3	49	36	387	5,374	294	25		
	F 8,240	2,022	6,202	256	34	10	111	4	57	20	336	5,091	283	16		
Other foreign countries.....	M 16,788	3,631	13,055	148	69	102	88	26	166	294	140	281	11,741	102		
	F 16,078	3,465	12,523	150	77	102	84	12	162	319	126	254	11,237	85		
Country not stated.....	M 1,188	426	34	2	8	3	1	3	3	5	2	3	7	728		
	F 1,140	383	45	4	8	3	4	2	4	7	1	5	7	712		

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE														Colored	
		Total	Country of birth of mother														
			United States	Foreign country											Country not stated		
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries			
REGISTRATION AREA IN CONTINENTAL UNITED STATES																	
Total.....	2,074,042	1,805,155	1,611,201	191,026	13,981	23,001	6,798	13,522	14,914	12,261	40,827	16,418	17,043	32,861	2,328	268,887	
Male.....	1,063,885	926,809	827,432	98,189	7,277	11,809	3,526	6,989	7,724	6,269	20,573	8,431	8,803	16,788	1,188	137,076	
Female.....	1,010,157	878,346	783,769	93,437	6,704	11,192	3,272	6,533	7,190	5,992	20,254	7,987	8,240	16,073	1,140	131,811	
Age of mother:																	
10 to 14 years.....	(M) 1,293 (F) 1,122	557 468	551 460	5 7		3 1	1 1			1 1						1 1	786 654
15 to 19 years.....	(M) 127,508 (F) 120,332	99,104 92,907	96,733 90,532	2,254 2,225	75 75	692 650	37 32	154 125	46 54	108 125	472 497	104 110	87 78	480 451	117 100	28,404 27,425	
20 to 24 years.....	(M) 314,817 (F) 298,382	272,811 258,266	255,019 241,952	17,081 16,113	975 930	2,673 2,518	443 450	1,251 1,132	1,147 1,131	1,241 1,212	3,372 3,206	1,236 1,088	1,465 1,362	3,278 3,084	211 201	42,506 40,116	
25 to 29 years.....	(M) 270,132 (F) 257,749	242,022 230,131	215,055 204,440	26,827 25,553	1,742 1,583	3,158 3,008	949 927	2,175 2,113	2,562 2,341	2,157 2,070	4,631 4,637	1,746 1,654	3,098 2,817	4,669 4,403	140 138	28,110 27,618	
30 to 34 years.....	(M) 180,667 (F) 171,233	162,693 153,719	138,616 130,741	23,988 22,868	1,793 1,639	2,282 2,201	990 874	1,901 1,739	2,069 1,933	1,593 1,475	5,468 5,441	1,666 1,584	2,276 2,179	3,950 3,803	89 110	17,974 17,514	
35 to 39 years.....	(M) 113,580 (F) 107,691	101,362 96,188	82,864 78,504	18,421 17,612	1,812 1,669	1,385 1,295	667 607	1,033 1,063	1,396 1,259	804 748	4,484 4,368	2,467 2,428	1,416 1,293	2,977 2,942	72	12,218 11,508	
40 to 44 years.....	(M) 38,469 (F) 37,175	34,756 33,521	27,390 26,484	7,329 7,005	778 703	465 469	373 338	385 340	436 398	316 318	1,873 1,857	1,077 1,006	1,186 439	1,186 1,139	37 32	3,713 3,654	
45 to 49 years.....	(M) 3,679 (F) 3,429	3,130 2,887	2,335 2,200	791 685	84 84	50 46	50 32	27 34	22 25	39 34	200 175	114 96	56 48	149 111	4 2	549 542	
50 to 54 years.....	(M) 68 (F) 68	46 54	35 48	11 6	2 1	1 1				1 1	3 2	1 1	1 2	2	22 14		
Unknown.....	(M) 13,672 (F) 12,976	10,828 10,205	8,834 8,358	1,482 1,363	16 20	1,121 1,003	16 12	63 48	46 47	9 12	70 71	20 19	24 24	97 107	512 484	2,844 2,771	

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
ALABAMA					CALIFORNIA						
Total.....	62,939	39,381	39,219	141	23,558	Total.....	78,093	62,928	54,800	8,111	15,165
Male.....	32,159	20,206	20,108	85	11,953	Male.....	39,990	32,237	28,054	4,172	7,763
Female.....	30,780	19,175	19,111	56	11,605	Female.....	38,103	30,691	26,746	3,939	7,412
10 to 14 years.....	174	32	32		142	10 to 14 years.....	35	15	14	1	20
15 to 19 years.....	11,269	5,528	5,519	7	5,741	15 to 19 years.....	8,890	6,901	6,574	324	1,989
20 to 24 years.....	19,793	12,151	12,115	28	7,647	20 to 24 years.....	24,382	20,450	18,650	1,796	3,932
25 to 29 years.....	14,056	9,418	9,387	30	4,638	25 to 29 years.....	21,696	17,437	15,026	2,406	4,259
30 to 34 years.....	9,094	6,436	6,398	38	2,658	30 to 34 years.....	13,450	10,756	8,762	1,992	2,694
35 to 39 years.....	6,000	4,082	4,050	29	1,918	35 to 39 years.....	7,302	5,610	4,457	1,153	1,692
40 to 44 years.....	2,087	1,484	1,476	6	603	40 to 44 years.....	2,111	1,620	1,228	391	491
45 to 49 years.....	253	141	139	2	112	45 to 49 years.....	177	114	69	44	63
50 to 54 years.....	8	3	3		5	50 to 54 years.....	7	2	2		5
Unknown.....	200	106	100	1	94	Unknown.....	43	23	18	4	20
ARIZONA						COLORADO					
Total.....	8,523	4,569	4,213	346	3,954	Total.....	17,613	16,218	15,178	980	1,395
Male.....	4,410	2,393	2,199	189	2,017	Male.....	9,050	8,314	7,796	484	736
Female.....	4,113	2,176	2,014	157	1,937	Female.....	8,563	7,904	7,382	496	659
10 to 14 years.....	10	4	4		6	10 to 14 years.....	18	12	12		6
15 to 19 years.....	1,097	621	601	19	476	15 to 19 years.....	2,260	2,020	1,981	31	240
20 to 24 years.....	2,596	1,441	1,354	83	1,155	20 to 24 years.....	5,644	5,244	5,004	226	400
25 to 29 years.....	2,104	1,123	1,035	87	981	25 to 29 years.....	4,248	3,970	3,703	256	278
30 to 34 years.....	1,434	737	655	82	697	30 to 34 years.....	2,819	2,604	2,379	218	215
35 to 39 years.....	880	464	402	59	416	35 to 39 years.....	1,769	1,596	1,445	150	173
40 to 44 years.....	300	149	138	11	151	40 to 44 years.....	591	540	460	78	51
45 to 49 years.....	44	9	7	2	35	45 to 49 years.....	54	48	35	13	6
50 to 54 years.....	2	1	1		1	50 to 54 years.....	1	1	1		1
Unknown.....	56	20	16	3	36	Unknown.....	209	183	158	8	26
ARKANSAS						CONNECTICUT					
Total.....	37,450	28,689	28,479	73	8,761	Total.....	23,731	23,123	16,975	6,139	608
Male.....	19,210	14,662	14,548	38	4,548	Male.....	12,097	11,756	8,709	3,042	341
Female.....	18,240	14,027	13,931	35	4,213	Female.....	11,634	11,367	8,266	3,097	267
10 to 14 years.....	109	18	18		91	10 to 14 years.....	9	7	7		2
15 to 19 years.....	6,525	4,457	4,435	2	2,068	15 to 19 years.....	1,765	1,676	1,565	109	89
20 to 24 years.....	11,544	8,878	8,844	14	2,666	20 to 24 years.....	6,472	6,269	5,356	912	208
25 to 29 years.....	8,381	6,710	6,669	21	1,671	25 to 29 years.....	6,705	6,559	4,967	1,591	146
30 to 34 years.....	5,274	4,182	4,166	10	1,092	30 to 34 years.....	4,718	4,621	3,064	1,556	97
35 to 39 years.....	3,604	2,880	2,851	16	724	35 to 39 years.....	3,027	2,979	1,594	1,383	48
40 to 44 years.....	1,320	1,086	1,072	8	234	40 to 44 years.....	938	918	382	536	20
45 to 49 years.....	125	96	95		30	45 to 49 years.....	64	64	21	43	
50 to 54 years.....	5	4	4		1	Unknown.....	33	30	19	9	3
Unknown.....	563	379	325	2	184						

¹ Includes "Country not stated."

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total	Mother native	Mother foreign-born				Total	Mother native	Mother foreign-born	
DELAWARE											
Total	4,294	3,590	3,285	297	704						
Male	2,202	1,843	1,679	160	359						
Female	2,092	1,747	1,606	137	345						
10 to 14 years	11	4	4	—	7						
15 to 19 years	576	420	412	7	156						
20 to 24 years	1,284	1,095	1,051	40	189						
25 to 29 years	1,073	933	864	68	140						
30 to 34 years	673	576	500	76	97						
35 to 39 years	464	383	305	78	81						
40 to 44 years	175	151	127	23	24						
45 to 49 years	17	11	8	3	6						
Unknown	21	17	14	2	4						
DISTRICT OF COLUMBIA											
Total	10,157	6,809	6,210	510	3,348						
Male	5,245	3,496	3,197	260	1,749						
Female	4,912	3,313	3,013	250	1,599						
10 to 14 years	18	3	3	—	15						
15 to 19 years	1,529	732	708	8	797						
20 to 24 years	3,189	2,094	1,968	108	1,095						
25 to 29 years	2,580	1,858	1,710	144	702						
30 to 34 years	1,626	1,222	1,088	130	404						
35 to 39 years	907	666	572	93	241						
40 to 44 years	230	171	148	23	59						
45 to 49 years	14	8	6	2	6						
Unknown	84	55	7	2	29						
FLORIDA											
Total	27,402	18,874	18,221	588	8,528						
Male	14,162	9,813	9,494	292	4,349						
Female	13,240	9,061	8,727	296	4,179						
10 to 14 years	88	24	24	—	64						
15 to 19 years	5,005	2,802	2,772	24	2,203						
20 to 24 years	8,640	6,086	5,936	127	2,554						
25 to 29 years	6,315	4,570	4,398	156	1,745						
30 to 34 years	4,064	3,025	2,864	149	1,039						
35 to 39 years	2,413	1,733	1,629	98	680						
40 to 44 years	687	522	492	30	165						
45 to 49 years	60	32	31	1	28						
50 to 54 years	5	2	1	1	3						
Unknown	125	78	74	2	47						
GEORGIA											
Total	68,717	38,241	38,084	142	25,476						
Male	32,717	19,757	19,675	73	12,960						
Female	31,000	18,484	18,409	69	12,516						
10 to 14 years	209	34	33	—	175						
15 to 19 years	12,101	5,395	5,385	6	6,706						
20 to 24 years	20,436	12,005	11,965	34	8,431						
25 to 29 years	13,853	9,256	9,193	42	4,617						
30 to 34 years	8,774	6,042	6,005	35	2,732						
35 to 39 years	5,953	3,951	3,932	18	2,002						
40 to 44 years	2,068	1,416	1,411	5	652						
45 to 49 years	253	134	133	1	119						
50 to 54 years	7	2	2	—	5						
Unknown	68	26	25	—	37						
IDAHO											
Total	8,732	8,564	8,180	334	168						
Male	4,514	4,437	4,252	160	77						
Female	4,218	4,127	3,928	174	91						
10 to 14 years	6	5	5	—	1						
15 to 19 years	1,114	1,084	1,051	33	30						
20 to 24 years	2,786	2,752	2,658	79	34						
25 to 29 years	2,135	2,104	2,015	80	31						
30 to 34 years	1,370	1,337	1,262	64	33						
35 to 39 years	851	825	769	50	26						
40 to 44 years	359	349	321	24	10						
45 to 49 years	33	32	30	1	1						
50 to 54 years	3	3	2	1	—						
Unknown	75	73	67	—	2						
ILLINOIS											
Total	111,512	105,222	91,476	13,693	6,290						
Male	57,132	53,956	46,862	7,066	3,176						
Female	54,380	51,266	44,614	6,627	3,114						
10 to 14 years	71	42	41	—	29						
15 to 19 years	11,233	10,005	9,743	246	1,228						
20 to 24 years	32,953	31,068	28,734	2,315	1,885						
25 to 29 years	30,914	29,392	25,341	4,044	1,522						
30 to 34 years	19,885	18,915	15,593	3,317	970						
35 to 39 years	12,116	11,600	8,986	2,612	516						
40 to 44 years	3,893	3,774	2,751	1,022	119						
ILLINOIS—continued											
45 to 49 years	323	312	195	117	11						
50 to 54 years	1	1	1	—	—						
Unknown	123	113	91	19	10						
INDIANA											
Total	53,073	51,280	49,543	1,725	1,793						
Male	27,147	26,310	25,418	887	837						
Female	25,926	24,970	24,125	838	956						
10 to 14 years	45	33	33	—	12						
15 to 19 years	6,799	6,397	6,344	51	402						
20 to 24 years	15,975	15,484	15,147	332	491						
25 to 29 years	13,422	13,042	12,579	463	380						
30 to 34 years	8,977	8,691	8,301	388	286						
35 to 39 years	5,619	5,447	5,105	341	172						
40 to 44 years	2,051	2,007	1,876	130	44						
45 to 49 years	167	161	141	20	6						
50 to 54 years	8	8	8	—	—						
Unknown	10	10	9	—	—						
IOWA											
Total	40,459	40,292	38,902	1,371	167						
Male	20,706	20,623	19,913	699	83						
Female	19,753	19,669	18,989	672	84						
10 to 14 years	21	21	20	—	—						
15 to 19 years	4,063	4,021	3,996	23	42						
20 to 24 years	11,638	11,596	11,358	233	42						
25 to 29 years	10,572	10,531	10,174	352	41						
30 to 34 years	7,472	7,449	7,126	321	23						
35 to 39 years	4,617	4,603	4,332	269	14						
40 to 44 years	1,667	1,663	1,518	144	4						
45 to 49 years	130	129	116	13	1						
50 to 54 years	5	5	4	—	—						
Unknown	274	274	258	15	—						
KANSAS											
Total	31,700	30,175	29,637	482	1,525						
Male	16,415	15,602	15,324	245	813						
Female	15,285	14,573	14,313	237	712						
10 to 14 years	21	13	13	—	8						
15 to 19 years	3,417	3,157	3,143	9	260						
20 to 24 years	9,659	9,267	9,186	66	392						
25 to 29 years	8,201	7,853	7,722	117	348						
30 to 34 years	5,480	5,204	5,079	118	276						
35 to 39 years	3,518	3,338	3,224	104	180						
40 to 44 years	1,273	1,221	1,160	68	52						
45 to 49 years	115	107	97	10	8						
50 to 54 years	16	15	13	—	1						
Unknown	—	—	—	—	—						
KENTUCKY											
Total	59,505	56,195	56,046	146	3,310						
Male	30,741	29,028	28,950	78	1,713						
Female	28,764	27,167	27,096	68	1,597						
10 to 14 years	119	81	81	—	38						
15 to 19 years	9,225	8,464	8,459	4	762						
20 to 24 years	17,421	16,495	16,464	31	926						
25 to 29 years	13,807	13,165	13,125	39	642						
30 to 34 years	9,574	9,125	9,088	37	449						
35 to 39 years	6,570	6,200	6,171	29	370						
40 to 44 years	2,512	2,400	2,395	5	112						
45 to 49 years	225	216	215	1	9						
50 to 54 years	3	3	3	—	—						
Unknown	48	46	45	—	2						
LOUISIANA											
Total	43,298	25,600	25,232	352	17,698						
Male	22,203	13,179	13,004	167	9,024						
Female	21,095	12,421	12,228	185	8,674						
10 to 14 years	140	31	30	—	109						
15 to 19 years	7,051	3,306	3,293	13	3,745						
20 to 24 years	13,666	8,057	7,995	54	5,609						
25 to 29 years	10,268	6,561	6,463	95	3,707						
30 to 34 years	6,388	4,096	4,000	91	2,292						
35 to 39 years	4,129	2,523	2,453	69	1,606						
40 to 44 years	1,370	886	857	28	484						
45 to 49 years	174	89	83	1	85						
50 to 54 years	7	3	3	—	4						
Unknown	105	48	47	—	57						
MAINE²											
Total	16,129	16,096	13,603	2,491	33						
Male	8,266	8,250	6,951	1,298	16						
Female	7,863	7,846	6,652	1,193	17						
Unknown	—	—	—	—	—						

¹Includes "Country not stated."

²Age of parents not fully returned on certificates from this State.

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
MARYLAND					MISSOURI—continued						
Total.....	28,820	22,477	21,293	1,176	6,343	25 to 29 years.....	15,087	14,287	13,878	395	800
Male.....	14,650	11,491	10,892	595	3,159	30 to 34 years.....	9,955	9,443	9,124	310	512
Female.....	14,170	10,986	10,401	581	3,184	35 to 39 years.....	6,043	5,736	5,503	224	307
10 to 14 years.....	71	13	13	—	58	40 to 44 years.....	2,231	2,139	2,041	85	92
15 to 19 years.....	4,388	2,844	2,824	18	1,544	45 to 49 years.....	203	192	178	14	11
20 to 24 years.....	8,492	6,672	6,490	181	1,820	50 to 54 years.....	6	6	6	—	—
25 to 29 years.....	7,012	5,756	5,429	324	1,259	Unknown.....	134	127	114	1	7
30 to 34 years.....	4,661	3,790	3,484	305	871	MONTANA					
35 to 39 years.....	3,055	2,487	2,213	284	588	Total.....	9,091	8,391	7,504	881	700
40 to 44 years.....	1,034	860	773	87	174	Male.....	4,646	4,284	3,846	436	362
45 to 49 years.....	84	64	57	7	20	Female.....	4,445	4,107	3,658	445	338
50 to 54 years.....	2	1	1	—	1	10 to 14 years.....	2	2	2	—	—
Unknown.....	21	10	9	—	11	15 to 19 years.....	1,031	936	887	46	95
MASSACHUSETTS					NEBRASKA						
Total.....	68,534	67,559	48,770	18,756	975	Total.....	25,159	24,609	23,500	1,093	550
Male.....	35,039	34,622	25,021	9,586	467	Male.....	13,014	12,747	12,167	574	267
Female.....	33,445	32,937	23,749	9,170	508	Female.....	12,145	11,862	11,333	519	283
10 to 14 years.....	25	24	23	1	1	10 to 14 years.....	20	17	17	—	3
15 to 19 years.....	4,335	4,220	3,878	338	115	15 to 19 years.....	2,395	2,312	2,284	26	83
20 to 24 years.....	17,587	17,273	14,259	3,008	314	20 to 24 years.....	7,581	7,427	7,255	164	154
25 to 29 years.....	19,298	19,090	14,062	5,016	208	25 to 29 years.....	6,748	6,612	6,323	288	136
30 to 34 years.....	14,582	14,413	9,557	4,851	169	30 to 34 years.....	4,525	4,443	4,172	268	82
35 to 39 years.....	9,288	9,165	5,355	3,807	123	35 to 39 years.....	2,781	2,715	2,495	218	66
40 to 44 years.....	2,828	2,796	1,331	1,484	32	40 to 44 years.....	1,098	988	876	112	20
45 to 49 years.....	214	210	77	133	4	45 to 49 years.....	30	26	59	17	4
Unknown.....	377	368	228	138	9	50 to 54 years.....	2	2	2	—	—
MICHIGAN					NEVADA						
Total.....	85,736	82,376	69,591	12,707	3,360	Total.....	1,260	1,154	1,016	138	106
Male.....	44,178	42,444	35,915	6,487	1,734	Male.....	618	565	500	65	53
Female.....	41,558	39,932	33,676	6,220	1,626	Female.....	642	589	516	73	53
10 to 14 years.....	62	47	43	4	15	10 to 14 years.....	1	1	1	—	—
15 to 19 years.....	9,297	8,687	8,199	474	610	15 to 19 years.....	144	127	123	4	17
20 to 24 years.....	25,686	24,725	22,179	2,526	961	20 to 24 years.....	453	428	389	39	25
25 to 29 years.....	22,608	21,791	18,268	3,511	817	25 to 29 years.....	295	267	233	34	28
30 to 34 years.....	14,988	14,411	11,437	2,963	577	30 to 34 years.....	199	187	154	33	12
35 to 39 years.....	9,314	9,015	6,806	2,198	299	35 to 39 years.....	109	96	81	15	13
40 to 44 years.....	3,250	3,183	2,292	890	67	40 to 44 years.....	49	41	29	12	8
45 to 49 years.....	286	285	190	95	1	45 to 49 years.....	2	1	1	1	1
50 to 54 years.....	5	5	3	2	—	Unknown.....	8	6	6	—	2
Unknown.....	240	227	174	44	13	NEW HAMPSHIRE					
MINNESOTA					NEW JERSEY						
Total.....	46,377	45,759	42,730	3,022	618	Total.....	7,808	7,802	6,382	1,409	6
Male.....	23,787	23,486	21,927	1,553	301	Male.....	4,005	4,004	3,252	747	1
Female.....	22,590	22,273	20,803	1,469	317	Female.....	3,803	3,798	3,130	662	5
10 to 14 years.....	22	22	22	—	—	10 to 14 years.....	2	2	2	—	—
15 to 19 years.....	3,372	3,275	3,207	67	97	15 to 19 years.....	723	722	684	38	1
20 to 24 years.....	12,526	12,343	11,841	500	183	20 to 24 years.....	2,164	2,163	1,943	218	1
25 to 29 years.....	12,557	12,421	11,742	678	136	25 to 29 years.....	2,108	2,108	1,756	348	—
30 to 34 years.....	9,405	9,317	8,592	725	88	30 to 34 years.....	1,457	1,457	1,105	349	—
35 to 39 years.....	6,069	5,993	5,383	609	76	35 to 39 years.....	934	932	837	294	2
40 to 44 years.....	2,177	2,146	1,766	380	31	40 to 44 years.....	361	359	216	143	2
45 to 49 years.....	235	230	169	61	5	45 to 49 years.....	27	27	10	17	—
50 to 54 years.....	3	3	2	1	—	Unknown.....	2	2	2	—	—
Unknown.....	11	9	6	1	2	MISSISSIPPI					
MISSISSIPPI					MISSOURI						
Total.....	46,273	21,787	21,660	70	24,486	Total.....	59,949	56,177	54,798	1,288	3,772
Male.....	23,570	11,034	10,973	35	12,536	Male.....	30,809	28,845	28,124	667	1,964
Female.....	22,703	10,753	10,687	35	11,950	Female.....	29,140	27,332	26,674	621	1,808
10 to 14 years.....	204	28	28	—	176	10 to 14 years.....	75	41	41	—	34
15 to 19 years.....	8,458	2,863	2,855	1	5,595	15 to 19 years.....	8,262	7,301	7,265	23	961
20 to 24 years.....	14,404	6,619	6,586	15	7,785	20 to 24 years.....	17,953	16,905	16,648	236	1,048
25 to 29 years.....	10,247	5,364	5,336	18	4,883	NEW JERSEY					
30 to 34 years.....	6,542	3,566	3,540	16	2,976	Total.....	61,219	56,627	43,731	12,877	4,592
35 to 39 years.....	4,350	2,288	2,269	13	2,062	Male.....	31,214	28,890	22,302	6,580	2,324
40 to 44 years.....	1,476	812	806	5	664	Female.....	30,005	27,737	21,429	6,297	2,268
45 to 49 years.....	199	80	80	—	119	10 to 14 years.....	37	16	16	—	21
50 to 54 years.....	3	1	1	—	2	15 to 19 years.....	5,513	4,637	4,374	262	876
Unknown.....	390	166	159	2	224	20 to 24 years.....	17,595	16,088	14,016	2,065	1,507
MISSOURI					NEW YORK						
Total.....	59,949	56,177	54,798	1,288	3,772	Total.....	17,332	16,273	12,823	3,447	1,059
Male.....	30,809	28,845	28,124	667	1,964	25 to 29 years.....	11,538	10,949	7,624	3,322	639
Female.....	29,140	27,332	26,674	621	1,808	30 to 34 years.....	6,761	6,400	3,762	2,634	361
10 to 14 years.....	75	41	41	—	34	35 to 39 years.....	2,202	2,089	1,048	1,040	113
15 to 19 years.....	8,262	7,301	7,265	23	961	40 to 44 years.....	167	153	54	99	14
20 to 24 years.....	17,953	16,905	16,648	236	1,048	45 to 49 years.....	2	2	1	1	—
					Unknown.....						
					2						

¹Includes "Country not stated."

GENERAL TABLES

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
NEW MEXICO					OREGON						
Total	12,391	11,956	11,065	888	435	Total	12,847	12,563	11,648	907	284
Male	6,323	6,101	5,637	462	227	Male	6,535	6,389	5,928	456	146
Female	6,063	5,855	5,428	426	208	Female	6,312	6,174	5,720	451	138
10 to 14 years	8	8	8	—	—	15 to 19 years	1,549	1,510	1,456	53	39
15 to 19 years	1,460	1,460	1,402	58	54	20 to 24 years	4,196	4,125	3,923	198	71
20 to 24 years	3,870	3,756	3,532	223	114	25 to 29 years	3,328	3,265	3,018	246	63
25 to 29 years	2,965	2,861	2,633	228	104	30 to 34 years	2,080	2,028	1,822	206	52
30 to 34 years	2,062	1,999	1,812	186	63	35 to 39 years	1,225	1,189	1,049	138	36
35 to 39 years	1,442	1,377	1,231	146	65	40 to 44 years	432	413	354	59	19
40 to 44 years	434	410	374	36	24	45 to 49 years	23	21	15	6	2
45 to 49 years	57	53	44	9	4	Unknown	14	12	11	1	2
50 to 54 years	3	1	1	—	2	PENNSYLVANIA					
Unknown	36	31	28	2	5	Total	168,534	160,381	139,503	20,830	8,153
NEW YORK					RHODE ISLAND						
Total	193,431	180,405	134,826	54,564	9,026	Total	11,171	10,963	8,073	2,887	208
Male	102,101	97,473	69,432	27,985	4,628	Male	5,781	5,666	4,207	1,458	115
Female	96,330	91,932	65,344	26,579	4,398	Female	5,390	5,297	3,866	1,429	93
10 to 14 years	88	67	66	1	21	10 to 14 years	4	4	4	—	—
15 to 19 years	14,621	13,248	12,171	1,076	1,373	15 to 19 years	729	704	653	51	25
20 to 24 years	57,153	53,994	43,955	10,036	3,159	20 to 24 years	2,962	2,905	2,461	443	57
25 to 29 years	59,499	57,210	40,119	17,089	2,289	25 to 29 years	3,117	3,062	2,329	732	55
30 to 34 years	38,992	37,639	23,513	14,123	1,553	30 to 34 years	2,312	2,276	1,528	747	36
35 to 39 years	21,414	20,755	11,718	9,035	659	35 to 39 years	1,504	1,478	842	636	26
40 to 44 years	6,109	5,958	3,040	2,917	151	40 to 44 years	506	497	239	258	9
45 to 49 years	500	482	209	273	18	45 to 49 years	29	29	12	17	—
50 to 54 years	6	6	4	2	—	Unknown	8	8	5	3	—
Unknown	49	46	31	12	3	SOUTH CAROLINA					
NORTH CAROLINA					SOUTH DAKOTA						
Total	77,902	53,701	52,762	117	24,201	Total	41,518	20,072	20,005	65	21,446
Male	39,776	27,559	27,098	56	12,217	Male	21,369	10,327	10,288	38	11,042
Female	38,126	26,142	25,664	61	11,984	Female	20,149	9,745	9,717	27	10,404
10 to 14 years	65	34	34	—	31	15 to 19 years	7,824	2,751	2,750	1	5,073
15 to 19 years	8,980	6,194	6,173	4	2,786	20 to 24 years	13,843	6,261	6,251	10	7,587
20 to 24 years	22,122	15,712	15,683	16	6,410	25 to 29 years	8,951	4,853	4,856	27	4,068
25 to 29 years	17,381	13,004	12,952	40	4,377	30 to 34 years	5,480	3,171	3,157	14	2,309
30 to 34 years	11,820	8,789	8,745	31	3,031	35 to 39 years	3,908	2,169	2,183	11	1,739
35 to 39 years	8,199	6,045	6,024	19	2,154	40 to 44 years	1,304	758	756	2	546
40 to 44 years	2,996	2,271	2,261	7	725	45 to 49 years	161	59	59	—	102
45 to 49 years	290	196	196	—	94	Unknown	42	20	18	—	22
50 to 54 years	7	4	4	—	3	TENNESSEE					
Unknown	6,042	1,452	690	—	4,590	Total	13,241	12,608	11,885	653	633
NORTH DAKOTA					OHIO						
Total	14,047	13,753	12,290	1,461	294	Total	101,753	96,961	88,522	8,409	4,792
Male	7,333	7,183	6,378	804	150	Male	52,203	49,783	45,467	4,304	2,420
Female	6,714	6,570	5,912	657	144	Female	49,550	47,178	43,055	4,105	2,372
10 to 14 years	5	5	4	1	—	10 to 14 years	85	49	49	—	36
15 to 19 years	1,013	985	951	34	28	15 to 19 years	11,138	10,158	9,904	190	980
20 to 24 years	3,935	3,851	3,686	164	84	20 to 24 years	30,232	28,812	27,255	1,543	1,440
25 to 29 years	3,830	3,758	3,461	297	72	25 to 29 years	27,084	26,036	23,868	2,161	1,048
30 to 34 years	2,712	2,651	2,281	370	61	30 to 34 years	17,836	17,144	15,097	2,045	742
35 to 39 years	1,748	1,716	1,381	335	32	35 to 39 years	11,031	10,633	8,953	1,679	398
40 to 44 years	716	700	472	227	16	40 to 44 years	3,876	3,743	3,016	725	133
45 to 49 years	86	85	52	33	1	45 to 49 years	363	351	291	59	12
50 to 54 years	1	1	1	—	—	Unknown	38	35	29	2	3
Unknown	1	1	1	—	—	OKLAHOMA					
OHIO					OREGON						
Total	101,753	96,961	88,522	8,409	4,792	Total	12,847	12,563	11,648	907	284
Male	52,203	49,783	45,467	4,304	2,420	Male	6,535	6,389	5,928	456	146
Female	49,550	47,178	43,055	4,105	2,372	Female	6,312	6,174	5,720	451	138
10 to 14 years	85	49	49	—	36	15 to 19 years	1,549	1,510	1,456	53	39
15 to 19 years	11,138	10,158	9,904	190	980	20 to 24 years	4,196	4,125	3,923	198	71
20 to 24 years	30,232	28,812	27,255	1,543	1,440	25 to 29 years	3,328	3,265	3,018	246	63
25 to 29 years	27,084	26,036	23,868	2,161	1,048	30 to 34 years	2,080	2,028	1,822	206	52
30 to 34 years	17,836	17,144	15,097	2,045	742	35 to 39 years	1,225	1,189	1,049	138	36
35 to 39 years	11,031	10,633	8,953	1,679	398	40 to 44 years	432	413	354	59	19
40 to 44 years	3,876	3,743	3,016	725	133	45 to 49 years	23	21	15	6	2
45 to 49 years	363	351	291	59	12	Unknown	14	12	11	1	2
Unknown	38	35	29	2	3	PENNSYLVANIA					
OKLAHOMA					RHODE ISLAND						
Total	41,039	37,553	37,089	212	3,486	Total	11,171	10,963	8,073	2,887	208
Male	21,235	19,413	19,155	113	1,525	Male	5,781	5,666	4,207	1,458	115
Female	19,801	18,140	17,934	99	1,661	Female	5,390	5,297	3,866	1,429	93
10 to 14 years	38	24	24	—	14	10 to 14 years	4	4	4	—	—
15 to 19 years	6,609	5,860	5,316	9	749	15 to 19 years	1,033	971	956	11	62
20 to 24 years	13,149	12,086	11,975	32	1,083	20 to 24 years	3,679	3,505	3,395	83	174
25 to 29 years	9,467	8,732	8,615	59	735	25 to 29 years	3,432	3,304	3,135	156	123
30 to 34 years	6,129	5,672	5,534	50	457	30 to 34 years	2,528	2,400	2,239	152	123
35 to 39 years	3,902	3,600	3,537	33	302	35 to 39 years	1,753	1,671	1,512	150	82
40 to 44 years	1,427	1,321	1,230	28	106	40 to 44 years	681	642	555	83	39
45 to 49 years	131	118	116	—	13	45 to 49 years	65	61	47	14	4
50 to 54 years	1	1	1	—	—	Unknown	66	51	43	4	15
Unknown	186	159	141	1	27	TENNESSEE					
OHIO					TEXAS						
Total	101,753	96,961	88,522	8,409	4,792	Total	52,491	44,406	44,222	151	8,085
Male	52,203	49,783	45,467	4,304	2,420	Male	26,971	22,822	22,729	75	4,149
Female	49,550	47,178	43,055	4,105	2,372	Female	25,520	21,584	21,493	76	3,936
10 to 14 years	85	49	49	—	36	10 to 14 years	132	55	55	—	77
15 to 19 years	11,138	10,158	9,904	190	980	15 to 19 years	8,252	6,241	6,231	6	2,011
20 to 24 years	30,232	28,812	27,255	1,543	1,440	20 to 24 years	15,933	13,473	13,432	30	2,460
25 to 29 years	27,084	26,036	23,868	2,161	1,048	25 to 29 years	12,414	10,798	10,769	36	1,616
30 to 34 years	17,836	17,144	15,097	2,045	742	30 to 34 years	8,152	7,182	7,148	30	970
35 to 39 years	11,031	10,633	8,953	1,679	398	35 to 39 years	5,301	4,630	4,594	35	671
40 to 44 years	3,876	3,743	3,016	725	133	40 to 44 years	1,906	1,706	1,681	13	200
45 to 49 years	363	351	291	59	12	45 to 49 years	238	205	205	—	33
Unknown	38	35	29	2	3	50 to 54 years	3	3	3	—	1
OKLAHOMA					UTAH						
Total	41,039	37,553	37,089	212	3,486	Total	159	113	104	1	46
Male	21,235	19,413	19,155	113	1,525	Male	78	55	50	—	27
Female	19,801	18,140	17,934	99	1,661	Female	81	58	54	—	19
10 to 14 years	38	24	24	—	14	10 to 14 years	4	4	4	—	—
15 to 19 years	6,609	5,860	5,316	9	749	15 to 19 years	1,033	971	956	11	62
20 to 24 years	13,149	12,086	11,975								

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
UTAH					WASHINGTON—continued						
Total.....	11,974	11,865	11,119	742	109	25 to 29 years.....	5,694	5,536	4,925	611	158
Male.....	6,157	6,102	5,696	403	55	30 to 34 years.....	3,529	3,375	2,873	502	154
Female.....	5,817	5,763	5,423	339	54	35 to 39 years.....	1,991	1,894	1,601	292	97
10 to 14 years.....	6	6	6	—	—	40 to 44 years.....	719	683	547	130	36
15 to 19 years.....	1,191	1,187	1,161	23	4	45 to 49 years.....	66	61	45	16	5
20 to 24 years.....	3,617	3,598	3,458	140	19	Unknown.....	7	5	3	—	2
25 to 29 years.....	3,143	3,117	2,923	194	26	WEST VIRGINIA					
30 to 34 years.....	2,025	1,966	1,819	177	29	Total.....	38,803	36,597	35,689	908	2,206
35 to 39 years.....	1,364	1,340	1,210	130	24	Male.....	19,948	18,815	18,341	474	1,133
40 to 44 years.....	540	534	463	71	6	Female.....	18,855	17,782	17,348	434	1,073
45 to 49 years.....	53	52	46	6	1	10 to 14 years.....	50	34	34	—	16
50 to 54 years.....	1	1	—	—	—	15 to 19 years.....	5,949	5,478	5,454	24	471
Unknown.....	34	34	32	1	—	20 to 24 years.....	11,980	11,363	11,227	136	617
VERMONT					WISCONSIN						
Total.....	6,030	6,026	5,152	869	4	Total.....	53,107	52,666	48,810	3,815	441
Male.....	3,102	3,100	2,645	454	2	Male.....	27,128	26,910	24,890	2,000	218
Female.....	2,928	2,926	2,507	415	2	Female.....	25,979	25,756	23,920	1,815	223
10 to 14 years.....	8	8	7	1	—	10 to 14 years.....	13	12	11	1	1
15 to 19 years.....	661	661	628	32	—	15 to 19 years.....	4,506	4,421	4,322	87	85
20 to 24 years.....	1,742	1,740	1,567	171	2	20 to 24 years.....	15,448	15,310	14,629	667	138
25 to 29 years.....	1,579	1,579	1,329	249	—	25 to 29 years.....	14,385	14,291	13,211	972	94
30 to 34 years.....	1,090	1,089	891	197	1	30 to 34 years.....	10,005	9,936	8,999	932	69
35 to 39 years.....	683	682	531	151	1	35 to 39 years.....	6,233	6,198	5,455	736	35
40 to 44 years.....	234	234	173	61	—	40 to 44 years.....	2,207	2,194	1,823	370	13
45 to 49 years.....	26	26	20	6	—	45 to 49 years.....	211	207	164	43	4
50 to 54 years.....	7	7	6	1	—	50 to 54 years.....	5	4	3	1	1
Unknown.....	—	—	—	—	—	Unknown.....	94	93	83	6	1
VIRGINIA					WYOMING						
Total.....	54,582	38,515	38,211	296	16,067	Total.....	4,249	3,946	3,653	285	303
Male.....	27,659	19,550	19,397	150	8,109	Male.....	2,169	2,017	1,854	162	152
Female.....	26,923	18,965	18,814	146	7,958	Female.....	2,080	1,929	1,799	123	151
10 to 14 years.....	126	31	31	—	95	10 to 14 years.....	2	1	1	—	1
15 to 19 years.....	8,418	5,034	5,027	6	3,384	15 to 19 years.....	541	496	488	6	45
20 to 24 years.....	16,264	11,505	11,451	53	4,759	20 to 24 years.....	1,339	1,266	1,202	63	73
25 to 29 years.....	12,577	9,380	9,286	81	3,197	25 to 29 years.....	1,004	941	868	75	63
30 to 34 years.....	8,853	6,548	6,462	85	2,305	30 to 34 years.....	729	678	612	63	51
35 to 39 years.....	5,890	4,246	4,190	55	1,644	35 to 39 years.....	420	370	323	42	50
40 to 44 years.....	2,150	1,564	1,549	15	586	40 to 44 years.....	162	151	127	24	11
45 to 49 years.....	243	174	173	1	74	45 to 49 years.....	28	26	16	10	2
50 to 54 years.....	3	3	3	—	—	50 to 54 years.....	3	1	1	—	2
Unknown.....	53	30	29	—	23	Unknown.....	21	16	12	2	5
WASHINGTON					WASHINGTON—continued						
Total.....	21,379	20,654	18,419	2,229	725	25 to 29 years.....	5,694	5,536	4,925	611	158
Male.....	10,961	10,594	9,472	1,119	367	30 to 34 years.....	3,529	3,375	2,873	502	154
Female.....	10,418	10,060	8,947	1,110	358	35 to 39 years.....	1,991	1,894	1,601	292	97
10 to 14 years.....	10	9	9	—	1	40 to 44 years.....	719	683	547	130	36
15 to 19 years.....	2,540	2,470	2,310	160	70	45 to 49 years.....	66	61	45	16	5
20 to 24 years.....	6,823	6,621	6,106	512	202	Unknown.....	7	5	3	—	2

¹ Includes "Country not stated."

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
REGISTRATION AREA IN CONTINENTAL UNITED STATES												
Total.....	2,074,042	3	30,010	372,824	536,187	432,979	318,882	182,695	82,285	30,308	15,850	72,019
Male.....	1,063,885	3	15,356	191,936	275,211	222,218	163,221	93,211	42,209	15,539	8,073	36,908
Female.....	1,010,157		14,654	180,888	260,976	210,761	155,661	89,484	40,076	14,769	7,777	35,111
Age of mother:												
10 to 14 years.....	(M) 1,293	3	283	343	84	40	12	6	7	3	6	506
	(F) 1,122		247	288	74	30	22	9	7	4	10	431
15 to 19 years.....	(M) 127,508		12,472	69,827	24,652	5,933	2,096	682	337	125	111	11,273
	(F) 120,332		11,933	65,431	23,325	5,462	1,937	722	308	141	119	10,934
20 to 24 years.....	(M) 314,817		2,401	108,610	132,003	43,981	13,285	4,321	1,585	712	473	7,546
	(F) 298,382		2,287	102,886	125,465	41,161	12,691	4,264	1,544	627	424	7,033
25 to 29 years.....	(M) 270,132		134	11,634	105,245	95,631	37,547	11,060	3,972	1,412	894	2,603
	(F) 257,749		128	10,964	93,441	91,370	36,592	10,800	3,745	1,334	880	2,495
30 to 34 years.....	(M) 180,667		27	1,099	11,514	67,572	63,053	24,090	7,556	2,866	1,562	1,328
	(F) 171,233		30	927	11,013	64,178	59,421	23,195	7,066	2,734	1,433	1,236
35 to 39 years.....	(M) 113,580		5	181	1,299	8,276	43,416	37,287	15,131	4,684	2,448	853
	(F) 107,691		9	166	1,249	7,735	41,267	35,342	14,298	4,515	2,314	796
40 to 44 years.....	(M) 38,469		2	30	127	594	3,492	15,249	12,015	4,681	2,039	240
	(F) 37,175		3	34	141	562	3,456	14,655	11,582	4,431	2,077	234
45 to 49 years.....	(M) 3,679			6	16	42	108	397	1,537	1,020	509	44
	(F) 3,429			6	12	30	95	371	1,449	938	484	44
50 to 54 years.....	(M) 68			1	1	6	7	13	10	12	15	3
	(F) 68			1	4	8	9	6	6	17	16	1
Unknown age.....	(M) 13,672		32	205	270	243	205	106	59	24	16	12,512
	(F) 12,976		17	185	252	225	171	120	71	28	20	11,887
ALABAMA												
Total.....	62,939		1,229	13,452	14,575	10,307	7,782	4,641	3,337	1,216	701	5,699
10 to 14 years.....	174		16	25	12	3					1	117
15 to 19 years.....	11,269		974	5,419	1,595	379	121	42	38	12	9	2,680
20 to 24 years.....	19,798		225	7,142	7,454	2,147	722	262	178	64	45	1,559
25 to 29 years.....	14,056		11	765	4,905	4,581	1,944	591	386	144	98	631
30 to 34 years.....	9,094		2	75	523	2,864	3,012	1,221	694	244	164	305
35 to 39 years.....	6,000			16	58	307	1,826	1,356	1,163	365	202	207
40 to 44 years.....	2,087			1	13	25	135	641	775	312	144	41
45 to 49 years.....	253			1	1	3	9	18	99	70	36	16
50 to 54 years.....	8						2		3	1		2
Unknown.....	200		1	8	14	8	11	10	1	4	2	141
ARIZONA												
Total.....	8,523		103	1,439	2,133	1,772	1,369	857	420	188	117	125
10 to 14 years.....	10		3	3	2	1				1		
15 to 19 years.....	1,097		86	567	269	99	33	5	6	3	2	27
20 to 24 years.....	2,596		13	762	1,056	449	173	70	15	14	10	34
25 to 29 years.....	2,104			87	684	732	355	139	50	21	13	23
30 to 34 years.....	1,484			15	92	420	499	248	84	45	24	7
35 to 39 years.....	1,330			1	19	57	281	294	129	53	41	5
40 to 44 years.....	300			3	4	5	22	39	116	40	20	1
45 to 49 years.....	44					2		8	18	9	7	
50 to 54 years.....	2											
Unknown.....	56		1	1	7	6	6	4	2	1		28
ARKANSAS												
Total.....	37,450	1	1,052	8,500	9,070	6,296	5,109	3,341	1,856	793	512	920
10 to 14 years.....	109	1	35	33	12	5	2				2	19
15 to 19 years.....	6,525		860	3,723	1,200	256	131	51	22	9	11	262
20 to 24 years.....	11,544		135	4,256	4,609	1,416	552	230	118	51	34	143
25 to 29 years.....	8,381		8	406	2,913	2,802	1,262	515	230	103	74	68
30 to 34 years.....	5,274		1	36	252	1,598	1,900	845	369	148	96	29
35 to 39 years.....	3,604		2	8	37	171	1,148	1,214	619	219	163	23
40 to 44 years.....	1,320		1		4	13	78	450	442	216	108	8
45 to 49 years.....	125				2		3	13	46	40	19	2
50 to 54 years.....	5						1	2		1		
Unknown.....	563		10	38	41	35	32	21	10	6	4	366
CALIFORNIA												
Total.....	78,093		658	13,297	22,293	18,216	12,290	6,455	2,994	1,110	507	273
10 to 14 years.....	35		6	8	4	4			1	1	1	9
15 to 19 years.....	8,890		572	4,994	2,348	615	191	48	22	7		93
20 to 24 years.....	24,382		75	7,535	10,866	4,029	1,246	394	92	30	26	89
25 to 29 years.....	21,696		3	691	8,105	7,892	3,356	1,083	356	123	50	37
30 to 34 years.....	13,450		1	52	845	4,939	4,508	1,987	739	230	87	12
35 to 39 years.....	7,302			12	103	615	2,752	2,143	1,111	381	170	15
40 to 44 years.....	2,111		1	1	11	61	217	779	602	297	138	4
45 to 49 years.....	177				1	4	11	17	69	39	35	
50 to 54 years.....	7						2	2	2	1		
Unknown.....	43			4	10	7	6	2		1		13
COLORADO												
Total.....	17,613		261	3,300	4,756	3,632	2,657	1,568	773	274	119	273
10 to 14 years.....	18		5	4	3	1	2					3
15 to 19 years.....	2,260		222	1,225	560	133	40	14	15	3	4	44
20 to 24 years.....	5,644		29	1,890	2,391	891	275	89	36	15	4	24
25 to 29 years.....	4,248		1	155	1,602	1,480	673	194	85	18	12	23
30 to 34 years.....	2,819		1	11	171	976	983	443	140	51	29	14
35 to 39 years.....	1,769			3	15	130	613	590	276	92	32	9
40 to 44 years.....	591		1	1		10	59	195	76	27	9	3
45 to 49 years.....	54						1	2	23	18	9	1
50 to 54 years.....	1											
Unknown.....	209		2	11	14	12	7	6	3	1	1	152

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un- known
CONNECTICUT												
Total	23, 731		148	3, 380	6, 441	5, 657	4, 298	2, 301	837	247	125	297
10 to 14 years	9		1	2			1					5
15 to 19 years	1, 765		121	1, 009	382	84	25	8	4	2	1	129
20 to 24 years	6, 472		25	2, 083	2, 938	968	277	60	15	2	5	99
25 to 29 years	6, 705		1	258	2, 711	2, 448	942	235	56	18	14	22
30 to 34 years	4, 718				361	1, 873	1, 668	592	137	33	19	13
35 to 39 years	3, 027			22	38	266	1, 278	958	352	88	36	8
40 to 44 years	938			3	5	13	101	438	248	86	44	3
45 to 49 years	64				1	1	3	10	25	18	6	
Unknown	33			3	5	4	3					18
DELAWARE												
Total	4, 204		82	883	1, 131	833	667	354	163	60	27	94
10 to 14 years	11		2	5			1					3
15 to 19 years	576		66	337	94	19	11	3	1	2		43
20 to 24 years	1, 284		14	492	538	145	47	12	5	2	1	28
25 to 29 years	1, 073			40	440	371	160	37	15	5	1	4
30 to 34 years	673			6	48	256	236	83	28	11	4	1
35 to 39 years	464				9	39	193	138	55	18	11	1
40 to 44 years	175				1	2	17	77	51	17	9	1
45 to 49 years	17				1			2	8	5	1	
Unknown	21			3		1	2	2				13
DISTRICT OF COLUMBIA												
Total	10, 157		165	1, 958	2, 777	2, 119	1, 382	673	243	98	36	706
10 to 14 years	18		6	1	1							10
15 to 19 years	1, 529		148	736	231	42	16	4	3			349
20 to 24 years	3, 189		11	1, 112	1, 296	427	120	35	12	2	1	178
25 to 29 years	2, 560			91	1, 118	848	310	90	32	10	1	60
30 to 34 years	1, 626			11	117	703	522	163	45	24	9	32
35 to 39 years	907			2	9	82	380	285	90	31	13	15
40 to 44 years	230					10	32	93	55	28	11	1
45 to 49 years	14					1	1	2	6	3	1	1
Unknown	84			5	5	7	1	1				65
FLORIDA												
Total	27, 402		581	5, 579	6, 825	5, 035	3, 728	2, 255	1, 275	580	393	1, 171
10 to 14 years	88		18	27	7	6	1		1		1	27
15 to 19 years	5, 005		488	2, 487	1, 053	235	97	46	25	4	9	561
20 to 24 years	8, 640		71	2, 711	3, 395	1, 326	503	207	100	39	31	257
25 to 29 years	6, 315		3	295	2, 074	2, 073	1, 022	889	198	76	60	125
30 to 34 years	4, 064		1	33	232	1, 221	1, 298	661	305	140	98	75
35 to 39 years	2, 413			6	42	148	742	739	417	157	102	60
40 to 44 years	687			2	5	10	51	207	205	123	75	9
45 to 49 years	60			1	2	2	2	3	20	18	12	
50 to 54 years	5			1		1	1		1	1	1	
Unknown	125			16	15	13	11	3	4	2	4	57
GEORGIA												
Total	63, 717		1, 760	14, 962	14, 345	10, 185	7, 939	4, 833	2, 441	1, 579	932	4, 741
10 to 14 years	209		45	38	4	3	1		1		1	116
15 to 19 years	12, 101		1, 417	6, 045	1, 554	343	142	69	34	15	13	2, 469
20 to 24 years	20, 436		273	8, 013	7, 238	2, 246	823	294	144	105	61	1, 239
25 to 29 years	13, 853		18	754	5, 016	4, 483	1, 911	636	296	186	108	445
30 to 34 years	8, 774		2	88	450	2, 746	3, 002	1, 259	451	346	208	222
35 to 39 years	5, 953		1	16	69	330	1, 909	1, 895	836	457	277	163
40 to 44 years	2, 068		1	2	6	30	139	664	600	381	201	44
45 to 49 years	253				2	1	10	12	78	84	58	8
50 to 54 years	7							1	1	2	4	
Unknown	63		3	6	6	3	2	3	1	3	1	35
IDAHO												
Total	8, 732		112	1, 626	2, 279	1, 877	1, 313	843	376	138	75	93
10 to 14 years	6		1	3	1		1					
15 to 19 years	1, 114		102	610	276	63	22	14				27
20 to 24 years	2, 786		9	915	1, 158	470	133	54	14	8	3	22
25 to 29 years	2, 135			78	753	810	325	107	37	6	5	14
30 to 34 years	1, 370			9	68	474	495	231	56	25	8	4
35 to 39 years	851			1	9	48	293	296	133	44	22	5
40 to 44 years	359					2	28	138	116	43	32	
45 to 49 years	33			1		1		2	16	9	4	
50 to 54 years	3						2				1	
Unknown	75			9	14	9	14	1	4	3	1	21
ILLINOIS												
Total	111, 512		1, 179	18, 412	30, 904	25, 173	18, 145	9, 779	3, 986	1, 180	527	2, 227
10 to 14 years	71		12	12	4	1						42
15 to 19 years	11, 233		995	6, 270	2, 203	499	169	50	11	9	4	1, 023
20 to 24 years	32, 953		163	10, 980	14, 629	4, 606	1, 286	888	113	44	19	725
25 to 29 years	30, 914		7	1, 035	12, 675	11, 171	4, 169	1, 134	354	94	54	221
30 to 34 years	19, 885		2	88	1, 244	7, 939	7, 004	2, 494	692	211	98	118
35 to 39 years	12, 116			9	115	877	5, 144	3, 948	1, 442	367	164	50
40 to 44 years	3, 893			8	10	60	344	1, 716	1, 224	369	147	15
45 to 49 years	323				1	4	7	40	145	84	39	3
50 to 54 years	1										1	
Unknown	123			15	23	16	22	9	5	2	1	30

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un- known
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
INDIANA												
Total.....	53,073		1,021	10,626	14,361	11,112	7,830	4,528	1,951	754	390	500
10 to 14 years.....	45		14	16	2	2		1				10
15 to 19 years.....	6,799		853	3,942	1,296	267	119	31	14	8	8	261
20 to 24 years.....	15,975		146	5,965	6,381	1,908	595	207	70	33	25	145
25 to 29 years.....	13,422		6	642	5,546	4,812	1,606	433	166	74	43	44
30 to 34 years.....	8,977		2	51	566	3,661	3,080	1,087	336	120	74	20
35 to 39 years.....	5,619			9	60	421	2,224	1,908	663	221	102	11
40 to 44 years.....	2,051			1	5	33	197	816	636	240	118	5
45 to 49 years.....	167					4	7	12	66	57	20	1
50 to 54 years.....	8					3	1	1		1		
Unknown.....	10				3	1		2				3
IOWA												
Total.....	40,459		533	6,860	10,726	9,089	6,457	3,654	1,594	481	202	863
10 to 14 years.....	21			3	1	2						15
15 to 19 years.....	4,063		429	2,274	804	150	58	22	2	1	1	322
20 to 24 years.....	11,638		99	4,059	5,022	1,561	436	130	44	15	9	263
25 to 29 years.....	10,572		2	458	4,236	3,939	1,294	371	135	34	21	82
30 to 34 years.....	7,472			30	569	2,993	2,565	909	252	78	29	47
35 to 39 years.....	4,617		1	7	38	378	1,921	1,486	539	162	57	28
40 to 44 years.....	1,667				3	24	152	696	550	159	74	9
45 to 49 years.....	130			1	1	2	1	22	64	28	11	
50 to 54 years.....	5							2		3		
Unknown.....	274		2	28	52	42	28	16	8	1		97
KANSAS												
Total.....	31,700		472	5,882	8,687	6,663	4,784	3,028	1,301	462	238	183
10 to 14 years.....	21		4	7	2	3						5
15 to 19 years.....	3,417		379	1,990	722	154	47	20	7	2	4	92
20 to 24 years.....	9,659		84	3,494	4,215	1,288	363	106	43	9	11	46
25 to 29 years.....	8,201		5	358	3,342	2,898	1,031	330	105	42	20	20
30 to 34 years.....	5,480			25	363	2,061	1,908	766	226	87	38	6
35 to 39 years.....	3,518			6	38	243	1,337	1,201	460	149	77	7
40 to 44 years.....	1,273			1	3	12	95	542	413	137	70	
45 to 49 years.....	115						3	12	47	35	18	
Unknown.....	16			1	2	4		1		1		7
KENTUCKY												
Total.....	59,505		1,508	12,456	14,515	11,225	9,028	5,613	2,658	1,154	824	524
10 to 14 years.....	119		34	53	12	2	4	1				13
15 to 19 years.....	9,226		1,169	5,210	1,850	443	178	85	44	18	18	211
20 to 24 years.....	17,421		270	6,223	7,013	2,283	843	342	139	83	69	151
25 to 29 years.....	13,807		28	818	4,010	4,785	2,014	637	274	128	101	52
30 to 34 years.....	9,574		5	123	623	3,215	3,356	1,377	471	211	159	34
35 to 39 years.....	6,570		2	22	95	450	2,385	2,210	847	322	219	18
40 to 44 years.....	2,512			3	10	38	234	878	756	331	222	10
45 to 49 years.....	225					1	9	22	96	60	34	3
50 to 54 years.....	3								1		2	
Unknown.....	48			4	2	3	5	1		1		32
LOUISIANA												
Total.....	43,298	1	1,086	9,784	11,008	7,917	5,917	3,574	1,970	765	469	807
10 to 14 years.....	140	1	35	60	18	4		2	1			19
15 to 19 years.....	7,051		827	3,991	1,274	317	153	53	22	8	10	336
20 to 24 years.....	13,666		151	5,033	5,467	1,736	599	228	92	49	32	229
25 to 29 years.....	10,268		9	585	3,796	3,432	1,460	509	229	100	73	75
30 to 34 years.....	6,388		3	38	378	2,149	2,186	957	375	167	98	37
35 to 39 years.....	4,129			17	63	249	1,405	1,333	674	226	132	30
40 to 44 years.....	1,370			1	6	23	101	475	492	170	95	7
45 to 49 years.....	174					3	6	13	80	45	25	2
50 to 54 years.....	7							1	2		2	
Unknown.....	105		1	9	6	2	7	3	3		2	72
MAINE¹												
Total.....	16,129											16,129
Unknown.....	16,129											16,129
MARYLAND												
Total.....	28,820		725	6,085	7,535	5,920	4,214	2,460	1,058	358	182	283
10 to 14 years.....	71		30	22	1	1	3	2	2			10
15 to 19 years.....	4,388		624	2,532	819	187	60	22	8		5	127
20 to 24 years.....	8,492		64	3,171	3,593	1,097	298	130	30	17	7	85
25 to 29 years.....	7,012		5	322	2,750	2,569	914	285	90	27	18	32
30 to 34 years.....	4,661		1	28	305	1,791	1,647	594	190	61	32	12
35 to 39 years.....	3,055			7	5	240	1,183	996	382	120	57	9
40 to 44 years.....	1,034				61	29	103	418	311	112	55	1
45 to 49 years.....	84						3	12	43	16	8	2
50 to 54 years.....	2								1	1		
Unknown.....	21		1	3	1	6	3	1	1	1		5
MASSACHUSETTS												
Total.....	68,534		408	9,018	17,708	16,658	12,432	6,534	2,483	688	273	2,332
10 to 14 years.....	25			5	1							19
15 to 19 years.....	4,335		303	2,223	808	202	59	14	4	3	4	715
20 to 24 years.....	17,587		96	5,856	7,567	2,405	677	168	44	4	8	762
25 to 29 years.....	19,298		3	853	8,057	6,794	2,438	624	170	36	28	295
30 to 34 years.....	14,582		2	57	1,140	6,292	4,685	1,638	427	115	58	168
35 to 39 years.....	9,288			7	103	883	4,161	2,770	976	214	87	87
40 to 44 years.....	2,828			1	11	54	384	1,268	756	258	73	23
45 to 49 years.....	214					2	7	34	97	58	14	2
Unknown.....	377		4	16	21	26	21	18	9		1	261

¹ Age of parents not fully returned on certificates from this State.

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un-known
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
MICHIGAN												
Total	85,736		936	14,547	23,515	19,221	13,840	7,820	3,135	963	420	1,339
10 to 14 years	62		16	8	4	1	4					729
15 to 19 years	9,297		785	5,207	2,006	474	171	52	14	5	3	580
20 to 24 years	25,686		130	8,413	11,265	3,896	1,139	331	82	34	19	377
25 to 29 years	22,608		4	829	9,052	8,124	3,239	891	235	61	35	138
30 to 34 years	14,988			54	1,026	5,893	5,166	2,012	549	156	65	67
35 to 39 years	9,314			11	101	752	3,737	3,125	1,117	233	138	50
40 to 44 years	3,250			7	11	45	347	1,355	1,001	348	122	14
45 to 49 years	286			1		1	7	39	128	72	35	3
50 to 54 years	5							2	2		1	
Unknown	240		1	17	50	35	30	13	7	4	2	81
MINNESOTA												
Total	46,377		215	5,676	11,407	11,047	8,547	5,124	2,139	715	330	1,177
10 to 14 years	22			1								21
15 to 19 years	3,372		163	1,692	830	206	70	23	6	2	1	479
20 to 24 years	12,526		50	3,620	5,269	2,217	641	190	65	18	11	445
25 to 29 years	12,557		1	424	4,637	4,672	1,895	585	147	48	17	131
30 to 34 years	9,405		1	31	607	3,483	3,414	1,303	356	109	47	54
35 to 39 years	6,069			5	56	443	2,312	2,119	804	206	95	29
40 to 44 years	2,177				6	23	201	883	669	268	113	14
45 to 49 years	235			1		2	13	19	91	63	46	
50 to 54 years	3						1	1	1			
Unknown	11			2	2	1		1	1			4
MISSISSIPPI												
Total	46,273	1	1,178	10,692	10,804	7,853	5,978	3,733	2,004	1,135	736	2,159
10 to 14 years	204	1	47	66	16	6	5	1	1	2	1	58
15 to 19 years	8,458		963	4,702	1,305	342	132	65	28	16	9	896
20 to 24 years	14,404		151	5,264	5,609	1,761	642	276	136	82	50	533
25 to 29 years	10,247		12	539	3,494	3,356	1,546	574	268	129	109	220
30 to 34 years	6,542		1	68	373	2,049	2,147	965	407	241	162	126
35 to 39 years	4,350		3	10	68	277	1,367	1,360	638	331	208	88
40 to 44 years	1,476				5	23	103	447	450	270	155	23
45 to 49 years	199				1	3	9	19	63	60	37	7
50 to 54 years	3						1				1	
Unknown	390		1	42	33	36	26	23	13	4	4	208
MISSOURI												
Total	59,949		1,050	11,459	15,683	12,038	8,741	5,184	2,422	930	478	1,964
10 to 14 years	75		7	18	3	1						42
15 to 19 years	8,262		876	4,318	1,555	364	128	52	29	12	7	921
20 to 24 years	17,953		160	6,373	7,417	2,262	688	272	117	35	24	605
25 to 29 years	15,087		6	667	5,969	5,254	1,995	631	234	87	52	192
30 to 34 years	9,955		1	58	633	3,704	3,491	1,351	389	161	83	84
35 to 39 years	6,043			8	78	404	2,248	2,004	823	286	137	55
40 to 44 years	2,231			4	8	24	175	844	735	285	137	19
45 to 49 years	208				1	2	3	22	83	59	33	
50 to 54 years	6						2		1	3		
Unknown	134			13	19	21	10	8	11	2	4	46
MONTANA												
Total	9,091		82	1,395	2,262	1,902	1,484	1,044	561	219	98	49
10 to 14 years	2		1									1
15 to 19 years	1,031		68	509	284	89	30	11	7	2	2	19
20 to 24 years	2,853		13	796	1,143	528	220	93	23	13	4	20
25 to 29 years	2,358			86	751	812	415	194	61	27	7	5
30 to 34 years	1,358			4	72	419	459	255	97	38	12	2
35 to 39 years	1,015					51	327	335	210	60	32	
40 to 44 years	421				2	3	32	152	141	65	25	1
45 to 49 years	51						1	4	22	14	10	
50 to 54 years	1										1	
Unknown	1											1
NEBRASKA												
Total	25,159		277	4,271	6,948	5,534	4,001	2,374	1,025	339	153	237
10 to 14 years	20		5			2			1			12
15 to 19 years	2,395			1,323	553	128	38	12	6	6	3	112
20 to 24 years	7,581		51	2,620	3,364	1,051	280	86	40	18	2	69
25 to 29 years	6,748		3	311	2,717	2,402	897	268	95	27	12	16
30 to 34 years	4,525		4	13	291	1,754	1,610	599	164	57	23	10
35 to 39 years	2,781			3	18	186	1,080	978	358	107	49	2
40 to 44 years	1,008			1	2	11	92	420	324	105	53	
45 to 49 years	80				1		3	11	37	17	11	
50 to 54 years	2									2		
Unknown	19				2		1					16
NEVADA												
Total	1,260		10	193	338	284	201	122	64	21	7	20
10 to 14 years	1			1								
15 to 19 years	144		6	69	39	16	7	1	1			5
20 to 24 years	453		4	113	180	87	38	21	4		2	4
25 to 29 years	295			7	101	106	46	22	8	1	3	1
30 to 34 years	199			2	14	69	29	12	3			2
35 to 39 years	109			1	3	4	38	31	23	8	1	
40 to 44 years	49					1	4	18	14	9	1	2
45 to 49 years	2								2			
Unknown	8				1	1						6

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un- known	
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
NEW HAMPSHIRE													
Total	7,808		81	1,294	2,066	1,747	1,229	701	308	132	69		181
10 to 14 years	2				1								1
15 to 19 years	723		62	389	142	48	12	2	2	1	2		63
20 to 24 years	2,164		17	740	895	315	80	38	15	4	3		57
25 to 29 years	2,108		1	162	870	704	237	80	24	15	6		19
30 to 34 years	1,457			11	137	577	472	155	48	33	16		8
35 to 39 years	934				16	97	380	260	107	39	22		13
40 to 44 years	361					3	47	158	99	35	17		2
45 to 49 years	27						1	7	11	5	3		
Unknown	32		1	2	5	3		1	2				18
NEW JERSEY													
Total	61,219		455	9,689	17,369	14,504	10,335	5,376	2,025	581	214		671
10 to 14 years	37		10	5	1				1	1			18
15 to 19 years	5,513		389	3,204	1,192	284	76	21	10	3	4		330
20 to 24 years	17,595		53	5,849	8,122	2,450	691	180	35	11	5		199
25 to 29 years	17,332		2	579	7,246	6,447	2,272	538	127	41	19		61
30 to 34 years	11,588		1	44	722	4,735	4,204	1,375	346	96	32		33
35 to 39 years	6,761			6	74	544	2,852	2,269	768	163	68		17
40 to 44 years	2,202				9	38	231	975	651	222	68		8
45 to 49 years	167					1	6	14	86	44	16		
50 to 54 years	2									1	1		
Unknown	22			2	3	5	3	3	1				6
NEW MEXICO													
Total	12,391		141	2,108	2,960	2,471	2,089	1,259	694	246	159		264
10 to 14 years	8		1	2	1				1				3
15 to 19 years	1,514		118	801	361	104	36	9	2	2	2		72
20 to 24 years	3,870		19	1,147	1,555	672	250	91	32	18	6		80
25 to 29 years	2,965		3	130	913	998	577	184	30	26	17		37
30 to 34 years	2,062			19	106	623	736	338	140	50	29		21
35 to 39 years	1,442			5	18	63	452	474	261	81	58		30
40 to 44 years	434			2	1	5	33	156	144	58	33		2
45 to 49 years	67					2	2	6	25	11	11		
50 to 54 years	3										2		1
Unknown	36			2	5	4	3	1	2		1		18
NEW YORK													
Total	198,431		1,124	27,214	56,316	50,319	34,624	17,300	6,261	1,809	683		2,781
10 to 14 years	88		11	15	8	2	1	3	1	1	1		45
15 to 19 years	14,621		924	8,009	3,363	794	251	79	28	9	9		1,155
20 to 24 years	57,153		177	17,194	26,309	9,202	2,404	599	176	53	29		1,010
25 to 29 years	59,499		9	1,807	23,708	22,499	8,504	2,004	481	120	62		305
30 to 34 years	38,992		2	155	2,627	15,841	13,761	4,876	1,134	332	117		147
35 to 39 years	21,414		1	22	260	1,856	3,989	6,996	2,410	570	233		77
40 to 44 years	6,109			5	30	110	690	2,670	1,798	591	188		27
45 to 49 years	500			2	1	9	14	70	230	131	40		3
50 to 54 years	6					1			1	1	3		
Unknown	49			5	10	5	10	3	2	1	1		12
NORTH CAROLINA													
Total	77,902		1,539	15,630	17,557	13,768	10,663	6,708	3,425	1,458	948		6,206
10 to 14 years	65		16	31	5	4			23	12	12		9
15 to 19 years	8,980		1,161	5,548	1,588	357	134	32	28	12	12		113
20 to 24 years	22,122		315	8,868	8,692	2,690	859	336	140	78	59		85
25 to 29 years	17,381		27	1,017	6,412	5,954	2,550	770	346	142	125		38
30 to 34 years	11,820		6	111	705	4,121	4,097	1,718	590	261	196		21
35 to 39 years	8,199		1	22	113	569	2,770	2,753	1,219	433	303		16
40 to 44 years	2,996			5	15	46	235	1,062	981	443	205		4
45 to 49 years	290			1	1	4	8	25	116	84	51		
50 to 54 years	7					1		2	1	1	1		
Unknown	6,042		13	27	25	22	10	10	9	4	2		5,920
NORTH DAKOTA													
Total	14,047		54	1,776	3,374	3,200	2,570	1,619	800	271	130		253
10 to 14 years	5			1									4
15 to 19 years	1,013		43	481	266	70	28	5	2	4	1		113
20 to 24 years	3,935		9	1,142	1,623	683	248	86	23	15	6		100
25 to 29 years	3,830		2	1,135	1,284	1,449	669	187	63	15	10		16
30 to 34 years	2,712			15	187	895	973	435	124	47	24		12
35 to 39 years	1,748			1	13	92	607	643	276	75	36		5
40 to 44 years	716			1		10	43	258	273	87	41		3
45 to 49 years	86					1	2	5	39	27	12		
50 to 54 years	1				1								
Unknown	1												
OHIO													
Total	101,753		1,265	17,915	27,873	21,895	16,092	8,888	3,632	1,158	503		2,532
10 to 14 years	85		12	12	3								58
15 to 19 years	11,138		1,071	6,002	2,082	470	167	49	15	6	6		1,270
20 to 24 years	30,252		173	10,644	13,064	3,800	1,214	392	128	47	27		763
25 to 29 years	27,084		6	1,168	11,383	9,475	3,490	951	290	78	43		200
30 to 34 years	17,886		2	77	1,191	7,258	6,266	2,099	597	178	84		134
35 to 39 years	11,031		1	7	132	837	4,651	3,652	1,289	373	128		61
40 to 44 years	3,876			1	12	46	396	1,701	1,134	390	172		24
45 to 49 years	363			1	1	1	5	42	86	43	5		5
Unknown	38			3	5	8	3	2					17

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un- known
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
OKLAHOMA												
Total	41,039		813	9,088	10,636	7,738	5,615	3,542	1,671	754	410	772
10 to 14 years	38	8	11	3	1					1		14
15 to 19 years	6,609	657	3,823	1,306	298	123	36	21	9	2		334
20 to 24 years	13,149	135	4,742	5,401	1,763	528	201	95	35	25		224
25 to 29 years	9,467	7	442	3,500	3,336	1,382	442	185	61	43		69
30 to 34 years	6,129	3	41	359	2,096	2,160	961	272	144	72		31
35 to 39 years	3,902	1	10	39	204	1,320	1,411	564	211	125		17
40 to 44 years	1,427		1	1	22	89	469	479	245	117		4
45 to 49 years	131			1	1	1	7	49	46	25		1
50 to 54 years	1									1		4
Unknown	186	2	18	26	17	22	15	6	2			78
OREGON												
Total	12,847		122	2,239	3,583	2,823	1,923	1,178	585	211	97	86
15 to 19 years	1,549	105	823	405	126	25	12	8			1	44
20 to 24 years	4,196	14	1,365	1,776	721	230	93	27	8	2		20
25 to 29 years	3,328	1	100	1,279	1,178	514	162	69	19	4		2
30 to 34 years	2,080	2	7	107	712	700	348	135	46	18		5
35 to 39 years	1,225		2	11	76	412	415	205	59	41		4
40 to 44 years	432			4	8	40	145	132	72	29		2
45 to 49 years	23				1	1	3	9	7	2		
Unknown	14		2	1	1	1						9
PENNSYLVANIA												
Total	168,534		2,606	31,496	44,909	35,635	27,527	15,555	6,537	1,845	738	1,686
10 to 14 years	146	48	39	9	7	4	2				1	36
15 to 19 years	18,934	2,136	11,134	3,734	853	278	82	35	13	13		656
20 to 24 years	49,510	397	18,187	21,221	6,604	1,868	495	138	52	39		499
25 to 29 years	42,966	20	1,890	17,899	15,098	5,845	1,466	401	118	59		170
30 to 34 years	29,105		172	1,768	11,517	10,587	3,686	898	276	110		91
35 to 39 years	19,811		22	203	1,398	8,187	6,656	2,491	553	237		64
40 to 44 years	7,105	1	6	18	102	704	3,062	2,277	689	220		26
45 to 49 years	593		1	5	16	18	84	285	137	53		4
50 to 54 years	13				1	1	1	5	2	2		
Unknown	351	4	35	52	49	35	19	11		4		140
RHODE ISLAND												
Total	11,171		80	1,601	2,918	2,657	1,981	1,080	407	100	57	280
10 to 14 years	4	1										3
15 to 19 years	729	60	405	121	31	9	3				1	98
20 to 24 years	2,962	19	1,028	1,283	896	106	27	7	2			94
25 to 29 years	3,117		162	1,315	1,083	373	108	22	8	7		39
30 to 34 years	2,312		4	184	979	739	283	72	16	10		25
35 to 39 years	1,504		1	15	156	691	425	155	34	16		11
40 to 44 years	506				10	61	240	135	35	21		4
45 to 49 years	29				1	1	4	15	5	2		1
Unknown	8		1	1	1	1						5
SOUTH CAROLINA												
Total	41,518		858	9,585	8,884	6,294	5,142	3,163	1,684	723	454	4,731
15 to 19 years	7,824	713	3,667	776	146	80	31	12	8	3		2,388
20 to 24 years	13,848	143	5,462	4,703	1,263	473	194	106	43	33		1,428
25 to 29 years	8,951	2	423	3,083	2,967	1,258	419	191	77	56		475
30 to 34 years	5,480		32	286	1,706	1,972	767	284	133	99		201
35 to 39 years	3,903			32	194	1,278	1,315	575	237	130		147
40 to 44 years	1,304			2	17	78	429	454	181	101		42
45 to 49 years	161			1	1	1	8	62	44	31		14
Unknown	42		1	1	1	2				1		36
SOUTH DAKOTA												
Total	13,241		89	1,768	3,267	3,032	2,384	1,531	666	224	94	186
10 to 14 years	4		2									2
15 to 19 years	1,033	68	534	274	69	25	6	3	1			53
20 to 24 years	3,679	21	1,072	1,576	656	212	55	19	3	4		61
25 to 29 years	3,432		139	1,241	1,251	539	163	55	17	7		20
30 to 34 years	2,528		13	155	930	892	396	95	24	11		12
35 to 39 years	1,753		3	14	105	654	613	264	65	29		6
40 to 44 years	681				10	52	231	205	91	35		7
45 to 49 years	65				1	11	23	22	8			
Unknown	66		5	7	11	9	6	2	1			25
TENNESSEE												
Total	52,491		1,233	11,252	12,542	9,514	7,324	4,247	2,158	1,246	702	2,273
10 to 14 years	132	27	30	7	1						1	66
15 to 19 years	8,252	956	4,349	1,364	322	122	42	24	12	16		1,045
20 to 24 years	15,933	230	6,006	6,054	1,940	660	241	106	58	45		593
25 to 29 years	12,414	15	754	4,506	4,125	1,795	509	242	117	93		258
30 to 34 years	8,152	4	87	520	2,718	2,852	1,081	371	267	144		108
35 to 39 years	5,301		15	70	355	1,735	1,682	766	408	198		72
40 to 44 years	1,906		2	10	39	140	672	572	295	155		21
45 to 49 years	238		1		4	8	16	72	87	49		1
50 to 54 years	4			1	1	1	1			1		
Unknown	159	1	8	10	9	12	3	5	2			109
UTAH												
Total	11,974		154	2,230	3,287	2,609	1,835	1,086	468	157	84	64
10 to 14 years	6	1		1					1			2
15 to 19 years	1,191	136	704	252	56	18	7		1			17
20 to 24 years	3,617	16	1,391	1,551	479	120	28	11	2	4		15
25 to 29 years	3,143	1	122	1,357	1,134	344	117	44	10	10		4
30 to 34 years	2,025		9	115	846	715	226	66	30	15		3
35 to 39 years	1,364		1	8	83	590	460	147	54	27		4
40 to 44 years	540			2	2	47	248	170	45	24		2
45 to 49 years	53						8	28	14	3		
50 to 54 years	1									1		
Unknown	34		3	1	9	1	2	1				17

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
VERMONT												
Total.....	6,030		64	1,047	1,626	1,363	904	527	250	98	81	70
10 to 14 years.....	8		2	1	3							2
15 to 19 years.....	661		48	370	153	43	14	8	3		1	21
20 to 24 years.....	1,742		14	578	747	260	74	24	8	3	8	26
25 to 29 years.....	1,579			90	625	561	193	65	25	8	6	6
30 to 34 years.....	1,090			5	82	322	360	126	52	16	20	7
35 to 39 years.....	683			2	11	71	230	213	93	41	20	2
40 to 44 years.....	234				3	6	33	89	57	25	19	2
45 to 49 years.....	26							2	12	5	7	
Unknown.....	7			1	2							4
VIRGINIA												
Total.....	54,582		1,154	11,155	12,624	10,185	7,876	5,026	2,608	1,111	698	2,195
10 to 14 years.....	126		31	33	4	6					3	48
15 to 19 years.....	8,418		917	4,426	1,460	368	121	64	31	14	12	1,005
20 to 24 years.....	16,264		191	5,883	6,168	2,220	672	275	111	62	45	637
25 to 29 years.....	12,577		12	704	4,307	4,300	1,891	635	288	111	80	249
30 to 34 years.....	8,853		2	84	578	2,823	3,027	1,402	484	213	125	115
35 to 39 years.....	5,890			18	92	373	1,984	1,873	904	339	219	88
40 to 44 years.....	2,150			1	10	42	173	739	697	295	175	18
45 to 49 years.....	248				1	1	4	34	91	76	37	4
50 to 54 years.....	3					1					1	1
Unknown.....	53		1	6	4	1	4	4	1	1	1	30
WASHINGTON												
Total.....	21,379		223	3,775	5,973	4,693	3,179	1,937	952	352	157	138
10 to 14 years.....	10		4	3								3
15 to 19 years.....	2,540		189	1,407	639	175	49	21	7	3	1	49
20 to 24 years.....	6,823		28	2,164	2,897	1,174	336	134	31	10	4	45
25 to 29 years.....	5,694			181	2,182	1,982	858	311	118	22	20	20
30 to 34 years.....	3,529		2	16	230	1,215	1,176	566	208	70	33	13
35 to 39 years.....	1,991			3	24	134	690	627	347	125	39	2
40 to 44 years.....	719			1		9	69	269	221	100	49	1
45 to 49 years.....	66				1	2	1	8	20	22	11	1
Unknown.....	7					2		1				4
WEST VIRGINIA												
Total.....	38,803		700	7,694	9,847	7,718	5,773	3,717	1,779	703	423	449
10 to 14 years.....	50		13	24	2	2			1		1	7
15 to 19 years.....	5,949		553	3,227	1,372	359	127	52	22	10	13	214
20 to 24 years.....	11,930		117	3,938	4,967	1,590	579	200	85	31	31	142
25 to 29 years.....	9,105		15	456	3,105	3,216	1,438	496	181	65	54	34
30 to 34 years.....	6,079		2	43	353	1,981	2,112	1,005	342	138	74	27
35 to 39 years.....	3,994			2	38	251	1,354	1,412	607	196	117	15
40 to 44 years.....	1,471			2	6	17	113	558	481	212	96	6
45 to 49 years.....	164						4	13	60	50	36	1
50 to 54 years.....	3						1			1		
Unknown.....	8				2	2		1				3
WISCONSIN												
Total.....	53,107		386	7,811	14,442	12,415	9,002	5,065	2,100	653	258	975
10 to 14 years.....	13		2	1								10
15 to 19 years.....	4,506		297	2,371	1,053	276	76	22	13	5	3	390
20 to 24 years.....	15,448		83	4,805	6,815	2,441	677	186	52	17	8	364
25 to 29 years.....	14,385		3	555	5,797	5,243	1,964	503	154	46	23	97
30 to 34 years.....	10,005			53	702	3,934	3,532	1,256	326	111	44	47
35 to 39 years.....	6,233		1	12	54	475	2,527	2,121	773	166	82	22
40 to 44 years.....	2,207				7	30	212	946	632	241	78	11
45 to 49 years.....	211				1	4	4	26	95	65	19	1
50 to 54 years.....	5					1		1	1	2	1	
Unknown.....	94			14	13	15	10	5	4			33
WYOMING												
Total.....	4,249		38	725	1,108	884	682	488	209	49	25	41
10 to 14 years.....	2					1						1
15 to 19 years.....	541		32	280	154	40	14	4	3			14
20 to 24 years.....	1,339		5	400	576	218	79	35	13	1	1	11
25 to 29 years.....	1,004			38	320	355	177	86	19	5	1	3
30 to 34 years.....	729			5	48	239	242	134	47	7	4	2
35 to 39 years.....	420		1	1	6	27	146	148	71	10	10	1
40 to 44 years.....	162				2		19	74	48	15	4	
45 to 49 years.....	28						2	5	7	9	5	
50 to 54 years.....	3					1	1	1				
Unknown.....	21			1	2	4	1	1	1	2		9

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
ALL BIRTHS					SECOND CHILD						
Total.....	1,952,787	1,686,517	1,519,195	165,103	266,270	Total.....	436,962	388,934	351,992	36,615	48,028
Age of mother:						Age of mother:					
12 years.....	34	12	11	1	22	14 years.....	17	8	8	-----	9
13 years.....	371	161	158	3	210	15 years.....	278	126	123	3	152
14 years.....	1,961	810	801	7	1,151	16 years.....	1,366	723	714	7	643
15 years.....	7,294	3,807	3,762	34	3,487	17 years.....	5,189	3,378	3,336	39	1,811
16 years.....	20,907	13,703	13,578	102	7,204	18 years.....	14,017	10,020	9,838	176	3,997
17 years.....	43,045	31,961	31,522	400	11,084	19 years.....	25,151	19,482	19,021	448	5,669
18 years.....	73,071	56,909	55,700	1,146	16,162	20 years.....	33,539	27,147	26,220	906	6,392
19 years.....	95,476	77,965	75,557	2,339	17,511	21 years.....	37,374	32,010	30,718	1,267	5,364
20 years.....	108,989	90,366	86,692	3,610	18,623	22 years.....	38,897	33,714	31,816	1,872	5,183
21 years.....	114,067	98,054	93,382	4,586	16,013	23 years.....	37,053	33,015	30,747	2,241	4,038
22 years.....	120,929	103,556	97,272	6,199	17,373	24 years.....	35,765	32,681	30,149	2,513	3,084
23 years.....	120,654	104,880	97,615	7,184	15,774	25 years.....	31,987	29,569	26,886	2,669	2,368
24 years.....	120,203	106,136	98,343	7,720	14,067	26 years.....	28,590	26,844	23,876	2,963	1,746
25 years.....	113,162	99,792	91,558	8,173	13,370	27 years.....	25,007	23,660	20,579	3,071	1,847
26 years.....	106,915	95,112	86,011	9,059	11,803	28 years.....	23,123	21,927	18,716	3,200	1,201
27 years.....	98,267	87,848	78,407	9,396	10,419	29 years.....	18,535	18,027	15,301	2,720	808
28 years.....	96,435	85,709	75,641	10,014	10,726	30 years.....	16,312	15,500	12,372	3,128	616
29 years.....	84,331	75,482	66,028	9,386	8,869	31 years.....	12,487	12,071	10,232	1,832	416
30 years.....	80,477	70,931	61,353	9,532	9,546	32 years.....	12,592	12,027	10,039	1,981	565
31 years.....	65,296	59,502	51,955	7,520	5,794	33 years.....	8,240	7,952	6,566	1,382	288
32 years.....	76,234	67,456	57,881	9,536	8,778	34 years.....	7,125	6,879	5,779	1,098	246
33 years.....	54,851	49,159	41,965	7,163	5,692	35 years.....	5,951	5,704	4,721	981	247
34 years.....	53,872	48,614	41,634	6,940	5,288	36 years.....	4,852	4,475	3,746	728	177
35 years.....	50,484	44,696	37,531	7,136	5,788	37 years.....	3,406	3,276	2,775	501	130
36 years.....	46,831	41,854	35,048	6,768	4,977	38 years.....	2,879	2,739	2,279	458	140
37 years.....	39,758	35,566	29,431	6,103	4,192	39 years.....	1,967	1,893	1,584	307	94
38 years.....	39,739	34,904	28,656	6,229	4,835	40 years.....	1,474	1,418	1,181	237	56
39 years.....	30,964	27,359	22,423	4,910	3,605	41 years.....	767	734	616	118	33
40 years.....	25,534	22,602	18,220	4,349	2,932	42 years.....	630	599	481	118	31
41 years.....	15,559	14,211	11,685	2,518	1,348	43 years.....	314	304	242	62	10
42 years.....	15,239	13,763	10,998	2,741	1,486	44 years.....	176	166	135	31	10
43 years.....	9,244	8,364	6,727	1,628	880	45 years.....	85	79	62	17	6
44 years.....	5,782	5,155	3,998	1,155	627	46 years.....	26	23	20	2	3
45 years.....	3,587	3,037	2,383	650	550	47 years.....	13	10	8	2	3
46 years.....	1,625	1,415	1,083	331	210	48 years.....	10	9	7	2	1
47 years.....	788	665	488	177	123	49 years.....	9	8	7	1	1
48 years.....	539	414	314	99	125	50 years.....	1	1	1	-----	1
49 years.....	245	172	133	39	73	51 years.....	1	1	1	-----	-----
50 years.....	65	45	37	8	20	52 years.....	3	3	3	-----	-----
51 years.....	22	17	14	3	4	53 years.....	1	1	1	-----	-----
52 years.....	22	18	16	2	4	54 years.....	1	1	1	-----	-----
53 years.....	12	9	7	2	4	Unknown.....	1,678	732	587	38	946
54 years.....	14	10	8	2	4						
Unknown.....	9,893	4,346	3,169	203	5,547						
FIRST CHILD					THIRD CHILD						
Total.....	618,595	542,590	501,384	40,155	76,005	Total.....	278,764	244,322	219,418	24,707	34,442
Age of mother:						Age of mother:					
12 years.....	34	12	11	1	22	13 years.....	1	1	1	-----	6
13 years.....	370	160	157	3	210	15 years.....	9	3	3	-----	43
14 years.....	1,944	802	793	7	1,142	16 years.....	75	32	31	1	6
15 years.....	7,000	3,674	3,632	31	3,326	17 years.....	476	256	251	3	220
16 years.....	19,442	12,939	12,824	94	6,503	18 years.....	1,763	1,003	987	16	760
17 years.....	37,303	28,297	27,905	358	9,006	19 years.....	4,821	3,208	3,133	71	1,613
18 years.....	57,002	45,747	44,736	954	11,255	20 years.....	10,121	7,022	6,822	197	3,099
19 years.....	64,630	54,841	52,981	1,808	9,789	21 years.....	15,264	11,923	11,507	402	3,341
20 years.....	62,607	54,705	52,212	2,457	7,902	22 years.....	19,914	15,764	15,115	634	4,150
21 years.....	56,001	50,585	47,753	2,788	5,416	23 years.....	22,614	18,755	17,822	919	3,859
22 years.....	51,937	47,345	43,887	3,421	4,592	24 years.....	23,202	19,930	18,884	1,032	3,272
23 years.....	45,287	42,047	38,476	3,544	3,240	25 years.....	21,921	19,221	17,905	1,303	2,731
24 years.....	39,735	37,424	33,992	3,409	2,311	26 years.....	20,988	18,705	17,106	1,589	2,283
25 years.....	33,188	31,395	28,187	3,187	1,793	27 years.....	18,877	17,212	15,440	1,763	1,665
26 years.....	27,666	26,378	23,307	3,061	1,288	28 years.....	18,221	16,704	14,729	1,928	1,517
27 years.....	22,488	21,479	18,710	2,758	1,009	29 years.....	15,642	14,627	12,729	1,893	1,015
28 years.....	18,925	18,050	15,550	2,490	875	30 years.....	14,398	13,399	11,396	1,996	999
29 years.....	14,658	14,002	11,949	2,050	656	31 years.....	11,535	10,992	9,400	1,590	543
30 years.....	12,300	11,682	9,953	1,723	618	32 years.....	12,387	11,631	9,714	1,914	756
31 years.....	8,590	8,268	7,169	1,095	322	33 years.....	8,921	8,467	7,004	1,459	454
32 years.....	8,170	7,757	6,524	1,230	413	34 years.....	8,203	7,872	6,627	1,243	331
33 years.....	5,093	4,878	4,129	748	215	35 years.....	6,944	6,609	5,409	1,195	335
34 years.....	4,462	4,274	3,602	669	188	36 years.....	5,754	5,477	4,535	941	277
35 years.....	3,806	3,623	3,065	556	183	37 years.....	4,517	4,307	3,554	750	210
36 years.....	2,926	2,777	2,344	430	149	38 years.....	3,818	3,636	3,012	618	182
37 years.....	2,258	2,143	1,810	332	115	39 years.....	2,621	2,493	2,054	438	128
38 years.....	1,947	1,830	1,527	303	117	40 years.....	1,864	1,769	1,446	323	95
39 years.....	1,391	1,319	1,109	209	72	41 years.....	1,088	1,060	896	152	38
40 years.....	977	924	763	160	53	42 years.....	887	844	699	144	43
41 years.....	563	532	446	85	31	43 years.....	449	431	360	70	18
42 years.....	497	472	398	73	25	44 years.....	247	237	191	45	10
43 years.....	249	235	191	44	14	45 years.....	118	107	86	20	11
44 years.....	145	134	113	21	11	46 years.....	81	79	59	20	2
45 years.....	73	67	52	15	6	47 years.....	19	16	11	5	3
46 years.....	29	27	20	7	2	48 years.....	16	12	7	1	4
47 years.....	16	15	15	-----	-----	49 years.....	14	9	7	-----	5
48 years.....	18	15	14	1	3	50 years.....	4	4	3	-----	-----
49 years.....	7	4	2	2	3	51 years.....	3	3	2	-----	-----
50 years.....	6	6	-----	-----	-----	52 years.....	3	3	-----	-----	-----
51 years.....	1	1	-----	-----	-----	53 years.....	1	1	-----	-----	-----
52 years.....	1	-----	-----	-----	-----	54 years.....	1	3	-----	-----	-----
53 years.....	2	2	-----	-----	-----	Unknown.....	928	505	427	28	423
54 years.....	1	1	-----	-----	-----						
Unknown.....	4,850	1,722	1,066	31	3,128						

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

GENERAL TABLES

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
FOURTH CHILD					SIXTH CHILD—continued						
Total	185,793	159,234	142,216	16,868	26,559	Age of mother—Continued					
Age of mother:						21 years	215	107	101	6	108
15 years	1				1	22 years	467	235	220	15	232
16 years	15	7	7		8	23 years	930	485	456	29	445
17 years	45	21	21		24	24 years	1,743	1,116	1,058	57	627
18 years	231	110	110		121	25 years	2,803	1,859	1,759	100	944
19 years	694	359	348		335	26 years	3,946	2,768	2,606	161	1,178
20 years	2,043	1,164	1,124		879	27 years	4,981	3,703	3,465	237	1,278
21 years	4,019	2,763	2,665		1,256	28 years	6,519	4,984	4,608	343	1,565
22 years	7,310	5,067	4,878		2,433	29 years	6,714	5,404	4,951	447	1,810
23 years	10,611	7,973	7,619		2,638	30 years	7,291	5,878	5,377	500	1,413
24 years	13,244	10,508	10,019		2,786	31 years	6,178	5,308	4,808	498	870
25 years	14,250	11,471	10,882		2,779	32 years	8,293	7,001	6,202	797	1,292
26 years	14,586	12,282	11,509		2,804	33 years	5,998	5,204	4,564	637	795
27 years	13,956	11,989	11,105		1,967	34 years	6,012	5,305	4,640	658	707
28 years	13,951	12,153	11,023		1,798	35 years	5,704	4,999	4,257	737	705
29 years	12,269	10,831	9,774		1,144	36 years	5,296	4,719	3,990	719	577
30 years	11,494	10,206	8,910		1,288	37 years	4,422	3,978	3,325	652	444
31 years	9,431	8,899	7,804		1,732	38 years	4,355	3,858	3,174	683	497
32 years	10,909	9,946	8,448		1,082	39 years	3,398	3,056	2,531	523	342
33 years	7,766	7,221	6,102		1,490	40 years	2,684	2,457	1,949	505	227
34 years	7,405	6,934	5,910		1,110	41 years	1,561	1,447	1,189	258	114
35 years	6,698	6,217	5,159		1,056	42 years	1,382	1,293	1,057	235	89
36 years	5,963	5,638	4,661		975	43 years	828	788	651	137	40
37 years	4,654	4,402	3,586		811	44 years	452	420	336	84	32
38 years	4,304	3,997	3,270		725	45 years	283	240	190	50	43
39 years	3,063	2,850	2,301		547	46 years	94	85	66	19	9
40 years	2,363	2,238	1,812		424	47 years	53	44	31	13	9
41 years	1,297	1,031	819		219	48 years	39	30	22	8	9
42 years	1,169	1,118	895		223	49 years	10	10	8	2	
43 years	594	561	456		51	50 years	6	4	4		2
44 years	345	325	268		57	51 years	1				1
45 years	171	159	127		32	52 years	2				1
46 years	83	79	59		20	53 years	1				1
47 years	34	30	23		7	54 years	2				2
48 years	23	18	13		5	Unknown	290	162	137	12	128
49 years	14	9	7		2	SEVENTH CHILD					
50 years	2	2	1		1	Total	66,743	54,284	47,255	6,965	12,459
51 years	3	1	1		2	Age of mother:					
52 years	3	1	1		2	20 years	36	21	21		15
53 years	3	1	1		2	21 years	71	33	32	1	38
54 years	2	1	1		1	22 years	112	53	50	3	59
Unknown	578	334	277		244	23 years	296	143	139	4	153
FIFTH CHILD					EIGHTH CHILD						
Total	127,602	107,444	95,211	12,131	20,158	Total	48,110	38,530	33,002	5,483	9,580
Age of mother:						Age of mother:					
16 years	2	1	1		1	21 years	46	24	22	2	22
17 years	7	4	4		3	22 years	63	31	27	4	32
18 years	29	11	11		18	23 years	102	47	46	1	55
19 years	105	40	40		65	24 years	177	85	78	7	92
20 years	456	221	213		235	25 years	317	142	130	11	175
21 years	856	481	463		375	26 years	606	278	247	31	228
22 years	1,859	1,111	1,057		748	27 years	800	450	419	30	350
23 years	3,389	2,180	2,038		1,209	28 years	1,312	1,040	956	92	614
24 years	5,410	3,861	3,672		1,833	29 years	1,663	1,623	1,454	165	797
25 years	7,261	5,325	5,058		2,622	30 years	2,420	2,420	1,727	179	577
26 years	8,536	6,611	6,208		3,999	31 years	4,022	3,015	2,694	320	1,007
27 years	9,230	7,497	6,993		4,999	32 years	3,339	2,660	2,372	288	679
28 years	10,088	8,341	7,696		6,333	33 years	3,818	3,157	2,782	366	661
29 years	9,475	7,959	7,228		5,156	34 years	3,943	3,226	2,773	451	717
30 years	9,306	7,904	7,082		6,814	35 years	3,195	3,570	3,044	523	625
31 years	7,865	7,062	6,296		5,803	NINTH CHILD					
32 years	9,538	8,419	7,397		6,733	Total	48,110	38,530	33,002	5,483	9,580
33 years	6,716	6,041	5,249		6,755	Age of mother:					
34 years	6,680	6,118	5,228		6,562	21 years	46	24	22	2	22
35 years	6,246	5,659	4,719		5,877	22 years	63	31	27	4	32
36 years	5,585	5,129	4,237		4,566	23 years	102	47	46	1	55
37 years	4,560	4,215	3,431		3,450	24 years	177	85	78	7	92
38 years	4,160	3,871	3,168		2,899	25 years	317	142	130	11	175
39 years	3,203	2,969	2,451		2,234	26 years	606	278	247	31	228
40 years	2,448	2,282	1,851		1,666	27 years	800	450	419	30	350
41 years	1,421	1,339	1,117		82	28 years	1,312	1,040	956	92	614
42 years	1,283	1,199	972		226	29 years	1,663	1,623	1,454	165	797
43 years	668	638	513		125	30 years	2,420	2,420	1,727	179	577
44 years	393	369	282		87	31 years	4,022	3,015	2,694	320	1,007
45 years	256	232	191		40	32 years	3,339	2,660	2,372	288	679
46 years	96	89	68		21	33 years	3,818	3,157	2,782	366	661
47 years	37	32	28		4	34 years	3,943	3,226	2,773	451	717
48 years	27	23	21		2	35 years	3,195	3,570	3,044	523	625
49 years	13	6	6		7	TENTH CHILD					
50 years	2				2	Total	48,110	38,530	33,002	5,483	9,580
51 years	3	1	1		2	Age of mother:					
52 years	2	1	1		1	21 years	46	24	22	2	22
53 years	1	1	1		1	22 years	63	31	27	4	32
Unknown	390	201	170		13	23 years	102	47	46	1	55
SIXTH CHILD					ELEVENTH CHILD						
Total	93,131	76,999	67,809	9,127	16,132	Total	48,110	38,530	33,002	5,483	9,580
Age of mother:						Age of mother:					
13 years	17	12	12		5	21 years	46	24	22	2	22
14 years	34	12	11		22	22 years	63	31	27	4	32
15 years	129	57	54		72	23 years	102	47	46	1	55

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
EIGHTH CHILD—continued					ELEVENTH CHILD						
Age of mother—Continued					Total..... 14,386 11,005 8,872 2,116 3,381						
37 years.....	3,740	3,218	2,683	533	522	Total.....	14,386	11,005	8,872	2,116	3,381
38 years.....	4,031	3,414	2,837	577	617	Age of mother:					
39 years.....	3,169	2,772	2,279	489	397	24 years.....	38	26	23	3	12
40 years.....	2,589	2,269	1,823	444	320	25 years.....	28	13	11	2	15
41 years.....	1,552	1,423	1,173	249	129	26 years.....	32	12	12		20
42 years.....	1,563	1,414	1,128	284	149	27 years.....	46	14	12	2	32
43 years.....	910	829	671	157	81	28 years.....	85	35	30	5	50
44 years.....	565	517	403	114	48	29 years.....	108	55	49	6	53
45 years.....	340	283	229	54	57	30 years.....	221	103	90	13	118
46 years.....	142	125	102	23	17	31 years.....	206	123	111	12	83
47 years.....	60	53	37	16	7	32 years.....	454	265	230	35	189
48 years.....	49	36	28	8	13	33 years.....	421	265	223	41	156
49 years.....	19	15	10	5	4	34 years.....	649	423	349	73	226
50 years.....	6	4	4	—	2	35 years.....	794	531	449	82	263
51 years.....	2	2	2	—	—	36 years.....	1,125	812	686	125	313
52 years.....	2	2	2	—	—	37 years.....	1,244	947	756	190	297
54 years.....	1	1	1	—	—	38 years.....	1,658	1,256	1,008	247	402
Unknown.....	98	77	77	7	66	39 years.....	1,542	1,232	997	234	310
NINTH CHILD					TWELFTH CHILD						
Total..... 33,854 26,847 22,562 4,257 7,007					Total..... 9,092 6,742 5,347 1,389 2,350						
Age of mother:					Age of mother:						
22 years.....	39	17	16	1	22	25 years.....	5	2	2	—	3
23 years.....	30	14	13	1	16	26 years.....	12	6	5	1	6
24 years.....	64	28	26	2	36	27 years.....	20	10	8	1	10
25 years.....	96	34	34	—	62	28 years.....	36	21	21	2	15
26 years.....	167	77	73	4	90	29 years.....	57	28	25	2	29
27 years.....	296	145	129	16	151	30 years.....	89	35	32	3	42
28 years.....	459	262	233	28	227	31 years.....	87	45	37	8	42
29 years.....	706	376	332	42	330	32 years.....	210	113	101	12	97
30 years.....	1,122	706	607	54	460	33 years.....	197	119	108	13	78
31 years.....	1,178	814	741	72	364	34 years.....	317	195	165	30	122
32 years.....	2,116	1,443	1,270	171	673	35 years.....	452	282	239	43	170
33 years.....	1,959	1,469	1,314	154	490	36 years.....	586	405	332	71	181
34 years.....	2,481	1,957	1,697	259	524	37 years.....	666	467	364	103	199
35 years.....	2,722	2,102	1,806	296	620	38 years.....	977	727	589	138	263
36 years.....	3,131	2,601	2,196	404	540	39 years.....	1,004	714	545	169	250
37 years.....	3,014	2,525	2,112	409	489	40 years.....	977	709	519	179	122
38 years.....	3,400	2,881	2,370	499	579	41 years.....	736	614	437	127	141
39 years.....	2,871	2,457	2,017	438	414	42 years.....	875	734	572	162	98
40 years.....	2,448	2,127	1,706	417	321	43 years.....	648	550	441	109	68
41 years.....	1,498	1,359	1,127	232	139	44 years.....	450	374	277	97	76
42 years.....	1,564	1,423	1,107	315	141	45 years.....	283	241	185	56	42
43 years.....	961	852	687	165	109	46 years.....	171	149	109	35	27
44 years.....	612	559	439	120	58	47 years.....	66	54	34	20	12
45 years.....	341	291	228	63	33	48 years.....	44	32	20	3	12
46 years.....	167	149	109	40	18	49 years.....	15	10	9	1	5
47 years.....	102	91	66	25	11	50 years.....	9	5	4	1	4
48 years.....	64	47	32	15	17	51 years.....	2	2	1	1	—
49 years.....	25	14	9	5	11	52 years.....	2	2	2	—	—
50 years.....	4	4	4	—	—	Unknown.....	27	12	7	4	15
51 years.....	5	4	3	—	—	THIRTEENTH CHILD					
54 years.....	1	—	—	—	—	Total..... 5,279 3,774 2,942 820 1,505					
Unknown.....	111	63	51	8	48	Age of mother:					
TENTH CHILD					26 years..... 6 2 2 4						
Total..... 23,532 18,335 15,040 3,260 5,247					27 years..... 4 2 1 1						
Age of mother:					28 years..... 11 5 5 6						
23 years.....	26	10	10	—	16	29 years..... 20 9 8 11					
24 years.....	18	8	8	—	10	30 years..... 45 18 15 3					
25 years.....	50	16	16	—	34	31 years..... 39 23 19 4					
26 years.....	74	33	28	5	41	32 years..... 76 40 37 3					
27 years.....	109	57	54	3	52	33 years..... 98 50 45 5					
28 years.....	212	108	92	16	104	34 years..... 141 82 70 11					
29 years.....	272	153	137	15	119	35 years..... 215 117 95 21					
30 years.....	507	246	221	25	261	36 years..... 259 166 135 31					
31 years.....	533	338	307	31	195	37 years..... 360 241 195 45					
32 years.....	998	618	545	72	380	38 years..... 534 352 277 75					
33 years.....	1,083	731	622	108	352	39 years..... 506 347 273 73					
34 years.....	1,367	976	836	138	391	40 years..... 584 420 326 90					
35 years.....	1,746	1,248	1,039	207	498	41 years..... 482 378 298 80					
36 years.....	2,069	1,602	1,345	254	467	42 years..... 592 475 368 106					
37 years.....	2,148	1,713	1,403	306	435	43 years..... 462 385 298 87					
38 years.....	2,699	2,193	1,761	430	506	44 years..... 337 264 187 77					
39 years.....	2,346	1,931	1,569	368	415	45 years..... 245 197 147 49					
40 years.....	2,129	1,770	1,441	325	359	46 years..... 106 87 64 23					
41 years.....	1,358	1,223	982	240	135						
42 years.....	1,438	1,279	1,011	266	159						
43 years.....	972	879	710	168	93						
44 years.....	603	535	407	128	68						
45 years.....	386	330	252	77	56						
46 years.....	163	138	107	31	25						
47 years.....	89	75	54	21	14						
48 years.....	57	43	32	11	14						
49 years.....	25	22	17	5	3						
50 years.....	6	5	2	3	1						
51 years.....	2	2	2	—	—						
53 years.....	1	1	1	—	—						
54 years.....	2	2	1	1	—						
Unknown.....	94	50	38	6	44						

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
THIRTEENTH CHILD—continued					SIXTEENTH CHILD—continued						
Age of mother—Continued					Age of mother—Continued						
47 years.....	71	58	39	19	13	49 years.....	5	2	1	1	3
48 years.....	46	35	23	12	11	50 years.....	1	1	1		
49 years.....	18	11	9	2	7	53 years.....	1				1
50 years.....	3	1	1		2	Unknown.....	3				3
Unknown.....	19	9	5	2	10	SEVENTEENTH CHILD					
FOURTEENTH CHILD					Total.....						
Total.....	2,779	1,939	1,538	400	840	Total.....	333	198	148	50	135
Age of mother:					Age of mother:						
27 years.....	8	4	4		4	30 years.....	4				4
28 years.....	10	8	8		2	31 years.....	2	2	1	1	
29 years.....	7	3	3		4	32 years.....	4	3	3		1
30 years.....	31	10	9	1	21	33 years.....	3	2	1	1	
31 years.....	20	9	7	2	11	34 years.....	7	3	3		4
32 years.....	55	32	29	3	23	35 years.....	11	7	7		4
33 years.....	42	23	20	3	19	36 years.....	11	7	5	2	4
34 years.....	69	38	28	10	31	37 years.....	13	3	2	1	10
35 years.....	88	46	36	10	42	38 years.....	32	16	13	3	16
36 years.....	123	85	67	18	43	39 years.....	27	12	8	4	15
37 years.....	166	107	89	18	59	40 years.....	40	21	15	6	19
38 years.....	279	170	136	34	109	41 years.....	21	15	13	2	6
39 years.....	269	186	147	39	83	42 years.....	41	31	19	12	10
40 years.....	333	224	182	41	109	43 years.....	33	20	17	3	13
41 years.....	248	189	157	32	59	44 years.....	28	22	16	6	6
42 years.....	316	243	185	58	73	45 years.....	28	18	14	4	10
43 years.....	247	207	158	49	40	46 years.....	7	4	3	1	3
44 years.....	183	150	108	42	33	47 years.....	7	5	4	1	2
45 years.....	132	90	73	17	42	48 years.....	11	5	3	2	6
46 years.....	66	56	47	9	10	49 years.....	1	1	1		1
47 years.....	81	25	19	6	6	50 years.....	1	1	1		
48 years.....	26	20	15	5	6	Unknown.....	1	1		1	
49 years.....	13	8	7	1	1	EIGHTEENTH CHILD					
50 years.....	2	1	1		1	Total.....	179	108	74	34	71
51 years.....	1				1	Age of mother:					
52 years.....	1	1	1		1	31 years.....	1	1	1		
53 years.....	1	1		1	1	32 years.....	3	2	2		1
Unknown.....	7	3	2	1	4	33 years.....	2	2			2
FIFTEENTH CHILD					NINETEENTH CHILD						
Total.....	1,464	989	753	236	475	Total.....	104	68	47	21	36
Age of mother:					Age of mother:						
28 years.....	2	1	1		1	33 years.....	2				2
29 years.....	8	5	4	1	3	34 years.....	2	1	1		1
30 years.....	9	4	3	1	5	35 years.....	2	1		1	1
31 years.....	5	1	1	1	4	36 years.....	1				1
32 years.....	16	6	6		10	37 years.....	4	3	2	1	1
33 years.....	17	8	7	1	9	38 years.....	14	11	9	2	3
34 years.....	26	10	10		16	39 years.....	6	5	3	2	1
35 years.....	47	20	15	5	27	40 years.....	11	6	4	2	5
36 years.....	69	38	33	5	31	41 years.....	14	7	6	1	7
37 years.....	78	54	42	12	24	42 years.....	12	7	6	1	5
38 years.....	131	72	53	19	59	43 years.....	14	12	6	6	2
39 years.....	159	101	70	31	53	44 years.....	6	4	2	2	2
40 years.....	157	102	82	20	55	45 years.....	4	3	3		1
41 years.....	163	119	87	32	44	46 years.....	5	4	2	2	1
42 years.....	161	119	93	26	42	47 years.....	4	1	2	1	3
43 years.....	133	109	81	28	24	49 years.....	2	2	2		
44 years.....	114	93	69	24	21	Unknown.....	1	1	1		
45 years.....	68	53	44	9	15	TWENTIETH CHILD					
46 years.....	50	39	27	12	11	Total.....	58	41	35	6	17
47 years.....	27	18	15	3	9	Age of mother:					
48 years.....	14	12	8	4	2	34 years.....	1	1	1		
49 years.....	6	5	3	2	2	36 years.....	4	3	3		1
50 years.....	1				1	37 years.....	2	2	2		1
Unknown.....	3				3	38 years.....	2	1		1	1
SIXTEENTH CHILD					Age of mother:						
Total.....	726	480	372	108	246	34 years.....	1	1	1		
Age of mother:					36 years.....						
29 years.....	1				1	37 years.....	2	2	2		1
30 years.....	2	1	1		1	38 years.....	2	1		1	1
31 years.....	3	2	2		1	39 years.....	5	5	5		1
32 years.....	9	4	3	1	5	40 years.....	3	2	2		1
33 years.....	12	5	4	1	7	41 years.....	6	3	3		3
34 years.....	12	8	6	2	4	42 years.....	5	4	3	1	1
35 years.....	25	16	15	1	9	43 years.....	3	2	2		1
36 years.....	28	14	10	4	14	44 years.....	6	3	3		3
37 years.....	31	19	17	2	12	45 years.....	4	3	3		1
38 years.....	55	31	24	7	24	46 years.....	5	4	4		3
39 years.....	77	54	45	9	23	47 years.....	3	2	2		1
40 years.....	78	51	40	11	27	48 years.....	6	3	3		3
41 years.....	65	48	35	13	17	49 years.....	5	4	4		1
42 years.....	84	54	46	8	30	Unknown.....	1	1	1		1
43 years.....	76	51	39	12	25	Age of mother:					
44 years.....	69	51	39	12	18	34 years.....	1	1	1		
45 years.....	38	26	19	7	12	36 years.....	4	3	3		1
46 years.....	25	21	12	9	4	37 years.....	2	2	2		1
47 years.....	17	15	9	6	2	38 years.....	2	1		1	1
48 years.....	9	6	4	2	3	39 years.....	5	5	5		1
						40 years.....	3	2	2		1
						41 years.....	6	3	3		3
						42 years.....	5	4	4		1

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored				
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born					
TWENTIETH CHILD—continued					TWENTY-FIFTH CHILD										
Age of mother—Continued					Total.....										
43 years.....	13	8	5	3	5	2					2				
44 years.....	7	5	4	1	2	Age of mother:									
45 years.....	7	4	4		3	39 years.....					1				
46 years.....	1	1	1			42 years.....					1				
47 years.....	1	1	1			NUMBER OF CHILD NOT STATED									
48 years.....	1	1	1			Total.....					5, 191				
TWENTY-FIRST CHILD					Age of mother:										
Total.....					34	18	13	5	16	15 years.....					6
Age of mother:					35 years.....					2	4	4	2		
35 years.....	2				2				7	1	1	6			
36 years.....	2	2	2						16 years.....	7	1	6			
37 years.....	2				2				17 years.....	25	5	20			
38 years.....	3	2	1	1	1				18 years.....	12	6	6			
39 years.....	2				2				19 years.....	41	23	18			
40 years.....	4	3	3		1				20 years.....	58	29	29			
41 years.....	2	1		1	1				21 years.....	221	128	93			
42 years.....	3	3	2	1	1				22 years.....	331	219	112			
43 years.....	3	3	2	1	1				23 years.....	316	211	105			
44 years.....	6	4	3	1	2				24 years.....	321	222	99			
45 years.....	2	1	1		1				25 years.....	360	235	125			
46 years.....	5	2	1	1	3				26 years.....	307	223	84			
49 years.....	1				1				27 years.....	319	250	69			
TWENTY-SECOND CHILD					28 years.....						250	179	71		
Total.....					9	3	2	1	6	29 years.....					235
Age of mother:					30 years.....					242	169	146	63		
37 years.....	2				2				31 years.....					183	
39 years.....	2	1	1		1				32 years.....					210	
41 years.....	1				1				33 years.....					175	
43 years.....	2	2	1	1	1				34 years.....					152	
45 years.....	1				1				35 years.....					163	
46 years.....	1				1				36 years.....					154	
TWENTY-THIRD CHILD					37 years.....						134	102	32		
Total.....					11	6	5	1	5	38 years.....					121
Age of mother:					39 years.....					76	61	43	15		
37 years.....	1				1				40 years.....					76	
38 years.....	1				1				41 years.....					49	
39 years.....	2	2	2		2				42 years.....					80	
40 years.....	3	1	1	1	2				43 years.....					34	
42 years.....	2	1	1		1				44 years.....					20	
45 years.....	2	2	2		1				45 years.....					12	
TWENTY-FOURTH CHILD					46 years.....						6	3	2	3	
Total.....					4	3	2	1	1	47 years.....					4
Age of mother:					48 years.....					3	2		2		
39 years.....	1	1	1		1				49 years.....					3	
40 years.....	2	1		1	1				Unknown					505	
47 years.....	1	1	1		1				505	314	214	191			

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
REGISTRATION AREA IN CONTINENTAL UNITED STATES					ARKANSAS—continued						
Total	2, 074, 042	1, 805, 155	1, 611, 201	191, 626	268, 887	Seventh child	1, 568	1, 171	1, 154	9	397
First child	634, 639	558, 255	515, 522	41, 657	76, 384	Eighth child	1, 247	927	915	5	320
Second child	448, 731	400, 417	362, 065	38, 010	48, 314	Ninth child	775	551	547	1	224
Third child	286, 391	251, 737	225, 735	25, 795	34, 654	Tenth child	569	388	383	1	181
Fourth child	190, 964	164, 235	146, 335	17, 746	26, 729	Eleventh child	325	196	192	2	129
Fifth child	131, 103	110, 801	97, 366	12, 831	20, 307	Twelfth child	215	138	137	1	77
Sixth child	95, 563	79, 303	69, 559	9, 677	16, 260	Thirteenth child	123	66	66	1	62
Seventh child	68, 519	55, 959	48, 501	7, 393	12, 560	Fourteenth child	56	27	26	1	29
Eighth child	49, 345	39, 689	33, 846	5, 797	9, 650	Fifteenth child	35	18	18	1	17
Ninth child	34, 779	27, 727	23, 163	4, 586	7, 052	Sixteenth child	17	7	7	1	10
Tenth child	24, 174	18, 900	15, 424	3, 441	5, 274	Seventeenth child	11	4	4	1	7
Eleventh child	14, 775	11, 379	9, 115	2, 247	3, 396	Eighteenth child	1	1	1	1	3
Twelfth child	9, 381	7, 017	5, 515	1, 496	2, 364	Nineteenth child	4	1	1	1	1
Thirteenth child	6, 482	3, 952	3, 045	895	1, 510	Twentieth child	1	1	1	1	1
Fourteenth child	2, 693	2, 045	1, 601	443	848	Twenty-first child	1	1	1	1	1
Fifteenth child	1, 535	1, 038	799	259	477	Twenty-third child	1	1	1	1	1
Sixteenth child	752	508	388	118	246	Not stated	371	279	255	1	92
Seventeenth child	351	216	156	60	135	CALIFORNIA					
Eighth child	186	114	77	37	72	Total	78, 093	62, 928	54, 800	8, 111	15, 165
Nineteenth child	111	75	51	24	36	First child	29, 864	26, 802	24, 097	2, 697	3, 062
Twentieth child	61	43	35	8	18	Second child	19, 904	17, 363	15, 152	2, 208	2, 541
Twenty-first child	35	19	14	5	16	Third child	10, 368	8, 417	7, 184	1, 229	1, 951
Twenty-second child	9	3	2	1	6	Fourth child	6, 022	4, 305	3, 630	674	1, 717
Twenty-third child	12	7	6	1	5	Fifth child	3, 821	2, 296	1, 857	439	1, 525
Twenty-fourth child	4	3	2	1	2	Sixth child	2, 649	1, 440	1, 144	296	1, 209
Twenty-fifth child	2	1	1	1	2	Seventh child	1, 855	875	705	170	880
Not stated	74, 260	71, 695	52, 375	19, 152	2, 565	Eighth child	1, 218	524	389	135	694
ALABAMA					Total						
Total	62, 939	39, 381	39, 219	141	23, 558	Ninth child	852	358	270	88	366
First child	17, 769	10, 760	10, 722	34	7, 009	Tenth child	598	232	166	66	237
Second child	12, 484	8, 137	8, 105	27	4, 347	Eleventh child	358	121	80	40	143
Third child	8, 893	5, 935	5, 909	23	2, 958	Twelfth child	215	72	46	26	103
Fourth child	6, 418	4, 104	4, 084	18	2, 314	Thirteenth child	157	54	32	22	61
Fifth child	4, 759	3, 068	3, 058	6	1, 691	Fourteenth child	94	33	23	10	30
Sixth child	3, 642	2, 296	2, 284	11	1, 346	Fifteenth child	41	11	6	5	22
Seventh child	2, 757	1, 723	1, 720	3	1, 034	Sixteenth child	29	7	4	3	16
Eighth child	2, 050	1, 250	1, 245	5	800	Seventeenth child	17	1	1	1	5
Ninth child	1, 459	834	825	8	512	Eighteenth child	8	3	2	1	3
Tenth child	1, 039	549	547	2	490	Nineteenth child	3	3	3	1	1
Eleventh child	636	324	322	2	312	Twentieth child	3	2	1	1	1
Twelfth child	405	174	173	1	231	Twenty-first child	1	1	1	1	1
Thirteenth child	253	86	86	1	167	Not stated	16	12	11	1	4
Fourteenth child	122	39	39	1	83	COLORADO					
Fifteenth child	58	22	22	1	22	Total	17, 613	16, 218	15, 178	980	1, 395
Sixteenth child	44	22	21	1	22	First child	5, 859	5, 531	5, 305	208	328
Seventeenth child	12	2	2	1	13	Second child	4, 134	3, 899	3, 708	178	235
Eighteenth child	19	6	6	1	4	Third child	2, 481	2, 298	2, 166	125	183
Nineteenth child	4	1	1	1	3	Fourth child	1, 646	1, 501	1, 388	110	145
Twentieth child	1	1	1	1	1	Fifth child	1, 052	926	824	100	126
Twenty-first child	4	1	1	1	3	Sixth child	694	582	504	75	112
Twenty-second child	1	1	1	1	1	Seventh child	510	427	378	49	83
Twenty-third child	1	1	1	1	1	Eighth child	355	292	256	36	63
Twenty-fourth child	1	1	1	1	1	Ninth child	221	183	150	33	38
Not stated	109	49	48	1	60	Tenth child	135	117	94	23	18
ARIZONA					Eleventh child						
Total	8, 523	4, 569	4, 213	346	3, 954	Twelfth child	77	65	56	9	12
First child	2, 316	1, 588	1, 507	79	728	Thirteenth child	55	41	30	11	14
Second child	1, 760	1, 121	1, 058	61	639	Fourteenth child	34	29	22	7	5
Third child	1, 197	649	590	57	548	Fifteenth child	19	12	9	3	7
Fourth child	864	415	377	36	449	Sixteenth child	11	9	7	2	2
Fifth child	638	248	228	20	300	Seventeenth child	4	4	3	1	1
Sixth child	503	199	169	28	304	Eighteenth child	1	1	1	1	1
Seventh child	355	107	86	15	254	Nineteenth child	2	1	1	1	1
Eighth child	268	81	70	11	171	Not stated	322	299	275	10	23
Ninth child	178	56	47	9	122	CONNECTICUT					
Tenth child	155	46	39	7	109	Total	23, 731	23, 123	16, 975	6, 139	608
Eleventh child	102	19	15	4	83	First child	7, 953	7, 828	6, 596	1, 228	125
Twelfth child	67	14	9	5	53	Second child	5, 725	5, 593	4, 380	1, 202	132
Thirteenth child	40	6	3	3	34	Third child	3, 583	3, 478	2, 504	974	105
Fourteenth child	18	6	4	2	12	Fourth child	2, 064	1, 996	1, 320	676	68
Fifteenth child	10	3	2	1	7	Fifth child	1, 392	1, 338	811	526	54
Sixteenth child	3	1	1	1	3	Sixth child	899	863	486	377	36
Seventeenth child	3	1	1	1	2	Seventh child	678	661	304	357	17
Eighteenth child	2	1	1	1	2	Eighth child	489	465	211	254	24
Nineteenth child	1	1	1	1	1	Ninth child	313	295	121	173	18
Twenty-fourth child	1	1	1	1	1	Tenth child	242	233	77	156	9
Not stated	52	10	10	1	42	Eleventh child	135	127	45	82	8
ARKANSAS					Twelfth child						
Total	37, 450	28, 639	28, 479	73	8, 761	Thirteenth child	75	72	22	50	3
First child	10, 534	8, 075	8, 026	15	2, 459	Fourteenth child	43	41	12	29	2
Second child	7, 447	5, 901	5, 871	11	1, 546	Fifteenth child	41	36	18	18	5
Third child	5, 234	4, 059	4, 033	11	1, 175	Sixteenth child	14	13	6	7	1
Fourth child	3, 958	3, 086	3, 073	6	872	Seventeenth child	4	4	1	3	1
Fifth child	2, 802	2, 154	2, 143	3	648	Eighteenth child	3	3	1	2	1
Sixth child	2, 150	1, 640	1, 627	7	510	Nineteenth child	3	2	2	3	1
Not stated	52	10	10	1	42	Not stated	72	72	50	20	1

¹ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
DELAWARE					IDAHO						
Total	4,294	3,590	3,285	297	704	Total	8,732	8,564	8,180	334	168
First child	1,355	1,181	1,121	55	174	First child	2,520	2,485	2,398	77	35
Second child	916	792	748	44	124	Second child	2,003	1,980	1,888	81	23
Third child	696	562	516	44	74	Third child	1,341	1,325	1,258	56	16
Fourth child	436	357	325	31	79	Fourth child	900	883	833	44	17
Fifth child	255	202	174	28	53	Fifth child	590	576	554	18	14
Sixth child	202	149	127	22	53	Sixth child	432	413	400	11	19
Seventh child	140	102	82	20	38	Seventh child	292	276	260	16	16
Eighth child	110	80	66	14	30	Eighth child	191	188	181	7	3
Ninth child	80	56	45	11	24	Ninth child	170	157	149	7	13
Tenth child	48	34	20	14	14	Tenth child	90	86	81	4	4
Eleventh child	32	20	14	6	12	Eleventh child	58	54	50	4	4
Twelfth child	23	17	13	4	6	Twelfth child	43	40	38	2	3
Thirteenth child	17	13	11	2	4	Thirteenth child	17	16	12	3	1
Fourteenth child	7	5	4	1	2	Fourteenth child	7	7	6	1	-----
Fifteenth child	1	1	1	-----	-----	Fifteenth child	5	5	4	1	-----
Sixteenth child	3	1	-----	-----	-----	Sixteenth child	4	4	4	-----	-----
Eighteenth child	1	-----	-----	-----	-----	Eighteenth child	1	1	1	-----	-----
Not stated	32	18	18	-----	14	Nineteenth child	1	1	1	-----	-----
DISTRICT OF COLUMBIA					ILLINOIS						
Total	10,157	6,809	6,210	510	3,348	Total	111,512	105,222	91,476	13,693	6,290
First child	4,007	2,972	2,778	146	1,035	First child	39,457	37,754	34,111	3,605	1,703
Second child	2,476	1,786	1,629	152	690	Second child	27,647	26,387	23,011	3,370	1,260
Third child	1,355	888	797	91	467	Third child	16,032	15,102	13,029	2,069	930
Fourth child	747	448	402	46	299	Fourth child	9,695	9,050	7,653	1,396	645
Fifth child	486	255	228	27	231	Fifth child	6,139	5,640	4,682	957	499
Sixth child	314	149	136	13	165	Sixth child	4,238	3,815	3,152	662	423
Seventh child	219	96	83	13	123	Seventh child	2,893	2,609	2,115	493	284
Eighth child	135	60	53	7	75	Eighth child	1,928	1,720	1,364	355	208
Ninth child	99	33	25	8	66	Ninth child	1,324	1,210	923	287	114
Tenth child	48	14	13	1	34	Tenth child	904	828	614	214	76
Eleventh child	48	15	12	3	33	Eleventh child	518	463	345	118	55
Twelfth child	27	6	4	-----	21	Twelfth child	348	308	218	90	40
Thirteenth child	22	6	4	-----	16	Thirteenth child	166	149	112	37	17
Fourteenth child	7	1	1	-----	6	Fourteenth child	87	68	52	16	19
Fifteenth child	7	4	4	-----	3	Fifteenth child	36	31	23	8	5
Sixteenth child	3	-----	-----	-----	3	Sixteenth child	25	20	13	7	5
Eighteenth child	1	1	1	-----	-----	Seventeenth child	5	4	3	1	1
Not stated	156	75	38	1	81	Eighteenth child	2	2	2	-----	-----
FLORIDA					INDIANA						
Total	27,402	18,874	18,221	588	8,528	Total	53,073	51,280	49,543	1,725	1,798
First child	8,870	6,316	6,137	159	2,554	First child	15,726	15,254	14,954	297	472
Second child	5,878	4,381	4,222	147	1,497	Second child	11,873	11,570	11,218	349	303
Third child	3,794	2,674	2,584	85	1,120	Third child	8,092	7,836	7,560	271	256
Fourth child	2,667	1,807	1,732	64	860	Fourth child	5,394	5,189	4,956	232	205
Fifth child	1,814	1,158	1,109	46	656	Fifth child	3,695	3,547	3,401	146	148
Sixth child	1,320	833	799	30	487	Sixth child	2,677	2,575	2,449	126	102
Seventh child	973	597	580	16	376	Seventh child	1,872	1,770	1,701	69	102
Eighth child	642	388	372	15	254	Eighth child	1,314	1,245	1,170	75	69
Ninth child	450	258	243	15	192	Ninth child	971	925	870	55	46
Tenth child	298	148	145	2	150	Tenth child	592	555	520	35	37
Eleventh child	182	89	83	5	93	Eleventh child	390	374	346	28	16
Twelfth child	118	55	53	1	63	Twelfth child	192	180	162	18	12
Thirteenth child	61	20	20	-----	41	Thirteenth child	127	117	106	11	10
Fourteenth child	36	13	11	-----	23	Fourteenth child	78	71	66	5	7
Fifteenth child	16	7	7	-----	9	Fifteenth child	41	35	30	5	6
Sixteenth child	8	4	4	-----	4	Sixteenth child	17	17	15	2	-----
Seventeenth child	4	3	3	-----	1	Seventeenth child	7	7	7	-----	-----
Eighteenth child	3	1	1	-----	2	Eighteenth child	2	2	1	1	-----
Nineteenth child	2	1	1	-----	1	Nineteenth child	3	2	2	-----	1
Twentieth child	3	1	1	-----	2	Twentieth child	2	2	2	-----	-----
Twenty-first child	1	1	1	-----	-----	Twenty-first child	1	1	1	-----	1
Twenty-second child	1	-----	-----	-----	1	Not stated	7	7	7	-----	-----
Twenty-third child	1	1	1	-----	-----	IOWA					
Not stated	260	118	112	1	142	Total	40,459	40,292	38,902	1,371	167
GEORGIA					First child						
Total	63,717	38,241	38,084	142	25,476	Second child	13,218	13,169	12,893	269	49
First child	22,795	13,777	13,706	69	9,018	Third child	9,212	9,181	8,911	268	31
Second child	11,685	7,243	7,213	24	4,442	Fourth child	6,053	6,030	5,894	195	23
Third child	7,808	4,738	4,726	11	3,070	Fifth child	4,001	3,989	3,805	181	12
Fourth child	5,698	3,455	3,438	15	2,243	Sixth child	2,641	2,626	2,513	112	12
Fifth child	4,143	2,563	2,553	8	1,580	Seventh child	1,862	1,850	1,738	110	12
Sixth child	3,243	1,977	1,971	5	1,266	Eighth child	1,195	1,187	1,120	67	8
Seventh child	2,410	1,418	1,413	5	992	Ninth child	864	869	809	50	5
Eighth child	1,824	1,045	1,044	1	779	Tenth child	563	561	521	40	2
Ninth child	1,230	694	691	3	536	Eleventh child	373	371	340	30	2
Tenth child	899	463	463	-----	436	Twelfth child	209	204	175	27	5
Eleventh child	506	231	230	1	275	Thirteenth child	124	122	109	13	2
Twelfth child	359	154	153	-----	205	Fourteenth child	60	59	53	6	1
Thirteenth child	227	93	93	-----	134	Fifteenth child	36	36	35	1	-----
Fourteenth child	131	42	42	-----	89	Sixteenth child	13	13	11	2	-----
Fifteenth child	50	19	19	-----	31	Seventeenth child	5	5	5	-----	-----
Sixteenth child	41	16	16	-----	25	Eighteenth child	3	3	3	-----	-----
Seventeenth child	23	6	6	-----	17	Nineteenth child	2	2	2	-----	-----
Eighteenth child	6	2	2	-----	4	Not stated	24	24	24	-----	-----
Nineteenth child	6	2	2	-----	3						
Twentieth child	6	2	2	-----	3						
Twenty-first child	3	-----	-----	-----	3						
Twenty-second child	2	1	1	-----	1						
Twenty-third child	2	1	1	-----	1						
Not stated	620	299	299	-----	321						

¹ Includes "County not stated."

GENERAL TABLES

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
KANSAS					MARYLAND						
Total.....	31,700	30,175	29,637	482	1,525	Total.....	28,820	22,477	21,293	1,176	6,343
First child.....	9,787	9,462	9,365	81	325	First child.....	8,944	7,299	7,061	235	1,645
Second child.....	7,356	7,098	7,016	75	258	Second child.....	6,142	5,016	4,760	254	1,126
Third child.....	4,692	4,513	4,444	64	179	Third child.....	3,984	3,192	2,961	200	792
Fourth child.....	3,113	2,950	2,887	55	163	Fourth child.....	2,783	2,132	2,021	109	651
Fifth child.....	2,100	1,953	1,904	44	147	Fifth child.....	1,911	1,403	1,316	87	508
Sixth child.....	1,515	1,400	1,355	38	115	Sixth child.....	1,456	1,047	978	69	409
Seventh child.....	1,048	957	924	31	91	Seventh child.....	1,022	717	667	50	305
Eighth child.....	753	670	646	24	83	Eighth child.....	757	512	456	56	245
Ninth child.....	497	454	435	18	43	Ninth child.....	617	409	371	38	208
Tenth child.....	329	281	266	13	48	Tenth child.....	439	290	270	20	149
Eleventh child.....	217	191	179	11	26	Eleventh child.....	275	181	157	24	94
Twelfth child.....	114	97	89	8	17	Twelfth child.....	202	114	97	17	88
Thirteenth child.....	82	70	57	12	12	Thirteenth child.....	118	68	58	9	50
Fourteenth child.....	38	31	27	4	7	Fourteenth child.....	63	34	31	3	29
Fifteenth child.....	28	23	21	2	5	Fifteenth child.....	26	10	8	2	16
Sixteenth child.....	8	7	6	1	2	Sixteenth child.....	28	19	18	1	9
Seventeenth child.....	3	1	1	1	1	Seventeenth child.....	9	6	5	1	3
Eighteenth child.....	1	1	1	1	1	Eighteenth child.....	4	2	1	1	2
Nineteenth child.....	1	1	1	1	1	Nineteenth child.....	4	3	3	1	1
Twentieth child.....	1	1	1	1	1	Twentieth child.....	2	2	2	1	1
Twenty-first child.....	1	1	1	1	1	Twenty-first child.....	1	1	1	1	1
Not stated.....	17	16	14	1	1	Not stated.....	33	21	20	1	12
KENTUCKY					MASSACHUSETTS²						
Total.....	59,505	56,195	56,046	146	3,310	Not stated.....	68,534	67,559	48,770	18,756	975
First child.....	16,371	15,373	15,334	38	998	MICHIGAN					
Second child.....	11,857	11,193	11,154	39	664	Total.....	85,736	82,376	69,591	12,707	3,360
Third child.....	8,355	7,932	7,814	18	423	First child.....	25,003	24,274	21,441	2,806	729
Fourth child.....	6,544	6,200	6,184	15	344	Second child.....	20,196	19,576	18,773	2,787	620
Fifth child.....	4,963	4,731	4,720	11	232	Third child.....	13,254	12,743	10,724	2,013	511
Sixth child.....	3,875	3,672	3,661	11	203	Fourth child.....	8,711	8,353	6,919	1,405	378
Seventh child.....	2,827	2,491	2,483	7	136	Fifth child.....	5,713	5,391	4,368	1,020	322
Eighth child.....	1,906	1,787	1,783	4	80	Sixth child.....	3,973	3,741	2,981	757	232
Ninth child.....	1,277	1,197	1,197	2	45	Seventh child.....	2,764	2,589	2,043	544	175
Tenth child.....	794	749	747	2	31	Eighth child.....	1,847	1,715	1,336	376	132
Eleventh child.....	447	416	415	1	14	Ninth child.....	1,330	1,233	937	292	97
Twelfth child.....	260	246	246	1	7	Tenth child.....	907	847	622	225	60
Thirteenth child.....	103	96	96	3	37	Eleventh child.....	564	523	386	142	36
Fourteenth child.....	51	48	48	3	11	Twelfth child.....	352	337	241	96	15
Fifteenth child.....	17	13	13	4	4	Thirteenth child.....	202	196	146	50	6
Sixteenth child.....	7	6	6	1	1	Fourteenth child.....	104	100	72	28	4
Seventeenth child.....	1	1	1	1	1	Fifteenth child.....	52	50	37	13	2
Twentieth child.....	2	1	1	1	1	Sixteenth child.....	17	17	15	2	1
Not stated.....	48	43	43	5	5	Seventeenth child.....	7	7	3	4	1
LOUISIANA					MINNESOTA						
Total.....	43,298	25,600	25,232	352	17,698	Total.....	46,377	45,759	42,730	3,022	618
First child.....	12,706	7,770	7,697	69	4,936	First child.....	14,302	14,158	13,579	577	144
Second child.....	8,809	5,601	5,543	58	3,208	Second child.....	10,696	10,600	9,989	610	96
Third child.....	5,859	3,603	3,555	44	2,256	Third child.....	7,052	6,974	6,530	443	73
Fourth child.....	4,402	2,570	2,529	40	1,832	Fourth child.....	4,749	4,676	4,325	351	73
Fifth child.....	3,083	1,744	1,713	30	1,339	Fifth child.....	3,082	3,006	2,753	253	56
Sixth child.....	2,385	1,300	1,275	23	1,085	Sixth child.....	2,073	2,026	1,838	188	47
Seventh child.....	1,772	958	932	24	814	Seventh child.....	1,471	1,433	1,277	156	38
Eighth child.....	1,385	729	718	11	656	Eighth child.....	1,060	1,037	913	124	23
Ninth child.....	972	490	477	13	482	Ninth child.....	721	701	589	112	20
Tenth child.....	679	321	302	17	358	Tenth child.....	499	480	395	85	19
Eleventh child.....	418	188	177	11	230	Eleventh child.....	294	280	226	53	14
Twelfth child.....	323	123	118	5	200	Twelfth child.....	195	193	160	33	2
Thirteenth child.....	188	82	77	5	106	Thirteenth child.....	101	94	74	20	7
Fourteenth child.....	107	42	41	1	65	Fourteenth child.....	56	56	48	8	1
Fifteenth child.....	49	13	13	1	36	Fifteenth child.....	18	17	14	3	1
Sixteenth child.....	31	9	9	22	22	Sixteenth child.....	12	12	10	2	1
Seventeenth child.....	10	3	3	7	7	Seventeenth child.....	3	3	2	1	1
Eighteenth child.....	3	3	3	3	3	Eighteenth child.....	1	1	1	1	1
Nineteenth child.....	4	2	1	1	2	Nineteenth child.....	1	1	1	1	1
Not stated.....	113	52	52	61	61	Twentieth child.....	2	2	2	2	2
MAINE					MISSISSIPPI						
Total.....	16,129	16,096	13,603	2,491	33	Total.....	46,273	21,787	21,660	70	24,486
First child.....	4,416	4,410	3,934	474	6	First child.....	12,728	5,966	5,939	11	6,762
Second child.....	3,332	3,322	2,886	436	10	Second child.....	8,795	4,563	4,550	7	4,232
Third child.....	2,421	2,415	2,056	359	6	Third child.....	6,375	3,229	3,207	11	3,146
Fourth child.....	1,665	1,661	1,370	291	4	Fourth child.....	4,817	2,354	2,341	9	2,463
Fifth child.....	1,176	1,174	950	224	2	Fifth child.....	3,503	1,675	1,658	11	1,828
Sixth child.....	865	864	695	169	1	Sixth child.....	2,780	1,273	1,268	5	1,507
Seventh child.....	632	632	482	150	1	Seventh child.....	1,993	895	887	6	1,098
Eighth child.....	441	440	346	94	1	Eight child.....	1,541	597	587	5	944
Ninth child.....	336	334	252	82	2	Ninth child.....	1,133	435	434	1	698
Tenth child.....	226	225	171	54	1						
Eleventh child.....	167	167	125	42	1						
Twelfth child.....	126	126	92	34	1						
Thirteenth child.....	81	81	56	25	1						
Fourteenth child.....	56	56	38	18	1						
Fifteenth child.....	30	30	23	7	1						
Sixteenth child.....	20	20	13	7	1						
Seventeenth child.....	8	8	7	1	1						
Eighteenth child.....	4	4	2	2	1						
Nineteenth child.....	3	3	1	2	1						
Twentieth child.....	1	1	1	1	1						
Twenty-first child.....	1	1	1	1	1						
Twenty-second child.....	1	1	1	1	1						
Not stated.....	121	121	102	19	19						

¹ Includes "Country not stated."

² The birth certificate of this State does not require the number of child in order of birth.

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
MISSISSIPPI—continued					NEVADA—continued						
Tenth child.....	774	266	264	---	508	Fourth child.....	106	94	79	15	12
Eleventh child.....	452	150	150	---	302	Fifth child.....	67	54	46	8	13
Twelfth child.....	321	104	101	3	217	Sixth child.....	56	47	40	7	9
Thirteenth child.....	195	47	47	---	148	Seventh child.....	30	26	21	5	4
Fourteenth child.....	91	27	27	---	64	Eighth child.....	21	18	12	6	3
Fifteenth child.....	85	10	10	---	75	Ninth child.....	12	9	6	3	3
Sixteenth child.....	34	7	6	1	27	Tenth child.....	14	10	5	5	4
Seventeenth child.....	19	3	3	---	16	Eleventh child.....	4	4	3	1	---
Eighteenth child.....	9	---	---	---	9	Twelfth child.....	4	3	3	---	1
Nineteenth child.....	4	1	1	---	3	Not stated.....	4	4	3	1	---
Twentieth child.....	4	---	---	---	4	NEW HAMPSHIRE					
Twenty-third child.....	1	---	---	---	1	Total.....	7,808	7,802	6,382	1,409	6
Not stated.....	619	185	180	---	434	MISSOURI					
Total.....					Total.....						
59,949	56,177	54,798	1,288	3,772	59,949	56,177	54,798	1,288	3,772		
First child.....	19,831	18,659	18,296	339	1,172	First child.....	2,286	2,286	2,019	263	---
Second child.....	13,701	12,963	12,644	307	738	Second child.....	1,775	1,772	1,514	256	3
Third child.....	8,377	7,879	7,686	184	498	Third child.....	1,129	1,129	945	181	---
Fourth child.....	5,595	5,231	5,066	153	364	Fourth child.....	782	781	631	149	1
Fifth child.....	3,833	3,560	3,463	90	273	Fifth child.....	565	565	450	115	---
Sixth child.....	2,737	2,530	2,467	62	207	Sixth child.....	364	364	256	108	---
Seventh child.....	1,886	1,728	1,673	47	158	Seventh child.....	270	270	184	85	---
Eighth child.....	1,404	1,294	1,266	25	110	Eighth child.....	174	173	112	61	1
Ninth child.....	892	820	795	23	72	Ninth child.....	167	167	101	66	---
Tenth child.....	671	605	578	23	66	Tenth child.....	90	89	50	39	1
Eleventh child.....	386	348	350	17	38	Eleventh child.....	69	69	34	35	---
Twelfth child.....	206	187	176	9	19	Twelfth child.....	42	42	22	20	---
Thirteenth child.....	126	108	103	3	18	Thirteenth child.....	19	19	12	7	---
Fourteenth child.....	71	59	57	2	12	Fourteenth child.....	18	18	8	10	---
Fifteenth child.....	37	31	31	---	6	Fifteenth child.....	12	12	8	4	---
Sixteenth child.....	22	19	18	1	3	Sixteenth child.....	1	1	---	1	---
Seventeenth child.....	10	7	7	---	3	Seventeenth child.....	6	6	3	3	---
Eighteenth child.....	6	6	5	1	2	Nineteenth child.....	1	1	---	1	---
Nineteenth child.....	6	6	6	---	---	Twentieth child.....	1	1	---	1	---
Twentieth child.....	2	1	1	---	1	Not stated.....	37	37	33	4	---
Twenty-second child.....	1	1	1	---	---	NEW JERSEY					
Twenty-third child.....	1	1	1	---	---	Total.....	61,219	56,627	43,731	12,877	4,592
Not stated.....	146	134	128	2	12	Total.....					
Total.....					Total.....						
9,091	8,391	7,504	881	700	9,091	8,391	7,504	881	700		
First child.....	2,808	2,687	2,519	165	121	First child.....	21,625	20,385	17,318	3,061	1,240
Second child.....	2,089	1,975	1,760	215	114	Second child.....	15,029	14,136	11,452	2,680	893
Third child.....	1,362	1,270	1,153	117	92	Third child.....	8,703	7,991	6,124	1,865	712
Fourth child.....	865	784	685	99	81	Fourth child.....	5,147	4,668	3,323	1,344	479
Fifth child.....	599	526	451	74	73	Fifth child.....	3,247	2,903	1,878	1,023	344
Sixth child.....	408	356	308	48	52	Sixth child.....	2,246	1,982	1,225	757	264
Seventh child.....	288	244	203	41	44	Seventh child.....	1,587	1,378	783	593	209
Eighth child.....	226	187	158	29	39	Eighth child.....	1,177	1,044	560	484	133
Ninth child.....	176	143	109	34	33	Ninth child.....	795	695	330	365	100
Tenth child.....	111	92	72	19	19	Tenth child.....	557	491	215	275	66
Eleventh child.....	71	57	42	15	14	Eleventh child.....	367	314	155	159	53
Twelfth child.....	35	30	21	9	5	Twelfth child.....	184	165	77	88	19
Thirteenth child.....	26	18	12	6	8	Thirteenth child.....	136	116	55	60	20
Fourteenth child.....	9	6	4	3	3	Fourteenth child.....	75	57	33	24	18
Fifteenth child.....	11	9	5	4	2	Fifteenth child.....	36	26	13	13	10
Sixteenth child.....	2	2	2	---	---	Sixteenth child.....	16	14	4	10	2
Eighteenth child.....	1	1	---	---	---	Seventeenth child.....	9	6	3	3	3
Nineteenth child.....	1	1	1	---	---	Eighteenth child.....	5	2	1	1	3
Twentieth child.....	1	1	---	---	---	Nineteenth child.....	4	2	1	1	2
Twenty-second child.....	1	1	---	---	---	Twentieth child.....	1	1	---	1	---
Not stated.....	2	2	1	---	---	Twenty-first child.....	1	1	---	1	---
Total.....					Total.....						
12,391	11,956	11,065	888	435	12,391	11,956	11,065	888	435		
First child.....	2,864	2,760	2,662	98	104	First child.....	2,864	2,760	2,662	98	104
Second child.....	2,331	2,264	2,126	138	67	Second child.....	2,331	2,264	2,126	138	67
Third child.....	1,694	1,646	1,544	101	48	Third child.....	1,694	1,646	1,544	101	48
Fourth child.....	1,408	1,357	1,258	98	51	Fourth child.....	1,408	1,357	1,258	98	51
Fifth child.....	1,039	998	891	107	41	Fifth child.....	1,039	998	891	107	41
Sixth child.....	819	778	712	66	41	Sixth child.....	819	778	712	66	41
Seventh child.....	651	627	549	78	24	Seventh child.....	651	627	549	78	24
Eighth child.....	510	480	417	63	30	Eighth child.....	510	480	417	63	30
Ninth child.....	367	355	307	48	12	Ninth child.....	367	355	307	48	12
Tenth child.....	260	249	222	27	11	Tenth child.....	260	249	222	27	11
Eleventh child.....	153	153	131	22	---	Eleventh child.....	153	153	131	22	---
Twelfth child.....	113	111	92	19	2	Twelfth child.....	113	111	92	19	2
Thirteenth child.....	73	72	61	11	1	Thirteenth child.....	73	72	61	11	1
Fourteenth child.....	36	35	31	4	1	Fourteenth child.....	36	35	31	4	1
Fifteenth child.....	26	25	22	3	1	Fifteenth child.....	26	25	22	3	1
Sixteenth child.....	10	10	8	2	---	Sixteenth child.....	10	10	8	2	---
Seventeenth child.....	15	15	14	1	---	Seventeenth child.....	15	15	14	1	---
Eighteenth child.....	3	3	2	1	---	Eighteenth child.....	3	3	2	1	---
Nineteenth child.....	2	2	2	---	---	Nineteenth child.....	2	2	2	---	---
Twentieth child.....	1	1	1	---	---	Twentieth child.....	1	1	1	---	---
Twenty-first child.....	1	1	---	---	---	Twenty-first child.....	1	1	---	---	---
Not stated.....	16	15	13	1	1	Not stated.....	16	15	13	1	1
Total.....					Total.....						
198,431	189,405	134,826	54,564	9,026	198,431	189,405	134,826	54,564	9,026		
First child.....	72,012	69,317	53,486	15,826	2,695	First child.....	72,012	69,317	53,486	15,826	2,695
Second child.....	51,333	49,341	35,617	13,722	1,992	Second child.....	51,333	49,341	35,617	13,722	1,992
Third child.....	28,895	27,435	18,770	8,662	1,460	Third child.....	28,895	27,435	18,770	8,662	1,460
Fourth child.....	16,517	15,541	10,392	5,148	976	Fourth child.....	16,517	15,541	10,392	5,148	976

¹ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
NEW YORK—continued						OHIO—continued					
Fifth child	9,988	9,325	5,955	3,369	663	Nineteenth child	5	5	2	3	
Sixth child	6,786	6,263	3,837	2,425	473	Twentieth child	3	3	3		
Seventh child	4,329	4,057	2,431	1,626	272	Twenty-first child	1	1	1		
Eighth child	3,021	2,825	1,604	1,222	195	Not stated	118	115	107	6	3
Ninth child	2,059	1,940	1,052	887	119	OKLAHOMA					
Tenth child	1,372	1,298	659	639	74	Total	41,039	37,553	37,089	212	3,486
Eleventh child	861	831	421	410	30	First child	12,353	11,267	11,156	44	1,086
Twelfth child	542	506	233	273	36	Second child	9,144	8,511	8,429	37	633
Thirteenth child	352	337	167	170	15	Third child	5,960	5,503	5,442	32	457
Fourteenth child	171	165	83	77	6	Fourth child	4,089	3,738	3,688	25	331
Fifteenth child	108	97	51	46	11	Fifth child	2,832	2,577	2,531	22	255
Sixteenth child	36	34	16	18	2	Sixth child	2,120	1,907	1,878	14	213
Seventeenth child	20	17	8	9	3	Seventh child	1,452	1,323	1,299	11	129
Eighteenth child	16	16	6	10		Eighth child	1,062	936	920	9	126
Nineteenth child	11	11	6	5		Ninth child	732	648	641	2	84
Twentieth child	5	5	3	2		Tenth child	496	448	437	4	48
Twenty-first child	1	1	1	1		Eleventh child	278	236	227	4	42
Twenty-third child	1	1		1		Twelfth child	185	158	155	3	27
Twenty-fourth child	1	1		1		Thirteenth child	110	92	88	1	18
Not stated	44	40	23	16	4	Fourteenth child	35	30	28	2	5
NORTH CAROLINA						Fifteenth child	24	19	18	1	5
Total	77,902	53,701	52,762	117	24,201	Sixteenth child	10	5	5		5
First child	21,595	14,631	14,001	36	6,964	Seventeenth child	4	1	1		3
Second child	14,540	10,539	10,421	19	4,001	Eighteenth child	1	1	1		
Third child	10,460	7,520	7,458	22	2,940	Nineteenth child	2	2	2		
Fourth child	8,115	5,791	5,746	15	2,324	Twentieth child	1	1	1		
Fifth child	6,107	4,348	4,323	10	1,759	Not stated	169	150	142	1	19
Sixth child	4,741	3,230	3,216	7	1,511	OREGON					
Seventh child	3,729	2,498	2,490	4	1,231	Total	12,847	12,563	11,648	907	284
Eighth child	2,842	1,815	1,803	2	1,027	First child	4,843	4,782	4,470	309	61
Ninth child	2,000	1,250	1,245	2	750	Second child	3,462	3,417	3,197	219	45
Tenth child	1,438	854	848	2	584	Third child	1,781	1,742	1,597	144	39
Eleventh child	934	535	534		399	Fourth child	999	961	879	80	38
Twelfth child	559	302	307		257	Fifth child	636	607	558	49	29
Thirteenth child	300	147	144		153	Sixth child	380	361	328	33	19
Fourteenth child	175	80	80		95	Seventh child	263	244	225	19	19
Fifteenth child	87	36	36		51	Eighth child	175	158	143	15	17
Sixteenth child	43	15	15		28	Ninth child	116	107	90	16	9
Seventeenth child	17	4	4		13	Tenth child	73	71	62	9	2
Eighteenth child	5	2	2		3	Eleventh child	30	28	24	4	2
Nineteenth child	8	2	2		6	Twelfth child	24	24	19	5	
Twentieth child	1	1	1		2	Thirteenth child	21	20	19	1	1
Twenty-first child	2	1	1		2	Fourteenth child	6	5	4	1	1
Twenty-fourth child	1	1	1		103	Fifteenth child	2	1	1		1
Not stated	203	100	90			Sixteenth child	3	3	3		1
NORTH DAKOTA						Not stated	33	32	29	3	1
Total	14,047	13,753	12,290	1,461	294	PENNSYLVANIA					
First child	3,836	3,781	3,616	165	55	Total	168,534	160,381	139,503	20,830	8,153
Second child	2,867	2,818	2,667	151	49	First child	52,003	49,776	46,284	3,472	2,227
Third child	2,067	2,030	1,854	175	37	Second child	36,335	34,770	31,506	3,260	1,565
Fourth child	1,475	1,443	1,288	155	32	Third child	23,952	22,801	20,208	2,585	1,151
Fifth child	1,084	1,060	918	142	24	Fourth child	16,254	15,328	13,106	2,221	926
Sixth child	740	720	608	112	20	Fifth child	11,368	10,744	8,926	1,815	624
Seventh child	606	582	453	129	24	Sixth child	8,348	7,849	6,285	1,562	499
Eighth child	411	397	291	105	14	Seventh child	6,042	5,674	4,308	1,365	368
Ninth child	324	305	215	90	19	Eighth child	4,435	4,174	2,972	1,202	261
Tenth child	236	230	157	73	6	Ninth child	3,342	3,130	2,101	1,027	212
Eleventh child	178	170	101	69	8	Tenth child	2,451	2,320	1,453	865	131
Twelfth child	89	86	55	31	3	Eleventh child	1,538	1,462	879	582	76
Thirteenth child	55	53	31	22	2	Twelfth child	987	941	552	389	46
Fourteenth child	43	43	22	21		Thirteenth child	518	494	286	208	24
Fifteenth child	18	17	6	11	1	Fourteenth child	275	257	154	103	18
Sixteenth child	9	9	2	7		Fifteenth child	176	169	104	65	7
Seventeenth child	1	1		1		Sixteenth child	65	62	39	23	3
Eighteenth child	1	1		1		Seventeenth child	29	28	18	10	1
Nineteenth child	2	2		1		Eighteenth child	17	17	9	8	
Twenty-first child	1	1		1		Nineteenth child	9	7	2	5	2
Not stated	4	4	3	1		Twentieth child	5	4	3	1	1
OHIO						Twenty-first child	3	2	2		1
Total	101,753	96,961	88,522	8,409	4,792	Not stated	382	372	308	60	10
First child	32,239	30,966	29,261	1,697	1,273	RHODE ISLAND					
Second child	24,041	23,079	21,303	1,767	962	Total	11,171	10,963	8,073	2,887	208
Third child	14,877	14,239	12,993	1,243	638	First child	3,483	3,438	2,880	557	45
Fourth child	9,504	9,005	8,103	901	499	Second child	2,528	2,490	1,965	525	38
Fifth child	6,501	6,092	5,367	723	409	Third child	1,596	1,573	1,150	423	23
Sixth child	4,552	4,281	3,737	544	271	Fourth child	1,072	1,038	780	281	20
Seventh child	3,329	3,084	2,629	451	245	Fifth child	713	692	481	211	21
Eighth child	2,326	2,153	1,813	339	173	Sixth child	509	494	295	198	15
Ninth child	1,581	1,465	1,210	255	116	Seventh child	364	346	202	144	13
Tenth child	1,154	1,071	880	191	83	Eighth child	265	254	130	123	11
Eleventh child	647	602	500	102	45	Ninth child	201	196	98	98	5
Twelfth child	401	369	288	81	32	Tenth child	141	134	69	65	7
Thirteenth child	228	204	158	46	24	Eleventh child	76	73	28	45	3
Fourteenth child	118	110	81	29	8	Twelfth child	66	66	24	42	
Fifteenth child	59	55	44	11	4						
Sixteenth child	43	39	28	11	4						
Seventeenth child	20	18	10	8	2						
Eighteenth child	6	5	4	1	1						

¹ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
RHODE ISLAND—continued					UTAH—continued						
Thirteenth child.....	49	49	13	36	-----	Eleventh child.....	84	81	74	7	3
Fourteenth child.....	21	20	8	12	1	Twelfth child.....	40	39	33	6	1
Fifteenth child.....	18	18	8	10	-----	Thirteenth child.....	30	30	24	6	-----
Sixteenth child.....	1	1	-----	-----	-----	Fourteenth child.....	15	14	11	3	1
Seventeenth child.....	3	3	1	2	-----	Fifteenth child.....	2	1	-----	-----	-----
Eighteenth child.....	1	1	-----	-----	-----	Sixteenth child.....	3	3	3	1	-----
Nineteenth child.....	2	2	2	-----	-----	Seventeenth child.....	1	1	-----	-----	-----
Twentieth child.....	1	1	-----	-----	-----	Twenty-first child.....	1	1	-----	-----	-----
Not stated.....	55	55	39	16	-----	Not stated.....	67	67	64	3	-----
SOUTH CAROLINA					VERMONT						
Total.....	41,518	20,072	20,005	65	21,446	Total.....	6,030	6,026	5,152	869	4
First child.....	12,835	5,832	5,817	14	7,003	First child.....	1,681	1,681	1,510	167	-----
Second child.....	8,214	4,139	4,120	19	4,075	Second child.....	1,314	1,314	1,159	154	-----
Third child.....	5,370	2,784	2,776	8	2,586	Third child.....	925	923	796	127	2
Fourth child.....	4,117	2,056	2,048	8	2,061	Fourth child.....	647	647	532	115	-----
Fifth child.....	3,089	1,555	1,549	6	1,534	Fifth child.....	415	415	356	59	-----
Sixth child.....	2,303	1,168	1,166	2	1,135	Sixth child.....	331	331	271	60	-----
Seventh child.....	1,753	849	844	5	904	Seventh child.....	225	225	172	53	-----
Eighth child.....	1,238	587	585	2	651	Eighth child.....	166	166	117	49	-----
Ninth child.....	948	455	455	-----	651	Ninth child.....	108	108	81	27	-----
Tenth child.....	653	275	275	-----	378	Tenth child.....	85	84	67	17	1
Eleventh child.....	409	164	163	1	245	Eleventh child.....	52	51	35	16	1
Twelfth child.....	283	110	110	-----	173	Twelfth child.....	37	37	25	12	-----
Thirteenth child.....	147	44	44	-----	103	Thirteenth child.....	25	25	14	11	-----
Fourteenth child.....	73	24	24	-----	49	Fourteenth child.....	9	9	8	-----	-----
Fifteenth child.....	32	10	10	-----	22	Fifteenth child.....	1	1	1	-----	-----
Sixteenth child.....	11	1	1	-----	10	Sixteenth child.....	2	2	1	1	-----
Seventeenth child.....	2	-----	-----	-----	2	Seventeenth child.....	2	2	2	-----	-----
Eighteenth child.....	1	-----	-----	-----	1	Not stated.....	5	5	5	-----	-----
Not stated.....	40	19	18	-----	21	VIRGINIA					
Total.....	13,241	12,608	11,885	653	633	Total.....	54,582	38,515	38,211	296	16,067
First child.....	3,753	3,604	3,488	99	149	First child.....	15,198	10,877	10,795	80	4,321
Second child.....	2,920	2,823	2,699	107	92	Second child.....	10,631	7,864	7,798	66	2,767
Third child.....	2,044	1,959	1,867	85	85	Third child.....	7,300	5,380	5,307	52	1,940
Fourth child.....	1,367	1,306	1,226	76	61	Fourth child.....	5,150	3,761	3,733	26	1,389
Fifth child.....	993	913	841	67	80	Fifth child.....	4,112	2,949	2,921	22	1,169
Sixth child.....	730	636	628	54	44	Sixth child.....	3,309	2,240	2,225	15	1,089
Seventh child.....	511	473	424	42	38	Seventh child.....	2,574	1,674	1,663	11	900
Eighth child.....	354	321	281	39	33	Eighth child.....	1,943	1,235	1,227	7	708
Ninth child.....	198	179	158	21	19	Ninth child.....	1,472	935	930	5	537
Tenth child.....	145	132	106	25	13	Tenth child.....	1,039	619	616	3	420
Eleventh child.....	91	85	71	13	6	Eleventh child.....	693	400	396	4	293
Twelfth child.....	56	51	44	7	5	Twelfth child.....	485	270	269	-----	-----
Thirteenth child.....	30	26	22	4	4	Thirteenth child.....	259	131	130	1	128
Fourteenth child.....	22	22	16	6	-----	Fourteenth child.....	146	71	69	2	75
Fifteenth child.....	10	10	6	4	-----	Fifteenth child.....	96	39	39	-----	-----
Sixteenth child.....	7	7	4	3	-----	Sixteenth child.....	44	22	21	1	22
Seventeenth child.....	2	2	1	-----	-----	Seventeenth child.....	32	14	13	1	18
Not stated.....	8	4	3	-----	4	Eighteenth child.....	18	8	8	-----	-----
TENNESSEE					WASHINGTON						
Total.....	52,491	44,406	44,222	151	8,085	Total.....	21,379	20,654	18,419	2,229	725
First child.....	15,430	12,878	12,822	41	2,552	First child.....	7,813	7,642	6,953	687	171
Second child.....	10,719	9,176	9,132	41	1,543	Second child.....	5,602	5,487	4,918	568	115
Third child.....	7,523	6,431	6,406	19	1,092	Third child.....	3,150	3,064	2,703	361	86
Fourth child.....	5,300	4,550	4,528	21	750	Fourth child.....	1,809	1,706	1,495	214	100
Fifth child.....	3,916	3,353	3,343	8	563	Fifth child.....	1,059	992	854	138	67
Sixth child.....	2,912	2,471	2,465	5	441	Sixth child.....	743	672	594	78	71
Seventh child.....	2,271	1,904	1,897	7	367	Seventh child.....	438	412	348	63	46
Eighth child.....	1,552	1,329	1,325	2	223	Eighth child.....	283	256	215	41	27
Ninth child.....	1,115	923	922	1	192	Ninth child.....	170	153	124	29	17
Tenth child.....	715	583	580	3	132	Tenth child.....	128	115	99	17	12
Eleventh child.....	450	363	361	2	87	Eleventh child.....	73	69	55	14	4
Twelfth child.....	249	192	191	-----	57	Twelfth child.....	35	31	26	5	4
Thirteenth child.....	134	104	103	-----	30	Thirteenth child.....	21	21	16	-----	-----
Fourteenth child.....	56	36	35	-----	20	Fourteenth child.....	12	10	10	-----	-----
Fifteenth child.....	28	25	25	-----	3	Fifteenth child.....	6	6	2	-----	-----
Sixteenth child.....	11	7	7	-----	4	Sixteenth child.....	1	1	1	-----	-----
Seventeenth child.....	5	3	3	-----	2	Seventeenth child.....	2	2	1	-----	-----
Eighteenth child.....	4	1	1	-----	3	Eighteenth child.....	2	1	1	-----	-----
Nineteenth child.....	2	2	2	-----	-----	Nineteenth child.....	1	1	-----	-----	-----
Not stated.....	99	75	74	-----	24	Twenty-first child.....	1	-----	-----	-----	-----
UTAH					WEST VIRGINIA						
Total.....	11,974	11,865	11,119	742	109	Total.....	38,803	36,597	35,689	908	2,206
First child.....	3,362	3,355	3,205	146	7	First child.....	9,843	9,323	9,231	92	520
Second child.....	2,645	2,630	2,497	133	15	Second child.....	7,386	7,035	6,903	132	351
Third child.....	1,827	1,816	1,710	106	11	Third child.....	5,664	5,362	5,248	114	302
Fourth child.....	1,296	1,283	1,182	101	15	Fourth child.....	4,098	3,849	3,746	103	244
Fifth child.....	876	861	792	69	15						
Sixth child.....	582	567	517	50	15						
Seventh child.....	451	438	400	38	13						
Eighth child.....	306	298	271	27	8						
Ninth child.....	234	232	206	26	2						
Tenth child.....	150	148	130	18	2						

¹ Includes "County not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
WEST VIRGINIA—continued					WISCONSIN—continued						
Fifth child.....	3,159	2,973	2,878	95	186	Eleventh child.....	312	311	255	56	1
Sixth child.....	2,482	2,327	2,250	77	155	Twelfth child.....	212	211	169	42	1
Seventh child.....	1,852	1,738	1,681	57	114	Thirteenth child.....	126	125	98	27	1
Eighth child.....	1,404	1,302	1,245	57	102	Fourteenth child.....	61	59	50	9	2
Ninth child.....	986	924	871	53	72	Fifteenth child.....	31	31	20	11	-----
Tenth child.....	774	715	666	49	59	Sixteenth child.....	16	16	14	2	-----
Eleventh child.....	443	418	387	31	25	Seventeenth child.....	5	5	4	1	-----
Twelfth child.....	289	266	249	17	23	Eighteenth child.....	3	3	3	-----	-----
Thirteenth child.....	192	172	158	14	20	Nineteenth child.....	1	1	1	-----	-----
Fourteenth child.....	111	99	92	7	12	Twentieth child.....	1	1	1	-----	-----
Fifteenth child.....	51	44	37	7	7	Twenty-third child.....	1	1	1	-----	-----
Sixteenth child.....	26	20	19	1	6	Not stated.....	65	63	59	3	2
Seventeenth child.....	12	9	8	1	3	WYOMING					
Eighteenth child.....	11	8	7	1	3	Total.....					
Nineteenth child.....	4	4	4	-----	-----	4,249	3,946	3,653	285	303	
Twentieth child.....	3	3	3	-----	-----	First child.....					
Twenty-first child.....	3	3	3	-----	-----	1,311	1,271	1,212	54	40	
Twenty-third child.....	1	1	1	-----	-----	979	927	865	62	52	
Twenty-fourth child.....	1	1	1	-----	-----	654	610	575	34	44	
Not stated.....	3	1	1	-----	2	431	401	363	37	30	
WISCONSIN					Second child.....						
Total.....	53,107	52,666	48,810	3,815	441	259	239	216	23	20	
First child.....	16,682	16,553	15,742	801	129	Fifth child.....	195	162	149	13	33
Second child.....	12,539	12,451	11,615	823	88	Sixth child.....	138	118	106	11	20
Third child.....	8,174	8,121	7,565	552	53	Seventh child.....	96	79	62	17	17
Fourth child.....	5,109	5,065	4,667	391	44	Eighth child.....	63	46	38	8	17
Fifth child.....	3,304	3,273	2,982	311	31	Ninth child.....	52	36	30	6	16
Sixth child.....	2,393	2,368	2,099	268	25	Tenth child.....	22	17	9	8	5
Seventh child.....	1,649	1,629	1,442	184	20	Eleventh child.....	20	17	13	4	3
Eighth child.....	1,140	1,118	961	153	24	Twelfth child.....	15	12	7	5	3
Ninth child.....	781	770	655	115	11	Thirteenth child.....	3	2	2	-----	1
Tenth child.....	502	493	427	66	9	Fourteenth child.....	3	2	1	-----	1
						Fifteenth child.....	2	1	1	-----	1
						Sixteenth child.....	2	1	1	-----	1
						Not stated.....	6	6	4	-----	-----

¹ Includes "County not stated."

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TWINS				CASES OF TWINS—Con.				CASES OF TWINS—Con.			
REGISTRATION AREA IN CONTINENTAL UNITED STATES				COLORADO—continued				ILLINOIS			
Total	25,089	21,062	4,027	Two females	61	54	7	Two males	413	392	21
Two males	8,468	7,164	1,304	Both living	58	52	6	Both living	365	351	14
Both living	7,423	6,385	1,038	One living	2	1	1	One living	31	26	5
One living	596	459	137	Both stillborn	1	1	---	Both stillborn	17	15	2
Both stillborn	449	320	129	CONNECTICUT				One male, one female	423	388	37
One male, one female	8,570	7,102	1,468	Two males	70	68	2	Both living	359	357	32
Both living	7,594	6,402	1,192	Both living	64	62	2	One living	13	12	1
One living	345	277	68	One living	3	3	---	Both stillborn	9	5	4
Both stillborn	360	267	93	Both stillborn	3	3	---	Two females	409	376	33
Two females	8,043	6,790	1,253	One male, one female	87	86	1	Both living	371	342	29
Both living	7,219	6,184	1,035	Both living	80	80	---	One living	25	21	4
One living	449	362	121	One living	2	2	---	Both stillborn	13	13	---
Both stillborn	341	244	97	Both stillborn	3	3	---	INDIANA			
Both unknown	8	6	2	Two females	72	70	2	Two males	224	214	10
Both stillborn	8	6	2	Both living	69	67	2	Both living	200	191	9
ALABAMA				One living	1	1	---	One living	17	16	1
Two males	296	182	114	Both stillborn	2	1	1	Both stillborn	7	7	---
Both living	252	162	90	Two females	10	6	4	One male, one female	195	189	6
One living	29	15	14	Both living	10	6	4	Both living	177	172	5
Both stillborn	15	5	10	One living	1	1	---	One living	9	8	1
One male, one female	311	191	120	Both stillborn	1	1	---	Both stillborn	1	1	---
Both living	261	172	89	Two males	16	13	3	Two females	207	200	7
One living	17	9	8	Both living	14	11	3	Both living	191	184	7
Both stillborn	18	5	13	One male, one female	2	2	---	One living	12	12	---
Two females	272	148	124	Both living	12	11	1	Both stillborn	4	4	---
Both living	236	131	105	One living	1	1	---	Both unknown	1	---	1
One living	22	10	12	Two females	10	6	4	Both stillborn	1	---	1
Both stillborn	14	7	7	Both living	10	6	4	IOWA			
ARIZONA				DISTRICT OF COLUMBIA				Two males	139	139	---
Two males	22	11	11	Two males	39	19	20	Both living	127	127	---
Both living	18	9	9	Both living	34	19	15	One living	4	4	---
One living	3	1	2	One living	4	---	4	Both stillborn	8	8	---
Both stillborn	1	1	---	Both stillborn	1	---	1	One male, one female	143	143	---
One male, one female	46	23	23	One male, one female	35	19	16	Both living	127	127	---
Both living	42	21	21	Both living	28	15	13	One living	5	5	---
One living	1	1	---	One living	4	2	2	Both stillborn	7	7	---
Both stillborn	2	1	1	Two females	39	24	15	Two females	147	146	1
Two females	30	17	13	Both living	35	21	14	Both living	140	139	1
Both living	28	17	11	One living	2	2	---	One living	4	4	---
One living	2	---	2	Both stillborn	2	1	1	Both stillborn	3	3	---
ARKANSAS				FLORIDA				KANSAS			
Two males	193	142	51	Two males	110	69	41	Two males	116	109	7
Both living	163	119	44	Both living	96	63	33	Both living	104	97	7
One living	14	14	---	One living	10	4	6	One living	8	8	---
Both stillborn	16	9	7	Both stillborn	4	2	2	Both stillborn	4	4	---
One male, one female	263	212	51	One male, one female	130	80	50	One male, one female	121	114	7
Both living	220	175	45	Both living	115	73	42	Both living	111	106	5
One living	13	13	---	One living	5	3	2	One living	5	5	---
Both stillborn	19	19	---	Both stillborn	5	1	4	Both stillborn	4	3	1
Two females	182	144	38	Two females	110	75	35	Both stillborn	1	---	1
Both living	155	121	34	Both living	95	68	27	Two females	113	104	9
One living	17	17	---	One living	10	6	4	Both living	109	100	9
Both stillborn	10	6	4	Both stillborn	5	1	4	One living	3	3	---
CALIFORNIA				GEORGIA				KENTUCKY			
Two males	314	247	67	Two males	274	152	122	Two males	270	254	16
Both living	283	224	59	Both living	233	136	97	Both living	246	233	13
One living	21	15	6	One living	17	10	7	One living	14	13	1
Both stillborn	10	8	2	Both stillborn	24	6	18	Both stillborn	10	8	2
One male, one female	288	240	48	One male, one female	285	169	116	One male, one female	292	278	14
Both living	258	217	41	Both living	242	154	88	Both living	254	241	13
One living	15	11	4	One living	13	6	7	One living	10	10	---
Both stillborn	6	5	1	Both stillborn	7	2	5	Both stillborn	13	12	1
Two females	300	246	54	Two females	276	150	126	Two females	15	15	---
Both living	273	229	44	Both living	234	134	100	Both living	266	247	19
One living	22	15	7	One living	18	5	13	One living	238	223	15
Both stillborn	5	2	3	Both stillborn	24	11	13	Both stillborn	14	12	2
COLORADO				IDAHO				LOUISIANA			
Two males	68	65	3	Two males	41	40	1	Two males	196	115	81
Both living	60	58	2	Both living	39	38	1	Both living	173	107	66
One living	7	6	1	One living	1	1	---	One living	9	1	8
Both stillborn	1	1	---	Both stillborn	1	1	---	Both stillborn	14	7	7
One male, one female	62	54	8	One male, one female	31	30	1	One male, one female	215	121	94
Both living	57	49	8	Both living	28	27	1	Both living	187	111	76
One living	2	2	---	One living	1	1	---	One living	5	3	2
Both stillborn	1	1	---	Both stillborn	1	1	---	Both stillborn	13	6	8
CONNECTICUT				ILLINOIS				MAINE			
Two males	70	68	2	Two males	413	392	21	Two males	59	59	---
Both living	64	62	2	Both living	365	351	14	Both living	53	53	---
One living	3	3	---	One living	31	26	5	One living	6	6	---
Both stillborn	3	3	---	Both stillborn	17	15	2	MARYLAND			
One male, one female	87	86	1	One male, one female	423	388	37	MASSACHUSETTS			
Both living	80	80	---	Both living	359	357	32	MICHIGAN			
One living	2	2	---	One living	13	12	1	MINNESOTA			
Both stillborn	3	3	---	Both stillborn	9	5	4	MISSISSIPPI			
DELAWARE				INDIANA				MISSOURI			
Two males	16	13	3	Two males	224	214	10	MONTANA			
Both living	14	11	3	Both living	200	191	9	NEBRASKA			
Both stillborn	2	2	---	One living	17	16	1	NEVADA			
One male, one female	14	13	1	Both stillborn	7	7	---	NEW HAMPSHIRE			
Both living	12	11	1	One male, one female	195	189	6	NEW JERSEY			
One living	1	1	---	Both living	177	172	5	NEW YORK			
Both stillborn	1	1	---	One living	9	8	1	NORTH CAROLINA			
Two females	10	6	4	Both stillborn	1	1	---	NORTH DAKOTA			
Both living	10	6	4	OHIO				OHIO			
DISTRICT OF COLUMBIA				OKLAHOMA				OHIO			
Two males	39	19	20	Two males	41	40	1	PENNSYLVANIA			
Both living	34	19	15	Both living	39	38	1	RHODE ISLAND			
One living	4	---	4	One living	1	1	---	SOUTH CAROLINA			
Both stillborn	1	---	1	Both stillborn	1	1	---	TENNESSEE			
One male, one female	35	19	16	One male, one female	31	30	1	TEXAS			
Both living	28	15	13	Both living	28	27	1	VIRGINIA			
One living	4	2	2	One living	1	1	---	WEST VIRGINIA			
Both stillborn	3	2	1	Both stillborn	1	1	---	WISCONSIN			
Two females	39	24	15	Two females	34	34	---	WYOMING			
Both living	35	21	14	Both living	31	31	---	WASHINGTON			
One living	2	2	---	One living	3	3	---	WEST VIRGINIA			
Both stillborn	2	1	1	Both stillborn	3	3	---	WISCONSIN			

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932—Continued

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TWINS—Con.				CASES OF TWINS—Con.				CASES OF TWINS—Con.			
MAINE—continued				MISSOURI—continued				NEW YORK			
One male, one female.....	65	63	2	One male, one female.....	230	207	23	Two males.....	746	707	39
Both living.....	61	59	2	Both living.....	195	175	20	Both living.....	691	656	35
One living.....	2	2	—	One living.....	17	15	2	One living.....	13	12	1
Both stillborn.....	2	2	—	Both stillborn.....	11	11	—	Both stillborn.....	42	39	3
Two females.....	64	64	—	Two females.....	217	201	16	One male, one female.....	622	582	40
Both living.....	55	55	—	Both living.....	189	176	13	Both living.....	592	555	37
One living.....	6	6	—	One living.....	16	13	3	One living.....	7	7	—
Both stillborn.....	3	3	—	Both stillborn.....	12	12	—	Both stillborn.....	17	15	2
MARYLAND				MONTANA				NORTH CAROLINA			
Two males.....	122	90	32	Two males.....	37	34	3	Two males.....	375	233	142
Both living.....	96	78	18	Both living.....	27	26	1	Both living.....	317	207	110
One living.....	17	7	10	One living.....	6	5	1	One living.....	31	14	17
Both stillborn.....	9	5	4	Both stillborn.....	4	3	1	Both stillborn.....	27	12	15
One male, one female.....	108	64	44	One male, one female.....	31	30	1	One male, one female.....	412	245	167
Both living.....	92	54	38	Both living.....	29	28	1	Both living.....	343	217	126
One living.....	6	3	3	Both stillborn.....	2	2	—	One living.....	18	6	12
Both stillborn.....	5	4	1	Two females.....	36	32	4	Both stillborn.....	31	15	16
Two females.....	113	81	32	Both living.....	31	27	4	Two females.....	381	252	129
Both living.....	101	73	28	One living.....	4	4	—	Both living.....	326	225	101
One living.....	5	3	2	Both stillborn.....	1	1	—	One living.....	37	19	18
Both stillborn.....	7	5	2	NEBRASKA				Both stillborn.....	18	8	10
Both unknown.....	1	1	—	Two males.....	99	97	2	NORTH DAKOTA			
Both stillborn.....	1	1	—	Both living.....	90	88	2	Two males.....	60	59	1
MASSACHUSETTS				One living.....	7	7	—	Both living.....	56	55	1
Two males.....	269	265	4	Both stillborn.....	2	2	—	One living.....	2	2	—
Both living.....	241	238	3	One male, one female.....	96	95	1	Both stillborn.....	2	2	—
One living.....	19	19	—	Both living.....	87	86	1	One male, one female.....	72	71	1
Both stillborn.....	9	8	1	One living.....	6	6	—	Both living.....	69	68	1
One male, one female.....	239	238	1	Both stillborn.....	1	1	—	One living.....	1	1	—
Both living.....	223	222	1	Two females.....	101	100	1	Both stillborn.....	2	2	—
One living.....	9	9	—	Both living.....	93	92	1	Two females.....	63	62	1
Both stillborn.....	1	1	—	One living.....	4	4	—	Both living.....	59	58	1
Two females.....	238	237	1	Both stillborn.....	4	4	—	One living.....	2	2	—
Both living.....	212	211	1	NEVADA				Both stillborn.....	2	2	—
One living.....	14	14	—	Two males.....	5	5	—	OHIO			
Both stillborn.....	12	12	—	Both living.....	2	2	—	Two males.....	417	401	16
MICHIGAN				One living.....	1	1	—	Both living.....	354	341	13
Two males.....	314	298	16	Both stillborn.....	2	2	—	One living.....	39	38	1
Both living.....	294	279	15	One male, one female.....	1	1	—	Both stillborn.....	24	22	2
One living.....	2	2	—	Both living.....	1	1	—	One male, one female.....	362	333	29
Both stillborn.....	18	17	1	Two females.....	6	5	1	Both living.....	334	310	24
One male, one female.....	239	238	1	Both living.....	4	3	1	One living.....	8	6	2
Both living.....	229	228	1	One living.....	1	1	—	Both stillborn.....	14	11	3
One living.....	1	1	—	Both stillborn.....	1	1	—	Two females.....	387	368	19
Both stillborn.....	8	8	—	NEW HAMPSHIRE				Both living.....	345	328	17
Two females.....	278	268	10	Two males.....	18	18	—	One living.....	30	28	2
Both living.....	267	259	8	Both living.....	18	18	—	Both stillborn.....	12	12	—
One living.....	1	1	—	One male, one female.....	18	18	—	Both unknown.....	1	1	—
Both stillborn.....	10	8	2	Both living.....	32	32	—	Both stillborn.....	1	1	—
MINNESOTA				Both stillborn.....	1	1	—	OKLAHOMA			
Two males.....	205	202	3	Two males.....	231	218	13	Two males.....	187	167	20
Both living.....	184	181	3	Both living.....	199	186	13	Both living.....	170	152	18
One living.....	16	16	—	One living.....	19	19	—	One living.....	9	8	1
Both stillborn.....	5	5	—	Both stillborn.....	13	13	—	Both stillborn.....	8	7	1
One male, one female.....	214	212	2	One male, one female.....	212	196	16	One male, one female.....	196	177	19
Both living.....	196	194	2	Both living.....	183	171	12	Both living.....	173	156	17
One living.....	4	4	—	One living.....	6	5	1	One living.....	10	10	—
Both stillborn.....	9	9	—	Both stillborn.....	14	11	3	Both stillborn.....	11	10	1
Two females.....	168	166	2	Two females.....	237	227	10	Two females.....	165	151	14
Both living.....	155	153	2	Both living.....	211	203	8	Both living.....	151	138	13
One living.....	12	12	—	One living.....	18	16	2	One living.....	9	9	—
Both stillborn.....	1	1	—	Both stillborn.....	8	8	—	Both stillborn.....	5	4	1
MISSISSIPPI				NEW JERSEY				OREGON			
Two males.....	225	97	128	Two males.....	231	218	13	Two males.....	42	41	1
Both living.....	186	83	103	Both living.....	199	186	13	Both living.....	38	37	1
One living.....	18	5	13	One living.....	19	19	—	One living.....	2	2	—
Both stillborn.....	21	9	12	Both stillborn.....	13	13	—	Both stillborn.....	2	2	—
One male, one female.....	238	106	132	One male, one female.....	212	196	16	One male, one female.....	33	31	2
Both living.....	193	84	109	Both living.....	183	171	12	Both living.....	25	23	2
One living.....	13	9	4	One living.....	6	5	1	One living.....	4	4	—
Both stillborn.....	17	7	10	Both stillborn.....	14	11	3	Both stillborn.....	3	3	—
Two females.....	224	96	128	Two females.....	237	227	10	Two females.....	47	47	—
Both living.....	195	89	106	Both living.....	211	203	8	Both living.....	42	42	—
One living.....	18	5	13	One living.....	18	16	2	One living.....	2	2	—
Both stillborn.....	11	2	9	Both stillborn.....	8	8	—	Both stillborn.....	3	3	—
MISSOURI				NEW MEXICO							
Two males.....	255	228	27	Two males.....	57	56	1				
Both living.....	220	204	16	Both living.....	51	51	—				
One living.....	21	18	3	One living.....	5	4	1				
Both stillborn.....	14	6	8	Both stillborn.....	1	1	—				

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932—Continued

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TWINS—Con.				CASES OF TWINS—Con.				CASES OF TRIPLETS—Con.			
PENNSYLVANIA				VERMONT—continued				REGISTRATION AREA IN CONTINENTAL UNITED STATES—Con.			
Two males.....	618	586	32	Two females.....	21	21	-----	One male, two females.....	65	53	12
Both living.....	547	520	27	Both living.....	19	19	-----	All living.....	51	44	7
One living.....	45	44	1	One living.....	1	1	-----	Two living.....	5	4	1
Both stillborn.....	26	22	4	Both stillborn.....	1	1	-----	{ 1 M, 1 F.....	2	1	1
One male, one female.....	642	594	48	VIRGINIA				{ 2 F.....	2	1	1
Both living.....	571	536	35	Two males.....	248	163	85	One living.....	2	1	1
One living.....	29	24	5	Both living.....	199	141	58	{ M.....	3	1	2
Both stillborn.....	12	8	4	One living.....	22	7	15	{ F.....	2	1	1
Two females.....	598	572	26	Both stillborn.....	27	15	12	All stillborn.....	2	2	-----
Both living.....	532	510	22	One male, one female.....	268	166	102	Three females.....	62	52	10
One living.....	39	36	3	Both living.....	233	145	88	All living.....	41	35	6
Both stillborn.....	27	26	1	One living.....	9	9	-----	Two living.....	9	8	1
RHODE ISLAND				Both stillborn.....	17	10	7	One living.....	10	7	3
Two males.....	54	52	2	{ M.....	10	7	-----	All stillborn.....	2	2	-----
Both living.....	53	51	2	{ F.....	9	2	7	ALABAMA			
Both stillborn.....	1	1	-----	Two females.....	219	145	74	Three males.....	4	4	-----
One male, one female.....	39	38	1	Both living.....	189	129	60	All living.....	2	2	-----
Both living.....	37	36	1	One living.....	20	13	7	Two living.....	1	1	-----
Both stillborn.....	1	1	-----	Both stillborn.....	10	3	7	One living.....	1	1	-----
Two females.....	33	33	-----	WASHINGTON				Two males, one female.....	3	1	2
Both living.....	31	31	-----	Two males.....	71	71	-----	All living.....	2	1	1
One living.....	2	2	-----	Both living.....	66	66	-----	One living.....	1	1	-----
SOUTH CAROLINA				One living.....	5	5	-----	One male, two females.....	3	2	1
Two males.....	188	79	109	Both stillborn.....	58	58	-----	All living.....	3	2	1
Both living.....	163	70	93	One living.....	54	54	-----	Three females.....	3	1	2
Both stillborn.....	14	9	5	{ M.....	1	1	-----	All living.....	3	1	2
One male, one female.....	251	84	167	{ F.....	2	2	-----	ARIZONA			
Both living.....	207	76	131	Both stillborn.....	1	1	-----	One male, two females.....	1	1	-----
One living.....	9	8	1	Two females.....	81	79	2	All living.....	1	1	-----
Both stillborn.....	14	5	9	Both living.....	77	75	2	ARKANSAS			
Two females.....	21	2	19	One living.....	3	3	-----	Three males.....	2	1	1
Both living.....	183	73	110	Both stillborn.....	1	1	-----	All living.....	1	1	-----
One living.....	160	69	91	One male, one female.....	183	174	9	Two males, one female.....	4	4	-----
Both stillborn.....	7	1	6	Both living.....	163	156	7	All living.....	3	3	-----
SOUTH DAKOTA				One living.....	8	8	-----	Two living.....	1	1	-----
Two males.....	59	56	3	{ M.....	8	7	1	One male, two females.....	3	2	1
Both living.....	45	44	1	{ F.....	7	7	-----	All living.....	3	2	1
One living.....	11	9	2	Both stillborn.....	4	4	-----	Three females.....	2	2	-----
Both stillborn.....	3	3	-----	Two females.....	157	145	12	All living.....	2	2	-----
One male, one female.....	58	55	3	Both living.....	147	136	11	CALIFORNIA			
Both living.....	53	50	3	One living.....	8	7	1	Three females.....	1	-----	1
One living.....	3	3	-----	Both stillborn.....	2	2	-----	All living.....	1	-----	1
Two females.....	43	42	1	WISCONSIN				COLORADO			
Both living.....	40	39	1	Two males.....	181	180	1	Three males.....	1	1	-----
Both stillborn.....	2	2	-----	Both living.....	158	158	-----	All living.....	1	1	-----
One living.....	2	2	-----	One living.....	16	15	1	One male, two females.....	1	1	-----
Both stillborn.....	1	1	-----	Both stillborn.....	7	7	-----	Two living.....	1	1	-----
TENNESSEE				One male, one female.....	248	245	3	CONNECTICUT			
Two males.....	234	190	44	Both living.....	220	217	3	Two males, one female.....	2	2	-----
Both living.....	185	154	31	One living.....	15	15	-----	Two living.....	1	1	-----
One living.....	30	24	6	{ M.....	8	8	-----	One living.....	1	1	-----
Both stillborn.....	19	12	7	{ F.....	7	7	-----	DISTRICT OF COLUMBIA			
One male, one female.....	262	217	45	Both stillborn.....	8	5	-----	Two males, one female.....	1	-----	1
Both living.....	218	183	35	Two females.....	178	177	1	All living.....	1	1	-----
One living.....	24	21	3	Both living.....	165	164	1	Three females.....	1	1	-----
Both stillborn.....	15	10	5	One living.....	6	6	-----	All living.....	1	1	-----
Two females.....	226	181	45	Both stillborn.....	7	7	-----	FLORIDA			
Both living.....	188	155	33	Two males.....	15	15	-----	Two males, one female.....	2	1	1
One living.....	22	17	5	Both living.....	10	10	-----	All living.....	1	-----	1
Both stillborn.....	16	9	7	One living.....	2	2	-----	One living.....	1	1	-----
UTAH				Both stillborn.....	3	3	-----	GEORGIA			
Two males.....	50	49	1	One male, one female.....	22	19	3	Three males.....	4	2	2
Both living.....	45	44	1	Both living.....	19	16	3	All living.....	3	1	2
Both stillborn.....	1	1	-----	One living.....	1	1	-----	Two living.....	1	1	-----
One male, one female.....	51	49	2	{ M.....	2	2	-----	One living.....	1	1	-----
Both living.....	46	45	1	{ F.....	1	1	-----	One male, two females.....	3	2	1
One living.....	2	2	-----	Both stillborn.....	7	7	-----	All living.....	3	2	1
Both stillborn.....	1	1	-----	WYOMING				Three females.....	1	1	-----
Two females.....	48	47	1	Two males.....	15	15	-----	All living.....	1	1	-----
Both living.....	43	43	-----	Both living.....	10	10	-----	ILLINOIS			
One living.....	4	3	1	One living.....	2	2	-----	Three males.....	4	3	1
Both stillborn.....	1	1	-----	Both stillborn.....	3	3	-----	All living.....	4	3	1
VERMONT				One male, one female.....	22	19	3	Two males, one female.....	4	4	-----
Two males.....	26	26	-----	Both living.....	19	16	3	All living.....	1	1	-----
Both living.....	23	23	-----	One living.....	1	1	-----	Two living.....	1	1	-----
Both stillborn.....	1	1	-----	{ M.....	2	2	-----	One living.....	1	1	-----
One male, one female.....	28	28	-----	{ F.....	1	1	-----	One male, two females.....	3	3	-----
Both living.....	24	24	-----	Two females.....	16	15	1	All living.....	3	3	-----
One living.....	2	2	-----	Both living.....	16	15	1	Three females.....	1	1	-----
Both stillborn.....	2	2	-----	One living.....	1	1	-----	All living.....	1	1	-----
REGISTRATION AREA IN CONTINENTAL UNITED STATES				CASES OF TRIPLETS				REGISTRATION AREA IN CONTINENTAL UNITED STATES—Con.			
Total.....				Total.....				Total.....			
254				254				254			
208				208				208			
46				46				46			
62				62				62			
52				52				52			
10				10				10			
6				6				6			
2				2				2			
5				5				5			
2				2				2			
65				65				65			
51				51				51			
14				14				14			
42				42				42			
31				31				31			
11				11				11			
7				7				7			
6				6				6			
3				3				3			
3				3				3			
4				4				4			
1				1				1			
1				1				1			
7				7				7			

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932—Continued

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TRIPLETS—Con.				CASES OF TRIPLETS—Con.				CASES OF TRIPLETS—Con.			
INDIANA				MISSOURI				OHIO—continued			
One male, two females.....	1	1		Three males.....	3	3		Two males, one female.....	3	3	
All living.....	1	1		All living.....	3	3		All living.....	2	2	
Three females.....	1	1		Two males, one female.....	4	4		Two living..... 1 M, 1 F.....	1	1	
All living.....	1	1		All living.....	3	3		One male, two females.....	1	1	
				One living..... M.....	1	1		All living.....	1	1	
IOWA				One male, two females.....	3	3		Three females.....	3	3	
Two males, one female.....	1	1		All living.....	3	3		All living.....	2	2	
All living.....	1	1		Three females.....	1	1		Two living.....	1	1	
One male, two females.....	3	3		All living.....	1	1					
All living.....	2	2		MONTANA				OKLAHOMA			
All stillborn.....	1	1		Three males.....	1	1		Three males.....	1	1	
KANSAS				All living.....	1	1		All living.....	1	1	
One male, two females.....	1	1		NEBRASKA				Two males, one female.....	2	2	
All living.....	1	1		One male, two females.....	1	1		Two living..... 2 M.....	1	1	
Three females.....	1	1		All living.....	1	1		All stillborn.....	1	1	
One living.....	1	1		Three females.....	1	1		One male, two females.....	3	3	
				All living.....	1	1		All living.....	3	3	
KENTUCKY				Three females.....	1	1		Three females.....	1	1	
Three males.....	2	2		All living.....	1	1		All living.....	1	1	
All living.....	2	2		NEW HAMPSHIRE				OREGON			
Two males, one female.....	2	2		Three males.....	2	2		Three males.....	2	2	
All living.....	1	1		All living.....	2	2		One living.....	1	1	
All stillborn.....	1	1		Three females.....	1	1		All stillborn.....	1	1	
One male, two females.....	1	1		All living.....	1	1		Three females.....	1	1	
All living.....	1	1		NEW JERSEY				All living.....	1	1	
Three females.....	4	4		Three males.....	1	1		PENNSYLVANIA			
All living.....	4	4		All living.....	1	1		Three males.....	4	4	
				Two males, one female.....	2	2		All living.....	5	4	
LOUISIANA				All living.....	1	1		Two males, one female.....	4	3	
Three males.....	1	1		Two living..... 2 M.....	1	1		All living.....	4	3	
Two living.....	1	1		One male, two females.....	1	1		All stillborn.....	1	1	
Two males, one female.....	1	1		All living.....	1	1		One male, two females.....	5	4	
One living..... M.....	1	1		Three females.....	1	1		All living.....	3	3	
Three females.....	1	1		All living.....	1	1		Two living..... 2 F.....	1	1	
Two living.....	1	1		Three females.....	1	1		One living..... M.....	1	1	
				All living.....	1	1		Three females.....	3	3	
				NEW MEXICO				All living.....	2	2	
MARYLAND				Two males, one female.....	1	1		Two living.....	1	1	
One male, two females.....	1	1		All living.....	1	1		RHODE ISLAND			
All living.....	1	1		One male, two females.....	2	2		Three males.....	1	1	
				All living.....	1	1		All living.....	1	1	
MASSACHUSETTS				Two living..... 1 M, 1 F.....	1	1		SOUTH CAROLINA			
Three males.....	2	2		NEW YORK				Three males.....	3	3	
All living.....	1	1		Three males.....	5	5		All living.....	2	2	
All stillborn.....	1	1		All living.....	2	2		Two living.....	1	1	
Two males, one female.....	2	2		Two living.....	1	1		All living.....	1	1	
All living.....	2	2		All stillborn.....	2	2		Two males, one female.....	4	4	
One male, two females.....	1	1		Two males, one female.....	3	2	1	All living.....	4	4	
All living.....	1	1		All living.....	1	1	1	One male, two females.....	2	2	
Three females.....	3	3		Two living..... { 2 M.....	1	1		All living.....	1	1	
All living.....	2	2		One living..... { 1 M, 1 F.....	1	1		Two living..... 2 F.....	1	1	
All stillborn.....	1	1		One male, two females.....	4	3	1	Three females.....	3	2	
				All living.....	2	1	1	All living.....	3	2	
				One living..... { M.....	1	1		SOUTH DAKOTA			
MICHIGAN				One living..... { F.....	1	1		Three males.....	1	1	
Three males.....	1	1		Three females.....	11	10	1	All living.....	1	1	
All living.....	1	1		Two living.....	4	4		TENNESSEE			
Two males, one female.....	3	3		One living.....	7	6	1	Three males.....	3	2	
All living.....	3	3		NORTH CAROLINA				All living.....	3	2	
One male, two females.....	4	4		Three males.....	4	4		Three females.....	3	3	
All living.....	4	4		All living.....	4	4		All living.....	2	2	
Three females.....	2	2		Two males, one female.....	5	2	3	Two living.....	1	1	
All living.....	2	2		All living.....	4	2	2	All living.....	1	1	
				Two living..... 2 M.....	1	1	1	Two living.....	1	1	
MINNESOTA				One male, two females.....	8	6	2	UTAH			
Three males.....	4	4		All living.....	6	5	1	Two males, one female.....	1	1	
All living.....	3	3		One living..... F.....	1	1	1	All living.....	1	1	
Two living.....	1	1		All stillborn.....	1	1		VIRGINIA			
Two males, one female.....	1	1		Three females.....	3	2	1	Two males, one female.....	2	1	
Two living..... 2 M.....	1	1		All living.....	1	1		All living.....	2	1	
One male, two females.....	1	1		Two living.....	1	1		One male, two females.....	1	1	
All living.....	1	1		One living.....	1	1		Two living..... 1 M, 1 F.....	1	1	
Three females.....	2	2		NORTH DAKOTA				WASHINGTON			
All living.....	2	2		Three males.....	1	1		Three males.....	1	1	
				All stillborn.....	1	1		All living.....	1	1	
				One male, two females.....	1	1		Three females.....	2	2	
				All living.....	1	1		All living.....	1	1	
				OHIO				All living.....	1	1	
Three males.....	1	1		Three males.....	1	1		All stillborn.....	1	1	
All living.....	1	1		All living.....	1	1					

GENERAL TABLES

TABLE 10.—STILLBIRTHS, BY MONTH: 1932

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION AREA IN CONTINENTAL UNITED STATES													
Total.....	78,351	6,993	6,645	7,081	6,634	6,847	6,427	6,467	6,566	6,131	6,344	6,059	6,217
Male.....	43,673	3,867	3,742	3,996	3,704	3,879	3,570	3,549	3,722	3,342	3,591	3,295	3,416
Female.....	33,133	2,929	2,751	2,945	2,806	2,837	2,720	2,802	2,698	2,670	2,636	2,639	2,700
Not stated.....	1,545	137	152	140	124	131	137	116	146	119	117	125	101
Cities of 10,000 or more.....	37,593	3,397	3,169	3,279	3,016	3,217	3,045	3,243	3,168	2,873	3,112	2,966	3,168
Male.....	20,631	1,858	1,724	1,870	1,682	1,779	1,659	1,772	1,750	1,537	1,741	1,585	1,674
Female.....	15,995	1,484	1,338	1,316	1,262	1,363	1,306	1,397	1,325	1,268	1,303	1,295	1,369
Not stated.....	966	85	107	93	72	75	80	74	93	68	68	86	65
Cities of 2,500 to 10,000.....	7,833	678	667	730	693	655	671	629	646	651	613	626	574
Male.....	4,422	393	403	406	379	368	392	345	356	341	346	337	326
Female.....	3,298	275	256	316	304	275	256	273	253	300	251	284	245
Not stated.....	113	10	8	8	10	12	13	11	7	10	16	5	3
Rural.....	32,925	2,858	2,809	3,072	2,925	2,975	2,711	2,595	2,752	2,607	2,619	2,467	2,535
Male.....	18,620	1,616	1,615	1,720	1,643	1,732	1,519	1,432	1,586	1,464	1,504	1,373	1,416
Female.....	13,839	1,200	1,157	1,313	1,240	1,199	1,148	1,132	1,120	1,102	1,082	1,060	1,086
Not stated.....	466	42	37	39	42	44	44	31	46	41	33	34	33
ALABAMA													
Total.....	3,089	270	273	300	260	278	282	209	259	258	237	235	228
Cities of 10,000 or more.....	637	60	57	72	48	46	56	53	49	61	38	49	48
Cities of 2,500 to 10,000.....	222	19	17	20	15	23	22	13	23	24	15	18	13
Rural.....	2,230	191	199	208	197	209	204	143	187	173	184	168	167
ARIZONA													
Total.....	216	21	14	26	25	14	15	18	18	13	20	14	18
Cities of 10,000 or more.....	71	7	5	9	2	2	4	8	7	6	8	5	8
Cities of 2,500 to 10,000.....	68	5	2	6	13	4	4	6	5	2	8	4	9
Rural.....	77	9	7	11	10	8	7	4	6	5	4	5	1
ARKANSAS													
Total.....	1,491	126	127	147	143	141	115	113	117	101	130	109	122
Cities of 10,000 or more.....	147	13	15	15	12	14	12	6	10	9	17	11	13
Cities of 2,500 to 10,000.....	118	12	13	15	13	17	5	8	5	7	8	5	10
Rural.....	1,226	101	99	117	118	110	98	99	102	85	105	98	99
CALIFORNIA													
Total.....	2,132	174	177	187	180	201	182	195	156	177	172	185	146
Cities of 10,000 or more.....	1,346	110	112	119	110	133	115	124	98	108	112	120	85
Cities of 2,500 to 10,000.....	259	19	28	24	26	24	20	26	10	21	25	27	9
Rural.....	527	45	37	44	44	44	47	45	48	48	35	38	52
COLORADO													
Total.....	559	45	54	40	44	46	45	44	48	41	55	45	52
Cities of 10,000 or more.....	241	20	14	18	17	24	22	20	21	17	24	24	20
Cities of 2,500 to 10,000.....	72	4	9	5	6	1	6	6	6	7	10	2	10
Rural.....	246	21	31	17	21	21	17	18	21	17	21	19	22
CONNECTICUT													
Total.....	685	61	56	51	62	58	47	63	55	61	65	50	56
Cities of 10,000 or more.....	556	50	41	41	47	48	36	53	46	51	52	43	48
Cities of 2,500 to 10,000.....	28	2	4	3	3	3	1	1	2	4	2	1	2
Rural.....	101	9	11	7	12	7	10	9	7	6	11	6	6
DELAWARE													
Total.....	145	19	14	13	10	9	16	12	12	13	9	11	7
Cities of 10,000 or more.....	74	9	10	8	5	5	9	5	7	4	5	5	2
Cities of 2,500 to 10,000.....	14	2	1	1	1	2	1	2	3	3	2	1	1
Rural.....	57	8	4	4	4	4	6	5	5	6	2	5	4
DISTRICT OF COLUMBIA													
Total.....	437	45	32	38	20	36	44	43	32	32	41	33	41
FLORIDA													
Total.....	1,550	124	117	113	127	133	124	115	141	148	148	148	112
Cities of 10,000 or more.....	639	45	45	45	51	55	47	57	53	74	54	62	51
Cities of 2,500 to 10,000.....	216	22	16	16	9	22	19	21	21	11	19	22	18
Rural.....	695	57	56	52	67	56	58	37	67	63	75	64	43
GEORGIA													
Total.....	3,849	305	352	372	343	327	293	302	343	318	300	312	277
Cities of 10,000 or more.....	958	83	85	79	86	87	70	68	85	82	78	79	76
Cities of 2,500 to 10,000.....	596	23	57	74	64	44	31	36	66	72	47	49	33
Rural.....	2,295	199	210	219	193	196	192	198	192	164	175	184	168
IDAHO													
Total.....	236	27	16	23	22	17	22	12	16	21	20	19	21
Cities of 10,000 or more.....	37	2	4	5	6	3	5	1	-----	2	2	3	4
Cities of 2,500 to 10,000.....	92	13	6	8	6	7	9	7	6	12	7	3	8
Rural.....	107	12	6	10	10	7	8	4	10	7	11	13	9
ILLINOIS													
Total.....	3,446	318	294	305	253	280	286	310	285	239	306	264	301
Cities of 10,000 or more.....	2,357	222	261	197	182	202	205	217	184	167	212	162	206
Cities of 2,500 to 10,000.....	335	31	29	42	22	25	30	21	32	23	25	33	22
Rural.....	754	65	64	66	54	53	51	72	69	49	69	69	73

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA													
Total.....	1,518	129	115	153	99	148	125	123	131	137	122	119	117
Cities of 10,000 or more.....	748	61	60	62	51	77	57	65	76	63	61	57	58
Cities of 2,500 to 10,000.....	175	12	13	22	13	14	11	18	9	21	13	18	11
Rural.....	595	56	42	69	35	57	57	40	46	53	48	44	48
IOWA													
Total.....	1,278	111	116	100	100	96	105	130	117	103	98	94	108
Cities of 10,000 or more.....	517	59	43	35	31	37	31	57	61	39	35	40	49
Cities of 2,500 to 10,000.....	199	17	17	12	21	12	24	19	13	12	21	11	20
Rural.....	562	35	56	53	48	47	50	54	43	52	42	43	39
KANSAS													
Total.....	894	87	73	59	80	75	76	79	73	72	73	65	82
Cities of 10,000 or more.....	336	35	26	25	28	21	33	33	23	27	26	23	36
Cities of 2,500 to 10,000.....	132	13	10	8	8	9	12	11	10	13	16	8	14
Rural.....	426	39	37	26	44	45	31	35	40	32	31	34	32
KENTUCKY													
Total.....	2,014	188	187	207	185	172	181	165	144	134	145	140	166
Cities of 10,000 or more.....	413	34	30	41	26	38	38	43	27	21	32	37	46
Cities of 2,500 to 10,000.....	218	14	21	20	26	23	23	13	14	17	22	12	13
Rural.....	1,383	140	136	146	133	111	120	109	103	96	91	91	107
LOUISIANA													
Total.....	2,186	177	163	185	208	194	159	165	193	207	184	188	163
Cities of 10,000 or more.....	711	63	52	57	60	74	50	44	76	60	56	66	58
Cities of 2,500 to 10,000.....	244	23	21	28	20	20	19	18	22	21	16	23	13
Rural.....	1,231	91	90	100	128	100	90	103	95	126	112	99	97
MAINE													
Total.....	546	48	47	63	51	43	37	45	61	36	35	40	40
Cities of 10,000 or more.....	165	17	16	20	9	13	12	17	20	11	8	15	7
Cities of 2,500 to 10,000.....	62	7	5	6	8	2	7	5	6	3	3	2	8
Rural.....	319	24	26	37	34	28	18	23	35	22	24	23	25
MARYLAND													
Total.....	1,856	163	152	153	127	162	151	153	190	142	162	150	151
Cities of 10,000 or more.....	1,000	92	95	74	69	77	82	84	108	76	81	78	84
Cities of 2,500 to 10,000.....	164	14	11	11	17	17	14	13	8	13	21	11	14
Rural.....	692	57	46	68	41	68	55	56	74	53	60	61	53
MASSACHUSETTS													
Total.....	2,328	211	189	198	209	185	183	217	181	181	182	196	196
Cities of 10,000 or more.....	2,066	185	168	179	182	167	163	189	162	158	160	175	178
Cities of 2,500 to 10,000.....	102	6	11	9	7	4	10	9	8	9	7	12	10
Rural.....	160	20	10	10	20	14	10	19	11	14	15	9	8
MICHIGAN													
Total.....	2,977	251	281	272	262	254	233	212	233	214	244	239	282
Cities of 10,000 or more.....	1,862	150	177	173	160	157	135	132	140	138	165	153	182
Cities of 2,500 to 10,000.....	305	20	19	29	40	32	33	26	23	21	22	24	17
Rural.....	809	81	85	70	62	65	65	54	70	55	57	62	83
MINNESOTA													
Total.....	1,333	106	109	123	98	121	100	101	121	105	101	111	137
Cities of 10,000 or more.....	576	48	50	56	38	50	36	43	50	48	47	46	64
Cities of 2,500 to 10,000.....	195	18	14	20	17	18	17	15	15	17	13	17	14
Rural.....	562	40	45	47	43	53	47	43	56	40	41	48	59
MISSISSIPPI													
Total.....	2,189	172	192	207	181	203	215	153	149	196	180	184	157
Cities of 10,000 or more.....	310	33	32	28	22	19	28	22	23	20	34	27	22
Cities of 2,500 to 10,000.....	188	14	25	18	16	15	30	11	8	16	9	17	9
Rural.....	1,691	125	135	161	143	169	157	120	118	160	137	140	126
MISSOURI													
Total.....	2,477	253	194	219	194	202	201	202	218	218	219	182	175
Cities of 10,000 or more.....	1,131	101	82	102	83	81	95	112	101	98	99	94	83
Cities of 2,500 to 10,000.....	217	27	16	20	21	20	17	15	13	18	13	19	18
Rural.....	1,129	125	96	97	90	101	89	75	104	102	107	69	74
MONTANA													
Total.....	254	16	24	27	21	14	19	25	27	14	24	20	23
Cities of 10,000 or more.....	79	3	9	7	4	5	5	9	5	6	12	9	5
Cities of 2,500 to 10,000.....	55	4	7	8	4	3	5	5	9	1	1	3	5
Rural.....	120	9	8	12	13	6	9	11	13	7	11	8	13
NEBRASKA													
Total.....	693	65	58	68	54	48	49	60	71	49	52	58	61
Cities of 10,000 or more.....	203	13	20	15	15	13	8	23	24	15	19	17	21
Cities of 2,500 to 10,000.....	98	12	7	10	9	3	11	9	12	5	5	7	8
Rural.....	392	40	31	43	30	32	30	28	35	29	28	34	32
NEVADA													
Total.....	60	7	8	3	3	6	3	3	8	3	7	3	6
Cities of 10,000 or more.....	16	1	3	1	2	3	1	1	1	2	2	1	3
Cities of 2,500 to 10,000.....	15	3	3	2	1	1	1	1	3	1	1	1	3
Rural.....	29	3	2	2	1	2	2	2	4	2	4	2	3

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE													
Total	300	27	29	33	20	22	20	25	25	25	21	28	25
Cities of 10,000 or more	174	17	15	22	10	15	11	14	11	16	13	18	12
Cities of 2,500 to 10,000	21	1	2	3	2	1	1	2	2	1	2	1	3
Rural	105	9	12	8	8	6	8	9	12	8	6	9	10
NEW JERSEY													
Total	2,291	212	178	194	205	204	183	204	187	159	176	187	202
Cities of 10,000 or more	1,886	174	162	168	162	167	149	165	157	134	141	159	168
Cities of 2,500 to 10,000	102	18	9	8	15	16	11	17	12	13	17	13	13
Rural	243	20	17	28	28	21	23	22	18	12	18	15	21
NEW MEXICO													
Total	389	38	37	36	36	36	37	31	49	22	27	23	17
Cities of 10,000 or more	57	9	2	8	4	5	6	5	8	4	3	1	2
Cities of 2,500 to 10,000	83	11	5	6	9	4	7	5	14	6	4	5	7
Rural	249	18	30	22	23	27	24	21	27	12	20	17	8
NEW YORK													
Total	8,258	743	668	737	681	715	692	660	723	616	664	652	707
Cities of 10,000 or more	7,151	652	587	628	584	615	608	566	599	553	586	556	617
Cities of 2,500 to 10,000	323	28	24	28	28	27	24	24	38	19	29	30	24
Rural	784	63	57	81	69	73	60	70	86	44	49	66	66
NORTH CAROLINA													
Total	3,636	311	315	363	344	333	280	334	301	315	279	235	226
Cities of 10,000 or more	821	80	73	84	74	69	60	77	76	65	49	52	62
Cities of 2,500 to 10,000	328	26	19	31	40	30	24	34	17	28	33	17	29
Rural	2,487	205	223	248	230	234	196	223	208	222	197	166	135
NORTH DAKOTA													
Total	362	26	41	38	32	39	34	30	27	23	39	15	18
Cities of 10,000 or more	69	4	9	8	7	10	2	8	6	3	7	2	3
Cities of 2,500 to 10,000	41	4	5	6	4	2	7	1	5	3	3	2	2
Rural	252	18	27	24	21	27	25	21	16	20	29	11	13
OHIO													
Total	3,453	307	319	300	252	284	281	309	299	284	257	284	277
Cities of 10,000 or more	2,206	200	206	189	154	180	193	212	189	179	163	176	165
Cities of 2,500 to 10,000	233	26	18	23	25	21	19	22	25	29	18	31	26
Rural	964	81	95	88	73	83	69	75	85	76	76	77	86
OKLAHOMA													
Total	1,056	104	91	85	85	88	95	76	81	80	72	99	100
Cities of 10,000 or more	259	28	18	24	21	17	27	17	19	16	18	27	27
Cities of 2,500 to 10,000	244	23	29	16	8	17	23	26	17	16	16	27	26
Rural	553	53	44	45	56	54	45	33	45	48	38	45	47
OREGON													
Total	322	30	28	27	24	36	24	31	26	28	19	23	26
Cities of 10,000 or more	157	11	10	17	11	18	11	20	14	12	9	16	8
Cities of 2,500 to 10,000	65	10	9	6	7	7	3	6	5	6	1	4	1
Rural	100	9	9	4	6	11	10	5	7	10	9	3	17
PENNSYLVANIA													
Total	6,021	533	523	533	519	531	486	512	488	450	500	467	479
Cities of 10,000 or more	3,486	320	307	305	284	294	281	317	292	243	297	261	265
Cities of 2,500 to 10,000	766	73	69	68	53	67	56	62	67	73	61	57	60
Rural	1,789	140	147	160	182	170	149	133	129	134	142	149	154
RHODE ISLAND													
Total	382	31	24	41	43	28	26	36	25	31	34	27	36
Cities of 10,000 or more	345	30	23	36	38	25	21	30	24	30	32	25	31
Cities of 2,500 to 10,000	14	1	1	2	2	1	3	2	1	1	1	1	1
Rural	23	1	1	3	3	2	2	4	1	1	1	1	4
SOUTH CAROLINA													
Total	2,651	213	224	252	264	270	211	227	237	206	201	174	172
Cities of 10,000 or more	478	49	36	37	45	43	34	45	35	29	52	34	39
Cities of 2,500 to 10,000	179	16	17	13	15	18	14	17	22	13	12	14	8
Rural	1,994	148	171	202	204	209	163	165	180	164	137	126	125
SOUTH DAKOTA													
Total	312	28	33	32	30	24	21	19	19	30	25	28	23
Cities of 10,000 or more	55	5	6	5	1	8	1	1	6	5	10	7	7
Cities of 2,500 to 10,000	39	5	7	2	6	3	1	1	3	3	4	2	1
Rural	218	18	20	25	23	15	17	17	15	21	16	16	15
TENNESSEE													
Total	2,097	203	180	192	181	211	156	184	160	147	180	143	160
Cities of 10,000 or more	692	63	66	53	65	68	45	60	47	70	41	54	54
Cities of 2,500 to 10,000	195	9	13	24	12	18	17	15	17	16	24	24	15
Rural	1,210	131	101	115	104	125	94	109	83	85	94	78	91
UTAH													
Total	247	27	14	24	23	24	21	16	18	22	23	14	21
Cities of 10,000 or more	101	12	7	8	8	12	8	5	7	9	9	6	10
Cities of 2,500 to 10,000	42	4	5	5	5	1	3	4	3	4	2	6	11
Rural	104	11	2	11	10	11	10	7	8	9	12	2	11

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT													
Total	184	23	23	13	15	20	18	15	13	11	9	14	10
Cities of 10,000 or more	42	6	7	3	3	4	2	4	3	1	2	4	3
Cities of 2,500 to 10,000	25	4	4	2	4	4	2	2	1	1	1	1	1
Rural	117	13	12	8	8	12	14	9	10	9	7	9	6
VIRGINIA													
Total	2,422	227	197	210	211	219	231	191	191	194	204	174	173
Cities of 10,000 or more	709	64	50	62	57	57	78	60	64	52	63	52	50
Cities of 2,500 to 10,000	176	17	15	14	13	18	19	15	12	17	15	11	10
Rural	1,537	146	132	134	141	144	134	116	115	125	126	111	113
WASHINGTON													
Total	530	45	42	48	49	46	43	47	46	34	46	46	38
Cities of 10,000 or more	311	22	23	33	31	27	29	30	23	16	28	25	24
Cities of 2,500 to 10,000	63	7	4	4	5	4	8	4	7	5	6	5	4
Rural	156	16	15	11	13	15	6	13	16	13	12	16	10
WEST VIRGINIA													
Total	1,431	138	106	118	120	124	126	122	114	119	119	92	133
Cities of 10,000 or more	296	19	28	21	17	34	24	31	34	25	24	20	19
Cities of 2,500 to 10,000	160	16	11	12	12	12	16	17	14	12	10	10	18
Rural	975	103	67	85	91	78	86	74	66	82	85	62	96
WISCONSIN													
Total	1,457	140	128	143	119	115	128	115	128	97	109	117	118
Cities of 10,000 or more	666	70	59	56	68	59	57	46	58	40	58	48	47
Cities of 2,500 to 10,000	209	22	17	21	22	19	26	16	14	14	11	15	12
Rural	582	48	52	66	29	37	45	53	56	43	40	54	59
WYOMING													
Total	112	8	11	10	10	15	6	14	10	5	9	3	11
Cities of 10,000 or more	19	1	1	1	6	3		2			3		2
Cities of 2,500 to 10,000	25	1	4	1	1	4	3	2	2	2	1		4
Rural	68	6	6	8	3	8	3	10	8	3	5	3	5
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930													
Birmingham, Ala.	251	25	26	30	22	22	19	23	12	24	9	24	15
Long Beach, Calif.	57	2	6	1	5	8	3	7	4	7	3	7	4
Los Angeles, Calif.	462	40	36	44	38	33	45	35	32	32	48	45	34
Oakland, Calif.	104	9	10	11	10	12	11	9	9	4	2	13	4
San Diego, Calif.	87	4	6	8	4	9	7	9	6		7	5	2
San Francisco, Calif.	178	13	14	16	16	23	12	14	12	20	17	11	10
Denver, Colo.	159	13	9	9	12	16	16	15	17	9	12	17	14
Bridgeport, Conn.	95	11	8	2	13	10	9	10	3	10	9	5	5
Hartford, Conn.	88	3	7	7	7	11	7	7	12	4	10	8	5
New Haven, Conn.	79	5	2	6	7	6	1	11	6	6	8	11	10
Wilmington, Del.	74	9	10	8	5	5	9	5	7	4	5	5	2
Washington, D.C.	437	45	32	38	20	36	44	43	32	32	41	33	41
Jacksonville, Fla.	177	13	14	13	15	13	10	20	12	22	12	23	10
Miami, Fla.	84	5	2	5	6	5	5	7	12	10	10	11	6
Tampa, Fla.	95	7	9	7	9	10	7	5	9	10	11	9	2
Atlanta, Ga.	320	31	31	33	28	26	19	26	23	29	29	20	25
Chicago, Ill.	1,535	128	134	118	121	141	144	139	115	114	148	104	129
Peoria, Ill.	48	6	6	3	3	4	7	3	1	2	5	3	5
Evansville, Ind.	4	4	2	4	6	9	1	7	4	4	6	6	7
Fort Wayne, Ind.	49	5	6	3	5	7	3	2	3	7	3	1	4
Gary, Ind.	57	7	2	6	3	6	2	6	8	5	4	8	
Indianapolis, Ind.	166	13	9	14	9	22	15	16	15	11	9	17	16
South Bend, Ind.	41	4	4	1	1	3	4	3	3	5	6	3	4
Des Moines, Iowa	99	9	7	7	3	6	6	17	20	10	4	3	7
Kansas City, Kans.	73	9	6	4	9	6	6	6	3	5	7	7	5
Wichita, Kans.	78	9	4	2	4	8	11	8	3	8	9	3	9
Louisville, Ky.	210	22	14	22	10	16	23	16	16	11	15	22	23
New Orleans, La.	424	30	36	33	47	34	22	32	34	29	42	42	28
Baltimore, Md.	809	75	73	66	54	65	65	68	89	55	69	64	66
Boston, Mass.	528	47	49	51	49	41	35	44	42	34	41	52	43
Cambridge, Mass.	69	6	5	6	8	6	8	7	4	5	2	8	4
Fall River, Mass.	77	4	6	8	10	4	7	8	7	7	4	7	5
Lowell, Mass.	67	4	7	7	7	5	3	10	4	5	9	2	4
Lynn, Mass.	45	7	5	3	1	3	8	4	1	2	2	7	2
New Bedford, Mass.	72	4	6	5	9	6	7	7	7	3	9	5	4
Somerville, Mass.	60	5	5	5	3	6	5	6	5	4	4	7	5
Springfield, Mass.	90	7	8	7	4	10	6	6	7	11	9	7	8
Worcester, Mass.	129	9	14	10	9	9	7	13	13	11	13	10	11
Detroit, Mich.	906	65	89	83	70	87	67	63	74	76	77	64	91
Flint, Mich.	116	12	14	9	11	8	6	7	8	6	12	12	11
Grand Rapids, Mich.	98	8	8	10	15	6	5	7	3	9	11	7	9
Duluth, Minn.	45	8	5	2	2	5	4	6	3	1	1	1	4
Minneapolis, Minn.	277	18	23	31	14	25	15	16	20	30	25	25	35
St. Paul, Minn.	152	17	9	11	12	11	15	14	8	15	13	13	13
Kansas City, Mo.	195	20	15	14	11	16	16	19	12	16	18	14	24
St. Louis, Mo.	715	59	50	63	61	53	66	70	72	61	68	56	36
Omaha, Nebr.	93	7	14	8	7	7	4	11	11	6	5	6	7
Camden, N.J.	123	7	8	18	9	5	11	8	7	6	12	16	16
Elizabeth, N.J.	85	7	8	3	6	13	8	7	5	5	7	9	7
Jersey City, N.J.	283	27	22	19	28	20	17	28	34	26	18	25	19
Newark, N.J.	335	37	27	18	28	32	32	24	30	26	22	22	37
Paterson, N.J.	107	6	11	12	10	10	9	7	8	4	11	10	9
Trenton, N.J.	93	4	7	10	7	9	9	13	6	8	6	6	6
Albany, N.Y.	75	7	6	6	3	9	5	5	5	8	5	6	9
Buffalo, N.Y.	388	35	32	32	23	34	31	29	30	25	42	33	42

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930—Continued													
New York, N.Y.-----	5,223	485	422	463	453	440	460	409	438	395	402	415	441
Bronx Borough-----	752	66	54	63	62	58	61	66	67	68	57	60	70
Brooklyn Borough-----	1,987	184	170	176	184	169	171	157	182	136	138	151	169
Manhattan Borough-----	1,913	182	157	165	155	169	179	141	150	142	170	155	148
Queens Borough-----	462	46	30	42	41	38	42	36	30	39	34	39	45
Richmond Borough-----	109	7	11	17	11	6	7	9	9	10	3	10	9
Rochester, N.Y.-----	176	13	23	14	11	21	13	12	9	16	16	13	15
Syracuse, N.Y.-----	131	7	14	10	10	10	8	12	11	7	20	12	10
Utica, N.Y.-----	67	3	5	4	7	5	5	8	6	5	4	7	8
Yonkers, N.Y.-----	54	5	4	6	2	3	5	5	4	5	6	2	7
Akron, Ohio-----	133	9	9	13	6	8	11	15	16	18	14	5	9
Canton, Ohio-----	39	2	8	7	4	3	3	2	1	1	6	2	21
Cincinnati, Ohio-----	250	29	23	20	23	12	21	28	23	21	14	15	42
Cleveland, Ohio-----	586	57	60	47	42	56	56	56	44	45	38	43	42
Columbus, Ohio-----	191	18	19	19	6	19	15	13	19	13	14	20	16
Dayton, Ohio-----	111	6	7	7	9	6	15	10	16	16	8	8	3
Toledo, Ohio-----	146	18	11	12	10	12	13	14	14	8	9	11	14
Youngstown, Ohio-----	104	8	13	9	5	13	4	11	9	7	5	12	8
Oklahoma City, Okla-----	86	9	5	7	8	8	8	2	6	4	5	14	10
Tulsa, Okla-----	49	4	3	5	2	3	3	3	3	5	3	3	9
Portland, Oreg-----	112	9	9	14	10	11	7	14	11	6	4	13	4
Erie, Pa-----	71	9	7	6	6	7	6	8	4	1	4	7	6
Philadelphia, Pa-----	1,130	92	111	104	89	100	104	113	96	79	81	81	80
Pittsburgh, Pa-----	418	34	40	35	34	29	32	42	35	34	39	31	33
Reading, Pa-----	57	6	3	2	6	7	5	3	4	4	10	6	1
Scranton, Pa-----	94	17	6	10	7	7	6	8	7	7	9	3	7
Providence, R.I.-----	176	11	9	22	22	9	10	18	13	16	17	12	17
Chattanooga, Tenn-----	164	13	14	20	10	10	17	21	12	13	12	10	12
Knoxville, Tenn-----	85	9	5	6	13	14	2	9	3	5	8	3	8
Memphis, Tenn-----	212	24	21	13	23	21	11	12	19	11	26	15	16
Nashville, Tenn-----	179	12	21	11	17	18	10	12	23	12	17	11	15
Salt Lake City, Utah-----	65	5	5	5	5	7	4	4	5	7	5	5	8
Norfolk, Va-----	121	9	6	16	10	8	9	13	18	6	13	8	5
Richmond, Va-----	203	27	15	19	14	17	24	21	15	9	15	9	18
Seattle, Wash-----	110	10	8	11	8	12	15	6	6	5	11	9	9
Spokane, Wash-----	50	1	6	3	6	5	3	7	4	3	4	5	4
Tacoma, Wash-----	33	1	2	4	1	4	5	3	3	2	4	3	1
Milwaukee, Wis-----	253	25	23	24	31	20	17	16	22	15	28	14	18

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932

AREA	All stillbirths	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
REGISTRATION AREA IN CONTINENTAL UNITED STATES														
Total.....	78,351	59,040	46,388	5,900	240	4,895	1,515	102	19,311	18,391	216	25	64	615
Male.....	43,673	32,731	25,687	3,288	125	2,732	845	54	10,942	10,406	124	15	34	363
Female.....	33,133	25,094	19,799	2,465	109	2,065	617	39	8,039	7,662	90	10	30	247
Not stated.....	1,545	1,215	902	147	6	98	53	9	330	2,323	2			5
Cities of 10,000 or more.....	37,593	30,454	20,905	4,853	156	3,594	858	88	7,139	6,770	18	21	40	290
Male.....	20,631	16,660	11,370	2,685	73	2,006	479	47	3,971	3,759	11	11	24	166
Female.....	15,966	12,978	8,992	2,026	79	1,498	351	32	3,018	2,865	7	10	16	120
Not stated.....	966	816	543	142	4	90	28	9	150	146				4
Cities of 2,500 to 10,000.....	7,833	6,182	5,330	308	16	382	141	5	1,651	1,507	34	1	5	104
Male.....	4,422	3,471	3,000	180	7	212	68	4	951	854	22	1	3	71
Female.....	3,298	2,614	2,244	127	9	169	64	1	684	637	12		2	33
Not stated.....	113	97	86	1		1	9		16	16				
Rural.....	32,925	22,404	20,153	739	68	919	516	9	10,521	10,114	164	3	19	221
Male.....	18,620	12,600	11,317	423	45	514	293	3	6,020	5,793	91	3	7	126
Female.....	13,839	9,502	8,563	312	21	398	202	6	4,337	4,160	71		12	94
Not stated.....	466	302	273	4	2	7	16		164	161	2			1
ALABAMA														
Total.....	3,089	1,337	1,292	9	1	6	29		1,752	1,752				
Cities of 10,000 or more.....	637	255	233	6	1	5	10		382	382				
Cities of 2,500 to 10,000.....	222	113	111				2		109	109				
Rural.....	2,230	969	948	3			17		1,261	1,261				
ARIZONA														
Total.....	216	98	87	3		6	2		118	11	15			92
Cities of 10,000 or more.....	71	35	30	1		3	1		36	4	3			29
Cities of 2,500 to 10,000.....	68	34	30	1		2	1		34	3				31
Rural.....	77	29	27	1		1			48	4	12			32
ARKANSAS														
Total.....	1,491	861	832	2	2	3	22		630	627	1	2		
Cities of 10,000 or more.....	147	87	84		1		2		60	59	1			
Cities of 2,500 to 10,000.....	118	68	63			2	3		50	50				
Rural.....	1,226	706	685	2	1	1	17		520	518		2		
CALIFORNIA														
Total.....	2,132	1,613	1,204	182		201	24	2	519	57	16	15	51	380
Cities of 10,000 or more.....	1,346	1,055	784	112		138	19	2	291	49	1	14	32	195
Cities of 2,500 to 10,000.....	259	191	151	22		18			68	2	4	1	4	57
Rural.....	527	367	269	48		45	5		160	6	11		15	128
COLORADO														
Total.....	559	490	415	25	2	28	18	2	69	7			2	60
Cities of 10,000 or more.....	241	225	189	11	1	14	10		16	6				10
Cities of 2,500 to 10,000.....	72	61	56	1	1	1	2		11	1				10
Rural.....	246	204	170	13		13	6	2	42			2		40
CONNECTICUT														
Total.....	685	659	355	161		129	12	2	26	26				
Cities of 10,000 or more.....	556	532	277	134		110	9	2	24	24				
Cities of 2,500 to 10,000.....	28	28	17	3		7	1		2	2				
Rural.....	101	99	61	24		12	2		2					
DELAWARE														
Total.....	145	87	75	7		2	3		58	58				
Cities of 10,000 or more.....	74	52	43	6		2	1		22	22				
Cities of 2,500 to 10,000.....	14	6	6						8	8				
Rural.....	57	29	26	1			2		28	28				
DISTRICT OF COLUMBIA														
Total.....	437	210	173	16	1	12	8		227	227				
FLORIDA														
Total.....	1,550	706	637	16		28	25		844	842	1		1	
Cities of 10,000 or more.....	639	290	256	10		17	7		349	347	1		1	
Cities of 2,500 to 10,000.....	216	111	94	3		4	10		105	105				
Rural.....	695	305	287	3		7	8		390	390				
GEORGIA														
Total.....	3,849	1,491	1,446	3		3	39		2,358	2,358				
Cities of 10,000 or more.....	958	365	353	3		1	8		593	593				
Cities of 2,500 to 10,000.....	596	213	205				8		383	383				
Rural.....	2,295	913	888			2	23		1,382	1,382				
IDAHO														
Total.....	236	223	200	4	1	10	8		13		11			2
Cities of 10,000 or more.....	37	36	29	3		2	2		1					1
Cities of 2,500 to 10,000.....	92	89	82			3	4		3		3			
Rural.....	107	98	89	1	1	5	2		9		8			1

GENERAL TABLES

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All stillbirths	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
ILLINOIS														
Total.....	3,446	3,104	2,345	387	6	292	68	6	342	302			1	39
Cities of 10,000 or more.....	2,357	2,067	1,397	356	4	255	49	6	290	255			1	34
Cities of 2,500 to 10,000.....	335	314	273	15	1	18	7		21	19				2
Rural.....	764	723	675	16	1	19	12		31	28				3
INDIANA														
Total.....	1,518	1,413	1,297	42	1	39	31	3	105	105				
Cities of 10,000 or more.....	748	659	576	36	1	29	14	3	89	89				
Cities of 2,500 to 10,000.....	175	170	169	2		3	6		5	5				
Rural.....	595	584	562	4		7	11		11	11				
IOWA														
Total.....	1,278	1,261	1,104	27	1	77	51	1	17	16				1
Cities of 10,000 or more.....	517	502	430	13	1	23	34	1	15	14				1
Cities of 2,500 to 10,000.....	199	199	176	2		14	7							
Rural.....	562	560	498	12		40	10		2	2				
KANSAS														
Total.....	894	827	755	30		23	19		67	66	1			
Cities of 10,000 or more.....	336	288	258	14		6	10		48	48				
Cities of 2,500 to 10,000.....	132	122	112	2		5	3		10	10				
Rural.....	426	417	385	14		12	6		9	8	1			
KENTUCKY														
Total.....	2,014	1,804	1,760	5	2	8	29		210	210				
Cities of 10,000 or more.....	413	326	305	4	2	7	8		87	87				
Cities of 2,500 to 10,000.....	218	184	182				2		34	34				
Rural.....	1,383	1,294	1,273	1		1	19		89	89				
LOUISIANA														
Total.....	2,186	861	749	7	81	18	6		1,325	1,324	1			
Cities of 10,000 or more.....	711	326	228	4	81	8	5		385	385				
Cities of 2,500 to 10,000.....	244	114	111	1		2			130	130				
Rural.....	1,231	421	410	2		8	1		810	809	1			
MAINE														
Total.....	546	545	383	46		96	19	1	1	1				
Cities of 10,000 or more.....	165	164	103	22		27	11	1	1	1				
Cities of 2,500 to 10,000.....	62	62	47	3		11	1							
Rural.....	319	319	233	21		58	7							
MARYLAND														
Total.....	1,856	1,211	1,091	37		56	27		645	645				
Cities of 10,000 or more.....	1,000	657	565	33		47	12		343	343				
Cities of 2,500 to 10,000.....	164	126	119			3	4		38	38				
Rural.....	692	428	407	4		6	11		264	264				
MASSACHUSETTS														
Total.....	2,328	2,274	1,245	468	1	459	88	13	54	54				
Cities of 10,000 or more.....	2,066	2,020	1,102	421	1	405	78	13	46	46				
Cities of 2,500 to 10,000.....	102	102	53	20		27	2							
Rural.....	160	152	90	27		27	8		8	8				
MICHIGAN														
Total.....	2,977	2,811	1,997	373	3	373	58	7	166	157	4	1		4
Cities of 10,000 or more.....	1,862	1,714	1,086	298	3	283	41	3	148	143	1	1		3
Cities of 2,500 to 10,000.....	306	301	253	21		23	4		5	5				
Rural.....	809	796	658	54		67	13	4	13	9	3			1
MINNESOTA														
Total.....	1,333	1,309	1,016	68		152	67	6	24	11	10			3
Cities of 10,000 or more.....	576	566	420	39		61	40	6	10	10				
Cities of 2,500 to 10,000.....	195	195	160	5		26	4							
Rural.....	562	548	436	24		65	23		14	1	10			3
MISSISSIPPI														
Total.....	2,189	678	657	3	2	4	12		1,511	1,510	1			
Cities of 10,000 or more.....	310	135	128	2		1	4		175	175				
Cities of 2,500 to 10,000.....	188	74	71	1			2		114	113	1			
Rural.....	1,691	469	458		2	3	6		1,222	1,222				
MISSOURI														
Total.....	2,477	2,125	1,911	49	2	61	101	1	352	347				5
Cities of 10,000 or more.....	1,131	871	705	46	1	52	66	1	260	255				5
Cities of 2,500 to 10,000.....	217	190	178	3		2	7		27	27				
Rural.....	1,129	1,064	1,028		1	7	28		65	65				
MONTANA														
Total.....	254	232	185	14		29	3	1	22		14			8
Cities of 10,000 or more.....	79	77	58	6		11	1	1	2					2
Cities of 2,500 to 10,000.....	55	53	44	2		6	1		2		1			1
Rural.....	120	102	83	6		12	1		18		13			5

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All still- births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
NEBRASKA														
Total.....	693	680	617	17		33	13		13	6	4		1	2
Cities of 10,000 or more.....	203	196	169	9		12	6		7	6				1
Cities of 2,500 to 10,000.....	98	97	94	1		2			1					1
Rural.....	392	387	354	7		19	7		5		4		1	
NEVADA														
Total.....	60	55	39	4	1	9	2		5	2	2			1
Cities of 10,000 or more.....	16	15	8		1	4	2		1					1
Cities of 2,500 to 10,000.....	15	13	10	2		1			2	2				
Rural.....	29	27	21	2		4			2		2			
NEW HAMPSHIRE														
Total.....	300	300	188	25	2	65	18	2						
Cities of 10,000 or more.....	174	174	101	18	2	43	8	2						
Cities of 2,500 to 10,000.....	21	21	13	2		6								
Rural.....	105	105	74	5		16	10							
NEW JERSEY														
Total.....	2,291	2,041	1,244	478	5	278	31	5	250	250				
Cities of 10,000 or more.....	1,886	1,670	972	426	1	243	24	4	216	216				
Cities of 2,500 to 10,000.....	162	148	102	24		19	3		14	14				
Rural.....	243	223	170	28	4	16	4	1	20	20				
NEW MEXICO														
Total.....	389	387	318	34		28	6	1	2	2				
Cities of 10,000 or more.....	57	56	50	3		3			1	1				
Cities of 2,500 to 10,000.....	83	83	69	4		7	2	1						
Rural.....	249	248	199	27		18	4		1	1				
NEW YORK														
Total.....	8,258	7,546	4,176	2,006	27	1,146	156	35	712	699	8	3		2
Cities of 10,000 or more.....	7,151	6,483	3,375	1,884	27	1,035	130	32	668	659	4	3		2
Cities of 2,500 to 10,000.....	323	312	218	46		41	5	2	11	11				
Rural.....	784	751	583	76		70	21	1	33	29	4			
NORTH CAROLINA														
Total.....	3,636	1,746	1,642	2	88	6	8		1,800	1,863	27			
Cities of 10,000 or more.....	821	362	335	1	24	2			459	459				
Cities of 2,500 to 10,000.....	328	176	161		13	1	1		132	150	2			
Rural.....	2,487	1,208	1,146	1	51	3	7		1,209	1,254	25			
NORTH DAKOTA														
Total.....	362	355	247	27		66	15		7		7			
Cities of 10,000 or more.....	69	69	52	3		10	4							
Cities of 2,500 to 10,000.....	41	41	31	2		6	2							
Rural.....	252	245	164	22		50	9		7		7			
OHIO														
Total.....	3,453	3,137	2,563	259	4	192	117	2	316	316				
Cities of 10,000 or more.....	2,206	1,930	1,476	218	2	157	75	2	276	276				
Cities of 2,500 to 10,000.....	283	273	248	13		9	3		10	10				
Rural.....	964	934	839	28	2	26	39		30	30				
OKLAHOMA														
Total.....	1,056	913	882		2	3	26		143	90	49			4
Cities of 10,000 or more.....	259	223	211		1	2	9		36	34	2			
Cities of 2,500 to 10,000.....	244	203	199				4		41	18	22			1
Rural.....	553	487	472		1	1	13		66	38	25			3
OREGON														
Total.....	322	314	274	9		23	8		8	1	5		1	1
Cities of 10,000 or more.....	157	154	128	6		14	6		3	1	1		1	
Cities of 2,500 to 10,000.....	65	65	61	1		3								
Rural.....	100	95	85	2		6	2		5		4			1
PENNSYLVANIA														
Total.....	6,021	5,515	4,190	733		496	92	4	506	504		2		
Cities of 10,000 or more.....	3,466	3,024	2,149	492		327	52	4	442	441		1		
Cities of 2,500 to 10,000.....	766	752	592	81		62	17		14	14				
Rural.....	1,789	1,739	1,449	160		107	23		50	49		1		
RHODE ISLAND														
Total.....	382	374	192	94		77	11		8	8				
Cities of 10,000 or more.....	345	337	176	84		70	7		8	8				
Cities of 2,500 to 10,000.....	14	14	6	3		5								
Rural.....	23	23	10	7		2	4							
SOUTH CAROLINA														
Total.....	2,651	678	654	2		1	21		1,973	1,973				
Cities of 10,000 or more.....	478	135	128	1		1	5		343	343				
Cities of 2,500 to 10,000.....	179	56	55	1					123	123				
Rural.....	1,994	487	471				16		1,507	1,507				

GENERAL TABLES

TABLE II.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All stillbirths	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
SOUTH DAKOTA														
Total	312	296	239	11	1	34	10	1	16		16			
Cities of 10,000 or more	55	55	48			3	4							
Cities of 2,500 to 10,000	39	38	29	1		6	1	1	1		1			
Rural	218	203	162	10	1	25	5		15		15			
TENNESSEE														
Total	2,097	1,473	1,410		4	7	52		624	624				
Cities of 10,000 or more	692	371	353			5	13		321	321				
Cities of 2,500 to 10,000	195	134	127		1	1	5		61	61				
Rural	1,210	968	930		3	1	34		242	242				
UTAH														
Total	247	240	208	17		14	1		7			3	4	
Cities of 10,000 or more	101	96	80	10		5	1		5			2	3	
Cities of 2,500 to 10,000	42	41	35	2		4			1			1		
Rural	104	103	93	5		5			1			1	1	
VERMONT														
Total	184	183	135	19		25	3	1	1	1				
Cities of 10,000 or more	42	42	30	7		4	1							
Cities of 2,500 to 10,000	25	24	19	1		3		1	1	1				
Rural	117	117	86	11		18	2							
VIRGINIA														
Total	2,422	1,224	1,155	5		14	50		1,198	1,198				
Cities of 10,000 or more	709	308	285	2		8	13		401	401				
Cities of 2,500 to 10,000	176	130	118			3	9		46	46				
Rural	1,537	786	752	3		3	28		751	751				
WASHINGTON														
Total	530	509	388	31		76	11	3	21	5	9	2	4	1
Cities of 10,000 or more	311	300	217	22		52	6	3	11	4	2	2	3	
Cities of 2,500 to 10,000	63	63	55	2		5	1			1	7		1	1
Rural	156	146	116	7		19	4		10					
WEST VIRGINIA														
Total	1,431	1,303	1,154	50		39	60		128	128				
Cities of 10,000 or more	296	265	225	12		9	19		31	31				
Cities of 2,500 to 10,000	160	145	132	7		3	3		15	15				
Rural	975	893	797	31		27	38		82	82				
WISCONSIN														
Total	1,457	1,437	1,177	90		132	35	3	20	7	13			
Cities of 10,000 or more	666	660	510	59		66	23	2	6	4	2			
Cities of 2,500 to 10,000	209	209	186	8		11	4			3	11			
Rural	582	568	481	23		55	8	1	14					
WYOMING														
Total	112	104	85	3		16			8	1	1			6
Cities of 10,000 or more	19	15	15						4	1				3
Cities of 2,500 to 10,000	25	24	17			7			1		1			1
Rural	68	65	53	3		9			3		1			2

STILLBIRTH STATISTICS: 1932

TABLE 12.—STILLBIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF MOTHER BY COUNTRY OF BIRTH OF FATHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

COUNTRY OF BIRTH OF MOTHER	All white stillbirths	COUNTRY OF BIRTH OF FATHER												Country stated
		United States	Foreign country											
			Total	Austria, Hungary	Canada	Denmark, Norway, and Sweden	England, Scotland, and Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total.....	59,040	48,027	9,223	708	720	389	544	563	565	2,487	873	800	1,574	1,790
Male.....	32,731	26,593	5,156	410	398	229	312	280	306	1,363	531	455	874	982
Female.....	25,094	20,495	3,857	280	311	155	226	251	245	1,073	323	319	669	742
Not stated.....	1,215	839	210	18	11	5	6	32	14	51	14	23	31	66
United States.....	51,159	46,388	3,308	209	418	251	280	129	260	742	218	253	548	1,463
Total foreign.....	7,574	1,587	5,900	498	300	137	263	433	304	1,742	655	546	1,022	87
Austria, Hungary.....	687	108	553	446	1	5	5	21	8	17	37	18	6	6
Canada.....	743	408	317	124	259	5	20	9	2	7	1	2	12	18
Denmark, Norway, Sweden.....	204	76	124	4	114	3	1	1	1	1	3	3	4	4
England, Scotland, and Wales.....	498	206	279	1	16	3	195	25	9	5	3	11	11	13
Ireland.....	604	140	452	6	11	3	28	393	7	3	3	7	7	12
Germany.....	380	99	278	6	2	6	1	2	238	4	1	9	9	3
Italy.....	1,864	144	1,712	3	6	1	1	1	3	1,687	4	1	17	8
Poland.....	753	75	673	3	2	2	2	3	3	597	3	41	18	5
Russia.....	644	122	517	6	4	1	10	3	3	27	424	18	5	5
Other foreign countries.....	1,217	209	995	13	3	5	1	3	12	22	8	22	906	13
Country not stated.....	307	52	15	1	2	1	1	1	1	3	1	4	240	

TABLE 13.—STILLBIRTHS, BY SEX, AND AGE OF PARENTS, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

SEX OF STILLBIRTHS AND AGE OF MOTHER	All stillbirths	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
Total.....	78,351	1,225	13,215	16,330	13,740	11,906	8,466	4,329	1,724	915	6,501	
Male.....	43,673	719	7,507	8,998	7,570	6,609	4,667	2,500	941	519	3,643	
Female.....	33,133	489	5,497	7,014	5,850	5,053	3,635	1,753	765	375	2,702	
Not stated.....	1,546	17	211	318	320	244	164	76	18	21	156	
Age of mother:												
10 to 14 years.....	M..... 107	20	29	4	2	1	1		1		49	
F..... 63	11	15	1	2	1	1					32	
N.s..... 7	1				1						5	
15 to 19 years.....	M..... 5,721	562	2,892	894	220	92	22	13	3	7	1,016	
F..... 4,214	398	2,114	685	179	66	20	10	10	6	726		
N.s..... 167	13	80	21	10	2					40		
20 to 24 years.....	M..... 11,026	122	4,005	4,124	1,296	486	157	78	25	23	710	
F..... 8,285	70	2,953	3,207	974	344	117	41	25	19	535		
N.s..... 387	3	113	160	44	12	2			2	50		
25 to 29 years.....	M..... 9,207	9	480	3,379	3,101	1,274	390	151	65	48	310	
F..... 7,127	7	343	2,866	2,355	986	329	116	66	25	234		
N.s..... 354		15	115	137	53	14	4	1	2	13		
30 to 34 years.....	M..... 7,242	3	73	490	2,461	2,432	1,009	362	143	86	183	
F..... 5,540	1	43	360	1,985	1,861	772	222	113	54	129		
N.s..... 293		2	18	117	77	51	11	2	5	10		
35 to 39 years.....	M..... 5,987		11	75	416	2,107	1,972	866	269	158	113	
F..... 4,591		17	59	310	1,597	1,555	625	202	117	109		
N.s..... 210			3	11	88	67	22	7	7	5		
40 to 44 years.....	M..... 2,705		2	8	48	190	1,050	880	336	146	45	
F..... 2,066		1	14	29	177	801	636	271	106	31		
N.s..... 83			1	1	10	29	33	8	1	1		
45 to 49 years.....	M..... 355				4	9	48	140	93	49	12	
F..... 257				1	7	27	100	74	44	4		
N.s..... 8						1	4	3	3			
50 to 54 years.....	M..... 5						1		2		2	
F..... 5							1		1			
N.s.....									3			
Unknown.....	M..... 1,318	3	15	24	22	18	17	10	4	2	1,203	
F..... 985	2	11	21	16	14	12	3	3	1	1	902	
N.s..... 36		1			2				1		32	

GENERAL TABLES

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Exclusive of Massachusetts, New York, and Rhode Island]

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE														Colored		
		Total	Country of birth of mother															
			United States	Foreign country													Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries				
TWENTY-SECOND CHILD																		
Total.....	5	3	3														2	
Male.....	3	1	1														2	
Female.....	2	2	2															
Not stated.....																		
Age of mother:																		
35 to 39 years.....	1																	1
40 to 44 years.....	4	3	3															1
TWENTY-THIRD CHILD																		
Total.....	2	1	1															1
Male.....	2	1	1															1
Female.....																		
Not stated.....																		
Age of mother:																		
40 to 44 years.....	2	1	1															1
TWENTY-FIFTH CHILD																		
Total.....	1																	1
Male.....	1																	1
Female.....																		
Not stated.....																		
Age of mother:																		
45 to 49 years.....	1																	1
NUMBER OF CHILD NOT STATED																		
Total.....	1,644	1,217	983	139	6	49	2	3	4	4	22	18	5	26	95	427		
Male.....	931	682	565	77	5	21	2	2	2	2	11	13	3	16	40	249		
Female.....	693	518	404	60	1	28		1	2	2	11	4	2	9	54	175		
Not stated.....	20	17	14	2								1		1	1	3		
Age of mother:																		
15 to 19 years.....	32	32	29	2		1									1	1		
20 to 24 years.....	159	134	122	11	1	6		1			1	1		1	1	1	25	
25 to 29 years.....	276	206	184	21		7	1		1	2	1	2	2	5	5	1	70	
30 to 34 years.....	196	164	137	26	1	11		1	1		2	3	1	6	1	32		
35 to 39 years.....	167	140	99	41	2	14	1	1	1	2	3	10	2	5		27		
40 to 44 years.....	51	44	33	11		4					5			2		7		
45 to 49 years.....	11	9	6	3		2			1							2		
Unknown.....	752	488	373	24	2	4					10	2		6	91	264		

TABLE 15.—STILLBIRTHS, BY CAUSE, IN CERTAIN SPECIFIED REGISTRATION STATES AND CITIES: 1932

CAUSE OF STILLBIRTH	Total	Connecticut	Illinois	New Jersey	New York	Oregon	Washington	West Virginia	District of Columbia	Baltimore, Md.
All causes	18,209	685	3,446	2,291	8,258	322	530	1,431	437	809
General diseases	749	20	186	56	330	6	14	120	12	55
Syphilis	507	12	82	38	213	3	7	91	10	51
Other general diseases	242	8	54	18	117	3	7	29	2	4
Extra-uterine pregnancy	23		2	1	19					1
Albuminuria and other diseases incident to pregnancy	1,225	51	188	127	672	19	33	85	16	34
Albuminuria	53	2	8	3	29	1	8	2		
Eclampsia	303	13	45	27	132	5	10	56	7	8
Nephritis	255	17	63	38	134	6	3	12		12
Toxemia	527	19	65	51	342	6	9	15	9	11
Other diseases incident to pregnancy	57		7	8	35	1	3			3
Antepartum hemorrhage	13	1	2	1	8				1	
Hemorrhage of uterus	47	1	10	4	30					2
Inertia of uterus	40	3	12	2	21	1	1			
Prolapse of uterus	4				2					
Retroversion of uterus	17		1		15			1		
Rupture of uterus	28	2	7	3	12	1			2	1
Malformations	1,223	81	268	133	578	17	27	97	8	16
Hydrocephalus	369	22	87	33	177	7	13	25	2	3
Spina bifida	184	9	30	13	59	1	1	21		
Other malformations	720	50	149	87	342	9	13	51	6	13
Diseases of the placenta and membranes	1,961	96	403	185	1,004	39	41	117	37	39
Placenta praevia	534	23	137	51	240	15	10	35	13	10
Separation of placenta	1,086	50	186	109	582	19	26	71	19	24
Diseases of the placenta	216	17	59	16	103	5	1	8	3	4
Premature rupture of membranes	125	6	21	9	79		4	3	2	1
Abortion, miscarriage, premature birth	1,704	42	166	144	871	13	36	271	27	134
Abortion, miscarriage, premature birth, induced, criminal	9		2		4			1		2
Abortion, miscarriage, premature birth, induced, therapeutic	169	1	3	1	158					6
Abortion, miscarriage, premature birth, self-induced	11		1	3	1					6
Abortion, miscarriage, premature birth, induced, unspecified	14		2		9				2	
Abortion, miscarriage, premature birth, spontaneous	110		9	2	73					26
Other abortions and miscarriages	573	19	61	45	340	5		33	5	65
Other premature births	818	21	88	93	286	8	36	237	20	29
Prolapse and compression of cord	1,775	81	431	163	775	55	31	198	16	25
Compression of cord	420	16	121	36	127	15	5	92	2	6
Cord around neck	512	23	109	41	269	15	7	38	5	5
Knot in cord	153	10	29	14	73	3	8	15	1	
Prolapsed cord	626	27	148	70	277	20	11	51	8	14
Twisted cord	64	5	24	2	29	2		2		
Thrombosis of cord	29	1	6	3	15	1	1	1		1
Malpresentation	874	37	185	87	383	22	33	118	2	7
Breech	501	21	93	44	227	17	22	69	2	6
Foot	23	1	9	4	7	1	1			
Knee	1				1					
Brow	1		1							
Face	49	1	11	7	14	1	2	13		
Transverse	97	4	22	10	49	1	3	7		1
Shoulder	48		13	1	20	1	2	11		
Hand	26		14	4	8					
Other and unspecified	128	10	22	17	57	1	3	18		
Difficult labor	1,769	54	354	203	823	28	21	209	13	64
Deformed pelvis	248	5	62	14	130	4	7	24		2
Instrumental delivery	200	5	52	12	89		1	37	1	3
Version	59	1	12	3	24	2		17		
Other and unspecified	1,262	43	223	174	580	22	13	131	12	59
Asphyxia of child (cause not stated)	735	32	142	96	315	6	10	33	7	94
Hydramnios	105	6	9	2	74	4		7		3
Death in utero	1,201	37	125	147	740	25	17	6	3	101
Maceration	322	24	38	33	207	1	11	3	1	4
Other deaths in utero	879	13	87	114	533	24	6	3	2	97
Traumatism and overwork	485	14	107	32	225	18	5	62	6	16
Blow	5				3					1
Fall	242	4	6	53	10	98	9	4	50	8
Shock	4				2					1
Overwork	22		5	2	13	1		1		
Other	212	8	48	20	109	7	1	11	2	6
Predisposition of mother to abortion	15	2	2		11					
Other diseases or conditions of mother	409	16	73	22	231	7	6	24	5	25
Other specified causes	367	17	103	36	165	8	7	22	3	6
Causes not specified and unknown	3,411	91	715	844	939	52	247	59	279	185

TABLE 16.—STILLBIRTHS, BY PERIOD OF UTEROGESTATION, IN CERTAIN SPECIFIED REGISTRATION STATES AND CITIES: 1932

AREA	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Total	18,209	149	295	426	769	1,272	1,871	2,539	3,572	5,851	289	1,176
Connecticut	685				19	31	64	99	111	323	8	21
Illinois	3,446	10	20	47	157	277	427	632	1,758	91	7	20
New Jersey	2,291		4	14	60	146	214	274	241	975	27	336
New York	8,258	92	193	282	464	671	825	1,037	1,031	3,355	213	95
Oregon	322				3	19	44	47	42	149	10	8
Washington	530											
West Virginia	1,431	2				45	178	41	23	36		428
District of Columbia	437						251		194	704	18	41
Baltimore, Md.	309	47	76	73	62	37	57	91	85	124	5	33
						46	62	67	87	94	1	194

TABLE 17.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1932—
Continued

[Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.]

CAUSE AND SEX OF STILLBIRTH		Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Un- known
Abortion, miscarriage, and premature birth.....	M.....	808		9	51	105	165	189	197	44	4	1	43
	F.....	572	1	2	17	49	132	177	130	29	3		32
	N.s.....	324	78	121	70	32	7	4	1		1		10
Abortion, miscarriage, premature birth, induced, criminal.....	M.....	3											
	F.....	4											
	N.s.....	4	1		2	1	1						
Abortion, miscarriage, premature birth, induced, therapeutic.....	M.....	35		1	7	13	8	3	2	1			
	F.....	8				3	3	1					
	N.s.....	126	49	51	19	5	1	1					
Abortion, miscarriage, premature birth, self-induced.....	M.....	6			1	2	2	1					
	F.....	2			1			1					
	N.s.....	3				1							2
Abortion, miscarriage, premature birth, induced, unspecified.....	M.....	10				2	6		2				
	F.....	2					1		1				
	N.s.....	2			1		1						
Abortion, miscarriage, premature birth, spontaneous.....	M.....	39		1	11	7	10	2	2	3		1	2
	F.....	18			4	5	4	3	2				
	N.s.....	53	10	21	14	5	1	1					1
Other abortions and miscarriages.....	M.....	257		7	30	81	138						1
	F.....	184	1	2	12	40	123	2					4
	N.s.....	132	18	49	34	21	4						6
Other premature births.....	M.....	458					1	182	191	40	4		40
	F.....	356						170	127	28	3		28
	N.s.....	4						2			1		1
Prolapse and compression of cord.....	M.....	1,006		1	2	17	15	36	71	256	542	24	42
	F.....	769			1	6	18	26	65	196	410	21	26
	N.s.....												
Compression of cord.....	M.....	222		1		2	4	6	11	65	118	3	12
	F.....	198					4	7	9	59	110	3	6
	N.s.....												
Cord around neck.....	M.....	297				5	2	8	23	78	160	13	8
	F.....	215				4	3	2	17	52	121	6	10
	N.s.....												
Knot in cord.....	M.....	93					2	5	9	20	53		4
	F.....	60				1	2	2	10	7	29	5	4
	N.s.....												
Prolapsed cord.....	M.....	368			2	10	6	17	22	82	201	8	18
	F.....	260			1	1	7	9	23	66	140	7	6
	N.s.....												
Twisted cord.....	M.....	28					1		6	11	10		
	F.....	36					2	6	6	12	10		
	N.s.....												
Thrombosis of cord.....	M.....	12							1	6	5		
	F.....	17				1			1	2	12		1
	N.s.....												
Malpresentation.....	M.....	527			1		2	16	27	122	313	12	34
	F.....	346			1		1	10	16	70	224	5	19
	N.s.....	1									1		
Breech.....	M.....	301			1		2	7	14	65	181	8	23
	F.....	199			1		1	5	8	35	132	3	14
	N.s.....	1									1		
Foot.....	M.....	15						2	2	5	4		2
	F.....	8								3	5		
	N.s.....												
Knee.....	M.....	1									1		
	F.....												
	N.s.....												
Brow.....	M.....	1								1			
	F.....												
	N.s.....												
Face.....	M.....	37							1	12	20	1	3
	F.....	12								2	10		
	N.s.....												
Transverse.....	M.....	53						4	4	14	32	1	2
	F.....	44						1	6	10	26		1
	N.s.....												
Shoulder.....	M.....	34						3	2	8	19	1	1
	F.....	14						1	1	5	6		1
	N.s.....												
Hand.....	M.....	15						1	2	5	6		1
	F.....	11						1	1	3	6		
	N.s.....												
Other and unspecified.....	M.....	71						3	2	13	50	1	2
	F.....	57						2		11	39	2	3
	N.s.....												
Difficult labor.....	M.....	1,109		1		1	3	8	37	238	743	44	34
	F.....	659					1	5	15	145	438	32	23
	N.s.....												
Deformed pelvis.....	M.....	165					1	2	5	45	103	4	5
	F.....	83						2	1	18	52	6	4
	N.s.....												
Instrumental delivery.....	M.....	118					2	1	1	34	74	6	
	F.....	82					1	1		20	51	6	3
	N.s.....												
Version.....	M.....	40							3	6	28	1	2
	F.....	19								3	15		1
	N.s.....												
Other and unspecified.....	M.....	786		1		1		5	28	153	538	33	27
	F.....	475						2	14	104	320	20	15
	N.s.....	1								1			

GENERAL TABLES

TABLE 17.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1932—Continued

[Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.]

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Un-known	
Asphyxia of child (cause not stated)	M	424	2	8	14	16	21	26	47	89	172	9	20
	F	297		1		10	12	18	37	56	137	6	20
	N.s.	14	2	8		2					1		1
Hydramnios	M	56				4	14	8	6	15	8	1	
	F	49				4	5	8	10	4	14	1	3
	N.s.												
Death in utero	M	644	1	6	12	25	66	79	113	128	181	11	22
	F	510	2	2	4	15	44	74	102	99	146	14	8
	N.s.	47	7	16	12	9	2			1			
Maceration	M	175	1		1	4	7	10	30	34	71	7	10
	F	138			1	3	4	22	25	35	41	6	1
	N.s.	9		2	2	3							
Other deaths in utero	M	469		6	11	21	59	69	83	94	110	4	12
	F	372	2	2	3	12	40	52	77	64	105	8	7
	N.s.	38	7	14	10	6				1			
Traumatism and overwork	M	257	1	2	21	30	43	47	40	45	24		4
	F	203		1	3	16	38	33	55	28	25	2	2
	N.s.	25	3	7	5	5	3						1
Blow	M	2						1			1		
	F	3							1	1			
	N.s.												
Fall	M	125			6	16	15	25	23	22	16		2
	F	101		1	1	8	18	12	26	18	15	1	1
	N.s.	16	1	5	2	4	3						
Shock	M	4			1	1			2				
	F												
	N.s.												
Overwork	M	12		1	1	2	1	4	1	2			
	F	10				1	1	2	4	2			
	N.s.												
Other	M	114	1	1	13	11	27	17	14	21	7		2
	F	89			2	7	18	19	24	7	10	1	1
	N.s.	9	2	2	3	1							
Predisposition of mother to abortion	M	7			1	1	4	1					
	F	6			1	1	4						
	N.s.	2		1	1								
Other diseases or conditions of mother	M	190		2	6	22	32	28	34	30	29		7
	F	183				8	32	40	35	32	28		8
	N.s.	36	8	9	6	5	1	2		1			3
Other specified causes	M	208				2	6	9	29	56	94	5	7
	F	157			1	4	4	10	15	43	70	6	4
	N.s.	2				1				1			
Causes not specified and unknown	M	1,880	3	21	63	121	164	193	225	308	414	21	347
	F	1,387		4	10	74	130	153	192	251	328	11	234
	N.s.	144	23	39	42	15	12	3	1	1			8

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX AND COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	All deaths	WHITE														Negro	Other colored
		Country of birth of mother															
		Total	United States	Foreign country											Country not stated		
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries			
All causes	119,431	96,250	84,555	10,142	817	1,252	306	591	763	529	2,180	1,010	717	1,977	1,553	20,171	3,010
Male	67,839	55,035	48,439	5,692	473	694	191	327	456	288	1,192	566	410	1,097	904	11,150	1,654
Female	51,592	41,215	36,116	4,450	344	558	115	264	307	243	988	444	307	880	649	9,021	1,356
Measles (7):																	
Male	242	215	188	26		2	1		1		16	2		4	1	23	4
Female	188	174	133	38	5	4		4			14	4		7	3	12	2
Scarlet fever (8):																	
Male	47	45	42	3				1			1	1				2	
Female	37	36	34	2							2					1	
Whooping cough (9):																	
Male	1,512	1,177	1,073	94	11	14	3	2	4	8	20	9	2	21	10	296	39
Female	1,693	1,281	1,158	116	9	18	2	6	10	1	34	12	2	21	8	354	58
Diphtheria (10):																	
Male	237	197	179	13	2				3	1	5			2	5	34	6
Female	164	138	127	10		1					4			4	1	25	1
Influenza (11):																	
Male	2,095	1,633	1,508	101	9	6	6	6	1	6	15	15	4	33	24	387	75
Female	1,647	1,287	1,183	94	14	5		3	3	8	18	11	6	26	10	300	60
Dysentery (13):																	
Male	288	212	203	4	2						1	1			5	53	23
Female	191	137	129	6							1				2	48	6
Erysipelas (15):																	
Male	283	270	228	32	2	1	1	2	2	2	5	5	6	6	10	9	4
Female	246	231	193	35		1		2	8	4	7	2	4	7	3	9	6
Epidemic cerebrospinal meningitis (18):																	
Male	141	123	100	22	1	1				2	1	7	3	2	5	16	2
Female	120	105	87	17	3	1				1		8	2	2	1	15	
Tetanus (22):																	
Male	83	43	42	1												38	2
Female	44	19	18	1												28	2
Tuberculosis of the respiratory system (23):																	
Male	168	97	80	16	1	1	3		2		2	1	2	4	1	49	22
Female	142	80	70	6	1				2	1	1			1	4	48	14
Tuberculosis of the meninges, etc. (24):																	
Male	166	142	114	24	1	6	2	1	3	1	4	2		4	4	16	8
Female	152	128	114	13	1	2			1		2	1	2	4	1	18	6
Other forms of tuberculosis (25-32):																	
Male	108	70	56	13		3				1	2		1	2	1	30	8
Female	80	48	42	6	1	1				1				2		24	8
Syphilis (34):																	
Male	886	446	403	34	1	3	2	2	1		14		1	10	9	407	33
Female	718	337	295	28	2	5	1	2	2		4	2	2	8	14	357	24
Convulsions (86):																	
Male	407	305	280	25	4	2	2	1		1	5	3	2	5		98	4
Female	271	171	147	23	4	2	2			1	6		3	5	1	97	3
Bronchitis (106):																	
Male	349	279	238	38	4	2	1	1	3	3	8	7		9	3	51	19
Female	288	208	162	43	7	4		1	1	1	4	11	2	12	3	66	14
Broncho-pneumonia (107):																	
Male	6,742	5,388	4,498	788	70	84	18	33	47	34	201	81	52	168	102	1,093	261
Female	5,076	4,022	3,319	628	51	69	13	30	36	26	162	72	43	126	75	858	196
Lobar and unspecified pneumonia (108, 109):																	
Male	2,534	1,859	1,583	247	21	20	2	17	18	6	77	21	21	44	29	574	101
Female	1,976	1,436	1,214	199	21	16	3	10	13	5	60	10	19	42	23	449	91
Diseases of the stomach (117, 118):																	
Male	278	193	179	12	1	2		1	1			3	2	2	2	74	11
Female	235	160	148	7	1	2					2			2	5	63	12
Diarrhea and enteritis (119):																	
Male	6,085	4,873	4,286	495	56	50	10	15	38	20	87	63	34	122	92	906	306
Female	4,706	3,645	3,232	349	40	29	6	13	30	15	67	35	24	90	64	795	266
Intestinal obstruction (122b):																	
Male	510	451	382	64	6	10	2	1	3	4	14	5	3	16	5	53	6
Female	337	295	259	35		2		4	3	9	4	2	7	7	1	32	10
Congenital malformations (157):																	
Male	6,015	5,652	4,950	640	47	95	31	39	71	29	124	59	52	93	62	291	72
Female	4,877	4,597	4,049	495	31	71	17	28	40	25	124	51	33	75	53	219	61
Congenital debility, icterus, sclerema (158, 161 b, c):																	
Male	2,793	2,134	1,933	168	22	21	6	9	7	11	33	21	5	33	33	580	79
Female	1,962	1,444	1,292	131	12	26	2	5	6	5	35	16	3	21	21	452	66
Premature birth (159):																	
Male	18,524	15,776	14,154	1,384	112	205	61	87	112	77	236	134	119	241	238	2,488	260
Female	14,188	11,914	10,630	1,132	72	172	35	89	67	82	217	102	85	211	152	2,087	187
Injury at birth (160):																	
Male	5,913	5,405	4,635	708	36	90	18	48	68	39	153	66	61	129	62	444	64
Female	3,641	3,335	2,812	481	29	68	17	37	41	36	100	53	34	66	42	266	40
Other diseases of early infancy (161 a, d):																	
Male	2,250	1,860	1,576	254	20	27	8	26	27	12	55	18	13	48	30	344	46
Female	1,644	1,389	1,197	168	16	21	4	14	16	8	27	16	9	37	24	212	43
External causes (172-198, 201-214):																	
Male	1,080	852	739	53	3	7	4	5	5	1	9	4		15	60	193	35
Female	864	662	555	45	1	4	1	1	4	3	8	6	3	14	62	172	30
Unknown or ill-defined diseases (199, 200):																	
Male	4,184	2,073	1,970	44	3	3	2		2	2	6	5	9	12	59	2,045	66
Female	3,250	1,579	1,489	46	2	5	2	1		2	3	3	7	21	44	1,604	67
All other causes:																	
Male	3,919	3,265	2,820	389	38	39	8	27	36	27	90	37	18	69	56	556	98
Female	2,855	2,357	2,028	297	21	29	10	14	20	16	68	31	23	65	32	415	88

GENERAL TABLES

TABLE 19.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, BY SEX AND COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AGE AND SEX	All deaths	WHITE														Negro	Other colored
		Country of birth of mother															
		Total	United States	Foreign country											Country not stated		
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries			
Under 1 year	119,431	96,250	84,555	10,142	817	1,252	306	591	763	529	2,180	1,010	717	1,977	1,553	20,171	3,010
Male	67,839	55,035	48,439	5,692	473	694	191	327	456	286	1,192	566	410	1,097	904	11,150	1,654
Female	51,592	41,215	36,116	4,450	344	558	115	264	307	243	988	444	307	880	649	9,021	1,356
Under 1 day	31,050	26,675	23,716	2,541	159	373	82	190	219	160	479	239	195	445	418	4,032	343
Male	17,807	15,375	13,711	1,407	96	204	49	96	134	81	258	131	119	239	257	2,232	200
Female	13,243	11,300	10,005	1,134	63	169	33	94	85	79	221	108	76	206	161	1,800	143
1 day	7,894	6,598	5,815	683	49	93	27	46	42	41	157	65	57	106	100	1,184	112
Male	4,617	3,881	3,433	400	26	57	15	25	28	23	98	35	29	64	48	667	69
Female	3,277	2,717	2,382	283	23	36	12	21	14	18	59	30	28	42	52	517	43
2 days	5,389	4,395	3,831	505	38	69	17	34	33	27	104	50	36	97	59	878	116
Male	3,182	2,607	2,302	277	23	30	12	21	21	14	63	28	19	46	28	506	69
Female	2,207	1,788	1,529	228	15	39	5	13	12	13	41	22	17	51	31	372	47
3 to 6 days	9,749	7,853	6,888	847	79	101	32	63	72	55	145	75	63	162	118	1,670	226
Male	5,822	4,689	4,116	500	51	62	16	41	42	32	85	45	33	93	73	995	138
Female	3,927	3,164	2,772	347	28	39	16	22	30	23	60	30	30	69	45	675	88
1 week	7,060	5,582	4,948	535	45	73	14	26	31	33	106	59	49	99	99	1,341	137
Male	3,931	3,121	2,773	289	21	37	9	13	18	18	50	31	32	60	59	737	73
Female	3,129	2,461	2,175	246	24	36	5	13	13	15	56	28	17	39	40	604	64
2 weeks	4,536	3,628	3,194	377	38	30	12	14	46	23	64	48	39	63	57	813	95
Male	2,512	2,020	1,779	210	23	20	9	8	23	10	33	25	26	33	31	444	45
Female	2,024	1,608	1,415	167	15	10	3	6	23	13	31	23	13	30	26	369	47
3 weeks but under 1 month	3,818	3,006	2,636	322	29	41	8	20	26	11	64	27	27	69	48	718	94
Male	2,110	1,695	1,490	180	17	25	6	12	17	5	32	16	13	37	25	362	53
Female	1,708	1,311	1,146	142	12	16	2	8	9	6	32	11	14	32	23	356	41
Under 1 month	69,496	57,737	51,028	5,810	437	780	192	393	469	350	1,119	563	466	1,041	899	10,636	1,123
Male	39,981	33,388	29,604	3,263	257	435	116	216	283	183	619	311	271	572	521	5,943	650
Female	29,515	24,349	21,424	2,547	180	345	76	177	186	167	500	252	195	469	378	4,693	473
1 month	9,707	7,587	6,682	756	61	98	22	39	63	35	145	76	68	149	149	1,828	292
Male	5,649	4,441	3,884	463	41	59	12	27	41	20	75	53	40	95	94	1,041	167
Female	4,058	3,146	2,798	293	20	39	10	12	22	15	70	23	28	54	55	787	125
2 months	7,368	5,736	5,031	595	59	61	14	26	49	24	146	56	28	132	110	1,403	229
Male	4,095	3,234	2,845	328	31	30	9	14	32	13	85	33	16	65	61	751	110
Female	3,273	2,502	2,186	267	28	31	5	12	17	11	61	23	12	67	49	652	119
3 months	5,948	4,524	3,952	492	45	58	16	15	40	27	113	48	24	106	80	1,182	242
Male	3,278	2,524	2,211	263	30	31	10	6	21	12	50	25	14	64	50	629	125
Female	2,670	2,000	1,741	229	15	27	6	9	19	15	63	23	10	42	30	553	117
4 months	4,820	3,672	3,177	429	41	44	8	20	23	23	98	53	24	95	66	973	175
Male	2,693	2,066	1,813	230	20	19	6	11	14	12	59	28	14	47	43	522	85
Female	2,127	1,586	1,364	199	21	25	2	9	9	11	39	25	10	48	23	451	90
5 months	4,118	3,125	2,657	414	46	41	11	20	19	18	93	56	18	92	54	799	194
Male	2,236	1,726	1,460	240	24	24	5	12	10	11	51	34	10	59	26	409	101
Female	1,882	1,399	1,197	174	22	17	6	8	9	7	42	22	8	33	28	390	93
6 months	3,814	2,860	2,469	340	32	36	11	19	20	11	85	33	17	76	51	798	156
Male	2,097	1,568	1,349	191	13	16	11	11	10	9	50	24	11	36	28	434	95
Female	1,717	1,292	1,120	149	19	20	—	8	10	2	35	9	6	40	23	364	61
7 months	3,268	2,518	2,186	298	27	34	10	11	13	9	82	23	15	74	34	613	137
Male	1,807	1,389	1,202	167	14	21	9	6	7	4	52	8	7	39	20	343	75
Female	1,461	1,129	984	131	13	13	1	5	6	5	30	15	8	35	14	270	62
8 months	3,030	2,345	2,023	285	22	32	8	9	23	10	88	28	19	46	37	562	123
Male	1,680	1,304	1,125	157	15	19	3	8	12	5	38	16	10	31	22	316	60
Female	1,350	1,041	898	128	7	13	5	1	11	5	50	12	9	15	15	246	63
9 months	2,831	2,216	1,924	265	16	23	8	11	19	10	70	31	20	57	27	502	113
Male	1,541	1,205	1,047	145	10	12	5	6	11	8	39	14	11	29	13	276	60
Female	1,290	1,011	877	120	6	11	3	5	8	2	31	17	9	28	14	226	53
10 months	2,555	1,988	1,730	233	18	18	5	16	13	6	63	26	10	58	25	449	118
Male	1,424	1,110	966	129	11	12	4	8	9	5	31	11	4	34	15	252	62
Female	1,131	878	764	104	7	6	1	8	4	1	32	15	6	24	10	197	56
11 months	2,476	1,942	1,696	225	13	27	1	12	12	6	78	17	8	51	21	426	108
Male	1,358	1,060	933	116	7	16	1	2	6	4	43	9	2	26	11	234	64
Female	1,118	882	763	109	6	11	—	10	6	2	35	8	6	25	10	192	44

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR OF AGE													
All causes.....	119,431	10,095	9,948	11,412	9,896	10,042	9,566	9,717	9,304	8,769	9,112	9,640	11,930
Measles (7).....	430	28	49	69	68	83	48	24	10	8	11	11	21
Scarlet fever (8).....	84	10	7	10	8	5	8	4	5	7	7	12	8
Whooping cough (9).....	3,205	239	299	453	342	364	348	270	222	197	144	149	178
Diphtheria (10).....	401	42	45	37	33	24	14	18	11	23	44	69	51
Influenza (11).....	3,742	272	389	537	353	192	94	52	62	75	169	364	1,183
Dysentery (13).....	479	19	10	14	7	33	77	112	65	50	54	28	10
Erysipelas (15).....	529	50	69	64	65	54	37	33	19	26	32	37	43
Epidemic cerebrospinal meningitis (18).....	261	36	31	20	26	17	14	27	11	17	18	19	25
Tetanus (22).....	127	8	12	5	9	14	11	14	16	17	8	6	7
Tuberculosis of the respiratory system (23).....	310	22	25	24	26	27	42	21	30	28	16	24	25
Tuberculosis of the meninges, etc. (24).....	318	22	35	29	36	46	31	28	22	17	12	19	21
Other forms of tuberculosis (25-32).....	188	21	10	19	21	15	13	15	19	15	16	12	12
Syphilis (34).....	1,604	160	130	143	132	139	108	124	137	108	132	158	133
Convulsions (36).....	678	67	51	78	58	64	47	56	62	51	46	56	42
Bronchitis (106).....	637	65	64	75	48	52	31	27	24	33	42	79	97
Broncho-pneumonia (107).....	11,818	1,183	1,176	1,390	1,091	1,000	601	454	423	533	870	1,186	1,911
Lobar and unspecified pneumonia (108, 109).....	4,510	455	494	584	414	322	227	163	145	180	332	470	724
Diseases of the stomach (117, 118).....	513	41	29	43	37	46	55	37	47	47	57	38	36
Diarrhea and enteritis (119).....	10,791	538	509	518	543	749	1,198	1,664	1,530	1,336	1,057	645	504
Intestinal obstruction (122b).....	847	57	73	67	84	74	70	83	81	82	72	63	61
Congenital malformations (157).....	10,892	941	859	964	906	937	885	915	889	777	879	902	978
Congenital debility, icterus, sclerema (158, 161 b, c).....	4,755	430	383	418	366	406	395	392	446	392	371	376	380
Premature birth (159).....	32,712	2,707	2,578	2,968	2,764	2,969	2,840	2,819	2,746	2,506	2,397	2,578	2,840
Injury at birth (160).....	9,554	870	854	856	782	789	794	810	801	776	756	711	755
Other diseases of early infancy (161 a, d).....	3,894	331	333	375	340	354	292	325	330	309	310	278	317
External causes (172-198, 201-214).....	1,944	170	181	210	159	145	148	159	133	143	151	143	202
Unknown or ill-defined diseases (199, 200).....	7,434	644	629	752	639	554	600	627	550	538	599	573	729
All other causes.....	6,774	667	624	690	559	538	538	444	473	480	510	584	637

UNDER 1 DAY													
All causes.....	31,050	2,582	2,412	2,731	2,623	2,834	2,786	2,769	2,671	2,393	2,347	2,337	2,535
Measles (7).....	5	1	3	1	1	1	1	1	1	1	1	1	1
Scarlet fever (8).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria (10).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza (11).....	14	1	1	1	1	1	1	3	1	1	1	1	5
Dysentery (13).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Erysipelas (15).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Epidemic cerebrospinal meningitis (18).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tetanus (22).....	2	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	3	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the meninges, etc. (24).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other forms of tuberculosis (25-32).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis (34).....	212	24	16	16	23	18	12	16	18	10	15	20	24
Convulsions (36).....	26	1	2	3	1	4	1	4	1	3	1	3	2
Bronchitis (106).....	2	2	2	2	2	2	2	2	2	2	2	2	2
Broncho-pneumonia (107).....	48	3	6	5	5	3	4	2	2	1	2	7	5
Lobar and unspecified pneumonia (108, 109).....	17	1	1	1	1	1	1	1	3	2	3	2	2
Diseases of the stomach (117, 118).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhea and enteritis (119).....	11	1	1	3	3	1	1	1	1	1	2	1	1
Intestinal obstruction (122b).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Congenital malformations (157).....	2,624	230	171	213	219	240	233	246	213	194	234	214	217
Congenital debility, icterus, sclerema (158, 161 b, c).....	784	31	57	74	69	75	65	60	80	49	60	52	62
Premature birth (159).....	19,196	1,523	1,474	1,678	1,622	1,807	1,766	1,754	1,641	1,497	1,370	1,476	1,588
Injury at birth (160).....	4,705	412	391	411	361	410	420	419	435	381	375	336	354
Other diseases of early infancy (161 a, d).....	1,572	137	126	143	134	132	129	131	134	129	128	108	141
External causes (172-198, 201-214).....	159	15	16	12	18	11	11	16	8	14	16	8	14
Unknown or ill-defined diseases (199, 200).....	1,503	140	137	150	156	113	128	131	120	100	125	101	102
All other causes.....	165	12	14	19	10	16	16	12	15	12	14	8	17

1 DAY													
All causes.....	7,894	636	647	756	613	669	661	701	661	647	587	612	674
Measles (7).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet fever (8).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria (10).....	4	2	1	1	1	1	1	1	1	1	1	1	1
Influenza (11).....	5	2	1	1	1	1	1	1	1	1	1	1	1
Dysentery (13).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Erysipelas (15).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Epidemic cerebrospinal meningitis (18).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tetanus (22).....	3	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the meninges, etc. (24).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other forms of tuberculosis (25-32).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis (34).....	45	3	3	9	3	4	1	4	5	1	4	5	8
Convulsions (36).....	36	2	2	5	1	5	1	2	5	7	3	3	3
Bronchitis (106).....	4	2	2	2	2	2	2	2	2	2	2	2	2
Broncho-pneumonia (107).....	85	8	10	9	9	2	8	5	3	8	6	7	10
Lobar and unspecified pneumonia (108, 109).....	22	1	1	1	2	2	4	2	1	2	2	2	2
Diseases of the stomach (117, 118).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhea and enteritis (119).....	14	3	2	2	2	1	2	2	2	2	2	1	2
Intestinal obstruction (122b).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Congenital malformations (157).....	952	78	74	87	80	93	84	92	84	56	72	77	75
Congenital debility, icterus, sclerema (158, 161 b, c).....	273	24	27	30	15	26	20	18	24	20	19	20	30
Premature birth (159).....	3,856	305	313	361	355	329	321	327	306	314	284	304	357
Injury at birth (160).....	1,390	119	118	126	103	114	120	115	120	126	109	120	102
Other diseases of early infancy (161 a, d).....	500	42	38	43	34	37	36	42	54	51	45	42	36
External causes (172-198, 201-214).....	47	2	6	2	4	3	4	11	2	2	1	4	6
Unknown or ill-defined diseases (199, 200).....	536	37	41	61	49	39	53	72	43	47	31	23	40
All other causes.....	119	8	9	17	8	11	7	10	11	13	10	4	11

GENERAL TABLES

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
2 DAYS													
All causes.....	5,389	504	503	515	448	452	428	408	437	399	396	421	478
Measles (7).....													
Scarlet fever (8).....													
Whooping cough (9).....													
Diphtheria (10).....	2			1							1		
Influenza (11).....	13	1	1	1	2	1		1			2	1	3
Dysentery (13).....													
Erysipelas (15).....													
Epidemic cerebrospinal meningitis (18).....			1					1	1	1			
Tetanus (22).....	4												
Tuberculosis of the respiratory system (23).....													
Tuberculosis of the meninges, etc. (24).....													
Other forms of tuberculosis (25-32).....													
Syphilis (34).....	55	5	3	8	3	4	6	4	6	3	2	9	2
Convulsions (86).....	45	3	5	4	5	4	4	5	4	2	6	1	2
Bronchitis (106).....	4		1								2		
Broncho-pneumonia (107).....	116	14	15	9	7	9	7	5	6	12	9	9	14
Lobar and unspecified pneumonia (108, 109).....	37	2	6	6	3	1	2	3	3		3	3	5
Diseases of the stomach (117, 118).....	9	1	1	1	1	1	2	1	1	1			
Diarrhea and enteritis (119).....	30	3	5	2	2	4	2	4	1	3	3	1	
Intestinal obstruction (122b).....	7	1	2	1	1				1				1
Congenital malformations (157).....	775	73	66	61	58	71	65	59	80	48	54	74	66
Congenital debility, icterus, sclerema (158, 161 b, c).....	255	22	23	25	25	29	18	18	29	20	14	16	16
Premature birth (159).....	1,872	181	164	189	147	155	152	130	147	140	138	166	163
Injury at birth (160).....	1,079	98	109	80	88	74	91	98	80	95	85	79	102
Other diseases of early infancy (161 a, d).....	455	37	39	62	46	42	30	38	35	28	29	28	41
External causes (172-198, 201-214).....	50	2	5	2	5	3	5	4	7	7	3	2	7
Unknown or ill-defined diseases (199, 200).....	405	39	35	43	43	37	34	26	26	29	33	20	40
All other causes.....	176	22	22	20	13	17	10	10	12	10	12	12	16

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
3 TO 6 DAYS													
All causes.....	9,749	931	900	1,000	833	807	725	713	728	728	761	750	873
Measles (7).....													
Scarlet fever (8).....	1				1								
Whooping cough (9).....	2						1		1				1
Diphtheria (10).....	6	1						1			2		
Influenza (11).....	83	7	6	25	8		1		2	1	2	7	24
Dysentery (13).....	1											1	
Erysipelas (15).....	6	1	2		2			1					1
Epidemic cerebrospinal meningitis (18).....	2							1					
Tetanus (22).....	34	2	3	3		3	3	2	5	8	2	1	2
Tuberculosis of the respiratory system (23).....	1												
Tuberculosis of the meninges, etc. (24).....	2	1				1							
Other forms of tuberculosis (25-32).....	2							1		1			
Syphilis (34).....	112	16	8	11	6	9	4	9	12	7	6	10	14
Convulsions (86).....	110	15	8	12	7	13	5	9	14	10	7	6	4
Bronchitis (106).....	21	4	4	1	1					5	1	2	2
Broncho-pneumonia (107).....	351	36	31	44	34	16	22	12	26	23	35	27	40
Lobar and unspecified pneumonia (108, 109).....	142	14	18	23	12	10	5	6	6	6	16	10	16
Diseases of the stomach (117, 118).....	37	1	1	7	1	3	3	3	4		6	4	4
Diarrhea and enteritis (119).....	164	18	11	13	17	14	13	14	13	15	10	11	15
Intestinal obstruction (122b).....	31	3	4	4	2	2	1	4	3	4	2	1	1
Congenital malformations (157).....	1,481	147	140	135	109	113	122	122	117	111	110	128	127
Congenital debility, icterus, sclerema (158, 161 b, c).....	700	74	66	64	52	56	69	46	61	51	48	57	56
Premature birth (159).....	2,795	263	239	278	233	257	208	208	215	203	227	210	254
Injury at birth (160).....	1,561	153	158	177	158	135	104	109	105	115	116	112	119
Other diseases of early infancy (161 a, d).....	732	53	87	68	67	70	57	59	56	58	60	50	47
External causes (172-198, 201-214).....	115	14	10	14	7	6	10	4	8	5	9	9	18
Unknown or ill-defined diseases (199, 200).....	861	76	72	76	80	61	55	70	64	70	78	68	91
All other causes.....	396	32	32	45	36	38	41	26	20	25	28	36	37

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 WEEK													
All causes.....	7,060	616	624	670	623	584	483	528	527	483	518	647	757
Measles (7).....	3			2		1							
Scarlet fever (8).....	1	1											
Whooping cough (9).....	15	1	1	1	4	3	3				1	1	
Diphtheria (10).....	5		2			1					1		
Influenza (11).....	141	10	21	13	16	5	2		1	2	6	13	52
Dysentery (13).....	4	1				2	1						
Erysipelas (15).....	18	1	4	1	2	6	1			2			1
Epidemic cerebrospinal meningitis (18).....	3	1		1		2							1
Tetanus (22).....	55	3	1	1	6	10	7	5	8	6	4		4
Tuberculosis of the respiratory system (23).....	3			2		1							
Tuberculosis of the meninges, etc. (24).....	1												
Other forms of tuberculosis (25-32).....	2							1					
Syphilis (34).....	117	9	7	15	11	8	11	3	9	11	8	13	12
Convulsions (86).....	70	5	5	6	4	8	6	4	12	7	5	5	3
Bronchitis (106).....	36	5	3	2	1	4		2	3	4	2	6	4
Broncho-pneumonia (107).....	454	48	32	35	38	24	18	17	23	32	42	58	87
Lobar and unspecified pneumonia (108, 109).....	199	14	21	15	21	10	11	7	8	11	19	24	38
Diseases of the stomach (117, 118).....	46	4	4	6	5	6	1	3	6	4	3	1	16
Diarrhea and enteritis (119).....	283	28	19	18	27	16	22	47	25	25	22	18	16
Intestinal obstruction (122b).....	53	4	7	4	5	4	2	7	3	5	4	3	5
Congenital malformations (157).....	986	77	91	81	76	87	71	86	65	73	93	108	108
Congenital debility, icterus, sclerema (158, 161 b, c).....	485	43	45	57	37	49	34	44	34	34	34	40	34
Premature birth (159).....	2,200	197	186	216	192	195	174	160	178	138	160	198	206
Injury at birth (160).....	432	40	43	33	40	29	30	39	32	24	33	43	46
Other diseases of early infancy (161 a, d).....	317	31	20	34	32	39	15	31	25	15	23	26	28
External causes (172-198, 201-214).....	76	9	6	19	3	1	2	4	2	7	5	11	7
Unknown or ill-defined diseases (199, 200).....	663	50	61	71	70	49	38	50	37	55	50	57	75
All other causes.....	392	34	45	37	33	26	27	32	34	36	23	36	29

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
2 WEEKS													
All causes.....	4,536	412	372	479	388	342	328	314	320	303	330	408	540
Measles (7).....	6		1	1	3			1					1
Scarlet fever (8).....	3					1					1		
Whooping cough (9).....	40	3	2	5	5	6	6	3	1	1	1	5	2
Diphtheria (10).....	10	1	1	1							1	3	
Influenza (11).....	181	5	14	15	6	6	3		2	2	2	15	61
Dysentery (13).....	9			1		2	2	1			2		
Erysipelas (15).....	43	5	5	6	4	5	1	6	2	2	1	4	2
Epidemic cerebrospinal meningitis (18).....	1												
Tetanus (22).....	13	2	1		2		1	3	1	2	1		
Tuberculosis of the respiratory system (23).....	2						1		1				
Tuberculosis of the meninges, etc. (24).....	2			1					1				
Other forms of tuberculosis (25-32).....	1									1			
Syphilis (34).....	91	10	10	11	5	6	3	8	6	10	8	12	2
Convulsions (86).....	40	3	5	5	6	3	3	3	1	1	4	3	3
Bronchitis (106).....	45	3	5	7	3	7	5		2	1	1	4	7
Broncho-pneumonia (107).....	566	48	60	63	53	36	31	21	16	25	46	61	106
Lobar and unspecified pneumonia (108, 109).....	184	16	12	29	15	12	9	2	17	9	12	21	30
Diseases of the stomach (117, 118).....	29	5	1	4		3	2	3	3	3	3	1	1
Diarrhea and enteritis (119).....	381	26	24	34	33	25	21	38	35	39	34	47	25
Intestinal obstruction (122b).....	17		3	2	1	1	2	1		2	1	1	3
Congenital malformations (157).....	557	54	43	57	50	37	35	42	42	45	50	45	57
Congenital debility, icterus, sclerema (158, 161 b, c).....	315	43	25	34	31	15	25	30	26	20	20	20	26
Premature birth (159).....	1,003	94	69	96	84	93	79	69	86	70	70	85	108
Injury at birth (160).....	152	21	16	13	10	11	11	9	12	13	14	10	12
Other diseases of early infancy (161 a, d).....	133	9	10	10	16	14	11	13	13	8	10	11	8
External causes (172-198, 201-214).....	42	7	2	7	6	4	1	1	1	2	4	1	6
Unknown or ill-defined diseases (199, 200).....	409	36	36	50	25	31	43	37	24	21	25	33	48
All other causes.....	311	21	27	26	30	24	33	23	27	22	20	26	32
3 WEEKS BUT UNDER 1 MONTH													
All causes.....	3,818	332	344	358	346	288	287	267	276	268	300	366	386
Measles (7).....	4			1	1		1						1
Scarlet fever (8).....	2	1					1						
Whooping cough (9).....	152	12	13	15	20	24	21	12	4	10	6	10	5
Diphtheria (10).....	12	2		3	1	2		1			2		1
Influenza (11).....	129	9	15	12	12	7	2		1	3	8	12	48
Dysentery (13).....	10					2	3	2	3				
Erysipelas (15).....	55	7	10	5	9	3	4	1	2	2	4	2	6
Epidemic cerebrospinal meningitis (18).....	1							1					
Tetanus (22).....	4		3										1
Tuberculosis of the respiratory system (23).....	9	1			1	1	2		2	1	1		
Tuberculosis of the meninges, etc. (24).....	1				1								
Other forms of tuberculosis (25-32).....	1												
Syphilis (34).....	78	8	7	7	8	3	3	5	6	9	6	8	8
Convulsions (86).....	30	4	4	3	1	2	1	1	5	4	4	3	2
Bronchitis (106).....	42	6	2	7	3	4		1	1	3	2	8	5
Broncho-pneumonia (107).....	533	50	46	60	44	29	31	27	20	28	36	66	96
Lobar and unspecified pneumonia (108, 109).....	176	19	23	16	16	9	13	4	7	7	13	30	19
Diseases of the stomach (117, 118).....	35	1	2	5	1	1		3	2	4	5	4	1
Diarrhea and enteritis (119).....	418	26	27	34	29	29	35	47	50	44	41	81	25
Intestinal obstruction (122b).....	27	2		4	2	4	1	1	1		2	6	2
Congenital malformations (157).....	430	34	38	34	40	35	28	30	37	33	42	44	35
Congenital debility, icterus, sclerema (158, 161 b, c).....	255	21	18	22	19	25	18	15	22	21	26	26	22
Premature birth (159).....	600	52	60	59	52	48	50	55	37	42	44	44	48
Injury at birth (160).....	83	9	3	6	8	5	6	10	10	11	7	4	4
Other diseases of early infancy (161 a, d).....	77	11	6	6	5	12	7	4	6	7	5	6	5
External causes (172-198, 201-214).....	72	3	8	7	8	4	7	4	4	5	10	6	6
Unknown or ill-defined diseases (199, 200).....	306	29	31	22	35	21	23	30	22	13	22	28	30
All other causes.....	276	26	27	33	26	18	23	18	18	25	16	30	16
UNDER 1 MONTH													
All causes.....	69,496	6,013	5,802	6,509	5,904	5,976	5,698	5,730	5,620	5,221	5,239	5,541	6,243
Measles (7).....	18	1	1	7	4	2	1	1					1
Scarlet fever (8).....	8	3			1	1	1						1
Whooping cough (9).....	211	16	16	21	30	34	31	15	6	11	8	16	7
Diphtheria (10).....	39	6	3	6	1	4		2	1	3	7	4	2
Influenza (11).....	516	35	59	68	45	20	9	4	6	8	20	49	193
Dysentery (13).....	24	1		1		6	6	3	3	2	1	1	
Erysipelas (15).....	122	14	21	12	17	14	6	8	4	6	5	6	9
Epidemic cerebrospinal meningitis (18).....	7	1		2				2					2
Tetanus (22).....	115	7	10	4	8	13	11	12	16	17	8	2	7
Tuberculosis of the respiratory system (23).....	18	1		2	1	2	3		3	3	2		1
Tuberculosis of the meninges, etc. (24).....	6	1		1	1	1		2					
Other forms of tuberculosis (25-32).....	6									2			
Syphilis (34).....	710	75	54	77	59	52	40	49	62	51	49	77	65
Convulsions (86).....	337	18	32	36	24	39	21	28	37	35	30	24	18
Bronchitis (106).....	154	18	17	19	8	15	6	4	8	13	9	20	18
Broncho-pneumonia (107).....	2,153	207	200	225	190	121	120	91	96	134	176	235	358
Lobar and unspecified pneumonia (108, 109).....	777	67	81	90	70	45	45	25	45	37	68	92	112
Diseases of the stomach (117, 118).....	157	11	8	20	11	14	15	13	16	12	17	11	9
Diarrhea and enteritis (119).....	1,301	104	89	106	111	90	95	150	126	126	112	108	84
Intestinal obstruction (122 b).....	136	10	18	15	11	11	6	14	8	11	9	11	12
Congenital malformations (157).....	7,805	692	623	668	632	676	645	662	659	552	635	675	685
Congenital debility, icterus, sclerema (158, 161 b, c).....	3,067	308	261	306	248	275	249	231	276	215	221	231	246
Premature birth (159).....	31,522	2,615	2,505	2,877	2,665	2,884	2,750	2,698	2,631	2,399	2,291	2,483	2,724
Injury at birth (160).....	9,402	852	836	846	768	778	782	799	794	765	739	704	739
Other diseases of early infancy (161 a, d).....	3,786	320	326	366	334	346	285	318	323	296	300	268	304
External causes (172-198, 201-214).....	561	52	53	63	51	32	40	51	25	45	44	41	64
Unknown or ill-defined diseases (199, 200).....	4,683	407	413	473	458	351	374	416	336	335	364	330	426
All other causes.....	1,835	155	176	197	156	150	157	131	137	143	123	152	158

GENERAL TABLES

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 MONTH													
All causes.....	9,707	772	795	926	780	814	661	694	663	681	786	938	1,197
Measles (7).....	17		3		5	2	3	2					2
Scarlet fever (8).....	6			1			1			1			2
Whooping cough (9).....	493	42	38	65	68	63	54	45	21	33	22	19	23
Diphtheria (10).....	25	1	2	2	4	1		1		3	1	3	7
Influenza (11).....	490	27	39	62	51	22	9	7	7	11	20	65	170
Dysentery (13).....	49	5		2		3	4	13	4	6	10	1	1
Erysipelas (15).....	147	14	12	21	22	17	8	8	4	5	11	12	13
Epidemic cerebrospinal meningitis (18).....	13		3	1	1	2	1			2		1	2
Tetanus (22).....													
Tuberculosis of the respiratory system (23).....	11	2	1	1			1		1	1		4	
Tuberculosis of the meninges, etc. (24).....	9		1		2	2	1					2	1
Other forms of tuberculosis (25-32).....	12	2	1	1	1	2	1		1		1	1	1
Syphilis (34).....	265	25	16	22	20	26	23	18	31	18	20	25	21
Convulsions (86).....	68	6	7	7	7	5	2	6	3	4	3	13	5
Bronchitis (106).....	112	9	13	12	2	9	4	6	4	5	8	19	21
Broncho-pneumonia (107).....	1,704	150	138	171	128	157	81	66	58	82	149	207	317
Lobar and unspecified pneumonia (108, 109).....	567	49	59	79	34	34	29	15	16	19	44	85	104
Diseases of the stomach (117, 118).....	67	5	9	4	8	6	7	2	4	10	5	5	2
Diarrhea and enteritis (119).....	1,351	82	73	67	77	108	122	163	190	152	133	102	82
Intestinal obstruction (122b).....	79	5	12	3	9	6	8	6	8	1	12	3	6
Congenital malformations (157).....	895	67	75	85	72	83	66	78	70	59	74	87	79
Congenital debility, icterus, sclerema (158, 161 b, c).....	589	45	47	53	55	54	41	56	54	54	33	51	46
Premature birth (159).....	730	44	48	64	58	53	49	82	67	65	69	65	66
Injury at birth (160).....	110	16	12	6	11	8	10	7	6	6	14	7	11
Other diseases of early infancy (161 a, d).....	86	10	4	7	6	7	7	5	5	11	7	7	7
External causes (172-198, 201-214).....	237	16	19	26	24	17	18	15	20	17	20	15	30
Unknown or ill-defined diseases (199, 200).....	732	73	63	76	48	58	57	47	38	37	65	60	90
All other causes.....	843	77	100	88	67	69	54	46	51	59	65	82	85
2 MONTHS													
All causes.....	7,368	612	565	707	615	537	563	559	509	505	601	693	902
Measles (7).....	16	1	1	2	4	2	2			1		1	2
Scarlet fever (8).....	5		1		1		1						1
Whooping cough (9).....	457	31	33	61	46	43	49	53	39	30	27	25	20
Diphtheria (10).....	27	2	3	3	3		1	3			4	7	
Influenza (11).....	425	23	40	61	33	13	9	6	6	8	26	44	156
Dysentery (13).....	48	4	2	2	1	1	5	13	6	5	3	3	3
Erysipelas (15).....	73	5	9	11	8	8	3	5	2	4	3	9	6
Epidemic cerebrospinal meningitis (18).....	28	2	3	1	5	2	2	3	1	1	2	3	3
Tetanus (22).....	1												
Tuberculosis of the respiratory system (23).....	20		1		2	1	4	3	1	1		4	3
Tuberculosis of the meninges, etc. (24).....	14	1	1	1	2	2	2	2	2	1		1	1
Other forms of tuberculosis (25-32).....	13	1		3					2	1	1	2	1
Syphilis (34).....	213	23	21	18	18	21	20	18	11	16	19	14	14
Convulsions (86).....	64	4	2	9	6	3	5	6	7	5	3	8	6
Bronchitis (106).....	75	4	4	8	11	5	5	3	2	1	7	7	18
Broncho-pneumonia (107).....	1,425	153	121	177	134	107	60	44	52	57	121	149	250
Lobar and unspecified pneumonia (108, 109).....	479	48	47	59	42	34	28	15	10	22	29	65	80
Diseases of the stomach (117, 118).....	78	7	5	4	6	6	9	6	7	8	6	7	7
Diarrhea and enteritis (119).....	1,280	64	55	61	71	93	137	153	178	143	128	87	60
Intestinal obstruction (122b).....	64	6	6	5	4	4	3	4	4	9	8	8	3
Congenital malformations (157).....	579	48	47	53	68	42	48	57	33	34	48	45	56
Congenital debility, icterus, sclerema (158, 161 b, c).....	386	24	30	24	18	29	46	45	36	37	38	33	26
Premature birth (159).....	234	21	12	12	23	17	20	19	26	18	20	16	30
Injury at birth (160).....	42	2	6	4	3	3	2	4	1	5	3	4	5
Other diseases of early infancy (161 a, d).....	22	1	3	2		1		2	2	2	3	3	3
External causes (172-198, 201-214).....	183	24	22	21	16	14	20	12	6	11	11	13	13
Unknown or ill-defined diseases (199, 200).....	519	45	33	43	33	32	38	48	32	33	45	63	74
All other causes.....	648	68	57	62	59	52	44	35	42	52	45	71	61
3 MONTHS													
All causes.....	5,948	494	472	578	451	479	423	424	408	454	500	514	751
Measles (7).....	27	1	2	3	5	5	2	2	2	1	1		3
Scarlet fever (8).....	5	1	1				1				1		
Whooping cough (9).....	333	31	38	46	34	39	38	24	21	21	10	20	11
Diphtheria (10).....	29	4	6	2	1	1		2	1		1	4	7
Influenza (11).....	352	32	29	51	29	22	7	2	3	5	10	31	131
Dysentery (13).....	36	1	1	1	1	3	3	10	3	4	6	4	
Erysipelas (15).....	39	5	5	6	2	5	2	3	2	1	2	1	5
Epidemic cerebrospinal meningitis (18).....	24	6	3	2	4		1	1		4	3		
Tetanus (22).....	2			1	1								
Tuberculosis of the respiratory system (23).....	30	2	2	2	2	1	3	2	5	3	2	2	4
Tuberculosis of the meninges, etc. (24).....	25	1	3	3	4	6	3	3	3			2	
Other forms of tuberculosis (25-32).....	17	3		3	3	1	1	2	1	3	2		
Syphilis (34).....	183	12	13	7	12	16	5	8	10	5	17	16	17
Convulsions (86).....	40	4	2	4	7	3	4	3	6	1	2	2	2
Bronchitis (106).....	60	5	6	7	4	6	1	2	2	3	3	2	12
Broncho-pneumonia (107).....	1,217	104	126	150	120	99	52	38	43	45	97	128	215
Lobar and unspecified pneumonia (108, 109).....	434	46	44	43	35	36	20	19	11	16	42	39	88
Diseases of the stomach (117, 118).....	55	2	2	5	4	3	8	1	6	1	10	5	8
Diarrhea and enteritis (119).....	1,149	64	47	60	50	77	121	173	185	161	132	74	55
Intestinal obstruction (122b).....	69	5	1	8	6	6	5	6	6	7	7	6	6
Congenital malformations (157).....	409	30	39	37	34	31	30	23	34	41	30	42	38
Congenital debility, icterus, sclerema (158, 161 b, c).....	246	20	12	15	8	16	24	19	25	31	25	25	26
Premature birth (159).....	94	4	7	9	9	6	8	8	10	11	6	6	10
Injury at birth (160).....													
Other diseases of early infancy (161 a, d).....													
External causes (172-198, 201-214).....	146	12	15	18	11	12	11	13	4	16	12	8	14
Unknown or ill-defined diseases (199, 200).....	362	28	25	50	16	34	30	20	35	31	26	34	33
All other causes.....	610	72	43	48	49	51	46	40	40	43	53	54	71

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
4 MONTHS													
All causes.....	4,820	417	374	457	334	357	401	398	371	343	435	353	580
Measles (7).....	21	4	3	1	3	2	3	1	—	—	2	1	1
Scarlet fever (8).....	2	1	1	1	—	—	—	—	—	—	—	—	—
Whooping cough (9).....	290	22	25	46	17	32	34	28	28	26	10	7	20
Diphtheria (10).....	21	1	1	4	1	2	1	1	1	1	1	4	5
Influenza (11).....	305	30	33	38	22	20	8	2	3	8	9	36	96
Dysentery (13).....	54	2	3	—	2	4	12	10	7	4	5	3	2
Erysipelas (15).....	32	3	5	2	1	4	3	2	2	3	1	3	3
Epidemic cerebrospinal meningitis (18).....	30	4	2	1	4	1	3	5	1	1	4	1	3
Tetanus (22).....	3	1	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system (23).....	22	1	1	2	2	4	4	4	1	3	—	1	1
Tuberculosis of the meninges, etc. (24).....	20	4	1	—	1	4	3	1	—	3	—	1	2
Other forms of tuberculosis (25-32).....	23	4	2	2	3	2	3	2	2	—	1	1	2
Syphilis (34).....	65	7	7	6	3	7	6	3	3	5	5	8	5
Convulsions (36).....	30	2	1	7	4	5	2	—	1	1	3	2	2
Bronchitis (106).....	57	10	5	6	5	2	1	5	2	6	4	3	8
Broncho-pneumonia (107).....	939	95	90	110	95	83	45	39	37	38	78	72	157
Lobar and unspecified pneumonia (108, 109).....	389	58	47	46	31	24	18	13	10	14	30	29	69
Diseases of the stomach (117, 118).....	37	7	1	4	2	3	3	2	4	1	5	2	3
Diarrhea and enteritis (119).....	1,025	37	40	46	37	52	135	168	150	132	133	50	45
Intestinal obstruction (122b).....	85	5	8	4	5	7	6	12	9	8	10	3	8
Congenital malformations (157).....	282	21	18	29	24	23	26	26	22	11	26	29	27
Congenital debility, icterus, sclerema (158, 161 b, c).....	141	6	8	4	8	8	14	14	20	16	13	14	14
Premature birth (159).....	56	2	2	2	3	6	6	6	8	4	7	4	6
Injury at birth (160).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy (161 a, d).....	—	—	—	—	—	—	—	—	—	—	—	—	—
External causes (172-198, 201-214).....	119	14	6	9	8	13	10	6	10	6	12	12	13
Unknown or ill-defined diseases (199, 200).....	299	24	24	29	17	18	27	23	24	19	32	32	30
All other causes.....	473	53	39	58	35	35	29	30	31	29	41	35	58
5 MONTHS													
All causes.....	4,118	357	373	375	311	292	280	391	323	335	292	332	457
Measles (7).....	23	1	5	2	4	3	3	—	1	1	1	2	—
Scarlet fever (8).....	4	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough (9).....	283	22	28	27	31	16	19	25	12	21	10	3	19
Diphtheria (10).....	30	2	3	4	4	1	2	5	1	2	3	1	2
Influenza (11).....	302	33	35	36	25	13	6	4	7	6	18	31	88
Dysentery (13).....	60	1	—	2	1	1	8	19	12	6	5	5	—
Erysipelas (15).....	36	3	6	5	5	3	5	—	1	1	1	3	3
Epidemic cerebrospinal meningitis (18).....	20	2	6	—	1	2	1	2	3	1	—	—	2
Tetanus (22).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system (23).....	24	1	3	2	3	2	1	1	2	1	1	3	4
Tuberculosis of the meninges, etc. (24).....	28	3	2	3	—	3	4	3	1	1	2	3	3
Other forms of tuberculosis (25-32).....	14	1	2	1	1	—	—	2	3	1	—	1	2
Syphilis (34).....	57	3	3	5	4	4	—	10	6	4	9	3	6
Convulsions (36).....	34	4	2	5	2	2	3	5	3	—	1	2	5
Bronchitis (106).....	40	5	4	7	2	3	4	—	—	3	2	5	5
Broncho-pneumonia (107).....	840	109	105	100	69	72	34	31	27	33	49	88	123
Lobar and unspecified pneumonia (108, 109).....	312	25	33	34	38	18	14	17	9	13	27	37	47
Diseases of the stomach (117, 118).....	15	—	1	2	—	1	2	1	1	3	1	2	1
Diarrhea and enteritis (119).....	938	45	42	45	32	56	101	186	132	130	87	51	31
Intestinal obstruction (122b).....	96	6	9	6	8	10	8	7	11	16	4	8	3
Congenital malformations (157).....	197	15	19	15	17	14	11	12	14	25	12	15	28
Congenital debility, icterus, sclerema (158, 161 b, c).....	84	3	4	4	10	6	4	9	11	10	9	8	6
Premature birth (159).....	26	2	—	1	3	1	3	5	2	4	2	1	2
Injury at birth (160).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy (161 a, d).....	—	—	—	—	—	—	—	—	—	—	—	—	—
External causes (172-198, 201-214).....	104	9	5	8	8	7	8	10	10	6	10	11	12
Unknown or ill-defined diseases (199, 200).....	191	16	18	22	15	15	17	14	21	17	8	11	17
All other causes.....	410	45	38	38	28	39	22	23	33	29	30	37	48
6 MONTHS													
All causes.....	3,814	330	352	384	290	328	310	312	289	271	295	247	406
Measles (7).....	37	3	9	5	3	7	5	2	1	—	2	—	—
Scarlet fever (8).....	7	—	1	1	2	1	—	—	—	—	—	—	—
Whooping cough (9).....	230	14	28	31	18	29	26	21	19	9	9	12	14
Diphtheria (10).....	18	1	3	1	1	1	—	—	—	—	3	2	6
Influenza (11).....	288	16	41	37	31	13	11	4	6	12	16	19	82
Dysentery (13).....	41	2	—	3	1	3	10	4	6	3	3	3	3
Erysipelas (15).....	23	3	2	4	—	1	3	3	2	1	2	—	2
Epidemic cerebrospinal meningitis (18).....	33	4	4	3	—	2	1	1	—	4	2	6	6
Tetanus (22).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system (23).....	35	1	4	1	3	4	5	2	5	2	4	1	2
Tuberculosis of the meninges, etc. (24).....	32	2	4	4	7	5	2	2	2	1	1	2	2
Other forms of tuberculosis (25-32).....	14	3	—	3	2	—	—	—	1	—	—	—	1
Syphilis (34).....	39	6	3	4	3	4	—	8	—	2	2	3	2
Convulsions (36).....	23	4	2	2	2	4	2	3	—	—	1	3	2
Bronchitis (106).....	24	1	2	3	1	2	5	1	1	1	1	3	5
Broncho-pneumonia (107).....	799	92	92	103	70	78	41	32	21	37	49	64	120
Lobar and unspecified pneumonia (108, 109).....	310	45	42	43	29	24	13	6	8	9	25	27	39
Diseases of the stomach (117, 118).....	28	—	—	—	—	—	3	2	2	—	—	—	2
Diarrhea and enteritis (119).....	841	38	34	29	42	66	92	149	129	117	70	38	37
Intestinal obstruction (122 b).....	89	2	4	6	6	6	6	12	9	14	10	5	9
Congenital malformations (157).....	162	12	8	23	11	16	11	13	16	10	16	10	16
Congenital debility, icterus, sclerema (158, 161 b, c).....	73	5	6	4	7	3	7	7	8	6	13	2	5
Premature birth (159).....	10	1	2	1	—	—	1	—	1	1	2	1	—
Injury at birth (160).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy (161 a, d).....	—	—	—	—	—	—	—	—	—	—	—	—	—
External causes (172-198, 201-214).....	100	—	13	10	5	9	8	7	14	7	9	7	11
Unknown or ill-defined diseases (199, 200).....	161	23	12	17	16	10	14	11	11	13	15	5	14
All other causes.....	395	50	36	46	29	33	40	21	24	20	34	34	28

GENERAL TABLES

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
7 MONTHS													
All causes.....	3,268	252	303	356	304	240	279	270	253	231	232	250	295
Measles (7).....	45	2	4	13	5	10	4	3	1	1	1	2	1
Scarlet fever (8).....	9	1	1	3	1	2	1	1	1	1	1	1	1
Whooping cough (9).....	204	12	26	34	14	23	18	17	16	8	11	13	12
Diphtheria (10).....	27	4	5	2	3	1	1	1	1	1	3	5	1
Influenza (11).....	230	19	29	36	19	13	9	4	3	3	11	20	64
Dysentery (13).....	41	1	1	1	3	3	6	7	9	5	9	9	1
Erysipelas (15).....	9	1	1	1	3	1	1	1	1	1	2	1	1
Epidemic cerebrospinal meningitis (18).....	27	3	2	4	4	1	1	3	3	1	2	1	3
Tetanus (22).....	29	3	3	3	2	2	4	1	1	2	4	5	5
Tuberculosis of the respiratory system (23).....	34	1	4	2	6	2	9	3	4	1	1	2	2
Tuberculosis of the meninges, etc. (24).....	17	1	2	3	2	2	2	1	1	1	1	1	1
Other forms of tuberculosis (25-32).....	30	4	4	2	3	1	4	2	3	1	1	5	1
Syphilis (34).....	14	3	1	2	2	1	1	1	2	1	1	1	1
Convulsions (86).....	32	4	2	4	6	4	4	1	3	2	2	4	2
Bronchitis (106).....	642	65	88	82	77	64	38	21	11	30	37	59	70
Broncho-pneumonia (107).....	294	26	36	49	32	20	17	11	3	7	21	33	39
Lobar and unspecified pneumonia (108, 109).....	13	1	1	1	2	2	4	2	2	2	2	2	2
Diseases of the stomach (117, 118).....	731	29	35	32	47	35	86	120	120	104	65	35	23
Diarrhea and enteritis (119).....	73	5	3	9	5	7	9	9	8	6	4	5	3
Intestinal obstruction (122b).....	137	12	6	12	13	11	10	13	11	16	7	15	11
Congenital malformations (157).....	45	4	4	2	5	5	5	3	7	4	3	1	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	10	1	1	2	1	2	1	1	1	1	1	1	1
Premature birth (159).....	96	11	6	13	8	4	5	11	5	6	11	7	9
Injury at birth (160).....	112	3	11	9	10	6	8	5	10	12	13	9	16
Other diseases of early infancy (161 a, d).....	367	40	30	36	37	22	34	32	31	20	26	27	32
External causes (172-198, 201-214).....	96	11	6	13	8	4	5	11	5	6	11	7	9
Unknown or ill-defined diseases (199, 200).....	112	3	11	9	10	6	8	5	10	12	13	9	16
All other causes.....	367	40	30	36	37	22	34	32	31	20	26	27	32
8 MONTHS													
All causes.....	3,030	245	260	331	253	274	239	246	246	219	220	223	274
Measles (7).....	44	4	2	8	6	10	7	2	1	1	1	2	2
Scarlet fever (8).....	4	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	196	15	17	32	25	12	20	18	16	11	9	9	12
Diphtheria (10).....	35	5	3	5	5	1	3	1	1	1	3	7	1
Influenza (11).....	262	19	24	39	27	16	8	3	10	9	19	25	63
Dysentery (13).....	43	3	3	3	6	6	11	3	5	5	5	3	1
Erysipelas (15).....	13	1	3	1	2	1	1	1	1	1	2	1	1
Epidemic cerebrospinal meningitis (18).....	19	3	3	2	3	1	2	1	1	1	1	2	1
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	23	4	1	3	4	1	5	1	1	1	1	1	2
Tuberculosis of the meninges, etc. (24).....	31	1	5	1	4	4	1	3	1	3	2	3	4
Other forms of tuberculosis (25-32).....	25	4	2	2	3	4	3	3	1	1	3	2	1
Syphilis (34).....	22	1	1	2	2	2	2	2	4	2	4	3	1
Convulsions (86).....	11	2	2	1	1	1	1	1	1	1	1	1	1
Bronchitis (106).....	30	6	3	3	3	2	1	1	1	1	3	3	4
Broncho-pneumonia (107).....	585	57	62	74	57	68	38	16	25	20	39	52	77
Lobar and unspecified pneumonia (108, 109).....	274	28	36	41	36	19	8	14	8	16	14	21	33
Diseases of the stomach (117, 118).....	9	2	1	2	2	1	1	1	1	1	1	1	1
Diarrhea and enteritis (119).....	625	23	31	22	30	48	70	102	108	81	58	28	24
Intestinal obstruction (122b).....	63	4	3	8	3	4	10	5	9	6	2	6	3
Congenital malformations (157).....	141	13	7	16	10	19	10	15	9	10	8	12	12
Congenital debility, icterus, sclerema (158, 161 b, c).....	36	5	3	4	2	2	1	1	3	6	3	4	2
Premature birth (159).....	12	7	1	1	1	1	1	1	1	3	1	1	1
Injury at birth (160).....	94	4	10	13	4	7	6	8	8	10	10	7	7
Other diseases of early infancy (161 a, d).....	103	7	8	14	6	8	7	16	12	5	9	5	6
External causes (172-198, 201-214).....	329	30	30	41	21	40	32	19	22	25	24	27	18
Unknown or ill-defined diseases (199, 200).....	329	30	30	41	21	40	32	19	22	25	24	27	18
All other causes.....	329	30	30	41	21	40	32	19	22	25	24	27	18
9 MONTHS													
All causes.....	2,831	213	251	284	266	254	282	245	212	168	167	202	297
Measles (7).....	62	5	5	13	11	12	5	4	1	1	1	1	3
Scarlet fever (8).....	12	1	1	1	1	1	1	2	1	1	2	1	1
Whooping cough (9).....	189	12	17	24	23	32	16	11	14	5	14	7	14
Diphtheria (10).....	40	4	7	2	4	3	2	1	3	2	4	4	8
Influenza (11).....	207	13	19	43	28	12	10	4	3	2	4	19	50
Dysentery (13).....	33	1	1	1	2	1	12	7	4	4	2	3	1
Erysipelas (15).....	19	1	4	1	2	1	3	1	1	4	1	1	2
Epidemic cerebrospinal meningitis (18).....	24	4	4	4	4	1	2	3	1	1	2	2	1
Tetanus (22).....	38	4	2	3	2	6	5	3	4	4	5	3	4
Tuberculosis of the respiratory system (23).....	38	2	3	3	4	5	2	3	1	2	2	4	4
Tuberculosis of the meninges, etc. (24).....	15	1	1	1	1	3	2	2	5	1	1	1	1
Other forms of tuberculosis (25-32).....	29	2	4	2	4	3	2	2	2	1	3	4	1
Syphilis (34).....	10	1	1	1	1	1	1	1	1	1	1	1	1
Convulsions (86).....	14	2	2	1	2	1	1	1	1	1	1	2	2
Bronchitis (106).....	564	53	67	72	67	52	39	23	19	12	27	49	84
Broncho-pneumonia (107).....	242	25	31	41	30	26	7	7	6	9	14	13	33
Lobar and unspecified pneumonia (108, 109).....	18	1	2	1	1	1	1	4	1	2	3	1	1
Diseases of the stomach (117, 118).....	595	16	24	21	19	46	102	108	89	68	44	36	27
Diarrhea and enteritis (119).....	34	2	4	4	4	2	7	2	2	3	3	3	5
Intestinal obstruction (122b).....	109	14	6	12	13	8	15	8	8	4	4	11	6
Congenital malformations (157).....	32	5	4	4	2	2	1	3	2	4	4	4	5
Congenital debility, icterus, sclerema (158, 161 b, c).....	7	4	1	1	1	1	1	1	1	1	1	1	1
Premature birth (159).....	97	6	12	6	8	7	11	12	12	6	3	7	7
Injury at birth (160).....	93	5	12	8	7	5	6	13	10	5	5	7	10
Other diseases of early infancy (161 a, d).....	310	29	22	30	29	26	28	25	25	21	25	18	32
External causes (172-198, 201-214).....	310	29	22	30	29	26	28	25	25	21	25	18	32
Unknown or ill-defined diseases (199, 200).....	310	29	22	30	29	26	28	25	25	21	25	18	32
All other causes.....	310	29	22	30	29	26	28	25	25	21	25	18	32

INFANT MORTALITY STATISTICS: 1932

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
10 MONTHS													
All causes.....	2,555	185	229	264	202	260	218	212	198	169	171	180	267
Measles (7).....	58	2	3	10	10	16	8	3	1	1	1	1	2
Scarlet fever (8).....	7	1	2	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	188	14	23	28	17	21	22	9	16	10	9	8	11
Diphtheria (10).....	48	6	1	4	2	5	3	2	4	4	8	9	6
Influenza (11).....	200	11	27	36	27	16	2	7	4	1	10	10	49
Dysentery (13).....	23	2	1	1	1	1	1	6	5	4	3	1	1
Erysipelas (15).....	7	1	1	1	2	1	1	1	1	1	2	1	1
Epidemic cerebrospinal meningitis (18).....	26	7	1	3	2	3	1	3	1	1	2	1	1
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	33	2	5	3	1	3	4	1	5	5	1	1	3
Tuberculosis of the meninges, etc. (24).....	50	2	8	8	3	5	7	4	4	3	3	2	1
Other forms of tuberculosis (25-32).....	9	1	1	1	3	1	2	1	1	1	1	1	1
Syphilis (34).....	22	1	1	1	3	4	2	2	3	3	3	1	1
Convulsions (86).....	17	2	1	1	2	3	2	2	2	2	1	1	2
Bronchitis (106).....	23	1	6	1	3	2	2	1	1	1	1	4	2
Broncho-pneumonia (107).....	508	44	54	70	41	57	30	32	15	21	23	48	73
Lobar and unspecified pneumonia (108, 109).....	219	19	22	28	22	18	14	12	8	10	8	13	45
Diseases of the stomach (117, 118).....	7	1	1	1	1	1	1	2	2	2	2	2	1
Diarrhea and enteritis (119).....	509	19	22	19	15	42	65	89	89	60	51	20	18
Intestinal obstruction (122 b).....	34	2	4	1	1	10	1	4	1	4	1	3	3
Congenital malformations (157).....	85	5	7	6	7	6	7	4	6	7	9	12	9
Congenital debility, icterus, sclerema (158, 161 b, c).....	28	3	3	2	2	3	2	3	3	3	4	1	2
Premature birth (159).....	2	1	1	1	1	1	1	1	1	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	104	9	12	14	7	14	3	5	7	6	2	12	13
External causes (172-198, 201-214).....	85	4	4	7	5	5	14	4	12	3	7	13	7
Unknown or ill-defined diseases (199, 200).....	262	30	24	22	27	23	26	19	16	20	20	18	17
All other causes.....	262	30	24	22	27	23	26	19	16	20	20	18	17
11 MONTHS													
All causes.....	2,476	205	172	241	186	231	212	236	212	182	174	167	258
Measles (7).....	62	4	11	5	8	12	5	4	2	3	2	1	5
Scarlet fever (8).....	15	1	1	1	3	1	1	1	1	2	1	3	2
Whooping cough (9).....	181	8	10	38	19	20	21	9	14	12	5	10	15
Diphtheria (10).....	62	6	8	2	3	6	2	2	4	5	8	9	7
Influenza (11).....	165	14	14	30	16	12	6	5	4	2	6	15	41
Dysentery (13).....	27	1	2	1	1	2	4	9	3	2	2	1	1
Erysipelas (15).....	9	1	1	1	1	2	2	3	1	1	1	1	1
Epidemic cerebrospinal meningitis (18).....	10	1	1	1	1	1	1	2	1	1	1	2	2
Tetanus (22).....	2	1	2	2	4	4	3	4	4	2	1	1	1
Tuberculosis of the respiratory system (23).....	27	1	2	2	4	4	3	4	4	2	2	1	1
Tuberculosis of the meninges, etc. (24).....	31	5	3	3	4	7	1	3	3	3	2	2	1
Other forms of tuberculosis (25-32).....	23	2	1	4	2	2	1	1	1	4	4	2	1
Syphilis (34).....	14	1	4	1	1	1	2	2	2	2	1	1	1
Convulsions (86).....	10	2	1	1	1	2	1	1	1	1	1	1	2
Bronchitis (106).....	16	1	2	5	1	1	1	1	1	1	2	2	2
Broncho-pneumonia (107).....	442	54	33	56	43	42	23	21	19	24	25	35	67
Lobar and unspecified pneumonia (108, 109).....	213	19	16	31	15	24	14	9	11	8	10	16	40
Diseases of the stomach (117, 118).....	29	4	1	1	2	2	3	1	3	5	4	3	1
Diarrhea and enteritis (119).....	496	17	17	10	12	36	72	108	84	62	44	16	18
Intestinal obstruction (122 b).....	25	5	1	3	2	1	1	2	6	2	2	2	1
Congenital malformations (157).....	91	11	4	8	5	8	6	4	7	8	10	9	11
Congenital debility, icterus, sclerema (158, 161 b, c).....	28	5	1	1	1	3	1	1	5	2	6	3	1
Premature birth (159).....	9	5	1	1	2	1	1	1	1	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	103	13	8	9	9	9	8	9	12	7	7	3	9
External causes (172-198, 201-214).....	94	9	6	4	8	12	8	10	9	8	10	4	6
Unknown or ill-defined diseases (199, 200).....	292	18	29	24	22	28	26	23	21	19	24	29	29
All other causes.....	292	18	29	24	22	28	26	23	21	19	24	29	29

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CITIES IN REGISTRATION AREA IN CONTINENTAL UNITED STATES																				
All causes.....	54,788	15,619	3,907	2,572	4,275	2,919	1,927	1,650	32,869	4,141	3,197	2,586	2,110	1,821	1,727	1,470	1,392	1,254	1,121	1,100
Measles (7).....	211						1	1	2	6	4	8	4	14	20	24	21	31	34	43
Scarlet fever (8).....	35								1	3	1	2		2	2	5	1	8	2	8
Whooping cough (9).....	1,137				2	1	8	26	37	136	157	121	112	102	91	88	73	73	72	75
Diphtheria (10).....	100								3	1	8	7	3	9	3	9	11	10	13	22
Influenza (11).....	1,057	1	3	3	20	31	32	26	116	120	101	88	99	92	99	64	96	62	68	52
Dysentery (13).....	126								5	9	12	9	11	17	18	9	14	6	8	8
Erysipelas (15).....	295				5	11	28	34	78	76	39	24	15	18	12	4	9	10	3	7
Epidemic cerebrospinal meningitis (18).....	179				2	1			4	6	21	16	25	14	21	20	15	16	15	6
Tetanus (22).....	24				3	13	2	1	21		1									2
Tuberculosis of the respiratory system (23).....	171	1					3	2	2	9	8	14	13	14	18	16	11	23	20	17
Tuberculosis of the meninges, etc. (24).....	179				1		2		3	2	14	10	15	19	16	17	25	33	22	
Other forms of tuberculosis (25-32).....	139						1	1	4	7	8	14	19	9	14	11	19	13	4	17
Syphilis (34).....	936	123	28	34	64	68	41	46	404	169	126	91	39	30	22	19	11	13	8	4
Convulsions (86).....	147	3	8	15	16	2	7	7	58	18	13	13	9	12	9	5	2	1	7	
Bronchitis (106).....	264	1	1	3	2	12	14	17	50	42	31	23	30	14	10	20	21	4	10	9
Lobar and unspecified pneumonia (107).....	6,400	33	48	56	182	232	291	233	1,125	874	766	659	523	480	445	352	324	325	286	241
Lobar and unspecified pneumonia (108, 109).....	1,917	7	10	14	50	64	65	77	287	204	195	177	160	138	148	129	143	113	108	115
Diseases of the stomach (117, 118).....	100				10	2	4	10	27	15	19	6	6	2	9	3	1	4	1	7
Diarrhea and enteritis (119).....	4,334	1	3	10	51	111	199	200	575	610	543	489	414	353	323	278	232	204	164	149
Intestinal obstruction (122 b).....	494				4	12	28	10	18	35	31	41	48	62	56	52	41	21	22	13
Congenital malformations (157).....	5,659	1,262	445	365	722	506	288	242	3,830	517	357	249	163	127	97	74	84	67	40	54
Congenital debility, icterus, sclerema (158, 161 b, c).....	1,461	197	75	79	232	126	85	78	872	212	131	88	46	31	28	19	8	9	6	11
Premature birth (159).....	16,470	9,778	1,984	941	1,801	1,075	497	305	15,881	388	105	40	23	13	7	5	4	1		3
Injury at birth (160).....	5,810	2,915	883	657	894	234	84	50	5,717	65	28									
Other diseases of early infancy (161 a, d).....	2,224	975	296	259	392	152	61	38	2,173	40	11									
External causes (172-198, 201-214).....	725	81	18	19	48	25	14	14	219	76	55	59	50	36	40	38	36	37	42	37
Unknown or ill-defined diseases (199, 200).....	653	138	39	24	76	35	33	20	365	69	75	38	25	17	15	12	13	7	12	5
All other causes.....	3,641	103	65	87	188	187	153	148	931	431	349	296	263	200	201	198	185	171	143	173
WHITE																				
All causes.....	45,894	13,709	3,401	2,202	3,580	2,429	1,592	1,321	28,234	3,345	2,579	2,067	1,672	1,472	1,371	1,175	1,122	1,036	919	902
Measles (7).....	194							1	1	6	4	6	3	14	17	21	20	30	30	42
Scarlet fever (8).....	35								1	2	1	1		2	2	5	1	8	2	8
Whooping cough (9).....	898				1		7	26	34	114	127	99	90	81	67	61	52	55	57	61
Diphtheria (10).....	84								3	6	3	2	7	3	9	9	9	11	21	21
Influenza (11).....	835		2	3	13	26	26	20	90	101	85	64	72	68	80	46	78	49	60	42
Dysentery (13).....	101								3	6	6	7	8	17	16	7	11	4	8	8
Erysipelas (15).....	277				4	10	27	30	71	71	38	21	14	17	12	4	9	10	3	7
Epidemic cerebrospinal meningitis (18).....	156				2				3	6	20	13	22	13	19	17	13	14	10	6
Tetanus (22).....	12				1	4	1	1	9											2
Tuberculosis of the respiratory system (23).....	98	1				3		1	5	6	6	10	7	9	11	7	8	9	11	9
Tuberculosis of the meninges, etc. (24).....	154				1		2		3	3	1	12	8	13	17	13	12	24	29	19
Other forms of tuberculosis (25-32).....	86								2	4	3	8	12	7	6	14	9	4	10	10
Syphilis (34).....	499	61	14	13	27	35	24	16	190	95	74	53	18	20	13	9	5	5	4	3
Convulsions (86).....	110	2	6	15	10	2	5	5	45	12	10	10	6	10	6	4	1	1	5	4
Bronchitis (106).....	194	1	1	2	1	8	11	8	32	31	26	17	22	9	10	14	15	4	8	6
Broncho-pneumonia (107).....	5,090	27	40	45	143	189	233	226	903	713	625	521	412	372	331	280	254	269	220	190
Lobar and unspecified pneumonia (108, 109).....	1,456	4	6	11	41	52	56	57	227	166	149	131	124	107	113	94	111	92	85	86
Diseases of the stomach (117, 118).....	74				8	2	4	8	23	11	13	2	6	2	5	3	1	1	1	6
Diarrhea and enteritis (119).....	3,509	1	3	3	36	87	163	163	466	492	434	403	317	290	266	229	190	161	138	123
Intestinal obstruction (122 b).....	447				9	25	9	15	61	32	29	37	44	54	51	49	39	19	21	11
Congenital malformations (157).....	5,324	1,208	422	338	665	474	273	230	3,610	482	327	234	157	121	93	72	77	63	38	50
Congenital debility, icterus, sclerema (158, 161 b, c).....	1,121	166	57	64	199	96	64	53	699	148	102	70	32	20	18	9	7	7	4	5
Premature birth (159).....	13,978	8,510	1,694	771	1,056	864	385	233	13,513	298	87	32	20	11	5	4	4	1		3
Injury at birth (160).....	5,319	2,659	815	617	796	223	77	45	5,232	61	26									
Other diseases of early infancy (161 a, d).....	1,876	849	249	205	325	129	50	30	1,833	32	10									
External causes (172-198, 201-214).....	602	65	15	13	41	20	10	13	177	61	38									
Unknown or ill-defined diseases (199, 200).....	291	60	22	14	31	13	17	8	165	27	27	17	13	8	7	9	5	5	7	1
All other causes.....	3,058	96	57	79	168	137	139	127	833	364	304	245	220	173	167	169	158	153	124	148
COLORED																				
All causes.....	8,894	1,910	506	370	695	490	335	329	4,635	796	618	519	438	349	356	295	270	218	202	198
Measles (7).....	17							1	1			2		1		3	3	1	1	4
Scarlet fever (8).....	2								1			1								1
Whooping cough (9).....	230				1	1	1		3	22	30	22	22	21	24	27	21	18	15	14
Diphtheria (10).....	16								1	19	2	4	1	2				2	1	1
Influenza (11).....	222	1	1		7	5	6	6	26	19	16	24	27	24	19	18	18	13	8	10
Dysentery (13).....	25								2	3	6	2	3							
Erysipelas (15).....	18				1	1	1	1	4	5	1	3	1	1						
Epidemic cerebrospinal meningitis (18).....	23				1	1	1	1	4	1	1	3	1	1	2	3	2	2	5	
Tetanus (22).....	12	</																		

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
RURAL PART OF REGISTRATION AREA IN CONTINENTAL UNITED STATES																				
All causes.....	64,643	15,431	3,987	2,817	5,474	4,141	2,609	2,168	36,627	5,566	4,171	3,362	2,710	2,297	2,087	1,798	1,638	1,577	1,434	1,376
Measles (7).....	219	5			3	5	3	16	11	12	19	17	9	17	21	23	31	24	19	7
Scarlet fever (8).....	49	1			1	3	1	7	3	4	3	2	5	4	3	4	5	5	5	10
Whooping cough (9).....	2,068		2		14	32	126	174	357	300	212	178	131	139	116	123	116	116	106	40
Diphtheria (10).....	301		4	2	6	5	7	35	24	19	22	18	21	15	18	24	30	35	40	13
Influenza (11).....	2,685	13	2	10	63	110	99	400	370	324	264	206	210	189	166	166	145	132	113	19
Dysentery (13).....	353				1	4	7	19	40	36	27	43	43	23	32	29	27	15	19	2
Erysipelas (15).....	234				1	7	15	21	44	71	34	15	17	18	11	5	4	9	4	2
Epidemic cerebrospinal meningitis (18).....	82				2	1	1	3	7	7	8	5	6	12	7	4	8	11	4	2
Tetanus (22).....	103	2	3	2	31	42	11	3	94	2	2	3	2	2	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	139	2			1	1	1	7	10	2	12	16	9	10	17	13	12	15	13	9
Tuberculosis of the meninges, etc. (24).....	139				1	1	1	3	6	12	11	10	13	13	18	14	13	17	9	7
Other forms of tuberculosis (25-32).....	49				2	2		2	5	5	3	4	5	5	6	6	2	5	6	6
Syphilis (34).....	668	89	17	21	45	49	50	32	306	96	87	47	26	27	17	11	11	16	14	10
Convulsions (86).....	531	23	28	30	94	68	33	23	299	50	51	27	21	22	14	9	9	10	10	7
Bronchitis (106).....	373	1	3	1	19	24	31	25	104	70	44	37	27	26	14	12	9	10	13	7
Broncho-pneumonia (107).....	5,418	15	37	60	169	222	275	250	1,028	830	659	558	416	360	354	290	261	239	222	201
Lobar and unspecified pneumonia (108, 109).....	2,593	10	12	23	92	135	119	99	490	363	284	257	229	174	162	165	131	129	111	98
Diseases of the stomach (117, 118).....	413				27	44	25	25	130	52	59	49	31	13	19	10	8	14	6	22
Diarrhea and enteritis (119).....	6,457	10	11	20	113	172	182	218	726	741	687	660	611	685	518	453	393	391	345	347
Intestinal obstruction (122b).....	353	1			3	19	25	7	64	44	35	28	37	34	33	21	22	13	12	12
Congenital malformations (157).....	5,233	1,362	507	410	759	480	269	188	3,975	378	222	160	119	70	65	63	57	42	45	37
Congenital debility, icterus, sclerema (158, 161 b, c).....	3,294	587	198	176	468	359	230	177	2,195	377	255	158	95	53	45	26	28	22	22	17
Premature birth (159).....	16,242	9,418	1,872	931	1,494	1,125	506	295	15,641	342	129	54	35	13	3	5	8	6	2	6
Injury at birth (160).....	3,744	1,790	507	422	667	198	68	33	3,685	45	14									
Other diseases of early infancy (161 a, d).....	1,670	597	204	136	340	165	72	39	1,613	46	11									
External causes (172-193, 201-214).....	1,219	78	29	31	67	51	28	58	342	161	128	87	69	68	60	58	60	62	66	
Unknown or ill-defined diseases (199, 200).....	6,781	1,365	497	381	735	628	376	286	4,318	603	444	324	274	174	146	100	90	86	73	89
All other causes.....	3,233	62	54	39	208	205	158	128	904	412	299	314	210	210	194	169	144	139	119	119
WHITE																				
All causes.....	50,356	12,966	3,197	2,193	4,273	3,153	2,036	1,685	29,503	4,242	3,157	2,457	2,000	1,653	1,489	1,343	1,223	1,180	1,069	1,040
Measles (7).....	195	4			2	4	3	13	9	8	17	15	7	12	21	22	28	24	19	6
Scarlet fever (8).....	48	1			1	3	1	7	3	4	3	2	2	4	3	4	5	5	10	1
Whooping cough (9).....	1,560		1		9	27	107	144	291	238	150	131	91	98	85	89	82	85	76	35
Diphtheria (10).....	251		1		4	4	3	10	26	20	16	17	14	14	13	21	28	33	35	18
Influenza (11).....	2,085	8	1	7	52	94	85	87	334	305	253	195	166	166	140	123	121	106	98	88
Dysentery (13).....	248				1	3	5	5	14	25	16	32	29	21	22	21	18	12	13	3
Erysipelas (15).....	224				1	5	15	20	41	67	33	15	17	18	10	5	4	8	4	2
Epidemic cerebrospinal meningitis (18).....	72				2	1	1	2	6	7	7	5	5	9	7	4	7	10	2	2
Tetanus (22).....	50	2	2	2	12	20	1	2	45	2	7	10	7	7	9	9	7	7	4	4
Tuberculosis of the respiratory system (23).....	79	2			1	1	1	3	6	2	10	7	7	9	9	7	7	7	4	4
Tuberculosis of the meninges, etc. (24).....	116				1	1	1	3	5	8	9	9	12	11	13	8	12	17	9	9
Other forms of tuberculosis (25-32).....	32				2	2		2	4	3	2	3	3	3	3	4	2	2	4	4
Syphilis (34).....	294	41	8	10	24	15	20	15	133	52	48	17	9	8	6	7	2	7	2	3
Convulsions (86).....	366	18	22	24	65	41	24	19	213	84	33	22	10	10	7	6	4	9	8	8
Bronchitis (106).....	293		2	1	14	18	25	18	78	60	41	27	18	18	11	9	8	6	10	7
Broncho-pneumonia (107).....	4,326	15	29	53	144	190	239	216	886	718	523	423	314	262	252	230	198	188	168	158
Lobar and unspecified pneumonia (108, 109).....	1,810	6	7	19	66	91	84	79	352	248	220	181	142	113	102	119	94	91	78	70
Diseases of the stomach (117, 118).....	279				8	15	28	19	91	36	38	36	21	8	13	3	7	9	3	14
Diarrhea and enteritis (119).....	5,009	7	9	16	85	137	138	174	566	570	552	511	477	446	397	329	309	311	271	270
Intestinal obstruction (122b).....	299	1			3	15	21	7	56	36	22	33	29	30	19	19	10	8	11	11
Congenital malformations (157).....	4,925	1,286	480	383	706	462	252	178	3,747	356	211	148	111	62	60	62	56	36	42	34
Congenital debility, icterus, sclerema (158, 161 b, c).....	2,457	426	150	141	372	258	178	142	1,667	274	194	117	75	36	25	19	16	11	7	5
Premature birth (159).....	13,712	8,189	1,564	713	1,194	926	423	231	13,240	263	100	43	30	12	3	2	8	5	1	7
Injury at birth (160).....	3,421	1,631	455	383	625	185	60	30	3,369	41	11									
Other diseases of early infancy (161 a, d).....	1,374	537	177	148	274	128	50	23	1,337	33	4									
External causes (172-193, 201-214).....	912	57	21	22	46	37	22	43	248	123	95	63	49	52	43	47	44	36	50	52
Unknown or ill-defined diseases (199, 200).....	3,361	681	217	152	384	302	210	139	2,115	339	236	165	151	87	69	51	41	49	23	45
All other causes.....	2,564	54	48	77	172	171	137	108	767	322	223	241	168	156	138	133	110	110	98	98
COLORED																				
All causes.....	14,287	2,465	790	624	1,201	988	573	483	7,124	1,324	1,014	905	710	644	598	455	415	397	365	336
Measles (7).....	24	1			1	1		3	2	4	2	2	2	5		1	3			
Scarlet fever (8).....	1																			
Whooping cough (9).....	508		1		5	5	19	30	66	62	62	47	40	41	31	34	34	31	30	1
Diphtheria (10).....	50				2	1	4	1	9	4	3	5	4	7	2	4	3	2	2	5
Influenza (11).....	600	5	1	3	11	16	14	16	66	65	71	69	50	44	49	43	45	39	34	25
Dysentery (13).....	105				1	2	2	2	5	15	11	11	11	14	2	10	8	9	3	6
Erysipelas (15).....	10				2															

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		ALABAMA (WHITE)																		
All causes.....	2,042	597	139	72	175	111	74	75	1,243	180	130	65	80	66	54	40	52	51	48	33
Measles (7).....	1													1						
Scarlet fever (8).....	3																			
Whooping cough (9).....	72						1	1	2	17	12	5	8	7	4	2	6	5	2	2
Diphtheria (10).....	19									1	1	1					1	1	1	
Influenza (11).....	90				3	8	4	8	23	13	9	2	10	5	7	7	6	1	1	6
Dysentery (13).....	5																			
Erysipelas (15).....	12									3	5	1		1	1				1	
Epidemic cerebrospinal meningitis (18).....	2																			
Tetanus (22).....	5					4		1	5											
Tuberculosis of the respiratory system (23).....	1														1					
Tuberculosis of the meninges, etc. (24).....	4																	1	2	
Other forms of tuberculosis (25-32).....	13	2			1		1		4	4	3			1	1			1		
Syphilis (34).....	21	2			6		1	1	15	3	1		1							
Convulsions (36).....	3		3						1											
Bronchitis (106).....	129			3	3	2	2	5	24	25	16	11	5	12	4	7	6	6	8	5
Broncho-pneumonia (107).....	80	1			2	7	4	6	15	12	9	4	6	5	3	2	11	8	3	2
Lobar and unspecified pneumonia (108, 109).....	3																			
Diseases of the stomach (117, 118).....	155					2	3	2	6	15	16	11	23	16	17	9	6	14	13	9
Diarrhea and enteritis (119).....	16								7	2	1									
Intestinal obstruction (122b).....	142	44	12		8	25	13	9	117	8	4	4	1	2	2	1	2	1		
Congenital malformations (157).....	74	14	7		8	6	5	5	50	11	6	3	1	1				1	1	
Congenital debility, icterus, sclerema (158, 161 b, c).....	625	383	70	34	56	31	11	15	600	14	9		1	1						
Premature birth (159).....	145	80	25	15	16	2	1	3	142	3										
Injury at birth (160).....	27	10	2	3	9	1	1	2	26											
Other diseases of early infancy (161 a, d).....	40	4			1	1	2	2	10	3	4	3	4	2	1	1	3	2	6	1
External causes (172-198, 201-214).....	260	56	19	5	34	22	25	15	176	29	19	10	10	6	1	5	2	3	6	2
Unknown or ill-defined diseases (199, 200).....	94	1		2	9	6		2	20	15	9	8	10	2	7		5	3	6	4
All other causes.....																				
ALABAMA (COLORED)																				
All causes.....	1,793	423	119	68	148	134	80	68	1,040	154	104	91	87	59	57	44	53	33	41	30
Measles (7).....	3									1				1						
Scarlet fever (8).....	49						1	1	2	4	6	6	8	4	7	3	2	6	1	1
Whooping cough (9).....	7																			
Diphtheria (10).....	65	1	1		1	2	2	2	9	9	6	5	5	8	3	5	5	2	6	2
Influenza (11).....	4									1				1	1					
Dysentery (13).....	11								10											
Erysipelas (15).....	5																			
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	62	10	1	1	2	4	5	3	26	11	3	4	4	2	2	3	4		1	2
Tuberculosis of the respiratory system (23).....	32	1	3	1	6	6	2	2	21	4	1		2	3						
Tuberculosis of the meninges, etc. (24).....	6								1											
Other forms of tuberculosis (25-32).....	92				4	2	2	3	12	10	12	14	7	10		2	4	2	6	5
Syphilis (34).....	73	1			1	4		5	11	8	4	4	10	5	7	4	6	6	5	3
Convulsions (36).....	11								2	1	5	4	1	1						
Bronchitis (106).....	118			1	1	1	1	6	10	10	17	14	12	7	12	10	9	7	6	4
Broncho-pneumonia (107).....	5								2											
Lobar and unspecified pneumonia (108, 109).....	25	4	3		2		3	2	18	2	1	1		1	1				1	1
Diseases of the stomach (117, 118).....	103	31	3	4	7	16	9	6	76	8	3	3	3			1	3		4	2
Diarrhea and enteritis (119).....	417	229	54	25	34	33	17	12	404	9	2	2								
Intestinal obstruction (122b).....	44	29	6	2	7	3	3	2	44											
Congenital malformations (157).....	31	3	3	4	11	3	2	2	29	2										
Congenital debility, icterus, sclerema (158, 161 b, c).....	37	3			3	4	1	1	11	5	3		5	2	1	2	3	2	2	1
Premature birth (159).....	535	110	42	28	57	53	29	20	339	60	34	31	20	13	7	8	13	3	3	6
Injury at birth (160).....	57	1	2		4		2	3	12	10	6	6	2	4	3	4	1	2	6	1
Other diseases of early infancy (161 a, d).....																				
External causes (172-198, 201-214).....																				
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....																				
ARIZONA																				
All causes.....	817	131	38	36	71	43	20	15	354	63	49	70	42	52	35	44	23	30	28	22
Measles (7).....	1																			
Scarlet fever (8).....	18								1	3	1	5	1	1	2		1	2	1	1
Whooping cough (9).....	1																			
Diphtheria (10).....	43				1	1	1	1	4	5	5	3	4	5	1	6	2	3	2	3
Influenza (11).....	10										3	2		1						
Dysentery (13).....	1																			
Erysipelas (15).....	1									1										
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	5								1											
Tuberculosis of the respiratory system (23).....	8										1	2				1		2		1
Tuberculosis of the meninges, etc. (24).....											1	1				1		2		
Other forms of tuberculosis (25-32).....	14	3			2	2			7	1		3	1	2						
Syphilis (34).....	9								2	3				2	1				1	
Convulsions (36).....	83				3	3	2	3	13	6	9	11	6	10	7	8	3	2	5	3
Bronchitis (106).....	47				1	2			5	5	3	5	1	2	3	4	3	6	3	7
Broncho-pneumonia (107).....	8				1	1			4	1		1		1						
Lobar and unspecified pneumonia (108, 109).....	171				1	3	5	4	17	16	12	24	14	20	14	18	11	10	9	6
Diseases of the stomach (117, 118).....	4								1					1	1					
Diarrhea and enteritis (119).....	44	7	3		5	8	6	4	33	4		2	3		1					
Intestinal obstruction (122b).....	38	5	2		4	2	6	2	21	5	1	5	2	1	2	1				
Congenital malformations (157).....	153	86	20	8	21	8	3	1	147	3	2		1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	32	14	6		5	2			32											
Premature birth (159).....	2																			

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (WHITE)																				
All causes.....	1,244	277	76	54	108	93	58	34	700	120	74	53	47	43	32	28	41	41	24	41
Measles (7).....	1																			1
Scarlet fever (8).....																				
Whooping cough (9).....	43							3	3	11	10	3	2	2	3	2	2	2	2	1
Diphtheria (10).....	13						1		1	1	1	1								4
Influenza (11).....	51					5	4	1	10	8	8	5	2	3	4	3	1	3	1	3
Dysentery (13).....	9								2	2	2		1							1
Erysipelas (15).....	9							2	2	5	2		1	1						
Epidemic cerebrospinal meningitis (18).....	1									1										
Tetanus (22).....	3				1	2			3											
Tuberculosis of the respiratory system (23).....	3													1				2		
Tuberculosis of the meninges, etc. (24).....	2													1		1				
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	9									3	4	1	1							
Convulsions (36).....	5			2	1	2			5											
Bronchitis (106).....	8							1	3	2	2	1								
Broncho-pneumonia (107).....	89		1	2	2	6	7	5	23	15	6	10	7	5	1	3	8	5	4	2
Lobar and unspecified pneumonia (108, 109).....	47				1	3	6	3	13	6	3	3	4	3	2	2	6	6	2	2
Diseases of the stomach (117, 118).....	16			1		2	2		5	1	1	3	1				1	2	1	1
Diarrhea and enteritis (119).....	129					1	1	2	5	13	11	9	6	15	14	6	11	15	6	18
Intestinal obstruction (122b).....	9				1	1			2	1	1	1	1							
Congenital malformations (157).....	74	23	8	6	12	6	2	3	60	6	3	1	2	1	1				1	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	63	20	10	2	11	1	3	2	49	6	4		2				2			
Premature birth (159).....	295	167	32	17	34	28	11	3	292	3										
Injury at birth (160).....	60	20	8	10	12	7	1		58	2										
Other diseases of early infancy (161 a, d).....	24	10	3	2	4	1		1	21	3										2
External causes (172-198, 201-214).....	19								4	4	1									
Unknown or ill-defined diseases (199, 200).....	184	37	14	10	28	22	8	6	125	13	14	9	9	5	2	2	1	2	2	1
All other causes.....	78			2	1	4	5	2	14	14	4	7	7	6	2	8	2	5	4	5
ARKANSAS (COLORED)																				
All causes.....	453	76	23	18	30	30	17	20	214	30	33	27	27	19	20	24	11	19	13	16
Measles (7).....																				
Scarlet fever (8).....								1	1	4	1	1	1	3	2	3			1	1
Whooping cough (9).....	19								1											
Diphtheria (10).....										5	1	3	1	2	4	3	2	2	2	
Influenza (11).....	26			1					1			2	2	2	1	1				
Dysentery (13).....	6																			
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	2														2					
Tetanus (22).....	4				1	2		1	4											
Tuberculosis of the respiratory system (23).....	2													1						
Tuberculosis of the meninges, etc. (24).....	1																	1		
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	7		1					2	3		1	3								
Convulsions (36).....	1			1					2											
Bronchitis (106).....	1								2	3										
Broncho-pneumonia (107).....	22		1			2			3	1	4	2	3	1	5	2	1	1	3	
Lobar and unspecified pneumonia (108, 109).....	17								1											
Diseases of the stomach (117, 118).....	5								1			1	1							
Diarrhea and enteritis (119).....	52	1			1	1	2	1	6	3	5	2	7	4	2	7	2	6	3	5
Intestinal obstruction (122b).....	1																			
Congenital malformations (157).....	8		2			1			6	1										
Congenital debility, icterus, sclerema (158, 161 b, c).....	3	3	2		2	1	1	2	16	1	3			1						1
Premature birth (159).....	61	32	12	6	2	8			60			1								
Injury at birth (160).....	5	3							5											
Other diseases of early infancy (161 a, d).....	5		1		1	1		2	5											
External causes (172-198, 201-214).....	15	1		2	4	1	2	1	11	1	1						1		1	
Unknown or ill-defined diseases (199, 200).....	144	28	3	7	18	13	8	9	86	8	14	6	6	3	3	2	3	2	3	8
All other causes.....	24				1			1	2	3	3	3	2	2	5	3		1		
CALIFORNIA																				
All causes.....	4,116	1,143	252	189	280	209	130	138	2,341	332	257	219	185	149	153	102	115	85	98	80
Measles (7).....	10											1			2	1	2	1	2	1
Scarlet fever (8).....																				
Whooping cough (9).....	100							5	5	20	14	11	7	9	11	6	11	4	7	4
Diphtheria (10).....	13									2	2	2	1	1	1	2	1	1	1	2
Influenza (11).....	78			1		3		1	5	10	6	7	10	10	8	8	4	2	4	4
Dysentery (13).....	16									1		1	2	4		4	3	4		1
Erysipelas (15).....	13					1	1		2	4	4	1	1		1					
Epidemic cerebrospinal meningitis (18).....	9								1	2		1	1		1					
Tetanus (22).....	2				1		1		2											
Tuberculosis of the respiratory system (23).....	33					2			2	2	1	1	1	2	5	4	3	5	3	4
Tuberculosis of the meninges, etc. (24).....	15								1	1	1	1	1	1	1	3	3	1	1	4
Other forms of tuberculosis (25-32).....	21								1	1	3	4	1	3	2	2	2	2	1	4
Syphilis (34).....	42	7		1	4	3	2	3	20	8	5	1	5	1	1	1		1		
Convulsions (36).....	6								1	1	2									
Bronchitis (106).....	26						2	4	6	1	5	7	2	1	1	1	2	1	1	18
Broncho-pneumonia (107).....	498	3	5	5	17	15	16	36	97	76	70	50	38	27	36	18	24	18	26	18
Lobar and unspecified pneumonia (108, 109).....	133	2	3	2	4	4	8	4	27	13	16	11	16	11	4	6	3	6	4	4
Diseases of the stomach (117, 118).....	16								4	2	2	4	1	1	1	1	1	1	1	1
Diarrhea and enteritis (119).....	447				3	18	22	24	72	58	48	38	57	35	36	28	26	17	21	13
Intestinal obstruction (122b).....	30				1	3		3	7	3	2	3	2	1	2	2	2	2	1	1
Congenital malformations (157).....	418	102	33	29	53	35	18	11	281	38	29	20	11	11	4	6	6	2	7	3
Congenital debility, icterus, sclerema (158, 161 b, c).....	120	16	4	4	19	7	4	4	58	13	17	9	5	5	5	2	1	3	1	1
Premature birth (15																				

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO																				
All causes.....	1,259	278	71	37	111	84	47	31	659	123	98	67	63	45	32	40	41	36	26	29
Measles (7).....	5										1							1	2	1
Scarlet fever (8).....	1									1										
Whooping cough (9).....	25									6	4	2	3	1	1			2	2	4
Diphtheria (10).....	5									3									1	1
Influenza (11).....	89		1		3	5	3	2	14	17	12	9	7	4	2	5	9	3	4	3
Dysentery (13).....	5										1		2							
Erysipelas (15).....	1										1									
Epidemic cerebrospinal meningitis (18).....	1												1							
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3				1				1										1	1
Tuberculosis of the meninges, etc. (24).....	2																	1	1	
Other forms of tuberculosis (25-32).....	3											1						1	1	
Syphilis (34).....	11	2	1	1	1	1		1	7	2				1				1		
Convulsions (86).....	2								1											
Bronchitis (106).....	4									1	2									1
Broncho-pneumonia (107).....	135			1	3	9	6	4	23	19	25	18	9	8	8	4	6	5	3	7
Lobar and unspecified pneumonia (108, 109).....	59				3	3	2	2	10	16	5	3	1	7	6	4	1	2	3	1
Diseases of the stomach (117, 118).....	4				1				2											
Diarrhea and enteritis (119).....	173		1	1		4	7	3	16	30	15	20	21	12	9	17	11	9	7	6
Intestinal obstruction (122b).....	11				1	1			2	1	4	1	1			1				
Congenital malformations (157).....	100	29	9	5	17	10	5	1	76	5	5		2	3	1		3	2	1	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	35	2	1	1	2	3	4	2	15	7	3	3	2	1	2	1			1	
Premature birth (159).....	344	182	35	10	41	29	15	7	319	8	4	1	2							
Injury at birth (160).....	80	35	13	8	13	7		3	79	1										
Other diseases of early infancy (161 a, d).....	65	25	6	7	14	6	1	3	62	3										
External causes (172-198, 201-214).....	32		2		4	1		2	9	1	5		3	5	1	3	1	1	1	2
Unknown or ill-defined diseases (199, 200).....	15	3	2	2	2	1			10		1	1	3							
All other causes.....	59			1	5	3	3	1	13	5	7	5	6	3	1	5	5	6		3
CONNECTICUT																				
All causes.....	1,173	401	83	56	86	55	34	27	742	87	54	53	39	35	29	27	29	28	31	19
Measles (7).....	7									1			1		1				2	1
Scarlet fever (8).....																				
Whooping cough (9).....	31									6	6	4	1	5				1	1	3
Diphtheria (10).....	1																			
Influenza (11).....	21						1		1	2	3	1	1	1	2			4	2	2
Dysentery (13).....																				
Erysipelas (15).....	1								1											
Epidemic cerebrospinal meningitis (18).....	4										1	1							1	1
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3												1			1			1	1
Tuberculosis of the meninges, etc. (24).....	9												1		1			1	1	3
Other forms of tuberculosis (25-32).....	3									1								1	1	
Syphilis (34).....	7	1	1				2		4		1		1						1	
Convulsions (86).....	5			1	1				2											
Bronchitis (106).....	11				1			1	2	2		1	1			1		1	1	
Broncho-pneumonia (107).....	111				2	3	3	3	11	20	8	10	7	9	6	9	6	9	10	6
Lobar and unspecified pneumonia (108, 109).....	40				1	1	1	3	5	3	3	6	3	2	3	3	2	3	5	2
Diseases of the stomach (117, 118).....	2																			
Diarrhea and enteritis (119).....	64				1	2	3	7	13	8	9	7	7	5	6	4	1		4	
Intestinal obstruction (122b).....	5				1				1		1				1	1				
Congenital malformations (157).....	166	58	8	7	16	19	8	3	119	13	6	6	5	5	2	3	4	2		1
Congenital debility, icterus, sclerema (158, 161 b, c).....	39	8		4	4	2	2	2	22	6	1	5	1	3		1				
Premature birth (159).....	341	208	35	25	27	18	7	5	325	10	3	1	1							
Injury at birth (160).....	156	97	22	14	15	6			156											
Other diseases of early infancy (161 a, d).....	61	24	15	4	12	1			58	2	1									
External causes (172-198, 201-214).....	10	3			2				5	1									1	
Unknown or ill-defined diseases (199, 200).....	10		1	1	2	1			5		1								1	
All other causes.....	66	2			4	1	2	2	12	12	8	8	7	4	3	4	1	2	3	2
DELAWARE																				
All causes.....	288	58	20	13	19	17	9	7	143	33	11	19	12	10	16	12	11	8	9	4
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	7									1					1	1		2		2
Diphtheria (10).....																				
Influenza (11).....	3										1									
Dysentery (13).....																				
Erysipelas (15).....	1												1							
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	2														1	1				
Tuberculosis of the meninges, etc. (24).....	3														1				1	1
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	3						1		2											
Convulsions (86).....																				
Bronchitis (106).....	3											1							2	
Broncho-pneumonia (107).....	45				2	1			3	9	3	3	5	3	6	5	2	2	1	3
Lobar and unspecified pneumonia (108, 109).....	12				1				1	2		1	2		1	2		1	1	1
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	35					2		3	5	3	2	8	2	3	4	1	2	3	2	
Intestinal obstruction (122b).....																				
Congenital malformations (157).....	24	3	2	2	5	2	2	1	17	2	2	1	2							
Congenital debility, icterus, sclerema (158, 161 b, c).....	14	1	2		3	1			7	4	1	1								1
Premature birth (159).....	83	42	10	4	5	9	4	1	75	7	1									
Injury at birth (160).....	13	7	3	2	1				13											
Other diseases of early infancy (161 a, d).....	10	4	3	1	2				10											

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		GEORGIA (COLORED)																		
All causes.....	1,980	435	112	110	196	146	76	65	1,140	177	138	118	78	51	63	51	46	46	40	32
Measles (7).....	4										1	1				1				1
Scarlet fever (8).....																				
Whooping cough (9).....	40							1	1	5	11	6	3	2	4	3			1	2
Diphtheria (10).....	9			1	1			1	3	1	1	1			1	1				
Influenza (11).....	58	1				2	3	1	7	6	4	12	5	4	5	3	3	5	3	1
Dysentery (13).....	13									2	1	1	2	1						1
Erysipelas (15).....	1													1						
Epidemic cerebrospinal meningitis (18).....	2															1				
Tetanus (22).....	3					3			3											
Tuberculosis of the respiratory system (23).....	11							1	1	1		2	1	1		2	1			2
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....	2															1				
Syphilis (34).....	64	8	4	7	2	10		6	37	7	5	4	1		1	1	1	3	3	1
Convulsions (86).....	27	2	2		7	5	1	1	18	3	2		3	1						
Bronchitis (106).....	4								3	1										
Broncho-pneumonia (107).....	129			2	6	7	3	5	23	19	13	14	8	12	6	6	9	9	5	5
Lobar and unspecified pneumonia (108, 109).....	119	1	1		1	6	5	3	17	14	9	16	14	6	10	10	6	5	5	7
Diseases of the stomach (117, 118).....	17					1		1	2	3	3	1	1			1	1	3	1	2
Diarrhea and enteritis (119).....	93	1		1	2	2	4	2	12	10	5	13	6	8	3	7	8	6	3	3
Intestinal obstruction (122b).....	8								3	1	1									
Congenital malformations (157).....	26	7		1	4	4		1	17	5		1	2		1				1	
Congenital debility, icterus, sclerema (158, 161 b, c).....	120	27	7	4	12	18	10	3	81	21	5	5	3	1	1		1		1	1
Premature birth (159).....	425	227	42	36	57	22	12	10	406	9	8	2								
Injury at birth (160).....	48	20	8	8	10			1	47	1	1									
Other diseases of early infancy (161 a, d).....	43	4	3	9	11	9	5		41	1										
External causes (172-198, 201-214).....	40	2	1	1	5	2	1	1	13	6	4	5	2	2	2	2	2	2		2
Unknown or ill-defined diseases (199, 200).....	571	134	43	39	70	43	29	24	382	51	38	31	14	7	17	5	8	8	7	3
All other causes.....	103	1	1	1	7	12	1	3	26	7	20	10	5	7	6	7	5	3	3	4
IDAHO																				
All causes.....	379	100	35	16	38	26	16	11	242	35	17	9	10	9	15	10	8	6	6	12
Measles (7).....	1																			1
Scarlet fever (8).....	4							1	1	2		1								
Whooping cough (9).....	2											1								
Diphtheria (10).....	22					1	1	1	3	6	4				2	2	1		1	1
Influenza (11).....	4								1	1										
Dysentery (13).....	4							1	1	1					1					1
Erysipelas (15).....	4								1	1										
Epidemic cerebrospinal meningitis (18).....	5														2	1	1			1
Tetanus (22).....	1								1	1										
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	5																			1
Other forms of tuberculosis (25-32).....	1								1	1										
Syphilis (34).....	2								1	1										
Convulsions (86).....	5		1	1	1				3						1				1	
Bronchitis (106).....	32					1	2	1	4	5	3	2	2	4	4	1	2	1	2	2
Broncho-pneumonia (107).....	15				1	1	1	2	4	4	3	3	2	4	1	1	2	1	1	2
Lobar and unspecified pneumonia (108, 109).....	3								1	1	1									
Diseases of the stomach (117, 118).....	15					1	2	1	4	4	2		1		1	1				2
Diarrhea and enteritis (119).....	3								1	1					1	1				
Intestinal obstruction (122b).....	38	6	3	5	8	2	1		25	8	1			1	1		2			
Congenital malformations (157).....	19	4	3	1	5	3	2		18	1										
Congenital debility, icterus, sclerema (158, 161 b, c).....	109	59	20	5	12	5	5	1	107	1		1								
Premature birth (159).....	38	22	5	3	3	4			37	1										
Injury at birth (160).....	13	5	3		1	2	1	1	13											
Other diseases of early infancy (161 a, d).....	8				1	1			2	1		1	1	1		1	1			1
External causes (172-198, 201-214).....	13	3	1	1	2	5	2		6	1	1	1	1	1	2	1	1			1
Unknown or ill-defined diseases (199, 200).....	27	1		2	2	5	2	2	12	2		2	1	1	1	1	1	3	2	1
All other causes.....	27	1		2	2	5	2	2	12	2		2	1	1	1	1	1	3	2	1
ILLINOIS																				
All causes.....	5,884	1,738	401	279	496	315	240	170	3,639	461	349	250	216	185	141	135	152	135	115	106
Measles (7).....	7										1								1	3
Scarlet fever (8).....	5	1							1										2	2
Whooping cough (9).....	125						1	6	7	20	19	14	9	12	8	6	7	7	12	4
Diphtheria (10).....	5									1									1	4
Influenza (11).....	135				3	5	6	3	17	15	14	13	11	14	10	8	12	10	6	5
Dysentery (13).....	15							1	2	2	3	2	2	2	1	3			1	
Erysipelas (15).....	38				1	1	8	7	17	5	5	1	2	4	4	1	1	1	1	1
Epidemic cerebrospinal meningitis (18).....	10												2	2	2	1	1	1		1
Tetanus (22).....	2				2				2											
Tuberculosis of the respiratory system (23).....	17							1	1		2	1	1	1	2	1	1	1	2	3
Tuberculosis of the meninges, etc. (24).....	10										1				1	1	1	1	2	1
Other forms of tuberculosis (25-32).....	16									2		4	1	1	1	2	1	1	3	2
Syphilis (34).....	67	11	1	1	3	5	5	5	31	12	13	6	2	2	1					
Convulsions (86).....	9		2	2					5	11	5	1								
Bronchitis (106).....	51					1			5	11	6	7	2	1	4	6	1	3		
Broncho-pneumonia (107).....	727	3	5	6	29	27	53	31	154	108	95	73	53	41	36	34	39	39	31	24
Lobar and unspecified pneumonia (108, 109).....	150				9	7	7	9	36	10	17	18	14	3	12	9	10	11	6	3
Diseases of the stomach (117, 118).....	20				1	1	1	1	5	3	4	1							1	4
Diarrhea and enteritis (119).....	453	1	1	2	10	19	14	14	57	59	47	48	42	53	30	28	29	31	11	18
Intestinal obstruction (122b).....	44				1	2	1	1	7	5	1	4	3	6	7	2	4	2	2	3
Congenital malformations (157).....	725	170	62	49	100	67	41	24	513	66	44	18	20	15	8	9				

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	.11 mos.
INDIANA																				
All causes.....	2,903	742	181	139	260	166	87	96	1,671	239	204	150	117	100	86	71	68	70	69	58
Measles (7).....	2																			
Scarlet fever (8).....	7							1	14						2	1	2		1	
Whooping cough (9).....	133					2	4	8	15	13	12	15	5	11	13	5	7	15	8	
Diphtheria (10).....	5				1				1	1	1									
Influenza (11).....	118	1		1	7	5	2	5	10	19	6	8	13	8	7	8	10	7	1	
Dysentery (13).....	5								1	1	1	1								
Erysipelas (15).....	16				1	1	2	2	3	2	1	3	1							
Epidemic cerebrospinal meningitis (18).....	19				1				1		4	1	1	2		3	4	1		
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....	9								2	1	1	1				1		2	1	
Tuberculosis of the meninges, etc. (24).....	10				1				1	2	1	1						2	1	
Other forms of tuberculosis (25-32).....	2								1											
Syphilis (34).....	47	7	2		2	2	3	4	12	6	5		1	1	2					
Convulsions (86).....	5			1	2	1			4											
Bronchitis (106).....	9			1	1	1	1	1	4	1	1									
Broncho-pneumonia (107).....	285	1	2	4	15	10	12	14	58	40	36	38	18	23	17	11	10	13	11	10
Lobar and unspecified pneumonia (108, 109).....	102	1	1	1	4	7	2	3	18	14	15	11	7	4	6	8	4	3	6	6
Diseases of the stomach (117, 118).....	11							1	2	3	3	2	1							
Diarrhea and enteritis (119).....	333			1	4	4	9	15	42	49	38	32	32	22	15	17	22	17	14	1
Intestinal obstruction (122b).....	28				2	1	1	1	4	5	2	2	3	2	4	3	1	1	1	
Congenital malformations (157).....	339	97	37	36	39	29	10	13	261	20	18	5	8	5	5	3	1	5		
Congenital debility, icterus, sclerema (158, 161b, c).....	98	8	5	5	22	13	7	8	68	16	4	3	4	1	2					
Premature birth (159).....	767	465	86	42	72	46	21	8	740	17	6	3		1						
Injury at birth (160).....	254	111	34	31	51	14	6	1	248	4	2									
Other diseases of early infancy (161a, d).....	100	47	10	10	17	8	1	3	96	4										
External causes (172-198, 201-214).....	45	3	1	1	5	4	2	2	15	7	6	4				1	1		1	3
Unknown or ill-defined diseases (199, 200).....	7	1	1	1	1	1	2	1	6	1										
All other causes.....	146	2	3	5	12	17	5	5	49	18	17	11	9	9	7	5	6	4	4	7
IOWA																				
All causes.....	1,938	586	157	101	159	94	64	59	1,220	150	121	94	69	48	63	49	34	30	33	27
Measles (7).....	2																			
Scarlet fever (8).....	3				1				1											
Whooping cough (9).....	59							7	8											
Diphtheria (10).....	4								1	1	1									
Influenza (11).....	102			1	1	4	5	4	13	13	11	13	4	13	7	5	1	4	3	
Dysentery (13).....	6																			
Erysipelas (15).....	6								2	1		1								
Epidemic cerebrospinal meningitis (18).....	5								1				1	1	1					
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....	2									1								1		
Tuberculosis of the meninges, etc. (24).....	11								1											
Other forms of tuberculosis (25-32).....	21			2		3	1	1	7											
Syphilis (34).....	10	1	2		2	1	1	1	6											
Convulsions (86).....	7				2	1			3											
Bronchitis (106).....	201		2	3	9	2	12	9	37	34	22	16	10	10	11	8	8	5	6	1
Broncho-pneumonia (107).....	54			1	3	2	3	3	12	5	8	7	4	3	3	1	2	3	2	4
Lobar and unspecified pneumonia (108, 109).....	6				1	2	1	1	2	1	3	2	1							
Diseases of the stomach (117, 118).....	87				1	1	5	3	15	11	8	6	7	11	10	4	2	5	1	
Diarrhea and enteritis (119).....	25				1	1	1	1	2	1	2	2	2	2	5	2	1	1		
Intestinal obstruction (122b).....	250	72	30	17	31	15	8	11	184	22	10	11	5	4	4	5	1	4		
Congenital malformations (157).....	75	14	2	9	11	8	10	3	57	7	5	3		1	1	1				
Congenital debility, icterus, sclerema (158, 161b, c).....	548	342	76	29	37	32	7	10	533	5	6	2								1
Premature birth (159).....	207	108	33	22	29	11	1		204	3										
Injury at birth (160).....	80	39	7	10	15	5	2		78											
Other diseases of early infancy (161a, d).....	43	3	1	1	5	3			7	6	4	4	2	3	1	1	5	4	4	
External causes (172-198, 201-214).....	12	3	1	1	2				7	2	2	2								
Unknown or ill-defined diseases (199, 200).....	111	4	4	5	8	8	5	5	39	13	13	10	6	5	3	4	6	7	2	3
KANSAS																				
All causes.....	1,525	486	121	69	126	95	61	42	1,000	89	70	72	53	36	57	29	28	39	27	25
Measles (7).....	7									1		1		1		1	1		1	1
Scarlet fever (8).....	1										1									
Whooping cough (9).....	33								4	2	6	5		3	4		4	2	2	
Diphtheria (10).....	1																			
Influenza (11).....	71				2	1	3		6	11	11	8	7	6	4	2	6	3	1	
Dysentery (13).....	4				1				1					1						
Erysipelas (15).....	5																			
Epidemic cerebrospinal meningitis (18).....	1								4											
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	13	2	1		1	2	1		7		2	2	1							
Convulsions (86).....	6			2	1	1			4											
Bronchitis (106).....	4				1	1			2											
Broncho-pneumonia (107).....	126		3	6	7	9	1		26	16	15	13	8	5	14	4	6	8	6	5
Lobar and unspecified pneumonia (108, 109).....	47		1		1	1	5		8	7	4	5	2	4	5	2	2	5	2	1
Diseases of the stomach (117, 118).....	5				2				2	1										
Diarrhea and enteritis (119).....	108				4	4	5	5	18	9	8	9	11	11	6	7	6	8	6	
Intestinal obstruction (122b).....	17				1	1	1	1	2	4	1	1	1	2	3	1	1	1	1	
Congenital malformations (157).....	166	44	21	13	21	14	8	7	128	11	7	6	3	2	3	1	1			4
Congenital debility, icterus, sclerema (158, 161b, c).....	67	11	6	3	16	7	3	4	50	9	2	3		1						1
Premature birth																				

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KENTUCKY (WHITE)																				
All causes.....	3,409	731	218	127	254	184	157	147	1,818	293	195	168	150	131	121	111	97	97	114	114
Measles (7).....	2																			1
Scarlet fever (8).....	4																			
Whooping cough (9).....	145		1			1	4	16	22	17	17	19	9	7	6	11	9	7	9	12
Diphtheria (10).....	45		4		1	1		4	11	3	3	2	3	2	3	2	4	4	3	5
Influenza (11).....	126		1	2	3	3	4	13	26	13	11	12	9	9	6	6	9	10	6	9
Dysentery (13).....	45					1		1	2	4	2	3	5	2	3	7	5	2	2	3
Erysipelas (15).....	10					1		1	2	4	2									1
Epidemic cerebrospinal meningitis (18).....	10					1		1	2	2	1				3	1			1	
Tetanus (22).....	2					1		1	2	1										
Tuberculosis of the respiratory system (23).....	10							1	1	1	2	1	1	1	1	2	3	2	3	1
Tuberculosis of the meninges, etc. (24).....	17								1	3		1			1	2			3	1
Other forms of tuberculosis (25-32).....	4																			
Syphilis (34).....	29	4	1	1	3	5	1	1	15	5	3	3						2		
Convulsions (86).....	11	1			1				7	1	1									
Bronchitis (106).....	12				1	1		2	4	1	2									
Broncho-pneumonia (107).....	251	1	1	3	9	12	25	10	61	52	22	19	23	19	16	16	12	12	17	12
Lobar and unspecified pneumonia (108, 109).....	128	1	1	1	6	5	6	4	24	21	19	7	13	9	7	7	3	7	6	5
Diseases of the stomach (117, 118).....	27				1	3	2	2	9	4	1	2	2	1	3					3
Diarrhea and enteritis (119).....	521	2	1	1	3	10	20	10	47	48	50	58	45	46	49	32	35	28	43	40
Intestinal obstruction (122b).....	16					3		1	4	1	1	4	3							1
Congenital malformations (157).....	207	57	29	8	30	16	14	8	162	19	8	5	1	1	4	2	1		2	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	195	39	12	11	20	23	17	12	134	18	15	9	5	3	2	4	1	4		
Premature birth (159).....	873	488	113	49	83	62	26	26	847	13	4	3	3	1		2				
Injury at birth (160).....	173	77	24	27	29	7	3	6	173											
Other diseases of early infancy (161 a, d).....	57	14	10	11	11	3	1	3	57											
External causes (172-198, 201-214).....	84	5	3		5	1	6	8	28	12	10	4	4	4	4	5	1	5	5	4
Unknown or ill-defined diseases (199, 200).....	197	37	14	11	32	10	15	7	126	32	9	3	4	2	4	3	3	3	2	4
All other causes.....	178	5	3		13	10	6	14	51	19	13	14	17	12	7	6	7	8	14	10
KENTUCKY (COLORED)																				
All causes.....	358	60	24	20	27	17	20	19	187	33	21	23	14	18	17	9	15	8	3	10
Measles (7).....	1								1											
Scarlet fever (8).....																				
Whooping cough (9).....	26				1				1	2	2	3	5	3		3	4	1		2
Diphtheria (10).....																				
Influenza (11).....	12	1	1			1			3	2		2	1	1	1		1	1		
Dysentery (13).....	2																			
Erysipelas (15).....	1							1	1						1					
Epidemic cerebrospinal meningitis (18).....	2										1									
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	12	3	2					2	8	4	3			1						
Convulsions (86).....	6							1	1	1	3			1						
Bronchitis (106).....	2								1											
Broncho-pneumonia (107).....	49			2	2	1	4	4	13	8	3	9	2	3	6	2	1	1	1	1
Lobar and unspecified pneumonia (108, 109).....	20			1	2	2	2	2	4	4	1	2	2		1	1				3
Diseases of the stomach (117, 118).....	30				1	2		1	2	2					1					
Diarrhea and enteritis (119).....	47				2	2		6	9	5	5	5	3	6	4	2	1	5	1	1
Intestinal obstruction (122b).....	1				1				1											
Congenital malformations (157).....	10							2	8											
Congenital debility, icterus, sclerema (158, 161 b, c).....	21	2	1	1	2			4	10	1	2	2		2	1				1	2
Premature birth (159).....	84	44	10	8	6	6	4	2	80	3				1						
Injury at birth (160).....	16	4	5	2	4	1			16											
Other diseases of early infancy (161 a, d).....	5	1	1	3					5											
External causes (172-198, 201-214).....	7	1	1	3		1			2											
Unknown or ill-defined diseases (199, 200).....	16	3	1	1	3	2		1	11	1	2			1	1			4		
All other causes.....	12	1	1	1	2	1	2	1	6	2			1		1	2				
LOUISIANA (WHITE)																				
All causes.....	1,353	376	88	42	101	81	49	27	764	122	77	76	62	52	49	43	27	24	23	24
Measles (7).....	8							1	1					2	1	1	1	1		
Scarlet fever (8).....																				
Whooping cough (9).....	25							1	1	6	3	1	2	2	3	2	1	1	3	1
Diphtheria (10).....	11								1	1	1	1	1	1	1	1	1	1	2	2
Influenza (11).....	73				1	4	4	2	11	8	5	12	9	8	9	2	3	3	3	
Dysentery (13).....	8										3	1	1	1						
Erysipelas (15).....	3														1	1				
Epidemic cerebrospinal meningitis (18).....	3													1						
Tetanus (22).....	11		1	2	3	4	1		11											
Tuberculosis of the respiratory system (23).....	2															1				1
Tuberculosis of the meninges, etc. (24).....	3																			2
Other forms of tuberculosis (25-32).....														1						
Syphilis (34).....	12					1	1	1	3	3	1	1	1	1		2				
Convulsions (86).....																				
Bronchitis (106).....	8								1											
Broncho-pneumonia (107).....	137		1	1	4	5	9	5	25	29	19	17	14	8	3	9	3	4	3	3
Lobar and unspecified pneumonia (108, 109).....	60				1	4	5		10	9	1	6	4	6	8	2	3	4	5	2
Diseases of the stomach (117, 118).....	9				2	1			3		2	2			1			1		
Diarrhea and enteritis (119).....	121	1			3	3	2	4	13	21	18	12	11	10	9	10	7	3	3	4
Intestinal obstruction (122b).....	21				1	1	1	1	3	4	1	2	2	2	4					2
Congenital malformations (157).....	105	21	7	9	11	9	8	1	66	12	5	8	5	1	1	2	4	1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	39	10		2	7	2	5		26	1										

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MARYLAND (COLORED)																				
All causes.....	700	135	43	23	44	37	30	26	338	72	42	61	37	39	33	16	15	21	13	13
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	20								1	1			4	3	1	4	2	2	2	
Diphtheria (10).....	1								1											1
Influenza (11).....	9								1				2					1	1	1
Dysentery (13).....	2								1	1										
Erysipelas (15).....	1								1											
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....	1					1			1											
Tuberculosis of the respiratory system (23).....	3												1						1	1
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	29	2	1		4	1	3	1	12	6	3	2	1	3	1			1	1	1
Convulsions (86).....	10			1	1		2		4	2		1	2							
Bronchitis (106).....	7					1		4	5			1		1						
Broncho-pneumonia (107).....	92				1	1	5	5	12	12	10	8	11	6	4	5	3	3	3	6
Lobar and unspecified pneumonia (108, 109).....	41			1	1				2	4	5	6	3	5	6	1	4	3	1	1
Diseases of the stomach (117, 118).....	4								1	1										
Diarrhea and enteritis (119).....	100					1	1	5	7	15	11	24	7	10	7	4	3	7	3	2
Intestinal obstruction (122 b).....	2											1		1						
Congenital malformations (157).....	38	5	4	2	7	4	2	2	26	6	1	1	2	1						1
Congenital debility, icterus, sclerema (158, 161 b, c).....	31	5	4	2	15	6	1	1	20	5	1	3	2							
Premature birth (159).....	172	90	23	10	15	14	8	2	162	9	1									
Injury at birth (160).....	28	13	5	1	7	1	1	2	28											
Other diseases of early infancy (161 a, d).....	36	14	3	5	5	2	2	2	33	1	2									
External causes (172-193, 201-214).....	11	2	1		1	1	1	1	5	1	1	3		1				1		
Unknown or ill-defined diseases (199, 200).....	14	4	1			4		1	10	1	1	4	1	4	7	2		2	1	2
All other causes.....	45	2			2		4		8	7	4	4	4	4	7	2		2	1	2
MASSACHUSETTS																				
All causes.....	3,624	1,130	260	193	302	185	101	83	2,254	251	166	166	122	117	98	94	97	97	74	88
Measles (7).....	21											1	1		2	2	4	4	2	5
Scarlet fever (8).....	3																			
Whooping cough (9).....	63						1	1	2	8	4	5	7	8	5	3	4	7	3	7
Diphtheria (10).....	4								1											1
Influenza (11).....	26								3	1	6	1	1	1			5	3	2	3
Dysentery (13).....	3																			
Erysipelas (15).....	21								7	3								1	1	
Epidemic cerebrospinal meningitis (18).....	7						3	5	9	2						2			2	
Tetanus (22).....	10											1	1	1						3
Tuberculosis of the respiratory system (23).....	13													2	3	4	2	2	2	2
Tuberculosis of the meninges, etc. (24).....	7											1	1	1	1				1	1
Other forms of tuberculosis (25-32).....	18																			
Syphilis (34).....	11	2	1	1		3	1		7	6	2	2	1	1	1					1
Convulsions (86).....	11								3	1	2	2	1	1						
Bronchitis (106).....	15	1	1	1				2	3	2	2	2	2	1	1					2
Broncho-pneumonia (107).....	506	4	4	4	7	13	20	19	71	56	52	60	45	41	34	31	27	29	34	26
Lobar and unspecified pneumonia (108, 109).....	86				1		3		4	5	4	5	8	10	8	6	13	8	5	10
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	201		1		3	5	8	6	23	30	24	20	17	15	15	13	13	14	10	7
Intestinal obstruction (122 b).....	20								3	4			3	2	2	5	1			
Congenital malformations (157).....	507	126	39	33	54	44	31	17	344	44	31	25	12	13	9	6	7	7	3	6
Congenital debility, icterus, sclerema (158, 161 b, c).....	66		4	3	16	7	3	5	49	6	3	5	1				2			
Premature birth (159).....	1,107	674	122	80	84	61	19	15	1,055	36	6	5	2		1			1		1
Injury at birth (160).....	432	228	58	38	81	11	6	2	424	6	2									
Other diseases of early infancy (161 a, d).....	184	71	26	26	38	16	1	4	182	2										
External causes (172-193, 201-214).....	44	7	1	1	3	2			14	3	2	4	4	3	2	4	1	3	1	3
Unknown or ill-defined diseases (199, 200).....	11	2			2	2	1	1	7	1	1						1	1	1	
All other causes.....	232	4	4	6	12	20	4	6	56	31	20	22	15	14	14	13	14	13	7	13
MICHIGAN																				
All causes.....	4,628	1,303	324	224	375	244	165	159	2,794	324	269	243	185	146	151	128	111	87	103	87
Measles (7).....	47	1						1	2	3	1	5	2	2	6	3	6	3	4	10
Scarlet fever (8).....	4																			
Whooping cough (9).....	129							5	5	13	16	11	14	11	14	7	14	5	10	9
Diphtheria (10).....	8									1	1	1	1	1	1	1	1	1	1	1
Influenza (11).....	104				3	4	3	1	11	14	15	8	9	9	8	6	10	3	5	6
Dysentery (13).....	12								1				2	5	1					
Erysipelas (15).....	19								6	4	2	3		2	1					
Epidemic cerebrospinal meningitis (18).....	15				1				1	1	3	4		1	1	2				1
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....	7													1	2	1		1	1	
Tuberculosis of the meninges, etc. (24).....	13									1				1	1			2	4	2
Other forms of tuberculosis (25-32).....	12										2	3	2				3	1		1
Syphilis (34).....	34	6		1	4	2	1	2	16	7	4	2	2	1		1	1			2
Convulsions (86).....	29	1	1		5	2	2	1	12	4	6	1	2	2						2
Bronchitis (106).....	31	1	1		3	1			5	8	2	2	3	2			3		1	3
Broncho-pneumonia (107).....	537	3	5	3	12	11	23	34	96	73	65	64	46	41	38	30	22	22	23	17
Lobar and unspecified pneumonia (108, 109).....	158				1	10	4	4	23	16	14	20	17	11	9	12	6	8	11	11
Diseases of the stomach (117, 118).....	18				3	1	3	1	8	2	1	5								
Diarrhea and enteritis (119).....	298				1	4	14	10	46	46	32	28	23	24	29	21	18	12	7	12
Intestinal obstruction (122 b).....	41				1		2	3	6	4	4	6	6	2	5	2	3	2	1	1
Congenital malformations (157).....	580	131	45	37	77	51	31	30	402	42	35	28	19							

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA																				
All causes.....	2,189	762	148	118	206	143	87	61	1,525	143	96	86	52	63	50	40	51	37	27	19
Measles (7).....	3												1	1						1
Scarlet fever (8).....																				
Whooping cough (9).....	28							1	1	5	4	2	2	5	2	2	2	1		2
Diphtheria (10).....																				
Influenza (11).....	76				1	1	4	2	8	12	7	9	7	9	4	3	6	2	7	2
Dysentery (13).....	5								1	1	1	1	1	1						
Erysipelas (15).....	8							1	1	1	2	1	1	2						
Epidemic cerebrospinal meningitis (18).....	4														1					2
Tetanus (22).....	1					1			1											
Tuberculosis of the respiratory system (23).....	3													1				1		1
Tuberculosis of the meninges, etc. (24).....	5									1	1					2	1			
Other forms of tuberculosis (25-32).....	1													1						
Syphilis (34).....	11	2			1				4	4		1			1		1			
Convulsions (86).....	19			1	3	2	1	2	9	3	2	1			2	1		1		
Bronchitis (106).....	6							1	1	2			1	1						
Broncho-pneumonia (107).....	179		4	3	8	9	9	9	42	23	30	19	10	9	11	8	15	8	3	1
Lobar and unspecified pneumonia (108, 109).....	59				3	2	4	2	11	6	10	11	3	3	3	4	3			
Diseases of the stomach (117, 118).....	4				1				1	1	1	1	1	1						
Diarrhea and enteritis (119).....	108		2		4	3	13	4	26	23	9	7	7	7	7	5	6	7	2	2
Intestinal obstruction (122 b).....	13				1	2		1	4	2			1	3	2			1		
Congenital malformations (157).....	283	75	19	20	34	25	13	18	204	19	10	14	5	13	5	1	5	4	2	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	79	24	4	8	16	6	4	3	65	9	3	1		1						
Premature birth (159).....	753	477	70	47	52	64	23	8	741	3	4	3								1
Injury at birth (160).....	251	136	28	27	44	10	1	2	248	2	1	3								
Other diseases of early infancy (161 a, d).....	85	38	12	5	19	4	4	1	83	2										
External causes (172-198, 201-214).....	35	5			1	2	1	3	12	3	3	1	5	2		1	4	2	1	1
Unknown or ill-defined diseases (199, 200).....	28	3	3	1	10	3	1	1	21	2		3		1	1					
All other causes.....	142	2	6	4	9	9	7	4	41	19	8	12	8	4	10	12	7	9	9	3
MISSISSIPPI (WHITE)																				
All causes.....	967	273	54	46	72	70	34	30	579	79	61	34	22	22	33	26	28	36	21	26
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	35					1	1	1	3	8	6	3	4	1	4	2	1			2
Diphtheria (10).....	12					1			1						1			5	3	2
Influenza (11).....	70				2	3	5	3	13	11	13	7	5	5	4	4	3	2	2	1
Dysentery (13).....																				
Erysipelas (15).....	6								1	2	1	1								
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	3	1				1	1		3											
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	2							1	1		1									
Convulsions (86).....	1								1											
Bronchitis (106).....	3								1											
Broncho-pneumonia (107).....	44			1	2	1	1	1	6	1	6	2		1	2	2	6	4	4	4
Lobar and unspecified pneumonia (108, 109).....	30	1			2	2	3	2	8	1	4	1		2	3	1	1	3	3	3
Diseases of the stomach (117, 118).....	4								1	1	1									
Diarrhea and enteritis (119).....	80				1	2	2	4	9	7	5	6	3	4	5	8	7	13	5	8
Intestinal obstruction (122 b).....	7				1	1			2	1								1		1
Congenital malformations (157).....	56	14	4	5	7	7	3	2	42	3	4	3	1	2						
Congenital debility, icterus, sclerema (158, 161 b, c).....	32	8	1	2	3	3	1	4	22	5	1	1	2	1						
Premature birth (159).....	265	177	20	11	23	17	4	2	254	4	2	2		1						
Injury at birth (160).....	61	25	11	8	10	5	1		60	1										
Other diseases of early infancy (161 a, d).....	20	12	3	3	2				20											
External causes (172-198, 201-214).....	19	2							2	3		1	1	1	2	1	2	1	4	
Unknown or ill-defined diseases (199, 200).....	187	31	15	13	18	21	9	5	112	17	9	4	3	1	6	3	3	2	1	2
All other causes.....	60	2		3	4	3	1	3	16	9	7	3	3	5	4	5	5	1		2
MISSISSIPPI (COLORED)																				
All causes.....	1,513	271	106	70	123	104	53	49	776	151	105	74	82	53	74	41	45	34	42	36
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	36							1	1	10	5	5	2	3	2	2	3	1		2
Diphtheria (10).....	4													1		1	1			
Influenza (11).....	80	1				1	3	1	6	7	8	7	11	5	11	4	7	3	7	4
Dysentery (13).....	3											1	1	1						
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....	3														1					1
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	4								1						1					2
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	2									1										1
Syphilis (34).....	41	4	2	2	4	3	2		17	2	7	3	3	1	2	1			3	2
Convulsions (86).....	12	1			2	2	1		6		3		1	2						
Bronchitis (106).....	4					1			1				1	2						
Broncho-pneumonia (107).....	62				1	1	1	2	5	3	4	9	9	6	7	3	5	6	2	3
Lobar and unspecified pneumonia (108, 109).....	65		1	2	2	2			9	14	4	7	6	3	6	4	7	5	1	1
Diseases of the stomach (117, 118).....	2											1								
Diarrhea and enteritis (119).....	96					1	1		2	13	6	10	11	8	10	9	6	4	10	7
Intestinal obstruction (122 b).....	9									1	1			1	1	2			3	
Congenital malformations (157).....	13	4		1	2	1	1		9			1	1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	46	10	7	3	4	3	1	3	31	3	4	1		2	2	1	1			1
Premature birth (159).....	183	93	26	17	24	7	7	4	178	2	2	1				</				

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		MISSOURI																		
All causes	3,430	883	188	113	300	229	133	116	1,962	285	224	159	151	131	94	95	85	86	76	82
Measles (7)	6	1						1	2											
Scarlet fever (8)	6					1			1											
Whooping cough (9)	146						2	2	4	24	20	14	14	18	7	11	4	10	12	8
Diphtheria (10)	13									1	1			1	1					2
Influenza (11)	123	1			4	8	6	5	24	25	10	10	6	9	4	5	9	6	7	3
Dysentery (13)	32							1	1	3	2	3	3	5	3			3	1	3
Erysipelas (15)	17							1	1	7	2	2	2	1	1					
Epidemic cerebrospinal meningitis (18)	3								2	1										
Tetanus (22)	3								2											
Tuberculosis of the respiratory system (23)	9								1							2	1	3	1	1
Tuberculosis of the meninges, etc. (24)	7																	1	1	1
Other forms of tuberculosis (25-32)	10								2	2	2	1	2	1	1	1	1	1	1	1
Syphilis (34)	55	13			3	3	3	1	24	7	9	6	2	1	1	1	1	3	3	1
Convulsions (36)	11				2	2	1		8	1										
Bronchitis (106)	19		1						3	2	2	4	1	1	1					
Broncho-pneumonia (107)	357	1	4	2	14	16	21	18	76	54	46	37	28	30	21	16	13	13	15	8
Lobar and unspecified pneumonia (108, 109)	116	1			6	2	3	7	19	13	14	13	14	5	5	12	9	4	6	2
Diseases of the stomach (117, 118)	24				3	2	1	3	11	2	6	1	2	1	1					
Diarrhea and enteritis (119)	374	1			7	17	15	19	61	43	39	35	31	32	19	21	24	25	15	29
Intestinal obstruction (122 b)	22				3	2	1	1	4	1	2	2	4	4	2	2	2	2	2	1
Congenital malformations (157)	327	84	35	20	48	28	11	14	240	29	17	8	10	5	4	3	4	2	2	3
Congenital debility, icterus, sclerema (158, 161 b, c)	149	28	7	10	21	13	13	8	100	17	18	5	4	1	1	1	1	1	1	1
Premature birth (159)	955	583	82	39	93	81	27	15	920	20	10	1	1	1	1	1	1	1	1	1
Injury at birth (160)	224	100	35	18	47	17	5		222		2									
Other diseases of early infancy (161 a, d)	107	40	14	11	25	7	7		104	3										
External causes (172-198, 201-214)	53	3	1	1	3	3	4		12	5	7	1	3	3	4	4	1	3	6	4
Unknown or ill-defined diseases (199, 200)	97	22	6	4	10	17	6	6	71	5	4	2	3	1	2	3	1	2	2	3
All other causes	163	5	3	3	10	7	11	7	46	18	13	12	16	13	10	7	6	8	6	8
MONTANA																				
All causes	467	145	29	20	40	38	15	11	298	46	24	19	8	18	9	12	6	6	9	12
Measles (7)	5											3		1						1
Scarlet fever (8)																				
Whooping cough (9)	12									3	2	1			1	2		1	2	
Diphtheria (10)																				
Influenza (11)	17				1		1		2	3	2	1		3		2	2		1	1
Dysentery (13)	2								1											
Erysipelas (15)	7								1	3				1						
Epidemic cerebrospinal meningitis (18)	1							1	2											
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	2																1		1	
Tuberculosis of the meninges, etc. (24)	2																			1
Other forms of tuberculosis (25-32)	1																			1
Syphilis (34)	5				1	1			2	2	1									1
Convulsions (36)	6				2	2			4											
Bronchitis (106)																				
Broncho-pneumonia (107)	30				1	1	2	2	6	7	7	1	1	3	1	1		1		2
Lobar and unspecified pneumonia (108, 109)	14				1	1	1		2	4	3		2	1	1					
Diseases of the stomach (117, 118)	4								1											
Diarrhea and enteritis (119)	28				3	1	2		6	7	6	1	3		1	3	2			
Intestinal obstruction (122 b)	3													2						
Congenital malformations (157)	37	9	1	4	7	6	1		28	2				4					1	
Congenital debility, icterus, sclerema (158, 161 b, c)	17	4	2		2	5	1	1	15											1
Premature birth (159)	156	98	19	7	9	12	5	4	154	2										
Injury at birth (160)	44	21	3	5	11	2			42											
Other diseases of early infancy (161 a, d)	16	9	2	2	2				15	1										
External causes (172-198, 201-214)	15	7		1					7	7		1		2	2	1				1
Unknown or ill-defined diseases (199, 200)	14	4	2		2	1	1	1	10	7	1			1				2		
All other causes	29			1	3	2	1	1	7	3	3	4	1	2	2	1	1	1	1	3
NEBRASKA																				
All causes	1,091	391	78	56	101	65	55	13	759	65	53	45	28	28	30	21	15	13	16	18
Measles (7)																				
Scarlet fever (8)	2													1						
Whooping cough (9)	14							1	1	5	3	1			1	1			1	
Diphtheria (10)	7										1									
Influenza (11)	45				1	4	4		9	3	6	4	4	4	3	2	2	4	2	2
Dysentery (13)	1																			
Erysipelas (15)	5									4		1								
Epidemic cerebrospinal meningitis (18)	2																			
Tetanus (22)	1					1			1											
Tuberculosis of the respiratory system (23)	2																			
Tuberculosis of the meninges, etc. (24)	2																			
Other forms of tuberculosis (25-32)	2																			
Syphilis (34)	10	1					3	1	5	1	2									
Convulsions (36)	6		1		1				3											
Bronchitis (106)	4								2											
Broncho-pneumonia (107)	70	1	2		4	2	4	2	15	10	8	7	4	6	6	3	3	2	3	3
Lobar and unspecified pneumonia (108, 109)	27	1			1	2	3	1	8	4		3	2	4	2					
Diseases of the stomach (117, 118)	6										2		1							
Diarrhea and enteritis (119)	50	1				5	4	2	12	5	6	5	5	1	3	6	1	1	2	3
Intestinal obstruction (122 b)	15				2	2			4	1	1	1	2	5	1					
Congenital malformations (157)	138	42	8	15	19	9	6	3	102	10	6	8	4	1				3	1	
Congenital debility, icterus, sclerema (158, 161 b, c)	48	8	2	4	9	5	10	2	40	2	1	2	1	1						
Premature birth (159)	362	250	35	14	27	22	10	2	358	2									1	1
Injury at birth (160)	122	59	22	12	18	6	2													

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEVADA																				
All causes.....	88	22	6	1	4	3	3	1	40	11	5	1	3	4	6	4	4	4	2	4
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	2										1									1
Diphtheria (10).....																				
Influenza (11).....	5				1				1		1				1	1	1			
Dysentery (13).....																				
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	1																			1
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....																				
Convulsions (86).....																				
Bronchitis (106).....																				
Broncho-pneumonia (107).....	12							2	1	3	2	1	1		2	1	2			
Lobar and unspecified pneumonia (108, 109).....	5										1			1				2	1	
Diseases of the stomach (117, 118).....	1										1									
Diarrhea and enteritis (119).....	14				2				2	1	1		3	2	1	1			1	2
Intestinal obstruction (122 b).....	1														1					
Congenital malformations (157).....	2	1							1	1										
Congenital debility, icterus, sclerema (158, 161 b, c).....	1									1										
Premature birth (159).....	21	13	4			2			19	1							1			
Injury at birth (160).....	7	4	2		1				7											
Other diseases of early infancy (161 a, d).....	4	4							4											
External causes (172-198, 201-214).....	3			1					1									2		
Unknown or ill-defined diseases (199, 200).....	2								1						1		1			
All other causes.....	7					1		1	1	3	1			1		1				
NEW HAMPSHIRE																				
All causes.....	460	141	41	24	30	27	16	13	292	30	35	19	12	16	15	6	9	9	7	10
Measles (7).....	1																			1
Scarlet fever (8).....																				
Whooping cough (9).....	10										2	1	1	1	1		1	1		2
Diphtheria (10).....	1																			
Influenza (11).....	16									4	1	4	1	1	1			1		3
Dysentery (13).....																				
Erysipelas (15).....	3								1	1		1								
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1			1					1											
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	3								1	1	1									
Convulsions (86).....	4								1	1	1									
Bronchitis (106).....	2								1	1										
Broncho-pneumonia (107).....	43				1			2	2	5	5	6	4	4	4	2	4	2	4	2
Lobar and unspecified pneumonia (108, 109).....	14							1	1	2	3	1	1	4	1			1	1	
Diseases of the stomach (117, 118).....	1								1	1										
Diarrhea and enteritis (119).....	25				2	3		1	2	3	3	3	1	3	1				2	1
Intestinal obstruction (122 b).....	1																			
Congenital malformations (157).....	63	24	2	1	7	6	2	2	44	2	8	4	2		1		1	1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	26	3	4	1	4	2			14	6				1	2	1	1			1
Premature birth (159).....	148	79	27	12	4	10	4	3	139	5	3				1					
Injury at birth (160).....	45	23	4	4	7	1	1		45											
Other diseases of early infancy (161 a, d).....	22	6	4	5	4	1	1		21	1										
External causes (172-198, 201-214).....	4	1							1						1				2	
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	25				1	3	2	1	7	2	6		2	1	2	2	1	1		1
NEW JERSEY																				
All causes.....	3,075	852	233	145	248	161	87	73	1,799	233	217	153	117	110	92	92	73	65	62	62
Measles (7).....	12																2	3	1	2
Scarlet fever (8).....	5								1		1									1
Whooping cough (9).....	74							1	1	10	14	8	8	2	2	6	8	7	5	3
Diphtheria (10).....	8									1										2
Influenza (11).....	30								2	4	5	2	3	3	4			2	4	1
Dysentery (13).....	2																			
Erysipelas (15).....	13								4	4	2		1				1	1		
Epidemic cerebrospinal meningitis (18).....	8										1	2	1		2			1	1	
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	10								1		1	2	2	1		1			2	
Tuberculosis of the meninges, etc. (24).....	7											2		1					2	
Other forms of tuberculosis (25-32).....	10								1					1	1	1	2	1		3
Syphilis (34).....	43	5	1		6	6	2	1	21	5	10	2	2		1	2				
Convulsions (86).....	11								1	1	1				1	1				2
Bronchitis (106).....	31			1	3	1	1		6	6	5	4	4		1				2	2
Broncho-pneumonia (107).....	386	4	6	12	13	7	16		58	43	55	35	37	39	31	26	14	20	14	14
Lobar and unspecified pneumonia (108, 109).....	136		2		1	1	5	5	16	25	17	13	8	6	14	8	8	3	8	10
Diseases of the stomach (117, 118).....	8								1		1	1	1		1			1	1	1
Diarrhea and enteritis (119).....	204			1	4	5	10	6	26	33	27	24	22	22	10	11	9	8	7	5
Intestinal obstruction (122 b).....	32	1						2	4	2	5	3	2	4	5	2	2	1	1	1
Congenital malformations (157).....	316	71	24	25	37	23	19	11	210	40	16	15	5	7	6	6	5	2	1	3
Congenital debility, icterus, sclerema (158, 161 b, c).....	97	8	4	2	16	9	4	1	44	16	12	8	7	4	1	1	3	1		
Premature birth (159).....	890	538	119	41	79	63	20	12	872	12	3			1						
Injury at birth (160).....	304	144	49	45	44	11	2	4	299	4	1									
Other diseases of early infancy (161 a, d).....	137	61	17	13	26	10	2	5	134	1	2									
External causes (172-198, 201-214).....	51	7	3	2	1	1			14	4	7	3	2							

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NORTH CAROLINA (COLORED)																				
All causes.....	2,110	373	91	91	178	148	81	77	1,039	201	160	144	96	110	81	75	65	50	45	44
Measles (7).....	2														1				1	
Scarlet fever (8).....																				
Whooping cough (9).....	73					1		4	5	10	10	6	5	6	6	9	6	4	3	3
Diphtheria (10).....	8				1			1	2	1	1	1								2
Influenza (11).....	57				4			2	6	5	6	9	3	8	6	3	3	3	3	2
Dysentery (13).....	10						1		1	4	3									
Erysipelas (15).....	1														1					
Epidemic cerebrospinal meningitis (18).....	1													1						
Tetanus (22).....	3				2	1			3											
Tuberculosis of the respiratory system (23).....	5												1	1					2	1
Tuberculosis of the meninges, etc. (24).....	3																			
Other forms of tuberculosis (25-32).....	3																		1	
Syphilis (34).....	40	2				5	4	1	12	6	5	4	5	3	2	1		1	1	1
Convulsions (86).....	20			3	5	1	4		9	3	3	2	2	1						1
Bronchitis (106).....	20				1	1	2	2	6	2	1	3	1							1
Broncho-pneumonia (107).....	176			1	2	5	3	1	12	17	26	25	16	20	17	8	16	8	8	3
Lobar and unspecified pneumonia (108, 109).....	164		1		5	12	12	3	33	23	28	9	16	13	9	10	6	5	5	7
Diseases of the stomach (117, 118).....	11				1	1			2	1	1	1	1	1	1					1
Diarrhea and enteritis (119).....	214	1		1	3	6	3	7	21	26	21	22	15	24	16	21	18	10	7	13
Intestinal obstruction (122b).....	10				1	1		1	2	1	1	2	1	2	1	1				
Congenital malformations (157).....	32		3	1	7	2	1		21	2	1	5	1	2	1	1		1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	151	27	5	8	18	13	9	10	86	24	9	9	4	2	5	4	1	2	2	3
Premature birth (159).....	474	218	43	37	70	41	19	16	444	21	5	1							1	1
Injury at birth (160).....	44	27	3	3	7	2	2	4	44											
Other diseases of early infancy (161 a, d).....	50	15	3	7	7	5	4	4	47	3	4	5	3	4	1	1	1	3	4	3
External causes (172-193, 201-214).....	47	4			1	2	4	4	12	6	4	26	3	4	1	1	1	3	4	3
Unknown or ill-defined diseases (199, 200).....	401	76	29	26	43	43	18	15	250	38	30	26	12	10	8	8	4	7	5	3
All other causes.....	90	1	4	2	7	7	1	6	21	8	5	14	10	12	5	5	5	3	3	2
NORTH DAKOTA																				
All causes.....	779	214	49	34	76	49	40	30	492	62	66	45	25	14	11	12	16	15	11	10
Measles (7).....	3																			
Scarlet fever (8).....																				
Whooping cough (9).....	15						1		1	3	2	4	2			2			1	
Diphtheria (10).....	1																			1
Influenza (11).....	25	1					1	1	3	1	4	5	2	1	1	1	2	4	1	
Dysentery (13).....	1																			
Erysipelas (15).....	3				1			1	2		1									
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1					1			1											
Tuberculosis of the respiratory system (23).....	1													1						
Tuberculosis of the meninges, etc. (24).....	2																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	5										3	1			1					1
Convulsions (86).....	32	1		1	4	2	4	5	17	4	7	1	2							1
Bronchitis (106).....	4				1		1	1	2	1	1									
Broncho-pneumonia (107).....	81	1	1	1	5	2	5	4	19	15	15	14	2	3	2	1	4	1	2	3
Lobar and unspecified pneumonia (108, 109).....	13				1				1	3	1	2	1	3	1					1
Diseases of the stomach (117, 118).....	4								1	1	1									
Diarrhea and enteritis (119).....	86		1	1	2	3	6	7	20	18	11	11	8	1	2	5	4	2	3	1
Intestinal obstruction (122b).....	2						1	1	2											
Congenital malformations (157).....	74	26	6	4	6	11	7		60	6	3	1	1		2					1
Congenital debility, icterus, sclerema (158, 161 b, c).....	25	1	2	3	5	3	1	4	19	2	2	2								
Premature birth (159).....	209	131	25	8	22	12	8	2	208	1										
Injury at birth (160).....	68	31	8	6	16	4	2	1	68											
Other diseases of early infancy (161 a, d).....	26	7	2	7	8	2			26											
External causes (172-193, 201-214).....	10				1	1			2	1	2		2						1	2
Unknown or ill-defined diseases (199, 200).....	50	15	3	3	5	5	2		33	5	4	2	1	1	2	1	2	1	1	
All other causes.....	37	1				3	2	1	7	2	8	2	3	5	1	1	4	1	3	
OHIO																				
All causes.....	5,951	1,629	379	296	484	322	219	197	3,526	462	319	279	205	233	181	196	163	140	127	120
Measles (7).....	34					1			1	2	2			3	3	3	3	6	7	4
Scarlet fever (8).....	8								1	1				1	1	1	2	2	2	2
Whooping cough (9).....	184						2	14	16	20	21	22	16	13	16	23	11	6	10	10
Diphtheria (10).....	6																			1
Influenza (11).....	208		1	1	3	12	6	9	32	21	18	13	21	26	16	12	16	14	10	9
Dysentery (13).....	17								2	2	1	1	3	2	1					
Erysipelas (15).....	23				1	1	2	3	7	5	4	3	1	1	1	2	2	1	3	
Epidemic cerebrospinal meningitis (18).....	13																			
Tetanus (22).....	2								2											
Tuberculosis of the respiratory system (23).....	12																			
Tuberculosis of the meninges, etc. (24).....	12																			
Other forms of tuberculosis (25-32).....	4																			
Syphilis (34).....	69	10	4	3	5	2	3	1	28	12	9	9	1	3	4					1
Convulsions (86).....	19		2	3	5	2	1	1	13	2	1	1	2	2						
Bronchitis (106).....	28				1	1	2	3	8	7	3	1	2	1						1
Broncho-pneumonia (107).....	698	2		10	21	28	30	31	122	106	78	57	64	47	49	47	37	34	29	28
Lobar and unspecified pneumonia (108, 109).....	185		1	1	6	11	5	11	35	22	19	18	9	20	12	17	11	8	9	5
Diseases of the stomach (117, 118).....	25				3	3	3	3	9	5	3	2		3	1					1
Diarrhea and enteritis (119).....	525			1	6	7	23	16	53	70	59	57	41	65	36	48	31	23	22	20
Intestinal obstruction (122b).....	38				2	2		3	5	2	3	3	3	6	4	4	3	1	1	2
Congenital malformations (157).....	641	161	62	61	78	59	31	22	474	51	26	24	11	11	6	9	11	8		

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (WHITE)																				
All causes.....	1,770	436	131	57	139	130	58	69	1,020	143	97	81	74	63	66	42	43	52	39	50
Measles (7).....	2																			
Scarlet fever (8).....	1																			1
Whooping cough (9).....	50						1	7	8	13	6	3	5	2	3	2	1	2	5	5
Diphtheria (10).....	19								2	2	1	1	2	1	1	2	2	2	2	5
Influenza (11).....	86				2	5	2	4	13	16	9	5	4	5	11	4	6	6	4	3
Dysentery (13).....	17								3	1	3	1						1	1	3
Erysipelas (15).....	9						1	2	3	2	3	1		1						
Epidemic cerebrospinal meningitis (18).....	5								1	1			1	1					2	
Tetanus (22).....	3					2		1	3											
Tuberculosis of the respiratory system (23).....	3												1		1				1	
Tuberculosis of the meninges, etc. (24).....	4							1	1					2					1	
Other forms of tuberculosis (25-32).....	1																			1
Syphilis (34).....	18	2	1		1			1	5	3	4	2	1	1		2				
Convulsions (36).....	12	2		1		2	1	1	9	3										
Bronchitis (106).....	4							1	2											
Broncho-pneumonia (107).....	152			2	8	9	5	7	31	18	15	18	8	16	9	5	6	11	4	11
Lobar and unspecified pneumonia (108, 109).....	56				1	4	6	3	14	11	1	6	6	2	2	5	2	1	4	2
Diseases of the stomach (117, 118).....	15			1		3		1	5	2	2	1	2	2	2			1		
Diarrhea and enteritis (119).....	163				2	3	1	3	9	13	20	16	24	13	14	12	9	14	10	9
Intestinal obstruction (122b).....	21					3			3	2	1	1	3	2	2	2	3	1	1	
Congenital malformations (157).....	125	36	13	5	17	17	3	4	96	11	3	6	4	2	2		1	1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	115	16	13	7	16	15	8	10	85	6	4	8	4	2	2	1	1	1		1
Premature birth (159).....	531	312	72	26	49	38	15	12	524	6	1									
Injury at birth (160).....	92	39	16	8	16	7	2	2	88	2	2									
Other diseases of early infancy (161 a, d).....	42	10	8	5	8	8	1	1	41	1										
External causes (172-198, 201-214).....	40		1		3	1	1	1	7	9	3	1	2	2	3	1	1	1	2	7
Unknown or ill-defined diseases (199, 200).....	63	16	7	1	3	3	4	3	42	6	8	1	1	1	1	1	2	3	1	
All other causes.....	121	3		1	6	9	7	6	32	15	9	10	7	7	10	4	8	9	3	7
OKLAHOMA (COLORED)																				
All causes.....	282	25	14	10	19	27	11	6	112	36	22	23	18	18	14	11	4	8	5	11
Measles (7).....																				
Scarlet fever (8).....																				3
Whooping cough (9).....	9								1	2	1								1	1
Diphtheria (10).....	3				1				2	2	1	5	3	1	1					1
Influenza (11).....	18				1			1	2	2	2	1	1	1	1			2		1
Dysentery (13).....	6								4	1	2		1	1		2				
Erysipelas (15).....	2								1											
Epidemic cerebrospinal meningitis (18).....	2								1											1
Tetanus (22).....	5								1					2				2		
Tuberculosis of the respiratory system (23).....	12	3	1	1		3			8	1			3							
Tuberculosis of the meninges, etc. (24).....	2								1											
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	12	3	1						8	1			3							
Convulsions (36).....	2								1		1				1					
Bronchitis (106).....	1								1											
Broncho-pneumonia (107).....	37			1	1	5		1	8	6	3	3	1	5	5	2	2	1	1	1
Lobar and unspecified pneumonia (108, 109).....	27			1	1	2		1	5	6	3	3	3	2	1	1	1	1	1	1
Diseases of the stomach (117, 118).....	3								2	2	1									
Diarrhea and enteritis (119).....	33					2	3		5	3	5	3	3	4	3	3			1	3
Intestinal obstruction (122b).....	2								3	1	1		1	1						
Congenital malformations (157).....	6	1	1	1					3	1	1		1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	18	1	2	1	2	7	1		14	1	1	1				1				
Premature birth (159).....	40	14	5	2	9	2	2	3	37	3										
Injury at birth (160).....	9	3	3	2	1	1			9											
Other diseases of early infancy (161 a, d).....	6	1	1	1	1	1			5	1										
External causes (172-198, 201-214).....	9				2	1			3	1		1	1	2			1			
Unknown or ill-defined diseases (199, 200).....	16	2			2	2	4		10	2	1	1	1	1	1	1	1	1	1	1
All other causes.....	18		1			1			2	5	2	2	1	2	1	1	1	1	1	1
OREGON																				
All causes.....	531	164	39	20	57	37	18	11	346	45	27	29	12	18	8	9	11	11	5	10
Measles (7).....	2														1	1				
Scarlet fever (8).....																				
Whooping cough (9).....	12							1	1	2	2			4	1		1			1
Diphtheria (10).....	1											1								
Influenza (11).....	18	1			1				2	2	3	2	1	4		2			2	
Dysentery (13).....	1																			
Erysipelas (15).....	3								1				2							
Epidemic cerebrospinal meningitis (18).....	3								1				1	1						
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....	1														1					
Syphilis (34).....	5					2			2	1	1	1								
Convulsions (36).....	1								1											
Bronchitis (106).....	3					1			1	1										
Broncho-pneumonia (107).....	49		1		3	3		2	9	13	4	4	1	4	3	2	3	2	2	2
Lobar and unspecified pneumonia (108, 109).....	9				1				1	2		2					1	1	1	1
Diseases of the stomach (117, 118).....	1										1									
Diarrhea and enteritis (119).....	17					2	2		4	1	2	4	1		1	1	1	2		
Intestinal obstruction (122b).....	6				1				1	1	2	2								
Congenital malformations (157).....	67	12	6	7	16	3	4	3	51	4	2	1		2		1	1	2		3
Congenital debility, icterus, sclerema (158, 161 b, c).....	20	8	1	2	2	2	2		17		2	1								
Premature birth (159).....	157	112	11	3	9	11	5		151	4	1	1								
Injury at birth (160).....	59	19	13	5	16	4	1	1	59											

GENERAL TABLES

189

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PENNSYLVANIA																				
All causes.....	10,113	2,103	765	515	873	605	408	335	5,604	841	679	516	432	348	378	316	304	258	226	211
Measles (7).....	55	7					1		1	1	1	3	3	2	5	12	4	4	10	9
Scarlet fever (8).....	7	1						1	1						2			1		
Whooping cough (9).....	259					1	1	8	10	32	43	27	23	12	23	19	22	17	11	20
Diphtheria (10).....	25											3		6	3	1	1	1	6	4
Influenza (11).....	349			8	7	11	10		36	49	45	32	24	31	32	23	37	13	19	8
Dysentery (13).....	14									4	2	2	2	2						1
Erysipelas (15).....	49					7	4		11	19	5	4	2	1	2		1	2	2	1
Epidemic cerebrospinal meningitis (18).....	26								1		2	1	5	3	3	4	1	2	3	1
Tetanus (22).....	2			1	1				2											
Tuberculosis of the respiratory system (23).....	26							1	2	1	2	4	1	4	4	3	1	2	1	1
Tuberculosis of the meninges, etc. (24).....	37							1	1		2	4	3	4	6	1	6	7	2	2
Other forms of tuberculosis (25-32).....	15							2	1	2	2	4	3	4	4	2	1	3	1	1
Syphilis (34).....	126	11	4	5	13	8	9	11	61	19	20	6	3	5	4	2	3	1		1
Convulsions (86).....	54		3	6	5	4	2	3	23	5	4	4	2	5	3	4			3	1
Bronchitis (106).....	86							7	13	21	16	5	8	4	9	3	2	2	2	1
Broncho-pneumonia (107).....	1,150	7	6	4	36	52	55	47	207	160	129	103	96	69	83	69	66	71	48	49
Lobar and unspecified pneumonia (108, 109).....	536	1	3	1	14	18	26	12	77	60	69	53	52	38	33	33	38	29	29	25
Diseases of the stomach (117, 118).....	41				1	3	4	1	7	7	7	3	1	1	4					2
Diarrhea and enteritis (119).....	1,045		3	2	21	39	44	44	153	135	129	121	94	80	81	59	57	52	49	35
Intestinal obstruction (122b).....	91			1	1	5	2	2	9	9	7	8	13	7	8	5	6	3	3	3
Congenital malformations (157).....	1,223	226	115	97	186	126	68	67	885	93	67	41	35	18	22	21	15	13	2	11
Congenital debility, icterus, sclerema (158, 161 b, c).....	318	36	19	20	43	21	27	26	192	33	33	20	9	7	8	2			4	1
Premature birth (159).....	2,611	1,340	409	183	238	192	79	52	2,493	71	23	13	6	1	1					1
Injury at birth (160).....	832	332	138	103	176	47	16	5	817	10	5									
Other diseases of early infancy (161 a, d).....	332	119	48	52	63	24	12	5	233	7	7									
External causes (172-198, 201-214).....	115	5		8	5	4		3	25	15	9	12	11	2	7	7	9	8	7	2
Unknown or ill-defined diseases (199, 200).....	91	12	7	4	9	4		4	44	6	9	7	1	6	3	3				
All other causes.....	599	14	10	26	51	39	37	23	200	73	51	41	29	38	31	37	34	24	16	25
RHODE ISLAND																				
All causes.....	639	174	51	29	51	30	20	17	372	47	38	23	26	21	23	25	13	23	12	13
Measles (7).....	15												1	2	4	3		1	2	2
Scarlet fever (8).....	1																			1
Whooping cough (9).....	5											1					1	1		
Diphtheria (10).....	2																			
Influenza (11).....	6									1										1
Dysentery (13).....	4																			
Erysipelas (15).....	4					1	1		2											1
Epidemic cerebrospinal meningitis (18).....	1								1											
Tetanus (22).....	3																			
Tuberculosis of the respiratory system (23).....	3																	2	1	
Tuberculosis of the meninges, etc. (24).....	2																			
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	2	1							1			1								
Convulsions (86).....	2																			
Bronchitis (106).....	5				1	1			2			1			2					1
Broncho-pneumonia (107).....	81		2		4	2	1		9	8	13	7	9	5	6	5	4	5	5	5
Lobar and unspecified pneumonia (108, 109).....	30								2	2	1	3	3	4	3	7	1	3	1	2
Diseases of the stomach (117, 118).....	47								3	7	10	4	2	4	5	2	2	6	1	1
Diarrhea and enteritis (119).....	3									1										
Intestinal obstruction (122b).....	39	21	8	6	12	8	4	6	65	11	2	3	3	3		2				
Congenital malformations (157).....	15	2		2	1		1	2	8	3	3		1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	158	64	28	14	21	10	5	4	146	7	3			2						
Premature birth (159).....	79	57	4	5	8	3	1		78	1										
Injury at birth (160).....	44	23	8	1	7	2		1	42	2										
Other diseases of early infancy (161 a, d).....	8	4			1				5		2									
External causes (172-198, 201-214).....	4			1					1			2		1						
Unknown or ill-defined diseases (199, 200).....	35	2	1		1	2	1	2	9	4	4	1	2	1	3	4	2	3	2	
All other causes.....																				
SOUTH CAROLINA (WHITE)																				
All causes.....	1,234	301	93	64	104	87	46	38	733	104	73	64	41	41	47	32	26	22	24	27
Measles (7).....	9										2		2		1	1	2		1	
Scarlet fever (8).....	30							2	2	8	3	4	4	1	1	2	3	2		
Whooping cough (9).....	4								1			1								
Diphtheria (10).....	59				3	2	3		9	7	5	1	3	3	6	7	3	2	6	7
Influenza (11).....	8								2	2	1	1								
Dysentery (13).....	8								2			2	1	2						
Erysipelas (15).....	3								2	1	1	1								
Epidemic cerebrospinal meningitis (18).....	6								5											
Tetanus (22).....	2	1			3	2			1											
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	2									1				1						
Other forms of tuberculosis (25-32).....	7		1	1	1		1		4			2								
Syphilis (34).....	4								3											
Convulsions (86).....	3								2											
Bronchitis (106).....	90		1	1	4	4	8	7	25	15	10	4	8	4	7	7	1	1	3	5
Broncho-pneumonia (107).....	72			1	1	4	3	1	9	17	10	8	7	4	5	4	1	2	3	2
Lobar and unspecified pneumonia (108, 109).....	5								1	1	1	2								
Diseases of the stomach (117, 118).....	120			1	2	2	3	3	11	13	15	16	8	12	11	7	6	7	7	7
Diarrhea and enteritis (119).....	4													1	2					1
Intestinal obstruction (122b).....	73	13	7	4	13	12	2	3	54	4	1	5		2	2		2	1	2	
Congenital malformations (157).....	51	5	2	1	8	6	2													

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		SOUTH CAROLINA (COLORED)																		
All causes.....	1,970	357	137	96	184	127	80	75	1,056	177	142	127	98	81	72	47	42	52	41	35
Measles (7).....	8						1		1		1	2	1	2						1
Scarlet fever (8).....	1									1										
Whooping cough (9).....	54					1	1	1	3	10	9	7	7	2	6		2	3	3	2
Diphtheria (10).....	12								1	2	3	3	2	2				1	2	1
Influenza (11).....	92				3	1	1	4	9	6	14	14	14	7	9	4	4	4	2	5
Dysentery (13).....	18							2	3	3	2	1	1	1			2	1		4
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	3									1										
Tetanus (22).....	3					1	1		2				1							
Tuberculosis of the respiratory system (23).....	3													1				1		
Tuberculosis of the meninges, etc. (24).....	2																1			1
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	42	4		2	3	3	3	2	17	10	3	7	1	2			1			1
Convulsions (86).....	20		2		3	1	1		7	2	2	1	2	2				3		1
Bronchitis (106).....	2								1					1						
Broncho-pneumonia (107).....	96	1			2	3	2	2	10	11	12	9	8	9	9	11	6	7	4	3
Lobar and unspecified pneumonia (108, 109).....	143	1			4	8	6	7	26	19	12	23	15	13	8	8	5	7	4	3
Diseases of the stomach (117, 118).....	40				3	2	4	1	10	7	7	2	5	2	2	1	1	1	1	3
Diarrhea and enteritis (119).....	146				2	4	4	3	13	17	19	14	14	12	14	12	10	8	7	6
Intestinal obstruction (122b).....	1														1					
Congenital malformations (157).....	14	2			2				6	2	2	1		1				1		1
Congenital debility, icterus, sclerema (158, 161 b, c).....	64	2		3	14	5	3	4	31	13	6	2	3	3	1		2	1	2	
Premature birth (159).....	406	195	53	40	50	34	9	12	393	10	1	1						1		
Injury at birth (160).....	42	16	6	9	6	3	1		41	1										
Other diseases of early infancy (161 a, d).....	26	6	3	5	6	1	3	1	25											
External causes (172-198, 201-214).....	18				1			1	2	3	2		3	1	5			1		1
Unknown or ill-defined diseases (199, 200).....	620	130	73	37	79	59	32	32	442	42	38	25	16	14	9	6	6	8	11	3
All other causes.....	95				5	1	4	3	13	17	10	15	6	7	9	4	1	4	5	4
SOUTH DAKOTA																				
All causes.....	668	210	42	36	59	44	30	21	442	43	35	21	20	16	16	13	15	17	15	15
Measles (7).....	1											1								
Scarlet fever (8).....																				
Whooping cough (9).....	30							2	2	4	5		1	3	3	1	1	1	7	2
Diphtheria (10).....																				
Influenza (11).....	21			1		1	1	2	5	2	3	1		1	3	1	1	1	1	2
Dysentery (13).....	2																			
Erysipelas (15).....	5													3						1
Epidemic cerebrospinal meningitis (18).....	1								1											
Tetanus (22).....	2														1			1		
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	2														1					
Other forms of tuberculosis (25-32).....	3								1											
Syphilis (34).....	11		1		3	1		1	6	1	1								1	2
Convulsions (86).....	2								2											
Bronchitis (106).....	49	1	1	1	1	6	3		13	8	6	6	2	1	3	1	4	3		2
Broncho-pneumonia (107).....	21		1	2	1	1	1		4	2	4	1	1	2	1	2	3	1	1	
Lobar and unspecified pneumonia (108, 109).....	3				1				1											
Diseases of the stomach (117, 118).....	44				2	3	2	3	10	8	5	4	3	2	3	3	2			4
Diarrhea and enteritis (119).....	3								1						1					
Intestinal obstruction (122b).....	52	14	3	5	10	5	3	1	41	3	3	1	1		1			1		2
Congenital malformations (157).....	43	10	2	5	8	5	2	1	33		3	2	2				1	2		
Congenital debility, icterus, sclerema (158, 161 b, c).....	207	136	19	12	11	14	7	2	201	2		1	2							
Premature birth (159).....	63	39	8	5	8	2	2		61	2					1					
Injury at birth (160).....	24	6	4	3	6	2	1	1	23											
Other diseases of early infancy (161 a, d).....	8	1	1		1				1											
External causes (172-198, 201-214).....	37	5	2	2	7	4	2	2	22	2	1		5	1		1	2	1	2	
Unknown or ill-defined diseases (199, 200).....	34	2	2		1	5	3	2	15	4	1	3	2	3				5	1	
All other causes.....																				
TENNESSEE (WHITE)																				
All causes.....	2,783	627	182	114	207	159	116	115	1,520	264	182	121	123	101	86	95	84	84	66	57
Measles (7).....	1																			1
Scarlet fever (8).....	1																			
Whooping cough (9).....	96					1	1	10	12	12	13	11	8	8	3	7	7	8	2	5
Diphtheria (10).....	13					1		1	2	3									3	2
Influenza (11).....	132				2	2	8	7	19	24	14	6	14	9	7	9	9	7	7	7
Dysentery (13).....	21					1			2	1	1	2	5	2	1	1	1	4		2
Erysipelas (15).....	10							2	2	4	3									
Epidemic cerebrospinal meningitis (18).....	7																2		1	
Tetanus (22).....	3																			
Tuberculosis of the respiratory system (23).....	9	1						1	1		1	1	1	1	1			1	1	1
Tuberculosis of the meninges, etc. (24).....	9										2	1	1	2	1	1		1	1	1
Other forms of tuberculosis (25-32).....	4													1	1			1		
Syphilis (34).....	25	3	1	1	3		2	2	12	6	3	1	1		1	1	1	1	1	
Convulsions (86).....	5				2				3										1	1
Bronchitis (106).....	6					2	1		2											
Broncho-pneumonia (107).....	195	2	2	1	3	12	7	13	40	36	23	14	17	15	12	7	11	9	6	5
Lobar and unspecified pneumonia (108, 109).....	78				3	5	6	5	21	8	9	6	5	3	7	6	2	5	3	3
Diseases of the stomach (117, 118).....	10					2	1		3	3	2	1	1							
Diarrhea and enteritis (119).....	316			1	3	1	5	4	14	24	33	31	33	32	31	37	23	30	15	13
Intestinal obstruction (122b).....	16								1	1	1			1	4	1	3		4	
Congenital malformations (157).....	147	39	16	10	15	8	8	7	103	14	7	4	6	3	1	1	4	1	1	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	111	12	5	6	16	10	10	6	65	19	15	2	3							

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (COLORED)																				
All causes.....	767	133	41	30	47	54	29	27	361	84	46	46	40	37	43	32	23	23	15	17
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	30									2	6	4	1	4	2	1	3	3	2	2
Diphtheria (10).....	4																			
Influenza (11).....	31	1		1		1	2	1	6	1	3	4	1	1	4	3	3	3		2
Dysentery (13).....	2																			
Erysipelas (15).....	1									1										
Epidemic cerebrospinal meningitis (18).....	1													1						
Tetanus (22).....	1				1				1											
Tuberculosis of the respiratory system (23).....	4																			
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	34	10	2		1	3			16	6	2	4	1	1	1		1	1		1
Convulsions (36).....	6					3			3	1	1	1								
Bronchitis (106).....	4									1		1	1							
Broncho-pneumonia (107).....	76			1		1	2	2	6	10	10	8	8	7	12	5	3	2	3	2
Lobar and unspecified pneumonia (108, 109).....	27				1		1	1	3	6	2	1	1	3	4	3	2	1	1	1
Diseases of the stomach (117, 118).....	5					1			1						1					
Diarrhea and enteritis (119).....	63				1		2	3	6	9	5	6	7	4	7	7	6	1	1	4
Intestinal obstruction (122 b).....	1									1										
Congenital malformations (157).....	11	2			2	2	2	1	9	1	1									
Congenital debility, icterus, sclerema (158, 161 b, c).....	35	6	2	2	2	1	2	2	17	6	2	1	2	1	2	1	1	2		
Premature birth (159).....	155	66	20	10	10	23	7	7	143	12										
Injury at birth (160).....	31	17	4	4	4	1		1	31											
Other diseases of early infancy (161 a, d).....	16	2	5	2	2	3	1	1	15	1										
External causes (172-198, 201-214).....	9			1	1				2	1				1	1	2			2	
Unknown or ill-defined diseases (199, 200).....	185	29	8	8	19	12	10	8	94	25	12	12	11	9	5	6	1	4	2	4
All other causes.....	32			1	4	1	1	1	8	1	2	2	4	4	3	2		2	3	1
UTAH																				
All causes.....	529	181	26	16	55	28	15	13	334	32	28	20	18	16	15	13	12	18	11	12
Measles (7).....	1																			
Scarlet fever (8).....	4																			
Whooping cough (9).....	4										3									1
Diphtheria (10).....	45				1	4	4	4	13	3	5	4	3	4	2	1	3	4	3	
Influenza (11).....	4																			
Dysentery (13).....	8					1	1	1	3	1		1						2		
Erysipelas (15).....	3																			
Epidemic cerebrospinal meningitis (18).....	3																			
Tetanus (22).....	1																			1
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	1																			
Convulsions (36).....	3																			
Bronchitis (106).....	62				3	5	2	4	14	10	10	4	3	4	2	1	2	3	1	5
Broncho-pneumonia (107).....	12					1			1	1		1	3	1	2	1	1	1		
Lobar and unspecified pneumonia (108, 109).....	15									2	1	2		3	2	1	1	1	1	1
Diseases of the stomach (117, 118).....	4									1										
Diarrhea and enteritis (119).....	41	11	5	1	7	4	1	1	30	4	1	2	1						3	1
Intestinal obstruction (122 b).....	10	2		1	2	1	1	1	7			1	1		1					
Congenital malformations (157).....	180	121	14	3	21	10	5	1	175	2									2	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	45	28	4	5	5	1	1	1	42											
Premature birth (159).....	28	14	2	3	7	1			27	1										
Injury at birth (160).....	10								2	1	2	1								
Other diseases of early infancy (161 a, d).....	21	4	1	2	5	1			13	3	3	2	1						1	
External causes (172-198, 201-214).....	31								3	4	3	3	2	4	1	7		4	1	2
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....																				
VERMONT																				
All causes.....	381	113	25	21	25	20	18	9	231	38	24	15	17	11	9	6	8	10	5	7
Measles (7).....	7									1			1		1	2				1
Scarlet fever (8).....	9									1	1		1							
Whooping cough (9).....	9									1	1	1	1				1	1		1
Diphtheria (10).....	5																			
Influenza (11).....	1																			
Dysentery (13).....	3																			
Erysipelas (15).....	3																			
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	3																			
Other forms of tuberculosis (25-32).....	3																			
Syphilis (34).....	2																			
Convulsions (36).....	3																			
Bronchitis (106).....	39		1						1	1			1							
Broncho-pneumonia (107).....	18				2	1	2	1	4	13	2	5	4	3				3	3	1
Lobar and unspecified pneumonia (108, 109).....	2								2	3	4	1	1	2	1					1
Diseases of the stomach (117, 118).....	21								1	4	3	2	1	1	2	2	2	2		1
Diarrhea and enteritis (119).....	2								1	1										
Intestinal obstruction (122 b).....	59	12	4	3	8	7	6	5	45	3	2	1	4		1				2	1
Congenital malformations (157).....	16	2		1	3		1	1	8	2	3	1	1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	121	77	11	9	7	8	5	1	118	2	1									
Premature birth (159).....	30	17	5	4	2	1			29	1										
Injury at birth (160).....	12	5	2	3	1	1			12											
Other diseases of early infancy (161 a, d).....	6																			
External causes (172-198, 201-214).....	3									1	2						1	2	1	1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VIRGINIA (WHITE)																				
All causes.....	2,222	649	125	98	163	124	96	72	1,327	190	123	102	94	78	74	52	44	51	34	53
Measles (7).....	3												1			1		1		
Scarlet fever (8).....	1																			1
Whooping cough (9).....	117					1	6	10	17	20	20	14	10	8	7	4	4	4	6	3
Diphtheria (10).....	14							1	1	1	1	1	1	1	1	1	1	3	2	1
Influenza (11).....	85	1			4	5	5	1	16	23	2	9		2	9	4	4	4	6	6
Dysentery (13).....	35									5	3	4	2	5	6	2	3	2	1	2
Erysipelas (15).....	14							1	1	5	2		1	1	1	2		1		1
Epidemic cerebrospinal meningitis (18).....	4												1	1	1					1
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	8							1	1		1	1	1	1	1	1		2		
Tuberculosis of the meninges, etc. (24).....	12							1	1		2	1	2	1	1	1		1		2
Other forms of tuberculosis (25-32).....	2									1				1						
Syphilis (34).....	14	3							3	5	2	1		1	2					
Convulsions (86).....	14		2	3	3	1			9				1	1	1	1	1	1	1	1
Bronchitis (106).....	6							1	1											1
Broncho-pneumonia (107).....	132			3	3	8	10	5	29	15	15	15	16	10	6	6	7	4	2	7
Lobar and unspecified pneumonia (108, 109).....	74	1		2	3	6	3	2	17	12	7	6	7	4	2	1	4	3	4	7
Diseases of the stomach (117, 118).....	8			1	1	1	1		3	1		1	1	1	1					1
Diarrhea and enteritis (119).....	186				4	2	3	9	18	21	18	22	25	18	15	12	7	12	8	10
Intestinal obstruction (122b).....	15				1	1	2		3	3	2	2	1	1	1	1	2	1	2	1
Congenital malformations (157).....	189	53	12	11	25	17	13	4	135	14	12	7	3	2	2	5	2	5	2	
Congenital debility, icterus, sclerema (158, 161 b, c).....	139	37	14	6	16	11	6	8	98	15	6	5	5	4	2	2		2		
Premature birth (159).....	625	390	70	30	50	33	21	9	603	14	4	2					1			
Injury at birth (160).....	171	100	16	22	24	5	3		170	1										
Other diseases of early infancy (161 a, d).....	60	28	3	7	9	10	1	1	59	1										3
External causes (172-193, 201-214).....	25		1		1	4	1		7	4	2	2		2	1	1		1	1	2
Unknown or ill-defined diseases (199, 200).....	157	32	5	11	13	13	14	13	101	17	11	4	6	5	4	1	3	2	1	3
All other causes.....	112	4	2	2	7	7	7	5	34	15	10	5	10	10	7	6	5	3	1	6
VIRGINIA (COLORED)																				
All causes.....	1,448	247	86	61	118	111	62	51	736	135	120	79	84	64	53	43	41	37	29	27
Measles (7).....	1																			
Scarlet fever (8).....																				
Whooping cough (9).....	93		1			2	1	5	9	7	9	13	14	4	4	6	5	7	6	9
Diphtheria (10).....	5											1	1	2			1			
Influenza (11).....	38			1			1	1	3	3	7	3	4	2		2	3	6	2	3
Dysentery (13).....	17							1	1	3	4	2	2	1		1	2			1
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....	2											1								1
Tetanus (22).....	3				1	2			3											
Tuberculosis of the respiratory system (23).....	6							1	1	1	1	1				2		1		1
Tuberculosis of the meninges, etc. (24).....	7								1					2		2				
Other forms of tuberculosis (25-32).....	4																			
Syphilis (34).....	57	3	1	4	4	5	3	5	25	8	7	5	5	2	1	1	1	1	1	
Convulsions (86).....	23	1	1		2	5	1		10	3	1	1		4	2	1	1	1		
Bronchitis (106).....	11				1	2			3	2			2	1		2				
Broncho-pneumonia (107).....	145		1		3	6	5	7	22	15	22	11	13	14	15	8	9	5	8	3
Lobar and unspecified pneumonia (108, 109).....	56	1			1	4	1	2	9	8	4	6	12	4	1	3	3	1	3	2
Diseases of the stomach (117, 118).....	14			1		5			6	2	2	2	1	2	1	2				
Diarrhea and enteritis (119).....	130		2	1	3	6	5	7	24	14	17	9	11	11	12	13	6	8	1	4
Intestinal obstruction (122b).....	6				1	1			2	1	1	1	1	1	1					1
Congenital malformations (157).....	45	12	6	4	6	3	4	2	37	1	1	1	1	1				1		2
Congenital debility, icterus, sclerema (158, 161 b, c).....	122	17	9	4	17	15	5	5	72	24	12	2	3	2	3	1	2			1
Premature birth (159).....	316	136	45	27	38	28	13	7	294	14	5									
Injury at birth (160).....	41	22	4	1	11	1	1		40	1										
Other diseases of early infancy (161 a, d).....	43	13	4	7	7	6	4		41	2										
External causes (172-193, 201-214).....	23	5		2	1	2			11	1	6	3	1	1	1			1	1	2
Unknown or ill-defined diseases (199, 200).....	155	32	11	8	20	13	10	6	100	15	13	6	8	6	3	1	1	2	1	1
All other causes.....	30	5	1	1	3	6	6	1	23	12	6	10	3	7	8	1	5	3	1	1
WASHINGTON																				
All causes.....	967	311	80	45	88	75	30	34	663	76	46	29	34	25	19	18	13	21	11	12
Measles (7).....	7										1			1					1	3
Scarlet fever (8).....	1																			1
Whooping cough (9).....	9									4	1			2						
Diphtheria (10).....	1																			
Influenza (11).....	23				1	2		2	5	4	2	2	2	4			1	1	2	
Dysentery (13).....																				
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....	3												1			1				1
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	1												1							
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	12	2		2	4				8		2	1								
Convulsions (86).....	3	1	1						2	1										
Bronchitis (106).....	3																			
Broncho-pneumonia (107).....	101	2	2	1	4	5	4	8	28	13	15	7	9	4	9	7	3	6		2
Lobar and unspecified pneumonia (108, 109).....	31				2	1	2	2	9	8	3		1	2	1	2	1	3	1	
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	37				1	6	4	3	14	5	4	3	2	1	1	1	1	4	1	1
Intestinal obstruction (122b).....	7				1	1			2	1	1	1	1	1						
Congenital malformations (157).....	140	32	17	7	13	18	4	8	99	13	7	5	5	2	2	4		3		

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WEST VIRGINIA																				
All causes.....	2,911	700	134	108	199	159	116	93	1,509	248	188	177	131	111	98	93	94	104	80	78
Measles (7).....	30	1				1	1	1	4	2	2	2		1	1	4	4	4	4	2
Scarlet fever (8).....	3																			
Whooping cough (9).....	106					1	3	4	8	18	15	12	10	5	8	4	5	12	4	5
Diphtheria (10).....	11								2	1		3				1	2	1	1	
Influenza (11).....	106	2		1	1	4	5	5	18	12	15	10	6	7	7	9	8	6	2	6
Dysentery (13).....	3											1		1						
Erysipelas (15).....	16						1	1	2	6	3	1		1						1
Epidemic cerebrospinal meningitis (18).....	8										1			1					1	1
Tetanus (22).....	2																			
Tuberculosis of the respiratory system (23).....	5												1							1
Tuberculosis of the meninges, etc. (24).....	5															1		1		1
Other forms of tuberculosis (25-32).....	42	3	1		5	3	6	5	23	6	1	5	3					1	2	1
Syphilis (34).....	18			2	2	5	2	2	13		1	1			2				1	
Convulsions (86).....	4						1		1	1	1									
Bronchitis (106).....	235				8	9	7	11	35	48	35	19	15	17	13	12	10	12	13	6
Broncho-pneumonia (107).....	75				2	5	3	4	14	15	5	7	8	3	3	8	5	3	1	3
Lobar and unspecified pneumonia (108,109).....	4				1			1	1	1	1									
Diseases of the stomach (117, 118).....	602			2	5	6	7	13	33	50	66	67	64	57	45	41	41	50	46	42
Diarrhea and enteritis (119).....	14			2	1	1			4	1	2	1	2	4	1	3	3			
Intestinal obstruction (122b).....	236	57	28	21	38	22	17	8	191	10	6	8	4	4	3	3	3			
Congenital malformations (157).....	185	24	10	11	22	22	17	9	115	33	10	9	5	3	3	2	2	2		1
Congenital debility, icterus, sclerema (158, 161 b, c).....	804	497	75	39	63	51	31	13	769	23	6	3	1	1						
Premature birth (159).....	162	93	12	12	27	10	3	3	160	1	1									
Injury at birth (160).....	61	18	6	8	16	9	1	2	60	1										
Other diseases of early infancy (161 a, d).....	70	3	2	5	2	4	2	10	28	8	6	8	2	6	3	3	2	2		2
External causes (172-193, 201-214).....	10				2	1	1		4			4	1	1	1	1				
Unknown or ill-defined diseases (199, 200).....	99	2		5	4	5	8	1	25	10	10	16	5	4	5	3	4	7	3	7
All other causes.....																				
WISCONSIN																				
All causes.....	2,675	881	192	146	223	133	98	60	1,733	180	143	116	96	87	55	60	55	52	49	44
Measles (7).....	8													1	1				3	3
Scarlet fever (8).....	45							1	1	11	9	3	2	5	2	3	3	4	1	1
Whooping cough (9).....	1																			
Diphtheria (10).....	110	1			1	3	2	3	10	19	12	13	9	11	5	4	8	11	4	4
Influenza (11).....	4										1	1	1	1	1					
Dysentery (13).....	7									2	1	1	1	1						
Erysipelas (15).....	5										1			1						
Epidemic cerebrospinal meningitis (18).....	2	1			1				2											
Tetanus (22).....	3														1					
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	17	2			1		2	1	6	2	4	1		2	1				1	3
Syphilis (34).....	25	4	3		3	1	2	1	13	2	2	1	1	1	2					
Convulsions (86).....	8			1	1				2	2	1	1	1	1	1					
Bronchitis (106).....	267	1	5	6	11	11	10	8	52	24	27	38	23	22	11	21	5	13	14	17
Broncho-pneumonia (107).....	81		1	1	5	3	2	4	16	6	16	8	8	5	1	5	6	1	4	5
Lobar and unspecified pneumonia (108, 109).....	4				1	1			3											
Diseases of the stomach (117, 118).....	191			2	5	4	15	11	37	36	19	12	21	18	10	9	10	7	7	5
Diarrhea and enteritis (119).....	10											3	3	3	7	5	6			
Intestinal obstruction (122b).....	355	103	24	30	46	28	18	8	257	25	21	15	8	3	7	5	6			
Congenital malformations (157).....	75	11	1	3	23	10	5	6	59	5	4	4	3	2						
Congenital debility, icterus, sclerema (158, 161 b, c).....	863	556	98	41	55	46	24	11	831	10	7	1	2	2						
Premature birth (159).....	250	130	35	37	36	7	2	2	249	1										
Injury at birth (160).....	136	61	20	14	24	7	4	2	132	3	5	2	2	2						
Other diseases of early infancy (161 a, d).....	31	1	1	3	2	2	1	1	7	3	2	2	2	2						
External causes (172-193, 201-214).....	23	7	2	8	1	2	1	1	17	1	3	2	1	1						
Unknown or ill-defined diseases (199, 200).....	161	3	2	8	8	8	8	2	39	28	14	15	13	10	11	8	8	8	4	3
All other causes.....																				
WYOMING																				
All causes.....	242	83	23	5	26	14	9	7	167	14	12	10	10	6	6	6	4	3	2	2
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	1											1								
Diphtheria (10).....	1																			1
Influenza (11).....	5									1	1	2	1							
Dysentery (13).....	2													1						
Erysipelas (15).....	2									1	1									
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	1												1							
Convulsions (86).....																				
Bronchitis (106).....	1				1				1											
Broncho-pneumonia (107).....	19				1	1	1	2	5	4	1	2	2	2	2			1		
Lobar and unspecified pneumonia (108, 109).....	8				1				1	1	1	1	2	1						
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	16		1		1	2			4	1	2	1	1	2	1	3			1	
Intestinal obstruction (122b).....	7				1			1	2			1		2	1				1	
Congenital malformations (157).....	23	5	6		5	1			17	1	3	1		1						
Congenital debility, icterus, sclerema (158, 161 b, c).....	10	2	1		2	1	1		7	2	1									
Premature birth (159).....	102	67	8																	

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOS ANGELES, CALIF. (WHITE)																				
All causes	664	203	60	32	43	50	32	29	449	40	35	25	22	18	21	13	14	10	8	9
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	15							2	2	2	1	2	1	2		2	1		2	
Diphtheria (10)	2											1								
Influenza (11)	5										1	1	1					1		
Dysentery (13)	2													1						
Erysipelas (15)	4								1	1	1								1	
Epidemic cerebrospinal meningitis (18)	2									1		1								
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	10					2			2	1		1	1		2		1	1		1
Tuberculosis of the meninges, etc. (24)	3								1					1		1				1
Other forms of tuberculosis (25-32)	6			1					1			1	2	1	1		1			
Syphilis (34)	5								3	1	1									
Convulsions (36)	1	2				1														
Bronchitis (106)	1																			
Broncho-pneumonia (107)	70		1		3	5	3	7	19	10	9	1	9	5	4	3	3	2	3	2
Lobar and unspecified pneumonia (108, 109)	11				1	2			3	1	2	2		1			1			1
Diseases of the stomach (117, 118)	2									1										
Diarrhea and enteritis (119)	33					2	7	6	15	3	3	2	1	2	3	1	2	1		
Intestinal obstruction (122 b)	8							1	1	1	2	1	1	1	1					1
Congenital malformations (157)	72	13	9	5	5	5	7	3	47	6	6	3	2	2	3	1	1		1	
Congenital debility, icterus, sclerema (158, 161 b, c)	10	3			4	1		1	9	1										
Premature birth (159)	225	126	29	19	15	21	8	3	221	2	2									
Injury at birth (160)	74	33	14	4	9	5	5	1	71	2	1									
Other diseases of early infancy (161 a, d)	32	19	5	4	2	1			31		1									
External causes (172-198, 201-214)	11	5			1	1			7			1			1	1				1
Unknown or ill-defined diseases (199, 200)																				
All other causes	60	2	2		2	4	1	5	16	7	6	7	4	3	5	3	1	4	2	2
LOS ANGELES, CALIF. (COLORED)																				
All causes	280	42	11	8	18	17	10	17	123	34	19	22	11	10	13	12	4	12	10	10
Measles (7)	1																			
Scarlet fever (8)																				
Whooping cough (9)	12									3	1				1	2	1	1	1	1
Diphtheria (10)	4											1		1				1	1	
Influenza (11)	5											1		1	1	1			1	1
Dysentery (13)	1																			
Erysipelas (15)	1																			
Epidemic cerebrospinal meningitis (18)																				
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	8																2		2	2
Tuberculosis of the meninges, etc. (24)	2											1								1
Other forms of tuberculosis (25-32)	3												1		1					1
Syphilis (34)	1								1											
Convulsions (36)																				
Bronchitis (106)	4																			
Broncho-pneumonia (107)	55	1			2	1	2	7	13	8	11	1	1	1	3	3	1	3	2	2
Lobar and unspecified pneumonia (108, 109)	10				1				2			1	2	1	2			1	1	
Diseases of the stomach (117, 118)	2									1		1								
Diarrhea and enteritis (119)	40				1	4	3	3	11	5	4	3	3	1	5	2		3	2	1
Intestinal obstruction (122 b)																				
Congenital malformations (157)	20	2	2	1	4	2	1		12	3	1			2					1	1
Congenital debility, icterus, sclerema (158, 161 b, c)	6		1		1	1	1		4	1				1						
Premature birth (159)	48	22	4	5	4	7		3	45	3										
Injury at birth (160)	17	7	2	1	5	7	1		16	1										
Other diseases of early infancy (161 a, d)	11	9		1				1	11											
External causes (172-198, 201-214)	2													1						
Unknown or ill-defined diseases (199, 200)	2	1							1											
All other causes	26		2			2		1	5	9	2	5	4			1	1			
SAN FRANCISCO, CALIF. (WHITE)																				
All causes	254	99	14	11	21	6	11	12	174	26	10	12	4	3	4	2	3	8	6	2
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2									1										
Diphtheria (10)																				
Influenza (11)	3											1								1
Dysentery (13)																				
Erysipelas (15)	2									1	1									
Epidemic cerebrospinal meningitis (18)	2																			
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	1																			
Tuberculosis of the meninges, etc. (24)	2																			1
Other forms of tuberculosis (25-32)	2																			
Syphilis (34)	5	1						1	2	1	1			1						
Convulsions (36)																				
Bronchitis (106)																				
Broncho-pneumonia (107)	29	1	1		2	2	3		9	8	1	3	2	1	1		1	2	1	
Lobar and unspecified pneumonia (108, 109)	4								2		2									
Diseases of the stomach (117, 118)																				
Diarrhea and enteritis (119)	12					4	2		6	2	1								2	1
Intestinal obstruction (122 b)																				
Congenital malformations (157)	28	4	3	1	3	2	1	1	15	6	1	2	2	1			1			
Congenital debility, icterus, sclerema (158, 161 b, c)	3	1						1	2	1										
Premature birth (159)	94	65	6	4	10	1	2	3	91	2	1									
Injury at birth (160)	27	14	3	4	5	1			27											
Other diseases of early infancy (161 a, d)	13	9	1	2	1				13											
External causes (172-198, 201-214)	5	1						1	2			1							1	1
Unknown or ill-defined diseases (199, 200)	1	1							1											
All other causes	19	2					2		4	3	1	4			3			3	1	

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CHICAGO, ILL. (WHITE)																				
All causes.....	2,132	613	140	119	190	101	78	58	1,299	187	127	89	73	73	51	39	59	44	52	39
Measles (7).....	3																1		1	1
Scarlet fever (8).....	2																			1
Whooping cough (9).....	30							2	2	7	3	4	2	2	1	1	1	1	5	1
Diphtheria (10).....	1																			1
Influenza (11).....	23					3	2		5		3		2	3	1	1	5	1	1	1
Dysentery (13).....	4							1	1					1						1
Erysipelas (15).....	12				1		1	2	4	2	3		1	1						1
Epidemic cerebrospinal meningitis (18).....	9												1	2	2	1	1	1		1
Tetanus (22).....																2				
Tuberculosis of the respiratory system (23).....	6							1	1							1	1	1	1	
Tuberculosis of the meninges, etc. (24).....	4													1				1	1	1
Other forms of tuberculosis (25-32).....	10												3	1	1		1	1	2	1
Syphilis (34).....	17	1			1	1	1	1	5	4	6		1			1				
Convulsions (86).....	4		1	1					2	1										
Bronchitis (106).....	25					1			2	7			4	3	1	1				
Broncho-pneumonia (107).....	292	1	1	3	13	7	20	11	56	42	41	29	23	20	15	13	17	12	17	7
Lobar and unspecified pneumonia (108, 109).....	41				3	7	2		5	4	3	6	2	1	5	2	4	5	2	1
Diseases of the stomach (117, 118).....	3																			1
Diarrhea and enteritis (119).....	125			2	1	2	5	4	14	26	13	14	10	16	5	9	8	4	2	4
Intestinal obstruction (122b).....	16				1				1	1		2	2	2	2		2	2	2	2
Congenital malformations (157).....	268	58	21	13	39	22	12	6	171	27	21	10	8	8	5	2	3	5	4	4
Congenital debility, icterus, sclerema (158, 161 b, c).....	57	3	2	4	15	2	2	4	32	15	6	3								1
Premature birth (159).....	592	334	61	43	54	36	18	13	559	21	5	2	2	2		1				
Injury at birth (160).....	235	142	38	39	40	12	6	3	280	3	2									
Other diseases of early infancy (161 a, d).....	112	68	10	12	12	3	3	2	110	2										
External causes (172-198, 201-214).....	27	2			1	2	1	3	9	2	3	1	2	2	1	1	1		3	2
Unknown or ill-defined diseases (199, 200).....	5	1							1	2	1				1					
All other causes.....	159	3	6	2	9	10	4	5	39	23	14	11	12	10	8	6	10	8	8	10
CHICAGO, ILL. (COLORED)																				
All causes.....	283	68	13	17	13	20	29	12	172	24	12	12	11	7	6	8	9	9	4	9
Measles (7).....	1																			1
Scarlet fever (8).....																				
Whooping cough (9).....	8									1	2	1	1	1			1	1		
Diphtheria (10).....																				
Influenza (11).....	2																		1	1
Dysentery (13).....																				
Erysipelas (15).....	2																			
Epidemic cerebrospinal meningitis (18).....	1							1	2				1							
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	6													1				1	1	3
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	8	2			1		1	1	5	1	1		1							
Convulsions (86).....																				
Bronchitis (106).....	1												1							
Broncho-pneumonia (107).....	72		2	1	4	3	11	3	24	13	3	5	4	2	3	6	4	5	1	2
Lobar and unspecified pneumonia (108, 109).....	4					1			1	1				1	1					
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	12						3		3	1	1	1	1	1	1		1	1	1	
Intestinal obstruction (122b).....	5			1			1	1	3	1			1							
Congenital malformations (157).....	18	4	1	3	1		3	1	13	3							2			
Congenital debility, icterus, sclerema (158, 161 b, c).....	8	1	1			1	1	1	4		1		2		1					
Premature birth (159).....	78	38	4	8	5	11	5	3	74	4										
Injury at birth (160).....	25	17	5	1	2				25											
Other diseases of early infancy (161 a, d).....	13	5		3	1	2		1	12	1										
External causes (172-198, 201-214).....	3								1	1		1								
Unknown or ill-defined diseases (199, 200).....	1	1							1											
All other causes.....	14				1	2	1		4	1		3	1		2	1	1			1
BALTIMORE, MD. (WHITE)																				
All causes.....	572	162	32	20	52	24	22	18	330	34	29	32	28	19	22	16	21	14	11	16
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	18				1				1	1	5		3	4	1			1	1	1
Diphtheria (10).....	1																			1
Influenza (11).....	7								1				1	1	1				1	1
Dysentery (13).....	3												1	1						
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	3									1	1				1					
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	1													1						
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	7				2	1	1		4	1		1	1							
Convulsions (86).....	2									1										
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	68		2		2	1	3	2	10	11	7	9	5	3	4	7	6	2	1	3
Lobar and unspecified pneumonia (108, 109).....	21											1	1	3	3	3	3	4		3
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	51						2	3	5	3	4	12	9	3	3	2	3	2	2	3
Intestinal obstruction (122b).....	8						1	1	2	2	1							1		
Congenital malformations (157).....	83	14	7	6	6	3	4	7	47	6	8	4	2	4	3	1	2	4	1	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	7	1			2	1	1		5	1										
Premature birth (159).....	168	108	14	9	16	9	2	3	161	4	1	2								
Injury at birth (160).....	45	21	3	3	11	4	3		45											
Other diseases of early infancy (161 a, d).....	38	18	5	2	8	3	1	1												

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DETROIT, MICH. (COLORED)																				
All causes.....	148	35	11	4	10	3	4	2	69	7	9	10	10	6	9	9	8	2	6	3
Measles (7).....	1															1				
Scarlet fever (8).....	1																			
Whooping cough (9).....	13									1			1	1	3		5		1	1
Diphtheria (10).....																				
Influenza (11).....																				
Dysentery (13).....	1																1			
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3															1	1		1	
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	6										2	1	1			2	1			
Syphilis (34).....	1				1				1											
Convulsions (86).....	3				1				1											2
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	28				1	1	1	1	4	2	3	4	1	4	3	3	3		1	1
Lobar and unspecified pneumonia (108, 109).....	3								1	1	1	1				1				
Diseases of the stomach (117, 118).....	2				1				1	1										
Diarrhea and enteritis (119).....	8				1		1		2	1		2			1				1	1
Intestinal obstruction (122b).....	1										1									
Congenital malformations (157).....	6			1	2	1			4	1							1			
Congenital debility, icterus, sclerema (158, 161 b, c).....																				
Premature birth (159).....	40	25	7	2		1	2		37		1		2							
Injury at birth (160).....	8	6		1	1				8											
Other diseases of early infancy (161 a, d).....	3	3	4	1	1				8											
External causes (172-198, 201-214).....	3							1	1		1			1						
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	11	1			1				2		1	2	1	1	1	1			1	1
ST. LOUIS, MO. (WHITE)																				
All causes.....	562	160	23	27	43	39	23	21	336	48	36	22	32	20	13	10	8	15	14	8
Measles (7).....	1							1	1											
Scarlet fever (8).....	1																			
Whooping cough (9).....	18									2	4	2	2	3	2	1		1	1	
Diphtheria (10).....																				
Influenza (11).....	8						1	1	2	1			1						2	1
Dysentery (13).....	3											1								
Erysipelas (15).....	2									1				1					1	
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1					1			1											
Tuberculosis of the respiratory system (23).....	1																			1
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	3	3				1	1		5		1	1			1					
Convulsions (86).....	1																			
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	72		1		1	3	2	5	12	13	12	4	8	3	5		3	5	7	
Lobar and unspecified pneumonia (108, 109).....	16						1		1	1	2	1	3	3	1	1	1	1	1	
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	55				1	3	4	6	14	10	6	5	6	3	1	2	2	4		2
Intestinal obstruction (122b).....	4										1			3						
Congenital malformations (157).....	64	12	2	6	9	3	1		33	11	5	3	5	1	2	2			1	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	13	1		1	4		1		7	3	1	1	1							
Premature birth (159).....	187	108	13	16	15	25	7	2	180	1										
Injury at birth (160).....	47	25	4	3	11	2			45		2									
Other diseases of early infancy (161 a, d).....	19	11	2	1	1				17											
External causes (172-198, 201-214).....	7		1					1	2											3
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	33				1	3	2	4	10	5	1	2	5	3	1	2		2	1	1
ST. LOUIS, MO. (COLORED)																				
All causes.....	162	28	13	4	11	8	7	6	77	11	12	8	3	14	5	11	8	6	4	3
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	10									1			1	3	1	1		2	1	
Diphtheria (10).....																				
Influenza (11).....	1																			
Dysentery (13).....														1						
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....	1														1					
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....	1																			1
Other forms of tuberculosis (25-32).....	2									1										
Syphilis (34).....	11	1			2	1	1		5	2	2			1		1		1		
Convulsions (86).....																				
Bronchitis (106).....																				
Broncho-pneumonia (107).....	34				1		3	2	6	2	4	5		5	1	5	2		3	1
Lobar and unspecified pneumonia (108, 109).....	8								1					1		3				
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	16						1	1	2		5	1	1	2			2	2		1
Intestinal obstruction (122b).....	1									1										
Congenital malformations (157).....	6	2	1			1			4	1							1			
Congenital debility, icterus, sclerema (158, 161 b, c).....	3		1		1		2	2	2	1										
Premature birth (159).....	51	20	8	3	8	6	2	2	49	2										
Injury at birth (160).....	3	3							3											
Other diseases of early infancy (161 a, d).....	5	2	3						5											
External causes (172-198, 201-214).....	1																			
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	7											2	1	1	2					1

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N.Y. (MANHATTAN BOROUGH, WHITE)																				
All causes.....	1,760	455	86	54	114	88	74	67	938	198	140	104	66	55	64	56	42	33	32	32
Measles (7).....	6													1		1	1	1	1	1
Scarlet fever (8).....																				
Whooping cough (9).....	16							1	1	1	1	3	2			1	2	3		1
Diphtheria (10).....	5																		1	2
Influenza (11).....	11			1					2	2	1	2			1	2				1
Dysentery (13).....	1																			1
Erysipelas (15).....	38						2		2	9	9	5	3	2	3	1	3	1		1
Epidemic cerebrospinal meningitis (18).....	10									1	1	2	2	2	1	1	1	1		1
Tetanus (22).....												2				1	1			
Tuberculosis of the respiratory system (23).....	4															1	1			
Tuberculosis of the meninges, etc. (24).....	3															1	1			1
Other forms of tuberculosis (25-32).....	4															2				1
Syphilis (34).....	23	2	1	1	1	2	2	1	10	2	6	2	1	1			1			
Convulsions (86).....	5			2					2	1	1	1			1					
Bronchitis (106).....	2																			
Broncho-pneumonia (107).....	237	3	2	4	3	11	11	15	49	45	27	28	14	11	18	11	8	8	9	9
Lobar and unspecified pneumonia (108, 109).....	77					2	1	2	5	10	7	7	6	8	10	5	5	5	3	6
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	232				2	2	11	16	31	46	39	27	19	14	18	18	7	3	7	3
Intestinal obstruction (122b).....	11							1	1	2	2	1	1	1	1	1	1	1	1	1
Congenital malformations (157).....	162	20	7	8	18	14	5	11	83	28	20	10	5	4	4	1	2		3	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	23				5	4	3	1	13	5	3	2								
Premature birth (159).....	476	290	33	17	37	35	27	9	453	15	6			2						
Injury at birth (160).....	197	91	34	14	29	11	5	3	187	7	3									
Other diseases of early infancy (161 a, d).....	65	34	3	7	10	4	3	1	62	3										
External causes (172-198, 201-214).....	27	10	1		5	4		1	17	3	1	2					1	2		1
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	125	5			4	3	4	4	20	18	12	14	11	7	7	11	6	8	7	4
NEW YORK, N.Y. (MANHATTAN BOROUGH, COLORED)																				
All causes.....	400	105	18	15	34	22	16	16	226	41	28	22	18	11	10	11	5	8	10	10
Measles (7).....	1																			1
Scarlet fever (8).....																				
Whooping cough (9).....	7									1	1		1						2	2
Diphtheria (10).....																				
Influenza (11).....	2											1				1				
Dysentery (13).....	2																			
Erysipelas (15).....	2					1		1	2											
Epidemic cerebrospinal meningitis (18).....	5											1				1			3	
Tetanus (22).....	4							1	1									1		1
Tuberculosis of the respiratory system (23).....	4															1				
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	4						1	1	1	1		1								1
Syphilis (34).....	10	2		1	1	1		1	6	3	5	2								
Convulsions (86).....	3																			
Bronchitis (106).....	4									2			1							
Broncho-pneumonia (107).....	36	1				2	2	3	8	9	9	5	4	1	3	2	1		2	2
Lobar and unspecified pneumonia (108, 109).....	24	1			1			2	4	2	1	1	2	2	1	4	1	3	1	2
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	41						4	1	5	10	8	2	4	3	3	1	1	1	1	2
Intestinal obstruction (122 b).....	3										1	1	1							
Congenital malformations (157).....	12			1	3	1			5		2	2	2					1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	7				1	2		2	5	1			1							
Premature birth (159).....	135	67	12	7	13	11	9	4	123	6		4		1	1					
Injury at birth (160).....	37	18	5	4	9	1			37											
Other diseases of early infancy (161 a, d).....	21	10	1	2	5	3			21											
External causes (172-198, 201-2 4).....	12	6			1				7	2	1	1		1						
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	18							1	1	4	1	2	1	2	2	1	2		2	
NEW YORK, N.Y. (QUEENS BOROUGH)																				
All causes.....	509	158	32	26	37	40	27	21	341	41	34	20	19	13	8	8	8	7	4	6
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	7										3	2								2
Diphtheria (10).....																				
Influenza (11).....	1													1						
Dysentery (13).....	1																			
Erysipelas (15).....	4							1	2	1				1						
Epidemic cerebrospinal meningitis (18).....	1																		1	
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	2										1				1					
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....																				
Syphilis (34).....	6	1			1	1			3		2	1								
Convulsions (86).....	2								1										1	
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	86			1	2	9	6	18	14	14	8	8	6	4	4	4	6	1	2	1
Lobar and unspecified pneumonia (108, 109).....	23				1	4	1	6	4	2	3	2	1		1	2	1			1
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	23					4	2	3	9	4	4	1		3	1					1
Intestinal obstruction (122b).....	2												1							
Congenital malformations (157).....	65	17	1	3	8	10	4	3	46	8	4	3	1	2					1	
Congenital debility, icterus, sclerema (158, 161 b, c).....	10	1			2	1	1	1	6	3										
Premature birth (159).....	150	94	20	8	9	10	4	2	147	3										
Injury at birth (160).....	79	39	10	14	10	4	1		78	1										
Other diseases of early infancy (161 a, d).....	15	5	1	1	4	4			15											
External causes (172-198, 201-214).....	4																			

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N.Y. (RICHMOND BOROUGH)																				
All causes	151	36	10	12	14	7	7	4	90	12	11	6	8	10	3	3	3	2	3	
Measles (7)	2																	1	1	
Scarlet fever (8)																				
Whooping cough (9)																				
Diphtheria (10)																				
Influenza (11)																				
Dysentery (13)																				
Erysipelas (15)																				
Epidemic cerebrospinal meningitis (18)																				
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	2																		1	
Tuberculosis of the meninges, etc. (24)	1																			
Other forms of tuberculosis (25-32)																				
Syphilis (34)	1																			
Convulsions (86)																				
Bronchitis (106)																				
Broncho-pneumonia (107)	18							1	1	4	1	1	4	5	1				1	
Lobar and unspecified pneumonia (108, 109)	9				1				1				1	1	1		1	3	1	
Diseases of the stomach (117, 118)																				
Diarrhea and enteritis (119)	9									5	2		2							
Intestinal obstruction (122b)	2																			
Congenital malformations (157)	10	1		1	2	2			6	2	1	1								
Congenital debility, icterus, sclerema (158, 161 b, c)	5		1	1			1		3	1	1									
Premature birth (159)	52	28	4	5	3	4	3	2	49	1	1	1								
Injury at birth (160)	22	7	4	2	8		1		22											
Other diseases of early infancy (161 a, d)	5		1	2	8		2		5											
External causes (172-198, 201-214)	3			1					1											
Unknown or ill-defined diseases (199, 200)	1								1											
All other causes	9					1		1	2	1	2			3	1					
CLEVELAND, OHIO (WHITE)																				
All causes	692	234	45	36	58	29	24	22	448	51	25	32	18	17	27	17	19	17	6	15
Measles (7)	6													1	2	1	1	1		
Scarlet fever (8)	3																			
Whooping cough (9)	15							1	1	4	3	1	3	1	1	1				
Diphtheria (10)																				
Influenza (11)	7					1	1		2					1			1	2	1	
Dysentery (13)																				
Erysipelas (15)	4							1	1	2		1								
Epidemic cerebrospinal meningitis (18)	1								1											
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	3												1				1	1		
Tuberculosis of the meninges, etc. (24)	2													1				1		
Other forms of tuberculosis (25-32)																				
Syphilis (34)	4					1			1	1	1									
Convulsions (86)	2				1			1	2											
Bronchitis (106)	4			1					1											
Broncho-pneumonia (107)	87			1	4	3	3	1	12	13	5	9	7	6	11	9	4	3	4	
Lobar and unspecified pneumonia (108, 109)	11					1		1	2	1		1		1		2	3	1	1	
Diseases of the stomach (117, 118)	3											1								
Diarrhea and enteritis (119)	24						3	1	4	5	3	3	3	1	3			1	1	
Intestinal obstruction (122b)	5							1	1	1		1								
Congenital malformations (157)	66	12	5	2	14	3	1	2	39	8	3	5	2	2	2	1	2		1	
Congenital debility, icterus, sclerema (158, 161 b, c)	9	2	1			1	1		6	1	1	1								
Premature birth (159)	255	147	27	13	17	15	14	7	240	10	1	2	1	1						
Injury at birth (160)	91	54	10	11	12	1			90											
Other diseases of early infancy (161 a, d)	32	16	2	6	6	1	1	2	32											
External causes (172-198, 201-214)	4					1			1	1										
Unknown or ill-defined diseases (199, 200)	6	3		1					4											
All other causes	48			1	3	1		4	9	8	4	5	1	1	4	2	3	7	4	
CLEVELAND, OHIO (COLORED)																				
All causes	105	38	8	6	5	3	3	3	66	5	5	6	4	4	4	3		1	6	1
Measles (7)	1																			
Scarlet fever (8)																				
Whooping cough (9)	3														2	1				
Diphtheria (10)																				
Influenza (11)	1							1	1											
Dysentery (13)	1																			
Erysipelas (15)	1											1								
Epidemic cerebrospinal meningitis (18)																				
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	1																		1	
Tuberculosis of the meninges, etc. (24)																				
Other forms of tuberculosis (25-32)																				
Syphilis (34)	5	1	2	2					5											
Convulsions (86)																				
Bronchitis (106)																				
Broncho-pneumonia (107)	18				1				1	2	1	2	2	4	1	1		1	2	
Lobar and unspecified pneumonia (108, 109)	2		1						1	1										
Diseases of the stomach (117, 118)																				
Diarrhea and enteritis (119)	5									2		1				1			1	
Intestinal obstruction (122b)																				
Congenital malformations (157)	2		1		1				2											
Congenital debility, icterus, sclerema (158, 161 b, c)	2	1	1				1		2											
Premature birth (159)	33	24	1	2	1	2	1	2	33											
Injury at birth (160)	13	8	2				1		11	1	1									
Other diseases of early infancy (161 a, d)	5	3		1	1				5											
External causes (172-198, 201-214)	1	1							1											
Unknown or ill-defined diseases (199, 200)	1		1						1											
All other causes	10			1	1	1			3	1	1	3	1						1	

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		PHILADELPHIA, PA. (WHITE)																		
All causes.....	1,291	258	109	55	114	68	55	40	699	100	80	60	61	45	51	48	53	41	28	25
Measles (7).....	1																			
Scarlet fever (8).....	2																			
Whooping cough (9).....	21																			
Diphtheria (10).....	5																			
Influenza (11).....	18																			
Dysentery (13).....	2																			
Erysipelas (15).....	9																			
Epidemic cerebrospinal meningitis (18).....	7																			
Tetanus (22).....	8																			
Tuberculosis of the respiratory system (23).....	8																			
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	4																			
Syphilis (34).....	12	1							6											
Convulsions (86).....	1								1											
Bronchitis (106).....	4								1											
Broncho-pneumonia (107).....	153	1		1	5	8	5	6	26	19	20	10	16	11	13	10	6	10	7	5
Lobar and unspecified pneumonia (108,109).....	66								11	6	4	8	5	2	5	5	8	5	3	4
Diseases of the stomach (117,118).....	2								1											
Diarrhea and enteritis (119).....	124				3	4	9	6	22	13	15	15	9	8	9	6	12	5	5	5
Intestinal obstruction (122b).....	12								1											
Congenital malformations (157).....	197	31	17	8	28	13	8	13	118	15	12	9	10	6	7	7	4	6		3
Congenital debility, icterus, sclerema (158, 161 b, c).....	24	2	1	2	4	2	3	1	15	2	3	1	1			1				1
Premature birth (159).....	290	143	53	21	22	22	12	3	276	8	2	3								
Injury at birth (160).....	154	64	30	15	33	6	2	1	151	3										
Other diseases of early infancy (161 a, d).....	41	13	6	5	10	1	4	2	41											
External causes (172-198, 201-214).....	19				1				2											
Unknown or ill-defined diseases (199, 200).....	112	3	2	3	8	6	1	2	25	14	11	9	6	10	7	7	13	4	2	4
All other causes.....																				
PHILADELPHIA, PA. (COLORED)																				
All causes.....	377	79	25	20	27	17	11	15	194	24	26	20	16	15	13	15	15	17	9	13
Measles (7).....	1																			
Scarlet fever (8).....	9																			
Whooping cough (9).....	1																			
Diphtheria (10).....	14																			
Influenza (11).....	1																			
Dysentery (13).....	1																			
Erysipelas (15).....	2																			
Epidemic cerebrospinal meningitis (18).....	2																			
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	2																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	23	3		2	3	1		1	10	4	5	1	2							
Convulsions (86).....	3																			
Bronchitis (106).....	48	1			2	2	2	2	7	3	4	2	7	4	5	3	3	5	3	2
Broncho-pneumonia (107).....	32		1		1	1	2	2	5	2	5	2	1	1	2	5	3		3	3
Lobar and unspecified pneumonia (108,109).....	2																			
Diseases of the stomach (117,118).....	32				2	2	1	1	6	3	3	5	5	2	2	2	2	2	2	
Diarrhea and enteritis (119).....	1																			
Intestinal obstruction (122b).....	21	2	1	2	3	3		1	12	2	4	1								2
Congenital malformations (157).....	12		1	1	1			4	7	2	1	1		1						
Congenital debility, icterus, sclerema (158, 161 b, c).....	106	54	20	9	6	6	4	2	101	3		2								
Premature birth (159).....	27	15	1	2	5	2	1	1	27											
Injury at birth (160).....	12	3	1	4	4				12											
Other diseases of early infancy (161 a, d).....	5																			
External causes (172-198, 201-214).....	25	1				3	2	1	7	1		1	1	1	2	2	2	6		2
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....																				
PITTSBURGH, PA. (WHITE)																				
All causes.....	752	185	64	41	39	43	38	29	439	44	51	32	31	29	25	23	21	19	17	21
Measles (7).....	5																			
Scarlet fever (8).....	1																			
Whooping cough (9).....	10																			
Diphtheria (10).....	2																			
Influenza (11).....	14																			
Dysentery (13).....	2																			
Erysipelas (15).....	4																			
Epidemic cerebrospinal meningitis (18).....	4																			
Tetanus (22).....	3																			
Tuberculosis of the respiratory system (23).....	5																			
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	5																			
Syphilis (34).....	2																			
Convulsions (86).....	4																			
Bronchitis (106).....	99	2	1		2	5	9	4	23	11	8	7	5	10	6	7	5	6	3	8
Broncho-pneumonia (107).....	43				1	2	2	2	7	7	6	1	5	3	2	2	4	1	3	2
Lobar and unspecified pneumonia (108,109).....	2																			
Diseases of the stomach (117,118).....	72				2	5	5	2	14	2	17	7	5	6	3	5	3	4	2	4
Diarrhea and enteritis (119).....	10																			
Intestinal obstruction (122b).....	103	31	8	6	6	10	4	7	72	8	3	6	6	3	1	1	1	1	1	1
Congenital malformations (157).....	10	3		1				2	6	2		1								
Congenital debility, icterus, sclerema (158, 161 b, c).....	188	106	31	10	11	13		7	184	2	1		1							
Premature birth (159).....	66	25	13	10	9		3		65											
Injury at birth (160).....	39	15	6	9	6			1	37											
Other diseases of early infancy (161 a, d).....	7								7											
External causes (172-198, 201-214).....	14	2		1			2	1	6	3	1	2	1		1	1	1	1	1	1
Unknown or ill-defined diseases (199, 200).....	49	1		3	1	6		2	19	4	5</									

INFANT MORTALITY STATISTICS: 1932

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PITTSBURGH, PA. (COLORED)																				
All causes.....	115	25	6	7	6	10	7	7	68	6	6	3	5	5	6	1	7	2	1	5
Measles (7).....	1																			
Scarlet fever (8).....	1																			
Whooping cough (9).....	1																			
Diphtheria (10).....	1																			
Influenza (11).....	1																			
Dysentery (13).....	1																			
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	4							1	1	1					1		1			
Convulsions (86).....	1																			
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	28		2			1	4	3	10		1		2	3	2		3	2		3
Lobar and unspecified pneumonia (108, 109).....	6					1	1	1	3										1	2
Diseases of the stomach (117, 118).....	7					1	1	1	3			1	1	1	1					
Diarrhea and enteritis (119).....	7					1	1	1	3											
Intestinal obstruction (122b).....	10	1	1	2	2	4			10											
Congenital malformations (157).....	10	1	1	2	2	4			10											
Congenital debility, icterus, sclerema (158, 161 b, c).....	1																			
Premature birth (159).....	37	21	3	3	4	3	1		35	2	1									
Injury at birth (160).....	4	1		1					2	1	1									
Other diseases of early infancy (161 a, d).....	4	2		1				1	4											
External causes (172-198, 201-214).....	1																			
Unknown or ill-defined diseases (199, 200).....	5																		2	
All other causes.....	3									2		2	1					1		
MILWAUKEE, WIS.																				
All causes.....	442	126	30	26	24	15	17	8	246	33	21	25	22	22	13	14	10	18	12	6
Measles (7).....	4														1				3	
Scarlet fever (8).....	10							1	1	2		1	1	1		1	1	1	1	
Whooping cough (9).....	1																			
Diphtheria (10).....	11								1	2		1		1				2	4	1
Influenza (11).....	1																			
Dysentery (13).....	1																			
Erysipelas (15).....	1									1										
Epidemic cerebrospinal meningitis (18).....	2												1						1	
Tetanus (22).....	2																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	6							2	2	1				2		1				
Other forms of tuberculosis (25-32).....	2									1										
Syphilis (34).....	2																			
Convulsions (86).....	1																			
Bronchitis (106).....	64		1	1	2	3		2	9	4	7	8	6	8	3	6	1	3	6	3
Broncho-pneumonia (107).....	11			1				2	3	1	1	1	1	1	1			1	1	
Lobar and unspecified pneumonia (108, 109).....	37							4	6	6	5	4	4	6	2	2	1		1	
Diseases of the stomach (117, 118).....	3																			
Diarrhea and enteritis (119).....	51	12	4	4	6	1	7		34	4	2	4	4		1	1			1	1
Intestinal obstruction (122b).....	5	1			1				2	1		1	1							
Congenital malformations (157).....	107	67	14	5	8	6	3	2	105		2									
Congenital debility, icterus, sclerema (158, 161 b, c).....	48	28	8	9	1	1		1	48											
Premature birth (159).....	30	15	3	5	3	2	1		29	1										
Injury at birth (160).....	5	1							1		1		1					1	1	
Other diseases of early infancy (161 a, d).....	1	1							1											
External causes (172-198).....	1	1							1											
Unknown or ill-defined diseases (199, 200).....	38	1		1	1	1			4	9	3	6	2	3	3	1	3	3	1	
All other causes.....	38	1		1	1	1			4	9	3	6	2	3	3	1	3	3	1	

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	REGISTRATION AREA			ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes.....	119,431	54,788	64,643	868	292	2,675	262	206	349	214	138	1,345	2,344	558	1,214	494	168	597
Male.....	67,839	31,091	36,748	488	165	1,489	141	118	194	130	72	791	1,322	305	680	295	102	328
Female.....	51,592	23,697	27,895	380	127	1,186	121	88	155	84	66	554	1,022	253	534	199	66	269
Measles (7):																		
Male.....	242	119	123			3						1	2		4			2
Female.....	188	92	96			1						2	1		1			2
Scarlet fever (8):																		
Male.....	47	20	27		1		1											
Female.....	37	15	22			2												
Whooping cough (9):																		
Male.....	1,512	532	980	9	10	43	4	3	1	2	6	20	27	4	14	2	1	8
Female.....	1,693	605	1,088	14	5	40	2	2	6	6	2	26	30	13	21	6	4	4
Diphtheria (10):																		
Male.....	237	62	175	2	3	10	1					1	6	9		3		1
Female.....	164	38	126	1		10						5	3		1		1	
Influenza (11):																		
Male.....	2,095	592	1,503	24	7	52	6	2	16	5	5	38	14	11	22	13	9	30
Female.....	1,647	465	1,182	11	7	54	7	3	9	2	4	23	13	8	10	9	2	26
Dysentery (13):																		
Male.....	288	73	215		1	4	3	3	3		2	4	5	5	3			2
Female.....	191	53	138	1	2	1			1	1	4	4	1		2			3
Erysipelas (15):																		
Male.....	233	163	120	1		4		1		1	2	3	5		1			1
Female.....	246	132	114			7					1	3	6		1			
Epidemic cerebrospinal meningitis (18):																		
Male.....	141	97	44						1			1	2	1	1			1
Female.....	120	82	38	1		1						2	4		1			
Tetanus (22):																		
Male.....	83	10	73			7			1			3			1			
Female.....	44	14	30	3	2	2					1	2			1			
Tuberculosis of the respiratory system (23):																		
Male.....	168	92	76		1	1	2		1			1	12	2	4	1		
Female.....	142	79	63			2	1	1		1		3	12		3	1	1	
Tuberculosis of the meninges, etc. (24):																		
Male.....	166	103	63	1		3	1	1				2	7		2	1		
Female.....	152	76	76	1	1	2		1	2			1	2	2	2	1		
Other forms of tuberculosis (25-32):																		
Male.....	108	73	30	1	1								6		3	2		
Female.....	80	61	19	1									9		3	1		
Syphilis (34):																		
Male.....	886	516	370	16	6	25	1	1	6	4		1	14	3	7	3	1	3
Female.....	718	420	298	18	2	13	4	1	1	2	1	8	11		7	3	1	1
Convulsions (80):																		
Male.....	407	88	319	2	4	25						6	1		2			2
Female.....	271	59	212	1	2	19						2	1		2			
Bronchitis (106):																		
Male.....	349	139	210	1		4	2		4	2		6	7	2	5	1		
Female.....	288	125	163	2		2	2		1			1	5	1	6	2		1
Broncho-pneumonia (107):																		
Male.....	6,742	3,613	3,129	35	10	86	13	13	19	13	4	55	154	39	86	29	12	39
Female.....	5,076	2,787	2,289	21	10	59	13	10	15	3	5	31	109	32	78	15	7	33
Lobar and unspecified pneumonia (108, 109):																		
Male.....	2,534	1,093	1,441	15	10	56	5	11	11	4	4	32	37	4	34	18	2	13
Female.....	1,976	824	1,152	19	4	49	7	6	7	3	2	19	31	10	17	7	3	16
Diseases of the stomach (117, 118):																		
Male.....	278	58	220	1	2	4	2	2	1	1		14	7	1	2			1
Female.....	235	42	193	2	1	4			2		1	5	2	2	2	1		2
Diarrhea and enteritis (119):																		
Male.....	6,085	2,442	3,643	39	10	105	38	27	38	10	9	90	97	38	100	37	23	44
Female.....	4,706	1,892	2,814	26	8	85	17	21	30	8	6	58	81	37	94	26	11	32
Intestinal obstruction (122h):																		
Male.....	510	302	208	3	2	9			1	1		3	11	2	5	2	2	4
Female.....	337	192	145	3	1	3	2	1				4	3	5	4	2	1	
Congenital malformations (157):																		
Male.....	6,015	3,125	2,890	23	6	61	12	5	6	18	6	21	145	27	56	25	8	19
Female.....	4,877	2,534	2,343	22	4	51	8	9	4	10	2	25	114	23	53	20	1	27
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male.....	2,793	879	1,914	19	12	73	5	4	12	3	4	47	27	14	32	9	3	10
Female.....	1,962	582	1,380	6	11	56	8	1	8	5	2	24	18	9	20	4	2	7
Premature birth (159):																		
Male.....	18,524	9,188	9,336	160	40	370	18	21	32	28	13	162	434	92	172	79	21	87
Female.....	14,188	7,282	6,906	127	35	310	28	23	31	16	15	122	338	67	125	53	27	67
Injury at birth (160):																		
Male.....	5,913	3,580	2,333	53	9	54	9	10	6	13	2	30	122	23	35	23	7	20
Female.....	3,641	2,230	1,411	38	4	31	5	1	1	5	4	11	95	19	26	16		14
Other diseases of early infancy (161a, d):																		
Male.....	2,250	1,278	972	9	3	15	1	6	4	3	1	15	58	10	25	17	3	15
Female.....	1,644	946	698	11	3	17	4	4	9	1	1	8	47	6	11	16	1	13
External causes (172-198, 201-214):																		
Male.....	1,080	399	681	7	3	33	2	5	4	3	1	14	16	11	22	6	4	10
Female.....	864	326	538	2	7	25	2	2	6	7		9	16	6	17	2	3	7
Unknown or ill-defined diseases (199, 200):																		
Male.....	4,184	375	3,809	35	17	395	6		16	7	7	170	3	1	1	6		3
Female.....	3,250	278	2,972	40	8	300	4		17	2	9	133	2		1	2		4
All other causes:																		
Male.....	3,919	2,075	1,844	20	7	50	7	3	10	12	4	46						

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	CONNECTICUT			DELAWARE			Dist- district of Colum- bia	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes.....	920	31	222	136	15	137	740	576	271	827	1,081	3,020	44	132	203	3,784	591	1,509
Male.....	511	20	126	72	8	76	434	342	149	486	597	1,704	28	82	115	2,142	334	838
Female.....	409	11	96	64	7	61	306	234	122	341	484	1,316	16	50	88	1,642	257	671
Measles (7):																		
Male.....	2		2								2	1				2	1	
Female.....	2		1						1		1	1				3		1
Scarlet fever (8):																		
Male.....														1		3		1
Female.....										1		1				1		
Whooping cough (9):																		
Male.....	10		6		1	1	5	4	1	7	5	33			2	34	11	19
Female.....	10		5	1	1	3	6	1	5	7	9	26		1	1	34	6	21
Diphtheria (10):																		
Male.....	1						1			3	1	16		2		1		2
Female.....							1		1	2	2	9				1		1
Influenza (11):																		
Male.....	6	1	4			1	7	5	2	13	7	55		2	7	33	16	33
Female.....	9		1	1		1	3	8	5	7	7	46	2	3	8	23	6	24
Dysentery (13):																		
Male.....							2	1	2	1		23				2	3	6
Female.....								2	1		2	3				3		1
Erysipelas (15):																		
Male.....	1			1			1				2	3		2	1	15		4
Female.....							1		2		2	11	1			10	2	7
Epidemic cerebrospinal meningitis (18):																		
Male.....	2						1				2	1				6		
Female.....	2						2	1			1					4		
Tetanus (22):																		
Male.....								1	1	4		2						1
Female.....								3	2	1		2						1
Tuberculosis of the respiratory system (23):																		
Male.....	2					1	3	1		3	5	1		3	6			2
Female.....			1	1			2			4	4	1		1	8	1		
Tuberculosis of the meninges, etc. (24):																		
Male.....	3		1	1			2	2		1	1	1			4			1
Female.....	4		1	1		1									3	1		1
Other forms of tuberculosis (25-32):																		
Male.....	2					1	1				3			1	8			2
Female.....	1						3				1				6			
Syphilis (34):																		
Male.....	2			2			12	14	3	6	28	13	1		24	5		5
Female.....	4		1	1			5	16	3	5	18	16	1		27	1		5
Convulsions (86):																		
Male.....	3		1				1	5	1	5	1	21		2	1	5	1	2
Female.....	1							5	1	3	4	15			2			1
Bronchitis (106):																		
Male.....	7		2	1		1	1			3	2	5				21		5
Female.....			2	1			5	1			3	2				13	4	8
Broncho-pneumonia (107):																		
Male.....	54	2	16	10		16	63	16	7	15	60	90	3	4	11	266	28	89
Female.....	32		7	8	1	10	48	18	13	15	45	91		6	8	239	26	79
Lobar and unspecified pneumonia (108, 109):																		
Male.....	18	1	3	4	1	4	10	13	3	20	30	82	2	1	5	43	9	32
Female.....	12		6	3			9	8	2	16	16	68	1	2	4	38	4	24
Diseases of the stomach (117, 118):																		
Male.....	2							2	4	3	1	15		1	3	2		6
Female.....							1		1	4	1	9	1		4	4		1
Diarrhea and enteritis (119):																		
Male.....	20	3	11	3		11	47	20	11	47	54	116		6	5	136	33	89
Female.....	26		5	5		16	28	21	15	32	33	70		4		109	21	65
Intestinal obstruction (122b):																		
Male.....	2						5	5	3	2	4	13		1	2	19	5	1
Female.....	1		2				3	3	1	2	4	5				9	3	7
Congenital malformations (157):																		
Male.....	54	2	23	7		6	26	30	13	24	26	58	6	7	9	251	46	102
Female.....	67	2	18	9		2	21	11	7	18	14	49	3	2	11	204	24	98
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male.....	18	1	3	5		2	16	24	11	36	24	103	2	4	9	55	15	31
Female.....	11	1	5	2		5	7	13	7	27	8	85			4	42	15	29
Premature birth (159):																		
Male.....	156	5	25	26	3	19	145	126	43	141	198	398	7	24	28	611	86	248
Female.....	127	6	22	18	4	13	109	78	39	86	190	308	3	16	31	463	77	175
Injury at birth (160):																		
Male.....	77	4	14	4	1	3	44	38	16	26	42	67	3	10	11	303	39	72
Female.....	51	1	9	4		1	23	9	6	16	45	33	3	4	7	191	29	52
Other diseases of early infancy (161 a, d):																		
Male.....	27	1	6	3		4	11	5	1	11	14	38		6	4	101	7	29
Female.....	24	1	2	2		1	9	11	1	2	9	19	1		2	78	8	17
External causes (172-198, 201-214):																		
Male.....	3		2			1	4	7	4	11	9	33	1	2	2	27	3	13
Female.....	3		2	1		1	3	3	1	5	7	25		3		21	5	9
Unknown or ill-defined diseases (199, 200):																		
Male.....	6		1			1		13	11	67	48	432	1	1	7	6	2	9
Female.....			2			2		6	4	57	33	359		2	2	3	3	7
All other causes:																		
Male.....	33		6	5	2	4	26	10	12	37	28	79	1	7	5	157	22	36
Female.....	23		4	6	1	5	17	13	7	34	26	61		7	7	105	17	35

1 Includes "cities of 2,500 to 10,000."

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	INDIANA			IOWA			KANSAS			KENTUCKY			LOUISIANA			MAINE			MARYLAND			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	
All causes.....	1,422	305	1,176	732	291	865	511	260	754	772	2,995	1,004	317	1,483	326	114	577	1,048	107	834	55	455
Male.....	816	198	700	439	160	499	288	141	444	456	1,705	575	174	840	192	63	328	610	55	455		
Female.....	606	107	476	343	131	366	223	119	310	316	1,290	429	143	643	134	51	249	438	52	379		
Measles (7):																						
Male.....			1			1	4				3			6	4	2	3	3		1		
Female.....			1			1	2		1				1	5	3		4	1				
Scarlet fever (8):																						
Male.....	1	1	2	1		1		1		1												
Female.....	1		2			2																
Whooping cough (9):																						
Male.....	22	10	31	10	3	13	7	5	5	10	66	4		15	6			16	4	9		
Female.....	28	3	39	10	4	19	6	4	6	12	83	8	5	28	3		3	14		12		
Diphtheria (10):																						
Male.....	1	1	1			2				1	25	3	2	2					1		1	
Female.....	1	1	1	1		1	1			1	18	2	3	3				1	1			
Influenza (11):																						
Male.....	23	7	43	17	6	34	13	4	33	14	70	21	16	46	5	1	5	7	1	9		
Female.....	21	1	23	13	8	24	9	2	10	12	42	18	11	48	3	2	4	3	1	5		
Dysentery (13):																						
Male.....	1	1	1	1		2	1	1	1		30	1	3	6	1		1	4		3		
Female.....	2		1	2		1			1	1	16		1	4				3		1		
Erysipelas (15):																						
Male.....	3		4	1	1	1			3	2	7	1		1				2				
Female.....	3	1	5	1	2	1			1	1	1	1		1				1				
Epidemic cerebrospinal meningitis (18):																						
Male.....	6	1	2	1		2			1	1	7			1	1			2				
Female.....	6		4	1		1			1	3	2			1			1	1				
Tetanus (22):																						
Male.....			1					1			2	2	6	17								
Female.....						1					1		2	6				1				
Tuberculosis of the respiratory system (23):																						
Male.....	3		3	1						1	5	2		2								3
Female.....		1	2	1			1			4	3			2				4				
Tuberculosis of the meninges, etc. (24):																						
Male.....	3		1	4		3			2	2	8	2		1			2	2				
Female.....	5		1	1	3	1		1	2	6	1			1		1	1	2				3
Other forms of tuberculosis (25-32):																						
Male.....	1		1				1			1	3	1				1	1	1				2
Female.....											2							1				1
Syphilis (34):																						
Male.....	15	4	8	13	1	2	3	2	1	10	15	22	6	35				12	2	4		
Female.....	12		8	4		1	6	1		6	10	17	8	24	1	1	1	11	4	5		
Convulsions (86):																						
Male.....	1	1	1	1	5	1			1	7		2	4	2	3	7	2			10		
Female.....	1		2	3		4		1		9		1	3	1	5	1	5	1		6		
Bronchitis (106):																						
Male.....	1	2	3	1		3			1	1	4	1	1	4			4	3		4		
Female.....	2		1			3		1	2	3	6	3	4	6			8	2		7		
Broncho-pneumonia (107):																						
Male.....	84	16	73	57	15	43	28	12	23	51	145	70	21	80	11	8	29	70	7	48		
Female.....	63	11	38	48	8	30	32	9	22	39	95	49	14	51	9	7	9	49	9	48		
Lobar and unspecified pneumonia (108, 109):																						
Male.....	25	1	37	15	3	10	9	5	9	19	66	16	7	35	9		9	31		17		
Female.....	19	5	15	11	2	13	8	4	12	7	56	21	13	21	7		10	21		16		
Diseases of the stomach (117, 118):																						
Male.....	2	2	6			4			3	2	13	2	1	5	1		1			4		
Female.....	1		1			2			2	2	13	1	2	6	2	1	3			3		
Diarrhea and enteritis (119):																						
Male.....	101	21	79	15	5	16	21	12	19	56	256	25	18	94	15	3	23	73	7	74		
Female.....	64	20	48	16	13	22	13	17	26	44	212	33	12	76	11		20	47	2	53		
Intestinal obstruction (122 b):																						
Male.....	7	4	3	9	5	4	5	2	4	1	9	12	1	5	1		5	6	1	3		
Female.....	13		1	4	1	2		2	4	1	6	5		5	2		1	4		3		
Congenital malformations (157):																						
Male.....	84	25	90	50	18	66	28	14	51	41	89	33	5	44	20	6	28	58	4	47		
Female.....	61	11	68	47	11	58	18	15	40	16	71	25	10	36	14	5	16	58	3	31		
Congenital debility, icterus, sclerema (158, 161 b, c):																						
Male.....	30	7	27	19	9	22	15	7	22	22	108	18	7	36	13	6	31	10	1	24		
Female.....	15	3	16	7	2	16	3	4	16	10	76	15	5	30	7	3	34	5	2	26		
Premature birth (159):																						
Male.....	230	65	168	105	54	151	92	43	149	135	404	172	31	177	54	20	107	188	14	104		
Female.....	167	28	109	106	44	88	81	30	104	117	301	143	35	131	28	18	79	125	18	78		
Injury at birth (160):																						
Male.....	86	21	47	55	17	37	26	21	53	43	80	77	15	52	27	4	23	48	8	22		
Female.....	53	7	40	34	25	39	25	12	21	17	49	35	5	23	22	2	19	25	5	18		
Other diseases of early infancy (161 a, d):																						
Male.....	33	4	19	23	5	23	6</															

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	
All causes.....	3,211	1,977	216	2,824	375	1,429	892	287	1,010	315	145	2,020	1,399	348	1,683	119	77	271	323	164	604	
Male.....	1,803	1,267	124	1,558	220	803	484	167	572	175	83	1,133	791	193	941	77	55	160	185	101	360	
Female.....	1,408	710	92	1,266	155	626	408	120	438	140	62	887	608	155	742	42	22	111	138	63	244	
Measles (7):																						
Male.....	6	2	1	20	4	9			2					2	1	1	2					
Female.....	11	1		8	3	3			1					1	1	1						
Scarlet fever (8):																						
Male.....	3			1		1									2							1
Female.....				1		1								1	3							1
Whooping cough (9):																						
Male.....	23	1	3	32	3	18	3	1	11	4		26	17	1	38			6	2	2	6	
Female.....	32	1	3	47	4	25	3	2	8	8	2	31	30	7	53		1	5			3	
Diphtheria (10):																						
Male.....	2			3						1		9	1	1	8						1	
Female.....	1		1	4		1						6	1	1	1						2	
Influenza (11):																						
Male.....	12	1	3	22	4	27	10	7	26	11	7	66	15	9	39	1	1	8	6	6	13	
Female.....	8	1	1	24	7	20	7	7	19	6	8	52	13	5	42			7	2	3	15	
Dysentery (13):																						
Male.....				2		3			2			1	5	3	13							1
Female.....	3			5		2			3			2	2		9			1				
Erysipelas (15):																						
Male.....	12		1	9		1	3	2	1		1	3	5		4	3		2	2		1	
Female.....	7		1	5	1	3	1	1	1		1	6		2				2			2	
Epidemic cerebrospinal meningitis (18):																						
Male.....	7			5		1	1		1		1	2		3							1	
Female.....				8		1	1	1	1	2	1	1		3				1			1	
Tetanus (22):																						
Male.....							1				1	1			1						1	
Female.....				1								1	1		1							
Tuberculosis of the respiratory system (23):																						
Male.....	5			2		1			1			2	1		2			2			2	
Female.....	5			3		1	2		1		1	1	2	1	3							
Tuberculosis of the meninges, etc. (24):																						
Male.....	8	1		3		1	1		2			1	1	2	2							
Female.....	7		2	5		4	1	1	1			2	1	1	2							
Other forms of tuberculosis (25-32):																						
Male.....	4			5			1		1		1	5	1		1					1		
Female.....	3			6		1						3			1					1		
Syphilis (34):																						
Male.....	7			9	2	7	5	1	1	1	2	17	15	6	5	1		2	2	1	4	
Female.....	11			14	1	7	3		1	2	1	20	18	4	7	1		1		1	2	
Convulsions (86):																						
Male.....	2		1	4	3	11		2	10			5		7	1	1	4	1	1	1	2	
Female.....	7			5		6	1	1	5	1	1	6		2	2					1	1	
Bronchitis (106):																						
Male.....	10	2		9	6	11	2	1	1			4		1	8						1	
Female.....	2	1		5				2	1		2	1		9							2	
Broncho-pneumonia (107):																						
Male.....	249	22	17	198	14	93	40	12	48	11	10	47	127	15	75	3	1	16	19	8	17	
Female.....	197	6	15	159	18	55	31	6	42	6	2	30	68	19	58	2	2	6	7	4	15	
Lobar and unspecified pneumonia (108, 109):																						
Male.....	43	5	1	50	5	25	4	9	18	7	2	51	33	7	26	1	3	5	2	1	9	
Female.....	33	2	2	48	6	24	8	2	18	3	2	30	22	6	22			5	3		12	
Diseases of the stomach (117, 118):																						
Male.....				6	3	2	1	1	2			3		1	9						1	
Female.....	1			1	1	5						2	3		11			3			1	
Diarrhea and enteritis (119):																						
Male.....	102	8	11	100	12	66	23	4	31	12	7	80	68	25	132	7	1	8	5	4	24	
Female.....	72	2	6	71	8	41	23	7	20	11	4	62	50	17	82	3		9	6	2	9	
Intestinal obstruction (122b):																						
Male.....	14	2		17	2	6	4	3	2	2	2	3	5	1	6			1	6		4	
Female.....	4			11	2	3	2	1	1	2	1	6	7	1	2			1	2		2	
Congenital malformations (157):																						
Male.....	236	20	21	186	30	98	52	20	74	6	3	28	81	21	92	7	3	16	20	15	40	
Female.....	211	11	8	153	22	91	58	22	57	6	2	24	55	12	66	2	3	6	20	8	35	
Congenital debility, icterus, sclerema (158, 161 b, c):																						
Male.....	28	3	5	42	7	38	16	4	27	4	4	32	23	11	61	1		10	1	7	25	
Female.....	24	1	5	22	8	37	9	4	19	9		29	12	5	37	1		5	2	1	12	
Premature birth (159):																						
Male.....	544	38	33	465	68	214	169	61	164	50	19	170	234	46	233	25	30	43	66	24	123	
Female.....	446	19	27	411	42	164	174	43	142	32	21	154	210	44	188	20	9	29	50	27	72	
Injury at birth (160):																						
Male.....	252	8	6	174	29	68	78	19	70	9	5	40	60	25	49	11	7	9	27	12	35	
Female.....	143	14	9	94	16	41	34	8	42	8		24	44	9	37	5	2	10	21	7	20	
Other diseases of early infancy (161 a, d):																						
Male.....	88	5	7	59	13	23	25	8	16	7	1	25	23	2	30	2	3	4	5	3	10	
Female.....	75	4	5	45	4	25	15	6	15	3	1	15	17	8	27	1	2	4	6	1		

GENERAL TABLES

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes.....	12	25	51	266	50	144	2,408	256	411	144	225	1,110	8,548	551	1,370	1,141	387	3,655	113	80	586
Male.....	6	15	27	155	36	85	1,361	134	235	81	143	636	4,934	298	787	649	227	2,100	66	50	326
Female.....	7	10	24	111	14	59	1,047	122	176	63	82	474	3,614	253	583	492	160	1,555	47	30	260
Measles (7):																					
Male.....					1		4		3		2	3	18	4	5	2	1	5		2	1
Female.....							4	1					16		4	1		1			
Scarlet fever (8):																					
Male.....							2		2				2	1	1						
Female.....									1				4								
Whooping cough (9):																					
Male.....			1	3	1	1	18	4	11		2	5	66	7	20	15	3	64	1	1	6
Female.....		1		4		1	26	6	9		6	3	72	5	20	15	3	58	2		5
Diphtheria (10):																					
Male.....							3	1	1				1			2	1	18			
Female.....							1		3				1		4			13			
Influenza (11):																					
Male.....	1	1	1	5	4	2	9	1	4	1	6	11	29	2	18	14	5	51	1	1	10
Female.....		1	1	4	1	2	11		5	2	3	16	39	5	15	11	5	32	1	1	11
Dysentery (13):																					
Male.....							1				2		4		5	1	4	9			1
Female.....							1				1		5		1	2	1	11			
Erysipelas (15):																					
Male.....							2	1					47	3	4			4		1	
Female.....				1		1	7	2	1			1	44	1	2	1		9			2
Epidemic cerebrospinal meningitis (18):																					
Male.....				1			2						23	1		1	1	2			
Female.....							5	1					12			2					
Tetanus (22):																					
Male.....				1												1		3			1
Female.....							1						1								
Tuberculosis of the respiratory system (23):																					
Male.....			1				2		2			3	16		2			1			1
Female.....							5		1			2	5		1	1		3			
Tuberculosis of the meninges, etc. (24):																					
Male.....				1			4		1		1	1	16	1	1	1	1	2		1	
Female.....							2				1	2	10		2	2		2			1
Other forms of tuberculosis (25-32):																					
Male.....							5	1	1		1	1	17		2	1		5			
Female.....							3		1			1	5	1							1
Syphilis (34):																					
Male.....				1	1		17	1	2	1	1	5	72	4	7	11	4	15	2	1	2
Female.....				1			22		2	2	7	11	60	5	15	2	10	10			
Convulsions (36):																					
Male.....						2	6	1	2	2	1	2	9	2	9	2	3	22			20
Female.....				1	1		1		1			1	3	2	5	2	1	13			12
Bronchitis (106):																					
Male.....					1	1	14	1	4				22	1	14	5	1	12			1
Female.....							10	1	1				23	2	10	4		12			3
Broncho-pneumonia (107):																					
Male.....	2	2	4	14	8	7	159	12	39	7	7	34	655	25	77	61	24	169	12	3	37
Female.....		1	3	7	2	5	140	11	25	2	3	21	488	33	63	42	13	139	5	3	21
Lobar and unspecified pneumonia (108, 109):																					
Male.....	1		1	4	2	2	67	7	9	2	1	16	190	4	25	29	8	129	2	1	7
Female.....		1	2	2	2	2	48	1	4	2	2	15	139	12	12	19	3	106		1	2
Diseases of the stomach (117, 118):																					
Male.....																					
Female.....							2		2		1	2	3		6	2	1	8			3
Diarrhea and enteritis (119):																					
Male.....		1	6	12	3	1	90	6	24	15	27	93	410	14	58	43	16	195	2	2	37
Female.....	1	2	4	5	4	4	63	8	13	12	19	47	289	19	36	52	17	157	3	2	40
Intestinal obstruction (122b):																					
Male.....							15	2	1		2	3	40	5	4	8		7			1
Female.....		1					13	1			2	2	25	1	3			5			1
Congenital malformations (157):																					
Male.....			1	25	3	11	129	17	27	5	7	17	511	43	109	36	17	97	5	12	29
Female.....			1	13	1	10	105	19	19	5	2	7	377	33	94	24	14	86	4	4	20
Congenital debility, icterus, sclerema (158, 161 b, c):																					
Male.....				7	1	5	47	6	7	3	10	16	102	12	47	22	10	136			1
Female.....			1	6	3	4	28	2	7		1	19	70	6	36	16	12	85			10
Premature birth (159):																					
Male.....		6	6	47	8	34	413	43	51	11	31	67	1,356	81	204	211	87	530	20	17	80
Female.....	2	5	5	37	4	18	307	32	44	6	17	39	1,080	67	145	160	45	362	18	10	64
Injury at birth (160):																					
Male.....	1	3	1	19	5	6	150	14	15	5	3	13	684	54	67	52	5	113	13	5	27
Female.....	1		1	12		3	103	13	9	2	1	6	414	37	45	42	6	40	5	5	13
Other diseases of early infancy (161 a, d):																					
Male.....			3	6	5	7	71	9	4	3	4	8	226	7	22	28	5	34			1
Female.....	1			8		3	40	6	7	2	1	3	156	8	21	15	2	23			14
External causes (172-198, 201-214):																					
Male.....				1			18	5	3		1	4	61	1	24	7	3	43	2		1
Female.....	1		2	3			14	6	5			1	54	4	13	8	7	33	2		5
Unknown or ill-defined diseases (199, 200):																					
Male.....							9		2	19	29	315	4		5	51	19	317	1	1	24
Female.....		1	1				12	2	2	18	13	255	5		4	28	11	273		1	23
All other causes:																					
Male.....		1	2	9		5	97	3	19	4	7	11	343	26	55	40	12	104	2	2	10
Female.....	1	1	2	6		5	78	10	15	7	2	11	236	11	43	27	17	70	6	2	15

INFANT MORTALITY STATISTICS: 1932

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	
All causes.....	3,552	458	1,941	623	428	1,001	203	129	199	5,495	1,264	3,354	594	15	30	529	216	2,459	125	67	476	
Male.....	2,001	264	1,094	353	249	568	108	72	121	3,133	733	1,914	328	12	18	316	119	1,389	71	34	264	
Female.....	1,551	194	847	270	179	433	95	57	78	2,362	531	1,440	266	3	17	213	97	1,070	54	33	212	
Measles (7):																						
Male.....	9	2	6					1		13	2	7	9			1	1	6				
Female.....	11		6			2	1			11	5	17	6			3	2	4				1
Scarlet fever (8):																						
Male.....	3	2	1							2	1	2	1									
Female.....	2				1					2						1						
Whooping cough (9):																						
Male.....	47	2	38	8	6	18	4	1	2	60	13	57	3			1	3	38	2		10	
Female.....	55	7	35	5	9	13	3		2	52	22	55	2				5	37	2		16	
Diphtheria (10):																						
Male.....	2	1	2	3	4	4			1	7	3	4	1				1	8				
Female.....	1		1	1	1	9				3	3	5	1				1	6				
Influenza (11):																						
Male.....	46	9	62	15	12	31	1	1	7	72	19	115	4	1		14	6	56	2	2	9	
Female.....	27	11	53	7	18	21		5	4	59	18	66	1			11	4	60	2	1	5	
Dysentery (13):																						
Male.....	5	2	2	3	4	6		1		5		4				2	11				2	
Female.....	3	1	4	3		7				1	2	2				1	3	7				
Erysipelas (15):																						
Male.....	8		4	1	2	1	1			16	4	6	1			4		3	1		1	
Female.....	8	1	2	2	1	3		1		14	2	7	3			1		2			1	
Epidemic cerebrospinal meningitis (18):																						
Male.....	5	2		2	1	1	1			13	2	2						1			1	
Female.....	5		1	1	1	2		1		9								2				
Tetanus (22):																						
Male.....					1	1					1	1			1	2		5				
Female.....	2					1												2				
Tuberculosis of the respiratory system (23):																						
Male.....	4		2	3		1				11	1	3				1	1				2	
Female.....	5		1	1		3				7	3	1						3				
Tuberculosis of the meninges, etc. (24):																						
Male.....	5		2	3						12	4	2	3								1	
Female.....	4		1	1						12	3	4					1	1	2			
Other forms of tuberculosis (25-32):																						
Male.....	1								1	5		1				1						
Female.....	2	1								7	1	1										
Syphilis (34):																						
Male.....	35	4	5	8	5		1	2		55	14	10	2			10	3	10			3	
Female.....	18		7	8	2	7		1		33	7	6				10	2	14				
Convulsions (36):																						
Male.....	3	1	7		2	6			1	17	3	12						10	1		7	
Female.....	4	2	2	2	2	2				4	2	16	2			3		11	1		2	
Bronchitis (106):																						
Male.....	6		12		2	2	2			9	15	18	1		1			4			1	
Female.....	7		3	1	1	1	1			16	8	20	3					1				
Broncho-pneumonia (107):																						
Male.....	254	31	118	30	41	38	6	5	15	355	89	195	43	3	1	19	9	87	5	3	15	
Female.....	174	20	101	31	17	32	7	6	10	322	53	136	31	1	2	19	5	47	5	5	16	
Lobar and unspecified pneumonia (108, 109):																						
Male.....	51	9	44	13	11	28	3	1	3	173	35	84	14			15	3	104	2		9	
Female.....	41	7	33	13	6	12			2	137	24	83	15		1	7	8	78	1	1	8	
Diseases of the stomach (117, 118):																						
Male.....	8	2	6	2		6				6	3	9				1	1	23			2	
Female.....	3		6		1	9		1		7	1	15				1		19			1	
Diarrhea and enteritis (119):																						
Male.....	142	21	118	46	19	47	2	1	5	291	75	234	26	2	1	32	14	104	2	1	19	
Female.....	144	17	83	36	11	37	2	3	4	207	59	179	17	1		33	12	71	2	3	17	
Intestinal obstruction (122 b):																						
Male.....	21	1	2	7	2	5		1	3	40	4	4				2		1	1	1	1	
Female.....	8		4	3	3	3	1		1	30	5	8	1			1		1				
Congenital malformations (157):																						
Male.....	208	29	113	18	19	28	14	13	16	355	87	226	40	4		14	5	32	4	1	20	
Female.....	152	27	112	23	13	30	11	6	7	303	71	181	41		4	6	2	28	9	3	15	
Congenital debility, icterus, sclerema (153, 161 b, c):																						
Male.....	45	18	70	19	19	50	3	3	5	77	21	92	8			18	9	47	1	2	17	
Female.....	49	8	40	12	5	28	1	1	7	53	10	65	7			8	3	30	2	1	20	
Premature birth (159):																						
Male.....	631	80	273	103	65	172	31	22	29	824	194	490	77	2	5	122	30	301	27	11	84	
Female.....	508	60	208	66	50	115	30	23	22	597	145	361	70		4	66	28	233	18	13	54	
Injury at birth (160):																						
Male.....	214	19	88	25	9	27	12	9	13	330	65	129	45		1	28	10	37	16	4	24	
Female.....	143	13	52	14	5	21	19	3	3	202	43	61	30		3	14	5	20	5	4	10	
Other diseases of early infancy (161 a, d):																						
Male.....	83	6	35	8	6	16	4	4	4	114	23	56	22			8	5	13	3	3	8	
Female.....	51	7	26	4	7	7	2	3	3	81	10	48	21	1		10	4					

GENERAL TABLES

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX,	TENNESSEE			UTAH			VERMONT			VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING					
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural			
All causes.....	1,145	310	2,095	202	94	233	89	292	473	289	2,528	545	125	297	574	305	2,032	1,153	315	1,207	43	54	145	30	77	68	
Male.....	635	181	1,212	113	59	130	55	164	152	1,368	298	78	184	311	184	1,132	644	189	681	29	30	77	14	24	30	77	
Female.....	510	129	883	89	35	103	34	128	379	1,160	247	47	113	183	121	900	509	126	526	14	24	68	14	24	68	68	
Measles (7):																											
Male.....			1			2	3				4	3		2	3		11	4									
Female.....							2					1		1	1		14	2	2								
Scarlet fever (8):																											
Male.....																											
Female.....	1				1						1	1					1										
Whooping cough (9):																											
Male.....	12	7	44	1	1		1	5	9	3	79		2	4	9	9	35	14	2	6							1
Female.....	15	5	43		1	1		3	16	6	97		1	1	8	4	41	6	3	14							
Diphtheria (10):																											
Male.....	1	1	9						1		13						1		5								
Female.....	6		6						2	1	2						1		4								1
Influenza (11):																											
Male.....	22	13	52	13	2	11		3	9	9	52	6	2	6	10	2	42	21	11	33							2
Female.....	18	9	49	5	3	11		2	7	6	40	3	1	5	9	5	38	13	6	26							1
Dysentery (13):																											
Male.....	6		5	1		2			8	4	19						2	1		1							1
Female.....	6		6			1	1		4	1	16						1	1	1	1							
Erysipelas (15):																											
Male.....	1	3	4	3	1	2	1	1	3		5				1		8		2								2
Female.....			3			2		1	1		5				2	2	3	3	2								
Epidemic cerebrospinal meningitis (18):																											
Male.....	3	1	1	1	1				1	1	1		2		1		2	2									
Female.....	2		1	1							3				1		4	2									
Tetanus (22):																											
Male.....			3						1		1																2
Female.....			1						1																		
Tuberculosis of the respiratory system (23):																											
Male.....	4	1	5						2		3			1			1	1									
Female.....	1		2					1			9						1	2									
Tuberculosis of the meninges, etc. (24):																											
Male.....	4		4						1		4						3										
Female.....			2						6	1	7						2	1	1								
Other forms of tuberculosis (25-32):																											
Male.....	1								2	1	2																1
Female.....	3		2	1							1																
Syphilis (34):																											
Male.....	27	3	9	1			1	16	3	19	2	3	3	10	2	11	9	2	2	2	1						
Female.....	13		7				1	15	3	15	3		1	5		14	2		2	2							
Convulsions (86):																											
Male.....	1		8				1	10		13						2	12	2	2	8							
Female.....			3					1		2						4	2	3	8								
Bronchitis (106):																											
Male.....	1		2	1		1	1	1	1		8			2		3	2	1	2								1
Female.....	2	1	3		1	1	1	3	1	4						1	3	2	3								
Broncho-pneumonia (107):																											
Male.....	63	14	83	11	1	15	3	23	51	13	89	32	8	16	34	16	99	61	20	69	2	5	4				
Female.....	44	13	54	13	6	16	3	10	40	7	77	22	6	17	17	8	61	64	11	42	1	4	3				
Lobar and unspecified pneumonia (108, 109):																											
Male.....	16	9	35	2		6	3	10	13	5	48	10	4	10	3	33	16	7	21	1							3
Female.....	6	9	30	1	1	2	2	3	4	3	57	2	4	1	3	1	32	17	4	16							3
Diseases of the stomach (117, 118):																											
Male.....	1		5					1		2	7						3			3							1
Female.....	2	1	6				1		1		12						1			1							
Diarrhea and enteritis (119):																											
Male.....	60	20	114	2	2	3	3	10	25	8	122	13	2	9	53	44	232	48	9	59	1	1	5				
Female.....	54	20	111	6		2	2	6	32	14	115	6	2	5	44	32	197	37	9	29	2	3	4				
Intestinal obstruction (122b):																											
Male.....	5		3	1	1	1			7	1	6			1	3	2	3	4	1	2	2						3
Female.....	5		4	1				1	2	1	4			1	1	2	3	3		1	1						
Congenital malformations (157):																											
Male.....	40	6	43	7	5	8	5	23	38	13	73	34	10	27	27	17	89	83	33	77	2	3	7				
Female.....	27	7	35	9	3	9	8	23	27	12	71	43	9	17	24	8	71	74	18	70	2	2	7				
Congenital debility, icterus, sclerema (158, 161																											

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932

AGE AND SEX	REGISTRATION AREA			ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	119,431	54,788	64,643	868	292	2,675	262	206	349	214	138	1,345	2,344	558	1,214	494	168	597
Male.....	67,839	31,091	36,748	488	165	1,489	141	118	194	130	72	791	1,322	305	630	295	102	328
Female.....	51,592	23,697	27,895	380	127	1,186	121	88	155	84	66	554	1,022	253	584	199	66	269
Under 1 day.....	31,050	15,619	15,431	256	76	688	44	37	50	54	24	275	744	151	248	117	34	127
Male.....	17,807	8,887	8,920	145	44	386	15	23	29	37	13	174	426	85	137	65	17	70
Female.....	13,243	6,732	6,511	111	32	302	29	14	21	17	11	101	318	66	111	52	17	57
1 day.....	7,894	3,907	3,987	71	17	170	6	15	17	13	10	78	160	34	58	32	6	33
Male.....	4,617	2,275	2,342	38	12	99	5	8	7	8	7	44	92	18	36	23	3	15
Female.....	3,277	1,632	1,645	33	5	71	1	7	10	5	3	32	68	16	22	9	3	18
2 days.....	5,389	2,572	2,817	39	6	95	13	11	12	12	7	53	106	32	51	21	3	13
Male.....	3,182	1,531	1,651	21	1	51	5	8	7	7	2	24	57	22	37	16	2	7
Female.....	2,207	1,041	1,166	18	5	44	8	3	5	5	5	29	49	10	14	5	1	6
3 to 6 days.....	9,749	4,275	5,474	63	22	238	20	16	35	13	7	118	158	37	85	39	15	57
Male.....	5,822	2,542	3,280	40	12	139	10	7	22	9	2	73	100	22	58	24	9	33
Female.....	3,927	1,733	2,194	23	10	99	10	9	13	4	5	45	58	15	27	15	6	24
1 week.....	7,060	2,919	4,141	37	15	193	15	7	21	8	9	106	137	15	57	32	8	44
Male.....	3,931	1,579	2,352	19	10	108	14	2	8	4	5	64	63	11	30	22	6	25
Female.....	3,129	1,340	1,789	18	5	85	1	5	13	4	4	42	74	4	27	10	2	19
2 weeks.....	4,536	1,927	2,609	30	11	113	3	5	12	8	7	60	75	16	39	15	8	24
Male.....	2,512	1,065	1,447	16	3	66	1	1	5	3	4	34	39	7	23	3	7	13
Female.....	2,024	862	1,162	14	8	47	2	4	7	5	3	26	36	9	16	12	1	11
3 weeks but under 1 month.....	3,818	1,650	2,168	36	11	96	5	3	7	7	8	39	90	16	32	14	5	12
Male.....	2,110	919	1,191	22	4	54	5	2	6	5	5	20	62	10	16	9	3	7
Female.....	1,708	731	977	14	7	42	1	1	1	2	3	19	28	6	16	5	2	5
Under 1 month.....	69,496	32,869	36,627	532	158	1,593	106	94	154	115	72	727	1,470	301	570	270	79	310
Male.....	39,981	18,798	21,183	301	86	903	55	51	84	73	38	433	839	175	337	162	47	162
Female.....	29,515	14,071	15,444	231	72	690	51	43	70	42	34	294	631	126	233	108	32	148
1 month.....	9,707	4,141	5,566	68	21	245	22	13	28	27	6	117	183	39	110	51	18	54
Male.....	5,649	2,421	3,228	44	11	122	12	5	16	17	4	61	98	26	67	30	14	28
Female.....	4,058	1,720	2,338	24	10	123	10	8	12	10	2	56	85	13	43	21	4	26
2 months.....	7,368	3,197	4,171	56	19	159	18	15	16	11	8	88	129	29	99	35	11	52
Male.....	4,095	1,819	2,276	29	11	79	15	8	9	7	3	49	73	16	55	28	5	24
Female.....	3,273	1,378	1,895	27	8	80	3	7	7	4	5	39	56	13	44	12	6	28
3 months.....	5,948	2,586	3,362	38	11	107	17	22	31	10	9	61	116	33	70	25	12	30
Male.....	3,278	1,425	1,853	19	5	59	12	15	13	5	4	38	59	14	37	16	6	21
Female.....	2,670	1,161	1,509	19	6	48	5	7	18	5	5	23	57	19	33	9	6	9
4 months.....	4,820	2,110	2,710	39	13	115	17	6	19	6	7	61	83	30	72	27	11	25
Male.....	2,693	1,183	1,510	16	10	74	6	3	14	3	5	37	46	10	37	12	6	21
Female.....	2,127	927	1,200	23	3	41	11	3	5	3	2	24	37	20	35	15	5	4
5 months.....	4,118	1,821	2,297	27	14	84	24	11	17	10	4	48	53	28	68	9	7	29
Male.....	2,236	977	1,259	19	6	39	8	7	11	5	1	28	29	14	42	7	4	14
Female.....	1,882	844	1,038	8	8	45	16	4	6	5	3	20	24	14	26	2	3	15
6 months.....	3,814	1,727	2,087	23	8	80	11	9	15	6	4	42	79	21	53	14	3	15
Male.....	2,097	941	1,156	12	7	36	6	6	7	3	2	25	47	8	31	10	1	8
Female.....	1,717	786	931	11	1	44	5	3	8	3	2	17	32	13	22	4	2	7
7 months.....	3,268	1,470	1,798	19	6	59	15	10	19	11	4	37	46	18	38	11	9	20
Male.....	1,807	824	983	9	3	32	7	7	12	5	2	24	24	12	14	8	6	13
Female.....	1,461	646	815	10	3	27	8	3	7	6	2	13	22	6	24	3	3	7
8 months.....	3,030	1,392	1,638	22	10	73	11	3	14	5	7	40	50	20	45	16	8	17
Male.....	1,680	766	914	13	5	46	7	1	7	4	4	23	25	10	16	9	5	13
Female.....	1,350	626	724	9	5	27	4	2	7	1	3	17	25	10	29	7	3	4
9 months.....	2,831	1,254	1,577	14	12	58	7	10	13	1	7	52	42	10	33	13	9	14
Male.....	1,541	682	859	9	9	41	5	5	7	1	5	30	23	8	16	4	7	8
Female.....	1,290	572	718	5	3	17	2	5	6	1	2	22	19	2	17	9	2	6
10 months.....	2,555	1,121	1,434	18	13	58	7	7	14	5	1	31	53	14	31	11	-----	15
Male.....	1,424	643	781	10	8	40	6	5	7	2	-----	16	33	5	13	8	-----	8
Female.....	1,131	478	653	8	5	18	1	2	7	3	1	15	20	9	18	3	-----	7
11 months.....	2,476	1,100	1,376	12	7	44	7	6	9	7	9	41	40	15	25	12	1	16
Male.....	1,358	612	746	7	4	18	2	5	7	5	4	27	26	7	15	6	1	8
Female.....	1,118	488	630	5	3	26	5	1	2	2	5	14	14	8	10	6	-----	8

¹ Includes "Cities of 2,500 to 10,000."

GENERAL TABLES

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AREA AND SEX	CONNECTICUT			DELAWARE			Dis- trict of Col- um- bia	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	920	31	222	136	15	137	740	576	271	827	1,081	3,020	44	132	203	3,784	591	1,509
Male.....	511	20	126	72	8	76	434	342	149	486	597	1,704	28	82	115	2,142	334	838
Female.....	409	11	96	64	7	61	306	234	122	341	484	1,316	16	50	88	1,642	257	671
Under 1 day.....	326	11	64	32	2	24	176	165	82	233	301	744	15	33	52	1,140	192	406
Male.....	165	7	37	21	1	15	103	107	48	132	157	424	9	21	26	653	100	234
Female.....	161	4	27	11	1	9	73	58	34	101	144	320	6	12	26	487	92	172
1 day.....	65	5	13	13	1	6	53	50	13	63	81	167	2	12	21	246	47	108
Male.....	42	2	7	7	1	3	35	32	8	40	42	87	2	8	13	143	23	57
Female.....	23	3	6	6	—	3	18	18	5	23	39	80	—	4	8	103	24	51
2 days.....	44	2	10	7	2	4	22	35	6	46	58	145	2	3	11	198	22	59
Male.....	22	1	5	4	—	4	11	22	4	34	33	87	1	3	4	125	13	36
Female.....	22	1	5	3	2	—	11	13	2	12	25	58	1	—	7	73	9	23
3 to 6 days.....	72	3	11	7	1	11	61	53	26	63	104	266	7	13	18	301	36	159
Male.....	41	3	8	4	1	6	44	39	14	45	69	155	6	8	10	182	26	94
Female.....	31	—	3	3	—	5	17	14	12	18	35	111	1	5	8	119	10	65
1 week.....	46	—	9	11	1	5	56	47	22	52	55	235	—	14	12	194	27	94
Male.....	26	—	5	6	1	1	28	27	11	27	24	127	—	8	9	100	16	50
Female.....	20	—	4	5	—	4	28	20	11	25	31	108	—	6	3	94	11	44
2 weeks.....	25	—	9	6	1	2	48	15	6	35	39	142	1	7	8	154	16	70
Male.....	16	—	4	3	—	1	32	8	3	22	23	73	1	5	5	84	10	36
Female.....	9	—	5	3	1	1	16	7	3	13	16	69	—	2	3	70	6	34
3 weeks but under 1 month.....	21	1	5	4	1	2	20	13	10	19	31	99	3	1	7	112	18	40
Male.....	8	—	1	4	1	1	15	6	6	10	9	49	2	1	6	61	11	25
Female.....	13	1	4	—	—	1	5	7	4	9	22	50	1	—	1	51	7	15
Under 1 month.....	599	22	121	80	9	54	436	378	165	511	669	1,798	30	83	129	2,345	358	986
Male.....	320	13	67	49	5	31	268	241	94	310	357	1,002	21	54	73	1,348	199	532
Female.....	279	9	54	31	4	23	168	137	71	201	312	796	9	29	56	997	159	404
1 month.....	61	3	23	13	2	18	60	30	23	68	85	265	5	14	16	307	44	110
Male.....	36	3	11	7	—	12	32	17	14	38	49	162	2	8	9	187	28	57
Female.....	25	—	12	6	2	6	28	13	9	30	36	103	3	6	7	120	16	53
2 months.....	42	2	10	4	—	7	43	33	19	38	70	190	1	5	11	212	35	102
Male.....	23	1	6	—	—	4	20	14	11	21	43	114	1	2	6	112	18	61
Female.....	14	1	4	4	—	3	23	19	8	17	27	76	—	3	5	100	17	41
3 months.....	40	—	13	5	—	14	34	22	15	35	46	154	1	5	3	158	38	54
Male.....	27	—	7	1	—	6	17	15	11	18	16	83	—	1	1	84	21	28
Female.....	13	—	6	4	—	8	17	7	4	17	30	71	1	5	2	74	17	26
4 months.....	24	1	14	5	—	7	37	14	8	28	31	115	2	6	2	145	20	51
Male.....	14	—	7	—	—	2	22	6	3	13	15	66	1	4	2	78	13	28
Female.....	10	1	7	3	—	5	15	8	5	15	16	49	1	2	—	67	7	23
5 months.....	27	—	8	2	—	8	22	14	9	26	27	79	2	3	4	113	21	51
Male.....	15	—	3	—	—	4	10	9	4	15	20	42	2	3	—	61	12	28
Female.....	12	—	5	2	—	4	12	5	5	11	7	37	—	—	3	52	9	23
6 months.....	24	1	4	8	—	8	26	25	6	30	26	101	1	5	9	94	10	37
Male.....	14	1	3	3	—	4	15	10	4	15	14	57	—	4	6	46	2	18
Female.....	10	—	1	5	—	4	11	15	2	15	12	44	1	1	3	48	8	19
7 months.....	22	1	4	4	2	6	20	14	5	19	36	67	—	3	7	81	17	37
Male.....	12	1	4	4	2	5	12	8	3	9	22	39	—	1	5	44	10	21
Female.....	10	—	—	—	—	1	8	6	2	10	14	28	—	2	2	37	7	16
8 months.....	20	—	9	5	—	6	18	13	4	23	28	58	2	2	4	98	13	41
Male.....	12	—	7	2	—	1	14	6	2	15	21	29	1	2	3	55	10	17
Female.....	8	—	2	3	—	5	4	7	2	8	7	29	1	—	1	43	3	24
9 months.....	21	—	7	4	—	4	12	8	8	12	20	60	—	2	4	91	15	29
Male.....	13	—	3	2	—	4	8	5	1	7	12	31	—	1	—	49	9	15
Female.....	8	—	4	2	—	—	4	3	7	5	8	29	—	1	4	42	6	14
10 months.....	24	—	7	3	2	4	16	13	8	16	25	66	—	1	5	77	11	27
Male.....	11	—	7	1	1	2	11	7	1	12	19	42	—	1	4	48	7	11
Female.....	13	—	—	2	1	2	5	6	7	4	6	24	—	—	1	29	4	16
11 months.....	16	1	2	3	—	1	16	12	1	21	18	67	—	3	9	63	9	34
Male.....	9	1	1	1	—	1	5	4	1	13	9	37	—	2	5	30	5	22
Female.....	7	—	1	2	—	—	11	8	—	8	9	30	—	1	4	33	4	12

¹ Includes "Cities of 2,500 to 10,000."

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	INDIANA			IOWA			KANSAS			KENTUCKY		LOUISIANA			MAINE			MARYLAND		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	1,422	305	1,176	782	291	865	511	260	754	772	2,995	1,004	317	1,483	326	114	577	1,048	107	834
Male.....	816	198	700	439	160	499	288	141	444	456	1,705	575	174	840	192	63	328	610	55	455
Female.....	606	107	476	343	131	366	223	119	310	316	1,290	429	143	643	134	51	249	438	52	379
Under 1 day.....	394	85	263	223	105	258	161	80	245	217	574	300	67	381	74	19	121	264	30	167
Male.....	241	58	147	124	56	160	92	44	154	112	333	174	36	189	47	11	68	152	16	89
Female.....	153	27	116	99	49	98	69	36	91	105	241	126	31	192	27	8	53	112	14	78
1 day.....	101	15	65	74	25	58	43	19	59	54	188	69	15	74	41	16	84	59	7	48
Male.....	65	9	37	38	13	35	25	8	33	42	109	46	10	44	24	10	48	32	4	26
Female.....	36	6	28	36	12	23	18	11	26	12	79	23	5	30	17	6	36	27	3	22
2 days.....	63	15	61	33	23	45	23	13	33	33	114	44	10	44	16	7	28	38	3	24
Male.....	39	11	42	19	16	23	13	8	20	25	69	30	5	21	8	4	13	21	1	16
Female.....	24	4	19	14	7	22	10	5	13	8	45	14	5	23	8	3	15	17	2	8
3 to 6 days.....	110	37	113	55	18	86	31	20	75	47	234	81	18	139	25	15	52	83	13	56
Male.....	58	26	78	29	10	47	19	13	44	28	141	54	12	85	13	8	35	49	5	30
Female.....	52	11	35	26	8	39	12	7	31	19	93	27	6	54	12	7	17	34	8	26
1 week.....	72	13	81	35	11	48	27	15	53	37	164	50	29	112	10	8	38	48	4	42
Male.....	44	8	41	19	5	27	12	11	34	16	94	27	15	60	6	2	20	28	2	21
Female.....	28	5	40	16	6	21	15	4	19	21	70	23	14	52	4	6	18	20	2	21
2 weeks.....	43	9	35	25	6	33	19	10	32	41	136	29	16	57	12	6	24	34	3	44
Male.....	16	5	22	17	4	18	10	4	19	21	74	15	7	33	10	3	14	25	2	25
Female.....	27	4	13	8	2	15	9	6	13	20	62	14	9	24	2	3	10	9	3	19
3 wks. but under 1 mo.	39	7	50	27	4	28	13	6	23	24	142	20	10	41	8	-----	16	45	3	36
Male.....	20	3	26	13	1	16	6	4	14	14	80	11	2	30	5	-----	9	30	2	21
Female.....	19	4	24	14	3	12	7	2	9	10	62	9	8	11	3	-----	7	15	3	15
Under 1 month.....	822	181	668	472	192	556	317	163	520	453	1,552	593	165	798	186	71	363	571	63	417
Male.....	483	120	398	259	105	326	177	92	318	258	900	357	87	472	113	38	207	337	28	228
Female.....	339	61	275	213	87	230	140	71	202	195	652	236	78	326	73	33	156	234	35	189
1 month.....	108	31	100	64	20	66	33	14	42	68	258	65	38	149	24	11	44	82	5	82
Male.....	63	21	65	40	13	39	19	3	24	49	160	35	24	80	14	6	26	53	5	47
Female.....	45	10	35	24	7	27	14	11	18	19	98	30	14	69	10	5	18	29	-----	35
2 months.....	89	18	97	54	14	53	24	14	32	40	176	70	19	98	18	9	45	57	4	53
Male.....	56	9	57	27	8	29	17	6	16	25	92	33	12	54	11	3	24	36	4	28
Female.....	33	9	40	27	6	24	7	8	16	15	84	37	7	44	7	6	21	21	-----	25
3 months.....	82	15	53	51	10	33	31	16	25	38	153	56	18	82	19	5	32	65	6	78
Male.....	45	11	34	32	7	19	15	9	13	19	83	34	10	44	14	3	18	42	4	45
Female.....	37	4	19	19	3	14	16	7	12	19	70	22	8	38	5	2	14	23	2	33
4 months.....	57	12	48	31	13	25	14	9	30	26	138	45	12	78	16	3	19	48	6	51
Male.....	34	9	22	17	6	15	10	6	19	17	80	17	8	40	9	3	9	32	2	26
Female.....	23	3	26	14	7	10	4	3	11	9	58	28	4	38	7	-----	10	16	4	25
5 months.....	48	11	41	23	6	19	16	8	12	30	119	36	14	52	12	2	15	39	8	39
Male.....	24	9	25	16	2	12	7	5	8	14	73	21	6	26	5	-----	9	12	3	18
Female.....	24	2	16	7	4	7	9	3	4	16	46	15	8	26	7	2	6	27	5	21
6 months.....	45	7	34	24	8	31	26	12	19	20	118	35	14	49	9	2	9	38	1	36
Male.....	20	5	21	13	6	13	15	7	7	14	63	23	9	24	4	2	4	19	1	20
Female.....	25	2	13	11	2	18	11	5	12	6	55	12	5	25	5	-----	5	19	-----	16
7 months.....	39	8	24	22	5	22	6	4	19	20	100	28	11	48	7	1	15	28	3	17
Male.....	20	4	16	12	3	12	5	4	11	12	51	15	4	27	6	-----	9	19	2	10
Female.....	19	4	8	10	2	10	1	-----	8	8	49	13	7	21	1	1	6	9	1	7
8 months.....	36	5	27	12	7	15	10	4	14	21	91	22	6	40	12	1	11	32	1	21
Male.....	19	4	17	6	5	9	5	2	8	15	48	10	5	22	5	1	8	12	-----	12
Female.....	17	1	10	6	2	6	5	2	6	6	43	12	1	18	7	-----	3	20	1	9
9 months.....	36	8	26	10	6	14	17	5	17	18	87	19	5	29	9	2	8	29	3	14
Male.....	18	4	14	9	2	9	11	2	9	10	45	9	2	18	5	2	3	14	3	6
Female.....	18	4	12	1	4	5	6	3	8	8	42	10	3	11	4	-----	5	15	-----	8
10 months.....	29	5	35	8	4	21	9	4	14	20	97	19	5	35	6	6	9	23	2	12
Male.....	16	1	20	1	-----	9	3	2	6	13	51	9	2	20	3	4	4	11	1	8
Female.....	13	4	15	7	4	12	6	2	8	7	46	10	3	15	3	2	5	12	1	4
11 months.....	31	4	23	11	6	10	8	7	10	18	106	16	10	25	8	1	7	36	5	14
Male.....	18	1	16	7	3	7	4	3	5	10	59	12	5	13	3	1	7	23	2	7
Female.....	13	3	7	4	3	3	4	4	5	8	47	4	5	12	5	-----	-----	13	3	7

¹ Includes "Cities of 2,500 to 10,000."

GENERAL TABLES

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	3,211	197	216	2,824	375	1,429	892	287	1,010	315	145	2,020	1,399	348	1,683	119	77	271	323	164	604
Male.....	1,803	126	124	1,558	220	803	484	167	572	175	83	1,133	791	193	941	77	55	160	185	101	360
Female.....	1,408	71	92	1,266	155	626	408	120	438	140	62	887	608	155	742	42	22	111	138	63	244
Under 1 day.....	1,025	51	54	799	111	393	320	106	336	95	36	413	350	92	411	48	36	61	129	66	196
Male.....	575	28	34	441	69	211	165	59	184	55	24	222	198	51	226	30	25	38	79	38	115
Female.....	450	23	20	358	42	182	155	47	152	40	12	191	182	41	185	18	11	23	50	28	81
1 day.....	229	17	14	210	32	82	62	16	70	14	8	133	67	22	99	4	8	17	23	11	44
Male.....	147	13	8	108	23	58	36	12	33	8	5	72	45	14	62	3	5	11	10	8	29
Female.....	82	4	6	102	9	24	26	4	37	6	3	66	22	8	37	1	3	6	13	3	15
2 days.....	169	12	12	142	16	66	44	21	53	14	5	97	52	8	53	6	4	10	17	9	30
Male.....	96	6	8	85	8	40	27	13	29	7	2	60	27	6	28	5	4	6	8	6	21
Female.....	73	6	4	57	8	26	17	8	24	7	3	37	25	2	25	1	—	4	9	3	9
3 to 6 days.....	261	21	20	210	34	131	86	23	97	29	10	156	113	37	150	7	8	25	25	12	64
Male.....	149	14	9	133	19	73	55	14	60	18	5	89	67	22	77	4	6	16	14	3	39
Female.....	112	7	11	77	15	58	31	9	37	11	5	67	46	15	73	3	2	9	11	9	25
1 week.....	165	9	11	151	20	73	67	12	64	10	6	158	90	18	131	8	3	27	22	6	37
Male.....	80	5	6	85	14	37	36	7	45	3	2	96	45	8	78	5	3	14	12	3	23
Female.....	85	4	5	66	6	36	31	5	19	7	4	62	35	10	53	3	—	13	10	3	14
2 weeks.....	89	4	3	98	14	53	41	9	37	8	4	75	48	19	66	2	2	11	13	5	37
Male.....	53	2	3	56	13	26	20	6	21	1	1	38	30	6	41	2	2	7	5	5	26
Female.....	36	2	5	42	1	27	21	3	16	7	3	37	18	13	25	—	—	4	8	—	11
3 weeks but under 1 month.....	71	6	6	91	12	56	26	5	30	10	5	64	45	12	59	3	—	8	3	1	9
Male.....	36	4	3	57	5	37	14	4	12	6	5	41	25	6	32	3	—	5	2	1	5
Female.....	35	2	3	34	7	19	12	1	18	4	—	23	20	6	27	—	—	3	1	—	4
Under 1 month.....	2,009	120	125	1,701	239	854	646	192	687	180	74	1,101	785	208	969	78	61	159	232	110	417
Male.....	1,136	72	71	965	151	482	353	115	384	98	44	618	437	113	544	50	45	97	129	64	258
Female.....	873	48	54	736	88	372	293	77	303	82	30	483	348	95	425	28	16	62	103	46	159
1 month.....	219	16	16	189	24	111	50	22	71	24	11	195	118	27	140	12	2	32	16	11	38
Male.....	124	15	8	115	13	73	31	8	49	13	6	111	72	15	83	7	1	20	13	7	24
Female.....	95	1	8	74	11	38	19	14	22	11	5	84	46	12	57	5	1	12	3	4	14
2 months.....	144	11	11	150	21	98	29	19	48	20	12	134	90	36	98	5	2	17	12	16	25
Male.....	76	7	7	72	8	49	17	9	30	13	6	79	45	26	56	4	1	11	6	13	12
Female.....	68	4	4	78	13	49	12	10	18	7	6	55	45	10	42	1	1	6	6	3	13
3 months.....	132	14	20	145	26	72	36	12	38	11	8	89	50	13	87	3	1	15	10	5	30
Male.....	61	10	12	89	14	34	16	5	22	5	4	43	35	7	46	2	1	4	7	4	19
Female.....	71	4	8	56	12	38	20	7	16	6	4	46	24	6	41	1	—	11	3	1	11
4 months.....	107	9	6	119	11	55	19	5	28	15	4	85	71	7	73	1	1	6	11	3	14
Male.....	64	6	5	57	8	34	12	5	16	8	3	46	41	3	39	—	1	2	6	2	7
Female.....	43	3	1	62	3	21	7	—	12	7	1	39	30	4	34	1	—	4	5	1	7
5 months.....	104	4	9	90	7	49	20	10	33	8	7	60	60	13	58	6	1	11	9	1	18
Male.....	64	2	5	40	5	24	10	8	18	5	3	32	30	4	31	5	—	6	5	1	10
Female.....	40	2	4	50	2	25	10	2	15	3	4	28	30	9	27	1	1	5	4	—	8
6 months.....	92	2	4	96	10	45	22	5	23	11	6	90	41	4	49	1	3	5	10	1	19
Male.....	50	2	4	44	5	32	14	2	7	6	2	46	23	2	29	1	2	4	6	1	9
Female.....	42	—	—	52	5	13	8	3	16	5	4	44	18	2	20	—	—	1	4	—	10
7 months.....	82	8	4	80	10	38	18	6	16	15	5	47	39	7	49	2	2	8	9	2	10
Male.....	52	3	1	42	5	22	9	5	10	8	4	30	23	4	33	1	2	7	5	1	5
Female.....	30	5	3	38	5	16	9	1	6	7	1	17	16	3	17	—	—	1	4	1	5
8 months.....	86	7	4	71	9	31	24	5	22	15	2	56	38	13	34	1	1	4	4	4	7
Male.....	40	6	4	35	5	14	12	2	9	9	1	32	30	10	20	—	1	2	4	3	3
Female.....	46	1	—	36	4	17	12	3	13	6	1	24	8	3	14	1	—	2	—	1	4
9 months.....	89	2	6	56	6	25	9	5	23	5	6	59	36	10	40	2	—	4	3	5	5
Male.....	49	2	2	30	11	1	2	16	3	4	3	35	18	5	19	2	—	3	2	4	2
Female.....	40	—	4	26	—	14	8	—	7	2	2	24	18	5	21	—	—	1	1	1	3
10 months.....	67	1	6	68	5	30	10	5	12	3	4	56	32	4	40	3	1	5	3	4	9
Male.....	35	—	2	35	2	20	6	5	5	1	4	33	20	1	20	3	1	2	2	1	5
Female.....	32	1	4	33	3	10	4	—	7	2	—	23	12	3	20	—	—	3	1	3	4
11 months.....	80	3	5	59	7	21	9	1	9	8	6	48	30	6	46	5	2	5	4	2	12
Male.....	52	1	3	34	4	8	3	1	6	6	2	28	17	3	22	2	—	2	—	—	6
Female.....	28	2	2	25	3	13	6	—	3	2	—	20	13	3	24	3	2	3	4	2	6

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	12	25	51	266	50	144	2,408	256	411	144	225	1,110	8,548	551	1,370	1,141	387	3,655	113	80	586
Male	5	15	27	155	36	85	1,361	134	235	81	143	636	4,934	298	787	649	227	2,100	66	50	326
Female	7	10	24	111	14	59	1,047	122	176	63	82	474	3,614	253	583	492	160	1,555	47	30	260
Under 1 day	3	7	12	92	9	40	685	81	86	26	42	171	2,452	186	364	329	95	773	35	33	146
Male	1	6	7	55	7	27	404	40	48	17	29	102	1,422	111	218	189	58	459	21	23	87
Female	2	1	5	37	2	13	281	41	38	9	13	69	1,030	75	146	140	37	314	14	10	59
1 day	2	2	2	21	1	19	184	23	26	9	8	28	562	31	76	62	21	218	12	4	33
Male	1	1	1	15	1	13	106	11	15	6	4	14	322	20	45	38	14	144	8	4	22
Female	2	1	1	6	1	6	78	12	11	3	4	14	240	11	31	24	7	74	4	4	11
2 days			1	14	5	5	115	11	19	7	8	37	407	27	55	40	20	157	4	5	25
Male				7	3	3	61	6	9	4	6	23	253	14	29	23	12	91	3	1	16
Female			1	7	2	2	54	5	10	3	2	14	164	13	26	17	8	66	1	4	9
3 to 6 days		2	2	21	4	5	198	21	29	7	13	70	675	46	100	92	38	267	1	6	69
Male		1	2	11	4	5	105	13	14	4	11	40	399	27	54	50	24	170	2	2	32
Female		1	1	10	1	5	93	8	15	3	2	30	276	19	46	42	14	97	1	4	37
1 week		1	2	14	3	10	132	9	20	5	9	74	454	34	83	58	24	234	6	8	35
Male		1	1	6	2	5	75	6	9	2	6	43	266	20	44	30	16	132	3	5	19
Female		1	1	8	1	5	57	3	11	3	3	31	188	14	39	28	8	102	3	3	16
2 weeks			3	5		11	65	8	14	3	11	43	330	17	45	36	12	147	3	3	34
Male			1	3		8	32	3	13	1	5	24	177	8	22	25	7	74	2	2	22
Female			2	2		3	33	5	1	2	6	19	153	9	23	11	5	73	1	1	12
3 weeks but under 1 month			1	7	2	4	56	4	13	6	8	44	282	17	62	39	12	129	4	1	25
Male			1	6	2	4	28	2	8	6	6	22	150	6	36	20	6	77	2	1	12
Female				1		4	28	2	5		2	22	132	11	26	19	6	52	2		13
Under 1 month	5	12	23	174	24	94	1,435	157	207	63	99	467	5,162	358	785	656	222	1,925	65	60	367
Male	1	9	13	103	18	56	811	81	116	40	67	268	2,989	206	448	375	137	1,147	39	38	210
Female	4	3	10	71	6	38	624	76	91	23	32	199	2,173	152	337	281	85	778	26	22	157
1 month	3	7	7	15	6	9	180	17	36	8	14	91	666	33	128	72	33	370	8	6	48
Male	1	4	4	9	5	5	107	12	18	3	7	54	390	18	83	41	18	212	5	4	22
Female	2	3	3	6	1	4	73	5	18	5	7	37	276	15	45	31	15	158	3	2	26
2 months		2	3	22	4	9	166	21	30	16	19	99	532	31	90	87	31	240	11	2	53
Male		1	1	13	3	4	104	11	16	5	10	66	312	10	53	50	17	127	8	1	29
Female		1	2	9	1	5	62	10	14	11	9	33	220	21	37	37	14	113	3	1	24
3 months		1	7	3	9	109	12	32	5	15	82	421	21	84	63	25	213	5	2	38	
Male		1	5	2	6	56	6	23	4	11	35	225	13	44	41	14	117	2	2	23	
Female			2	1	3	53	6	9	1	4	47	196	8	40	22	11	96	3	2	15	
4 months		3	6	2	4	90	9	18	6	19	89	311	14	61	45	13	160	3	2	20	
Male		1	6	3	3	53	4	13	4	15	62	188	6	27	27	5	93	1	1	10	
Female		2	2	2	1	37	5	5	2	4	37	123	8	34	18	8	67	2	1	10	
5 months		1	3	10	2	4	90	7	13	9	12	61	278	14	44	41	11	152	3	4	7
Male		1	7	7	2	2	47	3	3	5	8	40	159	7	26	22	7	76	2	3	4
Female			3	3	2	2	43	4	10	4	4	21	119	7	18	19	4	76	1	1	3
6 months		4	2	7	5	3	64	10	18	6	8	45	252	29	42	45	11	115	2	1	8
Male		2	1	2	3	1	33	5	11	4	7	28	142	14	28	26	7	60	1	1	5
Female		2	1	5	2	2	31	5	7	2	1	17	110	15	14	19	4	55	1		3
7 months		2	2	3		3	70	2	20	7	10	41	223	10	33	34	12	121	2		10
Male		2		2		1	36	1	9	5	5	19	124	3	22	20	6	62	2		3
Female			2	1		2	34	1	11	2	5	22	99	7	11	14	6	59			7
8 months			4	5		4	53	5	15	7	7	34	200	7	19	27	13	104	4	1	11
Male			4	3		3	31	3	12	4	3	22	116	4	10	14	7	59	2	1	6
Female				1		1	22	2	3	3	4	12	84	3	9	13	6	45	2		5
9 months		2	2	9			53	4	8	3	6	39	187	16	36	28	5	82	4	2	9
Male		1		4			28	2	5	3	3	19	112	7	22	11	4	52	2	1	6
Female		1		5			25	2	3	3	3	20	75	9	14	17	1	30	2	1	3
10 months		1	1	3	3	1	45	7	10	8	9	30	163	9	25	22	8	89	4		7
Male			1	2	2	1	27	2	8	5	5	18	91	4	12	12	3	47	1		4
Female		1		1	1		18	5	2	3	4	12	72	5	13	10	5	42	3		3
11 months		1	3	5	1	4	53	5	4	6	7	32	153	9	23	21	3	84	2		8
Male			2	1	3	2	28	4	1	2	2	15	86	6	12	10	2	48	1		4
Female		1	1	5	1	1	25	1	3	4	5	17	67	3	11	11	1	36	1		4

GENERAL TABLES

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral
Under 1 year.....	3,552	458	1,941	623	428	1,001	203	129	199	5,495	1,264	3,354	594	15	30	529	216	2,459	125	67	476
Male.....	2,001	264	1,094	353	249	568	108	72	121	3,133	733	1,914	328	12	13	316	119	1,389	71	34	264
Female.....	1,551	194	847	270	179	433	95	57	78	2,362	531	1,440	266	3	17	213	97	1,070	54	33	212
Under 1 day.....	1,051	113	465	127	82	252	74	50	40	1,172	270	661	168	1	5	143	49	466	47	22	141
Male.....	599	61	261	79	54	143	37	22	24	694	158	399	89	2	2	90	25	268	28	11	85
Female.....	452	52	204	48	28	109	37	28	16	478	112	262	79	1	3	53	24	198	19	11	56
1 day.....	241	25	113	51	29	65	17	6	16	454	89	222	46	1	4	40	12	178	12	2	28
Male.....	130	13	62	32	17	37	8	5	9	266	54	130	25	1	2	25	5	106	5	2	18
Female.....	111	12	51	19	12	28	9	1	7	188	35	92	21	2	2	15	7	72	7	2	10
2 days.....	180	22	94	20	19	28	5	6	9	274	78	163	27	1	1	19	14	127	4	4	28
Male.....	116	16	51	15	10	19	3	5	5	164	47	92	11	1	1	11	11	74	2	1	12
Female.....	64	6	43	5	9	9	2	1	4	110	31	71	16	2	2	8	3	53	2	3	16
3 to 6 days.....	265	47	172	45	37	76	18	15	24	451	113	309	47	2	2	52	18	218	9	8	42
Male.....	160	26	110	24	20	53	8	13	18	261	72	180	28	2	1	36	13	122	8	5	25
Female.....	105	21	62	21	17	23	10	2	6	190	41	129	19	2	1	16	5	96	1	3	17
1 week.....	157	36	129	38	34	85	12	6	19	325	77	203	27	1	2	31	6	177	7	4	33
Male.....	78	20	76	18	20	48	7	5	10	180	45	115	16	1	1	20	3	92	4	4	20
Female.....	79	16	53	20	14	37	5	1	9	145	32	88	11	2	1	11	3	85	3	3	13
2 weeks.....	124	17	78	18	16	35	5	3	10	226	38	144	17	1	2	13	10	103	5	2	23
Male.....	75	10	44	10	8	20	1	1	8	121	26	85	11	1	1	5	6	64	4	1	12
Female.....	49	7	34	8	8	15	4	2	2	105	12	59	6	2	1	8	4	39	1	1	11
3 weeks but under 1 month.....	107	15	75	25	18	32	5	3	6	175	34	126	15	2	2	19	6	88	3	-3	15
Male.....	50	7	44	13	6	20	4	2	3	98	14	69	8	1	1	14	4	51	3	2	9
Female.....	57	8	31	12	12	12	1	1	3	77	20	57	7	1	1	5	2	37	1	1	6
Under 1 month.....	2,125	275	1,126	324	235	573	136	86	124	3,077	699	1,828	347	7	18	317	115	1,357	87	45	310
Male.....	1,208	163	648	191	135	340	68	51	77	1,784	416	1,070	188	6	8	201	67	777	54	26	181
Female.....	917	122	478	133	100	233	68	35	47	1,293	283	758	159	1	10	116	48	580	33	19	129
1 month.....	263	29	170	49	36	94	17	12	16	443	96	302	45	2	2	43	17	221	5	7	31
Male.....	149	19	104	25	20	51	10	3	8	246	50	171	31	1	1	23	12	131	2	1	16
Female.....	114	10	66	24	16	43	7	9	8	197	46	131	14	1	1	20	5	90	3	6	15
2 months.....	177	27	115	41	24	54	6	6	15	346	78	255	35	2	1	36	12	167	7	3	25
Male.....	103	19	52	22	13	23	5	3	8	205	44	148	19	2	1	17	3	81	3	2	16
Female.....	74	8	63	19	11	31	1	3	7	141	34	107	16	1	1	19	9	86	4	1	9
3 months.....	164	18	97	31	26	47	10	4	15	276	71	169	21	1	1	21	15	155	3	2	16
Male.....	91	9	56	19	18	27	6	4	6	148	41	94	13	1	1	13	6	90	2	2	6
Female.....	73	9	41	12	8	20	4	2	9	128	30	75	8	2	2	8	9	65	1	2	10
4 months.....	115	21	69	36	16	40	3	5	4	224	67	141	26	2	2	28	7	104	2	3	15
Male.....	70	12	38	25	8	20	1	3	4	122	40	67	14	2	2	11	4	62	2	2	7
Female.....	45	9	31	11	8	20	2	2	2	102	27	74	12	2	2	17	3	42	1	1	8
5 months.....	143	15	75	35	12	34	8	3	7	173	43	132	18	2	1	13	6	103	4	2	10
Male.....	76	12	42	17	9	19	5	1	6	92	22	77	10	1	1	6	3	62	2	1	6
Female.....	67	3	33	18	3	15	3	2	1	81	21	55	8	1	1	7	3	41	2	1	4
6 months.....	122	13	46	23	19	38	1	2	5	218	32	128	21	2	2	20	8	91	2	2	12
Male.....	67	8	25	12	10	17	1	2	4	120	17	78	11	2	2	10	6	50	2	2	8
Female.....	55	5	21	11	9	21	2	1	1	98	15	50	10	2	2	10	2	41	2	2	4
7 months.....	104	19	73	14	11	28	2	2	5	166	48	102	25	2	1	11	10	58	3	1	9
Male.....	57	11	35	9	8	15	1	2	2	91	30	47	13	2	1	7	3	32	2	2	2
Female.....	47	8	38	5	3	13	1	2	3	75	18	55	12	2	2	4	7	26	1	1	7
8 months.....	100	11	52	14	15	18	4	5	2	178	37	89	9	1	3	15	5	48	5	1	9
Male.....	51	6	28	4	8	13	2	3	2	104	22	41	4	1	1	11	2	28	2	2	2
Female.....	49	5	24	10	7	5	4	2	2	74	15	48	5	2	2	4	3	20	3	1	7
9 months.....	88	9	43	21	9	30	8	5	3	141	32	85	23	2	2	8	12	54	3	1	13
Male.....	50	5	26	11	7	13	5	2	2	70	19	49	12	2	2	7	7	23	1	1	6
Female.....	38	4	17	10	2	17	3	3	1	71	13	36	11	2	2	1	5	31	2	1	7
10 months.....	75	11	41	14	8	22	2	2	1	132	27	67	11	1	1	7	4	54	1	1	14
Male.....	39	7	22	9	3	14	2	1	1	77	15	38	7	2	2	3	1	31	1	1	8
Female.....	36	4	19	5	5	8	2	1	2	55	12	29	4	2	2	4	3	23	2	2	6
11 months.....	76	10	34	21	17	23	6	2	2	121	34	56	13	2	2	10	5	47	3	3	12
Male.....	40	3	18	9	10	16	4	1	1	74	17	34	6	2	2	7	3	22	1	1	6
Female.....	36	7	16	12	7	7	2	1	1	47	17	22	7	2	2	3	2	25	2	2	6

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	TENNESSEE			UTAH			VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	1,145	310	2,095	202	94	233	89	202	873	269	2,523	545	125	297	574	305	2,032	1,153	315	1,207	43	54	145
Male.....	635	181	1,212	113	59	130	55	164	494	152	1,368	298	78	184	311	184	1,132	644	189	681	29	30	77
Female.....	510	129	883	89	35	103	34	128	379	117	1,160	247	47	113	263	121	900	509	126	526	14	24	68
Under 1 day.....	287	69	404	76	32	73	32	81	271	72	553	198	39	74	164	84	452	374	110	397	14	17	52
Male.....	156	46	250	41	21	37	24	43	147	44	311	104	23	43	87	54	282	205	70	208	10	10	25
Female.....	131	23	154	35	11	36	8	38	124	28	242	94	16	31	77	30	170	169	40	189	4	7	27
1 day.....	81	16	126	14	6	6	9	16	71	18	122	52	9	19	30	16	88	92	25	75	3	6	14
Male.....	40	12	76	9	4	3	3	10	43	12	70	25	6	13	18	8	52	52	13	49	1	6	2
Female.....	41	4	50	5	2	3	6	6	28	6	52	27	3	6	12	8	36	40	12	26	2	—	12
2 days.....	58	10	76	4	4	8	3	18	39	12	108	22	11	12	17	11	80	62	12	72	—	2	3
Male.....	35	8	42	3	3	5	2	9	26	7	63	13	9	6	10	6	43	35	8	45	—	—	2
Female.....	23	2	34	1	1	3	1	9	13	5	45	9	2	6	7	5	37	27	4	27	—	—	1
3 to 6 days.....	61	23	170	16	9	30	6	19	67	17	197	45	10	33	48	15	136	86	26	111	4	5	17
Male.....	37	14	109	10	6	21	2	11	46	13	121	24	3	21	27	12	70	42	22	63	2	2	11
Female.....	24	9	61	6	3	9	4	8	21	4	76	21	7	12	21	3	66	44	4	48	2	3	6
1 week.....	59	14	140	9	6	13	6	14	44	13	178	42	6	27	29	15	115	43	13	77	1	5	8
Male.....	34	9	89	4	3	8	4	6	21	6	95	24	6	22	11	10	66	24	5	50	1	4	5
Female.....	25	5	51	5	3	5	2	8	23	7	83	18	—	5	18	5	49	19	8	27	—	—	3
2 weeks.....	48	11	86	1	5	9	1	17	25	12	121	14	6	10	21	7	88	44	7	47	2	—	7
Male.....	29	4	47	1	4	2	1	10	17	2	61	6	5	7	7	4	48	28	2	27	1	—	3
Female.....	19	7	39	—	1	7	—	7	8	10	60	8	1	3	14	3	40	16	5	20	1	—	4
3 weeks but under 1 month.....	41	9	92	4	2	7	2	7	20	10	93	19	2	13	19	6	68	20	9	31	1	3	3
Male.....	18	6	46	3	2	4	—	2	11	5	46	12	1	6	11	3	30	12	7	18	1	1	1
Female.....	23	3	46	1	—	3	2	5	9	5	47	7	1	7	8	3	38	8	2	13	—	2	2
Under 1 month.....	635	152	1,094	124	64	146	59	172	537	154	1,372	392	83	188	328	154	1,027	721	202	810	25	38	104
Male.....	349	99	659	71	43	80	36	91	311	89	767	208	53	118	171	97	591	398	127	460	16	23	49
Female.....	286	53	435	53	21	66	23	81	226	65	605	184	30	70	157	57	436	323	75	350	9	15	55
1 month.....	102	39	207	12	4	16	6	32	69	28	228	41	11	24	31	19	198	77	18	85	2	4	8
Male.....	62	23	120	8	2	6	4	21	33	18	124	27	5	16	19	16	115	45	10	52	2	3	5
Female.....	40	16	87	4	2	10	2	11	36	10	104	14	6	8	12	3	83	32	8	33	—	1	3
2 months.....	73	22	133	12	5	11	2	22	49	18	176	20	9	17	32	15	141	68	10	70	3	3	6
Male.....	42	12	86	5	3	7	1	9	24	12	82	13	6	10	21	7	73	42	5	37	2	1	4
Female.....	31	10	47	7	2	4	1	13	25	6	94	7	3	7	11	8	68	26	5	33	1	2	2
3 months.....	48	16	103	7	2	11	6	9	34	16	131	15	1	13	34	21	122	52	8	56	4	1	5
Male.....	25	10	56	3	1	7	4	5	22	11	65	5	—	11	18	12	72	33	4	30	3	1	2
Female.....	23	6	47	4	1	4	2	4	12	5	66	10	1	2	16	9	50	19	4	26	1	—	3
4 months.....	58	15	90	9	4	5	2	15	40	13	125	18	3	13	28	14	89	45	14	37	5	1	4
Male.....	30	5	49	6	—	3	2	13	26	8	69	11	3	4	14	9	40	20	12	19	5	—	2
Female.....	28	10	41	3	4	2	—	2	14	5	56	7	—	9	14	5	49	25	2	18	—	—	2
5 months.....	49	8	81	3	1	12	3	8	31	7	104	12	6	7	23	13	75	44	11	32	—	2	4
Male.....	32	6	40	1	1	10	1	4	13	1	49	8	3	5	8	6	44	21	5	16	—	—	3
Female.....	17	2	41	2	—	2	2	4	18	6	55	4	3	2	15	7	31	23	6	16	—	2	1
6 months.....	46	11	72	7	1	7	1	8	27	3	97	7	3	9	17	14	67	32	10	13	—	2	4
Male.....	22	1	37	4	—	4	—	6	20	1	59	4	3	7	12	11	38	18	5	7	—	—	3
Female.....	24	10	35	3	1	3	1	2	7	2	38	3	—	2	5	3	29	14	5	6	—	—	1
7 months.....	38	11	78	6	1	6	1	5	23	6	66	12	—	6	22	10	61	26	7	27	2	2	2
Male.....	17	6	40	3	1	5	1	2	11	1	36	7	—	2	12	4	35	17	4	16	1	1	2
Female.....	21	5	38	3	—	1	—	3	12	5	30	5	—	4	10	6	26	9	3	11	1	—	—
8 months.....	33	13	61	3	3	6	1	7	19	4	62	5	3	5	15	10	69	22	13	20	1	1	2
Male.....	17	8	31	2	3	4	1	4	7	2	36	2	2	2	11	5	37	10	6	12	—	—	2
Female.....	16	5	30	1	—	2	—	3	12	2	26	3	1	3	4	5	32	12	7	8	1	—	—
9 months.....	24	9	74	7	5	6	2	8	18	6	64	12	4	5	15	15	74	27	5	20	—	—	3
Male.....	11	—	43	4	4	1	2	5	10	5	32	5	3	1	8	5	34	16	1	11	—	—	3
Female.....	13	9	31	3	1	5	—	3	8	1	32	7	1	4	7	10	40	11	4	9	—	—	—
10 months.....	22	7	52	5	2	4	2	3	12	8	43	5	1	5	15	7	58	21	9	19	—	—	2
Male.....	14	6	27	3	—	2	—	2	9	1	18	4	—	4	10	5	31	12	4	11	—	—	2
Female.....	8	1	25	2	2	—	—	1	3	7	25	1	1	1	5	2	27	9	5	8	—	—	—
11 months.....	17	7	50	7	2	3	4	3	14	6	60	6	1	5	14	13	51	18	8	18	1	—	1
Male.....	14	5	24	3	1	1	1	2	8	3	31	4	—	4	7	7	22	12	6	10	—	—	—
Female.....	3	2	26	4	1	2	3	1	6	3	29	2	1	1	7	6	29	6	2	8	—	—	—

¹ Includes "Cities of 2,500 to 10,000."

SUPPLEMENT

HAWAII

The Territory of Hawaii was admitted to the birth registration area of the United States in 1929. From this Territory, in 1932, 10,493 births were reported. Of these, 4,265 or 41 percent were Japanese, 1,909 or 18 percent were part Hawaiian, 1,659 or 16 percent were Caucasian, 1,476 or 14 percent were Filipinos, 584 or 6 percent were Chinese, and 415 or 4 percent were Hawaiian.

The birth rate was 26.7 and exceeded the death rate (9.3) by 17.4 per 1,000 population.

Deaths under 1 year occurring in Hawaii in 1932 numbered 799 indicating an infant mortality rate of 76.1 per 1,000 live births. Three causes—diarrhea and enteritis, premature birth, and broncho-pneumonia—were responsible for more than half of the total number of deaths under 1 year, the rates from each being 19.1, 13, and 12.4, respectively.

VIRGIN ISLANDS

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the registration area of the United States in 1924.

In 1932, 553 births were reported in these islands and of these the Negro births represented 90 percent. Deaths under 1 year numbered 74 and represent an infant mortality rate of 133.8. This was 14.6 higher than the rate (119.2) for 1931. Premature birth and diarrhea and enteritis caused nearly half of all deaths occurring among infants under 1 year of age, the rate from these causes being 28.9 and 27.1, respectively, per 1,000 live births. The infant mortality rate for Negroes was 144 or 25.8 higher than the corresponding rate (118.2) for 1931.

HAWAII

TABLE 1.—ENUMERATED POPULATION IN THE TERRITORY OF HAWAII: 1930

RACE	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
All races.....	368,336	19,468	137,582	53,857	65,341	35,942	56,146
Hawaiian.....	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian.....	28,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian.....	15,632	986	8,283	1,537	1,213	996	2,617
Asiatic-Hawaiian.....	12,592	895	5,959	1,653	904	762	2,419
Caucasian.....	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese.....	27,588	2,467	12,297	3,703	2,138	2,554	4,429
Puerto Rican.....	6,671	158	2,211	1,480	818	841	1,153
Other Caucasian.....	46,114	1,181	24,535	1,359	15,703	1,375	1,961
Chinese.....	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese.....	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean.....	6,461	288	2,604	843	1,545	362	819
Filipino.....	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All other.....	780	30	440	69	127	21	93

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	Births ¹	Deaths ¹	Excess of births over deaths	Births per 100 deaths	DEATHS ¹ OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 100 live births
Territory of Hawaii.....	10,493	3,670	6,823	286	799	76.1	322	3.1
Male.....	5,374	2,351	3,023	229	468	87.1	181	3.4
Female.....	5,119	1,319	3,800	388	331	64.7	141	2.8
Hilo city:								
Male.....	246	140	106	176	19	77.2	10	4.1
Female.....	251	80	171	(?)	14	55.8	8	3.2
Honolulu city:								
Male.....	2,152	952	1,200	226	178	82.7	77	3.6
Female.....	2,090	608	1,482	344	135	64.6	60	2.9
Hawaii County (exclusive of Hilo city):								
Male.....	748	323	425	232	78	104.3	25	3.3
Female.....	763	173	590	441	47	61.6	20	2.6
Honolulu County (exclusive of Honolulu city):								
Male.....	788	286	502	276	61	77.4	25	3.2
Female.....	727	161	566	452	45	61.9	21	2.9
Kauai County:								
Male.....	489	215	274	227	43	87.9	9	1.8
Female.....	425	84	341	(?)	23	54.1	9	2.1
Maui County:								
Male.....	951	435	516	219	89	93.6	35	3.7
Female.....	863	213	650	405	67	77.6	23	2.7

¹ Exclusive of stillbirths.

² Figures not shown when the number of deaths is less than 100.

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1932

RACE	BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN—							
	Hawaiian Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
	Number	Per 1,000 population estimated as of July 1						
All races.....	10,493	26.7	497	4,242	1,511	1,515	914	1,814
Hawaiian.....	415	18.5	10	128	97	42	36	102
Part Hawaiian.....	1,909	62.8	80	1,058	213	140	84	334
Caucasian-Hawaiian.....	828	49.9	39	489	74	57	32	137
Asiatic-Hawaiian.....	1,081	78.3	41	569	139	83	52	197
Caucasian.....	1,659	19.3	92	877	176	166	129	219
Portuguese.....	653	23.6	56	245	102	44	71	132
Puerto Rican.....	226	32.8	6	81	47	24	23	45
Other Caucasian.....	780	15.2	30	548	27	98	35	42
Chinese.....	584	20.9	23	439	17	46	15	44
Japanese.....	4,265	29.2	237	1,463	748	663	401	753
Korean.....	151	22.2	4	63	15	39	10	20
Filipino.....	1,476	20.4	48	191	244	414	238	341
All other.....	34	42.5	3	23	1	5	1	1

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii.....	10,493	944	864	891	883	934	906	857	854	877	902	767	814
Male.....	5,374	506	455	458	456	467	461	445	430	454	447	398	397
Female.....	5,119	438	409	433	427	467	445	412	424	423	455	369	417
Hilo city:													
Male.....	246	25	17	25	18	22	18	25	17	21	19	22	17
Female.....	251	19	17	21	20	17	14	19	26	22	25	19	32
Honolulu city:													
Male.....	2,152	196	186	161	187	188	187	159	175	200	185	168	160
Female.....	2,090	170	152	157	171	198	181	175	177	182	185	168	174
Hawaii County (exclusive of Hilo city):													
Male.....	748	60	70	82	60	65	55	83	54	55	69	48	47
Female.....	763	58	77	83	64	45	76	62	63	54	74	49	58
Honolulu County (exclusive of Honolulu city):													
Male.....	788	79	54	71	75	70	63	62	68	58	72	57	59
Female.....	727	76	66	57	66	82	60	58	57	67	57	45	36
Kauai County:													
Male.....	489	50	45	37	44	38	53	31	41	35	32	39	44
Female.....	425	47	34	34	30	36	34	35	30	34	42	43	26
Maui County:													
Male.....	951	96	83	82	72	84	85	85	75	85	70	64	70
Female.....	863	68	63	81	76	89	80	63	71	64	72	45	91

TABLE 5.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE TERRITORY OF HAWAII: 1932

RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
All races.....	10,493	10,063	430	322	304	18	3.1	3.0	4.2
Hawaiian.....	415	360	55	19	19	—	4.6	5.3	—
Part Hawaiian.....	1,909	1,739	170	66	58	8	3.5	3.3	4.7
Caucasian-Hawaiian.....	828	748	80	38	35	3	4.6	4.7	3.8
Asiatic-Hawaiian.....	1,081	991	90	28	23	5	2.6	2.3	5.6
Caucasian.....	1,659	1,595	64	47	46	1	2.8	2.9	1.6
Portuguese.....	653	635	18	25	25	—	3.8	3.9	—
Puerto Rican.....	226	203	23	10	9	1	4.4	4.4	4.3
Other Caucasian.....	780	757	23	12	12	—	1.5	1.6	—
Chinese.....	584	568	16	8	8	—	1.4	1.4	—
Japanese.....	4,265	4,199	66	117	112	5	2.7	2.7	7.6
Korean.....	151	147	4	1	1	—	0.7	0.7	—
Filipino.....	1,476	1,426	50	59	56	3	4.0	3.9	6.0
All other.....	34	29	5	5	4	1	14.7	13.8	20.0

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1932

RACE OF CHILD AND AGE OF MOTHER	Total	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
All races.....	10,493	73	1,256	2,354	2,436	1,564	1,173	831	403	255	148
Age of mother:											
10 to 14 years.....	16	2	4	3							7
15 to 19 years.....	1,086	49	502	316	105	32	16	4	1		61
20 to 24 years.....	2,737	22	676	1,166	598	153	49	19	10	2	42
25 to 29 years.....	2,676		64	763	1,094	453	161	78	35	16	12
30 to 34 years.....	1,977		5	92	567	602	370	200	84	51	6
35 to 39 years.....	1,408		4	11	62	289	439	353	151	93	6
40 to 44 years.....	531		1	3	9	31	136	162	107	80	2
45 to 49 years.....	45				1	4	1	14	13	12	
50 to 54 years.....	4							1	2	1	
Unknown.....	13						1				12
Hawaiian.....	415	3	53	80	88	77	48	23	6	4	33
Age of mother:											
15 to 19 years.....	50		23	7	4	1	1				14
20 to 24 years.....	109	3	25	34	20	8	3				16
25 to 29 years.....	109		2	36	38	19	9				1
30 to 34 years.....	73		1	3	23	24	12	3	2	1	1
35 to 39 years.....	55		2	3	3	21	15	8	3	2	1
40 to 44 years.....	16					2	8	5	1		
45 to 49 years.....	2					2					
50 to 54 years.....	1							1			
Caucasian-Hawaiian.....	828	10	190	201	190	105	50	19	22	12	29
Age of mother:											
10 to 14 years.....	3		1								2
15 to 19 years.....	118	6	65	26	4	2					15
20 to 24 years.....	292	4	109	104	45	12	9	1	1	1	6
25 to 29 years.....	198		14	57	80	28	7	1	8		3
30 to 34 years.....	116		1	11	47	38	8	2	5	3	1
35 to 39 years.....	71			3	12	21	14	10	4	7	
40 to 44 years.....	27				2	4	12	5	3	1	
45 to 49 years.....	1							1			
60 to 54 years.....											
Unknown.....	2										2
Asiatic-Hawaiian.....	1,081	24	269	266	189	160	81	30	23	24	15
Age of mother:											
10 to 14 years.....	5		3	1							1
15 to 19 years.....	204	17	113	45	5	9	6	1			5
20 to 24 years.....	368	7	137	124	57	25	8	3	3		4
25 to 29 years.....	244		13	80	84	38	17	1	5	4	2
30 to 34 years.....	130		2	12	31	43	27	6	5	4	
35 to 39 years.....	83				9	34	16	13	3	8	
40 to 44 years.....	39		1	1	2	9	7	6	7	6	
45 to 49 years.....	5				1	2				2	
Unknown.....	3										3
Portuguese.....	653	8	154	164	125	89	57	34	10	6	6
Age of mother:											
15 to 19 years.....	87	7	60	13	3						4
20 to 24 years.....	233	1	88	98	30	11	3	1			1
25 to 29 years.....	149		5	47	62	21	4	6	2		2
30 to 34 years.....	91		1	6	28	40	12	4			
35 to 39 years.....	68				2	16	31	11	5	2	1
40 to 44 years.....	25					1	7	12	3	2	
Puerto Rican.....	226	2	52	68	20	28	21	18	10	5	2
Age of mother:											
15 to 19 years.....	45	2	26	10	3	1	1	1			1
20 to 24 years.....	68		21	28	8	6	3	3	1		1
25 to 29 years.....	61		5	27	7	11	5	4	1	1	
30 to 34 years.....	24			2	2	8	8	2	2		
35 to 39 years.....	12			1		1	4	4	2		
40 to 44 years.....	14					1	3	4	3	3	
45 to 49 years.....	1							1			
50 to 54 years.....	1								1		
Other Caucasian.....	780	2	112	249	214	125	43	14	6	6	9
Age of mother:											
15 to 19 years.....	82	2	42	19	11	2					6
20 to 24 years.....	270		60	129	55	16					2
25 to 29 years.....	233		9	88	92	32	7	1			
30 to 34 years.....	128			11	52	47	11	4	2		1
35 to 39 years.....	57		1	2	4	26	12	7	2	3	
40 to 44 years.....	10					2	4	2			
Chinese.....	584	5	51	107	146	121	29	37	34	45	9
Age of mother:											
10 to 14 years.....	1										1
15 to 19 years.....	43	4	17	11	6	2			1		2
20 to 24 years.....	141	1	32	49	40	10		1	3		5
25 to 29 years.....	154		2	45	62	34	2	5	2	3	1
30 to 34 years.....	140			4	35	56	12	8	0	18	
35 to 39 years.....	68				2	19	10	15	10	12	
40 to 44 years.....	31				1		5	6	7	12	
45 to 49 years.....	5							2	1	2	
50 to 54 years.....	1								1		

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1932—Continued

RACE OF CHILD AND AGE OF MOTHER	Total	AGE OF FATHER									Unknown
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
Japanese.....	4,285	10	255	839	962	521	708	562	247	137	24
Age of mother:											
15 to 19 years.....	253	5	96	108	29	3	5	1			6
20 to 24 years.....	915	5	152	472	237	24	11	5	2		7
25 to 29 years.....	998		7	234	450	168	87	38	8	3	3
30 to 34 years.....	920			23	226	230	237	138	44	19	3
35 to 39 years.....	814		1	2	17	87	294	253	105	54	2
40 to 44 years.....	332				3	9	72	116	77	54	1
45 to 49 years.....	29						1	11	10	7	
50 to 54 years.....	1								1		
Unknown.....	3						1				2
Korean.....	151		12	21	12	14	8	37	35	11	1
Age of mother:											
15 to 19 years.....	10		3	4		1	1				1
20 to 24 years.....	30		9	12	7	1		1			
25 to 29 years.....	31			5	1	5	2	11	7		
30 to 34 years.....	45				4	7	3	14	13	4	
35 to 39 years.....	28						1	10	13	4	
40 to 44 years.....	6						1	1	2	2	
45 to 49 years.....	1									1	
Filipino.....	1,476	9	104	346	486	317	126	57	9	5	17
Age of mother:											
10 to 14 years.....	7	2		2							3
15 to 19 years.....	186	6	58	67	39	10	1	1			6
20 to 24 years.....	301	1	40	111	98	40	7	4			
25 to 29 years.....	492		7	142	217	95	19	8	2		2
30 to 34 years.....	305			19	118	106	40	16	2	4	
35 to 39 years.....	149		1	3	13	63	42	22	3	1	1
40 to 44 years.....	30			2	1	3	17	5	2		
45 to 49 years.....	1							1			
Unknown.....	5										5
All other.....	34		4	13	4	7	2		1		3
Age of mother:											
15 to 19 years.....	8		1	3	1	1	1				1
20 to 24 years.....	10		3	5	1		1				
25 to 29 years.....	7			4	1	2					
30 to 34 years.....	5			1	1	3					
35 to 39 years.....	3					1			1		1
40 to 44 years.....	1					1					1

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
All causes.....	799	125	34	27	53	41	18	24	322	77	65	64	43	37	43	48	38	23	17	22
Measles (7).....	6															2		1	1	2
Diphtheria (10).....	5					1			1					2			1	1	1	
Influenza (11).....	5				1				1		1		1			1				
Erysipelas (15).....	2								1					1						
Epidemic cerebrospinal meningitis (18).....	2											1						1		
Tetanus (22).....	4				3			1	4											
Tuberculosis of the respiratory system (23).....	2																		1	1
Tuberculosis of the meninges, etc. (24).....	1				1				1											
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	8		2			1			3	1	1	2				1			1	
Convulsions (36).....	15				3		2	1	6	2	2	1	1		1		1	1		
Bronchitis (106).....	21				1		1	1	3	3	3	1	2		1					
Broncho-pneumonia (107).....	130			1	2	3	4	3	13	17	11	16	10	8	16	9	11	7	2	10
Lobar and unspecified pneumonia (108, 109).....	45									4	6	7	4	4	5	5	4	3	2	1
Diseases of the stomach (117, 118).....	1											1								
Diarrhea and enteritis (119).....	148		2	1	2	10	2	4	21	18	15	23	13	12	11	10	10	6	4	5
Intestinal obstruction (122b).....	3											1	1	1						
Congenital malformations (157).....	53	13	1	2	6	5		2	29	5	9	2	2	1	2	2	1			
Congenital debility, icterus, sclerema (158, 161 b, c).....	33	4	2	1	3	2		5	17	8	4	1						1	1	1
Premature birth (159).....	136	73	14	11	14	10	6	4	132	2	2									
Injury at birth (160).....	43	24	7	5	6	1			43											
Other diseases of early infancy (161 a, d).....	27	10	5	1	7	2			25	1	1			1	1					
External causes (172-193, 201-214).....	7			1					1	1	2		1	1						
Unknown or ill-defined diseases (199, 200).....	1	1							1											
All other causes.....	99		1	4	4	6	3	3	21	14	8	8	8	4	6	11	10	2	5	2

TABLE 8.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1929-1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	1932	1931	1930	1929	CAUSE OF DEATH	1932	1931	1930	1929
Measles (7).....	0.6	1.3	0.6	0.5	Diseases of the stomach (117, 118).....	0.1			0.4
Whooping cough (9).....		0.1	0.9	7.1	Diarrhea and enteritis (119).....	14.1	15.1	16.6	26.3
Diphtheria (10).....	0.4	0.1	0.3	0.4	Intestinal obstruction (122b).....	0.3	0.9	(3)	(4)
Influenza (11).....	0.4	0.6	1.1	0.9	Congenital malformations (157).....	5.1	5.4	3.3	3.7
Dysentery (13).....		0.3		0.1	Congenital debility, icterus, sclerema (158, 161 b, c).....	3.1	3.0	4.9	2.8
Erysipelas (15).....	0.2	0.2	3.6	0.3	Premature birth (159).....	13.0	14.6	12.0	13.9
Epidemic cerebrospinal meningitis (18).....	0.2	0.1	0.1		Injury at birth (160).....	4.1	4.0	3.2	3.9
Tetanus (22).....	0.4	0.6	0.3	0.4	Other diseases of early infancy (161 a, d).....	2.6	2.7	3.4	2.6
Tuberculosis of the respiratory system (23).....	0.2	0.2	0.6	0.4	External causes (172-193, 201-214).....	0.7	1.1	0.8	0.6
Tuberculosis of the meninges, etc. (24).....	0.1	0.2	0.6	0.3	Unknown or ill-defined diseases (199, 200).....	0.1		0.3	0.1
Other forms of tuberculosis (25-32).....	0.2		0.1	0.2	All other causes.....	9.4	7.6	7.6	12.1
Syphilis (34).....	0.8	1.3	1.2	0.8					
Convulsions (36).....	1.4	0.5	0.6	1.1					
Bronchitis (106).....	2.0	1.4	2.2	3.5					
Broncho-pneumonia (107).....	12.4	10.3	12.3	12.0					

1 Included in "All other causes."

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored
Virgin Islands.....	22,012	2,010	17,243	2,719	40
Male.....	10,208	1,156	7,841	1,182	29
Female.....	11,804	854	9,402	1,537	11
St. Croix.....	11,413	414	9,592	1,386	21
Male.....	5,441	222	4,561	640	18
Female.....	5,972	192	5,081	746	3
St. John.....	765	18	653	94	—
Male.....	395	15	338	42	—
Female.....	370	3	315	52	—
St. Thomas.....	9,834	1,578	6,998	1,239	19
Male.....	4,372	919	2,942	500	11
Female.....	5,462	659	4,056	739	8

NOTE.—“Mixed” designates persons of mixed white and Negro blood.

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	Births ¹	Deaths ¹	Excess of births over deaths ²	Births per 100 deaths ³	DEATHS ¹ OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 births ¹	Number	Per 100 live births
Virgin Islands.....	553	454	99	122	74	133.8	32	5.8
Male.....	299	213	86	140	45	150.5	19	6.4
Female.....	254	241	13	105	29	114.2	13	5.1
White.....	23	13	10	(3)	1	43.5	—	—
Male.....	30	10	20	(3)	1	33.3	—	—
Female.....	276	196	80	141	44	159.4	19	6.9
Negro.....	224	227	-3	99	28	125.0	13	5.8
Male.....	3	3	—	—	—	—	—	—
Female.....	3	3	—	—	—	—	—	—
Mixed.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Other colored.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
St. Croix.....	261	267	-6	98	41	157.1	18	6.9
Male.....	149	135	14	110	23	154.4	13	8.7
Female.....	112	132	-20	85	18	160.7	5	4.5
White.....	2	3	-1	(3)	—	—	—	—
Male.....	3	1	2	(3)	—	—	—	—
Female.....	147	129	18	114	23	158.5	13	8.8
Negro.....	109	129	-20	84	18	165.1	5	4.6
Male.....	2	2	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Mixed.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Other colored.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
St. John.....	13	6	7	(3)	1	76.9	1	7.7
Male.....	9	2	7	(3)	—	—	—	—
Female.....	4	4	—	(3)	1	250.0	1	11.1
Negro.....	9	2	7	(3)	—	—	—	—
Male.....	4	4	—	(3)	1	250.0	1	11.1
Female.....	4	4	—	(3)	—	—	—	—
St. Thomas.....	279	181	98	154	32	114.7	13	4.7
Male.....	141	76	65	(3)	22	156.0	5	3.5
Female.....	138	105	33	131	10	72.5	8	5.8
White.....	21	10	11	(3)	1	47.6	—	—
Male.....	27	9	18	(3)	1	37.0	—	—
Female.....	120	65	55	(3)	21	175.0	5	4.2
Negro.....	111	94	17	(3)	9	81.1	8	7.2
Male.....	1	1	—	(3)	—	—	—	—
Female.....	2	2	—	(3)	—	—	—	—

¹ Exclusive of stillbirths.

² A minus sign (-) indicates an excess of deaths over births.

³ Figures not shown when the number of deaths is less than 100.

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTH, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	All births	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands.....	553	64	42	36	48	45	39	38	47	40	44	49	61
Male.....	299	40	25	17	21	20	15	19	29	21	23	30	39
Female.....	254	24	17	19	27	25	24	19	18	19	21	19	22
White.....	23	2	4	2	1	1	2	2	1	2	3	4	2
Male.....	30	2	2	3	3	5	2	2	1	2	5	1	2
Female.....	276	38	21	15	20	19	13	17	29	21	20	26	37
Negro.....	224	22	15	16	24	20	22	17	17	17	16	18	20
St. Croix.....	261	38	15	14	20	16	18	21	29	18	19	22	31
Male.....	149	25	8	7	10	7	5	14	20	10	9	15	19
Female.....	112	13	7	7	10	9	13	7	9	8	10	7	12
White.....	2						1						1
Male.....	3								1		2		
Female.....	147	25	8	7	10	7	4	14	20	10	9	15	18
Negro.....	109	13	7	7	10	9	13	7	8	8	8	7	12
St. John.....	13	2			1	2	1		2		1	2	2
Male.....	9	2				2					1	1	
Female.....	4				1				2			1	2
Negro.....	9	2				2	1		2		1	1	2
Male.....	4				1							1	
Female.....	279	24	27	22	27	27	20	17	16	22	24	25	28
Male.....	141	13	17	10	11	11	9	5	7	11	13	14	20
Female.....	138	11	10	12	16	16	11	12	9	11	11	11	8
White.....	21	2	4	2	1	1	1	2			3	4	1
Male.....	27	2	2	3	3	5	2	2		2	3	1	2
Female.....	120	11	13	8	10	10	8	3	7	11	10	10	19
Negro.....	111	9	8	9	13	11	9	10	9	9	8	10	6

TABLE 4.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE VIRGIN ISLANDS: 1932

AREA AND COLOR	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Virgin Islands.....	553	225	328	32	10	22	5.8	4.4	6.7
White.....	53	51	2						
Negro.....	500	174	326	32	10	22	6.4	5.7	6.7
St. Croix.....	261	93	168	18	5	13	6.9	5.4	7.7
White.....	5	5							
Negro.....	256	88	168	18	5	13	7.0	5.7	7.7
St. John.....	13	8	5	1		1	7.7		20.0
Negro.....	13	8	5	1		1	7.7		20.0
St. Thomas.....	279	124	155	13	5	8	4.7	4.0	5.2
White.....	48	46	2						
Negro.....	231	78	153	13	5	8	5.6	6.4	5.2

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY COLOR, AND AGE OF MOTHER BY AGE OF FATHER, IN THE VIRGIN ISLANDS: 1932

COLOR OF CHILD, AND AGE OF MOTHER	AGE OF FATHER										
	All ages	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
All births.....	553	14	87	85	80	51	42	33	27	8	126
Age of mother:											
15 to 19 years.....	113	12	40	14	5	4	1	2	2	1	36
20 to 24 years.....	146	2	35	40	16	4	2	3	4	1	39
25 to 29 years.....	103		8	20	25	9	6	4	1	1	32
30 to 34 years.....	95		3	10	26	21	6	9	5	3	12
35 to 39 years.....	76			1	7	17	23	12	9	1	6
40 to 44 years.....	16		1		1		4	3	5	1	1
45 to 49 years.....	1								1		
White.....	53		5	12	16	11	5	1	3		
Age of mother:											
15 to 19 years.....	4			2	1				1		
20 to 24 years.....	10		4	4	2						
25 to 29 years.....	10			1	5	2	2				
30 to 34 years.....	18		1	4	8	5					
35 to 39 years.....	11			1	4	4	3	1	2		
Negro.....	500	14	82	73	64	40	37	32	24	8	126
Age of mother:											
15 to 19 years.....	109	12	40	12	4	4	1	2	1	1	36
20 to 24 years.....	136	2	31	36	14	4	2	3	4	1	39
25 to 29 years.....	96		8	19	20	7	4	4	1	1	32
30 to 34 years.....	77		2	6	18	16	6	9	5	3	12
35 to 39 years.....	65				7	13	20	11	7	1	6
40 to 44 years.....	16		1		1		4	3	5	1	1
45 to 49 years.....	1								1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE VIRGIN ISLANDS: 1932

CAUSE OF DEATH	Under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 mo.	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
All causes.....	74	12	4	3	9	4		1	33	6	8	9	1	6	4	1		1	3	2
Whooping cough (9).....	4									1		1		1		1				
Syphilis (34).....	1		1						1											
Convulsions (86).....	1				1				1											
Bronchitis (106).....	6									1	1	2		2						
Broncho-pneumonia (107).....	5										2	1		1					1	
Lobar and unspecified pneumonia (108, 109).....	2									1									1	
Diarrhea and enteritis (119).....	15				1	1			2	2	3			1	2				1	2
Congenital malformations (157).....	3			1	2				3											
Congenital debility, icterus, sclerema (158, 161 b, c).....	4										1	1			1					
Premature birth (159).....	16	8	2		2	2		1	15		1								1	
Injury at birth (160).....	1	1							1											
Other diseases of early infancy (161 a, d).....	6	2	1	1	2				6											
Unknown or ill-defined diseases (199, 200).....	5	1		1	1				3		1	1								
All other causes.....	5					1			1	1			1	1	1					

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 7.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES IN THE VIRGIN ISLANDS: 1924-32.

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	1932	1931	1930	1929	1928	1927	1926	1925	1924
All causes.....	133.8	119.2	119.9	145.2	214.9	210.2	119.3	142.0	178.5
Whooping-cough (9).....	7.2				16.0				
Dysentery (13).....					5.3	1.8	3.3	9.5	3.0
Tetanus (22).....						1.8	3.3		1.5
Tuberculosis of the respiratory system (23).....		2.1							
Syphilis (34).....	1.8	6.3	3.4		7.1	14.6	1.6	4.7	3.0
Convulsions (36).....	1.8				1.8	1.8		1.6	1.5
Bronchitis (106).....	10.8		3.4	4.0	3.6	3.7	4.9	1.6	4.5
Broncho-pneumonia (107).....	9.0	16.7	5.1	18.1	32.0	23.8	24.5	30.0	25.7
Lobar and unspecified pneumonia (108, 109).....	3.6	2.1		2.0	1.8	1.8	1.6	1.6	1.5
Diseases of the stomach (117, 118).....							1.6	1.6	
Diarrhea and enteritis (119).....	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1	42.4
Congenital malformations (157).....	5.4		5.1	6.0	1.8	7.3	8.2	1.6	4.5
Congenital debility, icterus, sclerema ¹ (158, 161 b, c).....	7.2	12.6	1.7	8.1	17.8	21.9	14.7	12.6	33.3
Premature birth (159).....	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4	33.3
Injury at birth (160).....	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2	3.0
Other diseases of early infancy (161 a, d).....	10.8	6.3	1.7	14.1	7.1	12.8	4.9	7.9	4.5
External causes ² (172-198, 201-214).....		2.1			5.3	3.7	3.3	3.2	3.0
Unknown or ill-defined diseases (199, 200).....	9.0	8.4	5.1	2.0	3.6	7.3		11.0	9.1
All other causes.....	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6	4.5

¹ Includes lack of care, desertion, etc., previous to 1930.² Excludes lack of care, desertion, etc., previous to 1930.

TABLE 8.—BIRTHS, DEATHS, AND STILLBIRTHS IN THE VIRGIN ISLANDS: 1924-32

CALENDAR YEAR AND SEX	BIRTHS ¹				ALL DEATHS ¹				DEATHS ¹ UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored
1932																
Total.....	53	500			23	423	6	2	2	72				32		
Male.....	23	276			13	196	3	1	1	44				19		
Female.....	30	224			10	227	3	1	1	28				13		
1931																
Total.....	54	423		1	32	417			7	50			3	34		
Male.....	23	205			20	200			5	25			1	18		
Female.....	31	218		1	12	217			2	25			2	16		
1930																
Total.....	73	517		2	28	452		4	4	67				45		
Male.....	41	253		1	15	214		4	1	34				26		
Female.....	32	264		1	13	238			3	33				19		
1929																
Total.....	54	441	1		35	496	1	1	4	68			1	42		
Male.....	33	228			17	238	1	1	2	40			1	27		
Female.....	21	213	1		18	258			2	28				15		
1928																
Total.....	74	487	2		37	615		1	8	113			2	42	2	
Male.....	35	231	1		16	290		1	5	58			1	24	2	
Female.....	39	256	1		21	325			3	55			1	18		
1927																
Total.....	41	506			43	551			4	111				53		
Male.....	25	243			23	265			4	69				29		
Female.....	16	263			20	286				42				24		
1926																
Total.....	53	538	19	2	29	469		1	1	72			1	55		
Male.....	27	262	11		17	223		1		35			1	26		
Female.....	26	276	8	2	12	246			1	37				29		
1925																
Total.....	60	493	79	2	27	473		1	3	87			2	52	6	
Male.....	28	235	43	1	14	225		1	1	46			2	32	1	
Female.....	32	258	36	1	13	248			2	41				20	5	
1924																
Total.....	59	507	95		31	496	74		12	96	10		4	65	5	
Male.....	29	240	50		12	245	27		4	47	6		4	36	4	
Female.....	30	267	45		19	251	47		8	49	4			29	1	

¹ Exclusive of stillbirths.

NOTE.—“Mixed” designates persons of mixed white and Negro blood.