

July 19, 1994

**OFFICERS**

**President**

Lindsay Sattler, BA RN CGRN  
University of Colorado  
Health Sciences Center  
Denver, Colorado

**President-Elect**

Nancy Shoop, BSN RN CGRN  
Richard L. Roudebush VAMC  
Indianapolis, Indiana

**Secretary**

Anne Hillier, RN CGRN  
Boswell Memorial Hospital  
Phoenix, Arizona

**Treasurer**

Delores Saddler, MSN RN CGRN  
UT MD Anderson Hospital  
Houston, Texas

**Immediate Past President**

Karen Sundwick, RN CGRN  
Hurley Medical Center  
Flint, Michigan

**DIRECTORS**

Doris Bamie, MSN RN CGRN  
Ridgewood, New Jersey

Nancy Bellas, RN CGRN  
Wilkes-Barre, Pennsylvania

Nancy DeNiro, RN CGRN  
Aurora, Colorado

Jean Kidwell, BSN RN CGC  
Washington, DC

Theresa Morse, BSN RN CGRN  
San Francisco, California

Jody Patterson, RN CGRN  
Tacoma, Washington

**SPEAKER/HOUSE OF DELEGATES**

Diana Parker, BSN RN CGRN  
Bellingham, Washington

**EXECUTIVE DIRECTOR**

Margaret M. Crevey


NIOSH Docket Office  
Robert A. Taft Laboratories  
Mail Stop C34, 4678  
Columbia Parkway  
Cincinnati, OH 45226

Dear Sirs:

The Society of Gastroenterology Nurses and Associates has reviewed and supports the proposed NIOSH rule on respiratory protective devices (42 CFR Part 84, Federal Register, Vol. 59, No. 99, pages 26850-26893).

Last December our organization, along with many other nursing organizations, voiced concern regarding the requirement for HEPA particulate respirators in the CDC's 1993 draft tuberculosis guidelines. We understand your new rule on protective devices will allow a broader range of certified respirators to provide the necessary level of protection for health care workers, and offers options other than the currently mandated HEPA particulate respirators.

Sincerely,



Lindsay Sattler, BA RN CGRN  
President

JUL 20 1994