

Appendix Table. Clinical and laboratory data of patients with rickettsioses and leptospirosis, Indonesia, February 2005–February 2006*

Disease/ patient no.	Age, y/sex	Month of illness onset	<i>Rickettsia typhi</i> IFA (IgG/IgM)		MAT			Leptospirosis PCR result	Clinical features and treatment
			Admission sample	Convalescent- phase sample	Highest titer pathogenic serovar	Putative infecting serogroup			
Murine typhus									
7	49/M	Feb	0/0	1,024/1,024	NA	NA	–	4-d fever, myalgia, headache, chills, cough, abdominal pain; Rx: ciprofloxacin	
10	45/M	Mar	512/1,024	512/1,024	NA	NA	–	7-d fever, myalgia, headache, nausea, abdominal pain; Rx: ciprofloxacin	
12	46/F	Mar	2,048/512	2,048/512	NA	NA	–	3-d fever, headache, chills, nausea, vomiting, hepatomegaly; Rx: ciprofloxacin	
18	15/M	Apr	256/64	256/64	NA	NA	–	3-d fever, headache, sore throat, abdominal pain; Rx: cefadroxyl	
24	46/F	Apr	128/512	1,024/1,024	NA	NA	–	7-d fever, headache, nausea, abdominal pain; Rx: ciprofloxacin	
63	68/F	Nov	2,048/256	2,048/512	NA	NA	–	3-d fever, myalgia, headache, chills, nausea, dyspnea; Rx: ciprofloxacin	
1107	13/F	Feb	0/32	1,024/512	NA	NA	–	2-d fever, headache, anorexia; Rx: cotrimoxazol	
1112	25/M	Feb	256/64	NA	NA	NA	–	2-d fever, myalgia, headache, anorexia, sore throat, cough, abdominal pain, calf pain; Rx: amoxicillin	
1123	8/F	Mar	0/64	512/0	NA	NA	–	1-d fever, headache, sore throat, nausea, vomiting, abdominal pain; Rx: amoxicillin	
Possible murine typhus									
2	17/F	Feb	0/0	0/64	NA	NA	–	5-d fever, myalgia, headache, chills, cough sore throat; no antimicrobial drug	
5	31/F	Feb	0/0	128/0	NA	NA	–	5-d fever, myalgia, headache, chills, nausea; no antimicrobial drug	
53	22/F	Aug	128/32	128/64	NA	NA	–	4-d fever, myalgia, headache, nausea, vomiting, abdominal pain, diarrhea; no antimicrobial drug	
62	17/M	Nov	128/64	128/64	NA	NA	–	4-d fever, myalgia, headache, chills, sore throat, nausea, vomiting, abdominal pain, petechiae; no antimicrobial drug	
69	46/M	Dec	0/128	0/128	NA	NA	–	9-d fever, myalgia, headache, chills, nausea, abdominal pain; Rx: ciprofloxacin	

Publisher: CDC; Journal: Emerging Infectious Diseases
 Article Type: Dispatch; Volume: 15; Issue: 6; Year: 2009; Article ID: 08-1405
 DOI: 10.3201/eid1506.081405; TOC Head: Dispatch

1104	14/M	Feb	128/64	128/64	NA	NA	—	1-d fever, headache; Rx: amoxicillin
1105	11/F	Feb	128/32	NA	NA	NA	—	2-d fever, myalgia, headache, nausea, vomiting, abdominal pain; Rx: amoxicillin
1113	70/F	Feb	0/0	0/64	NA	NA	—	1-d fever, myalgia, headache, sore throat, cough, calve pain; Rx: amoxicillin
1132	7/M	Mar	256/0	NA	NA	NA	NA‡	3-d fever, headache, sore throat, nausea, vomiting, conjunctival suffusion, petechiae; Rx: amoxicillin
<hr/>								
Leptospirosis								
4	27/M	Feb	—	—	80†	Javanica	—	2-d fever, myalgia, headache, chills, nausea, vomiting, abdominal pain, calve pain, hepatomegaly; Rx: cefotaxime
14	63/M	Mar	128/0	128/0	1,280	Hebdomadis	—	3-d fever, myalgia, headache, nausea, vomiting, abdominal pain; Rx: ciprofloxacin
25	41/F	May	—	—	80†	Bataviae	—	2-d fever, myalgia, headache, chills, nausea, vomiting; no antimicrobial drug
29	49/M	May	—	—	160†	Bataviae	—	4-d fever, myalgia, headache, chills, diarrhea, conjunctival suffusion; Rx: ciprofloxacin and PP
32	40/M	May	—	—	320	Bataviae	—	5-d fever, myalgia, headache, nausea, vomiting, abdominal pain, petechiae; no antimicrobial drug
37	50/M	May	—	—	40†	NC	—	5-d fever, headache, chills, cough, nausea, vomiting, abdominal pain, diarrhea; Rx: PP
40	63/M	Jun	—	—	—	NC	+	2 d fever, myalgia, headache, nausea, vomiting, abdominal pain, calve pain; Rx: PP
48	16/M	Jun	—	—	640	Saxkoebing	—	2-d fever, myalgia, headache, chills, petechiae; no antimicrobial drug
1152	17/M	Mar	—	—	160†	Bataviae	—	2-d fever, myalgia, headache, chills, sore throat, cough, nausea; Rx: amoxicillin, tetracycline, cotrimoxazol
1182	58/F	Jan	—	—	320§	NC	+	2-d fever, myalgia, headache, cough; Rx: cotrimoxazol
<hr/>								
Possible co-infection								
33	38/M	May	1,024/0	1,024/0	320	Icterohemorrhagiae	—	5-d fever, myalgia, headache, nausea, abdominal pain, diarrhea, calve pain; Rx: cefotaxime

Publisher: CDC; Journal: Emerging Infectious Diseases
Article Type: Dispatch; Volume: 15; Issue: 6; Year: 2009; Article ID: 08-1405
DOI: 10.3201/eid1506.081405; TOC Head: Dispatch

43	39/F	Jul	0/0	0/256	640	Bataviae	+	5-d fever, myalgia, headache, chills, nausea, vomiting, jaundice, calve pain; Rx: PP
60	37/M	Oct	0/64	64/64	-	NC	+	5-d fever, myalgia, headache, nausea, abdominal pain; no antimicrobial drug

*IFA, microimmunofluorescent antibody; Ig, immunoglobulin; MAT, microscopic agglutination test; NA, not available; NC, not classifiable; PP, procaine penicillin; Rx, medical prescription.

†Patient seroconverted from negative (<20) to a positive titer by MAT or ELISA.

‡Insufficient sample to perform PCR; leptospirosis highly suspected in patient.

§IgG ELISA result; the highest titer by MAT was <40.