

Male File :: Section R :: Section A

AGER(4007-4008)

Variable Type : Recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	470
16	16 YEARS	468
17	17 YEARS	473
18	18 YEARS	511
19	19 YEARS	456
20	20 YEARS	348
21	21 YEARS	360
22	22 YEARS	338
23	23 YEARS	353
24	24 YEARS	334
25	25 YEARS	380
26	26 YEARS	378
27	27 YEARS	362
28	28 YEARS	337
29	29 YEARS	350
30	30 YEARS	331
31	31 YEARS	322
32	32 YEARS	328
33	33 YEARS	268
34	34 YEARS	306
35	35 YEARS	291
36	36 YEARS	317
37	37 YEARS	315
38	38 YEARS	258
39	39 YEARS	319
40	40 YEARS	291
41	41 YEARS	276
42	42 YEARS	269
43	43 YEARS	315
44-45	44 YEARS	279
	Total	10403

Universe : Applicable for all respondents

Notes : Respondents age 45 were 44 at screener

FMARITAL(4009-4009)

Variable Type : Recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED	2825
2	WIDOWED	18
3	DIVORCED	654
4	SEPARATED	238
5	NEVER MARRIED	6668
	Total	10403

Universe : Applicable for all respondents

RMARITAL(4010-4010)

Variable Type : Recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED	2825
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1084
3	WIDOWED	15
4	DIVORCED	499
5	SEPARATED FOR REASONS OF MARITAL DISCORD	208
6	NEVER BEEN MARRIED	5772
	Total	10403

Universe : Applicable for all respondents

EDUCAT(4011-4012)

Variable Type : Recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	1665
10	10TH GRADE	834
11	11TH GRADE	970
12	12TH GRADE	2529
13	1 YEAR OF COLLEGE/GRAD SCHOOL	982
14	2 YEARS OF COLLEGE/GRAD SCHOOL	964
15	3 YEARS OF COLLEGE/GRAD SCHOOL	474
16	4 YEARS OF COLLEGE/GRAD SCHOOL	1048
17	5 YEARS OF COLLEGE/GRAD SCHOOL	312
18	6 YEARS OF COLLEGE/GRAD SCHOOL	324
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	301
	Total	10403

Universe : Applicable for all respondents. (This variable has been bottomcoded for public use.)

HIEDUC(4013-4014)

Variable Type : Recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	1550
6	10TH GRADE	800
7	11TH GRADE	915
8	12TH GRADE, NO DIPLOMA (NOR GED)	169
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2562
10	SOME COLLEGE BUT NO DEGREE	1997
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	547
12	BACHELOR'S DEGREE	1336
13	MASTER'S DEGREE	379
14	DOCTORATE DEGREE	73
15	PROFESSIONAL DEGREE	75
	Total	10403

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

HISPANIC(4015-4015)

Variable Type : Recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	2409
2	NON-HISPANIC	7994
	Total	10403

Universe : Applicable for all respondents

NUMRACE(4016-4016)

Variable Type : Intermediate

Description : Intermediate variable for multiple race reporting (used for HISPRACE2)

value	label	Total
1	SINGLE RACE REPORTED	9911
2	2 OR MORE RACES REPORTED	492
	Total	10403

Universe : Applicable for all respondents

RACE(4017-4017)

Variable Type : Recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	2008
2	WHITE	6826
3	OTHER	1569
	Total	10403

Universe : Applicable for all respondents

HISPRACE(4018-4018)

Variable Type : Recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	2409
2	Non-Hispanic White	5448
3	Non-Hispanic Black	1854
4	Non-Hispanic Other	692
	Total	10403

Universe : Applicable for all respondents

HISPRACE2(4019-4019)

Variable Type : Recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	2409
2	Non-Hispanic White, Single Race	5275
3	Non-Hispanic Black, Single Race	1752
4	Non-Hispanic Other or Multiple Race	967
Total		10403

Universe : Applicable for all respondents

NUMKDHH(4020-4020)

Variable Type : Recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	7311
1	1 CHILD	1153
2	2 CHILDREN	1146
3	3 CHILDREN	551
4	4 CHILDREN	166
5	5 CHILDREN OR MORE	76
Total		10403

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

NUMFMHH(4021-4021)

Variable Type : Recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	2204
1	1 FAMILY MEMBER	2127
2	2 FAMILY MEMBERS	2177
3	3 FAMILY MEMBERS	2072
4	4 FAMILY MEMBERS	1069
5	5 FAMILY MEMBERS	446
6	6 FAMILY MEMBERS	172
7	7 FAMILY MEMBERS OR MORE	136
Total		10403

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

HHFAMTYP(4022-4022)

Variable Type : Recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	6262
2	Spouse/partner, but no child(ren) (of R) 18 or younger	1246
3	Spouse and R's child(ren) 18 or younger	2030
4	Cohabiting partner and R's child(ren) 18 or younger	584
5	No spouse/partner, but child(ren) of R, 18 or younger	281
Total		10403

Universe : Applicable for all respondents

HHPARTYP(4023-4023)

Variable Type : Recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	1830
2	Biological and step- or adoptive parent	431
3	Single parent (biological, adoptive, or stepparent)	1490
4	Other	6652
	Total	10403

Universe : Applicable for all respondents

NCHILDHH(4024-4024)

Variable Type : Recode

Description : Number of R's children (18 or younger) living in household (RECODE)

value	label	Total
0-2	Number of respondent's children 18 or younger in the household	9660
3	3 or more of respondent's children 18 or younger in the household	743
	Total	10403

Universe : Applicable for all respondents

HHKIDTYP(4025-4025)

Variable Type : Recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	7508
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	2334
2	Any non-biological child (of R's) 18 or younger in HH	561
	Total	10403

Universe : Applicable for all respondents

CSPBBHH(4026-4026)

Variable Type : Recode

Description : Number of R's biological children (18 or younger) with current spouse/ cohabiting partner who live in household (RECODE)

value	label	Total
.	INAPPLICABLE	6494
0	No joint biological children	1608
1	1 joint biological child	918
2	2 joint biological children	911
3	3 or more joint biological children	472
	Total	10403

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

CSPSBHH(4027-4027)

Variable Type : Recode

Description : Number of R's nonbiological children (18 or younger) in household who are the biological children of his current wife/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	6494
0	No such child	3407
1	1 or more such children	502
Total		10403

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

CSPOKDHH(4028-4028)

Variable Type : Recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	6494
0	No such child	3733
1	1 or more such children	176
Total		10403

Universe : Applicable if R is currently married or cohabiting with a female partner AB-1 MARSTAT = 1 or 2. (This variable has been topcoded for public use.)

INTCTFAM(4029-4029)

Variable Type : Recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	6096
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	4307
Total		10403

Universe : Applicable for all respondents

PARAGE14(4030-4030)

Variable Type : Recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL PARENTS AT AGE 14	6798
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	871
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	2734
Total		10403

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

EDUCMOM(4031-4032)

Variable Type : Recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	2335
2	High school graduate or GED	3517
3	Some college, including 2-year degrees	2316
4	Bachelor's degree or higher	2153
95	No mother-figure identified	82
Total		10403

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

AGEMOMB1(4033-4034)

Variable Type : Recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	1469
2	18-19 YEARS	1875
3	20-24 YEARS	3968
4	25-29 YEARS	1997
5	30 OR OLDER	963
96	MOTHER-FIGURE HAD NO CHILDREN	131
Total		10403

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

FMARNO(4035-4035)

Variable Type : Recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	6668
1	1 TIME	3268
2	2 TIMES	410
3	3 TIMES	52
4	4 TIMES	5
Total		10403

Universe : Applicable for all respondents

AGER_I(4036-4036)

Variable Type : Imputation Flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total		10403

Universe : Applicable for all respondents

FMARITAL_I(4037-4037)

Variable Type : Imputation Flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10400
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

RMARITAL_I (4038-4038)

Variable Type : Imputation Flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10400
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

EDUCAT_I (4039-4039)

Variable Type : Imputation Flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

HIEDUC_I (4040-4040)

Variable Type : Imputation Flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10395
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	10403

Universe : Applicable for all respondents

HISPANIC_I (4041-4041)

Variable Type : Imputation Flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

RACE_I (4042-4042)

Variable Type : Imputation Flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

HISPRACE_I (4043-4043)

Variable Type : Imputation Flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

HISPRACE2_I (4044-4044)

Variable Type : Imputation Flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	10403

Universe : Applicable for all respondents

NUMKDHH_I (4045-4045)

Variable Type : Imputation Flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

NUMFMHH_I (4046-4046)

Variable Type : Imputation Flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

HHFAMTYP_I (4047-4047)

Variable Type : Imputation Flag

Description : HHFAMTYP Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

HHPARTYP_I (4048-4048)

Variable Type : Imputation Flag

Description : HHPARTYP Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

NCHILDHH_I (4049-4049)

Variable Type : Imputation Flag

Description : NCHILDHH Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

HHKIDTYP_I (4050-4050)

Variable Type : Imputation Flag

Description : HHKIDTYP Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

CSPBBHH_I (4051-4051)

Variable Type : Imputation Flag

Description : CSPBBHH Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

CSPSBHH_I (4052-4052)

Variable Type : Imputation Flag

Description : CSPSBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

CSPOKDHH_I (4053-4053)

Variable Type : Imputation Flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

INTCTFAM_I (4054-4054)

Variable Type : Imputation Flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

PARAGE14_I (4055-4055)

Variable Type : Imputation Flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10400
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	10403

Universe : Applicable for all respondents

EDUCMOM_I (4056-4056)

Variable Type : Imputation Flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10233
1	MULTIPLE REGRESSION IMPUTATION	170
	Total	10403

Universe : Applicable for all respondents

AGEMOMB1_I (4057-4057)

Variable Type : Imputation Flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10201
1	MULTIPLE REGRESSION IMPUTATION	202
	Total	10403

Universe : Applicable for all respondents

FMARNO_I(4058-4058)

Variable Type : Imputation Flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10362
2	LOGICAL IMPUTATION	41
	Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Sections B-F

HADSEX(4059-4059)

Variable Type : Recode

Description : Whether R ever had sexual intercourse (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	8630
2	NO, R NEVER HAD INTERCOURSE	1773
	Total	10403

Universe : Applicable for all respondents

SEXONCE(4060-4060)

Variable Type : Recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	YES (R HAS HAD SEX ONLY ONCE)	151
2	NO (R HAS HAD SEX MORE THAN ONCE)	8479
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

VR1STSEX(4061-4064)

Variable Type : Recode

Description : CM date of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	1773
522-1278	BEFORE JULY 2006	7966
1279-1290	JULY 2006-JUNE 2007	283
1291-1308	JULY 2007-DEC 2008	301

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

firstpflag(4065-4065)

Variable Type : Intermediate

Description : Flag indicating which section and which series reflects R's first sexual partner

value	label	Total
.	INAPPLICABLE	1773
1	cmfstsex - CM of first sex ever, based on DL series	7245
2	cmlsxp - CM when R last had sex with most recent partner	153
3	cmlsxp2 - CM when R last had sex with 2nd-to-last partner	14
4	cmlsxp3 - CM when R last had sex with 3rd-to-last partner	6
5	cmfsxp - CM when R first had sex with most recent partner	450
6	cmfsxp2 - CM when R first had sex with 2nd-to-last partner	27
7	cmfsxp3 - CM when R first had sex with 3rd-to-last partner	11
8	cmfsxcwp - CM when R first had sex with CWP	714
9	unable to determine: raw variable(s) missing	10
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

VR1STAG(4066-4067)

Variable Type : Recode

Description : R's age at 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0-14	UNDER 15 YEARS	1969
15-17	15-17 YEARS	3948
18-19	18-19 YEARS	1425
20-44	20 YEARS OR OLDER	1288
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

elapsd(4068-4070)

Variable Type : Intermediate

Description : # of mos btwn 1st sex and last sex: R's 1st partner (DF series only)

value	label	Total
.	INAPPLICABLE	9931
0	0	64
1-995	Number of months	408
Total		10403

Universe : Applicable if cmlsxp[x] and cmfsxp[x] are not blank

SEXMAR(4071-4073)

Variable Type : Recode

Description : Months between 1st intercourse and 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	286
1-12	1-12 MONTHS	411
13-24	13-24 MONTHS	452
25-36	25-36 MONTHS	514
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	6917
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	50
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEXUNION(4074-4076)

Variable Type : Recode

Description : Months between 1st intercourse and 1st coresidential union or interview (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	1773
000	First intercourse in same month as marriage or cohabitation	364
001-995	1 to nnn months after first intercourse	8131
996	First intercourse after first marriage or cohabitation	135
	Total	10403

Universe : Applicable if R ever had sexual intercourse with a female (HADSEX = 1)

FSEXPAGE(4077-4079)

Variable Type : Recode

Description : Age of 1st sexual partner at 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0-14	UNDER 15 YEARS	1318
15-17	15-17 YEARS	3751
18-19	18-19 YEARS	1474
20-95	20 YEARS OR OLDER	1492
900-995	ESTIMATED AGE	595
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

FSEXRLTN(4080-4080)

Variable Type : Recode

Description : Relationship with 1st sexual partner at time of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	MARRIED TO HER	320
2	ENGAGED TO HER, AND LIVING TOGETHER	63
3	ENGAGED TO HER, BUT NOT LIVING TOGETHER	106
4	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	76
5	GOING OUT WITH HER OR GOING STEADY	3858
6	GOING OUT WITH HER ONCE IN A WHILE	967
7	JUST FRIENDS	2248
8	HAD JUST MET HER	694

9	SOMETHING ELSE	298
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX1MTHD1(4081-4082)

Variable Type : Recode

Description : Contraceptive method use at 1st sexual intercourse: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	Condom	5060
2	Withdrawal	357
4	Pill	459
5	Female sterilization	21
6	Injection -- Depo-Provera/Lunelle	13
7	Spermicidal foam/jelly/cream/film/suppository	13
9	Rhythm or safe period	19
10	Contraceptive Patch	5
11	Vaginal contraceptive ring	6
12	Y1:[Not a response option]/Y2+:IUD, coil, loop	6
13	Something else	10
96	No method used at first intercourse	2661
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX1MTHD2(4083-4084)

Variable Type : Recode

Description : Contraceptive method use at 1st sexual intercourse: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6630
1	Condom	39
2	Withdrawal	260
4	Pill	704
5	Female sterilization	7
6	Injection -- Depo-Provera/Lunelle	37
7	Spermicidal foam/jelly/cream/film/suppository	23
8	Hormonal implant -- Norplant	2
9	Rhythm or safe period	14
10	Contraceptive Patch	4
11	Vaginal contraceptive ring	4
12	Y1:[Not a response option]/Y2+:IUD, coil, loop	6
13	Something else	12
96	No method used at first intercourse	2661
	Total	10403

Universe : Applicable if R reported more than 1 method at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD3(4085-4086)

Variable Type : Recode

Description : Contraceptive method use at 1st sexual intercourse: 3rd mentioned (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	7657
1	Condom	1
2	Withdrawal	10
3	Vasectomy	2
4	Pill	44
5	Female sterilization	2
6	Injection -- Depo-Provera/Lunelle	4
7	Spermicidal foam/jelly/cream/film/suppository	7
9	Rhythm or safe period	10
10	Contraceptive Patch	1
11	Vaginal contraceptive ring	1
12	Y1:[Not a response option]/Y2+:IUD, coil, loop	1
13	Something else	2
96	No method used at first intercourse	2661
	Total	10403

Universe : Applicable if R reported more than 2 methods at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD4(4087-4088)

Variable Type : Recode

Description : Contraceptive method use at 1st sexual intercourse: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	7741
9	Rhythm or safe period	1
96	No method used at first intercourse	2661
	Total	10403

Universe : Applicable if R reported more than 3 methods at 1st sexual intercourse (see recode SEX1MTHD1)

LSEXDATE(4089-4092)

Variable Type : Recode

Description : Date of last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	1773
740-1278	BEFORE JULY 2006	774
1279-1290	JULY 2006-JUNE 2007	1955
1291-1308	JULY 2007-DEC 2008	2929
1309-1326	JAN 2009-JUN 2010	2972
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXDATE2(4093-4096)

Variable Type : Recode

Description : Date of last (or most recent) sexual intercourse (ordered according to partner dates) (RECODE)

value	label	Total
.	INAPPLICABLE	1773
522-1278	BEFORE JULY 2006	771
1279-1290	JULY 2006-JUNE 2007	1953
1291-1308	JULY 2007-DEC 2008	2931
1309-1326	JAN 2009-JUN 2010	2975
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

orderflag(4097-4097)

Variable Type : Intermediate

Description : Flag for inconsistency between order of dates of sex, and identification of partner as last, 2nd-to-last, and 3rd-to-last (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	PARTNER DATES ARE IN ORDER, OR ONLY ONE VALID DATE REPORTED	8484
2	PARTNERS REPORTED OUT OF ORDER: LAST PARTNER AND POSSIBLY OTHERS	35
3	PARTNERS REPORTED OUT OF ORDER: 2ND-TO-LAST AND 3RD-TO-LAST PARTNERS ONLY	40
4	NO NONMISSING PARTNER DATES	71
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX3MO(4098-4098)

Variable Type : Recode

Description : Whether R had sexual intercourse in past 3 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	YES, HAD INTERCOURSE	6692
2	NO, DID NOT HAVE INTERCOURSE	1938
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX12MO(4099-4099)

Variable Type : Recode

Description : Whether R had sexual intercourse in past 12 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	YES, HAD INTERCOURSE	7714
2	NO, DID NOT HAVE INTERCOURSE	916
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRAGE(4100-4101)

Variable Type : Recode

Description : R's age at last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0-17	UNDER 18 YEARS	573
18-19	18-19 YEARS	653
20-24	20-24 YEARS	1541
25-34	25-34 YEARS	3186
35-45	35-44 YEARS	2677
Total		10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXPAGE(4102-4104)

Variable Type : Recode

Description : Age of last (or most recent) partner at last sex (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0-14	UNDER 15 YEARS	54
15-17	15-17 YEARS	623
18-19	18-19 YEARS	798
20-95	20 YEARS OR OLDER	7100
900-995	ESTIMATED AGE	55
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXPRAC(4105-4105)

Variable Type : Recode

Description : Race/ethnicity of last (or most recent) sexual partner (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	Hispanic	1967
2	Non-Hispanic White	4750
3	Non-Hispanic Black	1340
4	Non-Hispanic Other	573
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRLTN(4106-4106)

Variable Type : Recode

Description : Relationship with last sexual partner at last sex ever (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	Married to her	2919
3	Living together in a sexual relationship	1248
4	Going out with her or going steady	2210
5	Going out with her once in a while	717
6	Just friends	964
7	Had just met her	145
8	Something else	146
9	Engaged to her: only asked of a subset of Rs	281
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXUSE1(4107-4108)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse ever - 1st mentioned (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	1773
1	CONDOM	3608
2	WITHDRAWAL	728
3	VASECTOMY	304
4	PILL	922
5	FEMALE STERILIZATION	603
6	INJECTION -- DEPO-PROVERA/LUNELLE	96
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	17
8	HORMONAL IMPLANT -- NORPLANT	22
9	RYTHM OR SAFE PERIOD	20
10	CONTRACEPTIVE PATCH	101
11	VAGINAL CONTRACEPTIVE RING	86
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	153
13	SOMETHING ELSE	57
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	45
96	NO METHOD USED AT LAST SEX	1868
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXUSE2(4109-4110)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse ever - 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6513
1	CONDOM	11
2	WITHDRAWAL	157
3	VASECTOMY	9
4	PILL	1293
5	FEMALE STERILIZATION	104
6	INJECTION -- DEPO-PROVERA/LUNELLE	98
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	25
8	HORMONAL IMPLANT -- NORPLANT	14
9	RYTHM OR SAFE PERIOD	51
10	CONTRACEPTIVE PATCH	31
11	VAGINAL CONTRACEPTIVE RING	75
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	45
13	SOMETHING ELSE	64
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	45
96	NO METHOD USED AT LAST SEX	1868
	Total	10403

Universe : Applicable if R reported more than 1 method at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE3(4111-4112)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse ever - 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8316
1	CONDOM	4
2	WITHDRAWAL	110
3	VASECTOMY	3
4	PILL	9
5	FEMALE STERILIZATION	2

6	INJECTION -- DEPO-PROVERA/LUNELLE	1
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	15
9	RYTHM OR SAFE PERIOD	8
10	CONTRACEPTIVE PATCH	10
11	VAGINAL CONTRACEPTIVE RING	4
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	2
13	SOMETHING ELSE	6
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	45
96	NO METHOD USED AT LAST SEX	1868
	Total	10403

Universe : Applicable if R reported more than 2 methods at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE4(4113-4114)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse ever - 4th mentioned (RECODE)

value label	Total	
.	INAPPLICABLE	8480
4	PILL	1
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
9	RYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	3
11	VAGINAL CONTRACEPTIVE RING	1
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	2
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	45
96	NO METHOD USED AT LAST SEX	1868
	Total	10403

Universe : Applicable if R reported more than 3 methods at last sexual intercourse (see recode LSEXUSE1)

METH12M1(4115-4116)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 1st mentioned (RECODE)

value label	Total	
.	INAPPLICABLE	2689
1	CONDOM	3078
2	WITHDRAWAL	662
3	VASECTOMY	297
4	PILL	832
5	FEMALE STERILIZATION	581
6	INJECTION -- DEPO-PROVERA/LUNELLE	86
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	15
8	HORMONAL IMPLANT -- NORPLANT	22
9	RYTHM OR SAFE PERIOD	20
10	CONTRACEPTIVE PATCH	93
11	VAGINAL CONTRACEPTIVE RING	85
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	149
13	SOMETHING ELSE	51
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	30
96	NO METHOD USED AT LAST SEX	1713
	Total	10403

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1)

METH12M2(4117-4118)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	6961
1	CONDOM	10
2	WITHDRAWAL	136
3	VASECTOMY	9
4	PILL	1093
5	FEMALE STERILIZATION	97
6	INJECTION -- DEPO-PROVERA/LUNELLE	84
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	19
8	HORMONAL IMPLANT -- NORPLANT	12
9	RYTHM OR SAFE PERIOD	46
10	CONTRACEPTIVE PATCH	25
11	VAGINAL CONTRACEPTIVE RING	70
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	43
13	SOMETHING ELSE	57
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	28
96	NO METHOD USED AT LAST SEX	1713
	Total	10403

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH12M3(4119-4120)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8514
1	CONDOM	4
2	WITHDRAWAL	92
3	VASECTOMY	2
4	PILL	9
5	FEMALE STERILIZATION	2
6	INJECTION -- DEPO-PROVERA/LUNELLE	1
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	11
9	RYTHM OR SAFE PERIOD	6
10	CONTRACEPTIVE PATCH	10
11	VAGINAL CONTRACEPTIVE RING	3
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	2
13	SOMETHING ELSE	6
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	28
96	NO METHOD USED AT LAST SEX	1713
	Total	10403

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH12M4(4121-4122)

Variable Type : Recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 4th mentioned (RECODE)

value label	Total
. INAPPLICABLE	8654
4 PILL	1
7 SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
10 CONTRACEPTIVE PATCH	3
11 VAGINAL CONTRACEPTIVE RING	1
12 Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	1
13 SOMETHING ELSE	1
95 R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	28
96 NO METHOD USED AT LAST SEX	1713
Total	10403

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

METH3M1(4123-4124)

Variable Type : Recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 1st mentioned (RECODE)

value label	Total
. INAPPLICABLE	3711
1 CONDOM	2400
2 WITHDRAWAL	604
3 VASECTOMY	286
4 PILL	772
5 FEMALE STERILIZATION	548
6 INJECTION -- DEPO-PROVERA/LUNELLE	80
7 SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	15
8 HORMONAL IMPLANT -- NORPLANT	18
9 RYTHM OR SAFE PERIOD	16
10 CONTRACEPTIVE PATCH	81
11 VAGINAL CONTRACEPTIVE RING	83
12 Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	145
13 SOMETHING ELSE	48
95 R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	18
96 NO METHOD USED AT LAST SEX	1578
Total	10403

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1)

METH3M2(4125-4126)

Variable Type : Recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 2nd mentioned (RECODE)

value label	Total
. INAPPLICABLE	7449
1 CONDOM	7
2 WITHDRAWAL	105
3 VASECTOMY	6
4 PILL	857
5 FEMALE STERILIZATION	84
6 INJECTION -- DEPO-PROVERA/LUNELLE	67
7 SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	15
8 HORMONAL IMPLANT -- NORPLANT	11
9 RYTHM OR SAFE PERIOD	40
10 CONTRACEPTIVE PATCH	23

11	VAGINAL CONTRACEPTIVE RING	60
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	38
13	SOMETHING ELSE	47
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX	1578
Total		10403

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH3M3(4127-4128)

Variable Type : Recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8696
1	CONDOM	3
2	WITHDRAWAL	69
3	VASECTOMY	2
4	PILL	7
5	FEMALE STERILIZATION	2
6	INJECTION -- DEPO-PROVERA/LUNELLE	1
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	9
9	RYTHM OR SAFE PERIOD	5
10	CONTRACEPTIVE PATCH	7
11	VAGINAL CONTRACEPTIVE RING	2
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	2
13	SOMETHING ELSE	4
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX	1578
Total		10403

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH3M4(4129-4130)

Variable Type : Recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8803
4	PILL	1
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
10	CONTRACEPTIVE PATCH	2
11	VAGINAL CONTRACEPTIVE RING	1
12	Y1:[NOT A RESPONSE OPTION]/Y2+: IUD, COIL LOOP	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX	1578
Total		10403

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

NUMP3MOS(4131-4131)

Variable Type : Recode

Description : Number of female sexual partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	1773
0	0 PARTNERS	1938
1	1 PARTNER	5879
2	2 PARTNERS	513
3	3 PARTNERS EXACTLY	59
4	3, POSSIBLY MORE PARTNERS	241
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LIFPRTNR(4132-4133)

Variable Type : Recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	1773
1	1 PARTNER	1248
2	2 PARTNERS	755
3	3 PARTNERS	792
4	4 PARTNERS	706
5	5 PARTNERS	709
6	6 PARTNERS	534
7	7 PARTNERS	417
8	8 PARTNERS	196
9	9 PARTNERS	169
10-19	10-19 PARTNERS	1520
20-49	20-49 PARTNERS	1161
50	50 OR MORE PARTNERS	423
	Total	10403

Universe : Applicable for all respondents (This variable has been topcoded for public use.)

PARTS1YR(4134-4135)

Variable Type : Recode

Description : Number of opposite-sex partners in past 12 mos (RECODE)

value	label	Total
0	NONE	2689
1	1 PARTNER	5696
2	2 PARTNERS	963
3	3 PARTNERS	430
4	4 PARTNERS	247
5	5 PARTNERS	140
6	6 PARTNERS	54
7	7 OR MORE PARTNERS	184
	Total	10403

Universe : Applicable for all respondents (This variable has been topcoded for public use.)

PARTDUR1(4136-4153)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value label	Total
. INAPPLICABLE	1773
0-995 Number of months between first and most recent sex with this partner	7950
997 Only had sex once with partner	680
Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

PARTDUR2(4154-4156)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value label	Total
. INAPPLICABLE	8377
0-995 Number of months between first and most recent sex with this partner	1591
997 Only had sex once with partner	435
Total	10403

Universe : Applicable if r had more than one female partner in the past 12 months (PARTS1YR > 1)

PARTDUR3(4157-4159)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value label	Total
. INAPPLICABLE	9342
0-995 Number of months between first and most recent sex with this partner	781
997 Only had sex once with partner	280
Total	10403

Universe : Applicable if r had more than two female partners in the past 12 months (PARTS1YR > 2)

COHEVER(4160-4160)

Variable Type : Recode

Description : Whether R ever cohabited (including premarital cohabitation) (RECODE)

value label	Total
1 Yes, ever cohabited (lived with a woman outside of marriage)	4758
2 No, never cohabited (lived with a woman outside of marriage)	5645
Total	10403

Universe : Applicable for all respondents

EVMARCOH(4161-4161)

Variable Type : Recode

Description : Whether R ever married or cohabited (RECODE)

value label	Total
1 Yes, ever married or cohabited	5908
2 No, never married or cohabited	4495
Total	10403

Universe : Applicable for all respondents

PMARRNO(4162-4163)

Variable Type : Recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	8105
1	One	2070
2	Two	205
3-HIGH	Three or more	23
Total		10403

Universe : Applicable for all respondents

NONMARR(4164-4181)

Variable Type : Recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	7089
1	One	1849
2	Two	839
3-HIGH	Three or more	626
Total		10403

Universe : Applicable for all respondents

TIMESCOH(4182-4199)

Variable Type : Recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	5646
1	One	2774
2	Two	1082
3-HIGH	Three or more	901
Total		10403

Universe : Applicable for all respondents

MARDAT01(4200-4203)

Variable Type : Recode

Description : CM date of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	6668
740-1278	BEFORE JULY 2006	3313
1279-1290	JULY 2006-JUNE 2007	167
1291-1308	JULY 2007-DEC 2008	210
1309-1326	JAN 2009-JUN 2010	45
Total		10403

Universe : Applicable if R has ever been married (FMARITAL NE 5)

MARDAT02(4204-4207)

Variable Type : Recode

Description : CM date of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	9936
740-1278	BEFORE JULY 2006	388
1279-1290	JULY 2006-JUNE 2007	32
1291-1308	JULY 2007-DEC 2008	37
1309-1326	JAN 2009-JUN 2010	10
Total		10403

Universe : Applicable if R has been married more than once (FMARNO GT 1)

MARDAT03(4208-4211)

Variable Type : Recode

Description : CM date of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	10346
740-1278	BEFORE JULY 2006	45
1279-1290	JULY 2006-JUNE 2007	6
1291-1308	JULY 2007-DEC 2008	5
1309-1326	JAN 2009-JUN 2010	1
Total		10403

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2)

MARDAT04(4212-4215)

Variable Type : Recode

Description : CM date of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	10398
740-1278	BEFORE JULY 2006	4
1291-1308	JULY 2007-DEC 2008	1
Total		10403

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3)

MAREND01(4216-4216)

Variable Type : Recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	9167
1	DIVORCED OR ANNULLED	1004
2	SEPARATED	214
3	WIDOWED	18
Total		10403

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(4217-4217)

Variable Type : Recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10227
1	DIVORCED OR ANNULLED	137
2	SEPARATED	31
3	WIDOWED	8
	Total	10403

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(4218-4218)

Variable Type : Recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10378
1	DIVORCED OR ANNULLED	14
2	SEPARATED	10
3	WIDOWED	1
	Total	10403

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04(4219-4219)

Variable Type : Recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10402
1	DIVORCED OR ANNULLED	1
	Total	10403

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MARDIS01(4220-4223)

Variable Type : Recode

Description : CM date when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	9167
740-1278	BEFORE JULY 2006	1036
1279-1290	JULY 2006-JUNE 2007	84
1291-1308	JULY 2007-DEC 2008	85
1309-1326	JAN 2009-JUN 2010	31
	Total	10403

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MARDIS02(4224-4227)

Variable Type : Recode

Description : CM date when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10226
740-1278	BEFORE JULY 2006	132
1279-1290	JULY 2006-JUNE 2007	18
1291-1308	JULY 2007-DEC 2008	25
1309-1326	JAN 2009-JUN 2010	2
Total		10403

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MARDIS03(4228-4231)

Variable Type : Recode

Description : CM date when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10378
740-1278	BEFORE JULY 2006	15
1279-1290	JULY 2006-JUNE 2007	7
1291-1308	JULY 2007-DEC 2008	2
1309-1326	JAN 2009-JUN 2010	1
Total		10403

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MARDIS04(4232-4235)

Variable Type : Recode

Description : CM date when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10402
1279-1290	JULY 2006-JUNE 2007	1
Total		10403

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MAR1DISS(4236-4238)

Variable Type : Recode

Description : Months between 1st marriage and dissolution of 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	6668
000	Less than 1 month	27
001-994	Months between 1st marriage and dissolution (or interview)	3708
Total		10403

Universe : Applicable if R has ever been married (FMARITAL NE 5)

PREMARW1(4239-4239)

Variable Type : Recode

Description : Whether R lived premaritally with his first wife (RECODE)

value	label	Total
.	INAPPLICABLE	6668
1	YES	2175
2	NO	1560
Total		10403

Universe : Applicable if R has ever been married (FMARITAL NE 5)

COHAB1(4240-4243)

Variable Type : Recode

Description : CM date of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	5645
740-1278	BEFORE JULY 2006	4221
1279-1290	JULY 2006-JUNE 2007	223
1291-1308	JULY 2007-DEC 2008	243
1309-1326	JAN 2009-JUN 2010	71
Total		10403

Universe : Applicable if R has ever cohabited outside of marriage (COHEVER = 1)

COHSTAT(4244-4244)

Variable Type : Recode

Description : Cohabitation status experience relative to 1st marriage (RECODE)

value	label	Total
1	Never cohabited outside of marriage	5645
2	First cohabited before first marriage	4519
3	First cohabited after first marriage	239
Total		10403

Universe : Applicable for all respondents

COHOUT(4245-4245)

Variable Type : Recode

Description : Outcome of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	5881
1	Intact cohabitation	594
2	Intact marriage	1092
3	Dissolved marriage	557
4	Dissolved cohabitation	2279
Total		10403

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

COH1DUR(4246-4248)

Variable Type : Recode

Description : Duration (in months) of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	5884
0	Less than 1 month	124
1-994	Number of months	4395
Total		10403

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

CSPBIOKD(4249-4249)

Variable Type : Recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	6494
0	None	1449
1	1	944
2	2	952
3	3	398
4	4	121
5-95	5 or more	45
Total		10403

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

DATBABY1(4250-4253)

Variable Type : Recode

Description : CM date when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	6433
522-1278	BEFORE JULY 2006	3476
1279-1290	JULY 2006-JUNE 2007	204
1291-1308	JULY 2007-DEC 2008	222
1309-1326	JAN 2009-JUN 2010	68
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

AGEBABY1(4254-4255)

Variable Type : Recode

Description : Age when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	6433
0-19	UNDER 20 YEARS	691
20-24	20-24 YEARS	1470
25-29	25-29 YEARS	1085
30-44	30-44 YEARS	724
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

B1PREMAR(4256-4256)

Variable Type : Recode

Description : Whether R's first biological child was born before his first marriage (premaritally) (RECODE)

value	label	Total
.	INAPPLICABLE	6433
1	Yes (1st biological child born before 1st marriage)	1971
2	No (1st biological child born in same month as or later than 1st marriage)	1999
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

MARBABY1(4257-4257)

Variable Type : Recode

Description : Formal marital status at time of R's first biological child's birth (RECODE)

value	label	Total
.	INAPPLICABLE	6433
1	Yes, married to child's mother	1875
2	No, not married to child's mother	2095
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOW(4258-4259)

Variable Type : Recode

Description : Number of biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	6433
0	None	1770
1	1 child	1261
2	2 children	547
3	3 children	241
4	4 children	93
5-95	5 or more	58
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWC(4260-4260)

Variable Type : Recode

Description : Number of biological children born out of wedlock, in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	6433
0	None	2484
1	1 child	947
2	2 children	365
3	3 children	127
4-95	4 or more children	47
Total		10403

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWP(4261-4262)

Variable Type : Recode

Description : Number of biological children born out of wedlock, but paternity established (RECODE)

value	label	Total
.	INAPPLICABLE	8203
0	None	346
1	1 child	1140
2	2 children	459
3	3 children	173
4-95	4 or more children	82
Total		10403

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

EVRNOPAT(4263-4263)

Variable Type : Recode

Description : Whether R has never established paternity for his biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	8203
1	YES, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT NO ESTABLISHED PATERNITY	346
2	NO, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT ESTABLISHED PATERNITY	1854
Total		10403

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

NONLIVEB(4264-4265)

Variable Type : Recode

Description : Number of non-live birth pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	8400
1	1 PREGNANCY	1323
2	2 PREGNANCIES	393
3-95	3 OR MORE PREGNANCIES	287
Total		10403

Universe : Applicable for all respondents

COMPREG(4266-4267)

Variable Type : Recode

Description : Number of completed pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	5672
1	1 PREGNANCY	1529
2	2 PREGNANCIES	1405
3	3 PREGNANCIES	855
4	4 PREGNANCIES	439
5-95	5 OR MORE PREGNANCIES	503
Total		10403

Universe : Applicable for all respondents

ABORTION(4268-4269)

Variable Type : Recode

Description : Number of abortions R has fathered (RECODE)

value	label	Total
.	INAPPLICABLE	5672
0	NONE	3872
1	1 PREGNANCY	615
2-95	2 OR MORE PREGNANCIES	244
Total		10403

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

LOSSNUM(4270-4271)

Variable Type : Recode

Description : Number of spontaneous pregnancy losses R has fathered (RECODE)

value	label	Total
.	INAPPLICABLE	5672
0	NONE	3361
1	1 PREGNANCY	983
2-95	2 OR MORE PREGNANCIES	387
Total		10403

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

PARENT01(4272-4272)

Variable Type : Recode

Description : Other biological parent of R's 1st biological child (RECODE)

value	label	Total
.	INAPPLICABLE	6433
1	Current wife	1790
2	Current cohabiting partner	356
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	253
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	82
5	Former wife (reported in Section E)	569
6	First cohabiting partner (reported in Section E)	347
7	Other sexual partner, not otherwise classified in codes 1-6	573
Total		10403

Universe : Applicable if R reported a biological child in Sections C, D, E, or F (biokids >0)

PARENT02(4273-4273)

Variable Type : Recode

Description : Other biological parent of R's 2nd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	7957
1	Current wife	1332
2	Current cohabiting partner	206
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	143

4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	21
5	Former wife (reported in Section E)	357
6	First cohabiting partner (reported in Section E)	133
7	Other sexual partner, not otherwise classified in codes 1-6	254
Total		10403

Universe : Applicable if R reported more than 1 biological child in Sections C, D, E, or F (biokids >1)

PARENT03(4274-4274)

Variable Type : Recode

Description : Other biological parent of R's 3rd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	9328
1	Current wife	586
2	Current cohabiting partner	104
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	56
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	13
5	Former wife (reported in Section E)	137
6	First cohabiting partner (reported in Section E)	44
7	Other sexual partner, not otherwise classified in codes 1-6	135
Total		10403

Universe : Applicable if R reported more than 2 biological children in Sections C, D, E, or F (biokids >2)

PARENT04(4275-4275)

Variable Type : Recode

Description : Other biological parent of R's 4th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	9987
1	Current wife	223
2	Current cohabiting partner	39
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	27
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	47
6	First cohabiting partner (reported in Section E)	12
7	Other sexual partner, not otherwise classified in codes 1-6	66
Total		10403

Universe : Applicable if R reported more than 3 biological children in Sections C, D, E, or F (biokids >3)

PARENT05(4276-4276)

Variable Type : Recode

Description : Other biological parent of R's 5th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10246
1	Current wife	73
2	Current cohabiting partner	14
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	14
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	23
6	First cohabiting partner (reported in Section E)	5
7	Other sexual partner, not otherwise classified in codes 1-6	26

Total

10403

Universe : Applicable if R reported more than 4 biological children in Sections C, D, E, or F (biokids >4)

PARENT06(4277-4277)

Variable Type : Recode

Description : Other biological parent of R's 6th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10340
1	Current wife	27
2	Current cohabiting partner	5
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	6
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	2
5	Former wife (reported in Section E)	8
6	First cohabiting partner (reported in Section E)	5
7	Other sexual partner, not otherwise classified in codes 1-6	10
	Total	10403

Universe : Applicable if R reported more than 5 biological children in Sections C, D, E, or F (biokids >5)

PARENT07(4278-4278)

Variable Type : Recode

Description : Other biological parent of R's 7th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10382
1	Current wife	7
2	Current cohabiting partner	2
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
5	Former wife (reported in Section E)	3
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	6
	Total	10403

Universe : Applicable if R reported more than 6 biological children in Sections C, D, E, or F (biokids >6)

PARENT08(4279-4279)

Variable Type : Recode

Description : Other biological parent of R's 8th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10395
1	Current wife	4
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	2
7	Other sexual partner, not otherwise classified in codes 1-6	2
	Total	10403

Universe : Applicable if R reported more than 7 biological children in Sections C, D, E, or F (biokids >7)

PARENT09(4280-4280)

Variable Type : Recode

Description : Other biological parent of R's 9th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10400
1	Current wife	1
7	Other sexual partner, not otherwise classified in codes 1-6	2
Total		10403

Universe : Applicable if R reported more than 8 biological children in Sections C, D, E, or F (biokids >8)

PARENT10(4281-4281)

Variable Type : Recode

Description : Other biological parent of R's 10th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	10401
7	Other sexual partner, not otherwise classified in codes 1-6	2
Total		10403

Universe : Applicable if R reported more than 9 biological children in Sections C, D, E, or F (biokids >9)

WANTBO1(4282-4282)

Variable Type : Recode

Description : Wantedness of 1st birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	9147
1	LATER, OVERDUE	91
2	RIGHT TIME	633
3	TOO SOON, MISTIMED	414
4	DIDN'T CARE, INDIFFERENT	11
5	UNWANTED	92
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	14
Total		10403

Universe : Applicable if R had a biological child born within the last 5 years (biodob1 GE cmfivyr or bioagegp1 = 1)

WANTBO2(4283-4283)

Variable Type : Recode

Description : Wantedness of 2nd birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	9430
1	LATER, OVERDUE	63
2	RIGHT TIME	558
3	TOO SOON, MISTIMED	240
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	98
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	6
Total		10403

Universe : Applicable if R had more than one biological child born within the last 5 years (biodob2 GE cmfivyr or bioagegp2 = 1)

WANTBO3(4284-4284)

Variable Type : Recode

Description : Wantedness of 3rd birth within last 5 years (RECODE)

value label	Total
. INAPPLICABLE	9911
1 LATER, OVERDUE	31
2 RIGHT TIME	250
3 TOO SOON, MISTIMED	118
4 DIDN'T CARE, INDIFFERENT	9
5 UNWANTED	80
6 DON'T KNOW, NOT SURE	1
7 R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	3
Total	10403

Universe : Applicable if R had more than 2 biological children born within the last 5 years (biodob3 GE cmfivyr or bioagegp3 = 1)

WANTB04(4285-4285)

Variable Type : Recode

Description : Wantedness of 4th birth within last 5 years (RECODE)

value label	Total
. INAPPLICABLE	10202
1 LATER, OVERDUE	11
2 RIGHT TIME	86
3 TOO SOON, MISTIMED	51
4 DIDN'T CARE, INDIFFERENT	3
5 UNWANTED	44
6 DON'T KNOW, NOT SURE	2
7 R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	4
Total	10403

Universe : Applicable if R had more than 3 biological children born within the last 5 years (biodob4 GE cmfivyr or bioagegp4 = 1)

WANTB05(4286-4286)

Variable Type : Recode

Description : Wantedness of 5th birth within last 5 years (RECODE)

value label	Total
. INAPPLICABLE	10322
1 LATER, OVERDUE	2
2 RIGHT TIME	37
3 TOO SOON, MISTIMED	23
4 DIDN'T CARE, INDIFFERENT	1
5 UNWANTED	17
7 R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total	10403

Universe : Applicable if R had more than 4 biological children born within the last 5 years (biodob5 GE cmfivyr or bioagegp5 = 1)

WANTB06(4287-4287)

Variable Type : Recode

Description : Wantedness of 6th birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	10365
1	LATER, OVERDUE	1
2	RIGHT TIME	20
3	TOO SOON, MISTIMED	5
5	UNWANTED	11
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
	Total	10403

Universe : Applicable if R had more than 5 biological children born within the last 5 years (biodob6 GE cmfivyr or bioagegp6 = 1)

WANTB07(4288-4288)

Variable Type : Recode

Description : Wantedness of 7th birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	10392
2	RIGHT TIME	4
3	TOO SOON, MISTIMED	2
5	UNWANTED	5
	Total	10403

Universe : Applicable if R had more than 6 biological children born within the last 5 years (biodob7 GE cmfivyr or bioagegp7 = 1)

WANTB08(4289-4289)

Variable Type : Recode

Description : Wantedness of 8th birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	10398
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
	Total	10403

Universe : Applicable if R had more than 7 biological children born within the last 5 years (biodob8 GE cmfivyr or bioagegp8 = 1)

WANTB09(4290-4290)

Variable Type : Recode

Description : Wantedness of 9th birth within last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	10401
2	RIGHT TIME	1
5	UNWANTED	1
	Total	10403

Universe : Applicable if R had more than 8 biological children born within the last 5 years (biodob9 GE cmfivyr or bioagegp9 = 1)

WANTB10(4291-4291)

Variable Type : Recode

Description : Wantedness of 10th birth within last 5 years (RECODE)

value label	Total
. INAPPLICABLE	10401
5 UNWANTED	1
6 DON'T KNOW, NOT SURE	1
Total	10403

Universe : Applicable if R had more than 9 biological children born within the last 5 years (biodob10 GE cmfivyr or bioagegp10 = 1)

UNINTB5(4292-4292)

Variable Type : Recode

Description : Whether R fathered an unintended birth within last 5 years (RECODE)

value label	Total
. INAPPLICABLE	8151
1 YES (R HAD ONE OR MORE UNINTENDED BIRTHS IN THE PAST 5 YEARS)	1009
2 NO (R DID NOT HAVE AN UNINTENDED BIRTH IN THE PAST 5 YEARS)	1232
3 R DID NOT KNOW ABOUT THE PREGNANCY(IES) LEADING TO THE BIRTH(S) IN THE PAST 5 YEARS	11
Total	10403

Universe : Applicable if R had one or more biological children born within the last 5 years (any variable in biodob1 - biodob10 GE cmfivyr or any variable in bioagegp1 - bioagegp10 = 1)

HADSEX_I (4293-4293)

Variable Type : Imputation Flag

Description : HADSEX Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

SEXONCE_I (4294-4294)

Variable Type : Imputation Flag

Description : SEXONCE Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10402
2 LOGICAL IMPUTATION	1
Total	10403

Universe : Applicable for all respondents

VR1STSX_I (4295-4295)

Variable Type : Imputation Flag

Description : VR1STSX Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10068

1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	270
Total		10403

Universe : Applicable for all respondents

VRY1STAG_I (4296-4296)

Variable Type : Imputation Flag

Description : VRY1STAG Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10335
1 MULTIPLE REGRESSION IMPUTATION	65
2 LOGICAL IMPUTATION	3
Total	10403

Universe : Applicable for all respondents

SEXMAR_I (4297-4297)

Variable Type : Imputation Flag

Description : SEXMAR Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10043
1 MULTIPLE REGRESSION IMPUTATION	358
2 LOGICAL IMPUTATION	2
Total	10403

Universe : Applicable for all respondents

SEXUNION_I (4298-4298)

Variable Type : Imputation Flag

Description : SEXUNION Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	9869
1 MULTIPLE REGRESSION IMPUTATION	456
2 LOGICAL IMPUTATION	78
Total	10403

Universe : Applicable for all respondents

FSEXPAGE_I (4299-4299)

Variable Type : Imputation Flag

Description : FSEXPAGE Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10290
1 MULTIPLE REGRESSION IMPUTATION	94
2 LOGICAL IMPUTATION	19
Total	10403

Universe : Applicable for all respondents

FSEXRLTN_I (4300-4300)

Variable Type : Imputation Flag

Description : FSEXRLTN Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10359
1 MULTIPLE REGRESSION IMPUTATION	40
2 LOGICAL IMPUTATION	4
Total	10403

Universe : Applicable for all respondents

SEX1MTHD1_I (4301-4301)

Variable Type : Imputation Flag

Description : SEX1MTHD1 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10339
1 MULTIPLE REGRESSION IMPUTATION	64
Total	10403

Universe : Applicable for all respondents

SEX1MTHD2_I (4302-4302)

Variable Type : Imputation Flag

Description : SEX1MTHD2 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10317
1 MULTIPLE REGRESSION IMPUTATION	86
Total	10403

Universe : Applicable for all respondents

SEX1MTHD3_I (4303-4303)

Variable Type : Imputation Flag

Description : SEX1MTHD3 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10317
1 MULTIPLE REGRESSION IMPUTATION	86
Total	10403

Universe : Applicable for all respondents

SEX1MTHD4_I (4304-4304)

Variable Type : Imputation Flag

Description : SEX1MTHD4 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10317
1 MULTIPLE REGRESSION IMPUTATION	86

Total	10403
--------------	--------------

Universe : Applicable for all respondents

LSEXDATE_I (4305-4305)

Variable Type : Imputation Flag

Description : LSEXDATE Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10329
1 MULTIPLE REGRESSION IMPUTATION	73
2 LOGICAL IMPUTATION	1
Total	10403

Universe : Applicable for all respondents

LSEXDATE2_I (4306-4306)

Variable Type : Imputation Flag

Description : LSEXDATE2 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10331
1 MULTIPLE REGRESSION IMPUTATION	71
2 LOGICAL IMPUTATION	1
Total	10403

Universe : Applicable for all respondents

SEX3MO_I (4307-4307)

Variable Type : Imputation Flag

Description : SEX3MO Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10329
1 MULTIPLE REGRESSION IMPUTATION	74
Total	10403

Universe : Applicable for all respondents

SEX12MO_I (4308-4308)

Variable Type : Imputation Flag

Description : SEX12MO Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10329
1 MULTIPLE REGRESSION IMPUTATION	74
Total	10403

Universe : Applicable for all respondents

LSEXRAGE_I (4309-4309)

Variable Type : Imputation Flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10329
1	MULTIPLE REGRESSION IMPUTATION	74
	Total	10403

Universe : Applicable for all respondents

LSEXPAGE_I (4310-4310)

Variable Type : Imputation Flag

Description : LSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10288
1	MULTIPLE REGRESSION IMPUTATION	115
	Total	10403

Universe : Applicable for all respondents

LSEXPRAC_I (4311-4311)

Variable Type : Imputation Flag

Description : LSEXPRAC imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10372
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	4
	Total	10403

Universe : Applicable for all respondents

LSEXRLTN_I (4312-4312)

Variable Type : Imputation Flag

Description : LSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10355
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	28
	Total	10403

Universe : Applicable for all respondents

LSEXUSE1_I (4313-4313)

Variable Type : Imputation Flag

Description : LSEXUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10361
1	MULTIPLE REGRESSION IMPUTATION	42
	Total	10403

Universe : Applicable for all respondents

LSEXUSE2_I (4314-4314)

Variable Type : Imputation Flag

Description : LSEXUSE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10025
1	MULTIPLE REGRESSION IMPUTATION	377
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

LSEXUSE3_I (4315-4315)

Variable Type : Imputation Flag

Description : LSEXUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10012
1	MULTIPLE REGRESSION IMPUTATION	390
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

LSEXUSE4_I (4316-4316)

Variable Type : Imputation Flag

Description : LSEXUSE4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10012
1	MULTIPLE REGRESSION IMPUTATION	390
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

METH12M1_I (4317-4317)

Variable Type : Imputation Flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10312
1	MULTIPLE REGRESSION IMPUTATION	91
	Total	10403

Universe : Applicable for all respondents

METH12M2_I (4318-4318)

Variable Type : Imputation Flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10056
1	MULTIPLE REGRESSION IMPUTATION	347

Total	10403
--------------	--------------

Universe : Applicable for all respondents

METH12M3_I (4319-4319)

Variable Type : Imputation Flag

Description : METH12M3 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10045
1 MULTIPLE REGRESSION IMPUTATION	358
Total	10403

Universe : Applicable for all respondents

METH12M4_I (4320-4320)

Variable Type : Imputation Flag

Description : METH12M4 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10045
1 MULTIPLE REGRESSION IMPUTATION	358
Total	10403

Universe : Applicable for all respondents

METH3M1_I (4321-4321)

Variable Type : Imputation Flag

Description : METH3M1 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10315
1 MULTIPLE REGRESSION IMPUTATION	88
Total	10403

Universe : Applicable for all respondents

METH3M2_I (4322-4322)

Variable Type : Imputation Flag

Description : METH3M2 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10155
1 MULTIPLE REGRESSION IMPUTATION	248
Total	10403

Universe : Applicable for all respondents

METH3M3_I (4323-4323)

Variable Type : Imputation Flag

Description : METH3M3 Imputation Flag

value label	Total
--------------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	10147
1	MULTIPLE REGRESSION IMPUTATION	256
Total		10403

Universe : Applicable for all respondents

METH3M4_I (4324-4324)

Variable Type : Imputation Flag

Description : METH3M4 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10147
1 MULTIPLE REGRESSION IMPUTATION	256
Total	10403

Universe : Applicable for all respondents

NUMP3MOS_I (4325-4325)

Variable Type : Imputation Flag

Description : NUMP3MOS Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10314
1 MULTIPLE REGRESSION IMPUTATION	87
2 LOGICAL IMPUTATION	2
Total	10403

Universe : Applicable for all respondents

LIFPRTNR_I (4326-4326)

Variable Type : Imputation Flag

Description : LIFPRTNR Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10119
1 MULTIPLE REGRESSION IMPUTATION	284
Total	10403

Universe : Applicable for all respondents

PARTS1YR_I (4327-4327)

Variable Type : Imputation Flag

Description : PARTS1YR Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10379
1 MULTIPLE REGRESSION IMPUTATION	21
2 LOGICAL IMPUTATION	3
Total	10403

Universe : Applicable for all respondents

PARTDUR1_I (4328-4328)

Variable Type : Imputation Flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10176
1	MULTIPLE REGRESSION IMPUTATION	221
2	LOGICAL IMPUTATION	6
	Total	10403

Universe : Applicable for all respondents

PARTDUR2_I (4329-4329)

Variable Type : Imputation Flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10356
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	7
	Total	10403

Universe : Applicable for all respondents

PARTDUR3_I (4330-4330)

Variable Type : Imputation Flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10352
1	MULTIPLE REGRESSION IMPUTATION	43
2	LOGICAL IMPUTATION	8
	Total	10403

Universe : Applicable for all respondents

COHEVER_I (4331-4331)

Variable Type : Imputation Flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

EVMARCOH_I (4332-4332)

Variable Type : Imputation Flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

PMARRNO_I (4333-4333)

Variable Type : Imputation Flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10397
1	MULTIPLE REGRESSION IMPUTATION	6
	Total	10403

Universe : Applicable for all respondents

NONMARR_I (4334-4334)

Variable Type : Imputation Flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10396
1	MULTIPLE REGRESSION IMPUTATION	7
	Total	10403

Universe : Applicable for all respondents

TIMESCOH_I (4335-4335)

Variable Type : Imputation Flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10389
1	MULTIPLE REGRESSION IMPUTATION	14
	Total	10403

Universe : Applicable for all respondents

MARDAT01_I (4336-4336)

Variable Type : Imputation Flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10334
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	29
	Total	10403

Universe : Applicable for all respondents

MARDAT02_I (4337-4337)

Variable Type : Imputation Flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10391

1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	8
Total		10403

Universe : Applicable for all respondents

MARDAT03_I (4338-4338)

Variable Type : Imputation Flag

Description : MARDAT03 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10397
1 MULTIPLE REGRESSION IMPUTATION	3
2 LOGICAL IMPUTATION	3
Total	10403

Universe : Applicable for all respondents

MARDAT04_I (4339-4339)

Variable Type : Imputation Flag

Description : MARDAT04 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10401
2 LOGICAL IMPUTATION	2
Total	10403

Universe : Applicable for all respondents

MAREND01_I (4340-4340)

Variable Type : Imputation Flag

Description : MAREND01 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10347
1 MULTIPLE REGRESSION IMPUTATION	56
Total	10403

Universe : Applicable for all respondents

MAREND02_I (4341-4341)

Variable Type : Imputation Flag

Description : MAREND02 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10391
1 MULTIPLE REGRESSION IMPUTATION	11
2 LOGICAL IMPUTATION	1
Total	10403

Universe : Applicable for all respondents

MAREND03_I (4342-4342)

Variable Type : Imputation Flag

Description : MAREND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10399
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

MAREND04_I (4343-4343)

Variable Type : Imputation Flag

Description : MAREND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

MARDIS01_I (4344-4344)

Variable Type : Imputation Flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10335
1	MULTIPLE REGRESSION IMPUTATION	42
2	LOGICAL IMPUTATION	26
	Total	10403

Universe : Applicable for all respondents

MARDIS02_I (4345-4345)

Variable Type : Imputation Flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10388
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	8
	Total	10403

Universe : Applicable for all respondents

MARDIS03_I (4346-4346)

Variable Type : Imputation Flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10397

1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		10403

Universe : Applicable for all respondents

MARDIS04_I (4347-4347)

Variable Type : Imputation Flag

Description : MARDIS04 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10402
2 LOGICAL IMPUTATION	1
Total	10403

Universe : Applicable for all respondents

MAR1DISS_I (4348-4348)

Variable Type : Imputation Flag

Description : MAR1DISS Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10329
1 MULTIPLE REGRESSION IMPUTATION	59
2 LOGICAL IMPUTATION	15
Total	10403

Universe : Applicable for all respondents

PREMARW1_I (4349-4349)

Variable Type : Imputation Flag

Description : PREMARW1 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10379
1 MULTIPLE REGRESSION IMPUTATION	24
Total	10403

Universe : Applicable for all respondents

COHAB1_I (4350-4350)

Variable Type : Imputation Flag

Description : COHAB1 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10181
1 MULTIPLE REGRESSION IMPUTATION	222
Total	10403

Universe : Applicable for all respondents

COHSTAT_I (4351-4351)

Variable Type : Imputation Flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10280
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	122
	Total	10403

Universe : Applicable for all respondents

COHOUT_I (4352-4352)

Variable Type : Imputation Flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10163
1	MULTIPLE REGRESSION IMPUTATION	240
	Total	10403

Universe : Applicable for all respondents

COH1DUR_I (4353-4353)

Variable Type : Imputation Flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10111
1	MULTIPLE REGRESSION IMPUTATION	292
	Total	10403

Universe : Applicable for all respondents

CSPBIOKD_I (4354-4354)

Variable Type : Imputation Flag

Description : CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

DATBABY1_I (4355-4355)

Variable Type : Imputation Flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10372
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

AGEBABY1_I (4356-4356)

Variable Type : Imputation Flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10372
1	MULTIPLE REGRESSION IMPUTATION	31
Total		10403

Universe : Applicable for all respondents

B1PREMAR_I (4357-4357)

Variable Type : Imputation Flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10336
2	LOGICAL IMPUTATION	67
Total		10403

Universe : Applicable for all respondents

MARBABY1_I (4358-4358)

Variable Type : Imputation Flag

Description : MARBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total		10403

Universe : Applicable for all respondents

CEBOW_I (4359-4359)

Variable Type : Imputation Flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total		10403

Universe : Applicable for all respondents

CEBOWC_I (4360-4360)

Variable Type : Imputation Flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total		10403

Universe : Applicable for all respondents

CEBOWP_I (4361-4361)

Variable Type : Imputation Flag

Description : CEBOWP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10395
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	10403

Universe : Applicable for all respondents

EVROPAT_I (4362-4362)

Variable Type : Imputation Flag

Description : EVROPAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10395
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	10403

Universe : Applicable for all respondents

NONLIVEB_I (4363-4363)

Variable Type : Imputation Flag

Description : NONLIVEB Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10362
2	LOGICAL IMPUTATION	41
	Total	10403

Universe : Applicable for all respondents

COMPREG_I (4364-4364)

Variable Type : Imputation Flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10385
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	14
	Total	10403

Universe : Applicable for all respondents

ABORTION_I (4365-4365)

Variable Type : Imputation Flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10362
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	29
	Total	10403

Universe : Applicable for all respondents

LOSSNUM_I (4366-4366)

Variable Type : Imputation Flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10362
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	29
	Total	10403

Universe : Applicable for all respondents

PARENT01_I (4367-4367)

Variable Type : Imputation Flag

Description : PARENT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

PARENT02_I (4368-4368)

Variable Type : Imputation Flag

Description : PARENT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

PARENT03_I (4369-4369)

Variable Type : Imputation Flag

Description : PARENT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

PARENT04_I (4370-4370)

Variable Type : Imputation Flag

Description : PARENT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

PARENT05_I (4371-4371)

Variable Type : Imputation Flag

Description : PARENT05 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

PARENT06_I (4372-4372)

Variable Type : Imputation Flag

Description : PARENT06 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

PARENT07_I (4373-4373)

Variable Type : Imputation Flag

Description : PARENT07 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

PARENT08_I (4374-4374)

Variable Type : Imputation Flag

Description : PARENT08 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

PARENT09_I (4375-4375)

Variable Type : Imputation Flag

Description : PARENT09 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

PARENT10_I (4376-4376)

Variable Type : Imputation Flag

Description : PARENT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

WANTB01_I (4377-4377)

Variable Type : Imputation Flag

Description : WANTB01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	10403

Universe : Applicable for all respondents

WANTB02_I (4378-4378)

Variable Type : Imputation Flag

Description : WANTB02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

WANTB03_I (4379-4379)

Variable Type : Imputation Flag

Description : WANTB03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10400
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	10403

Universe : Applicable for all respondents

WANTB04_I (4380-4380)

Variable Type : Imputation Flag

Description : WANTB04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	10403

Universe : Applicable for all respondents

WANTB05_I (4381-4381)

Variable Type : Imputation Flag

Description : WANTB05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

WANTB06_I (4382-4382)

Variable Type : Imputation Flag

Description : WANTB06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10402
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

WANTB07_I (4383-4383)

Variable Type : Imputation Flag

Description : WANTB07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

WANTB08_I (4384-4384)

Variable Type : Imputation Flag

Description : WANTB08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

WANTB09_I (4385-4385)

Variable Type : Imputation Flag

Description : WANTB09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

WANTB10_I (4386-4386)

Variable Type : Imputation Flag

Description : WANTB10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

UNINTB5_I(4387-4387)

Variable Type : Imputation Flag

Description : UNINTB5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10392
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	1
	Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Section G

DADTYPE(4388-4388)

Variable Type : Recode

Description : Type of children aged 18 or younger that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN	2604
2	ONLY NON-CORESIDENTIAL CHILDREN	885
3	BOTH CORESIDENTIAL AND NON-CORESIDENTIAL CHILDREN	439
4	NO CHILDREN 18 OR YOUNGER, OR NO CHILDREN AT ALL	6475
	Total	10403

Universe : Applicable for all respondents

DADTYP5(4389-4389)

Variable Type : Recode

Description : Type of children under 5 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN UNDER 5	1746
2	ONLY NON-CORESIDENTIAL CHILDREN UNDER 5	369
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN UNDER 5	44
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN UNDER 5, OR NO CHILDREN	8244
	Total	10403

Universe : Applicable for all respondents

DADTYP518(4390-4390)

Variable Type : Recode

Description : Type of children 5-18 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN 5 TO 18	1786
2	ONLY NON-CORESIDENTIAL CHILDREN 5 TO 18	772
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN 5 TO 18	306

4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN 5 TO 18, OR NO CHILDREN	7539
	Total	10403

Universe : Applicable for all respondents

NUMCRU18(4391-4391)

Variable Type : Recode

Description : Number of coresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	7360
1	1 CHILD	1134
2	2 CHILDREN	1144
3	3 CHILDREN	535
4-95	4 OR MORE CHILDREN	230
	Total	10403

Universe : Applicable for all respondents

NUMNCU18(4392-4393)

Variable Type : Recode

Description : Number of noncoresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	9079
1	1 CHILD	753
2	2 CHILDREN	345
3	3 CHILDREN	144
4-95	4 OR MORE CHILDREN	82
	Total	10403

Universe : Applicable for all respondents

SUPP12MO(4394-4394)

Variable Type : Recode

Description : Contribution of child support in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	9079
1	CONTRIBUTED CHILD SUPPORT ON A REGULAR BASIS IN LAST 12 MONTHS	996
2	CONTRIBUTED CHILD SUPPORT ONCE IN A WHILE IN LAST 12 MONTHS	135
3	DID NOT CONTRIBUTE CHILD SUPPORT IN LAST 12 MONTHS	193
	Total	10403

Universe : Applicable if R has any non-coresidential biological or adopted children aged 18 or younger (ncall > 0)

DADTYPE_I(4395-4395)

Variable Type : Imputation Flag

Description : DADTYPE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

DADTYPU5_I (4396-4396)

Variable Type : Imputation Flag

Description : DADTYPU5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

DADTYP518_I (4397-4397)

Variable Type : Imputation Flag

Description : DADTYP518 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

NUMCRU18_I (4398-4398)

Variable Type : Imputation Flag

Description : NUMCRU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

NUMNCU18_I (4399-4399)

Variable Type : Imputation Flag

Description : NUMNCU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

SUPP12MO_I (4400-4400)

Variable Type : Imputation Flag

Description : SUPP12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Section H

INTENT(4401-4401)

Variable Type : Recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R intends to have (more) children	6656
2	R does not intend to have (more) children	3656
3	R does not know his intent	91
Total		10403

Universe : Applicable for all respondents

ADDEXP(4402-4404)

Variable Type : Recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	3515
5	.5 ADDITIONAL BIRTHS	28
10	1 ADDITIONAL BIRTH	1832
15	1.5 ADDITIONAL BIRTHS	47
20	2 ADDITIONAL BIRTHS	3334
25	2.5 ADDITIONAL BIRTHS	27
30	3 ADDITIONAL BIRTHS	1138
35	3.5 ADDITIONAL BIRTHS	4
40	4 ADDITIONAL BIRTHS	311
45	4.5 ADDITIONAL BIRTHS	2
50	5 ADDITIONAL BIRTHS	94
55	5.5 ADDITIONAL BIRTHS	1
60	6 ADDITIONAL BIRTHS	31
70	7 ADDITIONAL BIRTHS	7
80	8 ADDITIONAL BIRTHS	10
90	9 ADDITIONAL BIRTHS	1
100-995	10 OR MORE ADDITIONAL BIRTHS	21
Total		10403

Universe : Applicable for all respondents

INTENT_I(4405-4405)

Variable Type : Imputation Flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10398
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		10403

Universe : Applicable for all respondents

ADDEXP_I(4406-4406)

Variable Type : Imputation Flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10369
1	MULTIPLE REGRESSION IMPUTATION	34
	Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Section I

CURR_INS(4407-4407)

Variable Type : Recode

Description : Current health insurance status (RECODE)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	5953
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	1168
3	Currently covered by Medicare, military health care, or other government health care	460
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	2822
	Total	10403

Universe : Applicable for all respondents

INFEVER(4408-4408)

Variable Type : Recode

Description : Ever used infertility services (RECODE)

value	label	Total
.	INAPPLICABLE	1773
1	YES	479
2	NO	8151
	Total	10403

Universe : Applicable if respondent has ever had sexual intercourse with a female (HADSEX = 1)

EVHIVTST(4409-4409)

Variable Type : Recode

Description : HIV testing experience (RECODE)

value	label	Total
0	NO HIV TEST REPORTED	4179
1	YES, ONLY AS PART OF BLOOD DONATION	1753
2	YES, ONLY OUTSIDE OF BLOOD DONATION	2694
3	YES, IN BOTH CONTEXTS	1777
	Total	10403

Universe : Applicable for all respondents

CURR_INS_I(4410-4410)

Variable Type : Imputation Flag

Description : CURR_INS Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	10212
1	MULTIPLE REGRESSION IMPUTATION	191
Total		10403

Universe : Applicable for all respondents

INFEVER_I(4411-4411)

Variable Type : Imputation Flag

Description : INFEVER Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10403
Total	10403

Universe : Applicable for all respondents

EVHIVTST_I(4412-4412)

Variable Type : Imputation Flag

Description : EVHIVTST Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	10345
1 MULTIPLE REGRESSION IMPUTATION	58
Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Section J

METRO(4413-4413)

Variable Type : Recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value label	Total
1 MSA, CENTRAL CITY	4338
2 MSA, OTHER	4563
3 NOT MSA	1502
Total	10403

Universe : Applicable for all respondents

RELIGION(4414-4414)

Variable Type : Recode

Description : Current religious affiliation (RECODE)

value label	Total
1 No religion	2548
2 Catholic	2734
3 Protestant	4261
4 Other religion	860
Total	10403

Universe : Applicable for all respondents

LABORFOR(4415-4415)

Variable Type : Recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	5422
2	Working part-time	1527
3	Working, but on vacation, strike, or had temporary illness	324
4	Working - paternity or family leave	6
5	Not working but looking for work	830
6	In school	1172
7	Keeping house	489
8	Caring for family	75
9	Other	558
	Total	10403

Universe : Applicable for all respondents. (This variable has been recoded for public use.)

METRO_I(4416-4416)

Variable Type : Imputation Flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10403
	Total	10403

Universe : Applicable for all respondents

RELIGION_I(4417-4417)

Variable Type : Imputation Flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10367
1	MULTIPLE REGRESSION IMPUTATION	36
	Total	10403

Universe : Applicable for all respondents

LABORFOR_I(4418-4418)

Variable Type : Imputation Flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10401
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	10403

Universe : Applicable for all respondents

Male File :: Section R :: Section K

POVERTY(4419-4421)

Variable Type : Recode

Description : Poverty level income (RECODE)

value	label	Total
000-099	0-99 percent of poverty level	2022
100-199	100-199 percent of poverty level	2335
200-299	200-299 percent of poverty level	1899
300-399	300-399 percent of poverty level	1794
400-499	400-499 percent of poverty level	1220
500	500 percent of poverty level or greater	1133
	Total	10403

Universe : Applicable for all respondents. (This variable has been topcoded for public use.)

TOTINCR(4422-4423)

Variable Type : Recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	439
2	\$5000-\$7499	285
3	\$7500-\$9999	298
4	\$10,000-\$12,499	441
5	\$12,500-\$14,999	430
6	\$15,000-\$19,999	569
7	\$20,000-\$24,999	701
8	\$25,000-\$29,999	789
9	\$30,000-\$34,999	699
10	\$35,000-\$39,999	681
11	\$40,000-\$49,999	945
12	\$50,000-\$59,999	1015
13	\$60,000-\$74,999	970
14	\$75,000 or more	2141
	Total	10403

Universe : Applicable for all respondents

PUBASSIS(4424-4424)

Variable Type : Recode

Description : Whether R received public assistance in last calendar year (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR -1])	2643
2	No (did not receive public assistance in [INTERVIEW YEAR -1])	7760
	Total	10403

Universe : Applicable for all respondents

POVERTY_I (4425-4425)

Variable Type : Imputation Flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9251
1	MULTIPLE REGRESSION IMPUTATION	1152
	Total	10403

Universe : Applicable for all respondents

TOTINCR_I (4426-4426)

Variable Type : Imputation Flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9251
1	MULTIPLE REGRESSION IMPUTATION	1152
	Total	10403

Universe : Applicable for all respondents

PUBASSIS_I (4427-4427)

Variable Type : Imputation Flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	9983
1	MULTIPLE REGRESSION IMPUTATION	420
	Total	10403

Universe : Applicable for all respondents